

# FEDERAL OPERATING PERMIT

A FEDERAL OPERATING PERMIT IS HEREBY ISSUED TO  
Skeeter Products, Inc.

AUTHORIZING THE OPERATION OF  
Skeeter Products  
Boat Building

LOCATED AT  
Gregg County, Texas  
Latitude 32° 24' 24" Longitude 94° 50' 54"  
Regulated Entity Number: RN100211721

This permit is issued in accordance with and subject to the Texas Clean Air Act (TCAA), Chapter 382 of the Texas Health and Safety Code and Title 30 Texas Administrative Code Chapter 122 (30 TAC Chapter 122), Federal Operating Permits. Under 30 TAC Chapter 122, this permit constitutes the permit holder's authority to operate the site and emission units listed in this permit. Operations of the site and emission units listed in this permit are subject to all additional rules or amended rules and orders of the Commission pursuant to the TCAA.

This permit does not relieve the permit holder from the responsibility of obtaining New Source Review authorization for new, modified, or existing facilities in accordance with 30 TAC Chapter 116, Control of Air Pollution by Permits for New Construction or Modification.

The site and emission units authorized by this permit shall be operated in accordance with 30 TAC Chapter 122, the general terms and conditions, special terms and conditions, and attachments contained herein.

This permit shall expire five years from the date of issuance. The renewal requirements specified in 30 TAC § 122.241 must be satisfied in order to renew the authorization to operate the site and emission units.

Permit No: Q4737 Issuance Date: \_\_\_\_\_

\_\_\_\_\_  
For the Commission

## Table of Contents

Section	Page
General Terms and Conditions .....	1
Special Terms and Conditions: .....	1
Emission Limitations and Standards, Monitoring and Testing, and Recordkeeping and Reporting.....	1
New Source Review Authorization Requirements .....	4
Compliance Requirements.....	5
Risk Management Plan .....	6
Protection of Stratospheric Ozone .....	6
Permit Location .....	6
Permit Shield (30 TAC § 122.148) .....	6
Attachments .....	7
Applicable Requirements Summary.....	8
Permit Shield.....	13
New Source Review Authorization References .....	16
Appendix A.....	21
Acronym List .....	22

## **General Terms and Conditions**

The permit holder shall comply with all terms and conditions contained in 30 TAC § 122.143 (General Terms and Conditions), 30 TAC § 122.144 (Recordkeeping Terms and Conditions), 30 TAC § 122.145 (Reporting Terms and Conditions), and 30 TAC § 122.146 (Compliance Certification Terms and Conditions).

In accordance with 30 TAC § 122.144(1), records of required monitoring data and support information required by this permit, or any applicable requirement codified in this permit, are required to be maintained for a period of five years from the date of the monitoring report, sample, or application unless a longer data retention period is specified in an applicable requirement. The five year record retention period supersedes any less stringent retention requirement that may be specified in a condition of a permit identified in the New Source Review Authorization attachment.

If the permit holder chooses to demonstrate that this permit is no longer required, a written request to void this permit shall be submitted to the Texas Commission on Environmental Quality (TCEQ) by the Responsible Official in accordance with 30 TAC § 122.161(e). The permit holder shall comply with the permit's requirements, including compliance certification and deviation reporting, until notified by the TCEQ that this permit is voided.

The permit holder shall comply with 30 TAC Chapter 116 by obtaining a New Source Review authorization prior to new construction or modification of emission units located in the area covered by this permit.

All reports required by this permit must include in the submittal a cover letter which identifies the following information: company name, TCEQ regulated entity number, air account number (if assigned), site name, area name (if applicable), and Air Permits Division permit number(s).

## **Special Terms and Conditions:**

### **Emission Limitations and Standards, Monitoring and Testing, and Recordkeeping and Reporting**

1. Permit holder shall comply with the following requirements:
  - A. Emission units (including groups and processes) in the Applicable Requirements Summary attachment shall meet the limitations, standards, equipment specifications, monitoring, recordkeeping, reporting, testing, and other requirements listed in the Applicable Requirements Summary attachment to assure compliance with the permit.
  - B. The textual description in the column titled "Textual Description" in the Applicable Requirements Summary attachment is not enforceable and is not deemed as a substitute for the actual regulatory language. The Textual Description is provided for information purposes only.
  - C. A citation listed on the Applicable Requirements Summary attachment, which has a notation [G] listed before it, shall include the referenced section and subsection for all commission rules, or paragraphs for all federal and state regulations and all subordinate paragraphs, subparagraphs and clauses, subclauses, and items contained within the referenced citation as applicable requirements.
  - D. When a grouped citation, notated with a [G] in the Applicable Requirements Summary, contains multiple compliance options, the permit holder must keep records of when each compliance option was used.

- E. Emission units subject to 40 CFR Part 63, Subpart VVVV as identified in the attached Applicable Requirements Summary table are subject to 30 TAC Chapter 113, Subchapter C, § 113.1050 which incorporates the 40 CFR Part 63 Subpart by reference.
2. The permit holder shall comply with the following sections of 30 TAC Chapter 101 (General Air Quality Rules):
- A. Title 30 TAC § 101.1 (relating to Definitions), insofar as the terms defined in this section are used to define the terms used in other applicable requirements
  - B. Title 30 TAC § 101.3 (relating to Circumvention)
  - C. Title 30 TAC § 101.8 (relating to Sampling), if such action has been requested by the TCEQ
  - D. Title 30 TAC § 101.9 (relating to Sampling Ports), if such action has been requested by the TCEQ
  - E. Title 30 TAC § 101.10 (relating to Emissions Inventory Requirements)
  - F. Title 30 TAC § 101.201 (relating to Emission Event Reporting and Recordkeeping Requirements)
  - G. Title 30 TAC § 101.211 (relating to Scheduled Maintenance, Start-up, and Shutdown Reporting and Recordkeeping Requirements)
  - H. Title 30 TAC § 101.221 (relating to Operational Requirements)
  - I. Title 30 TAC § 101.222 (relating to Demonstrations)
  - J. Title 30 TAC § 101.223 (relating to Actions to Reduce Excessive Emissions)
3. Permit holder shall comply with the following requirements of 30 TAC Chapter 111:
- A. Visible emissions from stationary vents with a flow rate of less than 100,000 actual cubic feet per minute and constructed after January 31, 1972 that are not listed in the Applicable Requirements Summary attachment for 30 TAC Chapter 111, Subchapter A, Division 1, shall not exceed 20% opacity averaged over a six-minute period. The permit holder shall comply with the following requirements for stationary vents at the site subject to this standard:
    - (i) Title 30 TAC § 111.111(a)(1)(B) (relating to Requirements for Specified Sources)
    - (ii) Title 30 TAC § 111.111(a)(1)(E)
    - (iii) Title 30 TAC § 111.111(a)(1)(F)(i), (ii), (iii), or (iv)
    - (iv) For emission units with vent emissions subject to 30 TAC § 111.111(a)(1)(B), complying with 30 TAC § 111.111(a)(1)(F)(ii), (iii), or (iv), and capable of producing visible emissions from, but not limited to, particulate matter, acid gases and NO<sub>x</sub>, the permit holder shall also comply with the following periodic monitoring requirements for the purpose of annual compliance certification under 30 TAC § 122.146. These periodic monitoring requirements do not apply to vents that are not capable of producing visible emissions such as vents that emit only colorless VOCs; vents from non-fuming liquids; vents that provide passive

ventilation, such as plumbing vents; or vent emissions from any other source that does not obstruct the transmission of light. Vents, as specified in the "Applicable Requirements Summary" attachment, that are subject to the emission limitation of 30 TAC § 111.111(a)(1)(B) are not subject to the following periodic monitoring requirements:

- (1) An observation of stationary vents from emission units in operation shall be conducted at least once during each calendar quarter unless the emission unit is not operating for the entire quarter.
- (2) For stationary vents from a combustion source, if an alternative to the normally fired fuel is fired for a period greater than or equal to 24 consecutive hours, the permit holder shall conduct an observation of the stationary vent for each such period to determine if visible emissions are present. If such period is greater than 3 months, observations shall be conducted once during each quarter. Supplementing the normally fired fuel with natural gas or fuel gas to increase the net heating value to the minimum required value does not constitute creation of an alternative fuel.
- (3) Records of all observations shall be maintained.
- (4) Visible emissions observations of emission units operated during daylight hours shall be conducted no earlier than one hour after sunrise and no later than one hour before sunset. Visible emissions observations of emission units operated only at night must be made with additional lighting and the temporary installation of contrasting backgrounds. Visible emissions observations shall be made during times when the activities described in 30 TAC § 111.111(a)(1)(E) are not taking place. Visible emissions shall be determined with each stationary vent in clear view of the observer. The observer shall be at least 15 feet, but not more than 0.25 mile, away from each stationary vent during the observation. For outdoor locations, the observer shall select a position where the sun is not directly in the observer's eyes. When condensed water vapor is present within the plume, as it emerges from the emissions outlet, observations must be made beyond the point in the plume at which condensed water vapor is no longer visible. When water vapor within the plume condenses and becomes visible at a distance from the emissions outlet, the observation shall be evaluated at the outlet prior to condensation of water vapor. A certified opacity reader is not required for visible emissions observations.
- (5) Compliance Certification:
  - (a) If visible emissions are not present during the observation, the RO may certify that the source is in compliance with the applicable opacity requirement in 30 TAC § 111.111(a)(1) and (a)(1)(B).
  - (b) However, if visible emissions are present during the observation, the permit holder shall either list this occurrence as a deviation on the next deviation report as required under 30 TAC § 122.145(2) or conduct the appropriate opacity test specified in 30 TAC § 111.111(a)(1)(F) as soon as practicable, but no later than 24 hours after observing visible emissions to determine if the source is in compliance with the opacity

requirements. If an opacity test is performed and the source is determined to be in compliance, the RO may certify that the source is in compliance with the applicable opacity requirement. However, if an opacity test is performed and the source is determined to be out of compliance, the permit holder shall list this occurrence as a deviation on the next deviation report as required under 30 TAC § 122.145(2). The opacity test must be performed by a certified opacity reader.

- (c) Some vents may be subject to multiple visible emission or monitoring requirements. All credible data must be considered when certifying compliance with this requirement even if the observation or monitoring was performed to demonstrate compliance with a different requirement.
- B. Certification of opacity readers determining opacities under Method 9 (as outlined in 40 CFR Part 60, Appendix A) to comply with opacity monitoring requirements shall be accomplished by completing the Visible Emissions Evaluators Course, or approved agency equivalent, no more than 180 days before the opacity reading.
- C. Emission limits on nonagricultural processes, except for the steam generators specified in 30 TAC § 111.153, shall comply with the following requirements:
  - (i) Emissions of PM from any source may not exceed the allowable rates as required in 30 TAC § 111.151(a) (relating to Allowable Emissions Limits)
  - (ii) Sources with an effective stack height ( $h_e$ ) less than the standard effective stack height ( $H_e$ ), must reduce the allowable emission level by multiplying it by  $[h_e/H_e]^2$  as required in 30 TAC § 111.151(b)
  - (iii) Effective stack height shall be calculated by the equation specified in 30 TAC § 111.151(c)
- 4. The permit holder shall comply with the requirements of 30 TAC Chapter 113, Subchapter C, § 113.100 for units subject to any subpart of 40 CFR Part 63, unless otherwise stated in the applicable subpart.
- 5. The permit holder shall comply with certified registrations submitted to the TCEQ for purposes of establishing federally enforceable emission limits. A copy of the certified registration shall be maintained with the permit. Records sufficient to demonstrate compliance with the established limits shall be maintained. The certified registration and records demonstrating compliance shall be provided, on request, to representatives of the appropriate TCEQ regional office and any local air pollution control agency having jurisdiction over the site. The permit holder shall submit updated certified registrations when changes at the site require establishment of new emission limits. If changes result in emissions that do not remain below major source thresholds, the permit holder shall submit a revision application to codify the appropriate requirements in the permit.

#### **New Source Review Authorization Requirements**

- 6. Permit holder shall comply with the requirements of New Source Review authorizations issued or claimed by the permit holder for the permitted area, including permits, permits by rule (including the terms, conditions, monitoring, recordkeeping, and reporting identified in registered PBRs and permits by rule identified in the PBR Supplemental Tables dated July 15, 2025 in the application for project 37960), standard permits, flexible permits, special permits, permits for existing facilities

including Voluntary Emissions Reduction Permits and Electric Generating Facility Permits issued under 30 TAC Chapter 116, Subchapter I, or special exemptions referenced in the New Source Review Authorization References attachment. These requirements:

- A. Are incorporated by reference into this permit as applicable requirements
  - B. Shall be located with this operating permit
  - C. Are not eligible for a permit shield
7. The permit holder shall comply with the general requirements of 30 TAC Chapter 106, Subchapter A or the general requirements, if any, in effect at the time of the claim of any PBR.
8. The permit holder shall maintain records to demonstrate compliance with any emission limitation or standard that is specified in a permit by rule (PBR) or Standard Permit listed in the New Source Review Authorizations attachment. The records shall yield reliable data from the relevant time period that are representative of the emission unit's compliance with the PBR or Standard Permit. These records may include, but are not limited to, production capacity and throughput, hours of operation, safety data sheets (SDS), chemical composition of raw materials, speciation of air contaminant data, engineering calculations, maintenance records, fugitive data, performance tests, capture/control device efficiencies, direct pollutant monitoring (CEMS, COMS, or PEMS), or control device parametric monitoring. These records shall be made readily accessible and available as required by 30 TAC § 122.144. Any monitoring or recordkeeping data indicating noncompliance with the PBR or Standard Permit shall be considered and reported as a deviation according to 30 TAC § 122.145 (Reporting Terms and Conditions).

#### **Compliance Requirements**

9. The permit holder shall certify compliance in accordance with 30 TAC § 122.146. The permit holder shall comply with 30 TAC § 122.146 using at a minimum, but not limited to, the continuous or intermittent compliance method data from monitoring, recordkeeping, reporting, or testing required by the permit and any other credible evidence or information. The certification period may not exceed 12 months and the certification must be submitted within 30 days after the end of the period being certified.
10. Use of Discrete Emission Credits to comply with the applicable requirements:
- A. Unless otherwise prohibited, the permit holder may use discrete emission credits to comply with the following applicable requirements listed elsewhere in this permit:
    - (i) Title 30 TAC Chapter 115
    - (ii) Title 30 TAC Chapter 117
    - (iii) If applicable, offsets for Title 30 TAC Chapter 116
    - (iv) Temporarily exceed state NSR permit allowables
  - B. The permit holder shall comply with the following requirements in order to use the credit to comply with the applicable requirements:
    - (i) The permit holder must notify the TCEQ according to 30 TAC § 101.376(d)

- (ii) The discrete emission credits to be used must meet all the geographic, timeliness, applicable pollutant type, and availability requirements listed in 30 TAC Chapter 101, Subchapter H, Division 4
- (iii) The executive director has approved the use of the discrete emission credits according to 30 TAC § 101.376(d)(1)(A)
- (iv) The permit holder keeps records of the use of credits towards compliance with the applicable requirements in accordance with 30 TAC § 101.372(h) and 30 TAC Chapter 122
- (v) Title 30 TAC § 101.375 (relating to Emission Reductions Achieved Outside the United States)

### **Risk Management Plan**

- 11. For processes subject to 40 CFR Part 68 and specified in 40 CFR § 68.10, the permit holder shall comply with the requirements of the Accidental Release Prevention Provisions in 40 CFR Part 68. The permit holder shall submit to the appropriate agency either a compliance schedule for meeting the requirements of 40 CFR Part 68 by the date provided in 40 CFR § 68.10(a), or as part of the compliance certification submitted under this permit, a certification statement that the source is in compliance with all requirements of 40 CFR Part 68, including the registration and submission of a risk management plan.

### **Protection of Stratospheric Ozone**

- 12. Permit holders at a site subject to Title VI of the FCAA Amendments shall meet the following requirements for protection of stratospheric ozone:
  - A. Any on site servicing, maintenance, and repair on refrigeration and nonmotor vehicle air-conditioning appliances using ozone-depleting refrigerants or non-exempt substitutes shall be conducted in accordance with 40 CFR Part 82, Subpart F. Permit holders shall ensure that repairs on or refrigerant removal from refrigeration and nonmotor vehicle air-conditioning appliances using ozone-depleting refrigerants are performed only by properly certified technicians using certified equipment. Records shall be maintained as required by 40 CFR Part 82, Subpart F.

### **Permit Location**

- 13. The permit holder shall maintain a copy of this permit and records related to requirements listed in this permit on site.

### **Permit Shield (30 TAC § 122.148)**

- 14. A permit shield is granted for the emission units, groups, or processes specified in the attached "Permit Shield." Compliance with the conditions of the permit shall be deemed compliance with the specified potentially applicable requirements or specified potentially applicable state-only requirements listed in the attachment "Permit Shield." Permit shield provisions shall not be modified by the executive director until notification is provided to the permit holder. No later than 90 days after notification of a change in a determination made by the executive director, the permit holder shall apply for the appropriate permit revision to reflect the new determination. Provisional terms are not eligible for this permit shield. Any term or condition, under a permit shield, shall not be protected by the permit shield if it is replaced by a provisional term or condition or the basis of the term and condition changes.

## **Attachments**

**Applicable Requirements Summary**

**Permit Shield**

**New Source Review Authorization References**

### **Applicable Requirements Summary**

<b>Unit Summary .....</b>	<b>9</b>
---------------------------	----------

<b>Applicable Requirements Summary .....</b>	<b>11</b>
--	-----------

Note: A “none” entry may be noted for some emission sources in this permit’s “Applicable Requirements Summary” under the heading of “Monitoring and Testing Requirements” and/or “Recordkeeping Requirements” and/or “Reporting Requirements.” Such a notation indicates that there are no requirements for the indicated emission source as identified under the respective column heading(s) for the stated portion of the regulation when the emission source is operating under the conditions of the specified SOP Index Number. However, other relevant requirements pursuant to 30 TAC Chapter 122 including Recordkeeping Terms and Conditions (30 TAC § 122.144), Reporting Terms and Conditions (30 TAC § 122.145), and Compliance Certification Terms and Conditions (30 TAC § 122.146) continue to apply.

### Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
EQCLEAN	MISCELLANEOUS UNITS	N/A	63VVVV-1	40 CFR Part 63, Subpart VVVV	No changing attributes.
GRP-ADHESIVE	MISCELLANEOUS UNITS	ADH01, ADH02, ADH03, TP-ADH	63VVVV-1	40 CFR Part 63, Subpart VVVV	No changing attributes.
GRP-COAT	SURFACE COATING OPERATIONS	COAT1, TRAILER1, TRAILER2, TRAILER3, TRAILER4	115E-1	30 TAC Chapter 115, Surface Coating Operations	No changing attributes.
GRP-GELCOAT	MISCELLANEOUS UNITS	GCUNIT01, GCUNIT02, GCUNIT03, GCUNIT04, GCUNIT05, GCUNIT06, GCUNIT14, SPGCB01, SPGCB02, SPMM, SRGCBR, TRGCUNIT01	63VVVV-1	40 CFR Part 63, Subpart VVVV	No changing attributes.
GRP-LAMINATE	MISCELLANEOUS UNITS	LAM05, LAM06, LAM07, LAM08, LAM09, LAM10, LAM11, LAM12, LAM13, RTMI-5, SPLAM01-03, TRVRTM01	63VVVV-1	40 CFR Part 63, Subpart VVVV	No changing attributes.
GRP-LOAD	LOADING/UNLOADING OPERATIONS	LOADRTMT01, LOADRTMT02, LOADVNTR01, LOADVNTR02, LOADVNTR03	115C-1	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
GRP-MIX	MISCELLANEOUS UNITS	GELMIX, RESMIX,	63VVVV-1	40 CFR Part 63, Subpart	No changing attributes.

### Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
		SPGELMIX, SPRESMIX		VVVV	

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
EQCLEAN	EU	63VVVV-1	HAPS	40 CFR Part 63, Subpart VVVV	§ 63.5734(a) § 63.5683(a)(1) § 63.5683(a)(2) § 63.5689(d) § 63.5692(b) § 63.5734(b)	For routine flushing of resin and gel coat application equipment (e.g., spray guns, flowcoaters, brushes, rollers, and squeegees), the owner or operator must use a cleaning solvent that contains no more than 5 percent organic HAP by weight. For removing cured resin or gel coat from application equipment, no organic HAP content limit applies.	§ 63.5737(a) § 63.5737(c)	[G]§ 63.5737 § 63.5767(a) § 63.5767(b) § 63.5767(c)(1) [G]§ 63.5770	[G]§ 63.5761 § 63.5764(a) § 63.5764(b)(1) § 63.5764(b)(2) § 63.5764(b)(3) § 63.5764(b)(4) [G]§ 63.5764(c)
GRP-ADHESIVE	EU	63VVVV-1	HAPS	40 CFR Part 63, Subpart VVVV	§ 63.5740(a) § 63.5683(a)(1) § 63.5683(a)(2) § 63.5689(e) § 63.5692(b)	The owner or operator must use carpet and fabric adhesives that contain no more than 5 percent organic HAP by weight.	§ 63.5740(b) [G]§ 63.5758	§ 63.5740(b) § 63.5767(a) § 63.5767(b) § 63.5767(c)(1) [G]§ 63.5770	[G]§ 63.5761 § 63.5764(a) § 63.5764(b)(1) § 63.5764(b)(2) § 63.5764(b)(3) § 63.5764(b)(4) [G]§ 63.5764(c)
GRP-COAT	PRO	115E-1	VOC	30 TAC Chapter 115, Surface Coating Operations	§ 115.421(8)(A) § 115.421 § 115.421(8)(B) § 115.421(8)(C) § 115.426	VOC emissions from the coating of miscellaneous metal parts and products shall not exceed 3.0 lbs/gal (0.36 kg/L) of coating (minus water and exempt solvent) delivered for all other coating applications, including high-bake coatings.	§ 115.424(a) § 115.424(b) [G]§ 115.425(1) § 115.425(6) [G]§ 115.426(1)	§ 115.426 [G]§ 115.426(1)	None
GRP-GELCOAT	EU	63VVVV-1	HAPS	40 CFR Part 63, Subpart VVVV	§ 63.5698(b) § 63.5683(a)(1) § 63.5683(a)(2) § 63.5689(a) § 63.5689(b) § 63.5692(b) § 63.5698(a)(2)	The owner or operator must limit organic HAP emissions from open molding operations to the limit specified by equation 1 of this section, based on a 12-month rolling average.	§ 63.5704(a)(1) § 63.5704(a)(2) § 63.5704(b)(1) § 63.5704(b)(2) [G]§ 63.5710 [G]§ 63.5713 [G]§ 63.5758	§ 63.5704(a)(3) § 63.5704(b)(3) § 63.5767(a) § 63.5767(b) § 63.5767(c)(1) [G]§ 63.5770	§ 63.5704(a)(4) § 63.5704(a)(5) § 63.5704(b)(4) [G]§ 63.5761 § 63.5764(a) § 63.5764(b)(1) § 63.5764(b)(2)

### Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 63.5698(a)(3) § 63.5698(a)(5) § 63.5701(a)(1) § 63.5701(a)(2) § 63.5701(b)				§ 63.5764(b)(3) § 63.5764(b)(4) [G]§ 63.5764(c)
GRP-LAMINATE	EU	63VVVV-1	HAPS	40 CFR Part 63, Subpart VVVV	§ 63.5698(b) § 63.5683(a)(1) § 63.5683(a)(2) § 63.5689(a) § 63.5689(b) § 63.5692(b) § 63.5698(a)(1) § 63.5698(a)(4) § 63.5701(a)(1) § 63.5701(a)(2) § 63.5701(b) [G]§ 63.5728	The owner or operator must limit organic HAP emissions from open molding operations to the limit specified by equation 1 of this section, based on a 12-month rolling average.	§ 63.5704(a)(1) § 63.5704(a)(2) § 63.5704(b)(1) § 63.5704(b)(2) [G]§ 63.5710 [G]§ 63.5713 [G]§ 63.5758	§ 63.5704(a)(3) § 63.5704(b)(3) § 63.5767(a) § 63.5767(b) § 63.5767(c)(1) [G]§ 63.5770	§ 63.5704(a)(4) § 63.5704(a)(5) § 63.5704(b)(4) [G]§ 63.5761 § 63.5764(a) § 63.5764(b)(1) § 63.5764(b)(2) § 63.5764(b)(3) § 63.5764(b)(4) [G]§ 63.5764(c)
GRP-LOAD	EU	115C-1	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(b)(2) § 115.214(b)(1)(B) § 115.214(b)(1)(D) § 115.214(b)(1)(D)(i)	All land-based loading and unloading of VOC with a true vapor pressure less than 1.5 psia under actual storage conditions is exempt from the requirements of the division (relating to Loading and Unloading of VOCs), except as specified.	§ 115.214(b)(1)(A) § 115.214(b)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
GRP-MIX	EU	63VVVV-1	HAPS	40 CFR Part 63, Subpart VVVV	§ 63.5698(b) § 63.5683(a)(1) § 63.5683(a)(2) § 63.5689(c) § 63.5692(b) § 63.5731(a) § 63.5731(b)	The owner or operator must limit organic HAP emissions from open molding operations to the limit specified by equation 1 of this section, based on a 12-month rolling average.	§ 63.5731(c)	§ 63.5731(d) § 63.5767(a) § 63.5767(b) § 63.5767(c)(1) [G]§ 63.5770	[G]§ 63.5761 § 63.5764(a) § 63.5764(b)(1) § 63.5764(b)(2) § 63.5764(b)(3) § 63.5764(b)(4) [G]§ 63.5764(c)

**Permit Shield**

**Permit Shield ..... 14**

### Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit / Group / Process ID No.	Group / Inclusive Units	Regulation	Basis of Determination
EQCLEAN	N/A	40 CFR Part 63, Subpart WWWW	Facilities potentially subject to both MACT WWWW and MACT VVVV may elect to have the operations covered by MACT VVVV, in lieu of MACT WWWW.
GRP-COAT	COAT1, TRAILER1, TRAILER2, TRAILER3, TRAILER4	40 CFR Part 63, Subpart VVVV	These facilities do not qualify as manufacturing hulls or decks of boats, as stated in VVVV 65.5683(b).
GRP-GELCOAT	GCUNIT01, GCUNIT02, GCUNIT03, GCUNIT04, GCUNIT05, GCUNIT06, GCUNIT14, SPGCB01, SPGCB02, SPM, SRGCBR, TRGCUNIT01	40 CFR Part 63, Subpart WWWW	Facilities potentially subject to both MACT WWWW and MACT VVVV may elect to have the operations covered by MACT VVVV, in lieu of MACT WWWW.
GRP-LAMINATE	LAM05, LAM06, LAM07, LAM08, LAM09, LAM10, LAM11, LAM12, LAM13, RTMI-5, SPLAM01-03, TRVRTM01	40 CFR Part 63, Subpart WWWW	Facilities potentially subject to both MACT WWWW and MACT VVVV may elect to have the operations covered by MACT VVVV, in lieu of MACT WWWW.
GRP-MIX	GELMIX, RESMIX, SPGELMIX, SPRESMIX	40 CFR Part 63, Subpart WWWW	Facilities potentially subject to both MACT WWWW and MACT VVVV may elect to have the operations covered by MACT VVVV, in lieu of MACT WWWW.
GRP-TANKS	RTMT01, RTMT02, VNTR01, VNTR02, VNTR03	30 TAC Chapter 115, Storage of VOCs	Storage tank stores a VOC with a TVP less than 1.0 psia.
GRP-TANKS	RTMT01, RTMT02, VNTR01, VNTR02, VNTR03	40 CFR Part 60, Subpart Kb	Storage vessel capacity is less than 75 cubic meters.

### Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit / Group / Process ID No.	Group / Inclusive Units	Regulation	Basis of Determination
RDUNIT01	N/A	40 CFR Part 63, Subpart VVVV	This subpart does not apply to research and development activities.
WAR01	N/A	40 CFR Part 63, Subpart VVVV	Area does not meet the definition of a boat manufacturing facility. Area is not engaged in the manufacture of products for sale or exchange for commercial profit.

**New Source Review Authorization References**

<b>New Source Review Authorization References .....</b>	<b>17</b>
<b>New Source Review Authorization References by Emission Unit .....</b>	<b>18</b>

### New Source Review Authorization References

The New Source Review authorizations listed in the table below are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

<b>Title 30 TAC Chapter 116 Permits, Special Permits, and Other Authorizations (Other Than Permits By Rule, PSD Permits, or NA Permits) for the Application Area.</b>	
Authorization No.: 23270	Issuance Date: 03/03/2023
Authorization No.: 134155	Issuance Date: 12/14/2016
<b>Permits By Rule (30 TAC Chapter 106) for the Application Area</b>	
Number: 3	Version No./Date: 09/23/1982
Number: 13	Version No./Date: 05/04/1994
Number: 39	Version No./Date: 09/23/1982
Number: 68	Version No./Date: 07/20/1992
Number: 83	Version No./Date: 09/23/1982
Number: 105	Version No./Date: 05/04/1994
Number: 106.102	Version No./Date: 09/04/2000
Number: 106.103	Version No./Date: 09/04/2000
Number: 106.183	Version No./Date: 09/04/2000
Number: 106.227	Version No./Date: 09/04/2000
Number: 106.231	Version No./Date: 09/04/2000
Number: 106.262	Version No./Date: 11/01/2003
Number: 106.263	Version No./Date: 11/01/2003
Number: 106.265	Version No./Date: 09/04/2000
Number: 106.266	Version No./Date: 09/04/2000
Number: 106.375	Version No./Date: 09/04/2000
Number: 106.392	Version No./Date: 09/04/2000
Number: 106.432	Version No./Date: 09/04/2000
Number: 106.433	Version No./Date: 09/04/2000
Number: 106.452	Version No./Date: 09/04/2000
Number: 106.454	Version No./Date: 11/01/2001
Number: 106.476	Version No./Date: 09/04/2000

### New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Unit/Group/Process ID No.	Emission Unit Name/Description	New Source Review Authorization**
ADH01	CARPET ADHESIVE AREA #1	23270
ADH02	CARPET ADHESIVE AREA #2	23270
ADH03	CARPET ADHESIVE #3	23270
COAT1	HULL AND DECK COATING AREA	23270, 106.262/11/01/2003 [162748]
EQCLEAN	EQUIPMENT CLEANING OPERATIONS	23270
GCUNIT01	GELCOAT BOOTH #1	23270
GCUNIT02	GELCOAT BOOTH #2	23270
GCUNIT03	GELCOAT BOOTH #3	23270
GCUNIT04	GELCOAT BOOTH #4	23270
GCUNIT05	GELCOAT BOOTH #5	23270
GCUNIT06	GELCOAT BOOTH #6	23270
GCUNIT14	GELCOAT BOOTH #14	23270
GELMIX	GELCOAT MIXING OPERATIONS	23270
LAM05	LAMINATING AREA #5	23270
LAM06	LAMINATING AREA #6	23270
LAM07	LAMINATING AREA #7	23270
LAM08	LAMINATING AREA #8	23270
LAM09	LAMINATING AREA #9	23270
LAM10	LAMINATING AREA #10	23270
LAM11	LAMINATING AREA #11	23270
LAM12	LAMINATING AREA #12	23270

### New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Unit/Group/Process ID No.	Emission Unit Name/Description	New Source Review Authorization**
LAM13	LAMINATING AREA #13	23270
LOADRTMT01	SMALL PARTS RTM RESIN TANK 1	23270
LOADRTMT02	SMALL PARTS RTM RESIN TANK 2	23270
LOADVNTR01	RESIN LOADING STORAGE TANK #1	23270
LOADVNTR02	RESIN LOADING STORAGE TANK #2	23270
LOADVNTR03	SMALL PARTS OPEN MOLD RESIN TANK	23270
RDUNIT01	RESEARCH AND DEVELOPMENT AREA	23270
RESMIX	RESIN MIXING OPERATIONS	23270
RTMI-5	SMALL PARTS RTM UNITS 1-5	23270
RTMT01	SMALL PARTS RTM RESIN TANK 1	23270
RTMT02	SMALL PARTS RTM RESIN TANK 2	23270
SPGCB01	SMALL PARTS GELCOAT BOOTH 1	23270
SPGCB02	SMALL PARTS GELCOAT BOOTH 2	23270
SPGELMIX	SMALL PARTS GELCOAT MIXING OPERATIONS	23270
SPLAM01-03	SMALL PARTS LAM. UNITS 1-3	23270
SPMM	SMALL PARTS MOLD MAINTENANCE BOOTH	23270
SPRESMIX	SMALL PARTS RESIN MIXING OPERATIONS	23270
SRGCBR	SMALL PARTS GELCOAT REPAIR BOOTH	23270
TP-ADH	TRAILER PLANT ADHESIVE	106.262/11/01/2003 [147997]
TRAILER1	TRAILER SPRAY BOOTH #1	134155
TRAILER2	TRAILER SPRAY BOOTH #2	134155

### New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Unit/Group/Process ID No.	Emission Unit Name/Description	New Source Review Authorization**
TRAILER3	TRAILER SPRAY BOOTH #3	134155
TRAILER4	TRAILER SPRAY BOOTH #4	134155
TRGCUNIT01	TRAILER FENDER GC BOOTH	106.392/09/04/2000 [144193]
TRVRTM01	TRAILER FENDER VRTM	106.392/09/04/2000 [144193]
VNTR01	RESIN STORAGE TANK #1	23270
VNTR02	RESIN STORAGE TANK #2	23270
VNTR03	SMALL PARTS OPEN MOLD RESIN TANK	23270
WAR01	WARRANTY REPAIR AREA	23270

\*\*This column may include Permit by Rule (PBR) numbers and version dates, PBR Registration numbers in brackets, Standard Permit Registration numbers, Minor NSR permit numbers, and Major NSR permit numbers.

**Appendix A**

**Acronym List ..... 22**

## Acronym List

The following abbreviations or acronyms may be used in this permit:

ACFM	actual cubic feet per minute
AMOC	alternate means of control
ARP	Acid Rain Program
ASTM	American Society of Testing and Materials
B/PA	Beaumont/Port Arthur (nonattainment area)
CAM	Compliance Assurance Monitoring
CD	control device
CEMS	continuous emissions monitoring system
CFR	Code of Federal Regulations
COMS	continuous opacity monitoring system
CVS	closed vent system
D/FW	Dallas/Fort Worth (nonattainment area)
EP	emission point
EPA	U.S. Environmental Protection Agency
EU	emission unit
FCAA Amendments	Federal Clean Air Act Amendments
FOP	federal operating permit
gr/100 scf	grains per 100 standard cubic feet
HAP	hazardous air pollutant
H/G/B	Houston/Galveston/Brazoria (nonattainment area)
H <sub>2</sub> S	hydrogen sulfide
ID No.	identification number
lb/hr	pound(s) per hour
MACT	Maximum Achievable Control Technology (40 CFR Part 63)
MMBtu/hr	Million British thermal units per hour
NA	nonattainment
N/A	not applicable
NADB	National Allowance Data Base
NESHAP	National Emission Standards for Hazardous Air Pollutants (40 CFR Part 61)
NO <sub>x</sub>	nitrogen oxides
NSPS	New Source Performance Standard (40 CFR Part 60)
NSR	New Source Review
ORIS	Office of Regulatory Information Systems
Pb	lead
PBR	Permit By Rule
PEMS	predictive emissions monitoring system
PM	particulate matter
ppmv	parts per million by volume
PRO	process unit
PSD	prevention of significant deterioration
psia	pounds per square inch absolute
SIP	state implementation plan
SO <sub>2</sub>	sulfur dioxide
TCEQ	Texas Commission on Environmental Quality
TSP	total suspended particulate
TVP	true vapor pressure
U.S.C.	United States Code
VOC	volatile organic compound