

FEDERAL OPERATING PERMIT

A FEDERAL OPERATING PERMIT IS HEREBY ISSUED TO
Nucor Corporation

AUTHORIZING THE OPERATION OF
Nucor Vulcraft Group - Grapeland Division
Fabricated Structural Metal Manufacturing

LOCATED AT
Houston County, Texas
Latitude 31° 30' 12" Longitude 95° 28' 48"
Regulated Entity Number: RN102448792

This permit is issued in accordance with and subject to the Texas Clean Air Act (TCAA), Chapter 382 of the Texas Health and Safety Code and Title 30 Texas Administrative Code Chapter 122 (30 TAC Chapter 122), Federal Operating Permits. Under 30 TAC Chapter 122, this permit constitutes the permit holder's authority to operate the site and emission units listed in this permit. Operations of the site and emission units listed in this permit are subject to all additional rules or amended rules and orders of the Commission pursuant to the TCAA.

This permit does not relieve the permit holder from the responsibility of obtaining New Source Review authorization for new, modified, or existing facilities in accordance with 30 TAC Chapter 116, Control of Air Pollution by Permits for New Construction or Modification.

The site and emission units authorized by this permit shall be operated in accordance with 30 TAC Chapter 122, the general terms and conditions, special terms and conditions, and attachments contained herein.

This permit shall expire five years from the date of issuance. The renewal requirements specified in 30 TAC § 122.241 must be satisfied in order to renew the authorization to operate the site and emission units.

Permit No: 02763 Issuance Date: May 29, 2026



For the Commission

Table of Contents

| Section | Page |
|---|------|
| General Terms and Conditions | 1 |
| Special Terms and Conditions: | 1 |
| Emission Limitations and Standards, Monitoring and Testing, and Recordkeeping and Reporting..... | 1 |
| New Source Review Authorization Requirements | 6 |
| Compliance Requirements..... | 6 |
| Protection of Stratospheric Ozone | 7 |
| Permit Location | 7 |
| Permit Shield (30 TAC § 122.148) | 7 |
| Attachments | 9 |
| Applicable Requirements Summary..... | 10 |
| Permit Shield..... | 15 |
| New Source Review Authorization References | 20 |
| Appendix A..... | 24 |
| Acronym List | 25 |

General Terms and Conditions

The permit holder shall comply with all terms and conditions contained in 30 TAC § 122.143 (General Terms and Conditions), 30 TAC § 122.144 (Recordkeeping Terms and Conditions), 30 TAC § 122.145 (Reporting Terms and Conditions), and 30 TAC § 122.146 (Compliance Certification Terms and Conditions).

In accordance with 30 TAC § 122.144(1), records of required monitoring data and support information required by this permit, or any applicable requirement codified in this permit, are required to be maintained for a period of five years from the date of the monitoring report, sample, or application unless a longer data retention period is specified in an applicable requirement. The five year record retention period supersedes any less stringent retention requirement that may be specified in a condition of a permit identified in the New Source Review Authorization attachment.

If the permit holder chooses to demonstrate that this permit is no longer required, a written request to void this permit shall be submitted to the Texas Commission on Environmental Quality (TCEQ) by the Responsible Official in accordance with 30 TAC § 122.161(e). The permit holder shall comply with the permit's requirements, including compliance certification and deviation reporting, until notified by the TCEQ that this permit is voided.

The permit holder shall comply with 30 TAC Chapter 116 by obtaining a New Source Review authorization prior to new construction or modification of emission units located in the area covered by this permit.

All reports required by this permit must include in the submittal a cover letter which identifies the following information: company name, TCEQ regulated entity number, air account number (if assigned), site name, area name (if applicable), and Air Permits Division permit number(s).

Special Terms and Conditions:

Emission Limitations and Standards, Monitoring and Testing, and Recordkeeping and Reporting

1. Permit holder shall comply with the following requirements:
 - A. Emission units (including groups and processes) in the Applicable Requirements Summary attachment shall meet the limitations, standards, equipment specifications, monitoring, recordkeeping, reporting, testing, and other requirements listed in the Applicable Requirements Summary attachment to assure compliance with the permit.
 - B. The textual description in the column titled "Textual Description" in the Applicable Requirements Summary attachment is not enforceable and is not deemed as a substitute for the actual regulatory language. The Textual Description is provided for information purposes only.
 - C. A citation listed on the Applicable Requirements Summary attachment, which has a notation [G] listed before it, shall include the referenced section and subsection for all commission rules, or paragraphs for all federal and state regulations and all subordinate paragraphs, subparagraphs and clauses, subclauses, and items contained within the referenced citation as applicable requirements.
 - D. When a grouped citation, notated with a [G] in the Applicable Requirements Summary, contains multiple compliance options, the permit holder must keep records of when each compliance option was used.
 - E. Emission units subject to 40 CFR Part 63, Subpart ZZZZ or XXXXXX as identified in the attached Applicable Requirements Summary table are subject to 30 TAC Chapter 113,

Subchapter C, § 113.1090 or § 113.1505, respectively, which incorporate the 40 CFR Part 63 Subpart by reference.

2. The permit holder shall comply with the following sections of 30 TAC Chapter 101 (General Air Quality Rules):
 - A. Title 30 TAC § 101.1 (relating to Definitions), insofar as the terms defined in this section are used to define the terms used in other applicable requirements
 - B. Title 30 TAC § 101.3 (relating to Circumvention)
 - C. Title 30 TAC § 101.8 (relating to Sampling), if such action has been requested by the TCEQ
 - D. Title 30 TAC § 101.9 (relating to Sampling Ports), if such action has been requested by the TCEQ
 - E. Title 30 TAC § 101.10 (relating to Emissions Inventory Requirements)
 - F. Title 30 TAC § 101.201 (relating to Emission Event Reporting and Recordkeeping Requirements)
 - G. Title 30 TAC § 101.211 (relating to Scheduled Maintenance, Start-up, and Shutdown Reporting and Recordkeeping Requirements)
 - H. Title 30 TAC § 101.221 (relating to Operational Requirements)
 - I. Title 30 TAC § 101.222 (relating to Demonstrations)
 - J. Title 30 TAC § 101.223 (relating to Actions to Reduce Excessive Emissions)
3. Permit holder shall comply with the following requirements of 30 TAC Chapter 111:
 - A. Visible emissions from stationary vents with a flow rate of less than 100,000 actual cubic feet per minute and constructed after January 31, 1972 that are not listed in the Applicable Requirements Summary attachment for 30 TAC Chapter 111, Subchapter A, Division 1, shall not exceed 20% opacity averaged over a six-minute period. The permit holder shall comply with the following requirements for stationary vents at the site subject to this standard:
 - (i) Title 30 TAC § 111.111(a)(1)(B) (relating to Requirements for Specified Sources)
 - (ii) Title 30 TAC § 111.111(a)(1)(E)
 - (iii) Title 30 TAC § 111.111(a)(1)(F)(i), (ii), (iii), or (iv)
 - (iv) For emission units with vent emissions subject to 30 TAC § 111.111(a)(1)(B), complying with 30 TAC § 111.111(a)(1)(F)(ii), (iii), or (iv), and capable of producing visible emissions from, but not limited to, particulate matter, acid gases and NO_x, the permit holder shall also comply with the following periodic monitoring requirements for the purpose of annual compliance certification under 30 TAC § 122.146. These periodic monitoring requirements do not apply to vents that are not capable of producing visible emissions such as vents that emit only colorless VOCs; vents from non-fuming liquids; vents that provide passive ventilation, such as plumbing vents; or vent emissions from any other source that

does not obstruct the transmission of light. Vents, as specified in the “Applicable Requirements Summary” attachment, that are subject to the emission limitation of 30 TAC § 111.111(a)(1)(B) are not subject to the following periodic monitoring requirements:

- (1) An observation of stationary vents from emission units in operation shall be conducted at least once during each calendar quarter unless the emission unit is not operating for the entire quarter.
- (2) For stationary vents from a combustion source, if an alternative to the normally fired fuel is fired for a period greater than or equal to 24 consecutive hours, the permit holder shall conduct an observation of the stationary vent for each such period to determine if visible emissions are present. If such period is greater than 3 months, observations shall be conducted once during each quarter. Supplementing the normally fired fuel with natural gas or fuel gas to increase the net heating value to the minimum required value does not constitute creation of an alternative fuel.
- (3) Records of all observations shall be maintained.
- (4) Visible emissions observations of emission units operated during daylight hours shall be conducted no earlier than one hour after sunrise and no later than one hour before sunset. Visible emissions observations of emission units operated only at night must be made with additional lighting and the temporary installation of contrasting backgrounds. Visible emissions observations shall be made during times when the activities described in 30 TAC § 111.111(a)(1)(E) are not taking place. Visible emissions shall be determined with each stationary vent in clear view of the observer. The observer shall be at least 15 feet, but not more than 0.25 mile, away from each stationary vent during the observation. For outdoor locations, the observer shall select a position where the sun is not directly in the observer’s eyes. When condensed water vapor is present within the plume, as it emerges from the emissions outlet, observations must be made beyond the point in the plume at which condensed water vapor is no longer visible. When water vapor within the plume condenses and becomes visible at a distance from the emissions outlet, the observation shall be evaluated at the outlet prior to condensation of water vapor. A certified opacity reader is not required for visible emissions observations.
- (5) Compliance Certification:
 - (a) If visible emissions are not present during the observation, the RO may certify that the source is in compliance with the applicable opacity requirement in 30 TAC § 111.111(a)(1) and (a)(1)(B).
 - (b) However, if visible emissions are present during the observation, the permit holder shall either list this occurrence as a deviation on the next deviation report as required under 30 TAC § 122.145(2) or conduct the appropriate opacity test specified in 30 TAC § 111.111(a)(1)(F) as soon as practicable, but no later than 24 hours after observing visible emissions to determine if the source is in compliance with the opacity requirements. If an opacity test is performed and the source is

determined to be in compliance, the RO may certify that the source is in compliance with the applicable opacity requirement. However, if an opacity test is performed and the source is determined to be out of compliance, the permit holder shall list this occurrence as a deviation on the next deviation report as required under 30 TAC § 122.145(2). The opacity test must be performed by a certified opacity reader.

- (c) Some vents may be subject to multiple visible emission or monitoring requirements. All credible data must be considered when certifying compliance with this requirement even if the observation or monitoring was performed to demonstrate compliance with a different requirement.
 - B. Certification of opacity readers determining opacities under Method 9 (as outlined in 40 CFR Part 60, Appendix A) to comply with opacity monitoring requirements shall be accomplished by completing the Visible Emissions Evaluators Course, or approved agency equivalent, no more than 180 days before the opacity reading.
 - C. For emission units with contributions from uncombined water, the permit holder shall comply with the requirements of 30 TAC § 111.111(b).
 - D. Emission limits on nonagricultural processes, except for the steam generators specified in 30 TAC § 111.153, shall comply with the following requirements:
 - (i) Emissions of PM from any source may not exceed the allowable rates as required in 30 TAC § 111.151(a) (relating to Allowable Emissions Limits)
 - (ii) Sources with an effective stack height (h_e) less than the standard effective stack height (H_e), must reduce the allowable emission level by multiplying it by $[h_e/H_e]^2$ as required in 30 TAC § 111.151(b)
 - (iii) Effective stack height shall be calculated by the equation specified in 30 TAC § 111.151(c)
 - E. Outdoor burning, as stated in 30 TAC § 111.201, shall not be authorized unless the following requirements are satisfied:
 - (i) Title 30 TAC § 111.207 (relating to Exception for Recreation, Ceremony, Cooking, and Warmth)
 - (ii) Title 30 TAC § 111.209 (relating to Exception for Disposal Fires)
 - (iii) Title 30 TAC § 111.219 (relating to General Requirements for Allowable Outdoor Burning)
 - (iv) Title 30 TAC § 111.221 (relating to Responsibility for Consequences of Outdoor Burning)
4. Permit holder shall comply with the following 30 TAC Chapter 115, Subchapter C requirements:
- A. When filling stationary gasoline storage containers with a nominal capacity less than or equal to 1,000 gallons at a Stage I motor vehicle fuel dispensing facility, the permit holder shall comply with the following requirements specified in 30 TAC Chapter 115, Subchapter C:

- (i) Title 30 TAC § 115.222(3) (relating to Control Requirements), as it applies to liquid gasoline leaks, visible vapors, or significant odors
 - (ii) Title 30 TAC § 115.222(6) (relating to Control Requirements)
 - (iii) Title 30 TAC § 115.224(1) (relating to Inspection Requirements), as it applies to liquid gasoline leaks, visible vapors, or significant odors
- 5. The permit holder shall comply with the following requirements for units subject to any subpart of 40 CFR Part 60, unless otherwise stated in the applicable subpart:
 - A. Title 40 CFR § 60.7 (relating to Notification and Recordkeeping)
 - B. Title 40 CFR § 60.8 (relating to Performance Tests)
 - C. Title 40 CFR § 60.11 (relating to Compliance with Standards and Maintenance Requirements)
 - D. Title 40 CFR § 60.12 (relating to Circumvention)
 - E. Title 40 CFR § 60.13 (relating to Monitoring Requirements)
 - F. Title 40 CFR § 60.14 (relating to Modification)
 - G. Title 40 CFR § 60.15 (relating to Reconstruction)
 - H. Title 40 CFR § 60.19 (relating to General Notification and Reporting Requirements)
- 6. The permit holder shall comply with the requirements of 30 TAC Chapter 113, Subchapter C, § 113.100 for units subject to any subpart of 40 CFR Part 63, unless otherwise stated in the applicable subpart.
- 7. For each gasoline dispensing facility, with a throughput of less than 10,000 gallons per month as specified in 40 CFR Part 63, Subpart CCCCCC, the permit holder shall comply with the following requirements (Title 30 TAC, Subchapter C, § 113.1380 incorporated by reference):
 - A. Title 40 CFR § 63.11111(e), for records of monthly throughput
 - B. Title 40 CFR § 63.11111(i), for compliance due to increase of throughput
 - C. Title 40 CFR § 63.11113(c), for compliance due to increase of throughput
 - D. Title 40 CFR § 63.11115(a), for operation of the source
 - E. Title 40 CFR § 63.11116(a) and (a)(1) - (4), for work practices
 - F. Title 40 CFR § 63.11116(b), for records availability
 - G. Title 40 CFR § 63.11116(d), for portable gasoline containers
- 8. The permit holder shall comply with certified registrations submitted to the TCEQ for purposes of establishing federally enforceable emission limits. A copy of the certified registration shall be maintained with the permit. Records sufficient to demonstrate compliance with the established limits shall be maintained. The certified registration and records demonstrating compliance shall be provided, on request, to representatives of the appropriate TCEQ regional office and any local

air pollution control agency having jurisdiction over the site. The permit holder shall submit updated certified registrations when changes at the site require establishment of new emission limits. If changes result in emissions that do not remain below major source thresholds, the permit holder shall submit a revision application to codify the appropriate requirements in the permit.

New Source Review Authorization Requirements

9. Permit holder shall comply with the requirements of New Source Review authorizations issued or claimed by the permit holder for the permitted area, including permits, permits by rule (including the terms, conditions, monitoring, recordkeeping, and reporting identified in registered PBRs and permits by rule identified in the PBR Supplemental Tables dated January 30, 2026 in the application for project 38257), standard permits, flexible permits, special permits, permits for existing facilities including Voluntary Emissions Reduction Permits and Electric Generating Facility Permits issued under 30 TAC Chapter 116, Subchapter I, or special exemptions referenced in the New Source Review Authorization References attachment. These requirements:
 - A. Are incorporated by reference into this permit as applicable requirements
 - B. Shall be located with this operating permit
 - C. Are not eligible for a permit shield
10. The permit holder shall comply with the general requirements of 30 TAC Chapter 106, Subchapter A or the general requirements, if any, in effect at the time of the claim of any PBR.
11. The permit holder shall maintain records to demonstrate compliance with any emission limitation or standard that is specified in a permit by rule (PBR) or Standard Permit listed in the New Source Review Authorizations attachment. The records shall yield reliable data from the relevant time period that are representative of the emission unit's compliance with the PBR or Standard Permit. These records may include, but are not limited to, production capacity and throughput, hours of operation, safety data sheets (SDS), chemical composition of raw materials, speciation of air contaminant data, engineering calculations, maintenance records, fugitive data, performance tests, capture/control device efficiencies, direct pollutant monitoring (CEMS, COMS, or PEMS), or control device parametric monitoring. These records shall be made readily accessible and available as required by 30 TAC § 122.144. Any monitoring or recordkeeping data indicating noncompliance with the PBR or Standard Permit shall be considered and reported as a deviation according to 30 TAC § 122.145 (Reporting Terms and Conditions).

Compliance Requirements

12. The permit holder shall certify compliance in accordance with 30 TAC § 122.146. The permit holder shall comply with 30 TAC § 122.146 using at a minimum, but not limited to, the continuous or intermittent compliance method data from monitoring, recordkeeping, reporting, or testing required by the permit and any other credible evidence or information. The certification period may not exceed 12 months and the certification must be submitted within 30 days after the end of the period being certified.
13. Use of Discrete Emission Credits to comply with the applicable requirements:
 - A. Unless otherwise prohibited, the permit holder may use discrete emission credits to comply with the following applicable requirements listed elsewhere in this permit:
 - (i) Title 30 TAC Chapter 115

- (ii) Title 30 TAC Chapter 117
 - (iii) If applicable, offsets for Title 30 TAC Chapter 116
 - (iv) Temporarily exceed state NSR permit allowables
- B. The permit holder shall comply with the following requirements in order to use the credit to comply with the applicable requirements:
- (i) The permit holder must notify the TCEQ according to 30 TAC § 101.376(d)
 - (ii) The discrete emission credits to be used must meet all the geographic, timeliness, applicable pollutant type, and availability requirements listed in 30 TAC Chapter 101, Subchapter H, Division 4
 - (iii) The executive director has approved the use of the discrete emission credits according to 30 TAC § 101.376(d)(1)(A)
 - (iv) The permit holder keeps records of the use of credits towards compliance with the applicable requirements in accordance with 30 TAC § 101.372(h) and 30 TAC Chapter 122
 - (v) Title 30 TAC § 101.375 (relating to Emission Reductions Achieved Outside the United States)

Protection of Stratospheric Ozone

14. Permit holders at a site subject to Title VI of the FCAA Amendments shall meet the following requirements for protection of stratospheric ozone:
- A. Any on site servicing, maintenance, and repair on refrigeration and nonmotor vehicle air-conditioning appliances using ozone-depleting refrigerants or non-exempt substitutes shall be conducted in accordance with 40 CFR Part 82, Subpart F. Permit holders shall ensure that repairs on or refrigerant removal from refrigeration and nonmotor vehicle air-conditioning appliances using ozone-depleting refrigerants are performed only by properly certified technicians using certified equipment. Records shall be maintained as required by 40 CFR Part 82, Subpart F.
 - B. Any on site servicing, maintenance, and repair of fleet vehicle air conditioning using ozone-depleting refrigerants shall be conducted in accordance with 40 CFR Part 82, Subpart B. Permit holders shall ensure that repairs or refrigerant removal are performed only by properly certified technicians using certified equipment. Records shall be maintained as required by 40 CFR Part 82, Subpart B.

Permit Location

15. The permit holder shall maintain a copy of this permit and records related to requirements listed in this permit on site.

Permit Shield (30 TAC § 122.148)

16. A permit shield is granted for the emission units, groups, or processes specified in the attached "Permit Shield." Compliance with the conditions of the permit shall be deemed compliance with the specified potentially applicable requirements or specified potentially applicable state-only requirements listed in the attachment "Permit Shield." Permit shield provisions shall not be

modified by the executive director until notification is provided to the permit holder. No later than 90 days after notification of a change in a determination made by the executive director, the permit holder shall apply for the appropriate permit revision to reflect the new determination. Provisional terms are not eligible for this permit shield. Any term or condition, under a permit shield, shall not be protected by the permit shield if it is replaced by a provisional term or condition or the basis of the term and condition changes.

Attachments

Applicable Requirements Summary

Permit Shield

New Source Review Authorization References

Applicable Requirements Summary

Unit Summary 11

Applicable Requirements Summary 12

Note: A “none” entry may be noted for some emission sources in this permit’s “Applicable Requirements Summary” under the heading of “Monitoring and Testing Requirements” and/or “Recordkeeping Requirements” and/or “Reporting Requirements.” Such a notation indicates that there are no requirements for the indicated emission source as identified under the respective column heading(s) for the stated portion of the regulation when the emission source is operating under the conditions of the specified SOP Index Number. However, other relevant requirements pursuant to 30 TAC Chapter 122 including Recordkeeping Terms and Conditions (30 TAC § 122.144), Reporting Terms and Conditions (30 TAC § 122.145), and Compliance Certification Terms and Conditions (30 TAC § 122.146) continue to apply.

Unit Summary

| Unit/Group/ Process ID No. | Unit Type | Group/Inclusive Units | SOP Index No. | Regulation | Requirement Driver |
|---------------------------------------|---------------------------------|----------------------------------|----------------------|-----------------------------------|---------------------------|
| DECK | SURFACE COATING OPERATIONS | N/A | 60TT | 40 CFR Part 60, Subpart TT | No changing attributes. |
| GENENG | SRIC ENGINES | N/A | 60JJJJ | 40 CFR Part 60, Subpart JJJJ | No changing attributes. |
| GENENG | SRIC ENGINES | N/A | 63ZZZZ | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| METFABMACH | METAL FABRICATION OPERATIONS | N/A | 63XXXXXX | 40 CFR Part 63, Subpart XXXXXX | No changing attributes. |
| METFABWELD | METAL FABRICATION OPERATIONS | N/A | 63XXXXXX | 40 CFR Part 63, Subpart XXXXXX | No changing attributes. |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|---------------|-----------------|---------------------------------------|---|--|--|--|--|
| DECK | PRO | 60TT | VOC | 40 CFR Part 60, Subpart TT | § 60.462(a)(1) | On/after §60.8 tests, each facility that does not use an emission control device(s) shall not discharge > 0.28 kilogram VOC per liter (2.33 lb VOC/gal) of coating solids applied for each month. | § 60.463(a) § 60.463(b) [G]§ 60.463(c)(1) § 60.464(a) § 60.466(a) § 60.466(a)(1) § 60.466(b) | § 60.464(a) § 60.465(c) § 60.465(e) | § 60.465(a) § 60.465(c) |
| GENENG | EU | 60JJJJ | CO | 40 CFR Part 60, Subpart JJJJ | § 60.4233(e)-Table 1 § 60.4234 § 60.4243(b) § 60.4243(b)(1) [G]§ 60.4243(d) § 60.4243(g) | Owners and operators of stationary emergency SI ICE with a maximum engine power greater than or equal to 130 HP and were manufactured on or after 01/01/2009 must comply with a CO emission limit of 4.0 g/HP-hr, as listed in Table 1 to this subpart. | § 60.4237(b) | § 60.4243(a)(1) § 60.4245(a) § 60.4245(a)(1) § 60.4245(a)(2) § 60.4245(a)(3) § 60.4245(b) § 60.4245(j) | [G]§ 60.4245(e) [G]§ 60.4245(g) [G]§ 60.4245(h) [G]§ 60.4245(i) |
| GENENG | EU | 60JJJJ | NO _x | 40 CFR Part 60, Subpart JJJJ | § 60.4233(e)-Table 1 § 60.4234 § 60.4243(b) § 60.4243(b)(1) [G]§ 60.4243(d) § 60.4243(g) | Owners and operators of stationary emergency SI ICE with a maximum engine power greater than or equal to 130 HP and were manufactured on or after 01/01/2009 must comply with a NO _x emission limit of 2.0 g/HP-hr, as listed in Table 1 to this subpart. | § 60.4237(b) | § 60.4243(a)(1) § 60.4245(a) § 60.4245(a)(1) § 60.4245(a)(2) § 60.4245(a)(3) § 60.4245(b) § 60.4245(j) | [G]§ 60.4245(e) [G]§ 60.4245(g) [G]§ 60.4245(h) [G]§ 60.4245(i) |
| GENENG | EU | 60JJJJ | VOC | 40 CFR Part 60, Subpart JJJJ | § 60.4233(e)-Table 1 § 60.4234 § 60.4243(b) § 60.4243(b)(1) [G]§ 60.4243(d) § 60.4243(g) | Owners and operators of stationary emergency SI ICE with a maximum engine power greater than or equal to 130 HP and were manufactured on or after 01/01/2009 must comply with a VOC emission limit of 1.0 g/HP-hr, as listed in Table 1 to this subpart. | § 60.4237(b) | § 60.4243(a)(1) § 60.4245(a) § 60.4245(a)(1) § 60.4245(a)(2) § 60.4245(a)(3) § 60.4245(b) § 60.4245(j) | [G]§ 60.4245(e) [G]§ 60.4245(g) [G]§ 60.4245(h) [G]§ 60.4245(i) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|---------------|----------------|---------------------------------------|---|--|-------------------------------------|---|---|
| GENENG | EU | 63ZZZZ | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart IIII, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |
| METFABMA CH | PRO | 63XXXXX X | MFHAP | 40 CFR Part 63, Subpart XXXXXX | [G]§ 63.11516(b) | For each new or existing machining affected source, in which the machining operation uses materials that contain MFHAP or has the potential to emit MFHAP, you must take measures to minimize excess dust in the surrounding area, as practicable; and you must operate all equipment associated with machining according to manufacturer's instructions. | None | [G]§ 63.11519(c)(1) § 63.11519(c)(13) [G]§ 63.11519(c)(15) § 63.11519(c)(4) | [G]§ 63.11519(a) § 63.11519(b)(1) [G]§ 63.11519(b)(2) [G]§ 63.11519(b)(3) [G]§ 63.11519(b)(4) |
| METFABWE LD | PRO | 63XXXXX X | MFHAP | 40 CFR Part 63, Subpart XXXXXX | § 63.11516(f) § 63.11516(f)(1) [G]§ 63.11516(f)(2) | For each new or existing welding affected source, in which the welding operation uses materials that contain MFHAP or has the potential to emit MFHAP, you must | [G]§ 63.11517 | § 63.11516(f)(1) [G]§ 63.11519(c)(1) § 63.11519(c)(13) § 63.11519(c)(14) [G]§ 63.11519(c)(15) § 63.11519(c)(4) | [G]§ 63.11519(a) § 63.11519(b)(1) [G]§ 63.11519(b)(2) [G]§ 63.11519(b)(3) [G]§ 63.11519(b)(4) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|---------------|-----------|---------------------------------------|---|--|--|---|--|
| | | | | | | operate all equipment, capture, and control devices associated with welding operations according to manufacturer's instructions; and you must implement one or more of the management practices specified in §63.11516(f)(2)(i)-(v) to minimize emissions of MFHAP, as practicable. | | | |
| METFABWE LD | PRO | 63XXXXX X | PM(OP) | 40 CFR Part 63, Subpart XXXXXX | § 63.11516(f)(3) § 63.11516(f) [G]§ 63.11516(f)(4) [G]§ 63.11516(f)(5) § 63.11516(f)(6) [G]§ 63.11516(f)(7) [G]§ 63.11516(f)(8) | For each new or existing welding affected source that uses 2000 lb or more per year of welding rod containing one or more MFHAP you must perform visual determinations of welding fugitive emissions as specified in §63.11517(b) at the primary vent, stack, exit, or opening from the building containing the welding operations and keep a record of all visual determinations of fugitive emissions along with any corrective action taken in accordance with the requirements in §63.11519(c)(2). | § 63.11516(f)(3) § 63.11516(f)(4)(i) § 63.11516(f)(5)(i) § 63.11516(f)(5)(ii) § 63.11516(f)(7)(iii) [G]§ 63.11517 | § 63.11516(f)(3) § 63.11516(f)(5)(iii) § 63.11516(f)(7)(iv) § 63.11516(f)(8)(iii) [G]§ 63.11519(c)(1) § 63.11519(c)(11) § 63.11519(c)(12) § 63.11519(c)(13) § 63.11519(c)(14) [G]§ 63.11519(c)(15) [G]§ 63.11519(c)(2) [G]§ 63.11519(c)(3) § 63.11519(c)(4) | § 63.11516(f)(4)(ii) § 63.11516(f)(5)(iv) § 63.11516(f)(7)(i) § 63.11516(f)(7)(v) § 63.11516(f)(8)(ii) [G]§ 63.11519(a) [G]§ 63.11519(b) |

Permit Shield

Permit Shield 16

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit / Group / Process ID No. | Group / Inclusive Units | Regulation | Basis of Determination |
|-------------------------------|-------------------------|--------------------------------|---|
| BRIDGE | N/A | 40 CFR Part 63, Subpart HHHHHH | Paint stripping using MeCl for the removal of dried paint from wood, metal, plastic, and other substrates do not occur in process area, and spray applications of coatings do not exceed the HAP limits as referenced in 40 CFR § 63.11180. |
| BRIDGE | N/A | 40 CFR Part 63, Subpart MMMM | Facility is not a major source of HAP, in the surface coating of miscellaneous metal parts and products. |
| BRIDGE | N/A | 40 CFR Part 63, Subpart XXXXXX | Operations referenced in § 63.11514(b)(4) do not occur in process area. Coatings containing MFHAP are not spray applied in the process area. |
| COMB | N/A | 40 CFR Part 63, Subpart HHHHHH | Paint stripping using MeCl for the removal of dried paint from wood, metal, plastic, and other substrates do not occur in process area, and spray applications of coatings do not exceed the HAP limits as referenced in 40 CFR § 63.11180. |
| COMB | N/A | 40 CFR Part 63, Subpart MMMM | Facility is not a major source of HAP, in the surface coating of miscellaneous metal parts and products. |
| COMB | N/A | 40 CFR Part 63, Subpart SSSS | Facility is not a major source of HAP, at which a coil coating line is operated. |
| COMB | N/A | 40 CFR Part 63, Subpart XXXXXX | Operations referenced in § 63.11514(b)(1) thru (5) do not occur in process area. Metal fabrication does not occur and coatings containing MFHAP are not spray applied in the process area. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit / Group / Process ID No. | Group / Inclusive Units | Regulation | Basis of Determination |
|-------------------------------|-------------------------|--------------------------------|---|
| DECK | N/A | 40 CFR Part 63, Subpart HHHHHH | Paint stripping using MeCl for the removal of dried paint from wood, metal, plastic, and other substrates do not occur in process area, and spray applications of coatings do not exceed the HAP limits as referenced in 40 CFR § 63.11180. |
| DECK | N/A | 40 CFR Part 63, Subpart MMMM | Facility is not a major source of HAP, in the surface coating of miscellaneous metal parts and products. |
| DECK | N/A | 40 CFR Part 63, Subpart SSSS | Facility is not a major source of HAP, at which a coil coating line is operated. |
| DECK | N/A | 40 CFR Part 63, Subpart XXXXXX | Operations referenced in § 63.11514(b)(4) do not occur in process area. Coatings containing MFHAP are not spray applied in the process area. |
| GRPJOIST | JOIST-N, JOIST-S | 40 CFR Part 63, Subpart HHHHHH | Paint stripping using MeCl for the removal of dried paint from wood, metal, plastic, and other substrates do not occur in process area, and spray applications of coatings do not exceed the HAP limits as referenced in 40 CFR § 63.11180. |
| GRPJOIST | JOIST-N, JOIST-S | 40 CFR Part 63, Subpart MMMM | Facility is not a major source of HAP, in the surface coating of miscellaneous metal parts and products. |
| GRPJOIST | JOIST-N, JOIST-S | 40 CFR Part 63, Subpart XXXXXX | Operations referenced in § 63.11514(b)(4) do not occur in process area. Coatings containing MFHAP are not spray applied in the process area. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit / Group / Process ID No. | Group / Inclusive Units | Regulation | Basis of Determination |
|-------------------------------|-------------------------|--------------------------------|---|
| GRPYARD | YARD-N, YARD-S | 40 CFR Part 63, Subpart HHHHHH | Paint stripping using MeCl for the removal of dried paint from wood, metal, plastic, and other substrates do not occur in process area, and spray applications of coatings do not exceed the HAP limits as referenced in 40 CFR § 63.11180. |
| GRPYARD | YARD-N, YARD-S | 40 CFR Part 63, Subpart MMMM | Facility is not a major source of HAP, in the surface coating of miscellaneous metal parts and products. |
| GRPYARD | YARD-N, YARD-S | 40 CFR Part 63, Subpart XXXXXX | Operations referenced in § 63.11514(b)(1) thru (5) do not occur in process area. Metal fabrication does not occur and coatings containing MFHAP are not spray applied in the process area. |
| METFABMACH | N/A | 40 CFR Part 63, Subpart HHHHHH | Facility is not subject to this subpart as outlined in 40 CFR 63.11514(b)(4). Spray painting equipment which use paint that contain MFHAP are not subject to 40 CFR Part 63, Subpart HHHHHH. |
| METFABWELD | N/A | 40 CFR Part 63, Subpart HHHHHH | Facility is not subject to this subpart as outlined in 40 CFR 63.11514(b)(4). Spray painting equipment which use paint that contain MFHAP are not subject to 40 CFR Part 63, Subpart HHHHHH. |
| T1 | N/A | 40 CFR Part 60, Subpart Kb | Storage capacity is less than 19,800 gallons. |
| T11 | N/A | 40 CFR Part 60, Subpart Kb | Storage capacity is less than 19,800 gallons. |
| T12 | N/A | 40 CFR Part 60, Subpart Kb | Storage capacity is less than 19,800 gallons. |
| T13 | N/A | 40 CFR Part 60, Subpart Kb | Storage capacity is less than 19,800 gallons. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit / Group / Process ID No. | Group / Inclusive Units | Regulation | Basis of Determination |
|-------------------------------|-------------------------|----------------------------|---|
| T14 | N/A | 40 CFR Part 60, Subpart Kb | Storage capacity is less than 19,800 gallons. |
| T15 | N/A | 40 CFR Part 60, Subpart Kb | Storage capacity is less than 19,800 gallons. |
| T16 | N/A | 40 CFR Part 60, Subpart Kb | Storage capacity is less than 19,800 gallons. |
| T2 | N/A | 40 CFR Part 60, Subpart Kb | Storage capacity is less than 19,800 gallons. |
| T3 | N/A | 40 CFR Part 60, Subpart Kb | Storage capacity is less than 19,800 gallons. |
| T4 | N/A | 40 CFR Part 60, Subpart Kb | Storage capacity is less than 19,800 gallons. |
| T5 | N/A | 40 CFR Part 60, Subpart Kb | Storage capacity is less than 19,800 gallons. |
| T6 | N/A | 40 CFR Part 60, Subpart Kb | Storage capacity is less than 19,800 gallons. |
| T9 | N/A | 40 CFR Part 60, Subpart Kb | Storage vessel capacity is greater than 19,800 gallons but less than 40,000 gallons storing a liquid with a maximum true vapor pressure less than 15.0 kPa. |

New Source Review Authorization References

New Source Review Authorization References 21

New Source Review Authorization References by Emission Unit 22

New Source Review Authorization References

The New Source Review authorizations listed in the table below are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

| Title 30 TAC Chapter 116 Permits, Special Permits, and Other Authorizations (Other Than Permits By Rule, PSD Permits, or NA Permits) for the Application Area. | |
|---|------------------------------|
| Authorization No.: 21171 | Issuance Date: 01/07/2026 |
| Permits By Rule (30 TAC Chapter 106) for the Application Area | |
| Number: 106.102 | Version No./Date: 09/04/2000 |
| Number: 106.227 | Version No./Date: 09/04/2000 |
| Number: 106.261 | Version No./Date: 11/01/2003 |
| Number: 106.262 | Version No./Date: 11/01/2003 |
| Number: 106.263 | Version No./Date: 11/01/2001 |
| Number: 106.265 | Version No./Date: 09/04/2000 |
| Number: 106.412 | Version No./Date: 09/04/2000 |
| Number: 106.433 | Version No./Date: 09/04/2000 |
| Number: 106.454 | Version No./Date: 11/01/2001 |
| Number: 106.472 | Version No./Date: 09/04/2000 |
| Number: 106.473 | Version No./Date: 09/04/2000 |
| Number: 106.511 | Version No./Date: 09/04/2000 |

New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

| Unit/Group/Process ID No. | Emission Unit Name/Description | New Source Review Authorization** |
|---------------------------|--|------------------------------------|
| BRIDGE | BRIDGING COATING OPERATIONS | 21171 |
| COMB | DECK COATING HEATERS (COMBUSTION ONLY) | 21171 |
| DECK | DECK (SURFACE) COATING OPERATIONS | 21171 |
| GENENG | GENERATOR ENGINE | 106.511/09/04/2000 |
| JOIST-N | JOIST COATING OPERATIONS - NORTH | 21171 |
| JOIST-S | JOIST COATING OPERATIONS - SOUTH | 21171, 106.433/09/04/2000 [179559] |
| METFABMACH | METAL FABRICATION (MACHINING) OPERATIONS | 21171 |
| METFABWELD | METAL FABRICATION (WELDING) OPERATIONS | 21171 |
| T1 | NORTH RED PRODUCT STORAGE TANK 1 | 106.473/09/04/2000 |
| T11 | DECK PLANT GRAY STORAGE TANK 11 | 21171 |
| T12 | DECK PLANT GRAY STORAGE TANK 12 | 21171 |
| T13 | DECK COATING TANK | 106.473/09/04/2000 |
| T14 | SMALL DIESEL FUEL TANK | 106.412/09/04/2000 |
| T15 | SMALL GASOLINE FUEL TANK | 106.412/09/04/2000 |
| T16 | SMALL DIESEL FUEL TANK | 106.412/09/04/2000 |
| T2 | NORTH GRAY PRODUCT STORAGE TANK 2 | 106.473/09/04/2000 |
| T3 | NORTH SPECIAL PRODUCT STORAGE TANK 3 | 106.473/09/04/2000 |
| T4 | SOUTH MINERAL SPIRITS STORAGE TANK 4 | 106.473/09/04/2000 |
| T5 | SOUTH RED PRODUCT STORAGE TANK 5 | 106.473/09/04/2000 |
| T6 | SOUTH GRAY PRODUCT STORAGE TANK 6 | 106.473/09/04/2000 |
| T9 | WASTEWATER TANK 9 | 106.472/09/04/2000 |

New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

| Unit/Group/Process ID No. | Emission Unit Name/Description | New Source Review Authorization** |
|---------------------------|--------------------------------|------------------------------------|
| YARD-N | PRODUCT STORAGE YARD - NORTH | 21171, 106.433/09/04/2000 [179559] |
| YARD-S | PRODUCT STORAGE YARD - SOUTH | 21171, 106.433/09/04/2000 [179559] |

**This column may include Permit by Rule (PBR) numbers and version dates, PBR Registration numbers in brackets, Standard Permit Registration numbers, Minor NSR permit numbers, and Major NSR permit numbers.

Appendix A

Acronym List 25

Acronym List

The following abbreviations or acronyms may be used in this permit:

| | |
|------------------|---|
| ACFM | actual cubic feet per minute |
| AMOC | alternate means of control |
| ARP | Acid Rain Program |
| ASTM | American Society of Testing and Materials |
| B/PA | Beaumont/Port Arthur (nonattainment area) |
| CAM | Compliance Assurance Monitoring |
| CD | control device |
| CEMS | continuous emissions monitoring system |
| CFR | Code of Federal Regulations |
| COMS | continuous opacity monitoring system |
| CVS | closed vent system |
| D/FW | Dallas/Fort Worth (nonattainment area) |
| EP | emission point |
| EPA | U.S. Environmental Protection Agency |
| EU | emission unit |
| FCAA Amendments | Federal Clean Air Act Amendments |
| FOP | federal operating permit |
| gr/100 scf | grains per 100 standard cubic feet |
| HAP | hazardous air pollutant |
| H/G/B | Houston/Galveston/Brazoria (nonattainment area) |
| H ₂ S | hydrogen sulfide |
| ID No. | identification number |
| lb/hr | pound(s) per hour |
| MACT | Maximum Achievable Control Technology (40 CFR Part 63) |
| MMBtu/hr | Million British thermal units per hour |
| NA | nonattainment |
| N/A | not applicable |
| NADB | National Allowance Data Base |
| NESHAP | National Emission Standards for Hazardous Air Pollutants (40 CFR Part 61) |
| NO _x | nitrogen oxides |
| NSPS | New Source Performance Standard (40 CFR Part 60) |
| NSR | New Source Review |
| ORIS | Office of Regulatory Information Systems |
| Pb | lead |
| PBR | Permit By Rule |
| PEMS | predictive emissions monitoring system |
| PM | particulate matter |
| ppmv | parts per million by volume |
| PRO | process unit |
| PSD | prevention of significant deterioration |
| psia | pounds per square inch absolute |
| RO | Responsible Official |
| SIP | state implementation plan |
| SO ₂ | sulfur dioxide |
| TCEQ | Texas Commission on Environmental Quality |
| TSP | total suspended particulate |
| TVP | true vapor pressure |
| U.S.C. | United States Code |
| VOC | volatile organic compound |