Princess Ohiagu

From: Kayla Curtis <kc@resolutecompliance.com>

Sent: Tuesday, August 19, 2025 1:26 PM

To: Princess Ohiagu

Cc: Aucoin, Benjamin; Huerta, Gabe; Green, Lance; Jeff Jackson; Underwood, Daria **Subject:** RE: Working Draft Permit -- FOP O4540/Project 35903, EnLink Midstream Services,

LLC/Black

Good afternoon, Princess!

The final OP-CRO1 to certify the approval of working draft permit for the Black Creek Compressor Station was submitted via STEERS earlier today.

Title V New Reference No.: 809776

Please let us know if there are any additional needs in the meantime.

Thank you!

Kayla Curtis

Manager, Environmental Compliance



1127 Judson Rd. Suite 233 | Longview, TX 75601

Cell: 817.821.6526

Email: kc@resolutecompliance.com

From: Princess Ohiagu < Princess. Ohiagu@tceq.texas.gov>

Sent: Thursday, August 14, 2025 1:59 PM

To: Kayla Curtis <kc@resolutecompliance.com>

Cc: Aucoin, Benjamin <Benjamin.Aucoin@oneok.com>; Huerta, Gabe <Gabe.Huerta@oneok.com>; Green, Lance

<Lance.Green@oneok.com>; Jeff Jackson <jj@resolutecompliance.com>; Underwood, Daria

<daria.underwood@oneok.com>

Subject: RE: Working Draft Permit -- FOP O4540/Project 35903, EnLink Midstream Services, LLC/Black

Good afternoon, Kayla,

Please submit the final OP-CRO1 to certify the approval of working draft permit (WDP) on 07/31/2025. The final OP-CRO1 is due by **August 20, 2025.**

Princess Ohiagu
Operating Permits
Air Permits Division
Texas Commission on Environmental Quality
512 239-2048
Princess.ohiagu@tceq.texas.gov

How are we doing? Fill out our online customer satisfaction survey at www.tceq.texas.gov/customersurvey

From: Kayla Curtis <kc@resolutecompliance.com>

Sent: Thursday, July 31, 2025 9:52 AM

To: Princess Ohiagu < Princess. Ohiagu@tceq.texas.gov>

Cc: Aucoin, Benjamin <Benjamin.Aucoin@oneok.com>; Huerta, Gabe <Gabe.Huerta@oneok.com>; Green, Lance

<Lance.Green@oneok.com>; Jeff Jackson <jj@resolutecompliance.com>; Underwood, Daria

<daria.underwood@oneok.com>

Subject: RE: Working Draft Permit -- FOP O4540/Project 35903, EnLink Midstream Services, LLC/Black

Good morning, Princess!

The Black Creek draft permit is approved as drafted.

Thank you!

Kayla Curtis

Manager, Environmental Compliance



1127 Judson Rd. Suite 233 | Longview, TX 75601

Cell: 817.821.6526

Email: kc@resolutecompliance.com

From: Princess Ohiagu < Princess. Ohiagu@tceq.texas.gov>

Sent: Monday, July 28, 2025 3:38 PM

To: Kayla Curtis < kc@resolutecompliance.com >

Cc: Aucoin, Benjamin <Benjamin.Aucoin@oneok.com>; Huerta, Gabe <Gabe.Huerta@oneok.com>; Green, Lance

<<u>Lance.Green@oneok.com</u>>; Jeff Jackson <<u>jj@resolutecompliance.com</u>>; Underwood, Daria

<daria.underwood@oneok.com>

Subject: RE: Working Draft Permit -- FOP O4540/Project 35903, EnLink Midstream Services, LLC/Black

Good afternoon, Kayla,

All working draft comments have been resolved. Please see the attached revised draft permit for your review and respond with any concerns/approval by August 1, 2025.

Thank you,

Princess Ohiagu
Operating Permits
Air Permits Division
Texas Commission on Environmental Quality

512 239-2048

Princess.ohiagu@tceq.texas.gov

How are we doing? Fill out our online customer satisfaction survey at www.tceq.texas.gov/customersurvey

From: Kayla Curtis <kc@resolutecompliance.com>

Sent: Friday, July 11, 2025 1:37 PM

To: Princess Ohiagu < Princess.Ohiagu@tceq.texas.gov>

Cc: Aucoin, Benjamin < Benjamin.Aucoin@oneok.com >; Huerta, Gabe < Gabe.Huerta@oneok.com >; Green, Lance

<Lance.Green@oneok.com>; Jeff Jackson <jj@resolutecompliance.com>; Underwood, Daria

<daria.underwood@oneok.com>

Subject: RE: Working Draft Permit -- FOP O4540/Project 35903, EnLink Midstream Services, LLC/Black

Good afternoon, Princess!

The updated OP-1 was submitted via STEERS earlier today.

Title V New: Reference Number 799916

Let us know if you have any additional comments or questions.

Thank you!

Kayla Curtis

Manager, Environmental Compliance



1127 Judson Rd. Suite 233 | Longview, TX 75601

Office: 903.707.8632 Cell: 817.821.6526

Email: kc@resolutecompliance.com

From: Princess Ohiagu < Princess. Ohiagu@tceq.texas.gov>

Sent: Thursday, July 10, 2025 3:43 PM

To: Kayla Curtis <kc@resolutecompliance.com>

Cc: Aucoin, Benjamin < Benjamin.Aucoin@oneok.com >; Huerta, Gabe < Gabe.Huerta@oneok.com >; Green, Lance

<daria.underwood@oneok.com>

Subject: RE: Working Draft Permit -- FOP O4540/Project 35903, EnLink Midstream Services, LLC/Black

Good afternoon, Kayla,

Received. I will work on addressing these comments.

Princess Ohiagu
Operating Permits
Air Permits Division
Texas Commission on Environmental Quality
512 239-2048

Princess.ohiagu@tceq.texas.gov

How are we doing? Fill out our online customer satisfaction survey at www.tceq.texas.gov/customersurvey

From: Kayla Curtis < kc@resolutecompliance.com >

Sent: Thursday, July 10, 2025 2:31 PM

To: Princess Ohiagu < Princess.Ohiagu@tceq.texas.gov>

Cc: Aucoin, Benjamin < Benjamin.Aucoin@oneok.com >; Huerta, Gabe < Gabe.Huerta@oneok.com >; Green, Lance

<<u>Lance.Green@oneok.com</u>>; Jeff Jackson <<u>jj@resolutecompliance.com</u>>; Underwood, Daria

<daria.underwood@oneok.com>

Subject: RE: Working Draft Permit -- FOP O4540/Project 35903, EnLink Midstream Services, LLC/Black

Good afternoon, Princess!

Please see the attached Black Creek WDP with comments attached.

To support the update to Special Term and Condition #15 (Permit Location), we've also prepared an updated OP-1, Page 4. We'll prepare the updated form in STEERS for certification and will be in touch once it has been submitted.

Let us know if there are any additional comments or questions.

Thank you!

Kayla Curtis Manager, Environmental Compliance



1127 Judson Rd. Suite 233 | Longview, TX 75601

Office: 903.707.8632 Cell: 817.821.6526

Email: kc@resolutecompliance.com

From: Princess Ohiagu < Princess.Ohiagu@tceq.texas.gov>

Sent: Thursday, June 26, 2025 4:05 PM **To:** Lance Green slance.green@enlink.com

Subject: [EXTERNAL] Working Draft Permit -- FOP O4540/Project 35903, EnLink Midstream Services, LLC/Black

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Good afternoon Mr. Green,

I have conducted a technical review of *initial* application for *EnLink Midstream Services*, *LLC/Black*. An electronic copy of the Working Draft Permit (WDP) is attached for your review. This WDP contains the TCEQ determination of applicable requirements based on the information submitted in your application, and any updates provided.

Please review the WDP and submit to me any comments you have on the working draft permit by <u>July 10</u>, <u>2025</u>. Any comments outside the scope of the most recent changes should be submitted as a separate project.

Please submit a written response by this deadline, even if you are not making any comments on the content of the WDP.

Please review the second portion of the "SOP Technical Review Fact Sheet" located at http://www.tceq.texas.gov/assets/public/permitting/air/Guidance/Title_V/sop_wdp_factsheet.pdf [tceq.texas.gov]. This guidance contains important information regarding WDP review and comment procedures.

Note that a Certification by Responsible Official (Form OP-CRO1) for any uncertified application information, including application updates supporting the WDP comments, is required. After final review of the WDP, additional changes supported by application updates may require certification. I will advise you of these changes at a later date. Prior to transmittal of the Public Notice/Announcement Authorization Package, a duly signed OP-CRO1 form may be required which includes the specific dates or time-period of all submitted application documentation that was not previously certified. I will advise you of this requirement prior to sending the Public Notice/Announcement Authorization.

Application updates may now be submitted through Title V STEERS. Any application updates that are submitted by the RO/DAR through STEERS are certified and do not require the submittal of an original signature OP-CRO1. Application updates that are provided through email or physical mail require certification using an original signature OP-CRO1.

Please notify me when these updates have been submitted.

As required on Form OP-1, question IV.D, please remember the FOP application and all application updates must be submitted to EPA Region 6 at R6AirPermitsTX@epa.gov and to the TCEQ regional office having jurisdiction. This submittal information can be found on our website at Where to Submit FOP Applications and Permit-Related Documents [tceq.texas.gov].

Contact me if you have any questions regarding the guidelines, the project schedule, or any other details regarding your application or permit.


Thank you for your cooperation.

Sincerely,

Princess Ohiagu
Operating Permits
Air Permits Division

Texas Commission on Environmental Quality
512 239-2048

Princess.ohiagu@tceq.texas.gov



Confidentiality Warning: This message and any attachments are intended only for the use of the intended recipient(s), are confidential, and may be privileged. If you are not the intended recipient, you are hereby notified that any review, retransmission, conversion to hard copy, copying, circulation or other use of all or any portion of this message and any attachments is strictly prohibited. If you are not the intended recipient, please notify the sender immediately by return e-mail, and delete this message and any attachments from your system.

FEDERAL OPERATING PERMIT

A FEDERAL OPERATING PERMIT IS HEREBY ISSUED TO EnLink Midstream Services, LLC

AUTHORIZING THE OPERATION OF Black Creek Compressor Station Natural Gas Extraction

LOCATED AT
Wise County, Texas
Latitude 33° 20′ 5″ Longitude 97° 34′ 46″
Regulated Entity Number: RN106892185

This permit is issued in accordance with and subject to the Texas Clean Air Act (TCAA), Chapter 382 of the Texas Health and Safety Code and Title 30 Texas Administrative Code Chapter 122 (30 TAC Chapter 122), Federal Operating Permits. Under 30 TAC Chapter 122, this permit constitutes the permit holder's authority to operate the site and emission units listed in this permit. Operations of the site and emission units listed in this permit are subject to all additional rules or amended rules and orders of the Commission pursuant to the TCAA.

This permit does not relieve the permit holder from the responsibility of obtaining New Source Review authorization for new, modified, or existing facilities in accordance with 30 TAC Chapter 116, Control of Air Pollution by Permits for New Construction or Modification.

The site and emission units authorized by this permit shall be operated in accordance with 30 TAC Chapter 122, the general terms and conditions, special terms and conditions, and attachments contained herein.

This permit shall expire five years from the date of issuance. The renewal requirements specified in 30 TAC § 122.241 must be satisfied in order to renew the authorization to operate the site and emission units

Permit No:	O4540	Issuance Date:	
For the Co	mmission		

Table of Contents

Section	Page
General Terms and Conditions	1
Special Terms and Conditions:	1
Emission Limitations and Standards, Monitoring and Testing, and Recordkeeping and Reporting	1
New Source Review Authorization Requirements	
Compliance Requirements	
Permit Location	7
Attachments	
Applicable Requirements Summary	9
New Source Review Authorization References	16
Appendix A	19
Acronym List	20

General Terms and Conditions

The permit holder shall comply with all terms and conditions contained in 30 TAC § 122.143 (General Terms and Conditions), 30 TAC § 122.144 (Recordkeeping Terms and Conditions), 30 TAC § 122.145 (Reporting Terms and Conditions), and 30 TAC § 122.146 (Compliance Certification Terms and Conditions).

In accordance with 30 TAC § 122.144(1), records of required monitoring data and support information required by this permit, or any applicable requirement codified in this permit, are required to be maintained for a period of five years from the date of the monitoring report, sample, or application unless a longer data retention period is specified in an applicable requirement. The five year record retention period supersedes any less stringent retention requirement that may be specified in a condition of a permit identified in the New Source Review Authorization attachment.

If the permit holder chooses to demonstrate that this permit is no longer required, a written request to void this permit shall be submitted to the Texas Commission on Environmental Quality (TCEQ) by the Responsible Official in accordance with 30 TAC § 122.161(e). The permit holder shall comply with the permit's requirements, including compliance certification and deviation reporting, until notified by the TCEQ that this permit is voided.

The permit holder shall comply with 30 TAC Chapter 116 by obtaining a New Source Review authorization prior to new construction or modification of emission units located in the area covered by this permit.

All reports required by this permit must include in the submittal a cover letter which identifies the following information: company name, TCEQ regulated entity number, air account number (if assigned), site name, area name (if applicable), and Air Permits Division permit number(s).

Special Terms and Conditions:

Emission Limitations and Standards, Monitoring and Testing, and Recordkeeping and Reporting

- 1. Permit holder shall comply with the following requirements:
 - A. Emission units (including groups and processes) in the Applicable Requirements Summary attachment shall meet the limitations, standards, equipment specifications, monitoring, recordkeeping, reporting, testing, and other requirements listed in the Applicable Requirements Summary attachment to assure compliance with the permit.
 - B. The textual description in the column titled "Textual Description" in the Applicable Requirements Summary attachment is not enforceable and is not deemed as a substitute for the actual regulatory language. The Textual Description is provided for information purposes only.
 - C. A citation listed on the Applicable Requirements Summary attachment, which has a notation [G] listed before it, shall include the referenced section and subsection for all commission rules, or paragraphs for all federal and state regulations and all subordinate paragraphs, subparagraphs and clauses, subclauses, and items contained within the referenced citation as applicable requirements.
 - D. When a grouped citation, notated with a [G] in the Applicable Requirements Summary, contains multiple compliance options, the permit holder must keep records of when each compliance option was used.
 - E. Emission units subject to 40 CFR Part 63, Subpart HH and ZZZZ as identified in the attached Applicable Requirements Summary table are subject to 30 TAC Chapter 113,

Subchapter C, § 113.390 and 113.1090 which incorporates the 40 CFR Part 63 Subpart by reference.

- The permit holder shall comply with the following sections of 30 TAC Chapter 101 (General Air Quality Rules):
 - A. Title 30 TAC § 101.1 (relating to Definitions), insofar as the terms defined in this section are used to define the terms used in other applicable requirements
 - B. Title 30 TAC § 101.3 (relating to Circumvention)
 - Title 30 TAC § 101.8 (relating to Sampling), if such action has been requested by the TCEQ
 - Title 30 TAC § 101.9 (relating to Sampling Ports), if such action has been requested by the TCEQ
 - E. Title 30 TAC § 101.10 (relating to Emissions Inventory Requirements)
 - Title 30 TAC § 101.201 (relating to Emission Event Reporting and Recordkeeping Requirements)
 - G. Title 30 TAC § 101.211 (relating to Scheduled Maintenance, Start-up, and Shutdown Reporting and Recordkeeping Requirements)
 - H. Title 30 TAC § 101.221 (relating to Operational Requirements)
 - I. Title 30 TAC § 101.222 (relating to Demonstrations)
 - J. Title 30 TAC § 101.223 (relating to Actions to Reduce Excessive Emissions)
- 3. Permit holder shall comply with the following requirements of 30 TAC Chapter 111:
 - A. Visible emissions from stationary vents with a flow rate of less than 100,000 actual cubic feet per minute and constructed after January 31, 1972 that are not listed in the Applicable Requirements Summary attachment for 30 TAC Chapter 111, Subchapter A, Division 1, shall not exceed 20% opacity averaged over a six-minute period. The permit holder shall comply with the following requirements for stationary vents at the site subject to this standard:
 - (i) Title 30 TAC § 111.111(a)(1)(B) (relating to Requirements for Specified Sources)
 - (ii) Title 30 TAC § 111.111(a)(1)(E)
 - (iii) Title 30 TAC § 111.111(a)(1)(F)(i), (ii), (iii), or (iv)
 - (iv) For emission units with vent emissions subject to 30 TAC § 111.111(a)(1)(B), complying with 30 TAC § 111.111(a)(1)(F)(ii), (iii), or (iv), and capable of producing visible emissions from, but not limited to, particulate matter, acid gases and NO_x, the permit holder shall also comply with the following periodic monitoring requirements for the purpose of annual compliance certification under 30 TAC § 122.146. These periodic monitoring requirements do not apply to vents that are not capable of producing visible emissions such as vents that emit only colorless VOCs; vents from non-fuming liquids; vents that provide passive ventilation, such as plumbing vents; or vent emissions from any other source that

does not obstruct the transmission of light. Vents, as specified in the "Applicable Requirements Summary" attachment, that are subject to the emission limitation of 30 TAC § 111.111(a)(1)(B) are not subject to the following periodic monitoring requirements:

- (1) An observation of stationary vents from emission units in operation shall be conducted at least once during each calendar quarter unless the emission unit is not operating for the entire quarter.
- (2) For stationary vents from a combustion source, if an alternative to the normally fired fuel is fired for a period greater than or equal to 24 consecutive hours, the permit holder shall conduct an observation of the stationary vent for each such period to determine if visible emissions are present. If such period is greater than 3 months, observations shall be conducted once during each quarter. Supplementing the normally fired fuel with natural gas or fuel gas to increase the net heating value to the minimum required value does not constitute creation of an alternative fuel.
- (3) Records of all observations shall be maintained.
- (4) Visible emissions observations of emission units operated during daylight hours shall be conducted no earlier than one hour after sunrise and no later than one hour before sunset. Visible emissions observations of emission units operated only at night must be made with additional lighting and the temporary installation of contrasting backgrounds. Visible emissions observations shall be made during times when the activities described in 30 TAC § 111.111(a)(1)(E) are not taking place. Visible emissions shall be determined with each stationary vent in clear view of the observer. The observer shall be at least 15 feet, but not more than 0.25 mile, away from each stationary vent during the observation. For outdoor locations, the observer shall select a position where the sun is not directly in the observer's eyes. When condensed water vapor is present within the plume, as it emerges from the emissions outlet, observations must be made beyond the point in the plume at which condensed water vapor is no longer visible. When water vapor within the plume condenses and becomes visible at a distance from the emissions outlet, the observation shall be evaluated at the outlet prior to condensation of water vapor. A certified opacity reader is not required for visible emissions observations.
- (5) Compliance Certification:
 - (a) If visible emissions are not present during the observation, the RO may certify that the source is in compliance with the applicable opacity requirement in 30 TAC § 111.111(a)(1) and (a)(1)(B).
 - (b) However, if visible emissions are present during the observation, the permit holder shall either list this occurrence as a deviation on the next deviation report as required under 30 TAC § 122.145(2) or conduct the appropriate opacity test specified in 30 TAC § 111.111(a)(1)(F) as soon as practicable, but no later than 24 hours after observing visible emissions to determine if the source is in compliance with the opacity requirements. If an opacity test is performed and the source is

determined to be in compliance, the RO may certify that the source is in compliance with the applicable opacity requirement. However, if an opacity test is performed and the source is determined to be out of compliance, the permit holder shall list this occurrence as a deviation on the next deviation report as required under 30 TAC § 122.145(2). The opacity test must be performed by a certified opacity reader.

- (c) Some vents may be subject to multiple visible emission or monitoring requirements. All credible data must be considered when certifying compliance with this requirement even if the observation or monitoring was performed to demonstrate compliance with a different requirement.
- B. Certification of opacity readers determining opacities under Method 9 (as outlined in 40 CFR Part 60, Appendix A) to comply with opacity monitoring requirements shall be accomplished by completing the Visible Emissions Evaluators Course, or approved agency equivalent, no more than 180 days before the opacity reading.
- C. For emission units with contributions from uncombined water, the permit holder shall comply with the requirements of 30 TAC § 111.111(b).
- D. Emission limits on nonagricultural processes, except for the steam generators specified in 30 TAC § 111.153, shall comply with the following requirements:
 - (i) Emissions of PM from any source may not exceed the allowable rates as required in 30 TAC § 111.151(a) (relating to Allowable Emissions Limits)
 - (ii) Sources with an effective stack height (h_e) less than the standard effective stack height (H_e), must reduce the allowable emission level by multiplying it by [h_e/H_e]² as required in 30 TAC § 111.151(b)
 - (iii) Effective stack height shall be calculated by the equation specified in 30 TAC § 111.151(c)
- 4. The permit holder shall comply with the following requirements for units subject to any subpart of 40 CFR Part 60, unless otherwise stated in the applicable subpart:
 - A. Title 40 CFR § 60.7 (relating to Notification and Recordkeeping)
 - B. Title 40 CFR § 60.8 (relating to Performance Tests)
 - Title 40 CFR § 60.11 (relating to Compliance with Standards and Maintenance Requirements)
 - D. Title 40 CFR § 60.12 (relating to Circumvention)
 - E. Title 40 CFR § 60.13 (relating to Monitoring Requirements)
 - F. Title 40 CFR § 60.14 (relating to Modification)
 - G. Title 40 CFR § 60.15 (relating to Reconstruction)
 - H. Title 40 CFR § 60.19 (relating to General Notification and Reporting Requirements)

- The permit holder shall comply with the requirements of 30 TAC Chapter 113, Subchapter C, § 113.100 for units subject to any subpart of 40 CFR Part 63, unless otherwise stated in the applicable subpart.
- For oil and natural gas production facilities as specified in 40 CFR Part 63, Subpart HH, the permit holder shall comply with the following requirements (Title 30 TAC Chapter 113, Subchapter C, § 113.390 incorporated by reference):
 - Title 40 CFR § 63.760(a)(1)(i) (iii) (relating to Applicability and Designation of Affected Source)
- 7. The permit holder shall comply with certified registrations submitted to the TCEQ for purposes of establishing federally enforceable emission limits. A copy of the certified registration shall be maintained with the permit. Records sufficient to demonstrate compliance with the established limits shall be maintained. The certified registration and records demonstrating compliance shall be provided, on request, to representatives of the appropriate TCEQ regional office and any local air pollution control agency having jurisdiction over the site. The permit holder shall submit updated certified registrations when changes at the site require establishment of new emission limits. If changes result in emissions that do not remain below major source thresholds, the permit holder shall submit a revision application to codify the appropriate requirements in the permit.

New Source Review Authorization Requirements

- 8. Permit holder shall comply with the requirements of New Source Review authorizations issued or claimed by the permit holder for the permitted area, including permits, permits by rule, standard permits, flexible permits, special permits, permits for existing facilities including Voluntary Emissions Reduction Permits and Electric Generating Facility Permits issued under 30 TAC Chapter 116, Subchapter I, or special exemptions referenced in the New Source Review Authorization References attachment. These requirements:
 - A. Are incorporated by reference into this permit as applicable requirements
 - B. Shall be located with this operating permit
 - C. Are not eligible for a permit shield
- The permit holder shall comply with the general requirements of 30 TAC Chapter 106,
 Subchapter A or the general requirements, if any, in effect at the time of the claim of any PBR.
- The permit holder shall maintain records to demonstrate compliance with any emission limitation or standard that is specified in a permit by rule (PBR) or Standard Permit listed in the New Source Review Authorizations attachment. The records shall yield reliable data from the relevant time period that are representative of the emission unit's compliance with the PBR or Standard Permit. These records may include, but are not limited to, production capacity and throughput, hours of operation, safety data sheets (SDS), chemical composition of raw materials, speciation of air contaminant data, engineering calculations, maintenance records, fugitive data, performance tests, capture/control device efficiencies, direct pollutant monitoring (CEMS, COMS, or PEMS), or control device parametric monitoring. These records shall be made readily accessible and available as required by 30 TAC § 122.144. Any monitoring or recordkeeping data indicating noncompliance with the PBR or Standard Permit shall be considered and reported as a deviation according to 30 TAC § 122.145 (Reporting Terms and Conditions).
- 11. The permit holder shall comply with the following requirements for Air Quality Standard Permits:

- A. Registration requirements listed in 30 TAC § 116.611, unless otherwise provided for in an Air Quality Standard Permit
- General Conditions listed in 30 TAC § 116.615, unless otherwise provided for in an Air Quality Standard Permit
- Requirements of the Air Quality Standard Permit for Oil and Gas Handling and Production Facilities

Compliance Requirements


- 12. The permit holder shall certify compliance in accordance with 30 TAC § 122.146. The permit holder shall comply with 30 TAC § 122.146 using at a minimum, but not limited to, the continuous or intermittent compliance method data from monitoring, recordkeeping, reporting, or testing required by the permit and any other credible evidence or information. The certification period may not exceed 12 months and the certification must be submitted within 30 days after the end of the period being certified.
- 13. Use of Emission Credits to comply with applicable requirements:
 - A. Unless otherwise prohibited, the permit holder may use emission credits to comply with the following applicable requirements listed elsewhere in this permit:
 - (i) Title 30 TAC Chapter 115
 - (ii) Title 30 TAC Chapter 117
 - (iii) Offsets for Title 30 TAC Chapter 116
 - B. The permit holder shall comply with the following requirements in order to use the emission credits to comply with the applicable requirements:
 - (i) The permit holder must notify the TCEQ according to 30 TAC § 101.306(c)-(d)
 - (ii) The emission credits to be used must meet all the geographic, timeliness, applicable pollutant type, and availability requirements listed in 30 TAC Chapter 101, Subchapter H, Division 1
 - (iii) The executive director has approved the use of the credit according to 30 TAC § 101.306(c)-(d)
 - (iv) The permit holder keeps records of the use of credits towards compliance with the applicable requirements in accordance with 30 TAC § 101.302(g) and 30 TAC Chapter 122
 - Title 30 TAC § 101.305 (relating to Emission Reductions Achieved Outside the United States)
- 14. Use of Discrete Emission Credits to comply with the applicable requirements:
 - A. Unless otherwise prohibited, the permit holder may use discrete emission credits to comply with the following applicable requirements listed elsewhere in this permit:
 - (i) Title 30 TAC Chapter 115

- (ii) Title 30 TAC Chapter 117
- (iii) If applicable, offsets for Title 30 TAC Chapter 116
- (iv) Temporarily exceed state NSR permit allowables
- B. The permit holder shall comply with the following requirements in order to use the credit to comply with the applicable requirements:
 - (i) The permit holder must notify the TCEQ according to 30 TAC § 101.376(d)
 - (ii) The discrete emission credits to be used must meet all the geographic, timeliness, applicable pollutant type, and availability requirements listed in 30 TAC Chapter 101, Subchapter H, Division 4
 - (iii) The executive director has approved the use of the discrete emission credits according to 30 TAC § 101.376(d)(1)(A)
 - (iv) The permit holder keeps records of the use of credits towards compliance with the applicable requirements in accordance with 30 TAC § 101.372(h) and 30 TAC Chapter 122
 - (v) Title 30 TAC § 101.375 (relating to Emission Reductions Achieved Outside the United States)

Permit Location

15. The permit holder shall maintain a copy of this permit and records related to requirements listed in this permit on site.

Commented [SS1]: The permit will be located at Bridgeport Gas Plant. An updated OP-1 (pg. 4) is included.



Unit Summary	10
Applicable Requirements Summary	 11

Note: A "none" entry may be noted for some emission sources in this permit's "Applicable Requirements Summary" under the heading of "Monitoring and Testing Requirements" and/or "Recordkeeping Requirements" and/or "Reporting Requirements." Such a notation indicates that there are no requirements for the indicated emission source as identified under the respective column heading(s) for the stated portion of the regulation when the emission source is operating under the conditions of the specified SOP Index Number. However, other relevant requirements pursuant to 30 TAC Chapter 122 including Recordkeeping Terms and Conditions (30 TAC § 122.144), Reporting Terms and Conditions (30 TAC § 122.145), and Compliance Certification Terms and Conditions (30 TAC § 122.146) continue to apply.

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
DEHY1	GLYCOL DEHYDRATION	N/A	63HH-1	40 CFR Part 63, Subpart HH	No changing attributes.
E-06A	SRIC ENGINES	N/A	60JJJJ-1	40 CFR Part 60, Subpart JJJJ	No changing attributes.
E-06A	SRIC ENGINES	N/A	63ZZZZ-1	40 CFR Part 63, Subpart ZZZZ	No changing attributes.
E-07	SRIC ENGINES	N/A	60JJJJ-1	40 CFR Part 60, Subpart JJJJ	No changing attributes.
E-07	SRIC ENGINES	N/A	63ZZZZ-1	40 CFR Part 63, Subpart ZZZZ	No changing attributes.
LL-01	LOADING/UNLOADING OPERATIONS	N/A	R5211-1	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
PC-01	FUGITIVE EMISSION UNITS	N/A	600000a-4	40 CFR Part 60, Subpart OOOOa	No changing attributes.
RECIP-06A	FUGITIVE EMISSION UNITS	N/A	600000a-2	40 CFR Part 60, Subpart OOOOa	No changing attributes.
RECIP-07	FUGITIVE EMISSION UNITS	N/A	60000-3	40 CFR Part 60, Subpart OOOO	No changing attributes.
TK-1	STORAGE TANKS/VESSELS	N/A	R5112-1	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
TK-2	STORAGE TANKS/VESSELS	N/A	R5112-1	30 TAC Chapter 115, Storage of VOCs	No changing attributes.

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
DEHY1	EU	63HH-1	112(B) HAPS	40 CFR Part 63, Subpart HH	§ 63.764(e)(1)(ii) § 63.764(a) § 63.764(e)(1) § 63.764(j) § 63.775(c)(8)	The owner or operator of an area source is exempt from the requirements of \$63.764(d) when the actual average emissions of benzene from the glycol dehydration unit process vent to the atmosphere < 0.90 megagram/yr, as determined by the procedures specified in \$63.772(b)(2) of this subpart.	[G]§ 63.772(b)(2)	§ 63.774(d)(1) § 63.774(d)(1)(ii)	None
E-06A	EU	60JJJJ-1	со	40 CFR Part 60, Subpart JJJJ	§ 60.4233(e)-Table 1 § 60.4234 § 60.4243(b) § 60.4243(b)(2) § 60.4243(b)(2)(ii) § 60.4243(e) § 60.4243(g)	Owners and operators of stationary non-emergency natural gas engines with a maximum engine power greater than or equal to 500 HP and were manufactured on or after 07/01/2010 must comply with a CO emission limit of 2.0 g/HP-hr, as listed in Table 1 to this subpart.	\$ 60.4243(b)(2) \$ 60.4243(b)(2)(ii) \$ 60.4243(e) \$ 60.4244(a) \$ 60.4244(b) \$ 60.4244(c) \$ 60.4244(e)	§ 60.4243(b)(2) § 60.4243(b)(2)(ii) § 60.4243(e) § 60.4245(a) § 60.4245(a)(1) § 60.4245(a)(2) § 60.4245(a)(4) § 60.4245(j)	[G]§ 60.4245(c) § 60.4245(d) § 60.4245(f) [G]§ 60.4245(g) [G]§ 60.4245(h) [G]§ 60.4245(i)
E-06A	EU	60JJJJ-1	NO _X	40 CFR Part 60, Subpart JJJJ	§ 60.4233(e)-Table 1 § 60.4234 § 60.4243(b) § 60.4243(b)(2) § 60.4243(b)(2)(ii) § 60.4243(e) § 60.4243(g)	Owners and operators of stationary non-emergency natural gas engines with a maximum engine power greater than or equal to 500 HP and were manufactured on or after 07/01/2010 must comply with a NOx emission limit of 1.0 g/HP-hr, as listed in Table 1 to this subpart.	§ 60.4243(b)(2) § 60.4243(b)(2)(ii) § 60.4243(e) § 60.4244(a) § 60.4244(b) § 60.4244(b) § 60.4244(d)	\$ 60.4243(b)(2) \$ 60.4243(b)(2)(ii) \$ 60.4243(e) \$ 60.4245(a) \$ 60.4245(a)(1) \$ 60.4245(a)(2) \$ 60.4245(a)(4) \$ 60.4245(a)(4)	[G]§ 60.4245(c) § 60.4245(d) § 60.4245(f) [G]§ 60.4245(g) [G]§ 60.4245(h) [G]§ 60.4245(i)
E-06A	EU	60JJJJ-1	voc	40 CFR Part 60, Subpart JJJJ	§ 60.4233(e)-Table 1 § 60.4234 § 60.4243(b) § 60.4243(b)(2)	Owners and operators of stationary non-emergency natural gas engines with a maximum engine power greater than or equal to 500	§ 60.4243(b)(2) § 60.4243(b)(2)(ii) § 60.4243(e) § 60.4244(a) § 60.4244(b)	§ 60.4243(b)(2) § 60.4243(b)(2)(ii) § 60.4243(e) § 60.4245(a) § 60.4245(a)(1)	[G]§ 60.4245(c) § 60.4245(d) § 60.4245(f) [G]§ 60.4245(g) [G]§ 60.4245(h)

Initial Issuance- Draft Page 11

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 60.4243(b)(2)(ii) § 60.4243(e) § 60.4243(g)	HP and were manufactured on or after 07/01/2010 must comply with a VOC emission limit of 0.7 g/HP- hr, as listed in Table 1 to this subpart.	§ 60.4244(c) § 60.4244(f) § 60.4244(g)	§ 60.4245(a)(2) § 60.4245(a)(4) § 60.4245(j)	[G]§ 60.4245(i)
E-06A	EU	63ZZZZ-1	112(B) HAPS	40 CFR Part 63, Subpart ZZZZ	§ 63.6590(c)	Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart IIII, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part.	None	None	None
E-07	EU	60JJJJ-1	со	40 CFR Part 60, Subpart JJJJ	§ 60.4233(e)-Table 1 § 60.4234 § 60.4243(b) § 60.4243(b)(2) § 60.4243(b)(2)(ii) § 60.4243(e) § 60.4243(g)	Owners and operators of stationary non-emergency natural gas engines with a maximum engine power greater than or equal to 500 HP and were manufactured on or after 07/01/2010 must comply with a CO emission limit of 2.0 g/HP-hr, as listed in Table 1 to this subpart.	\$ 60.4243(b)(2) \$ 60.4243(b)(2)(ii) \$ 60.4243(e) \$ 60.4244(a) \$ 60.4244(b) \$ 60.4244(c) \$ 60.4244(e)	§ 60.4243(b)(2) § 60.4243(b)(2)(ii) § 60.4243(e) § 60.4245(a) § 60.4245(a)(1) § 60.4245(a)(1) § 60.4245(a)(4) § 60.4245(j)	[G]§ 60.4245(c) § 60.4245(d) § 60.4245(f) [G]§ 60.4245(g) [G]§ 60.4245(h) [G]§ 60.4245(i)
E-07	EU	60JJJJ-1	NO _X	40 CFR Part 60, Subpart JJJJ	§ 60.4233(e)-Table 1 § 60.4234 § 60.4243(b) § 60.4243(b)(2)	Owners and operators of stationary non-emergency natural gas engines with a maximum engine power greater than or equal to 500	§ 60.4243(b)(2) § 60.4243(b)(2)(ii) § 60.4243(e) § 60.4244(a) § 60.4244(b)	§ 60.4243(b)(2) § 60.4243(b)(2)(ii) § 60.4243(e) § 60.4245(a) § 60.4245(a)(1)	[G]§ 60.4245(c) § 60.4245(d) § 60.4245(f) [G]§ 60.4245(g) [G]§ 60.4245(h)

Initial Issuance- Draft Page 12

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 60.4243(b)(2)(ii) § 60.4243(e) § 60.4243(g)	HP and were manufactured on or after 07/01/2010 must comply with a NOx emission limit of 1.0 g/HP-hr, as listed in Table 1 to this subpart.	§ 60.4244(c) § 60.4244(d)	§ 60.4245(a)(2) § 60.4245(a)(4) § 60.4245(j)	[G]§ 60.4245(i)
E-07	EU	60JJJJ-1	voc	40 CFR Part 60, Subpart JJJJ	§ 60.4233(e)-Table 1 § 60.4234 § 60.4243(b) § 60.4243(b)(2) § 60.4243(b)(2)(iii) § 60.4243(e) § 60.4243(g)		\$ 60.4243(b)(2) \$ 60.4243(b)(2)(ii) \$ 60.4243(e) \$ 60.4244(a) \$ 60.4244(a) \$ 60.4244(c) \$ 60.4244(f) \$ 60.4244(f)	§ 60.4243(b)(2) § 60.4243(b)(2)(ii) § 60.4243(e) § 60.4245(a) § 60.4245(a)(1) § 60.4245(a)(2) § 60.4245(a)(4) § 60.4245(a)(4)	[G]§ 60.4245(c) § 60.4245(d) § 60.4245(f) [G]§ 60.4245(g) [G]§ 60.4245(h) [G]§ 60.4245(i)
E-07	EU	63ZZZZ-1	112(B) HAPS	40 CFR Part 63, Subpart ZZZZ	§ 63.6590(c)	Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart IIII, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part.	None	None	None
LL-01	EU	R5211-1	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land- based operations). All land- based loading and unloading of VOC with a true vapor pressure less	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
						than 0.5 psia is exempt from the requirements of this division, except as specified.			
PC-01	EU	600000a -4	voc	40 CFR Part 60, Subpart OOOOa	§ 60.5390a(c)(1) § 60.5370a(a) § 60.5370a(b) § 60.5390a(b) § 60.5390a(c)(2) § 60.5390a(d) § 60.5390a(f) § 60.5390a(f) § 60.5410a § 60.5410a(d)(4) [G]§ 60.5415a(d)	Each pneumatic controller affected facility at a location other than at a natural gas processing plant must have a bleed rate less than or equal to 6 standard cubic feet per hour.	None	\$ 60.5410a(d)(3) \$ 60.5410a(d)(6) \$ 60.5420a(c) \$ 60.5420a(c)(4) \$ 60.5420a(c)(4)(ii) \$ 60.5420a(c)(4)(iii) \$ 60.5420a(c)(4)(v)	§ 60.5410a(d)(5) § 60.5420a(a) § 60.5420a(b) § 60.5420a(b) [G]§ 60.5420a(b)(1) § 60.5420a(b)(11) [G]§ 60.5420a(b)(13) [G]§ 60.5420a(b)(14) [G]§ 60.5420a(b)(5)
RECIP-06A	EU	600000a -2	VOC	40 CFR Part 60, Subpart OOOOa	§ 60.5385a(a)(1) § 60.5370a(a) § 60.5370a(b) § 60.5385a § 60.5385a(a) § 60.5385a(c) § 60.5385a(c) § 60.5385a(d) § 60.5410a § 60.5415a(c) § 60.5415a(c)(2) § 60.5415a(c)(3)	For each reciprocating compressor, the owner or operator must replace the rod packing on or before the compressor has operated for 26,000 hours. The number of hours of operation must be continuously monitored beginning upon initial startup of your reciprocating compressor affected facility, August 2, 2016, or the date of the most recent reciprocating compressor rod packing replacement, whichever is later.	§ 60.5410a(c)(1) § 60.5415a(c)(1)	§ 60.5410a(c)(4) § 60.5420a(c) [G]§ 60.5420a(c)(3)	§ 60.5410a(c)(3) § 60.5420a(a) § 60.5420a(a)(1) § 60.5420a(b) [G]§ 60.5420a(b)(1) § 60.5420a(b)(11) [G]§ 60.5420a(b)(13) [G]§ 60.5420a(b)(14) [G]§ 60.5420a(b)(4)
RECIP-07	EU	600000- 3	VOC	40 CFR Part 60, Subpart OOOO	§ 60.5385(a)(1) § 60.5370(b) § 60.5385(a) § 60.5415(c)(3) § 60.5420(a)(1)	Before the compressor has operated for 26,000 hours. The number of hours of operation must be continuously monitored beginning upon initial	§ 60.5410(c)(1) § 60.5415(c)(1)	§ 60.5420(c) [G]§ 60.5420(c)(3)	§ 60.5420(a) § 60.5420(a)(1) § 60.5420(b) [G]§ 60.5420(b)(1) [G]§ 60.5420(b)(4) § 60.5420(b)(7)(i)

Commented [SS2]: Remove. This section references performance test submission using the ERT. There are no performance tests associated with reciprocating compressors.

Initial Issuance- Draft Page 14

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
						startup of your reciprocating compressor affected facility, or October 15, 2012, or the date of the most recent reciprocating compressor rod packing replacement, whichever is later.			
TK-1	EU	R5112-1	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
TK-2	EU	R5112-1	voc	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None

New Source Review Authorization References

New Source Review Authorization References	17
New Source Review Authorization References by Emission Unit	18

New Source Review Authorization References

The New Source Review authorizations listed in the table below are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Title 30 TAC Chapter 116 Permits, Special Permits, and Other Authorizations (Other Than Permits By Rule, PSD Permits, or NA Permits) for the Application Area.

Authorization No.: 113079 Issuance Date: 02/07/2023

New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Unit/Group/Process ID No.	Emission Unit Name/Description	New Source Review Authorization		
DEHY1	GLYCOL DEHYDRATOR	113079		
E-06A	2500 HP COMPRESSOR ENGINE	113079		
E-07	1380 HP COMPRESSOR ENGINE	113079		
LL-01	TRUCK LOADING	113079		
PC-01	PNEUMATIC CONTROLLERS	113079		
RECIP-06A	RECIPROCATING COMPRESSOR	113079		
RECIP-07	RECIPROCATING COMPRESSOR	113079		
TK-1	PRODUCED LIQUIDS TANK (300 BBL)	113079		
TK-2	PRODUCED LIQUIDS TANK (300 BBL)	113079		

	Appendix A	
Acronym List		 20

Initial Issuance- Draft Page 19

Acronym List

The following abbreviations or acronyms may be used in this permit:

ACEM	actual cubic feet per minute
AMOC	alternate means of control
	Acid Rain Program
ASTM	
В/РА	Beaumont/Port Arthur (nonattainment area)
CAM	
CD	control device
CEMS	continuous emissions monitoring system
CFR	
COMS	continuous opacity monitoring system
CVS	closed vent system
D/FW	
	emission point
	U.S. Environmental Protection Agency
	emission unit
	Federal Clean Air Act Amendments
FCAA Amendments	rederal Clean All Act Amendments
FOP	federal operating permit
	grains per 100 standard cubic feet
HAP	hazardous air pollutant
H/G/B	
H ₂ S	hydrogen sulfide
ID No	identification number
lb/hr	pound(s) per hour
MACT	Maximum Achievable Control Technology (40 CFR Part 63)
MMBtu/hr	Million British thermal units per hour
	nonattainment
	not applicable
NADB	National Allowance Data Base
	National Emission Standards for Hazardous Air Pollutants (40 CFR Part 61)
NO	nitrogen oxides
NON	
	Office of Regulatory Information Systems
	lead
	Permit By Rule
	predictive emissions monitoring system
PM	particulate matter
ppmv	parts per million by volume
PRO	process unit
PSD	prevention of significant deterioration
	pounds per square inch absolute
	state implementation plan
	SUITUR GIOXIGE
TCFO	sulfur dioxide Texas Commission on Environmental Quality
	Texas Commission on Environmental Quality
TSP	Texas Commission on Environmental Quality total suspended particulate
TSP	Texas Commission on Environmental Quality total suspended particulate true vapor pressure
TSP TVP U.S.C.	Texas Commission on Environmental Quality total suspended particulate

Federal Operating Permit Program Site Information Summary Form OP-1 (Page 4)

Texas Commission on Environmental Quality

IX.	Off-Site Permit Request (Optional for applicants requesting to hold the FOP and records at an off-site location.)
A.	Office/Facility Name: Bridgeport Gas Plant
B.	Physical Address: 415 Private Road 3502
City:	Bridgeport
State	: Texas
ZIP (Code: 76426
Terri	tory:
Coun	ntry:
Forei	ign Postal Code:
C.	Physical Location:
D.	Contact Name Prefix: (Mr. Mrs. Dr.)
Cont	act Full Name: Benajmin Aucoin
Ε.	Telephone No.: 469-308-6204
Χ.	Application Area Information
A.	Area Name: Black Creek Compressor Station
В.	Physical Address: 873 CR 2360
City:	Decatur
State	: TX
ZIP (Code: 76234
C.	Physical Location:
D.	Nearest City:
Ε.	State:
F.	ZIP Code:

Princess Ohiagu

From: Princess Ohiagu

Sent: Thursday, June 26, 2025 4:05 PM

To: Lance Green

Subject: Working Draft Permit -- FOP O4540/Project 35903, EnLink Midstream Services,

LLC/Black

Attachments: SOP Draft - O4540 (Enlink Midstream Services LLC, 35903).docx

Good afternoon Mr. Green,

I have conducted a technical review of *initial* application for *EnLink Midstream Services*, *LLC/Black*. An electronic copy of the Working Draft Permit (WDP) is attached for your review. This WDP contains the TCEQ determination of applicable requirements based on the information submitted in your application, and any updates provided.

Please review the WDP and submit to me any comments you have on the working draft permit by <u>July 10</u>, <u>2025</u>. Any comments outside the scope of the most recent changes should be submitted as a separate project.

Please submit a written response by this deadline, even if you are not making any comments on the content of the WDP.

Please review the second portion of the "SOP Technical Review Fact Sheet" located at http://www.tceq.texas.gov/assets/public/permitting/air/Guidance/Title_V/sop_wdp_factsheet.pdf. This guidance contains important information regarding WDP review and comment procedures.

Note that a Certification by Responsible Official (Form OP-CRO1) for any uncertified application information, including application updates supporting the WDP comments, is required. After final review of the WDP, additional changes supported by application updates may require certification. I will advise you of these changes at a later date. Prior to transmittal of the Public Notice/Announcement Authorization Package, a duly signed OP-CRO1 form may be required which includes the specific dates or time-period of all submitted application documentation that was not previously certified. I will advise you of this requirement prior to sending the Public Notice/Announcement Authorization.

Application updates may now be submitted through Title V STEERS. Any application updates that are submitted by the RO/DAR through STEERS are certified and do not require the submittal of an original signature OP-CRO1. Application updates that are provided through email or physical mail require certification using an original signature OP-CRO1.

Please notify me when these updates have been submitted.

As required on Form OP-1, question IV.D, please remember the FOP application and all application updates must be submitted to EPA Region 6 at R6AirPermitsTX@epa.gov and to the TCEQ regional office having jurisdiction. This submittal information can be found on our website at Where to Submit FOP Applications and Permit-Related Documents.

Contact me if you have any questions regarding the guidelines, the project schedule, or any other details regarding your application or permit.

Thank you for your cooperation.

Sincerely,

Princess Ohiagu **Operating Permits** Air Permits Division Texas Commission on Environmental Quality 512 239-2048 Princess.ohiagu@tceq.texas.gov



How are we doing? Fill out our online customer satisfaction survey at www.tceq.texas.gov/customersurvey

Princess Ohiagu

From: Princess Ohiagu

Sent: Tuesday, August 13, 2024 4:30 PM

To: lance.green@enlink.com

Subject: Technical Review -- FOP O4540/Project 35903, EnLink Midstream Services, LLC/Black

Creek Compressor Station

Good afternoon,

I have been reassigned to the Federal Operating Permit (FOP) initial issuance application of Permit No. O4540 for EnLink Midstream Services, LLC, Black Creek Compressor Station. This application has been assigned Project No. 35903. Please address all correspondence pertaining to this permit application, including any updates, to me at the address below, and use both the Permit and Project reference numbers above to facilitate tracking.

In addition, I wanted to let you know that EPA has, on occasion, objected to Title V permits based on the following:

- a. NSR permit and PBR monitoring sufficiency –please refer to our periodic monitoring guidance for reference of monitoring that EPA has, so far, considered sufficient.
- b. Reference to confidential business information (CBI) in NSR permits and PBR submittals.
- c. High level terms in the SOP Applicable Requirement Summary Table. The high-level terms are sometimes used in SOPs when unit attribute forms have
 - not yet been updated due to regulatory amendments.
- d. Accuracy of PBR information provided on the supplemental table and in the permit please refer to Forms OP-PBRSUP and OP-REQ1 Instructions.

If you have any questions or concerns on any of these items or think you need to do any additional updates, let me know and we can discuss further.

Application updates may now be submitted through Title V STEERS. Any application updates that are submitted by the RO/DAR through STEERS are certified and do not require the submittal of an original signature OP-CRO1. Application updates that are provided through email or physical mail require certification using an original signature OP-CRO1.

Please notify me when these updates have been submitted.

As required on Form OP-1, question IV.D, please remember the FOP application and all application updates must be submitted to EPA Region 6 at R6AirPermitsTX@epa.gov and to the TCEQ regional office having jurisdiction. This submittal information can be found on our website at Where to Submit FOP Applications and Permit-Related Documents.

Please review the "SOP Technical Review Fact Sheet" located

at http://www.tceq.texas.gov/assets/public/permitting/air/Guidance/Title_V/sop_wdp_factsheet.pdf. This guidance contains important information regarding the review process and application update procedures. Contact me if you have any questions regarding the guidelines, the project schedule, or any other details regarding your application or permit.

Thank you for your cooperation.

Sincerely,

Princess Ohiagu **Operating Permits** Air Permits Division Texas Commission on Environmental Quality 512 239-2048 Princess.ohiagu@tceq.texas.gov



How are we doing? Fill out our online customer satisfaction survey at <u>www.tceq.texas.gov/customersurvey</u>

Texas Commission on Environmental Quality Glycol Dehydration Unit Attributes Form OP-UA62 (Page 1) Federal Operating Permit Program

Table 1a: Title 40 Code of Federal Regulations Part 63 (40 CFR Part 63) Subchapter HH: National Emission Standards for Hazardous Air Pollutants From Oil and Natural Gas Production Facilities

Date:	03/18/2024
Permit No.:	O4540
Regulated Entity No.:	RN106892185

GOP Questions highlighted.

Emission Point ID No.	SOP/GOP Index No.	Alternate Means of Emission Limitation (AMEL)	AMEL ID No.	HAP Source	Affected Source Type	Area Source Exemption	Existing Unit
DEHY1	63НН-1	NO		AREA	TEGU	90-	

TCEQ - 10434 (APDG 5173v14, Revised 02/20) OP-UA62
This form is for use by facilities subject to air quality permit requirements and may
be revised periodically. (Title V Release 12/14)

Process Heater/Furnace Attributes Form OP-UA5 (Page 7)

Federal Operating Permit Program

Table 4: Title 30 Texas Administrative Code Chapter 111 (30 TAC Chapter 111)

Subchapter A, Division 2: Incineration Texas Commission on Environmental Quality

Date	Permit No.	Regulated Entity No.
03/18/2024	O4540	RN106892185

Unit ID No.	SOP/GOP Index No.	Hazardous Waste	Monitor
H-1	R1121-1	NO	

Loading/Unloading Operations Attributes Form OP-UA4 (Page 1)

Federal Operating Permit Program

Table 1a: Title 30 Texas Administrative Code Chapter 115 (30 TAC Chapter 115) Subchapter C: Loading and Unloading of Volatile Organic Compounds Texas Commission on Environmental Quality

Date	Permit No.:	Regulated Entity No.		
03/18/2024	O4540	RN106892185		

Unit ID No.	SOP/GOP Index No.	Chapter 115 Facility Type	Alternate Control Requirement (ACR)	ACR ID No.	Product Transferred	Transfer Type	True Vapor Pressure	Daily Through-put	Control Options
LL-01	R5211-1	OTHER	NONE		VOC1	LOAD	0.5-		

Storage Tank/Vessel Attributes Form OP-UA3 (Page 3)

Federal Operating Permit Program

Table 3: Title 40 Code of Federal Regulations Part 60 (40 CFR Part 60)
Subpart Kb: Standards of Performance for Volatile Organic Liquid Storage Vessels
(Including Petroleum Liquid Storage Vessels)
Texas Commission on Environmental Quality

Date	Permit No.	Regulated Entity No.		
03/18/2024	O4540	RN106892185		

Unit ID No.	SOP/GOP Index No.	Product Stored	Storage Capacity	WW Tank Control	Maximum TVP	Storage Vessel Description	AMEL ID No.	Guidepole	Reid Vapor Pressure	Control Device ID No.
TK-1	60Kb-1	PTCD-BF3	10K-							
TK-2	60Kb-1	PTCD-BF3	10K-							

Storage Tank/Vessel Attributes Form OP-UA3 (Page 4)

Federal Operating Permit Program

Table 4a: Title 30 Texas Administrative Code Chapter 115 (30 TAC Chapter 115) Subchapter B: Storage of Volatile Organic Compounds (VOCs) Texas Commission on Environmental Quality

Date	Permit No.	Regulated Entity No.		
03/18/2024	O4540	RN106892185		

Unit ID No.	SOP/GOP Index No.	Alternate Control Requirement	ACR ID No.	Product Stored	Storage Capacity	Throughput	Potential to Emit	Uncontrolled Emissions
TK-1	R5112-1	NO		VOC1	A1K-25K			
TK-2	R5112-1	NO		VOC1	A1K-25K			

Storage Tank/Vessel Attributes Form OP-UA3 (Page 5)

Federal Operating Permit Program

Table 4b: Title 30 Texas Administrative Code Chapter 115 (30 TAC Chapter 115) Subchapter B: Storage of Volatile Organic Compounds (VOCs) Texas Commission on Environmental Quality

Date	Permit No.	Regulated Entity No.		
03/18/2024	O4540	RN106892185		

Unit ID No.	SOP/GOP Index No.	Construction Date	Tank Description	True Vapor Pressure	Primary Seal	Secondary Seal	Control Device Type	Control Device ID No.
TK-1	R5112-1		NONE1	1-				
TK-2	R5112-1		NONE1	1-				

Storage Tank/Vessel Attributes Form OP-UA3 (Page 64)

Federal Operating Permit Program

Table 24a: Title 40 Code of Federal Regulations Part 60 (40 CFR Part 60)

Subpart OOOOa: Standards of Performance for Crude Oil and Natural Gas Facilities for which Construction, Modification or Reconstruction Commenced After September 18, 2015

Texas Commission on Environmental Quality

Date	Permit No.	Regulated Entity No.		
03/18/2024	O4540	RN106892185		

Unit ID No.	SOP/GOP Index No.	Construction/ Modification Date	Subject to Another Regulation	PTE	Compliance Option	Control Option	Control Device ID No.
TK-1	600000a-1	15-					
TK-2	60OOOOa-1	15-					

TCEQ - 10008 (APD-ID37v5, Revised 07/23) OP-UA3	
This form is for use by facilities subject to air quality permit requirements and may be revised periodically. (Title	V Release07/23

Storage Tank/Vessel Attributes Form OP-UA3 (Page 66)

Federal Operating Permit Program

Table 25a: Title 40 Code of Federal Regulations Part 60 (40 CFR Part 60)

Subpart OOOO: Standards of Performance for Crude Oil and Natural Gas Production, Transmission and Distribution for which Construction, Modification or Reconstruction Commenced After August 23, 2011, and on or before September 18, 2015

Texas Commission on Environmental Quality

Date	Permit No.	Regulated Entity No.		
03/18/2024	O4540	RN106892185		

Unit ID No.	SOP/GOP Index No.	Construction/ Modification Date	Compliance Subject to Another Subpart	Potential to Emit	Storage Capacity	Compliance Option	Group Type	Control Option	Control Device ID No.
TK-1	60OOO-1	11-15	NONE	6-					
TK-2	60OOO-1	11-15	NONE	6-					

TCEQ - 10008 (APD-ID37v5, Revised 07/23) OP-UA3	
This form is for use by facilities subject to air quality permit requirements and may be revised periodically. (Title	V Release07/23

Stationary Reciprocating Internal Combustion Engine Attributes Form OP-UA2 (Page 4)

Federal Operating Permit Program

Table 2a: Title 40 Code of Federal Regulations Part 63 (40 CFR Part 63)

Subpart ZZZZ: National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines Texas Commission on Environmental Quality

Date	Permit No.	Regulated Entity No.
03/18/2024	O4540	RN106892185

Unit ID No.	SOP/GOP Index No.	HAP Source	Brake HP	Construction/ Reconstruction Date	Nonindustrial Emergency Engine	Service Type	Stationary RICE Type
E-06A	63ZZZZ-1	AREA	500+	06+			
E-07	63ZZZZ-1	AREA	500+	06+			

Stationary Reciprocating Internal Combustion Engine Attributes Form OP-UA2 (Page 8)

Federal Operating Permit Program

Table 4a: Title 40 Code of Federal Regulations Part 60 (40 CFR Part 60)

Subpart JJJJ: Standards of Performance for Stationary Spark Ignition Internal Combustion Engines Texas Commission on Environmental Quality

Date	Permit No.	Regulated Entity No.
03/18/2024	O4540	RN106892185

Unit ID No.	SOP/GOP Index No.	Construction/ Reconstruction/ Modification Date	Test Cell	Exemption	Temp Replacement	Horsepower	Fuel	AEL No.	Lean Burn	Commencing
E-06A	60JJJJ-1	YES	NO	NONE	NO	1350+	NATGAS			CON
E-07	60JJJJ-1	YES	NO	NONE	NO	1350+	NATGAS			CON

Stationary Reciprocating Internal Combustion Engine Attributes Form OP-UA2 (Page 9)

Federal Operating Permit Program

Table 4b: Title 40 Code of Federal Regulations Part 60 (40 CFR Part 60)

Subpart JJJJ: Standards of Performance for Stationary Spark Ignition Internal Combustion Engines Texas Commission on Environmental Quality

Date	Permit No.	Regulated Entity No.
03/18/2024	O4540	RN106892185

Unit ID No.	SOP/GOP Index No.	Manufacture Date	Displacement	Certified	Operation	Certified Modification	Service	Severe Duty	Optional Compliance
E-06A	60JJJJ-1	N0710+		NO			NON		
E-07	60JJJJ-1	N0710+		NO			NON		

Fugitive Emission Unit Attributes Form OP-UA12 (Page 170)

Federal Operating Permit Program

Table 19b: Title 40 Code of Federal Regulations Part 60 (40 CFR Part 60)

Subpart OOOOa: Standards of Performance for Crude Oil and Natural Gas Facilities for which Construction, Modification or Reconstruction

Commenced After September 18, 2015

Texas Commission on Environmental Quality

Date	Permit No.	Regulated Entity No.
03/18/2024	O4540	RN106892185

Unit ID No.	SOP/GOP Index No.	Construction/Modification Date	Reciprocating Compressor	AMEL	Bypass Device
RECIP-06A	60OOOa-2	15+	RC26K-	NO	
RECIP-07	60OOOa-3	15-			

Fugitive Emission Unit Attributes Form OP-UA12 (Page 171)

Federal Operating Permit Program

Table 19c: Title 40 Code of Federal Regulations Part 60 (40 CFR Part 60)

Subpart OOOOa: Standards of Performance for Crude Oil and Natural Gas Facilities for which Construction, Modification or Reconstruction

Commenced After September 18, 2015

Texas Commission on Environmental Quality

Date	Permit No.	Regulated Entity No.
03/18/2024	O4540	RN106892185

Unit ID No.	SOP/GOP Index No.	Construction/Modification Date	Pneumatic Controller
PC-01	60OOOa-4	15+	РСОТН

Fugitive Emission Unit Attributes Form OP-UA12 (Page 173)

Federal Operating Permit Program

Table 19e: Title 40 Code of Federal Regulations Part 60 (40 CFR Part 60)

Subpart OOOOa: Standards of Performance for Crude Oil and Natural Gas Facilities for which Construction, Modification or Reconstruction

Commenced After September 18, 2015

Texas Commission on Environmental Quality

Date	Permit No.	Regulated Entity No.
03/18/2024	O4540	RN106892185

Unit ID. No.	SOP/GOP Index No.	Construction/Modification Date	Fugitive Component	AMEL	Subject to Another Regulation
SF-01	60OOOa-5	15-			

Fugitive Emission Unit Attributes Form OP-UA12 (Page 186)

Federal Operating Permit Program

Table 20b: Title 40 Code of Federal Regulations Part 60 (40 CFR Part 60)

Subpart OOOO: Standards of Performance for Crude Oil and Natural Gas Production, Transmission and Distribution for which Construction, Modification or Reconstruction Commenced After August 23, 2011 and on or before September 18, 2015

Texas Commission on Environmental Quality

Date	Permit No.	Regulated Entity No.
03/18/2024	O4540	RN106892185

Unit ID. No.	SOP/GOP Index No.	Construction/ Modification Date	Reciprocating Compressor	Bypass Device
RECIP-06A	600000-2	15+		
RECIP-07	60OOO-3	11-15	RC26K-	

Fugitive Emission Unit Attributes Form OP-UA12 (Page 187)

Federal Operating Permit Program

Table 20c: Title 40 Code of Federal Regulations Part 60 (40 CFR Part 60)

Subpart OOOO: Standards of Performance for Crude Oil and Natural Gas Production, Transmission and Distribution for which Construction, Modification or Reconstruction Commenced After August 23, 2011 and on or before September 18, 2015

Texas Commission on Environmental Quality

Date	Permit No.	Regulated Entity No.
03/18/2024	O4540	RN106892185

Unit ID No.	SOP/GOP Index No.	Construction/ Modification Date	Pneumatic Controller
PC-01	60000-4	15+	

Texas Commission on Environmental Quality Federal Operating Permit Program Individual Unit Summary Form OP-SUM Table 1

Date	Permit No.	Regulated Entity No.
03/18/2024	O4540	RN106892185

Unit/Process ID No.	Applicable Form	Unit Name/Description	CAM	Preconstruction Authorizations 30 TAC Chapter 116/30 TAC Chapter 106	Preconstruction Authorizations Title I	Group ID No.
E-06A	OP-UA2	2500 hp Compressor Engine		NRSP 113079		
E-07	OP-UA2	1380 hp Compressor Engine		NRSP 113079		
TK-1	OP-UA3	Produced Liquids Tank (300 bbl)		NRSP 113079		
TK-2	OP-UA3	Produced Liquids Tank (300 bbl)		NRSP 113079		
LL-01	OP-UA4	Truck Loading		NRSP 113079		
H-1	OP-UA5	Glycol Reboiler (0.125 MMBTU/hr)		NRSP 113079		
DEHY1	OP-UA62	Glycol Dehydrator		NRSP 113079		
SF-01	OP-UA12	Site Fugitives		NRSP 113079		
RECIP-06A	OP-UA12	Reciprocating Compressor		NRSP 113079		
RECIP-07	OP-UA12	Reciprocating Compressor		NRSP 113079		
PC-01	OP-UA12	Pneumatic Controllers		NRSP 113079		

TCEQ 10007 (APDG 5837v9, Revised 05/20) OP-SUM This form is for use by facilities subject to air quality permit requirements and may be revised periodically.

Page ____ of ____

Applicable Requirements Summary Form OP-REQ3 (Page 1) Federal Operating Permit Program

Table 1a: Additions

Date: 03/18/2024	Regulated Entity No.: RN106892185	Permit No.: O4540
Company Name: EnLink Midstream Services, LLC	Area Name: Black Creek Compressor Station	

Revision No.	Unit/Group/Process ID No.	Unit/Group/Process Applicable Form	SOP/GOP Index No	Pollutant	Applicable Regulatory Requirement Name	Applicable Regulatory Requirement Standard(s)
	E-06A	OP-UA2	63ZZZZ-1	HAPS	40 CFR Part 63, Subpart ZZZZ	§63.6590(c)
	E-07	OP-UA2	63ZZZZ-1	HAPS	40 CFR Part 63, Subpart ZZZZ	§63.6590(c)
	E-06A	OP-UA2	60JJJJ-1	NOx, CO, VOC	40 CFR Part 60, Subpart JJJJ	\$60.4233(e)-Table 1 \$60.4234 \$60.4243(b)(2)(ii), (e), (g) \$60.4246
	E-07	OP-UA2	60JJJJ-1	NOx, CO, VOC	40 CFR Part 60, Subpart JJJJ	\$60.4233(e)-Table 1 \$60.4234 \$60.4243(b)(2)(ii), (e), (g) \$60.4246
	TK-1	OP-UA3	R5112-1	VOC	30 TAC 115, Subchapter B	§115.111(a)(1)
	TK-2	OP-UA3	R5112-1	VOC	30 TAC 115, Subchapter B	§115.111(a)(1)
	RECIP-06A	OP-UA12	600000a-2	VOC	40 CFR Part 60, Subpart OOOOa	\$60.5370a (a)-(b) \$60.5385a \$60.5410a (c) \$60.5415a (c)

RECIP-07	OP-UA12	600000-3	IVUN.	40 CFR Part 60, Subpart OOOO	\$60.5370 (a)-(b) \$60.5385 \$60.5410 (c) \$60.5415 (c)
DEHY1	OP-UA62	63НН-1	HAPS	40 CFR Part 63, Subpart HH	\$63.764(a) \$63.764(e)(1) \$63.764(e)(1)(ii) \$63.764(j) \$63.775 (c)(8)

Applicable Requirements Summary Form OP-REQ3 (Page 2) Federal Operating Permit Program

Table 1b: Additions

Date: 03/18/2024	Regulated Entity No.: RN106892185	Permit No.: O4540
Company Name: EnLink Midstream Services, LLC	Area Name: Black Creek Compressor Station	

Revision No.	Unit/Group/Process ID No.	SOP/GOP Index No.	Pollutant	Monitoring and Testing Requirements	Recordkeeping Requirements	Reporting Requirements
	E-06A	63ZZZZ-1	HAPS	None	None	None
	E-07	63ZZZZ-1	HAPS	None	None	None
	E-06A	60JJJJ-1	NOx, CO, VOC	\$60.4243(b)(2)(ii) \$60.4243(e) \$60.4244(a)-(d)	\$60.4243(b)(2)(ii) \$60.4243(e) \$60.4245(a)(1)-(4)	[G]§60.4245(c), (d) §60.4245(d)
	E-07	60JJJJ-1	NOx, CO, VOC	\$60.4243(b)(2)(ii) \$60.4243(e) \$60.4244(a)-(d)	\$60.4243(b)(2)(ii) \$60.4243(e) \$60.4245(a)(1)-(4)	[G]§60.4245(c), (d) §60.4245(d)
	TK-01	R5112-1	VOC	None	§115.118(a)(1)	None
	TK-02	R5112-1	VOC	None	§115.118(a)(1)	None
	RECIP-06A	60OOOa-2	VOC	\$60.5397a(a),(b), [G](c)-(d), (e),(f)(2), (g)(2), [G](3)-(4) \$60.5410a(c)(1) \$60.5415a(c)(1)	§60.5397a(i) §60.5410a(c)(4) §60.5420a(c) [G]§60.5420a(c)(3)	\$60.5397a(j) \$60.5410a(c)(3), (j)(5) \$60.5420a(a), (a)(1), (b),[G](b)(1), [G](b)(4) \$60.5420a(b)(11), [G](b)(13)-(14)

RECIP-07	60000-3	VOC	(d), (e),(f)(2), (g)(2), [G](3)-(4)	\$60.5410(c)(4) \$60.5420(c) [G]\$60.5420(c)(3)	\$60.5397(j) \$60.5410(c)(3), (j)(5) \$60.5420(a), (a)(1), (b),[G](b)(1), [G](b)(4) \$60.5420(b)(11), [G](b)(13)-(14)
DEHY1	63HH-1	HAPS	11(+1863 ////61//)	§63.774(d)(1) §63.774(d)(1)(ii)	None

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

For	Form OP-REQ1: Page 1								
I.	Title	Title 30 TAC Chapter 111 - Control of Air Pollution from Visible Emissions and Particulate Matter							
	Α.	A. Visible Emissions							
*		1.	The application area includes stationary vents constructed on or before January 31, 1972.	□YES	⊠NO				
•		2.	The application area includes stationary vents constructed after January 31, 1972. If the responses to Questions I.A.1 and I.A.2 are both "NO," go to Question I.A.6. If the response to Question I.A.1 is "NO" and the response to Question I.A.2 is "YES," go to Question I.A.4.	⊠YES	□NO				
•		3.	The application area is opting to comply with the requirements for stationary vents constructed after January 31, 1972 for vents in the application area constructed on or before January 31, 1972.	□YES	□NO				
♦		4.	All stationary vents are addressed on a unit specific basis.	□YES	⊠NO				
•		5.	Test Method 9 (40 CFR Part 60, Appendix A, Method 9 - Visual Determination of the Opacity of Emissions from Stationary Sources) is used to determine opacity of emissions in the application area.	⊠YES	□NO				
♦		6.	The application area includes structures subject to 30 TAC § 111.111(a)(7)(A).	□YES	⊠NO				
♦		7.	The application area includes sources, other than those specified in 30 TAC § 111.111(a)(1), (4), or (7), subject to 30 TAC § 111.111(a)(8)(A).	□YES	⊠NO				
♦		8.	Emissions from units in the application area include contributions from uncombined water.	⊠YES	□NO				
•		9.	The application area is located in the City of El Paso, including Fort Bliss Military Reservation, and includes solid fuel heating devices subject to 30 TAC § 111.111(c).	□YES	⊠NO □N/A				

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

For	Form OP-REQ1: Page 2						
I.	Title 30 TAC Chapter 111 - Control of Air Pollution from Visible Emissions and Particulate Matter (continued)						
	B.	B. Materials Handling, Construction, Roads, Streets, Alleys, and Parking Lots					
		1.	Item	ns a - d determines applicability of any of these requirements based on geogra	phical loc	ation.	
♦			a.	The application area is located within the City of El Paso.	□YES	⊠NO	
*			b.	The application area is located within the Fort Bliss Military Reservation, except areas specified in 30 TAC § 111.141.	□YES	⊠NO	
*			c.	The application area is located in the portion of Harris County inside the loop formed by Beltway 8.	□YES	⊠NO	
*			d.	The application area is located in the area of Nueces County outlined in Group II state implementation plan (SIP) for inhalable particulate matter adopted by the TCEQ on May 13, 1988.	□YES	⊠NO	
			If there is any "YES" response to Questions I.B.1.a - d, answers Questions I.B.2.a - d. If all responses to Questions I.B.1.a-d are "NO," go to Section I.C.				
		2.	Item	as a - d determine the specific applicability of these requirements.			
♦			a.	The application area is subject to 30 TAC § 111.143.	□YES	□NO	
♦			b.	The application area is subject to 30 TAC § 111.145.	□YES	□NO	
•			c.	The application area is subject to 30 TAC § 111.147.	□YES	□NO	
•			d.	The application area is subject to 30 TAC § 111.149.	□YES	□NO	
	C.	Em	issions	Limits on Nonagricultural Processes			
•		1.		application area includes a nonagricultural process subject to 30 TAC 1.151.	⊠YES	□NO	
		2.	subj	application area includes a vent from a nonagricultural process that is ect to additional monitoring requirements. e response to Question I.C.2 is "NO," go to Question I.C.4.	□YES	⊠NO	
		3.		vents from nonagricultural process in the application area are subject to tional monitoring requirements.	□YES	□NO	

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Forn	Form OP-REQ1: Page 3						
I.		Fitle 30 TAC Chapter 111 - Control of Air Pollution from Visible Emissions and Particulate Matter (continued)					
	C.	Emi					
		4.	The application area includes oil or gas fuel-fired steam generators subject to 30 TAC §§ 111.153(a) and 111.153(c).	□YES	⊠NO		
		5.	The application area includes oil or gas fuel-fired steam generators that are subject to additional monitoring requirements. If the response to Question I.C.5 is "NO," go to Question I.C.7.	□YES	⊠NO		
		6.	All oil or gas fuel-fired steam generators in the application area are subject to additional monitoring requirements.	□YES	□NO		
		7.	The application area includes solid fossil fuel-fired steam generators subject to 30 TAC §§ 111.153(a) and 111.153(b).	□YES	⊠NO		
		8.	The application area includes solid fossil fuel-fired steam generators that are subject to additional monitoring requirements. If the response to Question I.C.8 is "NO," go to Section I.D.	□YES	⊠NO		
		9.	All solid fossil fuel-fired steam generators in the application area are subject to additional monitoring requirements.	□YES	□NO		
	D.	Emi	ssions Limits on Agricultural Processes				
		1.	The application area includes agricultural processes subject to 30 TAC § 111.171.	□YES	⊠NO		
	Е.	Outo	door Burning				
♦		1.	Outdoor burning is conducted in the application area. If the response to Question I.E.1 is "NO," go to Section II.	□YES	⊠NO		
*		2.	Fire training is conducted in the application area and subject to the exception provided in 30 TAC § 111.205.	□YES	□NO		
•		3.	Fires for recreation, ceremony, cooking, and warmth are used in the application area and subject to the exception provided in 30 TAC § 111.207.	□YES	□NO		
*		4.	Disposal fires are used in the application area and subject to the exception provided in 30 TAC § 111.209.	□YES	□NO		

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Forn	Form OP-REQ1: Page 4					
I.	Title 30 TAC Chapter 111 - Control of Air Pollution from Visible Emissions and Particulate Matter (continued)					
	E.	Out	door Burning (continued)			
*		5.	Prescribed burning is used in the application area and subject to the exception provided in 30 TAC § 111.211.	□YES	□NO	
*		6.	Hydrocarbon burning is used in the application area and subject to the exception provided in 30 TAC § 111.213.	□YES	□NO	
*		7.	The application area has received the TCEQ Executive Director approval of otherwise prohibited outdoor burning according to 30 TAC § 111.215.	□YES	□NO	
II.	Title	30 T	AC Chapter 112 - Control of Air Pollution from Sulfur Compounds			
	A.	Tem	porary Fuel Shortage Plan Requirements			
		1.	The application area includes units that are potentially subject to the temporary fuel shortage plan requirements of 30 TAC §§ 112.15 - 112.18.	□YES	⊠NO	
III.	Title	e 30 TAC Chapter 115 - Control of Air Pollution from Volatile Organic Compounds				
	A.	App	licability			
*		1.	The application area is located in the Houston/Galveston/Brazoria area, Beaumont/Port Arthur area, Dallas/Fort Worth area, El Paso area, or a covered attainment county as defined by 30 TAC § 115.10. See instructions for inclusive counties. If the response to Question III.A.1 is "NO," go to Section IV.	⊠YES	□NO	
	В.	Stor	age of Volatile Organic Compounds			
*		1.	The application area includes storage tanks, reservoirs, or other containers capable of maintaining working pressure sufficient at all times to prevent any VOC vapor or gas loss to the atmosphere.	☐YES	⊠NO	

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Forn	Form OP-REQ1: Page 5						
III.	Title	Title 30 TAC Chapter 115 - Control of Air Pollution from Volatile Organic Compounds (continued)					
	C.	C. Industrial Wastewater					
		1.	The application area includes affected VOC wastewater streams of an affected source category, as defined in 30 TAC § 115.140. If the response to Question III.C.1 is "NO" or "N/A," go to Section III.D.	YES	⊠NO □N/A		
		2.	The application area is located at a petroleum refinery in the Beaumont/Port Arthur or Houston/Galveston/Brazoria area. If the response to Question III.C.2 is "YES" and the refinery is in the Beaumont/Port Arthur area, go to Section III.D.	☐YES	□NO		
		3.	The application area is complying with the provisions of 40 CFR Part 63, Subpart G, as an alternative to complying with this division (relating to Industrial Wastewater). If the response to Question III.C.3 is "YES," go to Section III.D.	□YES	□NO		
		4.	The application area is located at a plant with an annual VOC loading in wastewater, as determined in accordance with 30 TAC § 115.148, less than or equal to 10 Mg (11.03 tons). If the response to Question III.C.4 is "YES," go to Section III.D.	□YES	□NO		
		5.	The application area includes wastewater drains, junction boxes, lift stations, or weirs that are subject to the control requirements of 30 TAC § 115.142(1).	□YES	□NO		
		6.	The application area includes wastewater drains, junction boxes, lift stations, or weirs that handle streams chosen for exemption under 30 TAC § 115.147(2).	□YES	□NO		
		7.	The application area includes wastewater drains, junction boxes, lift stations, or weirs that have an executive director approved exemption under 30 TAC § 115.147(4).	□YES	□NO		
	D. Loading and Unloading of VOCs						
♦		1.	The application area includes VOC loading operations.	⊠YES	□NO		
*		2.	The application area includes VOC transport vessel unloading operations. For GOP applications, if the responses to Questions III.D.1 - D.2 are "NO," go to Section III.E.	□YES	⊠NO		

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Forn	Form OP-REQ1: Page 6				
III.	Title	30 T	AC Chapter 115 - Control of Air Pollution from Volatile Organic Compounds	(continue	d)
	D.	Load			
*		3.	Transfer operations at motor vehicle fuel dispensing facilities are the only VOC transfer operations conducted in the application area.	☐YES	□NO
	E.	Filli	ng of Gasoline Storage Vessels (Stage I) for Motor Vehicle Fuel Dispensing Fac	ilities	
•		1.	The application area includes one or more motor vehicle fuel dispensing facilities and gasoline is transferred from a tank-truck tank into a stationary storage container. If the response to Question III.E.1 is "NO," go to Section III.F.	☐YES	⊠NO
*		2.	Transfers to stationary storage containers used exclusively for the fueling of agricultural implements are the only transfer operations conducted at facilities in the application area.	☐YES	□NO
•		3.	All transfers at facilities in the application area are made into stationary storage containers with internal floating roofs, external floating roofs, or their equivalent. If the response to Question III.E.2 and/or E.3 is "YES," go to Section III.F.	□YES	□NO
*		4.	The application area is located in a covered attainment county as defined in 30 TAC § 115.10. If the response to Question III.E.4 is "NO," go to Question III.E.9.	☐YES	□NO
•		5.	Stationary gasoline storage containers with a nominal capacity less than or equal to 1,000 gallons are located at the facility.	☐YES	□NO
*		6.	Stationary gasoline storage containers with a nominal capacity greater than 1,000 gallons are located at the facility.	☐YES	□NO
•		7.	At facilities located in covered attainment counties other than Bastrop, Bexar, Caldwell, Comal, Guadalupe, Hays, Travis, Williamson, or Wilson County, transfers are made to stationary storage tanks greater than 1000 gallons located at a facility which has dispensed less than 100,000 gallons of gasoline in a calendar month after October 31, 2014. If the response to Question III.E.7 is "YES," go to Section III.F.	□YES	□NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

 $For \ SOP \ applications, \ answer \ ALL \ questions \ unless \ otherwise \ directed.$

Forn	Form OP-REQ1: Page 7				
III.	Title 30 TAC Chapter 115 - Control of Air Pollution from Volatile Organic Compounds (continued)				
	E.	Fillin	ng of Gasoline Storage Vessels (Stage I) for Motor Vehicle Fuel Dispensing Fac	ilities (co	ntinued)
*		8.	At facilities located in Bastrop, Bexar, Caldwell, Comal, Guadalupe, Hays, Travis, Williamson, or Wilson County, transfers are made to stationary storage tanks greater than 1000 gallons located at a facility which has dispensed no more than 25,000 gallons of gasoline in a calendar month after December 31, 2004. If the response to Question III.E.8 is "YES," go to Section III.F.	□YES	□NO
*		9.	Transfers are made to stationary storage tanks located at a motor vehicle fuel dispensing facility which has dispensed no more than 10,000 gallons of gasoline in any calendar month after January 1, 1991 and for which construction began prior to November 15, 1992.	□YES	□NO
•		10.	Transfers are made to stationary storage tanks located at a motor vehicle fuel dispensing facility which has dispensed more than 10,000 gallons of gasoline in any calendar month after January 1, 1991 and for which construction began prior to November 15, 1992.	□YES	□NO
•		11.	Transfers are made to stationary storage tanks located at a motor vehicle fuel dispensing facility which commenced construction on or after November 15, 1992.	YES	□NO
•		12.	At facilities located in Ellis, Johnson, Kaufman, Parker, or Rockwall County, transfers are made to stationary storage tanks located at a facility which has dispensed at least 10,000 gallons of gasoline but less than 125,000 gallons of gasoline in a calendar month after April 30, 2005.	□YES	□NO
	F. Control of VOC Leaks from Transport Vessels (Complete this section for GOP applications for GOPs 511, 512, 513 and 514 only)				
*		1.	Tank-truck tanks are filled with, or emptied of, gasoline at a facility that is subject to 30 TAC § 115.214(a)(1)(C) or 115.224(2) within the application area.	YES	⊠NO □N/A

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Forn	Form OP-REQ1: Page 8					
III.	Title	20 T	AC Chapter 115 - Control of Air Pollution from Volatile Organic Compounds	(continue	d)	
	F.	Control of VOC Leaks from Transport Vessels (Complete this section for GOP applications for GOP 511, 512, 513 and 514 only) (continued)				
*		2.	Tank-truck tanks are filled with non-gasoline VOCs having a TVP greater than or equal to 0.5 psia under actual storage conditions at a facility subject to 30 TAC § 115.214(a)(1)(C) within the application area.	□YES	⊠NO □N/A	
♦		3.	Tank-truck tanks are filled with, or emptied of, gasoline at a facility that is subject to 30 TAC § 115.214(b)(1)(C) or 115.224(2) within the application area.	□YES	⊠NO □N/A	
	G.	Con	trol of Vehicle Refueling Emissions (Stage II) at Motor Vehicle Fuel Dispensing	g Facilitie	es	
*		1.	The application area includes one or more motor vehicle fuel dispensing facilities and gasoline is transferred from a stationary storage container into motor vehicle fuel tanks. If the response to Question III.G.1 is "NO" or "N/A," go to Section III.H.	□YES	⊠NO □N/A	
*		2.	The application area includes facilities that began construction on or after November 15, 1992 and prior to May 16, 2012.	□YES	□NO	
*		3.	The application area includes facilities that began construction prior to November 15, 1992. If the responses to Questions III.G.2 and Question III.G.3 are both "NO," go to Section III.H.	□YES	□NO	
♦		4.	The application area includes only facilities that have a monthly throughput of less than 10,000 gallons of gasoline.	□YES	□NO	
*		5.	The decommissioning of all Stage II vapor recovery control equipment located in the application area has been completed and the decommissioning notice submitted.	☐YES	□NO □N/A	

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Forn	Form OP-REQ1: Page 9				
III.	Title	30 TA	AC Chapter 115 - Control of Air Pollution from Volatile Organic Compounds	(continue	d)
	H.	Cont	rol Of Reid Vapor Pressure (RVP) of Gasoline		
*		1.	The application area includes stationary tanks, reservoirs, or other containers holding gasoline that may ultimately be used in a motor vehicle in El Paso County.	☐YES	□NO 図N/A
			If the response to Question III.H.1 is "NO" or "N/A," go to Section III.I.		
*		2.	The application area includes stationary tanks, reservoirs, or other containers holding gasoline that will be used exclusively for the fueling of agricultural implements.	☐YES	□NO
♦		3.	The application area includes a motor vehicle fuel dispensing facility.	□YES	□NO
*		4.	The application area includes stationary tanks, reservoirs, or other containers holding gasoline and having a nominal capacity of 500 gallons or less.	YES	□NO
	I.	Proc	ess Unit Turnaround and Vacuum-Producing Systems in Petroleum Refineries	S	
		1.	The application area is located at a petroleum refinery.	YES	⊠NO
	J. Surface Coating Processes (Complete this section for GOP applications only.)				
*		1.	Surface coating operations (other than those performed on equipment located onsite and in-place) that meet the exemption specified in 30 TAC § 115.427(3)(A) or 115.427(7) are performed in the application area.	YES	□NO □N/A

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Forn	Form OP-REQ1: Page 10					
III.	Title	le 30 TAC Chapter 115 - Control of Air Pollution from Volatile Organic Compounds (continued)				
	K.	Cuth	ack Asphalt			
		1.	Conventional cutback asphalt containing VOC solvents for the paving of roadways, driveways, or parking lots, is used or specified for use in the application area by a state, municipal, or county agency. If the response to Question III.K.1 is "N/A," go to Section III.L.	□YES	□NO ⊠N/A	
		2.	The use, application, sale, or offering for sale of conventional cutback asphalt containing VOC solvents for the paving of roadways, driveways, or parking lots occurs in the application area.	□YES	□NO □N/A	
		3.	Asphalt emulsion is used or produced within the application area.	□YES	□NO	
		4.	The application area is using an alternate control requirement as specified in 30 TAC § 115.513. If the response to Question III.K.4 is "NO," go to Section III.L.	□YES	□NO	
		5.	The application area uses, applies, sells, or offers for sale asphalt concrete, made with cutback asphalt, that meets the exemption specified in 30 TAC § 115.517(1).	□YES	□NO	
		6.	The application area uses, applies, sells, or offers for sale cutback asphalt that is used solely as a penetrating prime coat.	□YES	□NO	
		7.	The applicant using cutback asphalt is a state, municipal, or county agency.	□YES	□NO	
	L.	Dega	ssing of Storage Tanks, Transport Vessels and Marine Vessels			
*		1.	The application area includes degassing operations for stationary, marine, and/or transport vessels. If the response to Question III.L.1 is "NO" or "N/A," go to Section III.M.	☐YES	⊠NO □N/A	
*		2.	Degassing of only ocean-going, self-propelled VOC marine vessels is performed in the application area. If the response to Question III.L.2 is "YES," go to Section III.M.	☐YES	□NO □N/A	

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Forn	Form OP-REQ1: Page 11					
III.	Title	e 30 TAC Chapter 115 - Control of Air Pollution from Volatile Organic Compounds (continued)				
	L.	Dega	ssing of Storage Tanks, Transport Vessels and Marine Vessels (continued)			
♦		3.	Degassing of stationary VOC storage vessels with a nominal storage capacity of 1,000,000 gallons or more and a vapor space partial pressure greater than or equal to 0.5 psia of VOC is performed in the application area.	□YES	□NO □N/A	
*		4.	Degassing of stationary VOC storage vessels with a nominal storage capacity of 250,000 gallons or more, or a nominal storage capacity of 75,000 gallons and storing materials with a true vapor pressure greater than 2.6 psia, and a vapor space partial pressure greater than or equal to 0.5 psia of VOC is performed in the application area.	□YES	□NO □N/A	
*		5.	Degassing of VOC transport vessels with a nominal storage capacity of 8,000 gallons or more and a vapor space partial pressure greater than or equal to 0.5 psia of VOC is performed in the application area.	□YES	□NO	
*		6.	Degassing of VOC marine vessels with a nominal storage capacity of 10,000 barrels (420,000 gallons) or more and a vapor space partial pressure greater than or equal to 0.5 psia of VOC is performed in the application area.	□YES	□NO □N/A	
*		7.	Degassing of VOC marine vessels with a nominal storage capacity of 10,000 barrels (420,000 gallons) and a vapor space partial pressure \geq 0.5 psia that have sustained damage as specified in 30 TAC \S 115.547(5) is performed in the application area.	□YES	□NO □N/A	
	M. Petroleum Dry Cleaning Systems					
		1.	The application area contains one or more petroleum dry cleaning facilities that use petroleum based solvents.	□YES	⊠NO □N/A	

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form	Form OP-REQ1: Page 12					
III.	Title 30 TAC Chapter 115 - Control of Air Pollution from Volatile Organic Compounds (continued)					
	N.	N. Vent Gas Control (Highly-reactive volatile organic compounds (HRVOC)				
		1.	The application area includes one or more vent gas streams containing HRVOC.	YES	□NO ⊠N/A	
		2.	The application area includes one or more flares that emit or have the potential to emit HRVOC.	YES	□NO 図N/A	
			If the responses to Questions III.N.1 and III.N.2 are both "NO" or "N/A," go to Section III.O. If the response to Question III.N.1 is "YES," continue with Question III.N.3.			
		3.	All vent streams in the application area that are routed to a flare contain less than 5.0% HRVOC by weight at all times.	YES	□NO	
		4.	All vent streams in the application area that are not routed to a flare contain less than 100 ppmv HRVOC at all times.	☐YES	□NO	
			If the responses to Questions III.N.3 and III.N.4 are both "NO," go to Section III.O.			
		5.	The application area contains pressure relief valves that are not controlled by a flare.	YES	□NO	
		6.	The application area has at least one vent stream which has no potential to emit HRVOC.	□YES	□NO	
		7.	The application area has vent streams from a source described in 30 TAC § 115.727(c)(3)(A) - (H).	YES	□NO	
	0.	Cooli	ing Tower Heat Exchange Systems (HRVOC)			
		1.	The application area includes one or more cooling tower heat exchange systems that emit or have the potential to emit HRVOC.	YES	□NO ⊠N/A	

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Forn	orm OP-REQ1: Page 13				
IV.	Title 30 TAC Chapter 117 - Control of Air Pollution from Nitrogen Compounds				
	Α.	Appl	icability		
*		1.	The application area is located in the Houston/Galveston/Brazoria, Beaumont/Port Arthur, or Dallas/Fort Worth Eight-Hour area. For SOP applications, if the response to Question IV.A.1 is "YES," complete Sections IV.B - IV.F and IV.H. For GOP applications for GOPs 511, 512, 513, or 514, if the response to Question IV.A.1 is "YES," go to Section IV.F. For GOP applications for GOP 517, if the response to Question IV.A.1 is "YES," complete Sections IV.C and IV.F. For GOP applications, if the response to Question IV.A.1 is "NO," go to Section VI.	⊠YES	□NO
		2.	The application area is located in Bexar, Comal, Ellis, Hays, or McLennan County and includes a cement kiln. If the response to Question IV.A.2 is "YES," go to Question IV.H.1.	□YES	□NO
		3.	The application area includes a utility electric generator in an east or central Texas county. See instructions for a list of counties included. If the response to Question IV.A.3 is "YES," go to Question IV.G.1. If the responses to Questions IV.A.1 - 3 are all "NO," go to Question IV.H.1.	□YES	□NO
	B.	Utilit	ty Electric Generation in Ozone Nonattainment Areas		
		1.	The application area includes units specified in 30 TAC §§ 117.1000, 117.1200, or 117.1300. If the response to Question IV.B.1 is "NO," go to Question IV.C.1.	□YES	⊠NO
		2.	The application area is complying with a System Cap in 30 TAC §§ 117.1020 or 117.1220.	□YES	□NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Fore	Form OP-REQ1: Page 14					
IV.	Title	30 T.	AC Chapter 117 - Control of Air Pollution from Nitrogen Compounds (continu	ıed)		
	C.	Con	nmercial, Institutional, and Industrial Sources in Ozone Nonattainment Areas			
*		1.	The application area is located at a site subject to 30 TAC Chapter 117, Subchapter B and includes units specified in 30 TAC §§ 117.100, 117.300, or 117.400. For SOP applications, if the response to Question IV.C.1 is "NO," go to Question IV.D.1. For GOP applications for GOP 517, if the response to Question IV.C.1 is "NO," go to Section IV.F.	□YES	⊠NO	
*		2.	The application area is located at a site that was a major source of NO _X before November 15, 1992.	□YES	□NO □N/A	
*		3.	The application area includes an electric generating facility required to comply with the System Cap in 30 TAC § 117.320.	□YES	□NO	
	D.	Adij	pic Acid Manufacturing			
		1.	The application area is located at, or part of, an adipic acid production unit.	□YES	□NO ⊠N/A	
	E.	Nitr	ic Acid Manufacturing - Ozone Nonattainment Areas			
		1.	The application area is located at, or part of, a nitric acid production unit.	□YES	□NO ⊠N/A	
	F.		nbustion Control at Minor Sources in Ozone Nonattainment Areas - Boilers, Prionary Engines and Gas Turbines	rocess He	aters,	
•		1.	The application area is located at a site that is a minor source of NO _X in the Houston/Galveston/Brazoria or Dallas/Fort Worth Eight-Hour areas (except for Wise County). For SOP applications, if the response to Question IV.F.1 is "NO," go to Question IV.G.1. For GOP applications, if the response to Question IV.F.1 is "NO," go to Section VI.	⊠YES	□NO	
♦		2.	The application area is located in the Houston/Galveston/Brazoria area and has units that qualify for an exemption under 30 TAC § 117.2003(a).	□YES	⊠NO	
*		3.	The application area is located in the Houston/Galveston/Brazoria area and has units that qualify for an exemption under 30 TAC § 117.2003(b).	□YES	⊠NO	

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

For	m OP-	REQ	1: Page 15	
IV.	Title	e 30 T	AC Chapter 117 - Control of Air Pollution from Nitrogen Compounds (continu	ied)
	F. Combustion Control at Minor Sources in Ozone Nonattainment Areas - Boilers, Process Ho Stationary Engines and Gas Turbines (continued)			rocess Heaters,
*		4.	The application area is located in the Dallas/Fort Worth Eight-Hour area (except for Wise County) and has units that qualify for an exemption under 30 TAC § 117.2103.	□YES ⊠NO
•		5.	The application area has units subject to the emission specifications under 30 TAC §§ 117.2010 or 30 TAC § 117.2110.	⊠YES □NO
		6.	The application area has a unit that has been approved for alternative case specific specifications (ACSS) in 30 TAC § 117.2025 or 30 TAC § 117.2125. If the response to Question IV.F.6 is "NO," go to Section IV.G.	□YES ⊠NO
	7. An ACSS for carbon monoxide (CO) has been approved?		□YES □NO	
		8.	An ACSS for ammonia (NH ₃) has been approved?	□YES □NO
		9.	Provide the Permit Number(s) and authorization/issuance date(s) of the NSR projection incorporates an ACSS below.	ect(s) that
	G.	Util	ity Electric Generation in East and Central Texas	
		1.	The application area includes utility electric power boilers and/or stationary gas turbines (including duct burners used in turbine exhaust ducts) that were placed into service before December 31, 1995. If the response to Question IV.G.1 is "NO," go to Question IV.H.1.	□YES ⊠NO
		2.	The application area is complying with the System Cap in 30 TAC § 117.3020.	□YES □NO
	H.	Mu	lti-Region Combustion Control - Water Heaters, Small Boilers, and Process He	aters
		1.	The application area includes a manufacturer, distributor, retailer or installer of natural gas fired water heaters, boilers or process heaters with a maximum rated capacity of 2.0 MMBtu/hr or less. If the response to question IV.H.1 is "NO," go to Section V.	□YES ⊠NO
		2.	All water heaters, boilers or process heaters manufactured, distributed, retailed or installed qualify for an exemption under 30 TAC § 117.3203.	□YES □NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Forn	Form OP-REQ1: Page 16				
V.		itle 40 Code of Federal Regulations Part 59 (40 CFR Part 59) - National Volatile Organic Compound mission Standards for Consumer and Commercial Products			
	Α.	Subpart B - National Volatile Organic Compound Emission Standards for Automo Coatings			nish
		1.	The application area manufactures automobile refinish coatings or coating components and sells or distributes these coatings or coating components in the United States.	□YES	⊠NO
		2.	The application area imports automobile refinish coatings or coating components, manufactured on or after January 11, 1999, and sells or distributes these coatings or coating components in the United States.	YES	⊠NO
			If the responses to Questions V.A.1 and V.A.2 are both "NO," go to Section V.B.		
		3.	All automobile refinish coatings or coating components manufactured or imported by the application area meet one or more of the exemptions specified in 40 CFR § 59.100(c)(1) - (6).	□YES	□NO
	В.	Subp	oart C - National Volatile Organic Compound Emission Standards for Consun	ner Produ	icts
		1.	The application area manufactures consumer products for sale or distribution in the United States.	□YES	⊠NO
		2.	The application area imports consumer products manufactured on or after December 10, 1998 and sells or distributes these consumer products in the United States.	□YES	⊠NO
		3.	The application area is a distributor of consumer products whose name appears on the label of one or more of the products. If the responses to Questions V.B.1 - V.B.3 are all "NO," go to Section V.C.	□YES	⊠NO
		4.	All consumer products manufactured, imported, or distributed by the application area meet one or more of the exemptions specified in 40 CFR § 59.201(c)(1) - (7).	□YES	□NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Forn	Form OP-REQ1: Page 17					
V.			ode of Federal Regulations Part 59 (40 CFR Part 59) - National Volatile Organ Standards for Consumer and Commercial Products (continued)	ic Compo	ound	
	C.	C. Subpart D - National Volatile Organic Compound Emission Standards for Architectural Coatings				
		1.	The application area manufactures or imports architectural coatings for sale or distribution in the United States.	□YES	⊠NO	
		2.	The application area manufactures or imports architectural coatings that are registered under the Federal Insecticide, Fungicide, and Rodenticide Act. <i>If the responses to Questions V.C.1-2 are both "NO," go to Section V.D.</i>	□YES	⊠NO	
		3.	All architectural coatings manufactured or imported by the application area meet one or more of the exemptions specified in 40 CFR §59.400(c)(1)-(5).	□YES	□NO	
	D. Subpart E - National Volatile Organic Compound Emission Standards for Aerosol Coatin			Coatings		
		1.	The application area manufactures or imports aerosol coating products for sale or distribution in the United States.	□YES	⊠NO	
		2.	The application area is a distributor of aerosol coatings for resale or distribution in the United States.	□YES	⊠NO	
	E.	Subp	oart F - Control of Evaporative Emissions From New and In-Use Portable Fue	l Contain	ers	
		1.	The application area manufactures or imports portable fuel containers for sale or distribution in the United States. If the response to Question V.E.1 is "NO," go to Section VI.	□YES	⊠NO	
		2.	All portable fuel containers manufactured or imported by the application area meet one or more of the exemptions specified in 40 CFR § 59.605(a) - (c).	□YES	□NO	
VI.	Title	40 C	ode of Federal Regulations Part 60 - New Source Performance Standards			
	A.	A. Applicability				
*		1.	The application area includes a unit(s) that is subject to one or more 40 CFR Part 60 subparts. If the response to Question VI.A.1 is "NO," go to Section VII.	⊠YES	□NO	

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Forn	Form OP-REQ1: Page 18				
VI.	Title	40 Cc	ode of Federal Regulations Part 60 - New Source Performance Standards (cont	tinued)	
	B.	Subp	oart Y - Standards of Performance for Coal Preparation and Processing Plants	S	
		1.	The application area is located at a coal preparation and processing plant. If the response to Question VI.B.1 is "NO," go to Section VI.C.	□YES	⊠NO
		2.	The coal preparation and processing plant has a design capacity greater than 200 tons per day (tpd). If the response to Question VI.B.2 is "NO," go to Section VI.C.	□YES	□NO
		3.	The plant has an option to enforceably limit its operating level to less than 200 tpd and is choosing this option. If the response to Question VI.B.3 is "YES," go to Section VI.C.	□YES	□NO
		4.	The plant contains an open storage pile, as defined in § 60.251, as an affected facility. If the response to Question VI.B.4 is "NO," go to Section VI.C.	□YES	□NO
		5.	The open storage pile was constructed, reconstructed or modified after May 27, 2009.	□YES	□NO
	C.	Subp	oart GG - Standards of Performance for Stationary Gas Turbines (GOP applic	cants only	·)
*		1.	The application area includes one or more stationary gas turbines that have a heat input at peak load greater than or equal to 10 MMBtu/hr (10.7GJ/hr), based on the lower heating value of the fuel fired. If the response to Question VI.C.1 is "NO" or "N/A," go to Section VI.D.	□YES	□NO ⊠N/A
*		2.	One or more of the affected facilities were constructed, modified, or reconstructed after October 3, 1977 and prior to February 19, 2005. If the response to Question VI.C.2 is "NO," go to Section VI.D.	□YES	□NO
♦		3.	One or more stationary gas turbines in the application area are using a previously approved alternative fuel monitoring schedule as specified in 40 CFR § 60.334(h)(4).	□YES	□NO
♦		4.	The exemption specified in 40 CFR § 60.332(e) is being utilized for one or more stationary gas turbines in the application area.	□YES	□NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Forn	Form OP-REQ1: Page 19				
VI.	Title	40 C	ode of Federal Regulations Part 60 - New Source Performance Standards (cont	tinued)	
	C.	-	oart GG - Standards of Performance for Stationary Gas Turbines (GOP applicational)	cants only	·)
*		5.	One or more stationary gas turbines subject to 40 CFR Part 60, Subpart GG in the application area is injected with water or steam for the control of nitrogen oxides.	□YES	□NO
	D.	Subp	oart XX - Standards of Performance for Bulk Gasoline Terminals		
		1.	The application area includes bulk gasoline terminal loading racks. If the response to Question VI.D.1 is "NO," go to Section VI.E.	□YES	⊠NO □N/A
		2.	One or more of the loading racks were constructed or modified after December 17, 1980, and are not subject to 40 CFR Part 63, Subpart CC.	□YES	□NO
	Е.	Subpart LLL - Standards of Performance for Onshore Natural Gas Processing: Sulfur Dioxide (SO ₂ Emissions			ide (SO ₂)
♦		1.	The application area includes affected facilities identified in 40 CFR § 60.640(a) that process natural gas (onshore).	□YES	⊠NO
			For SOP applications, if the response to Question VI.E.1 is "NO," go to Section VI.F. For GOP applications, if the response to Question VI.E.1 is "NO" or "N/A," go to Section VI.H.		
♦		2.	The affected facilities commenced construction or modification after January 20, 1984 and on or before August 23, 2011.	□YES	□NO
			For SOP applications, if the response to Question VI.E.2 is "NO," go to Section VI.F. For GOP applications, if the response to Question VI.E.2 is "NO," go to Section VI.H.		
*		3.	The application area includes a gas sweetening unit with a design capacity greater than or equal to 2 long tons per day (LTPD) of hydrogen sulfide but operates at less than 2 LTPD.	□YES	□NO
			For SOP applications, if the response to Question VI.E.3 is "NO," go to Section VI.F. For GOP applications, if the response to Question VI.E.3 is "NO," go to Section VI.H.		

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Forn	n OP-	REQ1	: Page 20		
VI.	Title	Title 40 Code of Federal Regulations Part 60 - New Source Performance Standards (continued)			
	Е.		part LLL - Standards of Performance for Onshore Natural Gas Processing: Suissions (continued)	lfur Diox	tide (SO ₂)
•		4.	Federally enforceable operating limits have been established in the preconstruction authorization limiting the gas sweetening unit to less than 2 LTPD. For SOP applications, if the response to Question VI.E.4. is "NO," go to Section VI.F. For GOP applications, if the response to Question VI.E.4. is "NO," go to Section VI.H.	□YES	□NO
*		5.	Please provide the Unit ID(s) for the gas sweetening unit(s) that have established operating limits in the space provided below.	federally	enforceable
	F.	Sub	part OOO - Standards of Performance for Nonmetallic Mineral Processing Pla	nts	
		1.	The application area includes affected facilities identified in 40 CFR § 60.670(a)(1) that are located at a fixed or portable nonmetallic mineral processing plant. If the response to Question VI.F.1 is "NO," go to Section VI.G.	□YES	⊠NO
		2.	Affected facilities identified in 40 CFR § 60.670(a)(1) and located in the application area are subject to 40 CFR Part 60, Subpart OOO.	□YES	□NO
	G.	Subj Syst	part QQQ - Standards of Performance for VOC Emissions from Petroleum Recems	finery W	astewater
		1.	The application area is located at a petroleum refinery and includes one or more of the affected facilities identified in 40 CFR § 60.690(a)(2) - (4) for which construction, modification, or reconstruction was commenced after May 4, 1987. If the response to Question VI.G.1 is "NO," go to Section VI.H.	□YES	⊠NO
		2.	The application area includes storm water sewer systems.	□YES	□NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Forn	Form OP-REQ1: Page 21				
VI.	Title	40 Ca	ode of Federal Regulations Part 60 - New Source Performance Standards (cont	tinued)	
	G.	-	oart QQQ - Standards of Performance for VOC Emissions from Petroleum Reems (continued)	finery W	astewater
		3.	The application area includes ancillary equipment which is physically separate from the wastewater system and does not come in contact with or store oily wastewater.	□YES	□NO
		4.	The application area includes non-contact cooling water systems.	□YES	□NO
		5.	The application area includes individual drain systems. If the response to Question VI.G.5 is "NO," go to Section VI.H.	□YES	□NO
		6.	The application area includes one or more individual drain systems that meet the exemption specified in 40 CFR § 60.692-2(d).	□YES	□NO
		7.	The application area includes completely closed drain systems.	□YES	□NO
	Н.	Cons	oart AAAA - Standards of Performance for Small Municipal Waste Incineration Commenced After August 30, 1999 or for Which Modification or Recommenced on or After June 6, 2004		
•		1.	The application area includes at least one small municipal waste incineration unit, other than an air curtain incinerator. If the response to Question VI.H.1. is "N/A," go to Section VI.I. If the response to Question VI.H.1 is "NO," go to Question VI.H.4.	□YES	□NO ☑N/A
*		2.	The application area includes at least one small municipal waste incineration unit, other than an air curtain incinerator, constructed after August 30, 1999 or modified or reconstructed on or after June 6, 2006.	□YES	□NO
*		3.	The application area includes at least one small municipal waste incineration unit, other than an air curtain incinerator, constructed before August 30, 1999 and not modified or reconstructed on or after June 6, 2006.	□YES	□NO
♦		4.	The application area includes at least one air curtain incinerator. If the response to Question VI.H.4 is "NO," go to Section VI.I.	□YES	□NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Forn	Form OP-REQ1: Page 22				
VI.	Title	40 C	ode of Federal Regulations Part 60 - New Source Performance Standards (cont	tinued)	
	H. Subpart AAAA - Standards of Performance for Small Municipal Waste Incineration Units for Which Construction Commenced After August 30, 1999 or for Which Modification or Reconstruction Commenced on or After June 6, 2004 (continued)				
*		5.	The application area includes at least one air curtain incinerator constructed after August 30, 1999 or modified or reconstructed on or after June 6, 2006. If the response to Question VI.H.5 is "NO," go to Question VI.H.7.	□YES	□NO
♦		6.	All air curtain incinerators constructed after August 30, 1999 or modified or reconstructed on or after June 6, 2006 combust only yard waste.	□YES	□NO
*		7.	The application area includes at least one air curtain incinerator constructed before August 30, 1999 and not modified or reconstructed on or after June 6, 2006.	□YES	□NO
*		8.	All air curtain incinerators constructed before August 30, 1999 and not modified or reconstructed on or after June 6, 2006 combust only yard waste.	□YES	□NO
	I.	Unit	oart CCCC - Standards of Performance for Commercial and Industrial Solid Versions of Solid Version Commenced After November 30, 1999 or for Which construction Commenced on or After June 1, 2001		
•		1.	The application area includes at least one commercial or industrial solid waste incineration unit, other than an air curtain incinerator. If the response to Question VI.I.1 is "N/A," go to Section VI.J. If the response to Question VI.I.1 is "NO," go to Question VI.I.4.	□YES	□NO ⊠N/A
*		2.	The application area includes at least one commercial or industrial solid waste incineration unit, other than an air curtain incinerator, constructed after November 30, 1999 or modified or reconstructed on or after June 1, 2001.	☐YES	□NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Fore	orm OP-REQ1: Page 23				
VI.	 Title 40 Code of Federal Regulations Part 60 - New Source Performance Standards (continued) I. Subpart CCCC - Standards of Performance for Commercial and Industrial Solid Wast Units for Which Construction Commenced After November 30, 1999 or for Which Mod Reconstruction Commenced on or After June 1, 2001 (continued) 				
*	3	3.	The application area includes at least one commercial or industrial solid waste incineration unit, other than an air curtain incinerator, constructed before November 30, 1999 and not modified or reconstructed on or after June 1, 2001.	□YES	□NO
*	2	4.	The application area includes at least one air curtain incinerator. If the response to Question VI.I.4 is "NO," go to Section VI.J.	□YES	□NO
*		5.	The application area includes at least one air curtain incinerator, constructed after November 30, 1999 or modified or reconstructed on or after June 1, 2001. <i>If the response to Question VI.I.5 is "NO," go to VI.I.7.</i>	□YES	□NO
*	(6.	All air curtain incinerators constructed after November 30, 1999 or modified or reconstructed on or after June 1, 2001 combust only wood waste, clean lumber, or yard waste or a mixture of these materials.	□YES	□NO
*		7.	The application area includes at least one air curtain incinerator, constructed before November 30, 1999 and not modified or reconstructed on or after June 1, 2001.	□YES	□NO
*		8.	All air curtain incinerators constructed before November 30, 1999 and not modified or reconstructed on or after June 1, 2001 combust only wood waste, clean lumber, or yard waste or a mixture of these materials.	□YES	□NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

 $For \ SOP \ applications, \ answer \ ALL \ questions \ unless \ otherwise \ directed.$

Fore	Form OP-REQ1: Page 24					
VI.	Title	40 C	ode of Federal Regulations Part 60 - New Source Performance Standards (cont	inued)		
	J.	Subpart EEEE - Standards of Performance for Other Solid Waste Incineration Units for Which Construction Commenced After December 9, 2004 or for Which Modification or Reconstruction Commenced on or After June 16, 2006				
•		1.	The application area includes at least one very small municipal waste incineration unit or institutional incineration unit, other than an air curtain incinerator. If the response to Question VI.J.1 is "N/A," go to Section VI.K. If the response to Question VI.J.1 is "NO," go to Question VI.J.4.	□YES	□NO ⊠N/A	
*		2.	The application area includes at least one very small municipal waste incineration unit, other than an air curtain incinerator, constructed after December 9, 2004 or modified or reconstructed on or after June 16, 2006.	□YES	□NO	
*		3.	The application area includes at least one very small municipal waste incineration unit, other than an air curtain incinerator, constructed before December 9, 2004 and not modified or reconstructed on or after June 16, 2006.	YES	□NO	
♦		4.	The application area includes at least one air curtain incinerator. If the response to Question VI.J.4 is "NO," go to Section VI.K.	□YES	□NO	
*		5.	The application area includes at least one air curtain incinerator constructed after December 9, 2004 or modified or reconstructed on or after June 16, 2006. If the response to Question VI.J.5 is "NO," go to Question VI.J.7.	☐YES	□NO	
*		6.	All air curtain incinerators constructed after December 9, 2004 or modified or reconstructed on or after June 16, 2006 combust only wood waste, clean lumber, or yard waste or a mixture of these materials.	☐YES	□NO	
*		7.	The application area includes at least one air curtain incinerator constructed before December 9, 2004 and not modified or reconstructed on or after June 16, 2006.	☐YES	□NO	

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form	Form OP-REQ1: Page 25						
VI.	Title	40 C	ode of Federal Regulations Part 60 - New Source Performance Standards (NSP	S) (continued)			
	J.	Cons	Subpart EEEE - Standards of Performance for Other Solid Waste Incineration Units for Which Construction Commenced After December 9, 2004 or for Which Modification or Reconstruction Commenced on or After June 16, 2006 (continued)				
*		8.	All air curtain incinerators constructed before December 9, 2004 and not modified or reconstructed on or after June 16, 2006 combust only wood waste, clean lumber, or yard waste or a mixture of these materials.	□YES □NO			
*		9.	The air curtain incinerator is located at an institutional facility and is a distinct operating unit of the institutional facility that generated the waste.	□YES □NO			
*		10.	The air curtain incinerator burns less than 35 tons per day of wood waste, clean lumber, or yard waste or a mixture of these materials.	□YES □NO			
	K.		oart OOOO - Standards of Performance for Crude Oil and Natural Gas Produsmission and Distribution	ction,			
♦		1.	The application area includes one or more of the onshore affected facilities listed in 40 CFR § 60.5365(a)-(g) that are subject to 40 CFR Part 60, Subpart OOOO.	⊠YES □NO			
VII.	Title	40 C	ode of Federal Regulations Part 61 - National Emission Standards for Hazardo	us Air Pollutants			
	A.	Appl	licability				
*		1.	The application area includes a unit(s) that is subject to one or more 40 CFR Part 61 subparts. If the response to Question VII.A.1 is "NO" or "N/A," go to Section VIII.	□YES ⊠NO □N/A			
	B.	Subp	oart F - National Emission Standard for Vinyl Chloride				
		1.	The application area is located at a plant which produces ethylene dichloride by reaction of oxygen and hydrogen chloride with ethylene, vinyl chloride by any process, and/or one or more polymers containing any fraction of polymerized vinyl chloride.	□YES □NO			
	C.		oart J - National Emission Standard for Benzene Emissions for Equipment Leasion Sources) of Benzene (Complete this section for GOP applications only)	ıks (Fugitive			
♦		1.	The application area includes equipment in benzene service.	□YES □NO □N/A			

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form	Form OP-REQ1: Page 26						
VII.		40 Co	ode of Federal Regulations Part 61 - National Emission Standards for Hazardo	us Air Pollutants			
	D.	_	Subpart L - National Emission Standard for Benzene Emissions from Coke By-Pro Plants				
		1.	□YES □NO				
		2.	The application area includes equipment in benzene service as determined by 40 CFR § 61.137(b).	□YES □NO			
		3.	The application area has elected to comply with the provisions of 40 CFR § 61.243-1 and 40 CFR § 61.243-2.	□YES □NO			
	E.	Subp	oart M - National Emission Standard for Asbestos				
		Appl	icability				
		1.	The application area includes sources, operations, or activities specified in 40 CFR §§ 61.143, 61.144, 61.146, 61.147, 61.148, or 61.155. If the response to Question VII.E.1 is "NO," go to Section VII.F.	□YES □NO			
		Road	lway Construction				
		2.	The application area includes roadways constructed or maintained with asbestos tailings or asbestos-containing waste material.	□YES □NO			
		Man	ufacturing Commercial Asbestos				
		3. The application area includes a manufacturing operation using commercial asbestos. If the response to Question VII.E.3 is "NO," go to Question VII.E.4.		□YES □NO			
			Visible emissions are discharged to outside air from the manufacturing operation	□YES □NO			
			b. An alternative emission control and waste treatment method is being used that has received prior U.S. Environmental Protection Agency (EPA) approval.	□YES □NO			

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed. For GOP applications, answer ONLY these questions unless otherwise directed.

Form	Form OP-REQ1: Page 27					
VII.	Title 40 Code of Federal Regulations Part 61 - National Emission Standards for Hazardous Air Pollutants (continued)					
	E.	Subp	art M	- National Emission Standard for Asbestos (continued)		
		Mani	ufactu	ring Commercial Asbestos (continued)		
			c.	Asbestos-containing waste material is processed into non-friable forms.	□YES	□NO
			d.	Asbestos-containing waste material is adequately wetted.	□YES	□NO
			e.	Alternative filtering equipment is being used that has received EPA approval.	☐YES	□NO
			f.	A high efficiency particulate air (HEPA) filter is being used that is certified to be at least 99.97% efficient for 0.3 micron particles	□YES	□NO
			g.	The EPA has authorized the use of wet collectors designed to operate with a unit contacting energy of at least 9.95 kilopascals.	□YES	□NO
		Asbe	stos Sp	oray Application		
		4.	are sp	application area includes operations in which asbestos-containing materials bray applied. response to Question VII.E.4 is "NO," go to Question VII.E.5.	□YES	□NO
			a. If the	Asbestos fibers are encapsulated with a bituminous or resinous binder during spraying and are not friable after drying. response to Question VII.E.4.a is "YES," go to Question VII.E.5.	☐YES	□NO
			b.	Spray-on applications on buildings, structures, pipes, and conduits do not use material containing more than 1% asbestos.	□YES	□NO
			c.	An alternative emission control and waste treatment method is being used that has received prior EPA approval.	☐YES	□NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form	Form OP-REQ1: Page 28						
VII.		tle 40 Code of Federal Regulations Part 61 - National Emission Standards for Hazardous Air Pollutants ontinued)					
	E.	E. Subpart M - National Emission Standard for Asbestos (continued)					
		Asbe	stos S _I	pray Application (continued)			
			d.	Asbestos-containing waste material is processed into non-friable forms.	□YES	□NO	
			e.	Asbestos-containing waste material is adequately wetted.	□YES	□NO	
			f.	Alternative filtering equipment is being used that has received EPA approval.	□YES	□NO	
			g.	A HEPA filter is being used that is certified to be at least 99.97% efficient for 0.3 micron particles.	□YES	□NO	
			h.	The EPA has authorized the use of wet collectors designed to operate with a unit contacting energy of at least 9.95 kilopascals.	□YES	□NO	
		Fabr	icating	g Commercial Asbestos			
		5.		response to Question VII.E.5 is "NO," go to Question VII.E.6.	□YES	□NO	
			a.	Visible emissions are discharged to outside air from the manufacturing operation.	□YES	□NO	
			b.	An alternative emission control and waste treatment method is being used that has received prior EPA approval.	□YES	□NO	
			c.	Asbestos-containing waste material is processed into non-friable forms.	□YES	□NO	
			d.	Asbestos-containing waste material is adequately wetted.	□YES	□NO	
			e.	Alternative filtering equipment is being used that has received EPA approval.	□YES	□NO	

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form	Form OP-REQ1: Page 29						
VII.		40 Co	ode of Federal Regulations Part 61 - National Emission Standards for Hazardo l)	ous Air Pollutants			
	E.	Subj	part M - National Emission Standard for Asbestos (continued)				
		Fabi	ricating Commercial Asbestos (continued)				
			f. A HEPA filter is being used that is certified to be at least 99.97% efficient for 0.3 micron particles.	□YES □NO			
			g. The EPA has authorized the use of wet collectors designed to operate with a unit contacting energy of at least 9.95 kilopascals.	□YES □NO			
		Non-	-sprayed Asbestos Insulation				
		6.	□YES □NO				
		Asbe					
		7.	The application area includes operations that convert regulated asbestos-containing material and asbestos-containing waste material into nonasbestos (asbestos-free) material.	□YES □NO			
	F.		part P - National Emission Standard for Inorganic Arsenic Emissions from Ars allic Arsenic Production Facilities	senic Trioxide and			
		1.	The application area is located at a metallic arsenic production plant or at an arsenic trioxide plant that processes low-grade arsenic bearing materials by a roasting condensation process.	□YES □NO			
	G.	Subpart BB - National Emission Standard for Benzene Emissions from Benzene Transfer Operations					
		1.	The application area is located at a benzene production facility and/or bulk terminal. If the response to Question VII.G.1 is "NO," go to Section VII.H.	□YES □NO			
		2.	The application area includes benzene transfer operations at marine vessel loading racks.	□YES □NO			

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Forn	Form OP-REQ1: Page 30						
VII.		40 Code of Federal Regulations Part 61 - National Emission Standards for Hazardous Air Pollutants tinued)					
	G.		Subpart BB - National Emission Standard for Benzene Emissions from Benzene Tr (continued)				
		3. The application area includes benzene transfer operations at railcar loading racks.		□YES □N	О		
		4.	The application area includes benzene transfer operations at tank-truck loading racks.	YES NO	О		
	Н.	Subp	oart FF - National Emission Standard for Benzene Waste Operations				
		Appl					
		1.	The application area includes a chemical manufacturing plant, coke by-product recovery plant, or petroleum refinery facility as defined in § 61.341.	□YES □N	O		
		2.	The application area is located at a hazardous waste treatment, storage, and disposal (TSD) facility site as described in 40 CFR § 61.340(b). If the responses to Questions VII.H.1 and VII.H.2 are both "NO," go to Section VIII.	YES N	0		
		3. The application area is located at a site that has no benzene onsite in wastes, products, byproducts, or intermediates. If the response to Question VII.H.3 is "YES," go to Section VIII.		□YES □N	О		
		4.	The application area is located at a site having a total annual benzene quantity from facility waste less than 1 megagram per year (Mg/yr). If the response to Question VII.H.4 is "YES," go to Section VIII	□YES □N	0		
		5.	The application area is located at a site having a total annual benzene quantity from facility waste greater than or equal to 1 Mg/yr but less than 10 Mg/yr. If the response to Question VII.H.5 is "YES," go to Section VIII.	□YES □N	0		

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form	Form OP-REQ1: Page 31				
VII.		le 40 Code of Federal Regulations Part 61 - National Emission Standards for Hazardous Air Pollutants ntinued)			
	Н.	I. Subpart FF - National Emission Standard for Benzene Waste Operations (continued)			
		Appl	icability (continued)		
		6.	The flow-weighted annual average benzene concentration of each waste stream at the site is based on documentation.	□YES	□NO
		7.	The application area has waste streams with flow-weighted annual average water content of 10% or greater.	□YES	□NO
		Wast	te Stream Exemptions		
		8.	The application area has waste streams that meet the exemption specified in 40 CFR § 61.342(c)(2) (the flow-weighted annual average benzene concentration is less than 10 ppmw).	□YES	□NO
		9.	The application area has waste streams that meet the exemption specified in 40 CFR § 61.342(c)(3) because process wastewater has a flow rate less than 0.02 liters per minute or an annual wastewater quantity less than 10 Mg/yr.	□YES	□NO
		10.	The application area has waste streams that meet the exemption specified in 40 CFR § 61.342(c)(3) because the total annual benzene quantity is less than or equal to 2 Mg/yr.	□YES	□NO
		11.	The application area transfers waste off-site for treatment by another facility.	□YES	□NO
		12.	The application area is complying with 40 CFR § 61.342(d).	□YES	□NO
		13.	The application area is complying with 40 CFR § 61.342(e). If the response to Question VII.H.13 is "NO," go to Question VII.H.15.	☐YES	□NO
		14.	The application area has facility waste with a flow weighted annual average water content of less than 10%.	□YES	□NO

Texas Commission on Environmental Quality Application Area-Wide Applicability Determinations and General Information Form OP-REQ1

Federal Operating Permit Program

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Forn	Form OP-REQ1: Page 32			
VII.		itle 40 Code of Federal Regulations Part 61 - National Emission Standards for Hazardous Air ontinued)		
	Н.	Subp	ed)	
		Cont	tainer Requirements	
		15.	The application area has containers, as defined in 40 CFR § 61.341, that receive non-exempt benzene waste. If the response to Question VII.H.15 is "NO," go to Question VII.H.18.	□YES □NO
		16.	The application area is an alternate means of compliance to meet the 40 CFR § 61.345 requirements for containers. If the response to Question VII.H.16 is "YES," go to Question VII.H.18.	□YES □NO
		17.	Covers and closed-vent systems used for containers operate such that the container is maintained at a pressure less than atmospheric pressure.	□YES □NO
		Indiv	vidual Drain Systems	
		18.	The application area has individual drain systems, as defined in 40 CFR § 61.341, that receive or manage non-exempt benzene waste. If the response to Question VII.H.18 is "NO," go to Question VII.H.25.	□YES □NO
		19.	The application area is using an alternate means of compliance to meet the 40 CFR § 61.346 requirements for individual drain systems. If the response to Question VII.H.19 is "YES," go to Question VII.H.25.	□YES □NO
		20.	The application area has individual drain systems complying with 40 CFR § 61.346(a). If the response to Question VII.H.20 is "NO," go to Question VII.H.22.	□YES □NO
		21.	Covers and closed-vent systems used for individual drain systems operate such that the individual drain system is maintained at a pressure less than atmospheric pressure.	□YES □NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form	Form OP-REQ1: Page 33					
VII.		40 Co	ode of Federal Regulations Part 61 - National Emission Standards for Hazardo)	ous Air Pollutants		
	н.	Subpart FF - National Emission Standard for Benzene Waste Operations (continued)				
		Individual Drain Systems (continued)				
		22.	The application area has individual drain systems complying with 40 CFR § 61.346(b). If the response to Question VII.H.22 is "NO," go to Question VII.H.25.	□YES □NO		
		23.	Junction boxes in the individual drain systems are equipped with a system to prevent the flow of organic vapors from the junction box vent pipe to the atmosphere during normal operation.	□YES □NO		
		24.	Junction box vent pipes in the individual drain systems are connected to a closed-vent system and control device.	□YES □NO		
	Remediation Activities					
		25.	Remediation activities take place at the application area subject to 40 CFR Part 61, Subpart FF.	□YES □NO		
VIII.			ode of Federal Regulations Part 63 - National Emission Standards for Hazardo Categories	ous Air Pollutants		
	A.	Appl	icability			
•		1.	The application area includes a unit(s) that is subject to one or more 40 CFR Part 63 subparts other than subparts made applicable by reference under subparts in 40 CFR Part 60, 61 or 63. See instructions for 40 CFR Part 63 subparts made applicable only by reference.	⊠YES □NO		
	В.		oart F - National Emission Standards for Organic Hazardous Air Pollutants fr nnic Chemical Manufacturing Industry	om the Synthetic		
		1.	The application area is located at a plant site that is a major source as defined in the Federal Clean Air Act § 112(a). If the response to Question VIII.B.1 is "NO," go to Section VIII.D.	□YES ⊠NO		

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.
For GOP applications, answer ONLY these questions unless otherwise directed.

Form	Form OP-REQ1: Page 34				
VIII.			ode of Federal Regulations Part 63 - National Emission Standards for Hazardo Categories (continued)	us Air Po	ollutants
	B. Subpart F - National Emission Standards for Organic Hazardous Air Pollutants fro Organic Chemical Manufacturing Industry (continued)			om the Sy	ynthetic
		2.	The application area is located at a site that includes at least one chemical manufacturing process unit, as defined in 40 CFR § 63.101, that manufactures as a primary product one or more of the chemicals listed in 40 CFR § 63.100(b)(1)(i) or (b)(1)(ii). If the response to Question VIII.B.2 is "NO," go to Section VIII.D.	□YES	□NO
		3.	The application area is located at a site that includes at least one chemical manufacturing process unit, as defined in 40 CFR § 63.101, that manufactures as a primary product one or more of the chemicals listed in 40 CFR § 63.100(b)(1)(i) or (b)(1)(ii) and uses as a reactant or manufactures as a product, or co-product, one or more of the organic hazardous air pollutants listed in table 2 of 40 CFR Part 63, Subpart F.	☐YES	□NO
		4.	The application area includes a chemical manufacturing process unit, as defined in 40 CFR § 63.101, that manufactures as a primary product one or more of the chemicals listed in 40 CFR § 63.100(b)(1)(i) or (b)(1)(ii) and uses as a reactant or manufactures as a product, or co-product, one or more of the organic hazardous air pollutants listed in table 2 of 40 CFR Part 63, Subpart F.	□YES	□NO
		5.	The application area includes a chemical manufacturing process unit, as defined in 40 CFR § 63.101, that manufactures as a primary product one or more of the chemicals listed in 40 CFR § 63.100(b)(1)(i) or (b)(1)(ii) and does <u>not</u> use as a reactant or manufacture as a product, or co-product, one or more of the organic hazardous air pollutants listed in table 2 of 40 CFR Part 63, Subpart F. <i>If the response to Questions VIII.B.3, B.4 and B.5 are all "NO," go to Section VIII.D.</i>	□YES	□NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form	Form OP-REQ1: Page 35				
VIII.			ode of Federal Regulations Part 63 - National Emission Standards for Hazardo Categories (continued)	us Air Po	llutants
	C.	Subpart G - National Emission Standards for Organic Hazardous Air Pollutants from the Synthetic Organic Chemical Manufacturing Industry for Process Vents, Storage Vessels, Transfer Operations, and Wastewater			
		Apple	icability		
		1.	The application area is located at a site that is subject to 40 CFR 63, Subpart F and the application area includes process vents, storage vessels, transfer racks, or waste streams associated with a chemical manufacturing process subject to 40 CFR 63, Subpart F. If the response to Question VIII.C.1 is "NO," go to Section VIII.D.	□YES	□NO
		2.	The application area includes fixed roofs, covers, and/or enclosures that are required to comply with 40 CFR § 63.148.	☐YES	□NO
		3.	The application area includes vapor collection systems or closed-vent systems that are required to comply with 40 CFR § 63.148. If the response to Question VIII.C.3 is "NO," go to Question VIII.C.8.	□YES	□NO
		4.	The application area includes vapor collection systems or closed-vent systems that are constructed of hard-piping.	☐YES	□NO
		5.	The application area includes vapor collection systems or closed-vent systems that contain bypass lines that could divert a vent stream away from a control device and to the atmosphere. If the response to Question VIII.C.5 is "NO," go to Question VIII.C.8.	□YES	□NO
		Vapo	r Collection and Closed Vent Systems		
		6.	Flow indicators are installed, calibrated, maintained, and operated at the entrances to bypass lines in the application area.	☐YES	□NO
		7.	Bypass lines in the application area are secured in the closed position with a carseal or a lock-and-key type configuration.	□YES	□NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form O.	Form OP-REQ1: Page 36				
	VIII. Title 40 Code of Federal Regulations Part 63 - National Emission Standards for Hazardous Air Pollutants for Source Categories (continued)				
C.	Org	Subpart G - National Emission Standards for Organic Hazardous Air Pollutants from the Synthe Organic Chemical Manufacturing Industry for Process Vents, Storage Vessels, Transfer Operational Wastewater (continued)			
	Rela	oading or Cleaning of Railcars, Tank Trucks, or Barges			
	8.	The application area includes reloading and/or cleaning of railcars, tank trucks, or barges that deliver HAPs to a storage tank. If the response to Question VIII.C.8 is "NO," go to Question VIII.C.11.	☐YES	□NO	
	9.	The application area includes operations that are complying with \S 63.119(g)(6) through the use of a closed-vent system with a control device used to reduce inlet emissions of HAPs by at least 95 percent by weight or greater.	YES	□NO	
	10.	The application area includes operations that are complying with § 63.119(g)(6) through the use of a vapor balancing system.	□YES	□NO	
	Tra	nsfer Racks			
	11.	The application area includes Group 1 transfer racks that load organic HAPs.	□YES	□NO	
	Pro	cess Wastewater Streams			
	12.	The application area includes process wastewater streams. If the response to Question VIII.C.12 is "NO," go to Question VIII.C.34.	□YES	□NO	
	13.	The application area includes process wastewater streams that are also subject to the provisions of 40 CFR Part 61, Subpart FF. If the response to Question VIII.C.13 is "NO," go to Question VIII.C.15.	□YES	□NO	
	14.	The application area includes process wastewater streams that are complying with 40 CFR §§ 63.110(e)(1)(i) and (e)(1)(ii).	□YES	□NO	
	15.	The application area includes process wastewater streams that are also subject to the provisions of 40 CFR Part 61, Subpart F. If the response to Question VIII.C.15 is "NO," go to Question VIII.C.17.	□YES	□NO	

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form OP-	Form OP-REQ1: Page 37			
	VIII. Title 40 Code of Federal Regulations Part 63 - National Emission Standards for Hazardous Air Pollutants for Source Categories (continued)			
C.	Subpart G - National Emission Standards for Organic Hazardous Air Pollutants from the Synthetic Organic Chemical Manufacturing Industry for Process Vents, Storage Vessels, Transfer Operations, and Wastewater (continued)			
	Process Wastewater Streams (continued)			
	16.	The application area includes process wastewater streams utilizing the compliance option specified in 40 CFR § 63.110(f)(4)(ii).	□YES □NO	
	17.	The application area includes process wastewater streams that are also subject to the provisions of 40 CFR Parts 260 through 272. If the response to Question VIII.C.17 is "NO," go to Question VIII.C.20.	□YES □NO	
	18.	The application area includes process wastewater streams complying with 40 CFR § 63.110(e)(2)(i).	□YES □NO	
	19.	The application are includes process wastewater streams complying with 40 CFR § 63.110(e)(2)(ii).	□YES □NO	
	20.	The application area includes process wastewater streams, located at existing sources, that are designated as Group 1; are required to be treated as Group 1 under 40 CFR § 63.110; or are determined to be Group 1 for Table 9 compounds.	□YES □NO	
	21.	The application area includes process wastewater streams, located at existing sources that are Group 2.	□YES □NO	
	22.	The application area includes process wastewater streams, located at new sources, that are designated as Group 1; required to be treated as Group 1 under 40 CFR § 63.110; or are determined to be Group 1 for Table 8 or Table 9 compounds.	□YES □NO	
	23.	The application area includes process wastewater streams, located at new sources that are Group 2 for both Table 8 and Table 9 compounds.	□YES □NO	

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form OP-REQ1: Page 38				
	VIII. Title 40 Code of Federal Regulations Part 63 - National Emission Standards for Hazardous Air Pollutants for Source Categories (continued)			
C.	Subpart G - National Emission Standards for Organic Hazardous Air Pollutants from the Synthetic Organic Chemical Manufacturing Industry for Process Vents, Storage Vessels, Transfer Operations, and Wastewater (continued)			
	Proc	ess Wastewater Streams (continued)		
	24.	All Group 1 wastewater streams at the site are demonstrated to have a total source mass flow rate of less than 1 MG/yr. If the response to Question VIII.C.24 is "YES," go to Question VIII.C.34.	☐YES	□NO
	25.	The site has untreated and/or partially treated Group 1 wastewater streams demonstrated to have a total source mass flow rate of less than 1 MG/yr. <i>If the response to Question VIII.C.25 is "NO," go to Question VIII.C.27.</i>	☐YES	□NO
	26.	The application area includes waste management units that receive or manage a partially treated Group 1 wastewater stream prior to or during treatment.	□YES	□NO
	27.	Group 1 wastewater streams or residual removed from Group 1 wastewater streams are transferred to an on-site treatment operation that is not owned or operated by the owner or operator of the source generating the waste stream or residual.	☐YES	□NO
	28.	Group 1 wastewater streams or residual removed from Group 1 wastewater streams are transferred to an off-site treatment operation. If the responses to Questions VIII.C.27 - VIII.C.28 are both "NO," go to Question VIII.C.30.	□YES	□NO
	29.	The application area includes waste management units that receive or manage a Group 1 wastewater stream or a residual removed from a Group 1 wastewater stream prior to shipment or transport.	☐YES	□NO
	30.	The application area includes containers that receive, manage, or treat a Group 1 wastewater stream or a residual removed from a Group 1 wastewater stream.	□YES	□NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed. For GOP applications, answer ONLY these questions unless otherwise directed.

Forn	Form OP-REQ1: Page 39				
VIII.	VIII. Title 40 Code of Federal Regulations Part 63 - National Emission Standards for Hazardous Air Pollutants for Source Categories (continued)				
	C.	Subpart G - National Emission Standards for Organic Hazardous Air Pollutants from the Synthetic Organic Chemical Manufacturing Industry for Process Vents, Storage Vessels, Transfer Operations, and Wastewater (continued)			v
		Drai	ns		
		31.	The application area includes individual drain systems that receive or manage a Group 1 wastewater stream, or a residual removed from a Group 1 wastewater stream. If the response to Question VIII.C.31 is "NO," go to Question VIII.C.34.	□YES	□NO
		32.	The application area includes individual drain systems that are complying with 40 CFR § 63.136 through the use of cover and, if vented, closed vent systems and control devices.	□YES	□NO
		33.	The application area includes individual drain systems that are complying with 40 CFR § 63.136 through the use of water seals or tightly fitting caps or plugs.	□YES	□NO
		34.	The application area includes drains, drain hubs, manholes, lift stations, trenches, or pipes that are part of a chemical manufacturing process unit that meets the criteria of 40 CFR § 63.100(b). If the response to Question VIII.C.34 is "NO," go to Question VIII.C.39.	□YES	□NO
		35.	The application area includes drains, drain hubs, manholes, lift stations, trenches or pipes (that are part of a chemical manufacturing process unit) that meet the criteria listed in 40 CFR § 63.149(d). If the response to Question VIII.C.35 is "NO," go to Question VIII.C.39.	□YES	□NO
		36.	The application area includes drains, drain hubs, manholes, lift stations, trenches, or pipes that convey water with a total annual average concentration greater than or equal to 10,000 parts per million by weight of compounds listed in 40 CFR Part 63 Subpart G, Table 9, at any flow rate.	□YES	□NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed. For GOP applications, answer ONLY these questions unless otherwise directed.

Form	Form OP-REQ1: Page 40				
VIII.	VIII. Title 40 Code of Federal Regulations Part 63 - National Emission Standards for Hazardous Air Pollutants for Source Categories (continued)				
	C.	Subpart G-National Emission Standards for Organic Hazardous Air Pollutants from the Synthetic Organic Chemical Manufacturing Industry for Process Vents, Storage Vessels, Transfer Operation, and Wastewater (continued)			
		Drai	ns (continued)		
		37.	The application area includes drains, drain hubs, manholes, lift stations, trenches or pipes that convey water with a total annual average concentration greater than or equal to 1,000 parts per million by weight of compounds listed in 40 CFR Part 63 Subpart G, Table 9, at an annual average flow rate greater than or equal to 10 liters per minute.	□YES	□NO
		38.	The application area includes drains, drain hubs, manholes, lift stations, trenches or pipes that are part of a chemical manufacturing process unit that is subject to the new source requirements of 40 CFR § 63.100(l)(1) or (l)(2); and the equipment conveys water with a total annual average concentration greater than or equal to 10 parts per million by weight of compounds listed in 40 CFR Part 63 Subpart G, Table 8, at an average annual flow rate greater than or equal to 0.02 liter per minute.	□YES	□NO
		Gas .	Streams		
		39.	The application area includes gas streams meeting the characteristics of 40 CFR \S 63.107(b) - (h) or the criteria of 40 CFR \S 63.113(i) and are transferred to a control device not owned or operated by the applicant.	☐YES	□NO
		40.	The applicant is unable to comply with 40 CFR §§ 63.113 - 63.118 for one or more reasons described in 40 CFR § 63.100(q)(1), (3), or (5).	YES	□NO
	D.	Subpart N - National Emission Standards for Chromium Emissions From Hard and Decorative Chromium Electroplating and Chromium Anodizing Tanks			
		1.	The application area includes chromium electroplating or chromium anodizing tanks located at hard chromium electroplating, decorative chromium electroplating, and/or chromium anodizing operations.	YES	⊠NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

 $For \ SOP \ applications, \ answer \ ALL \ questions \ unless \ otherwise \ directed.$

Form	Form OP-REQ1: Page 41				
VIII.	VIII. Title 40 Code of Federal Regulations Part 63 - National Emission Standards for Hazardous Air Pollutants for Source Categories (continued)				
	Ε.	Subp	oart O - Ethylene Oxide Emissions Standards for Sterilization Facilities		
		□YES	⊠NO		
		2.	Sterilization facilities located in the application area are subject to 40 CFR Part 63, Subpart O. If the response to Question VIII.E.2 is "NO," go to Section VIII.F.	□YES	□NO
		3.	The sterilization source has used less than 1 ton (907 kg) of ethylene oxide within all consecutive 12-month periods after December 6, 1996.	□YES	□NO
		4.	The sterilization source has used less than 10 tons (9070 kg) of ethylene oxide within all consecutive 12-month periods after December 6, 1996.	□YES	□NO
	F.	Subp	oart Q - National Emission Standards for Industrial Process Cooling Towers		
		1.	The application area includes industrial process cooling towers. If the response to Question VIII.F.1 is "NO," go to Section VIII.G.	□YES	⊠NO
		2.	Chromium-based water treatment chemicals have been used on or after September 8, 1994.	□YES	□NO
	G.	_	part R - National Emission Standards for Gasoline Distribution Facilities (Bulkninals and Pipeline Breakout Stations)	c Gasolino	e
		1.	The application area includes a bulk gasoline terminal.	□YES	⊠NO
		2.	The application area includes a pipeline breakout station. If the responses to Questions VIII.G.1 and VIII.G.2 are both "NO," go to Section VIII.H.	□YES	⊠NO
		3.	The bulk gasoline terminal or pipeline breakout station is located within a contiguous area and under common control with another bulk gasoline terminal or a pipeline breakout station. If the response to Question VIII.G.3 is "YES," go to Question VIII.G.10.	□YES	□NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form OP-RE	Form OP-REQ1: Page 42			
	VIII. Title 40 Code of Federal Regulations Part 63 - National Emission Standards for Hazardous Air Pollutants for Source Categories (continued)			
	G. Subpart R - National Emission Standards for Gasoline Distribution Facilities (Bulk Terminals and Pipeline Breakout Stations) (continued)			
4	The bulk gasoline terminal or pipeline breakout station is located within a contiguous area and under common control with sources, other than bulk gasoline terminals or pipeline breakout stations that emit or have the potential to emit HAPs. If the response to Question VIII.G.4 is "YES," go to Question VIII.G.10.	□YES □NO		
5	An emissions screening factor was calculated for the bulk gasoline terminal or pipeline breakout station. If the response to Question VIII.G.5 is "NO," go to Question VIII.G.10.	□YES □NO		
6	The value 0.04(OE) is less than 5% of the value of the bulk gasoline terminal emissions screening factor (ET) or the pipeline breakout station emissions screening factor (Ep). If the response to Question VIII.G.6 is "NO," go to Question VIII.G.10.	□YES □NO		
7	Emissions screening factor less than 0.5 (ET or EP < 0.5). If the response to Question VIII.G.7 is "YES," go to Section VIII.H.	□YES □NO		
8	Emissions screening factor greater than or equal to 0.5, but less than $1.0 (0.5 \le ET \text{ or } EP < 1.0)$. If the response to Question VIII.G.8 is "YES," go to Section VIII.H.	□YES □NO		
9	Emissions screening factor greater than or equal to 1.0 (ET or EP \geq 1.0). If the response to Question VIII.G.9 is "YES," go to Question VIII.G.11.	□YES □NO		
1	O. The site at which the application area is located is a major source of HAP. If the response to Question VIII.G.10 is "NO," go to Section VIII.H.	□YES □NO		
1	1. The application area is using an alternative leak monitoring program as described in 40 CFR § 63.424(f).	□YES □NO		

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form OP	Form OP-REQ1: Page 43				
	VIII. Title 40 Code of Federal Regulations Part 63 - National Emission Standards for Hazardous Air Pollutants for Source Categories (continued)				
Н.	H. Subpart S - National Emission Standards for Hazardous Air Pollutants from the Pu Industry				
	1.	The application area includes processes that produce pulp, paper, or paperboard and are located at a plant site that is a major source of HAPs as defined in 40 CFR § 63.2.	□YES	⊠NO	
		If the response to Question VIII.H.1 is "NO," go to Section VIII.I.			
	2.	The application area uses processes and materials specified in 40 CFR $\S 63.440(a)(1)$ - (3).	□YES	□NO	
		If the response to Question VIII.H.2 is "NO," go to Section VIII.I.			
	3.	The application area includes one or more sources subject to 40 CFR Part 63, Subpart S that are existing sources.	YES	□NO	
		If the response to Question VIII.H.3 is "NO," go to Section VIII.I.			
	4.	The application area includes one or more kraft pulping systems that are existing sources.	□YES	□NO	
	5.	The application area includes one or more dissolving-grade bleaching systems that are existing sources at a kraft or sulfite pulping mill.	□YES	□NO	
	6.	The application area includes bleaching systems that are existing sources and are complying with the Voluntary Advanced Technology Incentives Program for Effluent Limitation Guidelines in 40 CFR § 430.24. If the response to Question VIII.H.6 is "NO," go to Section VIII.I.	□YES	□NO	
	7.	The application area includes bleaching systems that are complying with 40 CFR § 63.440(d)(3)(i).	□YES	□NO	
	8.	The application area includes bleaching systems that are complying with 40 CFR § 63.440(d)(3)(ii).	□YES	□NO	

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form	Form OP-REQ1: Page 44					
VIII.			ode of Federal Regulations Part 63 - National Emission Standards for Hazardo Categories (continued)	ous Air Po	ollutants	
	I.	Subp	oart T - National Emission Standards for Halogenated Solvent Cleaning			
		1.	The application area includes an individual batch vapor, in-line vapor, in-line cold, and/or batch cold solvent cleaning machine that uses a hazardous air pollutant (HAP) solvent, or any combination of halogenated HAP solvents, in a total concentration greater than 5% by weight, as a cleaning and/or drying agent.	□YES	⊠NO	
		2.	The application area is located at a major source and includes solvent cleaning machines, qualifying as affected facilities, that use perchloroethylene, trichloroethylene or methylene chloride.	□YES	⊠NO	
		3.	The application area is located at an area source and includes solvent cleaning machines, other than cold batch cleaning machines, that use perchloroethylene, trichloroethylene or methylene chloride.	□YES	⊠NO	
	J.	_	part \mathbf{U} - National Emission Standards for Hazardous Air Pollutant Emissions: Resins	Group 1	Polymers	
		1.	The application area includes elastomer product process units and/or wastewater streams and wastewater operations that are associated with elastomer product process units. If the response to Question VIII.J.1 is "NO," go to Section VIII.K.	□YES	⊠NO	
		2.	Elastomer product process units and/or wastewater streams and wastewater operations located in the application area are subject to 40 CFR Part 63, Subpart U. If the response to Question VIII.J.2 is "NO," go to Section VIII.K.	YES	□NO	
		3.	The application area includes process wastewater streams that are designated as Group 1 or are determined to be Group 1 for organic HAPs as defined in 40 CFR § 63.482.	□YES	□NO	
		4.	The application area includes process wastewater streams that are Group 2 for organic HAPs as defined in 40 CFR § 63.482.	□YES	□NO	

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form OP-1	Form OP-REQ1: Page 45				
	VIII. Title 40 Code of Federal Regulations Part 63 - National Emission Standards for Hazardous Air Pollutants for Source Categories (continued)				
J.	J. Subpart U - National Emission Standards for Hazardous Air Pollutant Emissions: and Resins (continued)			Polymers	
	5.	All Group 1 wastewater streams at the site are demonstrated to have a total source mass flow rate of less than 1 MG/yr. If the response to Question VIII.J.5 is "YES," go to Question VIII.J.15.	YES	□NO	
	6.	The site has untreated and/or partially treated Group 1 wastewater streams demonstrated to have a total source mass flow rate of less than 1 MG/yr. <i>If the response to Question VIII.J.6 is "NO," go to Question VIII.J.8</i> .	□YES	□NO	
	7.	The application area includes waste management units that receive or manage a partially treated Group 1 wastewater stream prior to or during treatment.	□YES	□NO	
	8.	Group 1 wastewater streams or residual removed from Group 1 wastewater streams are transferred to an on-site treatment operation that is not owned or operated by the owner or operator of the source generating the waste stream or residual.	□YES	□NO	
	9.	Group 1 wastewater streams or residual removed from Group 1 wastewater streams are transferred to an off-site treatment operation. If the responses to Questions VIII.J.8 - VIII.J.9 are both "NO," go to Question VIII.J.11.	□YES	□NO	
	10.	The application area includes waste management units that receive or manage a Group 1 wastewater stream, or a residual removed from a Group 1 wastewater stream prior to shipment or transport.	□YES	□NO	

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form OP-	Form OP-REQ1: Page 46			
	VIII. Title 40 Code of Federal Regulations Part 63 - National Emission Standards for Hazardous Air Pollutants for Source Categories (continued)			
J.	J. Subpart U - National Emission Standards for Hazardous Air Pollutant Emissions: Group 1 Polymers and Resins (continued)			Polymers
	Cont	ainers		
	11.	The application area includes containers that receive, manage, or treat a Group 1 wastewater stream or a residual removed from a Group 1 wastewater stream.	□YES	□NO
	Drain	ns		
	12.	The application area includes individual drain systems that receive or manage a Group 1 wastewater stream or a residual removed from a Group 1 wastewater stream. If the response to Question VIII.J.12 is "NO," go to Question VIII.J.15.	□YES	□NO
	13.	The application area includes individual drain systems that are complying with 40 CFR § 63.136 through the use of cover and, if vented, closed vent systems and control devices.	YES	□NO
	14.	The application area includes individual drain systems that are complying with 40 CFR § 63.136 through the use of water seals or tightly fitting caps or plugs.	□YES	□NO
	15.	The application area includes drains, drain hubs, manholes, lift stations, trenches, or pipes that are part of an elastomer product process unit. If the response to Question VIII.J.15 is "NO," go to Section VIII.K.	□YES	□NO
	16.	The application area includes drains, drain hubs, manholes, lift stations, trenches or pipes that meet the criteria listed in 40 CFR § 63.149(d) and § 63.501(a)(12). If the response to Question VIII.J.16 is "NO," go to Section VIII.K.	□YES	□NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed. For GOP applications, answer ONLY these questions unless otherwise directed.

Form	Form OP-REQ1: Page 47				
VIII.	VIII. Title 40 Code of Federal Regulations Part 63 - National Emission Standards for Hazardous Air Pollutants for Source Categories (continued)				
	J.		oart U - National Emission Standards for Hazardous Air Pollutant Emissions: Resins (continued)	Group 1	Polymers
		Drai	ns (continued)		
		17.	The application area includes drains, drain hubs, manholes, lift stations, trenches, or pipes that convey water with a total annual average concentration greater than or equal to 10,000 parts per million by weight of compounds meeting the definition of organic HAP in 40 CFR § 63.482, at any flow rate.	☐YES	□NO
		18.	The application area includes drains, drain hubs, manholes, lift stations, trenches or pipes that convey water with a total annual average concentration greater than or equal to 1,000 parts per million by weight of compounds meeting the definition of organic HAP in 40 CFR § 63.482, at an annual average flow rate greater than or equal to 10 liters per minute.	□YES	□NO
		19.	The application area includes drains, drain hubs, manholes, lift stations, trenches or pipes that are part of an elastomer product process unit that is a new affected source or part of a new affected source and the equipment conveys water with a total annual average concentration greater than or equal to 10 parts per million by weight of compounds meeting the definition of organic HAP in 40 CFR § 63.482, at an average annual flow rate greater than or equal to 0.02 liter per minute.	□YES	□NO
	K.		oart W - National Emission Standards for Hazardous Air Pollutants for Epoxy Non-nylon Polyamides Production	Resins P	roduction
		1.	The manufacture of basic liquid epoxy resins (BLR) and/or manufacture of wet strength resins (WSR) is conducted in the application area. If the response to Question VIII.K.1 is "NO" or "N/A," go to Section VIII.L.	□YES	□NO ⊠N/A
		2.	The application area includes a BLR and/or WSR research and development facility.	□YES	□NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form	Form OP-REQ1: Page 48					
VIII.	III. Title 40 Code of Federal Regulations Part 63 - National Emission Standards for Hazardous Air Pollutants for Source Categories (continued)					
	L.	Subpart X - National Emission Standards for Hazardous Air Pollutants from Secondary Lead Smelting				
		1.	The application area includes one or more of the affected sources in 40 CFR § 63.541(a) that are located at a secondary lead smelter. If the response to Question VIII.L.1 is "NO" or "N/A," go to Section VIII.M.	☐YES	□NO ⊠N/A	
		2.	The application area is using and approved alternate to the requirements of § 63.545(c)(1)-(5) for control of fugitive dust emission sources.	☐YES	□NO	
	M.	Subj	part Y - National Emission Standards for Marine Tank Vessel Loading Operat	ions		
		1.	The application area includes marine tank vessel loading operations that are specified in 40 CFR § 63.560 and located at an affected source as defined in 40 CFR § 63.561.	☐YES	⊠NO	
	N.	Subj	part CC - National Emission Standards for Hazardous Air Pollutants from Pet	roleum R	efineries	
		Appl	licability			
		1.	The application area includes petroleum refining process units and/or related emission points that are specified in 40 CFR § 63.640(c)(1) - (c)(7). If the response to Question VIII.N.1 is "NO," go to Section VIII.O.	□YES	⊠NO	
		2.	All petroleum refining process units/and or related emission points within the application area are specified in 40 CFR § 63.640(g)(1) - (g)(7). If the response to Question VIII.N.2 is "YES," go to Section VIII.O.	☐YES	□NO	

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form OP-I	REQ1:	Page 49		
	VIII. Title 40 Code of Federal Regulations Part 63 - National Emission Standards for Hazardous Air Pollutants for Source Categories (continued)			
N.	_	oart CC - National Emission Standards for Hazardous Air Pollutants from Pet iinued)	roleum R	efineries
	Appli	icability (continued)		
	3.	The application area is located at a plant site that is a major source as defined in the Federal Clean Air Act § 112(a). If the response to Question VIII.N.3 is "NO," go to Section VIII.O.	□YES	□NO
	4.	The application area is located at a plant site which emits or has equipment containing/contacting one or more of the HAPs listed in table 1 of 40 CFR Part 63, Subpart CC. If the response to Question VIII.N.4 is "NO," go to Section VIII.O.	□YES	□NO
	5.	The application area includes Group 1 wastewater streams that are not conveyed, stored, or treated in a wastewater stream management unit that also receives streams subject to the provisions of 40 CFR §§ 63.133 - 63.147 of Subpart G wastewater provisions section.	□YES	□NO
	6.	The application area includes Group 2 wastewater streams that are not conveyed, stored, or treated in a wastewater stream management unit that also receives streams subject to the provisions of 40 CFR §§ 63.133 - 63.147 of Subpart G wastewater provisions section.	□YES	□NO
	7.	The application area includes Group 1 or Group 2 wastewater streams that are conveyed, stored, or treated in a wastewater stream management unit that also receives streams subject to the provisions of 40 CFR §§ 63.133 - 63.147 of Subpart G wastewater provisions section. If the response to Question VIII.N.7 is "NO," go to Section VIII.O.	□YES	□NO
	8.	The application area includes Group 1 or Group 2 wastewater streams that are complying with 40 CFR § 63.640(o)(2)(i).	☐YES	□NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form	OP-I	REQ1:	Page 50		
VIII.	VIII. Title 40 Code of Federal Regulations Part 63 - National Emission Standards for Hazardous Air Pollutants for Source Categories (continued)				
	N.	Subpart CC - National Emission Standards for Hazardous Air Pollutants from Petroleum Refineries (continued)			
		Appl	icability (continued)		
		9.	The application area includes Group 1 or Group 2 wastewater streams that are complying with 40 CFR § 63.640(o)(2)(ii). If the response to Question VIII.N.9 is "NO," go to Section VIII.O.	□YES	□NO
		10.	The application area includes Group 2 wastewater streams or organic streams whose benzene emissions are subject to control through the use of one or more treatment processes or waste management units under the provisions of 40 CFR Part 61, Subpart FF on or after December 31, 1992.	□YES	□NO
		Cont	ainers, Drains, and other Appurtenances		
		11.	The application area includes containers that are subject to the requirements of 40 CFR § 63.135 as a result of complying with 40 CFR § 63.640(o)(2)(ii).	□YES	□NO
		12.	The application area includes individual drain systems that are subject to the requirements of 40 CFR § 63.136 as a result of complying with 40 CFR § 63.640(o)(2)(ii).	□YES	□NO
	0.	Subp	oart DD - National Emission Standards for Off-site Waste and Recovery Opera	ations	
		1.	The application area receives material that meets the criteria for off-site material as specified in 40 CFR § 63.680(b)(1). If the response to Question VIII.O.1 is "NO" or "N/A," go to Section VIII.P	YES	□NO ⊠N/A
		2.	Materials specified in 40 CFR § 63.680(b)(2) are received at the application area.	□YES	□NO
		3.	The application area has a waste management operation receiving off-site material and is regulated under 40 CFR Part 264 or Part 265.	□YES	□NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form	OP-REQ	1: Page 51		
		Code of Federal Regulations Part 63 - National Emission Standards for Hazardo ee Categories (continued)	ous Air Po	ollutants
	O. Sub	part DD - National Emission Standards for Off-site Waste and Recovery Opera	ations (co	ntinued)
	4.	The application area has a waste management operation treating wastewater which is an off-site material and is exempted under 40 CFR §§ 264.1(g)(6) or 265.1(c)(10).	□YES	□NO
	5.	The application area has an operation subject to Clean Water Act, § 402 or § 307(b) but is not owned by a "state" or "municipality."	□YES	□NO
	6.	The predominant activity in the application area is the treatment of wastewater received from off-site.	□YES	□NO
	7.	The application area has a recovery operation that recycles or reprocesses hazardous waste which is an off-site material and is exempted under 40 CFR §§ 264.1(g)(2) or 265.1(c)(6).	□YES	□NO
	8.	The application area has a recovery operation that recycles or reprocesses used solvent which is an off-site material and is not part of a chemical, petroleum, or other manufacturing process that is required to use air emission controls by another subpart of 40 CFR Part 63 or Part 61.	☐YES	□NO
	9.	The application area has a recovery operation that re-refines or reprocesses used oil which is an off-site material and is regulated under 40 CFR Part 279, Subpart F (Standards for Used Oil Processors and Refiners).	□YES	□NO
	10.	The application area is located at a site where the total annual quantity of HAPs in the off-site material is less than 1 megagram per year. If the response to Question VIII.O.10 is "YES," go to Section VIII.P.	□YES	□NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed. For GOP applications, answer ONLY these questions unless otherwise directed.

Form O	P-REQ1.	Page 52			
		ode of Federal Regulations Part 63 - National Emission Standards for Hazardo Categories (continued)	ous Air Po	llutants	
0). Subp	oart DD - National Emission Standards for Off-site Waste and Recovery Opera	ations (co	tions (continued)	
	11.	The application area receives offsite materials with average VOHAP concentration less than 500 ppmw at the point of delivery that are not combined with materials having a VOHAP concentration of 500 ppmw or greater. If the response to Question VIII.O.11 is "NO," go to Question VIII.O.14.	□YES	□NO	
	12.	VOHAP concentration is determined by direct measurement.	□YES	□NO	
	13.	VOHAP concentration is based on knowledge of the off-site material.	□YES	□NO	
	14.	The application area includes an equipment component that is a pump, compressor, and agitator, pressure relief device, sampling connection system, open-ended valve or line, valve, connector or instrumentation system. If the response to Question VIII.O.14 is "NO," go to Question VIII.O.17.	□YES	□NO	
	15.	An equipment component in the application area contains or contacts off-site material with a HAP concentration greater than or equal to 10% by weight.	□YES	□NO	
	16.	An equipment component in the application area is intended to operate 300 hours or more during a 12-month period.	□YES	□NO	
	17.	The application area includes containers that manage non-exempt off-site material.	YES	□NO	
	18.	The application area includes individual drain systems that manage non-exempt off-site materials.	□YES	□NO	

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form OF	P-REQ1	: Page 53		
	VIII. Title 40 Code of Federal Regulations Part 63 - National Emission Standards for Hazardous Air Pollutants for Source Categories (continued)			
P.	Subj	part GG - National Emission Standards for Aerospace Manufacturing and Rev	vork Faci	lities
	1.	The application area includes facilities that manufacture or rework commercial, civil, or military aerospace vehicles or components. If the response to Question VIII.P.1 is "NO" or "N/A," go to Section VIII.Q.	□YES	□NO ⊠N/A
	2.	The application area includes one or more of the affected sources specified in 40 CFR § 63.741(c)(1) - (7).	□YES	□NO
Q.		part HH - National Emission Standards for Hazardous Air Pollutants From Oi luction Facilities.	l and Nat	ural Gas
•	1.	The application area contains facilities that process, upgrade or store hydrocarbon liquids that are located at oil and natural gas production facilities prior to the point of custody transfer.	⊠YES	□NO
•	2.	The application area contains facilities that process, upgrade or store natural gas prior to the point at which natural gas enters the natural gas transmission and storage source category or is delivered to a final end user. For SOP applications, if the responses to Questions VIII.Q.1 and VIII.Q.2 are both "NO," go to Section VIII.R. For GOP applications, if the responses to Questions VIII.Q.1 and VIII.Q.2 are	⊠YES	□NO
		both "NO," go to Section VIII.Z.		
*	3.	The application area contains only facilities that exclusively process, store or transfer black oil as defined in § 63.761. For SOP applications, if the response to Question VIII.Q.3 is "YES," go to Section VIII.R. For GOP applications, if the response to Question VIII.Q.3 is "YES," go to Section VIII.Z.	□YES	⊠NO
*	4.	The application area is located at a site that is a major source of HAP. If the response to Question VIII.Q.4 is "NO," go to Question VIII.Q.6.	□YES	⊠NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form	ı OP-	REQ1:	Page 54		
VIII.	III. Title 40 Code of Federal Regulations Part 63 - National Emission Standards for Hazardous Air Pollutants for Source Categories (continued)				
	Q.		oart - HH - National Emission Standards for Hazardous Air Pollutants From (luction Facilities (continued)	Oil and N	atural Gas
•		5.	The application area contains only a facility, prior to the point of custody transfer, with facility-wide actual annual average natural gas throughput less than 18.4 thousand standard cubic meters (649,789.9 ft³) per day and a facility-wide actual annual average hydrocarbon liquid throughput less than 39,700 liters (10,487.6 gallons) per day. For SOP applications, if the response to Question VIII.Q.5 is "YES," go to Section VIII.R. For GOP applications, if the response to Question VIII.Q.5 is "YES," go to Section VIII.Z. For all applications, if the response to Question VIII.Q.5 is "NO," go to Question VIII.Q.9.	□YES	□NO
•		6.	The application area includes a triethylene glycol (TEG) dehydration unit. For SOP applications, f the answer to Question VIII.Q.6 is "NO," go to Section VIII.R. For GOP applications, if the response to Question VIII.Q.6 is "NO," go to Section VIII.Z.	⊠YES	□NO
*		7.	The application area is located at a site that is within the boundaries of UA plus offset or a UC, as defined in 40 CFR § 63.761.	□YES	⊠NO
•		8.	The site has actual emissions of 5 tons per year or more of a single HAP, or 12.5 tons per year or more of a combination of HAP.	□YES	⊠NO
*		9.	Emissions for major source determination are being estimated based on the maximum natural gas or hydrocarbon liquid throughput as calculated in § 63.760(a)(1)(i)-(iii).	⊠YES	□NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form OP-	REQ1	: Page 55		
		ode of Federal Regulations Part 63 - National Emission Standards for Hazardo Categories (continued)	ous Air Po	ollutants
R.	Subj	part II - National Emission Standards for Shipbuilding and Ship Repair (Surfa	ce Coatir	ıg)
	1.	The application area includes shipbuilding or ship repair operations. If the response to Question VIII.R.1 is "NO," go to Section VIII.S.	□YES	⊠NO
	2.	Shipbuilding or ship repair operations located in the application area are subject to 40 CFR Part 63, Subpart II.	□YES	□NO
S.	Subj	part JJ - National Emission Standards for Wood Furniture Manufacturing Op	erations	
	1.	The application area includes wood furniture manufacturing operations and/or wood furniture component manufacturing operations. If the response to Question VIII.S.1 is "NO" or "N/A," go to Section VIII.T.	☐YES	□NO ⊠N/A
	2.	The application area meets the definition of an "incidental wood manufacturer" as defined in 40 CFR § 63.801.	□YES	□NO
T.	Subj	part KK - National Emission Standards for the Printing and Publishing Indust	ry	
	1.	The application area includes publication rotogravure, product and packaging rotogravure, or wide-web flexographic printing presses.	□YES	□NO ⊠N/A
U.	Subj	part PP - National Emission Standards for Containers		
	1.	The application area includes containers for which another 40 CFR Part 60, 61, or 63 subpart references the use of 40 CFR Part 63, Subpart PP for the control of air emissions. If the response to Question VIII. U.1 is "NO," go to Section VIII.V.	□YES	⊠NO
	2.	The application area includes containers using Container Level 1 controls.	□YES	□NO
	3.	The application area includes containers using Container Level 2 controls.	□YES	□NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form	OP-I	REQ1:	Page 56			
VIII.	VIII. Title 40 Code of Federal Regulations Part 63 - National Emission Standards for Hazardous Air Pollutants for Source Categories (continued)					
	U.	Subp	part PP - National Emission Standards for Containers (continued)			
		4.	The application area includes containers using Container Level 3 controls.	YES	□NO	
	V.	Subp	part RR - National Emission Standards for Individual Drain Systems			
		1.	The application area includes individual drain systems for which another 40 CFR Part 60, 61, or 63 subpart references the use of 40 CFR Part 63, Subpart RR for the control of air emissions.	□YES	⊠NO	
	W.		oart YY - National Emission Standards for Hazardous Air Pollutants for Sourceric Maximum Achievable Control Technology Standards	ce Catego	ries -	
		1.	The application area includes an acetal resins production process unit; an acrylic and modacrylic fiber production process unit complying with 40 CFR § 63.1103(b)(3)(i); or an existing polycarbonate production process.	_YES	⊠NO	
		2.	The application area includes process wastewater streams generated from an acetal resins production process unit; an acrylic and modacrylic fiber production process unit complying with 40 CFR § 63.1103(b)(3)(i); or an existing polycarbonate production process. If the responses to Questions VIII.W.1 and VIII.W.2 are both "NO," go to Question VIII.W.20.	□YES	⊠NO	
		3.	The application area includes process wastewater streams that are designated as Group 1 or are determined to be Group 1 under the requirements of 40 CFR § 63.132(c).	☐YES	□NO	
		4.	The application area includes process wastewater streams that are determined to be Group 2 under the requirements of 40 CFR § 63.132(c).	☐YES	□NO	
		5.	All Group 1 wastewater streams at the site are determined to have a total source mass flow rate of less than 1 MG/yr.	YES	□NO	
		6.	The site has untreated and/or partially treated Group 1 wastewater streams demonstrated to have a total source mass flow rate of less than 1 MG/yr. If the response to Question VIII.W.6 is "NO," go to Question VIII.W.8.	YES	□NO	

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form	Form OP-REQ1: Page 57					
VIII.	VIII. Title 40 Code of Federal Regulations Part 63 - National Emission Standards for Hazardous Air Pollutants for Source Categories (continued)					
	W. Subpart YY - National Emission Standards for Hazardous Air Pollutants for Source Generic Maximum Achievable Control Technology Standards (continued)			ce Catego	ries -	
		7.	The application area includes waste management units that receive or manage a partially treated Group 1 wastewater stream prior to or during treatment.	□YES	□NO	
		8.	Group 1 wastewater streams or residual removed from Group 1 wastewater streams are transferred to an on-site treatment operation that is not owned or operated by the owner or operator of the source generating the waste stream or residual.	☐YES	□NO	
		9.	Group 1 wastewater streams or residual removed from Group 1 wastewater streams are transferred to an off-site treatment operation. If the responses to Questions VIII.W.8 and W.9 are both "NO," go to Question VIII.W.11.	□YES	□NO	
		10.	The application area includes waste management units that receive or manage a Group 1 wastewater stream, or a residual removed from a Group 1 wastewater stream prior to shipment or transport.	□YES	□NO	
		11.	The application area includes containers that receive, manage, or treat a Group 1 wastewater stream or a residual removed from a Group 1 wastewater stream.	□YES	□NO	
		12.	The application area includes individual drain systems that receive, manage, or treat a Group 1 wastewater stream or a residual removed from a Group 1 wastewater stream. If the response to Question VIII.W.12 is "NO," go to Question VIII.W.15.	□YES	□NO	
		13.	The application area includes individual drain systems that are complying with 40 CFR § 63.136 through the use of covers and, if vented, closed vent systems and control devices.	□YES	□NO	
		14.	The application area includes individual drain systems that are complying with 40 CFR § 63.136 through the use of water seals or tightly fitting caps or plugs.	□YES	□NO	

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed. For GOP applications, answer ONLY these questions unless otherwise directed.

Form	Form OP-REQ1: Page 58				
VIII.	VIII. Title 40 Code of Federal Regulations Part 63 - National Emission Standards for Hazardous Air Pollutants for Source Categories (continued)				
	W. Subpart YY - National Emission Standards for Hazardous Air Pollutants for Source Categories - Generic Maximum Achievable Control Technology Standards (continued)				ries -
		15.	The application area includes drains, drain hubs, manholes, lift stations, trenches, or pipes that are part of an acetal resins production process unit; an acrylic and modacrylic fiber production process unit complying with 40 CFR § 63.1103(b)(3)(i); or an existing polycarbonate production process unit. If the response to Question VIII.W.15 is "NO," go to Question VIII.W.20.	□YES	□NO
		16.	The application area includes drains, drain hubs, manholes, lift stations, trenches or pipes that meet the criteria listed in 40 CFR § 63.1106(c)(1) - (3). If the response to Question VIII.W.16 is "NO," go to Question VIII.W.20.	□YES	□NO
		17.	The application area includes drains, drain hubs, manholes, lift stations, trenches or pipes that convey water with a total annual average concentration greater than or equal to 10,000 parts per million by weight of compounds meeting the definition of organic HAP in Table 9 to 40 CFR Part 60, Subpart G, at any flow rate.	□YES	□NO
		18.	The application area includes drains, drain hubs, manholes, lift stations, trenches or pipes that convey water with a total annual average concentration greater than or equal to 1,000 parts per million by weight of compounds meeting the definition of organic HAP in Table 9 to 40 CFR Part 60, Subpart G, at an annual average flow rate greater than or equal to 10 liters per minute.	□YES	□NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form	Form OP-REQ1: Page 59					
			de of Federal Regulations Part 63 - National Emission Standards for Hazardo Categories (continued)	ous Air Po	ollutants	
•	W. Subpart YY - National Emission Standards for Hazardous Air Pollutants for Source Generic Maximum Achievable Control Technology Standards (continued)				ries -	
		19.	The application area includes drains, drain hubs, manholes, lift stations, trenches or pipes that are part of an acrylic resins or acrylic and modacrylic fiber production process unit that is part of a new affected source or is a new affected source and the equipment conveys water with a total annual average concentration greater than or equal to 10 ppmw of compounds meeting the definition of organic HAP in Table 9 to 40 CFR Part 60, Subpart G, at an average annual flow rate greater than or equal to 0.02 liter per minute.	□YES	□NO	
		20.	The application area includes an ethylene production process unit.	□YES	⊠NO □N/A	
		21.	The application area includes waste streams generated from an ethylene production process unit. If the responses to Questions VIII.W.20 and VIII.W.21 are both "NO" or "N/A," go to Question VIII.W.54.	□YES	⊠NO □N/A	
		22.	The waste stream(s) contains at least one of the chemicals listed in 40 CFR § 63.1103(e), Table 7(g)(1). If the response to Question VIII.W.22 is "NO," go to Question VIII.W.54.	☐YES	□NO	
		23.	Waste stream(s) are transferred off-site for treatment. If the response to Question VIII.W.23 is "NO," go to Question VIII.W.25.	□YES	□NO	
		24.	The application area has waste management units that treat or manage waste stream(s) prior to transfer off-site for treatment. If the response to Question VIII.W.24 is "NO," go to Question VIII.W.54.	□YES	□NO	

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

 $For \ SOP \ applications, \ answer \ ALL \ questions \ unless \ otherwise \ directed.$

Form OP-REQ1: Page 60					
	VIII. Title 40 Code of Federal Regulations Part 63 - National Emission Standards for Hazardous Air Pollutants for Source Categories (continued)				
W.	W. Subpart YY - National Emission Standards for Hazardous Air Pollutants for Source Categories - Generic Maximum Achievable Control Technology Standards (continued)				
	25.	The total annual benzene quantity from waste at the site is less than 10 Mg/yr as determined according to 40 CFR § 61.342(a).	YES	□NO	
	26.	The application area contains at least one waste stream that is a continuous butadiene waste stream as defined in 40 CFR § 63.1082(b). If the response to Question VIII.W.26 is "NO," go to Question VIII.W.43.	□YES	□NO	
	27.	The waste stream(s) contains at least 10 ppmw 1, 3-butadiene at a flow rate of 0.02 liters per minute or is designated for control. If the response to Question VIII.W.27 is "NO," go to Question VIII.W.43.	□YES	□NO	
	28.	The control requirements of 40 CFR Part 63, Subpart G for process wastewater as specified in 40 CFR § 63.1095(a)(2) are selected for control of the waste stream(s). If the response to Question VIII.W.28 is "NO," go to Question VIII.W.33.	□YES	□NO	
	29.	The application area includes containers that receive, manage, or treat a continuous butadiene waste stream.	☐YES	□NO	
	30.	The application area includes individual drain systems that receive, manage, or treat a continuous butadiene waste stream. If the response to Question VIII.W.30 is "NO," go to Question VIII.W.43.	□YES	□NO	
	31.	The application area includes individual drain systems that are complying with 40 CFR § 63.136 through the use of cover and, if vented, closed vent systems and control devices.	□YES	□NO	

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form O	Form OP-REQ1: Page 61 VIII. Title 40 Code of Federal Regulations Part 63 - National Emission Standards for Hazardous Air Pollutants for Source Categories (continued)		
W	_	oart YY - National Emission Standards for Hazardous Air Pollutants for Sourceric Maximum Achievable Control Technology Standards (continued)	ce Categories -
	32.	The application area includes individual drain systems that are complying with 40 CFR § 63.136 through the use of water seals or tightly fitting caps or plugs. If the response to Question VIII.W.32 is required, go to Question VIII.W.43.	□YES □NO
	33.	The application area has containers, as defined in 40 CFR § 61.341, that receive a continuous butadiene waste stream. If the response to Question VIII.W.33 is "NO," go to Question VIII.W.36.	□YES □NO
	34.	The application area is an alternate means of compliance to meet the 40 CFR § 61.345 requirements for containers. If the response to Question VIII.W.34 is "YES," go to Question VIII.W.36.	□YES □NO
	35.	Covers and closed-vent systems used for containers operate such that the container is maintained at a pressure less than atmospheric pressure.	□YES □NO
	36.	The application area has individual drain systems, as defined in 40 CFR § 61.341, that receive or manage a continuous butadiene waste stream. If the response to Question VIII.W.36 is "NO," go to Question VIII.W.43.	□YES □NO
	37.	The application area is using an alternate means of compliance to meet the 40 CFR § 61.346 requirements for individual drain systems. If the response to Question VIII.W.37 is "YES," go to Question VIII.W.43.	□YES □NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

 $For \ SOP \ applications, \ answer \ ALL \ questions \ unless \ otherwise \ directed.$

Form	Form OP-REQ1: Page 62			
VIII.	VIII. Title 40 Code of Federal Regulations Part 63 - National Emission Standards for Hazardous Air Pollutants for Source Categories (continued)			
	W.	_	oart YY - National Emission Standards for Hazardous Air Pollutants for Sourceric Maximum Achievable Control Technology Standards (continued)	ce Categories -
		38.	The application area has individual drain systems complying with 40 CFR § 61.346(a). If the response to Question VIII.W.38 is "NO," go to Question VIII.W.40.	□YES □NO
		39.	Covers and closed-vent systems used for individual drain systems operate such that the individual drain system is maintained at a pressure less than atmospheric pressure.	□YES □NO
		40.	The application area has individual drain systems complying with 40 CFR § 61.346(b). If the response to Question VIII.W.40 is "NO," go to Question VIII.W.43.	□YES □NO
		41.	Junction boxes in the individual drain systems are equipped with a system to prevent the flow of organic vapors from the junction box vent pipe to the atmosphere during normal operation.	□YES □NO
		42.	Junction box vent pipes in the individual drain systems are connected to a closed-vent system and control device.	□YES □NO
		43.	The application area has at least one waste stream that contains benzene. If the response to Question VIII.W.43 is "NO," go to Question VIII.W.54.	□YES □NO
		44.	The application area has containers, as defined in 40 CFR § 61.341, that receive a waste stream containing benzene. If the response to Question VIII.W.44 is "NO," go to Question VIII.W.47.	□YES □NO
		45.	The application area is an alternate means of compliance to meet the 40 CFR § 61.345 requirements for containers. If the response to Question VIII.W.45 is "YES," go to Question VIII.W.47.	□YES □NO

1 0	

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form OP-1	Form OP-REQ1: Page 63			
	VIII. Title 40 Code of Federal Regulations Part 63 - National Emission Standards for Hazardous Air Pollutants for Source Categories (continued)			
W.	_	eart YY - National Emission Standards for Hazardous Air Pollutants for Source eric Maximum Achievable Control Technology Standards (continued)	ce Categoi	ries -
	46.	Covers and closed-vent systems used for containers operate such that the container is maintained at a pressure less than atmospheric pressure.	□YES	□NO
	47.	The application area has individual drain systems, as defined in 40 CFR § 61.341, that receive or manage a waste stream containing benzene. If the response to Question VIII.W.47 is "NO," go to Question VIII.W.54.	YES	□NO
	48.	The application area is using an alternate means of compliance to meet the 40 CFR § 61.346 requirements for individual drain systems. If the response to Question VIII.W.48 is "YES," go to Question VIII.W.54.	YES	□NO
	49.	The application area has individual drain systems complying with 40 CFR § 61.346(a). If the response to Question VIII.W.49 is "NO," go to Question VIII.W.51.	☐YES	□NO
	50.	Covers and closed-vent systems used for individual drain systems operate such that the individual drain system is maintained at a pressure less than atmospheric pressure.	□YES	□NO
	51.	The application area has individual drain systems complying with 40 CFR § 61.346(b). If the response to Question VIII.W.51 is "NO," go to Question VIII.W.54.	YES	□NO
	52.	Junction boxes in the individual drain systems are equipped with a system to prevent the flow of organic vapors from the junction box vent pipe to the atmosphere during normal operation.	□YES	□NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form OP-I	REQ1:	Page 64	
	VIII. Title 40 Code of Federal Regulations Part 63 - National Emission Standards for Hazardous Air Pollutants for Source Categories (continued)		
W.	_	oart YY - National Emission Standards for Hazardous Air Pollutants for Sourceric Maximum Achievable Control Technology Standards (continued)	ce Categories -
	53.	Junction box vent pipes in the individual drain systems are connected to a closed-vent system and control device.	□YES □NO
	54.	The application area contains a cyanide chemicals manufacturing process. If the response to Question VIII.W.54 is "NO," go to Section VIII.X.	□YES ⊠NO
	55.	The cyanide chemicals manufacturing process generates maintenance wastewater containing hydrogen cyanide or acetonitrile.	□YES □NO
Х.		oart JJJ - National Emission Standards for Hazardous Air Pollutant Emissions mers and Resins	s: Group IV
	1.	The application area includes thermoplastic product process units, and/or their associated affected sources specified in 40 CFR § 63.1310(a)(1) - (5), that are subject to 40 CFR Part 63, Subpart JJJ. If the response to Question VIII.X.1 is "NO," go to Section VIII.Y.	□YES ⊠NO
	2.	The application area includes thermoplastic product process units and/or wastewater streams and wastewater operations that are associated with thermoplastic product process units. If the response to Question VIII.X.2 is "NO," go to Section VIII.Y.	□YES □NO
	3.	All process wastewater streams generated or managed in the application area are from sources producing polystyrene. If the response to Question VIII.X.3 is "YES," go to Section VIII.Y.	□YES □NO
	4.	All process wastewater streams generated or managed in the application area are from sources producing ASA/AMSAN. If the response to Question VIII.X.4 is "YES," go to Section VIII.Y.	□YES □NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form OP-I	Form OP-REQ1: Page 65			
	VIII. Title 40 Code of Federal Regulations Part 63 - National Emission Standards for Hazardous Air Pollutants for Source Categories (continued)			
X.		oart JJJ - National Emission Standards for Hazardous Air Pollutant Emissions mers and Resins (continued)	s: Group	IV
	5.	The application area includes process wastewater streams that are designated as Group 1 or are determined to be Group 1 for organic HAPs as defined in 40 CFR § 63.1312.	YES	□NO
	6.	The application area includes process wastewater streams, located at existing sources, that are Group 2 for organic HAPs as defined in 40 CFR § 63.1312.	□YES	□NO
	7.	The application area includes process wastewater streams, located at new sources, that are Group 2 for organic HAPs as defined in 40 CFR § 63.1312.	□YES	□NO
	8.	All Group 1 wastewater streams at the site are demonstrated to have a total source mass flow rate of less than 1 MG/yr. If the response to Question VIII.X.8 is "YES," go to Question VIII.X.18.	□YES	□NO
	9.	The site has untreated and/or partially treated Group 1 wastewater streams demonstrated to have a total source mass flow rate of less than 1 MG/yr. <i>If the response to Question VIII.X.9 is "NO," go to Question VIII.X.11.</i>	□YES	□NO
	10.	The application area includes waste management units that receive or manage a partially treated Group 1 wastewater stream prior to or during treatment.	□YES	□NO
	11.	Group 1 wastewater streams or residual removed from Group 1 wastewater streams are transferred to an on-site treatment operation that is not owned or operated by the owner or operator of the source generating the waste stream or residual.	□YES	□NO
	12.	Group 1 wastewater streams or residual removed from Group 1 wastewater streams are transferred to an off-site treatment operation. If the responses to Questions VIII.X.11 - VIII.X.12 are both "NO," go to Question VIII.X.14.	☐YES	□NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form OP-REQ1: Page 66				
	VIII. Title 40 Code of Federal Regulations Part 63 - National Emission Standards for Hazardous Air Pollutants for Source Categories (continued)			
X.		part JJJ - National Emission Standards for Hazardous Air Pollutant Emissions mers and Resins (continued)	s: Group I	V
	13.	The application area includes waste management units that receive or manage a Group 1 wastewater stream, or a residual removed from a Group 1 wastewater stream prior to shipment or transport.	□YES	□NO
	Cont	tainers		
	14.	The application area includes containers that receive, manage, or treat a Group 1 wastewater stream or a residual removed from a Group 1 wastewater stream.	□YES	□NO
	Drai	ns		
	15.	The application area includes individual drain systems that receive or manage a Group 1 wastewater stream or a residual removed from a Group 1 wastewater stream. If the response to Question VIII.X.15 is "NO," go to Question VIII.X.18.	☐YES	□NO
	16.	The application area includes individual drain systems that are complying with 40 CFR § 63.136 through the use of cover and, if vented, closed vent systems and control devices.	□YES	□NO
	17.	The application area includes individual drain systems that are complying with 40 CFR § 63.136 through the use of water seals or tightly fitting caps or plugs.	□YES	□NO
	18.	The application area includes drains, drain hubs, manholes, lift stations, trenches, or pipes that are part of an thermoplastic product process unit. If the response to Question VIII.X.18 is "NO," go to Section VIII.Y.	☐YES	□NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.
For GOP applications, answer ONLY these questions unless otherwise directed.

Form Ol	Form OP-REQ1: Page 67				
	VIII. Title 40 Code of Federal Regulations Part 63 - National Emission Standards for Hazardous Air Pollutants for Source Categories (continued)				
X.	_	Subpart JJJ - National Emission Standards for Hazardous Air Pollutant Emissions: Group IV Polymers and Resins (continued)			
	Drains (continued)				
	19.	The application area includes drains, drain hubs, manholes, lift stations, trenches or pipes that meet the criteria listed in 40 CFR § 63.149(d) and § 63.1330(b)(12). <i>If the response to Question VIII.X.19 is "NO," go to Section VIII.Y.</i>	□YES	□NO	
	20.	The application area includes drains, drain hubs, manholes, lift stations, trenches, or pipes that convey water with a total annual average concentration greater than or equal to 10,000 parts per million by weight of compounds meeting the definition of organic HAP in 40 CFR § 63.1312, at any flow rate.	□YES	□NO	
	21.	The application area includes drains, drain hubs, manholes, lift stations, trenches or pipes that convey water with a total annual average concentration greater than or equal to 1,000 parts per million by weight of compounds meeting the definition of organic HAP in 40 CFR § 63.1312, at an annual average flow rate greater than or equal to 10 liters per minute.	□YES	□NO	
	22.	The application area includes drains, drain hubs, manholes, lift stations, trenches or pipes that are part of an thermoplastic product process unit that is a new affected source or part of a new affected source and the equipment conveys water with a total annual average concentration greater than or equal to 10 parts per million by weight of compounds meeting the definition of organic HAP in 40 CFR § 63.1312, at an average annual flow rate greater than or equal to 0.02 liter per minute	□YES	□NO	

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form	OP-I	REQ1.	: Page 68		
VIII.			ode of Federal Regulations Part 63 - National Emission Standards for Hazardo Categories (continued)	ous Air Po	ollutants
	Y.		oart UUU - National Emission Standards for Hazardous Air Pollutants for Petallytic Cracking Units, Catalytic reforming Units, and Sulfur Recovery Units.	roleum R	efineries:
		1.	The application area is subject to 40 CFR Part 63, Subpart UUU - National Emission Standards for Hazardous Air Pollutants for Petroleum Refineries: Catalytic Cracking Units, Catalytic reforming Units, and Sulfur Recovery Units.	□YES	⊠NO
	Z.	_	oart AAAA - National Emission Standards for Hazardous Air Pollutants for M te (MSW) Landfills.	[unicipal	Solid
*		1.	The application area is subject to 40 CFR Part 63, Subpart AAAA - National Emission Standards for Hazardous Air Pollutants for Municipal Solid Waste Landfills.	□YES	⊠NO
	AA.		oart FFFF - National Emission Standards for Hazardous Air Pollutants for Mi nnic Chemical Production and Processes (MON)	scellaneo	us
		1.	The application area is located at a site that includes process units that manufacture as a primary product one or more of the chemicals listed in 40 CFR § 63.2435(b)(1).	□YES	⊠NO
		2.	The application area is located at a plant site that is a major source as defined in FCAA § 112(a).	□YES	⊠NO
		3.	The application area is located at a site that includes miscellaneous chemical manufacturing process units (MCPU) that process, use or generate one or more of the organic hazardous air pollutants listed in § 112(b) of the Clean Air Act or hydrogen halide and halogen HAP. If the response to Question VIII.AA.1, AA.2 or AA.3 is "NO," go to Section VIII.BB.	□YES	⊠NO
		4.	The application area includes process vents, storage vessels, transfer racks, or waste streams associated with a miscellaneous chemical manufacturing process subject to 40 CFR 63, Subpart FFFF. If the response to Question VIII.AA.4 is "NO," go to Section VIII.BB.	□YES	□NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

 $For \ SOP \ applications, \ answer \ ALL \ questions \ unless \ otherwise \ directed.$

Form OP-REQ1: Page 69				
	VIII. Title 40 Code of Federal Regulations Part 63 - National Emission Standards for Hazardous Air Pollutants for Source Categories (continued)			
AA.	AA. Subpart FFFF - National Emission Standards for Hazardous Air Pollutants for Miscellaneous Organic Chemical Production and Processes (MON) (continued)			us
	5.	The application area includes process wastewater streams. If the response to Question VIII.AA.5 is "NO," go to Question VIII.AA.18.	□YES	□NO
	6.	The application area includes process wastewater streams that are designated as Group 1 or are determined to be Group 1 for compounds listed in Table 8 of 40 CFR Part 63, Subpart G or Table 8 and Table 9, as appropriate, of 40 CFR Part 63, Subpart FFFF.	□YES	□NO
	7.	The application area includes process wastewater streams that are Group 2 for compounds listed in Table 8 or Table 8 and Table 9, as appropriate, of 40 CFR Part 63, Subpart FFFF.	□YES	□NO
	8.	All Group 1 wastewater streams at the site are demonstrated to have a total source mass flow rate of less than 1 MG/yr. If the response to Question VIII.AA.8 is "YES," go to Section VIII.AA.22.	□YES	□NO
	9.	The site has untreated and/or partially treated Group 1 wastewater streams demonstrated to have a total source mass flow rate of less than 1 MG/yr. If the response to Question VIII.AA.9 is "NO," go to Question VIII.AA.11.	□YES	□NO
	10.	The application area includes waste management units that receive or manage a partially treated Group 1 wastewater stream prior to or during treatment.	YES	□NO
	11.	Group 1 wastewater streams or residual removed from Group 1 wastewater streams are transferred to an on-site treatment operation that is not owned or operated by the owner or operator of the source generating the waste stream or residual.	□YES	□NO
	12.	Group 1 wastewater streams or residual removed from Group 1 wastewater streams are transferred to an off-site treatment operation. If the responses to Questions VIII.AA.11 and VIII.AA.12 are both "NO," go to Question VIII.AA.18.	□YES	□NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form	OP-I	REQ1:	Page 70		
VIII.	/III. Title 40 Code of Federal Regulations Part 63 - National Emission Standards for Hazardous Air Pollutants for Source Categories (continued)				
	AA.	_	oart FFFF - National Emission Standards for Hazardous Air Pollutants for Mi unic Chemical Production and Processes (MON) (continued)	scellaneo	us
		13.	Group 1 wastewater streams are transferred to an offsite treatment facility meeting the requirements of 40 CFR § 63.138(h). If the response to Question VIII.AA.13 is "NO," go to Question VIII.AA.15.	□YES	□NO
		14.	The option to document in the notification of compliance status report that the wastewater will be treated in a facility meeting the requirements of 40 CFR § 63.138(h) is elected.	□YES	□NO
		15.	Group 1 wastewater streams or residuals with a total annual average concentration of compounds in Table 8 of 40 CFR Part 63, Subpart FFFF less than 50 ppmw are transferred offsite. If the response to Question VIII.AA.15 is "NO," go to Question VIII.AA.17.	□YES	□NO
		16.	The transferor is demonstrating that less than 5 percent of the HAP in Table 9 of 40 CFR Part 63, Subpart FFFF is emitted from waste management units up to the activated sludge unit.	□YES	□NO
		17.	The application area includes waste management units that receive or manage a Group 1 wastewater stream, or a residual removed from a Group 1 wastewater stream prior to shipment or transport.	□YES	□NO
		18.	The application area includes containers that receive, manage, or treat a Group 1 wastewater stream or a residual removed from a Group 1 wastewater stream.	YES	□NO
		19.	The application area includes individual drain systems that receive or manage a Group 1 wastewater stream, or a residual removed from a Group 1 wastewater stream. If the response to Question VIII.AA.19 is "NO," go to Question VIII.AA.22.	☐YES	□NO
		20.	The application area includes individual drain systems that are complying with 40 CFR § 63.136 through the use of cover and, if vented, closed vent systems and control devices.	□YES	□NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed. For GOP applications, answer ONLY these questions unless otherwise directed.

Form	Form OP-REQ1: Page 71				
VIII.			ode of Federal Regulations Part 63 - National Emission Standards for Hazardo Categories (continued)	us Air Po	llutants
	AA.	AA. Subpart FFFF - National Emission Standards for Hazardous Air Pollutants for Miscellaneous Organic Chemical Production and Processes (MON) (continued)			
		21.	The application area includes individual drain systems that are complying with 40 CFR § 63.136 through the use of water seals or tightly fitting caps or plugs.	☐YES	□NO
		22.	The application area includes drains, drain hubs, manholes, lift stations, trenches, or pipes that are part of a chemical manufacturing process unit that meets the criteria of 40 CFR § 63.100(b). If the response to Question VIII.AA.22 is "NO," go to Section VIII.BB.	□YES	□NO
		23.	The application area includes drains, drain hubs, manholes, lift stations, trenches or pipes (that are part of a miscellaneous chemical manufacturing process unit) that meet the criteria listed in 40 CFR § 63.149(d). If the response to Question VIII.AA.23 is "NO," go to Section VIII.BB.	□YES	□NO
		24.	The application area includes drains, drain hubs, manholes, lift stations, trenches or pipes that convey water with a total annual average concentration of compounds in table 8 of 40 CFR Part 63, Subpart FFFF is greater than or equal to 10,000 ppmw at any flow rate, and the total annual load of compounds in table 8 of 40 CFR Part 63, Subpart FFFF is greater than or equal to 200 lb/yr.	□YES	□NO
		25.	The application area includes drains, drain hubs, manholes, lift stations, trenches, or pipes that convey water with a total annual average concentration of compounds in table 8 of 40 CFR Part 63, Subpart FFFF is greater than or equal to 1,000 ppmw, and the annual average flow rate is greater than or equal to 1 liter per minute.	□YES	□NO
		26.	The application area includes drains, drain hubs, manholes, lift stations, trenches or pipes that are part of a chemical manufacturing process unit that is subject to the new source requirements of 40 CFR § 63.2445(a); and the equipment conveys water with a combined total annual average concentration of compounds in tables 8 and 9 of 40 CFR Part 63, Subpart FFFF is greater than or equal to 30,000 ppmw, and the combined total annual load of compounds in tables 8 and 9 to this subpart is greater than or equal to 1 tpy.	□YES	□NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form OP-REQ1: Page 72					
VIII.	VIII. Title 40 Code of Federal Regulations Part 63 - National Emission Standards for Hazardous Air Pollutants for Source Categories (continued)				
	AA. Subpart FFFF - National Emission Standards for Hazardous Air Pollutants for Miscellaneous Organic Chemical Production and Processes (MON) (continued)		us		
	BB.	_	Subpart GGGG - National Emission Standards for Hazardous Air Pollutants for: Solvent Extractions for Vegetable Oil Production.		
		1.	The application area includes a vegetable oil production process that: is by itself a major source of HAP emissions or, is collocated within a plant site with other sources that are individually or collectively a major source of HAP emissions.	☐YES	⊠NO
	CC.	Subj	part GGGGG - National Emission Standards for Hazardous Air Pollutants: Si	te Remed	iation
		1.	The application area includes a facility at which a site remediation is conducted. If the answer to Question VIII.CC.1 is "NO," go to Section VIII.DD.	□YES	⊠NO
		2.	The application area is located at a site that is a major source of HAP. If the answer to Question VIII.CC.2 is "NO," go to Section VIII.DD.	□YES	□NO
		3.	All site remediation's qualify for one of the exemptions contained in 40 CFR § 63.7881(b)(1) through (6). If the answer to Question VIII.CC.3 is "YES," go to Section VIII.DD.	□YES	□NO
		4.	Prior to beginning site remediation activities it was determined that the total quantity of HAP listed in Table 1 of Subpart GGGGG that will be removed during all site remediations will be less than 1 Mg/yr. If the answer to Question VIII.CC.4 is "YES," go to Section VIII.DD.	□YES	□NO
		5.	The site remediation will be completed within 30 consecutive calendar days.	□YES	□NO
		6.	No site remediation will exceed 30 consecutive calendar days. If the answer to Question VIII.CC.6 is "YES," go to Section VIII.DD.	□YES	□NO
		7.	Site remediation materials subject to 40 CFR Part 63, Subpart GGGGG are transferred from the application area to an off-site facility.	□YES	□NO
		8.	All site remediation materials subject to 40 CFR Part 63, Subpart GGGGG are transferred from the application area to an off-site facility. If the answer to Question VIII.CC.8 is "YES," go to Section VIII.DD.	☐YES	□NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

 $For \ SOP \ applications, \ answer \ ALL \ questions \ unless \ otherwise \ directed.$

Form	Form OP-REQ1: Page 73				
VIII.	TIII. Title 40 Code of Federal Regulations Part 63 - National Emission Standards for Hazardous Air Pollutants for Source Categories (continued)				
	CC.	_	oart GGGGG - National Emission Standards for Hazardous Air Pollutants: Sit tinued)	e Remediation	
		9.	The application area includes containers that manage site remediation materials subject to 40 CFR Part 63, Subpart GGGGG. If the response to Question VIII.CC.9 is "NO," go to Question VIII.CC.14.	□YES □NO	
		10.	The application area includes containers using Container Level 1 controls as specified in 40 CFR § 63.922(b).	□YES □NO	
		11.	The application area includes containers with a capacity greater than 0.46 m³ that meet the requirements of 40 CFR § 63.7900(b)(3)(i) and (ii).	□YES □NO	
		12.	The application area includes containers using Container Level 2 controls as specified in 40 CFR § 63.923(b).	□YES □NO	
		13.	The application area includes containers using Container Level 3 controls as specified in 40 CFR § 63.924(b).	□YES □NO	
		14.	The application area includes individual drain systems complying with the requirements of 40 CFR § 63.962.	□YES □NO	
	DD.	_	oart YYYYY - National Emission Standards for Hazardous Air Pollutants for Arc Furnace Steelmaking Facilities	Area/Sources:	
		1.	The application area includes an electric arc furnace (EAF) steelmaking facility, and the site is an area source of hazardous air pollutant (HAP) emissions. If the response to Question VIII.DD.1 is "NO," go to Section VIII.EE.	□YES ⊠NO	
		2.	The EAF steelmaking facility is a research and development facility. If the response to Question VIII.DD.2 is "YES," go to Section VIII.EE.	□YES □NO	
		3.	Metallic scrap is utilized in the EAF.	□YES □NO	
		4.	Scrap containing motor vehicle scrap is utilized in the EAF.	□YES □NO	
		5.	Scrap not containing motor vehicle scrap is utilized in the EAF.	□YES □NO	

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form	Form OP-REQ1: Page 74				
VIII.	VIII. Title 40 Code of Federal Regulations Part 63 - National Emission Standards for Hazardous Air Pollutants for Source Categories (continued)				
	EE.	_	oart BBBBBB - National Emission Standards for Hazardous Air Pollutants for Jine Distribution Bulk Terminals, Bulk Plants and Pipeline Facilities	Source (Category:
		1.	The application area is located at a site that is an area source of HAPs. If the answer to Question EE.1 is "NO," go to Section VIII.FF.	⊠YES	□NO
		2.	The application area includes a pipeline breakout station, as defined in 40 CFR Part 63, Subpart BBBBBB, not subject to the control requirements of 40 CFR Part 63, Subpart R.	□YES	⊠NO
		3.	The application area includes a pipeline pumping station as defined in 40 CFR Part 63, Subpart BBBBBB.	□YES	⊠NO
		4.	The application area includes a bulk gasoline plant as defined in 40 CFR Part 63, Subpart BBBBBB. If the answer to Question VIII.EE.4 is "NO," go to Question VIII.EE.6.	□YES	⊠NO
		5.	The bulk gasoline plant was operating, prior to January 10, 2010, in compliance with an enforceable State, local or tribal rule or permit that requires submerged fill as specified in 40 CFR § 63.11086(a).	□YES	□NO
		6.	The application area includes a bulk gasoline terminal, as defined in 40 CFR Part 63, Subpart BBBBBB, not subject to the control requirements of 40 CFR Part 63, Subpart R or Subpart CC. If the answer to Question VIII.EE.6 is "NO," go to Section VIII.FF.	□YES	⊠NO
		7.	The bulk gasoline terminal has throughput of less than 250,000 gallons per day. If the answer to Question VIII.EE.7 is "YES," go to Section VIII.FF.	□YES	□NO
		8.	The bulk gasoline terminal loads gasoline into gasoline cargo tanks other than railcar cargo tanks.	□YES	□NO
		9.	The bulk gasoline terminal loads gasoline into railcar cargo tanks. If the answer to Question VIII.EE.9 is "NO," go to Section VIII.FF.	□YES	□NO
		10.	The bulk gasoline terminal loads gasoline into railcar cargo tanks which do not collect vapors from a vapor balance system.	□YES	□NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form	Form OP-REQ1: Page 75				
VIII.			ode of Federal Regulations Part 63 - National Emission Standards for Hazardo Categories (continued)	ous Air Po	llutants
	EE.	Subpart BBBBBB - National Emission Standards for Hazardous Air Pollutants for Society Gasoline Distribution Bulk Terminals, Bulk Plants and Pipeline Facilities (continued)			Category:
		11.	The bulk gasoline terminal loads gasoline into railcar cargo tanks which collect vapors from a vapor balance system and that system complies with a Federal, State, local, tribal rule or permit.	□YES	□NO
	FF.		oart CCCCCC - National Emission Standards for Hazardous Air Pollutants fo bline Dispensing Facilities	r Source (Category:
*		1.	The application area is located at a site that is an area source of hazardous air pollutants. If the answer to Question VIII.FF.1 is "NO," go to Section VIII.GG.	⊠YES	□NO
*		2.	The application area includes at least one gasoline dispensing facility as defined in 40 CFR § 63.11132. If the answer to Question VIII.FF.2 is "NO," go to Section VIII.GG.	□YES	⊠NO
•		3.	The application area includes at least one gasoline dispensing facility with a monthly throughput of less than 10,000 gallons.	□YES	□NO
*		4.	The application area includes at least one gasoline dispensing facility where gasoline is dispensed from a fixed gasoline storage tank into a portable gasoline tank for the on-site delivery and subsequent dispensing into other gasoline-fueled equipment.	□YES	□NO
	GG.	Rece	ntly Promulgated 40 CFR Part 63 Subparts		
*		1.	The application area is subject to one or more promulgated 40 CFR Part 63 subparts not addressed on this form. If the response to Question VIII.GG.1 is "NO," go to Section IX. A list of promulgated 40 CFR Part 63 subparts not otherwise addressed on OP-REQ1 is included in the instructions.	⊠YES	□NO
*		2.	Provide the Subpart designation (i.e. Subpart EEE) in the space provided below. Subpart ZZZZ	ı	

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Forn	Form OP-REQ1: Page 76				
IX.	Title	40 C	ode of Federal Regulations Part 68 (40 CFR Part 68) - Chemical Accident Prev	ention Pr	ovisions
	Α.	Appl	licability		
*		1.	The application area contains processes subject to 40 CFR Part 68, Chemical Accident Prevention Provisions, and specified in 40 CFR § 68.10.	□YES	⊠NO
Χ.	Title	40 C	ode of Federal Regulations Part 82 (40 CFR Part 82) - Protection of Stratosphe	eric Ozon	e
	A.	Subp	oart A - Production and Consumption Controls		
*		1.	The application area is located at a site that produces, transforms, destroys, imports, or exports a controlled substance or product.	□YES	⊠NO □N/A
	В.	Subp	oart B - Servicing of Motor Vehicle Air Conditioners		
*		1.	Servicing, maintenance, and/or repair of fleet vehicle air conditioning systems using ozone-depleting refrigerants is conducted in the application area.	YES	⊠NO
	С.	-	oart C - Ban on Nonessential Products Containing Class I Substances and Ban lucts Containing or Manufactured with Class II Substances	on Nones	sential
*		1.	The application area sells or distributes one or more nonessential products (which release a Class I or Class II substance) that are subject to 40 CFR Part 82, Subpart C.	□YES	⊠NO □N/A
	D.	Subp	oart D - Federal Procurement		
*		1.	The application area is owned/operated by a department, agency, or instrumentality of the United States.	□YES	⊠NO □N/A
	E.	Subp	oart E - The Labeling of Products Using Ozone Depleting Substances		
*		1.	The application area includes containers in which a Class I or Class II substance is stored or transported prior to the sale of the Class I or Class II substance to the ultimate consumer.	□YES	⊠NO □N/A
*		2.	The application area is a manufacturer, importer, wholesaler, distributor, or retailer of products containing a Class I or Class II substance.	□YES	⊠NO □N/A
*		3.	The application area is a manufacturer, importer, wholesaler, distributor, or retailer of products manufactured with a process that uses a Class I or Class II substance.	□YES	⊠NO □N/A

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Forn	Form OP-REQ1: Page 77				
Х.		40 Cotinued	ode of Federal Regulations Part 82 (40 CFR Part 82) - Protection of Stratospho	eric Ozon	e
	F.	Subp	oart F - Recycling and Emissions Reduction		
*		1.	Servicing, maintenance, and/or repair on refrigeration and non-motor vehicle air condition appliances using ozone-depleting refrigerants or non-exempt substitutes is conducted in the application area.	☐YES	⊠NO
♦		2.	Disposal of appliances (including motor vehicle air conditioners) or refrigerant or non-exempt substitute reclamation occurs in the application area.	□YES	⊠NO □N/A
♦		3.	The application area manufactures appliances or refrigerant recycling and recovery equipment.	□YES	⊠NO □N/A
	G.	Subp	oart G - Significant New Alternatives Policy Program		
*		1.	The application area manufactures, formulates, or creates chemicals, product substitutes, or alternative manufacturing processes that are intended for use as a replacement for a Class I or Class II compound. If the response to Question X.G.1 is "NO" or "N/A," go to Section X.H.	□YES	⊠NO □N/A
♦		2.	All substitutes produced by the application area meet one or more of the exemptions in 40 CFR § 82.176(b)(1) - (7).	□YES	⊠NO □N/A
	Н.	Subp	oart H -Halon Emissions Reduction		
♦		1.	Testing, servicing, maintaining, repairing, or disposing of equipment containing halons is conducted in the application area.	□YES	⊠NO □N/A
*		2.	Disposal of halons or manufacturing of halon blends is conducted in the application area.	□YES	⊠NO □N/A
XI.	Misc	ellane	eous		
	A.	Requ	uirements Reference Tables (RRT) and Flowcharts		
		1.	The application area contains units that are potentially subject to a regulation for which the TCEQ has not developed an RRT and flowchart.	□YES	⊠NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Forn	Form OP-REQ1: Page 78				
XI.	Miscellaneous (continued)				
	B.	Forn	ns		
*		1.	The application area contains units that are potentially subject to a regulation for which the TCEQ has not developed a unit attribute form. If the response to Question XI.B.1 is "NO" or "N/A," go to Section XI.C.	YES	⊠NO □N/A
•		2.	Provide the Part and Subpart designation for the federal rule(s) or the Chapter, Sul Division designation for the State regulation(s) in the space provided below.	bchapter,	and
	C.	Emi	ssion Limitation Certifications		
*		1.	The application area includes units for which federally enforceable emission limitations have been established by certification.	⊠ YES	□NO
	D.		rnative Means of Control, Alternative Emission Limitation or Standard, or Equirements	uivalent	
		1.	The application area is located at a site that is subject to a site-specific requirement of the state implementation plan (SIP).	□YES	⊠NO
		2.	The application area includes units located at the site that are subject to a site-specific requirement of the SIP.	□YES	⊠NO
		3.	The application area includes units which demonstrate compliance by using an alternative means of control, alternative emission limitation or standard or equivalent requirements approved by the EPA Administrator. If the response to Question XI.D.3 is "YES," please include a copy of the approval document with the application.	□YES	⊠NO
		4.	The application area includes units which demonstrate compliance by using an alternative means of control, alternative emission limitation or standard or equivalent requirements approved by the TCEQ Executive Director. If the response to Question XI.D.4 is "YES," please include a copy of the approval document with the application.	□YES	⊠NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Forn	Form OP-REQ1: Page 79				
XI.	Misc	cellane	eous (continued)		
	E.	Title	e IV - Acid Rain Program		
		1.	The application area includes emission units subject to the Acid Rain Program (ARP), including the Opt-In Program.	□YES	⊠NO
		2.	The application area includes emission units qualifying for the new unit exemption under 40 CFR § 72.7.	□YES	⊠NO
		3.	The application area includes emission units qualifying for the retired unit exemption under 40 CFR § 72.8.	□YES	⊠NO
	F.		FR Part 97, Subpart EEEEE - Cross-State Air Pollution Rule (CSAPR) NO _x (up 2 Trading Program	Ozone Sea	ison
		1.	The application area includes emission units subject to the requirements of the CSAPR NO _X Ozone Season Group 2 Trading Program. If the response to Question XI.F.1 is "NO," go to Question XI.F.7.	□YES	⊠NO
		2.	The application area includes units that are complying with the CEMS requirements of 40 CFR Part 75, Subpart H for NO _X and heat input.	□YES	□NO
		3.	The application area includes gas or oil-fired units that are complying with the CEMS requirements of 40 CFR Part 75, Subpart H for NO _X , and the monitoring requirements of 40 CFR Part 75, Appendix D for heat input.	YES	□NO
		4.	The application area includes gas or oil-fired peaking units that are complying with the monitoring requirements of 40 CFR Part 75, Appendix E for NO _X , and the monitoring requirements of 40 CFR Part 75, Appendix D for heat input.	YES	□NO
		5.	The application area includes gas or oil-fired units that are complying with the Low Mass Emissions monitoring requirements of 40 CFR § 75.19 for NO _X and heat input.	□YES	□NO
		6.	The application area includes units that are complying with EPA-approved alternative monitoring system requirements of 40 CFR Part 75, Subpart E for NO _X and heat input.	□YES	□NO
		7.	The application area includes emission units that qualify for the CSAPR NO _X Ozone Season Group 2 retired unit exemption.	□YES	⊠NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed. For GOP applications, answer ONLY these questions unless otherwise directed.

Forn	Form OP-REQ1: Page 80				
XI.	I. Miscellaneous (continued)				
	G.	40 C	FR Part 97, Subpart FFFFF - Texas SO ₂ Trading Program		
		1.	The application area includes emission units complying with the requirements of the Texas SO ₂ Trading Program.	□YES	⊠NO
			If the response to Question XI.G.1 is "NO," go to Question XI.G.6.		
		2.	The application area includes units that are complying with the CEMS requirements of 40 CFR Part 75, Subpart B for SO ₂ and 40 CFR Part 75, Subpart H for heat input.	□YES	□NO
		3.	The application area includes gas or oil-fired units that are complying with the monitoring requirements of 40 CFR Part 75, Appendix D for SO ₂ and heat input.	□YES	□NO
		4.	The application area includes gas or oil-fired units that are complying with the Low Mass Emissions monitoring requirements of 40 CFR § 75.19 for SO ₂ and heat input.	□YES	□NO
		5.	The application area includes units that are complying with EPA-approved alternative monitoring system requirements of 40 CFR Part 75, Subpart E for SO ₂ and heat input.	☐YES	□NO
		6.	The application area includes emission units that qualify for the Texas SO ₂ Trading Program retired unit exemption.	□YES	⊠NO
	H.	Perm	nit Shield (SOP Applicants Only)		
		1.	A permit shield for negative applicability entries on Form OP-REQ2 (Negative Applicable Requirement Determinations) is being requested or already exists in the permit.	☐YES	⊠NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Forn	Form OP-REQ1: Page 81					
XI.	XI. Miscellaneous (continued)					
	I.	GOP	Type (Complete this section for GOP applications only)			
•		1.	The application area is applying for initial issuance, revision, or renewal of an oil and gas general operating permit under GOP No. 511 - Oil and Gas General Operating Permit for Brazoria, Chambers, Collin, Dallas, Denton, El Paso, Ellis, Fort Bend, Galveston, Hardin, Harris, Jefferson, Johnson, Kaufman, Liberty, Montgomery, Orange, Parker, Rockwall, Tarrant, Waller, and Wise Counties.	□YES	□NO	
*		2.	The application area is applying for initial issuance, revision, or renewal of an oil and gas general operating permit under GOP No. 512 - Oil and Gas General Operating Permit for Gregg, Nueces, and Victoria Counties.	YES	□NO	
•		3.	The application area is applying for initial issuance, revision, or renewal of an oil and gas general operating permit under GOP No. 513 - Oil and Gas General Operating Permit for Aransas, Bexar, Calhoun, Matagorda, San Patricio, and Travis Counties.	□YES	□NO	
•		4.	The application area is applying for initial issuance, revision, or renewal of an oil and gas general operating permit under GOP No. 514 - Oil and Gas General Operating Permit for All Texas Counties Except Aransas, Bexar, Brazoria, Calhoun, Chambers, Collin, Dallas, Denton, El Paso, Ellis, Fort Bend, Galveston, Gregg, Hardin, Harris, Jefferson, Johnson, Kaufman, Liberty, Matagorda, Montgomery, Nueces, Orange, Parker, Rockwall, San Patricio, Tarrant, Travis, Victoria, Waller, and Wise County.	□YES	□NO	
•		5.	The application area is applying for initial issuance, revision, or renewal of a solid waste landfill general operating permit under GOP No. 517 - Municipal Solid Waste Landfill general operating permit.	□YES	□NO	
	J.	Title	30 TAC Chapter 101, Subchapter H			
*		1.	The application area is located in a nonattainment area. If the response to Question XI.J.1 is "NO," go to question XI.J.3.	⊠YES	□NO	
*		2.	The applicant has or will generate emission reductions to be credited in the TCEQ Emissions Banking and Trading Program.	□YES	⊠NO □N/A	
*		3.	The applicant has or will generate discrete emission reductions to be credited in the TCEQ Emissions Banking and Trading Program.	□YES	⊠NO □N/A	

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form	Form OP-REQ1: Page 82				
XI.	Misc	ellane	ous (continued)		
	J.	Title	30 TAC Chapter 101, Subchapter H (continued)		
*		4.	The application area is located at a site in the Houston/Galveston/Brazoria nonattainment area where the facilities have a collective uncontrolled design capacity to emit 10 tpy or more of NO _X .	□YES	⊠NO
*		5.	The application area includes an electric generating facility permitted under 30 TAC Chapter 116, Subchapter I.	□YES	⊠NO
*		6.	The application area is located at a site in the Houston/Galveston/Brazoria nonattainment area and the site has a potential to emit more than 10 tpy of highly-reactive volatile organic compounds (HRVOC) from facilities covered under 30 TAC Chapter 115, Subchapter H, Divisions 1 and 2.	□YES	⊠NO
*		7.	The application area is located at a site in the Houston/Galveston/Brazoria nonattainment area, the site has a potential to emit 10 tpy or less of HRVOC from covered facilities and the applicant is opting to comply with the requirements of 30 TAC Chapter 101, Subchapter H, Division 6, Highly Reactive VOC Emissions Cap and Trade Program.	□YES	⊠NO
	K.	Perio	odic Monitoring		
*		1.	The applicant or permit holder is submitting at least one periodic monitoring proposal described on Form OP-MON in this application.	□YES	⊠NO
*		2.	The permit currently contains at least one periodic monitoring requirement. If the responses to Questions XI.K.1 and XI.K.2 are both "NO," go to Section XI.L.	□YES	⊠NO
*		3.	All periodic monitoring requirements are being removed from the permit with this application.	□YES	□NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Forn	n OP-	REQ1.	: Page 83	
XI.	Misc	ellane	eous (continued)	
	L.	Com	pliance Assurance Monitoring	
*		1.	The application area includes at least one unit that does not meet the CAM exemptions in 40 CFR § 64.2(b) for all applicable requirements that it is subject to, and the unit has a pre-control device potential to emit greater than or equal to the amount in tons per year required in a site classified as a major source. If the response to Question XI.L.1 is "NO," go to Section XI.M.	□YES ⊠NO
*		2.	The unit or units defined by XI.L.1 are using a control device to comply with an applicable requirement. If the response to Question XI.L.2 is "NO," go to Section XI.M.	□YES □NO
*		3.	The permit holder has submitted a CAM proposal on Form OP-MON in a previous application.	□YES □NO
*		4.	The owner/operator or permit holder is submitting a CAM proposal on Form OP-MON according to the deadlines for submittals in 40 CFR § 64.5 in this application. If the responses to Questions XI.L.3 and XI.L.4 are both "NO," go to Section XI.M.	□YES □NO
		5.	The owner/operator or permit holder is submitting a CAM implementation plan and schedule to be incorporated as enforceable conditions in the permit.	□YES □NO
		6.	Provide the unit identification numbers for the units for which the applicant is sub- implementation plan and schedule in the space below.	omitting a CAM
•		7.	At least one unit defined by XI.L.1 and XI.L.2 is using a CEMS, COMS or PEMS meeting the requirements of 40 CFR § 64.3(d)(2).	□YES □NO
*		8.	All units defined by XI.L.1 and XI.L.2 are using a CEMS, COMS or PEMS meeting the requirements of 40 CFR § 64.3(d)(2). If the response to Question XI.L.8 is "YES," go to Section XI.M.	□YES □NO

Texas Commission on Environmental Quality Application Area-Wide Applicability Determinations and General Information Form OP-REQ1

Federal Operating Permit Program

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Forn	Form OP-REQ1: Page 84						
XI.	XI. Miscellaneous (continued)						
	L.						
*		9.	At least one of the CAM proposals as described by question XI.L.3 or XI.L.4 addresses particulate matter, and the emission unit has a capture system as defined in 40 CFR §64.1.	□YES	□NO		
*		10.	At least one of the CAM proposals as described by question XI.L.3 or XI.L.4 addresses VOC, and the emission unit has a capture system as defined in 40 CFR §64.1.	□YES	□NO		
*		11.	At least one of the CAM proposals as described by question XI.L.3 or XI.L.4 addresses a regulated pollutant other than particulate matter or VOC, and the emission unit has a capture system as defined in 40 CFR §64.1.	□YES	□NO		
*		12.	The control device in the CAM proposal as described by question XI.L.3 or XI.L.4 has a bypass.	YES	□NO		
	M. Title 30 TAC Chapter 113, Subchapter D, Division 5 - Emission Guidelines and Compliance Times						
*		1.	The application area includes at least one air curtain incinerator that commenced construction on or before December 9, 2004. If the response to Question XI.M.1 is "NO," or "N/A," go to Section XII.	□YES	□NO 図N/A		
*	♦ 2. All air curtain incinerators constructed on or before December 9, 2004 combust only wood waste, clean lumber, or yard waste or a mixture of these materials.						
XII.	New	Sourc	e Review (NSR) Authorizations				
	A. Waste Permits with Air Addendum						
•		1.	The application area includes a Municipal Solid Waste Permit or an Industrial Hazardous Waste with an Air Addendum. If the response to XII.A.1 is "YES," include the waste permit numbers and issuance date in Section XII.J.	□YES	⊠NO		

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form	Form OP-REQ1: Page 85							
XII.	XII. New Source Review (NSR) Authorizations (continued)							
	B.	Air Quality Standard Permits						
♦		1.	The application area includes at least one Air Quality Standard Permit NSR authorization.	⊠YES	□NO			
			If the response to XII.B.1 is "NO," go to Section XII.C. If the response to XII.B.1 is "YES," be sure to include the standard permit's registration numbers in Section XII.H and answer XII.B.2 - B.16 as appropriate.					
*		2.	The application area includes at least one "State Pollution Control Project" Air Quality Standard Permit NSR authorization under 30 TAC § 116.617.	□YES	⊠NO			
*		3.	The application area includes at least one non-rule Air Quality Standard Permit for Pollution Control Projects NSR authorization.	□YES	⊠NO			
*		4.	The application area includes at least one "Installation and/or Modification of Oil and Gas Facilities" Air Quality Standard Permit NSR authorization under 30 TAC § 116.620.	□YES	⊠NO			
*		5.	The application area includes at least one non-rule Air Quality Standard Permit for Oil and Gas Handling and Production Facilities NSR authorization.	⊠YES	□NO			
*		6.	The application area includes at least one "Municipal Solid Waste Landfill" Air Quality Standard Permit NSR authorization under 30 TAC § 116.621.	YES	⊠NO			
*		7.	The application area includes at least one "Municipal Solid Waste Landfill Facilities and Transfer Stations" Standard Permit authorization under 30 TAC Chapter 330, Subchapter U.	□YES	⊠NO			
		8.	The application area includes at least one "Concrete Batch Plant" Air Quality Standard Permit NSR authorization.	□YES	⊠NO			
*		9.	The application area includes at least one "Concrete Batch Plant with Enhanced Controls" Air Quality Standard Permit NSR authorization.	□YES	⊠NO			
•		10.	The application area includes at least one "Hot Mix Asphalt Plant" Air Quality Standard Permit NSR authorization.	□YES	⊠NO			

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Forn	Form OP-REQ1: Page 86						
XII.	New Source Review (NSR) Authorizations (continued)						
	B.	Air Quality Standard Permits (continued)					
•		11.	The application area includes at least one "Rock Crusher" Air Quality Standard Permit NSR authorization.	□YES	⊠NO		
*		12.	The application area includes at least one "Electric Generating Unit" Air Quality Standard Permit NSR authorization. If the response to XII.B.12 is "NO," go to Question XII.B.15.	YES	⊠NO		
•		13.	For purposes of "Electric Generating Unit" Air Quality Standard Permit, the application area is located in the East Texas Region.	□YES	⊠NO		
•		14.	For purposes of "Electric Generating Unit" Air Quality Standard Permit, the application area is located in the West Texas Region.	□YES	⊠NO		
•		15.	The application area includes at least one "Boiler" Air Quality Standard Permit NSR authorization.	□YES	⊠NO		
•		16.	The application area includes at least one "Sawmill" Air Quality Standard Permit NSR authorization.	□YES	⊠NO		
	C.	Flexible Permits					
		1.	The application area includes at least one Flexible Permit NSR authorization.	□YES	⊠NO		
	D.	Mult	tiple Plant Permits				
		1.	The application area includes at least one Multi-Plant Permit NSR authorization.	□YES	⊠NO		

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

		1							
Form OP-REQ1: Page 87									
XII. NSR Authorizations (A	Attach a	dditional sheets if neo	cessary	for sections E-J)					
E. PSD Permits and	E. PSD Permits and PSD Major Pollutants								
PSD Permit No.:		Issuance Date:		Pollutant(s):					
PSD Permit No.:		Issuance Date:		Pollutant(s):					
PSD Permit No.:		Issuance Date:		Pollutant(s):					
PSD Permit No.:		Issuance Date:		Pollutant(s):					
If PSD Permits are held for the Technical Forms heading at:									
F. Nonattainment ((NA) Pe	rmits and NA Major	Pollutar	nts					
NA Permit No.:		Issuance Date:		Pollutant(s):					
NA Permit No.:		Issuance Date:		Pollutant(s):					
NA Permit No.:		Issuance Date:		Pollutant(s):					
NA Permit No.:		Issuance Date:	ssuance Date:		Pollutant(s):				
If NA Permits are held for the Technical Forms heading at:									
G. NSR Authorizat	ions wit	h FCAA § 112(g) Req	quireme	nts					
NSR Permit No.:	Issuanc	e Date:	NSR Permit No.:		Issuance Date:				
NSR Permit No.:	Issuanc	e Date: NS		ermit No.:	Issuance Date:				
NSR Permit No.:	Issuanc	e Date:	NSR Permit No.:		Issuance Date:				
NSR Permit No.:	Issuanc	e Date:	NSR Pe	ermit No.:	Issuance Date:				
♦ H. Title 30 TAC Chapter 116 Permits, Special Permits, Standard Permits, Other Authorizations (Other Than Permits By Rule, PSD Permits, NA Permits) for the Application Area									
Authorization No.: 113079	Issuanc	e Date: 2/7/2023	Authori	zation No.:	Issuance Date:				
Authorization No.:	ee Date: Authori		zation No.:	Issuance Date:					
Authorization No.: Issuance Date: Authorization No.: Issuance Date:				Issuance Date:					
Authorization No.:	Issuanc	e Date: Authori		zation No.:	Issuance Date:				

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form OP-REQ1: Page 88	Form OP-REQ1: Page 88					
XII. NSR Authorizations (Attach additional sheets if necessary for sections E-J)						
♦ I. Permits by Rule (30 T.	I. Permits by Rule (30 TAC Chapter 106) for the Application Area					
A list of selected Permits by Rule (previously referred to as standard exemptions) that are required to be listed in the FOP application is available in the instructions.						
PBR No.:	Version No./Date:					
PBR No.:	Version No./Date:					
PBR No.:	Version No./Date:					
PBR No.:	Version No./Date:					
PBR No.:	Version No./Date:					
PBR No.:	Version No./Date:					
PBR No.:	Version No./Date:					
PBR No.:	Version No./Date:					
PBR No.:	Version No./Date:					
PBR No.:	Version No./Date:					
PBR No.:	Version No./Date:					
PBR No.:	Version No./Date:					
PBR No.:	Version No./Date:					
PBR No.:	Version No./Date:					
PBR No.:	Version No./Date:					
PBR No.:	Version No./Date:					
♦ J. Municipal Solid Waste and Industrial Hazardous Waste Permits With an Air Addendum						
Permit No.:	Issuance Date:					
Permit No.:	Issuance Date:					
Permit No.:	Issuance Date:					
Permit No.:	Issuance Date:					

Texas Commission on Environmental Quality Form OP-ACPS Application Compliance Plan and Schedule

Date: 3/18/2024	Regulated Entity No.: RN106892185		Permit No.: O4540	
Company Name: EnLin	Midstream Services, LLC	Area Na	me: Black Creek Compressor Station	

- Part 1 of this form must be submitted with all initial FOP applications and renewal applications.
- The Responsible Official must use Form OP-CRO1 (Certification by Responsible Official) to certify information contained in this form in accordance with 30 TAC § 122.132(d)(8).

Part 1

A.	Compliance Plan — Future Activity Committal Statement				
As th appli	The Responsible Official commits, utilizing reasonable effort, to the following: As the responsible official it is my intent that all emission units shall continue to be in compliance with all applicable requirements they are currently in compliance with, and all emission units shall be in compliance by the compliance dates with any applicable requirements that become effective during the permit term.				
B.	Compliance Certification - Statement for Units in Compliance* (Indicate response by entering an "X" in the appropriate column)				
1.	With the exception of those emission units listed in the Compliance Schedule section of this form (Part 2, below), and based, at minimum, on the compliance method specified in the associated applicable requirements, are all emission units addressed in this application in compliance with all their respective applicable requirements as identified in this application?	⊠ YES □ NO			
2.	Are there any non-compliance situations addressed in the Compliance Schedule Section of this form (Part 2)?	☐ YES ⊠ NO			
3.	If the response to Item B.2, above, is "Yes," indicate the total number of Part 2 attachments included in this submittal. (For reference only)				
*	For Site Operating Permits (SOPs), the complete application should be consulted for applicable requirements and their corresponding emission units when assessing compliance status. For General Operating Permits (GOPs), the application documentation, particularly Form OP-REQ1 should be consulted as well as the requirements contained in the appropriate General Permits portion of 30 TAC Chapter 122.				
	Compliance should be assessed based, at a minimum, on the required monitoring, testing, record keeping, and/or reporting requirements, as appropriate, associated with the applicable requirement in question.				



March 14, 2024 Submitted via STEERS

Air Permits Initial Review Team (APIRT)
Texas Commission on Environmental Quality
12100 Park 35 Circle, MC 161
Building C, Third Floor
Austin, TX 78753

RE: Full Initial Site Operating Permit (SOP) Application

Black Creek Compressor Station, Wise County, Texas

RN106892185 CN604592295

Account No.: WNA2190

Dear APIRT,

EnLink Midstream Services, LLC (EnLink) is submitting this Title V Full Initial Site Operating Permit (SOP) Application for the Black Creek Compressor Station (Facility) in accordance with Title 30 of the Texas Administrative Code (TAC) Chapter 122. The Facility is currently authorized under Non-Rule Standard Permit No. 113079. Basic Facility info is as follows:

• Facility Type: Natural Gas Compressor Station

• Facility Owner/Operator: EnLink Midstream Services, LLC

Regulated Entity: RN106892185
Customer Number: CN604592295
Application Type: Full Initial SOP

This full permit application contains the following forms: OP-1, OP-ACPS, OP-REQ1, OP-SUM, OP-UAs, and OP-REQ3.





Any clarification questions or requests for additional information can be directed to myself via email to jj@resolutecompliance.com or by phone at 972-842-4304 or Mr. Lance Green via email to Lance.Green@enlink.com or by phone at 225-692-6947.

Kind Regards,

Jeff A. Jackson

Vice President EHSR

Encl: Full Initial SOP Application

Cc: Benjamin Aucoin – EnLink Midstream Services, LLC

Lance Green – EnLink Midstream Services, LLC



March 14, 2024 Submitted via STEERS

Ms. Alyssa Taylor Region 4 Air Section Manager Texas Commission On Environmental Quality 309 Gravel Dr. Fort Worth, TX 76118-6951

RE: Full Initial Site Operating Permit (SOP) Application

Black Creek Compressor Station, Wise County, Texas

RN106892185 CN604592295

Account No.: WNA2190

Dear Ms. Taylor,

Please find enclosed a copy of the Title V Full Initial Site Operating Permit (SOP) Application submitted to the Texas Commission on Environmental Quality (TCEQ).

Any clarification questions or requests for additional information can be directed to myself via email to jj@resolutecompliance.com or by phone at 972-842-4304 or Mr. Lance Green at lance.green@enlink.com and 225-692-6947.

Kind Regards,

Jeff A. Jackson

Vice President EHSR

Encl: Full Initial SOP Application

Cc: Benjamin Aucoin – EnLink Midstream Services, LLC

Lance Green – EnLink Midstream Services, LLC





March 14, 2024 Submitted via STEERS

Environmental Protection Agency, Region 6 Air Permits Section (ARPE) Renaissance Tower 1201 Elm St., Suite 500 Dallas, Texas 75270-2102

Delivered via Email to R6AirPermitsTX@epa.gov

RE: Full Initial Site Operating Permit (SOP) Application

Black Creek Compressor Station, Wise County, Texas

RN106892185 CN604592295

Account No.: WNA2190

Dear Air Permits Section,

Please find enclosed a copy of the Title V Full Initial Site Operating Permit (SOP) Application submitted to the Texas Commission on Environmental Quality (TCEQ).

Any clarification questions or requests for additional information can be directed to myself via email to jj@resolutecompliance.com or by phone at 972-842-4304 or Mr. Lance Green at lance.green@enlink.com and 225-692-6947.

Kind Regards,

Jeff A. Jackson

Vice President EHSR

Encl: Full Initial SOP Application

Cc: Benjamin Aucoin – EnLink Midstream Services, LLC Lance Green – EnLink Midstream Services, LLC



Federal Operating Permit Initial Application

Site Operating Permit (SOP) O4540

Black Creek Compressor Station

Wise County, Texas

EnLink Midstream Services, LLC

RN106892185

CN604592295

Date: March 14, 2024

Prepared by:

Jeff A. Jackson – Vice President EHSR

Resolute Compliance, LLC

115 FM 2453, Suite A

Royse City, TX 75189

www.ResoluteCompliance.com



TABLE OF CONTENTS

Section 1.0	INTROD	UCTION	5
Forms			5
Figures			5
Section 2.0	PROCES	S DESCRIPTION	6
Section 3.0	CONSTR	RUCTION PERMIT AUTHORIZATIONS	7
Section 4.0	STATE A	AND FEDERAL REGULATORY SUMMARY	8
Section 4.1	State	Regulatory Applicability	8
Section 4	4.1.1	Preconstruction Authorization	8
Section 4	4.1.2	30 Texas Administrative Code (TAC) 101 Applicability	8
Section 4	4.1.3	30 TAC 111 Applicability	8
Section 4	4.1.4	30 TAC 115 Applicability	8
Section 4	4.1.5	30 TAC 117 Applicability	9
Section 4	4.1.6	30 TAC 122 Applicability	.0
Section 4.2	. Pote	entially Applicable Federal Regulations	.2
Section 4	4.2.1	40 CFR Part 60 Subpart A - General Provisions	.2
Section 4	4.2.2	40 CFR Part 60 Subpart K, Ka, Kb – Volatile Organic Liquid Storage Vessels (Including Petroleum Liquid	t
Storage '	Vessels)	12	
Section 4	4.2.3	40 CFR Part 60 Subpart KKK - Equipment Leaks of VOC From Onshore Natural Gas Processing Plants 1	.2
Section 4	4.2.4	40 CFR Part 60 Subpart IIII – Stationary Compression Ignition Internal Combustion Engine	.2
Section 4	4.2.5	40 CFR Part 60 Subpart JJJJ - Stationary Spark Ignition Internal Combustion Engines	.2

Section 4.2.6	40 CFR Part 60 Subpart OOOO - Standards of Performance for Crude Oil and Natural Gas Facilities for
Which Construction	on, Modification, or Reconstruction Commenced After August 23, 2011, and on or Before September
18, 2015	12
Section 4.2.7	40 CFR Part 60 Subpart OOOOa - Crude Oil and Natural Gas Facilities for which Construction,
Modification or R	econstruction Commenced After September 18, 2015
Section 4.2.8	40 CFR Part 60 Subpart OOOOb – Crude Oil and Natural Gas Facilities for which Construction,
Modification or R	econstruction Commenced After November 15, 2021
Section 4.2.9	40 CFR Part 61 Subpart A – General Provisions
Section 4.2.10	40 CFR Part 63 Subpart A – General Provisions
Section 4.2.11	40 CFR Part 63 Subpart HH - Oil and Natural Gas Production Facilities
Section 4.2.12	40 CFR Part 63 Subpart ZZZZ - Stationary Reciprocating Internal Combustion Engines
Section 4.2.13	40 CFR Part 63 Subpart DDDDD - Industrial, Commercial, and Institutional Boilers and Process Heaters
Major Sources	14
Section 4.2.14	40 CFR Part 63 Subpart JJJJJJ - Industrial, Commercial, and Institutional Boilers Area Sources 14
Section 4.2.15	40 CFR Part 64 Compliance Assurance Monitoring
Section 4.2.16	40 CFR Part 68 Chemical Accident Prevention Provisions

FORMS

FIGURES

ATTACHMENTS

FORMS

FIGURES

FIGURE 1 – AREA MAP

FIGURE 2 – PROCESS FLOW DIAGRAM

ATTACHMENTS

ATTACHMENT A – CURRENT CONSTRUCTION AUTHORIZATION MAERT

SECTION 1.0 INTRODUCTION

EnLink Midstream Services, LLC (EnLink) is seeking to obtain an initial Site Operating Permit (SOP) for the Black Creek Compressor Station (Facility).

EnLink is submitting this SOP initial application as a follow-up to an abbreviated SOP application, which was submitted on November 2, 2023.

A Maximum Allowable Emission Rate Table (MAERT) extracted from the most recent construction authorization for the Facility is provided in Attachment A.

The remainder of this application includes all required forms, figures, and regulatory applicability information required for an SOP initial application. A summary of provided materials is as follows:

FORMS

- OP-1 Site Information Summary
- OP-ACPS Application Compliance Plan and Schedule
- OP-REQ1 Area Wide Applicability Determination
- OP-SUM Individual Unit Summary
- Applicable Unit Attribute (UA) Forms
 - o OP-UA2 Stationary Reciprocating Internal Combustion Engine Attributes
 - OP-UA3 Storage Tank/Vessel Attributes
 - OP-UA4 Loading Operations Attributes
 - OP-UA5 Process Heater Attributes
 - OP-UA12 Fugitive Emission Unit Attributes
 - OP-UA62 Glycol Dehydration Unit Attributes
- OP-REQ3 Applicable Requirements Summary

FIGURES

- Area Map
- Process Flow Diagram

The following sections provide a process description, a summary of pre-construction authorizations, and potentially applicable State and Federal Requirements in support of this application.

SECTION 2.0 PROCESS DESCRIPTION

The Facility receives natural gas from natural gas wells located in Wise County and adjacent counties through a network of gathering pipelines. The inlet natural gas enters the Station and is routed to an inlet slug catcher to remove any entrained liquid. The gas is then routed to inlet filters to remove any particulates, then through a suction scrubber, and finally, sent for compression to the compressor engines (Facility Identification Numbers [FINs] E-06A, and E-07). The compressed gas is transported offsite via pipeline.

A small portion of the inlet gas is routed to a triethylene (TEG) glycol dehydration unit (FIN DEHY1), which removes water from the gas through contact with glycol. The rich glycol (water saturated) is routed to the reboiler (FIN H-1), which heats the glycol and vaporizes water from the stream. The lean glycol is then recycled back to the dehydration unit. The dehydration unit is equipped with a flash tank and BTEX condenser. The flash gas and BTEX condenser vapors are routed to the reboiler for 98% control efficiency. The dry gas is then sent to a JT skid to remove additional liquids. The resulting dry gas is used as fuel for the Facility's combustion units. Liquids from the JT skid are transported off-site via pipeline.

The liquids from the inlet slug catcher are re-injected into the gas stream for downstream processing and are not routed to the storage tanks. Liquids from the inlet filter and compressor 1st stage suction scrubber drains, along with water from the skid drains, are routed to two (2) 300 barrel (bbl) produced liquid storage tanks (FINs TK-1 and TK-2), and then trucked off-site (FIN LL-01). One (1) 500 gal Antifreeze and one (1) 500 gal Lube Oil Tank are on-Site for operational needs.

The Facility also includes VOC emissions from piping and fugitive components (FIN SF-01) and maintenance operations (FIN MSS).

One additional compressor engine (E-04A) is permitted but is not operational.

A process flow diagram is presented in Figure 2.

SECTION 3.0 CONSTRUCTION PERMIT AUTHORIZATIONS

The Facility is authorized under Non-Rule Standard Permit (NRSP) Registration No. 113079 with the most recent update on June 30, 2022. This single registration covers all emissions sources from routine operations and maintenance, startup, and shutdown (MSS) operations at the Facility.

There are no other active construction permit authorizations associated with the Facility.

SECTION 4.0 STATE AND FEDERAL REGULATORY SUMMARY

The following sub sections provide a summary of State and Federal Regulatory applicability.

SECTION 4.1 STATE REGULATORY APPLICABILITY

Section 4.1.1 Preconstruction Authorization

The Facility is authorized under NRSP No. 113079 issued February 7, 2023. The Facility currently complies with the applicable terms and conditions of the NRSP.

Section 4.1.2 30 Texas Administrative Code (TAC) 101 Applicability

The Facility is subject to the Emissions Inventory Requirements of 30 TAC §101.10 since it has a potential to emit greater than major source thresholds. Actual Facility emissions will be evaluated and reported as appropriate.

Section 4.1.3 30 TAC 111 Applicability

The Facility is subject to the visible emissions requirements of 30 TAC §111.111 and will not exceed the applicable opacity limits for each respective source.

Section 4.1.4 30 TAC 115 Applicability

The Facility is located in Wise County, which is currently classified as severe nonattainment for the 8-hour ozone standard.

Chapter 115, Subchapter B, Division 1 contains requirements for storage tanks in which volatile organic compounds (VOCs) are placed, stored, or held. The Facility storage vessels store VOCs with a true vapor pressure less than 1.5 pounds per square inch absolute (psia); therefore, they are exempt from the storage tank controls requirements in §115.111-119 per 30 TAC §115.111(a)(1).

Chapter 115, Subchapter B, Division 2 contains requirements for vent gas streams, including those from a glycol dehydrator still vent per §115.121(a)(1). Glycol dehydrator still vents are required to be controlled according to §115.122(a)(1). The still vent stream associated with DEHY1 is routed to the glycol reboiler, as allowed in §115.122(a)(1)(C). EnLink will continue to maintain records of appropriate operating parameters in accordance with §115.126(1)(C).

Chapter 115, Subchapter B, Division 3 contains requirements for water separators. The Facility has separator(s) that separate material having a true vapor pressure of VOC less than 0.5 psia; therefore, the water separators are exempt from the requirements in §115.131-139 per 30 TAC §115.137(a)(2).

Chapter 115, Subchapter B, Division 7 contains requirements for various emission sources located at compressor stations including centrifugal compressors, reciprocating compressors, pneumatic controllers, and fugitive emission components. All fugitive components are subject to monitoring, recordkeeping, and requirements thereunder.

Chapter 115, Subchapter C, Division 1 contains requirements for loading and unloading of VOCs. The Facility loads and unloads VOCs with a true vapor pressure less than 0.5 psia; therefore, it is exempt from the requirements in §115.211-259, except for inspection and recordkeeping requirements, per 30 TAC §115.217(a)(1).

The Facility will maintain records sufficient to demonstrate continuous compliance with these exemptions. There are no other subject sources located at the Facility.

Section 4.1.5 30 TAC 117 Applicability

The Facility is located in Wise County, has nitrogen oxides (NOx) emissions of less than 50 tons per year (TPY), and has not previously been classified as a major source under this regulation.

The Facility is in the geographic area of applicability but is not a major source of NOx under this rule; therefore, it is not subject to the requirements of §117.400-456.

The Facility is in the geographic area of applicability and is a minor source of NOx under this rule; therefore, it is subject to the requirements of §117.2100-2145. The Facility compressor engines are gas-fired lean-burn stationary reciprocating internal combustion engines placed into service on or after June 1, 2007; therefore, they are subject to the emissions specifications of 30 TAC §117.2110(a)(1)(B)(ii)(II). A summary of requirements per engine is as follows:

EPN	Source Description	Applicable Standard per 30 TAC §117
E-04A	CAT G3608 A4, 4SLB, 2500 HP	0.5 g/hp-hr NOx
E-06A	CAT G3608 A4, 4SLB, 2500 HP	0.5 g/hp-hr NOx
E-07	CAT G3615J, 4SLB, 1380 HP	0.5 g/hp-hr NOx

The Facility will comply with the monitoring and testing requirements of §117.8000-8140 and the compliance schedule and compliance flexibility requirements of §117.9000-9810, as applicable.

There are no other subject sources located at the Facility.

Section 4.1.6 30 TAC 122 Applicability

The Facility meets the definition of a "Major source" per 30 TAC §122.10 (13)(D)(iii) for sites in any ozone nonattainment area classified as "severe" with a potential to emit of 25 TPY or more of oxides of nitrogen (NOx). With this application, the Facility is applying for an initial Federal Operating Permit (FOP).

Compliance Assurance Monitoring (CAM) Applicability

CAM is required for any air emission source operating under an SOP if the source meets all of the following criteria, as described in Title 30 TAC 122.604:

- 122.604(b)(1) The emission unit is subject to an emission limitation or standard for an air pollutant (or surrogate thereof) in an applicable requirement.
- 122.604(b)(2) The emission unit uses a control device to achieve compliance with the emission limitation or standard.
- 122 .604(b)(3) The emission unit has pre-control device potential to emit greater than or equal to the amount in tons per year required for a site to be classified as a major source.

Even if the three criteria above are met, CAM does not apply to the following:

- 122.604(c)(1) Emission limitations or standards proposed by the EPA after November 15, 1990, under FCAA, 111 (Standards of Performance for New Stationary Sources) or 112 (Hazardous Air Pollutants).
- 122.604(c)(2) Emission limitations or standards under FCAA, Title VI (Stratospheric Ozone Protection).
- 122.604(c)(3) Emission limitations or standards under FCAA, Title IV (Rain Program).
- 122.604(c)(4) Emission limitations or standards that apply solely under an emissions trading program approved or promulgated by the EPA under the FCAA that allows for trading emissions.
- 122.604(c)(5) Emission caps that meet the requirements specified in 40 Code of Federal Regulations (CFR) 70.4(b)(12) (State Program Submittals and Transition).
- 122.604(c)(6) Emission limitations or standards for which an applicable requirement specifies a continuous compliance determination method, unless the applicable compliance method includes an assumed control device emission reduction factor that could be affected by the actual operation and maintenance of the control device.
- 122.604(c)(7) Other emission limitations or standards specified as exempt by the EPA.

The Facility is not subject to the CAM requirements of §122.604 as follows:

- 1. E-04A, E-06A, and E-07 pre-control device CO emissions from each unit are more than major source levels, however each engine is subject to NSPS JJJJ not subject.
- 2. DEHY1 Still vent emissions are reduced by BTEX condenser and reboiler. Flash tank emissions are recycled to the process and used for fuel. The definition of "control device" in MACT HH states that injecting vapor into the flame zone of an enclosed combustion device and/or returning the vapor back to the process is not considered to be a "control device." Emissions of VOC and benzene after reductions are less than major source levels not subject.

PM Applicability

PM applies to an emission unit at a site provided the emission unit is subject to an emission limitation or standard in an applicable requirement, as described in Title 30 TAC 122.604.PM does not apply to emission limitations or standards where the applicable requirement includes sufficient monitoring that will provide reliable data for the relevant time period associated with compliance with the applicable requirement, as described in Title 30 TAC 122.602(b). Emissions limitations or standards that do not require PM include, but are not limited to, the following:

- 122.602(b)(1) Emission limitations or standards proposed by the EPA after November 15, 1990 under FCAA, 111 (Standards of Performance for New Stationary Sources) or 112 (Hazardous Air Pollutants).
- 122.602(b)(2) Emission limitations or standards under FCAA, Title IV (the Acid Rain Program).
- 122.602(b)(3) Emission limitations or standards for which an applicable requirement specifies a continuous compliance determination method, unless the applicable compliance method includes an assumed control device emission reduction factor that could be affected by the actual operation and maintenance of the control device.
- 122.602(b)(4) Other emission limitations or standards specified as exempt by the EPA.

There are no applicable sources at the Facility.

SECTION 4.2 POTENTIALLY APPLICABLE FEDERAL REGULATIONS

Section 4.2.1 40 CFR Part 60 Subpart A - General Provisions

The General Provisions of the New Source Performance Standards (NSPS) apply to all sources with applicable NSPS Subparts and detail the general notification, recordkeeping, testing, monitoring, and reporting requirements that are common to affected NSPS sources. Individual NSPS Subparts detail the specific applicability of the Subpart A General Provisions.

Specific control device requirements pertaining to flares are detailed in 40 CFR §60.18(b), however, there are no flares operated at the Facility.

Section 4.2.2 40 CFR Part 60 Subpart K, Ka, Kb – Volatile Organic Liquid Storage Vessels (Including Petroleum Liquid Storage Vessels)

The Facility storage tanks T-1 and T-2 are not subject to 40 CFR Part 60 Subparts K, Ka, or Kb. The tanks were constructed after the applicable date of Subpart Kb, but each has a storage capacity less than 75 m³ (~472-bbl).

Section 4.2.3 40 CFR Part 60 Subpart KKK - Equipment Leaks of VOC From Onshore Natural Gas Processing Plants Fugitive equipment leaks at the Facility are not subject to this Subpart since the Facility is not a natural gas processing plant.

Section 4.2.4 40 CFR Part 60 Subpart IIII – Stationary Compression Ignition Internal Combustion Engine
There are no compression ignition engines at the Facility.

Section 4.2.5 40 CFR Part 60 Subpart JJJJ - Stationary Spark Ignition Internal Combustion Engines

The operational reciprocating internal combustion engines at the Facility (E-06A, and E-07) are lean-burn engine and they each have a horsepower (hp) rating greater than 1,350-hp. E-06A, and E-07 were manufactured on December 1, 2017 and June 07, 2012, respectively (after July 1, 2010); therefore, they are subject to the applicable emission limits in Table 1 of this Subpart. EnLink will comply with all applicable requirements.

Section 4.2.6 40 CFR Part 60 Subpart OOOO - Standards of Performance for Crude Oil and Natural Gas Facilities for Which Construction, Modification, or Reconstruction Commenced After August 23, 2011, and on or Before September 18, 2015

The Facility was modified after August 23, 2011, and is therefore potentially subject to this Subpart.

The Facility is not a well site or a gas plant and there are no centrifugal compressors at the Facility.

The reciprocating compressor associated with E-07 was manufactured in November 2014; therefore, it is subject to this Subpart. The reciprocating compressor associated with E-06A was manufactured after September 18, 2015; and is therefore not subject to this Subpart.

Pneumatic controllers constructed after August 23, 2011, and before September 18, 2015, are low-bleed and therefore not subject.

The storage vessels (TK-1 and T-2) at the Facility were constructed after August 23,2011 and on or before September 18, 2015; and are therefore potentially subject. However, VOC emissions are less than 6 tpy per tank and are therefore not subject to this Subpart.

Section 4.2.7 40 CFR Part 60 Subpart OOOOa - Crude Oil and Natural Gas Facilities for which Construction, Modification or Reconstruction Commenced After September 18, 2015

The Facility is not a well site or a gas plant and there are no centrifugal compressors at the Facility.

The reciprocating compressor associated with E-06A was manufactured after September 18, 2015; and will be monitored for operation time and packing rod replacements as required by this Subpart.

Pneumatic controllers are low-bleed and therefore not subject.

The storage vessels at the Facility were constructed prior to September 18, 2015; therefore, they are not subject to this Subpart.

The Facility was constructed prior to the applicability date of this Subpart, but modified since September 18, 2015; however no additional engines have been installed and replacement engines have been of equal or lesser horsepower since initial construction and does constitute a modification for a compressor station for the purposes of §60.5397a per §60.5365a(j)(2) and is not subject to fugitive monitoring requirements for compressor stations under Subpart OOOOa.

Section 4.2.8 40 CFR Part 60 Subpart OOOOb – Crude Oil and Natural Gas Facilities for which Construction, Modification or Reconstruction Commenced After December 6, 2022

No affected sources were constructed, reconstructed, or modified after the applicability date of December 6, 2022, and therefore not subject to this Subpart.

Section 4.2.9 40 CFR Part 61 Subpart A – General Provisions

The Facility does not operate any sources subject to the National Emission Standards for Hazardous Air Pollutants under 40 CFR Part 61.

Section 4.2.10 40 CFR Part 63 Subpart A – General Provisions

The General Provisions of the National Emission Standards for Hazardous Air Pollutants (NESHAP) apply to all sources with applicable NESHAP Subparts and detail the general notification, recordkeeping, testing, monitoring, and reporting requirements that are common to affected NESHAP sources. Individual NESHAP Subparts detail the specific applicability of the Subpart A General Provisions.

Specific control device requirements pertaining to flares are detailed in 40 CFR §63.11(b), however, there are no flares operated at the Facility.

Section 4.2.11 40 CFR Part 63 Subpart HH - Oil and Natural Gas Production Facilities

The Facility is an area source of Hazardous Air Pollutants (HAP) and operates DEHY1, a triethylene glycol (TEG) dehydration unit with benzene emissions less than 1 TPY; therefore, it is subject to the recordkeeping provisions of §63.774 in this Subpart.

Section 4.2.12 40 CFR Part 63 Subpart ZZZZ - Stationary Reciprocating Internal Combustion Engines

The Facility operates reciprocating internal combustion engines (E-06A, and E-07) that are subject to this Subpart. Each engine is subject to NSPS Subpart JJJJ and will comply with this Subpart through compliance with NSPS Subpart JJJJ.

Section 4.2.13 40 CFR Part 63 Subpart DDDDD - Industrial, Commercial, and Institutional Boilers and Process Heaters Major Sources

The Facility is a minor source of HAPs and does not operate applicable units subject to this Subpart.

Section 4.2.14 40 CFR Part 63 Subpart JJJJJJ - Industrial, Commercial, and Institutional Boilers Area Sources

The Facility is an area source of HAPs but does not operate applicable units subject to this Subpart.

Section 4.2.15 40 CFR Part 64 Compliance Assurance Monitoring

The Facility is not subject to the CAM requirements as discussed in the 30 TAC 122 applicability section above.

Section 4.2.16 40 CFR Part 68 Chemical Accident Prevention Provisions

The Facility is not subject to the Chemical Accident Prevention Provisions of 40 CFR Part 68 as the Facility does not contain more than a threshold quantity of a regulated substance in a process.



- OP-1 Site Information Summary
- OP-ACPS Application Compliance Plan and Schedule
- OP-REQ1 Area Wide Applicability Determination
- OP-SUM Individual Unit Summary
- Applicable Unit Attribute (UA) Forms
 - OP-UA2 Stationary Reciprocating Internal Combustion Engine Attributes
 - OP-UA3 Storage Tank/Vessel Attributes
 - OP-UA4 Loading Operations Attributes
 - OP-UA5 Process Heater Attributes
 - OP-UA12 Fugitive Emission Unit Attributes
 - o OP-UA62 Glycol Dehydration Unit Attributes
- OP-REQ3 Applicable Requirements Summary

FORM LIST

Federal Operating Permit Program Site Information Summary Form OP-1 (Page 1) Texas Commission on Environmental Quality

Please print or type all information. Direct any questions regarding this application form to the Air Permits Division at (512) 239-1250 or to the Texas Commission on Environmental Quality, Office of Air, Air Permits Division (MC 163), P.O. Box 13087, Austin, Texas 78711-3087.

I.	Company Identifying Information			
A.	Company Name: EnLink Midstream Services, LLC			
B.	Customer Reference Number (CN): CN604592295			
C.	Submittal Date (mm/dd/yyyy):03/18/24			
II.	Site Information			
A.	Site Name: Black Creek Compressor Station			
В.	Regulated Entity Reference Number (RN): RN106892185			
C.	Indicate affected state(s) required to review permit application: (Check the appropriate box[es].)			
☐ A	R CO KS LA NM OK N/A			
D.	D. Indicate all pollutants for which the site is a major source based on the site's potential to emit: (Check the appropriate box[es].)			
⊠V	$OC extstyle NO_X extstyle SO_2 extstyle PM_{10} extstyle CO extstyle Pb extstyle HAPS$			
Othe				
E.	Is the site a non-major source subject to the Federal Operating Permit Program?			
F.	Is the site within a local program area jurisdiction? ☐ YES ☒ NO			
G.	Will emissions averaging be used to comply with any Subpart of 40 CFR Part 63? ☐ YES ☒ NO			
H.	H. Indicate the 40 CFR Part 63 Subpart(s) that will use emissions averaging:			
III.	Permit Type			
A.	Type of Permit Requested: (Select only one response)			
⊠ Si	ite Operating Permit (SOP)			

Federal Operating Permit Program Site Information Summary Form OP-1 (Page 2)

IV.	Initial Application Information (Complete for Initial Issuance Applications Only.)			
A.	Is this submittal an abbreviated or a full application?	☐ Abbreviated ⊠ Full		
B.	If this is a full application, is the submittal a follow-up to an abbreviated application?	∑ YES ☐ NO		
C.	If this is an abbreviated application, is this an early submittal for a combined SOP and Acid Rain permit?	☐ YES ☐ NO		
D.	Has an electronic copy of this application been submitted (or is being submitted) to EPA (Refer to the form instructions for additional information.)	? ⊠ YES □ NO		
Е.	Has the required Public Involvement Plan been included with this application?	⊠ YES □ NO		
V.	Confidential Information			
A.	Is confidential information submitted in conjunction with this application?	☐ YES ⊠ NO		
VI.	Responsible Official (RO) Identifying Information			
RO N	Name Prefix: (Mr. Mrs. Mrs. Dr.)			
RO I	Full Name: Timothy Patton Copeland II			
RO T	Title: Director of Operations			
Emp	loyer Name: EnLink Midstream Services, LLC			
Mail	ing Address: 415 Private Road 3502			
City:	Bridgeport			
State	: TX			
ZIP (Code: 76426			
Terri	Territory:			
Cour	Country: USA			
Foreign Postal Code:				
Inter	nal Mail Code:			
Telej	Telephone No.: (940) 683-1121			
Fax 1	Fax No.:			
Emai	Email: Patton.Copeland@enlink.com			

Federal Operating Permit Program Site Information Summary Form OP-1 (Page 3)

VII. Technical Contact Identifying Information (Complete if different from RO.)	
Technical Contact Name Prefix: (Mr. Mrs. Mrs. Dr.)	
Technical Contact Full Name: Lance Green	
Technical Contact Title: Lead Environmental Permitting Specialist	
Employer Name: EnLink Midstream Services, LLC	
Mailing Address: 1722 Routh St, Ste 1300	
City: Dallas	
State: TX	
ZIP Code: 75201	
Territory:	
Country: USA	
Foreign Postal Code:	
Internal Mail Code:	
Telephone No.: (225) 692-6947	
Fax No.:	
Email: Lance.Green@enlink.com	
VIII. Reference Only Requirements (For reference only.)	
A. State Senator: Tan Parker	
B. State Representative: Lynn Stucky	
C. Has the applicant paid emissions fees for the most recent agency fiscal year (Sept. 1 - August 31)?	☐ YES ☐ NO ⊠ N/A
D. Is the site subject to bilingual notice requirements pursuant to 30 TAC § 122.322?	⊠ YES □ NO
E. Indicate the alternate language(s) in which public notice is required: Spanish	

Federal Operating Permit Program Site Information Summary Form OP-1 (Page 4)

IX.	Off-Site Permit Request (Optional for applicants requesting to hold the FOP and records at an off-site location.)
A.	Office/Facility Name:
B.	Physical Address:
City:	
State:	
ZIP C	Code:
Territ	cory:
Coun	try:
Forei	gn Postal Code:
C.	Physical Location:
D.	Contact Name Prefix: (Mr. Mrs. Dr.)
Conta	act Full Name:
Ε.	Telephone No.:
X.	Application Area Information
A.	Area Name: Black Creek Compressor Station
В.	Physical Address: 873 CR 2360
City:	Decatur
State:	TX
ZIP C	Code: 76234
C.	Physical Location:
D.	Nearest City:
Ε.	State:
F.	ZIP Code:

Federal Operating Permit Program Site Information Summary Form OP-1 (Page 5)

X.	Application Area Information (continued)		
G.	Latitude (nearest second): 33° 20' 5" N		
Н.	Longitude (nearest second): 97° 34' 46"W		
I.	Are there any emission units that were not in compliance with the applicable requirements identified in the application at the time of application submittal?		
J.	Indicate the estimated number of emission units in the application area: 12		
K.	Are there any emission units in the application area subject to the Acid Rain Program?		
XI.	Public Notice (Complete this section for SOP Applications and Acid Rain Permit Applications only.)		
A.	Name of a public place to view application and draft permit: Decatur Public Library		
B.	Physical Address: 1700 S FM 51		
City:	: Decatur		
ZIP	Code:76234		
C.	Contact Person (Someone who will answer questions from the public during the public notice period):		
Cont	act Name Prefix: (Mr. Mrs. Mrs. Dr.):		
Cont	act Person Full Name: Lance Green		
Cont	act Mailing Address: 1722 Routh St, Ste 1300		
City:	: Dallas		
State	v: TX		
ZIP (ZIP Code: 75201		
Territory:			
Country: USA			
Foreign Postal Code:			
Inter	Internal Mail Code:		
Tele	Telephone No.: (225) 692-6947		

Federal Operating Permit Program Site Information Summary Form OP-1 (Page 6)

XII. Delinquent Fees and Penalties
Notice: This form will not be processed until all delinquent fees and/or penalties owed to the TCEQ or the Office of Attorney General on behalf of the TCEQ are paid in accordance with the "Delinquent Fee and Penalty Protocol."
Complete Sections XIII and XIV for Acid Rain Permit and CSAPR applications only. Please include a copy of the Certificate of Representation submitted to EPA.
XIII. Designated Representative (DR) Identifying Information
DR Name Prefix: (Mr. Mrs. Dr.)
DR Full Name:
DR Title:
Employer Name:
Mailing Address:
City:
State:
ZIP Code:
Territory:
Country:
Foreign Postal Code:
Internal Mail Code:
Telephone No.:
Fax No.:
Email:

Federal Operating Permit Program Site Information Summary Form OP-1 (Page 7) Texas Commission on Environmental Quality

Complete Sections XIII and XIV for Acid Rain Permit and CSAPR applications only. Please include a copy of the Certificate of Representation submitted to EPA.		
XIV. Alternate Designated Representative (ADR) Identifying Information		
ADR Name Prefix: (Mr. Mrs. Ms. Dr.)		
ADR Full Name:		
ADR Title:		
Employer Name:		
Mailing Address:		
City:		
State:		
ZIP Code:		
Territory:		
Country:		
Foreign Postal Code:		
Internal Mail Code:		
Telephone No.:		
Fax No.:		
Email:		

Texas Commission on Environmental Quality Form OP-ACPS Application Compliance Plan and Schedule

Date: 3/18/2024	Regulated Entity No.: RN106892185		Permit No.: O4540
Company Name: EnLink Midstream Services, LLC			me: Black Creek Compressor Station

- Part 1 of this form must be submitted with all initial FOP applications and renewal applications.
- The Responsible Official must use Form OP-CRO1 (Certification by Responsible Official) to certify information contained in this form in accordance with 30 TAC § 122.132(d)(8).

Part 1

Α.	Compliance Plan — Future Activity Committal Statement		
As tl appl	The Responsible Official commits, utilizing reasonable effort, to the following: As the responsible official it is my intent that all emission units shall continue to be in compliance with all applicable requirements they are currently in compliance with, and all emission units shall be in compliance by the compliance dates with any applicable requirements that become effective during the permit term.		
В.	Compliance Certification - Statement for Units in Compliance* (Indicate response by entering an "X" in the appropriate column)		
1.	With the exception of those emission units listed in the Compliance Schedule section of this form (Part 2, below), and based, at minimum, on the compliance method specified in the associated applicable requirements, are all emission units addressed in this application in compliance with all their respective applicable requirements as identified in this application?	⊠ YES □ NO	
2.	Are there any non-compliance situations addressed in the Compliance Schedule Section of this form (Part 2)?	☐ YES ⊠ NO	
3.	If the response to Item B.2, above, is "Yes," indicate the total number of Part 2 attachments included in this submittal. (For reference only)		
*	For Site Operating Permits (SOPs), the complete application should be consulted for applicable requirements and their corresponding emission units when assessing compliance status. For General Operating Permits (GOPs), the application documentation, particularly Form OP-REQ1 should be consulted as well as the requirements contained in the appropriate General Permits portion 30 TAC Chapter 122.		
	Compliance should be assessed based, at a minimum, on the required monitoring, test keeping, and/or reporting requirements, as appropriate, associated with the applicable question.		

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

For	Form OP-REQ1: Page 1								
I.	Title	Title 30 TAC Chapter 111 - Control of Air Pollution from Visible Emissions and Particulate Matter							
	Α.	A. Visible Emissions							
*		1.	The application area includes stationary vents constructed on or before January 31, 1972.	□YES	⊠NO				
•		2.	The application area includes stationary vents constructed after January 31, 1972. If the responses to Questions I.A.1 and I.A.2 are both "NO," go to Question I.A.6. If the response to Question I.A.1 is "NO" and the response to Question I.A.2 is "YES," go to Question I.A.4.	⊠YES	□NO				
•		3.	The application area is opting to comply with the requirements for stationary vents constructed after January 31, 1972 for vents in the application area constructed on or before January 31, 1972.	□YES	□NO				
♦		4.	All stationary vents are addressed on a unit specific basis.	□YES	⊠NO				
•		5.	Test Method 9 (40 CFR Part 60, Appendix A, Method 9 - Visual Determination of the Opacity of Emissions from Stationary Sources) is used to determine opacity of emissions in the application area.	⊠YES	□NO				
♦		6.	The application area includes structures subject to 30 TAC § 111.111(a)(7)(A).	□YES	⊠NO				
♦		7.	The application area includes sources, other than those specified in 30 TAC § 111.111(a)(1), (4), or (7), subject to 30 TAC § 111.111(a)(8)(A).	□YES	⊠NO				
♦		8.	Emissions from units in the application area include contributions from uncombined water.	⊠YES	□NO				
•		9.	The application area is located in the City of El Paso, including Fort Bliss Military Reservation, and includes solid fuel heating devices subject to 30 TAC § 111.111(c).	□YES	⊠NO □N/A				

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

For	Form OP-REQ1: Page 2						
I.	Title 30 TAC Chapter 111 - Control of Air Pollution from Visible Emissions and Particulate Matter (continued)						
	B.	B. Materials Handling, Construction, Roads, Streets, Alleys, and Parking Lots					
		1.	Item	ns a - d determines applicability of any of these requirements based on geogra	phical loc	ation.	
♦			a.	The application area is located within the City of El Paso.	□YES	⊠NO	
*			b.	The application area is located within the Fort Bliss Military Reservation, except areas specified in 30 TAC § 111.141.	□YES	⊠NO	
*			c.	The application area is located in the portion of Harris County inside the loop formed by Beltway 8.	□YES	⊠NO	
*			d.	The application area is located in the area of Nueces County outlined in Group II state implementation plan (SIP) for inhalable particulate matter adopted by the TCEQ on May 13, 1988.	□YES	⊠NO	
			If there is any "YES" response to Questions I.B.1.a - d, answers Questions I.B.2.a - d. If all responses to Questions I.B.1.a-d are "NO," go to Section I.C.				
		2.	Item	as a - d determine the specific applicability of these requirements.			
♦			a.	The application area is subject to 30 TAC § 111.143.	□YES	□NO	
♦			b.	The application area is subject to 30 TAC § 111.145.	□YES	□NO	
•			c.	The application area is subject to 30 TAC § 111.147.	□YES	□NO	
•			d.	The application area is subject to 30 TAC § 111.149.	□YES	□NO	
	C.	Em	issions	Limits on Nonagricultural Processes			
•		1.		application area includes a nonagricultural process subject to 30 TAC 1.151.	⊠YES	□NO	
		2.	subj	application area includes a vent from a nonagricultural process that is ect to additional monitoring requirements. e response to Question I.C.2 is "NO," go to Question I.C.4.	□YES	⊠NO	
		3.		vents from nonagricultural process in the application area are subject to tional monitoring requirements.	□YES	□NO	

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Forn	Form OP-REQ1: Page 3						
I.		Fitle 30 TAC Chapter 111 - Control of Air Pollution from Visible Emissions and Particulate Matter (continued)					
	C.	Emi					
		4.	The application area includes oil or gas fuel-fired steam generators subject to 30 TAC §§ 111.153(a) and 111.153(c).	□YES	⊠NO		
		5.	The application area includes oil or gas fuel-fired steam generators that are subject to additional monitoring requirements. If the response to Question I.C.5 is "NO," go to Question I.C.7.	□YES	⊠NO		
		6.	All oil or gas fuel-fired steam generators in the application area are subject to additional monitoring requirements.	□YES	□NO		
		7.	The application area includes solid fossil fuel-fired steam generators subject to 30 TAC §§ 111.153(a) and 111.153(b).	□YES	⊠NO		
		8.	The application area includes solid fossil fuel-fired steam generators that are subject to additional monitoring requirements. If the response to Question I.C.8 is "NO," go to Section I.D.	□YES	⊠NO		
		9.	All solid fossil fuel-fired steam generators in the application area are subject to additional monitoring requirements.	□YES	□NO		
	D.	Emi	ssions Limits on Agricultural Processes				
		1.	The application area includes agricultural processes subject to 30 TAC § 111.171.	□YES	⊠NO		
	Ε.	Outo	door Burning				
♦		1.	Outdoor burning is conducted in the application area. If the response to Question I.E.1 is "NO," go to Section II.	□YES	⊠NO		
*		2.	Fire training is conducted in the application area and subject to the exception provided in 30 TAC § 111.205.	□YES	□NO		
•		3.	Fires for recreation, ceremony, cooking, and warmth are used in the application area and subject to the exception provided in 30 TAC § 111.207.	□YES	□NO		
*		4.	Disposal fires are used in the application area and subject to the exception provided in 30 TAC § 111.209.	□YES	□NO		

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Forn	Form OP-REQ1: Page 4					
I.	Title 30 TAC Chapter 111 - Control of Air Pollution from Visible Emissions and Particulate Matter (continued)					
	E.	Out	door Burning (continued)			
*		5.	Prescribed burning is used in the application area and subject to the exception provided in 30 TAC § 111.211.	□YES	□NO	
*		6.	Hydrocarbon burning is used in the application area and subject to the exception provided in 30 TAC § 111.213.	□YES	□NO	
*		7.	The application area has received the TCEQ Executive Director approval of otherwise prohibited outdoor burning according to 30 TAC § 111.215.	□YES	□NO	
II.	Title	30 T	AC Chapter 112 - Control of Air Pollution from Sulfur Compounds			
	A.	Tem	porary Fuel Shortage Plan Requirements			
		1.	The application area includes units that are potentially subject to the temporary fuel shortage plan requirements of 30 TAC §§ 112.15 - 112.18.	□YES	⊠NO	
III.	Title	e 30 TAC Chapter 115 - Control of Air Pollution from Volatile Organic Compounds				
	A.	App	licability			
*		1.	The application area is located in the Houston/Galveston/Brazoria area, Beaumont/Port Arthur area, Dallas/Fort Worth area, El Paso area, or a covered attainment county as defined by 30 TAC § 115.10. See instructions for inclusive counties. If the response to Question III.A.1 is "NO," go to Section IV.	⊠YES	□NO	
	В.	Stor	age of Volatile Organic Compounds			
*		1.	The application area includes storage tanks, reservoirs, or other containers capable of maintaining working pressure sufficient at all times to prevent any VOC vapor or gas loss to the atmosphere.	☐YES	⊠NO	

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Forn	Form OP-REQ1: Page 5						
III.	Title	Title 30 TAC Chapter 115 - Control of Air Pollution from Volatile Organic Compounds (continued)					
	C.	C. Industrial Wastewater					
		1.	The application area includes affected VOC wastewater streams of an affected source category, as defined in 30 TAC § 115.140. If the response to Question III.C.1 is "NO" or "N/A," go to Section III.D.	YES	⊠NO □N/A		
		2.	The application area is located at a petroleum refinery in the Beaumont/Port Arthur or Houston/Galveston/Brazoria area. If the response to Question III.C.2 is "YES" and the refinery is in the Beaumont/Port Arthur area, go to Section III.D.	☐YES	□NO		
		3.	The application area is complying with the provisions of 40 CFR Part 63, Subpart G, as an alternative to complying with this division (relating to Industrial Wastewater). If the response to Question III.C.3 is "YES," go to Section III.D.	□YES	□NO		
		4.	The application area is located at a plant with an annual VOC loading in wastewater, as determined in accordance with 30 TAC § 115.148, less than or equal to 10 Mg (11.03 tons). If the response to Question III.C.4 is "YES," go to Section III.D.	□YES	□NO		
		5.	The application area includes wastewater drains, junction boxes, lift stations, or weirs that are subject to the control requirements of 30 TAC § 115.142(1).	□YES	□NO		
		6.	The application area includes wastewater drains, junction boxes, lift stations, or weirs that handle streams chosen for exemption under 30 TAC § 115.147(2).	□YES	□NO		
		7.	The application area includes wastewater drains, junction boxes, lift stations, or weirs that have an executive director approved exemption under 30 TAC § 115.147(4).	□YES	□NO		
	D. Loading and Unloading of VOCs						
♦		1.	The application area includes VOC loading operations.	⊠YES	□NO		
*		2.	The application area includes VOC transport vessel unloading operations. For GOP applications, if the responses to Questions III.D.1 - D.2 are "NO," go to Section III.E.	□YES	⊠NO		

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Forn	Form OP-REQ1: Page 6				
III.	Title	30 T	AC Chapter 115 - Control of Air Pollution from Volatile Organic Compounds	(continue	d)
	D.	Load			
*		3.	Transfer operations at motor vehicle fuel dispensing facilities are the only VOC transfer operations conducted in the application area.	☐YES	□NO
	E.	Filli	ng of Gasoline Storage Vessels (Stage I) for Motor Vehicle Fuel Dispensing Fac	ilities	
•		1.	The application area includes one or more motor vehicle fuel dispensing facilities and gasoline is transferred from a tank-truck tank into a stationary storage container. If the response to Question III.E.1 is "NO," go to Section III.F.	☐YES	⊠NO
*		2.	Transfers to stationary storage containers used exclusively for the fueling of agricultural implements are the only transfer operations conducted at facilities in the application area.	☐YES	□NO
•		3.	All transfers at facilities in the application area are made into stationary storage containers with internal floating roofs, external floating roofs, or their equivalent. If the response to Question III.E.2 and/or E.3 is "YES," go to Section III.F.	□YES	□NO
*		4.	The application area is located in a covered attainment county as defined in 30 TAC § 115.10. If the response to Question III.E.4 is "NO," go to Question III.E.9.	☐YES	□NO
•		5.	Stationary gasoline storage containers with a nominal capacity less than or equal to 1,000 gallons are located at the facility.	☐YES	□NO
*		6.	Stationary gasoline storage containers with a nominal capacity greater than 1,000 gallons are located at the facility.	☐YES	□NO
•		7.	At facilities located in covered attainment counties other than Bastrop, Bexar, Caldwell, Comal, Guadalupe, Hays, Travis, Williamson, or Wilson County, transfers are made to stationary storage tanks greater than 1000 gallons located at a facility which has dispensed less than 100,000 gallons of gasoline in a calendar month after October 31, 2014. If the response to Question III.E.7 is "YES," go to Section III.F.	☐YES	□NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

 $For \ SOP \ applications, \ answer \ ALL \ questions \ unless \ otherwise \ directed.$

Forn	Form OP-REQ1: Page 7							
III.	Title 30 TAC Chapter 115 - Control of Air Pollution from Volatile Organic Compounds (continued)							
	E.	E. Filling of Gasoline Storage Vessels (Stage I) for Motor Vehicle Fuel Dispensing Facilities (continued)						
*		8.	At facilities located in Bastrop, Bexar, Caldwell, Comal, Guadalupe, Hays, Travis, Williamson, or Wilson County, transfers are made to stationary storage tanks greater than 1000 gallons located at a facility which has dispensed no more than 25,000 gallons of gasoline in a calendar month after December 31, 2004. If the response to Question III.E.8 is "YES," go to Section III.F.	□YES	□NO			
*		9.	Transfers are made to stationary storage tanks located at a motor vehicle fuel dispensing facility which has dispensed no more than 10,000 gallons of gasoline in any calendar month after January 1, 1991 and for which construction began prior to November 15, 1992.	□YES	□NO			
*		10.	Transfers are made to stationary storage tanks located at a motor vehicle fuel dispensing facility which has dispensed more than 10,000 gallons of gasoline in any calendar month after January 1, 1991 and for which construction began prior to November 15, 1992.	□YES	□NO			
*		11.	Transfers are made to stationary storage tanks located at a motor vehicle fuel dispensing facility which commenced construction on or after November 15, 1992.	_YES	□NO			
*		12.	At facilities located in Ellis, Johnson, Kaufman, Parker, or Rockwall County, transfers are made to stationary storage tanks located at a facility which has dispensed at least 10,000 gallons of gasoline but less than 125,000 gallons of gasoline in a calendar month after April 30, 2005.	□YES	□NO			
	F. Control of VOC Leaks from Transport Vessels (Complete this section for GOP applications for GOPs 511, 512, 513 and 514 only)							
♦		1.	Tank-truck tanks are filled with, or emptied of, gasoline at a facility that is subject to 30 TAC § 115.214(a)(1)(C) or 115.224(2) within the application area.	☐YES	⊠NO □N/A			

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form OP-REQ1: Page 8						
III.	Title	Title 30 TAC Chapter 115 - Control of Air Pollution from Volatile Organic Compounds (continued)				
	F.	Control of VOC Leaks from Transport Vessels (Complete this section for GOP applications for 511, 512, 513 and 514 only) (continued)				
*		2.	Tank-truck tanks are filled with non-gasoline VOCs having a TVP greater than or equal to 0.5 psia under actual storage conditions at a facility subject to 30 TAC § 115.214(a)(1)(C) within the application area.	□YES	⊠NO □N/A	
♦		3.	Tank-truck tanks are filled with, or emptied of, gasoline at a facility that is subject to 30 TAC § 115.214(b)(1)(C) or 115.224(2) within the application area.	□YES	⊠NO □N/A	
	G.	G. Control of Vehicle Refueling Emissions (Stage II) at Motor Vehicle Fuel Dispensing Facilities				
*		1.	The application area includes one or more motor vehicle fuel dispensing facilities and gasoline is transferred from a stationary storage container into motor vehicle fuel tanks. If the response to Question III.G.1 is "NO" or "N/A," go to Section III.H.	□YES	⊠NO □N/A	
*		2.	The application area includes facilities that began construction on or after November 15, 1992 and prior to May 16, 2012.	□YES	□NO	
*		3.	The application area includes facilities that began construction prior to November 15, 1992. If the responses to Questions III.G.2 and Question III.G.3 are both "NO," go to Section III.H.	□YES	□NO	
♦		4.	The application area includes only facilities that have a monthly throughput of less than 10,000 gallons of gasoline.	□YES	□NO	
*		5.	The decommissioning of all Stage II vapor recovery control equipment located in the application area has been completed and the decommissioning notice submitted.	☐YES	□NO □N/A	

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Forn	Form OP-REQ1: Page 9				
III.	Title	30 TA	AC Chapter 115 - Control of Air Pollution from Volatile Organic Compounds	(continue	d)
	H.	Cont	rol Of Reid Vapor Pressure (RVP) of Gasoline		
*		1.	The application area includes stationary tanks, reservoirs, or other containers holding gasoline that may ultimately be used in a motor vehicle in El Paso County.	☐YES	□NO 図N/A
			If the response to Question III.H.1 is "NO" or "N/A," go to Section III.I.		
*		2.	The application area includes stationary tanks, reservoirs, or other containers holding gasoline that will be used exclusively for the fueling of agricultural implements.	☐YES	□NO
♦		3.	The application area includes a motor vehicle fuel dispensing facility.	□YES	□NO
*		4.	The application area includes stationary tanks, reservoirs, or other containers holding gasoline and having a nominal capacity of 500 gallons or less.	YES	□NO
	I.	Proc	ess Unit Turnaround and Vacuum-Producing Systems in Petroleum Refineries	S	
		1.	The application area is located at a petroleum refinery.	YES	⊠NO
	J. Surface Coating Processes (Complete this section for GOP applications only.)				
*		1.	Surface coating operations (other than those performed on equipment located onsite and in-place) that meet the exemption specified in 30 TAC § 115.427(3)(A) or 115.427(7) are performed in the application area.	YES	□NO □N/A

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Forn	Form OP-REQ1: Page 10					
III.	Title	e 30 TAC Chapter 115 - Control of Air Pollution from Volatile Organic Compounds (continued)				
	K.	Cutback Asphalt				
		1.	Conventional cutback asphalt containing VOC solvents for the paving of roadways, driveways, or parking lots, is used or specified for use in the application area by a state, municipal, or county agency. If the response to Question III.K.1 is "N/A," go to Section III.L.	□YES	□NO ⊠N/A	
		2.	The use, application, sale, or offering for sale of conventional cutback asphalt containing VOC solvents for the paving of roadways, driveways, or parking lots occurs in the application area.	□YES	□NO □N/A	
		3.	Asphalt emulsion is used or produced within the application area.	□YES	□NO	
		4.	The application area is using an alternate control requirement as specified in 30 TAC § 115.513. If the response to Question III.K.4 is "NO," go to Section III.L.	□YES	□NO	
		5.	The application area uses, applies, sells, or offers for sale asphalt concrete, made with cutback asphalt, that meets the exemption specified in 30 TAC § 115.517(1).	□YES	□NO	
		6.	The application area uses, applies, sells, or offers for sale cutback asphalt that is used solely as a penetrating prime coat.	□YES	□NO	
		7.	The applicant using cutback asphalt is a state, municipal, or county agency.	□YES	□NO	
	L.	Dega	ssing of Storage Tanks, Transport Vessels and Marine Vessels			
*		1.	The application area includes degassing operations for stationary, marine, and/or transport vessels. If the response to Question III.L.1 is "NO" or "N/A," go to Section III.M.	☐YES	⊠NO □N/A	
*		2.	Degassing of only ocean-going, self-propelled VOC marine vessels is performed in the application area. If the response to Question III.L.2 is "YES," go to Section III.M.	☐YES	□NO □N/A	

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Forn	Form OP-REQ1: Page 11					
III.	Title	e 30 TAC Chapter 115 - Control of Air Pollution from Volatile Organic Compounds (continued)				
	L.	Dega	ssing of Storage Tanks, Transport Vessels and Marine Vessels (continued)			
♦		3.	Degassing of stationary VOC storage vessels with a nominal storage capacity of 1,000,000 gallons or more and a vapor space partial pressure greater than or equal to 0.5 psia of VOC is performed in the application area.	□YES	□NO □N/A	
*		4.	Degassing of stationary VOC storage vessels with a nominal storage capacity of 250,000 gallons or more, or a nominal storage capacity of 75,000 gallons and storing materials with a true vapor pressure greater than 2.6 psia, and a vapor space partial pressure greater than or equal to 0.5 psia of VOC is performed in the application area.	□YES	□NO □N/A	
*		5.	Degassing of VOC transport vessels with a nominal storage capacity of 8,000 gallons or more and a vapor space partial pressure greater than or equal to 0.5 psia of VOC is performed in the application area.	□YES	□NO	
*		6.	Degassing of VOC marine vessels with a nominal storage capacity of 10,000 barrels (420,000 gallons) or more and a vapor space partial pressure greater than or equal to 0.5 psia of VOC is performed in the application area.	□YES	□NO □N/A	
*		7.	Degassing of VOC marine vessels with a nominal storage capacity of 10,000 barrels (420,000 gallons) and a vapor space partial pressure \geq 0.5 psia that have sustained damage as specified in 30 TAC \S 115.547(5) is performed in the application area.	□YES	□NO □N/A	
	M. Petroleum Dry Cleaning Systems					
		1.	The application area contains one or more petroleum dry cleaning facilities that use petroleum based solvents.	□YES	⊠NO □N/A	

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form	Form OP-REQ1: Page 12					
III.	Title 30 TAC Chapter 115 - Control of Air Pollution from Volatile Organic Compounds (continued)					
	N.	N. Vent Gas Control (Highly-reactive volatile organic compounds (HRVOC)				
		1.	The application area includes one or more vent gas streams containing HRVOC.	YES	□NO ⊠N/A	
		2.	The application area includes one or more flares that emit or have the potential to emit HRVOC.	YES	□NO 図N/A	
			If the responses to Questions III.N.1 and III.N.2 are both "NO" or "N/A," go to Section III.O. If the response to Question III.N.1 is "YES," continue with Question III.N.3.			
		3.	All vent streams in the application area that are routed to a flare contain less than 5.0% HRVOC by weight at all times.	YES	□NO	
		4.	All vent streams in the application area that are not routed to a flare contain less than 100 ppmv HRVOC at all times.	☐YES	□NO	
			If the responses to Questions III.N.3 and III.N.4 are both "NO," go to Section III.O.			
		5.	The application area contains pressure relief valves that are not controlled by a flare.	YES	□NO	
		6.	The application area has at least one vent stream which has no potential to emit HRVOC.	□YES	□NO	
		7.	The application area has vent streams from a source described in 30 TAC § 115.727(c)(3)(A) - (H).	YES	□NO	
	0.	Cooli	ing Tower Heat Exchange Systems (HRVOC)			
		1.	The application area includes one or more cooling tower heat exchange systems that emit or have the potential to emit HRVOC.	YES	□NO ⊠N/A	

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Forn	Form OP-REQ1: Page 13				
IV.	Title	30 TA	AC Chapter 117 - Control of Air Pollution from Nitrogen Compounds		
	A. Applicability				
*		1.	The application area is located in the Houston/Galveston/Brazoria, Beaumont/Port Arthur, or Dallas/Fort Worth Eight-Hour area. For SOP applications, if the response to Question IV.A.1 is "YES," complete Sections IV.B - IV.F and IV.H. For GOP applications for GOPs 511, 512, 513, or 514, if the response to Question IV.A.1 is "YES," go to Section IV.F. For GOP applications for GOP 517, if the response to Question IV.A.1 is "YES," complete Sections IV.C and IV.F. For GOP applications, if the response to Question IV.A.1 is "NO," go to Section VI.	⊠YES	□NO
		2.	The application area is located in Bexar, Comal, Ellis, Hays, or McLennan County and includes a cement kiln. If the response to Question IV.A.2 is "YES," go to Question IV.H.1.	□YES	□NO
		3.	The application area includes a utility electric generator in an east or central Texas county. See instructions for a list of counties included. If the response to Question IV.A.3 is "YES," go to Question IV.G.1. If the responses to Questions IV.A.1 - 3 are all "NO," go to Question IV.H.1.	□YES	□NO
	B.	Utilit	ty Electric Generation in Ozone Nonattainment Areas		
		1.	The application area includes units specified in 30 TAC §§ 117.1000, 117.1200, or 117.1300. If the response to Question IV.B.1 is "NO," go to Question IV.C.1.	□YES	⊠NO
		2.	The application area is complying with a System Cap in 30 TAC §§ 117.1020 or 117.1220.	□YES	□NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Fore	Form OP-REQ1: Page 14					
IV.	Title	30 T.	AC Chapter 117 - Control of Air Pollution from Nitrogen Compounds (continu	ıed)		
	C.	Con	nmercial, Institutional, and Industrial Sources in Ozone Nonattainment Areas			
*		1.	The application area is located at a site subject to 30 TAC Chapter 117, Subchapter B and includes units specified in 30 TAC §§ 117.100, 117.300, or 117.400. For SOP applications, if the response to Question IV.C.1 is "NO," go to Question IV.D.1. For GOP applications for GOP 517, if the response to Question IV.C.1 is "NO," go to Section IV.F.	□YES	⊠NO	
*		2.	The application area is located at a site that was a major source of NO _X before November 15, 1992.	□YES	□NO □N/A	
*		3.	The application area includes an electric generating facility required to comply with the System Cap in 30 TAC § 117.320.	□YES	□NO	
	D.	Adij	pic Acid Manufacturing			
		1.	The application area is located at, or part of, an adipic acid production unit.	□YES	□NO ⊠N/A	
	E.	Nitr	ic Acid Manufacturing - Ozone Nonattainment Areas			
		1.	The application area is located at, or part of, a nitric acid production unit.	□YES	□NO ⊠N/A	
	F.		nbustion Control at Minor Sources in Ozone Nonattainment Areas - Boilers, Prionary Engines and Gas Turbines	rocess He	aters,	
•		1.	The application area is located at a site that is a minor source of NO _X in the Houston/Galveston/Brazoria or Dallas/Fort Worth Eight-Hour areas (except for Wise County). For SOP applications, if the response to Question IV.F.1 is "NO," go to Question IV.G.1. For GOP applications, if the response to Question IV.F.1 is "NO," go to Section VI.	⊠YES	□NO	
♦		2.	The application area is located in the Houston/Galveston/Brazoria area and has units that qualify for an exemption under 30 TAC § 117.2003(a).	□YES	⊠NO	
*		3.	The application area is located in the Houston/Galveston/Brazoria area and has units that qualify for an exemption under 30 TAC § 117.2003(b).	□YES	⊠NO	

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

For	Form OP-REQ1: Page 15				
IV.	Title	e 30 T	AC Chapter 117 - Control of Air Pollution from Nitrogen Compounds (continu	ied)	
	F. Combustion Control at Minor Sources in Ozone Nonattainment Areas - Boilers, Pro Stationary Engines and Gas Turbines (continued)			rocess Heaters,	
*		4.	The application area is located in the Dallas/Fort Worth Eight-Hour area (except for Wise County) and has units that qualify for an exemption under 30 TAC § 117.2103.	□YES ⊠NO	
•		5.	The application area has units subject to the emission specifications under 30 TAC §§ 117.2010 or 30 TAC § 117.2110.	⊠YES □NO	
		6.	The application area has a unit that has been approved for alternative case specific specifications (ACSS) in 30 TAC § 117.2025 or 30 TAC § 117.2125. If the response to Question IV.F.6 is "NO," go to Section IV.G.	□YES ⊠NO	
		7.	An ACSS for carbon monoxide (CO) has been approved?	□YES □NO	
		8.	An ACSS for ammonia (NH ₃) has been approved?	□YES □NO	
		9.	Provide the Permit Number(s) and authorization/issuance date(s) of the NSR projection and ACSS below.	ect(s) that	
	G.	Util	ity Electric Generation in East and Central Texas		
		1.	The application area includes utility electric power boilers and/or stationary gas turbines (including duct burners used in turbine exhaust ducts) that were placed into service before December 31, 1995. If the response to Question IV.G.1 is "NO," go to Question IV.H.1.	□YES ⊠NO	
		2.	The application area is complying with the System Cap in 30 TAC § 117.3020.	□YES □NO	
	H.	Mu	lti-Region Combustion Control - Water Heaters, Small Boilers, and Process He	aters	
		1.	The application area includes a manufacturer, distributor, retailer or installer of natural gas fired water heaters, boilers or process heaters with a maximum rated capacity of 2.0 MMBtu/hr or less. If the response to question IV.H.1 is "NO," go to Section V.	□YES ⊠NO	
		2.	All water heaters, boilers or process heaters manufactured, distributed, retailed or installed qualify for an exemption under 30 TAC § 117.3203.	□YES □NO	

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

 $For \ SOP \ applications, \ answer \ ALL \ questions \ unless \ otherwise \ directed.$

Forn	Form OP-REQ1: Page 16				
V.		Title 40 Code of Federal Regulations Part 59 (40 CFR Part 59) - National Volatile Organic Compound Emission Standards for Consumer and Commercial Products			
	Α.	Subp Coat	bile Refii	nish	
		1.	The application area manufactures automobile refinish coatings or coating components and sells or distributes these coatings or coating components in the United States.	□YES	⊠NO
		2.	The application area imports automobile refinish coatings or coating components, manufactured on or after January 11, 1999, and sells or distributes these coatings or coating components in the United States.	YES	⊠NO
			If the responses to Questions V.A.1 and V.A.2 are both "NO," go to Section V.B.		
		3.	All automobile refinish coatings or coating components manufactured or imported by the application area meet one or more of the exemptions specified in 40 CFR § 59.100(c)(1) - (6).	□YES	□NO
	В.	Subp	oart C - National Volatile Organic Compound Emission Standards for Consun	ner Produ	icts
		1.	The application area manufactures consumer products for sale or distribution in the United States.	□YES	⊠NO
		2.	The application area imports consumer products manufactured on or after December 10, 1998 and sells or distributes these consumer products in the United States.	□YES	⊠NO
		3.	The application area is a distributor of consumer products whose name appears on the label of one or more of the products. If the responses to Questions V.B.1 - V.B.3 are all "NO," go to Section V.C.	□YES	⊠NO
		4.	All consumer products manufactured, imported, or distributed by the application area meet one or more of the exemptions specified in 40 CFR § 59.201(c)(1) - (7).	□YES	□NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Forn	Form OP-REQ1: Page 17					
V.		Title 40 Code of Federal Regulations Part 59 (40 CFR Part 59) - National Volatile Organic Compound Emission Standards for Consumer and Commercial Products (continued)				
	C.	C. Subpart D - National Volatile Organic Compound Emission Standards for Architectural Coatings				
		1.	The application area manufactures or imports architectural coatings for sale or distribution in the United States.	□YES	⊠NO	
		2.	The application area manufactures or imports architectural coatings that are registered under the Federal Insecticide, Fungicide, and Rodenticide Act. <i>If the responses to Questions V.C.1-2 are both "NO," go to Section V.D.</i>	□YES	⊠NO	
		3.	All architectural coatings manufactured or imported by the application area meet one or more of the exemptions specified in 40 CFR §59.400(c)(1)-(5).	□YES	□NO	
	D. Subpart E - National Volatile Organic Compound Emission Standards for Aerosol Coatings					
		1.	The application area manufactures or imports aerosol coating products for sale or distribution in the United States.	□YES	⊠NO	
		2.	The application area is a distributor of aerosol coatings for resale or distribution in the United States.	□YES	⊠NO	
	E.	Subp	oart F - Control of Evaporative Emissions From New and In-Use Portable Fue	l Contain	ers	
		1.	The application area manufactures or imports portable fuel containers for sale or distribution in the United States. If the response to Question V.E.1 is "NO," go to Section VI.	□YES	⊠NO	
		2.	All portable fuel containers manufactured or imported by the application area meet one or more of the exemptions specified in 40 CFR § 59.605(a) - (c).	□YES	□NO	
VI.	Title	40 C	ode of Federal Regulations Part 60 - New Source Performance Standards			
	A.	A. Applicability				
*		1.	The application area includes a unit(s) that is subject to one or more 40 CFR Part 60 subparts. If the response to Question VI.A.1 is "NO," go to Section VII.	⊠YES	□NO	

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Forn	Form OP-REQ1: Page 18					
VI.	Title	tle 40 Code of Federal Regulations Part 60 - New Source Performance Standards (continued)				
	B.	Subp	S			
		1.	The application area is located at a coal preparation and processing plant. If the response to Question VI.B.1 is "NO," go to Section VI.C.	□YES	⊠NO	
		2.	The coal preparation and processing plant has a design capacity greater than 200 tons per day (tpd). If the response to Question VI.B.2 is "NO," go to Section VI.C.	□YES	□NO	
		3.	The plant has an option to enforceably limit its operating level to less than 200 tpd and is choosing this option. If the response to Question VI.B.3 is "YES," go to Section VI.C.	□YES	□NO	
		4.	The plant contains an open storage pile, as defined in § 60.251, as an affected facility. If the response to Question VI.B.4 is "NO," go to Section VI.C.	☐YES	□NO	
		5.	The open storage pile was constructed, reconstructed or modified after May 27, 2009.	□YES	□NO	
	C.	Subp	oart GG - Standards of Performance for Stationary Gas Turbines (GOP applic	ants only)	
•		1.	The application area includes one or more stationary gas turbines that have a heat input at peak load greater than or equal to 10 MMBtu/hr (10.7GJ/hr), based on the lower heating value of the fuel fired. If the response to Question VI.C.1 is "NO" or "N/A," go to Section VI.D.	□YES	□NO ⊠N/A	
•		2.	One or more of the affected facilities were constructed, modified, or reconstructed after October 3, 1977 and prior to February 19, 2005. If the response to Question VI.C.2 is "NO," go to Section VI.D.	□YES	□NO	
•		3.	One or more stationary gas turbines in the application area are using a previously approved alternative fuel monitoring schedule as specified in 40 CFR § 60.334(h)(4).	□YES	□NO	
•		4.	The exemption specified in 40 CFR § 60.332(e) is being utilized for one or more stationary gas turbines in the application area.	□YES	□NO	

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Forn	Form OP-REQ1: Page 19				
VI.	Title	40 C	ode of Federal Regulations Part 60 - New Source Performance Standards (cont	tinued)	
	C.	Subpart GG - Standards of Performance for Stationary Gas Turbines (GOP applic (continued)			·)
*		5.	One or more stationary gas turbines subject to 40 CFR Part 60, Subpart GG in the application area is injected with water or steam for the control of nitrogen oxides.	□YES	□NO
	D.	Subp	oart XX - Standards of Performance for Bulk Gasoline Terminals		
		1.	The application area includes bulk gasoline terminal loading racks. If the response to Question VI.D.1 is "NO," go to Section VI.E.	□YES	⊠NO □N/A
		2.	One or more of the loading racks were constructed or modified after December 17, 1980, and are not subject to 40 CFR Part 63, Subpart CC.	□YES	□NO
	Е.	Subpart LLL - Standards of Performance for Onshore Natural Gas Processing: Sulfur Dioxide (SO ₂) Emissions			ide (SO ₂)
♦		1.	The application area includes affected facilities identified in 40 CFR § 60.640(a) that process natural gas (onshore).	□YES	⊠NO
			For SOP applications, if the response to Question VI.E.1 is "NO," go to Section VI.F. For GOP applications, if the response to Question VI.E.1 is "NO" or "N/A," go to Section VI.H.		
♦		2.	The affected facilities commenced construction or modification after January 20, 1984 and on or before August 23, 2011.	□YES	□NO
			For SOP applications, if the response to Question VI.E.2 is "NO," go to Section VI.F. For GOP applications, if the response to Question VI.E.2 is "NO," go to Section VI.H.		
*		3.	The application area includes a gas sweetening unit with a design capacity greater than or equal to 2 long tons per day (LTPD) of hydrogen sulfide but operates at less than 2 LTPD.	☐YES	□NO
			For SOP applications, if the response to Question VI.E.3 is "NO," go to Section VI.F. For GOP applications, if the response to Question VI.E.3 is "NO," go to Section VI.H.		

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Forn	Form OP-REQ1: Page 20				
VI.	Title	40 C	ode of Federal Regulations Part 60 - New Source Performance Standards (cont	tinued)	
	Е.		part LLL - Standards of Performance for Onshore Natural Gas Processing: Suissions (continued)	lfur Diox	tide (SO ₂)
•		4.	Federally enforceable operating limits have been established in the preconstruction authorization limiting the gas sweetening unit to less than 2 LTPD. For SOP applications, if the response to Question VI.E.4. is "NO," go to Section VI.F. For GOP applications, if the response to Question VI.E.4. is "NO," go to Section VI.H.	□YES	□NO
*	5. Please provide the Unit ID(s) for the gas sweetening unit(s) that have established federally enforceable operating limits in the space provided below.				
	F.	Sub	part OOO - Standards of Performance for Nonmetallic Mineral Processing Pla	nts	
		1.	The application area includes affected facilities identified in 40 CFR § 60.670(a)(1) that are located at a fixed or portable nonmetallic mineral processing plant. If the response to Question VI.F.1 is "NO," go to Section VI.G.	□YES	⊠NO
		2.	Affected facilities identified in 40 CFR § 60.670(a)(1) and located in the application area are subject to 40 CFR Part 60, Subpart OOO.	□YES	□NO
	G.	Subj Syst	part QQQ - Standards of Performance for VOC Emissions from Petroleum Recems	finery W	astewater
		1.	The application area is located at a petroleum refinery and includes one or more of the affected facilities identified in 40 CFR § 60.690(a)(2) - (4) for which construction, modification, or reconstruction was commenced after May 4, 1987. If the response to Question VI.G.1 is "NO," go to Section VI.H.	□YES	⊠NO
		2.	The application area includes storm water sewer systems.	□YES	□NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Forn	Form OP-REQ1: Page 21					
VI.	Title	tle 40 Code of Federal Regulations Part 60 - New Source Performance Standards (continued)				
	G.	Subp Syste	finery W	astewater		
		3.	The application area includes ancillary equipment which is physically separate from the wastewater system and does not come in contact with or store oily wastewater.	□YES	□NO	
		4.	The application area includes non-contact cooling water systems.	□YES	□NO	
		5.	The application area includes individual drain systems. If the response to Question VI.G.5 is "NO," go to Section VI.H.	□YES	□NO	
		6.	The application area includes one or more individual drain systems that meet the exemption specified in 40 CFR § 60.692-2(d).	□YES	□NO	
		7.	The application area includes completely closed drain systems.	□YES	□NO	
	Н.	Cons	oart AAAA - Standards of Performance for Small Municipal Waste Incineration Commenced After August 30, 1999 or for Which Modification or Recommenced on or After June 6, 2004			
•		1.	The application area includes at least one small municipal waste incineration unit, other than an air curtain incinerator. If the response to Question VI.H.1. is "N/A," go to Section VI.I. If the response to Question VI.H.1 is "NO," go to Question VI.H.4.	□YES	□NO ☑N/A	
*		2.	The application area includes at least one small municipal waste incineration unit, other than an air curtain incinerator, constructed after August 30, 1999 or modified or reconstructed on or after June 6, 2006.	□YES	□NO	
*		3.	The application area includes at least one small municipal waste incineration unit, other than an air curtain incinerator, constructed before August 30, 1999 and not modified or reconstructed on or after June 6, 2006.	□YES	□NO	
♦		4.	The application area includes at least one air curtain incinerator. If the response to Question VI.H.4 is "NO," go to Section VI.I.	□YES	□NO	

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form OP-REQ1: Page 22						
VI.	Title	Title 40 Code of Federal Regulations Part 60 - New Source Performance Standards (continued)				
	Н.	H. Subpart AAAA - Standards of Performance for Small Municipal Waste Incineration Units for Which Construction Commenced After August 30, 1999 or for Which Modification or Reconstruction Commenced on or After June 6, 2004 (continued)				
*		5.	The application area includes at least one air curtain incinerator constructed after August 30, 1999 or modified or reconstructed on or after June 6, 2006. If the response to Question VI.H.5 is "NO," go to Question VI.H.7.	□YES	□NO	
♦		6.	All air curtain incinerators constructed after August 30, 1999 or modified or reconstructed on or after June 6, 2006 combust only yard waste.	□YES	□NO	
*		7.	The application area includes at least one air curtain incinerator constructed before August 30, 1999 and not modified or reconstructed on or after June 6, 2006.	□YES	□NO	
*		8.	All air curtain incinerators constructed before August 30, 1999 and not modified or reconstructed on or after June 6, 2006 combust only yard waste.	□YES	□NO	
	I.	Unit	oart CCCC - Standards of Performance for Commercial and Industrial Solid Versions of Solid Version Commenced After November 30, 1999 or for Which construction Commenced on or After June 1, 2001			
•		1.	The application area includes at least one commercial or industrial solid waste incineration unit, other than an air curtain incinerator. If the response to Question VI.I.1 is "N/A," go to Section VI.J. If the response to Question VI.I.1 is "NO," go to Question VI.I.4.	□YES	□NO ⊠N/A	
*		2.	The application area includes at least one commercial or industrial solid waste incineration unit, other than an air curtain incinerator, constructed after November 30, 1999 or modified or reconstructed on or after June 1, 2001.	☐YES	□NO	

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Fore	Form OP-REQ1: Page 23				
VI.	Title 4	tinued)			
	I. Subpart CCCC - Standards of Performance for Commercial and Industrial Solid Wa Units for Which Construction Commenced After November 30, 1999 or for Which M Reconstruction Commenced on or After June 1, 2001 (continued)				
*	3	3.	The application area includes at least one commercial or industrial solid waste incineration unit, other than an air curtain incinerator, constructed before November 30, 1999 and not modified or reconstructed on or after June 1, 2001.	□YES	□NO
*	2	4.	The application area includes at least one air curtain incinerator. If the response to Question VI.I.4 is "NO," go to Section VI.J.	□YES	□NO
*		5.	The application area includes at least one air curtain incinerator, constructed after November 30, 1999 or modified or reconstructed on or after June 1, 2001. <i>If the response to Question VI.I.5 is "NO," go to VI.I.7.</i>	□YES	□NO
*	(6.	All air curtain incinerators constructed after November 30, 1999 or modified or reconstructed on or after June 1, 2001 combust only wood waste, clean lumber, or yard waste or a mixture of these materials.	□YES	□NO
*		7.	The application area includes at least one air curtain incinerator, constructed before November 30, 1999 and not modified or reconstructed on or after June 1, 2001.	□YES	□NO
*		8.	All air curtain incinerators constructed before November 30, 1999 and not modified or reconstructed on or after June 1, 2001 combust only wood waste, clean lumber, or yard waste or a mixture of these materials.	□YES	□NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

 $For \ SOP \ applications, \ answer \ ALL \ questions \ unless \ otherwise \ directed.$

Fore	Form OP-REQ1: Page 24						
VI.	Title	Title 40 Code of Federal Regulations Part 60 - New Source Performance Standards (continued)					
	J.	Cons	Subpart EEEE - Standards of Performance for Other Solid Waste Incineration Units for Which Construction Commenced After December 9, 2004 or for Which Modification or Reconstruction Commenced on or After June 16, 2006				
•		1.	The application area includes at least one very small municipal waste incineration unit or institutional incineration unit, other than an air curtain incinerator. If the response to Question VI.J.1 is "N/A," go to Section VI.K. If the response to Question VI.J.1 is "NO," go to Question VI.J.4.	□YES	□NO ⊠N/A		
*		2.	The application area includes at least one very small municipal waste incineration unit, other than an air curtain incinerator, constructed after December 9, 2004 or modified or reconstructed on or after June 16, 2006.	□YES	□NO		
*		3.	The application area includes at least one very small municipal waste incineration unit, other than an air curtain incinerator, constructed before December 9, 2004 and not modified or reconstructed on or after June 16, 2006.	YES	□NO		
♦		4.	The application area includes at least one air curtain incinerator. If the response to Question VI.J.4 is "NO," go to Section VI.K.	□YES	□NO		
*		5.	The application area includes at least one air curtain incinerator constructed after December 9, 2004 or modified or reconstructed on or after June 16, 2006. If the response to Question VI.J.5 is "NO," go to Question VI.J.7.	☐YES	□NO		
*		6.	All air curtain incinerators constructed after December 9, 2004 or modified or reconstructed on or after June 16, 2006 combust only wood waste, clean lumber, or yard waste or a mixture of these materials.	☐YES	□NO		
*		7.	The application area includes at least one air curtain incinerator constructed before December 9, 2004 and not modified or reconstructed on or after June 16, 2006.	☐YES	□NO		

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form	Form OP-REQ1: Page 25			
VI.	Title	40 C	ode of Federal Regulations Part 60 - New Source Performance Standards (NSP	S) (continued)
	J.	Subpart EEEE - Standards of Performance for Other Solid Waste Incineration Units for Which Construction Commenced After December 9, 2004 or for Which Modification or Reconstruction Commenced on or After June 16, 2006 (continued)		
*		8.	All air curtain incinerators constructed before December 9, 2004 and not modified or reconstructed on or after June 16, 2006 combust only wood waste, clean lumber, or yard waste or a mixture of these materials.	□YES □NO
*		9.	The air curtain incinerator is located at an institutional facility and is a distinct operating unit of the institutional facility that generated the waste.	□YES □NO
*		10.	The air curtain incinerator burns less than 35 tons per day of wood waste, clean lumber, or yard waste or a mixture of these materials.	□YES □NO
	K.		oart OOOO - Standards of Performance for Crude Oil and Natural Gas Produsmission and Distribution	ction,
♦		1.	The application area includes one or more of the onshore affected facilities listed in 40 CFR § 60.5365(a)-(g) that are subject to 40 CFR Part 60, Subpart OOOO.	⊠YES □NO
VII.	Title	40 C	ode of Federal Regulations Part 61 - National Emission Standards for Hazardo	us Air Pollutants
	A.	Appl	licability	
*		1.	The application area includes a unit(s) that is subject to one or more 40 CFR Part 61 subparts. If the response to Question VII.A.1 is "NO" or "N/A," go to Section VIII.	□YES ⊠NO □N/A
	B.	Subp	oart F - National Emission Standard for Vinyl Chloride	
		1.	The application area is located at a plant which produces ethylene dichloride by reaction of oxygen and hydrogen chloride with ethylene, vinyl chloride by any process, and/or one or more polymers containing any fraction of polymerized vinyl chloride.	□YES □NO
	C.	Subpart J - National Emission Standard for Benzene Emissions for Equipment Leaks (Fugitive Emission Sources) of Benzene (Complete this section for GOP applications only)		
♦		1.	The application area includes equipment in benzene service.	□YES □NO □N/A

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form	Form OP-REQ1: Page 26				
VII.		40 Co	ode of Federal Regulations Part 61 - National Emission Standards for Hazardo	us Air Pollutants	
	D.	Subpart L - National Emission Standard for Benzene Emissions from Coke By-Product Recovery Plants			
		1.	The application area is located at a coke by-product recovery plant and includes one or more of the affected sources identified in 40 CFR § 61.130(a) - (b). <i>If the response to Question VII.D.1 is "NO," go to Section VII.E.</i>	□YES □NO	
		2.	The application area includes equipment in benzene service as determined by 40 CFR § 61.137(b).	□YES □NO	
		3.	The application area has elected to comply with the provisions of 40 CFR § 61.243-1 and 40 CFR § 61.243-2.	□YES □NO	
	E.	Subp	oart M - National Emission Standard for Asbestos		
		Appl	icability		
		1.	The application area includes sources, operations, or activities specified in 40 CFR §§ 61.143, 61.144, 61.146, 61.147, 61.148, or 61.155. If the response to Question VII.E.1 is "NO," go to Section VII.F.	□YES □NO	
		Road	lway Construction		
		2.	The application area includes roadways constructed or maintained with asbestos tailings or asbestos-containing waste material.	□YES □NO	
		Man	ufacturing Commercial Asbestos		
		3.	The application area includes a manufacturing operation using commercial asbestos. If the response to Question VII.E.3 is "NO," go to Question VII.E.4.	□YES □NO	
			Visible emissions are discharged to outside air from the manufacturing operation	□YES □NO	
			b. An alternative emission control and waste treatment method is being used that has received prior U.S. Environmental Protection Agency (EPA) approval.	□YES □NO	

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed. For GOP applications, answer ONLY these questions unless otherwise directed.

Form	Form OP-REQ1: Page 27					
VII.		40 Co inued		Federal Regulations Part 61 - National Emission Standards for Hazardo	ous Air Po	ollutants
	E.	Subp	art M	- National Emission Standard for Asbestos (continued)		
		Mani	ufactu	ring Commercial Asbestos (continued)		
			c.	Asbestos-containing waste material is processed into non-friable forms.	□YES	□NO
			d.	Asbestos-containing waste material is adequately wetted.	□YES	□NO
			e.	Alternative filtering equipment is being used that has received EPA approval.	☐YES	□NO
			f.	A high efficiency particulate air (HEPA) filter is being used that is certified to be at least 99.97% efficient for 0.3 micron particles	□YES	□NO
			g.	The EPA has authorized the use of wet collectors designed to operate with a unit contacting energy of at least 9.95 kilopascals.	□YES	□NO
		Asbe	stos Sp	oray Application		
		4.	are sp	application area includes operations in which asbestos-containing materials bray applied. response to Question VII.E.4 is "NO," go to Question VII.E.5.	□YES	□NO
			a. If the	Asbestos fibers are encapsulated with a bituminous or resinous binder during spraying and are not friable after drying. response to Question VII.E.4.a is "YES," go to Question VII.E.5.	☐YES	□NO
			b.	Spray-on applications on buildings, structures, pipes, and conduits do not use material containing more than 1% asbestos.	□YES	□NO
			c.	An alternative emission control and waste treatment method is being used that has received prior EPA approval.	☐YES	□NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form	Form OP-REQ1: Page 28					
VII.	Title 40 Code of Federal Regulations Part 61 - National Emission Standards for Hazardous Air Pollutants (continued)					
	E. Subpart M - National Emission Standard for Asbestos (continued)					
		Asbe	stos S _I	pray Application (continued)		
			d.	Asbestos-containing waste material is processed into non-friable forms.	□YES	□NO
			e.	Asbestos-containing waste material is adequately wetted.	□YES	□NO
			f.	Alternative filtering equipment is being used that has received EPA approval.	□YES	□NO
			g.	A HEPA filter is being used that is certified to be at least 99.97% efficient for 0.3 micron particles.	□YES	□NO
			h.	The EPA has authorized the use of wet collectors designed to operate with a unit contacting energy of at least 9.95 kilopascals.	□YES	□NO
		Fabr	icating	g Commercial Asbestos		
		5.		response to Question VII.E.5 is "NO," go to Question VII.E.6.	□YES	□NO
			a.	Visible emissions are discharged to outside air from the manufacturing operation.	□YES	□NO
			b.	An alternative emission control and waste treatment method is being used that has received prior EPA approval.	□YES	□NO
			c.	Asbestos-containing waste material is processed into non-friable forms.	□YES	□NO
			d.	Asbestos-containing waste material is adequately wetted.	□YES	□NO
			e.	Alternative filtering equipment is being used that has received EPA approval.	□YES	□NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form	Form OP-REQ1: Page 29					
VII.		40 Co	ode of Federal Regulations Part 61 - National Emission Standards for Hazardo l)	ous Air Pollutants		
	E.	Subj	part M - National Emission Standard for Asbestos (continued)			
		Fabi	ricating Commercial Asbestos (continued)			
			f. A HEPA filter is being used that is certified to be at least 99.97% efficient for 0.3 micron particles.	□YES □NO		
			g. The EPA has authorized the use of wet collectors designed to operate with a unit contacting energy of at least 9.95 kilopascals.	□YES □NO		
		Non-	-sprayed Asbestos Insulation			
		6.	The application area includes insulating materials (other than spray applied insulating materials) that are either molded and friable or wet-applied and friable after drying.	□YES □NO		
		Asbestos Conversion				
		7.	The application area includes operations that convert regulated asbestos-containing material and asbestos-containing waste material into nonasbestos (asbestos-free) material.	□YES □NO		
	F.		part P - National Emission Standard for Inorganic Arsenic Emissions from Ars allic Arsenic Production Facilities	senic Trioxide and		
		1.	The application area is located at a metallic arsenic production plant or at an arsenic trioxide plant that processes low-grade arsenic bearing materials by a roasting condensation process.	□YES □NO		
	G.	Subpart BB - National Emission Standard for Benzene Emissions from Benzene Transfer Operations				
		1.	The application area is located at a benzene production facility and/or bulk terminal. If the response to Question VII.G.1 is "NO," go to Section VII.H.	□YES □NO		
		2.	The application area includes benzene transfer operations at marine vessel loading racks.	□YES □NO		

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Forn	Form OP-REQ1: Page 30					
VII.		tle 40 Code of Federal Regulations Part 61 - National Emission Standards for Hazardous Air Pollutants ontinued)				
	G.	Subp (cont	ansfer Operati	ions		
		3.	The application area includes benzene transfer operations at railcar loading racks.	□YES □N	О	
		4.	The application area includes benzene transfer operations at tank-truck loading racks.	YES NO	О	
	Н.	Subp	oart FF - National Emission Standard for Benzene Waste Operations			
		Appl	icability			
		1.	The application area includes a chemical manufacturing plant, coke by-product recovery plant, or petroleum refinery facility as defined in § 61.341.	□YES □N	O	
		2.	The application area is located at a hazardous waste treatment, storage, and disposal (TSD) facility site as described in 40 CFR § 61.340(b). If the responses to Questions VII.H.1 and VII.H.2 are both "NO," go to Section VIII.	YES N	0	
		3.	The application area is located at a site that has no benzene onsite in wastes, products, byproducts, or intermediates. If the response to Question VII.H.3 is "YES," go to Section VIII.	□YES □N	О	
		4.	The application area is located at a site having a total annual benzene quantity from facility waste less than 1 megagram per year (Mg/yr). If the response to Question VII.H.4 is "YES," go to Section VIII	□YES □N	0	
		5.	The application area is located at a site having a total annual benzene quantity from facility waste greater than or equal to 1 Mg/yr but less than 10 Mg/yr. If the response to Question VII.H.5 is "YES," go to Section VIII.	□YES □N	0	

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form	Form OP-REQ1: Page 31						
VII.		itle 40 Code of Federal Regulations Part 61 - National Emission Standards for Hazardous Air Pollutants continued)					
	Н.	Subp	Subpart FF - National Emission Standard for Benzene Waste Operations (continue				
		Appl	icability (continued)				
		6.	The flow-weighted annual average benzene concentration of each waste stream at the site is based on documentation.	□YES	□NO		
		7.	The application area has waste streams with flow-weighted annual average water content of 10% or greater.	□YES	□NO		
		Wast	te Stream Exemptions				
		8.	The application area has waste streams that meet the exemption specified in 40 CFR § 61.342(c)(2) (the flow-weighted annual average benzene concentration is less than 10 ppmw).	□YES	□NO		
		9.	The application area has waste streams that meet the exemption specified in 40 CFR § 61.342(c)(3) because process wastewater has a flow rate less than 0.02 liters per minute or an annual wastewater quantity less than 10 Mg/yr.	□YES	□NO		
		10.	The application area has waste streams that meet the exemption specified in 40 CFR § 61.342(c)(3) because the total annual benzene quantity is less than or equal to 2 Mg/yr.	□YES	□NO		
		11.	The application area transfers waste off-site for treatment by another facility.	□YES	□NO		
		12.	The application area is complying with 40 CFR § 61.342(d).	□YES	□NO		
		13.	The application area is complying with 40 CFR § 61.342(e). If the response to Question VII.H.13 is "NO," go to Question VII.H.15.	☐YES	□NO		
		14.	The application area has facility waste with a flow weighted annual average water content of less than 10%.	☐YES	□NO		

Texas Commission on Environmental Quality Application Area-Wide Applicability Determinations and General Information Form OP-REQ1

Federal Operating Permit Program

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Forn	Form OP-REQ1: Page 32						
VII.		tle 40 Code of Federal Regulations Part 61 - National Emission Standards for Hazardous Air Pollutants ontinued)					
	Н.	Subp	Subpart FF - National Emission Standard for Benzene Waste Operations (continue				
		Cont	tainer Requirements				
		15.	The application area has containers, as defined in 40 CFR § 61.341, that receive non-exempt benzene waste. If the response to Question VII.H.15 is "NO," go to Question VII.H.18.	□YES □NO			
		16.	The application area is an alternate means of compliance to meet the 40 CFR § 61.345 requirements for containers. If the response to Question VII.H.16 is "YES," go to Question VII.H.18.	□YES □NO			
		17.	Covers and closed-vent systems used for containers operate such that the container is maintained at a pressure less than atmospheric pressure.	□YES □NO			
		Indiv	vidual Drain Systems				
		18.	The application area has individual drain systems, as defined in 40 CFR § 61.341, that receive or manage non-exempt benzene waste. If the response to Question VII.H.18 is "NO," go to Question VII.H.25.	□YES □NO			
		19.	The application area is using an alternate means of compliance to meet the 40 CFR § 61.346 requirements for individual drain systems. If the response to Question VII.H.19 is "YES," go to Question VII.H.25.	□YES □NO			
		20.	The application area has individual drain systems complying with 40 CFR § 61.346(a). If the response to Question VII.H.20 is "NO," go to Question VII.H.22.	□YES □NO			
		21.	Covers and closed-vent systems used for individual drain systems operate such that the individual drain system is maintained at a pressure less than atmospheric pressure.	□YES □NO			

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form	Form OP-REQ1: Page 33				
VII.	VII. Title 40 Code of Federal Regulations Part 61 - National Emission Standards for Hazardous Air Pollutants (continued)				
	н.	I. Subpart FF - National Emission Standard for Benzene Waste Operations (continued)			
		Indiv	vidual Drain Systems (continued)		
		22.	The application area has individual drain systems complying with 40 CFR § 61.346(b). If the response to Question VII.H.22 is "NO," go to Question VII.H.25.	□YES □NO	
		23.	Junction boxes in the individual drain systems are equipped with a system to prevent the flow of organic vapors from the junction box vent pipe to the atmosphere during normal operation.	□YES □NO	
		24.	Junction box vent pipes in the individual drain systems are connected to a closed-vent system and control device.	□YES □NO	
	Remediation Activities				
		25.	Remediation activities take place at the application area subject to 40 CFR Part 61, Subpart FF.	□YES □NO	
VIII.			ode of Federal Regulations Part 63 - National Emission Standards for Hazardo Categories	ous Air Pollutants	
	A.	Appl	icability		
•		1.	The application area includes a unit(s) that is subject to one or more 40 CFR Part 63 subparts other than subparts made applicable by reference under subparts in 40 CFR Part 60, 61 or 63. See instructions for 40 CFR Part 63 subparts made applicable only by reference.	⊠YES □NO	
	В.		oart F - National Emission Standards for Organic Hazardous Air Pollutants fr nnic Chemical Manufacturing Industry	om the Synthetic	
		1.	The application area is located at a plant site that is a major source as defined in the Federal Clean Air Act § 112(a). If the response to Question VIII.B.1 is "NO," go to Section VIII.D.	□YES ⊠NO	

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.
For GOP applications, answer ONLY these questions unless otherwise directed.

Form	Form OP-REQ1: Page 34				
VIII.	VIII. Title 40 Code of Federal Regulations Part 63 - National Emission Standards for Hazardous Air Pollutants for Source Categories (continued)				
	B. Subpart F - National Emission Standards for Organic Hazardous Air Pollutants fro Organic Chemical Manufacturing Industry (continued)				ynthetic
		2.	The application area is located at a site that includes at least one chemical manufacturing process unit, as defined in 40 CFR § 63.101, that manufactures as a primary product one or more of the chemicals listed in 40 CFR § 63.100(b)(1)(i) or (b)(1)(ii). If the response to Question VIII.B.2 is "NO," go to Section VIII.D.	□YES	□NO
		3.	The application area is located at a site that includes at least one chemical manufacturing process unit, as defined in 40 CFR § 63.101, that manufactures as a primary product one or more of the chemicals listed in 40 CFR § 63.100(b)(1)(i) or (b)(1)(ii) and uses as a reactant or manufactures as a product, or co-product, one or more of the organic hazardous air pollutants listed in table 2 of 40 CFR Part 63, Subpart F.	☐YES	□NO
		4.	The application area includes a chemical manufacturing process unit, as defined in 40 CFR § 63.101, that manufactures as a primary product one or more of the chemicals listed in 40 CFR § 63.100(b)(1)(i) or (b)(1)(ii) and uses as a reactant or manufactures as a product, or co-product, one or more of the organic hazardous air pollutants listed in table 2 of 40 CFR Part 63, Subpart F.	□YES	□NO
		5.	The application area includes a chemical manufacturing process unit, as defined in 40 CFR § 63.101, that manufactures as a primary product one or more of the chemicals listed in 40 CFR § 63.100(b)(1)(i) or (b)(1)(ii) and does <u>not</u> use as a reactant or manufacture as a product, or co-product, one or more of the organic hazardous air pollutants listed in table 2 of 40 CFR Part 63, Subpart F. <i>If the response to Questions VIII.B.3, B.4 and B.5 are all "NO," go to Section VIII.D.</i>	□YES	□NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form	Form OP-REQ1: Page 35				
VIII.	VIII. Title 40 Code of Federal Regulations Part 63 - National Emission Standards for Hazardous Air Pollutants for Source Categories (continued)				
	C.	Subpart G - National Emission Standards for Organic Hazardous Air Pollutants from the Synthetic Organic Chemical Manufacturing Industry for Process Vents, Storage Vessels, Transfer Operations, and Wastewater			
		Apple	icability		
		1.	The application area is located at a site that is subject to 40 CFR 63, Subpart F and the application area includes process vents, storage vessels, transfer racks, or waste streams associated with a chemical manufacturing process subject to 40 CFR 63, Subpart F. If the response to Question VIII.C.1 is "NO," go to Section VIII.D.	□YES	□NO
		2.	The application area includes fixed roofs, covers, and/or enclosures that are required to comply with 40 CFR § 63.148.	☐YES	□NO
		3.	The application area includes vapor collection systems or closed-vent systems that are required to comply with 40 CFR § 63.148. If the response to Question VIII.C.3 is "NO," go to Question VIII.C.8.	□YES	□NO
		4.	The application area includes vapor collection systems or closed-vent systems that are constructed of hard-piping.	☐YES	□NO
		5.	The application area includes vapor collection systems or closed-vent systems that contain bypass lines that could divert a vent stream away from a control device and to the atmosphere. If the response to Question VIII.C.5 is "NO," go to Question VIII.C.8.	□YES	□NO
	Vapor Collection and Closed Vent Systems				
		6.	Flow indicators are installed, calibrated, maintained, and operated at the entrances to bypass lines in the application area.	☐YES	□NO
		7.	Bypass lines in the application area are secured in the closed position with a carseal or a lock-and-key type configuration.	□YES	□NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form O.	P-REQ	1: Page 36				
	VIII. Title 40 Code of Federal Regulations Part 63 - National Emission Standards for Hazardous Air Pollutants for Source Categories (continued)					
C.	Org	Subpart G - National Emission Standards for Organic Hazardous Air Pollutants from the Synthetic Organic Chemical Manufacturing Industry for Process Vents, Storage Vessels, Transfer Operations, and Wastewater (continued)				
	Rela	oading or Cleaning of Railcars, Tank Trucks, or Barges				
	8.	The application area includes reloading and/or cleaning of railcars, tank trucks, or barges that deliver HAPs to a storage tank. If the response to Question VIII.C.8 is "NO," go to Question VIII.C.11.	☐YES	□NO		
	9.	The application area includes operations that are complying with \S 63.119(g)(6) through the use of a closed-vent system with a control device used to reduce inlet emissions of HAPs by at least 95 percent by weight or greater.	YES	□NO		
	10.	The application area includes operations that are complying with § 63.119(g)(6) through the use of a vapor balancing system.	□YES	□NO		
	Tra	Transfer Racks				
	11.	The application area includes Group 1 transfer racks that load organic HAPs.	□YES	□NO		
	Pro	cess Wastewater Streams				
	12.	The application area includes process wastewater streams. If the response to Question VIII.C.12 is "NO," go to Question VIII.C.34.	□YES	□NO		
	13.	The application area includes process wastewater streams that are also subject to the provisions of 40 CFR Part 61, Subpart FF. If the response to Question VIII.C.13 is "NO," go to Question VIII.C.15.	YES	□NO		
	14.	The application area includes process wastewater streams that are complying with 40 CFR §§ 63.110(e)(1)(i) and (e)(1)(ii).	□YES	□NO		
	15.	The application area includes process wastewater streams that are also subject to the provisions of 40 CFR Part 61, Subpart F. If the response to Question VIII.C.15 is "NO," go to Question VIII.C.17.	□YES	□NO		

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form OP-	REQ1	: Page 37				
	VIII. Title 40 Code of Federal Regulations Part 63 - National Emission Standards for Hazardous Air Pollutants for Source Categories (continued)					
C.	Subpart G - National Emission Standards for Organic Hazardous Air Pollutants from the Synthetic Organic Chemical Manufacturing Industry for Process Vents, Storage Vessels, Transfer Operations, and Wastewater (continued)					
	Process Wastewater Streams (continued)					
	16.	The application area includes process wastewater streams utilizing the compliance option specified in 40 CFR § 63.110(f)(4)(ii).	□YES □NO			
	17.	The application area includes process wastewater streams that are also subject to the provisions of 40 CFR Parts 260 through 272. If the response to Question VIII.C.17 is "NO," go to Question VIII.C.20.	□YES □NO			
	18.	The application area includes process wastewater streams complying with 40 CFR § 63.110(e)(2)(i).	□YES □NO			
	19.	The application are includes process wastewater streams complying with 40 CFR § 63.110(e)(2)(ii).	□YES □NO			
	20.	The application area includes process wastewater streams, located at existing sources, that are designated as Group 1; are required to be treated as Group 1 under 40 CFR § 63.110; or are determined to be Group 1 for Table 9 compounds.	□YES □NO			
	21.	The application area includes process wastewater streams, located at existing sources that are Group 2.	□YES □NO			
	22.	The application area includes process wastewater streams, located at new sources, that are designated as Group 1; required to be treated as Group 1 under 40 CFR § 63.110; or are determined to be Group 1 for Table 8 or Table 9 compounds.	□YES □NO			
	23.	The application area includes process wastewater streams, located at new sources that are Group 2 for both Table 8 and Table 9 compounds.	□YES □NO			

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form OP-REQ1: Page 38				
	VIII. Title 40 Code of Federal Regulations Part 63 - National Emission Standards for Hazardous Air Pollutants for Source Categories (continued)			
C.	Subpart G - National Emission Standards for Organic Hazardous Air Pollutants from the Synthetic Organic Chemical Manufacturing Industry for Process Vents, Storage Vessels, Transfer Operations, and Wastewater (continued)			
	Proc	ess Wastewater Streams (continued)		
	24.	All Group 1 wastewater streams at the site are demonstrated to have a total source mass flow rate of less than 1 MG/yr. If the response to Question VIII.C.24 is "YES," go to Question VIII.C.34.	☐YES	□NO
	25.	The site has untreated and/or partially treated Group 1 wastewater streams demonstrated to have a total source mass flow rate of less than 1 MG/yr. <i>If the response to Question VIII.C.25 is "NO," go to Question VIII.C.27.</i>	☐YES	□NO
	26.	The application area includes waste management units that receive or manage a partially treated Group 1 wastewater stream prior to or during treatment.	□YES	□NO
	27.	Group 1 wastewater streams or residual removed from Group 1 wastewater streams are transferred to an on-site treatment operation that is not owned or operated by the owner or operator of the source generating the waste stream or residual.	☐YES	□NO
	28.	Group 1 wastewater streams or residual removed from Group 1 wastewater streams are transferred to an off-site treatment operation. If the responses to Questions VIII.C.27 - VIII.C.28 are both "NO," go to Question VIII.C.30.	□YES	□NO
	29.	The application area includes waste management units that receive or manage a Group 1 wastewater stream or a residual removed from a Group 1 wastewater stream prior to shipment or transport.	☐YES	□NO
	30.	The application area includes containers that receive, manage, or treat a Group 1 wastewater stream or a residual removed from a Group 1 wastewater stream.	□YES	□NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed. For GOP applications, answer ONLY these questions unless otherwise directed.

Forn	Form OP-REQ1: Page 39				
VIII.	VIII. Title 40 Code of Federal Regulations Part 63 - National Emission Standards for Hazardous Air Pollutants for Source Categories (continued)				
	C.	Subpart G - National Emission Standards for Organic Hazardous Air Pollutants from the Synthetic Organic Chemical Manufacturing Industry for Process Vents, Storage Vessels, Transfer Operations, and Wastewater (continued)			
		Drai	ns		
		31.	The application area includes individual drain systems that receive or manage a Group 1 wastewater stream, or a residual removed from a Group 1 wastewater stream. If the response to Question VIII.C.31 is "NO," go to Question VIII.C.34.	□YES	□NO
		32.	The application area includes individual drain systems that are complying with 40 CFR § 63.136 through the use of cover and, if vented, closed vent systems and control devices.	□YES	□NO
		33.	The application area includes individual drain systems that are complying with 40 CFR § 63.136 through the use of water seals or tightly fitting caps or plugs.	□YES	□NO
		34.	The application area includes drains, drain hubs, manholes, lift stations, trenches, or pipes that are part of a chemical manufacturing process unit that meets the criteria of 40 CFR § 63.100(b). If the response to Question VIII.C.34 is "NO," go to Question VIII.C.39.	□YES	□NO
		35.	The application area includes drains, drain hubs, manholes, lift stations, trenches or pipes (that are part of a chemical manufacturing process unit) that meet the criteria listed in 40 CFR § 63.149(d). If the response to Question VIII.C.35 is "NO," go to Question VIII.C.39.	□YES	□NO
		36.	The application area includes drains, drain hubs, manholes, lift stations, trenches, or pipes that convey water with a total annual average concentration greater than or equal to 10,000 parts per million by weight of compounds listed in 40 CFR Part 63 Subpart G, Table 9, at any flow rate.	□YES	□NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed. For GOP applications, answer ONLY these questions unless otherwise directed.

Form	Form OP-REQ1: Page 40				
VIII.	VIII. Title 40 Code of Federal Regulations Part 63 - National Emission Standards for Hazardous Air Pollutants for Source Categories (continued)				
	C.	Subpart G-National Emission Standards for Organic Hazardous Air Pollutants from the Synthetic Organic Chemical Manufacturing Industry for Process Vents, Storage Vessels, Transfer Operation, and Wastewater (continued)			
		Drai	ns (continued)		
		37.	The application area includes drains, drain hubs, manholes, lift stations, trenches or pipes that convey water with a total annual average concentration greater than or equal to 1,000 parts per million by weight of compounds listed in 40 CFR Part 63 Subpart G, Table 9, at an annual average flow rate greater than or equal to 10 liters per minute.	□YES	□NO
		38.	The application area includes drains, drain hubs, manholes, lift stations, trenches or pipes that are part of a chemical manufacturing process unit that is subject to the new source requirements of 40 CFR § 63.100(l)(1) or (l)(2); and the equipment conveys water with a total annual average concentration greater than or equal to 10 parts per million by weight of compounds listed in 40 CFR Part 63 Subpart G, Table 8, at an average annual flow rate greater than or equal to 0.02 liter per minute.	□YES	□NO
		Gas .	Streams		
		39.	The application area includes gas streams meeting the characteristics of 40 CFR \S 63.107(b) - (h) or the criteria of 40 CFR \S 63.113(i) and are transferred to a control device not owned or operated by the applicant.	☐YES	□NO
		40.	The applicant is unable to comply with 40 CFR §§ 63.113 - 63.118 for one or more reasons described in 40 CFR § 63.100(q)(1), (3), or (5).	YES	□NO
	D.	Subpart N - National Emission Standards for Chromium Emissions From Hard and Decorative Chromium Electroplating and Chromium Anodizing Tanks			
		1.	The application area includes chromium electroplating or chromium anodizing tanks located at hard chromium electroplating, decorative chromium electroplating, and/or chromium anodizing operations.	YES	⊠NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

 $For \ SOP \ applications, \ answer \ ALL \ questions \ unless \ otherwise \ directed.$

Form	Form OP-REQ1: Page 41				
VIII.	VIII. Title 40 Code of Federal Regulations Part 63 - National Emission Standards for Hazardous Air Pollutants for Source Categories (continued)				
	Ε.	Subp	oart O - Ethylene Oxide Emissions Standards for Sterilization Facilities		
		1.	The application area includes sterilization facilities where ethylene oxide is used in the sterilization or fumigation of materials. If the response to Question VIII.E.1 is "NO," go to Section VIII.F.	□YES	⊠NO
		2.	Sterilization facilities located in the application area are subject to 40 CFR Part 63, Subpart O. If the response to Question VIII.E.2 is "NO," go to Section VIII.F.	□YES	□NO
		3.	The sterilization source has used less than 1 ton (907 kg) of ethylene oxide within all consecutive 12-month periods after December 6, 1996.	□YES	□NO
		4.	The sterilization source has used less than 10 tons (9070 kg) of ethylene oxide within all consecutive 12-month periods after December 6, 1996.	□YES	□NO
	F.	Subp	oart Q - National Emission Standards for Industrial Process Cooling Towers		
		1.	The application area includes industrial process cooling towers. If the response to Question VIII.F.1 is "NO," go to Section VIII.G.	□YES	⊠NO
		2.	Chromium-based water treatment chemicals have been used on or after September 8, 1994.	□YES	□NO
	G.	_	part R - National Emission Standards for Gasoline Distribution Facilities (Bulkninals and Pipeline Breakout Stations)	c Gasolino	e
		1.	The application area includes a bulk gasoline terminal.	□YES	⊠NO
		2.	The application area includes a pipeline breakout station. If the responses to Questions VIII.G.1 and VIII.G.2 are both "NO," go to Section VIII.H.	□YES	⊠NO
		3.	The bulk gasoline terminal or pipeline breakout station is located within a contiguous area and under common control with another bulk gasoline terminal or a pipeline breakout station. If the response to Question VIII.G.3 is "YES," go to Question VIII.G.10.	□YES	□NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form OP-RE	Q1: Page 42			
	VIII. Title 40 Code of Federal Regulations Part 63 - National Emission Standards for Hazardous Air Pollutants for Source Categories (continued)			
	G. Subpart R - National Emission Standards for Gasoline Distribution Facilities (Bulk Garminals and Pipeline Breakout Stations) (continued)			
4	The bulk gasoline terminal or pipeline breakout station is located within a contiguous area and under common control with sources, other than bulk gasoline terminals or pipeline breakout stations that emit or have the potential to emit HAPs. If the response to Question VIII.G.4 is "YES," go to Question VIII.G.10.	□YES □NO		
5	An emissions screening factor was calculated for the bulk gasoline terminal or pipeline breakout station. If the response to Question VIII.G.5 is "NO," go to Question VIII.G.10.	□YES □NO		
6	The value 0.04(OE) is less than 5% of the value of the bulk gasoline terminal emissions screening factor (ET) or the pipeline breakout station emissions screening factor (Ep). If the response to Question VIII.G.6 is "NO," go to Question VIII.G.10.	□YES □NO		
7	Emissions screening factor less than 0.5 (ET or EP < 0.5). If the response to Question VIII.G.7 is "YES," go to Section VIII.H.	□YES □NO		
8	Emissions screening factor greater than or equal to 0.5, but less than $1.0 (0.5 \le ET \text{ or } EP < 1.0)$. If the response to Question VIII.G.8 is "YES," go to Section VIII.H.	□YES □NO		
9	Emissions screening factor greater than or equal to 1.0 (ET or EP \geq 1.0). If the response to Question VIII.G.9 is "YES," go to Question VIII.G.11.	□YES □NO		
1	O. The site at which the application area is located is a major source of HAP. If the response to Question VIII.G.10 is "NO," go to Section VIII.H.	□YES □NO		
1	1. The application area is using an alternative leak monitoring program as described in 40 CFR § 63.424(f).	□YES □NO		

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form OP	Form OP-REQ1: Page 43					
	VIII. Title 40 Code of Federal Regulations Part 63 - National Emission Standards for Hazardous Air Pollutants for Source Categories (continued)					
Н.	_	Subpart S - National Emission Standards for Hazardous Air Pollutants from the Pulp and Paper Industry				
	1.	The application area includes processes that produce pulp, paper, or paperboard and are located at a plant site that is a major source of HAPs as defined in 40 CFR § 63.2.	□YES	⊠NO		
		If the response to Question VIII.H.1 is "NO," go to Section VIII.I.				
	2.	The application area uses processes and materials specified in 40 CFR $\S 63.440(a)(1)$ - (3).	□YES	□NO		
		If the response to Question VIII.H.2 is "NO," go to Section VIII.I.				
	3.	The application area includes one or more sources subject to 40 CFR Part 63, Subpart S that are existing sources.	YES	□NO		
		If the response to Question VIII.H.3 is "NO," go to Section VIII.I.				
	4.	The application area includes one or more kraft pulping systems that are existing sources.	□YES	□NO		
	5.	The application area includes one or more dissolving-grade bleaching systems that are existing sources at a kraft or sulfite pulping mill.	□YES	□NO		
	6.	The application area includes bleaching systems that are existing sources and are complying with the Voluntary Advanced Technology Incentives Program for Effluent Limitation Guidelines in 40 CFR § 430.24. If the response to Question VIII.H.6 is "NO," go to Section VIII.I.	□YES	□NO		
	7.	The application area includes bleaching systems that are complying with 40 CFR § 63.440(d)(3)(i).	□YES	□NO		
	8.	The application area includes bleaching systems that are complying with 40 CFR § 63.440(d)(3)(ii).	□YES	□NO		

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed. For GOP applications, answer ONLY these questions unless otherwise directed.

Form O	P-REQ1:	Page 44				
	VIII. Title 40 Code of Federal Regulations Part 63 - National Emission Standards for Hazardous Air Pollutants for Source Categories (continued)					
I.	Subp	Subpart T - National Emission Standards for Halogenated Solvent Cleaning				
	1.	The application area includes an individual batch vapor, in-line vapor, in-line cold, and/or batch cold solvent cleaning machine that uses a hazardous air pollutant (HAP) solvent, or any combination of halogenated HAP solvents, in a total concentration greater than 5% by weight, as a cleaning and/or drying agent.	☐YES	⊠NO		
	2.	The application area is located at a major source and includes solvent cleaning machines, qualifying as affected facilities, that use perchloroethylene, trichloroethylene or methylene chloride.	☐YES	⊠NO		
	3.	The application area is located at an area source and includes solvent cleaning machines, other than cold batch cleaning machines, that use perchloroethylene, trichloroethylene or methylene chloride.	□YES	⊠NO		
J.	-	oart U - National Emission Standards for Hazardous Air Pollutant Emissions: Resins	Group 1	Polymers		
	1.	The application area includes elastomer product process units and/or wastewater streams and wastewater operations that are associated with elastomer product process units. If the response to Question VIII.J.1 is "NO," go to Section VIII.K.	☐YES	⊠NO		
	2.	Elastomer product process units and/or wastewater streams and wastewater operations located in the application area are subject to 40 CFR Part 63, Subpart U. If the response to Question VIII.J.2 is "NO," go to Section VIII.K.	□YES	□NO		
	3.	The application area includes process wastewater streams that are designated as Group 1 or are determined to be Group 1 for organic HAPs as defined in 40 CFR § 63.482.	□YES	□NO		
	4.	The application area includes process wastewater streams that are Group 2 for organic HAPs as defined in 40 CFR § 63.482.	□YES	□NO		

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

r orn	Form OP-REQI: Page 45					
VIII.	II. Title 40 Code of Federal Regulations Part 63 - National Emission Standards for Hazardous Air Pollutants for Source Categories (continued)					
	J.	J. Subpart U - National Emission Standards for Hazardous Air Pollutant Emissions: and Resins (continued)				
		5.	All Group 1 wastewater streams at the site are demonstrated to have a total source mass flow rate of less than 1 MG/yr. If the response to Question VIII.J.5 is "YES," go to Question VIII.J.15.	☐YES	□NO	
		6.	The site has untreated and/or partially treated Group 1 wastewater streams demonstrated to have a total source mass flow rate of less than 1 MG/yr. <i>If the response to Question VIII.J.6 is "NO," go to Question VIII.J.8.</i>	□YES	□NO	
		7.	The application area includes waste management units that receive or manage a partially treated Group 1 wastewater stream prior to or during treatment.	□YES	□NO	
		8.	Group 1 wastewater streams or residual removed from Group 1 wastewater streams are transferred to an on-site treatment operation that is not owned or operated by the owner or operator of the source generating the waste stream or residual.	□YES	□NO	
		9.	Group 1 wastewater streams or residual removed from Group 1 wastewater streams are transferred to an off-site treatment operation. If the responses to Questions VIII.J.8 - VIII.J.9 are both "NO," go to Question VIII.J.11.	□YES	□NO	
		10.	The application area includes waste management units that receive or manage a Group 1 wastewater stream, or a residual removed from a Group 1 wastewater stream prior to shipment or transport.	☐YES	□NO	

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form	Form OP-REQ1: Page 46					
VIII.	VIII. Title 40 Code of Federal Regulations Part 63 - National Emission Standards for Hazardous Air Pollutants for Source Categories (continued)					
	J.	Subpart U - National Emission Standards for Hazardous Air Pollutant Emissions: Group 1 Polymers and Resins (continued)				
		Conte	ainers			
		11.	The application area includes containers that receive, manage, or treat a Group 1 wastewater stream or a residual removed from a Group 1 wastewater stream.	□YES	□NO	
		Drair	ns			
		12.	The application area includes individual drain systems that receive or manage a Group 1 wastewater stream or a residual removed from a Group 1 wastewater stream. If the response to Question VIII.J.12 is "NO," go to Question VIII.J.15.	□YES	□NO	
		13.	The application area includes individual drain systems that are complying with 40 CFR § 63.136 through the use of cover and, if vented, closed vent systems and control devices.	☐YES	□NO	
		14.	The application area includes individual drain systems that are complying with 40 CFR § 63.136 through the use of water seals or tightly fitting caps or plugs.	☐YES	□NO	
		15.	The application area includes drains, drain hubs, manholes, lift stations, trenches, or pipes that are part of an elastomer product process unit. If the response to Question VIII.J.15 is "NO," go to Section VIII.K.	□YES	□NO	
		16.	The application area includes drains, drain hubs, manholes, lift stations, trenches or pipes that meet the criteria listed in 40 CFR § 63.149(d) and § 63.501(a)(12). <i>If the response to Question VIII.J.16 is "NO," go to Section VIII.K.</i>	□YES	□NO	

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed. For GOP applications, answer ONLY these questions unless otherwise directed.

Form	Form OP-REQ1: Page 47						
VIII.	VIII. Title 40 Code of Federal Regulations Part 63 - National Emission Standards for Hazardous Air Pollutants for Source Categories (continued)						
	J.		Subpart U - National Emission Standards for Hazardous Air Pollutant Emissions: Group 1 Polymers and Resins (continued)				
		Drai	ns (continued)				
		17.	The application area includes drains, drain hubs, manholes, lift stations, trenches, or pipes that convey water with a total annual average concentration greater than or equal to 10,000 parts per million by weight of compounds meeting the definition of organic HAP in 40 CFR § 63.482, at any flow rate.	☐YES	□NO		
		18.	The application area includes drains, drain hubs, manholes, lift stations, trenches or pipes that convey water with a total annual average concentration greater than or equal to 1,000 parts per million by weight of compounds meeting the definition of organic HAP in 40 CFR § 63.482, at an annual average flow rate greater than or equal to 10 liters per minute.	□YES	□NO		
		19.	The application area includes drains, drain hubs, manholes, lift stations, trenches or pipes that are part of an elastomer product process unit that is a new affected source or part of a new affected source and the equipment conveys water with a total annual average concentration greater than or equal to 10 parts per million by weight of compounds meeting the definition of organic HAP in 40 CFR § 63.482, at an average annual flow rate greater than or equal to 0.02 liter per minute.	□YES	□NO		
	K.		oart W - National Emission Standards for Hazardous Air Pollutants for Epoxy Non-nylon Polyamides Production	Resins P	roduction		
		1.	The manufacture of basic liquid epoxy resins (BLR) and/or manufacture of wet strength resins (WSR) is conducted in the application area. If the response to Question VIII.K.1 is "NO" or "N/A," go to Section VIII.L.	□YES	□NO ⊠N/A		
		2.	The application area includes a BLR and/or WSR research and development facility.	□YES	□NO		

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form	Form OP-REQ1: Page 48				
VIII.		le 40 Code of Federal Regulations Part 63 - National Emission Standards for Hazardous Air Pollutants Source Categories (continued)			
	L.	Subpart X - National Emission Standards for Hazardous Air Pollutants from Secondary Lead Smelting			
		1.	The application area includes one or more of the affected sources in 40 CFR § 63.541(a) that are located at a secondary lead smelter. If the response to Question VIII.L.1 is "NO" or "N/A," go to Section VIII.M.	☐YES	□NO ⊠N/A
		2.	The application area is using and approved alternate to the requirements of § 63.545(c)(1)-(5) for control of fugitive dust emission sources.	☐YES	□NO
	M.	Subj	part Y - National Emission Standards for Marine Tank Vessel Loading Operat	ions	
		1.	The application area includes marine tank vessel loading operations that are specified in 40 CFR § 63.560 and located at an affected source as defined in 40 CFR § 63.561.	☐YES	⊠NO
	N.	Subj	part CC - National Emission Standards for Hazardous Air Pollutants from Pet	roleum R	efineries
		Appl	licability		
		1.	The application area includes petroleum refining process units and/or related emission points that are specified in 40 CFR § 63.640(c)(1) - (c)(7). If the response to Question VIII.N.1 is "NO," go to Section VIII.O.	□YES	⊠NO
		2.	All petroleum refining process units/and or related emission points within the application area are specified in 40 CFR § 63.640(g)(1) - (g)(7). If the response to Question VIII.N.2 is "YES," go to Section VIII.O.	☐YES	□NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form OP-I	Form OP-REQ1: Page 49			
		ode of Federal Regulations Part 63 - National Emission Standards for Hazardo Categories (continued)	us Air Po	llutants
N.	_	oart CC - National Emission Standards for Hazardous Air Pollutants from Pet iinued)	roleum R	efineries
	Appli	icability (continued)		
	3.	The application area is located at a plant site that is a major source as defined in the Federal Clean Air Act § 112(a). If the response to Question VIII.N.3 is "NO," go to Section VIII.O.	□YES	□NO
	4.	The application area is located at a plant site which emits or has equipment containing/contacting one or more of the HAPs listed in table 1 of 40 CFR Part 63, Subpart CC. If the response to Question VIII.N.4 is "NO," go to Section VIII.O.	□YES	□NO
	5.	The application area includes Group 1 wastewater streams that are not conveyed, stored, or treated in a wastewater stream management unit that also receives streams subject to the provisions of 40 CFR §§ 63.133 - 63.147 of Subpart G wastewater provisions section.	□YES	□NO
	6.	The application area includes Group 2 wastewater streams that are not conveyed, stored, or treated in a wastewater stream management unit that also receives streams subject to the provisions of 40 CFR §§ 63.133 - 63.147 of Subpart G wastewater provisions section.	□YES	□NO
	7.	The application area includes Group 1 or Group 2 wastewater streams that are conveyed, stored, or treated in a wastewater stream management unit that also receives streams subject to the provisions of 40 CFR §§ 63.133 - 63.147 of Subpart G wastewater provisions section. If the response to Question VIII.N.7 is "NO," go to Section VIII.O.	□YES	□NO
	8.	The application area includes Group 1 or Group 2 wastewater streams that are complying with 40 CFR § 63.640(o)(2)(i).	□YES	□NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form OP-	Form OP-REQ1: Page 50				
	VIII. Title 40 Code of Federal Regulations Part 63 - National Emission Standards for Hazardous Air Pollutants for Source Categories (continued)				
N.		Subpart CC - National Emission Standards for Hazardous Air Pollutants from Petroleum Refineries (continued)			
	Appl	licability (continued)			
	9.	The application area includes Group 1 or Group 2 wastewater streams that are complying with 40 CFR § 63.640(o)(2)(ii). If the response to Question VIII.N.9 is "NO," go to Section VIII.O.	YES	□NO	
	10.	The application area includes Group 2 wastewater streams or organic streams whose benzene emissions are subject to control through the use of one or more treatment processes or waste management units under the provisions of 40 CFR Part 61, Subpart FF on or after December 31, 1992.	□YES	□NO	
	Containers, Drains, and other Appurtenances				
	11.	The application area includes containers that are subject to the requirements of 40 CFR § 63.135 as a result of complying with 40 CFR § 63.640(o)(2)(ii).	□YES	□NO	
	12.	The application area includes individual drain systems that are subject to the requirements of 40 CFR § 63.136 as a result of complying with 40 CFR § 63.640(o)(2)(ii).	□YES	□NO	
О.	Subj	part DD - National Emission Standards for Off-site Waste and Recovery Opera	ations		
	1.	The application area receives material that meets the criteria for off-site material as specified in 40 CFR § 63.680(b)(1). If the response to Question VIII.O.1 is "NO" or "N/A," go to Section VIII.P	□YES	□NO ☑N/A	
	2.	Materials specified in 40 CFR § 63.680(b)(2) are received at the application area.	□YES	□NO	
	3.	The application area has a waste management operation receiving off-site material and is regulated under 40 CFR Part 264 or Part 265.	□YES	□NO	

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed. For GOP applications, answer ONLY these questions unless otherwise directed.

Form OP	Form OP-REQ1: Page 51				
	VIII. Title 40 Code of Federal Regulations Part 63 - National Emission Standards for Hazardous Air Pollutants for Source Categories (continued)				
0.	Subj	part DD - National Emission Standards for Off-site Waste and Recovery Opera	tions (continued)		
	4.	The application area has a waste management operation treating wastewater which is an off-site material and is exempted under 40 CFR §§ 264.1(g)(6) or 265.1(c)(10).	□YES [□NO	
	5.	The application area has an operation subject to Clean Water Act, § 402 or § 307(b) but is not owned by a "state" or "municipality."	□YES [□NO	
	6.	The predominant activity in the application area is the treatment of wastewater received from off-site.	□YES [□NO	
	7.	The application area has a recovery operation that recycles or reprocesses hazardous waste which is an off-site material and is exempted under 40 CFR §§ 264.1(g)(2) or 265.1(c)(6).	□YES [NO	
	8.	The application area has a recovery operation that recycles or reprocesses used solvent which is an off-site material and is not part of a chemical, petroleum, or other manufacturing process that is required to use air emission controls by another subpart of 40 CFR Part 63 or Part 61.	□YES [□NO	
	9.	The application area has a recovery operation that re-refines or reprocesses used oil which is an off-site material and is regulated under 40 CFR Part 279, Subpart F (Standards for Used Oil Processors and Refiners).	□YES [□NO	
	10.	The application area is located at a site where the total annual quantity of HAPs in the off-site material is less than 1 megagram per year. If the response to Question VIII.O.10 is "YES," go to Section VIII.P.	□YES [□NO	

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed. For GOP applications, answer ONLY these questions unless otherwise directed.

Form O	Form OP-REQ1: Page 52				
	VIII. Title 40 Code of Federal Regulations Part 63 - National Emission Standards for Hazardous Air Pollutants for Source Categories (continued)				
0). Subp	oart DD - National Emission Standards for Off-site Waste and Recovery Opera	ations (co	ntinued)	
	11.	The application area receives offsite materials with average VOHAP concentration less than 500 ppmw at the point of delivery that are not combined with materials having a VOHAP concentration of 500 ppmw or greater. If the response to Question VIII.O.11 is "NO," go to Question VIII.O.14.	□YES	□NO	
	12.	VOHAP concentration is determined by direct measurement.	□YES	□NO	
	13.	VOHAP concentration is based on knowledge of the off-site material.	□YES	□NO	
	14.	The application area includes an equipment component that is a pump, compressor, and agitator, pressure relief device, sampling connection system, open-ended valve or line, valve, connector or instrumentation system. If the response to Question VIII.O.14 is "NO," go to Question VIII.O.17.	□YES	□NO	
	15.	An equipment component in the application area contains or contacts off-site material with a HAP concentration greater than or equal to 10% by weight.	□YES	□NO	
	16.	An equipment component in the application area is intended to operate 300 hours or more during a 12-month period.	□YES	□NO	
	17.	The application area includes containers that manage non-exempt off-site material.	YES	□NO	
	18.	The application area includes individual drain systems that manage non-exempt off-site materials.	□YES	□NO	

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form OP-REQ1: Page 53				
	VIII. Title 40 Code of Federal Regulations Part 63 - National Emission Standards for Hazardous Air Pollutants for Source Categories (continued)			
P.	Subj	part GG - National Emission Standards for Aerospace Manufacturing and Rev	vork Faci	lities
	1.	The application area includes facilities that manufacture or rework commercial, civil, or military aerospace vehicles or components. If the response to Question VIII.P.1 is "NO" or "N/A," go to Section VIII.Q.	□YES	□NO ⊠N/A
	2.	The application area includes one or more of the affected sources specified in 40 CFR § 63.741(c)(1) - (7).	□YES	□NO
Q.		part HH - National Emission Standards for Hazardous Air Pollutants From Oi luction Facilities.	l and Nat	ural Gas
•	1.	The application area contains facilities that process, upgrade or store hydrocarbon liquids that are located at oil and natural gas production facilities prior to the point of custody transfer.	⊠YES	□NO
•	2.	The application area contains facilities that process, upgrade or store natural gas prior to the point at which natural gas enters the natural gas transmission and storage source category or is delivered to a final end user. For SOP applications, if the responses to Questions VIII.Q.1 and VIII.Q.2 are both "NO," go to Section VIII.R. For GOP applications, if the responses to Questions VIII.Q.1 and VIII.Q.2 are	⊠YES	□NO
		both "NO," go to Section VIII.Z.		
*	3.	The application area contains only facilities that exclusively process, store or transfer black oil as defined in § 63.761. For SOP applications, if the response to Question VIII.Q.3 is "YES," go to Section VIII.R. For GOP applications, if the response to Question VIII.Q.3 is "YES," go to Section VIII.Z.	□YES	⊠NO
*	4.	The application area is located at a site that is a major source of HAP. If the response to Question VIII.Q.4 is "NO," go to Question VIII.Q.6.	□YES	⊠NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form	Form OP-REQ1: Page 54				
VIII.	III. Title 40 Code of Federal Regulations Part 63 - National Emission Standards for Hazardous Air Pollutants for Source Categories (continued)				
	Q. Subpart - HH - National Emission Standards for Hazardous Air Pollutants From O Production Facilities (continued)				atural Gas
•		5.	The application area contains only a facility, prior to the point of custody transfer, with facility-wide actual annual average natural gas throughput less than 18.4 thousand standard cubic meters (649,789.9 ft³) per day and a facility-wide actual annual average hydrocarbon liquid throughput less than 39,700 liters (10,487.6 gallons) per day. For SOP applications, if the response to Question VIII.Q.5 is "YES," go to Section VIII.R. For GOP applications, if the response to Question VIII.Q.5 is "YES," go to Section VIII.Z. For all applications, if the response to Question VIII.Q.5 is "NO," go to Question VIII.Q.9.	□YES	□NO
•		6.	The application area includes a triethylene glycol (TEG) dehydration unit. For SOP applications, f the answer to Question VIII.Q.6 is "NO," go to Section VIII.R. For GOP applications, if the response to Question VIII.Q.6 is "NO," go to Section VIII.Z.	⊠YES	□NO
*		7.	The application area is located at a site that is within the boundaries of UA plus offset or a UC, as defined in 40 CFR § 63.761.	□YES	⊠NO
*		8.	The site has actual emissions of 5 tons per year or more of a single HAP, or 12.5 tons per year or more of a combination of HAP.	□YES	⊠NO
*		9.	Emissions for major source determination are being estimated based on the maximum natural gas or hydrocarbon liquid throughput as calculated in § 63.760(a)(1)(i)-(iii).	⊠YES	□NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form OP-	REQ1	: Page 55				
		ode of Federal Regulations Part 63 - National Emission Standards for Hazardo Categories (continued)	ous Air Po	ollutants		
R.	Subj	Subpart II - National Emission Standards for Shipbuilding and Ship Repair (Surface C				
	1.	The application area includes shipbuilding or ship repair operations. If the response to Question VIII.R.1 is "NO," go to Section VIII.S.	□YES	⊠NO		
	2.	Shipbuilding or ship repair operations located in the application area are subject to 40 CFR Part 63, Subpart II.	□YES	□NO		
S.	Subj	part JJ - National Emission Standards for Wood Furniture Manufacturing Op	erations			
	1.	The application area includes wood furniture manufacturing operations and/or wood furniture component manufacturing operations. If the response to Question VIII.S.1 is "NO" or "N/A," go to Section VIII.T.	☐YES	□NO ⊠N/A		
	2.	The application area meets the definition of an "incidental wood manufacturer" as defined in 40 CFR § 63.801.	□YES	□NO		
T.	Subj	part KK - National Emission Standards for the Printing and Publishing Indust	ry			
	1.	The application area includes publication rotogravure, product and packaging rotogravure, or wide-web flexographic printing presses.	□YES	□NO ⊠N/A		
U.	Subj	part PP - National Emission Standards for Containers				
	1.	The application area includes containers for which another 40 CFR Part 60, 61, or 63 subpart references the use of 40 CFR Part 63, Subpart PP for the control of air emissions. If the response to Question VIII. U.1 is "NO," go to Section VIII.V.	□YES	⊠NO		
	2.	The application area includes containers using Container Level 1 controls.	□YES	□NO		
	3.	The application area includes containers using Container Level 2 controls.	□YES	□NO		

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form	OP-I	REQ1:	Page 56		
VIII.	VIII. Title 40 Code of Federal Regulations Part 63 - National Emission Standards for Hazardous Air Pollutants for Source Categories (continued)				
	U.	Subp	oart PP - National Emission Standards for Containers (continued)		
		4.	The application area includes containers using Container Level 3 controls.	YES	□NO
	V.	Subp	part RR - National Emission Standards for Individual Drain Systems		
		1.	The application area includes individual drain systems for which another 40 CFR Part 60, 61, or 63 subpart references the use of 40 CFR Part 63, Subpart RR for the control of air emissions.	□YES	⊠NO
	W.		oart YY - National Emission Standards for Hazardous Air Pollutants for Sourceric Maximum Achievable Control Technology Standards	ce Catego	ries -
		1.	The application area includes an acetal resins production process unit; an acrylic and modacrylic fiber production process unit complying with 40 CFR § 63.1103(b)(3)(i); or an existing polycarbonate production process.	_YES	⊠NO
		2.	The application area includes process wastewater streams generated from an acetal resins production process unit; an acrylic and modacrylic fiber production process unit complying with 40 CFR § 63.1103(b)(3)(i); or an existing polycarbonate production process. If the responses to Questions VIII.W.1 and VIII.W.2 are both "NO," go to Question VIII.W.20.	□YES	⊠NO
		3.	The application area includes process wastewater streams that are designated as Group 1 or are determined to be Group 1 under the requirements of 40 CFR § 63.132(c).	☐YES	□NO
		4.	The application area includes process wastewater streams that are determined to be Group 2 under the requirements of 40 CFR § 63.132(c).	☐YES	□NO
		5.	All Group 1 wastewater streams at the site are determined to have a total source mass flow rate of less than 1 MG/yr.	YES	□NO
		6.	The site has untreated and/or partially treated Group 1 wastewater streams demonstrated to have a total source mass flow rate of less than 1 MG/yr. If the response to Question VIII.W.6 is "NO," go to Question VIII.W.8.	YES	□NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form	Form OP-REQ1: Page 57				
VIII.	VIII. Title 40 Code of Federal Regulations Part 63 - National Emission Standards for Hazardous Air Pollutants for Source Categories (continued)				
	W. Subpart YY - National Emission Standards for Hazardous Air Pollutants for Source Generic Maximum Achievable Control Technology Standards (continued)				ries -
		7.	The application area includes waste management units that receive or manage a partially treated Group 1 wastewater stream prior to or during treatment.	□YES	□NO
		8.	Group 1 wastewater streams or residual removed from Group 1 wastewater streams are transferred to an on-site treatment operation that is not owned or operated by the owner or operator of the source generating the waste stream or residual.	☐YES	□NO
		9.	Group 1 wastewater streams or residual removed from Group 1 wastewater streams are transferred to an off-site treatment operation. If the responses to Questions VIII.W.8 and W.9 are both "NO," go to Question VIII.W.11.	□YES	□NO
		10.	The application area includes waste management units that receive or manage a Group 1 wastewater stream, or a residual removed from a Group 1 wastewater stream prior to shipment or transport.	□YES	□NO
		11.	The application area includes containers that receive, manage, or treat a Group 1 wastewater stream or a residual removed from a Group 1 wastewater stream.	□YES	□NO
		12.	The application area includes individual drain systems that receive, manage, or treat a Group 1 wastewater stream or a residual removed from a Group 1 wastewater stream. If the response to Question VIII.W.12 is "NO," go to Question VIII.W.15.	□YES	□NO
		13.	The application area includes individual drain systems that are complying with 40 CFR § 63.136 through the use of covers and, if vented, closed vent systems and control devices.	□YES	□NO
		14.	The application area includes individual drain systems that are complying with 40 CFR § 63.136 through the use of water seals or tightly fitting caps or plugs.	□YES	□NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed. For GOP applications, answer ONLY these questions unless otherwise directed.

Form	Form OP-REQ1: Page 58				
VIII.	VIII. Title 40 Code of Federal Regulations Part 63 - National Emission Standards for Hazardous Air Pollutants for Source Categories (continued)				
	W. Subpart YY - National Emission Standards for Hazardous Air Pollutants for Source Categories - Generic Maximum Achievable Control Technology Standards (continued)				
		15.	The application area includes drains, drain hubs, manholes, lift stations, trenches, or pipes that are part of an acetal resins production process unit; an acrylic and modacrylic fiber production process unit complying with 40 CFR § 63.1103(b)(3)(i); or an existing polycarbonate production process unit. If the response to Question VIII.W.15 is "NO," go to Question VIII.W.20.	□YES	□NO
		16.	The application area includes drains, drain hubs, manholes, lift stations, trenches or pipes that meet the criteria listed in 40 CFR § 63.1106(c)(1) - (3). If the response to Question VIII.W.16 is "NO," go to Question VIII.W.20.	□YES	□NO
		17.	The application area includes drains, drain hubs, manholes, lift stations, trenches or pipes that convey water with a total annual average concentration greater than or equal to 10,000 parts per million by weight of compounds meeting the definition of organic HAP in Table 9 to 40 CFR Part 60, Subpart G, at any flow rate.	□YES	□NO
		18.	The application area includes drains, drain hubs, manholes, lift stations, trenches or pipes that convey water with a total annual average concentration greater than or equal to 1,000 parts per million by weight of compounds meeting the definition of organic HAP in Table 9 to 40 CFR Part 60, Subpart G, at an annual average flow rate greater than or equal to 10 liters per minute.	□YES	□NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form	Form OP-REQ1: Page 59				
	VIII. Title 40 Code of Federal Regulations Part 63 - National Emission Standards for Hazardous Air Pollutants for Source Categories (continued)				
•	W. Subpart YY - National Emission Standards for Hazardous Air Pollutants for Source Categ Generic Maximum Achievable Control Technology Standards (continued)				ries -
		19.	The application area includes drains, drain hubs, manholes, lift stations, trenches or pipes that are part of an acrylic resins or acrylic and modacrylic fiber production process unit that is part of a new affected source or is a new affected source and the equipment conveys water with a total annual average concentration greater than or equal to 10 ppmw of compounds meeting the definition of organic HAP in Table 9 to 40 CFR Part 60, Subpart G, at an average annual flow rate greater than or equal to 0.02 liter per minute.	□YES	□NO
		20.	The application area includes an ethylene production process unit.	□YES	⊠NO □N/A
		21.	The application area includes waste streams generated from an ethylene production process unit. If the responses to Questions VIII.W.20 and VIII.W.21 are both "NO" or "N/A," go to Question VIII.W.54.	□YES	⊠NO □N/A
		22.	The waste stream(s) contains at least one of the chemicals listed in 40 CFR § 63.1103(e), Table 7(g)(1). If the response to Question VIII.W.22 is "NO," go to Question VIII.W.54.	☐YES	□NO
		23.	Waste stream(s) are transferred off-site for treatment. If the response to Question VIII.W.23 is "NO," go to Question VIII.W.25.	□YES	□NO
		24.	The application area has waste management units that treat or manage waste stream(s) prior to transfer off-site for treatment. If the response to Question VIII.W.24 is "NO," go to Question VIII.W.54.	□YES	□NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

 $For \ SOP \ applications, \ answer \ ALL \ questions \ unless \ otherwise \ directed.$

Form OP-I	Form OP-REQ1: Page 60			
	VIII. Title 40 Code of Federal Regulations Part 63 - National Emission Standards for Hazardous Air Pollutants for Source Categories (continued)			
W.	W. Subpart YY - National Emission Standards for Hazardous Air Pollutants for Source Categories - Generic Maximum Achievable Control Technology Standards (continued)			
	25.	The total annual benzene quantity from waste at the site is less than 10 Mg/yr as determined according to 40 CFR § 61.342(a).	YES	□NO
	26.	The application area contains at least one waste stream that is a continuous butadiene waste stream as defined in 40 CFR § 63.1082(b). If the response to Question VIII.W.26 is "NO," go to Question VIII.W.43.	□YES	□NO
	27.	The waste stream(s) contains at least 10 ppmw 1, 3-butadiene at a flow rate of 0.02 liters per minute or is designated for control. If the response to Question VIII.W.27 is "NO," go to Question VIII.W.43.	□YES	□NO
	28.	The control requirements of 40 CFR Part 63, Subpart G for process wastewater as specified in 40 CFR § 63.1095(a)(2) are selected for control of the waste stream(s). If the response to Question VIII.W.28 is "NO," go to Question VIII.W.33.	□YES	□NO
	29.	The application area includes containers that receive, manage, or treat a continuous butadiene waste stream.	☐YES	□NO
	30.	The application area includes individual drain systems that receive, manage, or treat a continuous butadiene waste stream. If the response to Question VIII.W.30 is "NO," go to Question VIII.W.43.	□YES	□NO
	31.	The application area includes individual drain systems that are complying with 40 CFR § 63.136 through the use of cover and, if vented, closed vent systems and control devices.	□YES	□NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form O	Form OP-REQ1: Page 61				
	VIII. Title 40 Code of Federal Regulations Part 63 - National Emission Standards for Hazardous Air Pollutants for Source Categories (continued)				
W	W. Subpart YY - National Emission Standards for Hazardous Air Pollutants for Source Categories - Generic Maximum Achievable Control Technology Standards (continued)				
	32.	The application area includes individual drain systems that are complying with 40 CFR § 63.136 through the use of water seals or tightly fitting caps or plugs. If the response to Question VIII.W.32 is required, go to Question VIII.W.43.	□YES □NO		
	33.	The application area has containers, as defined in 40 CFR § 61.341, that receive a continuous butadiene waste stream. If the response to Question VIII.W.33 is "NO," go to Question VIII.W.36.	□YES □NO		
	34.	The application area is an alternate means of compliance to meet the 40 CFR § 61.345 requirements for containers. If the response to Question VIII.W.34 is "YES," go to Question VIII.W.36.	□YES □NO		
	35.	Covers and closed-vent systems used for containers operate such that the container is maintained at a pressure less than atmospheric pressure.	□YES □NO		
	36.	The application area has individual drain systems, as defined in 40 CFR § 61.341, that receive or manage a continuous butadiene waste stream. If the response to Question VIII.W.36 is "NO," go to Question VIII.W.43.	□YES □NO		
	37.	The application area is using an alternate means of compliance to meet the 40 CFR § 61.346 requirements for individual drain systems. If the response to Question VIII.W.37 is "YES," go to Question VIII.W.43.	□YES □NO		

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

 $For \ SOP \ applications, \ answer \ ALL \ questions \ unless \ otherwise \ directed.$

Form	Form OP-REQ1: Page 62				
VIII.	VIII. Title 40 Code of Federal Regulations Part 63 - National Emission Standards for Hazardous Air Pollutants for Source Categories (continued)				
	W. Subpart YY - National Emission Standards for Hazardous Air Pollutants for Source Categories - Generic Maximum Achievable Control Technology Standards (continued)				
		38.	The application area has individual drain systems complying with 40 CFR § 61.346(a). If the response to Question VIII.W.38 is "NO," go to Question VIII.W.40.	□YES □NO	
		39.	Covers and closed-vent systems used for individual drain systems operate such that the individual drain system is maintained at a pressure less than atmospheric pressure.	□YES □NO	
		40.	The application area has individual drain systems complying with 40 CFR § 61.346(b). If the response to Question VIII.W.40 is "NO," go to Question VIII.W.43.	□YES □NO	
		41.	Junction boxes in the individual drain systems are equipped with a system to prevent the flow of organic vapors from the junction box vent pipe to the atmosphere during normal operation.	□YES □NO	
		42.	Junction box vent pipes in the individual drain systems are connected to a closed-vent system and control device.	□YES □NO	
		43.	The application area has at least one waste stream that contains benzene. If the response to Question VIII.W.43 is "NO," go to Question VIII.W.54.	□YES □NO	
		44.	The application area has containers, as defined in 40 CFR § 61.341, that receive a waste stream containing benzene. If the response to Question VIII.W.44 is "NO," go to Question VIII.W.47.	□YES □NO	
		45.	The application area is an alternate means of compliance to meet the 40 CFR § 61.345 requirements for containers. If the response to Question VIII.W.45 is "YES," go to Question VIII.W.47.	□YES □NO	

1 0	

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form OP-1	Form OP-REQ1: Page 63			
	VIII. Title 40 Code of Federal Regulations Part 63 - National Emission Standards for Hazardous Air Pollutants for Source Categories (continued)			
W.	_	eart YY - National Emission Standards for Hazardous Air Pollutants for Source eric Maximum Achievable Control Technology Standards (continued)	ce Categoi	ries -
	46.	Covers and closed-vent systems used for containers operate such that the container is maintained at a pressure less than atmospheric pressure.	□YES	□NO
	47.	The application area has individual drain systems, as defined in 40 CFR § 61.341, that receive or manage a waste stream containing benzene. If the response to Question VIII.W.47 is "NO," go to Question VIII.W.54.	YES	□NO
	48.	The application area is using an alternate means of compliance to meet the 40 CFR § 61.346 requirements for individual drain systems. If the response to Question VIII.W.48 is "YES," go to Question VIII.W.54.	YES	□NO
	49.	The application area has individual drain systems complying with 40 CFR § 61.346(a). If the response to Question VIII.W.49 is "NO," go to Question VIII.W.51.	☐YES	□NO
	50.	Covers and closed-vent systems used for individual drain systems operate such that the individual drain system is maintained at a pressure less than atmospheric pressure.	□YES	□NO
	51.	The application area has individual drain systems complying with 40 CFR § 61.346(b). If the response to Question VIII.W.51 is "NO," go to Question VIII.W.54.	YES	□NO
	52.	Junction boxes in the individual drain systems are equipped with a system to prevent the flow of organic vapors from the junction box vent pipe to the atmosphere during normal operation.	□YES	□NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form OP-I	REQ1:	Page 64	
VIII. Title 40 Code of Federal Regulations Part 63 - National Emission Standards for Hazardous Air Pollutants for Source Categories (continued)			
W.	_	oart YY - National Emission Standards for Hazardous Air Pollutants for Sourceric Maximum Achievable Control Technology Standards (continued)	ce Categories -
	53.	Junction box vent pipes in the individual drain systems are connected to a closed-vent system and control device.	□YES □NO
	54.	The application area contains a cyanide chemicals manufacturing process. If the response to Question VIII.W.54 is "NO," go to Section VIII.X.	□YES ⊠NO
	55.	The cyanide chemicals manufacturing process generates maintenance wastewater containing hydrogen cyanide or acetonitrile.	□YES □NO
Х.		oart JJJ - National Emission Standards for Hazardous Air Pollutant Emissions mers and Resins	s: Group IV
	1.	The application area includes thermoplastic product process units, and/or their associated affected sources specified in 40 CFR § 63.1310(a)(1) - (5), that are subject to 40 CFR Part 63, Subpart JJJ. If the response to Question VIII.X.1 is "NO," go to Section VIII.Y.	□YES ⊠NO
	2.	The application area includes thermoplastic product process units and/or wastewater streams and wastewater operations that are associated with thermoplastic product process units. If the response to Question VIII.X.2 is "NO," go to Section VIII.Y.	□YES □NO
	3.	All process wastewater streams generated or managed in the application area are from sources producing polystyrene. If the response to Question VIII.X.3 is "YES," go to Section VIII.Y.	□YES □NO
	4.	All process wastewater streams generated or managed in the application area are from sources producing ASA/AMSAN. If the response to Question VIII.X.4 is "YES," go to Section VIII.Y.	□YES □NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form OP-REQ1: Page 65				
	VIII. Title 40 Code of Federal Regulations Part 63 - National Emission Standards for Hazardous Air Pollutants for Source Categories (continued)			
X.		oart JJJ - National Emission Standards for Hazardous Air Pollutant Emissions mers and Resins (continued)	s: Group	IV
	5.	The application area includes process wastewater streams that are designated as Group 1 or are determined to be Group 1 for organic HAPs as defined in 40 CFR § 63.1312.	YES	□NO
	6.	The application area includes process wastewater streams, located at existing sources, that are Group 2 for organic HAPs as defined in 40 CFR § 63.1312.	□YES	□NO
	7.	The application area includes process wastewater streams, located at new sources, that are Group 2 for organic HAPs as defined in 40 CFR § 63.1312.	□YES	□NO
	8.	All Group 1 wastewater streams at the site are demonstrated to have a total source mass flow rate of less than 1 MG/yr. If the response to Question VIII.X.8 is "YES," go to Question VIII.X.18.	□YES	□NO
	9.	The site has untreated and/or partially treated Group 1 wastewater streams demonstrated to have a total source mass flow rate of less than 1 MG/yr. <i>If the response to Question VIII.X.9 is "NO," go to Question VIII.X.11.</i>	□YES	□NO
	10.	The application area includes waste management units that receive or manage a partially treated Group 1 wastewater stream prior to or during treatment.	□YES	□NO
	11.	Group 1 wastewater streams or residual removed from Group 1 wastewater streams are transferred to an on-site treatment operation that is not owned or operated by the owner or operator of the source generating the waste stream or residual.	□YES	□NO
	12.	Group 1 wastewater streams or residual removed from Group 1 wastewater streams are transferred to an off-site treatment operation. If the responses to Questions VIII.X.11 - VIII.X.12 are both "NO," go to Question VIII.X.14.	☐YES	□NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form OP-	REQ1.	: Page 66		
		ode of Federal Regulations Part 63 - National Emission Standards for Hazardo Categories (continued)	ous Air Pol	llutants
X.		part JJJ - National Emission Standards for Hazardous Air Pollutant Emissions mers and Resins (continued)	s: Group I	V
	13.	The application area includes waste management units that receive or manage a Group 1 wastewater stream, or a residual removed from a Group 1 wastewater stream prior to shipment or transport.	□YES	□NO
	Cont	tainers		
	14.	The application area includes containers that receive, manage, or treat a Group 1 wastewater stream or a residual removed from a Group 1 wastewater stream.	□YES	□NO
	Drai	ns		
	15.	The application area includes individual drain systems that receive or manage a Group 1 wastewater stream or a residual removed from a Group 1 wastewater stream. If the response to Question VIII.X.15 is "NO," go to Question VIII.X.18.	☐YES	□NO
	16.	The application area includes individual drain systems that are complying with 40 CFR § 63.136 through the use of cover and, if vented, closed vent systems and control devices.	□YES	□NO
	17.	The application area includes individual drain systems that are complying with 40 CFR § 63.136 through the use of water seals or tightly fitting caps or plugs.	□YES	□NO
	18.	The application area includes drains, drain hubs, manholes, lift stations, trenches, or pipes that are part of an thermoplastic product process unit. If the response to Question VIII.X.18 is "NO," go to Section VIII.Y.	☐YES	□NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.
For GOP applications, answer ONLY these questions unless otherwise directed.

Form Ol	P-REQ1.	: Page 67		
	VIII. Title 40 Code of Federal Regulations Part 63 - National Emission Standards for Hazardous Air Pollutants for Source Categories (continued)			
X.	_	Subpart JJJ - National Emission Standards for Hazardous Air Pollutant Emissions: Group IV Polymers and Resins (continued)		
	Drai	ns (continued)		
	19.	The application area includes drains, drain hubs, manholes, lift stations, trenches or pipes that meet the criteria listed in 40 CFR § 63.149(d) and § 63.1330(b)(12). <i>If the response to Question VIII.X.19 is "NO," go to Section VIII.Y.</i>	□YES	□NO
	20.	The application area includes drains, drain hubs, manholes, lift stations, trenches, or pipes that convey water with a total annual average concentration greater than or equal to 10,000 parts per million by weight of compounds meeting the definition of organic HAP in 40 CFR § 63.1312, at any flow rate.	□YES	□NO
	21.	The application area includes drains, drain hubs, manholes, lift stations, trenches or pipes that convey water with a total annual average concentration greater than or equal to 1,000 parts per million by weight of compounds meeting the definition of organic HAP in 40 CFR § 63.1312, at an annual average flow rate greater than or equal to 10 liters per minute.	□YES	□NO
	22.	The application area includes drains, drain hubs, manholes, lift stations, trenches or pipes that are part of an thermoplastic product process unit that is a new affected source or part of a new affected source and the equipment conveys water with a total annual average concentration greater than or equal to 10 parts per million by weight of compounds meeting the definition of organic HAP in 40 CFR § 63.1312, at an average annual flow rate greater than or equal to 0.02 liter per minute	□YES	□NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form	OP-I	REQ1.	: Page 68		
VIII.			ode of Federal Regulations Part 63 - National Emission Standards for Hazardo Categories (continued)	ous Air Po	ollutants
	Y.		oart UUU - National Emission Standards for Hazardous Air Pollutants for Petallytic Cracking Units, Catalytic reforming Units, and Sulfur Recovery Units.	roleum R	efineries:
		1.	The application area is subject to 40 CFR Part 63, Subpart UUU - National Emission Standards for Hazardous Air Pollutants for Petroleum Refineries: Catalytic Cracking Units, Catalytic reforming Units, and Sulfur Recovery Units.	□YES	⊠NO
	Z.	_	oart AAAA - National Emission Standards for Hazardous Air Pollutants for M te (MSW) Landfills.	[unicipal	Solid
*		1.	The application area is subject to 40 CFR Part 63, Subpart AAAA - National Emission Standards for Hazardous Air Pollutants for Municipal Solid Waste Landfills.	□YES	⊠NO
	AA.		oart FFFF - National Emission Standards for Hazardous Air Pollutants for Mi nnic Chemical Production and Processes (MON)	scellaneo	us
		1.	The application area is located at a site that includes process units that manufacture as a primary product one or more of the chemicals listed in 40 CFR § 63.2435(b)(1).	□YES	⊠NO
		2.	The application area is located at a plant site that is a major source as defined in FCAA § 112(a).	□YES	⊠NO
		3.	The application area is located at a site that includes miscellaneous chemical manufacturing process units (MCPU) that process, use or generate one or more of the organic hazardous air pollutants listed in § 112(b) of the Clean Air Act or hydrogen halide and halogen HAP. If the response to Question VIII.AA.1, AA.2 or AA.3 is "NO," go to Section VIII.BB.	□YES	⊠NO
		4.	The application area includes process vents, storage vessels, transfer racks, or waste streams associated with a miscellaneous chemical manufacturing process subject to 40 CFR 63, Subpart FFFF. If the response to Question VIII.AA.4 is "NO," go to Section VIII.BB.	□YES	□NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

 $For \ SOP \ applications, \ answer \ ALL \ questions \ unless \ otherwise \ directed.$

Form OP-REQ1: Page 69				
	VIII. Title 40 Code of Federal Regulations Part 63 - National Emission Standards for Hazardous Air Pollutants for Source Categories (continued)			
AA.		oart FFFF - National Emission Standards for Hazardous Air Pollutants for Mi nnic Chemical Production and Processes (MON) (continued)	scellaneo	us
	5.	The application area includes process wastewater streams. If the response to Question VIII.AA.5 is "NO," go to Question VIII.AA.18.	□YES	□NO
	6.	The application area includes process wastewater streams that are designated as Group 1 or are determined to be Group 1 for compounds listed in Table 8 of 40 CFR Part 63, Subpart G or Table 8 and Table 9, as appropriate, of 40 CFR Part 63, Subpart FFFF.	□YES	□NO
	7.	The application area includes process wastewater streams that are Group 2 for compounds listed in Table 8 or Table 8 and Table 9, as appropriate, of 40 CFR Part 63, Subpart FFFF.	□YES	□NO
	8.	All Group 1 wastewater streams at the site are demonstrated to have a total source mass flow rate of less than 1 MG/yr. If the response to Question VIII.AA.8 is "YES," go to Section VIII.AA.22.	□YES	□NO
	9.	The site has untreated and/or partially treated Group 1 wastewater streams demonstrated to have a total source mass flow rate of less than 1 MG/yr. If the response to Question VIII.AA.9 is "NO," go to Question VIII.AA.11.	□YES	□NO
	10.	The application area includes waste management units that receive or manage a partially treated Group 1 wastewater stream prior to or during treatment.	□YES	□NO
	11.	Group 1 wastewater streams or residual removed from Group 1 wastewater streams are transferred to an on-site treatment operation that is not owned or operated by the owner or operator of the source generating the waste stream or residual.	□YES	□NO
	12.	Group 1 wastewater streams or residual removed from Group 1 wastewater streams are transferred to an off-site treatment operation. If the responses to Questions VIII.AA.11 and VIII.AA.12 are both "NO," go to Question VIII.AA.18.	□YES	□NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form	Form OP-REQ1: Page 70				
VIII.	VIII. Title 40 Code of Federal Regulations Part 63 - National Emission Standards for Hazardous Air Pollutants for Source Categories (continued)				
	AA.	_	oart FFFF - National Emission Standards for Hazardous Air Pollutants for Mi unic Chemical Production and Processes (MON) (continued)	scellaneo	us
		13.	Group 1 wastewater streams are transferred to an offsite treatment facility meeting the requirements of 40 CFR § 63.138(h). If the response to Question VIII.AA.13 is "NO," go to Question VIII.AA.15.	□YES	□NO
		14.	The option to document in the notification of compliance status report that the wastewater will be treated in a facility meeting the requirements of 40 CFR § 63.138(h) is elected.	□YES	□NO
		15.	Group 1 wastewater streams or residuals with a total annual average concentration of compounds in Table 8 of 40 CFR Part 63, Subpart FFFF less than 50 ppmw are transferred offsite. If the response to Question VIII.AA.15 is "NO," go to Question VIII.AA.17.	□YES	□NO
		16.	The transferor is demonstrating that less than 5 percent of the HAP in Table 9 of 40 CFR Part 63, Subpart FFFF is emitted from waste management units up to the activated sludge unit.	□YES	□NO
		17.	The application area includes waste management units that receive or manage a Group 1 wastewater stream, or a residual removed from a Group 1 wastewater stream prior to shipment or transport.	□YES	□NO
		18.	The application area includes containers that receive, manage, or treat a Group 1 wastewater stream or a residual removed from a Group 1 wastewater stream.	YES	□NO
		19.	The application area includes individual drain systems that receive or manage a Group 1 wastewater stream, or a residual removed from a Group 1 wastewater stream. If the response to Question VIII.AA.19 is "NO," go to Question VIII.AA.22.	☐YES	□NO
		20.	The application area includes individual drain systems that are complying with 40 CFR § 63.136 through the use of cover and, if vented, closed vent systems and control devices.	□YES	□NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed. For GOP applications, answer ONLY these questions unless otherwise directed.

Form	Form OP-REQ1: Page 71				
VIII.			ode of Federal Regulations Part 63 - National Emission Standards for Hazardo Categories (continued)	us Air Po	llutants
	AA.		oart FFFF - National Emission Standards for Hazardous Air Pollutants for Misonic Chemical Production and Processes (MON) (continued)	scellaneo	us
		21.	The application area includes individual drain systems that are complying with 40 CFR § 63.136 through the use of water seals or tightly fitting caps or plugs.	☐YES	□NO
		22.	The application area includes drains, drain hubs, manholes, lift stations, trenches, or pipes that are part of a chemical manufacturing process unit that meets the criteria of 40 CFR § 63.100(b). If the response to Question VIII.AA.22 is "NO," go to Section VIII.BB.	□YES	□NO
		23.	The application area includes drains, drain hubs, manholes, lift stations, trenches or pipes (that are part of a miscellaneous chemical manufacturing process unit) that meet the criteria listed in 40 CFR § 63.149(d). If the response to Question VIII.AA.23 is "NO," go to Section VIII.BB.	□YES	□NO
		24.	The application area includes drains, drain hubs, manholes, lift stations, trenches or pipes that convey water with a total annual average concentration of compounds in table 8 of 40 CFR Part 63, Subpart FFFF is greater than or equal to 10,000 ppmw at any flow rate, and the total annual load of compounds in table 8 of 40 CFR Part 63, Subpart FFFF is greater than or equal to 200 lb/yr.	□YES	□NO
		25.	The application area includes drains, drain hubs, manholes, lift stations, trenches, or pipes that convey water with a total annual average concentration of compounds in table 8 of 40 CFR Part 63, Subpart FFFF is greater than or equal to 1,000 ppmw, and the annual average flow rate is greater than or equal to 1 liter per minute.	□YES	□NO
		26.	The application area includes drains, drain hubs, manholes, lift stations, trenches or pipes that are part of a chemical manufacturing process unit that is subject to the new source requirements of 40 CFR § 63.2445(a); and the equipment conveys water with a combined total annual average concentration of compounds in tables 8 and 9 of 40 CFR Part 63, Subpart FFFF is greater than or equal to 30,000 ppmw, and the combined total annual load of compounds in tables 8 and 9 to this subpart is greater than or equal to 1 tpy.	□YES	□NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form OP-REQ1: Page 72					
VIII.	VIII. Title 40 Code of Federal Regulations Part 63 - National Emission Standards for Hazardous Air Pollutants for Source Categories (continued)				
	AA.	A. Subpart FFFF - National Emission Standards for Hazardous Air Pollutants for Miscellaneous Organic Chemical Production and Processes (MON) (continued)			us
	BB.	_	Subpart GGGG - National Emission Standards for Hazardous Air Pollutants for: Solvent Extractions for Vegetable Oil Production.		
		1.	The application area includes a vegetable oil production process that: is by itself a major source of HAP emissions or, is collocated within a plant site with other sources that are individually or collectively a major source of HAP emissions.	☐YES	⊠NO
	CC.	Subj	part GGGGG - National Emission Standards for Hazardous Air Pollutants: Si	te Remed	iation
		1.	The application area includes a facility at which a site remediation is conducted. If the answer to Question VIII.CC.1 is "NO," go to Section VIII.DD.	□YES	⊠NO
		2.	The application area is located at a site that is a major source of HAP. If the answer to Question VIII.CC.2 is "NO," go to Section VIII.DD.	□YES	□NO
		3.	All site remediation's qualify for one of the exemptions contained in 40 CFR § 63.7881(b)(1) through (6). If the answer to Question VIII.CC.3 is "YES," go to Section VIII.DD.	□YES	□NO
		4.	Prior to beginning site remediation activities it was determined that the total quantity of HAP listed in Table 1 of Subpart GGGGG that will be removed during all site remediations will be less than 1 Mg/yr. If the answer to Question VIII.CC.4 is "YES," go to Section VIII.DD.	□YES	□NO
		5.	The site remediation will be completed within 30 consecutive calendar days.	□YES	□NO
		6.	No site remediation will exceed 30 consecutive calendar days. If the answer to Question VIII.CC.6 is "YES," go to Section VIII.DD.	□YES	□NO
		7.	Site remediation materials subject to 40 CFR Part 63, Subpart GGGGG are transferred from the application area to an off-site facility.	□YES	□NO
		8.	All site remediation materials subject to 40 CFR Part 63, Subpart GGGGG are transferred from the application area to an off-site facility. If the answer to Question VIII.CC.8 is "YES," go to Section VIII.DD.	☐YES	□NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

 $For \ SOP \ applications, \ answer \ ALL \ questions \ unless \ otherwise \ directed.$

Form	Form OP-REQ1: Page 73			
VIII.	III. Title 40 Code of Federal Regulations Part 63 - National Emission Standards for Hazardous Air Pollutants for Source Categories (continued)			
	CC.	_	oart GGGGG - National Emission Standards for Hazardous Air Pollutants: Sit tinued)	e Remediation
		9.	The application area includes containers that manage site remediation materials subject to 40 CFR Part 63, Subpart GGGGG. If the response to Question VIII.CC.9 is "NO," go to Question VIII.CC.14.	□YES □NO
		10.	The application area includes containers using Container Level 1 controls as specified in 40 CFR § 63.922(b).	□YES □NO
		11.	The application area includes containers with a capacity greater than 0.46 m³ that meet the requirements of 40 CFR § 63.7900(b)(3)(i) and (ii).	□YES □NO
		12.	The application area includes containers using Container Level 2 controls as specified in 40 CFR § 63.923(b).	□YES □NO
		13.	The application area includes containers using Container Level 3 controls as specified in 40 CFR § 63.924(b).	□YES □NO
		14.	The application area includes individual drain systems complying with the requirements of 40 CFR § 63.962.	□YES □NO
	DD.	_	oart YYYYY - National Emission Standards for Hazardous Air Pollutants for Arc Furnace Steelmaking Facilities	Area/Sources:
		1.	The application area includes an electric arc furnace (EAF) steelmaking facility, and the site is an area source of hazardous air pollutant (HAP) emissions. If the response to Question VIII.DD.1 is "NO," go to Section VIII.EE.	□YES ⊠NO
		2.	The EAF steelmaking facility is a research and development facility. If the response to Question VIII.DD.2 is "YES," go to Section VIII.EE.	□YES □NO
		3.	Metallic scrap is utilized in the EAF.	□YES □NO
		4.	Scrap containing motor vehicle scrap is utilized in the EAF.	□YES □NO
		5.	Scrap not containing motor vehicle scrap is utilized in the EAF.	□YES □NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form	Form OP-REQ1: Page 74				
VIII.	VIII. Title 40 Code of Federal Regulations Part 63 - National Emission Standards for Hazardous Air Pollutants for Source Categories (continued)			llutants	
	EE.	_	oart BBBBBB - National Emission Standards for Hazardous Air Pollutants for Jine Distribution Bulk Terminals, Bulk Plants and Pipeline Facilities	Source (Category:
		1.	The application area is located at a site that is an area source of HAPs. If the answer to Question EE.1 is "NO," go to Section VIII.FF.	⊠YES	□NO
		2.	The application area includes a pipeline breakout station, as defined in 40 CFR Part 63, Subpart BBBBBB, not subject to the control requirements of 40 CFR Part 63, Subpart R.	□YES	⊠NO
		3.	The application area includes a pipeline pumping station as defined in 40 CFR Part 63, Subpart BBBBBB.	□YES	⊠NO
		4.	The application area includes a bulk gasoline plant as defined in 40 CFR Part 63, Subpart BBBBBB. If the answer to Question VIII.EE.4 is "NO," go to Question VIII.EE.6.	□YES	⊠NO
		5.	The bulk gasoline plant was operating, prior to January 10, 2010, in compliance with an enforceable State, local or tribal rule or permit that requires submerged fill as specified in 40 CFR § 63.11086(a).	□YES	□NO
		6.	The application area includes a bulk gasoline terminal, as defined in 40 CFR Part 63, Subpart BBBBBB, not subject to the control requirements of 40 CFR Part 63, Subpart R or Subpart CC. If the answer to Question VIII.EE.6 is "NO," go to Section VIII.FF.	□YES	⊠NO
		7.	The bulk gasoline terminal has throughput of less than 250,000 gallons per day. If the answer to Question VIII.EE.7 is "YES," go to Section VIII.FF.	□YES	□NO
		8.	The bulk gasoline terminal loads gasoline into gasoline cargo tanks other than railcar cargo tanks.	□YES	□NO
		9.	The bulk gasoline terminal loads gasoline into railcar cargo tanks. If the answer to Question VIII.EE.9 is "NO," go to Section VIII.FF.	□YES	□NO
		10.	The bulk gasoline terminal loads gasoline into railcar cargo tanks which do not collect vapors from a vapor balance system.	□YES	□NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form	Form OP-REQ1: Page 75				
VIII.			ode of Federal Regulations Part 63 - National Emission Standards for Hazardo Categories (continued)	ous Air Po	llutants
	EE.	_	oart BBBBBB - National Emission Standards for Hazardous Air Pollutants for bline Distribution Bulk Terminals, Bulk Plants and Pipeline Facilities (continue		Category:
		11.	The bulk gasoline terminal loads gasoline into railcar cargo tanks which collect vapors from a vapor balance system and that system complies with a Federal, State, local, tribal rule or permit.	□YES	□NO
	FF.		oart CCCCCC - National Emission Standards for Hazardous Air Pollutants fo bline Dispensing Facilities	r Source (Category:
*		1.	The application area is located at a site that is an area source of hazardous air pollutants. If the answer to Question VIII.FF.1 is "NO," go to Section VIII.GG.	⊠YES	□NO
*		2.	The application area includes at least one gasoline dispensing facility as defined in 40 CFR § 63.11132. If the answer to Question VIII.FF.2 is "NO," go to Section VIII.GG.	□YES	⊠NO
*		3.	The application area includes at least one gasoline dispensing facility with a monthly throughput of less than 10,000 gallons.	□YES	□NO
*		4.	The application area includes at least one gasoline dispensing facility where gasoline is dispensed from a fixed gasoline storage tank into a portable gasoline tank for the on-site delivery and subsequent dispensing into other gasoline-fueled equipment.	□YES	□NO
	GG.	Rece	ntly Promulgated 40 CFR Part 63 Subparts		
*		1.	The application area is subject to one or more promulgated 40 CFR Part 63 subparts not addressed on this form. If the response to Question VIII.GG.1 is "NO," go to Section IX. A list of promulgated 40 CFR Part 63 subparts not otherwise addressed on OP-REQ1 is included in the instructions.	⊠YES	□NO
*		2.	Provide the Subpart designation (i.e. Subpart EEE) in the space provided below. Subpart ZZZZ	ı	

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Forn	Form OP-REQ1: Page 76				
IX.	Title	40 C	ode of Federal Regulations Part 68 (40 CFR Part 68) - Chemical Accident Prev	ention Pr	ovisions
	Α.	Appl	licability		
*		1.	The application area contains processes subject to 40 CFR Part 68, Chemical Accident Prevention Provisions, and specified in 40 CFR § 68.10.	□YES	⊠NO
Χ.	Title	40 C	ode of Federal Regulations Part 82 (40 CFR Part 82) - Protection of Stratosphe	eric Ozon	e
	A.	Subp	oart A - Production and Consumption Controls		
*		1.	The application area is located at a site that produces, transforms, destroys, imports, or exports a controlled substance or product.	□YES	⊠NO □N/A
	В.	Subp	oart B - Servicing of Motor Vehicle Air Conditioners		
*		1.	Servicing, maintenance, and/or repair of fleet vehicle air conditioning systems using ozone-depleting refrigerants is conducted in the application area.	YES	⊠NO
	С.	-	oart C - Ban on Nonessential Products Containing Class I Substances and Ban lucts Containing or Manufactured with Class II Substances	on Nones	sential
*		1.	The application area sells or distributes one or more nonessential products (which release a Class I or Class II substance) that are subject to 40 CFR Part 82, Subpart C.	□YES	⊠NO □N/A
	D.	Subp	oart D - Federal Procurement		
*		1.	The application area is owned/operated by a department, agency, or instrumentality of the United States.	□YES	⊠NO □N/A
	E.	Subp	oart E - The Labeling of Products Using Ozone Depleting Substances		
*		1.	The application area includes containers in which a Class I or Class II substance is stored or transported prior to the sale of the Class I or Class II substance to the ultimate consumer.	□YES	⊠NO □N/A
*		2.	The application area is a manufacturer, importer, wholesaler, distributor, or retailer of products containing a Class I or Class II substance.	□YES	⊠NO □N/A
*		3.	The application area is a manufacturer, importer, wholesaler, distributor, or retailer of products manufactured with a process that uses a Class I or Class II substance.	□YES	⊠NO □N/A

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form	Form OP-REQ1: Page 77					
Х.		40 Co	ode of Federal Regulations Part 82 (40 CFR Part 82) - Protection of Stratospho	eric Ozon	e	
	F.	Subp	part F - Recycling and Emissions Reduction			
*		1.	Servicing, maintenance, and/or repair on refrigeration and non-motor vehicle air condition appliances using ozone-depleting refrigerants or non-exempt substitutes is conducted in the application area.	☐YES	⊠NO	
*		2.	Disposal of appliances (including motor vehicle air conditioners) or refrigerant or non-exempt substitute reclamation occurs in the application area.	□YES	⊠NO □N/A	
*		3.	The application area manufactures appliances or refrigerant recycling and recovery equipment.	□YES	⊠NO □N/A	
	G.	Subp	oart G - Significant New Alternatives Policy Program			
*		1.	The application area manufactures, formulates, or creates chemicals, product substitutes, or alternative manufacturing processes that are intended for use as a replacement for a Class I or Class II compound. If the response to Question X.G.1 is "NO" or "N/A," go to Section X.H.	□YES	⊠NO □N/A	
*		2.	All substitutes produced by the application area meet one or more of the exemptions in 40 CFR § 82.176(b)(1) - (7).	□YES	⊠NO □N/A	
	H.	Subp	oart H -Halon Emissions Reduction			
♦		1.	Testing, servicing, maintaining, repairing, or disposing of equipment containing halons is conducted in the application area.	□YES	⊠NO □N/A	
♦		2.	Disposal of halons or manufacturing of halon blends is conducted in the application area.	□YES	⊠NO □N/A	
XI.	Misc	ellane	ous			
	A.	Requ	nirements Reference Tables (RRT) and Flowcharts			
		1.	The application area contains units that are potentially subject to a regulation for which the TCEQ has not developed an RRT and flowchart.	□YES	⊠NO	

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Forn	Form OP-REQ1: Page 78				
XI.	Miscellaneous (continued)				
	B.	Forn	ns		
*		1.	The application area contains units that are potentially subject to a regulation for which the TCEQ has not developed a unit attribute form. If the response to Question XI.B.1 is "NO" or "N/A," go to Section XI.C.	YES	⊠NO □N/A
•		2.	Provide the Part and Subpart designation for the federal rule(s) or the Chapter, Sul Division designation for the State regulation(s) in the space provided below.	bchapter,	and
	C.	Emi	ssion Limitation Certifications		
*		1.	The application area includes units for which federally enforceable emission limitations have been established by certification.	⊠ YES	□NO
	D.		rnative Means of Control, Alternative Emission Limitation or Standard, or Equirements	uivalent	
		1.	The application area is located at a site that is subject to a site-specific requirement of the state implementation plan (SIP).	□YES	⊠NO
		2.	The application area includes units located at the site that are subject to a site-specific requirement of the SIP.	□YES	⊠NO
		3.	The application area includes units which demonstrate compliance by using an alternative means of control, alternative emission limitation or standard or equivalent requirements approved by the EPA Administrator. If the response to Question XI.D.3 is "YES," please include a copy of the approval document with the application.	□YES	⊠NO
		4.	The application area includes units which demonstrate compliance by using an alternative means of control, alternative emission limitation or standard or equivalent requirements approved by the TCEQ Executive Director. If the response to Question XI.D.4 is "YES," please include a copy of the approval document with the application.	□YES	⊠NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Forn	Form OP-REQ1: Page 79					
XI.	Misc	(iscellaneous (continued)				
	E.	Title	e IV - Acid Rain Program			
		1.	The application area includes emission units subject to the Acid Rain Program (ARP), including the Opt-In Program.	□YES	⊠NO	
		2.	The application area includes emission units qualifying for the new unit exemption under 40 CFR § 72.7.	□YES	⊠NO	
		3.	The application area includes emission units qualifying for the retired unit exemption under 40 CFR § 72.8.	□YES	⊠NO	
	F.		FR Part 97, Subpart EEEEE - Cross-State Air Pollution Rule (CSAPR) NO _x (up 2 Trading Program	Ozone Sea	ison	
		1.	The application area includes emission units subject to the requirements of the CSAPR NO _X Ozone Season Group 2 Trading Program. If the response to Question XI.F.1 is "NO," go to Question XI.F.7.	□YES	⊠NO	
		2.	The application area includes units that are complying with the CEMS requirements of 40 CFR Part 75, Subpart H for NO _X and heat input.	□YES	□NO	
		3.	The application area includes gas or oil-fired units that are complying with the CEMS requirements of 40 CFR Part 75, Subpart H for NO _X , and the monitoring requirements of 40 CFR Part 75, Appendix D for heat input.	YES	□NO	
		4.	The application area includes gas or oil-fired peaking units that are complying with the monitoring requirements of 40 CFR Part 75, Appendix E for NO _X , and the monitoring requirements of 40 CFR Part 75, Appendix D for heat input.	YES	□NO	
		5.	The application area includes gas or oil-fired units that are complying with the Low Mass Emissions monitoring requirements of 40 CFR § 75.19 for NO _X and heat input.	□YES	□NO	
		6.	The application area includes units that are complying with EPA-approved alternative monitoring system requirements of 40 CFR Part 75, Subpart E for NO _X and heat input.	□YES	□NO	
		7.	The application area includes emission units that qualify for the CSAPR NO _X Ozone Season Group 2 retired unit exemption.	□YES	⊠NO	

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed. For GOP applications, answer ONLY these questions unless otherwise directed.

Form OP-REQ1: Page 80					
XI.	Miscellaneous (continued)				
	G.	G. 40 CFR Part 97, Subpart FFFFF - Texas SO ₂ Trading Program			
		1.	The application area includes emission units complying with the requirements of the Texas SO ₂ Trading Program.	□YES	⊠NO
			If the response to Question XI.G.1 is "NO," go to Question XI.G.6.		
		2.	The application area includes units that are complying with the CEMS requirements of 40 CFR Part 75, Subpart B for SO ₂ and 40 CFR Part 75, Subpart H for heat input.	□YES	□NO
		3.	The application area includes gas or oil-fired units that are complying with the monitoring requirements of 40 CFR Part 75, Appendix D for SO ₂ and heat input.	□YES	□NO
		4.	The application area includes gas or oil-fired units that are complying with the Low Mass Emissions monitoring requirements of 40 CFR § 75.19 for SO ₂ and heat input.	□YES	□NO
		5.	The application area includes units that are complying with EPA-approved alternative monitoring system requirements of 40 CFR Part 75, Subpart E for SO ₂ and heat input.	☐YES	□NO
		6.	The application area includes emission units that qualify for the Texas SO ₂ Trading Program retired unit exemption.	□YES	⊠NO
	H. Permit Shield (SOP Applicants Only)				
		1.	A permit shield for negative applicability entries on Form OP-REQ2 (Negative Applicable Requirement Determinations) is being requested or already exists in the permit.	☐YES	⊠NO

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Forn	Form OP-REQ1: Page 81					
XI.	Miso	cellane	ous (continued)			
	I.	GOP	Type (Complete this section for GOP applications only)			
•		1.	The application area is applying for initial issuance, revision, or renewal of an oil and gas general operating permit under GOP No. 511 - Oil and Gas General Operating Permit for Brazoria, Chambers, Collin, Dallas, Denton, El Paso, Ellis, Fort Bend, Galveston, Hardin, Harris, Jefferson, Johnson, Kaufman, Liberty, Montgomery, Orange, Parker, Rockwall, Tarrant, Waller, and Wise Counties.	□YES	□NO	
*		2.	The application area is applying for initial issuance, revision, or renewal of an oil and gas general operating permit under GOP No. 512 - Oil and Gas General Operating Permit for Gregg, Nueces, and Victoria Counties.	YES	□NO	
•		3.	The application area is applying for initial issuance, revision, or renewal of an oil and gas general operating permit under GOP No. 513 - Oil and Gas General Operating Permit for Aransas, Bexar, Calhoun, Matagorda, San Patricio, and Travis Counties.	□YES	□NO	
•		4.	The application area is applying for initial issuance, revision, or renewal of an oil and gas general operating permit under GOP No. 514 - Oil and Gas General Operating Permit for All Texas Counties Except Aransas, Bexar, Brazoria, Calhoun, Chambers, Collin, Dallas, Denton, El Paso, Ellis, Fort Bend, Galveston, Gregg, Hardin, Harris, Jefferson, Johnson, Kaufman, Liberty, Matagorda, Montgomery, Nueces, Orange, Parker, Rockwall, San Patricio, Tarrant, Travis, Victoria, Waller, and Wise County.	□YES	□NO	
•		5.	The application area is applying for initial issuance, revision, or renewal of a solid waste landfill general operating permit under GOP No. 517 - Municipal Solid Waste Landfill general operating permit.	□YES	□NO	
	J.	Title	30 TAC Chapter 101, Subchapter H			
*		1.	The application area is located in a nonattainment area. If the response to Question XI.J.1 is "NO," go to question XI.J.3.	⊠YES	□NO	
*		2.	The applicant has or will generate emission reductions to be credited in the TCEQ Emissions Banking and Trading Program.	□YES	⊠NO □N/A	
*		3.	The applicant has or will generate discrete emission reductions to be credited in the TCEQ Emissions Banking and Trading Program.	□YES	⊠NO □N/A	

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form	Form OP-REQ1: Page 82					
XI.	Misc	ellane	ous (continued)			
	J.	Title	30 TAC Chapter 101, Subchapter H (continued)			
*		4.	The application area is located at a site in the Houston/Galveston/Brazoria nonattainment area where the facilities have a collective uncontrolled design capacity to emit 10 tpy or more of NO _X .	□YES	⊠NO	
*		5.	The application area includes an electric generating facility permitted under 30 TAC Chapter 116, Subchapter I.	□YES	⊠NO	
*		6.	The application area is located at a site in the Houston/Galveston/Brazoria nonattainment area and the site has a potential to emit more than 10 tpy of highly-reactive volatile organic compounds (HRVOC) from facilities covered under 30 TAC Chapter 115, Subchapter H, Divisions 1 and 2.	□YES	⊠NO	
*		7.	The application area is located at a site in the Houston/Galveston/Brazoria nonattainment area, the site has a potential to emit 10 tpy or less of HRVOC from covered facilities and the applicant is opting to comply with the requirements of 30 TAC Chapter 101, Subchapter H, Division 6, Highly Reactive VOC Emissions Cap and Trade Program.	□YES	⊠NO	
	K.	Perio	odic Monitoring			
*		1.	The applicant or permit holder is submitting at least one periodic monitoring proposal described on Form OP-MON in this application.	□YES	⊠NO	
*		2.	The permit currently contains at least one periodic monitoring requirement. If the responses to Questions XI.K.1 and XI.K.2 are both "NO," go to Section XI.L.	□YES	⊠NO	
*		3.	All periodic monitoring requirements are being removed from the permit with this application.	□YES	□NO	

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Forn	Form OP-REQ1: Page 83				
XI.	Misc	ellane	eous (continued)		
	L. Compliance Assurance Monitoring				
*		1.	The application area includes at least one unit that does not meet the CAM exemptions in 40 CFR § 64.2(b) for all applicable requirements that it is subject to, and the unit has a pre-control device potential to emit greater than or equal to the amount in tons per year required in a site classified as a major source. If the response to Question XI.L.1 is "NO," go to Section XI.M.	□YES ⊠NO	
*		2.	The unit or units defined by XI.L.1 are using a control device to comply with an applicable requirement. If the response to Question XI.L.2 is "NO," go to Section XI.M.	□YES □NO	
*		3.	The permit holder has submitted a CAM proposal on Form OP-MON in a previous application.	□YES □NO	
*		4.	The owner/operator or permit holder is submitting a CAM proposal on Form OP-MON according to the deadlines for submittals in 40 CFR § 64.5 in this application. If the responses to Questions XI.L.3 and XI.L.4 are both "NO," go to Section XI.M.	□YES □NO	
		5.	The owner/operator or permit holder is submitting a CAM implementation plan and schedule to be incorporated as enforceable conditions in the permit.	□YES □NO	
		6.	Provide the unit identification numbers for the units for which the applicant is sub- implementation plan and schedule in the space below.	omitting a CAM	
•		7.	At least one unit defined by XI.L.1 and XI.L.2 is using a CEMS, COMS or PEMS meeting the requirements of 40 CFR § 64.3(d)(2).	□YES □NO	
*		8.	All units defined by XI.L.1 and XI.L.2 are using a CEMS, COMS or PEMS meeting the requirements of 40 CFR § 64.3(d)(2). If the response to Question XI.L.8 is "YES," go to Section XI.M.	□YES □NO	

Texas Commission on Environmental Quality Application Area-Wide Applicability Determinations and General Information Form OP-REQ1

Federal Operating Permit Program

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Forn	Form OP-REQ1: Page 84					
XI.	XI. Miscellaneous (continued)					
	L.	Com	pliance Assurance Monitoring (continued)			
*		9.	At least one of the CAM proposals as described by question XI.L.3 or XI.L.4 addresses particulate matter, and the emission unit has a capture system as defined in 40 CFR §64.1.	□YES	□NO	
*		10.	At least one of the CAM proposals as described by question XI.L.3 or XI.L.4 addresses VOC, and the emission unit has a capture system as defined in 40 CFR §64.1.	□YES	□NO	
*		11.	At least one of the CAM proposals as described by question XI.L.3 or XI.L.4 addresses a regulated pollutant other than particulate matter or VOC, and the emission unit has a capture system as defined in 40 CFR §64.1.	□YES	□NO	
*		12.	The control device in the CAM proposal as described by question XI.L.3 or XI.L.4 has a bypass.	YES	□NO	
	M.	Title	30 TAC Chapter 113, Subchapter D, Division 5 - Emission Guidelines and Co	mpliance	Times	
*		1.	The application area includes at least one air curtain incinerator that commenced construction on or before December 9, 2004. If the response to Question XI.M.1 is "NO," or "N/A," go to Section XII.	□YES	□NO 図N/A	
*		2.	All air curtain incinerators constructed on or before December 9, 2004 combust only wood waste, clean lumber, or yard waste or a mixture of these materials.	□YES	□NO	
XII.	New	Sourc	e Review (NSR) Authorizations			
	A.	Wast	te Permits with Air Addendum			
•		1.	The application area includes a Municipal Solid Waste Permit or an Industrial Hazardous Waste with an Air Addendum. If the response to XII.A.1 is "YES," include the waste permit numbers and issuance date in Section XII.J.	□YES	⊠NO	

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form	Form OP-REQ1: Page 85					
XII.	II. New Source Review (NSR) Authorizations (continued)					
	В.	Air (
♦		1.	The application area includes at least one Air Quality Standard Permit NSR authorization.	⊠YES	□NO	
			If the response to XII.B.1 is "NO," go to Section XII.C. If the response to XII.B.1 is "YES," be sure to include the standard permit's registration numbers in Section XII.H and answer XII.B.2 - B.16 as appropriate.			
*		2.	The application area includes at least one "State Pollution Control Project" Air Quality Standard Permit NSR authorization under 30 TAC § 116.617.	□YES	⊠NO	
*		3.	The application area includes at least one non-rule Air Quality Standard Permit for Pollution Control Projects NSR authorization.	□YES	⊠NO	
*		4.	The application area includes at least one "Installation and/or Modification of Oil and Gas Facilities" Air Quality Standard Permit NSR authorization under 30 TAC § 116.620.	☐YES	⊠NO	
*		5.	The application area includes at least one non-rule Air Quality Standard Permit for Oil and Gas Handling and Production Facilities NSR authorization.	⊠YES	□NO	
*		6.	The application area includes at least one "Municipal Solid Waste Landfill" Air Quality Standard Permit NSR authorization under 30 TAC § 116.621.	□YES	⊠NO	
*		7.	The application area includes at least one "Municipal Solid Waste Landfill Facilities and Transfer Stations" Standard Permit authorization under 30 TAC Chapter 330, Subchapter U.	□YES	⊠NO	
		8.	The application area includes at least one "Concrete Batch Plant" Air Quality Standard Permit NSR authorization.	□YES	⊠NO	
*		9.	The application area includes at least one "Concrete Batch Plant with Enhanced Controls" Air Quality Standard Permit NSR authorization.	□YES	⊠NO	
•		10.	The application area includes at least one "Hot Mix Asphalt Plant" Air Quality Standard Permit NSR authorization.	□YES	⊠NO	

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Forn	Form OP-REQ1: Page 86					
XII.	New	ew Source Review (NSR) Authorizations (continued)				
	B.	Air (Quality Standard Permits (continued)			
•		11.	The application area includes at least one "Rock Crusher" Air Quality Standard Permit NSR authorization.	□YES	⊠NO	
*		12.	The application area includes at least one "Electric Generating Unit" Air Quality Standard Permit NSR authorization. If the response to XII.B.12 is "NO," go to Question XII.B.15.	□YES	⊠NO	
•		13.	For purposes of "Electric Generating Unit" Air Quality Standard Permit, the application area is located in the East Texas Region.	□YES	⊠NO	
•		14.	For purposes of "Electric Generating Unit" Air Quality Standard Permit, the application area is located in the West Texas Region.	□YES	⊠NO	
•		15.	The application area includes at least one "Boiler" Air Quality Standard Permit NSR authorization.	□YES	⊠NO	
•		16.	The application area includes at least one "Sawmill" Air Quality Standard Permit NSR authorization.	□YES	⊠NO	
	C.	Flexible Permits				
		1.	The application area includes at least one Flexible Permit NSR authorization.	□YES	⊠NO	
	D.	Multiple Plant Permits				
		1.	The application area includes at least one Multi-Plant Permit NSR authorization.	□YES	⊠NO	

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

		1				
Form OP-REQ1: Page 87						
XII. NSR Authorizations (A	Attach a	dditional sheets if neo	cessary	for sections E-J)		
E. PSD Permits and	d PSD N	Jajor Pollutants				
PSD Permit No.:		Issuance Date:		Pollutant(s):		
PSD Permit No.:		Issuance Date:		Pollutant(s):		
PSD Permit No.:		Issuance Date:		Pollutant(s):		
PSD Permit No.:		Issuance Date:		Pollutant(s):		
If PSD Permits are held for the Technical Forms heading at:						
F. Nonattainment ((NA) Pe	rmits and NA Major	Pollutar	nts		
NA Permit No.:		Issuance Date:		Pollutant(s):		
NA Permit No.:		Issuance Date:		Pollutant(s):		
NA Permit No.:		Issuance Date:		Pollutant(s):		
NA Permit No.:		Issuance Date:		Pollutant(s):		
If NA Permits are held for the Technical Forms heading at:						
G. NSR Authorizat	ions wit	h FCAA § 112(g) Req	quireme	nts		
NSR Permit No.:	Issuanc	e Date:	NSR Pe	ermit No.:	Issuance Date:	
NSR Permit No.:	Issuanc	e Date:	NSR Permit No.:		Issuance Date:	
NSR Permit No.:	Issuanc	e Date:	NSR Permit No.:		Issuance Date:	
NSR Permit No.:	Issuanc	e Date:	NSR Pe	ermit No.:	Issuance Date:	
	-	16 Permits, Special Po Rule, PSD Permits,				
Authorization No.: 113079 Issuanc		e Date: 2/7/2023	Authorization No.:		Issuance Date:	
Authorization No.: Issuance I		e Date: Autl		zation No.:	Issuance Date:	
Authorization No.:	Issuanc	e Date:	Authori	zation No.:	Issuance Date:	
Authorization No.:	Issuanc	e Date:	Authorization No.:		Issuance Date:	

Date:	3/18/2024
Permit No.:	O4540
RN No.:	RN106892185

For SOP applications, answer ALL questions unless otherwise directed.

Form OP-REQ1: Page 88	
XII. NSR Authorizations (Attach	additional sheets if necessary for sections E-J)
♦ I. Permits by Rule (30 T.	AC Chapter 106) for the Application Area
A list of selected Permits by Rule (pr FOP application is available in the	reviously referred to as standard exemptions) that are required to be listed in the instructions.
PBR No.:	Version No./Date:
♦ J. Municipal Solid Waste	and Industrial Hazardous Waste Permits With an Air Addendum
Permit No.:	Issuance Date:

Texas Commission on Environmental Quality Federal Operating Permit Program Individual Unit Summary Form OP-SUM Table 1

Date	Permit No.	Regulated Entity No.		
03/18/2024	O4540	RN106892185		

Unit/Process ID No.	Applicable Form	Unit Name/Description	CAM	Preconstruction Authorizations 30 TAC Chapter 116/30 TAC Chapter 106	Preconstruction Authorizations Title I	Group ID No.
E-06A	OP-UA2	2500 hp Compressor Engine		NRSP 113079		
E-07	OP-UA2	1380 hp Compressor Engine		NRSP 113079		
TK-1	OP-UA3	Produced Liquids Tank (300 bbl)		NRSP 113079		
TK-2	OP-UA3	Produced Liquids Tank (300 bbl)		NRSP 113079		
LL-01	OP-UA4	Truck Loading		NRSP 113079		
H-1	OP-UA5	Glycol Reboiler (0.125 MMBTU/hr)		NRSP 113079		
DEHY1	OP-UA62	Glycol Dehydrator		NRSP 113079		
SF-01	OP-UA12	Site Fugitives		NRSP 113079		
RECIP-06A	OP-UA12	Reciprocating Compressor		NRSP 113079		
RECIP-07	OP-UA12	Reciprocating Compressor		NRSP 113079		
PC-01	OP-UA12	Pneumatic Controllers		NRSP 113079		

TCEQ 10007 (APDG 5837v9, Revised 05/20) OP-SUM This form is for use by facilities subject to air quality permit requirements and may be revised periodically.

Page ____ of ____

Stationary Reciprocating Internal Combustion Engine Attributes Form OP-UA2 (Page 4)

Federal Operating Permit Program

Table 2a: Title 40 Code of Federal Regulations Part 63 (40 CFR Part 63)

Subpart ZZZZ: National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines Texas Commission on Environmental Quality

Date	Permit No.	Regulated Entity No.
03/18/2024	O4540	RN106892185

Unit ID No.	SOP/GOP Index No.	HAP Source	Brake HP	Construction/ Reconstruction Date	Nonindustrial Emergency Engine	Service Type	Stationary RICE Type
E-06A	63ZZZZ-1	AREA	500+	06+			
E-07	63ZZZZ-1	AREA	500+	06+			

Stationary Reciprocating Internal Combustion Engine Attributes Form OP-UA2 (Page 8)

Federal Operating Permit Program

Table 4a: Title 40 Code of Federal Regulations Part 60 (40 CFR Part 60)

Subpart JJJJ: Standards of Performance for Stationary Spark Ignition Internal Combustion Engines Texas Commission on Environmental Quality

Date	Permit No.	Regulated Entity No.
03/18/2024	O4540	RN106892185

Unit ID No.	SOP/GOP Index No.	Construction/ Reconstruction/ Modification Date	Test Cell	Exemption	Temp Replacement	Horsepower	Fuel	AEL No.	Lean Burn	Commencing
E-06A	60JJJJ-1	YES	NO	NONE	NO	1350+	NATGAS			CON
E-07	60JJJJ-1	YES	NO	NONE	NO	1350+	NATGAS			CON

Stationary Reciprocating Internal Combustion Engine Attributes Form OP-UA2 (Page 9)

Federal Operating Permit Program

Table 4b: Title 40 Code of Federal Regulations Part 60 (40 CFR Part 60)

Subpart JJJJ: Standards of Performance for Stationary Spark Ignition Internal Combustion Engines Texas Commission on Environmental Quality

Date	Permit No.	Regulated Entity No.
03/18/2024	O4540	RN106892185

Unit ID No.	SOP/GOP Index No.	Manufacture Date	Displacement	Certified	Operation	Certified Modification	Service	Severe Duty	Optional Compliance
E-06A	60JJJJ-1	N0710+		NO			NON		
E-07	60JJJJ-1	N0710+		NO			NON		

Storage Tank/Vessel Attributes Form OP-UA3 (Page 3)

Federal Operating Permit Program

Table 3: Title 40 Code of Federal Regulations Part 60 (40 CFR Part 60)
Subpart Kb: Standards of Performance for Volatile Organic Liquid Storage Vessels
(Including Petroleum Liquid Storage Vessels)
Texas Commission on Environmental Quality

Date	Permit No.	Regulated Entity No.		
03/18/2024	O4540	RN106892185		

Unit ID No.	SOP/GOP Index No.	Product Stored	Storage Capacity	WW Tank Control	Maximum TVP	Storage Vessel Description	AMEL ID No.	Guidepole	Reid Vapor Pressure	Control Device ID No.
TK-1	60Kb-1	PTCD-BF3	10K-							
TK-2	60Kb-1	PTCD-BF3	10K-							

Storage Tank/Vessel Attributes Form OP-UA3 (Page 4)

Federal Operating Permit Program

Table 4a: Title 30 Texas Administrative Code Chapter 115 (30 TAC Chapter 115) Subchapter B: Storage of Volatile Organic Compounds (VOCs) Texas Commission on Environmental Quality

Date	Permit No.	Regulated Entity No.		
03/18/2024	O4540	RN106892185		

Unit ID No.	SOP/GOP Index No.	Alternate Control Requirement	ACR ID No.	Product Stored	Storage Capacity	Throughput	Potential to Emit	Uncontrolled Emissions
TK-1	R5112-1	NO		VOC1	A1K-25K			
TK-2	R5112-1	NO		VOC1	A1K-25K			

Storage Tank/Vessel Attributes Form OP-UA3 (Page 5)

Federal Operating Permit Program

Table 4b: Title 30 Texas Administrative Code Chapter 115 (30 TAC Chapter 115) Subchapter B: Storage of Volatile Organic Compounds (VOCs) Texas Commission on Environmental Quality

Date	Permit No.	Regulated Entity No.		
03/18/2024	O4540	RN106892185		

Unit ID No.	SOP/GOP Index No.	Construction Date	Tank Description	True Vapor Pressure	Primary Seal	Secondary Seal	Control Device Type	Control Device ID No.
TK-1	R5112-1		NONE1	1-				
TK-2	R5112-1		NONE1	1-				

Storage Tank/Vessel Attributes Form OP-UA3 (Page 64)

Federal Operating Permit Program

Table 24a: Title 40 Code of Federal Regulations Part 60 (40 CFR Part 60)

Subpart OOOOa: Standards of Performance for Crude Oil and Natural Gas Facilities for which Construction, Modification or Reconstruction Commenced After September 18, 2015

Texas Commission on Environmental Quality

Date	Permit No.	Regulated Entity No.		
03/18/2024	O4540	RN106892185		

Unit ID No.	SOP/GOP Index No.	Construction/ Modification Date	Subject to Another Regulation	PTE	Compliance Option	Control Option	Control Device ID No.
TK-1	600000a-1	15-					
TK-2	60OOOOa-1	15-					

TCEQ - 10008 (APD-ID37v5, Revised 07/23) OP-UA3	
This form is for use by facilities subject to air quality permit requirements and may be revised periodically. (Title	V Release07/23

Storage Tank/Vessel Attributes Form OP-UA3 (Page 66)

Federal Operating Permit Program Table 25a: Title 40 Code of Federal Regulations Part 60 (40 CFR Part 60)

Subpart OOOO: Standards of Performance for Crude Oil and Natural Gas Production, Transmission and Distribution for which Construction, Modification or Reconstruction Commenced After August 23, 2011, and on or before September 18, 2015

Texas Commission on Environmental Quality

Date	Permit No.	Regulated Entity No.		
03/18/2024	O4540	RN106892185		

Unit ID No.	SOP/GOP Index No.	Construction/ Modification Date	Compliance Subject to Another Subpart	Potential to Emit	Storage Capacity	Compliance Option	Group Type	Control Option	Control Device ID No.
TK-1	60OOO-1	11-15	NONE	6-					
TK-2	60OOO-1	11-15	NONE	6-					

TCEQ - 10008 (APD-ID37v5, Revised 07/23) OP-UA3	
This form is for use by facilities subject to air quality permit requirements and may be revised periodically. (Title	V Release07/23

Loading/Unloading Operations Attributes Form OP-UA4 (Page 1)

Federal Operating Permit Program

Table 1a: Title 30 Texas Administrative Code Chapter 115 (30 TAC Chapter 115) Subchapter C: Loading and Unloading of Volatile Organic Compounds Texas Commission on Environmental Quality

Date	Permit No.:	Regulated Entity No.
03/18/2024	O4540	RN106892185

Unit ID No.	SOP/GOP Index No.	Chapter 115 Facility Type	Alternate Control Requirement (ACR)	ACR ID No.	Product Transferred	Transfer Type	True Vapor Pressure	Daily Through-put	Control Options
LL-01	R5211-1	OTHER	NONE		VOC1	LOAD	0.5-		

Process Heater/Furnace Attributes Form OP-UA5 (Page 7)

Federal Operating Permit Program

Table 4: Title 30 Texas Administrative Code Chapter 111 (30 TAC Chapter 111)

Subchapter A, Division 2: Incineration Texas Commission on Environmental Quality

Date	Permit No.	Regulated Entity No.
03/18/2024	O4540	RN106892185

Unit ID No.	SOP/GOP Index No.	Hazardous Waste	Monitor
H-1	R1121-1	NO	

Fugitive Emission Unit Attributes Form OP-UA12 (Page 170)

Federal Operating Permit Program

Table 19b: Title 40 Code of Federal Regulations Part 60 (40 CFR Part 60)

Subpart OOOOa: Standards of Performance for Crude Oil and Natural Gas Facilities for which Construction, Modification or Reconstruction

Commenced After September 18, 2015

Texas Commission on Environmental Quality

Date	Permit No.	Regulated Entity No.
03/18/2024	O4540	RN106892185

Unit ID No.	SOP/GOP Index No.	Construction/Modification Date	Reciprocating Compressor	AMEL	Bypass Device
RECIP-06A	60OOOa-2	15+	RC26K-	NO	
RECIP-07	60OOOa-3	15-			

Fugitive Emission Unit Attributes Form OP-UA12 (Page 171)

Federal Operating Permit Program

Table 19c: Title 40 Code of Federal Regulations Part 60 (40 CFR Part 60)

Subpart OOOOa: Standards of Performance for Crude Oil and Natural Gas Facilities for which Construction, Modification or Reconstruction

Commenced After September 18, 2015

Texas Commission on Environmental Quality

Date	Permit No.	Regulated Entity No.
03/18/2024	O4540	RN106892185

Unit ID No.	SOP/GOP Index No.	Construction/Modification Date	Pneumatic Controller
PC-01	60OOOa-4	15+	РСОТН

Fugitive Emission Unit Attributes Form OP-UA12 (Page 173)

Federal Operating Permit Program

Table 19e: Title 40 Code of Federal Regulations Part 60 (40 CFR Part 60)

Subpart OOOOa: Standards of Performance for Crude Oil and Natural Gas Facilities for which Construction, Modification or Reconstruction

Commenced After September 18, 2015

Texas Commission on Environmental Quality

Date	Permit No.	Regulated Entity No.
03/18/2024	O4540	RN106892185

Unit ID. No.	SOP/GOP Index No.	Construction/Modification Date	Fugitive Component	AMEL	Subject to Another Regulation
SF-01	60OOOa-5	15-			

Fugitive Emission Unit Attributes Form OP-UA12 (Page 186)

Federal Operating Permit Program

Table 20b: Title 40 Code of Federal Regulations Part 60 (40 CFR Part 60)

Subpart OOOO: Standards of Performance for Crude Oil and Natural Gas Production, Transmission and Distribution for which Construction, Modification or Reconstruction Commenced After August 23, 2011 and on or before September 18, 2015

Texas Commission on Environmental Quality

Date	Permit No.	Regulated Entity No.
03/18/2024	O4540	RN106892185

Unit ID. No.	SOP/GOP Index No.	Construction/ Modification Date	Reciprocating Compressor	Bypass Device
RECIP-06A	600000-2	15+		
RECIP-07	60OOO-3	11-15	RC26K-	

Fugitive Emission Unit Attributes Form OP-UA12 (Page 187)

Federal Operating Permit Program

Table 20c: Title 40 Code of Federal Regulations Part 60 (40 CFR Part 60)

Subpart OOOO: Standards of Performance for Crude Oil and Natural Gas Production, Transmission and Distribution for which Construction, Modification or Reconstruction Commenced After August 23, 2011 and on or before September 18, 2015

Texas Commission on Environmental Quality

Date	Permit No.	Regulated Entity No.
03/18/2024	O4540	RN106892185

Unit ID No.	SOP/GOP Index No.	Construction/ Modification Date	Pneumatic Controller
PC-01	60000-4	15+	

Texas Commission on Environmental Quality Glycol Dehydration Unit Attributes Form OP-UA62 (Page 1) Federal Operating Permit Program

Table 1a: Title 40 Code of Federal Regulations Part 63 (40 CFR Part 63) Subchapter HH: National Emission Standards for Hazardous Air Pollutants From Oil and Natural Gas Production Facilities

Date:	03/18/2024
Permit No.:	O4540
Regulated Entity No.:	RN106892185

GOP Questions highlighted.

Emission Point ID No.	SOP/GOP Index No.	Alternate Means of Emission Limitation (AMEL)	AMEL ID No.	HAP Source	Affected Source Type	Area Source Exemption	Existing Unit
DEHY1	63НН-1	NO		AREA	TEGU	90-	

TCEQ - 10434 (APDG 5173v14, Revised 02/20) OP-UA62
This form is for use by facilities subject to air quality permit requirements and may
be revised periodically. (Title V Release 12/14)

Applicable Requirements Summary Form OP-REQ3 (Page 1) Federal Operating Permit Program

Table 1a: Additions

Date: 03/18/2024	Regulated Entity No.: RN106892185	Permit No.: O4540
Company Name: EnLink Midstream Services, LLC	Area Name: Black Creek Compressor Station	1

Revision No.	Unit/Group/Process ID No.	Unit/Group/Process Applicable Form	SOP/GOP Index No	Pollutant	Applicable Regulatory Requirement Name	Applicable Regulatory Requirement Standard(s)
	E-06A	OP-UA2	63ZZZZ-1	HAPS	40 CFR Part 63, Subpart ZZZZ	§63.6590(c)
	E-07	OP-UA2	63ZZZZ-1	HAPS	40 CFR Part 63, Subpart ZZZZ	§63.6590(c)
	E-06A	OP-UA2	60JJJJ-1	NOx, CO, VOC	40 CFR Part 60, Subpart JJJJ	\$60.4233(e)-Table 1 \$60.4234 \$60.4243(b)(2)(ii), (e), (g) \$60.4246
	E-07	OP-UA2	60JJJJ-1	NOx, CO, VOC	40 CFR Part 60, Subpart JJJJ	\$60.4233(e)-Table 1 \$60.4234 \$60.4243(b)(2)(ii), (e), (g) \$60.4246
	TK-1	OP-UA3	R5112-1	VOC	30 TAC 115, Subchapter B	§115.111(a)(1)
	TK-2	OP-UA3	R5112-1	VOC	30 TAC 115, Subchapter B	§115.111(a)(1)
	RECIP-06A	OP-UA12	600000a-2	VOC	40 CFR Part 60, Subpart OOOOa	\$60.5370a (a)-(b) \$60.5385a \$60.5410a (c) \$60.5415a (c)

RECIP-07	OP-UA12	600000-3	I V C AC.	40 CFR Part 60, Subpart OOOO	\$60.5370 (a)-(b) \$60.5385 \$60.5410 (c) \$60.5415 (c)
DEHY1	OP-UA62	63НН-1	HAPS	40 CFR Part 63, Subpart HH	\$63.764(a) \$63.764(e)(1) \$63.764(e)(1)(ii) \$63.764(j) \$63.775 (c)(8)


Applicable Requirements Summary Form OP-REQ3 (Page 2) Federal Operating Permit Program


Table 1b: Additions


Date: 03/18/2024	Regulated Entity No.: RN106892185	Permit No.: O4540
Company Name: EnLink Midstream Services, LLC	Area Name: Black Creek Compressor Station	1

Revision No.	Unit/Group/Process ID No.	SOP/GOP Index No.	Pollutant	Monitoring and Testing Requirements	Recordkeeping Requirements	Reporting Requirements
	E-06A	63ZZZZ-1	HAPS	None	None	None
	E-07	63ZZZZ-1	HAPS	None	None	None
	E-06A	60JJJJ-1	NOx, CO, VOC	\$60.4243(b)(2)(ii) \$60.4243(e) \$60.4244(a)-(d)	\$60.4243(b)(2)(ii) \$60.4243(e) \$60.4245(a)(1)-(4)	[G]§60.4245(c), (d) §60.4245(d)
	E-07	60JJJJ-1	NOx, CO, VOC	\$60.4243(b)(2)(ii) \$60.4243(e) \$60.4244(a)-(d)	\$60.4243(b)(2)(ii) \$60.4243(e) \$60.4245(a)(1)-(4)	[G]§60.4245(c), (d) §60.4245(d)
	TK-01	R5112-1	VOC	None	§115.118(a)(1)	None
	TK-02	R5112-1	VOC	None	§115.118(a)(1)	None
	RECIP-06A	60OOOa-2	VOC	\$60.5397a(a),(b), [G](c)-(d), (e),(f)(2), (g)(2), [G](3)-(4) \$60.5410a(c)(1) \$60.5415a(c)(1)	§60.5397a(i) §60.5410a(c)(4) §60.5420a(c) [G]§60.5420a(c)(3)	\$60.5397a(j) \$60.5410a(c)(3), (j)(5) \$60.5420a(a), (a)(1), (b),[G](b)(1), [G](b)(4) \$60.5420a(b)(11), [G](b)(13)-(14)

RECIP-07	600000-3	VOC	(d), (e),(f)(2), (g)(2), [G](3)-(4)	\$60.5410(c)(4) \$60.5420(c) [G]\$60.5420(c)(3)	\$60.5397(j) \$60.5410(c)(3), (j)(5) \$60.5420(a), (a)(1), (b),[G](b)(1), [G](b)(4) \$60.5420(b)(11), [G](b)(13)-(14)
DEHY1	63HH-1	HAPS	11(+1863 ////61//)	§63.774(d)(1) §63.774(d)(1)(ii)	None














Black Creek Compressor Station EnLink Midstream Services, LLC Wise County, TX

Site Location Map

Project No. Env-EnLink-Black Creek Report No. SOP-0224

Date: March 2024

FIGURE 1







Black Creek Compressor Station Summary of Site-Wide Allowable Emission Rates

NRSP Permit Modification Application

	VOC		NO _x		со		PM ₁₀		PM _{2.5}		SO ₂		CH ₂ O		Benzene		H ₂ S	
EPN / Emission Source	lbs/hr	tpy	lbs/hr	tpy	lbs/hr	tpy	lbs/hr	tpy	lbs/hr	tpy	lbs/hr	tpy	lbs/hr	tpy	lbs/hr	tpy	lbs/hr	tpy
E-04A/ CAT G3608 A4, Compressor Engine 4	2.76	12.07	3.03	13.28	3.03	13.28	0.19	0.82	0.19	0.82	0.01	0.04	0.37	1.62	5.00E-03	0.04	-	-
E-06A / CAT G608 A4, Compressor Engine 6	2.76	12.07	3.03	13.28	3.03	13.28	0.19	0.82	0.19	0.82	0.01	0.04	0.37	1.62	5.00E-03	0.04	-	
E-07 / CAT G3615J, Compressor Engine 7	1.61	7.06	1.52	6.66	1.52	6.66	0.10	0.44	0.10	0.44	0.01	0.02	0.09	0.40	4.07E-03	0.02		
H-1 / Glycol Reboiler	6.85E-04	0.003	0.01	0.05	0.01	0.05	9.13E-04	0.004	9.13E-04	0.004	9.13E-05	0.0004	2.28E-04	0.001	2.28E-07	1.00E-06	-	
DEHY-1 / Glycol Dehydrator Unit	0.11	0.49								-			0.02	0.09	4.57E-03	2.00E-02	-	
TK-1 / 300-bbl Produced Liquids Tank	0.58	2.50											0.08	0.32	0.001	0.01	-	
TK-2 / 300-bbl Produced Liquids Tank	0.58	2.50								-	-		0.08	0.32	0.001	0.01	-	
LL-01 / Truck Loading	16.38	0.11								-	-		1.26	0.01	0.01	0.0001		
SF-01 / Fugitives	1.05	4.61								-	-		0.11	0.47	0.04	0.18	-	
TK-AF / 10 500-gal Antifreeze Tanks	<0.01	<0.01								-	-		<0.01	<0.01			-	
TK-LUBE / 5 500-gal Lube Oil Tanks	<0.01	<0.01								-							-	
MSS / Maintenance Operations	70.15	9.12					2.21	1.18	2.21	1.18					0.15	0.02		
SITE-WIDE TOTAL EMISSIONS (TPY):	-	50.54	-	33.27		33.27		3.26	-	3.26	-	0.10	-	4.85	-	0.34	-	-
Maximum Operating Schedule:	Hours/Day	24		Days/Week	7		Weeks/Year	52		Hours/Year	8760							

Federal Operating Permit Program Site Information Summary Form OP-1 (Page 1) Texas Commission on Environmental Quality

Please print or type all information. Direct any questions regarding this application form to the Air Permits Division at (512) 239-1250 or to the Texas Commission on Environmental Quality, Office of Air, Air Permits Division (MC 163), P.O. Box 13087, Austin, Texas 78711-3087.

I.	Company Identifying Information
A.	Company Name: EnLink Midstream Services, LLC
B.	Customer Reference Number (CN): CN604592295
C.	Submittal Date (mm/dd/yyyy):03/18/24
II.	Site Information
A.	Site Name: Black Creek Compressor Station
В.	Regulated Entity Reference Number (RN): RN106892185
C.	Indicate affected state(s) required to review permit application: (Check the appropriate box[es].)
☐ A	R CO KS LA NM OK N/A
D.	Indicate all pollutants for which the site is a major source based on the site's potential to emit: (Check the appropriate box[es].)
⊠V	$OC extstyle NO_X extstyle SO_2 extstyle PM_{10} extstyle CO extstyle Pb extstyle HAPS$
Othe	
E.	Is the site a non-major source subject to the Federal Operating Permit Program?
F.	Is the site within a local program area jurisdiction?
G.	Will emissions averaging be used to comply with any Subpart of 40 CFR Part 63? ☐ YES ☒ NO
H.	Indicate the 40 CFR Part 63 Subpart(s) that will use emissions averaging:
III.	Permit Type
A.	Type of Permit Requested: (Select only one response)
⊠ Si	te Operating Permit (SOP)

Federal Operating Permit Program Site Information Summary Form OP-1 (Page 2)

IV.	Initial Application Information (Complete for Initial Issuance Applications Only.)	
A.	Is this submittal an abbreviated or a full application?	☐ Abbreviated ⊠ Full
B.	If this is a full application, is the submittal a follow-up to an abbreviated application?	∑ YES ☐ NO
C.	If this is an abbreviated application, is this an early submittal for a combined SOP and Acid Rain permit?	☐ YES ☐ NO
D.	Has an electronic copy of this application been submitted (or is being submitted) to EPA (Refer to the form instructions for additional information.)	? ⊠ YES □ NO
Е.	Has the required Public Involvement Plan been included with this application?	⊠ YES □ NO
V.	Confidential Information	
A.	Is confidential information submitted in conjunction with this application?	☐ YES ⊠ NO
VI.	Responsible Official (RO) Identifying Information	
RO N	Name Prefix: (Mr. Mrs. Mrs. Dr.)	
RO F	Full Name: Timothy Patton Copeland II	
RO T	Title: Director of Operations	
Emp	loyer Name: EnLink Midstream Services, LLC	
Mail	ing Address: 415 Private Road 3502	
City:	Bridgeport	
State	: TX	
ZIP (Code: 76426	
Terri	tory:	
Cour	ntry: USA	
Forei	ign Postal Code:	
Inter	nal Mail Code:	
Telej	phone No.: (940) 683-1121	
Fax 1	No.:	
Emai	il: Patton.Copeland@enlink.com	

Federal Operating Permit Program Site Information Summary Form OP-1 (Page 3)

VII. Technical Contact Identifying Information (Complete if different from RO.)
Technical Contact Name Prefix: (Mr. Mrs. Dr.)
Technical Contact Full Name: Lance Green
Technical Contact Title: Lead Environmental Permitting Specialist
Employer Name: EnLink Midstream Services, LLC
Mailing Address: 1722 Routh St, Ste 1300
City: Dallas
State: TX
ZIP Code: 75201
Territory:
Country: USA
Foreign Postal Code:
Internal Mail Code:
Telephone No.: (225) 692-6947
Fax No.:
Email: Lance.Green@enlink.com
VIII. Reference Only Requirements (For reference only.)
A. State Senator: Tan Parker
B. State Representative: Lynn Stucky
C. Has the applicant paid emissions fees for the most recent agency fiscal year (Sept. 1 - August 31)? ☐ YES ☐ NO ☒ N/A
D. Is the site subject to bilingual notice requirements pursuant to 30 TAC § 122.322?
E. Indicate the alternate language(s) in which public notice is required: Spanish

Federal Operating Permit Program Site Information Summary Form OP-1 (Page 4)

IX.	Off-Site Permit Request (Optional for applicants requesting to hold the FOP and records at an off-site location.)
A.	Office/Facility Name:
B.	Physical Address:
City:	
State:	
ZIP C	Code:
Territ	cory:
Coun	try:
Forei	gn Postal Code:
C.	Physical Location:
D.	Contact Name Prefix: (Mr. Mrs. Dr.)
Conta	act Full Name:
E.	Telephone No.:
Χ.	Application Area Information
A.	Area Name: Black Creek Compressor Station
B.	Physical Address: 873 CR 2360
City:	Decatur
State:	TX
ZIP C	Code: 76234
C.	Physical Location:
D.	Nearest City:
Ε.	State:
F.	ZIP Code:

Federal Operating Permit Program Site Information Summary Form OP-1 (Page 5)

X.	Application Area Information (continued)
G.	Latitude (nearest second): 33° 20' 5" N
Н.	Longitude (nearest second): 97° 34' 46"W
I.	Are there any emission units that were not in compliance with the applicable requirements identified in the application at the time of application submittal?
J.	Indicate the estimated number of emission units in the application area: 12
K.	Are there any emission units in the application area subject to the Acid Rain Program?
XI.	Public Notice (Complete this section for SOP Applications and Acid Rain Permit Applications only.)
A.	Name of a public place to view application and draft permit: Decatur Public Library
B.	Physical Address: 1700 S FM 51
City:	: Decatur
ZIP	Code:76234
C.	Contact Person (Someone who will answer questions from the public during the public notice period):
Cont	act Name Prefix: (Mr. Mrs. Mrs. Dr.):
Cont	act Person Full Name: Lance Green
Cont	act Mailing Address: 1722 Routh St, Ste 1300
City:	: Dallas
State	v: TX
ZIP (Code: 75201
Terri	itory:
Cour	ntry: USA
Fore	ign Postal Code:
Inter	nal Mail Code:
Tele	phone No.: (225) 692-6947

Federal Operating Permit Program Site Information Summary Form OP-1 (Page 6)

XII. Delinquent Fees and Penalties
Notice: This form will not be processed until all delinquent fees and/or penalties owed to the TCEQ or the Office of Attorney General on behalf of the TCEQ are paid in accordance with the "Delinquent Fee and Penalty Protocol."
Complete Sections XIII and XIV for Acid Rain Permit and CSAPR applications only. Please include a copy of the Certificate of Representation submitted to EPA.
XIII. Designated Representative (DR) Identifying Information
DR Name Prefix: (Mr. Mrs. Dr.)
DR Full Name:
DR Title:
Employer Name:
Mailing Address:
City:
State:
ZIP Code:
Territory:
Country:
Foreign Postal Code:
Internal Mail Code:
Telephone No.:
Fax No.:
Email:

Federal Operating Permit Program Site Information Summary Form OP-1 (Page 7) Texas Commission on Environmental Quality

Complete Sections XIII and XIV for Acid Rain Permit and CSAPR applications only. Please include a copy of the Certificate of Representation submitted to EPA.
XIV. Alternate Designated Representative (ADR) Identifying Information
ADR Name Prefix: (Mr. Mrs. Ms. Dr.)
ADR Full Name:
ADR Title:
Employer Name:
Mailing Address:
City:
State:
ZIP Code:
Territory:
Country:
Foreign Postal Code:
Internal Mail Code:
Telephone No.:
Fax No.:
Email:

Texas Commission on Environmental Quality

Title V New

Yes

211111

BLACK CREEK COMPRESSOR STATION

Site Information (Regulated Entity)

What is the name of the permit area to be

authorized?

Does the site have a physical address?

Physical Address

Number and Street 873 CR 2360 City Decatur State TΧ ZIP 76234 County WISE

Latitude (N) (##.#####) 33.33461 Longitude (W) (-###.#####) -97.579469 Primary SIC Code 1311

Secondary SIC Code

Primary NAICS Code 211130

Secondary NAICS Code

Regulated Entity Site Information

What is the Regulated Entity's Number (RN)? RN106892185

What is the name of the Regulated Entity (RE)? **BLACK CREEK COMPRESSOR STATION**

Does the RE site have a physical address?

Because there is no physical address, describe 2.2 MILES NORTH OF US 380 ON SH 730 TO how to locate this site:

FM 2360 2.3 MILES NORTH ON FM 2360 0.2

MILES EAST OF FM 2360

City **DECATUR** State TX ZIP 76234 WISE County Latitude (N) (##.#####) 33.334135 Longitude (W) (-###.#####) -97.579194

OIL & GAS What is the primary business of this entity?

Customer (Applicant) Information

Facility NAICS Code

How is this applicant associated with this site? Owner Operator CN604592295

What is the applicant's Customer Number

(CN)?

Type of Customer Corporation

Full legal name of the applicant:

Legal Name EnLink Midstream Services, LLC

801898916 Texas SOS Filing Number

Federal Tax ID

State Franchise Tax ID 32052683680

State Sales Tax ID Local Tax ID

DUNS Number

Number of Employees

Independently Owned and Operated?

Yes

Responsible Official Contact

Person TCEQ should contact for questions

about this application:

Organization Name EnLink Midstream Services LLC

Prefix MR
First Timothy
Middle Patton
Last Copeland

Suffix

Credentials

Title Director of Operations

Enter new address or copy one from list:

Mailing Address

Address Type Domestic

Mailing Address (include Suite or Bldg. here, if 415 PRIVATE ROAD 3502

applicable)

Routing (such as Mail Code, Dept., or Attn:)

City BRIDGEPORT

 State
 TX

 ZIP
 76426

 Phone (###-###)
 9406831121

Extension

Alternate Phone (###-###-###)

Fax (###-###-###)

E-mail Patton.Copeland@enlink.com

Technical Contact

Person TCEQ should contact for questions

about this application:

Same as another contact?

Organization Name EnLink Midstream Services LLC

Prefix MR
First Lance

Middle

Last Green

Suffix

Credentials

Title Lead Environmental Permitting Specialist

Enter new address or copy one from list:

Mailing Address

Address Type Domestic

Mailing Address (include Suite or Bldg. here, if 1722 ROUTH ST STE 1300

applicable)

Routing (such as Mail Code, Dept., or Attn:)

City DALLAS

State TX ZIP 75201

Phone (###-####) 2256926947

Extension

Alternate Phone (###-###-####)

Fax (###-###-###)

E-mail lance.green@enlink.com

Title V General Information - New

1) Permit Latitude Coordinate: 33 Deg 20 Min 5 Sec 2) Permit Longitude Coordinate: 97 Deg 34 Min 46 Sec

3) Is this submittal a new application or an New Application update to an existing application?

3.1. What type of Federal Operating Permit are SOP you applying for?

3.2. Is this submittal an abbreviated or a full Abbreviated

3.3. Is this application for a portable facility?

No

3.4. Is the site a non-major source subject to No the Federal Operating Permit Program?

3.5. Are there any permits that should be No voided upon issuance of this permit application

through permit conversion?

3.6. Are there any permits that should be

No

voided upon issuance of this permit application through permit consolidation?

4) Does this application include Acid Rain No Program or Cross-State Air Pollution Rule

requirements?

application?

Title V Attachments New

Attach OP-1 (Site Information Summary)

[File Properties]

File Name <a href=/ePermitsExternal/faces/file?

fileId=170766>OP-1 - Black Creek CS - AbTV -

11.01.2023.pdf

Hash 46550D6056353215B5EE253A6D1CECAA96FD2C953638A137B877341A21ECBB35

MIME-Type application/pdf

Attach OP-ACPS (Application Compliance Plan and Schedule)

Attach OP-REQ1 (Application Area-Wide Applicability Determinations and General Information)

Attach OP-REQ2 (Negative Applicable Requirement Determinations)

Attach OP-REQ3 (Applicable Requirements Summary)

Attach OP-PBRSUP (Permits by Rule Supplemental Table)

Attach OP-SUM (Individual Unit Summary)

Attach OP-MON (Monitoring Requirements)

Attach OP-UA (Unit Attribute) Forms

Attach OP-CRO2 (Change of Responsible Official Information)

[File Properties]

File Name <a href=/ePermitsExternal/faces/file?

fileId=170397>OP-CRO2 - Black Creek CS -

AbTV - 10.31.2023.pdf

Hash 76A9B552E6E596D51836E00CB476355D2004F2C303909F5C93D5C4202456DB70

MIME-Type application/pdf

Attach OP-DEL (Delegation of Responsible Official)

Attach any other necessary information needed to complete the permit.

[File Properties]

File Name <a href=/ePermitsExternal/faces/file?

fileId=170747>Black Creek CS - AbTV -

11.01.2023.pdf

Hash 90F6ECC254170E907B89B74190C77AB16F3A2A43429ABE6D4317BC084D33ABE3

MIME-Type application/pdf

An additional space to attach any other necessary information needed to complete the permit.

Expedite Title V

1) Per Texas Health and Safety Code, Section 382.05155, does the applicant want to expedite the processing of this application?

No

Certification

I certify that I am the Responsible Official for this application and that, based on information and belief formed after reasonable inquiry, the statements and information on this form are true, accurate, and complete.

- 1. I am Timothy P Copeland II, the owner of the STEERS account ER099507.
- 2. I have the authority to sign this data on behalf of the applicant named above.
- 3. I have personally examined the foregoing and am familiar with its content and the content of any attachments, and based upon my personal knowledge and/or inquiry of any individual responsible for information contained herein, that this information is true, accurate, and complete.
- 4. I further certify that I have not violated any term in my TCEQ STEERS participation agreement and that I have no reason to believe that the confidentiality or use of my password has been compromised at any time.
- 5. I understand that use of my password constitutes an electronic signature legally equivalent to my written signature.
- 6. I also understand that the attestations of fact contained herein pertain to the implementation, oversight and enforcement of a state and/or federal environmental program and must be true and complete to the best of my knowledge.
- 7. I am aware that criminal penalties may be imposed for statements or omissions that I know or have reason to believe are untrue or misleading.
- 8. I am knowingly and intentionally signing Title V New.
- 9. My signature indicates that I am in agreement with the information on this form, and authorize its submittal to the TCEC

OWNER OPERATOR Signature: Timothy P Copeland II OWNER OPERATOR

Account Number: ER099507

Signature IP Address: 174.47.165.2
Signature Date: 2023-11-02

Signature Hash: Form Hash Code at time of Signature: 12CFCEDB7ED6AF6B29483ADD6F1B03B9AEC028202BBDC3C15EC1ECB7AB3C50C5 DCC7498634D8BF9B798B254963082831E0CE0F94BC5CAF5F90A9C20A0BD8295F

Submission

Reference Number: The application reference number is 600466

Submitted by: The application was submitted by ER099507/Timothy P Copeland II

Submitted Timestamp: The application was submitted on 2023-11-02

at 14:13:55 CDT

Submitted From: The application was submitted from IP address

174.47.165.2

Confirmation Number: The confirmation number is 498472

Steers Version: The STEERS version is 6.70

Additional Information

Application Creator: This account was created by Leslee Kimbrell