From: Miguel Gallegos

Sent: Monday, July 8, 2024 11:54 AM

To: Joe Nicosia

Subject: New Project Assignment - Currently in Initial Review Process - 176835_376190

176835_376190 is located at Z:\Mechanical-Coatings\Team Leader.

Please assign a reviewer and move the project folder to Z:\Mechanical-Coatings\Assigned Reviewer's Folder.

Thank you!

From: Johnny Bowers

Sent: Monday, July 8, 2024 7:30 AM

To: Miguel Gallegos; Carolyn Thomas; Sheila Monroe; Rosa Mora-Nichols; Steven Piper

Subject: Please process ePermits projects. Thanks!

Miguel 376190 Carolyn 376186 Sheila 376132 Rosa 376130 Steven 376129

Texas Commission on Environmental Quality

Standard Permit New Registration

Site Information (Regulated Entity)

What is the name of the site to be authorized? **Burnet Crushing Plant**

Does the site have a physical address? Yes

Physical Address

3221 FM 3509 Number and Street City **BURNET**

State TX ZIP 78611 County **BURNET**

30.7227 Latitude (N) (##.#####) Longitude (W) (-###.#####) -98.3169 1422

Primary SIC Code

Secondary SIC Code

Primary NAICS Code 212312

Secondary NAICS Code

Regulated Entity Site Information

What is the Regulated Entity's Number (RN)?

What is the name of the Regulated Entity (RE)? **Burnet Crushing Plant**

Does the RE site have a physical address? Yes

Physical Address

Number and Street 3221 FM 3509 City **BURNET** State TX ZIP 78611 **BURNET** County

Latitude (N) (##.#####) 30.7227 -98.3169 Longitude (W) (-###.#####) Facility NAICS Code 212312

What is the primary business of this entity? **Construction Materials**

Customer (Applicant) Information

How is this applicant associated with this site? Owner Operator What is the applicant's Customer Number CN604722728

(CN)?

Type of Customer Corporation

Full legal name of the applicant:

Legal Name Asphalt Inc., LLC 801852095

Texas SOS Filing Number

Federal Tax ID

State Franchise Tax ID 32052007807

State Sales Tax ID Local Tax ID **DUNS Number**

Number of Employees

Independently Owned and Operated?

I certify that the full legal name of the entity

applying for this permit has been provided and is legally authorized to do business in Texas.

Responsible Authority Contact

Organization Name Asphalt Inc., LLC

Yes

Yes

Prefix MR
First Thomas

Middle

Last Playfair

Suffix Credentials

Title Manager

Responsible Authority Mailing Address Enter new address or copy one from list:

Address Type Domestic

Mailing Address (include Suite or Bldg. here, if 11675 JOLLYVILLE RD STE 150

applicable)

Routing (such as Mail Code, Dept., or Attn:)

City AUSTIN
State TX
ZIP 78759

Phone (###-###-) 5124285778

Extension

Alternate Phone (###-###-###)

Fax (###-###-###)

E-mail thomas@lspaving.com

Responsible Official Contact

Person TCEQ should contact for questions

about this application:

Same as another contact? CN604722728, Asphalt Inc., LLC

Organization Name Asphalt Inc., LLC

Prefix MR
First Thomas

Middle

Last Playfair

Suffix

Credentials

Title Manager

Enter new address or copy one from list:

Mailing Address

Address Type Domestic

Mailing Address (include Suite or Bldg. here, if 11675 JOLLYVILLE RD STE 150

applicable)

Routing (such as Mail Code, Dept., or Attn:)

City AUSTIN
State TX
ZIP 78759

Phone (###-###-###)

Extension

Alternate Phone (###-###-###)

Fax (###-###-###)

E-mail thomas@lspaving.com

Technical Contact

Person TCEQ should contact for questions

about this application:

Same as another contact?

Organization Name Westward Environmental Inc

Prefix MR First Max

Middle

Last Pickus

Suffix Credentials

Title Environmental Specialist

Enter new address or copy one from list:

Mailing Address

Address Type Domestic

Mailing Address (include Suite or Bldg. here, if PO BOX 2205

applicable)

Routing (such as Mail Code, Dept., or Attn:)

 City
 BOERNE

 State
 TX

 ZIP
 78006

 Phone (###-####)
 8302498284

Extension

Alternate Phone (###-###-###)

Fax (###-####) 8302490221

E-mail Mpickus@WESTWARDENV.COM

Standard Permit General Information- New Reg Sites

1) Is this facility permanent or temporary?

2) Will the proposed facility meet all of the requirements of the standard permit?

3) Select the type of unit that is being

registered:

3.1. Select the rule associated to the unit specified.

Permanent

5124285778

Yes

PERMANENT ROCK AND CONCRETE

CRUSHERS

6013

Standard Permit Attachments

1) Please attach all required documents including PI-1S, Table 17, Process Description, Process Flow Diagram, Standard Permit Checklist, Rock Crusher Checklist, and the Site Map.

[File Properties]

File Name

240703_10853-263_Application.pdf

Hash

MIME-Type application/pdf

Confidential

2) Please attach any other necessary information needed to complete the registration.

Expedite

1) Per Texas Health and Safety Code, Section 382.05155, does the applicant want to expedite the processing of this application?

No

Certification

The electronic signature below indicates that the Responsible Official has knowledge of the facts herein set forth and that the same are true, accurate, and complete to the best of my knowledge and belief. By this signature, the maximum emission rates listed on this certification reflect the maximum anticipated emissions due to the operation of this facility and all representations in this certification of emissions are conditions upon which the facilities and sources will operate. It is understood that it is unlawful to vary from these representations unless the certification is first revised. The signature certifies that to the best of the Responsible Officials knowledge and belief, the project will satisfy the conditions and limitations of the indicated exemption or permit by rule and the facility will operated in compliance with all regulations of the Texas Commission on Environmental Quality and with Federal U.S. Environmental Protection Agency regulations governing air pollution. The signature below certifies that, based on information and belief formed after reasonable inquiry, the statements and information above and contained in the attached document(s) are true, accurate, and complete. If you questions on how to fill out this form or about air quality permits. Please call (512) 239-1250. Individuals are entitled to request and review their personal information that the agency gathers on its forms.

- 1. I am Thomas E Playfair, the owner of the STEERS account ER042237.
- 2. I have the authority to sign this data on behalf of the applicant named above.
- 3. I have personally examined the foregoing and am familiar with its content and the content of any attachments, and based upon my personal knowledge and/or inquiry of any individual responsible for information contained herein, that this information is true, accurate, and complete.
- 4. I further certify that I have not violated any term in my TCEQ STEERS participation agreement and that I have no reason to believe that the confidentiality or use of my password has been compromised at any time.
- 5. I understand that use of my password constitutes an electronic signature legally equivalent to my written signature.
- 6. I also understand that the attestations of fact contained herein pertain to the implementation, oversight and enforcement of a state and/or federal environmental program and must be true and complete to the best of my knowledge.
- 7. I am aware that criminal penalties may be imposed for statements or omissions that I know or have reason to believe are untrue or misleading.
- 8. I am knowingly and intentionally signing Standard Permit New Registration.
- 9. My signature indicates that I am in agreement with the information on this form, and authorize its submittal to the TCEC

OWNER OPERATOR Signature: Thomas E Playfair OWNER OPERATOR

Account Number: ER042237
Signature IP Address: 66.62.126.4
Signature Date: 2024-07-03

Signature Hash: EA4C9535C05DEF8C07ECC28EF17BD612F4DE38DBE48AB3A7C22BCC0CCD273320

Form Hash Code at time of Signature: D2D47109CD8BECAEC3BC334FF35FBF762AA405E180AC50423956B71CD897BD86

Fee Payment

Transaction by:

The application fee payment transaction was made by ER042237/Thomas E Playfair

Paid by: The application fee was paid by KEITH

LUNDQUIST

Fee Amount: \$900.00

Paid Date: The application fee was paid on 2024-07-03

Transaction/Voucher number: The transaction number is 582EA000616577

and the voucher number is 712033

Submission

Reference Number: The application reference number is 665488

Submitted by: The application was submitted by ER042237/Thomas E Playfair

Submitted Timestamp: The application was submitted on 2024-07-03

at 18:17:26 CDT

Submitted From: The application was submitted from IP address

66.62.126.4

Confirmation Number: The confirmation number is 549498

Steers Version: The STEERS version is 6.78

Additional Information

Application Creator: This account was created by Joseph M Pickus



July 3, 2024

Texas Commission on Environmental Quality Air Permits Initial Review Team, MC-161 P.O. Box 13087 Austin, Texas 78711-3087 Project No.: 10853-263

Attention:

Samuel Short

Subject:

New Air Quality Standard Permit for Permanent Rock Crushers

Asphalt Inc., LLC – CN604722728 Burnet Crushing Plant – RN NEW Burnet, Burnet County, Texas

Mr. Short,

On behalf of Asphalt Inc., LLC, we are submitting this Air Quality Standard Permit Application for the above-referenced facility to be located near Burnet, Burnet County, Texas. A Form PI-1S, checklists, tables, maps, emission calculations, and supporting documents are attached with this application. Asphalt Inc., LLC will satisfy the applicable requirements of the Standard Permit for Permanent Rock Crushers.

Westward Environmental, Inc. (Westward) will serve as the technical representative for Asphalt Inc., LLC on this project. Please ensure that Westward is copied on all correspondence including, but not limited to the public notice packages and final approval letter. If you have any questions regarding this application, please contact our office.

Respectfully Submitted,

WESTWARD ENVIRONMENTAL, INC.

Max Pickus

Environmental Specialist

Max Pidense

Distribution: Addressee

TCEQ Region 11 (Public Notice)

Mr. Thomas Playfair – Asphalt Inc., LLC

WEI 10853-263 file

Attachments

Asphalt Inc., LLC New Air Quality Standard Permit Application Burnet Crushing Plant Burnet, Burnet County, Texas

Table of Contents

DOCUMENT	PAGE #
Core Data Form	1 - 2
Form PI-1S	3 - 9
Project Description	10
Area Map	11
Plot Plans	12 - 13
Process Description	14
Flow Diagrams	15 - 16
Standard Permit Registration Checklist	17 - 21
30 TAC §116.610-615 Checklist	22 - 23
Emissions Calculations	24 - 27
Table 17	28
Air Quality Standard Permit for Permanent Crusher	29 - 35



TCEQ Use Only



TCEQ Core Data Form

For detailed instructions on completing this form, please read the Core Data Form Instructions or call 512-239-5175.

SECTION I: General Information

1. Reason fo	r Submission (If other is checke	d please desci	ribe in space prov	vided.)					
New Permit, Registration or Authorization (Core Data Form should be submitted with the program application.)									
Renewa	Renewal (Core Data Form should be submitted with the renewal form)					Other			
2. Customer	Reference Number (if issued)		Follow this line		-			nber (if issued)	
CN 6047	22728		for CN or RN n Central Res		RN Nev	N			
<u>SECTIO</u>	N II: Customer	Infor	<u>mation</u>						
4. General Customer Information 5. Effective Date for Customer Information Updates (mm/dd/yyyy)									
□ New Customer □ Update to Customer Information □ Change in Regulated Entity Ownership □ Change in Legal Name (Verifiable with the Texas Secretary of State or Texas Comptroller of Public Accounts)									
The Custome	r Name submitted here may i	be updated (automatically Ł	pased on w	hat is current	and active	with the Text	as Secretary of State	
(SOS) or Texa	s Comptroller of Public Accou	ınts (CPA).	•						
6. Customer	Legal Name (If an individual, pri	nt last name f	first: eg: Doe, Johr	n) <u>If</u>	new Customer,	enter previou	ıs Customer bei	low:	
Asphalt In	c., LLC								
7. TX SOS/CP 0801852095	A Filing Number	8. TX State	e Tax ID (11 digit: 07	s) 9.	Federal Tax I	D (9 digits)	10. 1	DUNS Number (if pplicable)	
11. Type of C	ustomer: 🛛 Corpora	tion] Individual		Partnership:	General Limited	
Government: [City County Federal	Local 🔲 Stat	te 🗌 Other		Sole Propriet	etorship Other:			
12. Number (500 🔲 50:	1 and higher	l	3. Independer] Yes	ntly Owned	and Operate	d?	
14. Custome	Role (Proposed or Actual) – as i	t relates to th	e Regulated Entit	y listed on th	is form. Please	check one of	the following		
□Owner □Occupation	☐ Operator al Licensee ☐ Responsible Pa		wner & Operator VCP/BSA Applica			Other:			
	11675 Jollyville Rd								
15. Mailing	Suite 150								
Address:	City Austin		State 1	гх	ZIP 78759		710	±4	
16. 6			State			78759 ZIP + 4		' 7	
16. Country I	Mailing Information (if outside	USA)			Mail Address		e)		
18. Telephon	e Number	T	19. Extension		as@ishaviiig.co	T	umher /if ann	licable)	
(512) 428-5778			201 2/10/10/10	o. 00ua	e 20. Fax Number (if applicable)			mediate,	
L		L				ı			
SECTION III: Regulated Entity Information									
21. General	Regulated Entity Information	ı (If 'New Regi	ulated Entity" is s	elected, a n	w permit appli	cation is also	required.)		
New Regulated Entity ☐ Update to Regulated Entity Name ☐ Update to Regulated Entity Information									
The Regulated Entity Name submitted may be updated, in order to meet TCEQ Core Data Standards (removal of organizational endings such as Inc, LP, or LLC).									
22. Regulate	ed Entity Name (Enter name of	the site where	e the regulated ac	ction is takin	g place.)				
Burnet C	rushing Plant			4					

255T LIA	A 3509									
City	Burnet		State	TX	ZIP	78611		ZIP+	4	
Burnet	1									
	If no	Street A	ddress is provic	led, fields 25	-28 are red	quired.				
			·			·				MANAGA CARANTA
				State			Neare	st ZIP Code		
						TX			78611	
					ıta Standa	rds. (Geo	coding of t	he Phys	ical A	ddress may b
	30.7227				ngitude (W	/) In Deci	mal:	-98.3	169	
Minutes	t	Sec	onds	Degree	S	N	1inutes		9	Seconds
	43		22.00		98		19			1.00
digits)	30. Secondary	SIC Cod	e (4 digits)	-	NAICS Co	de (5 or	32. Seco	ondary	NAICS	Code(5 or 6
				212312						
Business	of this entity?	(Do no:	t repeat the SIC o	r NAICS descrir	otion.)			·	~~~	
		1	,							
11675	Jollanilla Boad							·····		
110/5	Jollyvine Roau					***				
Suite 1	Suite 150									
City	Austin		State	TX	ZIP	78759		ZIP 4	- 4	
	thomas@lspavir	ng.com								
36. Telephone Number 37. Extension or Code 38. Fax Number (if applicable)										
Numbers	Check all Progra	ıms and w	rite in the permit	s/registration	numbers th	at will be a	iffected by th	ne updat	es sub	mitted on this
								'		
	Districts		Edwards Aq	uifer	Emiss	ions Inven	tory Air	☐ Indi	ustrial	Hazardous Wast
	***************************************					,				
	New Source Rev	iew Air	OSSF		Petrol	Petroleum Storage Tank		PWS		
	w SP RC									
Nev								Used Oil		
	Storm Water		☐ Title V Air		Tires			Use	d OII	
	Storm Water				Tires			∐ Use	d OII	
			☐ Title V Air	- Agriculture	☐ Tires	Rights		Use		
	Storm Water			- Agriculture		Rights				
	Storm Water	orm	☐ Wastewater	Agriculture		Rights				
	Storm Water Wastewater	form	☐ Wastewater	Agriculture 41. Title:	Water		Specialist			
Prepa	Storm Water Wastewater		☐ Wastewater	41. Title:	Water		Specialist			
Prepa	Storm Water Wastewater arer Inf		□ Wastewater ation Number	41. Title: 45. E-Ma	Water	nmental (
Prepa	Storm Water Wastewater arer Inf	44. Fax 830-24	□ Wastewater ation Number 9-0221	41. Title: 45. E-Ma	Enviro	nmental (
Prepaus 43. E	Wastewater Arer Inf Ext./Code Drized Solution in the second of the se	44. Fax 830-24 Signa owledge,	□ Wastewater ation Number 9-0221	41. Title: 45. E-Ma mpickus(Enviro il Address @westward	nmental : denv.com	complete, ar	Oth	er:	gnature author
1	required of tes where mal: Minutes digits) Business 11675 Suite 1 City Numbers instruction	Burnet required and may be actes where none have be mal: 30.7227 Minutes 43 digits) 30. Secondary Business of this entity? 11675 Jollyville Road Suite 150 City Austin thomas@lspavir	Burnet If no Street And Info	Burnet If no Street Address is provided If no Street Address If no Street Address	If no Street Address is provided, fields 25 required and may be added/updated to meet TCEQ Core Dottes where none have been provided or to gain accuracy). mal: 30.7227	Burnet If no Street Address is provided, fields 25-28 are recompleted and may be added/updated to meet TCEQ Core Data Standartes where none have been provided or to gain accuracy). mal: 30.7227 28. Longitude (Monutes Seconds Degrees 43 22.00 98 digits 30. Secondary SIC Code (4 digits) 31. Primary NAICS Condigits digits 212312 Business of this entity? (Do not repeat the SIC or NAICS description.) 11675 Jollyville Road Suite 150 City Austin State TX ZIP thomas@Ispaving.com 37. Extension or Code 38. Final Structions for additional guidance. Belowards Aquifer Emiss Numbers Check all Programs and write in the permits/registration numbers the instructions for additional guidance. Belowards Aquifer Bemiss New Source Review Air OSSF Petrol	Burnet If no Street Address is provided, fields 25-28 are required. TX TX required and may be added/updated to meet TCEQ Core Data Standards. (Geottes where none have been provided or to gain accuracy). mal: 30.7227 28. Longitude (W) In Decider Minutes Seconds Degrees National Seconds Degrees National Seconds National Seconds	State TX TX required and may be added/updated to meet TCEQ Core Data Standards. (Geocoding of t tes where none have been provided or to gain accuracy). Minutes	State TX required and may be added/updated to meet TCEQ Core Data Standards. (Geocoding of the Physics where none have been provided or to gain accuracy). Minutes	State Neare TX 78611 required and may be added/updated to meet TCEQ Core Data Standards. (Geocoding of the Physical Attes where none have been provided or to gain accuracy). Minutes Seconds Degrees Minutes Seconds Pub Minutes Seconds Seconds Minutes Minu

STEERS

Thomas Playfair

Name (In Print):

Signature:

Phone:

Date:

(512) 428-5778

Form PI-1S Registrations for Air Standard Permit (Page 1)

I. Registrant Information
A. Company or Other Legal Customer Name:
Asphalt Inc., LLC
B. Company Official Contact Information (⊠ Mr. ☐ Mrs. ☐ Ms. ☐ Other:)
Name: Thomas Playfair
Title: Manager
Mailing Address: 11675 Jollyville Road, Suite 150
City: Austin
State: TX
ZIP Code: 78759
Telephone No.: (512) 428-5778
Fax No.:
Email Address: thomas@lspaving.com
All permit correspondence will be sent via email.
C. Technical Contact Information (Mr. 🗌 Mrs. 🔲 Ms. 🔲 Other:)
Name: Max Pickus
Title: Environmental Specialist
Company Name: Westward Environmental, Inc.
Mailing Address: P.O. Box 2205
City: Boerne
State: TX
ZIP Code: 78006
Telephone No.: 830-249-8284
Fax No.: 830-249-0221
Email Address: mpickus@westwardenv.com
II. Facility and Site Information
A. Name and Type of Facility
Facility Name: Burnet Crushing Plant
Type of Facility: ⊠ Permanent □ Temporary

Form PI-1S Registrations for Air Standard Permit (Page 2)

II. Facility and Site Information <i>(continued)</i>
For portable units, please provide the serial number of the equipment being authorized below.
Serial No(s): Currently Unavailable
B. Facility Location Information
Street Address: 3221 FM 3509
If there is no street address, provide written driving directions to the site and provide the closest city or town, county, and ZIP code for the site (attach description if additional space is needed).
City: Burnet
County: Burnet
ZIP Code: 78611
C. Core Data Form (required for Standard Permits 6006, 6007, and 6013).
Is the Core Data Form (TCEQ Form 10400) attached?
Customer Reference Number (CN):
Regulated Entity Number (RN):
D. TCEQ Account Identification Number (if known):
E. Type of Action
☑ Initial Application ☐ Change to Registration ☐ Renewal ☐ Renewal Certification
For Change to Registration, Renewal, or Renewal Certification actions provide the following:
Registration Number:
Expiration Date:
F. Standard Permit Claimed: 6013
G. Previous Standard Exemption or PBR Registration Number:
Is this authorization for a change to an existing facility previously authorized ☐ Yes ☒ No under a standard exemption or PBR?
If "Yes," enter previous standard exemption number(s) and PBR registration number(s) and associated effective date in the spaces provided below.

Form PI-1S Registrations for Air Standard Permit (Page 3)

II. Facility and Site Information <i>(continued)</i>						
H. Other Facilities at this Site Authorized by Standard Exemption, PBR, or Standard Permit						
Are there any other facilities at this site that are authorized by an Air Standard Exemption, PBR, or Standard Permit?	☐ Yes ⊠ No					
If "Yes," enter standard exemption number(s), PBR registration number(s), and Standard Perm number(s), and associated effective date in the spaces provided below.	it registration					
Standard Exemption, PBR Registration, and Standard Permit Registration Number(s) and Effective Date(s)						
I. Other Air Preconstruction Permits						
Are there any other air preconstruction permits at this site?	☐ Yes ⊠ No					
If "Yes," enter permit number(s) in the spaces provided below.						
J. Affected Air Preconstruction Permits						
Does the standard permit directly affect any permitted facility?	☐ Yes 🏻 No					
If "Yes," enter permit number(s) in the spaces provided below.						
K. Federal Operating Permit (FOP) Requirements						
Is this facility located at a site that is required to obtain a ☐ Yes ☒ No ☐ To FOP pursuant to 30 TAC Chapter 122?	Be Determined					
Check the requirements of 30 TAC Chapter 122 that will be triggered if this standard permit is (check all that apply).	approved					
\Box Initial Application for a FOP \Box Significant Revision for a SOP \Box Minor Revision for a SOP)					
☐ Operational Flexibility/Off Permit Notification for a SOP ☐ Revision for a GOP						
☐ To be Determined ⊠ None						
Identify the type(s) of FOP issued and/or FOP application(s) submitted/pending for the site. (check all that apply)						
☐ SOP ☐ GOP ☐ GOP application/revision (submitted or under APD review) ☒ N/A						
SOP application/revision (submitted or under APD review)						

Form PI-1S Registrations for Air Standard Permit (Page 4)

III. Fee Information (go to www.tceq.texas.gov/epay to pay online)	
A. Fee Amount: \$900	
B. Voucher number from ePay:	
IV. Public Notice (if applicable)	
A. Responsible Person (☐ Mr. ⊠ Mrs. ☐ Ms. ☐ Other:)	
Name: Debbi Mathews	
Title: Public Notice Coordinator	
Company: Westward Environmental, Inc.	
Mailing Address: P.O. Box 2205	
City: Boerne	
State: TX	
ZIP Code: 78006	
Telephone No.: (830) 249-8284	
Fax No.: (830) 249-0221	
Email Address: dmathews@westwardenv.com	
B. Technical Contact (☐ Mr. ⊠ Mrs. ☐ Ms. ☐ Other):	
Name: Melissa Fitts	
Title: Senior Vice President	
Company: Westward Environmental, Inc.	·
Mailing Address: P.O. Box 2205	
City: Boerne	
State: TX	
ZIP Code: 78006	
Telephone No.: (830) 249-8284	
Fax No.: (830) 249-0221	
Email Address: mfitts@westwardenv.com	
C. Bilingual Notice	
Is a bilingual program required by the Texas Education Code in the School District?	⊠ Yes □ No
Are the children who attend either the elementary school or the middle school closest to your facility eligible to be enrolled in a bilingual program provided by the district?	⊠ Yes □ No

Form PI-1S Registrations for Air Standard Permit (Page 5)

IV.	Public Notice (continued) (if applicable) (continued)	
lf "Y∈	es," list which language(s) are required by the bilingual program below?	-
Spar	nish	
D.	Small Business Classification and Alternate Public Notice	
	this company (including parent companies and subsidiary companies) fewer than 100 employees or less than \$6 million in annual gross receipts?	☐ Yes ⊠ No
Is the	e site a major source under 30 TAC Chapter 122, Federal Operating Permit Program?	☐ Yes ⊠ No
	he site emissions of any individual regulated air contaminant equal to or ter than 50 tpy?	☐ Yes ⊠ No
ll.	he site emissions of all regulated air contaminant combined equal to eater than 75 tpy?	☐ Yes ⊠ No
٧.	Renewal Certification Option	
Α.	Does the permitted facility emit an air contaminant on the Air Pollutant Watch List, and is the permitted facility located in an area on the watch list?	☐ Yes ☐ No
B.	For facilities participating in the Houston/Galveston/Brazoria area (HGB) cap and trade program for highly reactive VOCs (HRVOCs), do the HRVOCs need to be speciated on the maximum allowable emission rates table (MAERT)?	☐ Yes ☐ No
C.	Does the company and/or site have an unsatisfactory compliance history?	☐ Yes ☐ No
D.	Are there any applications currently under review for this standard permit registration?	☐ Yes ☐ No
E.	Are scheduled maintenance, startup, or shutdown emissions required to be included in the standard permit registration at this time?	☐ Yes ☐ No
F.	Are any of the following actions being requested at the time of renewal:	☐ Yes ☐ No
1.	Are there any facilities that have been permanently shutdown that are proposed to be removed from the standard permit registration?	☐ Yes ☐ No
2.	Do changes need to be made to the standard permit registration in order to remain in compliance?	☐ Yes ☐ No
3.	Are sources or facilities that have always been present and represented, but never identified in the standard permit registration, proposed to be included with this renewal?	Yes No
4.	Are there any changes to the current emission rates table being proposed?	☐ Yes ☐ No
certi	r: If answers to all of the questions in Section V. Renewal Certification Option are "No," us fication option and skip to Section VII. of this form. If the answers to any of the questions is wewal Certification Option are "Yes," the certification option cannot be used.	
11	otice is applicable and comments are received in response to the public notice, the application fy for the renewal certification option.	ation does not

Form PI-1S Registrations for Air Standard Permit (Page 6) Texas Commission on Environmental Quality

VI.	VI. Technical Information Including State and Federal Regulatory Requirements					
Note the s	e a check next to the appropriate box to indicate what you have included in your su : Any technical or essential information needed to confirm that facilities are meeting the re standard permit must be provided. Not providing key information could result in an automa voiding of the project.	quirements of				
A.	Standard Permit requirements (Checklists are optional; however, your review will go faster if you provide applicable che	cklists.)				
	ou demonstrate that the general requirements in 30 TAC ions 116.610 and 116.615 are met?	⊠ Yes □ No				
Did y	you demonstrate that the individual requirements of the specific standard permit are met?	⊠ Yes □ No				
B.	Confidential Information (All pages properly marked "CONFIDENTIAL").	☐ Yes ⊠ No				
C.	Process Flow Diagram.	⊠ Yes □ No				
D.	Process Description.	⊠ Yes □ No				
E.	Maximum Emissions Data and Calculations.	⊠ Yes □ No				
F.	Plot Plan.	⊠ Yes □ No				
G.	Projected Start Of Construction Date, Start Of Operation Date, and Length of Time at Site:	⊠ Yes □ No				
Proje	ected Start of Construction (provide date): ASAP	,				
Proje	ected Start of Operation (provide date): ASAP					
Leng	yth of Time at the Site: Permanent (>180 Days)					
VII.	Delinquent Fees and Penalties					
the A	form will not be processed until all delinquent fees and/or penalties owed to the TCEQ of Attorney General on behalf of the TCEQ are paid in accordance with the Delinquent Fee a ocol. For more information regarding Delinquent Fees and Penalties, go to the TCEQ web outceq.texas.gov/agency/financial/fees/delin/index.html.	nd Penalty				

Form PI-1S Registrations for Air Standard Permit (Page 7) Texas Commission on Environmental Quality

VIII. Signature Requirements

The signature below confirms that I have knowledge of the facts included in this application and that these facts are true and correct to the best of my knowledge and belief. I further state that to the best of my knowledge and belief, the project for which application is made will not in any way violate any provision of the Texas Water Code (TWC), Chapter 7; the Texas Health and Safety Code, Chapter 382, the Texas Clean Air Act (TCAA) the air quality rules of the Texas Commission on Environmental Quality; or any local governmental ordinance or resolution enacted pursuant to the TCAA. I further state that I understand my signature indicates that this application meets all applicable nonattainment, prevention of significant deterioration, or major source of hazardous air pollutant permitting requirements. The signature further signifies awareness that intentionally or knowingly making or causing to be made false material statements or representations in the application is a criminal offense subject to criminal penalties.

Name (printed): Thomas Playfair

Signature (original signature required): STEERS

IX. Copies of the Registration

The PI-1S application must be submitted through ePermits. No additional copies need to be sent to the Regional Office or local Air Pollution Control Program(s). The link to ePermits can be found here: www3.tceq.texas.gov/steers/.

Asphalt Inc., LLC Air Quality Standard Permit for Permanent Crushers Burnet Crushing Plant Burnet, Burnet County, Texas

Project Description

Pursuant to a new Air Quality Standard Permit for Permanent Rock Crushers, Asphalt Inc., LLC proposes to permanently authorize a Crushing Plant near Burnet, Burnet County, Texas.


The facility will be located on-site permanently (for more than 180 days) with maximum production rates of 200 tons per hour (TPH) and 528,000 tons per year (TPY). All crushers, associated facilities, and associated sources (excluding stockpiles) will not operate at the subject site for more than 2,640 hours in any rolling 12-month period, and they will not operate from one hour after official sunset to one hour before official sunrise.


The facility may move around on-site but will be located at a distance greater than 200 feet from the nearest property line at all times and greater than 440 yards from any building in use as a single or multi-family residence, school, or place of worship at the time this application was filed. All associated sources, including roads (except incidental traffic and the entrance/exit), work areas, and stockpiles, will be located at least 100 feet from the property line.


Any emissions from startup or shutdown are not expected to be any worse over a full hour than emissions during normal operation, and thus should be included in this permit. Any planned maintenance activities for this facility will be considered de minimis (30 TAC 116.119) or authorized under a separate PBR (30 TAC 106) as necessary.

Asphalt Inc., LLC will utilize BACT at the facility. Permanently mounted spray bars shall be installed at the inlet/outlet of all crushers, at all shaker screens, and at all material transfer points and used as necessary to maintain compliance with TCEQ rules and regulations. Dust emissions from in-plant roads and active work areas that are associated with the operation of this facility shall be minimized by watering. All stockpiles shall be sprinkled with water as necessary to minimize dust emissions.

A Form PI-1S, checklists, tables, maps, emission calculations, and supporting documents have been submitted with this application.







75



DATE

В

DESCRIPTION

REV.

10853-263

JOB NO.:

150,

BURNET, BURNET COUNTY, TEXAS

PLOT PLAN DETAIL
PERMANENT SP CRUSHER
ASPHALT INC., LLC

SHEET NO .:

ISSUE DATE:

BING AERIAL

07/03/2024

MP MF

DRAWN BY:

CHECKED BY: SCALE: 1" =

> 3 OF 3

13

Asphalt Inc., LLC Air Quality Standard Permit for Permanent Crushers Burnet Crushing Plant Burnet, Burnet County, Texas

Process Description


Aggregate material is transported to the Hopper 1 (EPN 1) by a front-end loader or haul truck and is conveyed to the Grizzly (EPN 2). Smaller material is transferred (EPN 3) from the Grizzly to an underlying conveyor, where it is either conveyed to a stacker and stockpiled (EPNs 4-5) or is rejoined with material on a conveyor from Crusher #1 (EPN 6). Material from the conveyor and crusher is transferred (EPN 7) to the Screen 1 (EPN 8). Material passing through the Screen is dropped (EPN 9) and conveyed (EPNs 10-11) either to a stacker (EPN 12) to be stockpiled or to a conveyor feeding Surge Bin 2 (EPN 17). Material from the middle decks of the screen is either conveyed to a stacker (EPN 13) to be stockpiled or it joins material from the top deck of the screen to be conveyed to a Surge Bin 1 (EPN 14). Material from the Surge Bin 1 is dropped (EPN 15) and conveyed into the Crusher 2 (EPN 16). Crushed material is conveyed into the Surge Bin 2 (EPN 17). Material from the Surge Bin 2 is dropped (EPN 18) and conveyed (EPN 19) to Screen 2 (EPNs 20-21). Material out the bottom of the screen is sent to a Fine Material Washer. From the Fine Material Washer, the material is conveyed (EPN 22) to a stacker to be stockpiled. Material off the bottom deck of the screen is conveyed (EPNs 23-24) to a stacker to be stockpiled. Material off the third deck of the screen is either sent to the Course Material Washer and then conveyed (EPNs 25-26) to a stacker to be stockpiled or is conveyed (EPN 27) to the Log Washer and then conveyed (EPNs 28-29) to be stockpiled. Material off the second deck of the screen either joins the material transferred to the Log Washer or is conveyed (EPNs 30-31) back to be recycled into Crusher 2. Material off the top deck of the screen joins the material being recycled into Crusher 2.


Stockpile emissions (STK) are calculated based on ten acres.

Asphalt Inc., LLC will utilize a belt scale to regulate maximum throughput at less than 200 TPH.

This facility will be powered by electric line power.

Please refer to the attached flow diagram in order to follow the process description detailed above.







Texas Commission on Environmental Quality Air Quality Standard Permit for Permanent Rock and Concrete Crushers Registration Checklist

The following checklist has been developed to help the Texas Commission Environmental Quality (TCEQ), Air Permits Division (APD) confirm that the permanent rock or concrete crusher meets the standard permit requirements. Please read all questions and check "YES," "NO," or "N/A" or give specific information for the facility. If the permanent rock or concrete crusher plant does not meet all conditions of this standard permit, it will not be allowed to operate under the standard permit and must apply for a case-by-case preconstruction permit as required under Title 30 Texas Administrative Code § 116.111 (30 TAC § 116.111).

Please Check The Type of Facility: Rock Crusher Concrete Crusher							
CONDITION NUMBER AND DESCRIPTION							
(1)(B)	If crushing concrete, will the concrete crushing facility be operated at least 440 yards from any building which is in use as a single or multi-family residence, school, or place of worship at the time this application is filed?	☐ YES ☐ ŅO ☒ N/A					
	(The measurement of distance shall be taken from the point on the concrete crushing facility that is nearest to the residence, school, or place of worship toward the point on the building in use as a residence, school, or place of worship that is nearest the concrete crushing facility.)						
(1)(C)(ii)	In lieu of meeting the distance requirements of (1)(B), will the structure(s) within 440 yards of the concrete crushing facilities be occupied or used solely by the owner of the facility or the owner of the property upon which the facility is located?	☐ YES ☐ NO ☒ N/A					
(1)(D)	In lieu of meeting the distance requirements in (1)(B), will all the following occur:						
(1)(D)(i)	Will this plant be engaged in crushing concrete and other materials resulting from the demolition of a structure on this site and will the concrete and other materials being crushed be used primarily at this site?	☐ YES ☐ NO ☒ N/A					
(1)(D)(ii)	Will this plant operate onsite for one period of 180 calendar days or less?	☐ YES ☐ NO ☒ N/A					
(1)(D)(iii)	Will all applicable conditions stated in commission rules, including operating conditions be met?	☐ YES ☐ NO ☒ N/A					
(1)(D)(iv)	Will the plant be located in a county with a population of 2.4 million or more persons, or in a county adjacent to such a county?	☐ YES ☐ NO ☒ N/A					
(1)(E)	Do you intend to apply for an authorization under Texas Health and Safety Code (THSC) § 382.0518, Preconstruction Permit, for any other crushing facility to be located at the same site within 12 months from the date of this authorization?	☐ YES ☒ NO ☐ N/A					



Please Ch	eck The Type of Facility:	Crusher					
CONDITION NUMBER AND DESCRIPTION (continued)							
(1)(F)	Is there a rock crusher (or concrete crusher) authorized under Texas Health and Safety Code (THSC) § 382.0518, Preconstruction Permit, at this site?	☐ YES ☒ NO ☐ N/A					
	Have you withdrawn, within the previous 12 months, an application for authorization of a crushing facility under (THSC) § 382.0518, Preconstruction Permit, at this site?	☐ YES ☒ NO ☐ N/A					
(1)(G)	Are the current registration form PI-1S entitled, "Registration for an Air Standard Permit", Table 17 and supporting information attached or mailed to the TCEQ, including Table 29 (if applicable), control devices and methods explanation, process flow diagram, process description, plot plan, and area map?	YES □ NO □ N/A N/A					
	Is the company's compliance history rating poor?	☐ YES ☒ NO ☐ N/A					
(1)(H)	Has construction and/or operation begun on the facility?	☐ YES ☒ NO ☐ N/A					
	Is there a non operational crusher stored onsite?	☐ YES ☒ NO ☐ N/A					
(1)(I)	In accordance with 30 TAC § 116.614, Standard Permit Fees, was a \$900 fee sent to TCEQ Revenue Section?	YES □ NO □ N/A					
(1)(J)	Will all facilities associated with this application for a standard permit comply with the conditions of Title 40 Code of Federal Regulations (40 CFR) Part 60, Subpart A, General Provisions and Subpart OOO, Standards of Performance for Nonmetallic Mineral Processing Plants?						
(1)(K)	Will these crushing facilities only process nonmetallic minerals or a combination of nonmetallic minerals as described in 40 CFR Part 60, Subpart OOO?	✓ YES NO N/A					
(1)(L)	Is 30 TAC Chapter 101, Subchapter H, Division 3, Mass Emissions Cap and Trade Program; or 30 TAC Chapter 117, Control of Air Pollution from Nitrogen Compounds applicable to this plant?	☐ YES ☐ NO ☒ N/A					
(1)(M)	Will written records be kept for a rolling 24-month period at the site and made available at the request of any personnel from the TCEQ or any air pollution control program having jurisdiction?						
	Will these written records be maintained onsite to show daily hourly operations and hourly throughput; road and work area cleaning and dust suppression logs; and stockpile dust suppression logs?	⊠ YES □ NO □ N/A					



Please Che	eck The Type of Facility: Rock Crusher \(\sum \) Concrete (Crusher				
CONDITION NUMBER AND DESCRIPTION (continued)						
(1)(N)	Will this crushing operation and related activities comply with applicable requirements of 30 TAC Chapter 101, Subchapter F, Emission Events and Scheduled Maintenance, Startup, and Shutdown Activities?	✓ YES NO N/A				
(1)(P)	Have maintenance emissions been authorized? (Maintenance emissions are not included in this permit and must be approved under separate authorization.)	☐ YES ⊠ NO ☐ N/A				
	Have start-up and shutdown emissions been authorized? (Start-up and shutdown emissions that will exceed those expected during production operations must be approved under separate authorization.)	⊠ YES □ NO □ N/A				
	Will start-up and shutdown emissions exceed those expected during production operations?	☐ YES ☒ NO ☐ N/A				
(1)(Q)	Do you intend to authorize any facilities located at the same site as this rock crusher, by 30 TAC Chapter 106, Subchapter E, Aggregate and Pavement or 30 TAC § 106.512, Stationary Engines and Turbines?	☐ YES ☒ NO ☐ N/A				
PUBLIC I	NOTICE REQUIREMENTS - Detailed Public Notice Information will be Determination of Technical Completeness					
(2)(B)(i)	Will public notice be published no later than 30 days after the application is determined to be technically complete?	⊠ YES □ NO □ N/A				
OPERAT	IONAL REQUIREMENTS					
(3)(A)	Will the primary crusher throughput exceed 200 tons per hour?	☐ YES ☒ NO ☐ N/A				
(3)(B)	Will the crusher and all associated facilities, including engines and/or generator sets, but not including associated sources, be located less than 200 feet from the nearest property line, as measured from the point on the facility nearest the property line?	☐ YES ⊠ NO ☐ N/A				
(3)(C)	At the time this application is filed, will the crusher and all associated facilities, including engines and/or generator sets, but not including associated sources, be located at least 440 yards from any building which is in use as a single or multi-family residence, school, or place of worship?	✓ YES NO N/A				
	(Distance shall be measured from the point on the facility nearest the residence, school, or place of worship to the point on the residence, school, or place of worship nearest the facility).					



Please Ch	eck The Type of Facility: 🔀 Rock Crusher 🗌 Concrete	Crusher
OPERAT	IONAL REQUIREMENTS (continued)	
(3)(D)	Will the crushing facilities (not including associated sources) be located at least 550 feet from any other rock crusher, concrete crusher, concrete batch plant, or hot mix asphalt plant?	✓ YES NO N/A
	Will the crusher operate at the same time as any other rock crusher, concrete batch plant, or hot mix asphalt plant within a 550 feet radius?	☐ YES ☐ NO ☒ N/A
(3)(E)	Will all associated sources, including but not limited to work areas, stockpiles, and roads (except for incidental traffic and the entrance and exit to the site), be located at least 100 ft. from the property line?	✓ YES NO N/A
(3)(F)	Will this crushing operation consist of any additional facilities other than one primary crusher, one secondary crusher, one vibrating grizzly, two screens, any conveyors, and one internal combustion engine (or combination of engines) of no more than 1,000 total horsepower?	☐ YES ☒ NO ☐ N/A
	(Equipment that is not a source of emissions does not require authorization.)	
(3)(G)	Will any of the crushers, associated facilities, and/or associated sources (excluding stockpiles) exceed 2,640 operating hours in any rolling 12-month period?	☐ YES ☒ NO ☐ N/A
(3)(H)	Will any of the rock crusher/ concrete crusher or associated facilities operate during any time between one hour after official sunset to one hour before official sunrise?	☐ YES ☒ NO ☐ N/A
(3)(I)	Will all crushers be equipped with runtime meters and will the runtime meters be operating during crushing operations?	
(3)(J)	Will permanently mounted spray bars be installed at the inlet and outlet of all crushers, at all shaker screens, and at all material transfer points and used as necessary to maintain compliance with all TCEQ rules and regulations?	
(3)(K)	Will opacity of emissions from any transfer point on belt conveyors or any screen exceed 10 percent, averaged over a six-minute period as determined using EPA Test Method 9?	☐ YES ☒ NO ☐ N/A
	Will opacity of emissions from any crusher exceed 15 percent, averaged over a six-minute period as determined using EPA Test Method 9?	☐ YES ☒ NO ☐ N/A
(3)(L)	Will visible emissions leave the property for more than 30 seconds in duration in any six-minute period from the crusher(s), associated facilities, associated sources, and in-plant roads associated with the plant as determined using EPA Test Method 22?	☐ YES ☒ NO ☐ N/A



Please Chec	ck The Type of Facility: Rock Crush	er 🗌 Concrete	Crusher
OPERATIO	ONAL REQUIREMENTS (continued)		
(3)(M)	Will all in-plant roads and active work areas that are asso operation of the crusher, associated facilities, and associated at all times with any of the following:		
(3)(M)(i)	Covered with a material such as, but not limited to roofin tire chips?	g shingles or	☐ YES ☒ NO ☐ N/A
(3)(M)(ii)	Dust-suppressant chemicals?		☐ YES ☒ NO ☐ N/A
(3)(M)(iii)	Water?		☐ YES ☐ NO ☐ N/A
(3)(M)(iv)	Paved with a cohesive hard surface that is maintained int	act and cleaned?	☐ YES ☒ NO ☐ N/A
(3)(N)	Will all stockpiles be sprinkled with water, dust-suppress or covered, as necessary, to minimize dust emissions?	ant chemicals,	✓ YES NO N/A
(3)(O)	Will raw material and product stockpile heights exceed 4	5 ft?	☐ YES ☒ NO ☐ N/A
(3)(P)	Will the crusher be equipped with a weigh hopper or scal accurately determines the mass of material being crushed		✓ YES NO N/A
(3)(Q)	Will the crusher remain at least 440 yards from any exist school, or place of worship when moving to a different lo		✓ YES NO N/A

Texas Commission on Environmental Quality Air Quality Standard Permits General Requirements Checklist Title 30 Texas Administrative Code §§116.610-116.615

Check the most appropriate answer and include any additional information in the spaces provided. If additional space is needed, please include an extra page and reference the rule number. The SP forms, tables, checklists, and guidance documents are available from the TCEQ, Air Permits Division web site at: www.tceq.texas.gov/permitting/air/nav/standard.html.

Most Standard Permits require registration with the commission's Office of Permitting, Remediation, and Registration in Austin. The facilities and/or changes to facilities can be registered by completing a Form PI-1S, "Registration for Air Standard Permit." This checklist should accompany the registration form to expedite any registration review.

CHECK THE M	OST APPROPRIATE ANSWERS AND FILL IN THE REQUESTED INFOR	MATION
Rule	Questions/Description	Response
116.610(a)(1)	Are there net emissions increases associated with this registration?	☑ YES □ NO
	If "YES," will net emission increases of air contaminants from the project, other than those for which a National Ambient Air Quality Standard (NAAQS) has been established, meet the emission limits of § 106.261 or § 106.262?	☐ YES ☐ NO ☑ N/A
	If "NO," does the specific standard permit exempt emissions from this limit?	⊠ YES □ NO
Attach emissions	summary and calculations:	
116.610(a)(3)	Do any of the Title 40 Code of Federal Regulations Part (CFR) 60, New Source Performance Standards apply to this registration?	⊠ YES □ NO
If "YES," list subp	parts: A & OOO	
116.610 (a)(4)	Do any Hazardous Air Pollutant requirements apply to this registration?	☐ YES ⊠ NO
If "YES," list subj	parts	
116.610 (a)(5)	Do any maximum achievable control technology (MACT) standards as listed under 40 CFR Part 63 or Chapter 113, Subchapter C (National Emissions Standard for Hazardous Air for Source Categories) apply to this registration?	☐ YES 🖾 NO
If "YES," list subj	parts:	
116.610(a)(6)	Will additional emission allowances under Chapter 101, Subchapter H, Division 3, Emissions Banking and Trading, need to be obtained following this registration?	☐ YES ⊠ NO
116.611(a)(1-6)	Is the following documentation included with this registration:	YES □ NO
	Emissions calculations including the basis of the calculations?	YES □ NO
	Quantification of all emission increases and/or decreases associated with this project?	⊠ YES □ NO
	Sufficient information demonstrating that this project does not trigger PSD or NNSR review?	⊠ YES □ NO
	Description of efforts to minimize collateral emissions increases associated with this project?	⊠ YES □ NO
	Process descriptions including related processes?	⊠ YES □ NO
	Description of any equipment being installed?	YES □ NO

Texas Commission on Environmental Quality Air Quality Standard Permits General Requirements Checklist Title 30 Texas Administrative Code §§116.610-116.615

Rule	Question/Description	Response
116.614	Are the required fee and a copy of the check or money order provided with the application?	⊠ YES □ NO
116.615(1)	Will emissions from the facility comply with all applicable rules and regulations of the commission adopted under Texas Health and Safety Code, Chapter 382, and with the intent of the Texas Clean Air Act?	⊠ YES □ NO
116.615(2)	Do you understand that all representations with regard to construction plans, operating procedures, and maximum emission rates in this registration become conditions upon which the facility will be constructed and operated?	⊠ yes □ no
116.615(3)	Do you understand that all changes authorized by this registration need to be incorporated into the facility's permit if the facility is currently permitted under §116.110 (relating to Applicability)?	⊠ YES □ NO
List all related permit		
116.615(9)617(e)(1)	Will all air pollution emission capture and abatement equipment be maintained in good working order?	⊠ YES □ NO
116.615(10)	Will the facility comply with all applicable rules and regulations of the TCEQ, the Texas Health and Safety Code, Chapter 382, and the Texas Clean Air Act?	⊠ yes □ no

Total Emissions

Emission Calculations Prepared By Westward Environmental, Inc.

The total emissions from the proposed rock crushing facility (including plant and annual stockpiles) are tabulated below.

	<u>lb/hr</u>	<u>TPY</u>
PM	1.92	9.76
PM10	0.67	4.50
PM2.5	0.11	0.70

Plant Emissions

Emission Calculations Prepared By Westward Environmental, Inc.

EPN	Name	Quantity (TPH)	Quantity (TPY)	CE	Conveyor Length (ft)	EF - PM2.5 ^a	PM2.5 (lb/hr)	PM2.5 (TPY)	EF - PM10 ^a	PM10 (lb/hr)	PM10 (TPY)	EF.	PM (lb/hr)	PM (TPY)
-	Conveyor Transfer- Wet	200	528,000	%0	N/A	0.000013	0.00260	0.00343	0.000046	0.00920	0.01214	0.00014	0.0280	0.0370
7	Conveyor Transfer- Wet	200	528,000	%0		0.000013	0.00260	0.00343	0.000046	0.00920	0.01214	0.00014	0.0280	0.0370
ო	Conveyor Transfer- Wet	200	528,000	%0		0.000013	0.00260	0.00343	0.000046	0.00920	0.01214	0.00014	0.0280	0.0370
4	Conveyor Transfer- Wet	200	528,000	%0		0.000013	0.00260	0.00343	0.000046	0.00920	0.01214	0.00014	0.0280	0.0370
2	Conveyor Transfer- Wet	200	528,000	%0		0.000013	0.00260	0.00343	0.000046	0.00920	0.01214	0.00014	0.0280	0.0370
ဖ	Primary Crushing (Jaw)- Wet	200	528,000	%0		ΩN	0.00303	0.00400	0.0001	0.02000	0.02640	0.00021	0.0420	0.0554
7	Conveyor Transfer- Wet	200	528,000	%0		0.000013	0.00260	0.00343	0.000046	0.00920	0.01214	0.00014	0.0280	0.0370
∞	Screening (All)- Wet	200	528,000	%0		0.00005	0.01000	0.01320	0.00074	0.14800	0.19536	0.0022	0.4400	0.5808
တ	Conveyor Transfer- Wet	200	528,000	%0		0.000013	0.00260	0.00343	0.000046	0.00920	0.01214	0.00014	0.0280	0.0370
5	Conveyor Transfer- Wet	200	528,000	%0		0.000013	0.00260	0.00343	0.000046	0.00920	0.01214	0.00014	0.0280	0.0370
=	Conveyor Transfer- Wet	200	528,000	%0		0.000013	0.00260	0.00343	0.000046	0.00920	0.01214	0.00014	0.0280	0.0370
12	Conveyor Transfer- Wet	200	528,000	%0		0.000013	0.00260	0.00343	0.000046	0.00920	0.01214	0.00014	0.0280	0.0370
£ 2.5	Conveyor Transfer- Wet	200	528,000	%0		0.000013	0.00260	0.00343	0.000046	0.00920	0.01214	0.00014	0.0280	0.0370
4	Conveyor Transfer- Wet	200	528,000	%0		0.000013	0.00260	0.00343	0.000046	0.00920	0.01214	0.00014	0.0280	0.0370
15	Conveyor Transfer- Wet	200	528,000	%0		0.000013	0.00260	0.00343	0.000046	0.00920	0.01214	0.00014	0.0280	0.0370
16	Secondary Crushing- Wet	200	528,000	%0		0.0001	0.02000	0.02640	0.00054	0.10800	0.14256	0.0012	0.2400	0.3168
17	Conveyor Transfer- Wet	200	528,000	%0		0.000013	0.00260	0.00343	0.000046	0.00920	0.01214	0.00014	0.0280	0.0370
18	Conveyor Transfer- Wet	200	528,000	%0		0.000013	0.00260	0.00343	0.000046	0.00920	0.01214	0.00014	0.0280	0.0370
19	Conveyor Transfer- Wet	200	528,000	%0		0.000013	0.00260	0.00343	0.000046	0.00920	0.01214	0.00014	0.0280	0.0370
20	Screening (All)- Wet	200	528,000	%0		0.00005	0.01000	0.01320	0.00074	0.14800	0.19536	0.0022	0.4400	0.5808
2	Conveyor Transfer- Wet	200	528,000	%0		0.000013	0.00260	0.00343	0.000046	0.00920	0.01214	0.00014	0.0280	0.0370
22	Conveyor Transfer- Wet	200	528,000	%0		0.000013	0.00260	0.00343	0.000046	0.00920	0.01214	0.00014	0.0280	0.0370
23	Conveyor Transfer- Wet	200	528,000	%0		0.000013	0.00260	0.00343	0.000046	0.00920	0.01214	0.00014	0.0280	0.0370
24	Conveyor Transfer- Wet	200	528,000	%0		0.000013	0.00260	0.00343	0.000046	0.00920	0.01214	0.00014	0.0280	0.0370
25	Conveyor Transfer- Wet	200	528,000	%0		0.000013	0.00260	0.00343	0.000046	0.00920	0.01214	0.00014	0.0280	0.0370
56	Conveyor Transfer- Wet	200	528,000	%0		0.000013	0.00260	0.00343	0.000046	0.00920	0.01214	0.00014	0.0280	0.0370

		Quantity Quantity	Quantity	L	Conveyor	- - -	PM2.5	PM2.5	EF -	PM10	PM10	Щ	PM	Σd
<u>П</u>	Лате	(TPH)	(TPY)	J J	Length (ft)	PM2.5ª	(lb/hr)	(TPY)	PM10 ^a	(lb/hr)	(TPY)	PMa	(lb/hr)	(TPY)
27	27 Conveyor Transfer- Wet	200	528,000	%0		0.000013	0.00260	0.00343	0.00343 0.000046	0.00920	0.01214	0.00014	0.0280	0.0370
28	28 Conveyor Transfer- Wet	200	528,000	%0		0.000013	0.00260	0.00343	0.000343 0.000046	0.00920	0.01214	0.00014	0.0280	0.0370
29	29 Conveyor Transfer- Wet	200	528,000	%0		0.000013	0.00260	0.00343	0.000343 0.000046	0.00920	0.00920 0.01214 0.00014	0.00014	0.0280	0.0370
99	30 Conveyor Transfer- Wet	200	528,000	%0		0.000013	0.00260	0.00343	0.00343 0.000046 (0.00920	0.00920 0.01214	0.00014	0.0280	0.0370
31	31 Conveyor Transfer- Wet	200	528,000	%0		0.000013	0.00260	0.00343	0.000343 0.000046	0.00920	0.01214	0.00014	0.0280	0.0370
	A CONTRACTOR OF THE CONTRACTOR					Subtotals	0.11	0.15	Subtotals	0.67	0.89	Subtotals	1.92	2.53

a. Emission factors (EF) used per EPA AP-42 Table 11.19.2-2 (August 2004), TCEQ Table 6 - Summary of Rock Crushing Emission Factors (February 2002), TCEQ Rock Crusher Emission Factors (March 2006). Controlled emission factors used based on moisture content of the material greater than 1.5%.
 b. ND = No Data for EF for PM2.5, so emissions were calculated using ratio (15.14%) of particle size multipliers (k-values) from EPA AP-42 Chapter 13.2.4 to convert PM10 (0.35) to PM2.5 (0.053)

Stockpiles (EPN STK)

Emission Calculations Prepared By Westward Environmental, Inc.

Annual Plant Stockpile Emissions

Ĭ	Total Active, A	Active	l L	EF a	Active PM	Active PM10	Active PM2.5
II Z	(acres)	Days	7.	Active PM	(TPY)	(TPY)	(TPY) °
STK1	10	365	0:30	13.2	7.227	3.614	0.5472

Tons per year PM (active)	Tons per year PM10 (active)	Tons per year PM2.5 (active)
7.23	3.61	0.55
Active PM = A \times Active Days \times EF \times CF /2000 =	Active PM10 = Active PM \times 0.5 =	Active PM2.5 = Active PM10 \times 0.15 =

	A (inactive) A10 (inactive)	Tons per year PM (inactive) Tons per year PM10 (inactive)	0.00	nactive Days \times EF \times CF /2000 = tive PM10 = Inactive PM \times 0.5 =	= 5	Inactive PM = IA x Ina	
0.00	0.00	0.00	3.5	0:30	365	0	STK2
(TPY) ^c	(TPY)	(TPY)	Inactive PM	5	Days	(acres)	
Inactive PM10 Inactive PM2.5		Inactive PM	ET a	a L (Inactive	Total Inactive, IA	i d

Tons per year PM2.5 (inactive) Tons per year PM10 (inactive)

0.00

Inactive PM2.5 = Inactive PM10 x 0.15 = Inactive PM10 = Inactive PM x 0.5 =

200	Total Area, A	Total PM	Total PM10	Total PM2.5
2 1 11	(acres)	(TPY)	(TPY)	(TPY)
STK = STK1 + STK2	10	7.23	3.61	0.55

- a. Emission factors, EF, utilized from TCEQ Guidance for Rock Crushing Plants. Active stockpiles includes pile formation (loading onto), digging into piles (loading out of), traffic in pile area, & wind erosion of piles.
 - b. Control Factor, CF = 1 CE, of 30% or 0.30 (70% or 0.70 control efficiency, CE) used due to water controls.
- c. PM2.5 emissions are calculated using estimated ratio of aerodynamic particle size multiplier (k-values) from EPA AP-42 Chapter 13.2.4 using the drop point Equation (1) to convert PM10 to PM2.5 (0.15143).

Roads and stockpiles will be watered as necessary to control emissions.

TCEQ

Texas Commission on Environment Quality

Table 17 Rock Crushers

Please Complete the Follo	owing	-					
Maximum operating sched	ule:	< 12 hou	rs/day		< 7 da	ays/week	< 52 weeks/year
Does the facility operate at	night?						☐ YES ⊠ NO
Maximum Plant Product	ion Rates:						
☑ Primary Crusher	Type: Jav	V			200 tons/ho	our	528,000 tons/year
Secondary Crusher(s)	Type: Co	ne		2	200 tons/ho	ur	528,000 tons/year
☐ Tertiary Crusher(s)	Type:				tons/ho	ur	tons/year
The Following Pieces of I	Equipment	will be Controlle	ed as S	hown:			
Feed Hoppers:	⊠ None	☐ Water Spray	□ S	uction to	Baghouse	Other:_	
All Belt Transfer Points:	☐ None	Water Spray	□ S	uction to	Baghouse	Other:_	
Inlet of all Crushers:	None	Water Spray	\square s	uction to	Baghouse	Other:_	
Outlet of all Crushers:	None	Water Spray	\square S	uction to	Baghouse	Other:	
All Shaker Screens:	None	Water Spray	□ S	uction to	Baghouse	Other:	
If Water Sprays are used	, Provide t	he Following Dat	ta:				
Water Flow Rate (gpm): 1-	-3						
Water Pressure at the Nozz	zle (psi): 30)					
Number of Nozzles at each	location:	1-5					
If baghouse is used, attach	a Table 11	' "Fabric Filters."	,				
Average material moisture	content (%	5): >1.5%					
Maximum acreage covered	l by stockp	iles (acres): 10					
Stockpiles have the follow	ing control	s: 🔲 No	ne		⊠ Wa	ter	Chemical
In-plant roads will be:	Paved	and Vacuumed			Pav	ed and Swept	t 🔲 Oiled
Sprinkled with Water	and/or Che	micals O	ther:				

28

Air Quality Standard Permit for Permanent Rock and Concrete Crushers Effective Date July 31, 2008

This air quality standard permit authorizes rock and concrete crushing facilities that meet all of the conditions listed in sections (1), (2), and (3) of this standard permit. It is the permit holder's responsibility to demonstrate compliance with all conditions of this permit upon request by the executive director or any air pollution control agency having jurisdiction.

(1) General Requirements:

- (A) For the purposes of this standard permit, the following definitions apply.
 - (i) A site is one or more contiguous or adjacent properties which are under common control of the same person (or persons under common control).
 - (ii) Associated sources are sources of air emissions that are related to the rock or concrete crushing operation, that are not "facilities" as defined under Title 30 Texas Administrative Code (30 TAC) § 116.10, General Definitions. Associated sources include, but are not limited to, stockpiles and outdoor work areas. Screens, belt conveyors, generator sets, and material storage or feed bins are considered to be facilities and are not associated sources.
 - (iii) A residence is a structure primarily used as a permanent dwelling.
- (B) Except as provided in subsections (C) and (D) of this section, when crushing concrete, the concrete crushing facility shall be operated at least 440 yards from any building which was in use as a single or multi-family residence, school, or place of worship at the time an application was filed. The measurement of distance shall be taken from the point on the concrete crushing facility that is nearest to the residence, school, or place of worship toward the point on the building in use as a residence, school, or place of worship that is nearest the concrete crushing facility.
- (C) Subsection (B) does not apply to:
 - (i) a concrete crushing facility at a location for which the distance requirements of subsection (B) were satisfied at the time an application was filed with the commission, provided that the authorization was granted and maintained, regardless of whether a single or multi-family residence, school, or place of worship is subsequently built or put to use within 440 yards of the facility; or
 - (ii) structures occupied or used solely by the owner of the facility or the owner of the property upon which the facility is located.
- (D) Subsection (B) does not apply to a concrete crushing facility that:
 - (i) is engaged in crushing concrete and other materials resulting from the demolition of a structure on that site and the concrete and other materials are being crushed primarily for use at that site;
 - (ii) operates at that site during one period of no more than 180 calendar days;

- (iii) complies with all applicable conditions stated in commission rules, including operating conditions; and
- (iv) is not located in a county with a population of 2.4 million or more persons, or in a county adjacent to such a county.
- (E) For any owner or operator with a facility authorized by this standard permit, the TCEQ will not accept an application for authorization of a crushing facility under Texas Health and Safety Code (THSC) § 382.0518, Preconstruction Permit, located at the same site for a period of 12 months from the date of authorization.
- (F) An applicant for authorization of a rock crusher under THSC § 382.0518, is not eligible for this standard permit at the same site until 12 months after the application for authorization under § 382.0518 is withdrawn. Facilities already authorized by a permit under § 382.0518 are not eligible for this standard permit.
- (G) Applications for this standard permit shall be registered in accordance with 30 TAC § 116.611, Registration to Use a Standard Permit (including a current Form PI-1S, Crushing Plant Standard Permit Checklist and Table 17). A compliance history review shall be performed by the executive director in accordance with 30 TAC Chapter 60, Compliance History. If a facility is determined to be a poor performer, as defined in 30 TAC Chapter 60, a standard permit registration shall not be issued.
- (H) No owner or operator of a crushing facility shall begin construction and/or operation without obtaining written approval from the executive director (except for crushers in non operational storage for which construction has not commenced as considered under the Texas Clean Air Act). Start of construction of any facility registered under this standard permit shall be no later than 18 months from the date of authorization. Construction progress and startup notification shall be made in accordance with 30 TAC § 116.115(b)(2), General and Special Conditions.
- (I) Applications for registration under this standard permit shall comply with 30 TAC § 116.614, Standard Permit Fees.
- (J) All affected facilities authorized by this standard permit must meet all applicable conditions of Title 40 Code of Federal Regulations (40 CFR) Part 60, Subpart A, General Provisions, and OOO, Standards of Performance for Nonmetallic Mineral Processing Plants.
- (K) Only crushing facilities that are processing nonmetallic minerals or a combination of nonmetallic minerals that are described in 40 (CFR) Part 60, Subpart OOO, shall be authorized by this standard permit.
- (L) This standard permit does not supersede the requirements of any other commission rule, including 30 TAC Chapter 101, Subchapter H, Division 3, Mass Emissions Cap and Trade Program; and 30 TAC Chapter 117, Control of Air Pollution from Nitrogen Compounds.
- (M) Written records shall be kept for a rolling 24-month period and shall always remain on site. These records shall be made available at the request of any personnel from the TCEQ or any air pollution control program having jurisdiction. These written records shall contain the following:

- (i) daily hours of operation;
- (ii) the throughput per hour;
- (iii) road and work area cleaning and dust suppression logs; and
- (iv) stockpile dust suppression logs.
- (N) Crushing operations and related activities shall comply with applicable requirements of 30 TAC Chapter 101, Subchapter F, Emission Events and Scheduled Maintenance, Startup, and Shutdown Activities.
- (O) Facilities which meet the conditions of this standard permit do not have to meet the emissions and distance limitations listed in 30 TAC § 116.610(a)(1), Applicability.
- (P) Maintenance emissions are not included in this permit and must be approved under separate authorization. Startup and shutdown emissions that exceed those expected during production operations must be approved under separate authorization.
- (Q) Owners or operators of facilities authorized by this standard permit are not eligible for any authorization in 30 TAC Chapter 106, Subchapter E, Aggregate and Pavement or 30 TAC § 106.512, Stationary Engines and Turbines, for a facility located at the same site as a rock crusher authorized by this standard permit.
- (R) Upon issuance of this standard permit, the TCEQ will no longer accept a registration for § 106.142, Rock Crushers.

(2) Public Notice Requirements:

- (A) An application for authorization to construct and operate a rock crusher under this standard permit is not subject to the public notice requirements in 30 TAC Chapter 39 Subchapter H, Applicability and General Provisions, and Subchapter K, Public Notice of Air Quality Applications.
- (B) For authorization to use this standard permit, an applicant must publish notice under this section not later than the earlier of:
 - (i) the 30th day after the date the applicant receives written notice from the executive director that the application is technically complete; or
 - (ii) the 75th day after the date the executive director receives the application.
- (C) The applicant must publish notice at least once in a newspaper of general circulation in the municipality in which the plant is proposed to be located or in the municipality nearest to the proposed location of the crusher. If the elementary or middle school nearest to the proposed plant provides a bilingual education program as required by Subchapter B, Chapter 29, Texas Education Code, the applicant must also publish the notice at least once in an additional publication of general circulation in the municipality or county in which the plant is proposed to be located that is published in the language taught in the bilingual education program. This requirement is waived if such a publication does not exist or if the publisher refuses to publish the notice.

- (D) The notice must include:
 - (i) a brief description of the proposed location and nature of the proposed crusher;
 - (ii) a description, including a telephone number, of the manner in which the executive director may be contacted for further information;
 - (iii) a description, including a telephone number, of the manner in which the applicant may be contacted for further information;
 - (iv) the location and hours of operation of the commission's regional office at which a copy of the application is available for review and copying; and
 - (v) a brief description of the public comment process, including the mailing address and deadline for filing written comments.
- (E) At the applicant's expense, a sign or signs shall be placed at the site of the proposed facility declaring the filing of an application for a permit and stating the manner in which the commission may be contacted for further information. Such signs shall be provided by the applicant and shall meet the following requirements:
 - (i) signs shall consist of dark lettering on a white background and shall be no smaller than 18 inches by 28 inches;
 - (ii) signs shall be headed by the words "PROPOSED AIR QUALITY PERMIT" in no less than two-inch boldface block-printed capital lettering;
 - (iii) signs shall include the words "APPLICATION NUMBER" and the number of the permit application in no less than one-inch boldface block-printed capital lettering (more than one number may be included on the signs if the respective public comment periods coincide);
 - (iv) signs shall include the words "for further information contact" in no less than 1/2-inch lettering;
 - (v) signs shall include the words "Texas Commission on Environmental Quality," and the address of the appropriate commission regional office in no less than one-inch boldface capital lettering and 3/4-inch boldface lower case lettering; and
 - (vi) signs shall include the phone number of the appropriate commission office in no less than two-inch boldface numbers.
- (F) The sign or signs must be in place by the date of publication of the newspaper notice required by subsection (2)(C) of this section and must remain in place and legible throughout the period of public comment provided for in subsection (2)(I) of this section.
- (G) Each sign placed at the site must be located within ten feet (ft.) of each (every) property line paralleling a street or other public thoroughfare. Signs must be completely visible from the street and spaced at not more than 1,500-ft. intervals. A minimum of one sign, but no more than three signs shall be required along any property line paralleling a public thoroughfare.

The commission may approve variations from these requirements if it is determined that alternative sign posting plans proposed by the applicant are more effective in providing notice to the public.

- (H) The alternate language sign posting requirements of this subsection are applicable whenever either the elementary school or the middle school located nearest to the facility or proposed facility provides a bilingual education program as required by Texas Education Code, Chapter 29, Subchapter B, and 19 TAC § 89.1205(a) or if either school has waived out of such a required bilingual education program under the provisions of 19 TAC § 89.1205(g). Schools not governed by the provisions of 19 TAC § 89.1205(a) shall not be considered in determining applicability of the requirements of this subsection. Each affected facility shall meet the following requirements.
 - (i) The applicant shall post an additional sign in each alternate language in which the bilingual education program is taught. If the nearest elementary or middle school has waived out of the requirements of 19 TAC § 89.1205(a) under 19 TAC § 89.1205(g), the alternate language signs shall be published in the alternate languages in which the bilingual education program would have been taught had the school not waived out of the bilingual education program.
 - (ii) The alternate language signs shall be posted adjacent to each English language sign required in this section.
 - (iii) The alternate language sign posting requirements of this subsection shall be satisfied without regard to whether alternate language notice is required under subsection (C) of this section.
 - (iv) The alternate language signs shall meet all other requirements of this section.
- (I) The public comment period begins on the first date notice is published under subsection (2)(B) and extends no less than 30 days from the publication date.
- (J) Not later than the 30th day after the end of the public comment period, the executive director will approve or deny the application for authorization to use the standard permit. The executive director must base the decision on whether the application meets the requirements of this standard permit. The executive director must consider all comments received during the public comment period in determining whether to approve the application. If the executive director denies the application, the executive director must state the reasons for the denial and any modifications to the application necessary for the proposed plant to qualify for the authorization.
- (K) The executive director will issue a written response to any public comments received related to the issuance of an authorization to use the standard permit at the same time as or as soon as practicable after the executive director grants or denies the application. Issuance of the response after the granting or denial of the application does not affect the validity of the executive director's decision to grant or deny the application. The executive director will:
 - (i) mail the response to each person who filed a comment; and
 - (ii) make the response available to the public.

(3) Operational Requirements:

- (A) The primary crusher throughput shall not exceed 200 tons per hour.
- (B) The crusher and all associated facilities, including engines and/or generator sets, but not including associated sources, shall be located no less than 200 ft. from the nearest property line, as measured from the point on the facility nearest the property line.
- (C) The crusher and all associated facilities, including engines and/or generator sets, but not including associated sources, shall be located no less than 440 yards from any building which was in use as a single or multi-family residence, school, or place of worship, at the time an application was filed, as measured from the point on the facility nearest the residence, school, or place of worship to the point on the residence, school, or place of worship nearest the facility.
- (D) The crushing facilities (not including associated sources) operating under this standard permit shall be located at least 550 ft. from any other rock crusher, concrete crusher, concrete batch plant, or hot mix asphalt plant. If this distance cannot be met, then the crusher shall not operate at the same time as the other rock crusher, concrete crusher, concrete batch plant, or hot mix asphalt plant. Measurement shall be from the closest point on the rock crushing facility to the closest point on any other facility.
- (E) All associated sources, including but not limited to, roads (except for incidental traffic and the entrance and exit to the site), work areas, and stockpiles, shall be located at least 100 ft. from the property line.
- (F) The facilities (as defined in 30 TAC § 116.10(4)) authorized under this standard permit shall be limited to one primary crusher, one secondary crusher, one vibrating grizzly, two screens, any conveyors, and one internal combustion engine (or combination of engines) of no more than 1,000 total horsepower. Equipment that is not a source of emissions does not require authorization.
- (G) All crushers, associated facilities, and associated sources (excluding stockpiles) shall not operate for more than an aggregate of 2,640 hours at the authorized site in any rolling 12 month period. Once the operating hours (2,640 hours) for the site have been exhausted, the owner or operator shall not use a standard permit to operate another rock crusher on the site.
- (H) The rock crusher and associated facilities shall not operate from one hour after official sunset to one hour before official sunrise.
- (I) Each crusher shall be equipped with a runtime meter, which will be operating during crushing during crushing operations.
- (J) Permanently mounted spray bars shall be installed at the inlet and outlet of all crushers, at all shaker screens, and at all material transfer points and used as necessary to maintain compliance with all TCEQ rules and regulations.
- (K) Opacity of emissions from any transfer point on belt conveyors or any screen shall not exceed 10 percent and from any crusher shall not exceed 15 percent, averaged over a six-minute period, and according to U.S. Environmental Protection Agency (EPA) Test Method (TM) 9.

- (L) Visible emissions from the crusher, associated facilities, associated sources, and in-plant roads associated with the plant shall not leave the property for a period exceeding 30 seconds in duration in any six-minute period as determined using EPA TM 22.
- (M) Dust emissions from all in-plant roads and active work areas that are associated with the operation of the crusher, associated facilities, and associated sources shall be minimized at all times by at least one of the following methods:
 - (i) covered with a material such as, but not limited to, roofing shingles or tire chips (when used in combination with (ii) or (iii) of this subsection);
 - (ii) treated with dust-suppressant chemicals;
 - (iii) watered; or
 - (iv) paved with a cohesive hard surface that is maintained intact and cleaned.
- (N) All stockpiles shall be sprinkled with water, dust-suppressant chemicals, or covered, as necessary, to minimize dust emissions.
- O) Raw material and product stockpile heights shall not exceed 45 ft.
- (P) The crusher shall be equipped with a weigh hopper or scale belt to accurately determine the mass of material being crushed.
- (Q) The crusher may relocate on the site for which it has been authorized without reauthorization as long as it remains at least 440 yards from any residence, school, or place of worship that was in existence at the time of the move.