Texas Commission on Environmental Quality

Standard Permit New Registration

Site Information (Regulated Entity)

What is the name of the site to be authorized?

S JOLANDER RANCH

Does the site have a physical address?

Because there is no physical address, describe how to locate this site:

Located off of Co Rd 421 1.74 miles

west of Whitsett, Texas

City Whitsett

 State
 TX

 ZIP
 78075

 County
 LIVE OAK

 Latitude (N) (##.#####)
 28.624099

 Longitude (W) (-###.######)
 -98.31008

Primary SIC Code 1442

Secondary SIC Code

Primary NAICS Code 212321

Secondary NAICS Code

Regulated Entity Site Information

What is the Regulated Entity's Number (RN)? RN112281167

What is the name of the Regulated Entity (RE)?

RAIDER AGGREGATES

Does the RE site have a physical address?

Yes

Physical Address

Number and Street 1221 HIGHWAY 72
City THREE RIVERS

State TX
ZIP 78071
County LIVE OAK

Latitude (N) (##.#####) Longitude (W) (-###.######)

Facility NAICS Code 212321

What is the primary business of this entity?

Customer (Applicant) Information

How is this applicant associated with this site?

Owner

What is the applicant's Customer Number (CN)?

CN606402345

Type of Customer

Corporation

Full legal name of the applicant:

Legal Name Raider Aggregates Limited Liability

Company

Texas SOS Filing Number 806016326

Federal Tax ID

State Franchise Tax ID 32099991542

State Sales Tax ID

Local Tax ID

DUNS Number

Number of Employees 0-20
Independently Owned and Operated? Yes
I certify that the full legal name of the entity applying for this permit has Yes

I certify that the full legal name of the entity applying for this permit has been provided and is legally authorized to do business in Texas.

Responsible Authority Contact

Organization Name Raider Aggregates Limited Liability

Company

Prefix MR
First Matthew

Middle

Last Muniz

Suffix

Credentials

Title Owner

Responsible Authority Mailing Address

Enter new address or copy one from list:

Address Type Domestic

Mailing Address (include Suite or Bldg. here, if applicable) 1221 HIGHWAY 72

Routing (such as Mail Code, Dept., or Attn:)

City THREE RIVERS

State TX ZIP 78071

Phone (###-###) 3614496979

Extension

Alternate Phone (###-###-###)

Fax (###-###-###)

E-mail 90transportation@gmail.com

Responsible Official Contact

Person TCEQ should contact for questions about this application:

Same as another contact? CN606402345, Raider Aggregates

Limited Liability Company

Organization Name Raider Aggregates Limited Liability

Company

Prefix MR
First Matthew

Middle

Last Muniz

Suffix

Credentials

Title Owner

Enter new address or copy one from list:

Mailing Address

Address Type Domestic

Mailing Address (include Suite or Bldg. here, if applicable) 1221 HIGHWAY 72

Routing (such as Mail Code, Dept., or Attn:)

City THREE RIVERS

State TX ZIP 78071

Phone (###-####) 3614496979

Extension

Alternate Phone (###-###-####)

Fax (###-###-###)

E-mail 90transportation@gmail.com

Technical Contact

Person TCEQ should contact for questions about this application:

Same as another contact?

Organization Name Alpha Terra Engineering

Prefix MR
First Harold
Middle E
Last von Dran

Suffix JR Credentials PE

Title President/Chief Engineer

Enter new address or copy one from list:

Mailing Address

Address Type Domestic

Mailing Address (include Suite or Bldg. here, if applicable) 8626 TESORO DR STE 810

Routing (such as Mail Code, Dept., or Attn:)

City SAN ANTONIO

State TX ZIP 78217

Phone (###-###) 2103266991

Extension

Alternate Phone (###-###-###)

Fax (###-###-###)

E-mail evondran@atei97.com

Standard Permit General Information- New Reg Sites

1) Is this facility permanent or temporary? Permanent

2) Will the proposed facility meet all of the requirements of the standard

Yes

permit?

3) Select the type of unit that is being registered: PERMANENT ROCK AND CONCRETE

CRUSHERS

3.1) Select the rule associated to the unit specified. 6013

Standard Permit Attachments

Please attach all required documents including PI-1S, Table 17, Process Description, Process Flow Diagram, Standard Permit Checklist, Rock Crusher Checklist, and the Site Map.

[File Properties]

File Name Raider Air Permit Package 10.6.25.pdf

Hash C3EFDC6E6784393BA1C151BE79E8A2F7B360544808641910273B80C1EC23D6E6

MIME-Type application/pdf

Confidential

Please attach any other necessary information needed to complete the registration.

Expedite

Per Texas Health and Safety Code, Section 382.05155, does the applicant want to expedite the processing of this application?

No

Certification

The electronic signature below indicates that the Responsible Official has knowledge of the facts herein set forth and that the same are true, accurate, and complete to the best of my knowledge and belief. By this signature, the maximum emission rates listed on this certification reflect the maximum anticipated emissions due to the operation of this facility and all representations in this certification of emissions are conditions upon which the facilities and sources will operate. It is understood that it is unlawful to vary from these representations unless the certification is first revised. The signature certifies that to the best of the Responsible Officials knowledge and belief, the project will satisfy the conditions and limitations of the indicated exemption or permit by rule and the facility will operated in compliance with all regulations of the Texas Commission on Environmental Quality and with Federal U.S. Environmental Protection Agency regulations governing air pollution. The signature below certifies that, based on information and belief formed after reasonable inquiry, the statements and information above and contained in the attached document(s) are true, accurate, and complete. If you questions on how to fill out this form or about air quality permits. Please call (512) 239-1250. Individuals are entitled to request and review their personal information that the agency gathers on its forms.

- 1. I am Ed Vondran, the owner of the STEERS account ER031280.
- 2. I have the authority to sign this data on behalf of the applicant named above.
- 3. I have personally examined the foregoing and am familiar with its content and the content of any attachments, and based upon my personal knowledge and/or inquiry of any individual responsible for information contained herein, that this information is true, accurate, and complete.
- 4. I further certify that I have not violated any term in my TCEQ STEERS participation agreement and that I have no reason to believe that the confidentiality or use of my password has been compromised at any time.
- 5. I understand that use of my password constitutes an electronic signature legally equivalent to my written signature.
- 6. I also understand that the attestations of fact contained herein pertain to the implementation, oversight and enforcement of a state and/or federal environmental program and must be true and complete to the best of my knowledge.
- 7. I am aware that criminal penalties may be imposed for statements or omissions that I know or have reason to believe are untrue or misleading.
- 8. I am knowingly and intentionally signing Standard Permit New Registration.
- 9. My signature indicates that I am in agreement with the information on this form, and authorize its submittal to the TCEQ.

OWNER Signature: Ed Vondran OWNER

CN606402345 **Customer Number:**

Legal Name: Raider Aggregates Limited Liability Company

FR031280 Account Number: Signature IP Address: 108.80.68.185 Signature Date: 2025-10-06

16A64252F5E3FA6ADF5CD04AC99559DA5D34F3183FC0F0ED6E6819C53A99ADE9 Signature Hash: Form Hash Code at time of

Signature:

66B4A57CDFF026F3F45D6C80B34CF6F9C54C14CA8CEDA63FC826176F923E0499

the voucher number is 786527

Fee Payment

Transaction by: The application fee payment transaction was made by ER031280/Ed Vondran Paid by: The application fee was paid by HAROLD E **VONDRAN** Fee Amount: \$900.00 Paid Date: The application fee was paid on 2025-10-06 Transaction/Voucher number: The transaction number is 582EA000687920 and

Submission

Reference Number: The application reference number is 822185

Submitted by: The application was submitted by ER031280/Ed

Vondran

Submitted Timestamp: The application was submitted on 2025-10-06 at

16:19:29 CDT

Submitted From: The application was submitted from IP address

108.80.68.185

Confirmation Number: The confirmation number is 683186

Steers Version: The STEERS version is 6.93

Additional Information

Application Creator: This account was created by Matthew E Wilmot



TCEQ Core Data Form

For detailed instructions on completing this form, please read the Core Data Form Instructions or call 512-239-5175.

SECTION I: General Information

1. Reason for	r Submissi	ion (If other is checked	please describe	e in space pro	vided.)													
New Pern	nit, Registra	ation or Authorization (Core Data Forn	n should be si	ubmitted	with the pr	ogram applic	ation.)										
Renewal	(Core Data	Form should be submit	ted with the rei	newal form)			Other											
2. Customer Reference Number (if issued) Follow this link to sea					nk to sear	<u>ch</u> 3. I	3. Regulated Entity Reference Number (if issued)											
CN 6064023	numbers egistry**		RN 112281167															
0.1 000 1020																		
SECTIO	N II:	Customer	Inform	<u>nation</u>														
4. General Customer Information 5. Effective Date for Customer Information Updates (mm/dd/yyyy) 10/6/2025																		
4. General Co	istomer ir	normation	5. Ellective	Date for Cu	stomeri	mormauc	on Opuates	(mm/aa/	уууу)		10/6/2025							
New Custon			pdate to Custor				nange in Regu		ity Owne	ership								
Change in L	egal Name	(Verifiable with the Tex	as Secretary of	State or Texa	is Comptr	oller of Pub	olic Accounts)											
		ubmitted here may l	•	utomatically	y based	on what is	s current an	d active	with th	ne Texas Seci	retary of State							
(SOS) or Texa	s Comptro	oller of Public Accou	nts (CPA).															
6. Customer	Legal Nan	ne (If an individual, prii	nt last name firs	st: eg: Doe, Jo	ohn)		If new Co	ustomer, o	enter pre	evious Custom	er below:							
Raider Aggrega	ites LLC.																	
7. TX SOS/CP	7. TX SOS/CPA Filing Number 8. TX State Tax ID (11 digits) 9. Federal Tax ID 10. DUNS Number (if																	
806016326			32099991542	2			(9 digits))		applicable)								
							3209999	915										
						1			Π									
11. Type of C						Indi	vidual		Partne	rship: 🗌 Gen	neral Limited							
Government: [City 🔲	County Federal	Local 🗌 State	Other		Sole	e Proprietorsh	nip	Otl	her:								
12. Number	of Employ	rees					13. Ind	epender	ntly Ow	ned and Ope	erated?							
☑ 0-20 □	21-100 [101-250 251-	500 🗌 501 a	and higher			Yes	[□ No									
14. Customer	r Role (Pro	posed or Actual) – as i	t relates to the I	Regulated En	tity listed	on this for	n. Please che	ck one of	the follo	wing								
Owner		Operator	Ow	ner & Operat	tor		Г	7 Othori										
Occupational Licensee Responsible Party VCP/BSA Applicant Other:																		
15. Mailing	1221 Hig	hway 72																
Address:																		
	City	Three Rivers		State	TX	ZIP	78071			ZIP + 4	2609							
16. Country Mailing Information (if outside USA) 17. E-Mail Address (if applicable)																		

TCEQ-10400 (11/22) Page 1 of 3

(361) 449-6979						() -		
ECTION III: I	Regula	ated Ent	ity Inform	nation		l			
21. General Regulated En	tity Informa	tion (If 'New Reg	gulated Entity" is selec	ted, a new pe	rmit appli	cation is a	also required.)		
New Regulated Entity [Update to	Regulated Entity	Name Update t	o Regulated	Entity Info	rmation			
The Regulated Entity Nan as Inc, LP, or LLC).	ne submitte	d may be upda	ted, in order to med	et TCEQ Cor	e Data Si	tandards	(removal of o	rganization	nal endings such
22. Regulated Entity Nam	e (Enter name	e of the site wher	e the regulated action	is taking pla	ce.)				
S Jolander Ranch									
23. Street Address of the Regulated Entity:									
(No PO Boxes)	City		State		ZIP			ZIP + 4	
24. County		1							
		If no Stre	et Address is provid	led, fields 2	5-28 are	required	l .		
25. Description to Physical Location:	US 281 S, Tu gate Whitse		ett Take CR 421 SSW 2.	2 mi, RT 0.55	mi on Cal	iche Rd, L	Γ for 0.67 mi, RT	for 0.48 mi.	Enter through ranch
26. Nearest City						State	1	Nea	rest ZIP Code
Whisett						TX		780	75
Latitude/Longitude are re used to supply coordinate	-	=	-		ata Stan	dards. (C	Geocoding of th	ne Physical	Address may be
27. Latitude (N) In Decima	al:	28.618588		28. L	ongitude	(W) In D	ecimal:	-98.2990	88
Degrees	Minutes		Seconds	Degre	es		Minutes		Seconds
29. Primary SIC Code (4 digits)		Secondary SIC	Code	31. Primar (5 or 6 digit	•	Code	32. Seco (5 or 6 dig	ndary NAI	CS Code
1442				212321					
33. What is the Primary B	susiness of t	his entity? (De	o not repeat the SIC or	NAICS descr	ption.)		<u> </u>		
Caliche mining for road base									
34. Mailing	6217 Hwy 281 PO Box 383								
Address:									
	City	Three Rivers	State	Тх	ZIP	7807	71	ZIP + 4	
35. E-Mail Address:	90tr	ansportation@g	mail.com						
36. Telephone Number			37. Extension or	Code	38	. Fax Nui	mber (if applical	ole)	
(361) 449-6979					() -			

19. Extension or Code

20. Fax Number (if applicable)

18. Telephone Number

TCEQ-10400 (11/22) Page 2 of 3

☐ Dam Safety	Districts	Edwards Agu	ifor		missions Inventory Air	Industrial Hazardous Was
The Control of the Co		Edwards Aqt	mei	10,	inissions inventory All	Industrial Hazardous was
Municipal Solid W	Vaste Review Air	e		☐ Petroleum Storage T		ık PWS
Sludge	Storm Wat	er Title V Air	☐ Title V Air		Tires	Used Oil
☐ Voluntary Cleanu	p \Box Wastewate	er Wastewater	Agriculture		Vater Rights	Other:
2. Telephone Num	ber 43. Ext./Code	44. Fax Number	45. E-	Mail A	ddress	
210) 326-6991		() -			ei97.com	
ECTION V By my signature belo	w, I certify, to the best of mehalf of the entity specified Alpha Terra Engineering Inc.	Signature y knowledge, that the infinin Section II, Field 6 and/o	evond	ran@ati	s form is true and complet	
ECTION V By my signature below this form on b	ow, I certify, to the best of mehalf of the entity specified	Signature y knowledge, that the infinin Section II, Field 6 and/o	evond ormation provide or as required for	ran@ati	s form is true and complet lates to the ID numbers id	entified in field 39.

Form PI-1S Registrations for Air Standard Permit (Page 1)

I.	Registrant Information						
A.	Company or Other Legal Customer Name:						
Raider	Aggregates LLC.						
B.	Company Official Contact Information:						
	⊠ Mr.						
	☐ Mrs.						
	☐ Ms.						
	☐ Other:						
Name:	Matt Muniz						
Title: C	Owner Company of the						
Mailing	Address: 6217 Hwy 281 PO Box 383						
City: T	hree Rivers						
State:	TX						
ZIP Co	ode: 78071						
Teleph	one Number: 361-449-6979						
Fax Nu	umber:						
Email /	Address: 90transportation@gmail.com						
All per	mit correspondence will be sent via email.						
C.	Technical Contact Information						
	⊠ Mr.						
	☐ Mrs.						
	☐ Ms.						
	Other:						
Name:	Harold E. von Dran						
Title: F	Title: President/Chief Engineer						
Compa	any Name: Alpha Terra Engineering Inc.						
Mailing	Address: 8626 Tesoro Dr Ste 810						
City: S	an Antonio						
State:	TX						
ZIP Co	de: 78217						

Form PI-1S Registrations for Air Standard Permit (Page 2)

I.	Registrant Information (continued)
C.	Technical Contact Information (continued)
Telep	phone Number: 210-326-6991
Fax N	Number:
Emai	Il Address: evondran@atei97.com
II.	Facility and Site Information
A.	Name and Type of Facility
Facili	ity Name: S. Jolander Ranch / Raider Aggregates Caliche Pit
Туре	of Facility:
	⊠ Permanent
	☐ Temporary
For p	ortable units, please provide the serial number of the equipment being authorized below.
Seria	al No(s):
B.	Facility Location Information
Stree	et Address:
	re is no street address, provide written driving directions to the site and provide the closest city or town, ty, and ZIP code for the site (attach description if additional space is needed).
US 281	S, Turn west at whitsett Take CR 421 SSW 2.2 mi, RT 0.55 mi on Caliche Rd, LT for 0.67 mi, RT for 0.48 mi. Enter through ranch gate
City:	Whitsett
Coun	nty: Live Oak
ZIP C	Code: 78075
C.	Core Data Form (required for Standard Permits 6006, 6007, and 6013).
Is the	e Core Data Form (TCEQ Form 10400) attached?
	⊠ Yes □ No
Custo	omer Reference Number (CN): 606402345
Regu	ılated Entity Number (RN): 112281167
D.	TCEQ Account Identification Number (if known):

Form PI-1S Registrations for Air Standard Permit (Page 3)

II. Facility and Site Information (continued)
E. Type of Action
☐ Change to Registration
Renewal
Renewal Certification
For Change to Registration, Renewal, or Renewal Certification actions provide the following:
Registration Number:
Expiration Date:
F. Standard Permit Claimed:
G. Previous Standard Exemption or PBR Registration Number:
Is this authorization for a change to an existing facility previously authorized under a standard exemption or PBR?
☐ Yes
If "Yes," enter previous standard exemption number(s) and PBR registration number(s) and associated effective date in the spaces provided below.
Standard Exemption Number(s):
PBR Registration Number(s):
H. Other Facilities at this Site Authorized by Standard Exemption, PBR, or Standard Permit
Are there any other facilities at this site that are authorized by an Air Standard Exemption, PBR, or Standard Permit?
☐ Yes
If "Yes," enter standard exemption number(s), PBR registration number(s), Standard Permit Registration Number(s), and associated effective date in the spaces provided below.
Standard Exemption Number(s):
PBR Registration Number(s):
Standard Permit Registration Number(s):

Form PI-1S Registrations for Air Standard Permit (Page 4)

II. Facility and Site Information <i>(continued)</i>							
I. Other Air Preconstruction Permits							
Are there any other air preconstruction permits at this site?							
☐ Yes ⊠ No							
f "Yes," enter permit number(s) in the spaces provided below.							
J. Affected Air Preconstruction Permits							
Does the standard permit directly affect any permitted facility?							
☐ Yes							
If "Yes," enter permit number(s) in the spaces provided below.							
K. Federal Operating Permit (FOP) Requirements							
Is this facility located at a site that is required to obtain a FOP pursuant to 30 TAC Chapter 122?							
☐ Yes ☐ No ☐ To Be Determined							
Check the requirements of 30 TAC Chapter 122 that will be triggered if this standard permit is approved (check all that apply).							
☐ Initial Application for a FOP							
☐ Significant Revision for a SOP							
☐ Minor Revision for a SOP							
☐ Operational Flexibility/Off Permit Notification for a SOP							
☐ Revision for a GOP							
☐ To be Determined							
None Non							
Identify the type(s) of FOP issued and/or FOP application(s) submitted/pending for the site. (check all that apply)							
□SOP							
SOP application/revision (submitted or under APD review)							
□GOP							
☐ GOP application/revision (submitted or under APD review)							
⊠ N/A							

Form PI-1S Registrations for Air Standard Permit (Page 5)

III.	Fee Information (go to www.tceq.texas.gov/epay to pay online)
A.	Fee Amount: \$900
B.	Voucher number from ePay: Payment through STEERS
IV.	Public Notice (if applicable)
A.	Responsible Person
	⊠ Mr.
	☐ Mrs.
	☐ Ms.
	☐ Other:
Name	e: Jerry Pogue
Title:	Sr. Consultant
Comp	pany: Calidad Consulting LLC.
Mailin	ng Address: PO Box 64
City: I	Fischer
State	: Texas
ZIP C	ode: 78623
Telep	hone No.: 361-813-7225
Fax N	lo.:
Email	Address: jpogue@calidadco.com
B.	Technical Contact
	⊠ Mr.
	☐ Mrs.
	☐ Ms.
	Other:
Name	e: Harold (Ed) von Dran
Title:	President and Chief Engineer
Comp	pany: Alpha Terra Engineering
Mailin	ng Address: 8626 Tesoro Dr. Ste 810
City: \$	San Antonio
State	: Texas
ZIP C	ode: 78217
r 	

Form PI-1S Registrations for Air Standard Permit (Page 6)

IV. Public Notice (if applicable)
B. Technical Contact
Telephone Number: 210-930-2834
Fax Number:
Email Address: evondran@atei97.com
C. Bilingual Notice
Is a bilingual program required by the Texas Education Code in the School District?
☐ Yes ⊠ No
Are the children who attend either the elementary school or the middle school closest to your facility eligible to be enrolled in a bilingual program provided by the district?
☐ Yes ⊠ No
If "Yes," list which language(s) are required by the bilingual program below?
Language(s):
Language(s):
D. Small Business Classification and Alternate Public Notice
Does this company (including parent companies and subsidiary companies) have fewer than 100 employees or less than \$6 million in annual gross receipts?
⊠ Yes □ No
Is the site a major source under 30 TAC Chapter 122, Federal Operating Permit Program?
☐ Yes ⊠ No
Are the site emissions of any individual regulated air contaminant equal to or greater than 50 tpy?
☐ Yes ⊠ No
Are the site emissions of all regulated air contaminant combined equal to or greater than 75 tpy?
☐ Yes ⊠ No

Form PI-1S Registrations for Air Standard Permit (Page 7)

٧.	Renewal Certi	fication Option
A.		itted facility emit an air contaminant on the Air Pollutant Watch List, and is the permitted in an area on the watch list?
	☐ Yes	⊠ No
B.	highly reactive	rticipating in the Houston/Galveston/Brazoria area (HGB) cap and trade program for VOCs (HRVOCs), do the HRVOCs need to be speciated on the maximum allowable table (MAERT)?
	☐ Yes [⊠ No
C.	Does the comp	any and/or site have an unsatisfactory compliance history?
	☐ Yes	⊠ No
D.	Are there any a	applications currently under review for this standard permit registration?
	☐ Yes	⊠ No
E.		maintenance, startup, or shutdown emissions required to be included in the standard ion at this time?
	☐ Yes	⊠ No
F.	Are any of the f	following actions being requested at the time of renewal:
	☐ Yes	⊠ No
1.	•	acilities that have been permanently shut down that are proposed to be removed from ermit registration?
	☐ Yes ☐	⊠ No
2.		eed to be made to the standard permit registration in order to remain in compliance?
3.		facilities that have always been present and represented, but never identified in the tregistration, proposed to be included with this renewal?
	☐ Yes	⊠ No
4.	Are there any o	changes to the current emission rates table being proposed?
	☐ Yes	⊠ No
certific	ation option and	of the questions in Section V. Renewal Certification Option are "No," use the I skip to Section VII. of this form. If the answers to any of the questions in Section V. Option are "Yes," the certification option cannot be used.
		and comments are received in response to the public notice, the application does not certification option.

Form PI-1S **Registrations for Air Standard Permit** (Page8) Texas Commission on Environmental Quality

VI.	Technical Inf	ormation Including State and Federal Regulatory Requirements						
Note: A	Any technical c	to the appropriate box to indicate what you have included in your submittal. or essential information needed to confirm that facilities are meeting the requirements of must be provided. Not providing key information could result in an automatic deficiency oject.						
A.	Standard Permit requirements (Checklists are optional; however, your review will go faster if you provide applicable checklists.)							
Did you	id you demonstrate that the general requirements in 30 TAC§§116.610 and 116.615 are met?							
		□ No						
Did you	u demonstrate	that the individual requirements of the specific standard permit are met?						
		□ No						
B.	Confidential Ir	nformation (All pages properly marked "CONFIDENTIAL").						
		□ No						
C.	Process Flow	Diagram.						
		□ No						
D.	Process Desc	cription.						
		□ No						
E.	Maximum Em	issions Data and Calculations.						
		□ No						
F.	Plot Plan.							
	⊠ Yes	□ No						
G.	Projected Sta	rt of Construction Date, Start of Operation Date, and Length of Time at Site:						
		□ No						
Project	ed Start of Co	nstruction (provide date): October 15, 2025						
Project	ed Start of Op	eration (provide date): November 15, 2025						
Length	of Time at the	e Site: 7 years						

Form PI-1S Registrations for Air Standard Permit (Page 9) Texas Commission on Environmental Quality

VII. Delinquent Fees and Penalties

This form **will not be processed** until all delinquent fees and/or penalties owed to TCEQ or the Office of the Attorney General on behalf of TCEQ are paid in accordance with the Delinquent Fee and Penalty Protocol. For more information regarding Delinquent Fees and Penalties, go to the TCEQ website at: www.tceq.texas.gov/agency/financial/fees/delin/index.html

VIII. Signature Requirements

The signature below confirms that I have knowledge of the facts included in this application and that these facts are true and correct to the best of my knowledge and belief. I further state that to the best of my knowledge and belief, the project for which application is made will not in any way violate any provision of the Texas Water Code (TWC), Chapter 7; the Texas Health and Safety Code (THSC), Chapter 382, the Texas Clean Air Act (TCAA) the air quality rules of the Texas Commission on Environmental Quality; or any local governmental ordinance or resolution enacted pursuant to the TCAA. I further state that I understand my signature indicates that this application meets all applicable nonattainment, prevention of significant deterioration, or major source of hazardous air pollutant permitting requirements. The signature further signifies awareness that intentionally or knowingly making or causing to be made false material statements or representations in the application is a criminal offense subject to criminal penalties.

Name (printed): Harold E. von Dran, PE

Signature (original signature required):

IX. Copies of the Registration

The Form PI-1S application must be submitted through ePermits. No additional copies need to be sent to the Regional Office or local Air Pollution Control Program(s). The link to ePermits can be found here: www3.tceq.texas.gov/steers/.



July 31, 2025

Texas Commission on Environmental Quality Air Permits Initial Review Team, MC 161 12100 Park 35 Circle Building C, Third Floor Austin, Texas 78753

Subject: Claim of a Standard Permit under 30 TAC §116.611 to operate a Caliche Pit Facility

Reference: Raider Aggregates Limited Liability Company

To whom it may concern:

Please find attached supporting documentation for a Standard Permit application for Raider Aggregates, LLC. registering a Caliche Pit facility located off of Co Rd 421 in Whitsett Texas, 78075

INTRODUCTION

RAIDER AGGREGATES, LLC is applying to authorize a Caliche Pit facility located in Live Oak County. Caliche based aggregates will be extracted from the site and hauled away via transport truck.

Facility layout and operational parameters are detailed in attached appendices.

New Source Review (NSR) Authorization

RAIDER AGGREGATES, LLC is proposing to authorize the Caliche Pit facility under 30 Texas Administrative Code (TAC) §116.611. In addition to the Caliche Pit facility meeting the claimed Standard Permit, the facility meets the general requirements of 30 TAC §116.611 (posted in STEERS with this supporting data).

INTRODUCTION

RAIDER AGGREGATES, LLC is submitting this application for a Standard Air Permit to authorize operations at a proposed caliche pit located off of Co Rd 421 near Whitsett Texas. The site will be used for the extraction and processing of caliche material, which is commonly utilized in road base, construction, and other infrastructure projects.

The facility will involve activities such as excavation, stockpiling, material handling, and loading of caliche into transport trucks. Emission sources will primarily include fugitive dust from material handling and vehicle traffic, as well as emissions from any associated equipment such as screens or conveyors. Appropriate dust suppression methods, including water sprays and best management practices, will be employed to minimize particulate emissions and ensure compliance with applicable Texas Commission on Environmental Quality (TCEQ) regulations.

This application includes a detailed site layout, equipment specifications, emission calculations, and a demonstration of compliance with all applicable air quality standards under the TCEQ's Standard Permit for Rock and Concrete Crushers.

PROCESS DESCRIPTION AND CONTROL MEASURES

EPN1 – Unpaved haul and access roads are utilized to allow access for empty trucks coming onsite and filled trucks moving off site. Road emissions are controlled by periodic watering using water trucks. Frequency of watering is determined by traffic and weather, with a once daily minimum. Speed limits are to be set at 15 mph to reduce dust. Environmentally approved dust suppressants may be utilized on high use sections of the roads, or during drought.





EPN2 – Pit operations include removal of overburden (topsoil), blasting (if necessary) and retrieval of coarse caliche ore, and loading of ores into transportation trucks for delivery to the rock crusher. Pit emissions are controlled by periodic water spraying to reduce dust levels, minimizing drop heights when dumping caliche into haul trucks, minimizing disturbed areas during mining, and where feasible, stabilizing completed portions of the pit.

EPN3 – The rock crusher is a Power screen Trakpactor 550 utilizing a Scania DC13 engine. After hauling trucks are loaded with coarse caliche ore it is transported a short distance to the rock crusher. The crusher breaks the ore down into smaller pieces which are screened by size. The crusher is equipped with a spray system for watering to reduce dust emissions. Water sprayers will be well maintained and checked upon each use. Crusher may be equipped with flexible skirting or partial enclosure to further reduce dust escape.

EPN4 – The stockpile is where the final product is stored temporarily after being screened and sorted, where it is made ready for transport. Stockpiles will be watered and formed with low slope angles to reduce windblow dust. Windbreaks may be installed to shield stockpiles, and any inactive stockpiles may be stabilized using crusting agents or temporary covers.

EPN5 – The finish product is transported by front end loader or excavator into hauling trucks for transport off site. Spray or fog systems will operate at the truck loading areas during active loading events. Loaders should minimize the height of material dropped into trucks to limit dust cloud formation. Trucks should be covered to reduce dust during transport.

Daily logs will also be kept for all water applications, suppressant uses, and equipment maintenance. Each EPN will be visually inspected per shift for effective dust control. Any failures in control systems will be addressed immediately and each corrective action documented.

All written records should be kept for a rolling 24-month period and be available at the request of TCEQ or any other air pollution control program upon request. Records should show daily hourly operations and hourly throughput: road dust suppression logs; and stockpile dust suppression logs.

EMISSIONS CALCULATION METHODOLOGY

This section presents documentation of emissions calculations for the RAIDER AGGREGATES Caliche Pit facility. The facility has several pints of emissions as listed above including engine emissions from trucks, front end loaders, excavators, and the rock crusher. All calculations represent worst-case with respect to potential emissions.

Should you have any questions regarding this submittal, please contact me at (210) 326-6991.

Respectfully submitted,

Alpha Terra Engineering, Inc.

Harold E. von Dran, Jr., PE

Environmental Engineer (TX 92737 / F-8920)

Attachments:

1) Exhibit A – Emissions Calculations

2) Exhibit B – Facility Maps

3) Exhibit C – Process Flow Diagram and Description

4) Exhibit D – Crusher Info

5) Exhibit E – Tables and Forms





Exhibit A Emission Calculations

System Parameters

EPN#	EPN	Description	AP-42 EF (lb/ton) controlled ¹	AP-42 EF (lb/hp-hr) ¹
EPN1	Crusher	Rock Crushing Activities	5.400E-03	
EPN2	Screening	Sorting of aggregates by size	2.200E-03	
EPN3	Engine Exhaust	Engine or generator exhaust		Various*
EPN4	Unpaved Roads	Roads that are unpaved		
hours per year			8760	
Facility Coordinates	Northing	28.62255	Easting	-98.300657
		¹ TCEQ Technical Guidance and U.S. EPA Al	P-42, Section 11.19.2	
		² From the State of California Resources Bo	oard	

System Parameters

AP-42 EF (lb/VMT) ¹		*Engine Exhaust AP-42 ²	EF (g/kWh)	
		Nox	0.4	
		CO	3.5	
		NMHC	0.19	
Various**		PM10	0.02	
		**Unpaved Roads AP-42	EF (lb/VMT) uncontrolled	80% Controlled
		PM10	1.5	0.3
		PM2.5	0.15	0.03
		TSP	4.90	0.98
Elevation	214			


System Parameters

EPN	Description	NO _x CO		NMHC	PM ₁₀	
Crushing	Rock Crushing Activities	0.00	0.00	0.00	1.43	
Screening	Sorting of Aggregates by Size	0.00	0.00	0.00	0.58	
Engine Exhaust	Exhaust from Crusher Generator or Engine	0.35	3.04	0.16	0.02	
Unpaved Roads	Particulate Generated by use of Unpaved Roads	0.00	0.00	0.00	15.84	Total Emissions (tons/yr)
		0.35	3.04	0.16	17.86	21.41
Conditions:						
	Based on permit data and technical documentation for the per year) for your scenario— ~10 hours per day, 5 days pe					
PM10 Values for Crushi suppression or similar c	ng and Screening based on a Powerscreen Trakpactor 550 ontrols are in place.	operating at 2	00 tons/hour,	10 hours/da	y, 5 days/w	l eek assuming wet
Jnpaved Roads PM10 a	ssumes best practice dust mitigation (80%) and 0.25 mile	s of unpaved ro	l pads assuming	l transporting	the maxim	lum of 1716000 tons a yea
	EF (lb/ton) = $lb/hr/1ton/2000 lb = tons/hr x2640 hr/yr = tons/hr$					

Calculations


PM10 Calculations						
Throughput (tons/hr) x EF (lb/to	on) =(lb/hr)/ (1ton/2000 lb) = tons/hr x 2640 hr/yr = toi	ns/year			
	Throughput (Tons/hr)	Emission Factor (lb/ton)	One Ton (lbs)	,	PM10	Formulas
Crushing	200		2000			=B5*C5/D5*E5
Screening	200	2.200E-03	2000	2640	0.581	=B6*C6/D6*E6
Total Tons = Trips per year × To	ins per trip					
Uncentralled DM10 ten/ur. To	tal Tana - FF/2000					
Uncontrolled PM10 ton/yr = To	ital Tons × EF/2000					
Controlled PM10 tons/yr = Unc	ontrolled PM10 tons/vr × (1 - Control Efficiency)				
OSTAL SHOW FIVE TO LOTIST YE - OTIC	ond oned i wild tolis/ yl ^ (- Control Efficiency)				
Unpaved Roads						
·						
Total Tons (ton/yr)	Trips per year	Tons per trip				
528000	26400	20				
		lb/ton				
79.2	0.3	2000				
	(1-Control efficiency)	using 80%				
15.84	0.2					
Emissions Sheet						
Emissions sneet						
((Emission Factor (g/kWh)xEngi	ine nower (kw)xOnerating	 	nn/a))x1 1023 (HS t	ons/metric ton)		
((LITIISSIOTE detoi (g/KVVII)/KLIIGI	The power (Kw/Koperating)	iodis (iijji 1000000 (iiletiic t	511, g//x 1. 1025 (05 t	ons, metric torij		
	Emission Factor (g/kWh)	Engine Power (kW)	Opperating Hours	metric ton/g (1000Kg)	US tons/met	ric ton
NOx	0.4	298			1.1023	
CO	3.5	298		1	1.1023	
NMHC	0.19	298	2640		1.1023	
PM10	0.02	298	2640	1,000,000	1.1023	
	Annual Emissions (US tons)					
NOx	0.35					
CO	3.04					
NMHC	0.16					
PM10	0.02					

Exhibit B Facility Maps



(Satellite Image (Hybrid Street))

SATELLITE IMAGE (HYBRID STREET) QUADRANGLE **TEXAS** (Satellite Image (Hybrid AERIAL PHOTO SERIES 098.258095° W + 028.646264° N Street))



(Satellite Image (Hybrid Street))

Produced by Trimble Terrain Navigator Pro Topography based on USGS 1:12,000 Maps

North American 1983 Datum (NAD83)

To place on the predicted North American 1927 move the projection lines 29M N and 28M W $\,$

Declination GN 0.34° E MN 3.96° E (Satellite Image (Hybrid Street)) SCALE 1:28000 2000

CONTOUR INTERVAL UNKNOWN FT


Printed: Thu Jul 03, 2025

(Satellite Image (Hybrid Street))

28098-F3-TM-012 WHITSETT, TX MAY 16, 2022


(WHITSETT)






CONTOUR INTERVAL 10 FT

Exhibit C Process Flow Diagram





Process Description:

- 1. Empty trucks arrive at the mining facility and travel along an unpaved road towards the operation.
- 2. Bulldozers remove the overburden (topsoil) covering the caliche deposit.
- 3. Controlled explosives fracture the caliche ore into manageable sizes suitable for excavation (if needed).
- 4. Excavators, front end loaders, or shovels load the blasted material into off road haul trucks.
- 5. Loaded haul trucks transport the coarse caliche ore to a designated processing area where a crusher is located.
- 6. The coarse caliche material enters a primary crusher, reducing it to smaller fragments.
- 7. The smaller fragments are screened by size.
- 8. The sorted caliche is loaded into off road haulers and deposited in a stockpile.
- 9. The final product is stockpiled by size and made ready for transport.
- 10. Outbound trucks are loaded with the final product.
- 11. Loaded trucks are checked for weight and proceed off site for delivery to construction projects, plants, or other end users.

Design: EvD	Caliaba Dit	Sheet: 1
Dwg: EvD	Caliche Pit	Dwg#: B
Ck:	Example Process Flow Diagram	Date07/15/2025
Appr: EvD	Example Frocess Flow Diagram	

Exhibit D Crusher Info

POWERSCREEN® TRAKPACTOR 550



HORIZONTAL IMPACTOR





TECHNICAL SPECIFICATION - REV 4 01/02/2023



To use my interactive features I need to be opened in 'Adobe Acrobat Reader' click here to download





OVERVIEW

- FEATURES & BENEFITS
- CRUSHER
 - CRUSHER SPECIFICATION
 - CRUSHER FEATURES
- HOPPER
- VIBRATING GRIZZLY FEEDER
- PRODUCT CONVEYOR
- POWER UNIT & HYDRAULICS
- TRACKS
- PLANT CONTROLS & OTHER
- HAZEMAG IMPACT CRUSHER
 - HAZEMAG CRUSHER SPEC
 - HAZEMAG CRUSHER FEATURES
- OPTIONS
 - OPTIONS 2
 - OPTIONS 3
- POWERSCREEN® PULSE
- DIMENSIONS



SPECIFICATION

Total Weight PS: Tier 4F: 57,450kg (126,656lbs) Hopper extensions, bypass conveyor, single pole

magnet

Total Weight VGF: Tier 3: 54,850kg (120,924lbs) Hopper extensions, bypass conveyor, single pole

magnet, extended main conveyor

Transport Length 17.46m (57' 5") PS & Standard product conveyor

Height 3.8m (12' 6")
Width 3m (9' 10")

Working Length 17.82m (58'6'') PS & Standard product conveyor

Height 5.15m (16' 10") **Width** 6.96m (22' 10")

Crusher Type: Twin apron 4 bar impact crusher, feed opening 1370mm x 911mm (54" x 36") **Power Unit** Tier 3 Caterpillar C13 328kW (440hp) or Tier 4F Scania DC13 368kW (494hp)

Plant Colour RAL 5021, RAL 7024, RAL 9005

APPLICATIONS



Aggregate

Blasted rock River rock



Recycling

C&D waste Foundry waste



Mining

Processed ores
Processed minerals









OVERVIEW

- FEATURES & BENEFITS
- CRUSHER
 - CRUSHER SPECIFICATION
 - CRUSHER FEATURES
- HOPPER
- VIBRATING GRIZZLY FEEDER
- PRODUCT CONVEYOR
- POWER UNIT & HYDRAULICS
- TRACKS
- PLANT CONTROLS & OTHER
- HAZEMAG IMPACT CRUSHER
 - HAZEMAG CRUSHER SPEC
 - ► HAZEMAG CRUSHER FEATURES
- OPTIONS
 - OPTIONS 2
 - OPTIONS 3
- POWERSCREEN® PULSE
- DIMENSIONS

PRODUCT CONVEYOR

Conveyor type: Fully removable modular unit with hydraulic raise

& lower facility to increase clearance & simplify rebar removal. Shallow troughed with winged rollers & fully tunnelled with minimal snag areas

Belt type: Ripstop EP500/3 8+2 with steel wire breaker ply

Belt width: 1200mm (3' 11")

Discharge height: 3.8m (12' 6") when fully raised

Stockpile volume: 101m³ (132 cu. yd.)

Feedboot: Fabricated steel with abrasion resistant steel liners

Impact area: Heavy duty under crusher impact bars

Skirting: Fully skirted in wear resistant rubber up to magnet

discharge area

Drive: Dual hydraulic motor direct to head drum

Lubrification: Centralised grease points for lubrication of shaft

bearings

Belt covers: Optional aluminium removable dust covers
Belt adjustment: Belt tensioning is by use of screw adjustment at

the head drum

Speed wheel: Designed to stop plant feed if the discharge

conveyor slows or stops

DUST SUPPRESSION SYSTEM

Spray bars with atomiser nozzles mounted over product conveyor & final conveyor discharge, piped to an inlet manifold for customer water supply or optional pump.

Type: Clean water multi atomising nozzles


Inlet: Single point on chassis

Inlet pressure: 3 bar (44psi)

Water supply: 24 litres (6.3 g) per minute min

Frost protection: Via system main valves

Pump: Optional









♠ OVERVIEW

- FEATURES & BENEFITS
- CRUSHER
 - CRUSHER SPECIFICATION
 - CRUSHER FEATURES
- HOPPER
- VIBRATING GRIZZLY FEEDER
- PRODUCT CONVEYOR
- POWER UNIT & HYDRAULICS
- TRACKS
- PLANT CONTROLS & OTHER
- HAZEMAG IMPACT CRUSHER
 - HAZEMAG CRUSHER SPEC
 - ► HAZEMAG CRUSHER FEATURES
- OPTIONS
 - OPTIONS 2
 - OPTIONS 3
- POWERSCREEN® PULSE
- DIMENSIONS

POWER UNIT & HYDRAULICS

Tier 3 Equivalent: Caterpillar C-13 ACERT, 6 cylinder, 328

kW (440hp)

Operating Conditions: Ambient temp. $+30^{\circ}$ C to -5° C

(86°F to 23°F) at altitudes up to 2000m (6562ft) above sea level - For applications outside this range please consult with Powerscreen as the plant performance /

reliability may be affected.

Operating rpm range: 1700 - 2100rpm **Emission control technique**: Not applicable

Plant drive: High quality tandem pumps driven via

engine PTO's

Clutch type: DESCH REVOX 14" WET CLUTCH

Tier 4F / Stage V: Scania DC13 385A - 368kW (494hp)

Operating conditions: Ambient temp. $+30^{\circ}$ C to -5° C

(86°F to 23°F) at altitudes up to 2000m (6562ft) above sea level - For applications outside this range please consult with Powerscreen as the plant performance /

reliability may be affected

Operating rpm range: 1500 - 1900rpm

Emission control technique: Selective Catalytic Reduction (SCR)

Reductant tank size: 60 L (16 US Gal)

Plant drive: High quality pumps driven via clutch

PTO's

Clutch type: DESCH REVOX 14" WET CLUTCH

Fuel tank capacity: 1000 L (264 US Gal)

Hydraulic tank capacity: 740 L (195 US Gal)

Crusher drive: Direct drive via wedge belts, clutch pulley diameter 425mm T4,

375mm T3

Crusher pulley diameter 800mm Terex

(39")

800mm with Hazemag chamber Crushing performance can be tuned, by changing engine speed via the PLC.

Chruscer drive tensioning: VEE belt tensioner system









OVERVIEW

- **FEATURES & BENEFITS**
- **CRUSHER**
 - **CRUSHER SPECIFICATION**
 - **CRUSHER FEATURES**
- **HOPPER**
- VIBRATING GRIZZLY FEEDER
- PRODUCT CONVEYOR
- **POWER UNIT & HYDRAULICS**
- **TRACKS**
- **PLANT CONTROLS & OTHER**
- HAZEMAG IMPACT CRUSHER
 - HAZEMAG CRUSHER SPEC
 - HAZEMAG CRUSHER FEATURES
- **OPTIONS**
 - **OPTIONS 2**
 - **OPTIONS 3**
- POWERSCREEN® PULSE
- **DIMENSIONS**



HAZEMAG CRUSHER SPECIFICATION

1360mm x 800mm (54" x 32") Feed opening:

500mm³ (20in³) / 860mm (34") diagonally/ Max lump size*:

1000 x 1000 x 200mm (39 x 39 x 8") slab

*depending on material blow bar specification

1340mm (53") Rotor width: Rotor diameter: 1200mm (47")

Number of aprons:

Maximum clearance: 273mm (11") on both aprons

Maximum OSS setting: 200mm (8") upper apron, 100mm (4") lower

Minimum CSS setting: 75mm (3") upper apron, 35mm (1.4") lower

Number of blow bars: 4

Blow bar removal: Vertically

Blow bar configuration: 2 full & 2 half (optional 4 full)

Setting adjustment: Hydraulic assist Overload protection: Hydraulic

Rotor speeds: 540 - 630rpm (34 - 40m/s) (111 - 131ft/s)

Demolition / recycling / quarry Applications:

14,855kg (32,750lbs) Crusher weight:

Full blow bar weight: 410kg (904lbs)

Side Liners: 20mm thick, abrasive resistant steel










OVERVIEW


- FEATURES & BENEFITS
- CRUSHER
 - CRUSHER SPECIFICATION
 - ▶ CRUSHER FEATURES
- HOPPER
- VIBRATING GRIZZLY FEEDER
- PRODUCT CONVEYOR
- POWER UNIT & HYDRAULICS
- TRACKS
- PLANT CONTROLS & OTHER
- HAZEMAG IMPACT CRUSHER
 - HAZEMAG CRUSHER SPEC
 - HAZEMAG CRUSHER FEATURES
- OPTIONS
 - OPTIONS 2
 - OPTIONS 3
- POWERSCREEN® PULSE
- DIMENSIONS




Figure 1: Trakpactor 550 - Pre-screen, Standard Product Conveyor

Working Position











SCANIA CV AB

EXECUTIVE ORDER U-R-024-0034 New Off-Road Compression-Ignition Engines

Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engine and emission control system produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE USEFU (hou					
2018	JY9XL12.7DAA	12.7	Diesel	8000				
SPECIAL	FEATURES & EMISSION (CONTROL SYSTEMS	TYPICAL EQUIPMENT APPLICATION					
Electronic Direct Injection, Turbocharger, Charge Air Cooler, Exhaust Gas Recirculation, Engine Control Module, Diesel Oxidation Catalyst (Except Engine Code DC13085A), Smoke Puff Limiter, Selective Catalytic Reduction-Urea, Ammonia Oxidation Catalyst			Crane, Loader, Tractor, Dozer, Pump, Con	npressor, Generator				

The engine models and codes are attached.

The following are the exhaust certification standards (STD) and certification levels (CERT) for non-methane hydrocarbon (NMHC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kw-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED	EMISSION		OPACITY (%)							
POWER CLASS	STANDARD CATEGORY		NMHC	NOx	NMHC+NOx	co	PM	ACCEL	LUG	PEAK
130 ≤ KW ≤ 560	Tier 4 Final	STD	0.19	0.40	N/A	3.5	0.02	N/A	N/A	N/A
		CERT	0.08	0.19		0.2	0.02			

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this ___

_ day of February 2018.

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division

ATTACHMENTIOFI Engine ModelsEZ U-R-024-0034 1/17/2018

Engine Family	Code	2.Engine Model	3.Dis- placement	4.Power kW @RPM	5.Fuel Rate: mm/stroke @ peak HP	6.Fuel Rate: (lbs/hr) @ peak HP	7.Torque Nm @ RPM	8.Fuel Rate: mm/stroke@ peak torque	9.Fuel Rate: (lbs/hr)@ peak torque	10 Emission Control Davice
Y9XL12.7DAA	DC13 084A	2133500	12.7	294 @ 2100	198	140	2157 @ 1200	290	117	DDI, ECM, TC, CAC, EGR, SPL, DOC, SCR, AMOX
Y9XL12.7DAA	DC13 084A	2133501	12.7	331 @ 2100	222	157	2255 @ 1300	307	134	DDI, ECM, TC, CAC, EGR, SPL, DOC, SCR, AMOX
Y9XL12.7DAA	DC13 085A	2133502	12.7	368 @ 2100	245	173	2373 @ 1300	325	142	DDI, ECM, TC, CAC, EGR, SPL, SCR, AMOX
Y9XL12.7DAA	DC13 085A	2133503	12.7	405 @ 1900	344	243	2373 @ 1300	394	172	DDI, ECM, TC, CAC, EGR, SPL, SCR, AMOX
Y9XL12.7DAA	DC13 087A	2245984	12.7	257 @ 1800	193	117	1638 @ 1300	219	96	DDI, ECM, TC, CAC, EGR, SPL, DOC, SCR, AMOX
Y9XL12.7DAA	DC13 087A	2258254	12.7	257 @ 2100	175	124	1720 @ 1300	232	102	DDI, ECM, TC, CAC, EGR, SPL, DOC, SCR, AMOX
Y9XL12.7DAA	DC13 087A	2245985	12.7	283 @ 1800	211	149	1765 @ 1300	238	104	DDI, ECM, TC, CAC, EGR, SPL, DOC, SCR, AMOX
Y9XL12.7DAA	DC13 089A	2245986	12.7	257 @ 1800	193	117	1600 @ 1300	215	94	DDI, ECM, TC, CAC, EGR, SPL, DOC, SCR, AMOX
JY9XL12.7DAA	DC13 089A	2245987	12.7	283 @ 1800	211	128	1780 @ 1300	240	105	DDI, ECM, TC, CAC, EGR, SPL, DOC, SCR, AMOX

Exhibit E Tables and Forms



Texas Commission on Environmental Quality Air Quality Standard Permit for Permanent Rock and Concrete Crushers Registration Checklist

The following checklist has been developed to help the Texas Commission Environmental Quality (TCEQ), Air Permits Division (APD) confirm that the permanent rock or concrete crusher meets the standard permit requirements. Please read all questions and check "YES," "NO," or "N/A" or give specific information for the facility. If the permanent rock or concrete crusher plant does not meet all conditions of this standard permit, it will not be allowed to operate under the standard permit and must apply for a case-by-case preconstruction permit as required under Title 30 Texas Administrative Code § 116.111 (30 TAC § 116.111).

Please Chee	Please Check The Type of Facility:							
CONDITIO	ON NUMBER AND DESCRIPTION							
(1)(B)	If crushing concrete, will the concrete crushing facility be operated at least 440 yards from any building which is in use as a single or multi-family residence, school, or place of worship at the time this application is filed?	YES NO N/A						
	(The measurement of distance shall be taken from the point on the concrete crushing facility that is nearest to the residence, school, or place of worship toward the point on the building in use as a residence, school, or place of worship that is nearest the concrete crushing facility.)							
(1)(C)(ii)	In lieu of meeting the distance requirements of (1)(B), will the structure(s) within 440 yards of the concrete crushing facilities be occupied or used solely by the owner of the facility or the owner of the property upon which the facility is located?	☐ YES ☐ NO 🗹 N/A						
(1)(D)	In lieu of meeting the distance requirements in (1)(B), will all the following occur:							
(1)(D)(i)	Will this plant be engaged in crushing concrete and other materials resulting from the demolition of a structure on this site and will the concrete and other materials being crushed be used primarily at this site?	☐ YES ☐ NO 🗹 N/A						
(1)(D)(ii)	Will this plant operate onsite for one period of 180 calendar days or less?	☐ YES ☐ NO ☑ N/A						
(1)(D)(iii)	Will all applicable conditions stated in commission rules, including operating conditions be met?	☐ YES ☐ NO 🗹 N/A						
(1)(D)(iv)	Will the plant be located in a county with a population of 2.4 million or more persons, or in a county adjacent to such a county?	☐ YES ☐ NO 🗹 N/A						
(1)(E)	Do you intend to apply for an authorization under Texas Health and Safety Code (THSC) § 382.0518, Preconstruction Permit, for any other crushing facility to be located at the same site within 12 months from the date of this authorization?	☐ YES ☑ NO ☐ N/A						



Please Ch	neck The Type of Facility:	Crusher
CONDIT	ION NUMBER AND DESCRIPTION (continued)	
(1)(F)	Is there a rock crusher (or concrete crusher) authorized under Texas Health and Safety Code (THSC) § 382.0518, Preconstruction Permit, at this site?	☐ YES 🗹 NO ☐ N/A
	Have you withdrawn, within the previous 12 months, an application for authorization of a crushing facility under (THSC) § 382.0518, Preconstruction Permit, at this site?	☐ YES 🗹 NO ☐ N/A
(1)(G)	Are the current registration form PI-1S entitled, "Registration for an Air Standard Permit", Table 17 and supporting information attached or mailed to the TCEQ, including Table 29 (if applicable), control devices and methods explanation, process flow diagram, process description, plot plan, and area map?	YES NO N/A
	Is the company's compliance history rating poor?	☐ YES ✓ NO ☐ N/A
(1)(H)	Has construction and/or operation begun on the facility?	☐ YES ☑ NO ☐ N/A
	Is there a non operational crusher stored onsite?	☐ YES ✓ NO ☐ N/A
(1)(I)	In accordance with 30 TAC § 116.614, Standard Permit Fees, was a \$900 fee sent to TCEQ Revenue Section?	✓ YES ☐ NO ☐ N/A
(1)(J)	Will all facilities associated with this application for a standard permit comply with the conditions of Title 40 Code of Federal Regulations (40 CFR) Part 60, Subpart A, General Provisions and Subpart OOO, Standards of Performance for Nonmetallic Mineral Processing Plants?	YES NO N/A
(1)(K)	Will these crushing facilities only process nonmetallic minerals or a combination of nonmetallic minerals as described in 40 CFR Part 60, Subpart OOO?	✓ YES NO N/A
(1)(L)	Is 30 TAC Chapter 101, Subchapter H, Division 3, Mass Emissions Cap and Trade Program; or 30 TAC Chapter 117, Control of Air Pollution from Nitrogen Compounds applicable to this plant?	☐ YES ☐ NO 🗹 N/A
(1)(M)	Will written records be kept for a rolling 24-month period at the site and made available at the request of any personnel from the TCEQ or any air pollution control program having jurisdiction?	✓ YES NO N/A
	Will these written records be maintained onsite to show daily hourly operations and hourly throughput; road and work area cleaning and dust suppression logs; and stockpile dust suppression logs?	✓ YES NO N/A



Please Chec	ck The Type of Facility:	Crusher
CONDITIO	ON NUMBER AND DESCRIPTION (continued)	
(1)(N)	Will this crushing operation and related activities comply with applicable requirements of 30 TAC Chapter 101, Subchapter F, Emission Events and Scheduled Maintenance, Startup, and Shutdown Activities?	✓ YES NO N/A
(1)(P)	Have maintenance emissions been authorized? (Maintenance emissions are not included in this permit and must be approved under separate authorization.)	☐ YES ☐ NO 🗹 N/A
	Have start-up and shutdown emissions been authorized? (Start-up and shutdown emissions that will exceed those expected during production operations must be approved under separate authorization.)	☐ YES ☐ NO 🗹 N/A
	Will start-up and shutdown emissions exceed those expected during production operations?	☐ YES ✓ NO ☐ N/A
(1)(Q)	Do you intend to authorize any facilities located at the same site as this rock crusher, by 30 TAC Chapter 106, Subchapter E, Aggregate and Pavement or 30 TAC § 106.512, Stationary Engines and Turbines?	☐ YES ✓ NO ☐ N/A
PUBLIC N	OTICE REQUIREMENTS - Detailed Public Notice Information will be Determination of Technical Completeness	
(2)(B)(i)	Will public notice be published no later than 30 days after the application is determined to be technically complete?	YES NO N/A
OPERATIO	ONAL REQUIREMENTS	
(3)(A)	Will the primary crusher throughput exceed 200 tons per hour?	☐ YES ✓ NO ☐ N/A
(3)(B)	Will the crusher and all associated facilities, including engines and/or generator sets, but not including associated sources, be located less than 200 feet from the nearest property line, as measured from the point on the facility nearest the property line?	☐ YES ☑ NO ☐ N/A
(3)(C)	At the time this application is filed, will the crusher and all associated facilities, including engines and/or generator sets, but not including associated sources, be located at least 440 yards from any building which is in use as a single or multi-family residence, school, or place of worship?	✓ YES ☐ NO ☐ N/A
	(Distance shall be measured from the point on the facility nearest the residence, school, or place of worship to the point on the residence, school, or place of worship nearest the facility).	



Please Ch	neck The Type of Facility:	Crusher
OPERAT	TIONAL REQUIREMENTS (continued)	
(3)(D)	Will the crushing facilities (not including associated sources) be located at least 550 feet from any other rock crusher, concrete crusher, concrete batch plant, or hot mix asphalt plant?	☐ YES ☐ NO 🗹 N/A
	Will the crusher operate at the same time as any other rock crusher, concrete batch plant, or hot mix asphalt plant within a 550 feet radius?	☐ YES ☐ NO 🗹 N/A
(3)(E)	Will all associated sources, including but not limited to work areas, stockpiles, and roads (except for incidental traffic and the entrance and exit to the site), be located at least 100 ft. from the property line?	✓ YES □ NO □ N/A
(3)(F)	Will this crushing operation consist of any additional facilities other than one primary crusher, one secondary crusher, one vibrating grizzly, two screens, any conveyors, and one internal combustion engine (or combination of engines) of no more than 1,000 total horsepower?	☐ YES ☑ NO ☐ N/A
	(Equipment that is not a source of emissions does not require authorization.)	
(3)(G)	Will any of the crushers, associated facilities, and/or associated sources (excluding stockpiles) exceed 2,640 operating hours in any rolling 12-month period?	☐ YES ☑ NO ☐ N/A
(3)(H)	Will any of the rock crusher/ concrete crusher or associated facilities operate during any time between one hour after official sunset to one hour before official sunrise?	☐ YES ☑ NO ☐ N/A
(3)(I)	Will all crushers be equipped with runtime meters and will the runtime meters be operating during crushing operations?	YES NO N/A
(3)(J)	Will permanently mounted spray bars be installed at the inlet and outlet of all crushers, at all shaker screens, and at all material transfer points and used as necessary to maintain compliance with all TCEQ rules and regulations?	✓ YES □ NO □ N/A
(3)(K)	Will opacity of emissions from any transfer point on belt conveyors or any screen exceed 10 percent, averaged over a six-minute period as determined using EPA Test Method 9?	☐ YES ☑ NO ☐ N/A
	Will opacity of emissions from any crusher exceed 15 percent, averaged over a six-minute period as determined using EPA Test Method 9?	☐ YES 🗹 NO ☐ N/A
(3)(L)	Will visible emissions leave the property for more than 30 seconds in duration in any six-minute period from the crusher(s), associated facilities, associated sources, and in-plant roads associated with the plant as determined using EPA Test Method 22?	☐ YES 🗹 NO ☐ N/A



Please Check The Type of Facility: Rock Crusher Concrete Crusher									
OPERATI	OPERATIONAL REQUIREMENTS (continued)								
(3)(M)	Will all in-plant roads and active work are operation of the crusher, associated facility treated at all times with any of the following	ies, and associated sources be							
(3)(M)(i)	Covered with a material such as, but not litire chips?	☐ YES ✓ NO ☐ N/A							
(3)(M)(ii)	Dust-suppressant chemicals?	✓ YES ☐ NO ☐ N/A							
(3)(M)(iii)	Water?	✓ YES ☐ NO ☐ N/A							
(3)(M)(iv)	Paved with a cohesive hard surface that is a	maintained intact and cleaned?	☐ YES ☑ NO ☐ N/A						
(3)(N)	Will all stockpiles be sprinkled with water or covered, as necessary, to minimize dust		✓ YES □ NO □ N/A						
(3)(O)	Will raw material and product stockpile he	eights exceed 45 ft?	☐ YES ☑ NO ☐ N/A						
(3)(P)	Will the crusher be equipped with a weight accurately determines the mass of material		✓ YES □ NO □ N/A						
(3)(Q)	Will the crusher remain at least 440 yards school, or place of worship when moving		✓ YES □ NO □ N/A						
		Print Form	Reset Form						



Texas Commission on Environment Quality

Table 17 Rock Crushers

	veeks/year NO tons/year						
Does the facility operate at night? Maximum Plant Production Rates:	× NO tons/year						
Maximum Plant Production Rates:	tons/year						
☒ Primary Crusher Type: Trakpactor 550 200 tons/hour 520000							
	, ,						
Secondary Crusher(s) Type: tons/hour	tons/year						
Tertiary Crusher(s) Type: tons/hour	tons/year						
The Following Pieces of Equipment will be Controlled as Shown:							
Feed Hoppers: None X Water Spray Suction to Baghouse Other:							
All Belt Transfer Points: None X Water Spray Suction to Baghouse Other:							
Inlet of all Crushers: None Water Spray Suction to Baghouse Other:							
Outlet of all Crushers: None 🗵 Water Spray 🗌 Suction to Baghouse 🔲 Other:							
All Shaker Screens: None Water Spray Suction to Baghouse Other:							
If Water Sprays are used, Provide the Following Data:							
Water Flow Rate (gpm): 8-19							
Water Pressure at the Nozzle (psi): 200							
Number of Nozzles at each location: 2-3							
If baghouse is used, attach a Table 11 "Fabric Filters."							
Average material moisture content (%):							
Maximum acreage covered by stockpiles (acres): 1							
Stockpiles have the following controls: None Water Ch	emical						
In-plant roads will be: Paved and Vacuumed Paved and Swept Oiled							
Sprinkled with Water and/or Chemicals Other:							

PRINT FORM

RESET FORM

Texas Commission on Environmental Quality Table 29 Reciprocating Engines

I. Engine Data	l									
Manufacturer:		Model N	0.		Serial No.			Manufac	Manufacture Date:	
Scania		DC13 Tie	er 4f		Unkown					
Rebuilds Date:		No. of C	ylinders:		Compression Ratio: EPN					
		6			17.5:1			DC13 08	85A	
Application: X	Gas Compi	ression	Electric	Generati	on Re	frigeratio	n 🗌 En	nergency/	Stand by	
▼ 4 Stroke Cycle ☐ 2 Stroke Cycle ☐ Carbureted ☐ Spark Ignited ☐ Dual Fuel ☐ Fuel Injected										
☑ Diesel ☐ Naturally Aspirated ☐ Blower /Pump Scavenged ☐ Turbo Charged and I.C. ☒ Turbo Charged										
☐ Intercooled ☐ I.C. Water Temperature ☐ Lean Burn ☐ Rich Burn										
Ignition/Injection	Timing:	Fixed:			T	Vari	able: It is v	ariable a	nd not publi	С
Manufacture Horse	power Rat	ing: 500			Proposed	Horsepo	wer Rating:	500		
			Di	ischarge	Parameter	s				
Stack Height (Diameter ((Feet)	Stack T	'emperat	ure (°F)	Exit	Velocity (FPS)
16 feet 9 inches		0.5 feet			900			150		
II. Fuel Data										
Type of Fuel: Field Gas Landfill Gas LP Gas Natural Gas Digester Gas Diesel										
Fuel Consumption	Fuel Consumption (BTU/bhp-hr): 2879 Heating Value: 19400 BTU/lb Lower Heating Value: 18300 BTU									
Sulfur Content (grains/100 scf - weight %): <1.7										
III. Emission Fa	ctors (Bef	ore Cont	rol)				ı			
NO _X	CC)	SO	2	VOC		Formaldehyde		PM_{10}	
g/hp-hr ppmv	g/hp-hr	ppmv	g/hp-hr	ppmv	g/hp-hr	ppmv	g/hp-hr	ppmv	g/hp-hr	ppmv
0.298 17.29	2.61	151.38	<0.002	<1	0.1417	8.22	<0.001	<0.1	0.0149	0.86
Source of Emission	Factors:	Manı Manı	ıfacturer Da	ata	AP-42 ×	Other (sp	ecify): Stat	e of Calif	ornia, Title	13
IV. Emission Fa	ctors (Pos	t Control	l)				1			
NO _X	CC)	SO	2	VO	C	Formalo	lehyde	PM_{10}	
g/hp-hr ppmv	g/hp-hr	ppmv	g/hp-hr	ppmv	g/hp-hr	ppmv	g/hp-hr	ppmv	g/hp-hr	ppmv
0.142 8.22	0.149	8.65		<1	0.05597	3.46	<0.001	<0.1	0.0149	0.86
Method of Emissio			•		an Operatio			djustmen	ıt	
Stratified Charg			C Catalyst		ner (Specify					
Note: Must submit		•		ntrol info	rmation the	at demons	strates cont	rol efficie		
Is Formaldehyde included in the VOCs? ☐ Yes ☒ No										
V. Federal an			-		•					
☐ NSPS JJJJ ☐	MACT ZZ		NSPS IIII	Title	e 30 Chapte	er 117 - L	ist County:			
VI. Additional										
1. Submit a copy										.1.
2. Submit a typical percent of cons	_	anarysis, i	meruaing si	unur cont	ent and nea	ung vaiu	e. For gase	ous ruers,	provide inc	ле
3. Submit descrip		fuel ratio	control sys	tem (man	ufacturer ir	nformatio	n is accepta	ıble).		

Reset Form

Print Form