

September 9, 2020
FINAL

July 2020 Update to the Texas Water Quality Management Plan



July 2020 Update to the Texas Water Quality Management Plan

Prepared by the
Office of Water
Water Quality Division

Compiled and distributed by the
Water Quality Assessment Section
Water Quality Division
Texas Commission on Environmental Quality
P.O. Box 13087, MC-150
Austin, Texas 78711-3087

September 2020

WQMP updates are also available on the TCEQ web site at:
< http://www.tceq.texas.gov/permitting/wqmp/WQmanagement_updates.html >

Developed in accordance with Sections 205(j), 208,
and 303 of the Federal Clean Water Act
and applicable regulations thereto.



Jon Niermann, *Chairman*
Bobby Janecka, *Commissioner*
Emily Lindley, *Commissioner*
Toby Baker, *Executive Director*

Authorization for use or reproduction of any original material contained in this publication—that is, not obtained from other sources—is freely granted. The commission would appreciate acknowledgement.

Table of Contents

Introduction	1
Projected Effluent Limit Updates	3
Planning Information Summary	6
Designated Management Agencies	10
Total Maximum Daily Load Updates	11

Tables

Table 1. Projected Effluent Limit Updates	4
Table 2. Service Area Population Updates	8
Table 3. Designated Management Agencies	10

Appendix

Appendix I. Two Total Maximum Daily Loads for Indicator Bacteria in the Tidal Segments of the Mission and Aransas Rivers for Segment Numbers 2001 and 2003.....	12
---	----

Introduction

The Texas Water Quality Management Plan (WQMP) is the product of a wastewater treatment facility planning process developed and updated in accordance with provisions of Sections 205(j), 208, and 303 of the federal Clean Water Act (CWA), as amended. The WQMP is an important part of the State's program for accomplishing its clean water goals.¹

The Texas Department of Water Resources, a predecessor agency of the Texas Commission on Environmental Quality (TCEQ), prepared the initial WQMP for waste treatment management during the late 1970s. The Clean Water Act mandates that the WQMP be updated as needed to fill information gaps and revise earlier certified and approved plans. Any updates to the plan need involve only the elements of the plan that require modification. The original plan and its subsequent updates are collectively referred to as the State of Texas Water Quality Management Plan.

The WQMP is tied to the State's water quality assessments that identify priority water quality problems. The WQMPs are used to direct planning for implementation measures that control and/or prevent water quality problems. Several elements may be contained in the WQMP, such as effluent limitations of wastewater facilities, total maximum daily loads (TMDLs), nonpoint source management controls, identification of designated management agencies, and ground water and source water protection planning. Some of these elements may be contained in separate documents, which are prepared independently of the current WQMP update process but may be referenced as needed to address planning for water quality control measures.

This document, as with previous updates², will become part of the WQMP after completion of its public participation process, certification by the TCEQ and approval by the United States Environmental Protection Agency (EPA).

The materials presented in this document revise only the information specifically addressed in the following sections. Previously certified and approved water quality management plans remain in effect.

The July 2020 WQMP update addresses the following topics:

1. Projected Effluent Limits Updates for water quality planning purposes
2. Service Area Population for Municipal Wastewater Facilities
3. Designation of Management Agencies for Municipal Wastewater Facilities
4. Total Maximum Daily Load Update

¹ A formal definition for a water quality management plan is found in 40 Code of Federal Regulations (CFR) 130.2(k).

² Fiscal Years 1974, 1975, 1977, 1978, 1979, 1980, 1981, 1982, 1983, 1984/85, 1986/88, 1989, 1990, 1991, 1992, 1993/94, 1995, 1996, 1997/98, 02/1999, 05/1999, 07/1999, 10/1999, 01/2000, 04/2000, 07/2000, 10/2000, 01/2001, 04/2001, 07/2001, 10/2001, 01/2002, 04/2002, 07/2002, 10/2002, 01/2003, 04/2003, 07/2003, 10/2003, 01/2004, 04/2004, 07/2004, 10/2004, 01/2005, 04/2005, 07/2005, 10/2005, 01/2006, 04/2006, 07/2006, 10/2006, 01/2007, 04/2007, 07/2007, 10/2007, 01/2008, 04/2008, 07/2008, 10/2008, 01/2009, 04/2009, 07/2009, 10/2009, 01/2010, 04/2010, 07/2010, 10/2010, 01/2011, 04/2011, 07/2011, 10/2011, BPUB 2011, 01/2012, 04/2012, 07/2012, 10/2012, 01/2013, 04/2013, 07/2013, 10/2013, 01/2014, 04/2014, 07/2014, 10/2014, 01/2015, 04/2015, 07/2015, 10/2015, 01/2016, 04/2016, 07/2016, 10/2016, 01/2017, 04/2017, 07/2017, 10/2017, 01/2018, 04/2018, 07/2018, 10/2018, 01/2019, Terra Verde 2019, 04/2019, 07/2019, 10/2019, 01/2020, and 04/2020.

The public comment period for the July WQMP update was from August 7, 2020 through September 8, 2020.

The Projected Effluent Limit Update section provides information compiled from May 1, 2020 through July 31, 2020, and is based on water quality standards, and may be used for water quality planning purposes in Texas Pollutant Discharge Elimination System (TPDES) permit actions.

The Service Area Population and Designation of Management Agency sections for municipal wastewater facilities has been developed and evaluated by the TCEQ in cooperation with the Texas Water Development Board (TWDB) and regional water quality management planning agencies.

The Total Maximum Daily Load (TMDL) Update section provides information on proposed wasteload allocations for new dischargers and revisions to existing TMDLs and has been developed by the Water Quality Planning Division, TMDL Program.

Projected Effluent Limit Updates

Table 1 reflects proposed effluent limits for new dischargers and preliminary revisions to original proposed effluent limits for preexisting dischargers (MGD-Million Gallons per Day, CBOD₅ – 5 Day Carbonaceous Biochemical Oxygen Demand, NH₃-N – Ammonia-Nitrogen, BOD₅ – 5 Day Biochemical Oxygen Demand and DO – Dissolved Oxygen).

Effluent flows indicated in Table 1 reflect future needs and do not reflect current permits for these facilities. These revisions may be useful for water quality management planning purposes. The effluent flows and constituent limits indicated in the table have been preliminarily determined to be appropriate to satisfy the stream standards for dissolved oxygen in their respective receiving waters. These flow volumes and effluent sets may be modified at the time of permit action. These limits are based on water quality standards (WQS) effective at the time of the TCEQ production of this update. WQS are subject to revision on a triennial basis.

Table 1. Projected Effluent Limit Updates

State Permit Number	Segment Number	EPA ID Number	Permittee Name County	Flow (MGD)	CBOD ₅ (mg/L)	CBOD ₅ (lbs/day)	NH ₃ -N (mg/L)	NH ₃ -N (lbs/day)	BOD ₅ (mg/L)	BOD ₅ (lbs/day)	DO (mg/L)	Months/ Comments
10399-002	0506	TX0099112	City of Canton Van Zandt *Total combined discharge via two outfalls = 1.30 MGD	1.30	10	108.42	3	32.53			4	*Outfall 001
				0.77	5	32.11	2	12.84			6	New *Outfall 002
10701-001	0826	TX0024783	City of Rhome Wise	0.40					20	66.72	4	
14647-001	1243	TX0139718	Texas Dept. of Transportation Bell	0.0225	10	1.88	3	0.56			4	Evap Pond Discharge
15039-001	2422	TX0133523	Trinity Bay Conservation District Chambers	0.30	10	25.02	3	7.51			4	
15293-001	1808	TX0135712	Aqua Texas, Inc. Hays	1.25	5	52.13	2	20.85			4	
15798-002	1202	TX0139912	The Signorelli Co. Fort Bend	0.90	10	75.06	3	22.52			6	
15837-001	1105	TX139700	Brazoria County MUD No. 44 Brazoria	0.50	10	41.7	3	12.51			5	
15840-001	0821	TX0139742	PT Six, L.P. Collin	0.27	7	15.76	2	4.50			4	
15844-001	0807	TX0139793	199 Appian Way, L.L.C. Tarrant	0.04					10	3.34	4	
15849-001	1209	TX0139858	Creek WW, L.L.C. Brazos	0.95	10	79.23	3	23.77			4	

State Permit Number	Segment Number	EPA ID Number	Permittee Name County	Flow (MGD)	CBOD ₅ (mg/L)	CBOD ₅ (lbs/day)	NH ₃ -N (mg/L)	NH ₃ -N (lbs/day)	BOD ₅ (mg/L)	BOD ₅ (lbs/day)	DO (mg/L)	Months/ Comments
15863-001	0807	TX0139980	Grandview RV, L.L.C. Tarrant	0.012					10	1.00	4	
15872-001	1202	TX0140201	Mill Creek Community, L.L.C. Austin	0.065					10	5.42	4	
15880-001	1004	TX0140261	Marbac, L.L.C. Montgomery	0.099	10	8.26	3	2.48			6	

Planning Information Summary

The Water Quality Planning Division of the TCEQ coordinated with the TWDB and regional planning agencies to compile the wastewater facility information in this section. Domestic facility financing decisions under the State Revolving Loan Fund (SRF) program must be consistent with the certified and approved WQMP.

The purpose of this section is to present data reflecting facility-planning needs, including previous water quality management plan needs requiring revision. Data are also presented to update other plan information for the TWDB's SRF projects. Table 2 contains the updated Service area population information. The table is organized in alphabetical order and includes the following 10 categories of information:

1. Planning Area – Area for which facility needs are proposed. The facility planning areas are subject to change during the facility planning process and any such changes will be documented in a later water quality management plan update. All planning areas listed are also designated management agencies (DMAs) unless otherwise noted in the “Comments” column.
2. Service Area – Area that receives the provided wastewater service.
3. Needs – A “T” indicates a need for either initial construction of a wastewater treatment plant, additional treatment capacity, or the upgrading of a wastewater treatment plant to meet existing or more stringent effluent requirements. A “C” indicates a need for improvements to, expansion of, rehabilitation of, or the initial construction of a wastewater collection system in the facility planning area. “T/C” indicates a need for both treatment and collection system facilities. More detailed facility planning conducted during a construction project may define additional needs and those needs will be reflected in a future update to the WQMP. A “F” indicates a need for flood mitigation.
4. Needs Year – The year in which the needs were identified for the planning area.
5. Basin Name – The river basin or designated planning area where the entity is located. The seven water quality management planning areas designated by the Governor are Corpus Christi [Coastal Bend Council of Governments (CBCOG)], Killeen-Temple [Central Texas Council of Governments (CTCOG)], Texarkana [Ark-Tex Council of Governments (ATCOG)], Southeast Texas [South East Texas Regional Planning Council (SETRPC)], Lower Rio Grande Valley [Lower Rio Grande Valley Development Council (LRGVDC)], Dallas-Fort Worth [North Central Texas Council of Governments (NCTCOG)] and Houston [Houston-Galveston Area Council (H-GAC)]. Basin names are shown for agencies outside one of these areas.
6. Segment – The classified stream segment or tributary into which any recommended facility may discharge existing or projected wastewater. In the case of no-discharge facilities, this is the classified stream segment drainage area in which the facilities are located.
7. County – The county in which the facility planning area is located.
8. Date – The date the planning information was reviewed by the TCEQ.

9. Comments – Additional explanation or other information concerning the facility planning area.
10. Population – The base year and projected populations for each facility planning area. Population projections presented are consistent with the latest available statewide population projections or represent the most current information obtained from facility planning analyses.

The facility information in this section is intended to be utilized in the preparation of facility plans and the subsequent design and construction of wastewater facilities. Design capacities of the treatment and collection systems will be based upon the population projections contained in this document plus any additional needed capacity established for commercial/industrial flows and documented infiltration/inflow volumes (treatment or rehabilitation). The probable needs shown under the “Needs” heading are preliminary findings; specific needs for an area shall be as established in the completed and certified detailed engineering studies conducted during facility planning under the SRF and other state loan programs.

Specific effluent quality for any wastewater discharges resulting from any of the facilities recommended in this document will be in accordance with the rule on the Texas Surface Water Quality Standards in effect at the time of permit issuance for the specific facility.

Table 2. Service Area Population Updates

Planning Agency	Service Area	Needs	Needs Year	Basin Name / COG	Segment	County	WQMP Date	Comments	Year	Population
City of Alto	City limits	T	2040	Neches River Basin	0604	Cherokee	8/1/2020	WWTP upgrades	2020	1,341
									2025	1,413
									2030	1,470
									2040	1,597
City of Bertram	City limits	T	2070	Brazos River Basin	NA	Burnet	8/1/2020	New WWTP	2020	1,740
									2025	1,784
									2030	2,023
									2040	2,947
City of Diboll	City limits	T	2040	Neches River Basin	0604	Angelina	8/1/2020	WWTP expansion	2010	4,776
									2020	5,646
									2030	6,041
									2040	6,372
City of Granger	City limits	T/C	2040	Brazos River Basin	1247	Williamson	8/1/2020	WWTP and collection system improvements	2020	1,658
									2025	1,615
									2030	1,678
									2040	1,816
City of Jourdanton	City limits	T/C	2040	Nueces River Basin	2107	Atascosa	8/1/2020	WWTP and collection system upgrades	2020	4,532
									2025	4,885
									2030	5,237
									2040	5,880
City of Los Fresnos	City limits	C	2035	Bays & Estuaries/ LRGVDC	2494	Cameron	8/1/2020	Collection system improvements	2020	6,535
									2030	7,635
									2035	8,193
									2040	8,751
City of Pearland	City limits	T	2030	San Jacinto- Brazos Coastal Basin	1102	Brazoria	8/1/2020	WWTP expansion	2020	48,661
									2025	50,930
									2030	53,925
									2040	57,194
Greater Texoma Utility Authority/ City of Pottsboro	City limits	T/C	2050	Red River	0203	Grayson	8/1/2020	WWTP and collection system upgrades	2020	3,238
									2025	3,713
									2030	4,188
									2040	5,124

Planning Agency	Service Area	Needs	Needs Year	Basin Name / COG	Segment	County	WQMP Date	Comments	Year	Population
North Texas Municipal Water District/ Rowlett Creek RWWTP	District boundary	T	2020	Trinity River Basin/NCTCOG	0820	Collin	8/1/2020	WWTP expansion and improvements	2020	700,000
									2025	767,997
									2030	932,622
									2040	1,234,112
North Texas Municipal Water District/ Sister Grove	District boundary	T	2028	Trinity River Basin/NCTCOG	0821	Collin	8/1/2020	New WWTP	2019	700,000
									2020	767,997
									2030	932,622
									2040	1,234,112
Orange County WCID No. 2	District boundary	T	2040	Sabine River Basin	0508	Orange	8/1/2020	WWTP upgrades	2010	4,111
									2020	4,111
									2030	4,111
									2040	4,111
Rio Grande City	City limits	T	2050	Rio Grande River Basin	2302	Starr	8/1/2020	WWTP upgrades	2020	16,066
									2025	17,119
									2030	18,172
									2040	20,112

Designated Management Agencies

In order to be designated as a management agency for wastewater collection or treatment, an entity must demonstrate the legal, institutional, managerial and financial capability necessary to carry out the entity’s responsibilities in accordance with Section 208 (c) of the Clean Water Act (see below list of requirements). Before an entity can apply for a state revolving fund loan, it must be recommended for designation as the management agency in the approved WQMP. Designation as a management agency does not require the designated entity to provide wastewater services, but enables it to apply for grants and loans to provide the services. The facilities listed in Table 3 have submitted Designated Management Agencies (DMA) resolutions to the TCEQ. The TCEQ submits this DMA information to the EPA for approval as an update to the WQMP.

Section 208 (c) (2) Requirements for Management Agency:

- 208(c)(2)(A): to carry out portions of an area-wide waste treatment plan.
- 208(c)(2)(B): to manage waste treatment works.
- 208(c)(2)(C): directly or by contract to design and construct new works.
- 208(c)(2)(D): to accept and utilize grants.
- 208(c)(2)(E): to raise revenues, including assessment of waste treatment charges.
- 208(c)(2)(F): to incur short and long term indebtedness.
- 208(c)(2)(G): to assure community pays proportionate cost.
- 208(c)(2)(H): to refuse to receive waste from non-compliant dischargers.
- 208(c)(2)(I): to accept for treatment industrial wastes.

Table 3. Designated Management Agencies

Planning Agency	Service Area	DMA Needs	DMA Date
City of Alto	City limits	T	9/18/2019
City of Bertram	City limits	T	2/11/2020
City of Diboll	City limits	T	1/28/2020
City of Granger	City limits	T/C	10/2/2019
City of Jourdanton	City limits	T/C	9/25/2019
City of Los Fresnos	City limits	C	1/8/2020
City of Pearland	City limits	T	3/30/2020
GTUA/ City of Pottsboro	City limits	T/C	7/25/2019
NTMWD/ Rowlett Creek RWWTP	District boundary	T	8/16/2019
NTMWD/ Sister Grove	District boundary	T	8/16/2019
Orange County WCID No. 2	District boundary	T	3/17/2020
Rio Grande City	City limits	T	10/30/2019

Total Maximum Daily Load Updates

The Total Maximum Daily Load (TMDL) Program works to improve water quality in impaired or threatened waters bodies in Texas. The program is authorized by and created to fulfill the requirements of Section 303(d) of the federal Clean Water Act.

The goal of a TMDL is to restore the full use of a water body that has limited quality in relation to one or more of its uses. The TMDL defines an environmental target and based on that target, the State develops an implementation plan with wasteload allocations for point source dischargers to mitigate anthropogenic (human-caused) sources of pollution within the watershed and restore full use of the water body.

The development of TMDLs is a process of intensive data collection and analysis. After adoption by the TCEQ, TMDLs are submitted to the EPA for review and approval.

The attached appendices may reflect proposed wasteload allocations for new dischargers and revisions to TMDLs. To be consistent, updates will be provided in the same units of measure used in the original TMDL document. Also, note that for bacteria TMDLs, loads may be expressed in counts per day, organisms per day, colony-forming units per day, or similar expressions. These typically reflect different lab methods, but for the purposes of the TMDL program, these terms are considered synonymous.

Appendix I. Two Total Maximum Daily Loads for Indicator Bacteria in the Tidal Segments of the Mission and Aransas Rivers for Segment Numbers 2001 and 2003

TMDL Updates to the WQMP: Mission and Aransas Rivers (2001 and 2003)

The document *Two Total Maximum Daily Loads for Indicator Bacteria in the Tidal Segments of the Mission and Aransas Rivers for Segments 2001 and 2003* was adopted by the TCEQ on 05/25/16 and approved by EPA on 08/09/16, and became an update to the state’s Water Quality Management Plan (WQMP). It has not had any routine WQMP updates prior to this one. However, an addendum to the original TMDL was submitted through the October 2017 WQMP update. This addendum added two new assessment units (AUs) to the original TMDL project.

The purpose of this update is to make the following change to the TMDL, presented in Table 1:

- add one new permit.

The changes reflected in this update resulted in the shifting of allocations between the sum of the individual WLAs and the allowance for future growth in one AU. This was originally presented in Table 20 in the original TMDL document, and the affected AU is included here as Table 2.

In Table 21 of the original TMDL, the WLAs for permitted facilities are the sum of the individual WLAs and the allowance for future growth within each AU. Therefore, these overall numbers did not change, and Table 21 of the TMDL remains the same.

Table 1 – Changes to Individual Wasteload Allocation (Updates Table 14, pp. 35 in the TMDL document.)

State Permit Number	Outfall	EPA Permit Number	AU	Permittee Name	Flow (MGD)	Wasteload Allocation (WLA) – Enterococci in Billion MPN/day	Waste Load Allocation (WLA) – <i>E. coli</i> in Billion MPN/day	TMDL Comments
WQ0005283000	101 ^a	TX0139629	2003_01	STEEL DYNAMICS SOUTHWEST, LLC	0.0016	0.002	0.007	New permit

^a Treated domestic wastewater is discharged via internal outfall 101 at a final permitted amount of 0.0016 MGD, so that discharge amount is used in calculating the individual WLA rather than using an amount associated with an external outfall.

Table 2 - Enterococci TMDL summary calculations for Mission River Tidal and Aransas River Tidal watersheds (Updates Table 20, p. 42 in the TMDL document.)

All loads expressed as billion MPN/day.

Assessment Unit	Stream Name	TMDL	MOS	WLA _{WWTF}	WLA _{SW}	LA	Future Growth
2003_01	Aransas River Tidal	150.321	7.516	9.368	0.050	132.197	1.190