

**Table 5**  
**Summary of Street Name Codes for Sample Nomenclature**  
**Jones Road Groundwater Plume Federal Superfund Site (SUP075)**  
**Harris County, Texas**  
**Shaw Project Number 134515**

Street Name Code	Street Name
AD	Advance
BH	Bexhill
BL	Barely Lane
CP	Campos Drive
DK	Dakar Drive
DM	Dermott Drive
ES	Echo Spring Lane
FB	Foxburo Drive
FV	Forest Valley Drive
GL	Glenora Drive
JR	Jones Road
JRW	Jones Road West
MI	Mile Drive
OV	Oak Valley Drive
PH	Possum Hollow Lane
TC	Timber Crest Drive
TH	Timber Hollow Lane
TO	Tower Oaks Boulevard
TT	Tall Timbers Drive
WE	Woodedge Drive

**Table 6**  
**Summary of Sample Point Code Descriptions for Sample Nomenclature**  
**Jones Road Groundwater Plume Federal Superfund Site (SUP075)**  
**Harris County, Texas**  
**Shaw Project Number 134515**

<b>Sample Point Code</b>	<b>Description</b>
1	Sample collected at (a) well head, (b) before the GAC vessels, or (c) a duplicate sample if there are two samples collected on the same day at the same address
2	Sample collected between the two GAC vessels
3	Sample collected after the filtration system and outside the residence or business (for example, sample collected at the garden spigot)
4	Sample collected after the filtration system and inside the residence or business (for example, sample collected at the kitchen sink)

**Table 7**  
**Summary of Soil Sample Collection Information**  
**Jones Road Groundwater Plume Federal Superfund Site (SUP075)**  
**Harris County, Texas**  
**Shaw Project Number 134515**

Location	Sample ID	EPA SampleID	top depth	bottom depth	Date	Comment
GT-B1	B1-25		25	25	6/25/01	south of front door of dry cleaners
GT-B2	B2-25		25	25	6/25/01	west side of building
GT-B3	B3-25		25	25	6/25/01	north of building near storm drain
B-1	B1-15		15	15	11/2/01	N of building parallel to storm drain
B-1	B1-5		5	5	11/2/01	N of building parallel to storm drain
B-2	B2-15		15	15	11/2/01	N of building parallel to storm drain
B-2	B2-5		5	5	11/2/01	N of building parallel to storm drain
MW-1	MW1-15		15	15	11/2/01	in parking lot
MW-1	MW1-22.5		22.5	22.5	11/2/01	in parking lot
MW-1	MW1-3		3	3	11/2/01	in parking lot
MW-2	MW2-13		13	13	11/2/01	NW corner of shopping center
MW-2	MW2-25		25	25	11/2/01	NW corner of shopping center
MW-2	MW2-3		3	3	11/2/01	NW corner of shopping center
MW-2	MW2-35		35	35	11/2/01	NW corner of shopping center
MW-3	MW3-12		12	12	11/2/01	North of building
MW-3	MW3-25		25	25	11/2/01	North of building
MW-3	MW3-3		3	3	11/2/01	North of building
MW-3	MW3-35		35	35	11/2/01	North of building
IB-1	IB1-2		2	2	1/4/02	Inside the dry cleaning shop
MW-4	MW4-24		24	24	1/4/02	North of building
MW-4	MW4-3		3	3	1/4/02	North of building
MW-4	MW4-35		35	35	1/4/02	North of building
MW-5	MW5-2		2	2	1/4/02	North of building
MW-5	MW5-25		25	25	1/4/02	North of building
MW-5	MW5-35		35	35	1/4/02	North of building
MW-6	MW6-25		25	25	1/4/02	at NW corner of Barely & Jones
MW-6	MW6-3		3	3	1/4/02	at NW corner of Barely & Jones
MW-6	MW6-35		35	35	1/4/02	at NW corner of Barely & Jones
CPT12	CPT12 2.5-5FT		2.5	5	9/2/03	became MW-8
CPT12	CPT12 20-22FT		20	22	9/2/03	became MW-8
CPT12	CPT12 35-36.5FT		35	36.5	9/2/03	became MW-8
CPT32	CPT32 0-2.5FT		0	2.5	9/2/03	became MW-7
CPT32	CPT32 25-26FT		25	26	9/2/03	became MW-7
CPT32	CPT32 33-33.5FT		33	33.5	9/2/03	became MW-7
CPT20	CPT 20-16 TO 17FT		16	17	9/3/03	became MW-9
CPT20	CPT 20-20 TO 22FT		20	22	9/3/03	became MW-9
CPT20	CPT 20-32-32.5FT		32	32.5	9/3/03	became MW-9
GP-06	GP-06-1	F0PA3	2	2	10/22/03	East side of Jones Road
GP-06	GP-06-2	F0PA4	18	19	10/22/03	East side of Jones Road
GP-06	GP-06-3	F0PA5	26	27	10/22/03	East side of Jones Road
GP-06	GP-06-4	F0PA6	31	32	10/22/03	East side of Jones Road
GP-18	GP-18-1	F0P97	2	2	10/22/03	East of building
GP-18	GP-18-2	F0P98	21	22	10/22/03	East of building
GP-18	GP-18-3	F0P99	26	27	10/22/03	East of building
GP-18	GP-18-4	F0PA0	31	32	10/22/03	East of building
GP-19	GP-19-1	F0P92	1	1	10/22/03	East of building
GP-19	GP-19-2	F0P93	32	32	10/22/03	East of building

**Table 7**  
**Summary of Soil Sample Collection Information**  
**Jones Road Groundwater Plume Federal Superfund Site (SUP075)**  
**Harris County, Texas**  
**Shaw Project Number 134515**

Location	Sample ID	EPA SampleID	top depth	bottom depth	Date	Comment
GP-19	GP-19-3	F0P94	19	20	10/22/03	East of building
GP-07	GP-07-1	F0PC1	1	2	10/23/03	in parking lot
GP-07	GP-07-2	F0PC2	24	25	10/23/03	in parking lot
GP-07	GP-07-3	F0PC3	29	30	10/23/03	in parking lot
GP-07	GP-07-4	F0PC4	31	32	10/23/03	in parking lot
GP-08	GP-08-1	F0PA8	2	2	10/23/03	in parking lot
GP-08	GP-08-2	F0PA9	19	20	10/23/03	in parking lot
GP-08	GP-08-3	F0PB0	27	28	10/23/03	in parking lot
GP-08	GP-08-4	F0PB1	31	32	10/23/03	in parking lot
GP-09	GP-09-1	F0PB2	1	2	10/23/03	in parking lot
GP-09	GP-09-2	F0PB3	19	20	10/23/03	in parking lot
GP-09	GP-09-3	F0PB4	28	29	10/23/03	in parking lot
GP-09	GP-09-4	F0PB5	31	32	10/23/03	in parking lot
GP-20	GP-20-1	F0PC5	1	2	10/23/03	at septic field
GP-20	GP-20-2	F0PC6	22	23	10/23/03	at septic field
GP-20	GP-20-3	F0PC7	26	27	10/23/03	at septic field
GP-20	GP-20-4	F0PC8	31	32	10/23/03	at septic field
GP-01	GP-01-1	F0PC9	1	2	10/24/03	East of building
GP-01	GP-01-2	F0PD0	18	19	10/24/03	East of building
GP-01	GP-01-3	F0PD1	29	30	10/24/03	East of building
GP-01	GP-01-4	P0PB1	31	32	10/24/03	East of building
GP-02	GP-02-1	F0PE1	1	2	10/24/03	North of building
GP-02	GP-02-2	F0PE2	27	28	10/24/03	North of building
GP-02	GP-02-3	F0PE3	31	32	10/24/03	North of building
GP-03	GP-03-1	F0PD6	1	2	10/24/03	North of building
GP-03	GP-03-2	F0PD7	18	19	10/24/03	North of building
GP-03	GP-03-3	F0PD8	21	22	10/24/03	North of building
GP-03	GP-03-4	F0PD9	29	30	10/24/03	North of building
GP-17	GP-17-1	F0PE4	27	28	10/24/03	East of building
GP-17	GP-17-2	F0PE5	29	30	10/24/03	East of building
GP-04	GP-04-1	F0PG3	1	2	10/27/03	NW corner of shopping center
GP-04	GP-04-2	F0PG4	16	17	10/27/03	NW corner of shopping center
GP-04	GP-04-3	F0PG5	28.5	29.5	10/27/03	NW corner of shopping center
GP-04	GP-04-4	F0PG6	34	35	10/27/03	NW corner of shopping center
GP-05	GP-05-1	F0PG1	1	2	10/27/03	NW corner of shopping center
GP-05	GP-05-2	F0PF8	24	25	10/27/03	NW corner of shopping center
GP-05	GP-05-3	F0PG0	28	29	10/27/03	NW corner of shopping center
GP-05	GP-05-4	F0PF9	34	35	10/27/03	NW corner of shopping center
GP-10	GP-10-1	F0PE6	1	2	10/27/03	in parking lot
GP-10	GP-10-2	F0PE7	22	23	10/27/03	in parking lot
GP-10	GP-10-3	F0PE8	26	27	10/27/03	in parking lot
GP-10	GP-10-4	F0PE9	31	32	10/27/03	in parking lot
GP-11	GP-11-1	F0PF4	1	2	10/27/03	in parking lot
GP-11	GP-11-2	F0PF5	23	24	10/27/03	in parking lot
GP-11	GP-11-3	F0PF6	28	29	10/27/03	in parking lot
GP-11	GP-11-4	F0PF7	31	32	10/27/03	in parking lot
GP-16	GP-16-1	F0PG7	1	2	10/27/03	East of building

**Table 7**  
**Summary of Soil Sample Collection Information**  
**Jones Road Groundwater Plume Federal Superfund Site (SUP075)**  
**Harris County, Texas**  
**Shaw Project Number 134515**

Location	Sample ID	EPA SampleID	top depth	bottom depth	Date	Comment
GP-16	GP-16-2	F0PG8	23	24	10/27/03	East of building
GP-16	GP-16-3	F0PG9	29	30	10/27/03	East of building
GP-16	GP-16-4	F0PH0	34	35	10/27/03	East of building
GP-12	GP-12-1	F0PH5	1	2	10/28/03	East side of Jones Road
GP-12	GP-12-2	F0PR0	16	17	10/28/03	East side of Jones Road
GP-12	GP-12-3	F0PR1	21	22	10/28/03	East side of Jones Road
GP-12	GP-12-4	F0PR2	29	30	10/28/03	East side of Jones Road
GP-13	GP-13-1	F0PH1	1	2	10/28/03	East side of Jones Road
GP-13	GP-13-2	F0PH2	16	17	10/28/03	East side of Jones Road
GP-13	GP-13-3	F0PH3	22	23	10/28/03	East side of Jones Road
GP-13	GP-13-4	F0PH4	34	35	10/28/03	East side of Jones Road
GP-14	GP-14-1	F0PH6	1	2	10/28/03	North side of Barely Lane
GP-14	GP-14-2	F0PH7	18	19	10/28/03	North side of Barely Lane
GP-14	GP-14-3	F0PH8	25	26	10/28/03	North side of Barely Lane
GP-14	GP-14-4	F0PJ0	34	35	10/28/03	North side of Barely Lane
GP-15	GP-15-1	F0PR3	1	2	10/29/03	SE corner of shopping center
GP-15	GP-15-2	F0PR4	18	19	10/29/03	SE corner of shopping center
GP-15	GP-15-3	F0PR5	23	24	10/29/03	SE corner of shopping center
GP-15	GP-15-4	F0PR6	29	30	10/29/03	SE corner of shopping center
GP-21	GP-21-1	F0PR9	16	17	10/29/03	East side of Jones Road
GP-21	GP-21-2	F0PS0	21	22	10/29/03	East side of Jones Road
GP-21	GP-21-3	F0PS1	29	30	10/29/03	East side of Jones Road
GP-21	GP-21-4	F0PS2	5	6	10/29/03	East side of Jones Road
GP-8A	GP-8A1	F23M4	22	24	7/17/06	in parking lot
GP-8A	GP-8A2	F23M5	29	31	7/17/06	in parking lot
GP-8A	GP-8A3	F23M6	36	38	7/17/06	in parking lot
GP-8A	GP-8A3A	F23M8	36	38	7/17/06	in parking lot
GP-8A	GP-8A4	F23M7	46	48	7/17/06	in parking lot
GP-9A	GP-9A 10-12		10	12	7/17/06	in parking lot
GP-9A	GP-9A 14-16		14	16	7/17/06	in parking lot
GP-9A	GP-9A 18-20		18	20	7/17/06	in parking lot
GP-9A	GP-9A 22-23		22	23	7/17/06	in parking lot
GP-9A	GP-9A 23-24		23	24	7/17/06	in parking lot
GP-9A	GP-9A 24-26		24	26	7/17/06	in parking lot
GP-9A	GP-9A 26-28		26	28	7/17/06	in parking lot
GP-9A	GP-9A 30-32		30	32	7/17/06	in parking lot
GP-9A	GP-9A 6-8		6	8	7/17/06	in parking lot
GP-5A	GP-5A1	F23P5	17	19	7/18/06	NW corner of shopping center
GP-5A	GP-5A2	F23P6	25	27	7/18/06	NW corner of shopping center
GP-5A	GP-5A3	F23P7	33	35	7/18/06	NW corner of shopping center
GP-5A	GP-5A4	F23P8	46	48	7/18/06	NW corner of shopping center
GP-6A	GP-6A1	F23P0	20	22	7/18/06	in parking lot
GP-6A	GP-6A2	F23P1	25	27	7/18/06	in parking lot
GP-6A	GP-6A3	F23P2	33	35	7/18/06	in parking lot
GP-6A	GP-6A4	F23P3	43	44	7/18/06	in parking lot
GP-7A	GP-7A1	F23N5	22	24	7/18/06	in parking lot
GP-7A	GP-7A2	F23N6	25	27	7/18/06	in parking lot

**Table 7**  
**Summary of Soil Sample Collection Information**  
**Jones Road Groundwater Plume Federal Superfund Site (SUP075)**  
**Harris County, Texas**  
**Shaw Project Number 134515**

Location	Sample ID	EPA SampleID	top depth	bottom depth	Date	Comment
GP-7A	GP-7A2A	F23R4	25	27	7/18/06	in parking lot
GP-7A	GP-7A3	F23N7	33	35	7/18/06	in parking lot
GP-7A	GP-7A4	F23N8	46	48	7/18/06	in parking lot
GP-1A	GP-1A1	F23W3	20	22	7/19/06	North of building
GP-1A	GP-1A2	F23W4	24.5	26.5	7/19/06	North of building
GP-1A	GP-1A2A	F23W7	24.5	26.5	7/19/06	North of building
GP-1A	GP-1A3	F23W5	32	34	7/19/06	North of building
GP-1A	GP-1A4	F23W6	46	48	7/19/06	North of building
GP-3A	GP-3A1	F23Q5	20	21	7/19/06	North of building
GP-3A	GP-3A2	F23Q6	27	29	7/19/06	North of building
GP-3A	GP-3A3	F23Q7	37	38	7/19/06	North of building
GP-3A	GP-3A4	F23Q8	49	50	7/19/06	North of building
GP-4A	GP-4A1	F23Q0	20	22	7/19/06	NW corner of shopping center
GP-4A	GP-4A2	F23Q1	26	28	7/19/06	NW corner of shopping center
GP-4A	GP-4A3	F23Q2	28	30	7/19/06	NW corner of shopping center
GP-4A	GP-4A4	F23Q3	41	43	7/19/06	NW corner of shopping center
GP-2A	GP-2A1	F23R0	20	21	7/20/06	North of building
GP-2A	GP-2A1A	F23W9	20	21	7/20/06	North of building
GP-2A	GP-2A2	F23R1	31	33	7/20/06	North of building
GP-2A	GP-2A3	F23R2	37	38	7/20/06	North of building
GP-2A	GP-2A4	F23W1	47	48	7/20/06	North of building
RS-1	RS-1-1	F23X0	10	11	7/24/06	North of building
RS-1	RS-1-10	F23X9	82	87	7/24/06	North of building
RS-1	RS-1-2	F23X1	15	16	7/24/06	North of building
RS-1	RS-1-3	F23X2	20	21	7/24/06	North of building
RS-1	RS-1-4	F23X3	28	29	7/24/06	North of building
RS-1	RS-1-5	F23X4	36	37	7/24/06	North of building
RS-1	RS-1-6	F23X5	44	45	7/24/06	North of building
RS-1	RS-1-7	F23X6	47	48	7/24/06	North of building
RS-1	RS-1-7A	F23Z9	47	48	7/24/06	North of building
RS-1	RS-1-8	F23X7	52	53	7/24/06	North of building
RS-1	RS-1-9	F23X8	61	62	7/24/06	North of building
RS-1	RS-1-11	F23Y0	102	107	7/25/06	North of building

**Note:**

Sorted by Date, Location, and Sample ID.

**Table 8**  
**Quarterly PCE Groundwater Sampling Results - May 2003 through February 2008**  
**Jones Road Groundwater Plume Federal Superfund Site (SUP075)**  
**Harris County, Texas**  
**Shaw Project Number 134515**

Updated: April 28, 2008

Location ID	May '03	Aug. '03	Nov. '03	Feb. '04	May '04	Aug. '04	Nov. '04	Feb. '05	May '05	Aug. '05	Nov. '05	Feb. '06	May/ Jul. '06	Aug. '06	Nov. '06	Feb. '07	May '07	Aug. '07	Nov. '07	Feb. '08	Additional Comments
AD11502	NS	NS	NS	NS	ND	NS	NS	NS	NS	NS	ND	NS	ND	NS	NS	NS	ND	NS	ND	NS	
AD11511	NS	NS	NS	NS	ND	NS	NS	NS	NS	NS	NS	NS	NS	ND	NS	NS	NS	ND	NS	ND	
AD11603	NS	NS	NS	NS	ND	NS	NS	NS	NS	NS	NS	NS	ND	NS	NS	ND	ND	NS	NS	NS	NS
AD11619	NS	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	NS	ND	ND	ND	ND	ND	ND	ND	ND
AD11702	NS	NS	NS	NS	ND	NS	NS	NS	NS	NS	NS	NS	ND	NS	NS	NS	ND	ND	NS	NS	
AD11714	NS	NS	NS	NS	ND	NS	NS	NS	NS	NS	NS	NS	NS	ND	NS	NS	NS	ND	NS	NS	
BH11603	NS	NS	NS	NS	NS	ND	NS	NS	NS	NS	NS	NS	ND	NS	NS	ND	ND	NS	NS	ND	NS
BH11614	NS	NS	NS	NS	NS	ND	NS	ND	NS	NS	ND	NS	ND	ND	NS	NS	ND	ND	NS	ND	
BH11710	NS	NS	NS	NS	ND	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	May '06-no access
BL10810	NS	NS	ND	ND	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
BL10818A	ND	ND	ND	ND	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
BL10819	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.069 LJ	ND	ND	0.071 LJ	ND	
BL10825	ND	ND	ND	ND	0.5 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
CP11510	NS	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	NS	ND	ND	ND	ND	ND	ND	ND	
CP11610	NS	NS	NS	NS	ND	NS	NS	NS	NS	NS	NS	NS	ND	NS	NS	NS	ND	NS	NS	NS	
CP11650	NS	NS	NS	NS	ND	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
CP11710	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	NS	NS	ND	ND	NS	NS	ND	NS
CP11711	NS	NS	NS	NS	NS	NS	ND	NS	NS	NS	NS	NS	ND	NS	NS	ND	ND	NS	ND	NS	ND
CP11718	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	NS	ND	NS	NS	NS	NS	NS	NS	
DK11503	NS	NS	NS	NS	NS	ND	NS	NS	NS	NS	NS	NS	ND	NS	NS	NS	NS	NS	NS	NS	
DK11603	NS	NS	NS	NS	NS	NS	NS	ND	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	NS
DK11611	NS	NS	NS	NS	ND	NS	NS	NS	NS	NS	NS	ND	NS	NS	ND	NS	NS	ND	NS	ND	
DK11702	NS	NS	NS	NS	NS	NS	NS	ND	NS	NS	NS	NS	ND	NS	NS	NS	ND	NS	NS	NS	
DK11703	NS	NS	NS	NS	NS	NS	ND	NS	NS	NS	NS	NS	ND	NS	NS	NS	ND	NS	NS	NS	ND
DK11707	NS	NS	NS	NS	NS	NS	ND	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	NS	NS	NS	
DK11710	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	NS	NS	NS	NS	NS	NS	NS	NS	
DK11718	NS	NS	NS	NS	ND	NS	ND	NS	NS	NS	NS	NS	NS	ND	NS	NS	NS	ND	NS	NS	
DK11719	NS	NS	NS	NS	ND	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
DM11502	NS	NS	NS	NS	NS	ND	NS	NS	NS	NS	NS	NS	NS	ND	NS	NS	NS	NS	NS	NS	
DM11506	NS	NS	NS	NS	NS	ND	NS	ND	NS	NS	ND	NS	ND	NS	NS	NS	ND	ND	NS	NS	
DM11507	NS	NS	NS	NS	NS	ND	NS	NS	NS	NS	NS	NS	ND	NS	NS	ND	ND	NS	ND	NS	ND
DM11509	NS	NS	NS	NS	NS	NS	NS	ND	ND	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
DM11513	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	NS	NS	NS	NS	NS	ND	NS
DM11515	NS	NS	NS	NS	NS	NS	ND	NS	ND	NS	NS	NS	ND	NS	NS	NS	ND	ND	NS	ND	
DM11715	NS	NS	NS	NS	ND	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	No access, unable to contact owner.
ES11610	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	ND	ND	ND	ND	ND	
ES11627	1.9	1.6	2.2	3.40	3.1 J	2.4	3	6.1	4.2	2.7	1.1	3.1	3.3	2.4	4.2	7.1	6	4	2.9	2.8	Filtration System added Feb. '05.
ES11630	NS	0.3 J	ND	ND	ND	1	ND	ND	0.99	0.17 J	1.6	1.4	1.9	1.0	1.1	0.63	1.1	0.97	0.95	0.75	
ES11643	0.3 J	ND	ND	.35 J	ND	ND	0.36 J	ND	0.57	0.84	0.86	0.55	0.76	0.56	0.5	0.41 LJ	0.59	0.95	1.3	0.58	
ES11703	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	NS	NS	NS	NS	NS	ND	NS	Jul. '06, Aug. '06, Nov. '06, Feb '07, May '07, Aug '07, and Feb '08 - no power to well; house under construction.
ES11713	NS	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
ES11718	NS	NS	ND	ND	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	ND	ND	ND	ND	ND	Nov. '06 no access gate locked.
ES11730	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
FB11502	NS	NS	NS	NS	NS	ND	NS	NS	ND	ND	NS	NS	NS	NS	NS	NS	NS	ND	NS	ND	
FB11607	NS	NS	NS	NS	ND	NS	NS	NS	NS	NS	ND	NS	NS	NS	NS	NS	NS	NS	NS	NS	Nov. '06 & Feb '07 - sampling refused by owner.
FB11610	NS	NS	NS	NS	ND	NS	ND	NS	NS	NS	NS	ND	NS	NS	NS	NS	NS	NS	NS	NS	May '06-no access
FB11614	NS	NS	NS	NS	ND	NS	NS	NS	NS	NS	ND	NS	NS	ND	NS	NS	NS	NS	ND	NS	
FV11014	204	178	240	590	240	210	240	200	210	200	270	470	230	230	281	207	206	11.6	115	103	Filtration System

**Table 8**  
**Quarterly PCE Groundwater Sampling Results - May 2003 through February 2008**  
**Jones Road Groundwater Plume Federal Superfund Site (SUP075)**  
**Harris County, Texas**  
**Shaw Project Number 134515**

Updated: April 28, 2008

Location ID	May '03	Aug. '03	Nov. '03	Feb. '04	May '04	Aug. '04	Nov. '04	Feb. '05	May '05	Aug. '05	Nov. '05	Feb. '06	May/ Jul. '06	Aug. '06	Nov. '06	Feb. '07	May '07	Aug. '07	Nov. '07	Feb. '08	Additional Comments
FV11022	36.2	53.2	48	42	36	57 J	40	37	38	57	45	44	47	52	62.2	64.8	42.3	43.4	64	57	Filtration System
FV11023	183	153	190	240	190	210	170	140	120	130	150	90	130	130	145	142	130	104	93.1	89.2	Filtration System
FV11025	NS	NS	NS	NS	5.5	7.3	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	Filtration System Refused by Owner. Sampling refused by owner as of Nov. '04
FV11102	NS	6.3	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	No access from owner, filtration system refused.
FV11110	0.6	0.9	0.68	0.81	ND	0.98	0.20 J	0.36 J	0.51	0.57	0.46 J	0.33 LJ	0.47 LJ	ND	0.32 LJ	0.35 LJ	ND	0.39 LJ	0.23 LJ	ND	
FV11118	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.076 J	ND	ND	ND	ND	ND	0.069 LJ	ND	ND	0.10 LJ	ND	Owner installed filtration system as of Feb. '06.
FV11123	ND	ND	0.23J	ND	ND	0.29 J	0.15 J	0.25 J	ND	0.16 J	0.15 J	ND	0.19 LJ	ND	0.10 LJ	0.13 LJ	ND	ND	0.12 LJ	ND	
FV11127	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
FV11130	11.3	5.3	8.1	10	7.6	4	3.2	6.9	4.8	5	7.9	3.7	9.9	11	14.6	17.5	31.6	36.6	40.4	45	Filtration System
FV11135	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
FV11202	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	Re-sampled July '06.
FV11203	ND	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
FV11210	ND	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	Owner installed filtration system as of Feb. '06. Sample taken from faucet May 07'
FV11215	ND	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	0.16 LJ	ND	ND	ND	ND	ND	ND	ND	Owner installed filtration system as of Feb. '06.
FV11226	ND	NS	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
FV11231	ND	NS	NS	NS	2.6 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	ND	ND	ND	NS	Feb '07 and Feb '08 - No power to the well.
FV11302	NS	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
FV11306	ND	NS	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	Shares well with FV11314
FV11315	NS	NS	NS	NS	ND	NS	ND	ND	ND	ND	ND	ND	0.26 LJ	ND	ND	ND	ND	ND	ND	ND	
FV11319	NS	NS	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	Re-sampled July '06.
FV11322	NS	NS	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	ND	No Access-Gate Locked Nov '07
FV11326	NS	NS	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
GL11302	NS	NS	NS	NS	NS	ND	ND	ND	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
GL11310	NS	NS	NS	NS	ND	ND	ND	ND	ND	ND	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	
GL11402	NS	NS	NS	NS	NS	ND	ND	ND	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	
GL11422	NS	NS	NS	NS	ND	ND	ND	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	No access. Gate locked.
GL11502	NS	NS	NS	NS	ND	ND	ND	ND	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
GL11503	NS	NS	NS	NS	ND	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
GL11506	NS	NS	NS	NS	NS	ND	ND	ND	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
GL11514	NS	NS	NS	NS	ND	ND	ND	ND	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
GL11606	NS	NS	NS	NS	ND	ND	ND	ND	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
GL11614	NS	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
GL11622	NS	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
GL11702	NS	NS	NS	NS	ND	ND	ND	ND	NS	ND	ND	ND	NS	NS	NS	NS	NS	NS	NS	NS	May '06-not sampled per owner's request.
JR11010	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.14 J	ND	0.18 LJ	ND	ND	0.13 LJ	ND	ND	ND	0.28 LJ	0.21LJ	
JR11043	NS	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.083 LJ	ND	ND	0.14	ND	Shares w/PWS well JR11035. Too far south, not on the map.
JR11414	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
JR11427	9	9	12	19	14	20	20	21	24	24	24	21	29	31	43.2	47.4	43.9	50.4	41.2	37.4	Filtration System
JR11503	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
JR11515	0.7	1	0.75	0.62	ND	1	0.58	0.82	0.57	1.2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	Oct.'05-not sampled per owner's request.
JR11526	NS	1.2	1.8	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	Shares well with JR11528.

Table 8  
 Quarterly PCE Groundwater Sampling Results - May 2003 through February 2008  
 Jones Road Groundwater Plume Federal Superfund Site (SUP075)  
 Harris County, Texas  
 Shaw Project Number 134515

Updated: April 28, 2008

Location ID	May '03	Aug. '03	Nov. '03	Feb. '04	May '04	Aug. '04	Nov. '04	Feb. '05	May '05	Aug. '05	Nov. '05	Feb. '06	May/ Jul. '06	Aug. '06	Nov. '06	Feb. '07	May '07	Aug. '07	Nov. '07	Feb. '08	Additional Comments
JR11527	NS	NS	NS	180	94	79	120	93	190	68	89	100	94	100	124	127	141	137	122	110	Could not sample prior to Nov. '03. Filtration System.
JR11528	1.3	1.5	1.3	2.6	1.5	3	2.2	3.1	1.7	2.9	3.6 J	6	3.4 J	3.10	4.3	4.5	3.9	6.6	9.6	6.6	Filtration system installed June '06.
JR11535	121	101	71	ND	69	45	84	64	140	64	57	67	50	71	67.4	84.7	75.1	85.5	83.9	74.7	Filtration System. Feb. '04 result is correct. Shares well with FV11011.
JR11600	0.8	1.1	1.4	2.7	2.4	1.8 J	1.9 JV	1.8	2.2	2.2 JV	2	3.3 J	2.1	3.40	3.4 J	5.3	4.4	4.2	7.1	6.2	
JR11614	8.8	10.2	14	15	15	21	16	18	19	22	36	31	28	33	42.5	23.4	30.8	33.8	33.8	28.2	Filtration System
JR11620	ND	ND	0.15J	.43J	ND	.39 J	0.29 J	0.44 J	0.15 J	0.36 J	0.40 J	0.43 LJ	0.46 LJ	ND	0.58	0.7	0.63	ND	1.1	0.72	
JR11642	0.6	1.2	0.86	2.2	0.77	1.7	1.4	1.6	0.64	1.6	1.6	2.3	2.1	1.6	1.7	1.6	3.8	11.3	24	28	Filtration System
JR11646	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
JR11650	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
JR11655	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.14 LJ	ND	ND	ND	ND	ND	ND	ND	0.092 LJ	ND
JR11663	ND	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
JR11702	ND	NS	NS	NS	ND	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
JR11707	ND	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
JR11718	ND	NS	NS	NS	ND	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	NS	ND	ND	ND	No access. Gate locked May '07.
JR11729	NS	NS	NS	NS	ND	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
JR117291/2	ND	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
JRW11050A	ND	NS	ND	ND	ND	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
JRW11107	ND	NS	NS	NS	ND	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
JRW11203	ND	NS	NS	NS	ND	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
JRW11206	NS	NS	NS	NS	ND	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
JRW11215	NS	NS	NS	NS	ND	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
JRW11222	NS	NS	NS	NS	ND	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
JRW11234	ND	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
JRW11351	NS	NS	NS	NS	ND	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
JRW11352	NS	NS	NS	NS	ND	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
JRW11354	NS	NS	NS	NS	ND	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
JRW11358	NS	NS	NS	NS	ND	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
MI11502	NS	NS	NS	NS	ND	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
MI11507	NS	NS	NS	NS	NS	ND	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	NS	ND	NS	ND
MI11510	NS	NS	NS	NS	ND	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	NS	NS	ND	ND	NS	ND
MI11515	NS	NS	NS	NS	ND	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	NS	
MI11603	NS	NS	NS	NS	NS	NS	ND	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
MI11611	NS	NS	NS	NS	ND	NS	NS	ND	NS	NS	ND	NS	NS	ND	NS	NS	ND	NS	ND	NS	
OV11503	NS	NS	NS	NS	ND	ND	ND	ND	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	
OV11507	NS	NS	NS	NS	NS	ND	ND	NS	NS	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	NS	No power to well in Nov. '05 and Feb. '06.
OV11519	NS	NS	NS	NS	ND	ND	ND	ND	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
OV11523	NS	NS	NS	NS	NS	ND	ND	ND	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
OV11527	NS	NS	NS	NS	NS	ND	ND	ND	ND	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
OV11534	NS	NS	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
OV11547	NS	NS	NS	NS	.38 J	ND	ND	ND	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
OV11602	NS	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
OV11603	NS	NS	NS	NS	ND	ND	ND	ND	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
OV11610	NS	NS	NS	NS	ND	ND	ND	ND	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
OV11618	NS	NS	NS	NS	ND	ND	ND	ND	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
OV11623	NS	NS	NS	NS	ND	ND	ND	ND	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
OV11626	NS	NS	NS	NS	ND	ND	ND	ND	NS	ND	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	Pump broken Nov. '05; shares well with OV11618
OV11634	NS	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	Re-sampled July '06.

**Table 8**  
**Quarterly PCE Groundwater Sampling Results - May 2003 through February 2008**  
**Jones Road Groundwater Plume Federal Superfund Site (SUP075)**  
**Harris County, Texas**  
**Shaw Project Number 134515**

Updated: April 28, 2008

Location ID	May '03	Aug. '03	Nov. '03	Feb. '04	May '04	Aug. '04	Nov. '04	Feb. '05	May '05	Aug. '05	Nov. '05	Feb. '06	May/ Jul. '06	Aug. '06	Nov. '06	Feb. '07	May '07	Aug. '07	Nov. '07	Feb. '08	Additional Comments
OV11635	NS	NS	NS	0.91	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	Feb '04 duplicate samples: ND & 0.91
OV11642	ND	NS	NS	NS	ND	ND	ND	ND	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
OV11651	NS	NS	NS	NS	ND	ND	ND	ND	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
OV11738	NS	NS	NS	NS	NS	NS	ND	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
PH11602	ND	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	Re-sampled July '06.
PH11603	ND	NS	NS	NS	ND	ND	ND	ND	2.8	ND	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	No water to well Nov. '05; gets water from PH11610
PH11610	ND	NS	NS	NS	ND	ND	ND	ND	3.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	Re-sampled July '06.
PH11611	ND	NS	NS	ND	ND	ND	ND	ND	1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	Re-sampled July '06.
PH11618	ND	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
PH11619	ND	NS	NS	NS	ND	ND	ND	ND	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	Re-sampled July '06.
PH11626	ND	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	ND	ND	No power to well Aug '07
PH11627	NS	NS	NS	NS	ND	ND	ND	ND	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
PH11643	NS	NS	NS	NS	ND	ND	ND	ND	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
PH11650	ND	NS	NS	NS	ND	ND	ND	ND	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.051 LJ	ND
PH11651	NS	NS	NS	NS	ND	ND	ND	ND	NS	ND	ND	ND	ND	ND	ND	NS	NS	NS	NS	NS	Feb. '07 not sampled per owner's request
PH11702	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	
PH11710	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	NS	NS	NS	NS	NS	NS	NS	NS	May '06-not sampled per owner's request.
PH11713	NS	NS	NS	NS	ND	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	
PH11722	NS	NS	NS	NS	ND	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
PH11738	NS	NS	NS	ND	ND	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	
PH11739	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	NS	NS	NS	NS	NS	NS	Nov. '06 - no access gate locked; Feb '07 - not sampled per owner's request.
TC11018	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.27 LJ	ND	ND	
TC11019	1.5	2.9	1.4	2.5	.5 J	5.1	2.4	3.8	5.3	3.8	5.4	ND	ND	8.8	7.4	13.2	23	20.6	17.4	22.8	Filtration System
TC11022	4.7	5.3	6.8	6.1	7.4	6.2	7.5	9.5	8	12	15	15	16	17	19.4	15	12.3	11.2	8.6	9.2	Filtration System. Re-sampled July '06.
TC11027	NS	NS	NS	NS	10	6.6	13	12	8.7	10	23	17	18	11	NS	NS	16	21.9	21.1	22.4	Filtration System. No power to the well through Feb '04. Re-sampled July '06. Nov. '06 and Feb '07 - no power to well.
TC11034	ND	0.5	ND	ND	ND	ND	ND	ND	ND	0.37 J	0.28 J	0.28 LJ	0.31 LJ	0.73	0.37 LJ	0.57	ND	0.23 LJ	0.58	ND	
TC11035	1.6	ND	0.26J	1.4	.4 J	0.31 J	0.99	0.33 J	ND	0.57	2.1	1.1	1.1	0.82	1.9	2.5	ND	2.3	4.9	2.5	
TC11103	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.14 J	ND	0.090 LJ	ND	ND	ND	ND	ND	ND	ND	Filtration System
TC11104	58.4	50.2	96	140	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	Currently sharing water with the well located at TC11034.
TC11106	1.4	1.9	1.4	2.2	2.3 J	2.9	2.7	2.3	ND	4.4	4	4	3	3.10	2.9	3.5	2.4	2.6	3.3	2.4	2 wells- 1st drilled
TC11107	13.4	11	15	14	17	16	18	21	18	21	19 J	17	20	21	32.8	35.7	NS	29.1	31.1	39.4	Filtration System. Unable to sample because pump head disconnected Aug '07.
TC11108	ND	0.5	ND	.18J	ND	.2 J	ND	0.16 J	ND	3	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	Shares well with TC11106.
TC11110	1.2	1	1.2	1.5	ND	1.9	1.8	1.3	2.6	1.8	2.3	3.1	3.1	3.40	3.1	2.2	2.2	1.7	2	1.8	
TC11115	NS	12.3	16	12	21	21	19	20	30	23	13 J	24	32 J	15	41.5	38	33.1	29.1	44	32.3	Filtration System
TC11118	2	1.7	2.6	4.4	3 J	6.1	3.3	3.7	3.1	3.5	4.4	5.7 J^	ND	5.60	5.8	4.8	4.5	5.5	5.6	6.6	Filtration System
TC11126	2.7	3.2	3.1	5.1	6.6	10	5.7	7.7	7.1	7.1	6.7	7.2 J^	7	5.10	10.1	8.6	7.1	8	7.4	NS	Filtration System. No power to well Feb '08.
TC11130	1.9	1.9	1.4	3.7	3.8 J	4.4	1.9	1.4	1.8	3.4	3.2	2.3	4.4	7.30	10.8	6.4	6.3	5.2	5.3	4.2	Filtration System installed Oct. '06.
TC11132	ND	ND	ND	ND	ND	ND	ND	NS	ND	ND	ND	ND	ND	ND	NS	ND	ND	ND	ND	NS	Nov. '06 no access gate locked. No power to well Feb '08.

**Table 8**  
**Quarterly PCE Groundwater Sampling Results - May 2003 through February 2008**  
**Jones Road Groundwater Plume Federal Superfund Site (SUP075)**  
**Harris County, Texas**  
**Shaw Project Number 134515**

Updated: April 28, 2008

Location ID	May '03	Aug. '03	Nov. '03	Feb. '04	May '04	Aug. '04	Nov. '04	Feb. '05	May '05	Aug. '05	Nov. '05	Feb. '06	May/ Jul. '06	Aug. '06	Nov. '06	Feb. '07	May '07	Aug. '07	Nov. '07	Feb. '08	Additional Comments
TC11135	ND	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
TC11140	ND	NS	ND	.19J	.42 J	ND	ND	ND	0.32 J	0.30 J	0.38 J	0.29 LJ	0.38 LJ	0.40 LJ	0.47 LJ	0.44 LJ	ND	0.53	0.61	0.40LJ	Feb '07 - sample taken from kitchen faucet per owner's request.
TC11203	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
TC11206	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
TC11214	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	NS	ND	ND	ND	ND	Nov. '06 and Feb '07 no access gate locked.
TC11215	ND	NS	NS	NS	NS	ND	ND	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	The pump had problems, the sampler could not complete the purge in Feb. '05.
TC11219	ND	NS	NS	ND	ND	ND	ND	ND	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	
TC11227	ND	NS	NS	NS	NS	ND	ND	ND	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
TC11303	ND	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
TC11315	NS	NS	NS	NS	ND	ND	ND	ND	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	
TC11318	ND	NS	NS	NS	NS	ND	ND	ND	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
TC11330	NS	NS	NS	NS	NS	ND	ND	ND	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	
TC11331	NS	NS	NS	NS	NS	ND	NS	NS	NS	NS	NS	ND	ND	ND	ND	ND	ND	NS	ND	ND	No power to the well Nov. '04 to Feb. '06 No power to well Aug '07.
TH11602	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
TH11603	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.64	ND	ND	ND	ND	ND	ND	ND	Multiple spigots needed to be used to get the pump running continuously.
TH11610	10.6	3.1	11	6	6.4	11	4.1	9.8	15	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	Filtration system removed prior to Aug. '05 at owner's request.
TH11611	ND	ND	ND	ND	.27 J	ND	0.21 J	ND	ND	0.32 J	0.36 J	0.66	ND	0.57	1.1	0.85	0.85	0.91	0.84	0.34LJ	
TH11618	7.9	ND	ND	4.8	7.6	5.6	ND	2.3	22	ND	ND	ND	0.64	ND	ND	26.2	136	89.9	93.5	98.5	Filtration System
TH11619	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	Per owner request, not sampled Aug.'05.
TH11620	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.19 J	0.15 J	0.21 LJ	0.11 LJ	ND	ND	0.056 LJ	ND	ND	0.071 LJ	ND	
TH11627	NS	NS	NS	NS	ND	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	Currently sharing water with the well located at TH11635.
TH11635	ND	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
TH11642	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.19 J	0.18 J	ND	0.20 LJ	0.24 LJ	0.19 LJ	0.27 LJ	0.21 LJ	0.22 LJ	0.32 LJ	ND	
TH11643	ND	NS	NS	NS	ND	ND	ND	ND	ND	0.11 J	ND	ND	ND	ND	ND	ND	ND	ND	0.059 LJ	ND	
TH11651	NS	NS	NS	NS	ND	NS	ND	ND	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
TH11703	ND	NS	NS	NS	ND	ND	ND	ND	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
TH11713	NS	NS	NS	NS	ND	ND	ND	ND	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
TH11722	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
TH11723	NS	NS	NS	NS	NS	ND	NS	NS	NS	ND	ND	7.8 J	ND	ND	ND	ND	ND	ND	ND	ND	Feb. '06-Owner independently sampled well and declined filtration system.
TH11733	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	0.11 LJ	ND	ND	ND	ND	NS	ND	ND	
TH11737	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	
TO10615	ND	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	Too far east, not on map.
TO10619	NS	NS	NS	ND	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	Shares Well with TO10627
TO10624	ND	NS	NS	ND	ND	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
TO10627	ND	NS	ND	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
TO10635	ND	NS	ND	ND	ND	ND	ND	ND	ND	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
TO10700	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
TO10700LPT	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	ND	Well discovered Nov. 2006
TO10727	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.051 LJ	ND
TO10827	0.5	NS	0.97	1.5	1.3	2	1.7	2	2.6	3.4	2.0 J	2.6	3	3.50	3.4	4	6	5.6	5	5.1	Filtration system installed July 2007.
TO10830	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	

**Table 8**  
**Quarterly PCE Groundwater Sampling Results - May 2003 through February 2008**  
**Jones Road Groundwater Plume Federal Superfund Site (SUP075)**  
**Harris County, Texas**  
**Shaw Project Number 134515**

Updated: April 28, 2008

Location ID	May '03	Aug. '03	Nov. '03	Feb. '04	May '04	Aug. '04	Nov. '04	Feb. '05	May '05	Aug. '05	Nov. '05	Feb. '06	May/ Jul. '06	Aug. '06	Nov. '06	Feb. '07	May '07	Aug. '07	Nov. '07	Feb. '08	Additional Comments	
TO10835	2	2.8	3.8	6.6	8.8	7.8	6.2	13	10	9.7	5.9	ND	NS	10.0	14.8	18.1	15.5	NS	24	29.6	Filtration System. No access Aug '07.	
TO10902	7.1	13.8	16	12	10	16	17	19	16	21	28 J	41	41	41	37.9	48.2	20.4	35.1	24.6	26.8	Filtration System. Re-sampled July '06.	
TO10903	18.2	16.8	7.9	37	20	22	25	28	42	33	41	51 J^	54	56	66.5	67.4	65.2	74.2	99	75.3	Filtration System. Re-sampled July '06.	
TO11011	ND	NS	NS	NS	NS	NS	ND	ND	ND	ND	ND	ND	NS	NS	NS	NS	NS	NS	NS	NS	May '06-no power to well.	
TO11023	NS	NS	NS	NS	0.51	0.64 J	0.38 J	0.63	1.6	0.76	0.55	0.35 LJ	0.6	ND	0.56	1.5	1.4	1.7	2.1	1.2	Difficult to access	
TO11024	24.5	19.9	30	37	15	18	22	25	18	32	33	42	25	NS	NS	NS	NS	NS	NS	NS	Filtration System. No power to well Aug. '06, Nov. '06, Feb. '07, May '07, Aug '07', Nov '07, and Feb '08.	
TO11033	0.5	0.8	NS	1.1	1.2	1.4	1.4	1.4	1	NS	1.9	2.1	2.7	3.9	3.7	4.2	4.2	4	2.8	1.8	No power to well Aug. '05.	
TO11051	ND	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	Shares Well with TO11033	
TO11102	0.3 J	0.8	0.64	0.92	NS	1.1	0.99	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	Sampling crew was unable to contact owner. Difficult to access.	
TO11115B	ND	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
TO11116	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	Shares Well with TC11131
TO11116MO	NS	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
TO11202	ND	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	
TO11205	ND	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
TO11230	ND	NS	NS	NS	NS	ND	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	ND	NS	ND	No power Nov. '04 to Feb. '06 and Nov '07.	
TO11305	NS	NS	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	NS	NS	NS	NS	NS	NS	NS	NS		
TO11309	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	ND	ND	NS	NS	NS	NS	NS	NS	NS	NS		
TO11310	NS	NS	NS	NS	NS	ND	ND	ND	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
TO11314	NS	NS	NS	NS	NS	ND	ND	ND	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
TO11335	NS	NS	NS	NS	NS	ND	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	No Access , Gate locked. Aug '07-not sampled per property manager's request.	
TO11338	ND	NS	NS	NS	ND	ND	ND	0.25 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
TT11011	13.2	10.8	6.2	18	16 J	31 J	21	26	31	29	32	37	39	32	42.1	57.1	48.1	52.7	69	67.4	Filtration System	
TT11014	27.3	25.7	24	38	28	20	16	25	20	32	27	59	44	26	31.6	99.6	106	95.2	140	80.6	Filtration System. Re-sampled July '06.	
TT11015	*ND	*ND	*ND	*ND	*ND	*ND	*ND	*ND	*ND	30	30	38	42	28	32.6	36.8	27.3	23.1	28	28.6	* Filtration System inside the Garage. Difficult access, unable to contact owner.	
TT11031	NS	5.3	7.1	12	9.1	11	7.4	12	14	9.2	15	14	13	7.6	11.9	10.5	13	9.3	NS	8.1	Filtration System -No Access-Gates Lock Nov '07	
TT11039	ND	0.8	NS	0.2J	.23 J	ND	0.88	0.45 J	0.63	2.7	3.6	1.9	NS	NS	NS	NS	NS	NS	NS	NS	May '06-no access	
TT11102	0.4 J	1.1	ND	0.55	0.54	0.84	0.82	0.93	0.86	1.3	1.5	1.3	ND	0.76	0.64	0.26 LJ	0.28 LJ	ND	0.22 LJ	ND		
TT11103	ND	ND	ND	0.12J	ND	ND	ND	ND	ND	0.15 J	0.21 J	0.16 LJ	ND	ND	ND	0.073 LJ	ND	ND	ND	ND		
TT11106	22.4	7.4	6	9.9	12	19	7.9	7.9	6.7	4.8	6.5	6.4	4.8	33	66.3	62.9	62.4	45.5	31	16.3	Filtration System. Pump replaced Mar. '06.	
TT11107	4.2	3.7	5.3	7.5	5.2	9.7	9.4	16	19	35	44	38 J	57	98	120	142	129	158	230	183	Filtration System	
TT11112	ND	ND	ND	ND	ND	ND	0.093 J	0.24 J	0.27 J	0.23 J	0.28 J	ND	ND	ND	ND	0.085 LJ	ND	ND	0.17 LJ	0.17LJ		
TT11114	ND	ND	ND	ND	ND	ND	0.17 J	0.16 J	0.26 J	0.23 J	ND	0.11 LJ	ND	0.15 LJ	0.15 LJ	ND	ND	0.16 LJ	ND	ND		
TT11115	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	New residence Feb. '07.	
TT11118	1.4	1.6	1.5	1.3	1.2	1.7	1.2	1.5	1.3	1.7	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	No power as of Nov. '05.	
TT11123	4.5	NS	2.7	2.7	NS	8.9	5.8	8.8	NS	8.1	6.8	6	NS	4.10	3.7	NS	NS	NS	11	NS	Filtration System. Difficult to access. Feb. '07, May '07', and Aug '07, and Feb '08.	
TT11124	ND	0.6	ND	0.54	.4 J	ND	0.34 J	0.28 J	0.26 J	0.33 J	0.42 J	0.47 LJ	0.37 LJ	ND	0.35 LJ	0.32 LJ	ND	0.38 LJ	ND	0.43LJ		
TT11127	4.7	3.1	3.9	14	21	23	13	20	15	15	4.6	2.8	ND	3.50	2	12.4	14.6	16.4	23	23.3	Filtration System	

**Table 8**  
**Quarterly PCE Groundwater Sampling Results - May 2003 through February 2008**  
**Jones Road Groundwater Plume Federal Superfund Site (SUP075)**  
**Harris County, Texas**  
**Shaw Project Number 134515**

Updated: April 28, 2008

Location ID	May '03	Aug. '03	Nov. '03	Feb. '04	May '04	Aug. '04	Nov. '04	Feb. '05	May '05	Aug. '05	Nov. '05	Feb. '06	May/ Jul. '06	Aug. '06	Nov. '06	Feb. '07	May '07	Aug. '07	Nov. '07	Feb. '08	Additional Comments
TT11131	3.6	3	3.4	6	5.8	5.8	4.7	4.9	3.4	6.6	4	4.8	6.3	4.0	4.5	8.3	10.8	13.1	23	25.4	Filtration System
TT11139	ND	ND	ND	ND	ND	ND	ND	ND													
TT11202	ND	NS	ND	ND	ND	ND	ND	ND	ND	ND	Re-sampled July '06.										
TT11203	ND	0.16 J	0.17 J	ND	ND	ND	0.17 LJ	0.18 LJ	NS	NS	NS	NS	Owner requests no further sampling as of Feb. '07								
TT11215	ND	ND	ND	ND	ND	ND	ND	ND	Re-sampled July '06.												
TT11219	ND	NS	NS	NS	NS	ND	ND	ND	ND	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
TT11222	ND	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND									
TT11227	ND	NS	NS	NS	NS	ND	ND	ND	ND	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
TT11230	NS	NS	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND								
TT11303	ND	NS	NS	NS	NS	ND	ND	ND	ND	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	Re-sampled July '06.
TT11306	NS	NS	NS	NS	ND	NS	ND	Planned to re-sample July '06 - no power to well.													
TT11322	NS	NS	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	Re-sampled July '06.							
TT11323	NS	NS	NS	NS	NS	ND	ND	ND	ND	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
WE10514	NS	ND	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	Too far east, not on map.								
WE10710	NS	ND	ND	ND	ND	ND	ND	ND	ND												
WE10711	NS	ND	ND	ND	ND	ND	ND	ND	ND	Re-sampled July '06.											
WE10715	ND	NS	ND	ND	ND	ND	ND	ND	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	
WE10719	ND	NS	ND	ND	ND	ND	ND	ND	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	
WE10727	ND	NS	ND	ND	ND	ND	ND	ND	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	
WE10814	ND	NS	ND	0.23 LJ	ND	ND	ND	ND	ND	ND	ND	ND	No power May and Aug. '05.								
WE10815	ND	NS	ND	ND	ND	ND	ND	ND	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	Re-sampled July '06.
WE10831	ND	NS	ND	ND	ND	ND	ND	ND	ND	ND											
WE10931	ND	NS	ND	ND	ND	ND	ND	ND	ND	ND											
WE11322	ND	NS	NS	NS	ND	ND	ND	ND	ND	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
<b>Sampling Results Summary</b>													<b>May/Jul. '06</b>								<b>EXPLANATION OF COLORS</b>
# of green sampling results	104	45	67	69	158	153	157	151	107	118	126	138	140	143	133	136	141	142	138	138	PCE < 0.5 ppb (Quantitation Limit)
# of yellow sampling results	22	26	20	21	16	19	19	16	22	20	16	15	16	17	18	13	12	11	13	10	PCE >=0.5 to <= 5.0
# of red sampling results	17	19	20	24	27	29	23	26	25	25	27	27	22	25	24	28	28	30	30	31	PCE > 5.0 ppb (MCL)
<b># of Yellow plus Red</b>	<b>39</b>	<b>45</b>	<b>40</b>	<b>45</b>	<b>43</b>	<b>48</b>	<b>42</b>	<b>42</b>	<b>47</b>	<b>45</b>	<b>43</b>	<b>42</b>	<b>38</b>	<b>42</b>	<b>42</b>	<b>41</b>	<b>40</b>	<b>41</b>	<b>43</b>	<b>41</b>	
Total Addresses Sampled	143	90	107	114	201	201	199	193	154	163	169	180	178	185	175	176	181	183	181	179	
Total # of Filtration Systems	24	24	24	27	29	32	32	33	33	31	31	31	32	32	33	33	34	34	35	35	

Note: All results are prior to filtration system, unless otherwise indicated in comments.

\* Filtration System inside the Garage. No access. Sampling at nearest outside faucet prior to August 2005.

**Table 8**  
**Quarterly PCE Concentrations in Groundwater - May 2003 through February 2008**  
**Jones Road Groundwater Plume Federal Superfund Site (SUP075)**  
**Harris County, Texas**  
**Shaw Project Number 134515**

Updated: April 24, 2008

Location ID	Date Drilled	Screen (ft)	May 2003 to May 2005	Aug 2005	Nov 2005	Feb 2006	May 2006	Aug 2006	Nov 2006	Feb 2007	May 2007	Aug 2007	Nov 2007	Feb 2008	Additional Comments
<b>Tetrachloroethene (PCE) (MCL: 5 ppb)</b>															
MW-10	7/7/05	270-290	NS	ND											
MW-11R	11/1/05	249-269	NS	NS	ND										
MW-12	7/14/05	260-280	NS	ND											
MW-13	7/19/05	276-296	NS	ND											
MW-14	7/22/05	260-280	NS	ND											
MW-15	7/26/05	274-294	NS	ND											
MW-16	7/28/05	258-278	NS	ND											
MW-17	8/11/05	410-430	NS	ND											
MW-18	8/12/05	284-297	NS	ND	0.29 LJ	ND									
MW-19	11/3/05	240-260	NS	ND											
<b>Trichloroethene (MCL: 5 ppb)</b>															
MW-10	7/7/05	270-290	NS	ND	0.13 LJ	ND									
MW-11R	11/1/05	249-269	NS	NS	0.033 J	ND									
MW-12	7/14/05	260-280	NS	ND											
MW-13	7/19/05	276-296	NS	ND											
MW-14	7/22/05	260-280	NS	ND											
MW-15	7/26/05	274-294	NS	ND											
MW-16	7/28/05	258-278	NS	ND											
MW-17	8/11/05	410-430	NS	ND	0.028 J	ND									
MW-18	8/12/05	284-297	NS	ND											
MW-19	11/3/05	240-260	NS	ND											
<b>cis-1,2 Dichloroethene (MCL: 70 ppb)</b>															
MW-10	7/7/05	270-290	NS	ND	0.095 LJ	ND									
MW-11R	11/1/05	249-269	NS	NS	ND										
MW-12	7/14/05	260-280	NS	ND											
MW-13	7/19/05	276-296	NS	ND											
MW-14	7/22/05	260-280	NS	ND											
MW-15	7/26/05	274-294	NS	ND											
MW-16	7/28/05	258-278	NS	ND											
MW-17	8/11/05	410-430	NS	ND											
MW-18	8/12/05	284-297	NS	ND											
MW-19	11/3/05	240-260	NS	ND											
<b>trans-1,2 Dichloroethene (MCL: 100 ppb)</b>															
MW-10	7/7/05	270-290	NS	ND											
MW-11R	11/1/05	249-269	NS	NS	ND										
MW-12	7/14/05	260-280	NS	ND											
MW-13	7/19/05	276-296	NS	ND											
MW-14	7/22/05	260-280	NS	ND											
MW-15	7/26/05	274-294	NS	ND											
MW-16	7/28/05	258-278	NS	ND											
MW-17	8/11/05	410-430	NS	ND											
MW-18	8/12/05	284-297	NS	ND											
MW-19	11/3/05	240-260	NS	ND											

**Table 8**  
**Quarterly PCE Concentrations in Groundwater - May 2003 through February 2008**  
**Jones Road Groundwater Plume Federal Superfund Site (SUP075)**  
**Harris County, Texas**  
**Shaw Project Number 134515**

Updated: April 24, 2008

Location ID	Date Drilled	Screen (ft)	May 2003 to May 2005	Aug 2005	Nov 2005	Feb 2006	May 2006	Aug 2006	Nov 2006	Feb 2007	May 2007	Aug 2007	Nov 2007	Feb 2008	Additional Comments
<b>Vinyl chloride (MCL: 2 ppb)</b>															
MW-10	7/7/05	270-290	NS	ND	0.14 LJ	ND									
MW-11R	11/1/05	249-269	NS	NS	ND	0.31 LJ	0.86	ND	2.3	ND	ND	ND	4.5	ND	
MW-12	7/14/05	260-280	NS	ND	0.85	1.1	1.5	1.9	2.6	2.3	3.9	2.6	4.6	ND	
MW-13	7/19/05	276-296	NS	ND	1.1	ND	1.2	ND	ND	ND	ND	ND	0.68	ND	
MW-14	7/22/05	260-280	NS	ND	1.2	ND	0.32 LJ	1	ND	1.8	ND	1.1	1.4	ND	
MW-15	7/26/05	274-294	NS	ND	ND	0.66	1.2	1.8	2.2	1.7	1.2	ND	1.3	ND	
MW-16	7/28/05	258-278	NS	ND	0.66	0.93	1.4	1.1	2.7	ND	ND	2.4	3.2	ND	
MW-17	8/11/05	410-430	NS	ND	ND	0.64	ND	ND	ND	ND	ND	ND	.15 LJ	ND	
MW-18	8/12/05	284-297	NS	ND	ND	0.54	1.4	2.1	2.3	1.8	3.1	2	4.1	ND	
MW-19	11/3/05	240-260	NS	ND	ND	ND	0.49 LJ	ND	1.1	ND	1.2	1.2	1.8	ND	Nov '06 duplicate sample ND.

**Notes:**

- Results >= MCL (RED)
- Results < MCL and >= 0.5 ppb (YELLOW)
- Results < 0.5 ppb or Undetect (GREEN)

ND = Not Detected

NS = Not Sampled

**Table 8**  
**Quarterly PCE Concentrations in Groundwater - May 2003 through February 2008**  
**Jones Road Groundwater Plume Federal Superfund Site (SUP075)**  
**Harris County, Texas**  
**Shaw Project Number 134515**

Updated: April 24, 2008

Location ID	Date Drilled	Screen (ft)	May 2003	Aug 2003	Nov 2003	Feb 2004	May 2004	Aug 2004	Nov 2004	Feb 2005	May 2005	Aug 2005	Nov 2005	Feb 2006	May 2006	Aug 2006	Nov 2006	Feb 2007	May 2007	Aug 2007	Nov 2007	Feb 2008	Additional Comments
<b>Tetrachloroethene (PCE) (MCL: 5 ppb)</b>																							
MW-1	11/7/01	2.5-35	34,100	3,900	15,000	29,000	7,500	3,200	23,000	19,000	14,000	6,040	8,500	5,640	11,400	11,700	16500 K	12,500	18,400	23,000	18,000	27,900	
MW-2	11/7/01	2.5-35	184	19	110	320	310	330	370	790	400	506	430	599	1,660	844	690	835	1,000	5,080	697	1,070	
MW-3	11/7/01	2.5-35	0.8	ND	ND	13	48	23	31	40	37	61.8	37	35.8	49.6	34.6	34.6	42.6	51	16.2	90.9	50.1	
MW-4	1/1/02	35	1.1	ND																			
MW-5	1/1/02	35	1.0	ND	4.6J	0.15 J	ND	0.10 LJ	ND														
MW-6	1/1/02	35	NS	6,000	3,600	2,200	1,900	9,700	NS	5300	7600	6800	NS	NS	NS	5980	NS	4440	4540	16600	109000	167,000	see note 1
MW-7	9/1/03	20-35	NS	NS	ND	1.4	ND	ND	ND	ND	2.8	ND											
MW-8	9/1/03	21-36	NS	NS	ND	ND	ND	16	1 J	ND	ND	ND	0.61	0.26 LJ	0.29 LJ	ND							
MW-9	9/1/03	20-35	NS	NS	ND	ND	ND	0.62	ND	ND	ND	ND	0.92 J	ND	ND	ND	1.7	ND	ND	2.9	ND	ND	
<b>Trichloroethene (MCL: 5 ppb)</b>																							
MW-1	11/7/01	2.5-35	4,340	1,100	2,800	3,700	1,200	1,200	5,400	2900 J	2900	613	1200	796	1,320	1,850	1,240	1260	3280	1000	3870	5,060	
MW-2	11/7/01	2.5-35	55.1	14	41	85 J	88 J	100	68	180	110	99.6	85	101	159	170	120	180	153	118	120	180	
MW-3	11/7/01	2.5-35	ND	7	ND	13	15	30	33	36	37	61.8	26	39.4	82.60 J	35.5	32.6	45.5	60.2	24	19.2	61.8	
MW-4	1/1/02	35	ND																				
MW-5	1/1/02	35	ND																				
MW-6	1/1/02	35	NS	220	230	160	280 J	450	NS	400 LJ	570	511	NS	NS	NS	511	NS	255	438	1100	682	850	see note 1
MW-7	9/1/03	20-35	NS	NS	ND	0.030 J	ND																
MW-8	9/1/03	21-36	NS	NS	ND	ND	ND	3.5	ND	ND	ND	ND	0.58	0.31 LJ	0.29 LJ	ND							
MW-9	9/1/03	20-35	NS	NS	ND	0.055 J	ND																
<b>cis-1,2 Dichloroethene (MCL: 70 ppb)</b>																							
MW-1	11/7/01	2.5-35	5,920	3,500	5,700	5,300	1,300	1,900	5,800	3000	4100	1630	2000	1480	2020	2710	1,460	1,210	3,820	5,880	4,780	5,320	
MW-2	11/7/01	2.5-35	115	37	63	130	97 J	89	36 J	160	140	119	47 J	40.7	135	116	53.4	211	156	706	97.8	221	
MW-3	11/7/01	2.5-35	ND	88	71	95	81 J	100	79	98	210	119	42	153	590 J	216	143	276	392	227	90.9	319	
MW-4	1/1/02	35	ND																				
MW-5	1/1/02	35	ND																				
MW-6	1/1/02	35	NS	580	360	350	350	2,400	NS	950 LJ	1700	1510	NS	NS	NS	1080	NS	512	1020	4640	2560	3,000	see note 1
MW-7	9/1/03	20-35	NS	NS	ND																		
MW-8	9/1/03	21-36	NS	NS	2	ND	ND	2.6	1 J	ND	ND	ND	1.6	0.86	1.1	1.1	1.5	ND	ND	ND	1.2	1.1	
MW-9	9/1/03	20-35	NS	NS	ND	ND	ND	0.48	ND														
<b>trans-1,2 Dichloroethene (MCL: 100 ppb)</b>																							
MW-1	11/7/01	2.5-35	35	9 J	ND	27	34	20	28	19	23 J	39.2	ND	18	32	30.8	ND	20.2	26.6	35.8	36.4	37	
MW-2	11/7/01	2.5-35	0.9	ND	ND	1 J	ND	1.3	1.9	1.3	1.3	ND	10										
MW-3	11/7/01	2.5-35	ND	ND	ND	ND	ND	1.1J	ND	ND	ND	ND	ND	ND	6.2	ND	ND	2.1	3	1.6	ND	3	
MW-4	1/1/02	35	ND																				
MW-5	1/1/02	35	ND																				
MW-6	1/1/02	35	NS	ND	3	3 J	7 J	12	NS	7 LJ	ND	27.3	NS	NS	NS	7	NS	ND	5.8	21.4	10	100	see note 1
MW-7	9/1/03	20-35	NS	NS	ND																		
MW-8	9/1/03	21-36	NS	NS	ND																		
MW-9	9/1/03	20-35	NS	NS	ND																		
<b>Vinyl chloride (MCL: 2 ppb)</b>																							
MW-1	11/7/01	2.5-35	486	110	420	330 J	320 J	89	230 J	300 J	150	65.6	160	85	214	189	111	192	153	172	105	145	
MW-2	11/7/01	2.5-35	5.8	ND	ND	1 J	ND	ND	ND	2 LJ	3 J	ND	ND	ND	2.6	2.6	ND	3.8	3.2	1.1	ND	10	
MW-3	11/7/01	2.5-35	ND	1.1	ND	ND	ND	ND															
MW-4	1/1/02	35	ND																				
MW-5	1/1/02	35	ND																				
MW-6	1/1/02	35	NS	25	500	97	120	280	NS	250 J	200	172	NS	NS	NS	151	NS	183	117	509	264	350	see note 1
MW-7	9/1/03	20-35	NS	NS	ND																		
MW-8	9/1/03	21-36	NS	NS	ND																		
MW-9	9/1/03	20-35	NS	NS	ND																		

**Notes:**

1. Not enough water to sample MW-6 in Nov 2004, Nov. 2005, Feb. 2006, May 2006, and Nov. 2006. Sampled with a bailer May 07' and Aug. 07'.

Results >= MCL (RED)  
Results < MCL and >= 0.5 ppb (YELLOW)  
Results < 0.5 ppb or Undetect (GREEN)

ND = Not Detected

NS = Not Sampled

**Table 8**  
**Quarterly Vinyl Chloride Groundwater Sampling Results**  
**Jones Road Groundwater Plume Federal Superfund Site (SUP075)**  
**Harris County, Texas**  
**Shaw Project Number 134515**

Updated: May 19, 2008

Location ID	May 2005	Aug 2005	Nov 2005	Feb 2006	May/Jul 2006	Aug 2006	Nov 2006	Feb 2007	May 2007	Aug 2007	Nov 2007	Feb 2008	Additional Comments
AD11502	NS	NS	ND	NS	ND	NS	NS	NS	ND	NS	NS	NS	
AD11511	NS	NS	NS	NS	NS	ND	NS	NS	NS	ND	NS	ND	
AD11603	NS	NS	NS	ND	NS	NS	ND	ND		NS	NS	NS	
AD11619	ND	0.14 LJ	ND	ND	NS	ND							
AD11702	NS	NS	NS	NS	ND	NS	NS	NS	ND	ND	NS	NS	
AD11714	NS	NS	NS	NS	NS	ND	NS	NS	NS	ND	NS	NS	
BH11603	NS	NS	NS	ND	NS	NS	ND	ND	NS	NS	ND	NS	
BH11614	NS	NS	ND	NS	ND	ND	NS	NS	ND	ND	NS	ND	
BH11710	NS	NS	ND	NS	NS	NS	NS	NS	NS	NS	NS	NS	May '06-no access
BL10818A	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
BL10819	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
BL10825	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
CP11510	ND	ND	ND	ND	NS	ND							
CP11610	NS	NS	NS	NS	ND	NS	NS	NS	ND	NS	NS	NS	
CP11710	NS	NS	NS	ND	NS	NS	ND	ND		NS	ND	NS	
CP11711	NS	NS	NS	ND	NS	NS	ND	ND		ND	NS	ND	
CP11718	NS	ND	ND	ND	NS	ND	NS	NS	NS	NS	NS	NS	
DK11503	NS	NS	NS	NS	ND	NS							
DK11603	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	NS	
DK11611	NS	NS	ND	NS	NS	ND	NS	NS	NS	ND	NS	ND	
DK11702	NS	NS	NS	NS	ND	NS	NS	NS	ND	NS	NS	NS	
DK11703	NS	NS	NS	ND	NS	NS	ND	NS	NS	NS	NS	ND	
DK11707	NS	NS	NS	NS	NS	NS	NS	NS	ND	NS	NS	NS	
DK11710	NS	NS	ND	NS	NS	NS	NS	NS	NS	NS	NS	NS	
DK11718	NS	NS	NS	NS	NS	ND	NS	NS	NS	ND	NS	NS	
DM11502	NS	NS	NS	NS	NS	ND	NS	NS	NS	NS	NS	NS	
DM11506	NS	NS	ND	NS	ND	NS	NS	NS	ND	ND	NS	NS	
DM11507	NS	NS	NS	ND	NS	NS	ND	ND	NS	ND	NS	ND	
DM11509	ND	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
DM11513	NS	NS	NS	NS	NS	ND	NS	NS	NS	NS	ND	NS	
DM11515	ND	NS	NS	NS	ND	NS	NS	NS	ND	ND	NS	ND	
ES11610	ND	ND	ND	ND	ND	ND	NS	NS	ND	ND	ND	ND	
ES11627	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	Filtration System added Feb. '05.
ES11630	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
ES11643	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
ES11703	ND	ND	ND	ND	ND	NS	NS	NS	NS	NS	ND	NS	Jul. '06, Aug. '06, Nov. '06, Feb '07, May '07, Aug '07, and Feb '08 - no power to well; house under construction.
ES11713	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
ES11718	ND	ND	ND	ND	ND	ND	NS	NS	ND	ND	ND	ND	Nov. '06 no access gate locked.
ES11730	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
FB11502	ND	ND	NS	NS	NS	NS	NS	NS	NS	ND	NS	ND	
FB11607	NS	NS	ND	NS	NS	NS	NS	NS	NS	NS	NS	NS	Nov. '06 & Feb '07 - sampling refused by owner.

**Table 8**  
**Quarterly Vinyl Chloride Groundwater Sampling Results**  
**Jones Road Groundwater Plume Federal Superfund Site (SUP075)**  
**Harris County, Texas**  
**Shaw Project Number 134515**

Updated: May 19, 2008

Location ID	May 2005	Aug 2005	Nov 2005	Feb 2006	May/Jul 2006	Aug 2006	Nov 2006	Feb 2007	May 2007	Aug 2007	Nov 2007	Feb 2008	Additional Comments
FB11610	NS	NS	NS	ND	NS	NS	NS	NS	NS	NS	NS	NS	May '06-no access
FB11614	NS	NS	ND	NS	NS	ND	NS	NS	NS	NS	ND	NS	
FV11014	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	Filtration System
FV11022	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	Filtration System
FV11023	ND	0.24 LJ	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	Filtration System
FV11110	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.23 LJ	ND	
FV11118	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.10 LJ	ND	Owner installed filtration system as of Feb. '06.
FV11123	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.12 LJ	ND	
FV11127	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
FV11130	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	Filtration System
FV11135	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
FV11202	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	Re-sampled July '06.
FV11203	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
FV11210	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	Owner installed filtration system as of Feb. '06. Sample taken from faucet May 07'
FV11215	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	Owner installed filtration system as of Feb. '06.
FV11226	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
FV11231	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	Feb '07 and Feb '08 - No power to the well.
FV11302	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
FV11306	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	Shares well with FV11314
FV11315	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
FV11319	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	Re-sampled July '06.
FV11322	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	ND	No Access-Gate Locked Nov '07
FV11326	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
GL11310	ND	ND	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	
GL11402	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	
GL11506	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
GL11514	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
GL11606	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
GL11614	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
GL11622	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
GL11702	NS	ND	ND	ND	NS	NS	NS	NS	NS	NS	NS	NS	May '06-not sampled per owner's request.
JR11010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
JR11043	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	Shares w/PWS well JR11035. Too far south, not on the map.
JR11414	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
JR11427	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	Filtration System
JR11503	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
JR11515	ND	ND	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	Oct.'05-not sampled per owner's request.

**Table 8**  
**Quarterly Vinyl Chloride Groundwater Sampling Results**  
**Jones Road Groundwater Plume Federal Superfund Site (SUP075)**  
**Harris County, Texas**  
**Shaw Project Number 134515**

Updated: May 19, 2008

Location ID	May 2005	Aug 2005	Nov 2005	Feb 2006	May/Jul 2006	Aug 2006	Nov 2006	Feb 2007	May 2007	Aug 2007	Nov 2007	Feb 2008	Additional Comments
JR11527	ND	ND	ND	0.15 LJ	ND	ND	ND	ND	ND	ND	ND	ND	Could not sample prior to Nov. '03. Filtration System.
JR11528	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	Filtration system installed June '06.
JR11535	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	Filtration System. Feb. '04 result is correct. Shares well with FV11011.
JR11600	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
JR11614	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	Filtration System
JR11620	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
JR11642	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	Filtration System
JR11646	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
JR11650	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
JR11655	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
JR11663	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
JR11707	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
JR11718	NS	NS	NS	NS	ND	ND	ND	ND	NS	ND	ND	ND	No access. Gate locked May '07.
JR11729 1/2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
JRW11234	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MI11507	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	NS	ND	
MI11510	NS	NS	NS	NS	NS	NS	NS	NS	NS	ND	NS	NS	
MI11515	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
MI11611	NS	NS	ND	NS	NS	NS	NS	NS	NS	NS	NS	NS	
OV11503	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	
OV11507	NS	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	NS	No power to well in Nov. '05 and Feb. '06.
OV11527	ND	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
OV11534	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
OV11547	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
OV11602	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
OV11603	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
OV11610	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
OV11618	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
OV11623	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
OV11626	NS	ND	NS	NS	ND	NS	NS	NS	ND	ND	ND	ND	Pump broken Nov. '05; shares well with OV11618
OV11634	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	Re-sampled July '06.
OV11635	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	Feb '04 duplicate samples: ND & 0.91
OV11642	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
PH11602	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	Re-sampled July '06.
PH11603	ND	ND	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	No water to well Nov. '05; gets water from PH11610
PH11610	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	Re-sampled July '06.
PH11611	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	Re-sampled July '06.
PH11618	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
PH11619	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	Re-sampled July '06.
PH11626	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	ND	ND	No power to well Aug '07

**Table 8**  
**Quarterly Vinyl Chloride Groundwater Sampling Results**  
**Jones Road Groundwater Plume Federal Superfund Site (SUP075)**  
**Harris County, Texas**  
**Shaw Project Number 134515**

Updated: May 19, 2008

Location ID	May 2005	Aug 2005	Nov 2005	Feb 2006	May/Jul 2006	Aug 2006	Nov 2006	Feb 2007	May 2007	Aug 2007	Nov 2007	Feb 2008	Additional Comments
PH11627	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
PH11643	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
PH11650	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
PH11651	NS	ND	ND	ND	ND	ND	ND	ND	NS	NS	NS	NS	Feb. '07 not sampled per owner's request
PH11702	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	
PH11710	NS	NS	NS	ND	NS	NS	NS	NS	NS	NS	NS	NS	May '06-not sampled per owner's request.
PH11713	NS	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	
PH11738	NS	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	
PH11739	NS	NS	NS	NS	ND	ND	NS	NS	NS	NS	NS	NS	Nov. '06 - no access gate locked; Feb '07 - not sampled per owner's request.
TC11018	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
TC11019	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	Filtration System
TC11022	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	Filtration System. Re-sampled July '06.
TC11027	ND	ND	ND	ND	ND	ND	NS	NS	ND	ND	ND	ND	Filtration System. No power to the well through Feb '04. Re-sampled July '06. Nov. '06 and Feb '07 - no power to well.
TC11034	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
TC11035	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
TC11103	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	Filtration System
TC11106	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2 wells- 1st drilled
TC11107	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	Filtration System. Unable to sample because pump head disconnected Aug '07.
TC11108	ND	ND	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	Shares well with TC11106.
TC11110	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
TC11115	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	Filtration System
TC11118	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	Filtration System
TC11126	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	Filtration System. No power to well Feb '08.
TC11130	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	Filtration System installed Oct. '06.
TC11132	ND	ND	ND	ND	ND	ND	NS	NS	ND	ND	ND	NS	Nov. '06 no access gate locked. No power to well Feb '08.
TC11135	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
TC11140	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	Feb '07 - sample taken from kitchen faucet per owner's request.
TC11203	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
TC11206	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
TC11214	ND	ND	ND	ND	ND	ND	NS	NS	ND	ND	ND	ND	Nov. '06 and Feb '07 no access gate locked.
TC11215	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	The pump had problems, the sampler could not complete the purge in Feb. '05.
TC11219	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	
TC11315	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	

**Table 8**  
**Quarterly Vinyl Chloride Groundwater Sampling Results**  
**Jones Road Groundwater Plume Federal Superfund Site (SUP075)**  
**Harris County, Texas**  
**Shaw Project Number 134515**

Updated: May 19, 2008

Location ID	May 2005	Aug 2005	Nov 2005	Feb 2006	May/Jul 2006	Aug 2006	Nov 2006	Feb 2007	May 2007	Aug 2007	Nov 2007	Feb 2008	Additional Comments
TC11330	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	
TC11331	NS	NS	NS	ND	ND	ND	ND	ND	ND	NS	ND	ND	No power to the well Nov. '04 to Feb. '06 No power to well Aug '07.
TH11602	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
TH11603	ND	0.11 LJ	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	Multiple spigots needed to be used to get the pump running continuously.
TH11610	ND	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	Filtration system removed prior to Aug. '05 at owner's request.
TH11611	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
TH11618	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	Filtration System
TH11619	ND	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	Per owner request, not sampled Aug.'05.
TH11620	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
TH11627	NS	NS	NS	NS	ND	NS	Currently sharing water with the well located at TH11635.						
TH11635	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
TH11642	ND	ND	ND	ND	ND	ND	ND	ND	0.21 LJ	ND	ND	ND	
TH11643	ND	0.12 LJ	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	
TH11703	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
TH11713	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
TH11722	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
TH11723	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	Feb. '06-Owner independently sampled well and declined filtration system.
TH11733	NS	NS	NS	NS	ND	ND	ND	ND	ND	NS	ND	ND	
TH11737	NS	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	
TO10627	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
TO10635	ND	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
TO10700	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
TO10700LPT	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	ND	ND	Well discovered Nov. 2006
TO10727	ND	0.10 LJ	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
TO10827	ND	0.12 LJ	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	Filtration system installed July 2007.
TO10830	ND	0.10 LJ	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
TO10835	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	ND	ND	Filtration System. No access Aug '07.
TO10902	ND	0.13 LJ	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	Filtration System. Re-sampled July '06.
TO10903	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.17 LJ	ND	Filtration System. Re-sampled July '06.
TO11011	ND	ND	ND	ND	NS	NS	NS	NS	NS	NS	NS	NS	May '06-no power to well.
TO11023	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	Difficult to access
TO11024	ND	ND	ND	ND	ND	NS	Filtration System. No power to well Aug. '06, Nov. '06, Feb. '07, May '07, Aug '07', Nov '07', and Feb '08.						
TO11033	ND	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	No power to well Aug. '05.
TO1115B	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
TO11116	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	Shares Well with TC11131
TO11116MO	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
TO11202	NS	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	

**Table 8**  
**Quarterly Vinyl Chloride Groundwater Sampling Results**  
**Jones Road Groundwater Plume Federal Superfund Site (SUP075)**  
**Harris County, Texas**  
**Shaw Project Number 134515**

Updated: May 19, 2008

Location ID	May 2005	Aug 2005	Nov 2005	Feb 2006	May/Jul 2006	Aug 2006	Nov 2006	Feb 2007	May 2007	Aug 2007	Nov 2007	Feb 2008	Additional Comments
TO11205	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
TO11230	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	NS	ND	No power Nov. '04 to Feb. '06 and Nov '07.
TO11305	ND	ND	ND	ND	NS	NS	NS	NS	NS	NS	NS	NS	
TO11309	ND	ND	ND	ND	NS	NS	NS	NS	NS	NS	NS	NS	
TO11338	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
TT11011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.099 LJ	ND	Filtration System
TT11014	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	Filtration System. Re-sampled July '06.
TT11015	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	* Filtration System inside the Garage. Difficult access, unable to contact owner.
TT11031	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	ND	Filtration System -No Access-Gates Lock Nov '07
TT11039	ND	ND	ND	ND	NS	NS	NS	NS	NS	NS	NS	NS	May '06-no access
TT11102	ND	ND	ND	ND	ND	ND	ND	ND	0.28 LJ	ND	ND	ND	
TT11103	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
TT11106	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	Filtration System. Pump replaced Mar. '06.
TT11107	ND	ND	ND	ND	0.11 LJ	ND	ND	ND	ND	ND	0.062 LJ	ND	Filtration System
TT11112	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
TT11114	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
TT11118	ND	ND	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	New residence Feb. '07.
TT11123	NS	ND	ND	ND	NS	ND	ND	ND	NS	NS	NS	NS	No power as of Nov. '05.
TT11124	ND	ND	ND	ND	ND	ND	ND	ND	NS	NS	11	NS	Filtration System. Difficult to access. Feb. '07, May '07, and Aug '07, and Feb '08.
TT11127	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
TT11131	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	Filtration System
TT11139	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	Filtration System
TT11202	ND	0.15 LJ	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
TT11203	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	Re-sampled July '06.
TT11215	ND	ND	ND	ND	ND	ND	ND	ND	NS	NS	NS	NS	Owner requests no further sampling as of Feb. '07
TT11219	ND	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	Re-sampled July '06.
TT11222	ND	ND	ND	ND	ND	ND	ND	ND	NS	NS	NS	NS	
TT11227	ND	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	
TT11230	ND	0.11 LJ	ND	ND	ND	ND	ND	ND	NS	NS	NS	NS	
TT11303	ND	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	
TT11306	ND	0.11 LJ	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	Re-sampled July '06.
TT11322	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	Planned to re-sample July '06 - no power to well.
TT11323	ND	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	Re-sampled July '06.
WE10710	NS	NS	NS	NS	ND	ND	ND	ND	NS	NS	NS	NS	
WE10711	NS	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	
WE10715	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	Re-sampled July '06.

**Table 8**  
**Quarterly Vinyl Chloride Groundwater Sampling Results**  
**Jones Road Groundwater Plume Federal Superfund Site (SUP075)**  
**Harris County, Texas**  
**Shaw Project Number 134515**

Updated: May 19, 2008

Location ID	May 2005	Aug 2005	Nov 2005	Feb 2006	May/Jul 2006	Aug 2006	Nov 2006	Feb 2007	May 2007	Aug 2007	Nov 2007	Feb 2008	Additional Comments
WE10719	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	
WE10727	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	
WE10814	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
WE10815	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	No power May and Aug. '05.
WE10831	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	Re-sampled July '06.
WE10931	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
WE11322	ND	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
<b>Sampling Results Summary</b>													<b>EXPLANATION OF COLORS</b>
Number of sampling results in green	153	161	168	181	183	185	176	175	183	182	179	179	VC < 0.5 ppb (Quantitation Limit)
Number of sampling results in yellow	0	0	0	0	0	0	0	0	0	0	0	0	VC >=0.5 to <= 2.0
Number of sampling results in red	0	0	0	0	0	0	0	0	0	0	0	0	VC > 2.0 ppb (MCL)
Number of sampling results in yellow and red	0	0	0	0	0	0	0	0	0	0	0	0	
<b>TOTAL ADDRESSES SAMPLED</b>	153	161	168	181	183	185	176	175	183	182	179	179	
Total number of Filtration Systems	33	31	31	31	32	32	33	33	34	34	35	35	

Note: All results are prior to filtration system, unless otherwise indicated in comments.

\* Filtration System inside the Garage. No access. Sampling at nearest outside faucet prior to August 2005.

**Table 9**  
**Total Depths and Screened Intervals of Water Wells Deeper Than 300 Feet BGS**  
**Jones Road Groundwater Plume Federal Superfund Site (SUP075)**  
**Harris County, Texas**  
**Shaw Project Number 134515**

<b>Well Location</b>	<b>Drilled Depth</b>	<b>Screened Interval</b>
11414 Jones Road	310	296 to 310
10635 Tower Oaks Boulevard	310	295 to 305
11115 Tall Timbers Drive	425	405 to 425
11510 Campos Drive	540	516 to 540
10814 Woodedge Drive	407	395 to 405
11738 Oak Valley Drive	535	510 to 535
10669 Woodedge Drive	365	355 to 365

**Table 10**  
**Jones Road Groundwater Plume Site Wells with Steady PCE Concentrations**  
**Jones Road Groundwater Plume Federal Superfund Site (SUP075)**  
**Harris County, Texas**  
**Shaw Project Number 134515**

Updated: April 28, 2008

Location ID	May '03	Aug. '03	Nov. '03	Feb. '04	May '04	Aug. '04	Nov. '04	Feb. '05	May '05	Aug. '05	Nov. '05	Feb. '06	May/ Jul. '06	Aug. '06	Nov. '06	Feb. '07	May '07	Aug. '07	Nov. '07	Feb. '08	Additional Comments
JR11535	121	101	71	ND	69	45	84	64	140	64	57	67	50	71	67.4	84.7	75.1	85.5	83.9	74.7	Filtration System. Feb. '04 result is correct. Shares well with FV11011.
FV11014	204	178	240	590	240	210	240	200	210	200	270	470	230	230	281	207	206	11.6	115	103	Filtration System
FV11022	36.2	53.2	48	42	36	57 J	40	37	38	57	45	44	47	52	62.2	64.8	42.3	43.4	64	57	Filtration System
FV11023	183	153	190	240	190	210	170	140	120	130	150	90	130	130	145	142	130	104	93.1	89.2	Filtration System
JR11427	9	9	12	19	14	20	20	21	24	24	24	21	29	31	43.2	47.4	43.9	50.4	41.2	37.4	Filtration System
JR11614	8.8	10.2	14	15	15	21	16	18	19	22	36	31	28	33	42.5	23.4	30.8	33.8	33.8	28.2	Filtration System
TC11107	13.4	11	15	14	17	16	18	21	18	21	19 J	17	20	21	32.8	35.7	NS	29.1	31.1	39.4	Filtration System. Unable to sample because pump head disconnected Aug
TO10902	7.1	13.8	16	12	10	16	17	19	16	21	28 J	41	41	41	37.9	48.2	20.4	35.1	24.6	26.8	Filtration System. Re-sampled July '06.
TO10903	18.2	16.8	7.9	37	20	22	25	28	42	33	41	51 J^	54	56	66.5	67.4	65.2	74.2	99	75.3	Filtration System. Re-sampled July '06.
TT11011	13.2	10.8	6.2	18	16 J	31 J	21	26	31	29	32	37	39	32	42.1	57.1	48.1	52.7	69	67.4	Filtration System
TT11014	27.3	25.7	24	38	28	20	16	25	20	32	27	59	44	26	31.6	99.6	106	95.2	140	80.6	Filtration System. Re-sampled July '06.
TT11031	NS	5.3	7.1	12	9.1	11	7.4	12	14	9.2	15	14	13	7.6	11.9	10.5	13	9.3	NS	8.1	Filtration System -No Access-Gates Lock Nov '07
Average	58	49	54	86	55	57	56	51	58	54	62	79	60	61	72	74	68	52	67	57	Average value appears to be steady, with no strong trend.

Notes:

PCE < 0.5 ppb (Quantitation Limit)
PCE >=0.5 to <= 5.0
PCE > 5.0 ppb (MCL)

MCL - maximum contaminant level

ND - not detected, averaged at a concentration of 0.5.

NS - not sampled, an interpolated concentration was used for averaging.

ppb - parts per billion

**Table 11**  
**Jones Road Groundwater Plume Site Wells with Unsteady PCE Concentrations**  
**Jones Road Groundwater Plume Federal Superfund Site (SUP075)**  
**Harris County, Texas**  
**Shaw Project Number 134515**

Updated: April 28, 2008

Location ID	May '03	Aug. '03	Nov. '03	Feb. '04	May '04	Aug. '04	Nov. '04	Feb. '05	May '05	Aug. '05	Nov. '05	Feb. '06	May/ Jul. '06	Aug. '06	Nov. '06	Feb. '07	May '07	Aug. '07	Nov. '07	Feb. '08	Additional Comments
TC11130	1.9	1.9	1.4	3.7	3.8 J	4.4	1.9	1.4	1.8	3.4	3.2	2.3	4.4	7.3	10.8	6.4	6.3	5.2	5.3	4.2	Filtration System installed Oct. '06.
ES11627	1.9	1.6	2.2	3.4	3.1 J	2.4	3	6.1	4.2	2.7	1.1	3.1	3.3	2.4	4.2	7.1	6	4	2.9	2.8	Filtration System added Feb. '05.
JR11528	1.3	1.5	1.3	2.6	1.5	3	2.2	3.1	1.7	2.9	3.6 J	6	3.4 J	3.1	4.3	4.5	3.9	6.6	9.6	6.6	Filtration system installed June '06.
JR11600	0.8	1.1	1.4	2.7	2.4	1.8 J	1.9 JV	1.8	2.2	2.2 JV	2	3.3 J	2.1	3.4	3.4 J	5.3	4.4	4.2	7.1	6.2	
JR11642	0.6	1.2	0.86	2.2	0.77	1.7	1.4	1.6	0.64	1.6	1.6	2.3	2.1	1.6	1.7	1.6	3.8	11.3	24	28	Filtration System
TC11019	1.5	2.9	1.4	2.5	.5 J	5.1	2.4	3.8	5.3	3.8	5.4	ND	ND	8.8	7.4	13.2	23	20.6	17.4	22.8	Filtration System
TC11022	4.7	5.3	6.8	6.1	7.4	6.2	7.5	9.5	8	12	15	15	16	17	19.4	15	12.3	11.2	8.6	9.2	Filtration System. Re-sampled July '06.
TC11118	2	1.7	2.6	4.4	3 J	6.1	3.3	3.7	3.1	3.5	4.4	5.7 J^	ND	5.6	5.8	4.8	4.5	5.5	5.6	6.6	Filtration System
TC11126	2.7	3.2	3.1	5.1	6.6	10	5.7	7.7	7.1	7.1	6.7	7.2 J^	7	5.1	10.1	8.6	7.1	8	7.4	NS	Filtration System. No power to well Feb '08.
TT11107	4.2	3.7	5.3	7.5	5.2	9.7	9.4	16	19	35	44	38 J	57	98	120	142	129	158	230	183	Filtration System
TT11127	4.7	3.1	3.9	14	21	23	13	20	15	15	4.6	2.8	ND	3.5	2	12.4	14.6	16.4	23	23.3	Filtration System
TT11131	3.6	3	3.4	6	5.8	5.8	4.7	4.9	3.4	6.6	4	4.8	6.3	4	4.5	8.3	10.8	13.1	23	25.4	Filtration System
Average	2.5	2.5	2.8	5.0	5.1	6.6	4.7	6.6	6.0	8.0	8.0	7.6	8.6	13.3	16.1	19.1	18.8	22.0	30.3	28.9	Average value appears to be increasing, with a clear trend.

Notes:

PCE < 0.5 ppb (Quantitation Limit)
PCE >=0.5 to <= 5.0
PCE > 5.0 ppb (MCL)

MCL - maximum contaminant level

ND - not detected, averaged at a concentration of 0.5.

NS - not sampled, an interpolated concentration was used for averaging.

ppb - parts per billion

**Table 12**  
**Jones Road Groundwater Plume Site Wells at Edge of the Plume**  
**Jones Road Groundwater Plume Federal Superfund Site (SUP075)**  
**Harris County, Texas**  
**Shaw Project Number 134515**

Updated: April 28, 2008

Location ID	May '03	Aug. '03	Nov. '03	Feb. '04	May '04	Aug. '04	Nov. '04	Feb. '05	May '05	Aug. '05	Nov. '05	Feb. '06	May/ Jul. '06	Aug. '06	Nov. '06	Feb. '07	May '07	Aug. '07	Nov. '07	Feb. '08	Additional Comments
TT11102	0.4 J	1.1	ND	0.55	0.54	0.84	0.82	0.93	0.86	1.3	1.5	1.3	ND	0.76	0.64	0.26 LJ	0.28 LJ	ND	0.22 LJ	ND	
ES11630	NS	0.3 J	ND	ND	ND	1	ND	ND	0.99	0.17 J	1.6	1.4	1.9	1.0	1.1	0.63	1.1	0.97	0.95	0.75	
ES11643	0.3 J	ND	ND	0.35 J	ND	ND	0.36 J	ND	0.57	0.84	0.86	0.55	0.76	0.56	0.5	0.41 LJ	0.59	0.95	1.3	0.58	
FV11110	0.6	0.9	0.68	0.81	ND	0.98	0.20 J	0.36 J	0.51	0.57	0.46 J	0.33 LJ	0.47 LJ	ND	0.32 LJ	0.35 LJ	ND	0.39 LJ	0.23 LJ	ND	
JR11620	ND	ND	0.15J	0.43J	ND	0.39 J	0.29 J	0.44 J	0.15 J	0.36 J	0.40 J	0.43 LJ	0.46 LJ	ND	0.58	0.7	0.63	ND	1.1	0.72	
TC11034	ND	0.5	ND	ND	ND	ND	ND	ND	ND	0.37 J	0.28 J	0.28 LJ	0.31 LJ	0.73	0.37 LJ	0.57	ND	0.23 LJ	0.58	ND	
TC11035	1.6	ND	0.26J	1.4	0.4 J	0.31 J	0.99	0.33 J	ND	0.57	2.1	1.1	1.1	0.82	1.9	2.5	ND	2.3	4.9	2.5	
TC11106	1.4	1.9	1.4	2.2	2.3 J	2.9	2.7	2.3	ND	4.4	4	4	3	3.10	2.9	3.5	2.4	2.6	3.3	2.4	2 wells- 1st drilled
TC11110	1.2	1	1.2	1.5	ND	1.9	1.8	1.3	2.6	1.8	2.3	3.1	3.1	3.40	3.1	2.2	2.2	1.7	2	1.8	
TC11140	ND	NS	ND	0.19J	0.42 J	ND	ND	ND	0.32 J	0.30 J	0.38 J	0.29 LJ	0.38 LJ	0.40 LJ	0.47 LJ	0.44 LJ	ND	0.53	0.61	0.40LJ	Feb '07 - sample taken from kitchen faucet per owner's request.
TH11603	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.64	ND	ND	ND	ND	ND	ND	ND	Multiple spigots needed to be used to get the pump running continuously.
TH11611	ND	ND	ND	ND	0.27 J	ND	0.21 J	ND	ND	0.32 J	0.36 J	0.66	ND	0.57	1.1	0.85	0.85	0.91	0.84	0.34LJ	
TO11033	0.5	0.8	NS	1.1	1.2	1.4	1.4	1.4	1	NS	1.9	2.1	2.7	3.9	3.7	4.2	4.2	4	2.8	1.8	No power to well Aug. '05.
TT11124	ND	0.6	ND	0.54	0.4 J	ND	0.34 J	0.28 J	0.26 J	0.33 J	0.42 J	0.47 LJ	0.37 LJ	ND	0.35 LJ	0.32 LJ	ND	0.38 LJ	ND	0.43LJ	
Average	0.51	0.55	0.39	0.68	0.45	0.74	0.68	0.57	0.55	0.92	1.19	1.15	1.10	1.12	1.22	1.22	0.92	1.09	1.36	0.87	Average value appears to be increasing with a slight upward trend.

Notes:

PCE < 0.5 ppb (Quantitation Limit)
PCE >=0.5 to <= 5.0
PCE > 5.0 ppb (MCL)

MCL - maximum contaminant level  
 ND - not detected, averaged at a concentration of 0.1.  
 NS - not sampled, an interpolated concentration was used for averaging.  
 ppb - parts per billion

**Table 13**  
**Summary of Groundwater Screening Values for COPCs**  
**Jones Road Groundwater Plume Federal Superfund Site (SUP075)**  
**Harris County, Texas**  
**Shaw Project Number 134515**

<b>Chemical of Potential Concern</b>	<b>MSSL Residential Water (ug/L)</b>	<b>TRRP PCL<sup>GW</sup> GW<sub>Ing</sub> (ug/L)</b>	<b>Screening Value (ug/L)</b>
PCE	0.01	5	5
TCE	0.028	5	5
cis-1,2-DCE	61	70	61
trans-1,2-DCE	110	100	100
VC	0.015	2	2