

### STATE OF TEXAS WELL REPORT for Tracking #712

Owner:	Noe Garza	Owner Well #:	No Data
Address:	1123 Tall Timbers Houston, Tx 77065	Grid #:	65-04-4
Well Location:	1123 Tall Timbers Houston, TX 77065	Latitude:	29° 56' 46" N
Well County:	Harris	Longitude:	095° 35' 26" W
Elevation:	No Data	GPS Brand Used:	Garman
Type of Work: <b>New Well</b>		Proposed Use: <b>Domestic</b>	

Drilling Date: Started: **2/21/2001**  
Completed: **2/21/2001**

Diameter of Hole: Diameter: **7 in From Surface To 260 ft**

Drilling Method: **Mud Rotary**

Borehole Completion: **Straight Wall**

Annular Seal Data: 1st Interval: **From 0 ft to 240 ft with 30 (#sacks and material)**  
2nd Interval: **No Data**  
3rd Interval: **No Data**  
Method Used: **tremmy pipe**  
Cemented By: **Stephen Bufkin**  
Distance to Septic Field or other Concentrated Contamination: **100 ft**  
Distance to Property Line: **No Data**  
Method of Verification: **tape measure**  
Approved by Variance: **No Data**

Surface Completion: **Alternative Procedure Used**

Water Level: Static level: **170 ft. below land surface on 2/21/2001**  
Artesian flow: **No Data**

Packers: **sacks**

Plugging Info: Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump: **Submersible**  
Depth to pump bowl: **200 ft**

Well Tests: **Pump \ Estimated**  
Yield: **25 GPM with (No Data) ft drawdown after (No Data) hours**

Water Quality: Type of Water: **No Data**  
Depth of Strata: **No Data**  
Chemical Analysis Made: **No**  
Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **Tex-Well Water Wells and Outfitters**  
**RR 2 Box 228D**  
**Bronson , TX 75930**

Driller License Number: **1696**

Licensed Well Driller Signature: **Stephen L. Bufkin Sr.**

Registered Driller Apprentice Signature: **W.K Coe / Daniel Bufkin**

Apprentice Registration Number: **No Data**

Comments: **No Data**

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #712) on your written request.

**Texas Department of Licensing & Regulation**  
**P.O. Box 12157**  
**Austin, TX 78711**  
**(512) 463-7880**

**DESC. & COLOR OF FORMATION MATERIAL**

From (ft) To (ft) Description  
**0-21ft-topsoil and clay. 21-79ft-sand. 79-120ft-tan clay.**  
**120-140ft -sand. 140-180ft-clay. 180-210ft-sand. 210-**  
**217ft-clay. 217-221ft-clay. 221-260ft-sand.**

**CASING, BLANK PIPE & WELL SCREEN DATA**

Dia. New/Used Type Setting From/To  
**new 4in pvc pipe from 0-240ft. 240-260ft 4 in slotted**  
**well screen. 012**

### STATE OF TEXAS WELL REPORT for Tracking #3007

Owner: <b>CHERYL KIRCHGESSNER</b>	Owner Well #: <b>1113</b>
Address: <b>12619 PINE SPRING LANE CYPRESS, TX 77429</b>	Grid #: <b>65-04-4</b>
Well Location: <b>12619 PINE SPRING ;ANE CYPRESS, TX 77429</b>	Latitude: <b>29° 57' 20" N</b>
Well County: <b>Harris</b>	Longitude: <b>095° 37' 01" W</b>
Elevation: <b>No Data</b>	GPS Brand Used: <b>GARMIN GPS 12</b>
<hr/>	
Type of Work: <b>New Well</b>	Proposed Use: <b>Domestic</b>

Drilling Date: Started: **9/19/2001**  
Completed: **9/20/2001**

Diameter of Hole: Diameter: **7 1/4 in From Surface To 262 ft**

Drilling Method: **Mud Rotary**

Borehole Completion: Other: **CEMENT**

Annular Seal Data: 1st Interval: **From 252 ft to 15 ft with 12 (#sacks and material)**  
2nd Interval: **From 15 ft to 0 ft with 13 (#sacks and material)**  
3rd Interval: **No Data**  
Method Used: **HALIBURTON**  
Cemented By: **GLEN R. BONDS**  
Distance to Septic Field or other Concentrated Contamination: **No Data**  
Distance to Property Line: **No Data**  
Method of Verification: **No Data**  
Approved by Variance: **No Data**

Surface Completion: **Alternative Procedure Used**

Water Level: Static level: **140 ft. below land surface on 9/20/2001**  
Artesian flow: **No Data**

Packers: **4 X 2 1/2 TRI-SEAL 247 FT**

Plugging Info: Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump: **Submersible**  
Depth to pump bowl: **200 ft**

Well Tests: **Estimated**  
Yield: **45 GPM with (No Data) ft drawdown after (No Data) hours**

Water Quality: Type of Water: **GOOD**  
Depth of Strata: **57 FT ft.**  
Chemical Analysis Made: **No**  
Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **NORTHWEST WATER WELLS  
25143 FM 1488  
MAGNOLIA , TX 77355**

Driller License Number: **50950**

Licensed Well Driller Signature: **GLEN R. BONDS**

Registered Driller Apprentice Signature: **No Data**

Apprentice Registration Number: **No Data**

Comments: **No Data**

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #3007) on your written request.

**Texas Department of Licensing & Regulation  
P.O. Box 12157  
Austin, TX 78711  
(512) 463-7880**

**DESC. & COLOR OF FORMATION MATERIAL**

**CASING, BLANK PIPE & WELL SCREEN DATA**

From (ft) To (ft) Description  
**0 20 CLAY**  
**20 40 SAND**  
**40 105 CLAY**  
**105 150 SAND/GRAVEL**  
**150 205 SAND/ROCK/SAND**  
**205 262 SAND**

Dia. New/Used Type Setting From/To  
**4 N PVC CASING 0 252 40**  
**2 1/2 N PVC LINER 247 252 40**  
**2 1/2 N PVC SCREEN 252 262 010**

### STATE OF TEXAS WELL REPORT for Tracking #3392

Owner: <b>Jimmy Kink</b>	Owner Well #: <b>MW1</b>
Address: <b>11600 Jones Rd. Houston , TX 77070</b>	Grid #: <b>65-04-4</b>
Well Location: <b>11600 Jones Rd. Houston , TX 77070</b>	Latitude: <b>29° 56' 35" N</b>
Well County: <b>Harris</b>	Longitude: <b>095° 35' 03" W</b>
Elevation: <b>No Data</b>	GPS Brand Used: <b>No Data</b>
<hr/>	
Type of Work: <b>New Well</b>	Proposed Use: <b>Monitor</b>

Drilling Date:       Started: **11/2/2001**  
                          Completed: **11/2/2001**

Diameter of Hole:   Diameter: **8 in From Surface To 35' ft**  
                          Diameter: **(No Data) in From 0' ft To (No Data) ft**

Drilling Method:    **Hollow Stem Auger**

Borehole  
Completion:         Gravel Packed From: **1 ft to 2.5 ft**  
                          Gravel Pack Size:

Annular Seal Data:  1st Interval: **From 0 ft to 1 ft with 4 (#sacks and material)**  
                          2nd Interval: **No Data**  
                          3rd Interval: **No Data**  
                          Method Used: **bentonite**  
                          Cemented By: **ADS**  
                          Distance to Septic Field or other Concentrated Contamination: **No Data**  
                          Distance to Property Line: **No Data**  
                          Method of Verification: **No Data**  
                          Approved by Variance: **No Data**

Surface  
Completion:         **Alternative Procedure Used**

Water Level:        Static level: **25 ft. below land surface on 11/2/2001**  
                          Artesian flow: **No Data**

Packers:           **No Data**

Plugging Info:     Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump:      **No Data**

Well Tests:         **No Data**

Water Quality:     Type of Water: **No Data**  
                          Depth of Strata: **No Data**  
                          Chemical Analysis Made: **No**  
                          Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company            **Advanced Drilling Systems**

Information: **727 West 26th St.  
Houston , TX 77008**

Driller License Number: **4990**

Licensed Well Driller Signature: **mario P. Moya**

Registered Driller Apprentice Signature: **No Data**

Apprentice Registration Number: **No Data**

Comments: **No Data**

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #3392) on your written request.

**Texas Department of Licensing & Regulation  
P.O. Box 12157  
Austin, TX 78711  
(512) 463-7880**

DESC. & COLOR OF FORMATION MATERIAL	CASING, BLANK PIPE & WELL SCREEN DATA
-------------------------------------	---------------------------------------

<p>From (ft) To (ft) Description</p> <p><b>0 to 3' concret.</b></p> <p><b>3" to 2' sand and gravel dark brown to black sand and gravel.</b></p> <p><b>2' to 3' silty sand dark gray wet silty sand.</b></p> <p><b>3' to 5' moist plastic gray clay.</b></p> <p><b>5' to 15' layerer olive gray, dark gray with reddish yellow clay.</b></p> <p><b>15'to 20' reddish brown clay with light gray.</b></p> <p><b>20' to 25' damp red silty clay on bottom.</b></p> <p><b>25' to 33.5' reddish brown clay silt wet.</b></p> <p><b>33.5' to 35' dry reddish brown clayey silt</b></p>	<p><b>No Data</b></p>
--	-----------------------

### STATE OF TEXAS WELL REPORT for Tracking #3393

Owner: <b>Jimmy King</b>	Owner Well #: <b>MW2</b>
Address: <b>11600 Jones Rd. Houston, TX 77070</b>	Grid #: <b>65-04-4</b>
Well Location: <b>11600 Jones Rd. Houston, TX 77070</b>	Latitude: <b>29° 56' 35" N</b>
Well County: <b>Harris</b>	Longitude: <b>095° 35' 03" W</b>
Elevation: <b>No Data</b>	GPS Brand Used: <b>No Data</b>
-----	
Type of Work: <b>New Well</b>	Proposed Use: <b>Monitor</b>

Drilling Date: Started: **11/2/2001**  
Completed: **11/2/2001**

Diameter of Hole: Diameter: **8 in From Surface To 30 ft**

Drilling Method: **Hollow Stem Auger**

Borehole Completion: Gravel Packed From: **1 ft to 2.5 ft**  
Gravel Pack Size:

Annular Seal Data: 1st Interval: **From 1 ft to 2.5 ft with 1 (#sacks and material)**  
2nd Interval: **From 0 ft to 1 ft with 4 (#sacks and material)**  
3rd Interval: **No Data**  
Method Used: **cement/bentonite**  
Cemented By: **ADS**  
Distance to Septic Field or other Concentrated Contamination: **No Data**  
Distance to Property Line: **No Data**  
Method of Verification: **No Data**  
Approved by Variance: **No Data**

Surface Completion: **Alternative Procedure Used**

Water Level: Static level: **25 ft. below land surface on 11/2/2001**  
Artesian flow: **No Data**

Packers: **No Data**

Plugging Info: Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump: **No Data**

Well Tests: **No Data**

Water Quality: Type of Water: **No Data**  
Depth of Strata: **No Data**  
Chemical Analysis Made: **No**  
Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **Advanced Drilling Systems  
727 West 26th St.**

**Houston , TX 77008**

Driller License Number: **4990**

Licensed Well Driller Signature: **Mario P. Moya**

Registered Driller Apprentice Signature: **No Data**

Apprentice Registration Number: **No Data**

Comments: **No Data**

---

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #3393) on your written request.

**Texas Department of Licensing & Regulation**  
**P.O. Box 12157**  
**Austin, TX 78711**  
**(512) 463-7880**

**DESC. & COLOR OF FORMATION MATERIAL**

**CASING, BLANK PIPE & WELL SCREEN DATA**

From (ft) To (ft) Description

**0' to 2' grass and overburden.**

**2' to 5' Mixed dark gray clay and sand .**

**5' to 13' Light gray to olive gray clay with reddish yellow mottlies and root strutures to 7'.**

**13' to 20' reddish brown clay with reddish yellow and light gray clay.**

**20' to 22.5' Crumbled dry calcareous concretions with some light gray clay.**

**22.5 to 33' reddish brown clayey slit damp sand.**

**33' to 35' Dry reddish brown clay.**

**No Data**

### STATE OF TEXAS WELL REPORT for Tracking #3394

Owner: <b>Jimmy King</b>	Owner Well #: <b>MW3</b>
Address: <b>11600 Jones Rd. Houston, TX 77070</b>	Grid #: <b>65-04-5</b>
Well Location: <b>11600 Jones Rd. Houston, TX 77070</b>	Latitude: <b>29° 56' 35" N</b>
Well County: <b>Harris</b>	Longitude: <b>095° 34' 03" W</b>
Elevation: <b>No Data</b>	GPS Brand Used: <b>No Data</b>
<hr/>	
Type of Work: <b>New Well</b>	Proposed Use: <b>Monitor</b>

Drilling Date: Started: **11/2/2001**  
Completed: **11/2/2001**

Diameter of Hole: Diameter: **8 in From Surface To 35 ft**

Drilling Method: **Hollow Stem Auger**

Borehole Completion: Gravel Packed From: **1 ft to 2.5 ft**  
Gravel Pack Size:

Annular Seal Data: 1st Interval: **From 0 ft to 1 ft with 4 (#sacks and material)**  
2nd Interval: **No Data**  
3rd Interval: **No Data**  
Method Used: **Grut**  
Cemented By: **ADS**  
Distance to Septic Field or other Concentrated Contamination: **No Data**  
Distance to Property Line: **No Data**  
Method of Verification: **No Data**  
Approved by Variance: **No Data**

Surface Completion: **Alternative Procedure Used**

Water Level: Static level: **25 ft. below land surface on 11/2/2001**  
Artesian flow: **No Data**

Packers: **0 to 1' cement Well Head.**  
**1' to 2.5 Bentonite.**  
**2.5' to 35' Filter Pack, 20/40, sand**

Plugging Info: Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump: **No Data**

Well Tests: **No Data**

Water Quality: Type of Water: **No Data**  
Depth of Strata: **No Data**  
Chemical Analysis Made: **No**  
Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **Advanced Drilling Systems  
727 West 26th St.  
Houston , TX 77008**

Driller License Number: **4990**

Licensed Well Driller Signature: **Mario P. Moya**

Registered Driller Apprentice Signature: **No Data**

Apprentice Registration Number: **No Data**

Comments: **No Data**

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #3394) on your written request.

**Texas Department of Licensing & Regulation  
P.O. Box 12157  
Austin, TX 78711  
(512) 463-7880**

DESC. & COLOR OF FORMATION MATERIAL	CASING, BLANK PIPE & WELL SCREEN DATA
-------------------------------------	---------------------------------------

<p>From (ft) To (ft) Description</p> <p><b>0' to 3' sand and gravel.</b></p> <p><b>3' to 7' Light gray sand layer with gray clay.</b></p> <p><b>7' to 15' Light gray sandy clay with reddish yellow mottles with black streaks. 15' to 16' Reddish brown clay.</b></p> <p><b>16' to 18' Reddish brown silty clay dry and crumbly.</b></p> <p><b>18' to 19' Light gray clay with reddish brown layers.</b></p> <p><b>19' to 23' Light gray clay with reddish brown layers and calcareous concretion zones, very dry.</b></p> <p><b>13' to 24' Mixed light gray silt clay and reddish brown clay.</b></p> <p><b>25' to 32' reddish brown clayey sand.</b></p> <p><b>32' to 35' reddish brown clay.</b></p>	<p><b>No Data</b></p>
--	-----------------------

### STATE OF TEXAS WELL REPORT for Tracking #3640

Owner:	JO ANN JEFFERIES	Owner Well #:	1154
Address:	11303 TALL TIMBERS DR HOUSTON, TX 77065	Grid #:	65-04-4
Well Location:	11222 TIMBERCREST DR HOUSTON, TX 77065	Latitude:	29° 56' 25" N
Well County:	Harris	Longitude:	095° 35' 24" W
Elevation:	No Data	GPS Brand Used:	GARMIN GPS 12
Type of Work: <b>New Well</b>		Proposed Use: <b>Domestic</b>	

Drilling Date: Started: 11/30/2001  
Completed: 12/1/2001

Diameter of Hole: Diameter: 7 1/4 in From Surface To 250 ft

Drilling Method: **Mud Rotary**

Borehole Completion: Other: **CEMENT**

Annular Seal Data: 1st Interval: **From 220 ft to 15 ft with 11 (#sacks and material)**  
2nd Interval: **From 15 ft to 0 ft with 13 (#sacks and material)**  
3rd Interval: **No Data**  
Method Used: **HALIBURTON**  
Cemented By: **GLEN R. BONDS**  
Distance to Septic Field or other Concentrated Contamination: **No Data**  
Distance to Property Line: **No Data**  
Method of Verification: **No Data**  
Approved by Variance: **No Data**

Surface Completion: **Alternative Procedure Used**

Water Level: Static level: **170 ft. below land surface on 12/1/2001**  
Artesian flow: **No Data**

Packers: **4 X 2 1/2 TRI-SEAL 215 FT**

Plugging Info: Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump: **Submersible**  
Depth to pump bowl: **220 ft**

Well Tests: **Estimated**  
Yield: **20 GPM with (No Data) ft drawdown after (No Data) hours**

Water Quality: Type of Water: **GOOD**  
Depth of Strata: **40 FT ft.**  
Chemical Analysis Made: **No**  
Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **NORTHWEST WATER WELLS**  
**25143 FM 1488**  
**MAGNOLIA , TX 77355**

Driller License Number: **50950**

Licensed Well Driller Signature: **GLEN R. BONDS**

Registered Driller Apprentice Signature: **No Data**

Apprentice Registration Number: **No Data**

Comments: **No Data**

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #3640) on your written request.

**Texas Department of Licensing & Regulation**  
**P.O. Box 12157**  
**Austin, TX 78711**  
**(512) 463-7880**

**DESC. & COLOR OF FORMATION MATERIAL**

From (ft)	To (ft)	Description
0	70	CLAY
70	125	SAND/CLAY
125	150	CLAY
150	210	SAND/ROCK
210	250	SAND

**CASING, BLANK PIPE & WELL SCREEN DATA**

Dia.	New/Used	Type	Setting From/To
4 N		PVC CASING	0 220 40
2 1/2 N		PVC LINER	215 220 40
2 1/2 N		PVC SCREEN	220 250 008

### STATE OF TEXAS WELL REPORT for Tracking #4237

Owner:	Houston Convenience, LP	Owner Well #:	MW-6
Address:	Store # 714 Houston , TX	Grid #:	65-04-4
Well Location:	10950 FM 1960 Houston , TX 77070	Latitude:	29° 55' 58" N
Well County:	Harris	Longitude:	095° 35' 04" W
Elevation:	No Data	GPS Brand Used:	315

Type of Work:	New Well	Proposed Use:	Monitor
---------------	----------	---------------	---------

Drilling Date:       Started: **12/7/2001**  
                           Completed: **12/7/2001**

Diameter of Hole:   Diameter: **2 in From Surface To 30 ft**

Drilling Method:    **Bored**

Borehole            Gravel Packed From: **8 ft to 30 ft**  
 Completion:        Gravel Pack Size:

Annular Seal Data:  **1st Interval: From 0 ft to 1 ft with 3 (#sacks and material)**  
                           **2nd Interval: No Data**  
                           **3rd Interval: No Data**  
                           Method Used: **Grout**  
                           Cemented By: **Advanced Drilling Systems**  
                           Distance to Septic Field or other Concentrated Contamination: **No Data**  
                           Distance to Property Line: **No Data**  
                           Method of Verification: **No Data**  
                           Approved by Variance: **No Data**

Surface              **Alternative Procedure Used**  
 Completion:

Water Level:        Static level: **17 ft. below land surface on 12/7/2001**  
                           Artesian flow: **No Data**

Packers:            **No Data**

Plugging Info:     Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump:      **No Data**

Well Tests:         **No Data**

Water Quality:     Type of Water: **No Data**  
                           Depth of Strata: **No Data**  
                           Chemical Analysis Made: **No**  
                           Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company            **Advanced Drilling Systems**  
 Information:        **727 W. 26th St.**

Houston , TX 77008

Driller License Number: **4990**

Licensed Well Driller Signature: **Mario Moya**

Registered Driller Apprentice Signature: **No Data**

Apprentice Registration Number: **No Data**

Comments: **No Data**

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #4237) on your written request.

**Texas Department of Licensing & Regulation**  
**P.O. Box 12157**  
**Austin, TX 78711**  
**(512) 463-7880**

**DESC. & COLOR OF FORMATION MATERIAL**

**CASING, BLANK PIPE & WELL SCREEN DATA**

From (ft)	To (ft)	Description
0-1		Concrete and till material
1-2		Dark gray silty sand, some clay, organic, soft, damp
2-5		Dark gray silty clay, trace of Fe oxidation, soft, moist
5-6		Dark brown clay sand, moist
6-8		Light gray and tan sandy clay
8-10		Light clay sand, tan molting, crumbly, damp
10-12		Light gray to white sand, some clay, tan molting, loose dry to damp
12-14		Grades to olive gray, tan molting, loose, damp
14-24		Olive gray sand, loose, moist to wet
24-28		Buff white sand, saturated, wet
28-29		Grades to red sand, some clay, saturated, wet
29-30		Red clay, very hard, moist

Dia.	New/Used	Type	Setting From/To
1	New	PVC casing	0-10 sch-40
1	New	PVC slotted	10-30 0.01

### STATE OF TEXAS WELL REPORT for Tracking #4496

Owner:	MW Rogers Contruction	Owner Well #:	No Data
Address:	7536 Harms Rd. Houston , Tx 77041	Grid #:	65-04-4
Well Location:	Same Houston , TX 77041	Latitude:	29° 55' 22" N
Well County:	Harris	Longitude:	095° 35' 50" W
Elevation:	No Data	GPS Brand Used:	315 Magellen GPS
Type of Work: <b>New Well</b>		Proposed Use: <b>Industrial</b>	

Drilling Date: Started: **1/3/2002**  
Completed: **1/4/2002**

Diameter of Hole: **No Data** Diameter: **6 3/4 in** From **0 ft** To **335 ft**

Drilling Method: **Mud Rotary**

Borehole Completion: Other: **2 String**

Annular Seal Data: 1st Interval: **From 320 ft to 0 ft with 16 (#sacks and material)**  
2nd Interval: **From 0 ft to 10 ft with 10 (#sacks and material)**  
3rd Interval: **No Data**  
Method Used: **Halliburton**  
Cemented By: **SDI**  
Distance to Septic Field or other Concentrated Contamination: **No Data**  
Distance to Property Line: **No Data**  
Method of Verification: **TO BE INSTALLED**  
Approved by Variance: **No Data**

Surface Completion: **Surface Sleeve Installed**

Water Level: Static level: **177 ft. below land surface on 1/3/2002**  
Artesian flow: **No Data**

Packers: **K-PACKER 315**

Plugging Info: Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump: **Submersible**  
Depth to pump bowl: **240 ft**

Well Tests: **Jetted**  
Yield: **50 GPM with (No Data) ft drawdown after (No Data) hours**

Water Quality: Type of Water: **No Data**  
Depth of Strata: **No Data**  
Chemical Analysis Made: **No**  
Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **SCOTT DRILLING, INC.  
11923 GREEN PINE CIRCLE  
HOUSTON, TX 77066**

Driller License Number: **4839**

Licensed Well Driller Signature: **SCOTT ROBINSON**

Registered Driller Apprentice Signature: **No Data**

Apprentice Registration Number: **No Data**

Comments: **No Data**

---

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #4496) on your written request.

**Texas Department of Licensing & Regulation  
P.O. Box 12157  
Austin, TX 78711  
(512) 463-7880**

**DESC. & COLOR OF FORMATION MATERIAL**

**CASING, BLANK PIPE & WELL SCREEN DATA**

From (ft) To (ft) Description  
**0-20 clay 270-300 clay & rock**  
**20-30 sand 300-310 sand**  
**30-60 clay 310-320 clay**  
**60-110 sand 320-335 sand**  
**110-120 clay**  
**120-160 sand**  
**160-170 clay**  
**170-270 sand**

Dia. New/Used Type Setting From/To  
**4 N PVC Casing 0 320**  
**2.5 " " Liner 315 320**  
**" " " Screen 320 335 010**

### STATE OF TEXAS WELL REPORT for Tracking #4530

Owner: <b>Mr. Jimmy Kim</b>	Owner Well #: <b>MW-4</b>
Address: <b>11600 Jones Rd. Houston , TX 77070</b>	Grid #: <b>65-04-4</b>
Well Location: <b>11600 Jones Rd. Houston , TX 77070</b>	Latitude: <b>29° 56' 55" N</b>
Well County: <b>Harris</b>	Longitude: <b>095° 35' 05" W</b>
Elevation: <b>No Data</b>	GPS Brand Used: <b>315</b>
-----	
Type of Work: <b>New Well</b>	Proposed Use: <b>Monitor</b>

Drilling Date:       Started: **1/4/2002**  
                          Completed: **1/4/2002**

Diameter of Hole:   Diameter: **6 in From Surface To 35 ft**

Drilling Method:    **Hollow Stem Auger**

Borehole  
Completion:       Gravel Packed From: **2 ft to 35 ft**  
                          Gravel Pack Size:

Annular Seal Data:  1st Interval: **From 0 ft to 1 ft with 1 (#sacks and material)**  
                          2nd Interval: **No Data**  
                          3rd Interval: **No Data**  
                          Method Used: **Grout**  
                          Cemented By: **advanced drilling Systems**  
                          Distance to Septic Field or other Concentrated Contamination: **No Data**  
                          Distance to Property Line: **No Data**  
                          Method of Verification: **No Data**  
                          Approved by Variance: **No Data**

Surface  
Completion:       **Alternative Procedure Used**

Water Level:       Static level: **23 ft. below land surface on 1/4/2002**  
                          Artesian flow: **No Data**

Packers:           **No Data**

Plugging Info:     Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump:     **No Data**

Well Tests:        **No Data**

Water Quality:     Type of Water: **No Data**  
                          Depth of Strata: **No Data**  
                          Chemical Analysis Made: **No**  
                          Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company  
Information:       **Advanced Drilling Systems**  
                          **727 W. 26th St.**

**Houston , TX 77008**

Driller License Number: **4990**

Licensed Well Driller Signature: **Mario Moya**

Registered Driller Apprentice Signature: **No Data**

Apprentice Registration Number: **No Data**

Comments: **No Data**

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #4530) on your written request.

**Texas Department of Licensing & Regulation  
P.O. Box 12157  
Austin, TX 78711  
(512) 463-7880**

DESC. & COLOR OF FORMATION MATERIAL		CASING, BLANK PIPE & WELL SCREEN DATA			
From (ft)	To (ft) Description	Dia.	New/Used	Type	Setting From/To
0.0'	3.0' Gravel, brown sandy clay very wet.	2	New	PVC Casing	0 to 2 sch-40
3.0'	16' Light olive gray to light gray clay to sandy clay dry with reddish yellow mottles increasing with depths.	2	New	PVC slotted	2 to 35 .01
16'	24' reddish brown clay with light gray layers light gray clay with white caliche				
24'	34' reddish brown wet fine graded sand water				
34'	35' Reddish brown dry brittle silty clay.				

### STATE OF TEXAS WELL REPORT for Tracking #4531

Owner: <b>Mr. Jimmy Kim</b>	Owner Well #: <b>MW-5</b>
Address: <b>11600 Jones Rd. Houston , TX 77070</b>	Grid #: <b>65-04-4</b>
Well Location: <b>11600 Jones Rd. Houston , TX 77070</b>	Latitude: <b>29° 56' 54" N</b>
Well County: <b>Harris</b>	Longitude: <b>095° 35' 02" W</b>
Elevation: <b>No Data</b>	GPS Brand Used: <b>315</b>
-----	
Type of Work: <b>New Well</b>	Proposed Use: <b>Monitor</b>

Drilling Date:       Started: **1/4/2002**  
                          Completed: **1/4/2002**

Diameter of Hole:   Diameter: **6 in From Surface To 35 ft**

Drilling Method:    **Hollow Stem Auger**

Borehole  
Completion:       Gravel Packed From: **2 ft to 35 ft**  
                          Gravel Pack Size:

Annular Seal Data:  **1st Interval: From 0 ft to 1 ft with 1 (#sacks and material)**  
                          **2nd Interval: No Data**  
                          **3rd Interval: No Data**  
                          Method Used: **Grout**  
                          Cemented By: **Advanced Drilling Systems**  
                          Distance to Septic Field or other Concentrated Contamination: **No Data**  
                          Distance to Property Line: **No Data**  
                          Method of Verification: **No Data**  
                          Approved by Variance: **No Data**

Surface  
Completion:       **Alternative Procedure Used**

Water Level:       Static level: **24 ft. below land surface on 1/4/2002**  
                          Artesian flow: **No Data**

Packers:           **No Data**

Plugging Info:     Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump:     **No Data**

Well Tests:        **No Data**

Water Quality:     Type of Water: **No Data**  
                          Depth of Strata: **No Data**  
                          Chemical Analysis Made: **No**  
                          Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data:  The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company  
Information:       **Advanced Drilling Systems**  
                          **727 W. 26th Street**

Houston , TX 77008

Driller License Number: 4990

Licensed Well Driller Signature: Mario Moya

Registered Driller Apprentice Signature: No Data

Apprentice Registration Number: No Data

Comments: No Data

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #4531) on your written request.

**Texas Department of Licensing & Regulation**  
 P.O. Box 12157  
 Austin, TX 78711  
 (512) 463-7880

**DESC. & COLOR OF FORMATION MATERIAL**

**CASING, BLANK PIPE & WELL SCREEN DATA**

From (ft) To (ft) Description  
 0.0-3.0 Grass and Dirt (silt)  
 3.0-4.0 Light Gray clay (silt)  
 4.0-7.0 Whitish gray hard clay wity calcareous concretion  
 7.0-12.5 Light olive gray to light gray clay (some silt) with reddish yellow mottles dry and brittle  
 12.5-13.5 White brittle massive calcareos concretion  
 13.5-15 Light olive gray to light gray clay, yellow mottles dry and brittle  
 15-17 Light olive gray to light gray (some silt) with reddish brown mottles  
 17-22.5 Reddish brown clay with gray layers  
 22.5-23 Silty clay, massive calcareos concretion zone; reddish brown silty clay  
 23-35 Reddish brown sand with some thin light tan sand layer

Dia.	New/Used	Type	Setting From/To
2	New	PVC casing	0-2 sch-40
2	New	PVC slotted	2-35 0.01

### STATE OF TEXAS WELL REPORT for Tracking #4532

Owner: <b>Mr. Jimmy Kim</b>	Owner Well #: <b>MW-6</b>
Address: <b>11600 Jones Rd. Houston , TX 77070</b>	Grid #: <b>65-04-4</b>
Well Location: <b>11600 Jones Rd. Houston , TX 77070</b>	Latitude: <b>29° 56' 51" N</b>
Well County: <b>Harris</b>	Longitude: <b>095° 35' 02" W</b>
Elevation: <b>No Data</b>	GPS Brand Used: <b>315</b>
-----	
Type of Work: <b>New Well</b>	Proposed Use: <b>Monitor</b>

Drilling Date:       Started: **1/4/2002**  
                           Completed: **1/4/2002**

Diameter of Hole:   Diameter: **6 in From Surface To 35 ft**

Drilling Method:    **Hollow Stem Auger**

Borehole  
Completion:       Gravel Packed From: **2 ft to 35 ft**  
                           Gravel Pack Size:

Annular Seal Data:  **1st Interval: From 0 ft to 1 ft with 1 (#sacks and material)**  
                           **2nd Interval: No Data**  
                           **3rd Interval: No Data**  
                           Method Used: **Grout**  
                           Cemented By: **Advanced Drilling Systems**  
                           Distance to Septic Field or other Concentrated Contamination: **No Data**  
                           Distance to Property Line: **No Data**  
                           Method of Verification: **No Data**  
                           Approved by Variance: **No Data**

Surface  
Completion:       **Alternative Procedure Used**

Water Level:       Static level: **25 ft. below land surface on 1/4/2002**  
                           Artesian flow: **No Data**

Packers:           **No Data**

Plugging Info:     Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump:     **No Data**

Well Tests:        **No Data**

Water Quality:     Type of Water: **No Data**  
                           Depth of Strata: **No Data**  
                           Chemical Analysis Made: **No**  
                           Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company  
Information:       **Advanced Drilling Systems**  
                           **727 W. 26th St.**

**Houston , TX 77008**

Driller License Number: **4990**

Licensed Well Driller Signature: **Mario Moya**

Registered Driller Apprentice Signature: **No Data**

Apprentice Registration Number: **No Data**

Comments: **No Data**

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #4532) on your written request.

**Texas Department of Licensing & Regulation  
P.O. Box 12157  
Austin, TX 78711  
(512) 463-7880**

**DESC. & COLOR OF FORMATION MATERIAL**

**CASING, BLANK PIPE & WELL SCREEN DATA**

From (ft) To (ft) Description  
**0.0-3.0 Grass and dirt fill**  
**3.0-4.0 Dark clay, plastic clay**  
**4.0-5.0 Olive grayish green, plastic clay**  
**5.0-11 Light olive gray with some thin sand**  
**11-16 Light gray plastic clay with reddish yellow mottle**  
  
**16-18.5 Light gray clay with calcareous concretions**  
**18.5-23 White calcareous concretions**  
**23-24 Light gray brittle clay**  
**24-29 Reddish brown clay, silt, damp at 25 ft.**  
**29-33 Reddish brown silty sand**  
**33-35 Reddish brown hard clay**

Dia.	New/Used	Type	Setting From/To
2	New	PVC casing 0-2 sch-40	
2	New	PVC slotted 2-35 0.01	

### STATE OF TEXAS WELL REPORT for Tracking #4838

Owner:	JESUS GUERRA	Owner Well #:	1131
Address:	11902 DERWENT LN HOUSTON, TX 77064	Grid #:	65-04-5
Well Location:	11902 DERWENT LN HOUSTON, TX 77064	Latitude:	29° 56' 44" N
Well County:	Harris	Longitude:	095° 33' 12" W
Elevation:	No Data	GPS Brand Used:	GARMIN GPS 12
Type of Work: <b>New Well</b>		Proposed Use: <b>Domestic</b>	

Drilling Date: Started: **2/4/2002**  
Completed: **2/5/2002**

Diameter of Hole: Diameter: **7 1/4 in From Surface To 285 ft**

Drilling Method: **Mud Rotary**

Borehole Completion: Other: **CEMENT**

Annular Seal Data: 1st Interval: **From 275 ft to 15 ft with 17 (#sacks and material)**  
2nd Interval: **From 15 ft to 0 ft with 13 (#sacks and material)**  
3rd Interval: **No Data**  
Method Used: **HALIBURTON**  
Cemented By: **GLEN R. BONDS**  
Distance to Septic Field or other Concentrated Contamination: **No Data**  
Distance to Property Line: **No Data**  
Method of Verification: **No Data**  
Approved by Variance: **No Data**

Surface Completion: **Alternative Procedure Used**

Water Level: Static level: **90 ft. below land surface on 2/5/2002**  
Artesian flow: **No Data**

Packers: **4 X 2 1/2 TRI-SEAL 270 FT**

Plugging Info: Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump: **Submersible**  
Depth to pump bowl: **160 ft**

Well Tests: **Estimated**  
Yield: **35 GPM with (No Data) ft drawdown after (No Data) hours**

Water Quality: Type of Water: **GOOD**  
Depth of Strata: **15 FT ft.**  
Chemical Analysis Made: **No**  
Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **NORTHWEST WATER WELLS**  
**25143 FM 1488**  
**MAGNOLIA , TX 77355**

Driller License Number: **50950**

Licensed Well Driller Signature: **GLEN R. BONDS**

Registered Driller Apprentice Signature: **No Data**

Apprentice Registration Number: **No Data**

Comments: **No Data**

---

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #4838) on your written request.

**Texas Department of Licensing & Regulation**  
**P.O. Box 12157**  
**Austin, TX 78711**  
**(512) 463-7880**

---

**DESC. & COLOR OF FORMATION MATERIAL**

From (ft) To (ft) Description  
**0 20 CLAY**  
**20 90 CLAY/SAND/CLAY**  
**90 150 CLAY**  
**150 210 CLAY/SAND/CLAY**  
**210 270 CLAY/ROCK**  
**270 285 SAND**

---

**CASING, BLANK PIPE & WELL SCREEN DATA**

Dia.	New/Used	Type	Setting From/To
<b>4 N</b>	<b>PVC</b>	<b>CASING</b>	<b>0 275 40</b>
<b>2 1/2 N</b>	<b>PVC</b>	<b>LINER</b>	<b>270 275 40</b>
<b>2 1/2 N</b>	<b>PVC</b>	<b>SCREEN</b>	<b>275 285 008</b>

### STATE OF TEXAS WELL REPORT for Tracking #5750

Owner: <b>JERRY CONNER</b>	Owner Well #: <b>2040</b>
Address: <b>12703 SANDY BRROK LN CYPRESS , TX 77429</b>	Grid #: <b>65-04-4</b>
Well Location: <b>12703 SANDY BROOK LN CYPRESS , TX 77429</b>	Latitude: <b>29° 57' 21" N</b>
Well County: <b>Harris</b>	Longitude: <b>095° 37' 10" W</b>
Elevation: <b>No Data</b>	GPS Brand Used: <b>GARMIN GPS 12</b>
<hr/>	
Type of Work: <b>New Well</b>	Proposed Use: <b>Domestic</b>

Drilling Date: Started: **3/12/2002**  
Completed: **3/13/2002**

Diameter of Hole: Diameter: **7 1/4 in From Surface To 260 ft**

Drilling Method: **Mud Rotary**

Borehole Completion: Other: **CEMENT**

Annular Seal Data: 1st Interval: **From 250 ft to 15 ft with 13 (#sacks and material)**  
2nd Interval: **From 15 ft to 0 ft with 13 (#sacks and material)**  
3rd Interval: **No Data**  
Method Used: **HALIBURTON**  
Cemented By: **GLEN R. BONDS**  
Distance to Septic Field or other Concentrated Contamination: **No Data**  
Distance to Property Line: **No Data**  
Method of Verification: **No Data**  
Approved by Variance: **No Data**

Surface Completion: **Alternative Procedure Used**

Water Level: Static level: **120 ft. below land surface on 3/13/2002**  
Artesian flow: **No Data**

Packers: **4 X 2 1/2 TRI-SEAL 245 FT**

Plugging Info: Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump: **Submersible**  
Depth to pump bowl: **180 ft**

Well Tests: **Estimated**  
Yield: **50 GPM with (No Data) ft drawdown after (No Data) hours**

Water Quality: Type of Water: **GOOD**  
Depth of Strata: **15 FT ft.**  
Chemical Analysis Made: **No**  
Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **NORTHWEST WATER WELLS**  
**25143 FM 1488**  
**MAGNOLIA , TX 77355**

Driller License Number: **50950**

Licensed Well Driller Signature: **GLEN R. BONDS**

Registered Driller Apprentice Signature: **No Data**

Apprentice Registration Number: **No Data**

Comments: **No Data**

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #5750) on your written request.

**Texas Department of Licensing & Regulation**  
**P.O. Box 12157**  
**Austin, TX 78711**  
**(512) 463-7880**

**DESC. & COLOR OF FORMATION MATERIAL**

From (ft) To (ft) Description  
**0 45 CLAY/SAND**  
**45 65 SAND/ROCK**  
**65 105 SAND/CLAY**  
**105 200 CLAY/ROCK/SAND**  
**200 245 SAND/ROCK**  
**245 260 SAND**

**CASING, BLANK PIPE & WELL SCREEN DATA**

Dia.	New/Used	Type	Setting From/To
<b>4</b>	<b>N</b>	<b>PVC CASING</b>	<b>0 250 40</b>
<b>2 1/2</b>	<b>N</b>	<b>PVC LINER</b>	<b>245 250 40</b>
<b>2 1/2</b>	<b>N</b>	<b>PVC SCREEN</b>	<b>250 260 010</b>

### STATE OF TEXAS WELL REPORT for Tracking #6642

Owner:	CYPRESS COMMUNITY CHRISTIAN SCHOOL	Owner Well #:	1
Address:	6363 GULFTON SUITE 200 HOUSTON , TX 77081	Grid #:	65-04-4
Well Location:	JONES RD & N. HOUSTON CYPRESS HOUSTON , TX 77081	Latitude:	29° 57' 00" N
Well County:	Harris	Longitude:	095° 35' 30" W
Elevation:	No Data	GPS Brand Used:	315
Type of Work: <b>New Well</b>		Proposed Use:	<b>Irrigation</b>

Drilling Date: Started: **2/28/2002**  
Completed: **3/5/2002**

Diameter of Hole: **No Data** Diameter: **9 7/8 in From 0 ft To 425 ft**  
Diameter: **5 7/8 in From 425 ft To 484 ft**

Drilling Method: **Mud Rotary**

Borehole Completion: **Straight Wall**

Annular Seal Data: 1st Interval: **From 0 ft to 425 ft with 90 (#sacks and material)**  
2nd Interval: **No Data**  
3rd Interval: **No Data**  
Method Used: **HALIBERTON**  
Cemented By: **WEISINGER WATER WELL, INC.**  
Distance to Septic Field or other Concentrated Contamination: **No Data**  
Distance to Property Line: **No Data**  
Method of Verification: **No Data**  
Approved by Variance: **No Data**

Surface Completion: **Surface Sleeve Installed**

Water Level: Static level: **334 ft. below land surface on 3/5/2002**  
Artesian flow: **No Data**

Packers: **BP SEAL 410 '**

Plugging Info: Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump: **Submersible**  
Depth to pump bowl: **(No Data) ft**

Well Tests: **Jetted**  
Yield: **150 GPM with (No Data) ft drawdown after (No Data) hours**

Water Quality: Type of Water: **EXCELLANT**  
Depth of Strata: **454-481 ft.**  
Chemical Analysis Made: **No**  
Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **WEISINGER WATER WELL, INC.  
2200 EAST DAVIS  
CONROE , TX 77301**

Driller License Number: **1991**

Licensed Well Driller Signature: **CLIFF WEISINGER**

Registered Driller Apprentice Signature: **No Data**

Apprentice Registration Number: **No Data**

Comments: **No Data**

---

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #6642) on your written request.

**Texas Department of Licensing & Regulation  
P.O. Box 12157  
Austin, TX 78711  
(512) 463-7880**

**DESC. & COLOR OF FORMATION MATERIAL**

**CASING, BLANK PIPE & WELL SCREEN DATA**

From (ft)	To (ft)	Description
0-16		CLAY
16-50		SAND
50-74		SHALE
74-112		SAND
112-114		SHALE
114-122		SAND & GRAVEL
122-135		SHALE & GRAVEL
135-162		SAND & GRAVEL
162-202		SAND & LARGE GRAVEL
202-240		SAND & SHALE
240-248		SAND
248-252		ROCK
252-261		SAND
261-276		ROCK & SAND
276-282		ROCK
282-288		SAND
288-322		SHALE
322-344		SAND & SHALE
344-356		SAND
356-368		SHALE & ROCK
368-392		SHALE
392-408		SAND
408-414		ROCK
414-428		SHALE

Dia.	New/Used	Type	Setting From/To
6 5/8 N		STEEL SCH40 WELL CASING	0-425
4.5 N		BP SEAL	410
4.5 N		STEEL SCH40 LINER	410-428 BLANK
4.5 N		PIPE BASE SCREEN	428-448 .012GA
4.5 N		STEEL SCH40 LINER	448-450 BLANK
4.5 N		STEEL SCH40 LINER	450-455 BLANK
4.5 N		PIPE BASE SCREEN	455-472 .012GA
4.5 N		STEEL SCH40 LINER	472-478 BLANK
4.5 N		BOTTOM HOLE ASSEMBLY	478-484

428-438 SAND  
438-442 SHALE  
442-450 SAND  
450-454 SHALE

### STATE OF TEXAS WELL REPORT for Tracking #7722

Owner:	HOUSTON GARDEN CENTER	Owner Well #:	No Data
Address:	5000 WEST PARK HOUSTON , TX 77056	Grid #:	65-04-5
Well Location:	10815 FM 1960 # 5 HOUSTON , TX 77064	Latitude:	29° 56' 02" N
Well County:	Harris	Longitude:	095° 34' 50" W
Elevation:	No Data	GPS Brand Used:	315 MEGALLION GPS
Type of Work: <b>New Well</b>		Proposed Use:	<b>Irrigation</b>

Drilling Date: Started: **5/23/2002**  
Completed: **5/28/2002**

Diameter of Hole: **No Data** Diameter: **6 3/4 in** From **0 ft** To **305 ft**

Drilling Method: **Mud Rotary**

Borehole Completion: Other: **2 STRING**

Annular Seal Data: 1st Interval: **From 280 ft to 0 ft with 15 (#sacks and material)**  
2nd Interval: **From 0 ft to 10 ft with 10 (#sacks and material)**  
3rd Interval: **No Data**  
Method Used: **HALLIBURTON**  
Cemented By: **SDI**  
Distance to Septic Field or other Concentrated Contamination: **No Data**  
Distance to Property Line: **No Data**  
Method of Verification: **CITY**  
Approved by Variance: **No Data**

Surface Completion: **Surface Sleeve Installed**

Water Level: Static level: **160 ft. below land surface on 5/28/2002**  
Artesian flow: **No Data**

Packers: **K-PACKER 275**

Plugging Info: Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump: **Submersible**  
Depth to pump bowl: **252 ft**

Well Tests: **Jetted**  
Yield: **(No Data) GPM with (No Data) ft drawdown after (No Data) hours**

Water Quality: Type of Water: **No Data**  
Depth of Strata: **No Data**  
Chemical Analysis Made: **No**  
Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **SCOTT DRILLING INC  
11923 GREEN PINE CIRCLE  
HOUSTON , TX 77066**

Driller License Number: **4839**

Licensed Well Driller Signature: **SCOTT ROBINSON**

Registered Driller Apprentice Signature: **DJ JUNEAU**

Apprentice Registration Number: **No Data**

Comments: **No Data**

---

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #7722) on your written request.

**Texas Department of Licensing & Regulation  
P.O. Box 12157  
Austin, TX 78711  
(512) 463-7880**

**DESC. & COLOR OF FORMATION MATERIAL**

**CASING, BLANK PIPE & WELL SCREEN DATA**

From (ft) To (ft) Description  
**0-15 CLAY 230-305 SAND  
 15-25 SAND  
 25-45 CLAY  
 45-115 SAND  
 115-125 CLAY  
 125-135 SAND  
 135-155 CLAY  
 155-215 SAND  
 215-230 CLAY**

Dia. New/Used Type Setting From/To  
**4 N PVC CASING 0 280  
 2.5 " " LINER 275 280  
 " " " SCREEN 280 305 .016**

### STATE OF TEXAS WELL REPORT for Tracking #8779

Owner:	Tom Granhold	Owner Well #:	No Data
Address:	11919 Marcia Dr. Houston , tx 77065	Grid #:	65-04-4
Well Location:	11919 Marcia Dr. Houston , TX 77065	Latitude:	29° 56' 57" N
Well County:	Harris	Longitude:	095° 35' 45" W
Elevation:	No Data	GPS Brand Used:	meridian
Type of Work: <b>New Well</b>		Proposed Use:	<b>Domestic</b>

Drilling Date: Started: **5/31/2002**  
Completed: **6/1/2002**

Diameter of Hole: Diameter: **6.75 in From Surface To 265 ft**  
Diameter: **4 in in From 265 ft To 285 ft**

Drilling Method: **Mud Rotary**

Borehole Completion: **No Data**

Annular Seal Data: 1st Interval: **From 0 ft to 265 ft with 18 (#sacks and material)**  
2nd Interval: **No Data**  
3rd Interval: **No Data**  
Method Used: **pressure**  
Cemented By: **bain**  
Distance to Septic Field or other Concentrated Contamination: **75 ft**  
Distance to Property Line: **No Data**  
Method of Verification: **tape measure**  
Approved by Variance: **No Data**

Surface Completion: **Surface Sleeve Installed**

Water Level: Static level: **90 ft. below land surface on 6/1/2002**  
Artesian flow: **No Data**

Packers: **k-packer 255**

Plugging Info: Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump: **Submersible**  
Depth to pump bowl: **220 ft**

Well Tests: **Pump \ Jetted**  
Yield: **80 GPM with 10 ft drawdown after 4 hours**

Water Quality: Type of Water: **No Data**  
Depth of Strata: **No Data**  
Chemical Analysis Made: **No**  
Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **Bain Drilling**  
**19711 Fawns Crossing**  
**Tomball , tx 77375**

Driller License Number: **2697**

Licensed Well Driller Signature: **Michael P. Bain**

Registered Driller Apprentice Signature: **No Data**

Apprentice Registration Number: **No Data**

Comments: **No Data**

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #8779) on your written request.

**Texas Department of Licensing & Regulation**  
**P.O. Box 12157**  
**Austin, TX 78711**  
**(512) 463-7880**

**DESC. & COLOR OF FORMATION MATERIAL**

From (ft)	To (ft)	Description
0-10	surface	
10-29	clay-red	
29-76	sand-brown	
76-149	clay-rock	
149-196	shale	
196-247	clay-red	
247-265	shale-blue	
265-285	sand-white	

**CASING, BLANK PIPE & WELL SCREEN DATA**

Dia.	New/Used	Type	Setting From/To
4 in	n	casing pvc	0-265 sch40
2.5 n	perf.	screen	265-285 0.12
2.5 n	liner	pvc	255-265 sch40

### STATE OF TEXAS WELL REPORT for Tracking #9058

Owner:	Johnny Williams	Owner Well #:	No Data
Address:	9214 Sweetbrush Houston, Tx 77064	Grid #:	65-04-5
Well Location:	9214 Sweetbrush Houston, TX 77064	Latitude:	29° 56' 38" N
Well County:	Harris	Longitude:	095° 33' 24" W
Elevation:	81 ft.	GPS Brand Used:	Magellan Meridian
Type of Work: <b>New Well</b>		Proposed Use: <b>Domestic</b>	

Drilling Date: Started: **6/11/2002**  
Completed: **6/12/2002**

Diameter of Hole: Diameter: **7 in From Surface To 118 ft**

Drilling Method: **Mud Rotary**

Borehole Completion: Other: **2 string**

Annular Seal Data: 1st Interval: **From 108 ft to 0 ft with 18 (#sacks and material)**  
2nd Interval: **No Data**  
3rd Interval: **No Data**  
Method Used: **Halabert**  
Cemented By: **Raymond Services Inc**  
Distance to Septic Field or other Concentrated Contamination: **100 ft**  
Distance to Property Line: **No Data**  
Method of Verification: **Customer**  
Approved by Variance: **No Data**

Surface Completion: **Surface Sleeve Installed**

Water Level: Static level: **75 ft. below land surface on 6/14/2002**  
Artesian flow: **No Data**

Packers: **K Packer 103**

Plugging Info: Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump: **Submersible**  
Depth to pump bowl: **(No Data) ft**

Well Tests: **Jetted**  
Yield: **(No Data) GPM with (No Data) ft drawdown after (No Data) hours**

Water Quality: Type of Water: **No Data**  
Depth of Strata: **No Data**  
Chemical Analysis Made: **No**  
Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **Raymond Services Inc.  
10011 Airline Dr.  
Houston , Tx 77037**

Driller License Number: **4577**

Licensed Well Driller Signature: **Ty Raymond 4577WI**

Registered Driller Apprentice Signature: **none**

Apprentice Registration Number: **none**

Comments: **none  
Entered 293439 and 952031  
Corrected using WIID by TWDB**

---

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #9058) on your written request.

**Texas Department of Licensing & Regulation  
P.O. Box 12157  
Austin, TX 78711  
(512) 463-7880**

**DESC. & COLOR OF FORMATION MATERIAL**

From (ft)	To (ft)	Description
0	17	Clay
17	19	Rock
19	80	Clay
80	114	Sand .008

**CASING, BLANK PIPE & WELL SCREEN DATA**

Dia.	New/Used	Type	Setting From/To
4	New	PVC	0 to 108 SCH 40
2	New	PVC 8 Gage	108 to 118 Slotted
2	New	PVC Linner	103 to 108 SCH 40

### STATE OF TEXAS WELL REPORT for Tracking #9465

Owner:	Don Tallackson	Owner Well #:	No Data
Address:	12619 E. Shadowlake Cypress , TX 77429	Grid #:	65-04-4
Well Location:	12619 E. Shadowlake Cypress , TX 77429	Latitude:	29° 57' 26" N
Well County:	Harris	Longitude:	095° 36' 35" W
Elevation:	No Data	GPS Brand Used:	Garmin GPS 12
<hr/>			
Type of Work:	New Well	Proposed Use:	Domestic

Drilling Date:      Started: 7/8/2002  
                          Completed: 7/9/2002

Diameter of Hole:    Diameter: 6 3/4 in From Surface To 270 ft  
                          Diameter: 4 3/4 in From 270 ft To 280 ft

Drilling Method:    **Mud Rotary**

Borehole  
 Completion:        Other: **2-String**

Annular Seal Data:    1st Interval: **From 0 ft to 270 ft with 27 (#sacks and material)**  
                          2nd Interval: **No Data**  
                          3rd Interval: **No Data**  
                          Method Used: **Pressure**  
                          Cemented By: **Driller**  
                          Distance to Septic Field or other Concentrated Contamination: **60 ft**  
                          Distance to Property Line: **No Data**  
                          Method of Verification: **Owner's Measurement**  
                          Approved by Variance: **No Data**

Surface  
 Completion:        **Surface Sleeve Installed**

Water Level:        Static level: **125 ft. below land surface on 7/9/2002**  
                          Artesian flow: **No Data**

Packers:            **K Packer 4 x2 1/2 265'**

Plugging Info:      Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump:      **Submersible**  
                          Depth to pump bowl: **220 ft**

Well Tests:         **Estimated**  
                          Yield: **25 GPM with 25 ft drawdown after 1 hour**

Water Quality:      Type of Water: **No Data**  
                          Depth of Strata: **No Data**  
                          Chemical Analysis Made: **No Data**  
                          Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data:    The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **Johnston's Water Well Service, Inc.**  
**14750 Hooper Rd.**  
**Tomball, TX 77375**

Driller License Number: **2778**

Licensed Well Driller Signature: **Kerry K. Johnston**

Registered Driller Apprentice Signature: **No Data**

Apprentice Registration Number: **No Data**

Comments: **No Data**

---

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #9465) on your written request.

**Texas Department of Licensing & Regulation**  
**P.O. Box 12157**  
**Austin, TX 78711**  
**(512) 463-7880**

DESC. & COLOR OF FORMATION MATERIAL		CASING, BLANK PIPE & WELL SCREEN DATA			
From (ft)	To (ft) Description	Dia.	New/Used	Type	Setting From/To
0-10	Clay	4"	N	Sch. 40 PVC	+2-270
10-15	Sand	2 1/2"	N	Sch. 40 PVC	265-270
15-90	Clay	2 1/2"	N	Sch. 40 Slotted	270-280 .010
90-170	Sand				
170-180	Clay				
180-205	Sand				
205-220	Clay				
220-227	Sand				
227-240	Rock				
240-243	Sand				
243-260	Clay & Rock				
260-280	Sand				

### STATE OF TEXAS WELL REPORT for Tracking #11450

Owner:	CYPRESS BIBLE CHURCH	Owner Well #:	6314
Address:	11711 CYPRESS N. HOUSTON CYPRESS, TX 77429	Grid #:	65-04-4
Well Location:	11711 CYPRESS N. HOUSTON CYPRESS, TX 77429	Latitude:	29° 57' 01" N
Well County:	Harris	Longitude:	095° 35' 53" W
Elevation:	No Data	GPS Brand Used:	GARMIN GPS 12

Type of Work:	New Well	Proposed Use:	Public Supply; Plans Not Approved by TCEQ
---------------	----------	---------------	--

Drilling Date:      Started: 7/9/2002  
                         Completed: 7/16/2002

Diameter of Hole:      Diameter: 11 1/2 in From Surface To 285 ft

Drilling Method:      **Mud Rotary**

Borehole  
Completion:      Other: **CEMENTED**

Annular Seal Data:      1st Interval: **From 265 ft to 15 ft with 21 (#sacks and material)**  
                                 2nd Interval: **From 15 ft to 0 ft with 13 (#sacks and material)**  
                                 3rd Interval: **No Data**  
                                 Method Used: **HALIBURTON**  
                                 Cemented By: **GLEN R. BONDS**  
                                 Distance to Septic Field or other Concentrated Contamination: **NA ft**  
                                 Distance to Property Line: **No Data**  
                                 Method of Verification: **NA**  
                                 Approved by Variance: **No Data**

Surface  
Completion:      **Alternative Procedure Used**

Water Level:      Static level: **140 ft. below land surface on 7/16/2002**  
                                 Artesian flow: **No Data**

Packers:      **5 X 3 TRI-SEAL 260 FT.**

Plugging Info:      Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump:      **Submersible**  
                                 Depth to pump bowl: **231 ft**

Well Tests:      **Estimated**  
                                 Yield: **125 GPM with (No Data) ft drawdown after (No Data) hours**

Water Quality:      Type of Water: **GOOD**  
                                 Depth of Strata: **25 FT. ft.**  
                                 Chemical Analysis Made: **No**  
                                 Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data:      The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller

understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **NORTHWEST WATER WELLS**  
**25143 FM 1488**  
**MAGNOLIA , TX 77354**

Driller License Number: **50950**

Licensed Well Driller Signature: **GLEN R. BONDS**

Registered Driller Apprentice Signature: **No Data**

Apprentice Registration Number: **No Data**

Comments: **No Data**

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #11450) on your written request.

**Texas Department of Licensing & Regulation**  
**P.O. Box 12157**  
**Austin, TX 78711**  
**(512) 463-7880**

**DESC. & COLOR OF FORMATION MATERIAL**

**CASING, BLANK PIPE & WELL SCREEN DATA**

From (ft) To (ft) Description  
**0-23 CLAY**  
**23-50 SAND/GRAVEL/CLAY**  
**50-130 CLAY/SAND/ROCK**  
**130-225 SAND**  
**225-260 CLAY/ROCK/SAND**  
**260-285 SAND**

Dia.	New/Used	Type	Setting From/To
5 N		PVC CASING	0-265 40
3 N		PVC LINER	260-265 40
3 N		PVC SCREEN	265-285 010

### STATE OF TEXAS WELL REPORT for Tracking #12471

Owner: <b>KEITH DODD</b>	Owner Well #: <b>No Data</b>
Address: <b>11510 DERMOTT HOUSTON , TX 77070</b>	Grid #: <b>65-04-4</b>
Well Location: <b>11510 DERMOTT HOUSTON , TX 77070</b>	Latitude: <b>29° 56' 19" N</b>
Well County: <b>Harris</b>	Longitude: <b>095° 35' 42" W</b>
Elevation: <b>No Data</b>	GPS Brand Used: <b>MAGELLAN 2000</b>
<hr/>	
Type of Work: <b>New Well</b>	Proposed Use: <b>Domestic</b>

Drilling Date: Started: **7/29/2002**  
Completed: **8/6/2002**

Diameter of Hole: **No Data Diameter: 7 1/4" in From 0 ft To 275' ft**

Drilling Method: **Mud Rotary Bored**

Borehole Completion: Other: **TWO-STRING**

Annular Seal Data: 1st Interval: **From 260 ft to 0 ft with 33 (#sacks and material)**  
2nd Interval: **No Data**  
3rd Interval: **No Data**  
Method Used: **PRESSURED CEMENT**  
Cemented By: **SELF**  
Distance to Septic Field or other Concentrated Contamination: **80' ft**  
Distance to Property Line: **No Data**  
Method of Verification: **TAPE MEASURE**  
Approved by Variance: **No Data**

Surface Completion: **Surface Sleeve Installed**

Water Level: Static level: **160' ft. below land surface on 8/6/2002**  
Artesian flow: **No Data**

Packers: **2-4"X2" RXR TRI-SEAL K-PACKERS 250'**

Plugging Info: Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump: **Submersible**  
Depth to pump bowl: **240' ft**

Well Tests: **Jetted \ Estimated**  
Yield: **30 GPM with (No Data) ft drawdown after (No Data) hours**

Water Quality: Type of Water: **No Data**  
Depth of Strata: **197' ft.**  
Chemical Analysis Made: **No**  
Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **HURST WATEWR WELLS  
25356 DEER TRAIL  
HOCKLEY , TX 77447**

Driller License Number: **4741**

Licensed Well Driller Signature: **FRELIN PAUL HURST**

Registered Driller Apprentice Signature: **No Data**

Apprentice Registration Number: **No Data**

Comments: **NO PHYSICAL ADDRESS**

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #12471) on your written request.

**Texas Department of Licensing & Regulation  
P.O. Box 12157  
Austin, TX 78711  
(512) 463-7880**

**DESC. & COLOR OF FORMATION MATERIAL**

**CASING, BLANK PIPE & WELL SCREEN DATA**

From (ft) To (ft) Description  
**0-78 CLAY**  
**78-275 SAND/GRAVEL**

Dia. New/Used Type Setting From/To  
**4" N PVC CASING 0 - 260**  
**2" N PVC PIPE 250-255**  
**2" N PVC SLOTTED SCREEN 255-275 .008**

### STATE OF TEXAS WELL REPORT for Tracking #13415

Owner:	V.N. BUILDERS	Owner Well #:	No Data
Address:	12745 N. ELDRIDGE PARKWAY CYPRESS, TX 77429	Grid #:	65-04-1
Well Location:	12745 N. ELDRIDGE PARKWAY CYPRESS, TX 77429	Latitude:	29° 57' 46" N
Well County:	Harris	Longitude:	095° 36' 22" W
Elevation:	No Data	GPS Brand Used:	MAGELLAN 315
Type of Work: <b>New Well</b>		Proposed Use:	<b>Domestic</b>

Drilling Date: Started: **8/9/2002**  
Completed: **8/12/2002**

Diameter of Hole: Diameter: **6.75 in From Surface To 313 ft**

Drilling Method: **Mud Rotary**

Borehole Completion: Other: **PRESSURE CEMENTED**

Annular Seal Data: 1st Interval: **From 293 ft to 10 ft with 17 (#sacks and material)**  
2nd Interval: **From 10 ft to 0 ft with 10 (#sacks and material)**  
3rd Interval: **No Data**  
Method Used: **HALLIBURTON**  
Cemented By: **DRILLER**  
Distance to Septic Field or other Concentrated Contamination: **N/A ft**  
Distance to Property Line: **No Data**  
Method of Verification: **NONE PRESENT**  
Approved by Variance: **No Data**

Surface Completion: **Alternative Procedure Used**

Water Level: Static level: **157 ft. below land surface on 8/12/2002**  
Artesian flow: **No Data**

Packers: **4X2.5" RXR BP RUBBER SEAL 286**

Plugging Info: Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump: **Submersible**  
Depth to pump bowl: **260 ft**

Well Tests: **Jetted \ Estimated**  
Yield: **50 GPM with (No Data) ft drawdown after (No Data) hours**

Water Quality: Type of Water: **No Data**  
Depth of Strata: **No Data**  
Chemical Analysis Made: **No**  
Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **WALLER COUNTY WATER WELLS, INC.  
27742 RICE ROAD  
HOCKLEY , TX 77447**

Driller License Number: **50223**

Licensed Well Driller Signature: **EUGENE RIEMER**

Registered Driller Apprentice Signature: **No Data**

Apprentice Registration Number: **No Data**

Comments: **No Data**

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #13415) on your written request.

**Texas Department of Licensing & Regulation  
P.O. Box 12157  
Austin, TX 78711  
(512) 463-7880**

**DESC. & COLOR OF FORMATION MATERIAL**

**CASING, BLANK PIPE & WELL SCREEN DATA**

From (ft) To (ft) Description  
**0-20 CLAY**  
**20-29 SAND**  
**29-69 CLAY**  
**69-99 SAND**  
**99-113 CLAY**  
**113-133 SAND**  
**133-153 GRAVEL/ROCK**  
**153-177 GRAVEL/SAND**  
**177-197 SAND/ROCK/GRAVEL**  
**197-217 SAND/ROCK**  
**217-241 SAND**  
**241-286 CLAY**  
**286-313 SAND**

Dia. New/Used Type Setting From/To  
**4 N PVC SCH-40 CASING 0/293**  
**2.5 N PVC SCH-40 LINER 286/293**  
**2.5 N PVC SCH-80 JAYCO WOP 293/313 .008**

### STATE OF TEXAS WELL REPORT for Tracking #15539

Owner:	JOE TAMASY	Owner Well #:	No Data
Address:	12611 W. SHADOW LAKE HOUSTON, TX 77429	Grid #:	65-04-4
Well Location:	SAME HOUSTON, TX 77429	Latitude:	29° 57' 20" N
Well County:	Harris	Longitude:	095° 36' 41" W
Elevation:	No Data	GPS Brand Used:	315 MEDALLION GPS
Type of Work: <b>New Well</b>		Proposed Use: <b>Domestic</b>	

Drilling Date: Started: **12/18/2002**  
Completed: **12/19/2002**

Diameter of Hole: **No Data Diameter: 6 3/4 in From 0 ft To 370 ft**

Drilling Method: **Mud Rotary**

Borehole Completion: Other: **2 STRING**

Annular Seal Data: 1st Interval: **From 370 ft to 0 ft with 20 (#sacks and material)**  
2nd Interval: **From 0 ft to 10 ft with 10 (#sacks and material)**  
3rd Interval: **No Data**  
Method Used: **HALLIBURTON**  
Cemented By: **SDI**  
Distance to Septic Field or other Concentrated Contamination: **170 ft**  
Distance to Property Line: **No Data**  
Method of Verification: **BY OWNER**  
Approved by Variance: **No Data**

Surface Completion: **Surface Sleeve Installed**

Water Level: Static level: **210 ft. below land surface on 12/19/2002**  
Artesian flow: **No Data**

Packers: **K-PACKER 365**

Plugging Info: Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump: **Submersible**  
Depth to pump bowl: **280 ft**

Well Tests: **Jetted**  
Yield: **(No Data) GPM with (No Data) ft drawdown after (No Data) hours**

Water Quality: Type of Water: **No Data**  
Depth of Strata: **No Data**  
Chemical Analysis Made: **No**  
Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **SCOTT DRILLING INC  
11923 GREEN PINE CIRCLE  
HOUSTON, TX 77066**

Driller License Number: **4839**

Licensed Well Driller Signature: **SCOTT ROBINSON**

Registered Driller Apprentice Signature: **DJ JUNEAU**

Apprentice Registration Number: **No Data**

Comments: **No Data**

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #15539) on your written request.

**Texas Department of Licensing & Regulation  
P.O. Box 12157  
Austin, TX 78711  
(512) 463-7880**

**DESC. & COLOR OF FORMATION MATERIAL****CASING, BLANK PIPE & WELL SCREEN DATA**

From (ft) To (ft) Description  
**0-25 CLAY**  
**25-30 SAND**  
**30-85 CLAY**  
**85-95 SAND**  
**95-110 CLAY**  
**110-255 SAND**  
**255-285 CLAY**  
**285-300 SAND**  
**300-365 CLAY**  
**365-385 SAND**

Dia. New/Used Type Setting From/To  
**4 N PVC CASING 0 370**  
**2.5 " " LINER 365 370**  
**" " " SCREEN 370 385 .010**

### STATE OF TEXAS WELL REPORT for Tracking #16367

Owner:	Juan Puento	Owner Well #:	No Data
Address:	4913 Van Zandt Houston , Tx 77093	Grid #:	65-04-5
Well Location:	4913 Van Zandt Houston , TX 77093	Latitude:	29° 56' 38" N
Well County:	Harris	Longitude:	095° 33' 29" W
Elevation:	No Data	GPS Brand Used:	Garman Etrex

Type of Work:	New Well	Proposed Use:	Domestic
---------------	----------	---------------	----------

Drilling Date:      Started: 1/6/2003  
                          Completed: 1/10/2003

Diameter of Hole:    **No Data** Diameter: 4 in From 0 ft To 400 ft  
                          Diameter: 7 in From 0 ft To 380 ft

Drilling Method:    **Mud Rotary**

Borehole  
 Completion:        Other: **2 String**

Annular Seal Data:  1st Interval: **From 0 ft to 380 ft with 43 (#sacks and material)**  
                          2nd Interval: **No Data**  
                          3rd Interval: **No Data**  
                          Method Used: **Pressure**  
                          Cemented By: **Ty Raymond 4577WI**  
                          Distance to Septic Field or other Concentrated Contamination: **70 ft**  
                          Distance to Property Line: **No Data**  
                          Method of Verification: **Customer**  
                          Approved by Variance: **No Data**

Surface  
 Completion:        **Surface Sleeve Installed**

Water Level:        Static level: **No Data**  
                          Artesian flow: **No Data**

Packers:            **1 FIG K 370**

Plugging Info:     Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump:     **Submersible**  
                          Depth to pump bowl: **300 ft**

Well Tests:         **Jetted**  
                          Yield: **50 GPM with 10 ft drawdown after 5 hours**

Water Quality:     Type of Water: **No Data**  
                          Depth of Strata: **No Data**  
                          Chemical Analysis Made: **No**  
                          Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **Raymond Services Inc.**  
**10011 Airline Dr**  
**Houston , Tx 77037**

Driller License Number: **4577**

Licensed Well Driller Signature: **Ty Raymond 4577WI**

Registered Driller Apprentice Signature: **none**

Apprentice Registration Number: **none**

Comments: **none**

---

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #16367) on your written request.

**Texas Department of Licensing & Regulation**  
**P.O. Box 12157**  
**Austin, TX 78711**  
**(512) 463-7880**

---

**DESC. & COLOR OF FORMATION MATERIAL**

From (ft)	To (ft)	Description
0	60	Clay
60	80	Sand
80	160	Clay
160	167	Sand
167	216	Clay
216	234	Sand
234	296	Clay
296	298	Sand
298	310	Clay
310	320	Sand
320	330	Clay
330	340	Sand
340	375	Clay
375	400	Sand

---

**CASING, BLANK PIPE & WELL SCREEN DATA**

Dia.	New/Used	Type	Setting From/To
4	New	Plastic Case	0 - 380 SCH 40
2 1/2	New	Plastic Linear	370 - 380 SCH 40
2 1/2	New	Plastic Screen	380 - 400 .006

### STATE OF TEXAS WELL REPORT for Tracking #19552

Owner: <b>VINCENT MIRANDA</b>	Owner Well #: <b>30058</b>
Address: <b>12807 OAK PLAZA CYPRESS, TX 77429</b>	Grid #: <b>65-04-4</b>
Well Location: <b>12807 OAK PLAZA CYPRESS, TX 77429</b>	Latitude: <b>29° 57' 28" N</b>
Well County: <b>Harris</b>	Longitude: <b>095° 36' 01" W</b>
Elevation: <b>No Data</b>	GPS Brand Used: <b>GARMIN GPS 12</b>
<hr/>	
Type of Work: <b>New Well</b>	Proposed Use: <b>Domestic</b>

Drilling Date: Started: **4/25/2003**  
Completed: **4/28/2003**

Diameter of Hole: Diameter: **7 1/4 in From Surface To 262 ft**

Drilling Method: **Mud Rotary**

Borehole Completion: Other: **CEMENTED**

Annular Seal Data: 1st Interval: **From 252 ft to 15 ft with 12 (#sacks and material)**  
2nd Interval: **From 15 ft to 0 ft with 13 (#sacks and material)**  
3rd Interval: **No Data**  
Method Used: **HALIBURTON**  
Cemented By: **GLEN R. BONDS**  
Distance to Septic Field or other Concentrated Contamination: **NA ft**  
Distance to Property Line: **No Data**  
Method of Verification: **NA**  
Approved by Variance: **No Data**

Surface Completion: **Alternative Procedure Used**

Water Level: Static level: **140 ft. below land surface on 4/28/2003**  
Artesian flow: **No Data**

Packers: **4 X 2 1/2 TRI-SEAL 247 FT.**

Plugging Info: Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump: **Submersible**  
Depth to pump bowl: **200 ft**

Well Tests: **Estimated**  
Yield: **25 GPM with (No Data) ft drawdown after (No Data) hours**

Water Quality: Type of Water: **GOOD**  
Depth of Strata: **17 FT. ft.**  
Chemical Analysis Made: **No**  
Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **NORTHWEST WATER WELLS**  
**25143 FM 1488**  
**MAGNOLIA , TX 77355**

Driller License Number: **50950**

Licensed Well Driller Signature: **GLEN R. BONDS**

Registered Driller Apprentice Signature: **No Data**

Apprentice Registration Number: **No Data**

Comments: **No Data**

---

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #19552) on your written request.

**Texas Department of Licensing & Regulation**  
**P.O. Box 12157**  
**Austin, TX 78711**  
**(512) 463-7880**

---

**DESC. & COLOR OF FORMATION MATERIAL**

From (ft) To (ft) Description  
**0-35 SAND/CLAY**  
**35-65 SAND**  
**65-105 SAND/CLAY**  
**105-130 CLAY/SAND/ROCK**  
**130-205 SAND/CLAY**  
**205-245 SAND/ROCK**  
**245-262 SAND**

---

**CASING, BLANK PIPE & WELL SCREEN DATA**

Dia.	New/Used	Type	Setting From/To
<b>4 N</b>		<b>PVC CASING</b>	<b>0-252 40</b>
<b>2 1/2 N</b>		<b>PVC LINER</b>	<b>247-252 40</b>
<b>2 1/2 N</b>		<b>PVC SCREEN</b>	<b>252-262 010</b>

### STATE OF TEXAS WELL REPORT for Tracking #19908

Owner:	Eduardo Callegra	Owner Well #:	No Data
Address:	12750 N. Eldridge Parkway Cypress , TX 77429	Grid #:	65-04-1
Well Location:	12750 N. Eldridge Parkway Cypress , TX 77429	Latitude:	29° 57' 50" N
Well County:	Harris	Longitude:	095° 36' 16" W
Elevation:	No Data	GPS Brand Used:	Magellan 315
<hr/>			
Type of Work:	New Well	Proposed Use:	Domestic

Drilling Date:      Started: **4/10/2003**  
                          Completed: **4/12/2003**

Diameter of Hole:    Diameter: **8 in From Surface To 320 ft**

Drilling Method:     **Mud Rotary**

Borehole  
Completion:          **Straight Wall**

Annular Seal Data:    1st Interval: **From 300 ft to 10 ft with 25 (#sacks and material)**  
                              2nd Interval: **From 0 ft to 10 ft with 15 (#sacks and material)**  
                              3rd Interval: **No Data**  
                              Method Used: **Halliburton**  
                              Cemented By: **Driller**  
                              Distance to Septic Field or other Concentrated Contamination: **No Data**  
                              Distance to Property Line: **No Data**  
                              Method of Verification: **No Data**  
                              Approved by Variance: **No Data**

Surface  
Completion:          **Surface Sleeve Installed**

Water Level:          Static level: **157 ft. below land surface on 4/12/2003**  
                              Artesian flow: **No Data**

Packers:              **5" x 3" K Packer 290**

Plugging Info:        Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump:        **Submersible**  
                              Depth to pump bowl: **280 ft**

Well Tests:           **Jetted \ Estimated**  
                              Yield: **60 GPM with (No Data) ft drawdown after (No Data) hours**

Water Quality:        Type of Water: **No Data**  
                              Depth of Strata: **No Data**  
                              Chemical Analysis Made: **No**  
                              Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data:    The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **Waller County Water Wells, Inc.**  
**27742 Rice Road**  
**Hockley, TX 77447**

Driller License Number: **2216**

Licensed Well Driller Signature: **Donald G. Robinson**

Registered Driller Apprentice Signature: **No Data**

Apprentice Registration Number: **No Data**

Comments: **No Data**

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #19908) on your written request.

**Texas Department of Licensing & Regulation**  
**P.O. Box 12157**  
**Austin, TX 78711**  
**(512) 463-7880**

**DESC. & COLOR OF FORMATION MATERIAL**

From (ft) To (ft) Description  
**0-20 Clay; 20-29 Sand; 29-49 Clay; 49-69 Clay; 69-89 Sand; 89-99 Sand; 99-113 Clay; 113-133 Sand; 133-153 Gravel; 153-177 Gravel/Sand/Rock; 177-197 Sand/Gravel; 197-217 Sand/Rock; 217-231 Sand; 231-241 Sand; 241-261 Clay; 261-286 Clay; 286-301 Sand; 301-320 Sand**

**CASING, BLANK PIPE & WELL SCREEN DATA**

Dia.	New/Used	Type	Setting From/To
5	New	PVC SCH-40 Casing	0 - 300
3	New	PVC SCH-40 Blank	290 - 300
3	New	PVC SCH-80 Jayco Screen	300 - 320 .008

### STATE OF TEXAS WELL REPORT for Tracking #20046

Owner:	Reid Road M.U.D. #1	Owner Well #:	3
Address:	1702 Seamist Drive Houston, TX 77008	Grid #:	65-04-5
Well Location:	Bending Brook Way Houston, TX 77064	Latitude:	29° 55' 55" N
Well County:	Harris	Longitude:	095° 34' 46" W
Elevation:	No Data	GPS Brand Used:	Magellan GPS 315

Type of Work:	New Well	Proposed Use:	Public Supply; Plans Approved by TCEQ
---------------	----------	---------------	---

Drilling Date:      Started: 12/1/2002  
                          Completed: 4/30/2003

Diameter of Hole:    Diameter: 35 in From Surface To 65 ft  
                          Diameter: 26 in From 0 ft To 779 ft  
                          Diameter: 30 in From 779 ft To 1206 ft

Drilling Method:    **Mud Rotary**

Borehole  
Completion:        Gravel Packed From: 680 ft to 1206 ft  
                          Gravel Pack Size: Underreamed

Annular Seal Data: 1st Interval: From 0 ft to 60 ft with 80 (#sacks and material)  
 2nd Interval: From 0 ft to 779 ft with 760 (#sacks and material)  
 3rd Interval: No Data  
 Method Used: Haliburton  
 Cemented By: Dowell Schlumberger  
 Distance to Septic Field or other Concentrated Contamination: 150 ft  
 Distance to Property Line: No Data  
 Method of Verification: Landev Engineers  
 Approved by Variance: No Data

Surface  
Completion:        **Surface Slab Installed**

Water Level:        Static level: 454 ft. below land surface on 4/29/2003  
                          Artesian flow: No Data

Packers:            N/A

Plugging Info:     Casing or Cement/Bentonite left in well: No Data

Type Of Pump:     **Turbine**  
                          Depth to pump bowl: 665 ft

Well Tests:         **Pump**  
                          Yield: 1016 GPM with 78 ft drawdown after 12 hours

Water Quality:     Type of Water: **Fresh**  
                          Depth of Strata: **No Data**  
                          Chemical Analysis Made: **Yes**  
                          Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct

supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **Alsay Incorporated**  
**6615 Gant**  
**Houston , TX 77066**

Driller License Number: **2048**

Licensed Well Driller Signature: **Neil Rollie**

Registered Driller Apprentice Signature: **No Data**

Apprentice Registration Number: **No Data**

Comments: **No Data**

#### IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #20046) on your written request.

Texas Department of Licensing & Regulation  
P.O. Box 12157  
Austin, TX 78711  
(512) 463-7880

#### DESC. & COLOR OF FORMATION MATERIAL

#### CASING, BLANK PIPE & WELL SCREEN DATA

From (ft) To (ft) Description	Dia.	New/Used	Type	Setting From/To
0 – 6 Sub structure	30	U	Steel 0/60 .312	
6 – 72 Clay (Reddish brown)	20	N	Steel +3/779 .500	
72 – 90 Sand	14	N	Steel with 779-1206	
90 – 98 Clay (Whitish gray)			stainless steel screen	
98 – 122 Sand				
122 – 130 Clay (Whitish gray)				
130 – 142 Sand				
142 – 174 Clay (Reddish brown)				
174 – 210 Sand				
210 – 220 Clay (Whitish gray)				
220 – 320 Sand				
320 – 360 Clay (Reddish brown)				
360 – 402 Sand				
402 – 420 Clay (Gray)				
420 – 450 Sand				
450 – 460 Clay (Whitish gray)				
460 – 482 Sand				
482 – 492 Clay (Whitish gray)				
492 – 524 Sand				
524 – 540 Clay (Gray)				
540 – 560 Sand				

560 – 588 Clay (Gray)  
588 – 610 Sand  
610 – 620 Clay (Whitish gray)  
620 – 716 Sand  
716 – 784 Clay  
784 – 820 Sand  
820 – 850 Clay (Gray)  
850 – 864 Sand  
864 – 910 Clay (Gray)  
910 – 930 Sand  
930 – 960 Clay (Gray)  
960 – 1026 Sand  
1026 – 1042 Sandy clay  
1042 – 1188 Sand  
1188 – 1250 Clay (Gray)

### STATE OF TEXAS WELL REPORT for Tracking #23173

Owner: <b>OMAR PEREZ</b>	Owner Well #: <b>30081</b>
Address: <b>11710 ROCKVILLE DR. HOUSTON, TX 77064</b>	Grid #: <b>65-04-5</b>
Well Location: <b>11710 ROCKVILLE DR. HOUSTON, TX 77064</b>	Latitude: <b>29° 56' 35" N</b>
Well County: <b>Harris</b>	Longitude: <b>095° 33' 41" W</b>
Elevation: <b>No Data</b>	GPS Brand Used: <b>GARMIN GPS 12</b>
<hr/>	
Type of Work: <b>New Well</b>	Proposed Use: <b>Domestic</b>

Drilling Date: Started: **7/9/2003**  
Completed: **7/10/2003**

Diameter of Hole: Diameter: **7 1/4 in From Surface To 262 ft**

Drilling Method: **Mud Rotary**

Borehole Completion: Other: **CEMENTED**

Annular Seal Data: 1st Interval: **From 252 ft to 15 ft with 13 (#sacks and material)**  
2nd Interval: **From 15 ft to 0 ft with 13 (#sacks and material)**  
3rd Interval: **No Data**  
Method Used: **HALIBURTON**  
Cemented By: **GLEN R. BONDS**  
Distance to Septic Field or other Concentrated Contamination: **NA ft**  
Distance to Property Line: **No Data**  
Method of Verification: **NA**  
Approved by Variance: **No Data**

Surface Completion: **Alternative Procedure Used**

Water Level: Static level: **160 ft. below land surface on 7/10/2003**  
Artesian flow: **No Data**

Packers: **TRI-SEAL 4 X 2 1/2 247**

Plugging Info: Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump: **Submersible**  
Depth to pump bowl: **220 ft**

Well Tests: **Estimated**  
Yield: **25 GPM with (No Data) ft drawdown after (No Data) hours**

Water Quality: Type of Water: **GOOD**  
Depth of Strata: **32 FT. ft.**  
Chemical Analysis Made: **No**  
Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **NORTHWEST WATER WELLS**  
**25143 FM 1488**  
**MAGNOLIA , TX 77355**

Driller License Number: **50950**

Licensed Well Driller Signature: **GLEN R. BONDS**

Registered Driller Apprentice Signature: **STEPHEN P.LAROCHE**

Apprentice Registration Number: **No Data**

Comments: **No Data**

---

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #23173) on your written request.

**Texas Department of Licensing & Regulation**  
**P.O. Box 12157**  
**Austin, TX 78711**  
**(512) 463-7880**

---

**DESC. & COLOR OF FORMATION MATERIAL**

From (ft) To (ft) Description  
**0 150 CLAY/SAND**  
**150 200 CLAY/ROCK**  
**200 230 CLAY**  
**230 262 SAND**

---

**CASING, BLANK PIPE & WELL SCREEN DATA**

Dia.	New/Used	Type	Setting From/To
4	N	PVC CASING	0 252 40
2 1/2	N	PVC LINER	247 252 40
2 1/2	N	PVC SCREEN	252 262 010

### STATE OF TEXAS WELL REPORT for Tracking #24058

Owner:	Clark Chrisman	Owner Well #:	No Data
Address:	12102 Bexhill Houston, TX 77065	Grid #:	65-04-4
Well Location:	12102 Bexhill Houston, TX 77065	Latitude:	29° 56' 36" N
Well County:	Harris	Longitude:	095° 36' 13" W
Elevation:	No Data	GPS Brand Used:	Garmin Etrex Legend
Type of Work: Replacement Well		Proposed Use: Domestic	

Drilling Date: Started: 8/6/2003  
Completed: 8/8/2003

Diameter of Hole: Diameter: 7 3/4" in From Surface To 310 ft  
Diameter: 3 7/8" in From 310 ft To 320 ft

Drilling Method: Mud Rotary

Borehole Completion: Other: Halliburton

Annular Seal Data: 1st Interval: From 0 ft to 310 ft with 18 (#sacks and material)  
2nd Interval: No Data  
3rd Interval: No Data  
Method Used: Halliburton  
Cemented By: Ballard Water Well  
Distance to Septic Field or other Concentrated Contamination: 30 ft  
Distance to Property Line: No Data  
Method of Verification: Measured  
Approved by Variance: No Data

Surface Completion: Alternative Procedure Used

Water Level: Static level: 172 ft. below land surface on 8/8/2003  
Artesian flow: No Data

Packers: K Packer 305'

Plugging Info: Casing or Cement/Bentonite left in well: No Data

Type Of Pump: Submersible  
Depth to pump bowl: 300 ft

Well Tests: Jetted  
Yield: 20 GPM with 80' ft drawdown after 2 hours

Water Quality: Type of Water: Good  
Depth of Strata: 310' ft.  
Chemical Analysis Made: No  
Did the driller knowingly penetrate any strata which contained undesirable constituents: No

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **Ballard Water Well  
P. O. Box 970  
Willis , TX 77378**

Driller License Number: **54411**

Licensed Well Driller Signature: **Sam Ballard #54411**

Registered Driller Apprentice Signature: **No Data**

Apprentice Registration Number: **No Data**

Comments: **No Data**

---

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #24058) on your written request.

**Texas Department of Licensing & Regulation  
P.O. Box 12157  
Austin, TX 78711  
(512) 463-7880**

---

**DESC. & COLOR OF FORMATION MATERIAL**

From (ft)	To (ft)	Description
0	3	Topsoil
3	12	Clay
12	30	Sand
30	43	Clay
43	48	Sand
48	82	Clay
82	106	Sand
106	107	Rock
107	117	Shale
117	118	Hard Rock
118	133	Clay
133	137	Sand Stone
137	150	Clay
150	174	Sand
174	179	Sand Stone
179	198	Clay
198	202	Shale/Sand
202	215	Sand
215	233	Sand/Shale
233	246	Clay
246	261	Sand Stone
261	267	Hard Rock
267	273	Sand
273	281	Clay

---

**CASING, BLANK PIPE & WELL SCREEN DATA**

Dia.	New/Used	Type	Setting From/To
4"	New	PVC Casing	Sch 40 0-310
2 1/2"	New	Liner Pipe	PVC 305-310
2 1/2"	New	PVC Slotted Screen	310-320 8 Gauge

281 290 Sand  
290 310 Clay  
310 320 Sand

### STATE OF TEXAS WELL REPORT for Tracking #24676

Owner:	CAZIMIRO AMEZUS	Owner Well #:	30110
Address:	9222 SHOAL CREEK DR. HOUSTON , TX 77064	Grid #:	65-04-5
Well Location:	9222 SHOAL CREEK DR. HOUSTON , TX 77064	Latitude:	29° 56' 45" N
Well County:	Harris	Longitude:	095° 33' 30" W
Elevation:	No Data	GPS Brand Used:	GARMIN GPS 12
Type of Work: <b>New Well</b>		Proposed Use:	<b>Domestic</b>

Drilling Date: Started: **8/20/2003**  
Completed: **8/21/2003**

Diameter of Hole: Diameter: **7 1/4 in From Surface To 276 ft**

Drilling Method: **Mud Rotary**

Borehole Completion: Other: **CEMENTED**

Annular Seal Data: 1st Interval: **From 266 ft to 15 ft with 13 (#sacks and material)**  
2nd Interval: **From 15 ft to 0 ft with 13 (#sacks and material)**  
3rd Interval: **No Data**  
Method Used: **HALIBURTON**  
Cemented By: **GLEN R. BONDS**  
Distance to Septic Field or other Concentrated Contamination: **NA ft**  
Distance to Property Line: **No Data**  
Method of Verification: **NA**  
Approved by Variance: **No Data**

Surface Completion: **Alternative Procedure Used**

Water Level: Static level: **160 ft. below land surface on 8/21/2003**  
Artesian flow: **No Data**

Packers: **4 X 2 1/2 TRI-SEAL 261 FT.**

Plugging Info: Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump: **Submersible**  
Depth to pump bowl: **220 ft**

Well Tests: **Estimated**  
Yield: **25 GPM with (No Data) ft drawdown after (No Data) hours**

Water Quality: Type of Water: **GOOD**  
Depth of Strata: **16 FT. ft.**  
Chemical Analysis Made: **No Data**  
Did the driller knowingly penetrate any strata which contained undesirable constituents: **No Data**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **NORTHWEST WATER WELLS**  
**25143 FM 1488**  
**MAGNOLIA , TX 77355**

Driller License Number: **50950**

Licensed Well Driller Signature: **GLEN R. BONDS**

Registered Driller Apprentice Signature: **STEPHEN P. LAROCH**

Apprentice Registration Number: **No Data**

Comments: **Latitude correct from 26 Deg to 29 Deg by TWDB verified using Mapoama.com**

---

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #24676) on your written request.

**Texas Department of Licensing & Regulation**  
**P.O. Box 12157**  
**Austin, TX 78711**  
**(512) 463-7880**

---

**DESC. & COLOR OF FORMATION MATERIAL**

From (ft) To (ft) Description  
**0-45 CLAY/SAND**  
**45-66 CLAY**  
**66-126 SAND**  
**126-260 CLAY/SAND**  
**260-276 SAND**

---

**CASING, BLANK PIPE & WELL SCREEN DATA**

Dia.	New/Used	Type	Setting From/To
4 N		PVC CASING	0-266 40
2 1/2 N		PVC LINER	261-266 40
2 1/2 N		PVC SCREEN	266-276 010

### STATE OF TEXAS WELL REPORT for Tracking #26956

Owner: <b>Lee Lednicky</b>	Owner Well #: <b>New</b>
Address: <b>12107 Mile Dr. Houston, Tx 77065</b>	Grid #: <b>65-04-4</b>
Well Location: <b>12107 Mile Dr. Houston, TX 77065</b>	Latitude: <b>29° 56' 44" N</b>
Well County: <b>Harris</b>	Longitude: <b>095° 36' 16" W</b>
Elevation: <b>No Data</b>	GPS Brand Used: <b>Magellan 315</b>
<hr/>	
Type of Work: <b>New Well</b>	Proposed Use: <b>Domestic</b>

Drilling Date: Started: **10/15/2003**  
Completed: **10/16/2003**

Diameter of Hole: Diameter: **6 3/4 in From Surface To 339 ft**

Drilling Method: **Mud Rotary**

Borehole Completion: **Straight Wall**

Annular Seal Data: 1st Interval: **From 10 ft to 328 ft with 16 Portland (#sacks and material)**  
2nd Interval: **From 0 ft to 10 ft with 8 Cement (#sacks and material)**  
3rd Interval: **No Data**  
Method Used: **Halliburton**  
Cemented By: **Driller**  
Distance to Septic Field or other Concentrated Contamination: **No Data**  
Distance to Property Line: **No Data**  
Method of Verification: **Measured**  
Approved by Variance: **No Data**

Surface Completion: **Surface Sleeve Installed**

Water Level: Static level: **186 ft. below land surface on 10/16/2003**  
Artesian flow: **No Data**

Packers: **4" x 2.5" K-Packer 320'**

Plugging Info: Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump: **Submersible**  
Depth to pump bowl: **280 ft**

Well Tests: **Jetted \ Estimated**  
Yield: **50 GPM with (No Data) ft drawdown after (No Data) hours**

Water Quality: Type of Water: **No Data**  
Depth of Strata: **No Data**  
Chemical Analysis Made: **No**  
Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **Waller County Water Wells, Inc.**  
**27742 Rice Rd.**  
**Hockley , TX 77065**

Driller License Number: **2216**

Licensed Well Driller Signature: **Eugene Riemer**

Registered Driller Apprentice Signature: **No Data**

Apprentice Registration Number: **No Data**

Comments: **No Data**

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #26956) on your written request.

**Texas Department of Licensing & Regulation**  
**P.O. Box 12157**  
**Austin, TX 78711**  
**(512) 463-7880**

**DESC. & COLOR OF FORMATION MATERIAL**

**CASING, BLANK PIPE & WELL SCREEN DATA**

From (ft) To (ft) Description

0-20 Clay

20-25 Sand

25-30 Sand

30-89 Clay

89-129 Clay

129-153 Clay

153-183 Sand

183-193 Clay

193-213 Clay/Sand/Rock

213-237 Sand

237-247 Sand/Rock

247-257 Rock/Sand

257-260 Sand

260-277 Clay

277-287 Sand

287-297 Rock Clay

297-315 Clay/Rock

315-317 Sand

317-339 Sand

Dia. New/Used Type Setting From/To

4 New PVC SCH-40 Casing 0-329

2.5 New PVC SCH-40 Liner 319-329

2.5 New PVC SCH-80 Jayco Screen 329-339 .010

### STATE OF TEXAS WELL REPORT for Tracking #27895

Owner:	Lone Star Road	Owner Well #:	No Data
Address:	17907 Katy Kendahl, #200 Spring, TX 77379	Grid #:	65-04-5
Well Location:	10300 Windfern Houston, TX 77379	Latitude:	29° 55' 11" N
Well County:	Harris	Longitude:	095° 32' 58" W
Elevation:	No Data	GPS Brand Used:	No Data
Type of Work: <b>New Well</b>		Proposed Use:	<b>Domestic</b>

Drilling Date: Started: **6/19/2003**  
Completed: **6/23/2003**

Diameter of Hole: Diameter: **9 1/2 in From Surface To 313 ft**  
Diameter: **5 in From 313 ft To 370 ft**

Drilling Method: **Mud Rotary**

Borehole Completion: Other: **3" Stepdown**

Annular Seal Data: 1st Interval: **From 0 ft to 313 ft with 35 Cement (#sacks and material)**  
2nd Interval: **No Data**  
3rd Interval: **No Data**  
Method Used: **Haliburton**  
Cemented By: **Ricky Bonds**  
Distance to Septic Field or other Concentrated Contamination: **200+ ft**  
Distance to Property Line: **No Data**  
Method of Verification: **Estimate**  
Approved by Variance: **No Data**

Surface Completion: **Surface Sleeve Installed**

Water Level: Static level: **170 ft. below land surface on 6/23/2003**  
Artesian flow: **No Data**

Packers: **2 K-Packers 5x3 306**

Plugging Info: Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump: **Submersible**  
Depth to pump bowl: **260 ft**

Well Tests: **Jetted**  
Yield: **100 GPM with (No Data) ft drawdown after (No Data) hours**

Water Quality: Type of Water: **Sott**  
Depth of Strata: **52 ft.**  
Chemical Analysis Made: **No**  
Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **Ricky Bonds Water Wells, Inc.**  
**23421 Hargrave Road**  
**Hockley , TX 77447**

Driller License Number: **54880**

Licensed Well Driller Signature: **Ricky Bonds**

Registered Driller Apprentice Signature: **No Data**

Apprentice Registration Number: **No Data**

Comments: **\$dfs**

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #27895) on your written request.

**Texas Department of Licensing & Regulation**  
**P.O. Box 12157**  
**Austin, TX 78711**  
**(512) 463-7880**

**DESC. & COLOR OF FORMATION MATERIAL**

**CASING, BLANK PIPE & WELL SCREEN DATA**

From (ft)	To (ft)	Description
0	5	Top Soil
5	24	R/Clay
24	50	Sand
50	74	R/Clay
74	119	Sand
119	124	Clay
124	141	Sand
141	167	Clay
167	176	Sand
176	217	R/Clay
217	225	Sand
225	225 1/2	Rock
225 1/2	263	Sand w/Rock Layers
263	266	Rock
266	313	Sand
313	315	Rock
315	317	Sand
317	319	Rock
319	365	Sand
365	370	Rock

Dia.	New/Used	Type	Setting From/To
5	New	PVC Casing 0	313
3	New	PVC Liner 0	325
3	New	PVC Screen/super slot	325 365 8Ga
3	New	PVC Liner	365 370

## STATE OF TEXAS WELL REPORT for Tracking #29972

Owner:	Reid Rd. MUD c/o Landev Engineers	Owner Well #:	No Data
Address:	1702 Seamist Dr, Ste. 301 Houston, TX 77008	Grid #:	65-04-5
Well Location:	off Sam Houston Parkway North Houston, TX	Latitude:	29° 55' 09" N
Well County:	Harris	Longitude:	095° 33' 16" W
Elevation:	No Data	GPS Brand Used:	Garmin
Type of Work: <b>New Well</b>		Proposed Use:	<b>Rig Supply</b>

Drilling Date: Started: **12/11/2003**  
Completed: **12/11/2003**

Diameter of Hole: Diameter: **7 7/8 in From Surface To 250 ft**

Drilling Method: **Mud Rotary**

Borehole Completion: Gravel Packed From: **250 ft to 190 ft**  
Gravel Pack Size:

Annular Seal Data: 1st Interval: **From 190 ft to 180 ft with 6 Cement (#sacks and material)**  
2nd Interval: **From 10 ft to 0 ft with 6 Cement (#sacks and material)**  
3rd Interval: **No Data**  
Method Used: **Slurry**  
Cemented By: **Friedel Drilling Company**  
Distance to Septic Field or other Concentrated Contamination: **No Data**  
Distance to Property Line: **No Data**  
Method of Verification: **No Data**  
Approved by Variance: **No Data**

Surface Completion: **Surface Sleeve Installed**

Water Level: Static level: **174 ft. below land surface on 12/11/2003**  
Artesian flow: **No Data**

Packers: **No Data**

Plugging Info: Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump: **Other: (No Data)**  
Depth to pump bowl: **(No Data) ft**

Well Tests: **Jetted**  
Yield: **30 GPM with 10 ft drawdown after 2 hours**

Water Quality: Type of Water: **Good**  
Depth of Strata: **30 ft.**  
Chemical Analysis Made: **Yes**  
Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **Friedel Drilling Company**  
**555 City of Hochheim Rd**  
**Yoakum , TX 77995**

Driller License Number: **1573**

Licensed Well Driller Signature: **Edmund J. Friedel**

Registered Driller Apprentice Signature: **Joe Flores**

Apprentice Registration Number: **No Data**

Comments: **Gravel pack 180' to 10'**

---

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #29972) on your written request.

**Texas Department of Licensing & Regulation**  
**P.O. Box 12157**  
**Austin, TX 78711**  
**(512) 463-7880**

---

**DESC. & COLOR OF FORMATION MATERIAL**

From (ft)	To (ft)	Description
0	3	Top Soil
3	12	Clay
12	23	Sand
23	42	Clay
42	47	Sand
47	80	Clay
80	95	Sand
95	110	Clay
110	133	Sand
133	134	Sandstone
134	143	Sand
143	168	Clay
168	169	Sandstone
169	175	Sand and Sandstone
175	195	Clay
195	224	Sand
224	225	Sandstone
225	230	Sand
230	250	Clay and Sand

---

**CASING, BLANK PIPE & WELL SCREEN DATA**

Dia.	New/Used	Type	Setting From/To
4 N		Plastic Pipe	+3 200 40
4 N		Perforated Pipe	200 230 .048

### STATE OF TEXAS WELL REPORT for Tracking #30938

Owner:	Joe Aildredge	Owner Well #:	No Data
Address:	11651 Illene Dr. Houston, TX 77093	Grid #:	65-04-5
Well Location:	11651 Illene Dr. Houston, TX 77093	Latitude:	29° 56' 38" N
Well County:	Harris	Longitude:	095° 33' 29" W
Elevation:	No Data	GPS Brand Used:	Garman Etrex

Type of Work:	New Well	Proposed Use:	Domestic
---------------	----------	---------------	----------

Drilling Date: Started: 1/12/2003  
Completed: 1/14/2003

Diameter of Hole: Diameter: 7 in From Surface To 380 ft

Drilling Method: Mud Rotary

Borehole Completion: Other: 2 String

Annular Seal Data: 1st Interval: From 0 ft to 380 ft with 43 (#sacks and material)  
2nd Interval: No Data  
3rd Interval: No Data  
Method Used: Pressure  
Cemented By: Raymond Services Inc.  
Distance to Septic Field or other Concentrated Contamination: 50 ft  
Distance to Property Line: No Data  
Method of Verification: Customer  
Approved by Variance: No Data

Surface Completion: Surface Sleeve Installed

Water Level: Static level: 200 ft. below land surface on 1/14/2003  
Artesian flow: No Data

Packers: 1 FIG K 370

Plugging Info: Casing or Cement/Bentonite left in well: No Data

Type Of Pump: Submersible  
Depth to pump bowl: (No Data) ft

Well Tests: Jetted  
Yield: 15 GPM with 5 ft drawdown after (No Data) hours

Water Quality: Type of Water: No Data  
Depth of Strata: No Data  
Chemical Analysis Made: No  
Did the driller knowingly penetrate any strata which contained undesirable constituents: No

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **Raymond Services Inc.  
10011 Airline Dr.  
Houston , TX 77037**

Driller License Number: **4577**

Licensed Well Driller Signature: **Ty Raymond**

Registered Driller Apprentice Signature: **none**

Apprentice Registration Number: **No Data**

Comments: **We are resubmitting this well report, due to a clerical error on the Diameter of Hole. We are replacing well report # 16481.**

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #30938) on your written request.

**Texas Department of Licensing & Regulation  
P.O. Box 12157  
Austin, TX 78711  
(512) 463-7880**

**DESC. & COLOR OF FORMATION MATERIAL**

From (ft)	To (ft)	Description
0	10	Clay
10	60	Sand
60	143	Clay
143	157	Sand
157	220	Clay
220	240	Sand
240	280	Clay
280	290	Sand
290	315	Clay
315	325	Sand
325	375	Clay
375	400	Sand

**CASING, BLANK PIPE & WELL SCREEN DATA**

Dia.	New/Used	Type	Setting From/To
4	New	Plastic Case	0 - 380 SCH 40
2 1/2	New	Plastic Linear	370 - 380 SCH 40
2 1/2	New	Plastic Screen	380 - 400 .006

### STATE OF TEXAS WELL REPORT for Tracking #31562

Owner:	Ernestina Guzman	Owner Well #:	No Data
Address:	11703 Rockville Houston , TX 77064	Grid #:	65-04-5
Well Location:	11703 Rockville Houston , TX 77064	Latitude:	29° 56' 35" N
Well County:	Harris	Longitude:	095° 33' 41" W
Elevation:	174 ft.	GPS Brand Used:	Garman Etrex
Type of Work: <b>New Well</b>		Proposed Use: <b>Domestic</b>	

Drilling Date:      Started: **10/1/2003**  
                          Completed: **10/1/2003**

Diameter of Hole:      Diameter: **6 in From Surface To 120 ft**

Drilling Method:      **Mud Rotary**

Borehole  
Completion:      **Straight Wall**

Annular Seal Data:      1st Interval: **From 110 ft to 0 ft with 18 (#sacks and material)**  
                                  2nd Interval: **No Data**  
                                  3rd Interval: **No Data**  
                                  Method Used: **Pressure**  
                                  Cemented By: **Raymond Services Inc.**  
                                  Distance to Septic Field or other Concentrated Contamination: **53 ft**  
                                  Distance to Property Line: **No Data**  
                                  Method of Verification: **Customer**  
                                  Approved by Variance: **No Data**

Surface  
Completion:      **Surface Sleeve Installed**

Water Level:      Static level: **65 ft. below land surface on 10/1/2003**  
                          Artesian flow: **No Data**

Packers:      **None**

Plugging Info:      Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump:      **Jet**  
                          Depth to pump bowl: **(No Data) ft**

Well Tests:      **Jetted**  
                          Yield: **5 GPM with (No Data) ft drawdown after (No Data) hours**

Water Quality:      Type of Water: **No Data**  
                          Depth of Strata: **No Data**  
                          Chemical Analysis Made: **No**  
                          Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data:      The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **Raymond Services Inc.**  
**10011 Airline Dr.**  
**Houston , TX 77037**

Driller License Number: **4577**

Licensed Well Driller Signature: **Ty Raymond**

Registered Driller Apprentice Signature: **none**

Apprentice Registration Number: **No Data**

Comments: **none**

---

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #31562) on your written request.

**Texas Department of Licensing & Regulation**  
**P.O. Box 12157**  
**Austin, TX 78711**  
**(512) 463-7880**

**DESC. & COLOR OF FORMATION MATERIAL**

**CASING, BLANK PIPE & WELL SCREEN DATA**

From (ft) To (ft) Description  
**0 - 12 Clay**  
**12 - 25 Sand**  
**25 - 74 Clay**  
**74 - 120 Sand**

Dia. New/Used Type Setting From/To  
**2 New Plastic 0 - 110 SCH 40**  
**2 New Slotted 110 - 120 .006**

### STATE OF TEXAS WELL REPORT for Tracking #31605

Owner:	Harris County MUD No. 130	Owner Well #:	3
Address:	1301 McKinney 47th Floor Houston, TX 77010	Grid #:	65-04-7
Well Location:	West Fair Rd Houston, TX	Latitude:	29° 54' 27" N
Well County:	Harris	Longitude:	095° 36' 16" W
Elevation:	No Data	GPS Brand Used:	MAGELLAN 315

Type of Work:	New Well	Proposed Use:	Public Supply; Plans Approved by TCEQ
---------------	----------	---------------	---

Drilling Date: Started: **8/14/2003**  
Completed: **11/24/2003**

Diameter of Hole: Diameter: **22 in From Surface To 380 ft**

Drilling Method: **Mud Rotary**

Borehole Completion: Gravel Packed From: **195 ft to 380 ft**  
Gravel Pack Size: **12-20**

Annular Seal Data: 1st Interval: **From 0 ft to 270 ft with 360 (#sacks and material)**  
2nd Interval: **No Data**  
3rd Interval: **No Data**  
Method Used: **HALLIBURTON**  
Cemented By: **Advanced Oil Svc**  
Distance to Septic Field or other Concentrated Contamination: **No Data**  
Distance to Property Line: **No Data**  
Method of Verification: **No Data**  
Approved by Variance: **No Data**

Surface Completion: **Surface Sleeve Installed**

Water Level: Static level: **168 ft. below land surface on 11/24/2003**  
Artesian flow: **No Data**

Packers: **No Data**

Plugging Info: Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump: **No Data**

Well Tests: **Pump**  
Yield: **403 GPM with 57 ft drawdown after 36 hours**

Water Quality: Type of Water: **Desirable**  
Depth of Strata: **317-337 ft.**  
Chemical Analysis Made: **Yes**  
Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **Weisinger Water Well, Inc.**  
**2200 East Davis**  
**Conroe , TX 77301**

Driller License Number: **1991**

Licensed Well Driller Signature: **Cliff Weisinger**

Registered Driller Apprentice Signature: **George Jackson**

Apprentice Registration Number: **AP1247**

Comments: **No Data**

---

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #31605) on your written request.

**Texas Department of Licensing & Regulation**  
**P.O. Box 12157**  
**Austin, TX 78711**  
**(512) 463-7880**

**DESC. & COLOR OF FORMATION MATERIAL**

**CASING, BLANK PIPE & WELL SCREEN DATA**

From (ft) To (ft) Description  
**0-52 shale**  
**52-146 gravel & sand**  
**146-185 shale & gravel**  
**185-226 gravel,sand,shale**  
**226-268 shale**  
**268-305 sand**  
**305-317 shale**  
**317-337 sand**  
**337-421 shale**

Dia. New/Used Type Setting From/To  
**16" N steel casing 0-270 .500**  
**10 3/4" N blank liner 192-272 .500**  
**10 3/4" N pipe base screen 272-298 .025**  
**10 3/4" N blank liner 298-320 .500**  
**10 3/4" N pipe base screen 320-352 .025**  
**10 3/4" N blank liner 352-380 .500**  
**cement plug 380-390**

## STATE OF TEXAS WELL REPORT for Tracking #33262

Owner:	MILES GILBERT	Owner Well #:	No Data
Address:	12414 N. ELDRIDGE CYPRESS, TX 77429	Grid #:	65-04-4
Well Location:	SAME TX	Latitude:	29° 57' 28" N
Well County:	Harris	Longitude:	095° 36' 07" W
Elevation:	No Data	GPS Brand Used:	NOT GIVEN
Type of Work: <b>New Well</b>		Proposed Use: <b>Domestic</b>	

Drilling Date: Started: **10/17/2003**  
Completed: **10/20/2003**

Diameter of Hole: Diameter: **7.5 in From Surface To 213 ft**  
Diameter: **3 7/8 in From 213 ft To 260 ft**

Drilling Method: **Mud Rotary**

Borehole Completion: Other: **2 1/2 STEPDOWN**

Annular Seal Data: 1st Interval: **From 0 ft to 213 ft with 19 (#sacks and material)**  
2nd Interval: **No Data**  
3rd Interval: **No Data**  
Method Used: **HALLIBURTON**  
Cemented By: **TIM FRANKS**  
Distance to Septic Field or other Concentrated Contamination: **N/A ft**  
Distance to Property Line: **No Data**  
Method of Verification: **No Data**  
Approved by Variance: **No Data**

Surface Completion: **Surface Sleeve Installed**

Water Level: Static level: **131 ft. below land surface on 10/20/2003**  
Artesian flow: **No Data**

Packers: **K-PACKER 4X2.5 208**

Plugging Info: Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump: **No Data**

Well Tests: **Jetted \ Estimated**  
Yield: **20 GPM with (No Data) ft drawdown after (No Data) hours**

Water Quality: Type of Water: **SOFT**  
Depth of Strata: **40 ft.**  
Chemical Analysis Made: **No**  
Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **TIM FRANKS WATER WELL SERVICE**  
**P.O. BOX 93**  
**DOBBINS , TX 77333**

Driller License Number: **5049**

Licensed Well Driller Signature: **TIM FRANKS**

Registered Driller Apprentice Signature: **No Data**

Apprentice Registration Number: **No Data**

Comments: **WLS**

---

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #33262) on your written request.

**Texas Department of Licensing & Regulation**  
**P.O. Box 12157**  
**Austin, TX 78711**  
**(512) 463-7880**

**DESC. & COLOR OF FORMATION MATERIAL**

**CASING, BLANK PIPE & WELL SCREEN DATA**

From (ft)	To (ft)	Description
0-2		TOP SOIOL
2-12		W/CLAY
12-35		SAND
35-40		CLAY
40-43		SAND
43-136		CLAY
136-162		SAND
162-162.5		ROCK
162.5-200		SAND W/ CLAY LAYERS
200-240		SAND W/ SOME GRAVEL
240-260		SHALE

Dia.	New/Used	Type	Setting From/To
4 N		PVC CASING	0-213
2.5 N		PVC LINER	208-213
2.5 N		PVC SCREEN	213-233 8 GA.
2.5 N		PVC LINER	233-260

### STATE OF TEXAS WELL REPORT for Tracking #34094

Owner:	Ravensway Lake HOA	Owner Well #:	No Data
Address:	3033 Chimney Rock Houston , TX 77560	Grid #:	65-04-4
Well Location:	No Data	Latitude:	29° 57' 04" N
Well County:	Harris	Longitude:	095° 37' 16" W
Elevation:	No Data	GPS Brand Used:	No Data
Type of Work: <b>New Well</b>		Proposed Use: <b>Irrigation</b>	

Drilling Date:       Started: **5/15/2003**  
                           Completed: **5/19/2004**

Diameter of Hole:   Diameter: **8.5 in From Surface To 390 ft**  
                           Diameter: **4.875 in From 390 ft To 420 ft**

Drilling Method:    **Mud Rotary**

Borehole  
Completion:        Other: **2-string/K-Packer**

Annular Seal Data:  1st Interval: **From 0 ft to 390 ft with 75 Cement (#sacks and material)**  
                           2nd Interval: **No Data**  
                           3rd Interval: **No Data**  
                           Method Used: **Pressure-Haliburton**  
                           Cemented By: **AWWS**  
                           Distance to Septic Field or other Concentrated Contamination: **No Data**  
                           Distance to Property Line: **No Data**  
                           Method of Verification: **No Septic**  
                           Approved by Variance: **No Data**

Surface  
Completion:        **Pitless Adapter Used**

Water Level:        Static level: **303 ft. below land surface on 5/19/2003**  
                           Artesian flow: **No Data**

Packers:            **K-Packer 380**  
                           **K-Packer 381**

Plugging Info:     Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump:      **Submersible**  
                           Depth to pump bowl: **362 ft**

Well Tests:         **Jetted**  
                           Yield: **40 GPM with (No Data) ft drawdown after (No Data) hours**

Water Quality:     Type of Water: **Good**  
                           Depth of Strata: **420 ft.**  
                           Chemical Analysis Made: **No**  
                           Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **Almeda Water Well Service**  
**P.O. Box 266**  
**Manvel , TX 77578**

Driller License Number: **2350**

Licensed Well Driller Signature: **Carl Loftin**

Registered Driller Apprentice Signature: **No Data**

Apprentice Registration Number: **No Data**

Comments: **DT\$ Lake Supply Well.**

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #34094) on your written request.

**Texas Department of Licensing & Regulation**  
**P.O. Box 12157**  
**Austin, TX 78711**  
**(512) 463-7880**

**DESC. & COLOR OF FORMATION MATERIAL**

**CASING, BLANK PIPE & WELL SCREEN DATA**

From (ft) To (ft) Description

0-4 Soil

4-17 Clay-Tan

17-70 Sand-Tan-.006-.008 Broken Sand and Clay

70-132 Clay-Tan

132-145 Sand-Tan-.010-.012

145-155 Clay-Tan

155-198 Sand-Tan-.010-.012 Clay/Sand Streaks

198-235 Broken Sand and Clay

235-248 Sand-Tan-.010-.012 Sand-Tan-.014-.020

248-294 Clay-Red

294-305 Sand-Tan-.006-.008

305-390 Clay-Red

390-420 Sand-White-.006-.008 Sand-White-.010-.012

Dia. New/Used Type Setting From/To

5 N PVC Casing 0/390 SDR17

3 N PVC Liner 380/390 Sch40

3 N Johnson Super Flow 390/400 .008

3 N Johnson Super Flow 400/420 .010

### STATE OF TEXAS WELL REPORT for Tracking #34346

Owner:	GRACIE ANBRADE	Owner Well #:	30192
Address:	9402 MARVEL MOUNT HOUSTON , TX 77064	Grid #:	65-04-5
Well Location:	9102 ROCK MOORE HOUSTON , TX 77064	Latitude:	29° 56' 43" N
Well County:	Harris	Longitude:	095° 33' 23" W
Elevation:	No Data	GPS Brand Used:	GARMIN GPS 12

Type of Work:	New Well	Proposed Use:	Domestic
---------------	----------	---------------	----------

Drilling Date:      Started: 3/16/2004  
                          Completed: 3/17/2004

Diameter of Hole:      Diameter: 7 1/4 in From Surface To 260 ft

Drilling Method:      Mud Rotary

Borehole Completion:      Other: CEMENTED

Annular Seal Data:      1st Interval: From 250 ft to 15 ft with 12 (#sacks and material)  
                                  2nd Interval: From 15 ft to 0 ft with 13 (#sacks and material)  
                                  3rd Interval: No Data  
                                  Method Used: HALIBURTON  
                                  Cemented By: GLEN R. BONDS  
                                  Distance to Septic Field or other Concentrated Contamination: No Data  
                                  Distance to Property Line: No Data  
                                  Method of Verification: No Data  
                                  Approved by Variance: No Data

Surface Completion:      Alternative Procedure Used

Water Level:      Static level: 160 ft. below land surface on 3/17/2004  
                          Artesian flow: No Data

Packers:      4 X 2 1/2 TRI-SEAL 245 FT.

Plugging Info:      Casing or Cement/Bentonite left in well: No Data

Type Of Pump:      Submersible  
                          Depth to pump bowl: 220 ft

Well Tests:      Estimated  
                          Yield: 25 GPM with (No Data) ft drawdown after (No Data) hours

Water Quality:      Type of Water: GOOD  
                          Depth of Strata: 15 ft.  
                          Chemical Analysis Made: No  
                          Did the driller knowingly penetrate any strata which contained undesirable constituents: No

Certification Data:      The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **NORTHWEST WATER WELLS  
25143 FM 1488  
MAGNOLIA , TX 77355**

Driller License Number: **50950**

Licensed Well Driller Signature: **GLEN R. BONDS**

Registered Driller Apprentice Signature: **No Data**

Apprentice Registration Number: **No Data**

Comments: **No Data**

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #34346) on your written request.

**Texas Department of Licensing & Regulation  
P.O. Box 12157  
Austin, TX 78711  
(512) 463-7880**

**DESC. & COLOR OF FORMATION MATERIAL****CASING, BLANK PIPE & WELL SCREEN DATA**

From (ft) To (ft) Description  
**0-45 CLAY**  
**45-85 CLAY/SAND**  
**85-105 CLAY**  
**105-125 SAND/CLAY**  
**125-145 CLAY**  
**145-165 CLAY/SAND/ROCK**  
**165-225 SAND/ROCK**  
**225-245 CLAY/SAND**  
**245-260 SAND**

Dia. New/Used Type Setting From/To  
**4 N PVC CASING 0-250 40**  
**2 1/2 N PVC LINER 245-250 40**  
**2 1/2 N PVC SCREEN 250-260 010**

### STATE OF TEXAS WELL REPORT for Tracking #36128

Owner:	Bellagio Partners, Ltd.	Owner Well #:	No Data
Address:	2700 Post Oak Blvd. Suite 2450 Houston, TX 77056	Grid #:	65-04-5
Well Location:	15000 Philippine Houston, TX 77040	Latitude:	29° 55' 31" N
Well County:	Harris	Longitude:	095° 34' 40" W
Elevation:	No Data	GPS Brand Used:	Map
Type of Work: <b>New Well</b>		Proposed Use: <b>Irrigation</b>	

Drilling Date: Started: **4/14/2003**  
Completed: **6/30/2003**

Diameter of Hole: Diameter: **7.75 in From Surface To 338 ft**  
Diameter: **4.75 in From 338 ft To 350 ft**

Drilling Method: **Mud Rotary**

Borehole Completion: Other: **Two string**

Annular Seal Data: 1st Interval: **From 1 ft to 20 ft with 4 Cement (#sacks and material)**  
2nd Interval: **From 188 ft to 338 ft with 15 Cement (#sacks and material)**  
3rd Interval: **No Data**  
Method Used: **Halliburton Fully Pressured**  
Cemented By: **Geophysical Drilling, Inc.**  
Distance to Septic Field or other Concentrated Contamination: **No Data**  
Distance to Property Line: **No Data**  
Method of Verification: **Public Sewage**  
Approved by Variance: **No Data**

Surface Completion: **Pitless Adapter Used**

Water Level: Static level: **175 ft. below land surface on 3/3/2003**  
Artesian flow: **No Data**

Packers: **Rubber Supreme 20**  
**BP Seal 5"X2.5" 333**

Plugging Info: Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump: **Submersible**  
Depth to pump bowl: **294 ft**

Well Tests: **Jetted**  
Yield: **100 GPM with (No Data) ft drawdown after (No Data) hours**

Water Quality: Type of Water: **Good**  
Depth of Strata: **+10 ft.**  
Chemical Analysis Made: **No**  
Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for

completion and resubmittal.

Company Information: **Geophysical Drilling, Inc.**  
**P.O. Box 664**  
**Fulshear, TX 77441**

Driller License Number: **2888**

Licensed Well Driller Signature: **Greg D. Hill**

Registered Driller Apprentice Signature: **No Data**

Apprentice Registration Number: **No Data**

Comments: **DT\$**

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #36128) on your written request.

**Texas Department of Licensing & Regulation**  
**P.O. Box 12157**  
**Austin, TX 78711**  
**(512) 463-7880**

**DESC. & COLOR OF FORMATION MATERIAL**

From (ft)	To (ft)	Description
0-60		Topsoil, red and white clay, sticky sand
60-120		Red/ white clay, red and gray clay
120-180		Gray and red clay, red and gray clay
180-200		Gray and red clay, tan clay
200-220		Gray and tan clay
220-240		Gray clay and sand
240-300		Sand
300-320		Sand w/ clay streaks
320-330		Gray clay and red clay
330-350		Sand

**CASING, BLANK PIPE & WELL SCREEN DATA**

Dia.	New/Used	Type	Setting From/To
5.0 N		PVC well casing	+2/330 Sch 40
2.5 N		PVC blank pipe	333/339 Sch 80
2.5 N		Stainless Steel Rod B	339/349 8 ga.
2.5 N		Saw tooth nipple	349/350

### STATE OF TEXAS WELL REPORT for Tracking #37255

Owner: <b>Tony Martinez</b>	Owner Well #: <b>No Data</b>
Address: <b>11922 Moose Head Houston , TX 77064</b>	Grid #: <b>65-04-5</b>
Well Location: <b>Same TX</b>	Latitude: <b>29° 56' 43" N</b>
Well County: <b>Harris</b>	Longitude: <b>095° 33' 13" W</b>
Elevation: <b>No Data</b>	GPS Brand Used: <b>Map</b>
-----	
Type of Work: <b>New Well</b>	Proposed Use: <b>Domestic</b>

Drilling Date:       Started: **7/17/2003**  
                          Completed: **7/18/2003**

Diameter of Hole:   Diameter: **6 3/4 in From Surface To 255 ft**  
                          Diameter: **3 7/8 in From 255 ft To 265 ft**

Drilling Method:    **Mud Rotary**

Borehole  
Completion:         **Straight Wall**

Annular Seal Data:  1st Interval: **From 0 ft to 115 ft with 18 Cement (#sacks and material)**  
                          2nd Interval: **From 235 ft to 265 ft with 4 Cement (#sacks and material)**  
                          3rd Interval: **No Data**  
                          Method Used: **Halliburton/Trimme**  
                          Cemented By: **Bussell and Sons LLC**  
                          Distance to Septic Field or other Concentrated Contamination: **No Data**  
                          Distance to Property Line: **No Data**  
                          Method of Verification: **No Data**  
                          Approved by Variance: **No Data**

Surface  
Completion:         **Surface Sleeve Installed**

Water Level:        Static level: **149 ft. below land surface on 7/21/2003**  
                          Artesian flow: **No Data**

Packers:            **K Packer 250**

Plugging Info:     Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump:      **Submersible**  
                          Depth to pump bowl: **220 ft**

Well Tests:         **Jetted \ Estimated**  
                          Yield: **20 GPM with (No Data) ft drawdown after (No Data) hours**

Water Quality:     Type of Water: **No Data**  
                          Depth of Strata: **No Data**  
                          Chemical Analysis Made: **No**  
                          Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **Bussell and Sons LLC**  
**P.O. Box 874**  
**Tomball, TX 77377**

Driller License Number: **2035**

Licensed Well Driller Signature: **Craig Bussell**

Registered Driller Apprentice Signature: **Jason Beam**

Apprentice Registration Number: **No Data**

Comments: **DT\$**

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #37255) on your written request.

**Texas Department of Licensing & Regulation**  
**P.O. Box 12157**  
**Austin, TX 78711**  
**(512) 463-7880**

**DESC. & COLOR OF FORMATION MATERIAL**

**CASING, BLANK PIPE & WELL SCREEN DATA**

From (ft) To (ft) Description  
**0-16 Top Soil**  
**16-81 Sand**  
**81-132 Clay**  
**132-161 Sand**  
**161-201 Shale**  
**201-215 Clay and Rock**  
**215-265 Sand**

Dia. New/Used Type Setting From/To  
**4 N PVC Casing 0/255**  
**2.5 N Galvanized Liner 250/255**  
**2.5 N SSRB Screen 255/265 .010**

### STATE OF TEXAS WELL REPORT for Tracking #38830

Owner:	Reid Rd. MUD #2 C/o Landev Engineers	Owner Well #:	No Data
Address:	1702 Seamist Dr. Houston, TX 77008	Grid #:	65-04-5
Well Location:	off Beltway 8 & West Rd Houston, TX	Latitude:	29° 55' 09" N
Well County:	Harris	Longitude:	095° 33' 14" W
Elevation:	No Data	GPS Brand Used:	Garmin
Type of Work: <b>New Well</b>		Proposed Use:	<b>Public Supply; Plans Approved by TCEQ</b>

Drilling Date: Started: **12/8/2003**  
Completed: **3/3/2004**

Diameter of Hole: Diameter: **28 in From Surface To 536 ft**  
Diameter: **28 in From 536 ft To 696 ft**  
Diameter: **16 in From 696 ft To 710 ft**

Drilling Method: **Mud Rotary**

Borehole Completion: Gravel Packed From: **710 ft to 436 ft**  
Gravel Pack Size: **Underreamed**

Annular Seal Data: 1st Interval: **From 0 ft to 536 ft with 438 Cement (#sacks and material)**  
2nd Interval: **No Data**  
3rd Interval: **No Data**  
Method Used: **Slurry Pumped**  
Cemented By: **Advanced Oilwell Service**  
Distance to Septic Field or other Concentrated Contamination: **No Data**  
Distance to Property Line: **No Data**  
Method of Verification: **No Data**  
Approved by Variance: **No Data**

Surface Completion: **Surface Slab Installed**

Water Level: Static level: **340 ft. below land surface on 3/24/2004**  
Artesian flow: **No Data**

Packers: **No Data**

Plugging Info: Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump: **Turbine**  
Depth to pump bowl: **510 ft**

Well Tests: **Jetted**  
Yield: **1000 GPM with 65.35 ft drawdown after 36 hours**

Water Quality: Type of Water: **Fresh**  
Depth of Strata: **No Data**  
Chemical Analysis Made: **Yes**  
Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct

supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **Friedel Drilling Company**  
**555 City of Hochheim Rd**  
**Yoakum , TX 77995**

Driller License Number: **3173**

Licensed Well Driller Signature: **Kenneth Friedel**

Registered Driller Apprentice Signature: **Dionicio Garza**

Apprentice Registration Number: **No Data**

Comments: **Amended 3-22-05 Ref#1285**

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #38830) on your written request.

**Texas Department of Licensing & Regulation**  
**P.O. Box 12157**  
**Austin, TX 78711**  
**(512) 463-7880**

**DESC. & COLOR OF FORMATION MATERIAL**

**CASING, BLANK PIPE & WELL SCREEN DATA**

From (ft) To (ft)	Description	Dia.	New/Used	Type	Setting From/To
0	2 Top Soil	22 N	Wall	- to 536'	.500
2	105 Sand and Clay	16 N	Wall	Blank 456 to 538	.500
105	155 Sand	16 N	Pipe	Base Screen 538 to 600	.035
155	170 Clay	16 N	Wall	Blank 600 to 604	.500
170	180 Sand	16 N	Pipe	Base Screen 604 to 696	.035
180	190 Clay	16 N	Wall	Blank 696 to 710	.500
190	205 Sand and Clay	w/ B.P. Valve			
205	400 Sand				
400	440 Blue Clay				
440	460 Blue Clay				
460	505 Sand				
505	540 Sand				
540	690 Gray Sand				
690	705 Sand				
705	790 Sand				
790	815 Blue Clay				
815	835 Sand				
835	853 Clay				
853	864 Sand				
864	915 Blue Clay				
915	962 Sand				

962 1050 Blue Clay

### STATE OF TEXAS WELL REPORT for Tracking #41703

Owner:	Jerry Adams	Owner Well #:	No Data
Address:	9343 Shoal Creek Houston , TX 77064	Grid #:	65-04-5
Well Location:	9343 Shoal Creek Houston , TX 77064	Latitude:	29° 56' 42" N
Well County:	Harris	Longitude:	095° 33' 39" W
Elevation:	No Data	GPS Brand Used:	Magellan/Pioneer
Type of Work: <b>New Well</b>		Proposed Use: <b>Domestic</b>	

Drilling Date: Started: **7/9/2004**  
Completed: **7/10/2004**

Diameter of Hole: Diameter: **6 1/2 in From Surface To 274 ft**

Drilling Method: **Mud Rotary**

Borehole Completion: Other: **inside completion**

Annular Seal Data: 1st Interval: **From 264 ft to 0 ft with 21 (#sacks and material)**  
2nd Interval: **No Data**  
3rd Interval: **No Data**  
Method Used: **Halliburton Method**  
Cemented By: **Self**  
Distance to Septic Field or other Concentrated Contamination: **50 ft**  
Distance to Property Line: **20 ft**  
Method of Verification: **tape measure**  
Approved by Variance: **No Data**

Surface Completion: **Surface Sleeve Installed**

Water Level: Static level: **153 ft. below land surface on 7/10/2004**  
Artesian flow: **No Data**

Packers: **K Packer 260**

Plugging Info: Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump: **Submersible**  
Depth to pump bowl: **220 ft**

Well Tests: **Jetted**  
Yield: **40 GPM with 10 ft drawdown after 1 hour**

Water Quality: Type of Water: **No Data**  
Depth of Strata: **No Data**  
Chemical Analysis Made: **No**  
Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **Hildebrandt's Water Wells  
21802 Rhodes Rd.  
Spring , TX 77388**

Driller License Number: **2195**

Licensed Well Driller Signature: **Earl Hildebrandt**

Registered Driller Apprentice Signature: **No Data**

Apprentice Registration Number: **No Data**

Comments: **No Data**

---

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #41703) on your written request.

**Texas Department of Licensing & Regulation  
P.O. Box 12157  
Austin, TX 78711  
(512) 463-7880**

---

**DESC. & COLOR OF FORMATION MATERIAL**

From (ft) To (ft) Description  
**0 124 sand and clay**  
**124 167 clay**  
**167 169 sand**  
**169 177 clay**  
**177 201 sand**  
**201 221 rock ledge, clay**  
**221 229 sand**  
**229 253 clay**  
**253 274 sand**

---

**CASING, BLANK PIPE & WELL SCREEN DATA**

Dia. New/Used Type Setting From/To  
**4 New PVC well casing 0-264 sch. 40**  
**2 1/2 New PVC blank pipe 260-264 sch. 40**  
**2 1/2 New PVC slotted screen 264-274 .010**

### STATE OF TEXAS WELL REPORT for Tracking #42043

Owner:	Roger Brown	Owner Well #:	No Data
Address:	12610 N. Eldridge Cypress , TX 77429	Grid #:	65-04-1
Well Location:	12610 N. Eldridge Cypress , TX 77429	Latitude:	29° 57' 41" N
Well County:	Harris	Longitude:	095° 36' 12" W
Elevation:	No Data	GPS Brand Used:	Magellan 315
<hr/>			
Type of Work:	New Well	Proposed Use:	Domestic

Drilling Date: Started: 7/26/2004  
Completed: 7/28/2004

Diameter of Hole: Diameter: 7 in From Surface To 337 ft

Drilling Method: Mud Rotary

Borehole Completion: Other: Pressure Cemented

Annular Seal Data: 1st Interval: From 325 ft to 100 ft with 15-Portland (#sacks and material)  
2nd Interval: From 0 ft to 10 ft with 10-Redi-mix (#sacks and material)  
3rd Interval: No Data  
Method Used: Halliburton  
Cemented By: Driller  
Distance to Septic Field or other Concentrated Contamination: 125 ft  
Distance to Property Line: 60 ft  
Method of Verification: Measured  
Approved by Variance: No Data

Surface Completion: Surface Sleeve Installed

Water Level: Static level: 157 ft. below land surface on 7/28/2004  
Artesian flow: No Data

Packers: 4" x 2.5" R x R K-Packer 315'

Plugging Info: Casing or Cement/Bentonite left in well: No Data

Type Of Pump: Submersible  
Depth to pump bowl: 260 ft

Well Tests: Jetted \ Estimated  
Yield: 40 GPM with (No Data) ft drawdown after (No Data) hours

Water Quality: Type of Water: No Data  
Depth of Strata: No Data  
Chemical Analysis Made: No  
Did the driller knowingly penetrate any strata which contained undesirable constituents: No

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **Waller County Water Wells, Inc.**  
**27742 Rice Rd.**  
**Hockley , TX 77447**

Driller License Number: **2216**

Licensed Well Driller Signature: **Eugene Riemer-#50223 WP**

Registered Driller Apprentice Signature: **No Data**

Apprentice Registration Number: **No Data**

Comments: **No Data**

---

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #42043) on your written request.

**Texas Department of Licensing & Regulation**  
**P.O. Box 12157**  
**Austin, TX 78711**  
**(512) 463-7880**

---

**DESC. & COLOR OF FORMATION MATERIAL**

From (ft) To (ft) Description

0-25 Clay

25-65 Clay

65-89 Sand

89-99 Clay

99-109 Sand

109-129 Clay

129-153 Sand

153-173 Sand/Rock

173-193 Rock

193-217 Sand

217-237 Sand/Rock

237-257 Sand

257-267 Clay

267-277 Sand

277-297 Clay/Rock

297-317 Sand

317-337 Sand

---

**CASING, BLANK PIPE & WELL SCREEN DATA**

Dia. New/Used Type Setting From/To

4" New PVC SCH-40 Casing 0-325

2.5" New PVC SCH-40 Blank 315-327

2.5" New PVC SCH-80 WOP Jayco 327-337 .008

### STATE OF TEXAS WELL REPORT for Tracking #51442

Owner:	EARNESTO REYES	Owner Well #:	No Data
Address:	12304 MILES HOUSTON, TX 77070	Grid #:	65-04-4
Well Location:	12304 MILES HOUSTON, TX 77070	Latitude:	29° 56' 48" N
Well County:	Harris	Longitude:	095° 36' 24" W
Elevation:	No Data	GPS Brand Used:	2000 MAGELLAN
Type of Work: <b>New Well</b>		Proposed Use: <b>Domestic</b>	

Drilling Date: Started: **9/1/2004**  
Completed: **9/2/2004**

Diameter of Hole: Diameter: **7 1/4 in From Surface To 240 ft**

Drilling Method: **Mud Rotary**

Borehole Completion: Other: **TWO-STRING**

Annular Seal Data: 1st Interval: **From 220 ft to 0 ft with 20 CEMENT (#sacks and material)**  
2nd Interval: **No Data**  
3rd Interval: **No Data**  
Method Used: **PRESSURED CEMENT**  
Cemented By: **SELF**  
Distance to Septic Field or other Concentrated Contamination: **100 ft**  
Distance to Property Line: **20 ft**  
Method of Verification: **TAPE MEASURE**  
Approved by Variance: **No Data**

Surface Completion: **Surface Sleeve Installed**

Water Level: Static level: **110 ft. below land surface on 9/2/2004**  
Artesian flow: **No Data**

Packers: **2-4X2 RXR TRI-SEAL K-PACKERS 215**

Plugging Info: Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump: **Submersible**  
Depth to pump bowl: **180 ft**

Well Tests: **Estimated**  
Yield: **30 GPM with (No Data) ft drawdown after (No Data) hours**

Water Quality: Type of Water: **No Data**  
Depth of Strata: **42 ft.**  
Chemical Analysis Made: **No**  
Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **HURST WATER WELLS  
25356 DEER TRAIL  
HOCKLEY , TX 77447**

Driller License Number: **4741**

Licensed Well Driller Signature: **FRELIN PAUL HURST**

Registered Driller Apprentice Signature: **JOSEPH PAUL HURST**

Apprentice Registration Number: **1045**

Comments: **No Data**

---

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #51442) on your written request.

**Texas Department of Licensing & Regulation  
P.O. Box 12157  
Austin, TX 78711  
(512) 463-7880**

**DESC. & COLOR OF FORMATION MATERIAL**

**CASING, BLANK PIPE & WELL SCREEN DATA**

From (ft) To (ft) Description  
**0-158 CLAY**  
**158-181 SAND**  
**181-198 CLAY**  
**198-240 SAND**

Dia. New/Used Type Setting From/To  
**4 N PVC CASING 0-220**  
**2 N PVC PIPE 215-220**  
**2 N PVC SCREEN 220-240 .008**

### STATE OF TEXAS WELL REPORT for Tracking #51465

Owner:	Hal Buckholt	Owner Well #:	No Data
Address:	14123 Cicero Houston, TX 77095	Grid #:	65-04-7
Well Location:	14123 Cicero Houston, TX 77095	Latitude:	29° 54' 36" N
Well County:	Harris	Longitude:	095° 37' 22" W
Elevation:	No Data	GPS Brand Used:	No Data
Type of Work: <b>New Well</b>		Proposed Use: <b>Domestic</b>	

Drilling Date: Started: **1/3/2005**  
Completed: **1/4/2005**

Diameter of Hole: Diameter: **7 3/4 in From Surface To 285 ft**

Drilling Method: **Mud Rotary**

Borehole Completion: Other: **Alternative**

Annular Seal Data: 1st Interval: **From 0 ft to 10 ft with 10 (#sacks and material)**  
2nd Interval: **From 10 ft to 250 ft with 10 (#sacks and material)**  
3rd Interval: **No Data**  
Method Used: **Haliburton**  
Cemented By: **Ricky Bonds**  
Distance to Septic Field or other Concentrated Contamination: **100 ft**  
Distance to Property Line: **75 ft**  
Method of Verification: **Stepped it off**  
Approved by Variance: **No Data**

Surface Completion: **Surface Sleeve Installed**

Water Level: Static level: **176 ft. below land surface on 1/4/2005**  
Artesian flow: **No Data**

Packers: **K-Packers 245'**

Plugging Info: Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump: **Submersible**  
Depth to pump bowl: **220 ft**

Well Tests: **Jetted \ Estimated**  
Yield: **40 GPM with (No Data) ft drawdown after (No Data) hours**

Water Quality: Type of Water: **Soft**  
Depth of Strata: **250-288 ft.**  
Chemical Analysis Made: **No**  
Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **Ricky Bonds Water Wells**  
**23421 Hargrave Road**  
**Hockley , TX 77447**

Driller License Number: **54880**

Licensed Well Driller Signature: **Ricky Bonds**

Registered Driller Apprentice Signature: **No Data**

Apprentice Registration Number: **No Data**

Comments: **No Data**

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #51465) on your written request.

**Texas Department of Licensing & Regulation**  
**P.O. Box 12157**  
**Austin, TX 78711**  
**(512) 463-7880**

**DESC. & COLOR OF FORMATION MATERIAL**

**CASING, BLANK PIPE & WELL SCREEN DATA**

From (ft) To (ft) Description

0-28 Clay

28-48 Sand & Rock

48-68 Clay

68-88 Clay & Rock

88-108 Sand & Clay

108-124 Clay

124-128 Sand

128-148 Sand & Clay

148-168 Clay & Sand & Clay

168-188 Clay & Sand & Gravel

188-208 Sand

208-228 Clay

228-248 Clay & Sand

248-268 Sand & Gravel

268-288 Sand

Dia. New/Used Type Setting From/To

4" New Casing 0'/250' Sch 40

2 1/2" New Liner Pipe 245'/255' Sch 40

2 1/2" New Screen 255'/285' .006

### STATE OF TEXAS WELL REPORT for Tracking #51740

Owner:	Pam V. Diamont	Owner Well #:	No Data
Address:	10550 Windfern Houston, TX 77064	Grid #:	65-04-5
Well Location:	10550 Windfern Houston, TX 77064	Latitude:	29° 55' 16" N
Well County:	Harris	Longitude:	095° 32' 52" W
Elevation:	62 ft.	GPS Brand Used:	Garmin E-Trex
Type of Work: <b>New Well</b>		Proposed Use: <b>Domestic</b>	

Drilling Date: Started: **1/10/2005**  
Completed: **1/17/2005**

Diameter of Hole: Diameter: **7 3/4 in From Surface To 300 ft**

Drilling Method: **Mud Rotary**

Borehole Completion: **Straight Wall**

Annular Seal Data: 1st Interval: **From 0 ft to 280 ft with 20 Sacks Cement (#sacks and material)**  
2nd Interval: **No Data**  
3rd Interval: **No Data**  
Method Used: **Pressure Tremmie Pipe**  
Cemented By: **Ballard Water Well**  
Distance to Septic Field or other Concentrated Contamination: **100+ ft**  
Distance to Property Line: **50+ ft**  
Method of Verification: **Measured**  
Approved by Variance: **No Data**

Surface Completion: **Surface Sleeve Installed**

Water Level: Static level: **170 ft. below land surface on 1/17/2005**  
Artesian flow: **No Data**

Packers: **Formation Packer 280'**

Plugging Info: Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump: **Submersible**  
Depth to pump bowl: **260 ft**

Well Tests: **Jetted**  
Yield: **80 GPM with 15 ft drawdown after 2 hours**

Water Quality: Type of Water: **Good**  
Depth of Strata: **275-300 ft.**  
Chemical Analysis Made: **No**  
Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **Ballard Water Well**  
**P.O. Box 970**  
**Willis , TX 77378**

Driller License Number: **54411**

Licensed Well Driller Signature: **Sam Ballard**

Registered Driller Apprentice Signature: **No Data**

Apprentice Registration Number: **No Data**

Comments: **No Data**

---

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #51740) on your written request.

**Texas Department of Licensing & Regulation**  
**P.O. Box 12157**  
**Austin, TX 78711**  
**(512) 463-7880**

**DESC. & COLOR OF FORMATION MATERIAL**

**CASING, BLANK PIPE & WELL SCREEN DATA**

From (ft)	To (ft)	Description
0	1	Top Soil
1	11	Clay
11	17	Red Sand
17	21	Clay
21	26	Sand
26	66	Clay
66	103	Sand
103	128	White Clay
128	129	Rock
129	134	Sand
134	163	Clay
163	173	Sand
173	179	Clay
179	192	Sand
192	202	Clay
202	217	Sand
217	218	Rock
218	243	Sand
243	245	Rock
245	250	Sand
250	255	Shale
255	275	Clay
275	300	Sand .014

Dia.	New/Used	Type	Setting From/To
4"	New	PVC Casing	0-280 Sch 40
4"	New	PVC Slotted Screen	280-300 .012 Gauge

### STATE OF TEXAS WELL REPORT for Tracking #53066

Owner: <b>David Glover</b>	Owner Well #: <b>No Data</b>
Address: <b>12306 Timberlake Houston , TX</b>	Grid #: <b>65-04-4</b>
Well Location: <b>Same TX</b>	Latitude: <b>29° 57' 10" N</b>
Well County: <b>Harris</b>	Longitude: <b>095° 36' 44" W</b>
Elevation: <b>No Data</b>	GPS Brand Used: <b>Map</b>
<hr/>	
Type of Work: <b>New Well</b>	Proposed Use: <b>Domestic</b>

Drilling Date: Started: **11/24/2003**  
Completed: **11/26/2003**

Diameter of Hole: Diameter: **7 1/2 in From Surface To 270 ft**

Drilling Method: **Mud Rotary**

Borehole Completion: **Straight Wall**

Annular Seal Data: 1st Interval: **From 0 ft to 100 ft with 9 (#sacks and material)**  
2nd Interval: **No Data**  
3rd Interval: **No Data**  
Method Used: **Pressure**  
Cemented By: **CWW**  
Distance to Septic Field or other Concentrated Contamination: **100 ft**  
Distance to Property Line: **50 ft**  
Method of Verification: **No Data**  
Approved by Variance: **No Data**

Surface Completion: **Surface Sleeve Installed**

Water Level: Static level: **70 ft. below land surface on 11/26/2003**  
Artesian flow: **No Data**

Packers: **Formation 100**

Plugging Info: Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump: **Submersible**  
Depth to pump bowl: **180 ft**

Well Tests: **Pump \ Estimated**  
Yield: **10 GPM with (No Data) ft drawdown after (No Data) hours**

Water Quality: Type of Water: **Potable**  
Depth of Strata: **33 ft.**  
Chemical Analysis Made: **No**  
Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **Coastal Waterwell  
P.O. Box 745  
Porter , TX 77365**

Driller License Number: **54857**

Licensed Well Driller Signature: **Melvin W. Gehrels**

Registered Driller Apprentice Signature: **No Data**

Apprentice Registration Number: **No Data**

Comments: **Logged by DT\$**

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #53066) on your written request.

**Texas Department of Licensing & Regulation  
P.O. Box 12157  
Austin, TX 78711  
(512) 463-7880**

**DESC. & COLOR OF FORMATION MATERIAL****CASING, BLANK PIPE & WELL SCREEN DATA**

From (ft)	To (ft)	Description
0-18		Clay
18-31		Sand
31-115		Clay
115-130		Sand
130-138		Clay
138-235		Sand
235-237		Clay
237-270		Sand

Dia.	New/Used	Type	Setting From/To
4 N		PVC Casing	0/260 40
4 N		Jacos Screen	260/270 .06

### STATE OF TEXAS WELL REPORT for Tracking #53121

Owner:	Gary Boecker	Owner Well #:	No Data
Address:	10669 Woodedge Cypress , TX 77070	Grid #:	65-04-5
Well Location:	10669 Woodedge Cypress , TX 77070	Latitude:	29° 56' 39" N
Well County:	Harris	Longitude:	095° 34' 44" W
Elevation:	No Data	GPS Brand Used:	No Data
<hr/>			
Type of Work:	New Well	Proposed Use:	Domestic

Drilling Date: Started: **12/3/2003**  
Completed: **12/4/2003**

Diameter of Hole: Diameter: **6 3/4 in From Surface To 355 ft**  
Diameter: **3 7/8 in From 355 ft To 365 ft**

Drilling Method: **Mud Rotary**

Borehole Completion: **Straight Wall**

Annular Seal Data: 1st Interval: **From 0 ft to 115 ft with 17 (#sacks and material)**  
2nd Interval: **From 335 ft to 355 ft with 4 (#sacks and material)**  
3rd Interval: **No Data**  
Method Used: **Halliburton/Trimme**  
Cemented By: **Bussell & Sons LLC**  
Distance to Septic Field or other Concentrated Contamination: **No Data**  
Distance to Property Line: **No Data**  
Method of Verification: **No Data**  
Approved by Variance: **No Data**

Surface Completion: **Surface Sleeve Installed**

Water Level: Static level: **178 ft. below land surface on 12/4/2003**  
Artesian flow: **No Data**

Packers: **K-Packer 350'**

Plugging Info: Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump: **Submersible**  
Depth to pump bowl: **(No Data) ft**

Well Tests: **Jetted \ Estimated**  
Yield: **25 GPM with (No Data) ft drawdown after (No Data) hours**

Water Quality: Type of Water: **No Data**  
Depth of Strata: **No Data**  
Chemical Analysis Made: **No**  
Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **Bussell & Sons LLC**  
**P. O. Box 874**  
**Tomball, TX 77377**

Driller License Number: **2035**

Licensed Well Driller Signature: **Craig Bussell**

Registered Driller Apprentice Signature: **No Data**

Apprentice Registration Number: **No Data**

Comments: **\$dfs**

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #53121) on your written request.

**Texas Department of Licensing & Regulation**  
**P.O. Box 12157**  
**Austin, TX 78711**  
**(512) 463-7880**

**DESC. & COLOR OF FORMATION MATERIAL**

**CASING, BLANK PIPE & WELL SCREEN DATA**

From (ft) To (ft) Description  
**1 8 Top Soil**  
**8 31 Clay**  
**31 286 Sand**  
**286 305 Clay**  
**305 365 Sand**

Dia. New/Used Type Setting From/To  
**4 New PVC 0 355**  
**2.5 New Galvanized Lined 350 355**  
**2.5 New SSRB Screen 355 365 .008**

## STATE OF TEXAS WELL REPORT for Tracking #56949

Owner:	WHITE OAK BEND M.U.D.	Owner Well #:	2
Address:	2500 CENTRAL PARKWAY, SUITE 2 HOUSTON, TX 77092	Grid #:	65-04-5
Well Location:	10606 AUTUMN MEADOW HOUSTON, TX 77064	Latitude:	29° 55' 30" N
Well County:	Harris	Longitude:	095° 34' 44" W
Elevation:	No Data	GPS Brand Used:	MAGELLAN 315 GPS

Type of Work:	New Well	Proposed Use:	Public Supply; Plans Approved by TCEQ
---------------	----------	---------------	---

Drilling Date:      Started: 11/19/2004  
                         Completed: 3/19/2005

Diameter of Hole:    Diameter: 35 in From Surface To 60 ft  
                         Diameter: 26 in From 0 ft To 793 ft  
                         Diameter: 30 in From 793 ft To 1330 ft

Drilling Method:    **Mud Rotary**

Borehole  
Completion:        Gravel Packed From: 900 ft to 1330 ft  
                         Gravel Pack Size: 10/20 Underreamed

Annular Seal Data: 1st Interval: From 0 ft to 60 ft with 58 (#sacks and material)  
                         2nd Interval: From 0 ft to 793 ft with 740 (#sacks and material)  
                         3rd Interval: From 693 ft to 1330 ft with 96 TONS-10/20 (#sacks and material)  
                         Method Used: HALLIBURTON  
                         Cemented By: SCHLUMBERGER  
                         Distance to Septic Field or other Concentrated Contamination: 150 ft  
                         Distance to Property Line: 50+/- ft  
                         Method of Verification: ENIGNEERING FIRM  
                         Approved by Variance: No Data

Surface  
Completion:        **Surface Slab Installed**

Water Level:        Static level: 422.60 ft. below land surface on 3/19/2005  
                         Artesian flow: No Data

Packers:            **N/A**

Plugging Info:     Casing left in well:    Cement/Bentonite left in well:  
                         From (ft) To (ft)      From (ft) To (ft)    Cem/Bent    Sacks Used  
                         **N/A**

Type Of Pump:     **Turbine**  
                         Depth to pump bowl: 665 ft

Well Tests:         **Pump**  
                         Yield: 1500 GPM with 76 ft drawdown after 36 hours

Water Quality:     Type of Water: **FRESH**  
                         Depth of Strata: **No Data**  
                         Chemical Analysis Made: **Yes**

Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **ALSAY INCORPORATED  
6615 GANT  
HOUSTON , TX 77066**

Driller License Number: **2048**

Licensed Well Driller Signature: **NEIL ROLIE**

Registered Driller Apprentice Signature: **DEVELON SHOCKLEY**

Apprentice Registration Number: **WWDAPP00001857**

Comments: **Martin, Jaime John WWDAPP00001971  
Johnson, Brent WWDAPP00001856**

---

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #56949) on your written request.

**Texas Department of Licensing & Regulation  
P.O. Box 12157  
Austin, TX 78711  
(512) 463-7880**

**DESC. & COLOR OF FORMATION MATERIAL**

**CASING, BLANK PIPE & WELL SCREEN DATA**

From (ft)	To (ft)	Description
0-6		SUB STRUCTURE
6-62		REDDISH BROWN CLAY
62-134		SAND
134-164		CLAY (REDDISH BROWN)
164-174		SAND
174-180		WHITE CLAY
180-326		SAND
326-364		CLAY (WHITISH GRAY)
364-422		SAND
422-426		WHITE CLAY
426-470		SAND
470-480		CLAY (LIGHT GRAY)
480-492		SAND
492-500		WHITE CLAY
500-580		SAND
580-600		CLAY (TAN)

Dia.	New/Used	Type	Setting From/To
30	U	STEEL	0/60 .312
20	N	STEEL	+3/793 .500
14	N	STEEL WITH	693/1330 .500
		STAINLESS STEEL SCREEN	.035

600-630 SAND  
630-640 WHITE CLAY  
640-744 SAND  
744-802 CLAY (GRAY)  
802-834 SAND  
834-864 CLAY (GRAY)  
864-894 SAND  
894-898 SANDY WHITE CLAY  
898-910 SAND  
910-926 CLAY (GRAY)  
926-944 SAND  
944-998 SANDY GRAY CLAY  
998-1140 SAND  
1140-1148 WHITE CLAY  
1148-1172 SAND  
1172-1180 WHITE CLAY  
1180-1220 SAND  
1220-1246 CLAY (GRAY)  
1246-1288 SAND  
1288-1296 WHITE CLAY  
1296-1312 SAND  
1312-1340 CLAY (GRAY)  
1340-1360 SAND  
1360-1394 CLAY (GRAY)  
1394-1430 SAND  
1430-1570 CLAY (DARK GRAY)

### STATE OF TEXAS WELL REPORT for Tracking #58706

Owner:	WEST HARRIS COUNTY M.U.D. # 11	Owner Well #:	3
Address:	55 WAUGH DRIVE, SUITE 300 HOUSTON , TX 77007	Grid #:	65-04-8
Well Location:	SAM HOUSTON CENTER HOUSTON , TX 77064	Latitude:	29° 54' 35" N
Well County:	Harris	Longitude:	095° 33' 07" W
Elevation:	No Data	GPS Brand Used:	MAGELLAN 315 GPS

Type of Work:	New Well	Proposed Use:	Public Supply; Plans Approved by TCEQ
---------------	----------	---------------	---

Drilling Date:       Started: 3/7/2005  
                          Completed: 5/13/2005

Diameter of Hole:   Diameter: 36 in From Surface To 60 ft  
                          Diameter: 30 in From 60 ft To 925 ft  
                          Diameter: 32 in From 925 ft To 1436 ft

Drilling Method:    **Mud Rotary**

Borehole  
Completion:         Gravel Packed From: 850 ft to 1436 ft  
                          Gravel Pack Size: 12/20 Underreamed

Annular Seal Data:  1st Interval: From 0 ft to 60 ft with 58 (#sacks and material)  
                          2nd Interval: From 0 ft to 925 ft with 830 (#sacks and material)  
                          3rd Interval: No Data  
                          Method Used: HALIBURTON  
                          Cemented By: SCHLUMBERGER  
                          Distance to Septic Field or other Concentrated Contamination: 150 ft  
                          Distance to Property Line: 50+ ft  
                          Method of Verification: ENGINEERING FIRM  
                          Approved by Variance: No Data

Surface  
Completion:         **Surface Slab Installed**

Water Level:        Static level: 385 ft. below land surface on 5/12/2005  
                          Artesian flow: No Data

Packers:            **N/A**

Plugging Info:     Casing left in well:   Cement/Bentonite left in well:  
                          From (ft) To (ft)      From (ft) To (ft)   Cem/Bent   Sacks Used  
                          **N/A**

Type Of Pump:      **Other: NOT AVAILABLE**  
                          Depth to pump bowl: (No Data) ft

Well Tests:         **No Data**

Water Quality:     Type of Water: **FRESH**  
                          Depth of Strata: **No Data**  
                          Chemical Analysis Made: **No**  
                          Did the driller knowingly penetrate any strata which contained undesirable constituents: **No Data**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **ALSAY INCORPORATED**  
**6615 GANT**  
**HOUSTON, TX 77066**

Driller License Number: **2048**

Licensed Well Driller Signature: **NEIL ROLLIE**

Registered Driller Apprentice Signature: **BRENT JOHNSON**

Apprentice Registration Number: **WWDAPP00001856**

Comments: **HARVEY ALEMAN - WWDAPP00003016**

---

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #58706) on your written request.

Texas Department of Licensing & Regulation  
P.O. Box 12157  
Austin, TX 78711  
(512) 463-7880

**DESC. & COLOR OF FORMATION MATERIAL**

**CASING, BLANK PIPE & WELL SCREEN DATA**

From (ft) To (ft) Description  
0-6 SUB STRUCTURE  
6-20 REDDISH BROWN CLAY  
20-40 SAND  
40-62 REDDISH BROWN CLAY  
62-124 SAND  
124-138 CLAY (WHITISH GRAY)  
138-154 SAND  
154-162 CLAY (WHITE)  
162-262 SAND  
262-300 SANDY CLAY  
300-380 SAND  
380-406 CLAY (LIGHT BROWN)  
406-416 SAND  
416-436 CLAY (LIGHT BROWN)  
436-490 SAND  
490-496 CLAY (WHITE)  
496-518 SAND  
518-550 CLAY (SANDY)  
550-596 SAND  
596-610 SANDY WHITE CLAY

Dia. New/Used Type Setting From/To  
32 USED STEEL 0/60 .281  
24 NEW STEEL +3/925 .500  
18 NEW STEEL WITH 845/1436 .500  
STAINLESS STEEL SCREEN .035

610-650 SAND  
650-670 CLAY (WHITISH GRAY)  
670-712 SAND  
712-724 CLAY (WHITISH GRAY)  
724-782 SAND  
782-830 CLAY (REDDISH BROWN)  
830-850 SAND  
850-892 CLAY (GRAY)  
892-908 SAND  
908-930 CLAY (WHITISH GRAY)  
930-1000 SAND  
1000-1070 CLAY (GRAY)  
1070-1080 SAND  
1080-1090 CLAY (WHITISH GRAY)  
1090-1116 SAND  
1116-1138 CLAY (GRAY)  
1138-1156 SAND  
1156-1164 WHITE CLAY  
1164-1180 SAND  
1180-1184 WHITE CLAY  
1184-1250 SAND  
1250-1260 CLAY (WHITISH GRAY)  
1260-1306 SAND  
1306-1344 CLAY (GRAY)  
1344-1364 SAND  
1364-1390 CLAY (GRAY)  
1390-1418 SAND  
1418-1456 CLAY (GRAY)  
1456-1500 SAND  
1500-1566 CLAY (DARK GRAY)

### STATE OF TEXAS WELL REPORT for Tracking #59570

Owner: <b>Dan &amp; Jessica Grosz</b>	Owner Well #: <b>No Data</b>
Address: <b>12903 Maxim Dr. Houston , TX 77065</b>	Grid #: <b>65-04-4</b>
Well Location: <b>12711 Tall Forest Cypress , TX 77429</b>	Latitude: <b>29° 57' 12" N</b>
Well County: <b>Harris</b>	Longitude: <b>095° 37' 13" W</b>
Elevation: <b>No Data</b>	GPS Brand Used: <b>315 Megallion</b>
<hr/>	
Type of Work: <b>New Well</b>	Proposed Use: <b>Domestic</b>

Drilling Date: Started: **5/16/2005**  
Completed: **5/17/2005**

Diameter of Hole: Diameter: **6 3/4 in From Surface To 230 ft**

Drilling Method: **Mud Rotary**

Borehole Completion: Other: **2 string**

Annular Seal Data: 1st Interval: **From 0 ft to 230 ft with 11 (#sacks and material)**  
2nd Interval: **From 10 ft to 0 ft with 10 (#sacks and material)**  
3rd Interval: **No Data**  
Method Used: **Hallibution**  
Cemented By: **SDI**  
Distance to Septic Field or other Concentrated Contamination: **No Data**  
Distance to Property Line: **6 ft**  
Method of Verification: **owner**  
Approved by Variance: **No Data**

Surface Completion: **Surface Slab Installed**

Water Level: Static level: **No Data**  
Artesian flow: **No Data**

Packers: **k packer 210**

Plugging Info: Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump: **Submersible**  
Depth to pump bowl: **180 ft**

Well Tests: **Jetted**  
Yield: **50 GPM with (No Data) ft drawdown after (No Data) hours**

Water Quality: Type of Water: **No Data**  
Depth of Strata: **No Data**  
Chemical Analysis Made: **No**  
Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **Scott Drilling Inc.  
11923 Green Pine Circle  
Houston , TX 77066**

Driller License Number: **4839**

Licensed Well Driller Signature: **Scott Robinson**

Registered Driller Apprentice Signature: **Scott Robinson**

Apprentice Registration Number: **No Data**

Comments: **No Data**

---

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #59570) on your written request.

**Texas Department of Licensing & Regulation  
P.O. Box 12157  
Austin, TX 78711  
(512) 463-7880**

**DESC. & COLOR OF FORMATION MATERIAL**

**CASING, BLANK PIPE & WELL SCREEN DATA**

From (ft)	To (ft)	Description
0-20		clay
20-30		sand
30-135		clay
135-155		sand
155-170		clay
170-230		sand

Dia.	New/Used	Type	Setting From/To
4 N		PVC casing	0-215
2.5 N		" Liner	210-215
2.5 N		" screen	215-230 .12

### STATE OF TEXAS WELL REPORT for Tracking #61327

Owner: <b>Roger Roberts</b>	Owner Well #: <b>No Data</b>
Address: <b>12611 Oakfeild Cypress , TX 77429</b>	Grid #: <b>65-04-4</b>
Well Location: <b>12611 Oakfeild Cypress , TX 77429</b>	Latitude: <b>29° 57' 11" N</b>
Well County: <b>Harris</b>	Longitude: <b>095° 36' 53" W</b>
Elevation: <b>No Data</b>	GPS Brand Used: <b>315 Megallion</b>
<hr/>	
Type of Work: <b>New Well</b>	Proposed Use: <b>Domestic</b>

Drilling Date: **Started: 5/5/2005  
Completed: 5/7/2005**

Diameter of Hole: **Diameter: 6 3/4 in From Surface To 220 ft**

Drilling Method: **Mud Rotary**

Borehole Completion: **Other: 2 string**

Annular Seal Data: **1st Interval: From 0 ft to 205 ft with 10 (#sacks and material)  
2nd Interval: From 10 ft to 0 ft with 10 (#sacks and material)  
3rd Interval: No Data  
Method Used: hallburton  
Cemented By: SDI  
Distance to Septic Field or other Concentrated Contamination: No Data  
Distance to Property Line: 10 ft  
Method of Verification: owner  
Approved by Variance: No Data**

Surface Completion: **Surface Slab Installed**

Water Level: **Static level: 125 ft. below land surface on 5/7/2005  
Artesian flow: No Data**

Packers: **k packer 200**

Plugging Info: **Casing or Cement/Bentonite left in well: No Data**

Type Of Pump: **Submersible  
Depth to pump bowl: 183 ft**

Well Tests: **Jetted  
Yield: 65 GPM with (No Data) ft drawdown after (No Data) hours**

Water Quality: **Type of Water: No Data  
Depth of Strata: No Data  
Chemical Analysis Made: No  
Did the driller knowingly penetrate any strata which contained undesirable constituents: No**

Certification Data: **The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.**

Company Information: **Scott Drilling Inc.**  
**11923 Green Pine Circle**  
**Houston , TX 77066**

Driller License Number: **4839**

Licensed Well Driller Signature: **Scott Robinson**

Registered Driller Apprentice Signature: **Scott Robinson**

Apprentice Registration Number: **No Data**

Comments: **No Data**

---

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #61327) on your written request.

**Texas Department of Licensing & Regulation**  
**P.O. Box 12157**  
**Austin, TX 78711**  
**(512) 463-7880**

**DESC. & COLOR OF FORMATION MATERIAL**

**CASING, BLANK PIPE & WELL SCREEN DATA**

From (ft) To (ft)	Description
0-10	clay
10-30	sand
30-100	clay
100-110	sand
110-140	clay
140-175	sand
175-180	clay
180-220	sand

Dia.	New/Used	Type	Setting From/To
4 N		PVC Casing	0-205
2.5 N		" Liner	200-205
2.5 N		" screen	205-220 .12

### STATE OF TEXAS WELL REPORT for Tracking #61971

Owner:	Walter Stefan	Owner Well #:	No Data
Address:	12115 Dakar Dr. Cypress , TX 77429	Grid #:	65-04-4
Well Location:	12115 Dakar Dr. Cypress , TX 77429	Latitude:	29° 56' 25" N
Well County:	Harris	Longitude:	095° 36' 17" W
Elevation:	No Data	GPS Brand Used:	Pioneer/ Magellan
Type of Work: <b>New Well</b>		Proposed Use: <b>Domestic</b>	

Drilling Date: Started: **6/9/2005**  
Completed: **6/10/2005**

Diameter of Hole: Diameter: **6 1/2 in From Surface To 265 ft**

Drilling Method: **Mud Rotary**

Borehole Completion: Other: **inside completion**

Annular Seal Data: 1st Interval: **From 255 ft to 0 ft with 20 bags (#sacks and material)**  
2nd Interval: **No Data**  
3rd Interval: **No Data**  
Method Used: **Halliburton Method**  
Cemented By: **self**  
Distance to Septic Field or other Concentrated Contamination: **50 ft**  
Distance to Property Line: **15 ft**  
Method of Verification: **Tape measure**  
Approved by Variance: **No Data**

Surface Completion: **Surface Sleeve Installed**

Water Level: Static level: **145 ft. below land surface on 6/10/2005**  
Artesian flow: **No Data**

Packers: **K Packer 251**

Plugging Info: Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump: **Submersible**  
Depth to pump bowl: **200 ft**

Well Tests: **Jetted \ Estimated**  
Yield: **40 GPM with 10 ft drawdown after 1 hour**

Water Quality: Type of Water: **No Data**  
Depth of Strata: **No Data**  
Chemical Analysis Made: **No**  
Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **Hildebrandt's Water Wells**  
**21802 Rhodes Rd.**  
**Spring , TX 77388**

Driller License Number: **2195**

Licensed Well Driller Signature: **Earl Hildebrandt**

Registered Driller Apprentice Signature: **No Data**

Apprentice Registration Number: **No Data**

Comments: **No Data**

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #61971) on your written request.

**Texas Department of Licensing & Regulation**  
**P.O. Box 12157**  
**Austin, TX 78711**  
**(512) 463-7880**

**DESC. & COLOR OF FORMATION MATERIAL**

**CASING, BLANK PIPE & WELL SCREEN DATA**

From (ft) To (ft) Description  
**0 - 37 sand and clay**  
**37 - 63 clay**  
**63 - 107 sand**  
**107 - 121 clay**  
**121 - 126 soft rock and clay**  
**126 - 159 clay**  
**159 - 170 sand**  
**170 - 221 sand and clay**  
**221 - 224 rock**  
**224 - 242 sand**  
**242 - 250 clay**  
**250 - 265 sand**

Dia. New/Used Type Setting From/To  
**4 New PVC well casing 0 - 255 sch 40**  
**2 1/2 New PVC blank pipe 251 - 255 sch 40**  
**2 1/2 New PVC slotted screen 255 - 265 .010**

### STATE OF TEXAS WELL REPORT for Tracking #69086

Owner: <b>TCEQ</b>	Owner Well #: <b>MW-10</b>
Address: <b>MC-143, P.O. Box 13087 Austin, TX 78711</b>	Grid #: <b>65-04-5</b>
Well Location: <b>10860 Tower Oaks Houston, TX 77064</b>	Latitude: <b>29° 56' 23" N</b>
Well County: <b>Harris</b>	Longitude: <b>095° 34' 58" W</b>
Elevation: <b>No Data</b>	GPS Brand Used: <b>Taken from Topo Map</b>
-----	
Type of Work: <b>New Well</b>	Proposed Use: <b>Monitor</b>

Drilling Date: Started: **7/6/2005**  
Completed: **7/7/2005**

Diameter of Hole: Diameter: **6 3/4 in From Surface To 270 ft**  
Diameter: **3 7/8 in From 270 ft To 342 ft**

Drilling Method: **Mud Rotary**

Borehole Completion: **Open Hole**

Annular Seal Data: 1st Interval: **From 0 ft to 270 ft with 24 Portland/Gel (#sacks and material)**  
2nd Interval: **No Data**  
3rd Interval: **No Data**  
Method Used: **Pressure Grout**  
Cemented By: **Bussell & Son Water Wells**  
Distance to Septic Field or other Concentrated Contamination: **No Data**  
Distance to Property Line: **No Data**  
Method of Verification: **No Data**  
Approved by Variance: **No Data**

Surface Completion: **Surface Slab Installed**

Water Level: Static level: **148.91 ft. below land surface on 8/8/2005**  
Artesian flow: **No Data**

Packers: **2 1/2"x4" Double K-Packer 259-260**

Plugging Info: Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump: **Jet**  
Depth to pump bowl: **(No Data) ft**

Well Tests: **Jetted \ Estimated**  
Yield: **25 GPM with 25 ft drawdown after 1 hour**

Water Quality: Type of Water: **No Data**  
Depth of Strata: **267-296 ft.**  
Chemical Analysis Made: **No Data**  
Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **Best Drilling Services  
P.O. Box 845  
Friendswood , TX 77549**

Driller License Number: **2443**

Licensed Well Driller Signature: **Charles F. Smith**

Registered Driller Apprentice Signature: **No Data**

Apprentice Registration Number: **No Data**

Comments: **Amended 10/19/05 Ref.#2391**

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #69086) on your written request.

**Texas Department of Licensing & Regulation  
P.O. Box 12157  
Austin, TX 78711  
(512) 463-7880**

DESC. & COLOR OF FORMATION MATERIAL		CASING, BLANK PIPE & WELL SCREEN DATA		
From (ft)	To (ft) Description	Dia.	New/Used	Type Setting From/To
0-22	Clay	4	New	PVC 0/270 Sch. 40
22-25	Sand	2 1/2	New	PVC 259/270 Sch. 40
25-65	Clay	2 1/2	New	Rod Based Stainless Steel 270/290 0.012
65-93	Sand			
93-94	Clay			
94-110	Sand			
110-112	Clay			
112-130	Sand			
130-133	Clay			
133-145	Sand			
145-159	Clay			
159-196	Sand			
196-224	Clay			
224-250	Sand			
250-267	Clay			
267-296	Sand			
296-309	Clay			
309-323	Sand			
323-332	Clay			
332-333	Sand			
333-342	Clay			

### STATE OF TEXAS WELL REPORT for Tracking #69087

Owner: <b>TCEQ</b>	Owner Well #: <b>MW-12</b>
Address: <b>MC-143, P.O. Box 13087 Austin, TX 78711</b>	Grid #: <b>65-04-4</b>
Well Location: <b>Oak Valley and Timber Crest Houston, TX 77064</b>	Latitude: <b>29° 56' 22" N</b>
Well County: <b>Harris</b>	Longitude: <b>095° 35' 33" W</b>
Elevation: <b>No Data</b>	GPS Brand Used: <b>Taken from Topo Map</b>

Type of Work: <b>New Well</b>	Proposed Use: <b>Monitor</b>
-------------------------------	------------------------------

Drilling Date: Started: **7/12/2005**  
Completed: **7/14/2005**

Diameter of Hole: Diameter: **6 3/4 in From Surface To 260 ft**  
Diameter: **3 7/8 in From 260 ft To 301 ft**

Drilling Method: **Mud Rotary**

Borehole Completion: **Open Hole**

Annular Seal Data: 1st Interval: **From 0 ft to 260 ft with 24 Portland/Gel (#sacks and material)**  
2nd Interval: **No Data**  
3rd Interval: **No Data**  
Method Used: **Pressure Grout**  
Cemented By: **Bussell & Son Water Wells**  
Distance to Septic Field or other Concentrated Contamination: **No Data**  
Distance to Property Line: **No Data**  
Method of Verification: **No Data**  
Approved by Variance: **No Data**

Surface Completion: **Surface Slab Installed**

Water Level: Static level: **146.79 ft. below land surface on 8/4/2005**  
Artesian flow: **No Data**

Packers: **2 1/2"x4" Double K-Packer 249-250**

Plugging Info: Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump: **No Data**

Well Tests: **Jetted \ Estimated**  
Yield: **25 GPM with 25 ft drawdown after 1 hour**

Water Quality: Type of Water: **No Data**  
Depth of Strata: **266-301 ft.**  
Chemical Analysis Made: **No Data**  
Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **Best Drilling Services  
P.O. Box 845  
Friendswood , TX 77549**

Driller License Number: **2443**

Licensed Well Driller Signature: **Charles F. Smith**

Registered Driller Apprentice Signature: **No Data**

Apprentice Registration Number: **No Data**

Comments: **Amended 10/19/05 Ref.#2392**

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE, Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #69087) on your written request.

**Texas Department of Licensing & Regulation  
P.O. Box 12157  
Austin, TX 78711  
(512) 463-7880**

**DESC. & COLOR OF FORMATION MATERIAL**

**CASING, BLANK PIPE & WELL SCREEN DATA**

From (ft)	To (ft)	Description	Dia.	New/Used	Type	Setting From/To
0-10	Clay		4	New	PVC/Certilock	0/260 Sch. 40
10-24	Clay & Sand		2	1/2 New	PVC	249/260 Sch. 40
24-49	Sand		2	1/2 New	Rod Based Stainless Steel	260/280 0.012
49-53	Clay					
53-54	Sand					
54-71	Clay					
71-122	Sand					
122-133	Clay					
133-140	Sand					
140-142	Clay					
142-147	Sand					
147-155	Clay					
155-171	Sand					
171-183	Sand Stone					
183-193	Clay					
193-209	Sand & Clay					
209-225	Sand					
225-227	Clay					
227-247	Sand					
247-253	Clay					
253-262	Sand					
262-266	Clay					
266-301	Sand					

### STATE OF TEXAS WELL REPORT for Tracking #69089

Owner: <b>TCEQ</b>	Owner Well #: <b>MW-13</b>
Address: <b>MC-143, P.O. Box 13087 Austin, TX 78711</b>	Grid #: <b>65-04-4</b>
Well Location: <b>Forest Valley &amp; Timber Hollow Houston, TX 77065</b>	Latitude: <b>29° 56' 31" N</b>
Well County: <b>Harris</b>	Longitude: <b>095° 35' 21" W</b>
Elevation: <b>No Data</b>	GPS Brand Used: <b>Taken from Topo Map</b>

Type of Work: <b>New Well</b>	Proposed Use: <b>Monitor</b>
-------------------------------	------------------------------

Drilling Date:       Started: **7/17/2005**  
                          Completed: **7/19/2005**

Diameter of Hole:   Diameter: **6 3/4 in From Surface To 276 ft**  
                          Diameter: **3 7/8 in From 276 ft To 296 ft**

Drilling Method:    **Mud Rotary**

Borehole  
Completion:        **Open Hole**

Annular Seal Data:  1st Interval: **From 0 ft to 276 ft with 25 Portland/Gel (#sacks and material)**  
                          2nd Interval: **No Data**  
                          3rd Interval: **No Data**  
                          Method Used: **Pressure Grout**  
                          Cemented By: **Bussell & Son Water Wells**  
                          Distance to Septic Field or other Concentrated Contamination: **No Data**  
                          Distance to Property Line: **No Data**  
                          Method of Verification: **No Data**  
                          Approved by Variance: **No Data**

Surface  
Completion:        **Surface Slab Installed**

Water Level:        Static level: **145.40 ft. below land surface on 8/4/2005**  
                          Artesian flow: **No Data**

Packers:            **2 1/2"x4" Double K-Packer 265-266**

Plugging Info:     Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump:      **No Data**

Well Tests:         **Jetted \ Estimated**  
                          Yield: **25 GPM with 25 ft drawdown after 1 hour**

Water Quality:     Type of Water: **No Data**  
                          Depth of Strata: **270-300 ft.**  
                          Chemical Analysis Made: **No Data**  
                          Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **Best Drilling Services**  
**P.O. Box 845**  
**Friendswood , TX 77549**

Driller License Number: **2443**

Licensed Well Driller Signature: **Charles F. Smith**

Registered Driller Apprentice Signature: **No Data**

Apprentice Registration Number: **No Data**

Comments: **Amended 11/30/05 Ref.#2629**

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #69089) on your written request.

**Texas Department of Licensing & Regulation**  
**P.O. Box 12157**  
**Austin, TX 78711**  
**(512) 463-7880**

**DESC. & COLOR OF FORMATION MATERIAL**

**CASING, BLANK PIPE & WELL SCREEN DATA**

From (ft) To (ft)	Description	Dia.	New/Used	Type	Setting From/To
0-30	Clay	4	New	PVC/Certilock	0/276 Sch. 40
30-37	Sand	2 1/2	New	PVC	265/276 Sch. 40
37-68	Clay	2 1/2	New	Rod Based	Stainless Steel 276/296 0.010
68-104	Sand				
104-119	Clay				
119-120	Sand				
120-133	Clay				
133-143	Sand				
143-157	Clay				
157-193	Sand				
193-200	Clay				
200-209	Sand				
209-214	Sand Stone				
214-215	Clay				
215-235	Sand				
235-270	Interbedded Sand & Clay				
270-290	Sand				
290-299	Clay				
292-300	Sand				

### STATE OF TEXAS WELL REPORT for Tracking #69091

Owner: <b>TCEQ</b>	Owner Well #: <b>MW-14</b>
Address: <b>MC-143, P.O. Box 13087 Austin, TX 78711</b>	Grid #: <b>65-04-4</b>
Well Location: <b>Glenora St. &amp; Mile Dr. Houston, TX 77065</b>	Latitude: <b>29° 56' 39" N</b>
Well County: <b>Harris</b>	Longitude: <b>095° 35' 38" W</b>
Elevation: <b>No Data</b>	GPS Brand Used: <b>Taken from Topo Map</b>
Type of Work: <b>New Well</b>	Proposed Use: <b>Monitor</b>

Drilling Date: Started: **7/19/2005**  
Completed: **7/22/2005**

Diameter of Hole: Diameter: **6 3/4 in From Surface To 260 ft**  
Diameter: **3 7/8 in From 260 ft To 294 ft**

Drilling Method: **Mud Rotary**

Borehole Completion: **Open Hole**

Annular Seal Data: 1st Interval: **From 0 ft to 260 ft with 24 Portland/Gel (#sacks and material)**  
2nd Interval: **No Data**  
3rd Interval: **No Data**  
Method Used: **Pressure Grout**  
Cemented By: **Bussell & Son Water Wells**  
Distance to Septic Field or other Concentrated Contamination: **No Data**  
Distance to Property Line: **No Data**  
Method of Verification: **No Data**  
Approved by Variance: **No Data**

Surface Completion: **Surface Slab Installed**

Water Level: Static level: **141.92 ft. below land surface on 8/5/2005**  
Artesian flow: **No Data**

Packers: **2 1/2"x4" Double K-Packer 249-250**

Plugging Info: Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump: **No Data**

Well Tests: **Jetted \ Estimated**  
Yield: **30 GPM with 25 ft drawdown after 1 hour**

Water Quality: Type of Water: **No Data**  
Depth of Strata: **196-284 ft.**  
Chemical Analysis Made: **No Data**  
Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **Best Drilling Services**  
**P.O. Box 845**  
**Friendswood , TX 77549**

Driller License Number: **2443**

Licensed Well Driller Signature: **Charles F. Smith**

Registered Driller Apprentice Signature: **No Data**

Apprentice Registration Number: **No Data**

Comments: **Amended 11/30/05 Ref.#2628**

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #69091) on your written request.

**Texas Department of Licensing & Regulation**  
**P.O. Box 12157**  
**Austin, TX 78711**  
**(512) 463-7880**

**DESC. & COLOR OF FORMATION MATERIAL**

**CASING, BLANK PIPE & WELL SCREEN DATA**

From (ft) To (ft)	Description	Dia.	New/Used	Type	Setting From/To
0-15	Clay	4	New	PVC/Certilock	0/260 Sch. 40
15-19	Sand	2 1/2	New	PVC	249/260 Sch. 40
19-110	Clay	2 1/2	New	Rod Based	Stainless Steel 260/280 0.014
110-120	Sand				
120-140	Clay				
140-143	Sand				
143-150	Clay				
150-168	Sand				
168-169	Sand Stone				
169-185	Sand				
185-196	Clay				
196-244	Sand				
244-245	Clay				
245-284	Sand				
284-294	Clay				

### STATE OF TEXAS WELL REPORT for Tracking #69095

Owner: <b>TCEQ</b>	Owner Well #: <b>MW-15</b>
Address: <b>MC-143, P.O. Box 13087 Austin, TX 78711</b>	Grid #: <b>65-04-4</b>
Well Location: <b>Echo Spring &amp; Woodedge. Houston, TX 77065</b>	Latitude: <b>29° 56' 42" N</b>
Well County: <b>Harris</b>	Longitude: <b>095° 35' 13" W</b>
Elevation: <b>No Data</b>	GPS Brand Used: <b>Taken from Topo Map</b>
Type of Work: <b>New Well</b>	Proposed Use: <b>Monitor</b>

Drilling Date: Started: **7/25/2005**  
Completed: **7/26/2005**

Diameter of Hole: Diameter: **6 3/4 in From Surface To 274 ft**  
Diameter: **3 7/8 in From 274 ft To 305 ft**

Drilling Method: **Mud Rotary**

Borehole Completion: **Open Hole**

Annular Seal Data: 1st Interval: **From 0 ft to 274 ft with 26 Portland/Gel (#sacks and material)**  
2nd Interval: **No Data**  
3rd Interval: **No Data**  
Method Used: **Pressure Grout**  
Cemented By: **Bussell & Son Water Wells**  
Distance to Septic Field or other Concentrated Contamination: **No Data**  
Distance to Property Line: **No Data**  
Method of Verification: **No Data**  
Approved by Variance: **No Data**

Surface Completion: **Surface Slab Installed**

Water Level: Static level: **145.28 ft. below land surface on 8/4/2005**  
Artesian flow: **No Data**

Packers: **2 1/2"x4" Double K-Packer 263-264**

Plugging Info: Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump: **No Data**

Well Tests: **Jetted \ Estimated**  
Yield: **25 GPM with 25 ft drawdown after 1 hour**

Water Quality: Type of Water: **No Data**  
Depth of Strata: **220-299 ft.**  
Chemical Analysis Made: **No Data**  
Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **Best Drilling Services  
P.O. Box 845  
Friendswood , TX 77549**

Driller License Number: **2443**

Licensed Well Driller Signature: **Charles F. Smith**

Registered Driller Apprentice Signature: **No Data**

Apprentice Registration Number: **No Data**

Comments: **Amended 11/30/05 Ref.#2627**

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #69095) on your written request.

**Texas Department of Licensing & Regulation  
P.O. Box 12157  
Austin, TX 78711  
(512) 463-7880**

**DESC. & COLOR OF FORMATION MATERIAL**

**CASING, BLANK PIPE & WELL SCREEN DATA**

From (ft) To (ft) Description

0-23 Clay

23-34 Sand

34-72 Clay

72-101 Sand

101-117 Clay

117-122 Sand

122-133 Clay

133-145 Sand

145-185 Sand & Gravel

185-194 Sand

194-202 Clay

202-215 Sand

215-220 Clay

220-241 Sand

241-261 Sand, Sand Stone & Lime Stone

261-265 Clay

265-299 Sand & Gravel

299-305 Clay

Dia. New/Used Type Setting From/To

4 New PVC/Certilock 0/274 Sch. 40

2 1/2 New PVC 263/274 Sch. 40

2 1/2 New Rod Based Stainless Steel 274/294 0.014

### STATE OF TEXAS WELL REPORT for Tracking #69096

Owner: <b>TCEQ</b>	Owner Well #: <b>MW-16</b>
Address: <b>MC-143, P.O. Box 13087 Austin, TX 78711</b>	Grid #: <b>65-04-4</b>
Well Location: <b>Woodedge &amp; Jones Rd. Houston, TX 77065</b>	Latitude: <b>29° 56' 42" N</b>
Well County: <b>Harris</b>	Longitude: <b>095° 35' 04" W</b>
Elevation: <b>No Data</b>	GPS Brand Used: <b>Taken from Topo Map</b>

Type of Work: <b>New Well</b>	Proposed Use: <b>Monitor</b>
-------------------------------	------------------------------

Drilling Date: Started: **7/27/2005**  
Completed: **7/28/2005**

Diameter of Hole: Diameter: **6 3/4 in From Surface To 258 ft**  
Diameter: **3 7/8 in From 258 ft To 325 ft**

Drilling Method: **Mud Rotary**

Borehole Completion: **Open Hole**

Annular Seal Data: 1st Interval: **From 0 ft to 258 ft with 24 Portland/Gel (#sacks and material)**  
2nd Interval: **No Data**  
3rd Interval: **No Data**  
Method Used: **Pressure Grout**  
Cemented By: **Bussell & Son Water Wells**  
Distance to Septic Field or other Concentrated Contamination: **No Data**  
Distance to Property Line: **No Data**  
Method of Verification: **No Data**  
Approved by Variance: **No Data**

Surface Completion: **Surface Slab Installed**

Water Level: Static level: **146.9 ft. below land surface on 8/4/2005**  
Artesian flow: **No Data**

Packers: **2 1/2"x4" Double K-Packer 247-248**

Plugging Info: Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump: **No Data**

Well Tests: **Jetted \ Estimated**  
Yield: **25 GPM with 25 ft drawdown after 1 hour**

Water Quality: Type of Water: **No Data**  
Depth of Strata: **208-283 ft.**  
Chemical Analysis Made: **No Data**  
Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **Best Drilling Services**  
**P.O. Box 845**  
**Friendswood , TX 77549**

Driller License Number: **2443**

Licensed Well Driller Signature: **Charles F. Smith**

Registered Driller Apprentice Signature: **No Data**

Apprentice Registration Number: **No Data**

Comments: **Amended 11/30/05 Ref.#2626**

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title.12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #69096) on your written request.

**Texas Department of Licensing & Regulation**  
**P.O. Box 12157**  
**Austin, TX 78711**  
**(512) 463-7880**

**DESC. & COLOR OF FORMATION MATERIAL**

**CASING, BLANK PIPE & WELL SCREEN DATA**

From (ft) To (ft)	Description	Dia.	New/Used	Type	Setting From/To
0-12	Clay	4	New	PVC/Certilock	0/258 Sch. 40
12-14	Sand	2	1/2 New	PVC	247/258 Sch. 40
14-18	Clay	2	1/2 New	Rod Based	Stainless Steel 258/278 0.014
18-21	Sand				
21-27	Clay				
27-34	Sand				
34-71	Clay				
71-102	Sand				
102-110	Clay				
110-119	Sand				
119-130	Clay				
130-150	Sand				
150-160	Clay				
160-182	Sand & Gravel				
182-203	Clay				
203-205	Sand Stone				
205-208	Clay				
208-240	Sand				
240-242	Clay				
242-263	Sand				
263-265	Clay				
265-283	Sand				
283-303	Clay				
303-306	Sand				

**306-325 Clay**

21-1000 Clay

### STATE OF TEXAS WELL REPORT for Tracking #69098

Owner: <b>TCEQ</b>	Owner Well #: <b>MW-17</b>
Address: <b>MC-143, P.O. Box 13087 Austin, TX 78711</b>	Grid #: <b>65-04-4</b>
Well Location: <b>Neeshaw Rd. Houston, TX 77065</b>	Latitude: <b>29° 56' 21" N</b>
Well County: <b>Harris</b>	Longitude: <b>095° 35' 16" W</b>
Elevation: <b>No Data</b>	GPS Brand Used: <b>Taken from Topo Map</b>
<hr/>	
Type of Work: <b>New Well</b>	Proposed Use: <b>Monitor</b>

Drilling Date: Started: **8/9/2005**  
Completed: **8/11/2005**

Diameter of Hole: Diameter: **6 3/4 in From Surface To 410 ft**  
Diameter: **3 7/8 in From 410 ft To 445 ft**

Drilling Method: **Mud Rotary**

Borehole Completion: **Open Hole**

Annular Seal Data: 1st Interval: **From 0 ft to 410 ft with 40 Portland/Gel (#sacks and material)**  
2nd Interval: **No Data**  
3rd Interval: **No Data**  
Method Used: **Pressure Grout**  
Cemented By: **Bussell & Son Water Wells**  
Distance to Septic Field or other Concentrated Contamination: **No Data**  
Distance to Property Line: **No Data**  
Method of Verification: **No Data**  
Approved by Variance: **No Data**

Surface Completion: **Surface Slab Installed**

Water Level: Static level: **250.41 ft. below land surface on 8/16/2005**  
Artesian flow: **No Data**

Packers: **2 1/2"x4" Double K-Packer 399-400**

Plugging Info: Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump: **No Data**

Well Tests: **Jetted \ Estimated**  
Yield: **30 GPM with 25 ft drawdown after 1 hour**

Water Quality: Type of Water: **No Data**  
Depth of Strata: **400-445+ ft.**  
Chemical Analysis Made: **No Data**  
Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **Best Drilling Services  
P.O. Box 845  
Friendswood, TX 77549**

Driller License Number: **2443**

Licensed Well Driller Signature: **Charles F. Smith**

Registered Driller Apprentice Signature: **No Data**

Apprentice Registration Number: **No Data**

Comments: **Amended 11/30/05 Ref.#2625**

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #69098) on your written request.

**Texas Department of Licensing & Regulation  
P.O. Box 12157  
Austin, TX 78711  
(512) 463-7880**

DESC. & COLOR OF FORMATION MATERIAL		CASING, BLANK PIPE & WELL SCREEN DATA			
From (ft)	To (ft) Description	Dia.	New/Used	Type	Setting From/To
0-18	Clay/Fill	4	New	PVC/Certilock	0/410 Sch. 40
18-33	Sand	2 1/2	New	PVC	399/410 Sch. 40
33-63	Clay	2 1/2	New	Rod Based	Stainless Steel 410/430 0.014
63-120	Sand				
120-121	Gravel				
121-135	Clay				
135-141	Sand				
141-155	Clay				
155-246	Sand with Clay Stringers				
246-248	Gravel				
248-253	Sand				
253-263	Clay				
263-273	Sand with Gravel				
273-300	Clay				
300-311	Sand with Gravel Layers				
311-336	Clay				
336-365	Sand				
365-369	Clay				
369-372	Sand				
372-400	Clay				
400-445	Sand				

### STATE OF TEXAS WELL REPORT for Tracking #69100

Owner: <b>TCEQ</b>	Owner Well #: <b>MW-18</b>
Address: <b>MC-143, P.O. Box 13087 Austin, TX 78711</b>	Grid #: <b>65-04-4</b>
Well Location: <b>Neeshaw Rd. Houston, TX 77065</b>	Latitude: <b>29° 56' 21" N</b>
Well County: <b>Harris</b>	Longitude: <b>095° 35' 16" W</b>
Elevation: <b>No Data</b>	GPS Brand Used: <b>Taken from Topo Map</b>
-----	
Type of Work: <b>New Well</b>	Proposed Use: <b>Monitor</b>

Drilling Date: Started: **8/11/2005**  
Completed: **8/12/2005**

Diameter of Hole: Diameter: **6 3/4 in From Surface To 284 ft**  
Diameter: **3 7/8 in From 284 ft To 304 ft**

Drilling Method: **Mud Rotary**

Borehole Completion: **Open Hole**

Annular Seal Data: 1st Interval: **From 0 ft to 410 ft with 27 Portland/Gel (#sacks and material)**  
2nd Interval: **No Data**  
3rd Interval: **No Data**  
Method Used: **Pressure Grout**  
Cemented By: **Bussell & Son Water Wells**  
Distance to Septic Field or other Concentrated Contamination: **No Data**  
Distance to Property Line: **No Data**  
Method of Verification: **No Data**  
Approved by Variance: **No Data**

Surface Completion: **Surface Slab Installed**

Water Level: Static level: **148.96 ft. below land surface on 8/16/2005**  
Artesian flow: **No Data**

Packers: **2 1/2"x4" Double K-Packer 266-267**

Plugging Info: Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump: **No Data**

Well Tests: **Jetted \ Estimated**  
Yield: **20 GPM with 25 ft drawdown after 1 hour**

Water Quality: Type of Water: **No Data**  
Depth of Strata: **260-304 ft.**  
Chemical Analysis Made: **No Data**  
Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **Best Drilling Services**  
**P.O. Box 845**  
**Friendswood , TX 77549**

Driller License Number: **2443**

Licensed Well Driller Signature: **Charles F. Smith**

Registered Driller Apprentice Signature: **No Data**

Apprentice Registration Number: **No Data**

Comments: **Amended 11/30/05 Ref.#2624**

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #69100) on your written request.

**Texas Department of Licensing & Regulation**  
**P.O. Box 12157**  
**Austin, TX 78711**  
**(512) 463-7880**

**DESC. & COLOR OF FORMATION MATERIAL**

**CASING, BLANK PIPE & WELL SCREEN DATA**

From (ft) To (ft)	Description	Dia.	New/Used	Type	Setting From/To
0-18	Clay/Fill	4	New	PVC/Certilock	0/284 Sch. 40
18-33	Sand	2 1/2	New	PVC	266/277 Sch. 40
33-63	Clay	2 1/2	New	Rod Based	Stainless Steel 277/297 0.014
63-120	Sand				
120-121	Gravel				
121-135	Clay				
135-141	Sand				
141-155	Clay				
155-246	Sand with Clay Stringers				
246-248	Gravel				
248-253	Sand				
253-263	Clay				
260-304	Sand with Gravel Layers				

### STATE OF TEXAS WELL REPORT for Tracking #69109

Owner: <b>TCEQ</b>	Owner Well #: <b>MW-11</b>
Address: <b>MC-143, P.O. Box 13087 Austin, TX 78711</b>	Grid #: <b>65-04-4</b>
Well Location: <b>Glenora &amp; Foxburo Houston, TX 77065</b>	Latitude: <b>29° 56' 08" N</b>
Well County: <b>Harris</b>	Longitude: <b>095° 35' 38" W</b>
Elevation: <b>No Data</b>	GPS Brand Used: <b>Taken from Topo Map</b>
-----	
Type of Work: <b>New Well</b>	Proposed Use: <b>Monitor</b>

Drilling Date: Started: **7/8/2005**  
Completed: **7/10/2005**

Diameter of Hole: Diameter: **6 3/4 in From Surface To 254 ft**  
Diameter: **3 7/8 in From 254 ft To 292 ft**

Drilling Method: **Mud Rotary**

Borehole Completion: **Open Hole**

Annular Seal Data: 1st Interval: **From 0 ft to 254 ft with 24 Portland/Gel (#sacks and material)**  
2nd Interval: **No Data**  
3rd Interval: **No Data**  
Method Used: **Pressure Grout**  
Cemented By: **Bussell & Son Water Wells**  
Distance to Septic Field or other Concentrated Contamination: **No Data**  
Distance to Property Line: **No Data**  
Method of Verification: **No Data**  
Approved by Variance: **No Data**

Surface Completion: **No Data**

Water Level: Static level: **No Data**  
Artesian flow: **No Data**

Packers: **2 1/2"x4" Double K-Packer 243-244**

Plugging Info: Casing left in well: Cement/Bentonite left in well:  
From (ft) To (ft) From (ft) To (ft) Cem/Bent Sacks Used  
**2-253 0-240 Portland/Bentonite Mix - 12 Sacks**

Type Of Pump: **No Data**

Well Tests: **No Data**

Water Quality: Type of Water: **No Data**  
Depth of Strata: **263-289 ft.**  
Chemical Analysis Made: **No Data**  
Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **Best Drilling Services**  
**P.O. Box 845**  
**Friendswood , TX 77549**

Driller License Number: **2443**

Licensed Well Driller Signature: **Charles F. Smith**

Registered Driller Apprentice Signature: **No Data**

Apprentice Registration Number: **No Data**

Comments: **Casing failure during development. Well was plugged on 08/25/05 by Bussell & Son Water Wells.**

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #69109) on your written request.

**Texas Department of Licensing & Regulation**  
**P.O. Box 12157**  
**Austin, TX 78711**  
**(512) 463-7880**

DESC. & COLOR OF FORMATION MATERIAL		CASING, BLANK PIPE & WELL SCREEN DATA	
From (ft)	To (ft) Description	Dia. New/Used	Type Setting From/To
0-28	Clay	4	New PVC/Certilock 0/254 Sch. 40
28-32	Sand	2 1/2	New PVC 243/254 Sch. 40
32-75	Clay	2 1/2	New Rod Based Stainless Steel 254/274 0.012
75-109	Sand		
109-147	Clay		
147-150	Sand		
150-161	Clay		
161-180	Sand		
180-186	Sand Stone		
186-200	Sand		
200-215	Clay		
215-229	Sand		
229-231	Clay		
231-251	Sand		
251-263	Clay		
263-265	Sand		
265-277	Clay		
277-281	Sand		
281-285	Sand		
285-289	Sand		
289-292	Clay		

### STATE OF TEXAS WELL REPORT for Tracking #71193

Owner: <b>Marie Bustos</b>	Owner Well #: <b>No Data</b>
Address: <b>8903 Meadow Vista Ct. Houston, TX 77064</b>	Grid #: <b>65-04-5</b>
Well Location: <b>8903 Meadow Vista Ct. Houston, TX 77064</b>	Latitude: <b>29° 56' 54" N</b>
Well County: <b>Harris</b>	Longitude: <b>095° 33' 07" W</b>
Elevation: <b>No Data</b>	GPS Brand Used: <b>315 Magellan</b>
<hr/>	
Type of Work: <b>New Well</b>	Proposed Use: <b>Domestic</b>

Drilling Date: Started: **9/28/2005**  
Completed: **9/30/2005**

Diameter of Hole: Diameter: **7 1/2 in From Surface To 260 ft**

Drilling Method: **Mud Rotary**

Borehole Completion: Other: **2 string**

Annular Seal Data: 1st Interval: **From 0 ft to 245 ft with 18 (#sacks and material)**  
2nd Interval: **From 10 ft to 0 ft with 10 (#sacks and material)**  
3rd Interval: **No Data**  
Method Used: **Halliburton**  
Cemented By: **SDI**  
Distance to Septic Field or other Concentrated Contamination: **40 ft**  
Distance to Property Line: **10 ft**  
Method of Verification: **owner**  
Approved by Variance: **No Data**

Surface Completion: **Surface Slab Installed**

Water Level: Static level: **160 ft. below land surface on 11/13/2005**  
Artesian flow: **No Data**

Packers: **k packer-240**

Plugging Info: Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump: **Submersible**  
Depth to pump bowl: **220 ft**

Well Tests: **Jetted**  
Yield: **50 GPM with (No Data) ft drawdown after (No Data) hours**

Water Quality: Type of Water: **No Data**  
Depth of Strata: **No Data**  
Chemical Analysis Made: **No**  
Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **Scott Drilling Inc.  
11923 Green Pine Circle  
Houston , TX 77066**

Driller License Number: **4839**

Licensed Well Driller Signature: **Scott Robinson**

Registered Driller Apprentice Signature: **No Data**

Apprentice Registration Number: **No Data**

Comments: **No Data**

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #71193) on your written request.

**Texas Department of Licensing & Regulation  
P.O. Box 12157  
Austin, TX 78711  
(512) 463-7880**

**DESC. & COLOR OF FORMATION MATERIAL**

**CASING, BLANK PIPE & WELL SCREEN DATA**

From (ft) To (ft) Description  
**0-70 clay**  
**70-120 sand**  
**120-160 clay**  
**160-185 sand**  
**185-235 clay**  
**235-260 sand**

Dia. New/Used Type Setting From/To  
**4 N PVC casing 0-245**  
**2.5 N " liner 240-245**  
**2.5 N " screen 245-260 .10**

### STATE OF TEXAS WELL REPORT for Tracking #71443

Owner: <b>TCEQ</b>	Owner Well #: <b>MW-11R</b>
Address: <b>MC-143, P.O. Box 13087 Austin, TX 78711</b>	Grid #: <b>65-04-4</b>
Well Location: <b>Glenora &amp; Foxburo Houston, TX 77065</b>	Latitude: <b>29° 56' 11" N</b>
Well County: <b>Harris</b>	Longitude: <b>095° 35' 39" W</b>
Elevation: <b>No Data</b>	GPS Brand Used: <b>Garmin E-Trex</b>
-----	
Type of Work: <b>Replacement Well</b>	Proposed Use: <b>Monitor</b>

Drilling Date: Started: **10/31/2005**  
Completed: **11/1/2005**

Diameter of Hole: Diameter: **6 3/4 in From Surface To 249 ft**  
Diameter: **3 7/8 in From 249 ft To 269 ft**

Drilling Method: **Mud Rotary**

Borehole Completion: **Open Hole**

Annular Seal Data: 1st Interval: **From 0 ft to 249 ft with 24 Portland/Gel (#sacks and material)**  
2nd Interval: **No Data**  
3rd Interval: **No Data**  
Method Used: **Pressure Grout**  
Cemented By: **Bussell & Son Water Wells**  
Distance to Septic Field or other Concentrated Contamination: **No Data**  
Distance to Property Line: **No Data**  
Method of Verification: **No Data**  
Approved by Variance: **No Data**

Surface Completion: **Surface Slab Installed**

Water Level: Static level: **150.25' ft. below land surface on 11/7/2005**  
Artesian flow: **No Data**

Packers: **2 1/2"x4" Double K-Packer 238-239**

Plugging Info: Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump: **No Data**

Well Tests: **Jetted \ Estimated**  
Yield: **25 GPM with 25 ft drawdown after 1 hour.**

Water Quality: Type of Water: **No Data**  
Depth of Strata: **252-284 ft.**  
Chemical Analysis Made: **No Data**  
Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **Best Drilling Services  
P.O. Box 845  
Friendswood, TX 77549**

Driller License Number: **2443**

Licensed Well Driller Signature: **Charles F. Smith**

Registered Driller Apprentice Signature: **No Data**

Apprentice Registration Number: **No Data**

Comments: **Amended 11/30/05 Ref.#2631**

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #71443) on your written request.

**Texas Department of Licensing & Regulation  
P.O. Box 12157  
Austin, TX 78711  
(512) 463-7880**

**DESC. & COLOR OF FORMATION MATERIAL**

**CASING, BLANK PIPE & WELL SCREEN DATA**

From (ft) To (ft) Description	Dia. New/Used Type Setting From/To
0-33 Reddish Brown Clay	4 New PVC/Certilock 0/249 Sch. 40
33-35 Sandstone	2 1/2 New PVC 238-249 Sch. 40
35-70 Light Gray to Brown Clay	2 1/2 New Rod Based Stainless Steel 249/269 0.012
70-117 Yellowish Brown Fine Grained Sand	
117-124 Reddish Brown Clay	
124-126 Reddish Brown Sand	
126-158 Light Brown Clay	
158-197 Yellowish Brown V. Fine Grained Sand	
197-225 Light Brown Clay	
225-243 Sand	
243-252 Clay	
252-284 Light Brown Fine Grained Sand	
284-295 Clay	

### STATE OF TEXAS WELL REPORT for Tracking #71449

Owner: <b>TCEQ</b>	Owner Well #: <b>MW-19</b>
Address: <b>MC-143, P.O. Box 13087 Austin, TX 78711</b>	Grid #: <b>65-04-4</b>
Well Location: <b>FM 1960 and Jones Rd. Houston, TX 77065</b>	Latitude: <b>29° 56' 08" N</b>
Well County: <b>Harris</b>	Longitude: <b>095° 35' 00" W</b>
Elevation: <b>No Data</b>	GPS Brand Used: <b>Garmin E-Trex</b>
-----	
Type of Work: <b>New Well</b>	Proposed Use: <b>Monitor</b>

Drilling Date: Started: **11/2/2005**  
Completed: **11/5/2005**

Diameter of Hole: Diameter: **6 3/4 in From Surface To 240 ft**  
Diameter: **3 7/8 in From 240 ft To 260 ft**

Drilling Method: **Mud Rotary**

Borehole Completion: **Open Hole**

Annular Seal Data: 1st Interval: **From 0 ft to 240 ft with 24 Portland/Gel (#sacks and material)**  
2nd Interval: **No Data**  
3rd Interval: **No Data**  
Method Used: **Pressure Grout**  
Cemented By: **Bussell & Son Water Wells**  
Distance to Septic Field or other Concentrated Contamination: **No Data**  
Distance to Property Line: **No Data**  
Method of Verification: **No Data**  
Approved by Variance: **No Data**

Surface Completion: **Surface Slab Installed**

Water Level: Static level: **153.18 ft. below land surface on 11/7/2005**  
Artesian flow: **No Data**

Packers: **2 1/2"x4" Double K-Packer 229-230**

Plugging Info: Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump: **No Data**

Well Tests: **Jetted & Estimated**  
Yield: **25 GPM with 25 ft drawdown after 1 hour**

Water Quality: Type of Water: **No Data**  
Depth of Strata: **232-302 ft.**  
Chemical Analysis Made: **No Data**  
Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **Best Drilling Services**  
**P.O. Box 845**  
**Friendswood , TX 77549**

Driller License Number: **2443**

Licensed Well Driller Signature: **Charles F. Smith**

Registered Driller Apprentice Signature: **No Data**

Apprentice Registration Number: **No Data**

Comments: **Amended 11/30/05 Ref.#2632**

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #71449) on your written request.

**Texas Department of Licensing & Regulation**  
**P.O. Box 12157**  
**Austin, TX 78711**  
**(512) 463-7880**

**DESC. & COLOR OF FORMATION MATERIAL**

**CASING, BLANK PIPE & WELL SCREEN DATA**

From (ft) To (ft) Description

**0-18 Reddish Brown Clay**

**18-30 Light Brown Fine Grained Sand**

**30-49 Reddish Brown Clay**

**49-59 Yellowish Brown Fine Grained Sand**

**59-68 Light Gray Clay**

**68-118 Yellowish Brown Fine Grained Sand**

**118-123 Light Gray Clay**

**123-128 Sand**

**128-164 Reddish Brown Clay**

**164-197 Yellowish Brown Fine Grained Sand**

**197-212 Clay with Gravel Lenses**

**212-229 Yellowish Brown Medium Grained Sand**

**229-232 Sandstone**

**232-302 Sand**

**302-310 Clay**

**310-312 Sand**

Dia. New/Used Type Setting From/To

**4 New PVC/Certilock 0/240 Sch. 40**

**2 1/2 New PVC 229-240 Sch. 40**

**2 1/2 New Rod Based Stainless Steel 240/260 0.012**

### STATE OF TEXAS WELL REPORT for Tracking #72097

Owner: <b>Billy Justice</b>	Owner Well #: <b>No Data</b>
Address: <b>11802 Vancouver Houston , TX 77064</b>	Grid #: <b>65-04-5</b>
Well Location: <b>11802 Vancouver Houston , TX 77064</b>	Latitude: <b>29° 56' 39" N</b>
Well County: <b>Harris</b>	Longitude: <b>095° 33' 18" W</b>
Elevation: <b>123 ft.</b>	GPS Brand Used: <b>Garmin E-Trex</b>
<hr/>	
Type of Work: <b>New Well</b>	Proposed Use: <b>Domestic</b>

Drilling Date: Started: **12/6/2005**  
Completed: **12/7/2005**

Diameter of Hole: Diameter: **7 3/4 in From Surface To 320 ft**

Drilling Method: **Mud Rotary**

Borehole Completion: **Straight Wall**

Annular Seal Data: 1st Interval: **From 0 ft to 280 ft with 23 Sacks Cement (#sacks and material)**  
2nd Interval: **No Data**  
3rd Interval: **No Data**  
Method Used: **Pressure Tremmie Pipe**  
Cemented By: **Ballard Water Well**  
Distance to Septic Field or other Concentrated Contamination: **100+ ft**  
Distance to Property Line: **50+ ft**  
Method of Verification: **Customer**  
Approved by Variance: **No Data**

Surface Completion: **Surface Sleeve Installed**

Water Level: Static level: **165 ft. below land surface on 12/7/2005**  
Artesian flow: **No Data**

Packers: **Formation Packer 280'**

Plugging Info: Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump: **Submersible**  
Depth to pump bowl: **260 ft**

Well Tests: **Jetted**  
Yield: **50+ GPM with 15 ft drawdown after 2 hours**

Water Quality: Type of Water: **Good**  
Depth of Strata: **248-310 ft.**  
Chemical Analysis Made: **No**  
Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **Ballard Water Well  
P. O. Box 970  
Willis , TX 77378**

Driller License Number: **2384**

Licensed Well Driller Signature: **Charles Ballard**

Registered Driller Apprentice Signature: **Kenneth Snuffer**

Apprentice Registration Number: **1783**

Comments: **No Data**

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #72097) on your written request.

**Texas Department of Licensing & Regulation  
P.O. Box 12157  
Austin, TX 78711  
(512) 463-7880**

**DESC. & COLOR OF FORMATION MATERIAL**

**CASING, BLANK PIPE & WELL SCREEN DATA**

From (ft) To (ft) Description  
**0 4 Top Soil / Sand**  
**4 31 Clay**  
**31 67 Sand**  
**67 75 Clay**  
**75 98 Sand**  
**98 145 Clay / Shale**  
**145 160 Sand / Clay**  
**160 190 Sand**  
**190 200 Shale / Sand**  
**200 208 Sand**  
**208 230 Shale / Sand**  
**230 240 Sand**  
**240 248 Clay / Shale**  
**248 310 Sand**  
**310 320 Clay**

Dia. New/Used Type Setting From/To  
**4" New PVC Casing 0-280 Sch 40**  
**4" New PVC Slotted Screen 280-300 .010 Gauge**  
**4" New PVC Casing 300-320 Sch 40**

### STATE OF TEXAS WELL REPORT for Tracking #79282

Owner: <b>Mark Daniels</b>	Owner Well #: <b>No Data</b>
Address: <b>2929 FM 1960 Houston , TX 77090</b>	Grid #: <b>65-04-5</b>
Well Location: <b>2929 FM 1960 Houston , TX 77090</b>	Latitude: <b>29° 56' 29" N</b>
Well County: <b>Harris</b>	Longitude: <b>095° 34' 16" W</b>
Elevation: <b>No Data</b>	GPS Brand Used: <b>map</b>
<hr/>	
Type of Work: <b>New Well</b>	Proposed Use: <b>Domestic</b>

Drilling Date: Started: **2/19/2004**  
Completed: **2/20/2004**

Diameter of Hole: Diameter: **7 1/4 in From Surface To 305 ft**

Drilling Method: **Mud Rotary**

Borehole Completion: Other: **2 String**

Annular Seal Data: 1st Interval: **From 280 ft to 0 ft with 14 (#sacks and material)**  
2nd Interval: **From 0 ft to 15 ft with 6 (#sacks and material)**  
3rd Interval: **No Data**  
Method Used: **Halliburton**  
Cemented By: **B & R Water Well Drilling**  
Distance to Septic Field or other Concentrated Contamination: **175 ft**  
Distance to Property Line: **65 ft**  
Method of Verification: **Contractor**  
Approved by Variance: **No Data**

Surface Completion: **Surface Sleeve Installed**

Water Level: Static level: **100 ft. below land surface on (No Data)**  
Artesian flow: **No Data**

Packers: **K-Packer 275'**

Plugging Info: Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump: **Submersible**  
Depth to pump bowl: **180 ft**

Well Tests: **Jetted**  
Yield: **40 GPM with (No Data) ft drawdown after (No Data) hours**

Water Quality: Type of Water: **Good / Well**  
Depth of Strata: **285-305 ft.**  
Chemical Analysis Made: **No**  
Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **B & R Water Well Drilling  
40619 FM 149  
Magnolia , TX 77354**

Driller License Number: **54211**

Licensed Well Driller Signature: **David Randy Helms**

Registered Driller Apprentice Signature: **No Data**

Apprentice Registration Number: **No Data**

Comments: **\$dfs**

---

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #79282) on your written request.

**Texas Department of Licensing & Regulation  
P.O. Box 12157  
Austin, TX 78711  
(512) 463-7880**

**DESC. & COLOR OF FORMATION MATERIAL**

From (ft) To (ft) Description  
0-85 Clay  
85-305 Sand

**CASING, BLANK PIPE & WELL SCREEN DATA**

Dia. New/Used Type Setting From/To  
4 New PVC Casing 0 280 Sch40  
2 1/2 New PVC Liner 280 285 Sch40  
2 1/2 New PVC Screen 285 305 .008

### STATE OF TEXAS WELL REPORT for Tracking #81947

Owner:	Tino Flores	Owner Well #:	No Data
Address:	11806 Foxboro Houston, TX 77065	Grid #:	65-04-4
Well Location:	11806 Foxboro Houston, TX 77065	Latitude:	29° 56' 13" N
Well County:	Harris	Longitude:	095° 35' 57" W
Elevation:	No Data	GPS Brand Used:	315 Magellan
Type of Work: <b>New Well</b>		Proposed Use:	<b>Domestic</b>

Drilling Date: Started: 4/12/2006  
Completed: 4/13/2006

Diameter of Hole: Diameter: 6 3/4 in From Surface To 240 ft

Drilling Method: **Mud Rotary**

Borehole Completion: Other: **2 string**

Annular Seal Data: 1st Interval: **From 0 ft to 225 ft with 12 (#sacks and material)**  
2nd Interval: **From 10 ft to 0 ft with 10 (#sacks and material)**  
3rd Interval: **No Data**  
Method Used: **Haliburton**  
Cemented By: **SDI**  
Distance to Septic Field or other Concentrated Contamination: **150 ft**  
Distance to Property Line: **50 ft**  
Method of Verification: **owner**  
Approved by Variance: **No Data**

Surface Completion: **Surface Slab Installed**

Water Level: Static level: **150 ft. below land surface on 4/25/2006**  
Artesian flow: **No Data**

Packers: **k packers 215**

Plugging Info: Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump: **Submersible**  
Depth to pump bowl: **200 ft**

Well Tests: **Jetted**  
Yield: **40 GPM with (No Data) ft drawdown after (No Data) hours**

Water Quality: Type of Water: **No Data**  
Depth of Strata: **No Data**  
Chemical Analysis Made: **No**  
Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **Scott Drilling Inc.**  
**11923 Green Pine Cir**  
**Houston , TX 77066**

Driller License Number: **4839**

Licensed Well Driller Signature: **Scott Robinson**

Registered Driller Apprentice Signature: **No Data**

Apprentice Registration Number: **No Data**

Comments: **No Data**

---

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #81947) on your written request.

**Texas Department of Licensing & Regulation**  
**P.O. Box 12157**  
**Austin, TX 78711**  
**(512) 463-7880**

**DESC. & COLOR OF FORMATION MATERIAL**

**CASING, BLANK PIPE & WELL SCREEN DATA**

From (ft)	To (ft)	Description
0-15	clay	
15-20	sand	
20-25	clay	
25-35	sand	
35-50	clay	
50-95	sand	
95-105	clay	
105-125	sand	
125-160	clay	
160-190	sand	
190-220	clay	
220-240	sand	

Dia.	New/Used	Type	Setting From/To
4 N	PVC	casing	0-225
2.5 N	"	liner	215-225
2.5 N	"	screen	225-240 .08

### STATE OF TEXAS WELL REPORT for Tracking #83957

Owner: <b>TX Marrow Construction</b>	Owner Well #: <b>1</b>
Address: <b>4635 SW Fwy Ste 420 Houston, TX 77027</b>	Grid #: <b>65-04-8</b>
Well Location: <b>9500 West Rd. Houston, TX 77064</b>	Latitude: <b>29° 54' 27" N</b>
Well County: <b>Harris</b>	Longitude: <b>095° 33' 32" W</b>
Elevation: <b>110 ft.</b>	GPS Brand Used: <b>Garmin Etrex</b>
<hr/>	
Type of Work: <b>New Well</b>	Proposed Use: <b>Domestic</b>

Drilling Date: Started: **5/23/2006**  
Completed: **5/27/2006**

Diameter of Hole: Diameter: **8" in From Surface To 528 ft**  
Diameter: **4 1/2" in From 528 ft To 560 ft**

Drilling Method: **Mud Rotary**

Borehole Completion: **Straight Wall**

Annular Seal Data: 1st Interval: **From 0 ft to 528 ft with 25 cement (#sacks and material)**  
2nd Interval: **No Data**  
3rd Interval: **No Data**  
Method Used: **Circulated**  
Cemented By: **R.M.**  
Distance to Septic Field or other Concentrated Contamination: **city service ft**  
Distance to Property Line: **15+ ft**  
Method of Verification: **measure**  
Approved by Variance: **No Data**

Surface Completion: **Surface Sleeve Installed**

Water Level: Static level: **240 ft. below land surface on 5/27/2006**  
Artesian flow: **No Data**

Packers: **No Data**

Plugging Info: Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump: **Submersible**  
Depth to pump bowl: **336 ft**

Well Tests: **Jetted**  
Yield: **55 GPM with 0 ft drawdown after 2 hours**

Water Quality: Type of Water: **Good**  
Depth of Strata: **30 ft.**  
Chemical Analysis Made: **No**  
Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **Davison Water Well Service**  
**PO Box 759**  
**Alvin , TX 77512**

Driller License Number: **2268**

Licensed Well Driller Signature: **John Davison**

Registered Driller Apprentice Signature: **No Data**

Apprentice Registration Number: **No Data**

Comments: **No Data**

---

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #83957) on your written request.

**Texas Department of Licensing & Regulation**  
**P.O. Box 12157**  
**Austin, TX 78711**  
**(512) 463-7880**

**DESC. & COLOR OF FORMATION MATERIAL**

From (ft)	To (ft)	Description
0-3		topsoil
3-22		clay
22-115		sandy clay
115-215		clay
215-240		caliche
240-246		rock
246-344		caliche
344-350		rock
350-402		clay
402-480		caliche
480-486		rock
486-520		caliche
520-530		clay
530-560		sand

**CASING, BLANK PIPE & WELL SCREEN DATA**

Dia.	New/Used	Type	Setting From/To
5"	new	PVC SDR 17 casing	0-528
2 1/2"	new	galvanized liner	519-540
2 1/2"	new	stainless steel screen	540-560 .006

### STATE OF TEXAS WELL REPORT for Tracking #87252

Owner:	Hieu Nguyen	Owner Well #:	No Data
Address:	11738 Oak Valley Houston, TX 77065	Grid #:	65-04-4
Well Location:	11738 Oak Valley Houston, TX 77065	Latitude:	29° 56' 46" N
Well County:	Harris	Longitude:	095° 35' 28" W
Elevation:	No Data	GPS Brand Used:	315 Magellan
Type of Work: Replacement Well		Proposed Use: Domestic	

Drilling Date: Started: 6/1/2006  
Completed: 6/2/2006

Diameter of Hole: Diameter: 6 3/4 in From Surface To 535 ft

Drilling Method: Mud Rotary

Borehole Completion: Other: 2 string

Annular Seal Data: 1st Interval: From 0 ft to 510 ft with 25 (#sacks and material)  
2nd Interval: From 10 ft to 0 ft with 10 (#sacks and material)  
3rd Interval: No Data  
Method Used: Haliburton  
Cemented By: SDI  
Distance to Septic Field or other Concentrated Contamination: 100 ft  
Distance to Property Line: 70 ft  
Method of Verification: owner  
Approved by Variance: No Data

Surface Completion: Surface Slab Installed

Water Level: Static level: 260 ft. below land surface on 6/16/2006  
Artesian flow: No Data

Packers: k packer-500

Plugging Info: Casing or Cement/Bentonite left in well: No Data

Type Of Pump: Submersible  
Depth to pump bowl: 399 ft

Well Tests: Jetted  
Yield: 50 GPM with (No Data) ft drawdown after (No Data) hours

Water Quality: Type of Water: No Data  
Depth of Strata: No Data  
Chemical Analysis Made: No  
Did the driller knowingly penetrate any strata which contained undesirable constituents: No

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **Scott Drilling Inc.**  
**11923 Green Pinc Circle**  
**Houston , TX 77066**

Driller License Number: **4839**

Licensed Well Driller Signature: **Scott Robinson**

Registered Driller Apprentice Signature: **No Data**

Apprentice Registration Number: **No Data**

Comments: **No Data**

---

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #87252) on your written request.

**Texas Department of Licensing & Regulation**  
**P.O. Box 12157**  
**Austin, TX 78711**  
**(512) 463-7880**

---

**DESC. & COLOR OF FORMATION MATERIAL**

From (ft)	To (ft)	Description
0-55	clay	
55-70	sand	
70-115	clay	
115-125	sand	
125-130	clay	
130-145	sand	
145-155	clay	
155-190	sand	
190-210	clay	
210-240	sand	
240-275	clay	
275-290	sand	
290-460	clay	
460-475	sand	
475-510	clay	
510-535	sand	

---

**CASING, BLANK PIPE & WELL SCREEN DATA**

Dia.	New/Used	Type	Setting From/To
4 N		PVC casing	0-510
2.5 N		" liner	500-510
2.5 N		" screen	510-535 .12

### STATE OF TEXAS WELL REPORT for Tracking #92340

Owner: <b>Jose Raymond</b>	Owner Well #: <b>No Data</b>
Address: <b>21507 McCamey Houston, TX 77429</b>	Grid #: <b>65-04-5</b>
Well Location: <b>21507 McCamey Houston, TX 77429</b>	Latitude: <b>29° 55' 49" N</b>
Well County: <b>Harris</b>	Longitude: <b>095° 33' 19" W</b>
Elevation: <b>No Data</b>	GPS Brand Used: <b>No Data</b>
<hr/>	
Type of Work: <b>New Well</b>	Proposed Use: <b>Domestic</b>

Drilling Date: Started: **8/4/2006**  
Completed: **8/5/2006**

Diameter of Hole: Diameter: **7.25 in From Surface To 275 ft**

Drilling Method: **Mud Rotary**

Borehole Completion: Other: **2 string**

Annular Seal Data: 1st Interval: **From 0 ft to 15 ft with 5 cement (#sacks and material)**  
2nd Interval: **From 0 ft to 255 ft with 18 cement (#sacks and material)**  
3rd Interval: **No Data**  
Method Used: **Halliburton**  
Cemented By: **B&R Water Well**  
Distance to Septic Field or other Concentrated Contamination: **100 ft**  
Distance to Property Line: **No Data**  
Method of Verification: **Drawing & Tape**  
Approved by Variance: **No Data**

Surface Completion: **Surface Sleeve Installed**

Water Level: Static level: **140 ft. below land surface on (No Data)**  
Artesian flow: **No Data**

Packers: **k 250**

Plugging Info: Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump: **Submersible**  
Depth to pump bowl: **220 ft**

Well Tests: **Jetted**  
Yield: **(No Data) GPM with (No Data) ft drawdown after (No Data) hours**

Water Quality: Type of Water: **ground**  
Depth of Strata: **255-275 ft.**  
Chemical Analysis Made: **No**  
Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **B&R Water Well Drilling, Inc.**  
**40619 FM 149**  
**Magnolia , TX 77354**

Driller License Number: **54211**

Licensed Well Driller Signature: **David R Helms**

Registered Driller Apprentice Signature: **Francisco D Trevino**

Apprentice Registration Number: **1753**

Comments: **No Data**

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #92340) on your written request.

**Texas Department of Licensing & Regulation**  
**P.O. Box 12157**  
**Austin, TX 78711**  
**(512) 463-7880**

**DESC. & COLOR OF FORMATION MATERIAL**

**CASING, BLANK PIPE & WELL SCREEN DATA**

From (ft) To (ft) Description  
**0-20 clay**  
**20-60 sand, gravel**  
**60-140 clay, shell**  
**140-170 sand, rock**  
**170-240 rock, clay**  
**240-275 sand, rock**

Dia. New/Used Type Setting From/To  
**4 n casing 0-255 sch40**  
**2.5 n liner 250-255 sch40**  
**2.5 n screen 255-275 .008**

### STATE OF TEXAS WELL REPORT for Tracking #92476

Owner: <b>Joel Garcia</b>	Owner Well #: <b>No Data</b>
Address: <b>12007 Lennington Houston , TX 77064</b>	Grid #: <b>65-04-5</b>
Well Location: <b>12007 Lennington Houston , TX 77064</b>	Latitude: <b>29° 56' 50" N</b>
Well County: <b>Harris</b>	Longitude: <b>095° 33' 38" W</b>
Elevation: <b>No Data</b>	GPS Brand Used: <b>Motorola</b>
-----	
Type of Work: <b>New Well</b>	Proposed Use: <b>Domestic</b>

Drilling Date: Started: **7/15/2006**  
Completed: **7/17/2006**

Diameter of Hole: Diameter: **7 3/4 in From Surface To 315 ft**

Drilling Method: **Mud Rotary**

Borehole Completion: Other: **alternative**

Annular Seal Data: 1st Interval: **From 0 ft to 290 ft with 28 (#sacks and material)**  
2nd Interval: **No Data**  
3rd Interval: **No Data**  
Method Used: **Haliburton**  
Cemented By: **Ricky Bonds**  
Distance to Septic Field or other Concentrated Contamination: **50 ft**  
Distance to Property Line: **5 ft**  
Method of Verification: **stepped off**  
Approved by Variance: **No Data**

Surface Completion: **Surface Sleeve Installed**

Water Level: Static level: **195 ft. below land surface on 7/17/2006**  
Artesian flow: **No Data**

Packers: **k-packers 285'**

Plugging Info: Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump: **Submersible**  
Depth to pump bowl: **240 ft**

Well Tests: **Jetted \ Estimated**  
Yield: **40 GPM with (No Data) ft drawdown after (No Data) hours**

Water Quality: Type of Water: **soft**  
Depth of Strata: **300 ft.**  
Chemical Analysis Made: **No**  
Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **Ricky Bonds Water Wells**  
**23421 Hargrave Rd.**  
**Hockley , TX 77447**

Driller License Number: **54880**

Licensed Well Driller Signature: **Ricky Bonds**

Registered Driller Apprentice Signature: **No Data**

Apprentice Registration Number: **No Data**

Comments: **No Data**

---

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #92476) on your written request.

**Texas Department of Licensing & Regulation**  
**P.O. Box 12157**  
**Austin, TX 78711**  
**(512) 463-7880**

---

**DESC. & COLOR OF FORMATION MATERIAL**

From (ft)	To (ft)	Description
0	- 24	clay
24	- 44	clay
44	- 64	clay
64	- 84	clay
84	- 104	clay, sand
104	- 124	sand
124	- 144	clay
144	- 164	sand, clay
164	- 184	sand, gravel
184	- 204	sand, rock, clay
204	- 224	rock, sand
224	- 240	rock
240	- 264	sand
264	- 284	sand, rock, sand
284	- 304	sand, clay, rock, sand
304	- 315	sand

---

**CASING, BLANK PIPE & WELL SCREEN DATA**

Dia.	New/Used	Type	Setting From/To
4"	new	plastic casing	0 - 290' sch 40
2.5"	new	plastic liner	285 - 295' sch 40
2.5"	new	plastic slotted	295 - 315' .006

### STATE OF TEXAS WELL REPORT for Tracking #94387

Owner: <b>MIKE &amp; PAT NAVERETTE</b>	Owner Well #: <b>30748</b>
Address: <b>12439 CYPRESS N. HOUSTON CYPRESS, TX 77429</b>	Grid #: <b>65-04-4</b>
Well Location: <b>12439 CYPRESS N. HOUSTON CYPRESS, TX 77429</b>	Latitude: <b>29° 57' 03" N</b>
Well County: <b>Harris</b>	Longitude: <b>095° 36' 31" W</b>
Elevation: <b>No Data</b>	GPS Brand Used: <b>GARMIN GPS 12</b>
-----	
Type of Work: <b>New Well</b>	Proposed Use: <b>Domestic</b>

Drilling Date: Started: **10/2/2006**  
Completed: **10/3/2006**

Diameter of Hole: Diameter: **7 1/4 in From Surface To 285 ft**

Drilling Method: **Mud Rotary**

Borehole Completion: Other: **CEMENTED**

Annular Seal Data: 1st Interval: **From 265 ft to 15 ft with 13 (#sacks and material)**  
2nd Interval: **From 15 ft to 0 ft with 13 (#sacks and material)**  
3rd Interval: **No Data**  
Method Used: **HALIBURTON**  
Cemented By: **GLEN R. BONDS**  
Distance to Septic Field or other Concentrated Contamination: **No Data**  
Distance to Property Line: **No Data**  
Method of Verification: **No Data**  
Approved by Variance: **No Data**

Surface Completion: **Alternative Procedure Used**

Water Level: Static level: **150 ft. below land surface on 10/3/2006**  
Artesian flow: **No Data**

Packers: **4 X 2 1/2 TRI-SEAL 260 FT.**

Plugging Info: Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump: **Submersible**  
Depth to pump bowl: **200 ft**

Well Tests: **Estimated**  
Yield: **35 GPM with (No Data) ft drawdown after (No Data) hours**

Water Quality: Type of Water: **GOOD**  
Depth of Strata: **35 ft.**  
Chemical Analysis Made: **No**  
Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **NORTHWEST WATER WELLS**  
**25143 FM 1488**  
**MAGNOLIA , TX 77355**

Driller License Number: **50950**

Licensed Well Driller Signature: **GLEN R. BONDS**

Registered Driller Apprentice Signature: **No Data**

Apprentice Registration Number: **No Data**

Comments: **No Data**

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #94387) on your written request.

**Texas Department of Licensing & Regulation**  
**P.O. Box 12157**  
**Austin, TX 78711**  
**(512) 463-7880**

**DESC. & COLOR OF FORMATION MATERIAL**

**CASING, BLANK PIPE & WELL SCREEN DATA**

From (ft) To (ft) Description  
**0-20 CLAY**  
**20-140 CLAY/SAND**  
**140-185 SAND**  
**185-250 ROCK/CLAY**  
**250-285 SAND**

Dia. New/Used Type Setting From/To  
**4 N PVC CASING 0-265 40**  
**2 1/2 N PVC LINER 260-265 40**  
**2 1/2 N PVC SCREEN 265-285 008**

### STATE OF TEXAS WELL REPORT for Tracking #95697

Owner:	HARRIS COUNTY FWSD # 61	Owner Well #:	3
Address:	2925 BRIARPARK, SUITE 275 HOUSTON , TX 77042	Grid #:	65-04-4
Well Location:	11800 FALLBROOK HOUSTON , TX 77065	Latitude:	29° 55' 47" N
Well County:	Harris	Longitude:	095° 35' 56" W
Elevation:	No Data	GPS Brand Used:	MAGELLAN 315 GPS

Type of Work:	New Well	Proposed Use:	Public Supply; Plans Approved by TCEQ
---------------	----------	---------------	---

Drilling Date:       Started: **5/8/2006**  
                          Completed: **9/14/2006**

Diameter of Hole:   Diameter: **30 in From Surface To 793 ft**  
                          Diameter: **30 in From 793 ft To 1352 ft**

Drilling Method:    **Mud Rotary**

Borehole  
Completion:       Gravel Packed From: **700 ft to 1352 ft**  
                          Gravel Pack Size: **12/20 Underreamed**

Annular Seal Data:  1st Interval: **From 0 ft to 793 ft with 729 (#sacks and material)**  
                          2nd Interval: **No Data**  
                          3rd Interval: **No Data**  
                          Method Used: **HALIBURTON**  
                          Cemented By: **SUPERIOR WELL SERVICES**  
                          Distance to Septic Field or other Concentrated Contamination: **150 ft**  
                          Distance to Property Line: **50 ft**  
                          Method of Verification: **ENGINEERING FIRM**  
                          Approved by Variance: **No Data**

Surface  
Completion:       **Surface Slab Installed**

Water Level:       Static level: **479 ft. below land surface on 9/9/2006**  
                          Artesian flow: **No Data**

Packers:           **N/A**

Plugging Info:     Casing left in well:   Cement/Bentonite left in well:  
                          From (ft) To (ft)      From (ft) To (ft)   Cem/Bent   Sacks Used  
                          **N/A**

Type Of Pump:     **Turbine**  
                          Depth to pump bowl: **705 ft**

Well Tests:       **Pump**  
                          Yield: **1500 GPM with 140 ft drawdown after 36 hours**

Water Quality:     Type of Water: **FRESH**  
                          Depth of Strata: **No Data**  
                          Chemical Analysis Made: **Yes**  
                          Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **ALSAY INCORPORATED**  
**6615 GANT**  
**HOUSTON , TX 77066**

Driller License Number: **2048**

Licensed Well Driller Signature: **NEIL ROLLIE**

Registered Driller Apprentice Signature: **HARVEY ALEMAN**

Apprentice Registration Number: **WWD00003016**

Comments: **No Data**

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #95697) on your written request.

**Texas Department of Licensing & Regulation**  
**P.O. Box 12157**  
**Austin, TX 78711**  
**(512) 463-7880**

**DESC. & COLOR OF FORMATION MATERIAL**

**CASING, BLANK PIPE & WELL SCREEN DATA**

From (ft) To (ft) Description

**0 – 6 Sub structure**

**6 – 15 Reddish Brown Clay**

**15 – 40 Reddish Brown Sandy Clay**

**40 – 95 Tan Clay**

**95 – 134 Sand**

**134 – 140 Tan Clay**

**140 – 166 Sandy Tan Clay**

**166 – 176 Tan Clay**

**176 – 210 Sand**

**210 – 234 Sandy Tan Clay**

**234 – 308 Sand**

**308 – 350 Clay (Tan)**

**350 – 372 Sand**

**372 – 388 Clay (Tan)**

**388 – 446 Sand**

**446 – 476 Clay (Gray)**

**476 – 504 Sand**

**504 – 530 Clay (Gray)**

**530 – 660 Sand**

**660 – 690 Sandy Clay (Tan)**

Dia. New/Used Type Setting From/To

**24 New Steel +3/793 .500**

**18 New Steel with 693/1352 .500**

**stainless steel screen .035**

690 – 698 White Clay  
698 – 704 Sand  
704 – 798 Clay (Light Gray)  
798 – 834 Sand  
834 – 850 Clay (Light Gray)  
850 – 866 Sand  
866 – 902 Clay (Light Gray)  
902 – 934 Sand  
934 – 950 Clay (Light Gray)  
950 – 966 Sand  
966 – 974 Clay (White)  
974 – 994 Sand  
994 – 1022 Clay (Gray)  
1022 – 1064 Sand  
1064 – 1072 White Clay  
1072 – 1086 Sand  
1086 – 1090 Clay (White)  
1090 – 1104 Sand  
1104 – 1152 Clay (Gray)  
1152 – 1174 Sand  
1174 – 1232 Clay (Gray)  
1232 – 1264 Sand  
1264 – 1320 Clay (Gray)  
1320 – 1332 Sand  
1332 – 1494 Clay (Brown)  
1494 – 1514 Sand  
1514 – 1560 Clay

### STATE OF TEXAS WELL REPORT for Tracking #98013

Owner: <b>JUAN SAENZ</b>	Owner Well #: <b>30777</b>
Address: <b>11115 TALL TIMBERS HOUSTON, TX 77065</b>	Grid #: <b>65-04-4</b>
Well Location: <b>11115 TALL TIMBERS HOUSTON, TX 77065</b>	Latitude: <b>29° 56' 26" N</b>
Well County: <b>Harris</b>	Longitude: <b>095° 35' 14" W</b>
Elevation: <b>No Data</b>	GPS Brand Used: <b>GARMIN GPS 12</b>
<hr/>	
Type of Work: <b>New Well</b>	Proposed Use: <b>Domestic</b>

Drilling Date: Started: **11/13/2006**  
Completed: **11/15/2006**

Diameter of Hole: Diameter: **7 1/4 in From Surface To 425 ft**

Drilling Method: **Mud Rotary**

Borehole Completion: Other: **CEMENTED**

Annular Seal Data: 1st Interval: **From 405 ft to 15 ft with 20 (#sacks and material)**  
2nd Interval: **From 15 ft to 0 ft with 13 (#sacks and material)**  
3rd Interval: **No Data**  
Method Used: **HALIBURTON**  
Cemented By: **GLEN R. BONDS**  
Distance to Septic Field or other Concentrated Contamination: **No Data**  
Distance to Property Line: **No Data**  
Method of Verification: **No Data**  
Approved by Variance: **No Data**

Surface Completion: **Alternative Procedure Used**

Water Level: Static level: **255 ft. below land surface on 11/15/2006**  
Artesian flow: **No Data**

Packers: **4 X 2 1/2 TRI-SEAL 400 FT.**

Plugging Info: Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump: **Submersible**  
Depth to pump bowl: **320 ft**

Well Tests: **Estimated**  
Yield: **40 GPM with (No Data) ft drawdown after (No Data) hours**

Water Quality: Type of Water: **GOOD**  
Depth of Strata: **30 ft.**  
Chemical Analysis Made: **No**  
Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **NORTHWEST WATER WELLS**  
**25143 FM 1488**  
**MAGNOLIA , TX 77355**

Driller License Number: **50950**

Licensed Well Driller Signature: **GLEN R. BONDS**

Registered Driller Apprentice Signature: **No Data**

Apprentice Registration Number: **No Data**

Comments: **No Data**

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #98013) on your written request.

**Texas Department of Licensing & Regulation**  
**P.O. Box 12157**  
**Austin, TX 78711**  
**(512) 463-7880**

**DESC. & COLOR OF FORMATION MATERIAL**

**CASING, BLANK PIPE & WELL SCREEN DATA**

From (ft) To (ft) Description  
**0-25 CLAY/SAND**  
**25-60 SHALE**  
**60-130 SAND**  
**130-140 ROCK/SAND**  
**140-160 CLAY**  
**160-240 SAND/ROCK**  
**240-255 SAND**  
**255-310 SAND/ROCK**  
**310-395 CLAY/ROCK**  
**395-425 SAND**

Dia. New/Used Type Setting From/To  
**4 N PVC CASING 0-405 40**  
**2 1/2 N PVC LINER 400-405 40**  
**2 1/2 N PVC SCREEN 405-425 008**

### STATE OF TEXAS WELL REPORT for Tracking #101489

Owner:	Santos Bazan	Owner Well #:	No Data
Address:	8918 Meadow Vista Houston, TX 77064	Grid #:	65-04-5
Well Location:	8918 Meadow Vista Houston, TX 77064	Latitude:	29° 56' 51" N
Well County:	Harris	Longitude:	095° 33' 28" W
Elevation:	No Data	GPS Brand Used:	map
Type of Work: <b>New Well</b>		Proposed Use: <b>Domestic</b>	

Drilling Date: Started: **9/16/2003**  
Completed: **9/17/2003**

Diameter of Hole: Diameter: **6 3/4 in From Surface To 253 ft**  
Diameter: **3 7/8 in From 253 ft To 263 ft**

Drilling Method: **Mud Rotary**

Borehole Completion: **Straight Wall**

Annular Seal Data: 1st Interval: **From 0 ft to 115 ft with 18 (#sacks and material)**  
2nd Interval: **From 223 ft to 253 ft with 4 (#sacks and material)**  
3rd Interval: **No Data**  
Method Used: **Halliburton/Trimme**  
Cemented By: **Bussell & Sons, LLC**  
Distance to Septic Field or other Concentrated Contamination: **No Data**  
Distance to Property Line: **No Data**  
Method of Verification: **No Data**  
Approved by Variance: **No Data**

Surface Completion: **Surface Sleeve Installed**

Water Level: Static level: **156 ft. below land surface on 9/17/2003**  
Artesian flow: **No Data**

Packers: **K Packer 246**

Plugging Info: Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump: **Submersible**  
Depth to pump bowl: **200 ft**

Well Tests: **Jetted \ Estimated**  
Yield: **25 GPM with (No Data) ft drawdown after (No Data) hours**

Water Quality: Type of Water: **No Data**  
Depth of Strata: **No Data**  
Chemical Analysis Made: **No**  
Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **Bussell & Sons, LLC**  
**P. O. Box 874**  
**Tomball, TX 77377**

Driller License Number: **2035**

Licensed Well Driller Signature: **Craig Bussell**

Registered Driller Apprentice Signature: **Jason Beam**

Apprentice Registration Number: **No Data**

Comments: **\$dfs**

---

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #101489) on your written request.

**Texas Department of Licensing & Regulation**  
**P.O. Box 12157**  
**Austin, TX 78711**  
**(512) 463-7880**

**DESC. & COLOR OF FORMATION MATERIAL**

**CASING, BLANK PIPE & WELL SCREEN DATA**

From (ft) To (ft) Description  
**0-27 Clay**  
**27-86 Sand**  
**86-133 Clay**  
**133-154 Sand**  
**154-192 Clay**  
**192-233 Sand**  
**233-240 Clay**  
**240-263 Sand**

Dia. New/Used Type Setting From/To  
**4 New PVC Casing 0 253**  
**2.5 New Galvanized Liner 246 253**  
**2.5 New SSRB 253 263 .010**

### STATE OF TEXAS WELL REPORT for Tracking #105470

Owner: <b>Mark Hudson</b>	Owner Well #: <b>n/a</b>
Address: <b>9915 Louedd Houston , TX 77070</b>	Grid #: <b>65-04-5</b>
Well Location: <b>9915 Louedd Houston , TX 77070</b>	Latitude: <b>29° 57' 01" N</b>
Well County: <b>Harris</b>	Longitude: <b>095° 34' 07" W</b>
Elevation: <b>No Data</b>	GPS Brand Used: <b>Nextel - Motorola</b>

Type of Work: <b>Replacement Well</b>	Proposed Use: <b>Domestic</b>
---------------------------------------	-------------------------------

Drilling Date:      Started: **10/19/2005**  
                          Completed: **10/21/2005**

Diameter of Hole:      Diameter: **7 in From Surface To 296 ft**

Drilling Method:      **Mud Rotary**

Borehole Completion:      Other: **Cemented Top to Bottom**

Annular Seal Data:      1st Interval: **From 286 ft to 10 ft with 30 Portland (#sacks and material)**  
                                  2nd Interval: **From 0 ft to 10 ft with 7 ReadyMix (#sacks and material)**  
                                  3rd Interval: **No Data**  
                                  Method Used: **Halliburton**  
                                  Cemented By: **Driller**  
                                  Distance to Septic Field or other Concentrated Contamination: **150 ft**  
                                  Distance to Property Line: **15 ft**  
                                  Method of Verification: **Tape**  
                                  Approved by Variance: **n/a**

Surface Completion:      **Alternative Procedure Used**

Water Level:      Static level: **148 ft. below land surface on 10/22/2005**  
                          Artesian flow: **No Data**

Packers:      **K-Packers RxR (2) 176'**

Plugging Info:      Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump:      **Submersible**  
                          Depth to pump bowl: **260 ft**

Well Tests:      **Jetted \ Estimated**  
                          Yield: **40 GPM with (No Data) ft drawdown after 1 hour**

Water Quality:      Type of Water: **Good**  
                          Depth of Strata: **No Data**  
                          Chemical Analysis Made: **No**  
                          Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data:      The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **Kenco Water Well Service**  
**30269 FM 1488 Rd.**  
**Waller, TX 77484**

Driller License Number: **2214**

Licensed Well Driller Signature: **Kenneth Robinson**

Registered Driller Apprentice Signature: **No Data**

Apprentice Registration Number: **No Data**

Comments: **This report mailed to TDLR 11/11/2005.**

---

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #105470) on your written request.

**Texas Department of Licensing & Regulation**  
**P.O. Box 12157**  
**Austin, TX 78711**  
**(512) 463-7880**

**DESC. & COLOR OF FORMATION MATERIAL**

**CASING, BLANK PIPE & WELL SCREEN DATA**

From (ft)	To (ft)	Description
0	65	Clay & Sand
65	87	Sand
87	107	Sand
107	127	Sand
127	147	Clay
147	169	Sand
169	188	Sand
188	209	Rock
209	216	Clay
216	229	Rock & Sand
229	243	Sand
243	245	Clay
245	249	Sand
249	269	Sand
269	271	Rock
271	291	Sand
291	296	Sand

Dia.	New/Used	Type	Setting From/To
4"	N	PVC	0 - 286 Sch. 40
2 1/2"	N	WOP	286 - 296 .010 gauge
2 1/2"	N	PVC liner	276 - 286 Sch. 40

### STATE OF TEXAS WELL REPORT for Tracking #112016

Owner: <b>Billy Myer</b>	Owner Well #: <b>No Data</b>
Address: <b>11702 Dakar Dr. Houston , TX 77065</b>	Grid #: <b>65-04-4</b>
Well Location: <b>11702 Dakar Dr. Houston , TX 77065</b>	Latitude: <b>29° 57' 00" N</b>
Well County: <b>Harris</b>	Longitude: <b>095° 36' 00" W</b>
Elevation: <b>No Data</b>	GPS Brand Used: <b>No Data</b>
<hr/>	
Type of Work: <b>New Well</b>	Proposed Use: <b>Domestic</b>

Drilling Date: Started: **5/9/2007**  
Completed: **5/10/2007**

Diameter of Hole: Diameter: **6 3/4 in From Surface To 250 ft**  
Diameter: **3 7/8 in From 250 ft To 272 ft**

Drilling Method: **Mud Rotary**

Borehole Completion: **No Data**

Annular Seal Data: 1st Interval: **No Data**  
2nd Interval: **No Data**  
3rd Interval: **No Data**

Surface Completion: **Surface Sleeve Installed**

Water Level: Static level: **145 ft. below land surface on 5/10/2007**  
Artesian flow: **40 GPM**

Packers: **K 245**

Plugging Info: Casing left in well: Cement/Bentonite left in well:  
From (ft) To (ft) From (ft) To (ft) Cem/Bent Sacks Used  
**250 0 14**  
**15 0 10**

Type Of Pump: **Submersible**  
Depth to pump bowl: **(No Data) ft**

Well Tests: **Jetted**  
Yield: **40 GPM with (No Data) ft drawdown after (No Data) hours**

Water Quality: Type of Water: **No Data**  
Depth of Strata: **No Data**  
Chemical Analysis Made: **No**  
Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **Robinson Water Well**  
**11819 W.Montgomery**

Houston , TX 77086

Driller License Number: **1464**

Licensed Well Driller Signature: **M.E Robinson**

Registered Driller Apprentice Signature: **No Data**

Apprentice Registration Number: **No Data**

Comments: **No Data**

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #112016) on your written request.

**Texas Department of Licensing & Regulation**  
**P.O. Box 12157**  
**Austin, TX 78711**  
**(512) 463-7880**

DESC. & COLOR OF FORMATION MATERIAL

CASING, BLANK PIPE & WELL SCREEN DATA

From (ft) To (ft) Description  
**0-90 red sandy clay,90-118 sand and gravel,118-240 sand with rock streaks, 240-250 shale,252-272 course sand and gravel**

Dia. New/Used Type Setting From/To  
**4 new pvc casing 0-250 sch.40**  
**2 1/2 new pvc liner 245-250 sch.40**  
**2 1/2 new pvc screen 250-270 0.12**

### STATE OF TEXAS WELL REPORT for Tracking #118091

Owner: <b>Jose Hernandez</b>	Owner Well #: <b>No Data</b>
Address: <b>11914 Vancouver Houston , TX 77064</b>	Grid #: <b>65-04-5</b>
Well Location: <b>11914 Vancouver Houston , TX 77064</b>	Latitude: <b>29° 56' 43" N</b>
Well County: <b>Harris</b>	Longitude: <b>095° 33' 18" W</b>
Elevation: <b>No Data</b>	GPS Brand Used: <b>No Data</b>
<hr/>	
Type of Work: <b>New Well</b>	Proposed Use: <b>Domestic</b>

Drilling Date: Started: **7/20/2007**  
Completed: **7/20/2007**

Diameter of Hole: Diameter: **5 1/2 in From Surface To 123 ft**

Drilling Method: **Mud Rotary**

Borehole Completion: Gravel Packed From: **113 ft to 123 ft**  
Gravel Pack Size:

Annular Seal Data: 1st Interval: **From 0 ft to 10 ft with 3 (#sacks and material)**  
2nd Interval: **From 10 ft to 113 ft with 10 (#sacks and material)**  
3rd Interval: **No Data**  
Method Used: **Pressure**  
Cemented By: **Raymond Services, Inc.**  
Distance to Septic Field or other Concentrated Contamination: **50 ft**  
Distance to Property Line: **4 ft**  
Method of Verification: **Customer**  
Approved by Variance: **No Data**

Surface Completion: **Surface Sleeve Installed**

Water Level: Static level: **80 ft. below land surface on 7/24/2007**  
Artesian flow: **No Data**

Packers: **none**

Plugging Info: Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump: **Jet**  
Depth to pump bowl: **100 ft**

Well Tests: **Jetted**  
Yield: **10 GPM with 10 ft drawdown after 2 hours**

Water Quality: Type of Water: **Fresh**  
Depth of Strata: **No Data**  
Chemical Analysis Made: **No**  
Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **Raymond Services, Inc.**  
**10011 Airline**  
**Houston , TX 77037**

Driller License Number: **4577**

Licensed Well Driller Signature: **Zachary Proctor**

Registered Driller Apprentice Signature: **none**

Apprentice Registration Number: **No Data**

Comments: **No Data**

---

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #118091) on your written request.

**Texas Department of Licensing & Regulation**  
**P.O. Box 12157**  
**Austin, TX 78711**  
**(512) 463-7880**

**DESC. & COLOR OF FORMATION MATERIAL**

From (ft)	To (ft)	Description
0	2	Top Soil
2	20	Yellow Clay
20	26	Red Sand # 6
26	45	Red Clay
45	46	Rock
46	67	Brown Clay
67	68	Rock
68	74	White Sand # 6
74	88	Brown Clay
88	125	Sand / Gravel # 12

**CASING, BLANK PIPE & WELL SCREEN DATA**

Dia.	New/Used	Type	Setting From/To
2	New	Plastic Casing	0 - 113 SCH 40
2	New	Plastic Screen	113 - 123 # 6

### STATE OF TEXAS WELL REPORT for Tracking #119507

Owner:	Nabor Morin	Owner Well #:	No Data
Address:	12111 Pineglen Cypress , TX 77429	Grid #:	65-04-4
Well Location:	12111 Pineglen Cypress , TX 77429	Latitude:	29° 57' 16" N
Well County:	Harris	Longitude:	095° 35' 59" W
Elevation:	No Data	GPS Brand Used:	315 Magellan
Type of Work: <b>New Well</b>		Proposed Use: <b>Domestic</b>	

Drilling Date: Started: **7/10/2007**  
Completed: **7/11/2007**

Diameter of Hole: Diameter: **6 3/4 in From Surface To 235 ft**

Drilling Method: **Mud Rotary**

Borehole Completion: Other: **2 string**

Annular Seal Data: 1st Interval: **From 0 ft to 220 ft with 11 (#sacks and material)**  
2nd Interval: **From 10 ft to 0 ft with 10 (#sacks and material)**  
3rd Interval: **No Data**  
Method Used: **haliburton**  
Cemented By: **SDI**  
Distance to Septic Field or other Concentrated Contamination: **n/a ft**  
Distance to Property Line: **10 ft**  
Method of Verification: **owner**  
Approved by Variance: **No Data**

Surface Completion: **Surface Slab Installed**

Water Level: Static level: **135 ft. below land surface on 7/18/2007**  
Artesian flow: **No Data**

Packers: **k packer - 210**

Plugging Info: Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump: **Submersible**  
Depth to pump bowl: **180 ft**

Well Tests: **Jetted**  
Yield: **40 GPM with (No Data) ft drawdown after (No Data) hours**

Water Quality: Type of Water: **No Data**  
Depth of Strata: **No Data**  
Chemical Analysis Made: **No**  
Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **Scott Drilling Inc**  
**11923 Green Pine Circle**  
**Houston , TX 77066**

Driller License Number: **4839**

Licensed Well Driller Signature: **Scott Robinson**

Registered Driller Apprentice Signature: **No Data**

Apprentice Registration Number: **No Data**

Comments: **No Data**

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #119507) on your written request.

**Texas Department of Licensing & Regulation**  
**P.O. Box 12157**  
**Austin, TX 78711**  
**(512) 463-7880**

**DESC. & COLOR OF FORMATION MATERIAL**

**CASING, BLANK PIPE & WELL SCREEN DATA**

From (ft) To (ft) Description

**0-10 clay**

**10-35 sand**

**35-105 clay**

**10-115 sand**

**115-140 clay**

**140-165 sand**

**165-195 clay**

**195-235 sand**

Dia. New/Used Type Setting From/To

**4 N PVC casing 0-220**

**2.5 N " liner 210-220**

**2.5 N " screen 220-235 .10**

### STATE OF TEXAS WELL REPORT for Tracking #120034

Owner: <b>Mike Ruiz</b>	Owner Well #: <b>No Data</b>
Address: <b>12717 Lake Forest Dr. Cypress , TX 77429</b>	Grid #: <b>65-04-4</b>
Well Location: <b>12717 lake Forest Dr. Cypress , TX 77429</b>	Latitude: <b>29° 57' 20" N</b>
Well County: <b>Harris</b>	Longitude: <b>095° 37' 05" W</b>
Elevation: <b>No Data</b>	GPS Brand Used: <b>No Data</b>
<hr/>	
Type of Work: <b>New Well</b>	Proposed Use: <b>Domestic</b>

Drilling Date: Started: **8/8/2007**  
Completed: **8/9/2007**

Diameter of Hole: Diameter: **6 3/4 in From Surface To 245 ft**  
Diameter: **3 7/8 in From 245 ft To 260 ft**

Drilling Method: **Mud Rotary Other:**

Borehole Completion: Other: **2 string**

Annular Seal Data: 1st Interval: **From 244 ft to 0 ft with 13 portland (#sacks and material)**  
2nd Interval: **From 15 ft to 0 ft with 10 sackcrete (#sacks and material)**  
3rd Interval: **No Data**  
Method Used: **Haliburton**  
Cemented By: **Robinson Water Well**  
Distance to Septic Field or other Concentrated Contamination: **50+ ft**  
Distance to Property Line: **15 ft**  
Method of Verification: **owner**  
Approved by Variance: **No Data**

Surface Completion: **Surface Sleeve Installed**

Water Level: Static level: **120 ft. below land surface on 8/9/2007**  
Artesian flow: **No Data**

Packers: **K 235**

Plugging Info: Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump: **Submersible**  
Depth to pump bowl: **170 ft**

Well Tests: **Jetted**  
Yield: **35 GPM with (No Data) ft drawdown after (No Data) hours**

Water Quality: Type of Water: **No Data**  
Depth of Strata: **No Data**  
Chemical Analysis Made: **No**  
Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **Robinson Water Well  
11819 W. Montgomery  
Houston , TX 77086**

Driller License Number: **1464**

Licensed Well Driller Signature: **M.E Robinson**

Registered Driller Apprentice Signature: **No Data**

Apprentice Registration Number: **No Data**

Comments: **Amended 11/29/07 Ref.#5261**

---

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #120034) on your written request.

**Texas Department of Licensing & Regulation  
P.O. Box 12157  
Austin, TX 78711  
(512) 463-7880**

**DESC. & COLOR OF FORMATION MATERIAL**

From (ft) To (ft) Description  
0-60 clay,60-65 rock,65-80 soft sand stone,80-85 rock,85-100 red sandy shell,100-190 hard clay,190-200 sand,200-222 sand clay,222-230 sand,230-244 sandy clay with rock,244-260 medium course sand with streaks

**CASING, BLANK PIPE & WELL SCREEN DATA**

Dia. New/Used Type Setting From/To  
4 new pvc well casing 0 - 244 sch 40  
2 1/2 new pvc liner 235-244 sch 40  
2 1/2 new pvc screen 244-260 0.07

### STATE OF TEXAS WELL REPORT for Tracking #120080

Owner:	Ben Dolezal	Owner Well #:	n/a
Address:	12002 Dakar Houston, TX 77065	Grid #:	65-04-4
Well Location:	11603 Advance Houston, TX 77065	Latitude:	29° 56' 44" N
Well County:	Harris	Longitude:	095° 35' 44" W
Elevation:	No Data	GPS Brand Used:	Garmin
<hr/>			
Type of Work:	New Well	Proposed Use:	Domestic

Drilling Date:      Started: 10/28/1999  
                          Completed: 10/29/1999

Diameter of Hole:      Diameter: 6.75 in From Surface To 285 ft

Drilling Method:      **Mud Rotary**

Borehole Completion:      Other: **Pressure Cemented**

Annular Seal Data:      1st Interval: **From 275 ft to 115 ft with 20 Portland (#sacks and material)**  
                                  2nd Interval: **From 0 ft to 10 ft with 8 RediMix (#sacks and material)**  
                                  3rd Interval: **No Data**  
                                  Method Used: **Halliburton**  
                                  Cemented By: **Driller**  
                                  Distance to Septic Field or other Concentrated Contamination: **n/a ft**  
                                  Distance to Property Line: **50+ ft**  
                                  Method of Verification: **Tape**  
                                  Approved by Variance: **n/a**

Surface Completion:      **Alternative Procedure Used**

Water Level:      Static level: **143 ft. below land surface on 11/2/1999**  
                          Artesian flow: **No Data**

Packers:      **K-Packers RxR (2) 270'**

Plugging Info:      Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump:      **Submersible**  
                          Depth to pump bowl: **260 ft**

Well Tests:      **Jetted \ Estimated**  
                          Yield: **65 GPM with (No Data) ft drawdown after 1 hour**

Water Quality:      Type of Water: **Good**  
                          Depth of Strata: **No Data**  
                          Chemical Analysis Made: **No**  
                          Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data:      The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **Kenco Water Well Service**  
**30269 FM 1488 Rd.**  
**Waller, TX 77484**

Driller License Number: **2214**

Licensed Well Driller Signature: **Kenneth Robinson**

Registered Driller Apprentice Signature: **No Data**

Apprentice Registration Number: **No Data**

Comments: **This report mailed to TDLR 11/17/2000.**

---

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #120080) on your written request.

**Texas Department of Licensing & Regulation**  
**P.O. Box 12157**  
**Austin, TX 78711**  
**(512) 463-7880**

---

**DESC. & COLOR OF FORMATION MATERIAL**

From (ft)	To (ft)	Description
0	15	Clay
15	20	Sand
20	85	Clay
85	107	Sand
107	136	Clay
136	141	Sand
141	167	Sand
167	249	Sand & Rock
249	285	Sand

---

**CASING, BLANK PIPE & WELL SCREEN DATA**

Dia.	New/Used	Type	Setting From/To
4"	N	PVC	0 - 275 Sch. 40
2 1/2"	N	Jayco WOP	275 - 285 .010 gauge
2 1/2"	N	PVC Blank	270 - 275 Sch. 40

### STATE OF TEXAS WELL REPORT for Tracking #122915

Owner:	Providence Signature Homes	Owner Well #:	No Data
Address:	12106 Timberlake Dr. Cypress , TX 77429	Grid #:	65-04-4
Well Location:	12106 Timberlake Dr. Cypress , TX 77429	Latitude:	29° 57' 04" N
Well County:	Harris	Longitude:	095° 36' 44" W
Elevation:	No Data	GPS Brand Used:	Motorola
<hr/>			
Type of Work:	New Well	Proposed Use:	Domestic

Drilling Date:      Started: **9/19/2007**  
                          Completed: **9/20/2007**

Diameter of Hole:    Diameter: **7 3/4 in From Surface To 278 ft**

Drilling Method:     **Mud Rotary**

Borehole  
Completion:          Other: **alternative**

Annular Seal Data:    1st Interval: **From 0 ft to 250 ft with 20 (#sacks and material)**  
                                  2nd Interval: **No Data**  
                                  3rd Interval: **No Data**  
                                  Method Used: **Haliburton**  
                                  Cemented By: **Ricky Bonds**  
                                  Distance to Septic Field or other Concentrated Contamination: **50+ ft**  
                                  Distance to Property Line: **10 ft**  
                                  Method of Verification: **stepped off**  
                                  Approved by Variance: **No Data**

Surface  
Completion:          **Surface Sleeve Installed**

---

Water Level:          Static level: **123 ft. below land surface on 9/20/2007**  
                                  Artesian flow: **No Data**

Packers:              **k-packers 245'**

Plugging Info:        Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump:        **Submersible**  
                                  Depth to pump bowl: **200 ft**

Well Tests:            **Jetted \ Estimated**  
                                  Yield: **70 - 80 GPM with (No Data) ft drawdown after (No Data) hours**

---

Water Quality:        Type of Water: **soft**  
                                  Depth of Strata: **245 - 278 ft.**  
                                  Chemical Analysis Made: **No**  
                                  Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data:    The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **Ricky Bonds Water Wells**  
**23421 Hargrave Rd.**  
**Hockley , TX 77447**

Driller License Number: **54880**

Licensed Well Driller Signature: **Ricky Bonds**

Registered Driller Apprentice Signature: **No Data**

Apprentice Registration Number: **No Data**

Comments: **Amended 10/30/07 Ref.#5205**

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #122915) on your written request.

**Texas Department of Licensing & Regulation**  
**P.O. Box 12157**  
**Austin, TX 78711**  
**(512) 463-7880**

**DESC. & COLOR OF FORMATION MATERIAL**

From (ft)	To (ft)	Description
0	28	clay, sand
28	33	sand
33	53	sand, clay
53	73	clay
73	93	clay
93	113	clay, sand, clay
113	133	clay, rock, clay
133	145	clay
145	153	sand
153	168	sand
168	173	clay
173	193	clay, sand, clay
193	213	clay, sand, clay
213	233	clay, rock, clay, rock
233	245	clay, rock
245	253	sand
253	273	sand
273	278	sand, rock

**CASING, BLANK PIPE & WELL SCREEN DATA**

Dia.	New/Used	Type	Setting From/To
4"	new	plastic casing	0 - 250' sch 40
2.5"	new	plastic liner	245 - 255' sch 40
2.5"	new	plastic slotted	255 - 275' .006

### STATE OF TEXAS WELL REPORT for Tracking #124328

Owner:	Charlie Huyntt	Owner Well #:	No Data
Address:	9103 Shoal Creek Houston , TX 77064	Grid #:	65-04-5
Well Location:	9103 Shoal Creek Houston , TX 77064	Latitude:	29° 56' 46" N
Well County:	Harris	Longitude:	095° 33' 22" W
Elevation:	No Data	GPS Brand Used:	No Data
Type of Work: <b>New Well</b>		Proposed Use: <b>Domestic</b>	

Drilling Date: Started: 10/2/2007  
Completed: 10/3/2007

Diameter of Hole: Diameter: 7 in From Surface To 117 ft

Drilling Method: **Mud Rotary**

Borehole Completion: Gravel Packed From: 100 ft to 110 ft  
Gravel Pack Size: 12

Annular Seal Data: 1st Interval: **From 0 ft to 10 ft with 6 (#sacks and material)**  
2nd Interval: **From 10 ft to 100 ft with 11 (#sacks and material)**  
3rd Interval: **No Data**  
Method Used: **Pressure**  
Cemented By: **Raymond Services, Inc.**  
Distance to Septic Field or other Concentrated Contamination: **80 ft**  
Distance to Property Line: **10 ft**  
Method of Verification: **Customer**  
Approved by Variance: **No Data**

Surface Completion: **Surface Sleeve Installed**

Water Level: Static level: **No Data**  
Artesian flow: **No Data**

Packers: **None**

Plugging Info: Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump: **Submersible**  
Depth to pump bowl: **100 ft**

Well Tests: **Jetted**  
Yield: **10 GPM with 15 ft drawdown after 2 hours**

Water Quality: Type of Water: **Fresh**  
Depth of Strata: **No Data**  
Chemical Analysis Made: **No**  
Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **Raymond Services, Inc.**  
**10011 Airline**  
**Houston , TX 77037**

Driller License Number: **4577**

Licensed Well Driller Signature: **Zachary Proctor**

Registered Driller Apprentice Signature: **None**

Apprentice Registration Number: **No Data**

Comments: **No Data**

---

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #124328) on your written request.

**Texas Department of Licensing & Regulation**  
**P.O. Box 12157**  
**Austin, TX 78711**  
**(512) 463-7880**

**DESC. & COLOR OF FORMATION MATERIAL**

From (ft)	To (ft)	Description
0	3	Top Soil
3	19	White Clay
19	39	Red Clay
39	45	Red Sand # 6
45	46	Rock
46	56	White Sand # 6
56	70	Red Clay
70	77	Sand Brown
77	90	White Clay
90	99	Rock
99	117	White Sand # 8

**CASING, BLANK PIPE & WELL SCREEN DATA**

Dia.	New/Used	Type	Setting From/To
4	New	Plastic Casing	0 - 100 SCH 40
4	New	Plastic Screen	100 - 110 # 6

### STATE OF TEXAS WELL REPORT for Tracking #124600

Owner: <b>Ana Garcia</b>	Owner Well #: <b>No Data</b>
Address: <b>11909 Derwent Houston , TX 77064</b>	Grid #: <b>65-04-5</b>
Well Location: <b>11909 Derwent Houston , TX 77064</b>	Latitude: <b>29° 56' 43" N</b>
Well County: <b>Harris</b>	Longitude: <b>095° 33' 14" W</b>
Elevation: <b>No Data</b>	GPS Brand Used: <b>No Data</b>
-----	
Type of Work: <b>New Well</b>	Proposed Use: <b>Domestic</b>

Drilling Date: Started: **10/5/2007**  
Completed: **10/5/2007**

Diameter of Hole: Diameter: **5 1/2 in From Surface To 117 ft**

Drilling Method: **Mud Rotary**

Borehole Completion: Gravel Packed From: **107 ft to 117 ft**  
Gravel Pack Size:

Annular Seal Data: 1st Interval: **From 0 ft to 10 ft with 5 (#sacks and material)**  
2nd Interval: **From 10 ft to 107 ft with 9 (#sacks and material)**  
3rd Interval: **No Data**  
Method Used: **Pressure**  
Cemented By: **Raymond Services, Inc.**  
Distance to Septic Field or other Concentrated Contamination: **50 ft**  
Distance to Property Line: **10 ft**  
Method of Verification: **Customer**  
Approved by Variance: **No Data**

Surface Completion: **Surface Sleeve Installed**

Water Level: Static level: **70 ft. below land surface on 10/5/2007**  
Artesian flow: **No Data**

Packers: **None**

Plugging Info: Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump: **Jet**  
Depth to pump bowl: **(No Data) ft**

Well Tests: **Jetted**  
Yield: **10 GPM with 10 ft drawdown after 2 hours**

Water Quality: Type of Water: **Fresh**  
Depth of Strata: **No Data**  
Chemical Analysis Made: **No**  
Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **Raymond Services, Inc.**  
**10011 Airline**  
**Houston , TX 77037**

Driller License Number: **4577**

Licensed Well Driller Signature: **Zachary Proctor**

Registered Driller Apprentice Signature: **None**

Apprentice Registration Number: **No Data**

Comments: **No Data**

---

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #124600) on your written request.

**Texas Department of Licensing & Regulation**  
**P.O. Box 12157**  
**Austin, TX 78711**  
**(512) 463-7880**

**DESC. & COLOR OF FORMATION MATERIAL**

From (ft)	To (ft)	Description
0	1	Top Soil
3	17	Yellow Clay
17	29	Sand # 6
29	39	Red Clay
39	48	Red Sand # 6
48	75	Red Clay
75	80	White Sand # 6
80	95	Gray Clay
95	117	White Sand # 8

**CASING, BLANK PIPE & WELL SCREEN DATA**

Dia.	New/Used	Type	Setting From/To
2	New	Plastic Casing	0 - 107 SCH 40
2	New	Plastic Screen	107 - 117 # 6

### STATE OF TEXAS WELL REPORT for Tracking #127550

Owner:	<b>Markey DuBose</b>	Owner Well #:	<b>No Data</b>
Address:	<b>9115 Thomasville Houston , TX 77064</b>	Grid #:	<b>65-04-5</b>
Well Location:	<b>9115 Thomasville Houston , TX 77064</b>	Latitude:	<b>29° 56' 49" N</b>
Well County:	<b>Harris</b>	Longitude:	<b>095° 33' 26" W</b>
Elevation:	<b>No Data</b>	GPS Brand Used:	<b>315 Magellan</b>
Type of Work: <b>New Well</b>		Proposed Use: <b>Domestic</b>	

Drilling Date:      Started: **11/5/2007**  
                          Completed: **11/6/2007**

Diameter of Hole:    Diameter: **6 3/4 in From Surface To 310 ft**

Drilling Method:     **Mud Rotary**

Borehole  
Completion:          Other: **2 string**

Annular Seal Data:    1st Interval: **From 0 ft to 300 ft with 15 (#sacks and material)**  
                              2nd Interval: **From 10 ft to 0 ft with 10 (#sacks and material)**  
                              3rd Interval: **No Data**  
                              Method Used: **haliburton**  
                              Cemented By: **SDI**  
                              Distance to Septic Field or other Concentrated Contamination: **n/a ft**  
                              Distance to Property Line: **40 ft**  
                              Method of Verification: **owner**  
                              Approved by Variance: **No Data**

Surface  
Completion:          **Surface Slab Installed**

Water Level:          Static level: **155 ft. below land surface on 11/6/2007**  
                              Artesian flow: **No Data**

Packers:              **k packer - 290**

Plugging Info:        Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump:        **Submersible**  
                              Depth to pump bowl: **220 ft**

Well Tests:            **Jetted**  
                              Yield: **50 GPM with (No Data) ft drawdown after (No Data) hours**

Water Quality:        Type of Water: **No Data**  
                              Depth of Strata: **No Data**  
                              Chemical Analysis Made: **No**  
                              Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data:    The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **Scott Drilling Inc**  
**11923 Green Pine Circle**  
**Houston , TX 77066**

Driller License Number: **4839**

Licensed Well Driller Signature: **Scott Robinson**

Registered Driller Apprentice Signature: **No Data**

Apprentice Registration Number: **No Data**

Comments: **No Data**

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #127550) on your written request.

**Texas Department of Licensing & Regulation**  
**P.O. Box 12157**  
**Austin, TX 78711**  
**(512) 463-7880**

**DESC. & COLOR OF FORMATION MATERIAL**

**CASING, BLANK PIPE & WELL SCREEN DATA**

From (ft)	To (ft)	Description
0-60		clay
60-70		sand
70-105		clay
105-120		sand
120-150		clay
150-210		sand
210-220		clay
220-230		sand
230-260		clay
260-285		sand
285-300		clay
300-310		sand

Dia.	New/Used	Type	Setting From/To
4 N		PVC casing	0-300
2.5 N		" liner	290-300
2.5 N		" screen	300-310 .12

### STATE OF TEXAS WELL REPORT for Tracking #127852

Owner: <b>William Powell</b>	Owner Well #: <b>No Data</b>
Address: <b>4317 Citadel Houston , TX 77092</b>	Grid #: <b>65-04-4</b>
Well Location: <b>12715 Archwood Cypress , TX 77429</b>	Latitude: <b>29° 56' 57" N</b>
Well County: <b>Harris</b>	Longitude: <b>095° 36' 47" W</b>
Elevation: <b>No Data</b>	GPS Brand Used: <b>map</b>
Type of Work: <b>New Well</b> Proposed Use: <b>Domestic</b>	

Drilling Date:      Started: **1/8/2004**  
Completed: **1/9/2004**

Diameter of Hole:      Diameter: **7 3/4 in From Surface To 328 ft**

Drilling Method:      **Mud Rotary**

Borehole Completion:      **Open Hole** Other: **Alternative**

Annular Seal Data:      1st Interval: **From 10 ft to 290 ft with 15 (#sacks and material)**  
2nd Interval: **From 0 ft to 10 ft with 12 (#sacks and material)**  
3rd Interval: **No Data**  
Method Used: **Halliburton**  
Cemented By: **No Data**  
Distance to Septic Field or other Concentrated Contamination: **50 ft**  
Distance to Property Line: **No Data**  
Method of Verification: **Stepped It Off**  
Approved by Variance: **No Data**

Surface Completion:      **No Data**

Water Level:      Static level: **180 ft. below land surface on 1/8/2004**  
Artesian flow: **No Data**

Packers:      **K-Packers 288'**

Plugging Info:      Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump:      **Submersible**  
Depth to pump bowl: **220 ft**

Well Tests:      **Jetted \ Estimated**  
Yield: **30 GPM with (No Data) ft drawdown after (No Data) hours**

Water Quality:      Type of Water: **Soft to Light Hard**  
Depth of Strata: **290 ft.**  
Chemical Analysis Made: **No Data**  
Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data:      The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **Ricky Bonds Water Wells**  
**23421 Hargrave Road**  
**Hockley , TX 77447**

Driller License Number: **54880**

Licensed Well Driller Signature: **Ricky Bonds**

Registered Driller Apprentice Signature: **No Data**

Apprentice Registration Number: **No Data**

Comments: **\$dfs**

---

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #127852) on your written request.

**Texas Department of Licensing & Regulation**  
**P.O. Box 12157**  
**Austin, TX 78711**  
**(512) 463-7880**

**DESC. & COLOR OF FORMATION MATERIAL**

**CASING, BLANK PIPE & WELL SCREEN DATA**

From (ft) To (ft) Description

**0-28 Clay**

**28-48 Clay**

**48-68 Clay**

**68-88 Clay**

**88-108 Clay**

**108-128 Clay**

**128-145 Clay**

**145-148 Sand**

**148-168 Sand**

**168-188 Sand**

**188-208 Sand**

**208-228 Sand**

**228-248 Rock**

**248-268 Sand**

**268-288 Clay**

**288-308 Sand**

**308-328 Rock, Sand**

Dia. New/Used Type Setting From/To

**4 New Plastic 0 290 40**

**2.5 New Plastic Screen 288 318 .006**

### STATE OF TEXAS WELL REPORT for Tracking #128544

Owner:	Travis Loofbourrow	Owner Well #:	No Data
Address:	10115 Pine Pass Houston, TX 77077	Grid #:	65-04-5
Well Location:	10031 Lou Edd Rd. Houston, TX 77070	Latitude:	29° 56' 59" N
Well County:	Harris	Longitude:	095° 34' 22" W
Elevation:	No Data	GPS Brand Used:	315 Magellan
<hr/>			
Type of Work:	New Well	Proposed Use:	Domestic

Drilling Date: Started: 10/26/2007  
Completed: 10/27/2007

Diameter of Hole: Diameter: 6 3/4 in From Surface To 295 ft

Drilling Method: Mud Rotary

Borehole Completion: Other: 2 STRING

Annular Seal Data: 1st Interval: From 0 ft to 280 ft with 15 (#sacks and material)  
2nd Interval: From 10 ft to 0 ft with 10 (#sacks and material)  
3rd Interval: No Data  
Method Used: haliburton  
Cemented By: SDI  
Distance to Septic Field or other Concentrated Contamination: n/a ft  
Distance to Property Line: 15 ft  
Method of Verification: owner  
Approved by Variance: No Data

Surface Completion: Surface Slab Installed

Water Level: Static level: 150 ft. below land surface on 11/4/2007  
Artesian flow: No Data

Packers: k packer - 275

Plugging Info: Casing or Cement/Bentonite left in well: No Data

Type Of Pump: Submersible  
Depth to pump bowl: 200 ft

Well Tests: Jetted  
Yield: 50 GPM with (No Data) ft drawdown after (No Data) hours

Water Quality: Type of Water: No Data  
Depth of Strata: No Data  
Chemical Analysis Made: No  
Did the driller knowingly penetrate any strata which contained undesirable constituents: No

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **Scott Drilling Inc**  
**11923 Green Pine Circle**  
**Houston , TX 77066**

Driller License Number: **4839**

Licensed Well Driller Signature: **Scott Robinson**

Registered Driller Apprentice Signature: **No Data**

Apprentice Registration Number: **No Data**

Comments: **No Data**

---

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #128544) on your written request.

**Texas Department of Licensing & Regulation**  
**P.O. Box 12157**  
**Austin, TX 78711**  
**(512) 463-7880**

**DESC. & COLOR OF FORMATION MATERIAL**

**CASING, BLANK PIPE & WELL SCREEN DATA**

From (ft) To (ft) Description  
**0-25 clay**  
**25-35 sand**  
**35-80 clay**  
**80-150 sand**  
**150-160 clay**  
**160-195 sand**  
**195-220 clay**  
**220-260 sand**  
**260-275 clay**  
**275-295 sand**

Dia. New/Used Type Setting From/To  
**4 N PVC casing 0-280**  
**2.5 N " liner 275-280**  
**2.5 N " screen 280-295 .10**

### STATE OF TEXAS WELL REPORT for Tracking #130081

Owner:	Patricia Quiroz	Owner Well #:	No Data
Address:	8711 Shoal Creek Dr. Houston, TX 77064	Grid #:	65-04-5
Well Location:	8711 Shoal Creek Dr Houston, TX 77064	Latitude:	29° 56' 51" N
Well County:	Harris	Longitude:	095° 32' 58" W
Elevation:	No Data	GPS Brand Used:	315 Magellan
<hr/>			
Type of Work:	New Well	Proposed Use:	Domestic

Drilling Date: Started: 11/13/2007  
Completed: 11/15/2007

Diameter of Hole: Diameter: 6 3/4 in From Surface To 310 ft

Drilling Method: Mud Rotary

Borehole Completion: Other: 2 STRING

Annular Seal Data: 1st Interval: From 0 ft to 295 ft with 15 (#sacks and material)  
2nd Interval: From 10 ft to 0 ft with 10 (#sacks and material)  
3rd Interval: No Data  
Method Used: haliburton  
Cemented By: SDI  
Distance to Septic Field or other Concentrated Contamination: n/a ft  
Distance to Property Line: 55 ft  
Method of Verification: 30  
Approved by Variance: No Data

Surface Completion: Surface Slab Installed

Water Level: Static level: 155 ft. below land surface on 12/10/2007  
Artesian flow: No Data

Packers: k packer- 155

Plugging Info: Casing or Cement/Bentonite left in well: No Data

Type Of Pump: Submersible  
Depth to pump bowl: 220 ft

Well Tests: Jetted  
Yield: 50 GPM with (No Data) ft drawdown after (No Data) hours

Water Quality: Type of Water: No Data  
Depth of Strata: No Data  
Chemical Analysis Made: No  
Did the driller knowingly penetrate any strata which contained undesirable constituents: No

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **Scott Drilling Inc**  
**11923 Green Pine Circle**  
**Houston , TX 77066**

Driller License Number: **4839**

Licensed Well Driller Signature: **Scott Robinson**

Registered Driller Apprentice Signature: **No Data**

Apprentice Registration Number: **No Data**

Comments: **No Data**

---

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #130081) on your written request.

**Texas Department of Licensing & Regulation**  
**P.O. Box 12157**  
**Austin, TX 78711**  
**(512) 463-7880**

DESC. & COLOR OF FORMATION MATERIAL		CASING, BLANK PIPE & WELL SCREEN DATA			
From (ft)	To (ft) Description	Dia.	New/Used	Type	Setting From/To
0-30	clay	4 N		PVC casing	0-295
30-35	sand	2.5 N		liner	285-295
35-90	clay	2.5 N		screen	295-310 .12
90-110	sand				
110-155	clay				
155-215	sand				
215-295	clay				
295-310	sand				

### STATE OF TEXAS WELL REPORT for Tracking #134863

Owner:	Scott, Michael c/o Olympic Custom Homes	Owner Well #:	No Data
Address:	11600 Jones Rd. Ste. 108 Houston, TX 77070	Grid #:	65-04-4
Well Location:	11503 Iberia Dr. Houston, TX	Latitude:	29° 56' 24" N
Well County:	Harris	Longitude:	095° 36' 22" W
Elevation:	No Data	GPS Brand Used:	Not Given
Type of Work: <b>New Well</b>		Proposed Use: <b>Domestic</b>	

Drilling Date: Started: **12/3/2006**  
Completed: **12/6/2006**

Diameter of Hole: Diameter: **6 3/4 in From Surface To 275 ft**  
Diameter: **3 7/8 in From 275 ft To 285 ft**

Drilling Method: **Mud Rotary**

Borehole Completion: **Straight Wall**

Annular Seal Data: 1st Interval: **From 0 ft to 115 ft with 25 (#sacks and material)**  
2nd Interval: **From 245 ft to 275 ft with 4 (#sacks and material)**  
3rd Interval: **No Data**  
Method Used: **Halliburton/Trimme**  
Cemented By: **Bussell & Sons LLC**  
Distance to Septic Field or other Concentrated Contamination: **>50 ft**  
Distance to Property Line: **<50 ft**  
Method of Verification: **No Data**  
Approved by Variance: **No Data**

Surface Completion: **Surface Sleeve Installed**

Water Level: Static level: **137 ft. below land surface on 12/3/2006**  
Artesian flow: **No Data**

Packers: **K-Packer 270'**

Plugging Info: Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump: **Submersible**  
Depth to pump bowl: **220 ft**

Well Tests: **Jetted \ Estimated**  
Yield: **30 GPM with (No Data) ft drawdown after (No Data) hours**

Water Quality: Type of Water: **No Data**  
Depth of Strata: **No Data**  
Chemical Analysis Made: **No**  
Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **Bussell & Sons LLC**  
**Po Box 874**  
**Tomball , TX 77377**

Driller License Number: **2035**

Licensed Well Driller Signature: **Craig Bussell**

Registered Driller Apprentice Signature: **Jason Beam**

Apprentice Registration Number: **1181/59625**

Comments: **^EO**

---

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #134863) on your written request.

**Texas Department of Licensing & Regulation**  
**P.O. Box 12157**  
**Austin, TX 78711**  
**(512) 463-7880**

**DESC. & COLOR OF FORMATION MATERIAL**

From (ft) To (ft) Description  
**0-240 unconsolidated**  
**240-285 sand**

**CASING, BLANK PIPE & WELL SCREEN DATA**

Dia. New/Used Type Setting From/To  
**4 New PVC Casing 0-275**  
**2.5 New Galvanized Liner 270-275**  
**2.5 New S. S. R. B. Screens 275-285 .010**



Company Information: **Bussell & Sons LLC**  
**Po Box 874**  
**Tomball , TX 77377**

Driller License Number: **2035**

Licensed Well Driller Signature: **Craig Bussell**

Registered Driller Apprentice Signature: **Jason Beam**

Apprentice Registration Number: **1181/59625**

Comments: **^EO**

---

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #134864) on your written request.

**Texas Department of Licensing & Regulation**  
**P.O. Box 12157**  
**Austin, TX 78711**  
**(512) 463-7880**

---

**DESC. & COLOR OF FORMATION MATERIAL**

From (ft) To (ft) Description  
**0-25 clay**  
**25-160 sand & clay**  
**160-265 sand**

---

**CASING, BLANK PIPE & WELL SCREEN DATA**

Dia.	New/Used	Type	Setting From/To
4	New	PVC Casing	0-255
2.5	New	Galvanized Liner	250-255
2.5	New	S. S. R. B. Screens	255-265 .010

### STATE OF TEXAS WELL REPORT for Tracking #135952

Owner:	Victor Hugo Garcia	Owner Well #:	No Data
Address:	11826 Derwent Houston , TX 77064	Grid #:	65-04-5
Well Location:	11826 Derwent Houston , TX 77064	Latitude:	29° 56' 39" N
Well County:	Harris	Longitude:	095° 33' 14" W
Elevation:	No Data	GPS Brand Used:	No Data
Type of Work: <b>New Well</b>		Proposed Use:	<b>Domestic</b>

Drilling Date: Started: **2/29/2008**  
Completed: **2/29/2008**

Diameter of Hole: Diameter: **5 1/2 in From Surface To 115 ft**

Drilling Method: **Mud Rotary**

Borehole Completion: Gravel Packed From: **105 ft to 115 ft**  
Gravel Pack Size:

Annular Seal Data: 1st Interval: **From 0 ft to 10 ft with 8 (#sacks and material)**  
2nd Interval: **From 10 ft to 105 ft with 11 (#sacks and material)**  
3rd Interval: **No Data**  
Method Used: **Pressure**  
Cemented By: **Raymond Services, Inc.**  
Distance to Septic Field or other Concentrated Contamination: **50 ft**  
Distance to Property Line: **10 ft**  
Method of Verification: **Customer**  
Approved by Variance: **No Data**

Surface Completion: **Surface Sleeve Installed**

Water Level: Static level: **50 ft. below land surface on 2/29/2008**  
Artesian flow: **No Data**

Packers: **None**

Plugging Info: Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump: **Jet**  
Depth to pump bowl: **100 ft**

Well Tests: **Jetted**  
Yield: **10 GPM with 10 ft drawdown after 2 hours**

Water Quality: Type of Water: **Fresh**  
Depth of Strata: **No Data**  
Chemical Analysis Made: **No**  
Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: **Raymond Services, Inc.**  
**10011 Airline**  
**Houston , TX 77037**

Driller License Number: **4577**

Licensed Well Driller Signature: **Zachary Proctor**

Registered Driller Apprentice Signature: **None**

Apprentice Registration Number: **No Data**

Comments: **No Data**

---

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #135952) on your written request.

**Texas Department of Licensing & Regulation**  
**P.O. Box 12157**  
**Austin, TX 78711**  
**(512) 463-7880**

---

**DESC. & COLOR OF FORMATION MATERIAL**

From (ft)	To (ft)	Description
0	3	Top Soil
3	18	Clay Yellow
18	24	Red Sand # 6
24	45	Red Clay
45	46	Clay
46	50	Red Sand # 6
50	70	White Clay
70	80	White Clay
80	105	Sand White # 6
105	115	Sand Yellow

---

**CASING, BLANK PIPE & WELL SCREEN DATA**

Dia.	New/Used	Type	Setting From/To
2	New	PVC Casing	0 - 105 SCH 40
2	New	PVC Screen	105 - 115 # 6



Company Information: **Raymond Services, Inc.**  
**10011 Airline**  
**Houston , TX 77064**

Driller License Number: **4577**

Licensed Well Driller Signature: **Zachary Proctor**

Registered Driller Apprentice Signature: **No Data**

Apprentice Registration Number: **No Data**

Comments: **No Data**

---

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #142257) on your written request.

**Texas Department of Licensing & Regulation**  
**P.O. Box 12157**  
**Austin, TX 78711**  
**(512) 463-7880**

---

**DESC. & COLOR OF FORMATION MATERIAL**

From (ft)	To (ft)	Description
0	3	Top Soil
3	12	Yellow Clay
12	18	Rock Clay
18	19	Rock
19	25	Red Sand # 6
25	26	Rock
26	50	Red Clay
50	51	Rock
51	78	Red Clay
78	97	Sand # 6 Brown
97	117	Sand Gravel # 12

---

**CASING, BLANK PIPE & WELL SCREEN DATA**

Dia.	New/Used	Type	Setting From/To
2	New	Plastic Casing	0 - 107 SCH 40
2	New	Plastic Screen	107 - 117 # 6