

**ADDENDUM NO. 2**

TO: Encycle Asbestos Abatement, Waste Removal, and Building Demolition Bidders

FROM: Mike Boudloche, Trustee

DATE: August 6, 2010

SUBJECT: Request for Bid; Asbestos Abatement, Waste Removal, and Building Demolition at the former Encycle/Texas Inc. facility, 5500 Up River Road, Corpus Christi, Texas. Addendum No. 2 to Exhibit A –Scope of Work

---

The Contractor Scope of Work provided in Exhibit A of the Encycle Asbestos Abatement, Waste Removal, and Building Demolition request for bid shall be amended as detailed herein, and these amendments shall be incorporated as part of Contractor's Base Bid for this project.

1. Exhibit A – Section 1.0 General

The buildings and structures to be demolished will not include the Lettered Bins Building (Building 14 on Figure A-1). The Lettered Bins Building will not be demolished as part of this project. No equipment shall be removed from the Lettered Bins Building. The above-ground conveyor belts running from the Facility No. 2 Building to the Lettered Bins Building shall be cut and removed by the Contractor at the south exterior wall of the Lettered Bins Building.

2. Exhibit A – Section 3.2 Tank and Drum Filter Waste Removal and Decontamination

The locations of the 23 tanks and one drum filter that will require waste removal and decontamination by the Contractor are shown on attached Figure A-2. These 23 tanks and one drum filter are also listed on Table A-2 of the Request for Bid.

3. Exhibit A – Section 3.3 Container Storage Area and Miscellaneous Storage Area Decontamination

The locations of the 12 container storage areas and two miscellaneous storage areas that will require triple-rinsing of the existing concrete floor by the Contractor are shown on attached Figure A-2. These storage areas are also listed on Table A-3 of the Request for Bid.

Date  
August 6, 2010  
  
Contact:  
Armando G. Avalos

Extension:  
361-857-2220

Email:  
agavalos@  
armandoavalosrealty.com

4. Exhibit A – Section 4.1 Building and Structure Demolition

With the exception of recyclable metals (i.e., asbestos-free steel, stainless steel, lead, copper, etc.), the Contractor shall dispose of the construction debris associated with the buildings and structures to be demolished at authorized commercial landfills, as described in Section 4.1 of the Request for Bid. Previously collected samples of the construction debris (concrete, brick, wood) from the buildings to be demolished showed that low concentrations of metals were present at concentrations below Class I limits, and the waste classification of the construction debris is therefore Class 2 non-hazardous. A local Class 2 non-hazardous landfill (El Centro Landfill) operated by Republic Services, Inc/Allied Waste quoted a Class 2 non-hazardous disposal price for this project of \$20.00/ton plus a fuel recovery fee of 5.33% plus an environmental fee of \$7.50 per load. The Republic Services, Inc/Allied Waste contact is Todd Muenster (Phone: 361-767-7905 or 361-947-3663).

At this time, the City of Corpus Christi municipal landfill has not approved the acceptance of demolition debris from this project. If additional information is obtained from the City of Corpus Christi by the Trustee, this information will be provided in a separate addendum.


5. Exhibit A – Section 4.3.2 Building and Structure Demolition

The Contractor shall remove all steel railroad spurs located on the Encycle facility south of the Union Pacific Railroad 100-foot right-of-way, excluding steel railroad spurs set in concrete. Steel railroad spurs set in concrete shall not be removed.

6. Exhibit A – Section 4.3.3 Below-Grade Pits/Sumps

The Contractor shall not remove existing guardrails around the below-grade pits/sumps. If temporary removal of the existing guardrails is required by the Contractor to provide equipment access during demolition, the existing guardrails or equal shall be re-installed by Contractor as part of Contractor's base bid.


**END OF ADDENDUM NO. 2**



Armando G. Avalos  
Real Estate Agent for Trustee

Table A-2 Tank Location and  
Table A-3 Waste Management  
Unit Location Map

CORPUS CHRISTI, TEXAS  
ENCYCLETEXAS, INC.



- LEGEND**
- TABLE A-2 TANK REQUIRING WASTE REMOVAL AND DECONTAMINATION
  - TABLE A-3 STORAGE AREA REQUIRING DECONTAMINATION
  - DENOTES BUILDING NOT TO BE DEMOLISHED
  - 1 BUILDING ID NUMBER
  - METAL SILOS

PROJECT NO.	000184000	FILE NO.	
ISSUED DATE	1/10/10	PLANT ID	1010
DESIGNED BY	SP	DRAWN BY	SP
CHECKED BY	SP	DATE	7/2/10
APPROVED BY	K. BARRON	DATE	

SCALE VERIFICATION	REV. NO.	DATE	DESCRIPTION
THIS DRAWING CONFORMS TO THE ORIGINAL DRAWING			
DATE: 7/2/10			



TABLE A-2 TANK REQUIRING WASTE REMOVAL AND DECONTAMINATION  
TABLE A-3 STORAGE AREA REQUIRING DECONTAMINATION  
DENOTES BUILDING NOT TO BE DEMOLISHED  
BUILDING ID NUMBER  
METAL SILOS