

January 25, 2012

LABORATORY REPORT

Client:

Arcadis - Corpus Christi
711 N. Carancahua, Suite 1700
Corpus Christi, TX 78401
Attn: Ken Brandner

Work Order: PVA1267
Project Name: Air Monitoring 2010
Project Number: Encycle CC001231.0001
Date Received: 01/20/12
Final Report: 01/25/12 16:38

The results listed within this Laboratory Report pertain only to the samples tested in the laboratory. The analyses contained in this report were performed in accordance with the applicable certifications as noted. All soil samples are reported on a wet weight basis unless otherwise noted in the report. This Laboratory Report is confidential and is intended for the sole use of TestAmerica and its client. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica Laboratories, Inc., Phoenix Laboratory certifies that the analytical results contained herein apply only to the specific sample(s) analyzed.

This entire report was reviewed and approved for release.

If you have any questions relating to this analytical report, please contact your Laboratory Project Manager at 1-(602)437-3340

Analyses included in this report were performed by the laboratory shown at the top of this report unless otherwise indicated.

CASE NARRATIVE:

- SAMPLE RECEIPT:** Samples were received intact, at 20°C and with chain of custody documentation.
- HOLDING TIMES:** All samples were analyzed within prescribed holding times and/or in accordance with the TestAmerica Sample Acceptance Policy unless otherwise noted in the report.
- PRESERVATION:** Samples requiring preservation were verified prior to sample analysis.
- QA/QC CRITERIA:** All analyses met method criteria, except as noted in the report with data qualifiers.
- COMMENTS:** No significant observations were made.
- SUBCONTRACTED:** Refer to the last page for specific subcontract laboratory information included in this report.

Approved By:



Tina Paulauskas
Project Manager

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

4625 East Cotton Center Blvd. Ste 189 Phoenix, AZ 85040 * (602) 437-3340 * Fax (602) 454-9303

Arcadis - Corpus Christi
711 N. Carancahua, Suite 1700
Corpus Christi, TX 78401
Ken Brandner

Work Order: PVA1267
Project: Air Monitoring 2010
Project Number: Encycle CC001231.0001

Received: 01/20/12
Reported: 01/25/12 16:38

SAMPLE IDENTIFICATION

LAB NUMBER

COLLECTION DATE

CONTAINER TYPE

Upwind 1-19-12	PVA1267-01	01/19/12	MCE Filter, 0.8 micron, 37-mm, 3-piece
Upwind 1-19-12	PVA1267-02	01/19/12	Anasorb C300, 200 mg
Downwind 1-19-12	PVA1267-03	01/19/12	MCE Filter, 0.8 micron, 37-mm, 3-piece
Downwind 1-19-12	PVA1267-04	01/19/12	Anasorb C300, 200 mg
Trip Blank	PVA1267-05	01/19/12	MCE Filter, 0.8 micron, 37-mm, 3-piece
Trip Blank	PVA1267-06	01/19/12	Anasorb C300, 200 mg

Arcadis - Corpus Christi 711 N. Carancahua, Suite 1700 Corpus Christi, TX 78401 Ken Brandner	Work Order: PVA1267 Project: Air Monitoring 2010 Project Number: Encycle CC001231.0001	Received: 01/20/12 Reported: 01/25/12 16:38
---	--	--

ANALYTICAL REPORT

Analyte	Result	Qual	Date Analyzed	Analyst	Rpt Limit ug, Total	Method
Mercury by NIOSH 6009 (Modified)						
Sample ID: PVA1267-02 (Upwind 1-19-12)		Tube	Sample Air Volume: 96L		Sampled: 01/19/12	
	ug, Total	mg/m3	ppm		Prepared: 01/25/12 07:03	
Mercury	<0.0225	<0.000234	<0.0000286	IH1	1/25/2012	TK 0.0225 NIOSH 6009 (Modified)
Sample ID: PVA1267-04 (Downwind 1-19-12)		Tube	Sample Air Volume: 96L		Sampled: 01/19/12	
	ug, Total	mg/m3	ppm		Prepared: 01/25/12 07:03	
Mercury	<0.0225	<0.000234	<0.0000286	IH1	1/25/2012	TK 0.0225 NIOSH 6009 (Modified)
Sample ID: PVA1267-06 (Trip Blank)		Tube	Sample Air Volume: L		Sampled: 01/19/12	
	ug, Total	mg/m3	ppm		Prepared: 01/25/12 07:03	
Mercury	<0.0225	--	--	IH1	1/25/2012	TK 0.0225 NIOSH 6009 (Modified)
Metals using ICP-MS by NIOSH 7303						
Sample ID: PVA1267-01 (Upwind 1-19-12)		Filter	Sample Air Volume: 960L		Sampled: 01/19/12	
	ug, Total	mg/m3	ppm		Prepared: 01/20/12 13:13	
Antimony	<0.0750	<0.0000781	<0.0000157		1/20/2012	sls 0.0750 NIOSH 7303
Arsenic	<0.0250	<0.0000260	<0.00000850		1/20/2012	sls 0.0250 NIOSH 7303
Barium	0.0651	0.0000678	0.0000121		1/20/2012	sls 0.0500 NIOSH 7303
Cadmium	<0.0250	<0.0000260	<0.00000566		1/20/2012	sls 0.0250 NIOSH 7303
Chromium	<1.25	<0.00130	<0.000612	L	1/20/2012	sls 1.25 NIOSH 7303
Copper	<0.0500	<0.0000521	<0.0000200	L	1/20/2012	sls 0.0500 NIOSH 7303
Lead	0.0470	0.0000490	0.00000578		1/20/2012	sls 0.0250 NIOSH 7303
Nickel	<0.0250	<0.0000260	<0.0000108	L	1/20/2012	sls 0.0250 NIOSH 7303
Selenium	<0.0500	<0.0000521	<0.0000161		1/20/2012	sls 0.0500 NIOSH 7303
Silver	<0.0250	<0.0000260	<0.00000590		1/20/2012	sls 0.0250 NIOSH 7303
Zinc	0.445	0.000464	0.000173		1/20/2012	sls 0.250 NIOSH 7303
Sample ID: PVA1267-03 (Downwind 1-19-12)		Filter	Sample Air Volume: 960L		Sampled: 01/19/12	
	ug, Total	mg/m3	ppm		Prepared: 01/20/12 13:13	
Antimony	<0.0750	<0.0000781	<0.0000157		1/20/2012	sls 0.0750 NIOSH 7303
Arsenic	<0.0250	<0.0000260	<0.00000850		1/20/2012	sls 0.0250 NIOSH 7303
Barium	0.0598	0.0000623	0.0000111		1/20/2012	sls 0.0500 NIOSH 7303
Cadmium	<0.0250	<0.0000260	<0.00000566		1/20/2012	sls 0.0250 NIOSH 7303
Chromium	<1.25	<0.00130	<0.000612	L	1/20/2012	sls 1.25 NIOSH 7303
Copper	<0.0500	<0.0000521	<0.0000200	L	1/20/2012	sls 0.0500 NIOSH 7303
Lead	<0.0250	<0.0000260	<0.00000307		1/20/2012	sls 0.0250 NIOSH 7303
Nickel	0.0819	0.0000853	0.0000355	L1	1/20/2012	sls 0.0250 NIOSH 7303
Selenium	<0.0500	<0.0000521	<0.0000161		1/20/2012	sls 0.0500 NIOSH 7303
Silver	<0.0250	<0.0000260	<0.00000590		1/20/2012	sls 0.0250 NIOSH 7303
Zinc	<0.250	<0.000260	<0.0000974		1/20/2012	sls 0.250 NIOSH 7303
Sample ID: PVA1267-05 (Trip Blank)		Filter	Sample Air Volume: L		Sampled: 01/19/12	
	ug, Total	mg/m3	ppm		Prepared: 01/20/12 13:13	
Antimony	<0.0750	--	--		1/20/2012	sls 0.0750 NIOSH 7303
Arsenic	<0.0250	--	--		1/20/2012	sls 0.0250 NIOSH 7303

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

4625 East Cotton Center Blvd. Ste 189 Phoenix, AZ 85040 * (602) 437-3340 * Fax (602) 454-9303

Arcadis - Corpus Christi 711 N. Carancahua, Suite 1700 Corpus Christi, TX 78401 Ken Brandner	Work Order: PVA1267 Project: Air Monitoring 2010 Project Number: Encycle CC001231.0001	Received: 01/20/12 Reported: 01/25/12 16:38
---	--	--

Analyte	Result	Qual	Date Analyzed	Analyst	Rpt Limit ug, Total	Method
Metals using ICP-MS by NIOSH 7303 - cont.						
Sample ID: PVA1267-05 (Trip Blank) - cont.						
	ug, Total					
		Filter				
		mg/m3				
			ppm			
				Sample Air Volume: L		Sampled: 01/19/12
						Prepared: 01/20/12 13:13
Barium	<0.0500	--	--	1/20/2012	sls	0.0500 NIOSH 7303
Cadmium	<0.0250	--	--	1/20/2012	sls	0.0250 NIOSH 7303
Chromium	<1.25	--	--	L 1/20/2012	sls	1.25 NIOSH 7303
Copper	<0.0500	--	--	L 1/20/2012	sls	0.0500 NIOSH 7303
Lead	<0.0250	--	--	1/20/2012	sls	0.0250 NIOSH 7303
Nickel	<0.0250	--	--	L 1/20/2012	sls	0.0250 NIOSH 7303
Selenium	<0.0500	--	--	1/20/2012	sls	0.0500 NIOSH 7303
Silver	<0.0250	--	--	1/20/2012	sls	0.0250 NIOSH 7303
Zinc	<0.250	--	--	1/20/2012	sls	0.250 NIOSH 7303

Arcadis - Corpus Christi 711 N. Carancahua, Suite 1700 Corpus Christi, TX 78401 Ken Brandner	Work Order: PVA1267 Project: Air Monitoring 2010 Project Number: Encycle CC001231.0001	Received: 01/20/12 Reported: 01/25/12 16:38
---	--	--

PROJECT QUALITY CONTROL DATA

Blank

Analyte	Blank Value	Qual	Units	Q.C. Batch	Target Range	Lab Number	Analyzed Date
Mercury by NIOSH 6009 (Modified)							
12A0910-BLK1							
Mercury	0.0272	IH1	ug, Total	12A0910		12A0910-BLK1	01-25-2012
Metals using ICP-MS by NIOSH 7303							
12A0735-BLK1							
Antimony	<0.0750		ug, Total	12A0735		12A0735-BLK1	01-20-2012
Arsenic	<0.0250		ug, Total	12A0735		12A0735-BLK1	01-20-2012
Barium	<0.0500		ug, Total	12A0735		12A0735-BLK1	01-20-2012
Cadmium	<0.0250		ug, Total	12A0735		12A0735-BLK1	01-20-2012
Chromium	<1.25		ug, Total	12A0735		12A0735-BLK1	01-20-2012
Copper	<0.0500		ug, Total	12A0735		12A0735-BLK1	01-20-2012
Lead	<0.0250		ug, Total	12A0735		12A0735-BLK1	01-20-2012
Nickel	<0.0250		ug, Total	12A0735		12A0735-BLK1	01-20-2012
Selenium	<0.0500		ug, Total	12A0735		12A0735-BLK1	01-20-2012
Silver	<0.0250		ug, Total	12A0735		12A0735-BLK1	01-20-2012
Zinc	<0.250		ug, Total	12A0735		12A0735-BLK1	01-20-2012

LCS

Analyte	Known Val.	Analyzed Val	Qual	Units	% Rec.	Target Range	Batch	Analyzed Date
Mercury by NIOSH 6009 (Modified)								
12A0910-BS1								
Mercury	0.500	0.429	IH1	ug, Total	86%	81-129	12A0910	01-25-2012
Metals using ICP-MS by NIOSH 7303								
12A0735-BS1								
Antimony	2.50	2.34		ug, Total	94%	80-120	12A0735	01-20-2012
Arsenic	2.50	2.61		ug, Total	104%	80-120	12A0735	01-20-2012
Barium	2.50	2.77		ug, Total	111%	80-120	12A0735	01-20-2012
Cadmium	2.50	2.42		ug, Total	97%	80-120	12A0735	01-20-2012
Chromium	2.50	3.40	L	ug, Total	136%	80-120	12A0735	01-20-2012
Copper	2.50	2.91	L	ug, Total	116%	80-120	12A0735	01-20-2012
Lead	2.50	2.72		ug, Total	109%	80-120	12A0735	01-20-2012
Nickel	2.50	3.00	L	ug, Total	120%	80-120	12A0735	01-20-2012
Selenium	2.50	2.67		ug, Total	107%	80-120	12A0735	01-20-2012
Silver	2.50	2.58		ug, Total	103%	80-120	12A0735	01-20-2012
Zinc	2.50	2.50		ug, Total	100%	80-120	12A0735	01-20-2012

LCS Dup

Analyte	Orig. Val.	Duplicate	Qual	Units	Spike Conc	% Rec.	Target Range	RPD	Limit	Batch	Sample Duplicated	Analyzed Date
Mercury by NIOSH 6009 (Modified)												

Arcadis - Corpus Christi 711 N. Carancahua, Suite 1700 Corpus Christi, TX 78401 Ken Brandner	Work Order: PVA1267 Project: Air Monitoring 2010 Project Number: Encycle CC001231.0001	Received: 01/20/12 Reported: 01/25/12 16:38
---	--	--

LCS Dup

Analyte	Orig. Val.	Duplicate	Qual	Units	Spike Conc	% Rec.	Target Range	RPD	Limit	Batch	Sample Duplicated	Analyzed Date
Mercury by NIOSH 6009 (Modified)												
12A0910-BSD1												
Mercury		0.450	IH1	ug, Total	0.500	90%	81-129	4.68	30	12A0910		01-25-2012
Metals using ICP-MS by NIOSH 7303												
12A0735-BSD1												
Antimony		2.30		ug, Total	2.50	92%	80-120	1.64	25	12A0735		01-20-2012
Arsenic		2.68		ug, Total	2.50	107%	80-120	2.48	25	12A0735		01-20-2012
Barium		2.80		ug, Total	2.50	112%	80-120	1.02	25	12A0735		01-20-2012
Cadmium		2.41		ug, Total	2.50	97%	80-120	0.256	25	12A0735		01-20-2012
Chromium		3.68	L	ug, Total	2.50	147%	80-120	7.98	25	12A0735		01-20-2012
Copper		3.06	L	ug, Total	2.50	122%	80-120	5.12	25	12A0735		01-20-2012
Lead		2.90		ug, Total	2.50	116%	80-120	6.46	25	12A0735		01-20-2012
Nickel		3.13	L	ug, Total	2.50	125%	80-120	4.1	25	12A0735		01-20-2012
Selenium		2.76		ug, Total	2.50	110%	80-120	3.28	25	12A0735		01-20-2012
Silver		2.61		ug, Total	2.50	104%	80-120	1.01	25	12A0735		01-20-2012
Zinc		2.55		ug, Total	2.50	102%	80-120	1.97	25	12A0735		01-20-2012
Metals using ICP-MS by NIOSH 7303												
12A0735-MRL1												
12A0735-MRL2												

Arcadis - Corpus Christi
711 N. Carancahua, Suite 1700
Corpus Christi, TX 78401
Ken Brandner

Work Order: PVA1267
Project: Air Monitoring 2010
Project Number: Encycle CC001231.0001

Received: 01/20/12
Reported: 01/25/12 16:38

CERTIFICATION SUMMARY

Analyses included in this report were performed by TestAmerica Phoenix, 4625 E. Cotton Center Boulevard, Building 3, Suite 189, Phoenix, AZ 85040.

TestAmerica Phoenix (Lab ID 154268) is accredited by the American Industrial Hygiene Association (AIHA) in the industrial hygiene program for the analytical techniques noted on the scope of accreditation for the following methods: NIOSH 0500, NIOSH 0600, NIOSH 1003, NIOSH 1005, NIOSH 1007, NIOSH 1010, NIOSH 1015, NIOSH 1022, NIOSH 1300, NIOSH 1400, NIOSH 1401, NIOSH 1403, NIOSH 1405, NIOSH 1450, NIOSH 1457, NIOSH 1500, NIOSH 1501, NIOSH 1550, NIOSH 1602, NIOSH 1604, NIOSH 1606, NIOSH 1609, NIOSH 1610, NIOSH 1611, NIOSH, 1613, NIOSH 1615, NIOSH 2000, NIOSH 2016, NIOSH 2532, NIOSH 2546, NIOSH 2551, NIOSH 5000, NIOSH 5503, NIOSH 5506, NIOSH 5600, NIOSH 6006, NIOSH 6009, NIOSH 6010, NIOSH 7300, NIOSH 7303, NIOSH 7600, NIOSH 7903, NIOSH 9100, NIOSH 9102, EPA IP-6A, EPA IP-6C, OSHA PV2120, OSHA 7, OSHA 42, OSHA 47, OSHA 48, OSHA 64, OSHA 69, OSHA 111, OSHA ID-140, OSHA ID-121, OSHA ID-125G, OSHA IS-215, OSHA 1001, OSHA 1002, OSHA 1003, OSHA 1004, OSHA 1005 and OSHA Chemical and Sampling Information for Silane. Volatile organic compounds on 3M Organic Vapor Monitors, Assay Technology Passive Monitors and SKC Passive Monitors. Formaldehyde and other aldehydes and ketones on Assay Technology Passive Monitor. Aldehydes and ketones by EPA TO-11A.

The TestAmerica Phoenix is also licensed through the State of Arizona (AZ0728) for EPA method TO-15.

TestAmerica Phoenix also holds NELAC accreditation through the State of Oregon (AZ100001) for the analytical techniques noted on the scope of accreditation and the State of New York (11898) for NIOSH 6009.

Samples were analyzed using methods outlined in references such as:

- OSHA - Occupational Safety and Health Administration, U. S. Department of Labor, OSHA Analytical Methods Manual.
- NIOSH - National Institute for Occupational Safety and Health, U. S. Department of Health and Human Services, NIOSH Manual of Analytical Methods, Fourth Edition, 1994, and Updates. NIOSH Method 7300 analyses are performed using a modified digestion procedure to eliminate the use of perchloric acid.
- EPA - U. S. Environmental Protection Agency, Compendium of Methods for the Determination of Toxic Organic Compounds in Ambient Air, Second Edition, 1999.
- EPA - U. S. Environmental Protection Agency, Analytical Methods, Emission Measurement Center (EMC).

Analytical Comments:

Unless otherwise noted, all method blanks and laboratory control spikes met method and/or laboratory quality control objectives for the analyses included in this report.

Unless otherwise noted, sample results have been corrected for method blank values.

For information concerning certifications of this facility or another TestAmerica facility, please visit our website at www.TestAmericaInc.com

Arcadis - Corpus Christi
711 N. Carancahua, Suite 1700
Corpus Christi, TX 78401
Ken Brandner

Work Order: PVA1267
Project: Air Monitoring 2010
Project Number: Encycle CC001231.0001

Received: 01/20/12
Reported: 01/25/12 16:38

DATA QUALIFIERS AND DEFINITIONS

- IH1** Target analyte was detected in the method blank at or above the reporting limit. The background was subtracted from the QC samples and the client's sample(s).
- L** Laboratory Control Sample and/or Laboratory Control Sample Duplicate recovery was above the acceptance limits. Analyte not detected, data not impacted.
- L1** Laboratory Control Sample and/or Laboratory Control Sample Duplicate recovery was above acceptance limits.

ADDITIONAL COMMENTS

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

21 Main Lab - 4625 E. Cotton Center Blvd., Suite 199, Phoenix, AZ 85040 602.437.3340 - FAX 602.454.9303

www.testamericainc.com or call toll free 866.772.5227

Customer Number: 81004 Page 1 of 1
 Name: ARCADIS Sampler: Richard Saez & Ken Brander
 Address: 711 N. CARMENITA SUITE 1080 Project Name: ELCOPK
 City, State, Zip: PHOENIX, AZ, 85018 Project Number: 0001231.0001
 Contact: KEL BANGORTEL P.O. Number: 000231.0001
 Phone: 361 883-3553 Fax: 361 883-7765 Fax Results: Y
 E-Mail Address: KEL@ARCADIS.COM E-Mail Results: N

Sample Receipt
 Temperature: 20.0 °C (Amb) Turn Around Request: 48 Hours
 Custody Seals: Yes No No X 72 Hours 96 Hours
 Custody Seals Intact: Yes No Standard 5 Working Days
 Total # of Containers: _____
 Subject to scheduling and availability (surcharges apply)

Sample Information											
Lab # (Internal Use Only)	Media Type (Filter, Passive Badge, Tube or Wipe)	Pump Name or ID Number	Flow Rate (Liters/minute)	Sample Identification	Collection Date	Start Time	Stop Time	Total Minutes	Total Volume in Liters	Area Wiped in cm ²	Number of Media per Sample
-01	CASSETTE	6144	2.0	UPWATER 1-19-12	1-19-12	7:36	15:36	480	960	---	1
-02	TUBE	"	0.2	UPWATER 1-19-12	1-19-12	7:36	15:36	480	96	---	1
	CASSETTE	6144	2.0	DOWNWATER 1-19-12	1-19-12	7:46	15:46	480	960	---	1
	TUBE	"	0.2	DOWNWATER 1-19-12	1-19-12	7:46	15:46	480	96	---	1
	CASSETTE	---	---	TRP BLANK	1-19-12	---	---	---	---	---	1
	TUBE	---	---	TRP BLANK	1-19-12	---	---	---	---	---	1

Analysis Method(s)/Analyte(s): NOSH 7303 TSPms (Sp, Ns, Pa, Cd, Cr) (U, Pb, Se, Ag, Zn)
NOSH 7303 (M, R, V)
(M, R, V)

Instructions / Special Requirements:
 Date: 1/19/12 Time: PM Samples Relinquished By: Ken Brander / ARCADIS
 Received By: John Date: 1/20/12 Time: 9:45