

Intercontinental Terminals Fire - March 2019

TCEQ's Handheld Monitoring Equipment Data

In response to the Deer Park fire at the Intercontinental Terminals Co. that began on March 17, 2019, TCEQ Regional Investigators initiated handheld monitoring surveys shortly after the notification of the event. Teams are conducting ongoing air monitoring surveys utilizing handheld monitoring equipment throughout the affected area. A MultiRae was used for all survey activities. This instrument provides instantaneous readings for the lower explosive limit (LEL), volatile organic compounds (VOC), hydrogen sulfide (H₂S), carbon monoxide (CO), and oxygen levels (O₂). A Toxic Vapor Analyzer (TVA), a handheld instrument that measures most organic and inorganic gases, was also used for most site visits.

All sample results are listed below, including observations of odor and potential alternate sources for odor or instrument readings. Please note that all TVA results reported are recorded in parts per million (ppm) and negative readings are acceptable when they are within the acceptable range of error. Normal/background levels of VOCs were noted to be 2.3 ppm-2.4 ppm. Locations surveyed are all within the City of Houston unless otherwise noted.

Friday, March 29, 2019

Date	Location	Time (Approx.)	Instrument	Parameters	Survey Results	Other Notes/Observations
3/29/2019	7604 East Fwy., Houston	6:30 AM	MultiRAE Lite	VOC, LEL, CO, H ₂ S, O ₂	0 ppm, oxygen normal	No odor
3/29/2019	635 McCarty St., Houston	6:45 AM	MultiRAE Lite	VOC, LEL, CO, H ₂ S, O ₂	0 ppm, oxygen normal	No odor
3/29/2019	15325 Wallisville Rd., Houston	7:00 AM	MultiRAE Lite	VOC, LEL, CO, H ₂ S, O ₂	0 ppm, oxygen normal	No odor
3/29/2019	838 McCarty St., Houston	7:00 AM	MultiRAE Lite	VOC, LEL, CO, H ₂ S, O ₂	0 ppm, oxygen normal	No odor
3/29/2019	1602 McCarty St., Houston	7:15 AM	MultiRAE Lite	VOC, LEL, CO, H ₂ S, O ₂	0 ppm, oxygen normal	No odor
3/29/2019	N. Shore Middle School, Houston	7:30 AM	MultiRAE Lite	VOC, LEL, CO, H ₂ S, O ₂	0 ppm, oxygen normal	No odor
3/29/2019	8100 block of Munn St., Houston	7:30 AM	MultiRAE Lite	VOC, LEL, CO, H ₂ S, O ₂	0 ppm, oxygen normal	No odor
3/29/2019	Port Elementary School, Houston	7:45 AM	MultiRAE Lite	VOC, LEL, CO, H ₂ S, O ₂	0 ppm, oxygen normal	No odor
3/29/2019	Tice Elementary School, Houston	8:00 AM	MultiRAE Lite	VOC, LEL, CO, H ₂ S, O ₂	0 ppm, oxygen normal	No odor
3/29/2019	2401 Pearl St., Houston	8:00 AM	MultiRAE Lite	VOC, LEL, CO, H ₂ S, O ₂	0 ppm, oxygen normal	No odor
3/29/2019	Clinton Dr. and Old Clinton Rd., Houston	8:15 AM	MultiRAE Lite	VOC, LEL, CO, H ₂ S, O ₂	0 ppm, oxygen normal	No odor
3/29/2019	5300 S. Lake Houston Pkwy., Houston	8:30 AM	MultiRAE Lite	VOC, LEL, CO, H ₂ S, O ₂	0 ppm, oxygen normal	No odor
3/29/2019	8675 Clinton Dr., Houston	8:30 AM	MultiRAE Lite	VOC, LEL, CO, H ₂ S, O ₂	0 ppm, oxygen normal	No odor
3/29/2019	9009 Clinton Dr., Houston	8:45 AM	MultiRAE Lite	VOC, LEL, CO, H ₂ S, O ₂	0 ppm, oxygen normal	No odor
3/29/2019	375 Maxey Rd., Houston	9:00 AM	MultiRAE Lite	VOC, LEL, CO, H ₂ S, O ₂	0 ppm, oxygen normal	No odor
3/29/2019	9101 Clinton Dr., Houston	9:00 AM	MultiRAE Lite	VOC, LEL, CO, H ₂ S, O ₂	0 ppm, oxygen normal	No odor
3/29/2019	200 Mississippi St., Houston	9:15 AM	MultiRAE Lite	VOC, LEL, CO, H ₂ S, O ₂	0 ppm, oxygen normal	No odor
3/29/2019	485 Maxey Rd., Houston	9:30 AM	MultiRAE Lite	VOC, LEL, CO, H ₂ S, O ₂	0 ppm, oxygen normal	No odor

Friday, March 29, 2019

Date	Location	Time (Approx.)	Instrument	Parameters	Survey Results	Other Notes/Observations
3/29/2019	9800 block of Turnbow St., Houston	9:30 AM	MultiRAE Lite	VOC, LEL, CO, H2S, O2	0 ppm, oxygen normal	No odor
3/29/2019	4000 block of Fidelity St., Houston	9:45 AM	MultiRAE Lite	VOC, LEL, CO, H2S, O2	0 ppm, oxygen normal	No odor
3/29/2019	12620 Woodforest Blvd., Houston	10:00 AM	MultiRAE Lite	VOC, LEL, CO, H2S, O2	0 ppm, oxygen normal	No odor
3/29/2019	1025 Oates Rd., Houston	10:00 AM	UltraRAE; MultiRAE	Benzene; LEL, VOC, H2S, CO, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/29/2019	10100 Easy Fwy. #100, Houston	10:15 AM	UltraRAE; MultiRAE	Benzene; LEL, VOC, H2S, CO, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/29/2019	N. Shore Elementary School, Houston	10:30 AM	MultiRAE Lite	VOC, LEL, CO, H2S, O2	0 ppm, oxygen normal	No odor
3/29/2019	10302 East Fwy., Jacinto City	10:30 AM	UltraRAE; MultiRAE	Benzene; LEL, VOC, H2S, CO, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/29/2019	1301 Mercury Dr., Houston	10:45 AM	UltraRAE; MultiRAE	Benzene; LEL, VOC, H2S, CO, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/29/2019	14659 East Fwy., Houston	11:00 AM	MultiRAE Lite	VOC, LEL, CO, H2S, O2	0 ppm, oxygen normal	No odor
3/29/2019	1606 Mercury Dr., Houston	11:00 AM	UltraRAE; MultiRAE	Benzene; LEL, VOC, H2S, CO, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/29/2019	12602 East Fwy., Houston	11:15 AM	UltraRAE; MultiRAE	Benzene; LEL, VOC, H2S, CO, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/29/2019	13400 Market St., Houston	11:30 AM	MultiRAE Lite	VOC, LEL, CO, H2S, O2	0 ppm, oxygen normal	No odor
3/29/2019	1146 Sheffield Blvd., Houston	11:30 AM	UltraRAE; MultiRAE	Benzene; LEL, VOC, H2S, CO, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/29/2019	12740 East Fwy. Houston	11:45 AM	UltraRAE; MultiRAE	Benzene; LEL, VOC, H2S, CO, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/29/2019	Cimarron Elementary School, Houston	12:00 PM	MultiRAE Lite	VOC, LEL, CO, H2S, O2	0 ppm, oxygen normal	No odor
3/29/2019	12700 block of Powell Ln., Houston	12:00 PM	UltraRAE; MultiRAE	Benzene; LEL, VOC, H2S, CO, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/29/2019	1817 Federal Rd., Houston	12:15 PM	UltraRAE; MultiRAE	Benzene; LEL, VOC, H2S, CO, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/29/2019	1072 Federal Rd., Houston	12:30 PM	MultiRAE Lite	VOC, LEL, CO, H2S, O2	0 ppm, oxygen normal	No odor
3/29/2019	12700 block of Yancy Dr., Houston	12:30 PM	UltraRAE; MultiRAE	Benzene; LEL, VOC, H2S, CO, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/29/2019	1569 Sheffield Blvd., Houston	12:45 PM	UltraRAE; MultiRAE	Benzene; LEL, VOC, H2S, CO, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/29/2019	US Postal Service, 531 Sheldon Rd., Channelview	1:00 PM	MultiRAE Lite	VOC, LEL, CO, H2S, O2	0 ppm, oxygen normal	No odor
3/29/2019	1600 block of Miles St., Houston	1:00 PM	UltraRAE; MultiRAE	Benzene; LEL, VOC, H2S, CO, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/29/2019	12901 Industrial Rd., Houston	1:15 PM	UltraRAE; MultiRAE	Benzene; LEL, VOC, H2S, CO, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/29/2019	Ray Maddy Stadium, Channelview	1:30 PM	MultiRAE Lite	VOC, LEL, CO, H2S, O2	0 ppm, oxygen normal	No odor
3/29/2019	1644 Federal Rd., Houston	1:30 PM	UltraRAE; MultiRAE	Benzene; LEL, VOC, H2S, CO, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/29/2019	2502 Sheldon Rd., Channelview	2:00 PM	MultiRAE Lite	VOC, LEL, CO, H2S, O2	0 ppm, oxygen normal	No odor
3/29/2019	12510 American Petroleum Rd., Houston	2:00 PM	UltraRAE; MultiRAE	Benzene; LEL, VOC, H2S, CO, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/29/2019	Wilkie Park, Jacinto City	2:12 PM	MultiRAE Pro	LEL, VOC, H2S, CO, O2, Gamma	0 ppm, oxygen normal	No odor
3/29/2019	9011 Sheldon Rd., Houston	2:30 PM	MultiRAE Lite	VOC, LEL, CO, H2S, O2	0 ppm, oxygen normal	No odor
3/29/2019	12221 Fleming Dr., Houston	2:30 PM	UltraRAE; MultiRAE	Benzene; LEL, VOC, H2S, CO, O2	0.00 ppm; 0 ppm, oxygen normal	No odor

Friday, March 29, 2019

Date	Location	Time (Approx.)	Instrument	Parameters	Survey Results	Other Notes/Observations
3/29/2019	Smith Park, Jacinto City	2:45 PM	MultiRAE Pro	LEL, VOC, H2S, CO, O2, Gamma	0 ppm, oxygen normal	No odor
3/29/2019	18606 Van Rd., Houston	3:00 PM	MultiRAE Lite	VOC, LEL, CO, H2S, O2	0 ppm, oxygen normal	No odor
3/29/2019	US Postal Service, 550 Maxey Rd., Houston	3:00 PM	UltraRAE; MultiRAE	Benzene; LEL, VOC, H2S, CO, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/29/2019	Carroll Elementary, 10210 C. E. King, Houston	3:20 PM	TVA, MultiRAE Pro	VOC; LEL, VOC, H2S, CO, O2, Gamma	1.1 - 1.2 ppm, 0.0 ppm, 1 µrem, oxygen normal	No odor
3/29/2019	Market St. Baptist Church, Houston	3:21 PM	MultiRAE Pro	LEL, VOC, H2S, CO, O2, Gamma	0 ppm, oxygen normal	No odor
3/29/2019	19631 Rio Villa Dr., Houston	3:30 PM	MultiRAE Lite	VOC, LEL, CO, H2S, O2	0 ppm, oxygen normal	No odor
3/29/2019	375 Maxey Rd., Houston	3:30 PM	UltraRAE; MultiRAE	Benzene; LEL, VOC, H2S, CO, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/29/2019	C. E. King High School, 8540 C. E. King Parkway, Houston	3:52 PM	TVA, MultiRAE Pro	VOC; LEL, VOC, H2S, CO, O2, Gamma	1.0 ppm, 0.0 ppm, 1 µrem, oxygen normal	No odor. Spoke with local constable officer.
3/29/2019	16434 Wood Dr., Channelview	4:00 PM	MultiRAE Lite	VOC, LEL, CO, H2S, O2	0 ppm, oxygen normal	No odor
3/29/2019	4 Maxey Rd., Houston	4:00 PM	UltraRAE; MultiRAE	Benzene; LEL, VOC, H2S, CO, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/29/2019	Galena Park Library, 1500 Keene St., Galena Park	4:00 PM	MultiRAE Pro	LEL, VOC, H2S, CO, O2, Gamma	0 ppm, oxygen normal	Light SO2 odors at 4:15 PM and 4:24 PM. Odors were intermittent. Less than 15 second time durations. Potential sources, Pasadena Refining located 4.6 miles away. 0 PPM VOC on MultiRAE.
3/29/2019	Cravens Early Childhood Academy, 13210 Tidwell Rd., Houston	4:27 PM	TVA, MultiRAE Pro	VOC; LEL, VOC, H2S, CO, O2, Gamma	0.9 0 - 1.0 ppm, 0.0 ppm, 1 µrem, oxygen normal	No odor
3/29/2019	711 Shields St., Channelview	4:30 PM	MultiRAE Lite	VOC, LEL, CO, H2S, O2	0 ppm, oxygen normal	No odor
3/29/2019	10 Maxey Rd., Houston	4:30 PM	UltraRAE; MultiRAE	Benzene; LEL, VOC, H2S, CO, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/29/2019	Location not noted	5:00 PM	MultiRAE Lite	VOC, LEL, CO, H2S, O2	0 ppm, oxygen normal	No odor
3/29/2019	Herman Brown Park, Houston	5:00 PM	UltraRAE; MultiRAE	Benzene; LEL, VOC, H2S, CO, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/29/2019	Clinton Park, Houston	5:05 PM	MultiRAE Pro	LEL, VOC, H2S, CO, O2, Gamma	0 ppm, oxygen normal	No odor
3/29/2019	Royalwood Elementary, 7715 Royalwood Dr., Houston	5:27 PM	TVA, MultiRAE Pro	VOC; LEL, VOC, H2S, CO, O2, Gamma	0.8 - 1.0 ppm, 0.0 ppm, 1 µrem, oxygen normal	No odor
3/29/2019	17433 River Rd., Channelview	5:30 PM	MultiRAE Lite	VOC, LEL, CO, H2S, O2	0 ppm, oxygen normal	No odor
3/29/2019	Port Houston Elementary School, Houston	5:36 PM	MultiRAE Pro	LEL, VOC, H2S, CO, O2, Gamma	0 ppm, oxygen normal	No odor
3/29/2019	Pleasantville Elementary School, Houston	6:05 PM	MultiRAE Pro	LEL, VOC, H2S, CO, O2, Gamma	0 ppm, oxygen normal	No odor

Friday, March 29, 2019

Date	Location	Time (Approx.)	Instrument	Parameters	Survey Results	Other Notes/Observations
3/29/2019	Lake Forest Park, 8826 Lake Forest Blvd., Houston	6:10 PM	TVA, MultiRAE Pro	VOC; LEL, VOC, H2S, CO, O2, Gamma	0.8 - 0.9 ppm, 0.0 ppm, 1 µrem, oxygen normal	No odor
3/29/2019	1717 Turning Basin Dr., Houston	6:32 PM	MultiRAE Pro	LEL, VOC, H2S, CO, O2, Gamma	0 ppm, oxygen normal	No odor
3/29/2019	Brock Park, 8201 John Ralston Rd., Houston	6:40 PM	TVA, MultiRAE Pro	VOC; LEL, VOC, H2S, CO, O2, Gamma	5.1 - 8.8 ppm, 0.0 ppm, 2 µrem, oxygen normal	Park is located approximately 0.26 miles N. of Republic Services Landfill. Strong, consistent odors were detected over the course of the 30-minute survey. Odors are described as manure and highly offensive. It was determined that the odors were unrelated to the event.
3/29/2019	Sam Houston Elementary, Cloverleaf	7:00 PM	UltraRAE; MultiRAE Lite	Benzene; LEL, VOC, CL2, NH3, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/29/2019	1725 Kerbey St., Houston	7:05 PM	MultiRAE Pro	LEL, VOC, H2S, CO, O2, Gamma	0 ppm, oxygen normal	No odor
3/29/2019	14607 Muscatine St., Houston	7:15 PM	UltraRAE; MultiRAE Lite	Benzene; LEL, VOC, CL2, NH3, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/29/2019	A. G. Hilliard Elementary School, 8115 E. Houston Rd., Houston	7:20 PM	TVA, MultiRAE Pro	VOC; LEL, VOC, H2S, CO, O2, Gamma	0.7 - 0.8 ppm, 0.0 ppm, 1 µrem, oxygen normal	No odor
3/29/2019	14607 Hillsboro St., Houston	7:30 PM	UltraRAE; MultiRAE Lite	Benzene; LEL, VOC, CL2, NH3, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/29/2019	14521 Gainesville St., Houston	7:45 PM	UltraRAE; MultiRAE Lite	Benzene; LEL, VOC, CL2, NH3, O2	0.00 ppm; 0 ppm, oxygen normal	No odor. SWS Team 1 needed assistance with fuel card.
3/29/2019	Houston Community College 555 Community College Dr., Houston	7:56 PM	TVA, MultiRAE Pro	VOC; LEL, VOC, H2S, CO, O2, Gamma	0.8 ppm, 0.0 ppm, 2 - 3 µrem, oxygen normal	No odor
3/29/2019	N. E. St. and N. 13th St., La Porte	8:22 PM	PhoCheck Tiger; QRAE 3	Benzene; LEL, CO, H2S, O2	0.002 - 0.02 ppm; 0 ppm, oxygen normal	Bouncing readings
3/29/2019	13932 S. Pacific St., Channelview	8:30 PM	UltraRAE; MultiRAE	Benzene; LEL, VOC, CO, H2S, O2	0 ppm; 0 ppm, oxygen normal	No odor
3/29/2019	1400 E. Blvd., Deer Park	8:35 PM	PhoCheck Tiger; QRAE 3	Benzene; LEL, CO, H2S, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/29/2019	New Light Christian Church, 7300 E Houston Rd., Houston	8:38 PM	TVA, MultiRAE Pro	VOC; LEL, VOC, H2S, CO, O2, Gamma	0.8 ppm, 0.0 ppm, 1 µrem, oxygen normal	No odor

Friday, March 29, 2019

Date	Location	Time (Approx.)	Instrument	Parameters	Survey Results	Other Notes/Observations
3/29/2019	14033 Garber Ln, Houston	8:50 PM	UltraRAE; MultiRAE Lite	Benzene; LEL, VOC, CL2, NH3, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/29/2019	3892 E. Blvd., Deer Park	8:50 PM	PhoCheck Tiger; QRAE 3	Benzene; LEL, CO, H2S, O2	0.002 ppm; 0 ppm, oxygen normal	No odor
3/29/2019	14710 Woodforest Blvd., Houston	9:00 PM	UltraRAE; MultiRAE	Benzene; LEL, VOC, CO, H2S, O2	0 ppm; 0 ppm, oxygen normal	No odor
3/29/2019	1001 I-10 Hwy., Baytown	9:00 PM	PhoCheck Tiger; QRAE 3	Benzene; LEL, CO, H2S, O2	0.00 ppm; 0 ppm, oxygen normal	No Odor, Time prior to this start was spent getting additional groups equipment required to complete task
3/29/2019	4926 E. Blvd., Deer Park	9:00 PM	PhoCheck Tiger; QRAE 3	Benzene; LEL, CO, H2S, O2	0.008 ppm; 0 ppm, oxygen normal	Strong gas smell likely from gas station.
3/29/2019	Jesus Outreach Ministries, 8210 Tidwell Rd Houston	9:05 PM	TVA, MultiRAE Pro	VOC; LEL, VOC, H2S, CO, O2, Gamma	1.0 ppm, 0.0 ppm, 0 µrem, oxygen normal	No odor
3/29/2019	14114 Longview St., Houston	9:05 PM	UltraRAE; MultiRAE Lite	Benzene; LEL, VOC, CL2, NH3, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/29/2019	805 South Main St., Highlands	9:14 PM	PhoCheck Tiger; QRAE 3	Benzene; LEL, CO, H2S, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/29/2019	3340 Canada Rd., La Porte	9:15 PM	PhoCheck Tiger; QRAE 3	Benzene; LEL, CO, H2S, O2	0.013 ppm; 0 ppm, oxygen normal	No odor
3/29/2019	14416 Beaumont Hwy., Houston	9:20 PM	UltraRAE; MultiRAE	Benzene; LEL, VOC, CO, H2S, O2	0 ppm; 0 ppm, oxygen normal	No odor
3/29/2019	811 Cloverleaf St., Houston	9:20 PM	UltraRAE; MultiRAE Lite	Benzene; LEL, VOC, CL2, NH3, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/29/2019	3527 Underwood Rd., La Porte	9:25 PM	PhoCheck Tiger; QRAE 3	Benzene; LEL, CO, H2S, O2	0.020 ppm; 0 ppm, oxygen normal	Slight exhaust smell likely from main road.
3/29/2019	407 N. Main St., Highlands	9:28 PM	PhoCheck Tiger; QRAE 3	Benzene; LEL, CO, H2S, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/29/2019	13502 Force St., Houston	9:35 PM	UltraRAE; MultiRAE Lite	Benzene; LEL, VOC, CL2, NH3, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/29/2019	10154 Hillridge Rd., La Porte	9:40 PM	PhoCheck Tiger; QRAE 3	Benzene; LEL, CO, H2S, O2	0.00 ppm; 0 ppm, oxygen normal	Musty smell likely from waterway nearby.
3/29/2019	1803 N. Main St., Highlands	9:42 PM	PhoCheck Tiger; QRAE 3	Benzene; LEL, CO, H2S, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/29/2019	7910 Round Rock Dr., Houston	9:50 PM	UltraRAE; MultiRAE	Benzene; LEL, VOC, CO, H2S, O2	0 ppm; 0 ppm, oxygen normal	No odor
3/29/2019	13802 Duncum St., Houston	9:50 PM	UltraRAE; MultiRAE Lite	Benzene; LEL, VOC, CL2, NH3, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/29/2019	3201 Farrington Blvd., La Porte	9:55 PM	PhoCheck Tiger; QRAE 3	Benzene; LEL, CO, H2S, O2	0.015 ppm; 0 ppm, oxygen normal	No odor
3/29/2019	11011 Crosby Lynchburg Rd., Highlands	9:56 PM	PhoCheck Tiger; QRAE 3	Benzene; LEL, CO, H2S, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/29/2019	Cimarron Elementary School, Houston	10:05 PM	UltraRAE; MultiRAE Lite	Benzene; LEL, VOC, CL2, NH3, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/29/2019	1593 East Canal Rd., Highlands	10:16 PM	PhoCheck Tiger; QRAE 3	Benzene; LEL, CO, H2S, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/29/2019	7120 E. Sam Houston Pkwy. N., Houston	10:20 PM	UltraRAE; MultiRAE	Benzene; LEL, VOC, CO, H2S, O2	0 ppm; 0 ppm, oxygen normal	No odor
3/29/2019	13105 Candlewick St., Houston	10:20 PM	UltraRAE; MultiRAE Lite	Benzene; LEL, VOC, CL2, NH3, O2	0.00 ppm; 0 ppm, oxygen normal	No odor

Friday, March 29, 2019

Date	Location	Time (Approx.)	Instrument	Parameters	Survey Results	Other Notes/Observations
3/29/2019	Linwood Ct. and Fleetwood Dr., La Porte	10:20 PM	PhoCheck Tiger; QRAE 3	Benzene; LEL, CO, H2S, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/29/2019	7945 Thompson Rd., Highlands	10:30 PM	PhoCheck Tiger; QRAE 3	Benzene; LEL, CO, H2S, O2	0.00 ppm; 0 ppm, oxygen normal	
3/29/2019	Green Valley Elementary School, Houston	10:35 PM	UltraRAE; MultiRAE Lite	Benzene; LEL, VOC, CL2, NH3, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/29/2019	15214 Miller Rd. #1, Houston	10:40 PM	UltraRAE; MultiRAE	Benzene; LEL, VOC, CO, H2S, O2	0 ppm; 0 ppm, oxygen normal	No odor
3/29/2019	10943 Mesquite Dr., La Porte	10:40 PM	PhoCheck Tiger; QRAE 3	Benzene; LEL, CO, H2S, O2	0.00 ppm; 0 ppm, oxygen normal	PD present.
3/29/2019	6627 Thompson Rd., Baytown	10:45 PM	PhoCheck Tiger; QRAE 3	Benzene; LEL, CO, H2S, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/29/2019	506 Maple Way, Houston	10:50 PM	UltraRAE; MultiRAE Lite	Benzene; LEL, VOC, CL2, NH3, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/29/2019	16023 Kelli St., Channelview	11:00 PM	UltraRAE; MultiRAE	Benzene; LEL, VOC, CO, H2S, O2	0 ppm; 0 ppm, oxygen normal	No odor
3/29/2019	Valley Brook Ct. and Valley Brook Dr., La Porte	11:00 PM	PhoCheck Tiger; QRAE 3	Benzene; LEL, CO, H2S, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/29/2019	1002 Grand Oaks St., Houston	11:05 PM	UltraRAE; MultiRAE Lite	Benzene; LEL, VOC, CL2, NH3, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/29/2019	7817 Bayway Dr., Baytown	11:10 PM	PhoCheck Tiger; QRAE 3	Benzene; LEL, CO, H2S, O2	0.00 ppm; 0 ppm, oxygen normal	No Odor, Had to fuel VH-03245A.
3/29/2019	1914 Lori Ln., Channelview	11:20 PM	UltraRAE; MultiRAE	Benzene; LEL, VOC, CO, H2S, O2	0 ppm; 0 ppm, oxygen normal	No odor
3/29/2019	Purple Sage Elementary School	11:20 PM	UltraRAE; MultiRAE Lite	Benzene; LEL, VOC, CL2, NH3, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/29/2019	Meadow Lark Ln. and N. Ave. H., La Porte	11:25 PM	PhoCheck Tiger; QRAE 3	Benzene; LEL, CO, H2S, O2	0.008 ppm; 0 ppm, oxygen normal	No odor
3/29/2019	6845 Bayway Dr., Baytown	11:34 PM	PhoCheck Tiger; QRAE 3	Benzene; LEL, CO, H2S, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/29/2019	12734 Coolgreen St., Houston	11:35 PM	UltraRAE; MultiRAE Lite	Benzene; LEL, VOC, CL2, NH3, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/29/2019	16826 Bear Bayou Dr., Channelview	11:40 PM	UltraRAE; MultiRAE	Benzene; LEL, VOC, CO, H2S, O2	0 ppm; 0 ppm, oxygen normal	No odor
3/29/2019	Lomax Elementary School, La Porte	11:40 PM	PhoCheck Tiger; QRAE 3	Benzene; LEL, CO, H2S, O2	0.024 ppm; 0 ppm, oxygen normal	Strong campfire smell. Suspect someone having BBQ across way as source.
3/29/2019	5110 Wade Rd., Baytown	11:49 PM	PhoCheck Tiger; QRAE 3	Benzene; LEL, CO, H2S, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/29/2019	12640 Green Bayou St., Houston	11:50 PM	UltraRAE; MultiRAE Lite	Benzene; LEL, VOC, CL2, NH3, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	1015 Forest River Dr., Channelview	12:00 AM	UltraRAE; MultiRAE	Benzene; LEL, VOC, CO, H2S, O2	0 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	602 Coolwood Dr., Houston	12:00 AM	UltraRAE; MultiRAE Lite	Benzene; LEL, VOC, CL2, NH3, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	6220 Wade Rd., Baytown	12:03 AM	PhoCheck Tiger; QRAE 3	Benzene; LEL, CO, H2S, O2	0.00 ppm; 0 ppm, oxygen normal	No odor

Saturday, March 30, 2019

Date	Location	Time (Approx.)	Instrument	Parameters	Survey Results	Other Notes/Observations
3/30/2019	W. E. St and S. 16th, La Porte	12:10 AM	PhoCheck Tiger; QRAE 3	Benzene; LEL, CO, H2S, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	232 River Rd., Channelview	12:30 AM	UltraRAE; MultiRAE	Benzene; LEL, VOC, CO, H2S, O2	0 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	7584 Wade Rd., Baytown	12:30 AM	PhoCheck Tiger; QRAE 3	Benzene; LEL, CO, H2S, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	Laura Ln. and N. Ave. L., La Porte	12:30 AM	PhoCheck Tiger; QRAE 3	Benzene; LEL, CO, H2S, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	8482 Wade Rd., Highlands	12:43 AM	PhoCheck Tiger; QRAE 3	Benzene; LEL, CO, H2S, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	16017 Ridlon St., Channelview	12:50 AM	UltraRAE; MultiRAE	Benzene; LEL, VOC, CO, H2S, O2	0 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	Santa Anna Ln. and Houston Dr., La Porte	12:55 AM	PhoCheck Tiger; QRAE 3	Benzene; LEL, CO, H2S, O2	0.003 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	9298 Wade Rd., Highlands	12:56 AM	PhoCheck Tiger; QRAE 3	Benzene; LEL, CO, H2S, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	16017 Ridlon St., Channelview	1:00 AM	UltraRAE; MultiRAE	Benzene; LEL, VOC, CO, H2S, O2	0 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	11702 Wood Shadow Dr., Houston	1:10 AM	UltraRAE; MultiRAE Lite	Benzene; LEL, VOC, CL2, NH3, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	10101 Sralla Rd., Highlands	1:12 AM	PhoCheck Tiger; QRAE 3	Benzene; LEL, CO, H2S, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	2301 Independence Pkwy., Deer Park	1:15 AM	PhoCheck Tiger; QRAE 3	Benzene; LEL, CO, H2S, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	16017 Ridlon St., Channelview	1:20 AM	UltraRAE; MultiRAE	Benzene; LEL, VOC, CO, H2S, O2	0 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	12445 Birdie Ln., Houston	1:20 AM	UltraRAE; MultiRAE Lite	Benzene; LEL, VOC, CL2, NH3, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	3474 Barbers Hill Rd., Highlands	1:24 AM	PhoCheck Tiger; QRAE 3	Benzene; LEL, CO, H2S, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	Pyburn Elementary School, Houston	1:30 AM	UltraRAE; MultiRAE Lite	Benzene; LEL, VOC, CL2, NH3, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	10129 Fairview Dr., Crosby	1:32 AM	PhoCheck Tiger; QRAE 3	Benzene; LEL, CO, H2S, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	1300 Garden Ct., and E. 13th St., Deer Park	1:35 AM	PhoCheck Tiger; QRAE 3	Benzene; LEL, CO, H2S, O2	0.019 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	531 Sheldon Rd., Channelview	1:40 AM	UltraRAE; MultiRAE	Benzene; LEL, VOC, CO, H2S, O2	0 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	12469 Kathryn St., Houston	1:45 AM	UltraRAE; MultiRAE Lite	Benzene; LEL, VOC, CL2, NH3, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	10101 Garth Rd., Baytown	1:45 AM	PhoCheck Tiger; QRAE 3	Benzene; LEL, CO, H2S, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	1011 E. 8th St., Deer Park	1:50 AM	PhoCheck Tiger; QRAE 3	Benzene; LEL, CO, H2S, O2	0.025 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	8708 Garth Rd., Baytown	1:59 AM	PhoCheck Tiger; QRAE 3	Benzene; LEL, CO, H2S, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	Schochler Elementary School, Channelview	2:00 AM	UltraRAE; MultiRAE	Benzene; LEL, VOC, CO, H2S, O2	0 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	1301 Jennifer Ln, Houston	2:00 AM	UltraRAE; MultiRAE Lite	Benzene; LEL, VOC, CL2, NH3, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	Luella Ave. and Patricia Dr., Deer Park	2:10 AM	PhoCheck Tiger; QRAE 3	Benzene; LEL, CO, H2S, O2	0.028 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	7231 Garth Rd., Baytown	2:13 AM	PhoCheck Tiger; QRAE 3	Benzene; LEL, CO, H2S, O2	0.00 ppm; 0 ppm, oxygen normal	No odor

Saturday, March 30, 2019

Date	Location	Time (Approx.)	Instrument	Parameters	Survey Results	Other Notes/Observations
3/30/2019	11610 Oxham St., Houston	2:15 AM	UltraRAE; MultiRAE Lite	Benzene; LEL, VOC, CL2, NH3, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	14811 Peachmeadow Ln., Channelview	2:20 AM	UltraRAE; MultiRAE	Benzene; LEL, VOC, CO, H2S, O2	0 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	6259 Garth Rd., Baytown	2:27 AM	PhoCheck Tiger; QRAE 3	Benzene; LEL, CO, H2S, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	10701 Wiggins St., Houston	2:30 AM	UltraRAE; MultiRAE Lite	Benzene; LEL, VOC, CL2, NH3, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	8060 Spencer Hwy., La Porte	2:30 AM	PhoCheck Tiger; QRAE 3	Benzene; LEL, CO, H2S, O2	0.023 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	Praise Christian Center World Outreach, Channelview	2:40 AM	UltraRAE; MultiRAE	Benzene; LEL, VOC, CO, H2S, O2	0 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	5135 Garth Rd., Baytown	2:42 AM	PhoCheck Tiger; QRAE 3	Benzene; LEL, CO, H2S, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	10237 Fairfax St., Houston	2:45 AM	UltraRAE; MultiRAE Lite	Benzene; LEL, VOC, CL2, NH3, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	6335 Spencer Hwy., Pasadena	2:45 AM	PhoCheck Tiger; QRAE 3	Benzene; LEL, CO, H2S, O2	0.032 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	3873 Garth Rd., Baytown	2:55 AM	PhoCheck Tiger; QRAE 3	Benzene; LEL, CO, H2S, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	1603 Laura Anne Dr., Houston	3:00 AM	UltraRAE; MultiRAE	Benzene; LEL, VOC, CO, H2S, O2	0 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	9803 Cargill St., Houston	3:00 AM	UltraRAE; MultiRAE Lite	Benzene; LEL, VOC, CL2, NH3, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	2101 E. Sam Houston Pkwy., Pasadena	3:05 AM	PhoCheck Tiger; QRAE 3	Benzene; LEL, CO, H2S, O2	0.021 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	799 Lloyd Dr., Baytown	3:09 AM	PhoCheck Tiger; QRAE 3	Benzene; LEL, CO, H2S, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	9746 Pelsey St., Houston	3:15 AM	UltraRAE; MultiRAE Lite	Benzene; LEL, VOC, CL2, NH3, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	15110 Burlmont Ln., Channelview	3:20 AM	UltraRAE; MultiRAE	Benzene; LEL, VOC, CO, H2S, O2	0 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	2206 Kilkeny Ln, Deer Park	3:20 AM	PhoCheck Tiger; QRAE 3	Benzene; LEL, CO, H2S, O2	0.042 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	2708 N. Main St., Baytown	3:25 AM	PhoCheck Tiger; QRAE 3	Benzene; LEL, CO, H2S, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	1401 Fidelity St., Houston	3:30 AM	UltraRAE; MultiRAE Lite	Benzene; LEL, VOC, CL2, NH3, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	2221 Red Bluff Rd., Pasadena	3:35 AM	PhoCheck Tiger; QRAE 3	Benzene; LEL, CO, H2S, O2	0.035 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	100 West Baker Rd., Baytown	3:38 AM	PhoCheck Tiger; QRAE 3	Benzene; LEL, CO, H2S, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	700 Defender St., Houston	3:45 AM	UltraRAE; MultiRAE Lite	Benzene; LEL, VOC, CL2, NH3, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	1502 Pennygent Ln., Channelview	3:50 AM	UltraRAE; MultiRAE	Benzene; LEL, VOC, CO, H2S, O2	0 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	100 Pasadena Blvd. Pasadena	3:50 AM	PhoCheck Tiger; QRAE 3	Benzene; LEL, CO, H2S, O2	0.027 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	Galena Park High School, Galena Park	4:00 AM	UltraRAE; MultiRAE Lite	Benzene; LEL, VOC, CL2, NH3, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	108 Lakewood St., Baytown	4:00 AM	PhoCheck Tiger; QRAE 3	Benzene; LEL, CO, H2S, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	2790 Lafferty Rd., Pasadena	4:05 AM	PhoCheck Tiger; QRAE 3	Benzene; LEL, CO, H2S, O2	0.036 ppm; 0 ppm, oxygen normal	No odor

Saturday, March 30, 2019

Date	Location	Time (Approx.)	Instrument	Parameters	Survey Results	Other Notes/Observations
3/30/2019	698 South Burnett Dive, Baytown	4:08 AM	PhoCheck Tiger; QRAE 3	Benzene; LEL, CO, H2S, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	16339 Wood Dr., Channelview	4:10 AM	UltraRAE; MultiRAE	Benzene; LEL, VOC, CO, H2S, O2	0 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	1125 17th St., Galena Park	4:10 AM	UltraRAE; MultiRAE Lite	Benzene; LEL, VOC, CL2, NH3, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	479 South Burnett Dr., Baytown	4:15 AM	PhoCheck Tiger; QRAE 3	Benzene; LEL, CO, H2S, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	2001 Grunewald Dr., Pasadena	4:20 AM	PhoCheck Tiger; QRAE 3	Benzene; LEL, CO, H2S, O2	0.013 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	165 N. Burnett Dr., Baytown	4:22 AM	PhoCheck Tiger; QRAE 3	Benzene; LEL, CO, H2S, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	419 N. Burnett Dr., Baytown	4:29 AM	PhoCheck Tiger; QRAE 3	Benzene; LEL, CO, H2S, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	7003 Decker Dr., Baytown	4:35 AM	PhoCheck Tiger; QRAE 3	Benzene; LEL, CO, H2S, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	1200 Parkside Dr., Pasadena	4:35 AM	PhoCheck Tiger; QRAE 3	Benzene; LEL, CO, H2S, O2	0.039 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	6251 Decker Dr., Baytown	4:41 AM	PhoCheck Tiger; QRAE 3	Benzene; LEL, CO, H2S, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	429 Winona Dr., Houston	4:45 AM	UltraRAE; MultiRAE Lite	Benzene; LEL, VOC, CL2, NH3, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	5297 Decker Dr., Baytown	4:49 AM	PhoCheck Tiger; QRAE 3	Benzene; LEL, CO, H2S, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	909 Queens Rd., Pasadena	4:50 AM	PhoCheck Tiger; QRAE 3	Benzene; LEL, CO, H2S, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	4768 Decker Dr., Baytown	4:55 AM	PhoCheck Tiger; QRAE 3	Benzene; LEL, CO, H2S, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	1001 W. Hart Ave., Pasadena	5:05 AM	PhoCheck Tiger; QRAE 3	Benzene; LEL, CO, H2S, O2	0.028 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	16351 Wood Dr., Channelview	5:10 AM	UltraRAE; MultiRAE	Benzene; LEL, VOC, CO, H2S, O2	0 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	Shaver St. and Jackson Ave. Pasadena	5:20 AM	PhoCheck Tiger; QRAE 3	Benzene; LEL, CO, H2S, O2	0.014 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	Forest Oaks Blvd. and S. Richey St., Houston	5:35 AM	PhoCheck Tiger; QRAE 3	Benzene; LEL, CO, H2S, O2	0.019 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	1703 S. Main St., Highlands	7:00 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	1700 block of S. Main St., Highlands	7:00 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	Hwy. 225 E. and East Blvd., Deer Park	7:00 AM	MultiRAE + Benzene Probe	LEL, VOC, H2S, CO, O2, benzene	1 ppm, oxygen normal	No odor
3/30/2019	Battleground Golf Course, Deer Park	7:04 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, HCN, SO2, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	4214 Banner Dr., Houston	7:15 AM	MiniRAE; Multilight Plus	VOC; LEL, SO2, H2S, VOC, O2	0.00 ppm; 0.0 ppm, oxygen normal	No odor
3/30/2019	504 S. Main St., Highlands	7:20 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	E. 13th St. and East Blvd., Deer Park	7:20 AM	MultiRAE + Benzene Probe	LEL, VOC, H2S, CO, O2, benzene	1 ppm, oxygen normal	No odor
3/30/2019	1903 Barbers Hill Rd., Highlands	7:30 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	E. Clare St. and W. Clare St., Deer Park	7:33 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, HCN, SO2, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	210 N. Magnolia St., Highlands	7:40 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	202 Gober St., Houston	7:40 AM	MultiRAE + Benzene Probe	LEL, VOC, H2S, CO, O2, benzene	1 ppm, oxygen normal	No odor

Saturday, March 30, 2019

Date	Location	Time (Approx.)	Instrument	Parameters	Survey Results	Other Notes/Observations
3/30/2019	Hwy. 90 and Wallisville Rd., Houston	7:42 AM	MiniRAE; Multilight Plus	VOC; LEL, SO2, H2S, VOC, O2	0.00 ppm; 0.0 ppm, oxygen normal	No odor
3/30/2019	Deer Park High School, Deer Park	7:58 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, HCN, SO2, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	3214 Barbers Hill Rd., Highlands	8:00 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	604 Highland Woods Dr., Highlands	8:00 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	1162 Allen Genoa Rd., Houston	8:15 AM	MultiRAE + Benzene Probe	LEL, VOC, H2S, CO, O2, benzene	1 ppm, oxygen normal	No odor
3/30/2019	618 N. Magnolia St., Houston	8:20 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	Jimmy Burke Activity Center, Deer Park	8:28 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, HCN, SO2, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	Church of Christ, Baytown	8:30 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	Holland St. and Wallisville Rd., Houston	8:40 AM	MiniRAE; Multilight Plus	VOC; LEL, SO2, H2S, VOC, O2	0.00 ppm; 0.0 ppm, oxygen normal	No odor
3/30/2019	1900 N. Main St., Highlands	8:40 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	946 Ahrens St., Houston	8:40 AM	MultiRAE + Benzene Probe	LEL, VOC, H2S, CO, O2, benzene	1 ppm, oxygen normal	No odor
3/30/2019	San Jacinto Elementary School, Deer Park	8:54 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, HCN, SO2, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	Garth Road Baptist Church, Baytown	9:00 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	2100 block of Grace Ln., Highlands	9:00 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	1599 Ruell St., Houston	9:00 AM	MultiRAE + Benzene Probe	LEL, VOC, H2S, CO, O2, benzene	1 ppm, oxygen normal	No odor
3/30/2019	Freeport St. and Woodforest Blvd., Houston	9:01 AM	MiniRAE; Multilight Plus	VOC; LEL, SO2, H2S, VOC, O2	0.00 ppm; 0.0 ppm, oxygen normal	No odor
3/30/2019	2202 Lake Rd., Highlands	9:20 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	Bandera St. and Barbara Mae St., Houston	9:24 AM	MiniRAE; Multilight Plus	VOC; LEL, SO2, H2S, VOC, O2	0.00 ppm; 0.0 ppm, oxygen normal	No odor
3/30/2019	Victoria Walker Elementary School, Baytown	9:30 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	4936 Michael Dr., Houston	9:30 AM	MultiRAE + Benzene Probe	LEL, VOC, H2S, CO, O2, benzene	1 ppm, oxygen normal	No odor
3/30/2019	11501 Crosby Lynchburg Rd., Crosby	9:40 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	E. 13th St. and S. Independence Pkwy. S., Deer Park	9:50 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, HCN, SO2, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	Hwy. 526 and Woodforest Blvd., Houston	9:56 AM	MiniRAE; Multilight Plus	VOC; LEL, SO2, H2S, VOC, O2	0.00 ppm; 0.0 ppm, oxygen normal	No odor
3/30/2019	1469 San Jacinto St., Baytown	10:00 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	12303 Lloyd St., Crosby	10:00 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor

Saturday, March 30, 2019

Date	Location	Time (Approx.)	Instrument	Parameters	Survey Results	Other Notes/Observations
3/30/2019	Rucker Elementary School, Houston	10:00 AM	MultiRAE + Benzene Probe	LEL, VOC, H2S, CO, O2, benzene	1 ppm, oxygen normal	No odor
3/30/2019	Mockingbird Ln. and Cardinal St., La Porte	10:05 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, HCN, SO2, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	3324 S. Richey St., Houston	10:15 AM	MultiRAE + Benzene Probe	LEL, VOC, H2S, CO, O2, benzene	1 ppm, oxygen normal	No odor
3/30/2019	13203 Crosby Lynchburg Dr., Crosby	10:20 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	Glen Falls St. and Hwy. 90, Houston	10:26 AM	MiniRAE; Multilight Plus	VOC; LEL, SO2, H2S, VOC, O2	0.00 ppm; 0.0 ppm, oxygen normal	No odor
3/30/2019	5814 John Martin Rd., Baytown	10:30 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	Mockingbird Ln. and N. Avenue L., La Porte	10:34 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, HCN, SO2, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	Sylvan Grove Ln. and Bayside Crossing, La Porte	10:40 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, HCN, SO2, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	2119 Beaumont Hwy., Crosby	10:40 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	1308 Chandler Cv., Pasadena	10:45 AM	MultiRAE + Benzene Probe	LEL, VOC, H2S, CO, O2, benzene	1 ppm, oxygen normal	No odor
3/30/2019	Herman Brown Park, Houston	11:00 AM	MiniRAE; Multilight Plus	VOC; LEL, SO2, H2S, VOC, O2	0.00 ppm; 0.0 ppm, oxygen normal	No odor
3/30/2019	5555 N. Main St., Baytown	11:00 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	19000 block of Beaumont Hwy., Houston	11:00 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	1306 Everbear St., Pasadena	11:10 AM	MultiRAE + Benzene Probe	LEL, VOC, H2S, CO, O2, benzene	1 ppm, oxygen normal	No odor
3/30/2019	Mesquite Dr. and Driftwood Dr., La Porte	11:17 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, HCN, SO2, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	13812 Beaumont Hwy., Houston	11:20 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	Normandy St. and Wallisville Rd., Houston	11:28 AM	MiniRAE; Multilight Plus	VOC; LEL, SO2, H2S, VOC, O2	0.00 ppm; 0.0 ppm, oxygen normal	No odor
3/30/2019	4401 Garth Rd., Baytown	11:30 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	3919 Paulette Dr., Pasadena	11:30 AM	MultiRAE + Benzene Probe	LEL, VOC, H2S, CO, O2, benzene	1 ppm, oxygen normal	No odor
3/30/2019	Cedar St., Channelview	11:40 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	Pecan Park, La Porte	12:00 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, HCN, SO2, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	4915 Garth Rd., Baytown	12:00 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	1049 Bayou Dr., Channelview	12:00 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	1920 Parkway Dr., Pasadena	12:00 PM	MultiRAE + Benzene Probe	LEL, VOC, H2S, CO, O2, benzene	1 ppm, oxygen normal	No odor
3/30/2019	16800 block of Oak Ln. Channelview	12:20 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	Northshore Park, Houston	12:24 PM	MiniRAE; Multilight Plus	VOC; LEL, SO2, H2S, VOC, O2	0.00 ppm; 0.0 ppm, oxygen normal	No odor

Saturday, March 30, 2019

Date	Location	Time (Approx.)	Instrument	Parameters	Survey Results	Other Notes/Observations
3/30/2019	Janus Rd. and Olson Ln., Pasadena	12:30 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, HCN, SO2, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	6425 Garth Rd., Baytown	12:30 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	Moncrief Park, Channelview	12:40 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	1518 Sudbury Dr., Pasadena	12:40 PM	MultiRAE + Benzene Probe	LEL, VOC, H2S, CO, O2, benzene	1 ppm, oxygen normal	No odor
3/30/2019	4622 Village Dr., Pasadena	12:50 PM	MultiRAE + Benzene Probe	LEL, VOC, H2S, CO, O2, benzene	1 ppm, oxygen normal	No odor
3/30/2019	2402 W. Cedar Bayou Lynchburg Rd., Baytown	1:00 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	Crenshaw Elementary School, Channelview	1:00 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	Normandy St. and Woodforest Blvd., Houston	1:05 PM	MiniRAE; Multilight Plus	VOC; LEL, SO2, H2S, VOC, O2	0.00 ppm; 0.0 ppm, oxygen normal	No odor
3/30/2019	5354 Space Center Blvd., Pasadena	1:10 PM	MultiRAE + Benzene Probe	LEL, VOC, H2S, CO, O2, benzene	1 ppm, oxygen normal	No odor
3/30/2019	1400 block of N. Market Loop, Baytown	1:30 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	16777 Wallisville Rd., Houston	1:30 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	7123 Red Coral Dr., Pasadena	1:30 PM	MultiRAE + Benzene Probe	LEL, VOC, H2S, CO, O2, benzene	1 ppm, oxygen normal	No odor
3/30/2019	79 Uvalde Rd., Houston	1:35 PM	MiniRAE	VOC	0.00 ppm; 0.0 ppm, oxygen normal	No odor
3/30/2019	4315 Heathsfield Dr., Pasadena	1:50 PM	MultiRAE + Benzene Probe	LEL, VOC, H2S, CO, O2, benzene	1 ppm, oxygen normal	No odor
3/30/2019	100 Independence Pkwy., Baytown	2:00 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.00 ppm; 0 ppm, oxygen normal	Crude oil odor - 6 out of 10 mins.
3/30/2019	9026 Spencer Hwy, Deer Park	2:10 PM	MultiRAE + Benzene Probe	LEL, VOC, H2S, CO, O2, benzene	1 ppm, oxygen normal	No odor
3/30/2019	7735 Decker Dr., Baytown	2:30 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.00 ppm; 0 ppm, oxygen normal	Light crude oil odor - 1 out of 10 mins. Comes and goes with wind.
3/30/2019	200 Lee Dr., Baytown	2:30 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	89 Bayridge Rd., La Porte	2:30 PM	MultiRAE + Benzene Probe	LEL, VOC, H2S, CO, O2, benzene	1 ppm, oxygen normal	No odor
3/30/2019	Gene Greene Park, Houston	2:34 PM	TVA; MultiRAE	VOC; LEL, VOC, H2S, CO, O2	1.4 - 1.6 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	Memorial Stadium, Baytown	2:45 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	Bailey Elementary School, Pasadena	2:45 PM	TVA; MultiRAE	VOC; LEL, VOC, H2S, CO, O2, SO2	0.45 - 0.94 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	3400 block of Bayridge Rd., La Porte	2:50 PM	MultiRAE + Benzene Probe	LEL, VOC, H2S, CO, O2, benzene	1 ppm, oxygen normal	No odor

Saturday, March 30, 2019

Date	Location	Time (Approx.)	Instrument	Parameters	Survey Results	Other Notes/Observations
3/30/2019	10908 N. Hwy. 146, Baytown	3:00 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	Oaklawn Dr. to Perry Dr., Baytown	3:00 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	Anthony Aguirre Junior High School, Houston	3:05 PM	TVA; MultiRAE	VOC; LEL, VOC, H2S, CO, O2	0.1 - 0.4 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	1420 E. Main St., La Porte	3:10 PM	MultiRAE + Benzene Probe	LEL, VOC, H2S, CO, O2, benzene	1 ppm, oxygen normal	No odor
3/30/2019	1400 block of Martin Luther King St., Baytown	3:15 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	Burke Crenshaw Park, Pasadena	3:18 PM	TVA; MultiRAE	VOC; LEL, VOC, H2S, CO, O2, SO2	0.64 - 1.55 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	9500 FM 1942, Baytown	3:30 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	412 Travis St., Baytown	3:30 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	312 Nugget St., La Porte	3:30 PM	MultiRAE + Benzene Probe	LEL, VOC, H2S, CO, O2, benzene	1 ppm, oxygen normal	No odor
3/30/2019	St. Johns United Methodist Church, Baytown	3:45 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	1057 Highland Shores Dr., Houston	3:50 PM	TVA; MultiRAE	VOC; LEL, VOC, H2S, CO, O2	-0.2 - 0.2 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	La Porte Junior High School, La Porte	3:50 PM	MultiRAE + Benzene Probe	LEL, VOC, H2S, CO, O2, benzene	1 ppm, oxygen normal	No odor
3/30/2019	10133 I-10, Baytown	4:00 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	N. 7th St. and Pierce St., Baytown	4:00 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	San Jacinto College, Central Stadium Field, Pasadena	4:03 PM	TVA; MultiRAE	VOC; LEL, VOC, H2S, CO, O2, SO2	0.71 - 1.29 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	1710 Sens Rd., La Porte	4:10 PM	MultiRAE + Benzene Probe	LEL, VOC, H2S, CO, O2, benzene	1 ppm, oxygen normal	No odor
3/30/2019	2500 E. James Ave. A., Baytown	4:15 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	10400 block of Highway 225, La Porte	4:30 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.8 ppm; 0 ppm, oxygen normal	Strong oil smell - 9 out of 10 mins.
3/30/2019	1700 N. Alexander Dr., Baytown	4:30 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	1800 Plainbrooke St., La Porte	4:30 PM	MultiRAE + Benzene Probe	LEL, VOC, H2S, CO, O2, benzene	1 ppm, oxygen normal	No odor
3/30/2019	La Porte High School, La Porte	4:35 PM	TVA; MultiRAE	VOC; LEL, VOC, H2S, CO, O2, SO2	0.87 - 1.27 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	Crenshaw Elementary School, Channelview	4:40 PM	TVA; MultiRAE	VOC; LEL, VOC, H2S, CO, O2	-0.3 - 0 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	2911 N. Alexander Dr., Baytown	4:45 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	34.55 ppm; 0 ppm, oxygen normal	Sweet oily smell.
3/30/2019	10500 block of Hwy. 225, La Porte	4:50 PM	MultiRAE + Benzene Probe	LEL, VOC, H2S, CO, O2, benzene	1 ppm, oxygen normal	No odor

Saturday, March 30, 2019

Date	Location	Time (Approx.)	Instrument	Parameters	Survey Results	Other Notes/Observations
3/30/2019	W. Hwy. 225 and Sens Rd., La Porte	5:00 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.5 ppm; 0 ppm, oxygen normal	Oil odor - 7 out of 10 mins.
3/30/2019	2911 N. Alexander Dr., Baytown	5:00 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	Monterief Park, Channelview	5:03 PM	TVA; MultiRAE	VOC; LEL, VOC, H2S, CO, O2	-0.1 - 0 ppm; 0 ppm, oxygen normal	Very light to light burning plastic odor.
3/30/2019	6900 block of Hwy. 225, Deer Park	5:10 PM	MultiRAE + Benzene Probe	LEL, VOC, H2S, CO, O2, benzene	1 ppm, oxygen normal	No odor
3/30/2019	10915 Monument Rd., La Porte	5:30 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.1 ppm; 0 ppm, oxygen normal	Minor odor (oil) - 1 out of 10 mins.
3/30/2019	Sam Houston Elementary School, Houston	5:48 PM	TVA; MultiRAE	VOC; LEL, VOC, H2S, CO, O2, SO2	1.46 - 2.12 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	828 Sheldon Rd., Houston	6:20 PM	TVA; MultiRAE	VOC; LEL, VOC, H2S, CO, O2	-0.4 -to -0.3 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	Dr. Shirley J. Williamson Elementary School, Houston	6:30 PM	TVA; MultiRAE	VOC; LEL, VOC, H2S, CO, O2, SO2	1.41 - 1.83 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	15229 South Dr., Channelview	6:43 PM	TVA; MultiRAE	VOC; LEL, VOC, H2S, CO, O2	0.1 - 0 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	1001 Business 146, La Porte	7:00 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	Robinson Elementary, Houston	7:08 PM	TVA; MultiRAE	VOC; LEL, VOC, H2S, CO, O2, SO2	1.42 - 2.23 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	Harvey S. Brown Elementary Dr., Houston	7:15 PM	TVA; MultiRAE	VOC; LEL, VOC, H2S, CO, O2	0.1 - 0 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	636 N. Bayshore Dr., La Porte	7:15 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	328 Bayshore Dr., La Porte	7:30 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	Lynchburg and Crosby Lynchburg Rd., Baytown	7:30 PM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	2651 Old Hwy. 146, Baytown	7:40 PM	UltraRAE; MultiRAE	Benzene; LEL, VOC, H2S, CO, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	Banner Dr. and Manitou Dr., Houston	7:45 PM	TVA; MultiRAE	VOC; LEL, VOC, H2S, CO, O2, SO2	1.62 - 2.10 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	2007 Crescent Dr., La Porte	7:45 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	425 Crosby Lynchburg Rd., Highlands	7:45 PM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	8200 Reservoir St., Houston	7:48 PM	TVA; MultiRAE	VOC; LEL, VOC, H2S, CO, O2	0 - 0.6 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	3400 Hwy. 146, Business, Baytown	7:55 PM	UltraRAE; MultiRAE	Benzene; LEL, VOC, H2S, CO, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	111 S. Y St., La Porte	8:00 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	1883 Lakeview Dr., Baytown	8:00 PM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	17010 Beaumont Hwy., Houston	8:13 PM	TVA; MultiRAE	VOC; LEL, VOC, H2S, CO, O2	0 - 0.1 ppm; 0 ppm, oxygen normal	No odor

Saturday, March 30, 2019

Date	Location	Time (Approx.)	Instrument	Parameters	Survey Results	Other Notes/Observations
3/30/2019	606 Meadowlawn St., Shoreacres	8:15 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	Center St. and Ilfrey St., Baytown	8:15 PM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	3614 Miramar Dr., Shoreacres	8:30 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	Herman Brown Park, Mercury Dr., Houston	8:33 PM	TVA; MultiRAE	VOC; LEL, VOC, H2S, CO, O2, SO2	1.48 - 1.92 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	Robin Rd. and Lazy Ln., Baytown	8:35 PM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.086 ppm; 0 ppm, oxygen normal	Sweet smell
3/30/2019	Jasmine St. and Wildrose St., Baytown	8:40 PM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.073 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	39035 Broadway St., La Porte	8:45 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	7007 Bayway Dr., Baytown	8:55 PM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.017 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	Riley Chambers Community Center, Crosby	8:57 PM	TVA; MultiRAE	VOC; LEL, VOC, H2S, CO, O2	0 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	914 Hackberry St., La Porte	9:00 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	Greenwood Park, Houston	9:10 PM	TVA; MultiRAE	VOC; LEL, VOC, H2S, CO, O2, SO2	1.43 - 2.03 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	Steinman St. and Wood Ave., Baytown	9:10 PM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.018 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	903 Oak Lent Ave., La Porte	9:15 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	1225 Ashland Blvd., Channelview	9:30 PM	TVA; MultiRAE	VOC; LEL, VOC, H2S, CO, O2	0 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	714 Shoreacres Blvd., Shoreacres	9:30 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	MacArthur St. and Katherine St., Baytown	9:30 PM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.024 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	3417 Bayou Forest Dr., Shoreacres	9:45 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	1000 N. Alexander Dr., Baytown	9:45 PM	UltraRAE; MultiRAE	Benzene; LEL, VOC, H2S, CO, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	Bayway Dr. and San Jacinto Mall, Baytown	9:45 PM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.032 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	4725 Pine St., Seabrook	10:00 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	Oklahoma St. and Wisconsin St., Baytown	10:00 PM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.020 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	4806 Oak St., Seabrook	10:15 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0.0 ppm; 0 ppm, oxygen normal	No odor

Saturday, March 30, 2019

Date	Location	Time (Approx.)	Instrument	Parameters	Survey Results	Other Notes/Observations
3/30/2019	W. Main St. and Market St., Baytown	10:15 PM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.017 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	616 Pine Cir., Seabrook	10:30 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	4627 Tompkins Rd., Baytown	10:30 PM	UltraRAE; MultiRAE	Benzene; LEL, VOC, H2S, CO, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	S. Lanier Dr., Baytown	10:30 PM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.010 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	654 N. Flamingo Dr., Seabrook	10:45 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	754 FM 565, Baytown	10:45 PM	UltraRAE; MultiRAE	Benzene; LEL, VOC, H2S, CO, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	N. Airhart Dr. and W. Texas Ave., Baytown	10:45 PM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.047 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	2210 W. Osage Dr., Baytown	10:55 PM	UltraRAE; MultiRAE	Benzene; LEL, VOC, H2S, CO, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	717 Quintana Roo Pl., Seabrook	11:00 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	6920 Decker Dr., Baytown	11:00 PM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.028 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	5495 FM 3180, Baytown	11:05 PM	UltraRAE; MultiRAE	Benzene; LEL, VOC, H2S, CO, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	3006 Todville Rd., Seabrook	11:15 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	7378 Thompson Rd., Baytown	11:15 PM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.063 ppm; 0 ppm, oxygen normal	Unknown gas smell
3/30/2019	8610 Fisher Rd., Baytown	11:20 PM	UltraRAE; MultiRAE	Benzene; LEL, VOC, H2S, CO, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	2401 Blue Canoe St., Seabrook	11:30 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	7701 Thompson Rd., Highlands	11:30 PM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.043 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	Fisher Rd. and FM 99, Baytown	11:35 PM	UltraRAE; MultiRAE	Benzene; LEL, VOC, H2S, CO, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	2622 Oceans Dr., Seabrook	11:45 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	Hwy. 99 and FM 1405, Baytown	11:45 PM	UltraRAE; MultiRAE	Benzene; LEL, VOC, H2S, CO, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	402 E. Wallisville Rd., Highlands	11:45 PM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.044 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	5200 E. McKinney Rd., Baytown	11:55 PM	UltraRAE; MultiRAE	Benzene; LEL, VOC, H2S, CO, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/30/2019	Mesa Dr. and Villita St., Houston	6:60 AM	MiniRAE; Multilight Plus	VOC; LEL, SO2, H2S, VOC, O2	0.00 ppm; 0.0 ppm, oxygen normal	No odor

Sunday, March 31, 2019

Date	Location	Time (Approx.)	Instrument	Parameters	Survey Results	Other Notes/Observations
3/31/2019	315 Cedar Ln., El Lago	12:00 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	Barbers Hill Rd. and Madeline St., Highlands	12:00 AM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.019 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	Tri City Beach Rd. and FM 1405, Baytown	12:10 AM	UltraRAE; MultiRAE	Benzene; LEL, VOC, H2S, CO, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	1414 Poplar Ct., Seabrook	12:15 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	Barbers Hill Rd. and Haney Rd., Highlands	12:15 AM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.024 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	4202 Kirby Oaks Dr., Seabrook	12:30 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	Rye Rd. and E. Wallisville Rd., Baytown	12:30 AM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.022 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	106 Shirleen Dr., Seabrook	12:45 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	101 S. Alexander Dr., Baytown	12:45 AM	UltraRAE; MultiRAE	Benzene; LEL, VOC, H2S, CO, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	E. Wallisville Rd and N. Main St., Baytown	12:45 AM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.011 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	758 Voyager Dr., Houston	1:00 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	Hatcherville Rd. and FM 1942, Baytown	1:00 AM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.014 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	900 Reseda Dr., Houston	1:15 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	FM 1942 and Hwy. 146, Mont Belview	1:15 AM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.009 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	15500 El Camino Real, Houston	1:30 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	Pine Lake Ln. and Sjolander Rd., Baytown	1:30 AM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.001 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	807 Knotty Elmwood Trl., Houston	1:45 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	141 E. Texas Ave., Baytown	1:45 AM	UltraRAE; MultiRAE	Benzene; LEL, VOC, H2S, CO, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	3938 Fordham Park Ct., Houston	2:00 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	6645 Sjolander Rd., Baytown	2:00 AM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.002 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	310 N. Main St., Baytown	2:05 AM	UltraRAE; MultiRAE	Benzene; LEL, VOC, H2S, CO, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	300 E. Murill Ave., Baytown	2:13 AM	UltraRAE; MultiRAE	Benzene; LEL, VOC, H2S, CO, O2	0.00 ppm; 0 ppm, oxygen normal	No odor

Sunday, March 31, 2019

Date	Location	Time (Approx.)	Instrument	Parameters	Survey Results	Other Notes/Observations
3/31/2019	4523 Village Corner Dr., Houston	2:15 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	5902 Sjolander Rd., Baytown	2:15 AM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.016 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	1100 N. 3rd St., Baytown	2:23 AM	UltraRAE; MultiRAE	Benzene; LEL, VOC, H2S, CO, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	4102 Placid Stream Ct., Houston	2:30 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	810 N. Main St., Baytown	2:30 AM	UltraRAE; MultiRAE	Benzene; LEL, VOC, H2S, CO, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	5003 Sjolander Rd., Baytown	2:30 AM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.022 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	16415 Heather Bend Ct., Houston	2:45 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	510 N. Main St., Baytown	2:45 AM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.019 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	2600 block of N. Main St., Baytown	2:47 AM	UltraRAE; MultiRAE	Benzene; LEL, VOC, H2S, CO, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	4511 Pine Heather Ct., Houston	2:55 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	5015 Garth Rd., Baytown	3:00 AM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.004 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	3918 Crown Ridge Cr., Houston	3:05 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	2100 block of Lanier Dr., Baytown	3:08 AM	UltraRAE; MultiRAE	Benzene; LEL, VOC, H2S, CO, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	5200 East Rd., Baytown	3:15 AM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.007 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	2314 Central Park Cir., Houston	3:20 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	600 S. Main St., Baytown	3:20 AM	UltraRAE; MultiRAE	Benzene; LEL, VOC, H2S, CO, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	14311 Spring Maple Ln, Houston	3:30 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	Hunt Rd. and Garth Rd., Baytown	3:30 AM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.015 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	Emmet Hutto Blvd. and Rollingbrook Dr., Baytown	3:45 AM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.001 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	1422 Wildgrove Dr., Pasadena	3:50 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	1600 Hwy. 146 Business, Baytown	3:50 AM	UltraRAE; MultiRAE	Benzene; LEL, VOC, H2S, CO, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	Massey Tompkins Rd. and N. Main St., Baytown	4:00 AM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.010 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	1319 Kappu St., Pasadena	4:05 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	1530 Evergreen Rd., Baytown	4:08 AM	UltraRAE; MultiRAE	Benzene; LEL, VOC, H2S, CO, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	Barkaloo Rd. and Massey Tompkins Rd., Baytown	4:15 AM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.004 ppm; 0 ppm, oxygen normal	No odor

Sunday, March 31, 2019

Date	Location	Time (Approx.)	Instrument	Parameters	Survey Results	Other Notes/Observations
3/31/2019	1722 Buckingham Dr., Pasadena	4:20 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	Lorenzo De Zavala Elementary, Baytown	4:30 AM	UltraRAE; MultiRAE	Benzene; LEL, VOC, H2S, CO, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	Barkaloo Rd. and Blue Heron Pkwy., Baytown	4:30 AM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.018 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	4344 Young St., Pasadena	4:35 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	Raccoon Dr. and Savell Dr., Baytown	4:45 AM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.013 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	6030 Egypt Dr., Pasadena	4:50 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	101 N. Alexander Dr., Baytown	4:55 AM	UltraRAE; MultiRAE	Benzene; LEL, VOC, H2S, CO, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	Fairmont Elementary School	5:00 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	4511 N. Hwy. 146, Baytown	5:00 AM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.008 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	Elvinta St. and Baytown Loop, Baytown	5:10 AM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.006 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	100 N. Felton St., Baytown	5:20 AM	UltraRAE; MultiRAE	Benzene; LEL, VOC, H2S, CO, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	Fred Roberts Middle School, Houston	6:11 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, HCN, SO2, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	High Bank Ln. and Avon Brook Ln., Houston	6:36 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, HCN, SO2, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	287 W. Pasadena Hwy, Pasadena	6:41 AM	MiniRAE; MultiRAE Light	VOC; LEL, VOC, H2S, CO, SO2	0.0 ppm; 0 ppm, oxygen normal	Not unpleasant very light hydrocarbon for 1 minute. No other odors were detected.
3/31/2019	Grosvenor St. and Barrow Dawns Way., Houston	7:07 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, HCN, SO2, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	730 E. Southmore Ave., Pasadena	7:19 AM	MiniRAE; MultiRAE Light	VOC; LEL, VOC, H2S, CO, SO2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	717 Witter St., Pasadena	7:52 AM	MiniRAE; MultiRAE Light	VOC; LEL, VOC, H2S, CO, SO2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	Crescent Landing Dr. and Redwood Bend Trl., Houston	7:59 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, HCN, SO2, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	223 Pasadena Blvd., Pasadena	8:23 AM	MiniRAE; MultiRAE Light	VOC; LEL, VOC, H2S, CO, SO2	0.1 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	John F. Ward Elementary School, Houston	8:30 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, HCN, SO2, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	1786 Hector Ave., Pasadena	8:52 AM	MiniRAE; MultiRAE Light	VOC; LEL, VOC, H2S, CO, SO2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	Pineloch Dr. and Walnut Green Dr., Houston	8:56 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, HCN, SO2, O2	0.00 ppm; 0 ppm, oxygen normal	No odor

Sunday, March 31, 2019

Date	Location	Time (Approx.)	Instrument	Parameters	Survey Results	Other Notes/Observations
3/31/2019	14545 Bay Oaks Blvd., Houston	9:17 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, HCN, SO2, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	1814 Fairmont Pkwy., Pasadena	9:20 AM	MiniRAE; MultiRAE Light	VOC; LEL, VOC, H2S, CO, SO2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	Noble Oak Way and Noble Oak Trl., Houston	9:48 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, HCN, SO2, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	Cedar lake High School, Houston	10:17 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, HCN, SO2, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	9041 N. Broadway St., Houston	10:55 AM	MiniRAE; MultiRAE Light	VOC; LEL, VOC, H2S, CO, SO2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	Shell Lake Dr. and Sealiner Dr., Houston	11:16 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, HCN, SO2, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	1212 Spencer Hwy., South Houston	11:23 AM	MiniRAE; MultiRAE Light	VOC; LEL, VOC, H2S, CO, SO2	0.0 ppm; 0 ppm, oxygen normal	No odor. Was approached by a private citizen.
3/31/2019	Pipers View and Capehill Dr., Webster	11:48 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, HCN, SO2, O2	0.00 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	574 S. 8th St., South Houston	12:00 PM	MiniRAE; MultiRAE Light	VOC; LEL, VOC, H2S, CO, SO2	0.0 ppm; 0 ppm, oxygen normal	No odor