

TCEQ Handheld Monitoring Equipment Data

ITC Fire – March 2019

Shortly after receiving notification of the Deer Park fire at Intercontinental Terminals Company that began on March 17, 2019, TCEQ Regional staff initiated handheld monitoring surveys in the area. MultiRaes with various sensors were used for all survey activities. This instrument provides instantaneous readings for various compounds that may include the lower explosive limit (LEL), volatile organic compounds (VOC), hydrogen sulfide (H₂S), carbon monoxide (CO), sulfur dioxide (SO₂), radiation (Gamma), chlorine (CL₂), ammonia (NH₃), and oxygen levels (O₂). UltraRAEs were used to monitor for benzene and Toxic Vapor Analyzers (TVA) were also used, when appropriate. This instrument measures most organic and inorganic gases.

Sample results from TCEQ's handheld monitoring equipment are listed below, including observations of odor and potential alternate sources for odor or instrument readings. Please note that all TVA results reported are recorded in parts per million (ppm) and negative readings are acceptable when they are within the acceptable range of error. Some normal levels, also known as background levels, of VOCs were noted to be between 2.3 ppm and 2.4 ppm. Data is updated as information becomes available.

Sunday, March 31, 2019

Date	Location	Time (Approx.)	Instrument	Parameters	Survey Results	Other Notes/Observations
3/31/2019	1200 East Blvd., Deer Park	7:00 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	2.50 ppm; 1 ppm VOC, others 0 PM, oxygen normal	Crude oil odor.
3/31/2019	4631 Old Hwy. 1460, Pasadena	7:00 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	13930 View Meadow Ln., Houston	7:00 AM	MultiRAE + Benzene Probe	LEL, VOC, H2S, CO, O2, benzene	0 ppm, oxygen normal	No odor
3/31/2019	5735 Hwy. 146, Seabrook	7:15 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	7100 block of E. Sam Houston Pkwy. S., Houston	7:20 AM	MultiRAE + Benzene Probe	LEL, VOC, H2S, CO, O2, benzene	0 ppm, oxygen normal	No odor
3/31/2019	3800 block of Bayport Blvd., Seabrook	7:30 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	E. San Augustine St. and East Blvd., Deer Park	7:40 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	1.75 ppm; 0 ppm, oxygen normal	Crude oil odor. Burnt odor.
3/31/2019	10822 Wall Fern Way., Houston	7:40 AM	MultiRAE + Benzene Probe	LEL, VOC, H2S, CO, O2, benzene	0 ppm, oxygen normal	No odor
3/31/2019	1500 Red Bluff Rd., Seabrook	7:45 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	5100 block of Todville Rd., Seabrook	8:00 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	13718 Yardmaster Trl., Houston	8:00 AM	MultiRAE + Benzene Probe	LEL, VOC, H2S, CO, O2, benzene	0 ppm, oxygen normal, 0.7 benzene	No odor
3/31/2019	4800 block of Oleander St., Seabrook	8:15 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	13410 High Banks Ln., Houston	8:20 AM	MultiRAE + Benzene Probe	LEL, VOC, H2S, CO, O2, benzene	0 ppm, oxygen normal	No odor
3/31/2019	8211 Red Bluff Rd., Pasadena	8:30 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0 ppm; 0 ppm, oxygen normal	Slight crude oil odor. Comes and goes with the wind.
3/31/2019	Midpoint of Cruise Terminal Dr., Seabrook	8:30 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	13630 Herbrand Dr., Houston	8:40 AM	MultiRAE + Benzene Probe	LEL, VOC, H2S, CO, O2, benzene	0 ppm, oxygen normal	No odor
3/31/2019	12619 Port Rd., Seabrook	8:45 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	East Blvd. and E. P St., Deer Park	9:00 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	1.75 ppm; 1 ppm VOC, others 0 ppm, oxygen normal	Crude oil odor. Burnt odor.
3/31/2019	3500 Block of S. Bayou Forest Dr., Shoreacres	9:00 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	11912 Galveston Rd., Houston	9:00 AM	MultiRAE + Benzene Probe	LEL, VOC, H2S, CO, O2, benzene	0 ppm, oxygen normal	No odor
3/31/2019	3437 Bayou Forest Dr., Shoreacres	9:15 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	760 Clear Lake City Blvd., Webster	9:20 AM	MultiRAE + Benzene Probe	LEL, VOC, H2S, CO, O2, benzene	0 ppm, oxygen normal	No odor
3/31/2019	1300 East Blvd., Deer Park	9:30 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	4701 East Blvd., Deer Park	9:40 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.15 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	2600 block of East. Blvd., Deer Park	9:40 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	Sweet smell
3/31/2019	402 Tresvant Dr., Webster	9:40 AM	MultiRAE + Benzene Probe	LEL, VOC, H2S, CO, O2, benzene	0 ppm, oxygen normal	No odor
3/31/2019	2100 block of Sabine Ct., Deer Park	9:57 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	16170 Pipers View Dr., Webster	10:00 AM	MultiRAE + Benzene Probe	LEL, VOC, H2S, CO, O2, benzene	0 ppm, oxygen normal	No odor
3/31/2019	1700 block of E. San Augustine St., Deer Park	10:02 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	3600 block of East Blvd., Deer Park	10:15 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor

Sunday, March 31, 2019

3/31/2019	3600 block of East Blvd., Deer Park	10:20 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	US Post Office, Webster	10:20 AM	MultiRAE + Benzene Probe	LEL, VOC, H2S, CO, O2, benzene	0 ppm, oxygen normal	No odor
3/31/2019	1200 East Blvd., Deer Park	10:30 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	9025 Spencer Hwy., La Porte	10:40 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	16055 Windom Dr., Webster	10:40 AM	MultiRAE + Benzene Probe	LEL, VOC, H2S, CO, O2, benzene	0 ppm, oxygen normal	No odor
3/31/2019	2293 Sugar Hill Dr., Deer Park	11:00 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	8902 Spencer Hwy., La Porte	11:00 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	302 Bay Area Blvd., Webster	11:00 AM	MultiRAE + Benzene Probe	LEL, VOC, H2S, CO, O2, benzene	0 ppm, oxygen normal	No odor
3/31/2019	2200 E. 13th St., Deer Park	11:15 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	963 Festival Dr., Houston	11:20 AM	MultiRAE + Benzene Probe	LEL, VOC, H2S, CO, O2, benzene	0 ppm, oxygen normal	No odor
3/31/2019	2200 E. 13th St., Deer Park	11:30 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	1.8 ppm; 1 PPM VOC, others 0 ppm, oxygen normal	Strong crude oil odor. Lasted about 1 minute and was gone.
3/31/2019	E. X St., Deer Park	11:30 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	2011 Reseda Dr., Houston	11:40 AM	MultiRAE + Benzene Probe	LEL, VOC, H2S, CO, O2, benzene	0 ppm, oxygen normal	No odor
3/31/2019	1802 Wynforest Dr., Deer Park	11:45 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	1302 E. 13th St., Deer Park	12:00 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.15 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	2822 Center St., Deer Park	12:00 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	2010 Seakale Ln., Houston	12:00 PM	MultiRAE + Benzene Probe	LEL, VOC, H2S, CO, O2, benzene	0 ppm, oxygen normal	No odor
3/31/2019	1102 Luella Ave., Deer Park	12:30 PM	MultiRAE + Benzene Probe	LEL, VOC, H2S, CO, O2, benzene	0 ppm, oxygen normal	No odor
3/31/2019	8055 Spencer Hwy., Deer Park	12:45 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	1701 Center St., Deer Park	12:50 PM	MultiRAE + Benzene Probe	LEL, VOC, H2S, CO, O2, benzene	0 ppm, oxygen normal	No odor
3/31/2019	6731 Spencer Hwy., Pasadena	1:00 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	300 block of Temperance Ln., Deer Park	1:10 PM	MultiRAE + Benzene Probe	LEL, VOC, H2S, CO, O2, benzene	0 ppm, oxygen normal	No odor
3/31/2019	2600 block of Dedman St., Pasadena	1:15 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	5327 Pine St. Pasadena	1:30 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	3002 Center St., Deer Park	1:30 PM	MultiRAE + Benzene Probe	LEL, VOC, H2S, CO, O2, benzene	0 ppm, oxygen normal	No odor
3/31/2019	2121 Genoa Red Bluff Rd., Pasadena	2:00 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	Deer Park Elementary School, Deer Park	2:00 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	8727 Fairmont Pkwy., La Porte	2:00 PM	MultiRAE + Benzene Probe	LEL, VOC, H2S, CO, O2, benzene	0 ppm, oxygen normal	No odor
3/31/2019	1433 N. Park Ridge Dr., Deer Park	2:20 PM	MultiRAE + Benzene Probe	LEL, VOC, H2S, CO, O2, benzene	0 ppm, oxygen normal	No odor
3/31/2019	635 Genoa Red Bluff Rd., Houston	2:30 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	3322 Center St., Deer Park	2:30 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	Pasadena High School, Pasadena	2:30 PM	TVA; MultiRAE	VOC; LEL, VOC, H2S, CO, O2	1.0 - 1.5 ppm; 0 ppm, oxygen normal	Intermittent exhaust odors
3/31/2019	1300 East Blvd., Deer Park	2:40 PM	MultiRAE + Benzene Probe	LEL, VOC, H2S, CO, O2, benzene	0 ppm, oxygen normal	No odor
3/31/2019	1000 Duffer Ln., Houston	2:47 PM	TVA; MultiRAE Light	VOC; LEL, VOC, H2S, CO, O2	0.35 - 0.77 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	4000 Spencer Hwy., Pasadena	3:00 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	4533 Pasadena Blvd., Pasadena	3:00 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	9025 Spencer Hwy., Deer Park	3:00 PM	MultiRAE + Benzene Probe	LEL, VOC, H2S, CO, O2, benzene	0 ppm, oxygen normal	No odor
3/31/2019	Pasadena Public Library, Central Branch, Pasadena	3:05 PM	TVA; MultiRAE	VOC; LEL, VOC, H2S, CO, O2	0.3 - 0.6 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	Strawberry Park, Pasadena	3:05 PM	TVA; MultiRAE	VOC; LEL, VOC, H2S, CO, O2	0.1 - 0.4 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	11526 Space Center Blvd., Houston	3:12 PM	TVA; MultiRAE Light	VOC; LEL, VOC, H2S, CO, O2	0.36 - 1.03 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	9622 Underwood Rd., La Porte	3:20 PM	MultiRAE + Benzene Probe	LEL, VOC, H2S, CO, O2, benzene	0 ppm, oxygen normal	No odor

Sunday, March 31, 2019

3/31/2019	Pasadena Public Library, Jeff Ginn Memorial Dr., Pasadena	3:30 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	3949 Red Bluff Rd., Pasadena	3:30 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	14642 Oak Chase Dr., Houston	3:42 PM	TVA; MultiRAE Light	VOC; LEL, VOC, H2S, CO, O2	0.56 - 1.13 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	3210 Somerset Ln., Deer Park	3:45 PM	MultiRAE + Benzene Probe	LEL, VOC, H2S, CO, O2, benzene	0 ppm, oxygen normal	No odor
3/31/2019	2233 Southmore Ave., Pasadena	4:00 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	9200 block of Fairmont Pkwy., Pasadena	4:00 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	4309 Young St., Pasadena	4:08 PM	TVA; MultiRAE	VOC; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	Intermittent exhaust odors
3/31/2019	701 East. Blvd., Deer Park	4:10 PM	MultiRAE + Benzene Probe	LEL, VOC, H2S, CO, O2, benzene	0 ppm, oxygen normal	No odor
3/31/2019	1201 Clear Lake City Blvd., Houston	4:13 PM	TVA; MultiRAE Light	VOC; LEL, VOC, H2S, CO, O2	0.49 - 1.23 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	San Jacinto College, Central, Pasadena	4:30 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	302 E. 1st St., Deer Park	4:30 PM	MultiRAE + Benzene Probe	LEL, VOC, H2S, CO, O2, benzene	0 ppm, oxygen normal	No odor
3/31/2019	12900 Almeda Genoa Rd., Houston	4:37 PM	TVA; MultiRAE	VOC; LEL, VOC, H2S, CO, O2	-0.2 - 0.4 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	413 Center St., Deer Park	4:50 PM	MultiRAE + Benzene Probe	LEL, VOC, H2S, CO, O2, benzene	0 ppm, oxygen normal	No odor
3/31/2019	3300 Watters Rd., Pasadena	5:00 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	8501 Spencer Hwy., Deer Park	5:00 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	Greenwood Oaks Dr. and Pineloch Dr., Houston	5:00 PM	TVA; MultiRAE Light	VOC; LEL, VOC, H2S, CO, O2	0.78 - 1.33 ppm; 0 ppm, oxygen normal	Very light to light odors detected. Odor had sweet smell. Very light to light for 8 minutes intermittently.
3/31/2019	Fairmont Park, Pasadena	5:10 PM	TVA; MultiRAE	VOC; LEL, VOC, H2S, CO, O2	-0.4 - 0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	414 Una Dr., Deer Park	5:10 PM	MultiRAE + Benzene Probe	LEL, VOC, H2S, CO, O2, benzene	0 ppm, oxygen normal	No odor
3/31/2019	3800 block of Washington St., Pasadena	5:15 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	5200 Fairmont Pkwy., Pasadena	5:30 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	220 Preston Rd., Pasadena	5:30 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	16220 Park Center Dr., Houston	5:32 PM	TVA; MultiRAE Light	VOC; LEL, VOC, H2S, CO, O2	1.03 - 1.74 ppm; 0 ppm, oxygen normal	Very light to light odors detected. Odor was sweet. Very light to light for 11 minutes intermittently.
3/31/2019	5150 Red Bluff Rd., Pasadena	5:45 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	Queens Intermediate School, Houston	5:45 PM	TVA; MultiRAE	VOC; LEL, VOC, H2S, CO, O2	-0.4 to -0.1 ppm; 0 ppm, oxygen normal	Intermittent exhaust odors
3/31/2019	Bayou Rd. E. and Middlebrook Dr., Houston	6:12 PM	TVA; MultiRAE Light	VOC; LEL, VOC, H2S, CO, O2	0.72 - 1.18 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	16616 Diana Ln., Houston	6:50 PM	TVA; MultiRAE Light	VOC; LEL, VOC, H2S, CO, O2	0.67 - 1.46 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	Rucker Elementary School, Houston	6:50 PM	TVA; MultiRAE	VOC; LEL, VOC, H2S, CO, O2	0.6 - 1.1 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	Ballister Rd., La Porte	7:00 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	2120 Pasadena Fwy., Pasadena	7:03 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0 ppm; 0.2 PPM CL2, others 0 ppm, oxygen normal	No odor
3/31/2019	514 D. St., La Porte	7:15 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	Milby Park, Houston	7:19 PM	TVA; MultiRAE	VOC; LEL, VOC, H2S, CO, O2	0.0 - 0.3 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	215 Utah St., La Porte	7:30 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	Pasadena Blvd. and Hwy. 225, Pasadena	7:30 PM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.000 - 0.45 ppm; 0 ppm, oxygen normal	No odor

Sunday, March 31, 2019

3/31/2019	1515 Mabry Mill Rd., Houston	7:34 PM	TVA; MultiRAE Light	VOC; LEL, VOC, H2S, CO, O2	1.01 - 1.50 ppm; 0 ppm, oxygen normal	Very light odors detected for 6 minutes intermittently. Odor was sweet like locations surveyed at 5:00 and 5:32 PM.
3/31/2019	7805 Kimbu St., Houston	7:45 PM	TVA; MultiRAE	VOC; LEL, VOC, H2S, CO, O2	0.0 - 0.2 ppm; 0 ppm, oxygen normal	Intermittent exhaust odors
3/31/2019	805 E. H St., La Porte	7:45 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	Pasadena Blvd. and Harris Ave., Pasadena	7:50 PM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.063 - 0.125 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	St. Mary's Church, 816 Park Dr., La Porte	8:00 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	Harris Ave. and Strawberry Rd., Pasadena	8:00 PM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.048 - 0.073 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	Placid Brook Ct. and Fern Grove Ln., Houston	8:02 PM	TVA; MultiRAE Light	VOC; LEL, VOC, H2S, CO, O2	0.98 - 1.54 ppm; 0 ppm, oxygen normal	One minute of very light sweet odor.
3/31/2019	Park Place Regional Library, Houston	8:10 PM	TVA; MultiRAE	VOC; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	108 N. Forest Ave., La Porte	8:15 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	1201 Houston Ave., Pasadena	8:15 PM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.047 0 0.068 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	2817 Red Bluff Rd., Pasadena	8:23 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0 ppm; 0.1 PPM CL2, others 0 ppm, oxygen normal	Little odor
3/31/2019	219 S. X St., La Porte	8:30 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	Strawberry Rd. and Pauline Ave., Pasadena	8:30 PM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.046 - 0.063 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	North Pointe Elementary School, Houston	8:32 PM	TVA; MultiRAE Light	VOC; LEL, VOC, H2S, CO, O2	1.29 - 1.94 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	2318 Center St., Deer Park	8:43 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0 ppm; 0.1 PPM CL2, others 0 ppm, oxygen normal	Strong odor
3/31/2019	1202 N. Kaufman Dr., Deer Park	8:45 PM	TVA; MultiRAE	VOC; LEL, VOC, H2S, CO, O2	-0.1 - 0.2 ppm; 0 ppm, oxygen normal	Mostly light sweet, gasoline, green odor detected.
3/31/2019	3306 San Rise Dr., Shoreacres	8:45 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	1200 Parkside Dr., Pasadena	8:45 PM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.040 - 0.064 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	Strawberry Rd. and Fairmont Pkwy., Pasadena	8:45 PM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.043 - 0.060 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	906 E. X St., Deer Park	8:55 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0 ppm; 0.1 PPM CL2, others 0 ppm, oxygen normal	Strong odor
3/31/2019	2600 Red Bluff Rd., Seabrook	9:00 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	Strawberry Rd. and Pinnacle, Pasadena	9:00 PM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.045 - 0.064 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	E. X St. and Karankawas Ct., Deer Park	9:05 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0 ppm; 0.1 PPM CL2, others 0 ppm, oxygen normal	Strong odor, sweet odor
3/31/2019	1406 Ashbury Ln, Deer Park	9:12 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0 ppm; 0.1 PPM CL2, others 0 ppm, oxygen normal	Strong odor, sweet odor
3/31/2019	Deer Park United Methodist Church, E. 13th St., Deer Park	9:14 PM	TVA; MultiRAE	VOC; LEL, VOC, H2S, CO, O2	1.0 - 1.5 ppm; 0 ppm, oxygen normal	Intermittent exhaust odors
3/31/2019	1102 Hernandez Rd., Pasadena	9:15 PM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.036 - 0.066 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	14505 Gulf Fwy., Houston	9:20 PM	TVA; MultiRAE Light	VOC; LEL, VOC, H2S, CO, O2	1.07 - 1.50 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	San Jacinto Elementary, Deer Park	9:25 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0 ppm; 0.2 PPM CL2, others 0 ppm, oxygen normal	Strong odor, sweet odor
3/31/2019	10002 Galveston Rd., Houston	9:45 PM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.044 - 0.066 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	2557 Loganberry Cir., Seabrook	9:50 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0 ppm; 0 ppm, oxygen normal	No odor

Sunday, March 31, 2019						
3/31/2019	Luella Ave. and S. Kaufman Dr., Deer Park	10:00 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0 ppm; 0.2 PPM CL2, others 0 ppm, oxygen normal	Little odor
3/31/2019	13430 Babbit Ct., Houston	10:00 PM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.052 - 0.068 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	12400 Bay Area Blvd., Pasadena	10:10 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	Gulf Fwy. And S. Sam Houston Pkwy, Houston	10:15 PM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.049 - 0.071 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	9225 Mahan Dr., La Porte	10:25 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	Gulf Fwy. and Kirkland Dr., Houston	10:30 PM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.050 - 0.071 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	1301 Center St., Deer Park	10:40 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0 ppm; 0.2 PPM CL2, others 0 ppm, oxygen normal	No odor
3/31/2019	9637 Rustic Gate Rd., La Porte	10:40 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	Southway Bend and Kirkland Dr., Houston	10:45 PM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.047 - 0.063 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	804 W. 13th St., Deer Park	10:55 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0 ppm; 0.1 PPM CL2, others 0 ppm, oxygen normal	Strong odor. Sweet smell
3/31/2019	8714 Fairbrook Ln., La Porte	10:55 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	Maile Park Dr. and Hillenberg Ln., Houston	11:00 PM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.047 - 0.068 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	3314 Ashwyne Ct., La Porte	11:10 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	4912 Railroad St., Deer Park	11:15 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0 ppm; 0.1 PPM CL2, others 0 ppm, oxygen normal	Strong, sweet odor
3/31/2019	Almeda Genoa Rd. and Freehill St., Houston	11:15 PM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.048 - 0.072 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	3110 Ashton Ln., La Porte	11:25 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	8 Center St., Deer Park	11:30 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0 ppm; 0.1 PPM CL2, others 0 ppm, oxygen normal	Very strong sweet odor
3/31/2019	17th St. and Palmsprings Dr., Houston	11:30 PM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.038 - 0.69 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	San Jacinto College, Central Campus, Pasadena	11:40 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	Deer Park High School, Deer Park	11:45 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0 ppm; 0.1 PPM CL2, others 0 ppm, oxygen normal	Very strong sweet odor
3/31/2019	9112 N. Broadway St., Houston	11:45 PM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.003 - 0.014 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	3810 Theta St., Houston	11:45 PM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.004 - 0.022 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	606 E. Lambuth Ln., Deer Park	11:55 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	2739 Pasadena Blvd., Pasadena	14:30 PM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, H2S, CO, O2	0.0 ppm; 0 ppm, oxygen normal	No odor
3/31/2019	8025 Old Genoa, Houston	9::30 PM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.053 - 0.061 ppm; 0 ppm, oxygen normal	No odor
Monday, April 1, 2019						
4/1/2019	Deer Park Junior High School, Deer Park	12:00 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0 ppm; 0.1 PPM CL2, others 0 ppm, oxygen normal	Sweet odor
4/1/2019	5104 Galveston Rd., Houston	12:00 AM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.011 - 0.033 ppm; 0 ppm, oxygen normal	No odor
4/1/2019	4014 Dover St., Deer Park	12:05 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0 ppm; 0 ppm, oxygen normal	No odor
4/1/2019	Edgebrook Dr. and S. Shaver St., South Houston	12:15 AM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.019 - 0.043 ppm; 0 ppm, oxygen normal	No odor
4/1/2019	Deer Park Fire Field, Deer Park	12:18 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0 ppm; 0.1 PPM CL2, others 0 ppm, oxygen normal	Little odor
4/1/2019	114 E. 1st St., Deer Park	12:20 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0 ppm; 0 ppm, oxygen normal	No odor
4/1/2019	1300 13th St., Deer Park	12:25 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0 ppm; 0.2 PPM CL2, others 0 ppm, oxygen normal	No odor
4/1/2019	Gilpin St. and Metz St., Houston	12:30 AM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.002 - 0.013 ppm; 0 ppm, oxygen normal	No odor
4/1/2019	Deer Park High School, North, Deer Park	12:35 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0 ppm; 0 ppm, oxygen normal	No odor

Monday, April 1, 2019

4/1/2019	10025 Porter Rd., Deer Park	12:40 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0 ppm; 0.2 PPM CL2, others 0 ppm, oxygen normal	No odor
4/1/2019	1201 Kenny St., Deer Park	12:50 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0 ppm; 0 ppm, oxygen normal	No odor
4/1/2019	2000 Old Underwood Rd., La Porte	12:53 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0 ppm; 0.1 PPM CL2, others 0 ppm, oxygen normal	Odor in the air
4/1/2019	Shawnee St and I45, Houston	1:00 AM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.003 - 0.016 ppm; 0 ppm, oxygen normal	No odor
4/1/2019	601 Marie St., Deer Park	1:05 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0 ppm; 0 ppm, oxygen normal	No odor
4/1/2019	Sherman St. and College Ave., South Houston	1:15 AM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.023 - 0.036 ppm; 0 ppm, oxygen normal	No odor
4/1/2019	1001 Park Green, Deer Park	1:20 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0 ppm; 0 ppm, oxygen normal	No odor
4/1/2019	403 N. Avenue L, La Porte	1:30 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0 ppm; 0.1 PPM CL2, others 0 ppm, oxygen normal	No odor
4/1/2019	Nevada St. and Texas St., South Houston	1:30 AM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.015 - 0.027 ppm; 0 ppm, oxygen normal	No odor
4/1/2019	1813 Wynridge Dr., Deer Park	1:35 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0 ppm; 0 ppm, oxygen normal	No odor
4/1/2019	11th St. and Avenue F, South Houston	1:45 AM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.012 - 0.029 ppm; 0 ppm, oxygen normal	No odor
4/1/2019	2013 Deertrail St., Deer Park	1:50 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0 ppm; 0 ppm, oxygen normal	No odor
4/1/2019	La Porte Elementary, La Porte	2:00 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0 ppm; 0.1 PPM CL2, others 0 ppm, oxygen normal	No odor
4/1/2019	Spencer Hwy. and Westside Ct., Pasadena	2:00 AM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.001 - 0.026 ppm; 0 ppm, oxygen normal	No odor
4/1/2019	1914 Pawnee Dr., Deer Park	2:05 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0 ppm; 0 ppm, oxygen normal	No odor
4/1/2019	W. Fairmont Pkwy. And Canada Rd., La Porte	2:14 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0 ppm; 0.1 PPM CL2, others 0 ppm, oxygen normal	No odor
4/1/2019	E. Southmore Ave. and Main St., Pasadena	2:15 AM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.014 - 0.028 ppm; 0 ppm, oxygen normal	No odor
4/1/2019	1409 Deer Ave., Deer Park	2:20 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0 ppm; 0 ppm, oxygen normal	No odor
4/1/2019	412 Shaver St., Pasadena	2:30 AM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.021 - 0.031 ppm; 0 ppm, oxygen normal	No odor
4/1/2019	5903 Genoa Red Bluff Rd., Pasadena	2:35 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0 ppm; 0.1 PPM CL2, others 0 ppm, oxygen normal	No odor
4/1/2019	225 East Ave., Deer Park	2:35 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0 ppm; 0 ppm, oxygen normal	No odor
4/1/2019	Finrock St. and Natchez Ave., Pasadena	2:45 AM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.024 - 0.046 ppm; 0 ppm, oxygen normal	No odor
4/1/2019	3104 Village Ln., Deer Park	2:50 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0 ppm; 0 ppm, oxygen normal	No odor
4/1/2019	4448 Genoa Red Bluff Rd., Pasadena	3:00 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0 ppm; 0.1 PPM CL2, others 0 ppm, oxygen normal	No odor
4/1/2019	1522 Scarborough Ln., Pasadena	3:00 AM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.018 - 0.037 ppm; 0 ppm, oxygen normal	No odor
4/1/2019	3401 Park Vista Ln., Deer Park	3:10 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0 ppm; 0 ppm, oxygen normal	No odor
4/1/2019	2311 S. Houston Rd., Pasadena	3:15 AM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.015 - 0.034 ppm; 0 ppm, oxygen normal	No odor
4/1/2019	3407 Genoa Red Bluff Rd., Pasadena	3:17 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0 ppm; 0.1 PPM CL2, others 0 ppm, oxygen normal	No odor
4/1/2019	3316 Bayer St., La Porte	3:30 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0 ppm; 0 ppm, oxygen normal	No odor
4/1/2019	S. Richey St. and Flagstone Ter., Pasadena	3:30 AM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.019 - 0.038 ppm; 0 ppm, oxygen normal	No odor
4/1/2019	2176 Genoa Red Bluff Rd., Pasadena	3:35 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0 ppm; 0.1 PPM CL2, others 0 ppm, oxygen normal	No odor
4/1/2019	9730 Rocky Hollow Rd., La Porte	3:45 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0 ppm; 0 ppm, oxygen normal	No odor
4/1/2019	Forest Oaks Dr. and Allendale Rd., Houston	3:45 AM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.020 - 0.044 ppm; 0 ppm, oxygen normal	No odor
4/1/2019	5231 Burke Rd., Pasadena	3:50 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0 ppm; 0.1 PPM CL2, others 0 ppm, oxygen normal	No odor
4/1/2019	9903 Willmont Rd., La Porte	4:00 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0 ppm; 0 ppm, oxygen normal	No odor

Monday, April 1, 2019

4/1/2019	Gober St. and Vinett St., Houston	4:00 AM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.020 - 0.037 ppm; 0 ppm, oxygen normal	No odor
4/1/2019	Strawberry St. and Gulf Fwy., Houston	4:15 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0 ppm; 0.1 PPM CL2, others 0 ppm, oxygen normal	No odor
4/1/2019	10259 Old Orchard Rd., La Porte	4:15 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0 ppm; 0 ppm, oxygen normal	No odor
4/1/2019	8526 Howard Dr., Houston	4:15 AM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.029 - 0.050 ppm; 0 ppm, oxygen normal	No odor
4/1/2019	10458 Winding Trail Rd., La Porte	4:30 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0 ppm; 0 ppm, oxygen normal	No odor
4/1/2019	9585 Winkler Dr., Houston	4:30 AM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.033 - 0.053 ppm; 0 ppm, oxygen normal	No odor
4/1/2019	10446 Tree Hollow Cir. N., La Porte	4:45 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0 ppm; 0 ppm, oxygen normal	No odor
4/1/2019	5115 Arizona St., Houston	4:45 AM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.020 - 0.046 ppm; 0 ppm, oxygen normal	No odor
4/1/2019	11004 Dogwood Ct., La Porte	5:00 AM	UltraRAE; MultiRAE Light	Benzene; LEL, VOC, NH3, CL2, O2	0 ppm; 0 ppm, oxygen normal	No odor
4/1/2019	Park Ln. and N. Bayou Dr., Houston	5:00 AM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.066 - 0.83 ppm; 0 ppm, oxygen normal	No odor
4/1/2019	2800 Galveston Rd., Houston	5:15 AM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.043 - 0.064 ppm; 0 ppm, oxygen normal	No odor
4/1/2019	3744 Broadway, Houston	5:30 AM	Photocheck; Gas Alert	VOC; LEL, H2S, CO, O2	0.072 - 0.076 ppm; 0 ppm, oxygen normal	No odor
4/1/2019	Kimble St. and Berkley St., Houston	6:15 AM	TVA; MultiRAE	VOC; LEL, VOC, H2S, CO, O2	0.99-1.55 ppm; 0 ppm, oxygen normal	No odor
4/1/2019	Clear Lake High School, Houston	6:34 AM	TVA; MultiRAE	VOC; LEL, VOC, H2S, CO, O2	1.28-2.10 ppm; 0 ppm, oxygen normal	No odors
4/1/2019	Wyne St. and Findlay St., Houston	6:42 AM	TVA; MultiRAE	VOC; LEL, VOC, H2S, CO, O2	1.89-2.54 ppm; 0 ppm, oxygen normal	Very light intermittent (10 min) sulfur/crude/gasoline odor detected in the area upon arrival. Likely due to TPC/Goodyear/Flint Hills nearby.
4/1/2019	1700 N. E St. (La Porte)	7:00 AM	MultiRAE Lite/UltraRAE 3000	VOC, LEL, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/1/2019	1400 East Blvd. (Deer Park)	7:00 AM	MultiRAE Lite/UltraRAE 3000	VOC, LEL, H2S, CO, O2; Benzene	0 ppm, oxygen normal	Mild crude oil odor
4/1/2019	16106 Middlebrook Dr., Houston	7:00 AM	TVA; MultiRAE	VOC; LEL, VOC, H2S, CO, O2	2.47-2.85 ppm; 0 ppm, oxygen normal	No odors
4/1/2019	Garland St. and Lantana St., Houston	7:07 AM	TVA; MultiRAE	VOC; LEL, VOC, H2S, CO, O2	2.02-2.16 ppm; 0 ppm, oxygen normal	Very light (6 min) intermittent garbage odor. Light (2 min) acrid/solvent odor.
4/1/2019	University of Houston - Clear Lake	7:22 AM	TVA; MultiRAE	VOC; LEL, VOC, H2S, CO, O2	2.91-3.07 ppm; 0 ppm, oxygen normal	No odors
4/1/2019	E. Main St. (La Porte)	7:30 AM	MultiRAE Lite/UltraRAE 3000	VOC, LEL, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/1/2019	Ref-Chem, 1819 Center St. (Deer Park)	7:30 AM	MultiRAE Lite/UltraRAE 3000	VOC, LEL, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/1/2019	Falcon Pass Elementary, Pasadena	7:55 AM	TVA; MultiRAE	VOC; LEL, VOC, H2S, CO, O2	3.06-3.33 ppm; 0 ppm, oxygen normal	No odors
4/1/2019	127 N. 18th St. (La Porte)	8:00 AM	MultiRAE Lite/UltraRAE 3000	VOC, LEL, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/1/2019	4200 Pasadena Blvd. (Pasadena)	8:00 AM	MultiRAE Lite/UltraRAE 3000	VOC, LEL, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/1/2019	Maroby St. and Vinett St., Houston	8:15 AM	TVA; MultiRAE	VOC; LEL, VOC, H2S, CO, O2	2.34-2.40 ppm; 0 ppm, oxygen normal	Very light (4 min) to light (4 min) ODB and garbage odor detected
4/1/2019	University Green Park, Houston	8:20 AM	TVA; MultiRAE	VOC; LEL, VOC, H2S, CO, O2	3.20-3.40 ppm; 0 ppm, oxygen normal	No odors
4/1/2019	1201 W. Main St. (La Porte)	8:30 AM	MultiRAE Lite/UltraRAE 3000	VOC, LEL, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor

Monday, April 1, 2019

Monday, April 1, 2019						
4/1/2019	Deepwater Junior High School, 501 Glenmore Dr. (Pasadena)	8:30 AM	MultiRAE Lite/UltraRAE 3000	VOC, LEL, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/1/2019	Waco St. and Georgia Ave., South Houston	8:45 AM	TVA; MultiRAE	VOC; LEL, VOC, H2S, CO, O2	2.36-2.40 ppm; 0 ppm, oxygen normal	Very light (7 min) grass/dirt odor detected.
4/1/2019	Space Center Intermediate School, Houston	8:49 AM	TVA; MultiRAE	VOC; LEL, VOC, H2S, CO, O2	3.25-3.43 ppm; 0 ppm, oxygen normal	No odors
4/1/2019	La Porte Transportation Dept., 2015 Sens Rd. (La Porte)	9:00 AM	MultiRAE Lite/UltraRAE 3000	VOC, LEL, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/1/2019	1219 South St. (Pasadena)	9:00 AM	MultiRAE Lite/UltraRAE 3000	VOC, LEL, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/1/2019	Hwy 3 and Minnesota St., South Houston	9:08 AM	TVA; MultiRAE	VOC; LEL, VOC, H2S, CO, O2	2.39-2.50 ppm; 0 ppm, oxygen normal	Moderate (1 min) petroleum odor noted while on route to the next location. 15-minute odor survey started; however, very light (5 min) to light (1 min) grass odor was the only odor noted after pulling over to conduct survey.
4/1/2019	All Star Avionics, 10615 Spencer Hwy.)La Porte)	9:30 AM	MultiRAE Lite/UltraRAE 3000	VOC, LEL, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/1/2019	Red Bluff Elementary School, 416 Bearle St. (Pasadena)	9:30 AM	MultiRAE Lite/UltraRAE 3000	VOC, LEL, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/1/2019	Swan Lagoon Park, Houston	9:30 AM	TVA; MultiRAE	VOC; LEL, VOC, H2S, CO, O2	3.42-3.60 ppm; 0 ppm, oxygen normal	No odors
4/1/2019	Frey Rd. and Hartsook St., Houston	9:35 AM	TVA; MultiRAE	VOC; LEL, VOC, H2S, CO, O2	2.50-2.60 ppm; 0 ppm, oxygen normal	Very light (7 min) to light (1 min) dirt/grass/smoke odors noted during survey.
4/1/2019	2631 Underwood Rd. (La Porte)	9:50 AM	MultiRAE Lite/UltraRAE 3000	VOC, LEL, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/1/2019	Lomex Xorp., 9841 Spencer Hwy. (La Porte)	10:00 AM	MultiRAE Lite/UltraRAE 3000	VOC, LEL, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/1/2019	3933 Fairmont Pkwy. (Pasadena)	10:00 AM	MultiRAE Lite/UltraRAE 3000	VOC, LEL, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/1/2019	Kurland Dr. and Freehill St., Houston	10:05 AM	TVA; MultiRAE	VOC; LEL, VOC, H2S, CO, O2	2.57-2.80 ppm; 0 ppm, oxygen normal	Very light (8 min) to light (2 min) intermittent paint/exhaust odors detected throughout survey.
4/1/2019	8500 Bay Area Blvd., Houston	10:05 AM	TVA; MultiRAE	VOC; LEL, VOC, H2S, CO, O2	3.45-3.63 ppm; 0 ppm, oxygen normal	No odors
4/1/2019	9025 Spencer Hwy. (La Porte)	10:30 AM	MultiRAE Lite/UltraRAE 3000	VOC, LEL, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/1/2019	Burke Crenshaw Park, 4950 Burke Rd. (Pasadena)	10:30 AM	MultiRAE Lite/UltraRAE 3000	VOC, LEL, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/1/2019	Brookwood Elementary School, Houston	10:30 AM	TVA; MultiRAE	VOC; LEL, VOC, H2S, CO, O2	3.49-3.60 ppm; 0 ppm, oxygen normal	No odors
4/1/2019	Pine Brook Wetlands Park, Houston	10:52 AM	TVA; MultiRAE	VOC; LEL, VOC, H2S, CO, O2	3.52-3.77 ppm; 0 ppm, oxygen normal	No odors
4/1/2019	2200 E. 13th St. (Deer Park)	11:00 AM	MultiRAE Lite/UltraRAE 3000	VOC, LEL, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/1/2019	Social Security Administration, 3300 Watters Rd. (Pasadena)	11:00 AM	MultiRAE Lite/UltraRAE 3000	VOC, LEL, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor

Monday, April 1, 2019

Monday, April 1, 2019						
4/1/2019	3131 El Dorado Blvd., Houston	11:17 AM	TVA; MultiRAE	VOC; LEL, VOC, H2S, CO, O2	3.44-3.63 ppm; 0 ppm, oxygen normal	No odors
4/1/2019	Burkshire Ln. and Warwick Dr., Pasadena	11:20 AM	TVA; MultiRAE	VOC; LEL, VOC, H2S, CO, O2	2.61-2.70 ppm; 0 ppm, oxygen normal	Very light (6 min) intermittent grass/dirt odor detected throughout survey.
4/1/2019	E. P St. (Deer Park)	11:30 AM	MultiRAE Lite/UltraRAE 3000	VOC, LEL, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/1/2019	4001 Preston Rd., Suite 100 (Pasadena)	11:30 AM	MultiRAE Lite/UltraRAE 3000	VOC, LEL, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/1/2019	North Pointe Elementary, Houston	11:42 AM	TVA; MultiRAE	VOC; LEL, VOC, H2S, CO, O2	3.49-3.77 ppm; 0 ppm, oxygen normal	No odors
4/1/2019	Allen Genoa Rd. and Fairmont Pkwy., Pasadena	11:50 AM	TVA; MultiRAE	VOC; LEL, VOC, H2S, CO, O2	2.60-2.71 ppm; 0 ppm, oxygen normal	Very light (9 min) to light (1 min) grass/exhaust odor detected throughout survey.
4/1/2019	Lomax Junior High School, 9801 N. Ave. L (La Porte)	12:00 PM	MultiRAE Lite/UltraRAE 3000	VOC, LEL, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/1/2019	Lewis Career and Technical High School, 1348 Genoa Red Bluff Rd. (Houston)	12:00 PM	MultiRAE Lite/UltraRAE 3000	VOC, LEL, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/1/2019	5837 El Dorado Blvd. Houston	12:10 PM	TVA; MultiRAE	VOC; LEL, VOC, H2S, CO, O2	3.44-3.63 ppm; 0 ppm, oxygen normal	No odors
4/1/2019	10273 N. Avenue H., La Porte	12:15 PM	MultiRAE Lite/UltraRAE 3000	VOC, LEL, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/1/2019	Austin Ave. and Cleveland St., Pasadena	12:18 PM	TVA; MultiRAE	VOC; LEL, VOC, H2S, CO, O2	2.51-2.73 ppm; 0 ppm, oxygen normal	Very light (4 min) grass odor detected during survey.
4/1/2019	Bay Area Blvd. (Houston)	12:30 PM	MultiRAE Lite/UltraRAE 3000	VOC, LEL, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/1/2019	4627 E. Sam Houston Pkwy (Pasadena)	12:30 PM	MultiRAE Lite/UltraRAE 3000	VOC, LEL, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/1/2019	W. Hart Ave. and Richey St., Pasadena	12:43 PM	TVA; MultiRAE	VOC; LEL, VOC, H2S, CO, O2	2.52-2.70 ppm; 0 ppm, oxygen normal	Very light (8 min) to light (1 min) smoke odor detected upon arrival and during survey likely due to an ODB in the area.
4/1/2019	El Jardin Beach, 500 El Jardin Dr. (Seabrook)	12:45 PM	MultiRAE Lite/UltraRAE 3000	VOC, LEL, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/1/2019	189 Port Rd. (Houston)	1:00 PM	MultiRAE Lite/UltraRAE 3000	VOC, LEL, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/1/2019	Dry Creek Dr. and Ray Rd. (Pasadena)	1:00 PM	MultiRAE Lite/UltraRAE 3000	VOC, LEL, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/1/2019	Arkema Inc., 9502 Bayport Blvd. (Pasadena)	1:30 PM	MultiRAE Lite/UltraRAE 3000	VOC, LEL, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/1/2019	Texas Chiropractic College, 5912 Spencer Hwy. (Pasadena)	1:30 PM	MultiRAE Lite/UltraRAE 3000	VOC, LEL, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/1/2019	2300 block of W. Fairmont Pkwy., La Porte	2:00 PM	MultiRAE Lite/UltraRAE 3000	VOC, LEL, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/1/2019	2101 East TX-8 Beltway (Pasadena)	2:00 PM	MultiRAE Lite/UltraRAE 3000	VOC, LEL, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/1/2019	2601 W. Main St. (La Porte)	2:30 PM	MultiRAE Lite/UltraRAE 3000	VOC, LEL, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/1/2019	Dow Park, 801 E. P St. (Deer Park)	2:30 PM	MultiRAE Lite/UltraRAE 3000	VOC, LEL, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/1/2019	San Jacinto College South, 13735 Beamer Rd. (Houston)	2:30 PM	TVA; MultiRAE Pro	VOC; VOC, SO2, CO, H2S, LEL, Gamma	0 ppm, oxygen normal, 3-4 µrem/hr. gamma	15 min. odor survey: no odors noted upon arrival or throughout odor survey. One light odor due to vehicular exhaust.

Monday, April 1, 2019

Monday, April 1, 2019						
4/1/2019	Pasadena Memorial Park, 626 W. Jackson Ave. (Pasadena)	2:40 PM	TVA; MultiRAE Lite	VOC; VOC, LEL, CO, H2S, O2, SO2	0.92 ppm - 1.25 ppm; 0 ppm, oxygen normal	No odor
4/1/2019	N. Ave. L (La Porte)	3:00 PM	MultiRAE Lite/UltraRAE 3000	VOC, LEL, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/1/2019	3611 Turtle Cove (Deer Park)	3:00 PM	MultiRAE Lite/UltraRAE 3000	VOC, LEL, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/1/2019	Pasadena Public Library Central (Pasadena)	3:15 PM	TVA; MultiRAE Lite	VOC; VOC, LEL, CO, H2S, O2, SO2	1.05 ppm - 1.94 ppm; 0 ppm, oxygen normal	No odor
4/1/2019	South Houston Water Purification Plant, 3100 Genoa Red Bluff Rd. (Houston)	3:20 PM	TVA; MultiRAE Pro	VOC; VOC, SO2, CO, H2S, LEL, Gamma	0 ppm, oxygen normal, 2 µrem/hr. gamma	No odors
4/1/2019	1700 Underwood Rd. (La Porte)	3:30 PM	MultiRAE Lite/UltraRAE 3000	VOC, LEL, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/1/2019	4414 Durant Ave. (Deer Park)	3:30 PM	MultiRAE Lite/UltraRAE 3000	VOC, LEL, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/1/2019	14545 Bay Oaks Blvd. (Houston)	3:50 PM	TVA; MultiRAE Pro	VOC; VOC, SO2, CO, H2S, LEL, Gamma	0.5 ppm VOC, oxygen normal, 3 µrem/hr. gamma	No odors
4/1/2019	Strawberry Park (Pasadena)	3:52 PM	TVA; MultiRAE Lite	VOC; VOC, LEL, CO, H2S, O2, SO2	1.53 ppm - 1.79 ppm; 0 ppm, oxygen normal	No odor
4/1/2019	Integra Technologies, 5812 Genoa Red Bluff Rd. (Pasadena)	4:00 PM	MultiRAE Lite/UltraRAE 3000	VOC, LEL, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/1/2019	San Jacinto College, 8060 Spencer Hwy. (Pasadena)	4:00 PM	MultiRAE Lite/UltraRAE 3000	VOC, LEL, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/1/2019	First United Methodist Church (Pasadena)	4:29 PM	TVA; MultiRAE Lite	VOC; VOC, LEL, CO, H2S, O2, SO2	1.48 ppm - 1.92 ppm; 0 ppm, oxygen normal	No odor
4/1/2019	9602 Spencer Hwy. (La Porte)	4:30 PM	MultiRAE Lite/UltraRAE 3000	VOC, LEL, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/1/2019	4701 East Blvd. (Deer Park)	4:30 PM	MultiRAE Lite/UltraRAE 3000	VOC, LEL, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/1/2019	12411 Park Shadows Trail (Houston)	4:30 PM	TVA; MultiRAE Pro	VOC; VOC, SO2, CO, H2S, LEL, Gamma	0.1 ppm VOC, oxygen normal, 3 µrem/hr. gamma	No odors
4/1/2019	Yes Prep Southeast, 353 Crenshaw Rd. (Houston)	4:58 PM	TVA; MultiRAE Lite	VOC; VOC, LEL, CO, H2S, O2, SO2	1.75 ppm - 2.20 ppm; 0 ppm, oxygen normal	No odor
4/1/2019	Glen Meadows Park, 5299 Parkcrest Dr. (La Porte)	5:00 PM	MultiRAE Lite/UltraRAE 3000	VOC, LEL, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/1/2019	2293 Sugar Hill Dr. (Deer Park)	5:00 PM	MultiRAE Lite/UltraRAE 3000	VOC, LEL, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/1/2019	1000 Duffer Lane (Houston)	5:20 PM	TVA; MultiRAE Pro	VOC; VOC, SO2, CO, H2S, LEL, Gamma	0 ppm, oxygen normal, 2-3 µrem/hr. gamma	No odors
4/1/2019	Genoa Elementary School, 12900 Alameda Genoa Rd. (Houston)	5:28 PM	TVA; MultiRAE Lite	VOC; VOC, LEL, CO, H2S, O2, SO2	1.66 ppm - 2.00 ppm; 0 ppm, oxygen normal	No odor
4/1/2019	Centro Elementary School, 1302 E. 13th St. (Deer Park)	5:30 PM	MultiRAE Lite/UltraRAE 3000	VOC, LEL, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/1/2019	18940 Gatebrook (Webster)	6:15 PM	TVA; MultiRAE Pro	VOC; VOC, SO2, CO, H2S, LEL, Gamma	0 ppm, oxygen normal, 3 µrem/hr. gamma	No odors
4/1/2019	Wilson Memorial Park, 100 Gilpin St. (Houston)	6:42 PM	TVA; MultiRAE Lite	VOC; VOC, LEL, CO, H2S, O2, SO2	1.91 ppm - 2.25 ppm; 0 ppm, oxygen normal	No odor
4/1/2019	1002 Pasadena Fwy. (Pasadena)	7:00 PM	MultiRAE Benzene	LEL, VOC, H2S, CO, O2, Benzene	0 ppm, oxygen normal	No odor
4/1/2019	225/Pasadena Blvd (Pasadena)	7:00 PM	MultiRAE Benzene; MultiRAE	VOC; CO, H2S, LEL, O2	0 ppm, oxygen normal	No odor
4/1/2019	18600 Space Center Blvd. (Clear Lake)	7:05 PM	TVA; MultiRAE Pro	VOC; VOC, SO2, CO, H2S, LEL, Gamma	0 ppm, oxygen normal, 3 µrem/hr. gamma	15 minute odor survey: very light to light syrup/sweet odors noted upon arrival and during survey. Odors not consistent with benzene.
4/1/2019	Freeway Manor Park, 2241 Bronson St. (Houston)	7:11 PM	TVA; MultiRAE Lite	VOC; VOC, LEL, CO, H2S, O2, SO2	2.03 ppm - 2.52 ppm; 0 ppm, oxygen normal	No odor
4/1/2019	1103 Park Ln. (Pasadena)	7:20 PM	MultiRAE Benzene	LEL, VOC, H2S, CO, O2, Benzene	0 ppm, oxygen normal	No odor
4/1/2019	19425 Gulf Fwy. (Webster)	7:29 PM	MultiRAE Lite; UltraRAE 300	CL2, NH3, LEL, VOC, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/1/2019	Ballester Fishing Area	7:30 PM	MultiRAE Lite; UltraRAE 300	LEL, VOC, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/1/2019	Main/Eagle (Pasadena)	7:30 PM	MultiRAE Benzene; MultiRAE	VOC; CO, H2S, LEL, O2	0 ppm, oxygen normal	No odor

Monday, April 1, 2019						
4/1/2019	Texas/Johnson (Pasadena)	7:30 PM	MultiRAE Benzene; MultiRAE	VOC; CO, H2S, LEL, O2	0 ppm, oxygen normal	No odor
4/1/2019	922 Alvin St. (Pasadena)	7:40 PM	MultiRAE Benzene	LEL, VOC, H2S, CO, O2, Benzene	0 ppm, oxygen normal	No odor
4/1/2019	5837 El Dorado Blvd. (Houston)	7:40 PM	TVA; MultiRAE Pro	VOC; VOC, SO2, CO, H2S, LEL, Gamma	0 ppm, oxygen normal, 5 µrem/hr. gamma	No odors
4/1/2019	224 S. Lobit S. (La Porte)	7:45 PM	MultiRAE Lite; UltraRAE 300	LEL, VOC, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/1/2019	Queens Intermediate School, 1452 Queens St. (Houston)	7:46 PM	TVA; MultiRAE Lite	VOC; VOC, LEL, CO, H2S, O2, SO2	1.90 ppm - 2.53 ppm; 0 ppm, oxygen normal	No odor
4/1/2019	2109 Sullivan (Pasadena)	8:00 PM	MultiRAE Benzene	LEL, VOC, H2S, CO, O2, Benzene	0 ppm, oxygen normal	No odor
4/1/2019	715 Kansas St. (La Porte)	8:00 PM	MultiRAE Lite; UltraRAE 300	LEL, VOC, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/1/2019	Harris/Wafer St. (Pasadena)	8:00 PM	MultiRAE Benzene; MultiRAE	VOC; CO, H2S, LEL, O2	0 ppm, oxygen normal	No odor
4/1/2019	1515 Bay Area Blvd. (Houston)	8:08 PM	MultiRAE Lite; UltraRAE 300	CL2, NH3, LEL, VOC, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/1/2019	408 N. 2nd St. (La Porte)	8:15 PM	MultiRAE Lite; UltraRAE 300	LEL, VOC, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/1/2019	Houston/Pasadena Blvd. (Pasadena)	8:15 PM	MultiRAE Benzene; MultiRAE	VOC; CO, H2S, LEL, O2	0 ppm, oxygen normal	No odor
4/1/2019	1201 Clear Lake Blvd. (Houston)	8:15 PM	TVA; MultiRAE Pro	VOC; VOC, SO2, CO, H2S, LEL, Gamma	0 ppm, oxygen normal, 4 µrem/hr. gamma	No odors
4/1/2019	1201 Clear Lake Blvd. (Houston)	8:15 PM	TVA	VOC	0 ppm	No odors
4/1/2019	Rucker School, 5201 Vinett St. (Houston)	8:21 PM	TVA; MultiRAE Lite	VOC; VOC, LEL, CO, H2S, O2, SO2	1.81 ppm - 2.80 ppm; 0 ppm, oxygen normal	No odor
4/1/2019	Clear Lake High School	8:25 PM	MultiRAE Lite; UltraRAE 300	CL2, NH3, LEL, VOC, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/1/2019	1414 Harris Ave. (Pasadena)	8:30 PM	MultiRAE Benzene	LEL, VOC, H2S, CO, O2, Benzene	0 ppm, oxygen normal	No odor
4/1/2019	121 S. 5th St. (La Porte)	8:30 PM	MultiRAE Lite; UltraRAE 300	LEL, VOC, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/1/2019	1205 Eva Ave. (Pasadena)	8:30 PM	MultiRAE Benzene; MultiRAE	VOC; CO, H2S, LEL, O2	0 ppm, oxygen normal	No odor
4/1/2019	917 S. 7th St. (La Porte)	8:45 PM	MultiRAE Lite; UltraRAE 300	LEL, VOC, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/1/2019	16106 Middlebrook Dr. (Houston)	8:45 PM	MultiRAE Lite; UltraRAE 300	CL2, NH3, LEL, VOC, CO, O2; Benzene	0.1 ppm CL2, oxygen normal	No odor
4/1/2019	910 Sherwood Dr. (Pasadena)	8:45 PM	MultiRAE Benzene; MultiRAE	VOC; CO, H2S, LEL, O2	0 ppm, oxygen normal	No odor
4/1/2019	5837 El Dorado Blvd. (Houston)	8:45 PM	TVA	VOC	0 ppm	No odors
4/1/2019	2204 Red Bluff Rd. (Pasadena)	8:50 PM	MultiRAE Benzene	LEL, VOC, H2S, CO, O2, Benzene	0 ppm, oxygen normal	No odor
4/1/2019	Meadowbrook Baptist Church, 8202 Howard De. (Houston)	8:52 PM	TVA; MultiRAE Lite	VOC; VOC, LEL, CO, H2S, O2, SO2	2.15 ppm - 2.84 ppm; 0 ppm, oxygen normal	No odor
4/1/2019	714 N. 12th St. (La Porte)	9:00 PM	MultiRAE Lite; UltraRAE 300	LEL, VOC, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/1/2019	Pauline/Basket St. (Pasadena)	9:00 PM	MultiRAE Benzene; MultiRAE	VOC; CO, H2S, LEL, O2	0 ppm, oxygen normal	No odor
4/1/2019	Noble Pine Rd. and Clear Lake City Blvd. (Clear Lake)	9:05 PM	MultiRAE Lite; UltraRAE 300	CL2, NH3, LEL, VOC, CO, O2; Benzene	0.1 ppm CL2, oxygen normal	No odor
4/1/2019	2720 Southmore Ave. (Pasadena)	9:10 PM	MultiRAE Benzene	LEL, VOC, H2S, CO, O2, Benzene	0 ppm, oxygen normal	No odor
4/1/2019	1500 El Dorado Blvd. (Clear Lake)	9:14 PM	MultiRAE Lite; UltraRAE 300	CL2, NH3, LEL, VOC, CO, O2; Benzene	0.1 ppm CL2, oxygen normal	No odor
4/1/2019	11620 Flintlock Rd. (La Porte)	9:15 PM	MultiRAE Lite; UltraRAE 300	LEL, VOC, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/1/2019	Lafferty/Aberdeen Rd. (Pasadena)	9:15 PM	MultiRAE Benzene; MultiRAE	VOC; CO, H2S, LEL, O2	0 ppm, oxygen normal	No odor
4/1/2019	Park Place Regional Library, 8145 Park Place Blvd. (Houston)	9:19 PM	TVA; MultiRAE Lite	VOC; VOC, LEL, CO, H2S, O2, SO2	2.43 ppm - 2.95 ppm; 0 ppm, oxygen normal	No odor
4/1/2019	2800 Mulberry Ln. (Pasadena)	9:30 PM	MultiRAE Benzene	LEL, VOC, H2S, CO, O2, Benzene	0 ppm, oxygen normal	No odor
4/1/2019	11315 Spencer Highway (La Porte)	9:30 PM	MultiRAE Lite; UltraRAE 300	LEL, VOC, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/1/2019	Sunrise Lake Dr. and Space Center Blvd. (Clear Lake)	9:30 PM	MultiRAE Lite; UltraRAE 300	CL2, NH3, LEL, VOC, CO, O2; Benzene	0.1 ppm CL2, oxygen normal	No odor
4/1/2019	2707 Lafferty Rd. (Pasadena)	9:30 PM	MultiRAE Benzene; MultiRAE	VOC; CO, H2S, LEL, O2	0 ppm, oxygen normal	No odor
4/1/2019	Pecan Villa MHP, 1040 Sens Rd. (La Porte)	9:45 PM	MultiRAE Lite; UltraRAE 300	LEL, VOC, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor

Monday, April 1, 2019						
4/1/2019	11302 Space Center Blvd. (Clear Lake)	9:45 PM	MultiRAE Lite; UltraRAE 300	CL2, NH3, LEL, VOC, CO, O2; Benzene	0.1 ppm CL2, oxygen normal	No odor
4/1/2019	Federal/Spencer Hwy. (Pasadena)	9:45 PM	MultiRAE Benzene; MultiRAE	VOC; CO, H2S, LEL, O2	0 ppm, oxygen normal	No odor
4/1/2019	Near Bayshore (Pasadena)	9:50 PM	MultiRAE Benzene	LEL, VOC, H2S, CO, O2, Benzene	0 ppm, oxygen normal	No odor
4/1/2019	1423 Lemon Ln. (La Porte)	10:00 PM	MultiRAE Lite; UltraRAE 300	LEL, VOC, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/1/2019	5411 E. Sam Houston Pkwy.	10:00 PM	MultiRAE Lite; UltraRAE 300	CL2, NH3, LEL, VOC, CO, O2; Benzene	0.1 ppm CL2, oxygen normal	No odor
4/1/2019	Pampa/Shaver St. (Pasadena)	10:00 PM	MultiRAE Benzene; MultiRAE	VOC; CO, H2S, LEL, O2	0 ppm, oxygen normal	No odor
4/1/2019	4211 Burke Ridge Rd. (Pasadena)	10:10 PM	MultiRAE Benzene	LEL, VOC, H2S, CO, O2, Benzene	0 ppm, oxygen normal	No odor
4/1/2019	10910 N. P St. (La Porte)	10:15 PM	MultiRAE Lite; UltraRAE 300	LEL, VOC, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/1/2019	712 Llano St. (Pasadena)	10:15 PM	MultiRAE Benzene; MultiRAE	VOC; CO, H2S, LEL, O2	0 ppm, oxygen normal	No odor
4/1/2019	2395 Clear Lake City Blvd. (Clear Lake)	10:20 PM	MultiRAE Lite; UltraRAE 300	CL2, NH3, LEL, VOC, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/1/2019	4522 Seneca St. (Pasadena)	10:30 PM	MultiRAE Benzene	LEL, VOC, H2S, CO, O2, Benzene	0 ppm, oxygen normal	No odor
4/1/2019	4221 Fox Meadow (Pasadena)	10:30 PM	MultiRAE Benzene; MultiRAE	VOC; CO, H2S, LEL, O2	0 ppm, oxygen normal	No odor
4/1/2019	14210 Misty Knoll Ct. (Houston)	10:35 PM	MultiRAE Lite; UltraRAE 300	CL2, NH3, LEL, VOC, CO, O2; Benzene	0.1 ppm CL2, oxygen normal	No odor
4/1/2019	813 Crenshaw Rd. (Houston)	10:45 PM	MultiRAE Benzene; MultiRAE	VOC; CO, H2S, LEL, O2	0 ppm, oxygen normal	No odor
4/1/2019	4100 Preston Rd. (Pasadena)	10:50 PM	MultiRAE Benzene	LEL, VOC, H2S, CO, O2, Benzene	0 ppm, oxygen normal	No odor
4/1/2019	14122 El Camino Real (Houston)	10:55 PM	MultiRAE Lite; UltraRAE 300	CL2, NH3, LEL, VOC, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/1/2019	11030 Houston Dr. (La Porte)	11:00 PM	MultiRAE Lite; UltraRAE 300	LEL, VOC, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/1/2019	El Buey/Allen Genoa (Houston)	11:00 PM	MultiRAE Benzene; MultiRAE	VOC; CO, H2S, LEL, O2	0 ppm, oxygen normal	No odor
4/1/2019	14106 Bay Pointe Ct. (Houston)	11:03 PM	MultiRAE Lite; UltraRAE 300	CL2, NH3, LEL, VOC, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/1/2019	4399 Colombia Dr. (Pasadena)	11:10 PM	MultiRAE Benzene	LEL, VOC, H2S, CO, O2, Benzene	0 ppm, oxygen normal	No odor
4/1/2019	122 McCarty Ln. (La Porte)	11:15 PM	MultiRAE Lite; UltraRAE 300	LEL, VOC, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/1/2019	155 El Dorado Blvd. (Webster)	11:15 PM	MultiRAE Lite; UltraRAE 300	CL2, NH3, LEL, VOC, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/1/2019	8995 Galveston Rd. (Houston)	11:15 PM	MultiRAE Benzene; MultiRAE	VOC; CO, H2S, LEL, O2	0 ppm, oxygen normal	No odor
4/1/2019	Kingston Place (Pasadena)	11:30 PM	MultiRAE Benzene	LEL, VOC, H2S, CO, O2, Benzene	0 ppm, oxygen normal	No odor
4/1/2019	2222 Lisa Ln. (Deer Park)	11:30 PM	MultiRAE Lite; UltraRAE 300	LEL, VOC, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/1/2019	Gulfpalms/Dumas St.(Houston)	11:30 PM	MultiRAE Benzene; MultiRAE	VOC; CO, H2S, LEL, O2	0 ppm, oxygen normal	No odor
4/1/2019	502 El Dorado Blvd. (Webster)	11:35 PM	MultiRAE Lite; UltraRAE 300	CL2, NH3, LEL, VOC, CO, O2; Benzene	0.1 ppm CL2, oxygen normal	No odor
4/1/2019	2610 Garrett Blvd. (Deer Park)	11:45 PM	MultiRAE Lite; UltraRAE 300	LEL, VOC, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/1/2019	12475 Gulf Fwy. (Houston)	11:45 PM	MultiRAE Benzene; MultiRAE	VOC; CO, H2S, LEL, O2	0 ppm, oxygen normal	No odor
4/1/2019	1705 Jenkins Rd. (Pasadena)	11:50 PM	MultiRAE Benzene	LEL, VOC, H2S, CO, O2, Benzene	0 ppm, oxygen normal	No odor
4/1/2019	15230 Galveston Rd. (Houston)	11:55 PM	MultiRAE Lite; UltraRAE 300	CL2, NH3, LEL, VOC, CO, O2; Benzene	0 ppm, oxygen normal	No odor
Tuesday, April 2, 2019						
4/2/2019	3202 Bayer St. (La Porte)	12:00 AM	MultiRAE Lite; UltraRAE 300	LEL, VOC, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/2/2019	11311 Gulf Fwy. (Houston)	12:00 AM	MultiRAE Benzene; MultiRAE	VOC; CO, H2S, LEL, O2	0 ppm, oxygen normal	No odor
4/2/2019	2699 Marshall St. (Pasadena)	12:10 AM	MultiRAE Benzene	LEL, VOC, H2S, CO, O2, Benzene	0 ppm, oxygen normal	No odor
4/2/2019	9518 Catlett Ln. (La Porte)	12:15 AM	MultiRAE Lite; UltraRAE 300	LEL, VOC, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/2/2019	14903 El Camino Real (Houston)	12:15 AM	MultiRAE Lite; UltraRAE 300	CL2, NH3, LEL, VOC, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/2/2019	10703 Gulf Fwy. (Houston)	12:15 AM	MultiRAE Benzene; MultiRAE	VOC; CO, H2S, LEL, O2	0 ppm, oxygen normal	No odor
4/2/2019	Deepwater Terrace (Pasadena)	12:30 AM	MultiRAE Benzene	LEL, VOC, H2S, CO, O2, Benzene	0 ppm, oxygen normal	No odor
4/2/2019	9730 Rustic Gate Rd. (La Porte)	12:30 AM	MultiRAE Lite; UltraRAE 300	LEL, VOC, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/2/2019	Ney St./Rodney St. (Houston)	12:30 AM	MultiRAE Benzene; MultiRAE	VOC; CO, H2S, LEL, O2	0 ppm, oxygen normal	No odor
4/2/2019	10401 Belfast Rd., Fair Mont Park Church (La Porte)	12:45 AM	MultiRAE Lite; UltraRAE 300	LEL, VOC, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/2/2019	Bessemer/Avenell (Houston)	12:45 AM	MultiRAE Benzene; MultiRAE	VOC; CO, H2S, LEL, O2	0 ppm, oxygen normal	No odor

Tuesday, April 2, 2019

4/2/2019	14423 Redbud Valley Trail (Houston)	12:48 AM	MultiRAE Lite; UltraRAE 300	CL2, NH3, LEL, VOC, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/2/2019	701 Beta Cir. (Pasadena)	12:50 AM	MultiRAE Benzene	LEL, VOC, H2S, CO, O2, Benzene	0 ppm, oxygen normal	No odor
4/2/2019	10922 Spruce Dr. North (La Porte)	1:00 AM	MultiRAE Lite; UltraRAE 300	LEL, VOC, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/2/2019	15815 La Cabana Dr. (Houston)	1:00 AM	MultiRAE Lite; UltraRAE 300	CL2, NH3, LEL, VOC, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/2/2019	Frey Rd. /Arvana St. (Houston)	1:00 AM	MultiRAE Benzene; MultiRAE	VOC; CO, H2S, LEL, O2	0 ppm, oxygen normal	No odor
4/2/2019	1300 Bowen Dr. (Pasadena)	1:10 AM	MultiRAE Benzene	LEL, VOC, H2S, CO, O2, Benzene	0 ppm, oxygen normal	No odor
4/2/2019	942 Richvale Ln. (Houston)	1:13 AM	MultiRAE Lite; UltraRAE 300	CL2, NH3, LEL, VOC, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/2/2019	10823 Pecan Dr. (La Porte)	1:15 AM	MultiRAE Lite; UltraRAE 300	LEL, VOC, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/2/2019	Frey Rd. /Elton St. (Houston)	1:15 AM	MultiRAE Benzene; MultiRAE	VOC; CO, H2S, LEL, O2	0 ppm, oxygen normal	No odor
4/2/2019	Whitcomb Elementary School (Houston)	1:24 AM	MultiRAE Lite; UltraRAE 300	CL2, NH3, LEL, VOC, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/2/2019	8417 Fairbrooke Ln. (La Porte)	1:30 AM	MultiRAE Benzene	LEL, VOC, H2S, CO, O2, Benzene	0 ppm, oxygen normal	No odor
4/2/2019	1105 TX 146 (La Porte)	1:30 AM	MultiRAE Lite; UltraRAE 300	LEL, VOC, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/2/2019	Globe St. /Arrow (Houston)	1:30 AM	MultiRAE Benzene; MultiRAE	VOC; CO, H2S, LEL, O2	0 ppm, oxygen normal	No odor
4/2/2019	Exploration Green, Reseda Dr. (Houston)	1:38 AM	MultiRAE Lite; UltraRAE 300	CL2, NH3, LEL, VOC, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/2/2019	Waco St./Mississippi St. (Houston)	1:45 AM	MultiRAE Benzene; MultiRAE	VOC; CO, H2S, LEL, O2	0 ppm, oxygen normal	No odor
4/2/2019	3701 Luella Blvd. (La Porte)	1:50 AM	MultiRAE Benzene	LEL, VOC, H2S, CO, O2, Benzene	0 ppm, oxygen normal	No odor
4/2/2019	618 Prim Rose (La Porte)	1:50 AM	MultiRAE Lite; UltraRAE 300	LEL, VOC, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/2/2019	1902 Richvale Ln. (Houston)	1:57 AM	MultiRAE Lite; UltraRAE 300	CL2, NH3, LEL, VOC, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/2/2019	221 Richey St. (Pasadena)	2:00 AM	MultiRAE Benzene; MultiRAE	VOC; CO, H2S, LEL, O2	0 ppm, oxygen normal	Slight oil smell. Suspect from trailer filled with debris.
4/2/2019	3031 Bonner Dr. (La Porte)	2:05 AM	MultiRAE Lite; UltraRAE 300	LEL, VOC, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/2/2019	1947 Richvale Ln. (Houston)	2:07 AM	MultiRAE Lite; UltraRAE 300	CL2, NH3, LEL, VOC, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/2/2019	3331 Luella Blvd. (La Porte)	2:10 AM	MultiRAE Benzene	LEL, VOC, H2S, CO, O2, Benzene	0 ppm, oxygen normal	No odor
4/2/2019	907 Oak Leaf Ave. (La Porte)	2:15 AM	MultiRAE Lite; UltraRAE 300	LEL, VOC, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/2/2019	610 Richey St. (Pasadena)	2:15 AM	MultiRAE Benzene; MultiRAE	VOC; CO, H2S, LEL, O2	0 ppm, oxygen normal	No odor
4/2/2019	2010 Reseda Dr. (Houston)	2:19 AM	MultiRAE Lite; UltraRAE 300	CL2, NH3, LEL, VOC, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/2/2019	1106 E. Amherst Ln. (Deer Park)	2:30 AM	MultiRAE Benzene	LEL, VOC, H2S, CO, O2, Benzene	0 ppm, oxygen normal	No odor
4/2/2019	3405 W. Country Club Rd.	2:30 AM	MultiRAE Lite; UltraRAE 300	LEL, VOC, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/2/2019	W. Elaine/Richey St. (Pasadena)	2:30 AM	MultiRAE Benzene; MultiRAE	VOC; CO, H2S, LEL, O2	0 ppm, oxygen normal	No odor
4/2/2019	511 N. Shady Ln. (La Porte)	2:45 AM	MultiRAE Lite; UltraRAE 300	LEL, VOC, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/2/2019	Clear Lake High School	2:45 AM	MultiRAE Lite; UltraRAE 300	CL2, NH3, LEL, VOC, CO, O2; Benzene	0.1 ppm CL2, oxygen normal	No odor
4/2/2019	Oak Ave. /Locklaine Dr. (Pasadena)	2:45 AM	MultiRAE Benzene; MultiRAE	VOC; CO, H2S, LEL, O2	0 ppm, oxygen normal	No odor
4/2/2019	3602 East Blvd. (Deer Park)	2:50 AM	MultiRAE Benzene	LEL, VOC, H2S, CO, O2, Benzene	0 ppm, oxygen normal	No odor
4/2/2019	215 Bay Colony Dr. (La Porte)	3:00 AM	MultiRAE Lite; UltraRAE 300	LEL, VOC, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/2/2019	Oak Ave. /Queens (Pasadena)	3:00 AM	MultiRAE Benzene; MultiRAE	VOC; CO, H2S, LEL, O2	0 ppm, oxygen normal	No odor
4/2/2019	University of Houston (Clear Lake)	3:05 AM	MultiRAE Lite; UltraRAE 300	CL2, NH3, LEL, VOC, CO, O2; Benzene	0.1 ppm CL2, oxygen normal	No odor
4/2/2019	Heritage Elementary School (Deer Park)	3:10 AM	MultiRAE Benzene	LEL, VOC, H2S, CO, O2, Benzene	0 ppm, oxygen normal	No odor
4/2/2019	1700 N. E. St. (La Porte)	3:15 AM	MultiRAE Lite; UltraRAE 300	LEL, VOC, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/2/2019	Handell Ln. /San Jacinto Dr. (Pasadena)	3:15 AM	MultiRAE Benzene; MultiRAE	VOC; CO, H2S, LEL, O2	0 ppm, oxygen normal	No odor
4/2/2019	16447 Hickory Knoll Dr. (Houston)	3:20 AM	MultiRAE Lite; UltraRAE 300	CL2, NH3, LEL, VOC, CO, O2; Benzene	0.1 ppm CL2, oxygen normal	No odor
4/2/2019	1400 East Blvd. (Deer Park)	3:30 AM	MultiRAE Benzene	LEL, VOC, H2S, CO, O2, Benzene	0 ppm, oxygen normal	No odor
4/2/2019	517 N. 12th St. (La Porte)	3:30 AM	MultiRAE Lite; UltraRAE 300	LEL, VOC, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor

Tuesday, April 2, 2019

4/2/2019	Kolb Rd. /Virgil St. (S. Houston)	3:30 AM	MultiRAE Benzene; MultiRAE	VOC; CO, H2S, LEL, O2	0 ppm, oxygen normal	No odor
4/2/2019	Armand Bayou Montessori School (Houston)	3:33 AM	MultiRAE Lite; UltraRAE 300	CL2, NH3, LEL, VOC, CO, O2; Benzene	0.1 ppm CL2, oxygen normal	No odor
4/2/2019	11721 Sunset Ridge St. (La Porte)	3:45 AM	MultiRAE Lite; UltraRAE 300	LEL, VOC, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/2/2019	3400 block of El Dorado St. (Houston)	3:48 AM	MultiRAE Lite; UltraRAE 300	CL2, NH3, LEL, VOC, CO, O2; Benzene	0.1 ppm CL2, oxygen normal	No odor
4/2/2019	1401 Center St. (Deer Park)	3:50 AM	MultiRAE Benzene	LEL, VOC, H2S, CO, O2, Benzene	0 ppm, oxygen normal	No odor
4/2/2019	1422 Lemon Ln. (La Porte)	4:00 AM	MultiRAE Lite; UltraRAE 300	LEL, VOC, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/2/2019	Brookglen Dr. /Surrey Square St. (Houston)	4:00 AM	MultiRAE Benzene; MultiRAE	VOC; CO, H2S, LEL, O2	0 ppm, oxygen normal	No odor
4/2/2019	1331 East Sam Houston Pkwy. (Pasadena)	4:10 AM	MultiRAE Benzene	LEL, VOC, H2S, CO, O2, Benzene	0 ppm, oxygen normal	No odor
4/2/2019	3535 Clear Lake City Blvd. (Houston)	4:10 AM	MultiRAE Lite; UltraRAE 300	CL2, NH3, LEL, VOC, CO, O2; Benzene	0.1 ppm CL2, oxygen normal	No odor
4/2/2019	11801 N. D St. (La Porte)	4:15 AM	MultiRAE Lite; UltraRAE 300	LEL, VOC, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/2/2019	Forest Oak/Sleepy Creek (Houston)	4:15 AM	MultiRAE Benzene; MultiRAE	VOC; CO, H2S, LEL, O2	0 ppm, oxygen normal	No odor
4/2/2019	3818 Almond Creek Dr. (Houston)	4:25 AM	MultiRAE Lite; UltraRAE 300	CL2, NH3, LEL, VOC, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/2/2019	818 Whelton Dr. (Pasadena)	4:30 AM	MultiRAE Benzene	LEL, VOC, H2S, CO, O2, Benzene	0 ppm, oxygen normal	No odor
4/2/2019	1210 A St. (La Porte)	4:30 AM	MultiRAE Lite; UltraRAE 300	LEL, VOC, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/2/2019	Primrose/Flagstone (Houston)	4:30 AM	MultiRAE Benzene; MultiRAE	VOC; CO, H2S, LEL, O2	0 ppm, oxygen normal	No odor
4/2/2019	Bay Oaks Lake (Houston)	4:39 AM	MultiRAE Lite; UltraRAE 300	CL2, NH3, LEL, VOC, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/2/2019	La Porte Junior High School, 4015 Broadway St.	4:45 AM	MultiRAE Lite; UltraRAE 300	LEL, VOC, H2S, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/2/2019	Allendale/Maroby (Houston)	4:45 AM	MultiRAE Benzene; MultiRAE	VOC; CO, H2S, LEL, O2	0 ppm, oxygen normal	No odor
4/2/2019	3306 Thornwood Dr. (Pasadena)	4:50 AM	MultiRAE Benzene	LEL, VOC, H2S, CO, O2, Benzene	0 ppm, oxygen normal	No odor
4/2/2019	1605 Zapp Ln. (Pasadena)	5:10 AM	MultiRAE Benzene	LEL, VOC, H2S, CO, O2, Benzene	0 ppm, oxygen normal	No odor
4/2/2019	Sylvan Rodriguez Park, 1201 Clearlake City Blvd. (Houston)	6:40 AM	MultiRAE; TVA	VOC, LEL, H2S, CO, O2; VOC	0 ppm, oxygen normal; 2.35 - 2.45 ppm	No odor
4/2/2019	Bible Way Baptist Church, 10120 Hartsook St. (Pasadena)	6:50 AM	TVA; MultiRAE Pro	VOC; SO2, LEL, CO, H2S, VOC, Gamma	2.02 - 2.32 ppm; 3 µrem/hr. gamma	No odor
4/2/2019	Mabey Mill Park, 1515 Mabey Mill Rd. (Houston)	7:05 AM	MultiRAE; TVA	VOC, LEL, H2S, CO, O2; VOC	0 ppm, oxygen normal; 2.05 - 2.15 ppm	No odor
4/2/2019	USPS Genoa Station, 10935 Alameda Genoa Rd. (Houston)	7:15 AM	TVA; MultiRAE Pro	VOC; SO2, LEL, CO, H2S, VOC, Gamma	2.41 - 3.04 ppm; 4 µrem/hr. gamma	No odor
4/2/2019	Oak Links Ave. and Lake Scene Trail (Houston)	7:30 AM	MultiRAE; TVA	VOC, LEL, H2S, CO, O2; VOC	0 ppm, oxygen normal; 2.05 - 2.11 ppm	No odor
4/2/2019	11950 Kurland Dr. (Houston)	7:55 AM	TVA; MultiRAE Pro	VOC; SO2, LEL, CO, H2S, VOC, Gamma	2.45 - 2.77 ppm; 3 µrem/hr. gamma	No odor
4/2/2019	Pine Brook South Wetlands, 16220 Park Center Dr. (Houston)	8:05 AM	MultiRAE; TVA	VOC, LEL, H2S, CO, O2; VOC	0 ppm, oxygen normal; 2.08 - 2.14 ppm	No odor
4/2/2019	Christ Church Apostolic, 12815 Fuqua St. (Houston)	8:20 AM	TVA; MultiRAE Pro	VOC; SO2, LEL, CO, H2S, VOC, Gamma	5.18 - 7.19 ppm; 4 µrem/hr. gamma	No odor
4/2/2019	11730 Mighty Redwood Dr. (Houston)	8:30 AM	MultiRAE; TVA	VOC, LEL, H2S, CO, O2; VOC	0 ppm, oxygen normal; 1.60 - 1.89 ppm	No odor
4/2/2019	Clear Lake Korean Church, 10010 Galveston Rd. (Clear Lake)	8:45 AM	TVA; MultiRAE Pro	VOC; SO2, LEL, CO, H2S, VOC, Gamma	2.24 - 3.51 ppm; 3 µrem/hr. gamma	No odor
4/2/2019	2700 Bay Area Blvd. (Houston)	9:10 AM	MultiRAE; TVA	VOC, LEL, H2S, CO, O2; VOC	0 ppm, oxygen normal; 1.4 - 1.59 ppm	No odor
4/2/2019	1802 Gunwale Rd. (Houston)	9:35 AM	MultiRAE; TVA	VOC, LEL, H2S, CO, O2; VOC	0 ppm, oxygen normal; 1.41 - 1.47 ppm	No odor
4/2/2019	16300 Shell Lake Dr. (Houston)	10:02 AM	MultiRAE; TVA	VOC, LEL, H2S, CO, O2; VOC	0 ppm, oxygen normal; 1.31 - 1.45 ppm	No odor

Tuesday, April 2, 2019

4/2/2019	Young Elementary School, 4221 Fox Meadow Ln. (Pasadena)	10:30 AM	TVA; MultiRAE Pro	VOC; SO2, LEL, CO, H2S, VOC, Gamma	2.23 - 2.58 ppm ; 3 µrem/hr. gamma	Very light grassy smell detected likely from freshly cut grass. At minute 13 gamma reading spiked to 40 µrem/hr. but went back to 3. At minute 15 gamma reading spiked to 51 µrem/hr. but went back to 3. Gamma reading maxed out at 19999 µrem/hr. as investigators were leaving the area and returned to normal 3 µrem/hr. as investigators moved away.
4/2/2019	17100 North Texas Ave. (Webster)	10:35 AM	MultiRAE; TVA	VOC, LEL, H2S, CO, O2; VOC	0 ppm, oxygen normal; 1.24 - 1.31 ppm	No odor
4/2/2019	Tempo - El Buen Pastor, 1228 Vista Rd. (Pasadena)	11:00 AM	TVA; MultiRAE Pro	VOC; SO2, LEL, CO, H2S, VOC, Gamma	2.22 - 2.60 ppm; 3 µrem/hr. gamma	No odor
4/2/2019	Strawberry Park, 2900 Strawberry Park (Pasadena)	11:25 AM	TVA; MultiRAE Pro	VOC; SO2, LEL, CO, H2S, VOC, Gamma	2.37 - 2.59 ppm; 3 µrem/hr. gamma	No odor
4/2/2019	507 Bratten Ln. (Webster)	11:47 AM	MultiRAE; TVA	VOC, LEL, H2S, CO, O2; VOC	0 ppm, oxygen normal; 0.99 - 1.06 ppm	No odor
4/2/2019	16511 Diana Ln. (Houston)	12:17 PM	MultiRAE; TVA	VOC, LEL, H2S, CO, O2; VOC	0 ppm, oxygen normal; 0.84 - 0.95 ppm	No odor
4/2/2019	Richey Elementary School (Pasadena)	12:20 PM	TVA; MultiRAE Pro	VOC; SO2, LEL, CO, H2S, VOC, Gamma	2.86 - 3.22 ppm; 2 µrem/hr. gamma	Very light to light burnt gasoline odor detected for 15 minutes, likely from surrounding industry.
4/2/2019	14703 Redwood Bend Trail (Houston)	12:35 PM	MultiRAE Lite; UltraRAE 300	CL2, NH3, LEL, VOC, CO, O2; Benzene	0 ppm, oxygen normal	No odor
4/2/2019	1511 El Dorado Blvd. (Houston)	12:40 PM	MultiRAE; TVA	VOC, LEL, H2S, CO, O2; VOC	0 ppm, oxygen normal; 0.79 - 0.88 ppm	No odor
4/2/2019	Forest Oaks Baptist Church, 1845 Forest Oaks Dr.	12:50 PM	TVA; MultiRAE Pro	VOC; SO2, LEL, CO, H2S, VOC, Gamma	2.76 - 3.08 ppm; 2 µrem/hr. gamma	No odor
4/2/2019	11034 Crosby Field (Crosby)	1:12 PM	MultiRAE; TVA	VOC, LEL, H2S, CO, O2; VOC	0 ppm, oxygen normal; 0.71 - 0.79 ppm	No odor