


Preliminary Hand- Held Air Monitoring Locations | ITC Deer Park Tank Fire

Reading Date
3/27/2019 11:00:00 PM to 3/28/2019 12:00:00 AM




Recent Benzene Detections

Location Category	Reading Date	Concentration
Division B	3/27/2019 23:07:17	0.05 ppm
	3/27/2019 23:01:46	0.20 ppm
Division E	3/27/2019 23:55:21	0.10 ppm
	3/27/2019 23:52:56	7.22 ppm
	3/27/2019 23:48:22	0.10 ppm
	3/27/2019 23:40:25	1.15 ppm
	3/27/2019 23:38:50	2.68 ppm
	3/27/2019 23:37:35	0.25 ppm
	3/27/2019 23:26:49	0.26 ppm
	3/27/2019 23:24:44	0.55 ppm
	3/27/2019 23:24:21	0.04 ppm
	3/27/2019 23:21:23	9.54 ppm
	3/27/2019 23:17:49	0.13 ppm
	3/27/2019 23:15:04	4.35 ppm
	3/27/2019 23:13:37	0.38 ppm
	3/27/2019 23:13:11	5.78 ppm
	3/27/2019 23:09:58	0.63 ppm
	3/27/2019 23:07:18	0.50 ppm
	3/27/2019 23:06:21	0.46 ppm
	3/27/2019 23:06:08	3.76 ppm
Industrial Area	3/27/2019 23:51:44	3.81 ppm
	3/27/2019 23:48:06	1.70 ppm
	3/27/2019 23:34:57	12.85 ppm
	3/27/2019 23:29:53	6.25 ppm
	3/27/2019 23:22:14	0.44 ppm
	3/27/2019 23:15:37	0.35 ppm

Not all real time data on this website have undergone full QA/QC (quality assurance/quality control) analysis.
It has been provided expeditiously to regulatory agencies and on-site contractors for informational purposes only

Preliminary Hand- Held Air Monitoring Locations | ITC Deer Park Tank Fire

Reading Date
3/28/2019 12:00:00 AM to 3/28/2019 1:00:00 AM



Recent Benzene Detections


Location Category	Reading Date	Concentration
Division B	3/28/2019 00:53:05	0.26 ppm
	3/28/2019 00:50:00	0.23 ppm
	3/28/2019 00:12:52	0.43 ppm
Division E	3/28/2019 00:56:06	0.11 ppm
	3/28/2019 00:51:35	0.10 ppm
	3/28/2019 00:47:33	0.11 ppm
	3/28/2019 00:46:06	0.36 ppm
	3/28/2019 00:44:29	0.21 ppm
	3/28/2019 00:42:34	0.34 ppm
	3/28/2019 00:42:32	2.42 ppm
	3/28/2019 00:34:47	2.79 ppm
	3/28/2019 00:33:24	0.29 ppm
	3/28/2019 00:32:57	2.23 ppm
	3/28/2019 00:29:18	6.96 ppm
	3/28/2019 00:21:43	0.76 ppm
	3/28/2019 00:17:15	0.49 ppm
	3/28/2019 00:15:38	0.90 ppm
	3/28/2019 00:12:13	3.46 ppm
Impacted Tank Farm	3/28/2019 00:04:44	4.02 ppm
	3/28/2019 00:47:17	7.25 ppm
	3/28/2019 00:42:52	0.33 ppm
	3/28/2019 00:39:51	1.08 ppm
	3/28/2019 00:36:13	0.13 ppm
	3/28/2019 00:29:31	16.50 ppm
Industrial Area	3/28/2019 00:26:23	0.58 ppm
	3/28/2019 00:19:37	0.10 ppm
	3/28/2019 00:41:48	1.45 ppm
	3/28/2019 00:36:46	2.75 ppm
	3/28/2019 00:32:24	1.45 ppm
	3/28/2019 00:07:01	0.25 ppm
	3/28/2019 00:03:44	0.35 ppm

Not all real time data on this website have undergone full QA/QC (quality assurance/quality control) analysis.
It has been provided expeditiously to regulatory agencies and on-site contractors for informational purposes only

Preliminary Hand- Held Air Monitoring Locations | ITC Deer Park Tank Fire

Reading Date

3/28/2019 1:00:00 AM to 3/28/2019 2:00:00 AM



Recent Benzene Detections

Location Category	Reading Date	Concentration
Division E	3/28/2019 01:54:03	2.28 ppm
	3/28/2019 01:52:11	1.76 ppm
	3/28/2019 01:48:54	0.07 ppm
	3/28/2019 01:42:34	0.07 ppm
	3/28/2019 01:39:48	0.28 ppm
	3/28/2019 01:38:26	9.40 ppm
	3/28/2019 01:38:19	1.72 ppm
	3/28/2019 01:37:04	0.18 ppm
	3/28/2019 01:34:49	0.04 ppm
	3/28/2019 01:32:59	7.38 ppm
	3/28/2019 01:32:09	0.08 ppm
	3/28/2019 01:29:31	5.58 ppm
	3/28/2019 01:28:01	0.06 ppm
	3/28/2019 01:24:13	0.10 ppm
	3/28/2019 01:20:19	0.13 ppm
	3/28/2019 01:15:01	0.36 ppm
	3/28/2019 01:14:55	1.72 ppm
	3/28/2019 01:11:59	4.80 ppm
	3/28/2019 01:05:43	0.05 ppm
	3/28/2019 01:05:13	0.88 ppm
	3/28/2019 01:01:56	0.87 ppm
	3/28/2019 01:00:23	0.13 ppm
Industrial Area	3/28/2019 01:56:02	20.15 ppm
	3/28/2019 01:52:59	0.53 ppm
	3/28/2019 01:48:32	2.45 ppm
	3/28/2019 01:47:40	0.19 ppm
Over Water (No Div..	3/28/2019 01:44:33	0.11 ppm


Not all real time data on this website have undergone full QA/QC (quality assurance/quality control) analysis.

It has been provided expeditiously to regulatory agencies and on-site contractors for informational purposes only

Preliminary Hand- Held Air Monitoring Locations | ITC Deer Park Tank Fire

Reading Date

3/28/2019 2:00:00 AM to 3/28/2019 3:00:00 AM



Recent Benzene Detections


Location Category	Reading Date	Concentration
Division B	3/28/2019 02:20:41	0.750 ppm
	3/28/2019 02:05:30	0.200 ppm
	3/28/2019 02:02:58	0.200 ppm
	3/28/2019 02:00:58	0.125 ppm
Division E	3/28/2019 02:59:18	0.120 ppm
	3/28/2019 02:57:55	0.650 ppm
	3/28/2019 02:56:29	0.260 ppm
	3/28/2019 02:54:36	0.150 ppm
	3/28/2019 02:49:57	0.250 ppm
	3/28/2019 02:49:11	0.100 ppm
	3/28/2019 02:44:26	0.540 ppm
	3/28/2019 02:43:56	0.125 ppm
	3/28/2019 02:42:35	0.350 ppm
	3/28/2019 02:40:28	0.150 ppm
	3/28/2019 02:40:08	0.050 ppm
	3/28/2019 02:38:32	0.175 ppm
	3/28/2019 02:35:28	0.140 ppm
	3/28/2019 02:32:44	5.040 ppm
	3/28/2019 02:28:17	0.090 ppm
	3/28/2019 02:22:22	0.880 ppm
	3/28/2019 02:22:20	0.100 ppm
	3/28/2019 02:18:48	0.120 ppm
	3/28/2019 02:18:15	1.440 ppm
	3/28/2019 02:17:06	0.475 ppm
	3/28/2019 02:16:55	0.380 ppm
	3/28/2019 02:14:43	0.120 ppm
	3/28/2019 02:11:49	0.220 ppm
	3/28/2019 02:09:25	0.100 ppm
	3/28/2019 02:06:57	0.150 ppm
	3/28/2019 02:06:12	0.640 ppm
	3/28/2019 02:04:58	0.040 ppm
	3/28/2019 02:04:18	4.025 ppm
	3/28/2019 02:01:03	0.075 ppm
	3/28/2019 02:00:08	0.630 ppm
Impacted Tank Farm	3/28/2019 02:30:36	1.750 ppm
	3/28/2019 02:26:46	0.650 ppm
	3/28/2019 02:23:50	0.850 ppm
	3/28/2019 02:20:37	1.425 ppm
	3/28/2019 02:20:00	1.425 ppm
Industrial Area	3/28/2019 02:59:55	0.800 ppm
	3/28/2019 02:55:36	2.950 ppm
Over Water (No Div..	3/28/2019 02:24:00	0.310 ppm

Not all real time data on this website have undergone full QA/QC (quality assurance/quality control) analysis.

It has been provided expeditiously to regulatory agencies and on-site contractors for informational purposes only

Preliminary Hand- Held Air Monitoring Locations | ITC Deer Park Tank Fire

Reading Date
3/28/2019 3:00:00 AM to 3/28/2019 4:00:00 AM




Recent Benzene Detections

Location Category	Reading Date	Concentration
Division E	3/28/2019 03:59:27	0.125 ppm
	3/28/2019 03:59:14	1.730 ppm
	3/28/2019 03:55:56	2.710 ppm
	3/28/2019 03:53:17	4.830 ppm
	3/28/2019 03:52:13	0.425 ppm
	3/28/2019 03:41:10	0.425 ppm
	3/28/2019 03:35:45	0.575 ppm
	3/28/2019 03:33:29	1.110 ppm
	3/28/2019 03:29:28	0.550 ppm
	3/28/2019 03:29:07	1.030 ppm
	3/28/2019 03:25:44	0.350 ppm
	3/28/2019 03:20:30	0.225 ppm
	3/28/2019 03:20:10	0.300 ppm
	3/28/2019 03:15:46	2.450 ppm
	3/28/2019 03:13:55	0.200 ppm
	3/28/2019 03:12:08	3.150 ppm
	3/28/2019 03:12:05	2.900 ppm
	3/28/2019 03:09:52	1.390 ppm
	3/28/2019 03:09:15	8.120 ppm
	3/28/2019 03:07:17	0.340 ppm
Industrial Area	3/28/2019 03:03:25	0.130 ppm
	3/28/2019 03:02:16	0.175 ppm
	3/28/2019 03:41:48	1.175 ppm
	3/28/2019 03:35:56	0.450 ppm
	3/28/2019 03:31:49	0.570 ppm
	3/28/2019 03:27:18	1.370 ppm
	3/28/2019 03:00:55	5.225 ppm

Not all real time data on this website have undergone full QA/QC (quality assurance/quality control) analysis.
It has been provided expeditiously to regulatory agencies and on-site contractors for informational purposes only

Preliminary Hand- Held Air Monitoring Locations | ITC Deer Park Tank Fire

Reading Date
3/28/2019 4:00:00 AM to 3/28/2019 5:00:00 AM



Recent Benzene Detections


Location Category	Reading Date	Concentration
Division B	3/28/2019 04:10:23	0.090 ppm
Division E	3/28/2019 04:53:31	0.390 ppm
	3/28/2019 04:48:19	2.030 ppm
	3/28/2019 04:45:40	2.890 ppm
	3/28/2019 04:41:39	7.540 ppm
	3/28/2019 04:39:57	0.060 ppm
	3/28/2019 04:21:28	2.500 ppm
	3/28/2019 04:18:18	0.310 ppm
	3/28/2019 04:16:55	0.200 ppm
	3/28/2019 04:14:11	6.380 ppm
	3/28/2019 04:14:02	0.190 ppm
	3/28/2019 04:11:59	0.300 ppm
	3/28/2019 04:10:41	8.000 ppm
	3/28/2019 04:06:06	0.300 ppm
	3/28/2019 04:04:16	1.040 ppm
	3/28/2019 04:04:03	0.330 ppm
	3/28/2019 04:02:57	0.350 ppm
	3/28/2019 04:02:18	0.900 ppm
Impacted Tank Farm	3/28/2019 04:41:44	0.170 ppm
	3/28/2019 04:37:02	0.230 ppm
	3/28/2019 04:34:10	0.110 ppm
	3/28/2019 04:31:12	6.350 ppm
	3/28/2019 04:30:39	0.220 ppm
Industrial Area	3/28/2019 04:45:50	1.250 ppm
	3/28/2019 04:25:29	9.850 ppm
	3/28/2019 04:24:56	2.380 ppm
	3/28/2019 04:21:29	1.450 ppm

Not all real time data on this website have undergone full QA/QC (quality assurance/quality control) analysis.
It has been provided expeditiously to regulatory agencies and on-site contractors for informational purposes only

Preliminary Hand- Held Air Monitoring Locations | ITC Deer Park Tank Fire

Reading Date

3/28/2019 5:00:00 AM to 3/28/2019 6:00:00 AM



Recent Benzene Detections


Location Category	Reading Date	Concentration
Division E	3/28/2019 05:59:23	3.040 ppm
	3/28/2019 05:57:35	1.190 ppm
	3/28/2019 05:56:59	1.110 ppm
	3/28/2019 05:54:51	4.530 ppm
	3/28/2019 05:53:22	0.350 ppm
	3/28/2019 05:48:44	0.280 ppm
	3/28/2019 05:47:18	0.190 ppm
	3/28/2019 05:44:47	0.150 ppm
	3/28/2019 05:33:24	2.000 ppm
	3/28/2019 05:31:41	0.900 ppm
	3/28/2019 05:29:56	0.650 ppm
	3/28/2019 05:08:51	0.150 ppm
Impacted Tank Farm	3/28/2019 05:50:00	0.225 ppm
	3/28/2019 05:49:50	0.450 ppm
	3/28/2019 05:45:59	0.125 ppm
	3/28/2019 05:45:47	0.750 ppm
Industrial Area	3/28/2019 05:59:51	2.025 ppm
	3/28/2019 05:52:08	0.650 ppm
	3/28/2019 05:47:11	7.000 ppm
	3/28/2019 05:44:33	1.850 ppm
	3/28/2019 05:43:32	0.200 ppm
	3/28/2019 05:42:09	0.870 ppm
	3/28/2019 05:40:45	0.200 ppm
	3/28/2019 05:39:44	4.450 ppm
	3/28/2019 05:38:48	1.650 ppm
	3/28/2019 05:30:24	1.650 ppm
	3/28/2019 05:27:53	0.175 ppm
	3/28/2019 05:26:10	1.550 ppm
	3/28/2019 05:24:38	0.175 ppm
	3/28/2019 05:17:33	2.350 ppm
	3/28/2019 05:11:39	0.150 ppm
	3/28/2019 05:07:20	0.125 ppm
	3/28/2019 05:03:15	6.975 ppm

Not all real time data on this website have undergone full QA/QC (quality assurance/quality control) analysis.

It has been provided expeditiously to regulatory agencies and on-site contractors for informational purposes only

Preliminary Hand- Held Air Monitoring Locations | ITC Deer Park Tank Fire

Reading Date
3/28/2019 6:00:00 AM to 3/28/2019 7:00:00 AM



Recent Benzene Detections


Location Category	Reading Date	Concentration
Division E	3/28/2019 06:59:51	0.430 ppm
	3/28/2019 06:58:10	0.710 ppm
	3/28/2019 06:53:39	0.100 ppm
	3/28/2019 06:52:18	0.160 ppm
	3/28/2019 06:50:50	0.240 ppm
	3/28/2019 06:50:28	0.075 ppm
	3/28/2019 06:46:48	0.100 ppm
	3/28/2019 06:42:33	0.640 ppm
	3/28/2019 06:42:18	0.650 ppm
	3/28/2019 06:40:19	0.125 ppm
	3/28/2019 06:39:42	1.025 ppm
	3/28/2019 06:38:40	0.580 ppm
	3/28/2019 06:37:41	4.500 ppm
	3/28/2019 06:35:48	4.675 ppm
	3/28/2019 06:35:29	0.110 ppm
	3/28/2019 06:33:48	3.225 ppm
	3/28/2019 06:32:38	0.400 ppm
	3/28/2019 06:31:38	1.450 ppm
	3/28/2019 06:31:26	0.450 ppm
	3/28/2019 06:28:07	0.200 ppm
	3/28/2019 06:27:36	0.325 ppm
	3/28/2019 06:24:54	0.475 ppm
	3/28/2019 06:24:03	0.450 ppm
	3/28/2019 06:17:31	0.150 ppm
	3/28/2019 06:12:01	0.250 ppm
	3/28/2019 06:11:42	0.590 ppm
	3/28/2019 06:03:31	0.250 ppm
	3/28/2019 06:01:01	0.450 ppm
	3/28/2019 06:00:03	0.130 ppm
Impacted Tank Farm	3/28/2019 06:30:30	0.060 ppm
	3/28/2019 06:25:31	0.030 ppm
	3/28/2019 06:21:11	0.110 ppm
Industrial Area	3/28/2019 06:52:42	0.200 ppm
	3/28/2019 06:48:27	0.200 ppm
	3/28/2019 06:30:16	0.200 ppm
	3/28/2019 06:28:12	0.200 ppm
	3/28/2019 06:27:31	0.590 ppm
	3/28/2019 06:21:14	0.180 ppm
	3/28/2019 06:04:01	0.200 ppm
	3/28/2019 06:03:59	8.950 ppm
	3/28/2019 06:01:37	0.200 ppm

Not all real time data on this website have undergone full QA/QC (quality assurance/quality control) analysis.
It has been provided expeditiously to regulatory agencies and on-site contractors for informational purposes only

Preliminary Hand- Held Air Monitoring Locations | ITC Deer Park Tank Fire

Reading Date

3/28/2019 7:00:00 AM to 3/28/2019 8:00:00 AM
and Null values




Recent Benzene Detections

Location Category	Reading Date	Concentration
Division B	3/28/2019 07:05:54	0.400 ppm
	3/28/2019 07:03:17	0.200 ppm
Division C	3/28/2019 07:46:51	1.240 ppm
Division E	3/28/2019 07:59:10	0.525 ppm
	3/28/2019 07:58:58	1.850 ppm
	3/28/2019 07:55:50	0.825 ppm
	3/28/2019 07:54:23	0.075 ppm
	3/28/2019 07:52:52	1.125 ppm
	3/28/2019 07:48:38	4.075 ppm
	3/28/2019 07:46:35	0.150 ppm
	3/28/2019 07:44:00	0.250 ppm
	3/28/2019 07:31:01	5.175 ppm
	3/28/2019 07:16:12	0.100 ppm
	3/28/2019 07:13:12	0.610 ppm
	3/28/2019 07:07:10	0.850 ppm
Impacted Tank Farm	3/28/2019 07:59:19	0.140 ppm
	3/28/2019 07:56:35	0.160 ppm
	3/28/2019 07:51:15	0.110 ppm
	3/28/2019 07:41:52	0.025 ppm
	3/28/2019 07:38:35	0.500 ppm
	3/28/2019 07:06:59	0.280 ppm
	3/28/2019 07:04:14	0.030 ppm
Industrial Area	3/28/2019 07:54:28	0.250 ppm
	3/28/2019 07:51:28	0.475 ppm
	3/28/2019 07:47:05	2.950 ppm
	3/28/2019 07:21:43	0.175 ppm
	3/28/2019 07:18:45	0.125 ppm

Not all real time data on this website have undergone full QA/QC (quality assurance/quality control) analysis.
It has been provided expeditiously to regulatory agencies and on-site contractors for informational purposes only

Preliminary Hand- Held Air Monitoring Locations | ITC Deer Park Tank Fire

Reading Date
3/28/2019 8:00:00 AM to 3/28/2019 9:00:00 AM
and Null values



Recent Benzene Detections


Location Category	Reading Date	Concentration
Division E	3/28/2019 08:56:57	0.040 ppm
	3/28/2019 08:56:20	0.130 ppm
	3/28/2019 08:46:33	0.050 ppm
	3/28/2019 08:42:30	2.475 ppm
	3/28/2019 08:39:00	2.975 ppm
	3/28/2019 08:35:22	0.875 ppm
	3/28/2019 08:30:40	0.040 ppm
	3/28/2019 08:24:34	0.200 ppm
	3/28/2019 08:23:59	0.060 ppm
	3/28/2019 08:22:36	0.210 ppm
	3/28/2019 08:21:07	0.150 ppm
	3/28/2019 08:20:33	0.775 ppm
	3/28/2019 08:18:43	0.180 ppm
	3/28/2019 08:17:02	0.300 ppm
	3/28/2019 08:16:32	0.180 ppm
Industrial Area	3/28/2019 08:09:20	0.510 ppm
	3/28/2019 08:02:35	4.575 ppm
	3/28/2019 08:56:33	0.750 ppm
	3/28/2019 08:50:03	1.100 ppm
	3/28/2019 08:09:54	0.625 ppm
Over Water (No Division)	3/28/2019 08:05:47	0.030 ppm
	3/28/2019 08:02:59	1.450 ppm
	3/28/2019 08:53:10	0.100 ppm

Not all real time data on this website have undergone full QA/QC (quality assurance/quality control) analysis.
It has been provided expeditiously to regulatory agencies and on-site contractors for informational purposes only

Preliminary Hand- Held Air Monitoring Locations | ITC Deer Park Tank Fire

Reading Date

3/28/2019 9:00:00 AM to 3/28/2019 10:00:00 AM



Recent Benzene Detections


Location Category	Reading Date	Concentration
Division B	3/28/2019 09:49:43	0.150 ppm
	3/28/2019 09:34:55	0.075 ppm
	3/28/2019 09:29:07	0.110 ppm
	3/28/2019 09:27:05	0.130 ppm
Division E	3/28/2019 09:57:26	0.450 ppm
	3/28/2019 09:53:57	2.275 ppm
	3/28/2019 09:48:56	0.050 ppm
	3/28/2019 09:42:30	0.450 ppm
	3/28/2019 09:40:57	0.080 ppm
	3/28/2019 09:37:28	0.310 ppm
	3/28/2019 09:35:26	4.310 ppm
	3/28/2019 09:29:53	0.075 ppm
	3/28/2019 09:29:00	0.720 ppm
	3/28/2019 09:28:37	0.200 ppm
	3/28/2019 09:25:17	3.825 ppm
	3/28/2019 09:24:01	0.040 ppm
	3/28/2019 09:22:14	0.700 ppm
	3/28/2019 09:17:12	0.270 ppm
	3/28/2019 09:15:42	0.350 ppm
	3/28/2019 09:08:11	0.140 ppm
	3/28/2019 09:06:37	0.510 ppm
Impacted Tank Farm	3/28/2019 09:14:34	0.300 ppm
Industrial Area	3/28/2019 09:48:48	0.710 ppm
	3/28/2019 09:47:38	1.220 ppm
	3/28/2019 09:37:46	0.460 ppm
	3/28/2019 09:17:52	0.275 ppm
Over Water (No Div..	3/28/2019 09:47:31	0.100 ppm

Not all real time data on this website have undergone full QA/QC (quality assurance/quality control) analysis.
It has been provided expeditiously to regulatory agencies and on-site contractors for informational purposes only

Preliminary Hand- Held Air Monitoring Locations | ITC Deer Park Tank Fire

Reading Date

3/28/2019 10:00:00 AM to 3/28/2019 11:00:00 AM



Recent Benzene Detections


Location Category	Reading Date	Concentration
Division B	3/28/2019 10:45:47	0.230 ppm
	3/28/2019 10:16:54	0.560 ppm
	3/28/2019 10:04:44	0.880 ppm
Division C	3/28/2019 10:10:39	4.275 ppm
Division D	3/28/2019 10:47:40	0.360 ppm
	3/28/2019 10:31:13	0.680 ppm
Division E	3/28/2019 10:51:40	0.125 ppm
	3/28/2019 10:39:44	4.525 ppm
	3/28/2019 10:36:53	0.125 ppm
	3/28/2019 10:35:54	0.250 ppm
	3/28/2019 10:33:06	0.860 ppm
	3/28/2019 10:31:32	0.050 ppm
	3/28/2019 10:31:14	0.575 ppm
	3/28/2019 10:29:42	2.475 ppm
	3/28/2019 10:29:26	0.250 ppm
	3/28/2019 10:27:18	0.460 ppm
	3/28/2019 10:24:36	0.190 ppm
	3/28/2019 10:21:47	5.900 ppm
	3/28/2019 10:19:38	0.270 ppm
	3/28/2019 10:19:05	0.290 ppm
	3/28/2019 10:17:36	0.920 ppm
	3/28/2019 10:16:24	0.130 ppm
	3/28/2019 10:15:58	0.425 ppm
	3/28/2019 10:14:22	0.175 ppm
	3/28/2019 10:13:32	0.300 ppm
	3/28/2019 10:13:24	0.100 ppm
	3/28/2019 10:12:48	5.300 ppm
	3/28/2019 10:09:51	7.425 ppm
	3/28/2019 10:08:53	0.090 ppm
	3/28/2019 10:08:12	6.550 ppm
	3/28/2019 10:07:18	1.080 ppm
	3/28/2019 10:04:26	5.100 ppm
	3/28/2019 10:02:48	3.320 ppm
	3/28/2019 10:01:05	1.300 ppm
Impacted Tank Farm	3/28/2019 10:19:11	3.750 ppm
Industrial Area	3/28/2019 10:27:24	2.240 ppm
	3/28/2019 10:21:51	1.160 ppm
	3/28/2019 10:04:06	1.950 ppm

Not all real time data on this website have undergone full QA/QC (quality assurance/quality control) analysis. It has been provided expeditiously to regulatory agencies and on-site contractors for informational purposes only

Preliminary Hand- Held Air Monitoring Locations | ITC Deer Park Tank Fire

Reading Date

3/28/2019 11:00:00 AM to 3/28/2019 12:00:00 PM




Recent Benzene Detections

Location Category	Reading Date	Concentration
Division B	3/28/2019 11:57:22	0.325 ppm
	3/28/2019 11:11:42	0.160 ppm
	3/28/2019 11:10:12	1.320 ppm
	3/28/2019 11:06:20	0.240 ppm
Division C	3/28/2019 11:53:44	1.390 ppm
	3/28/2019 11:38:56	0.180 ppm
Division E	3/28/2019 11:47:02	2.430 ppm
	3/28/2019 11:42:47	0.425 ppm
	3/28/2019 11:41:56	0.090 ppm
	3/28/2019 11:38:13	0.060 ppm
	3/28/2019 11:33:37	9.500 ppm
	3/28/2019 11:28:28	4.190 ppm
	3/28/2019 11:25:19	1.150 ppm
	3/28/2019 11:22:26	0.280 ppm
	3/28/2019 11:21:27	0.290 ppm
	3/28/2019 11:19:20	2.050 ppm
	3/28/2019 11:19:06	1.000 ppm
	3/28/2019 11:15:57	0.140 ppm
	3/28/2019 11:15:02	2.350 ppm
	3/28/2019 11:12:38	0.130 ppm
	3/28/2019 11:11:23	0.040 ppm
Industrial Area	3/28/2019 11:09:49	0.170 ppm
	3/28/2019 11:05:04	0.040 ppm
	3/28/2019 11:31:25	1.810 ppm
	3/28/2019 11:29:14	4.580 ppm
	3/28/2019 11:08:35	0.070 ppm
	3/28/2019 11:07:53	1.980 ppm

Not all real time data on this website have undergone full QA/QC (quality assurance/quality control) analysis.
It has been provided expeditiously to regulatory agencies and on-site contractors for informational purposes only

Preliminary Hand- Held Air Monitoring Locations | ITC Deer Park Tank Fire

Reading Date
3/28/2019 12:00:00 PM to 3/28/2019 1:00:00 PM




Recent Benzene Detections

Location Category	Reading Date	Concentration
Division E	3/28/2019 12:59:08	0.700 ppm
	3/28/2019 12:53:06	1.825 ppm
	3/28/2019 12:52:25	2.470 ppm
	3/28/2019 12:50:39	0.180 ppm
	3/28/2019 12:47:37	0.150 ppm
	3/28/2019 12:44:50	0.140 ppm
	3/28/2019 12:44:37	1.390 ppm
	3/28/2019 12:39:45	0.580 ppm
	3/28/2019 12:30:59	1.130 ppm
	3/28/2019 12:30:04	7.360 ppm
	3/28/2019 12:24:53	0.350 ppm
	3/28/2019 12:23:37	0.050 ppm
	3/28/2019 12:21:42	0.110 ppm
	3/28/2019 12:14:59	3.625 ppm
	3/28/2019 12:14:12	0.840 ppm
	3/28/2019 12:11:02	0.250 ppm
	3/28/2019 12:10:42	4.675 ppm
	3/28/2019 12:05:56	0.280 ppm
	3/28/2019 12:03:26	0.325 ppm
Impacted Tank Farm	3/28/2019 12:52:41	0.920 ppm
	3/28/2019 12:52:06	1.330 ppm
	3/28/2019 12:14:12	0.170 ppm
Industrial Area	3/28/2019 12:57:58	0.910 ppm
	3/28/2019 12:48:48	1.475 ppm

Not all real time data on this website have undergone full QA/QC (quality assurance/quality control) analysis.
It has been provided expeditiously to regulatory agencies and on-site contractors for informational purposes only

Preliminary Hand- Held Air Monitoring Locations | ITC Deer Park Tank Fire

Reading Date
3/28/2019 1:00:00 PM to 3/28/2019 2:00:00 PM




Recent Benzene Detections

Location Category	Reading Date	Concentration
Division B	3/28/2019 13:49:39	0.250 ppm
	3/28/2019 13:45:30	0.280 ppm
	3/28/2019 13:44:44	0.120 ppm
	3/28/2019 13:39:10	0.125 ppm
	3/28/2019 13:29:01	0.125 ppm
Division E	3/28/2019 13:58:19	3.275 ppm
	3/28/2019 13:50:06	4.210 ppm
	3/28/2019 13:43:15	0.220 ppm
	3/28/2019 13:31:38	3.600 ppm
	3/28/2019 13:27:46	0.075 ppm
	3/28/2019 13:24:59	0.125 ppm
	3/28/2019 13:21:00	0.050 ppm
	3/28/2019 13:20:55	4.150 ppm
	3/28/2019 13:17:32	4.250 ppm
	3/28/2019 13:07:58	0.550 ppm
Industrial Area	3/28/2019 13:43:22	0.250 ppm
	3/28/2019 13:34:39	2.630 ppm
	3/28/2019 13:21:45	1.120 ppm
	3/28/2019 13:18:06	0.060 ppm
	3/28/2019 13:13:46	0.460 ppm
	3/28/2019 13:12:09	0.030 ppm
Over Water (No Division)	3/28/2019 13:44:22	0.100 ppm

Not all real time data on this website have undergone full QA/QC (quality assurance/quality control) analysis.
It has been provided expeditiously to regulatory agencies and on-site contractors for informational purposes only

Preliminary Hand- Held Air Monitoring Locations | ITC Deer Park Tank Fire

Reading Date
3/28/2019 2:00:00 PM to 3/28/2019 3:00:00 PM



Recent Benzene Detections


Location Category	Reading Date	Concentration
Division B	3/28/2019 14:57:31	0.180 ppm
	3/28/2019 14:56:08	0.150 ppm
	3/28/2019 14:40:29	0.110 ppm
	3/28/2019 14:29:06	2.480 ppm
	3/28/2019 14:20:54	0.825 ppm
	3/28/2019 14:09:51	3.160 ppm
	3/28/2019 14:05:23	0.775 ppm
Division C	3/28/2019 14:43:12	0.550 ppm
Division E	3/28/2019 14:57:59	0.230 ppm
	3/28/2019 14:57:00	0.690 ppm
	3/28/2019 14:51:35	0.160 ppm
	3/28/2019 14:49:00	0.070 ppm
	3/28/2019 14:48:32	0.120 ppm
	3/28/2019 14:46:02	0.200 ppm
	3/28/2019 14:43:00	0.170 ppm
	3/28/2019 14:41:35	2.540 ppm
	3/28/2019 14:34:44	0.130 ppm
	3/28/2019 14:25:24	0.020 ppm
	3/28/2019 14:17:15	0.575 ppm
	3/28/2019 14:14:43	0.070 ppm
	3/28/2019 14:14:42	0.490 ppm
	3/28/2019 14:13:13	0.775 ppm
	3/28/2019 14:09:21	0.170 ppm
	3/28/2019 14:07:13	0.240 ppm
	3/28/2019 14:04:38	0.090 ppm
	3/28/2019 14:01:17	0.100 ppm
Industrial Area	3/28/2019 14:28:42	0.480 ppm
	3/28/2019 14:22:47	0.325 ppm
	3/28/2019 14:19:47	0.925 ppm
	3/28/2019 14:02:29	0.700 ppm

Not all real time data on this website have undergone full QA/QC (quality assurance/quality control) analysis.
It has been provided expeditiously to regulatory agencies and on-site contractors for informational purposes only

Preliminary Hand- Held Air Monitoring Locations | ITC Deer Park Tank Fire

Reading Date

3/28/2019 3:00:00 PM to 3/28/2019 4:00:00 PM



Recent Benzene Detections

Location Category	Reading Date	Concentration
Division B	3/28/2019 15:46:06	0.200 ppm
	3/28/2019 15:40:36	0.125 ppm
	3/28/2019 15:36:50	0.490 ppm
	3/28/2019 15:31:10	0.230 ppm
	3/28/2019 15:31:09	0.160 ppm
	3/28/2019 15:20:21	5.400 ppm
	3/28/2019 15:18:17	0.120 ppm
	3/28/2019 15:05:13	0.230 ppm
	3/28/2019 15:03:31	4.600 ppm
Division C	3/28/2019 15:53:38	0.360 ppm
Division E	3/28/2019 15:58:30	7.625 ppm
	3/28/2019 15:55:19	0.100 ppm
	3/28/2019 15:53:16	0.080 ppm
	3/28/2019 15:53:00	0.475 ppm
	3/28/2019 15:50:33	0.120 ppm
	3/28/2019 15:49:17	6.420 ppm
	3/28/2019 15:43:32	0.110 ppm
	3/28/2019 15:40:02	0.110 ppm
	3/28/2019 15:35:02	0.090 ppm
	3/28/2019 15:28:02	0.080 ppm
	3/28/2019 15:25:14	0.060 ppm
	3/28/2019 15:21:21	0.100 ppm
	3/28/2019 15:07:39	4.850 ppm
	3/28/2019 15:06:18	2.030 ppm
	3/28/2019 15:03:45	1.775 ppm
Industrial Area	3/28/2019 15:31:22	3.610 ppm
	3/28/2019 15:31:10	0.750 ppm
	3/28/2019 15:25:04	2.800 ppm
	3/28/2019 15:15:45	0.340 ppm
	3/28/2019 15:08:06	0.010 ppm


Not all real time data on this website have undergone full QA/QC (quality assurance/quality control) analysis.

It has been provided expeditiously to regulatory agencies and on-site contractors for informational purposes only

Preliminary Hand- Held Air Monitoring Locations | ITC Deer Park Tank Fire

Reading Date

3/28/2019 4:00:00 PM to 3/28/2019 5:00:00 PM



Recent Benzene Detections


Location Category	Reading Date	Concentration
Division B	3/28/2019 16:58:59	0.001 ppm
	3/28/2019 16:55:53	0.110 ppm
	3/28/2019 16:24:08	0.150 ppm
	3/28/2019 16:11:31	2.300 ppm
	3/28/2019 16:06:15	0.310 ppm
	3/28/2019 16:04:18	0.725 ppm
Division C	3/28/2019 16:06:45	0.180 ppm
Division E	3/28/2019 16:55:18	0.130 ppm
	3/28/2019 16:49:25	4.925 ppm
	3/28/2019 16:48:12	0.500 ppm
	3/28/2019 16:46:42	2.910 ppm
	3/28/2019 16:45:27	2.400 ppm
	3/28/2019 16:43:03	0.070 ppm
	3/28/2019 16:37:37	0.110 ppm
	3/28/2019 16:33:46	0.640 ppm
	3/28/2019 16:31:56	5.510 ppm
	3/28/2019 16:24:57	0.370 ppm
	3/28/2019 16:05:34	0.125 ppm
	3/28/2019 16:05:04	0.800 ppm
	3/28/2019 16:01:37	6.825 ppm
Industrial Area	3/28/2019 16:52:14	6.440 ppm
	3/28/2019 16:50:39	0.260 ppm
	3/28/2019 16:49:34	1.225 ppm
	3/28/2019 16:47:27	0.900 ppm
	3/28/2019 16:45:39	1.510 ppm
	3/28/2019 16:38:49	1.050 ppm
	3/28/2019 16:24:28	2.180 ppm
	3/28/2019 16:18:12	1.880 ppm

Not all real time data on this website have undergone full QA/QC (quality assurance/quality control) analysis.

It has been provided expeditiously to regulatory agencies and on-site contractors for informational purposes only

Preliminary Hand- Held Air Monitoring Locations | ITC Deer Park Tank Fire

Reading Date
3/28/2019 5:00:00 PM to 3/28/2019 6:00:00 PM




Recent Benzene Detections

Location Category	Reading Date	Concentration
Division A	3/28/2019 17:34:36	0.440 ppm
	3/28/2019 17:22:34	0.440 ppm
Division B	3/28/2019 17:33:44	0.125 ppm
	3/28/2019 17:09:40	0.125 ppm
Division E	3/28/2019 17:54:19	0.130 ppm
	3/28/2019 17:49:08	2.250 ppm
	3/28/2019 17:44:09	0.125 ppm
	3/28/2019 17:41:08	8.375 ppm
	3/28/2019 17:38:24	2.250 ppm
	3/28/2019 17:37:47	0.110 ppm
	3/28/2019 17:36:43	0.275 ppm
	3/28/2019 17:33:26	0.270 ppm
	3/28/2019 17:29:00	0.150 ppm
	3/28/2019 17:22:39	9.390 ppm
	3/28/2019 17:19:27	5.430 ppm
	3/28/2019 17:14:51	5.730 ppm
	3/28/2019 17:12:10	1.500 ppm
Industrial Area	3/28/2019 17:10:24	0.100 ppm
	3/28/2019 17:02:39	0.600 ppm
	3/28/2019 17:58:57	1.720 ppm
	3/28/2019 17:12:17	0.670 ppm

Not all real time data on this website have undergone full QA/QC (quality assurance/quality control) analysis.
It has been provided expeditiously to regulatory agencies and on-site contractors for informational purposes only

Preliminary Hand- Held Air Monitoring Locations | ITC Deer Park Tank Fire

Reading Date
3/28/2019 6:00:00 PM to 3/28/2019 7:00:00 PM




Recent Benzene Detections

Location Category	Reading Date	Concentration
Division E	3/28/2019 18:56:03	1.860 ppm
	3/28/2019 18:52:53	0.125 ppm
	3/28/2019 18:50:01	7.675 ppm
	3/28/2019 18:47:16	2.775 ppm
	3/28/2019 18:45:56	1.500 ppm
	3/28/2019 18:41:15	0.690 ppm
	3/28/2019 18:30:08	0.110 ppm
	3/28/2019 18:24:22	0.375 ppm
	3/28/2019 18:16:39	0.070 ppm
	3/28/2019 18:14:43	0.620 ppm
	3/28/2019 18:13:40	0.350 ppm
Industrial Area	3/28/2019 18:59:55	1.025 ppm
	3/28/2019 18:47:10	2.150 ppm
	3/28/2019 18:39:43	9.350 ppm
	3/28/2019 18:32:06	0.810 ppm
	3/28/2019 18:24:24	1.970 ppm
	3/28/2019 18:17:36	0.940 ppm
	3/28/2019 18:11:53	0.940 ppm
	3/28/2019 18:10:09	0.090 ppm
	3/28/2019 18:05:39	0.125 ppm
	3/28/2019 18:04:33	2.210 ppm

Not all real time data on this website have undergone full QA/QC (quality assurance/quality control) analysis.
It has been provided expeditiously to regulatory agencies and on-site contractors for informational purposes only

Preliminary Hand- Held Air Monitoring Locations | ITC Deer Park Tank Fire

Reading Date
3/28/2019 7:00:00 PM to 3/28/2019 8:00:00 PM




Recent Benzene Detections

Location Category	Reading Date	Concentration
Division B	3/28/2019 19:48:18	0.4600 ppm
Division E	3/28/2019 20:00:00	0.9900 ppm
	3/28/2019 19:52:12	0.0400 ppm
	3/28/2019 19:52:07	0.3500 ppm
	3/28/2019 19:45:31	0.0900 ppm
	3/28/2019 19:42:42	0.3400 ppm
	3/28/2019 19:28:52	0.0900 ppm
	3/28/2019 19:26:08	0.4600 ppm
	3/28/2019 19:20:37	0.0400 ppm
Industrial Area	3/28/2019 19:36:53	0.3500 ppm

Not all real time data on this website have undergone full QA/QC (quality assurance/quality control) analysis.
It has been provided expeditiously to regulatory agencies and on-site contractors for informational purposes only

Preliminary Hand- Held Air Monitoring Locations | ITC Deer Park Tank Fire

Reading Date
3/28/2019 8:00:00 PM to 3/28/2019 9:00:00 PM



Recent Benzene Detections


Location Category	Reading Date	Concentration
Division B	3/28/2019 20:17:43	0.130 ppm
	3/28/2019 20:10:53	0.650 ppm
	3/28/2019 20:05:52	0.700 ppm
	3/28/2019 20:01:50	0.400 ppm
Division C	3/28/2019 20:16:46	0.025 ppm
Division E	3/28/2019 20:57:00	2.400 ppm
	3/28/2019 20:52:05	0.300 ppm
	3/28/2019 20:50:52	0.150 ppm
	3/28/2019 20:47:47	0.330 ppm
	3/28/2019 20:46:45	0.710 ppm
	3/28/2019 20:46:44	0.940 ppm
	3/28/2019 20:37:45	2.425 ppm
	3/28/2019 20:22:44	0.500 ppm
	3/28/2019 20:15:37	1.230 ppm
	3/28/2019 20:00:00	0.990 ppm
Impacted Tank Farm	3/28/2019 20:58:28	0.675 ppm
Industrial Area	3/28/2019 20:24:05	0.125 ppm
	3/28/2019 20:03:32	0.650 ppm

Not all real time data on this website have undergone full QA/QC (quality assurance/quality control) analysis.
It has been provided expeditiously to regulatory agencies and on-site contractors for informational purposes only

Preliminary Hand- Held Air Monitoring Locations | ITC Deer Park Tank Fire

Reading Date

3/28/2019 9:00:00 PM to 3/28/2019 10:00:00 PM



Recent Benzene Detections

Location Category	Reading Date	Concentration
Division B	3/28/2019 21:59:49	0.560 ppm
	3/28/2019 21:50:48	0.410 ppm
	3/28/2019 21:47:41	0.390 ppm
	3/28/2019 21:42:40	0.240 ppm
	3/28/2019 21:31:16	0.280 ppm
	3/28/2019 21:22:38	0.160 ppm
	3/28/2019 21:12:18	1.060 ppm
	3/28/2019 21:08:18	0.160 ppm
Division E	3/28/2019 21:41:16	0.850 ppm
	3/28/2019 21:41:06	1.280 ppm
	3/28/2019 21:37:28	0.325 ppm
	3/28/2019 21:36:15	1.190 ppm
	3/28/2019 21:36:06	0.125 ppm
	3/28/2019 21:33:44	0.250 ppm
	3/28/2019 21:33:35	0.220 ppm
	3/28/2019 21:32:37	1.775 ppm
	3/28/2019 21:28:54	1.100 ppm
	3/28/2019 21:25:59	0.750 ppm
	3/28/2019 21:22:13	0.150 ppm
	3/28/2019 21:17:47	0.920 ppm
	3/28/2019 21:17:42	0.725 ppm
	3/28/2019 21:13:31	2.630 ppm
	3/28/2019 21:10:06	0.910 ppm
	3/28/2019 21:09:07	1.750 ppm
	3/28/2019 21:05:55	5.880 ppm
	3/28/2019 21:05:28	0.200 ppm
	3/28/2019 21:05:12	0.925 ppm
	3/28/2019 21:01:35	0.900 ppm
	3/28/2019 21:00:50	1.125 ppm
Impacted Tank Farm	3/28/2019 21:00:07	0.620 ppm
Industrial Area	3/28/2019 21:57:04	0.175 ppm
	3/28/2019 21:53:22	0.175 ppm
	3/28/2019 21:50:01	0.350 ppm
	3/28/2019 21:46:56	0.825 ppm


Not all real time data on this website have undergone full QA/QC (quality assurance/quality control) analysis.

It has been provided expeditiously to regulatory agencies and on-site contractors for informational purposes only

Preliminary Hand- Held Air Monitoring Locations | ITC Deer Park Tank Fire

Reading Date

3/28/2019 10:00:00 PM to 3/28/2019 11:00:00 PM



Recent Benzene Detections

Location Category	Reading Date	Concentration
Division B	3/28/2019 22:52:34	0.120 ppm
	3/28/2019 22:50:20	0.610 ppm
	3/28/2019 22:35:28	1.110 ppm
	3/28/2019 22:25:35	0.720 ppm
	3/28/2019 22:24:19	0.700 ppm
	3/28/2019 22:20:30	0.680 ppm
	3/28/2019 22:18:30	0.660 ppm
	3/28/2019 22:18:03	0.800 ppm
	3/28/2019 22:17:25	0.870 ppm
	3/28/2019 22:12:02	0.330 ppm
	3/28/2019 22:11:53	0.800 ppm
	3/28/2019 22:11:20	0.440 ppm
	3/28/2019 22:09:03	0.610 ppm
	3/28/2019 22:03:19	0.610 ppm
Division E	3/28/2019 22:59:48	0.630 ppm
	3/28/2019 22:58:36	1.110 ppm
	3/28/2019 22:55:33	2.580 ppm
	3/28/2019 22:52:38	2.280 ppm
	3/28/2019 22:49:57	0.675 ppm
	3/28/2019 22:44:18	1.200 ppm
	3/28/2019 22:37:49	1.010 ppm
	3/28/2019 22:35:12	0.130 ppm
	3/28/2019 22:32:21	1.000 ppm
	3/28/2019 22:29:54	0.575 ppm
	3/28/2019 22:26:29	0.250 ppm
	3/28/2019 22:11:31	0.200 ppm
	3/28/2019 22:09:39	0.450 ppm
	3/28/2019 22:07:07	0.320 ppm
	3/28/2019 22:04:45	0.690 ppm
	3/28/2019 22:03:36	1.160 ppm
	3/28/2019 22:00:01	0.500 ppm
Industrial Area	3/28/2019 22:21:19	0.425 ppm
	3/28/2019 22:04:52	1.250 ppm

Not all real time data on this website have undergone full QA/QC (quality assurance/quality control) analysis.

It has been provided expeditiously to regulatory agencies and on-site contractors for informational purposes only