


Preliminary Hand- Held Air Monitoring Locations | ITC Deer Park Tank Fire

Reading Date
3/28/2019 11:00:00 PM to 3/29/2019 12:00:00 AM



Recent Benzene Detections


Location Category	Reading Date	Concentration
Division B	3/28/2019 23:58:26	0.18 ppm
	3/28/2019 23:54:32	0.07 ppm
	3/28/2019 23:44:38	0.36 ppm
	3/28/2019 23:39:47	0.82 ppm
	3/28/2019 23:25:10	0.07 ppm
	3/28/2019 23:18:05	0.70 ppm
	3/28/2019 23:08:19	0.42 ppm
	3/28/2019 23:07:06	0.61 ppm
	3/28/2019 23:03:23	0.28 ppm
Division C	3/28/2019 23:01:32	0.46 ppm
	3/28/2019 23:33:48	0.05 ppm
Division E	3/28/2019 23:59:22	9.35 ppm
	3/28/2019 23:52:53	1.75 ppm
	3/28/2019 23:47:10	3.35 ppm
	3/28/2019 23:46:43	0.06 ppm
	3/28/2019 23:40:25	0.27 ppm
	3/28/2019 23:40:10	0.80 ppm
	3/28/2019 23:39:49	0.78 ppm
	3/28/2019 23:31:08	4.50 ppm
	3/28/2019 23:30:15	0.06 ppm
	3/28/2019 23:27:13	4.25 ppm
	3/28/2019 23:27:09	0.35 ppm
	3/28/2019 23:18:56	1.42 ppm
	3/28/2019 23:15:41	13.10 ppm
	3/28/2019 23:13:45	3.78 ppm
	3/28/2019 23:11:58	0.99 ppm
	3/28/2019 23:11:44	0.63 ppm
Industrial Area	3/28/2019 23:08:19	1.88 ppm
	3/28/2019 23:07:20	0.22 ppm
	3/28/2019 23:01:16	0.07 ppm
	3/28/2019 23:34:32	3.65 ppm
	3/28/2019 23:29:56	0.28 ppm
Over Water (No Division)	3/28/2019 23:26:12	0.23 ppm
	3/28/2019 23:23:25	0.45 ppm
	3/28/2019 23:20:59	0.15 ppm
	3/28/2019 23:50:04	0.15 ppm
	3/28/2019 23:06:02	2.15 ppm

Not all real time data on this website have undergone full QA/QC (quality assurance/quality control) analysis.
It has been provided expeditiously to regulatory agencies and on-site contractors for informational purposes only

Preliminary Hand- Held Air Monitoring Locations | ITC Deer Park Tank Fire

Reading Date

3/29/2019 12:00:00 AM to 3/29/2019 1:00:00 AM



Recent Benzene Detections


Location Category	Reading Date	Concentration
Division B	3/29/2019 00:54:44	0.78 ppm
	3/29/2019 00:44:48	1.92 ppm
	3/29/2019 00:24:21	1.78 ppm
	3/29/2019 00:19:05	2.77 ppm
	3/29/2019 00:17:33	1.25 ppm
	3/29/2019 00:01:50	3.18 ppm
Division C	3/29/2019 00:10:55	0.03 ppm
	3/29/2019 00:09:23	0.15 ppm
Division E	3/29/2019 00:56:35	0.27 ppm
	3/29/2019 00:54:28	1.84 ppm
	3/29/2019 00:50:15	0.08 ppm
	3/29/2019 00:46:03	0.55 ppm
	3/29/2019 00:43:08	0.30 ppm
	3/29/2019 00:42:45	2.86 ppm
	3/29/2019 00:40:57	0.53 ppm
	3/29/2019 00:34:54	0.05 ppm
	3/29/2019 00:34:46	0.33 ppm
	3/29/2019 00:34:01	0.39 ppm
	3/29/2019 00:31:16	0.78 ppm
	3/29/2019 00:31:06	0.22 ppm
	3/29/2019 00:31:03	0.23 ppm
	3/29/2019 00:30:19	0.38 ppm
	3/29/2019 00:25:38	6.73 ppm
	3/29/2019 00:21:42	11.50 ppm
	3/29/2019 00:20:38	1.38 ppm
	3/29/2019 00:16:22	2.20 ppm
	3/29/2019 00:11:25	0.56 ppm
	3/29/2019 00:09:46	0.14 ppm
	3/29/2019 00:07:38	0.45 ppm
	3/29/2019 00:05:16	0.30 ppm
	3/29/2019 00:01:17	0.20 ppm
Impacted Tank Farm	3/29/2019 00:13:58	34.70 ppm
Industrial Area	3/29/2019 00:54:24	1.07 ppm
	3/29/2019 00:36:49	0.08 ppm
	3/29/2019 00:36:11	0.69 ppm
	3/29/2019 00:26:59	0.38 ppm
	3/29/2019 00:23:18	0.73 ppm
	3/29/2019 00:15:40	0.45 ppm
Over Water (No Div..	3/29/2019 00:05:39	0.20 ppm

Not all real time data on this website have undergone full QA/QC (quality assurance/quality control) analysis.

It has been provided expeditiously to regulatory agencies and on-site contractors for informational purposes only

Preliminary Hand- Held Air Monitoring Locations | ITC Deer Park Tank Fire

Reading Date
3/29/2019 1:00:00 AM to 3/29/2019 2:00:00 AM




Recent Benzene Detections

Location Category	Reading Date	Concentration
Division B	3/29/2019 01:50:45	0.010 ppm
	3/29/2019 01:48:51	0.410 ppm
	3/29/2019 01:41:57	0.190 ppm
	3/29/2019 01:27:31	0.210 ppm
	3/29/2019 01:25:47	0.420 ppm
	3/29/2019 01:20:57	0.250 ppm
	3/29/2019 01:14:20	0.570 ppm
	3/29/2019 01:00:22	1.470 ppm
Division E	3/29/2019 01:53:37	0.675 ppm
	3/29/2019 01:46:49	1.000 ppm
	3/29/2019 01:46:45	0.410 ppm
	3/29/2019 01:46:08	1.875 ppm
	3/29/2019 01:44:37	5.860 ppm
	3/29/2019 01:42:01	5.380 ppm
	3/29/2019 01:41:41	2.360 ppm
	3/29/2019 01:39:11	2.710 ppm
	3/29/2019 01:38:55	0.125 ppm
	3/29/2019 01:36:38	0.770 ppm
	3/29/2019 01:01:24	0.360 ppm
Industrial Area	3/29/2019 01:33:00	4.550 ppm
	3/29/2019 01:28:20	0.275 ppm
	3/29/2019 01:24:26	0.225 ppm
	3/29/2019 01:20:53	0.175 ppm
	3/29/2019 01:17:46	0.875 ppm
	3/29/2019 01:14:28	0.375 ppm

Not all real time data on this website have undergone full QA/QC (quality assurance/quality control) analysis.
It has been provided expeditiously to regulatory agencies and on-site contractors for informational purposes only

Preliminary Hand- Held Air Monitoring Locations | ITC Deer Park Tank Fire

Reading Date
3/29/2019 2:00:00 AM to 3/29/2019 3:00:00 AM




Recent Benzene Detections

Location Category	Reading Date	Concentration
Division B	3/29/2019 02:56:14	0.250 ppm
	3/29/2019 02:40:59	0.190 ppm
	3/29/2019 02:37:22	0.090 ppm
	3/29/2019 02:19:47	0.220 ppm
	3/29/2019 02:13:13	0.940 ppm
	3/29/2019 02:09:51	0.600 ppm
	3/29/2019 02:05:47	0.180 ppm
	3/29/2019 02:04:51	0.530 ppm
Division E	3/29/2019 02:47:23	3.500 ppm
	3/29/2019 02:29:51	0.570 ppm
	3/29/2019 02:28:08	0.490 ppm
	3/29/2019 02:26:21	0.300 ppm
	3/29/2019 02:25:03	1.200 ppm
	3/29/2019 02:19:00	0.110 ppm
	3/29/2019 02:15:31	2.475 ppm
	3/29/2019 02:13:02	0.260 ppm
	3/29/2019 02:09:29	0.260 ppm
	3/29/2019 02:06:04	0.350 ppm
	3/29/2019 02:00:59	1.075 ppm
Industrial Area	3/29/2019 02:37:19	0.450 ppm
	3/29/2019 02:33:33	0.175 ppm
	3/29/2019 02:29:13	0.675 ppm
	3/29/2019 02:24:50	0.025 ppm
Over Water (No Division)	3/29/2019 02:38:44	0.330 ppm
	3/29/2019 02:16:55	0.430 ppm

Not all real time data on this website have undergone full QA/QC (quality assurance/quality control) analysis.
It has been provided expeditiously to regulatory agencies and on-site contractors for informational purposes only

Preliminary Hand- Held Air Monitoring Locations | ITC Deer Park Tank Fire

Reading Date
3/29/2019 3:00:00 AM to 3/29/2019 4:00:00 AM




Recent Benzene Detections

Location Category	Reading Date	Concentration
Division B	3/29/2019 03:29:49	3.080 ppm
	3/29/2019 03:13:17	1.210 ppm
	3/29/2019 03:08:57	0.140 ppm
Division C	3/29/2019 03:45:09	0.075 ppm
Division E	3/29/2019 03:59:01	0.575 ppm
	3/29/2019 03:58:29	0.470 ppm
	3/29/2019 03:56:35	0.430 ppm
	3/29/2019 03:55:27	3.880 ppm
	3/29/2019 03:53:41	0.020 ppm
	3/29/2019 03:49:55	0.070 ppm
	3/29/2019 03:45:43	1.100 ppm
	3/29/2019 03:36:22	0.900 ppm
	3/29/2019 03:34:45	0.110 ppm
	3/29/2019 03:31:43	0.110 ppm
	3/29/2019 03:27:52	1.075 ppm
	3/29/2019 03:21:03	0.580 ppm
	3/29/2019 03:18:43	1.700 ppm
	3/29/2019 03:17:33	0.225 ppm
	3/29/2019 03:13:47	0.310 ppm
	3/29/2019 03:08:32	0.300 ppm
	3/29/2019 03:01:54	0.700 ppm
Industrial Area	3/29/2019 03:52:21	0.225 ppm

Not all real time data on this website have undergone full QA/QC (quality assurance/quality control) analysis.
It has been provided expeditiously to regulatory agencies and on-site contractors for informational purposes only

Preliminary Hand- Held Air Monitoring Locations | ITC Deer Park Tank Fire

Reading Date
3/29/2019 4:00:00 AM to 3/29/2019 5:00:00 AM




Recent Benzene Detections

Location Category	Reading Date	Concentration
Division B	3/29/2019 04:05:54	3.830 ppm
Division E	3/29/2019 04:57:05	0.340 ppm
	3/29/2019 04:53:59	1.475 ppm
	3/29/2019 04:51:15	0.200 ppm
	3/29/2019 04:51:12	0.300 ppm
	3/29/2019 04:47:57	1.140 ppm
	3/29/2019 04:42:20	0.175 ppm
	3/29/2019 04:28:14	4.180 ppm
	3/29/2019 04:21:40	3.400 ppm
	3/29/2019 04:19:08	1.030 ppm
	3/29/2019 04:13:05	0.380 ppm
	3/29/2019 04:09:08	4.250 ppm
	3/29/2019 04:09:07	1.320 ppm
	3/29/2019 04:00:32	0.225 ppm
Impacted Tank Farm	3/29/2019 04:31:31	3.660 ppm
	3/29/2019 04:22:57	3.220 ppm
	3/29/2019 04:22:38	4.075 ppm
	3/29/2019 04:18:46	5.100 ppm
	3/29/2019 04:16:53	5.100 ppm
	3/29/2019 04:11:14	0.425 ppm
	3/29/2019 04:07:21	0.425 ppm
	3/29/2019 04:07:10	0.370 ppm
Industrial Area	3/29/2019 04:58:11	0.070 ppm
	3/29/2019 04:52:43	0.340 ppm
	3/29/2019 04:48:15	0.120 ppm
	3/29/2019 04:29:10	0.725 ppm
	3/29/2019 04:24:18	1.125 ppm

Not all real time data on this website have undergone full QA/QC (quality assurance/quality control) analysis.
It has been provided expeditiously to regulatory agencies and on-site contractors for informational purposes only

Preliminary Hand- Held Air Monitoring Locations | ITC Deer Park Tank Fire

Reading Date
3/29/2019 5:00:00 AM to 3/29/2019 6:00:00 AM



Recent Benzene Detections


Location Category	Reading Date	Concentration
Division B	3/29/2019 05:43:00	0.120 ppm
Division C	3/29/2019 05:50:11	0.475 ppm
	3/29/2019 05:45:40	0.275 ppm
	3/29/2019 05:28:36	0.375 ppm
	3/29/2019 05:16:57	0.500 ppm
	3/29/2019 05:13:20	0.350 ppm
Division E	3/29/2019 05:57:33	0.990 ppm
	3/29/2019 05:51:31	0.475 ppm
	3/29/2019 05:43:41	0.300 ppm
	3/29/2019 05:42:14	0.810 ppm
	3/29/2019 05:38:41	0.240 ppm
	3/29/2019 05:37:47	2.810 ppm
	3/29/2019 05:34:58	4.950 ppm
	3/29/2019 05:32:56	0.140 ppm
	3/29/2019 05:29:34	7.500 ppm
	3/29/2019 05:27:23	0.990 ppm
	3/29/2019 05:23:40	0.090 ppm
	3/29/2019 05:14:49	0.270 ppm
	3/29/2019 05:08:44	0.375 ppm
Industrial Area	3/29/2019 05:00:16	0.330 ppm
	3/29/2019 05:54:21	0.325 ppm
	3/29/2019 05:54:10	0.230 ppm
	3/29/2019 05:48:26	0.125 ppm
	3/29/2019 05:13:18	0.850 ppm
	3/29/2019 05:11:47	1.650 ppm

Not all real time data on this website have undergone full QA/QC (quality assurance/quality control) analysis.
It has been provided expeditiously to regulatory agencies and on-site contractors for informational purposes only

Preliminary Hand- Held Air Monitoring Locations | ITC Deer Park Tank Fire

Reading Date

3/29/2019 6:00:00 AM to 3/29/2019 7:00:00 AM




Recent Benzene Detections

Location Category	Reading Date	Concentration
Division B	3/29/2019 06:52:05	1.140 ppm
	3/29/2019 06:46:31	0.940 ppm
	3/29/2019 06:43:17	0.420 ppm
	3/29/2019 06:31:36	0.030 ppm
	3/29/2019 06:28:47	0.880 ppm
	3/29/2019 06:26:10	1.000 ppm
Division C	3/29/2019 06:20:55	0.157 ppm
	3/29/2019 06:58:45	0.350 ppm
Division E	3/29/2019 06:43:03	0.550 ppm
	3/29/2019 06:59:52	0.200 ppm
	3/29/2019 06:59:47	0.150 ppm
	3/29/2019 06:55:57	0.100 ppm
	3/29/2019 06:45:03	1.460 ppm
	3/29/2019 06:44:32	0.590 ppm
	3/29/2019 06:43:36	2.330 ppm
	3/29/2019 06:42:51	0.290 ppm
	3/29/2019 06:42:38	0.300 ppm
	3/29/2019 06:41:50	0.490 ppm
	3/29/2019 06:39:28	0.440 ppm
	3/29/2019 06:37:07	0.870 ppm
	3/29/2019 06:36:32	1.870 ppm
	3/29/2019 06:35:41	1.130 ppm
	3/29/2019 06:31:54	0.110 ppm
	3/29/2019 06:31:28	0.190 ppm
	3/29/2019 06:30:14	0.480 ppm
	3/29/2019 06:26:15	4.440 ppm
	3/29/2019 06:23:21	4.250 ppm
	3/29/2019 06:20:23	0.750 ppm
	3/29/2019 06:18:41	0.840 ppm
	3/29/2019 06:16:39	0.125 ppm
	3/29/2019 06:15:22	0.620 ppm
	3/29/2019 06:14:16	4.760 ppm
	3/29/2019 06:14:04	0.625 ppm
	3/29/2019 06:13:21	6.250 ppm
	3/29/2019 06:12:39	0.500 ppm
	3/29/2019 06:11:10	0.475 ppm
	3/29/2019 06:10:31	2.875 ppm
	3/29/2019 06:09:03	1.360 ppm
	3/29/2019 06:08:21	0.820 ppm
	3/29/2019 06:06:30	0.810 ppm
	3/29/2019 06:06:26	1.650 ppm
	3/29/2019 06:03:08	0.240 ppm
	3/29/2019 06:02:15	0.425 ppm
	3/29/2019 06:00:07	0.240 ppm
Impacted Tank Farm	3/29/2019 06:47:55	1.020 ppm
	3/29/2019 06:29:52	0.700 ppm
Industrial Area	3/29/2019 06:40:27	0.360 ppm
	3/29/2019 06:28:10	0.525 ppm
	3/29/2019 06:01:41	1.450 ppm

Not all real time data on this website have undergone full QA/QC (quality assurance/quality control) analysis.
It has been provided expeditiously to regulatory agencies and on-site contractors for informational purposes only

Preliminary Hand- Held Air Monitoring Locations | ITC Deer Park Tank Fire

Reading Date
3/29/2019 7:00:00 AM to 3/29/2019 8:00:00 AM




Recent Benzene Detections

Location Category	Reading Date	Concentration
Division B	3/29/2019 07:24:46	0.55 ppm
	3/29/2019 07:14:05	1.18 ppm
	3/29/2019 07:10:52	1.39 ppm
Division E	3/29/2019 07:59:35	3.18 ppm
	3/29/2019 07:56:51	4.83 ppm
	3/29/2019 07:53:08	17.25 ppm
	3/29/2019 07:51:52	0.08 ppm
	3/29/2019 07:49:44	17.55 ppm
	3/29/2019 07:46:26	11.30 ppm
	3/29/2019 07:42:03	8.28 ppm
	3/29/2019 07:05:03	0.17 ppm
	3/29/2019 07:01:25	0.20 ppm
Impacted Tank Farm	3/29/2019 07:58:14	0.08 ppm
	3/29/2019 07:51:06	81.85 ppm
	3/29/2019 07:50:28	1.40 ppm
	3/29/2019 07:48:36	13.75 ppm
	3/29/2019 07:45:03	1.50 ppm
	3/29/2019 07:40:12	0.13 ppm
	3/29/2019 07:37:01	0.40 ppm
	3/29/2019 07:14:19	39.80 ppm
	3/29/2019 07:10:18	18.60 ppm
	3/29/2019 07:04:33	47.85 ppm
Industrial Area	3/29/2019 07:00:38	5.75 ppm
	3/29/2019 07:46:53	0.18 ppm
	3/29/2019 07:43:53	0.80 ppm
	3/29/2019 07:22:25	0.18 ppm
	3/29/2019 07:19:49	0.13 ppm
	3/29/2019 07:10:57	0.15 ppm

Not all real time data on this website have undergone full QA/QC (quality assurance/quality control) analysis.
It has been provided expeditiously to regulatory agencies and on-site contractors for informational purposes only

Preliminary Hand- Held Air Monitoring Locations | ITC Deer Park Tank Fire

Reading Date
3/29/2019 8:00:00 AM to 3/29/2019 9:00:00 AM



Recent Benzene Detections


Location Category	Reading Date	Concentration
Division B	3/29/2019 08:57:04	0.53 ppm
	3/29/2019 08:51:53	0.68 ppm
	3/29/2019 08:50:12	0.35 ppm
	3/29/2019 08:50:01	0.50 ppm
	3/29/2019 08:41:14	1.07 ppm
	3/29/2019 08:34:45	0.20 ppm
	3/29/2019 08:34:34	0.20 ppm
	3/29/2019 08:11:49	0.10 ppm
	3/29/2019 08:07:03	0.11 ppm
Division C	3/29/2019 08:46:15	0.40 ppm
	3/29/2019 08:10:22	0.10 ppm
Division E	3/29/2019 08:59:29	0.16 ppm
	3/29/2019 08:54:08	1.39 ppm
	3/29/2019 08:50:01	57.90 ppm
	3/29/2019 08:47:45	0.10 ppm
	3/29/2019 08:45:44	0.45 ppm
	3/29/2019 08:38:24	0.69 ppm
	3/29/2019 08:36:36	0.98 ppm
	3/29/2019 08:36:22	0.06 ppm
	3/29/2019 08:30:02	0.30 ppm
	3/29/2019 08:29:44	0.05 ppm
	3/29/2019 08:28:09	0.57 ppm
	3/29/2019 08:26:27	0.43 ppm
	3/29/2019 08:22:08	0.40 ppm
	3/29/2019 08:20:44	3.37 ppm
	3/29/2019 08:13:24	5.94 ppm
	3/29/2019 08:12:39	2.18 ppm
Impacted Tank Farm	3/29/2019 08:10:23	3.99 ppm
	3/29/2019 08:04:34	0.99 ppm
	3/29/2019 08:04:03	0.78 ppm
	3/29/2019 08:52:07	0.03 ppm
	3/29/2019 08:20:17	0.13 ppm
Industrial Area	3/29/2019 08:15:00	29.61 ppm
	3/29/2019 08:07:19	0.13 ppm
	3/29/2019 08:41:29	0.73 ppm
	3/29/2019 08:24:37	1.04 ppm
	3/29/2019 08:19:21	0.66 ppm
	3/29/2019 08:12:30	0.05 ppm
	3/29/2019 08:10:23	6.13 ppm
	3/29/2019 08:08:23	1.65 ppm
	3/29/2019 08:05:55	0.03 ppm

Not all real time data on this website have undergone full QA/QC (quality assurance/quality control) analysis.
It has been provided expeditiously to regulatory agencies and on-site contractors for informational purposes only

Preliminary Hand- Held Air Monitoring Locations | ITC Deer Park Tank Fire

Reading Date

3/29/2019 9:00:00 AM to 3/29/2019 10:00:00 AM
and Null values



Recent Benzene Detections


Location Category	Reading Date	Concentration
Division A	3/29/2019 09:50:05	0.70 ppm
	3/29/2019 09:50:37	0.50 ppm
Division B	3/29/2019 09:45:09	0.15 ppm
	3/29/2019 09:42:21	0.23 ppm
	3/29/2019 09:41:44	6.55 ppm
	3/29/2019 09:17:27	4.03 ppm
	3/29/2019 09:13:34	0.92 ppm
	3/29/2019 09:02:49	0.63 ppm
	3/29/2019 09:02:47	3.10 ppm
	3/29/2019 09:01:01	0.36 ppm
	3/29/2019 09:00:09	0.36 ppm
	3/29/2019 09:49:23	0.23 ppm
Division C	3/29/2019 09:37:04	1.75 ppm
Division E	3/29/2019 09:58:17	0.72 ppm
	3/29/2019 09:57:23	1.25 ppm
	3/29/2019 09:54:24	1.06 ppm
	3/29/2019 09:52:07	3.46 ppm
	3/29/2019 09:50:48	0.94 ppm
	3/29/2019 09:50:24	1.75 ppm
	3/29/2019 09:49:09	62.58 ppm
	3/29/2019 09:48:09	0.61 ppm
	3/29/2019 09:44:39	17.10 ppm
	3/29/2019 09:44:38	0.22 ppm
	3/29/2019 09:44:04	15.90 ppm
	3/29/2019 09:36:30	7.85 ppm
	3/29/2019 09:35:44	0.10 ppm
	3/29/2019 09:31:45	1.45 ppm
	3/29/2019 09:30:58	0.33 ppm
	3/29/2019 09:28:26	7.01 ppm
	3/29/2019 09:10:13	0.55 ppm
	3/29/2019 09:07:28	0.08 ppm
	3/29/2019 09:01:21	2.60 ppm
Impacted Tank Farm	3/29/2019 09:54:23	0.10 ppm
	3/29/2019 09:44:01	17.81 ppm
	3/29/2019 09:08:45	0.73 ppm
	3/29/2019 09:04:34	1.05 ppm
Industrial Area	3/29/2019 09:41:50	1.40 ppm
	3/29/2019 09:18:33	0.85 ppm
	3/29/2019 09:17:06	0.12 ppm
Over Water (No Div..	3/29/2019 09:49:26	0.33 ppm

Not all real time data on this website have undergone full QA/QC (quality assurance/quality control) analysis.
It has been provided expeditiously to regulatory agencies and on-site contractors for informational purposes only

Preliminary Hand- Held Air Monitoring Locations | ITC Deer Park Tank Fire

Reading Date

3/29/2019 10:00:00 AM to 3/29/2019 11:00:00 AM



Recent Benzene Detections

Location Category	Reading Date	Concentration
Division A	3/29/2019 10:32:16	1.10 ppm
	3/29/2019 10:27:23	1.08 ppm
Division B	3/29/2019 10:49:00	1.60 ppm
	3/29/2019 10:46:54	2.16 ppm
	3/29/2019 10:46:05	6.25 ppm
	3/29/2019 10:26:49	0.05 ppm
	3/29/2019 10:26:10	0.20 ppm
	3/29/2019 10:25:23	0.30 ppm
	3/29/2019 10:23:26	8.60 ppm
	3/29/2019 10:02:53	7.38 ppm
	3/29/2019 10:01:51	0.30 ppm
	3/29/2019 10:32:54	0.03 ppm
Division C	3/29/2019 10:58:33	1.43 ppm
Division E	3/29/2019 10:58:09	0.08 ppm
	3/29/2019 10:55:37	0.30 ppm
	3/29/2019 10:53:20	0.18 ppm
	3/29/2019 10:53:07	24.50 ppm
	3/29/2019 10:51:24	0.20 ppm
	3/29/2019 10:49:11	0.20 ppm
	3/29/2019 10:47:59	0.25 ppm
	3/29/2019 10:46:30	0.58 ppm
	3/29/2019 10:45:36	3.25 ppm
	3/29/2019 10:44:33	0.15 ppm
	3/29/2019 10:43:34	0.23 ppm
	3/29/2019 10:40:31	1.80 ppm
	3/29/2019 10:40:26	0.25 ppm
	3/29/2019 10:39:26	7.31 ppm
	3/29/2019 10:35:47	94.00 ppm
	3/29/2019 10:35:46	4.37 ppm
	3/29/2019 10:24:11	0.58 ppm
	3/29/2019 10:22:21	0.40 ppm
	3/29/2019 10:19:16	0.30 ppm
	3/29/2019 10:19:04	0.75 ppm
	3/29/2019 10:15:03	0.17 ppm
	3/29/2019 10:13:49	2.57 ppm
	3/29/2019 10:13:28	0.23 ppm
	3/29/2019 10:12:20	1.25 ppm
	3/29/2019 10:11:13	0.32 ppm
	3/29/2019 10:10:28	0.88 ppm
	3/29/2019 10:06:09	0.20 ppm
	3/29/2019 10:04:58	0.68 ppm
	3/29/2019 10:04:19	2.78 ppm
	3/29/2019 10:00:55	0.15 ppm
	3/29/2019 10:00:09	0.79 ppm
Impacted Tank Farm	3/29/2019 10:58:27	0.13 ppm
	3/29/2019 10:32:27	3.50 ppm
Industrial Area	3/29/2019 10:50:30	2.49 ppm
	3/29/2019 10:46:24	2.40 ppm
	3/29/2019 10:44:05	0.28 ppm
	3/29/2019 10:27:16	1.14 ppm
	3/29/2019 10:24:44	0.12 ppm
	3/29/2019 10:17:20	0.66 ppm
	3/29/2019 10:06:29	0.08 ppm


Not all real time data on this website have undergone full QA/QC (quality assurance/quality control) analysis.

It has been provided expeditiously to regulatory agencies and on-site contractors for informational purposes only

Preliminary Hand- Held Air Monitoring Locations | ITC Deer Park Tank Fire

Reading Date

3/29/2019 11:00:00 AM to 3/29/2019 12:00:00 PM



Recent Benzene Detections


Location Category	Reading Date	Concentration
Division A	3/29/2019 11:58:17	1.00 ppm
	3/29/2019 11:45:39	1.20 ppm
	3/29/2019 11:31:00	0.15 ppm
	3/29/2019 11:21:09	2.98 ppm
	3/29/2019 11:17:33	0.30 ppm
	3/29/2019 11:03:58	0.50 ppm
Division B	3/29/2019 11:00:22	0.35 ppm
	3/29/2019 11:59:18	8.81 ppm
	3/29/2019 11:43:23	7.75 ppm
	3/29/2019 11:41:23	1.34 ppm
	3/29/2019 11:38:07	2.07 ppm
	3/29/2019 11:32:22	7.20 ppm
	3/29/2019 11:32:07	16.20 ppm
	3/29/2019 11:30:43	0.54 ppm
	3/29/2019 11:29:20	74.20 ppm
	3/29/2019 11:29:14	2.34 ppm
	3/29/2019 11:27:04	0.80 ppm
	3/29/2019 11:25:21	0.45 ppm
	3/29/2019 11:24:54	6.38 ppm
	3/29/2019 11:24:00	1.55 ppm
	3/29/2019 11:22:55	0.44 ppm
	3/29/2019 11:18:50	0.12 ppm
	3/29/2019 11:16:07	0.19 ppm
	3/29/2019 11:15:45	0.77 ppm
	3/29/2019 11:13:38	0.18 ppm
	3/29/2019 11:08:48	0.26 ppm
	3/29/2019 11:07:20	0.54 ppm
	3/29/2019 11:06:47	0.72 ppm
	3/29/2019 11:06:05	0.01 ppm
	3/29/2019 11:04:44	2.10 ppm
	3/29/2019 11:04:34	0.40 ppm
	3/29/2019 11:03:00	0.25 ppm
	3/29/2019 11:01:50	2.92 ppm
	3/29/2019 11:00:17	0.39 ppm
Impacted Tank Farm	3/29/2019 11:36:47	5.25 ppm
Industrial Area	3/29/2019 11:38:01	0.17 ppm
	3/29/2019 11:06:30	1.42 ppm
Over Water (No Div..	3/29/2019 11:16:55	0.25 ppm

Not all real time data on this website have undergone full QA/QC (quality assurance/quality control) analysis.

It has been provided expeditiously to regulatory agencies and on-site contractors for informational purposes only

Preliminary Hand- Held Air Monitoring Locations | ITC Deer Park Tank Fire

Reading Date
3/29/2019 12:00:00 PM to 3/29/2019 1:00:00 PM



Recent Benzene Detections


Location Category	Reading Date	Concentration
Division B	3/29/2019 12:32:31	0.35 ppm
	3/29/2019 12:15:29	0.15 ppm
	3/29/2019 12:15:13	2.60 ppm
	3/29/2019 12:14:58	2.15 ppm
	3/29/2019 12:07:10	2.10 ppm
Division E	3/29/2019 12:55:07	73.35 ppm
	3/29/2019 12:51:30	1.90 ppm
	3/29/2019 12:36:38	0.03 ppm
	3/29/2019 12:32:07	0.10 ppm
	3/29/2019 12:27:43	0.73 ppm
	3/29/2019 12:21:24	7.18 ppm
	3/29/2019 12:14:57	2.05 ppm
	3/29/2019 12:13:35	4.23 ppm
	3/29/2019 12:01:35	0.53 ppm
Impacted Tank Farm	3/29/2019 12:36:58	0.60 ppm
Industrial Area	3/29/2019 12:45:55	0.42 ppm
	3/29/2019 12:40:25	0.08 ppm
	3/29/2019 12:37:32	0.22 ppm

Not all real time data on this website have undergone full QA/QC (quality assurance/quality control) analysis.
It has been provided expeditiously to regulatory agencies and on-site contractors for informational purposes only

Preliminary Hand- Held Air Monitoring Locations | ITC Deer Park Tank Fire

Reading Date

3/29/2019 1:00:00 PM to 3/29/2019 2:00:00 PM



Recent Benzene Detections

Location Category	Reading Date	Concentration
Division B	3/29/2019 13:48:52	0.33 ppm
	3/29/2019 13:46:00	1.90 ppm
	3/29/2019 13:45:52	3.42 ppm
	3/29/2019 13:44:47	1.95 ppm
	3/29/2019 13:43:06	0.18 ppm
	3/29/2019 13:42:54	2.53 ppm
	3/29/2019 13:42:33	2.49 ppm
	3/29/2019 13:42:17	0.80 ppm
	3/29/2019 13:39:36	0.85 ppm
	3/29/2019 13:39:35	2.90 ppm
	3/29/2019 13:39:26	2.10 ppm
	3/29/2019 13:36:51	0.03 ppm
	3/29/2019 13:32:14	0.83 ppm
	3/29/2019 13:30:42	3.10 ppm
	3/29/2019 13:28:46	2.48 ppm
	3/29/2019 13:27:21	4.87 ppm
	3/29/2019 13:20:01	0.88 ppm
	3/29/2019 13:16:28	1.00 ppm
	3/29/2019 13:14:41	1.30 ppm
	3/29/2019 13:14:02	1.20 ppm
Division D	3/29/2019 13:13:57	0.78 ppm
	3/29/2019 13:13:02	1.30 ppm
Division E	3/29/2019 13:03:17	0.05 ppm
	3/29/2019 13:37:10	0.13 ppm
Division E	3/29/2019 13:09:56	0.10 ppm
	3/29/2019 13:57:48	0.33 ppm
	3/29/2019 13:57:21	0.55 ppm
	3/29/2019 13:56:13	4.88 ppm
	3/29/2019 13:53:11	4.82 ppm
	3/29/2019 13:51:40	1.35 ppm
	3/29/2019 13:49:08	0.82 ppm
	3/29/2019 13:48:29	1.95 ppm
	3/29/2019 13:47:43	84.25 ppm
	3/29/2019 13:46:38	0.20 ppm
	3/29/2019 13:43:15	15.50 ppm
	3/29/2019 13:42:39	0.08 ppm
	3/29/2019 13:41:56	5.48 ppm
	3/29/2019 13:41:30	3.43 ppm
	3/29/2019 13:38:08	0.07 ppm
	3/29/2019 13:36:03	0.75 ppm
	3/29/2019 13:31:28	0.12 ppm
	3/29/2019 13:22:24	1.65 ppm
	3/29/2019 13:18:17	0.72 ppm
Impacted Tank Farm	3/29/2019 13:12:29	0.93 ppm
	3/29/2019 13:09:19	0.56 ppm
Industrial Area	3/29/2019 13:05:19	0.29 ppm
	3/29/2019 13:46:11	8.53 ppm
Industrial Area	3/29/2019 13:45:24	48.00 ppm
	3/29/2019 13:58:35	0.28 ppm
	3/29/2019 13:18:06	0.28 ppm
	3/29/2019 13:07:00	1.23 ppm
Industrial Area	3/29/2019 13:02:38	1.28 ppm


Not all real time data on this website have undergone full QA/QC (quality assurance/quality control) analysis.

It has been provided expeditiously to regulatory agencies and on-site contractors for informational purposes only

Preliminary Hand- Held Air Monitoring Locations | ITC Deer Park Tank Fire

Reading Date

3/29/2019 2:00:00 PM to 3/29/2019 3:00:00 PM



Recent Benzene Detections

Location Category	Reading Date	Concentration
Division B	3/29/2019 14:58:57	4.98 ppm
	3/29/2019 14:50:14	2.45 ppm
	3/29/2019 14:45:23	1.63 ppm
	3/29/2019 14:31:30	2.25 ppm
	3/29/2019 14:29:12	3.94 ppm
	3/29/2019 14:28:30	1.65 ppm
	3/29/2019 14:27:45	1.65 ppm
	3/29/2019 14:27:34	4.35 ppm
	3/29/2019 14:27:21	1.85 ppm
	3/29/2019 14:17:49	1.00 ppm
	3/29/2019 14:16:31	0.43 ppm
	3/29/2019 14:15:28	0.15 ppm
	3/29/2019 14:13:43	1.66 ppm
	3/29/2019 14:02:58	2.10 ppm
	3/29/2019 14:01:15	1.85 ppm
Division E	3/29/2019 14:00:42	1.63 ppm
	3/29/2019 14:58:49	5.78 ppm
	3/29/2019 14:56:27	94.65 ppm
	3/29/2019 14:54:13	0.30 ppm
	3/29/2019 14:52:26	1.88 ppm
	3/29/2019 14:51:07	24.30 ppm
	3/29/2019 14:46:18	6.37 ppm
	3/29/2019 14:44:55	0.61 ppm
	3/29/2019 14:42:35	8.03 ppm
	3/29/2019 14:42:13	0.58 ppm
	3/29/2019 14:40:37	0.64 ppm
	3/29/2019 14:38:28	0.45 ppm
	3/29/2019 14:33:34	0.57 ppm
	3/29/2019 14:30:42	11.60 ppm
	3/29/2019 14:30:24	3.43 ppm
	3/29/2019 14:30:19	2.05 ppm
	3/29/2019 14:28:31	0.10 ppm
	3/29/2019 14:26:06	1.33 ppm
	3/29/2019 14:26:05	2.57 ppm
	3/29/2019 14:21:50	1.36 ppm
	3/29/2019 14:19:27	0.21 ppm
	3/29/2019 14:17:37	0.04 ppm
	3/29/2019 14:16:48	1.03 ppm
	3/29/2019 14:10:57	6.03 ppm
	3/29/2019 14:04:44	7.88 ppm
Industrial Area	3/29/2019 14:01:29	1.40 ppm
	3/29/2019 14:01:22	0.34 ppm
	3/29/2019 14:00:36	2.58 ppm
	3/29/2019 14:55:49	0.70 ppm
	3/29/2019 14:55:25	0.10 ppm
	3/29/2019 14:51:27	1.75 ppm
	3/29/2019 14:46:53	2.38 ppm
	3/29/2019 14:36:02	0.48 ppm
	3/29/2019 14:33:31	0.68 ppm
	3/29/2019 14:26:14	0.37 ppm
Over Water (No Div..	3/29/2019 14:11:44	0.50 ppm
	3/29/2019 14:07:18	1.50 ppm
	3/29/2019 14:01:06	2.00 ppm
Over Water (No Div..	3/29/2019 14:05:41	0.13 ppm


Not all real time data on this website have undergone full QA/QC (quality assurance/quality control) analysis.

It has been provided expeditiously to regulatory agencies and on-site contractors for informational purposes only

Preliminary Hand- Held Air Monitoring Locations | ITC Deer Park Tank Fire

Reading Date

3/29/2019 3:00:00 PM to 3/29/2019 4:00:00 PM



Recent Benzene Detections

Location Category	Reading Date	Concentration
Division B	3/29/2019 15:59:38	0.865 ppm
	3/29/2019 15:57:55	1.500 ppm
	3/29/2019 15:51:57	1.390 ppm
	3/29/2019 15:50:13	1.050 ppm
	3/29/2019 15:47:12	3.050 ppm
	3/29/2019 15:45:55	1.250 ppm
	3/29/2019 15:44:59	1.850 ppm
	3/29/2019 15:40:44	1.720 ppm
	3/29/2019 15:35:20	3.100 ppm
	3/29/2019 15:30:54	2.550 ppm
	3/29/2019 15:25:48	0.675 ppm
	3/29/2019 15:19:02	3.000 ppm
	3/29/2019 15:16:36	2.000 ppm
Division E	3/29/2019 15:12:18	2.010 ppm
	3/29/2019 15:07:26	0.275 ppm
	3/29/2019 15:57:23	0.150 ppm
	3/29/2019 15:56:22	0.290 ppm
	3/29/2019 15:52:24	1.960 ppm
	3/29/2019 15:52:21	2.820 ppm
	3/29/2019 15:48:10	0.740 ppm
	3/29/2019 15:36:53	0.175 ppm
	3/29/2019 15:36:43	0.020 ppm
	3/29/2019 15:32:16	0.275 ppm
	3/29/2019 15:24:40	3.800 ppm
	3/29/2019 15:15:05	0.120 ppm
	3/29/2019 15:12:54	1.110 ppm
Industrial Area	3/29/2019 15:10:27	0.500 ppm
	3/29/2019 15:08:52	0.300 ppm
	3/29/2019 15:00:25	0.300 ppm
	3/29/2019 15:59:19	1.975 ppm
	3/29/2019 15:57:15	1.700 ppm
	3/29/2019 15:53:40	0.475 ppm
	3/29/2019 15:51:33	0.450 ppm
	3/29/2019 15:42:09	0.275 ppm
	3/29/2019 15:40:54	0.675 ppm
	3/29/2019 15:36:06	2.920 ppm
	3/29/2019 15:30:04	5.850 ppm
	3/29/2019 15:27:43	0.875 ppm
	3/29/2019 15:19:55	0.425 ppm
	3/29/2019 15:12:33	1.900 ppm
	3/29/2019 15:11:33	0.525 ppm
	3/29/2019 15:00:28	0.375 ppm


Not all real time data on this website have undergone full QA/QC (quality assurance/quality control) analysis.

It has been provided expeditiously to regulatory agencies and on-site contractors for informational purposes only

Preliminary Hand- Held Air Monitoring Locations | ITC Deer Park Tank Fire

Reading Date

3/29/2019 4:00:00 PM to 3/29/2019 5:00:00 PM



Recent Benzene Detections


Location Category	Reading Date	Concentration
Division B	3/29/2019 16:58:56	0.95 ppm
	3/29/2019 16:57:32	0.77 ppm
	3/29/2019 16:55:46	0.13 ppm
	3/29/2019 16:49:31	0.18 ppm
	3/29/2019 16:46:49	1.15 ppm
	3/29/2019 16:38:55	0.08 ppm
	3/29/2019 16:36:34	0.11 ppm
	3/29/2019 16:35:50	0.15 ppm
	3/29/2019 16:34:51	0.85 ppm
	3/29/2019 16:33:48	0.13 ppm
	3/29/2019 16:10:10	0.45 ppm
	3/29/2019 16:04:51	0.12 ppm
	3/29/2019 16:04:43	5.57 ppm
	3/29/2019 16:03:27	0.30 ppm
	3/29/2019 16:02:56	1.30 ppm
Division E	3/29/2019 16:02:30	1.66 ppm
	3/29/2019 16:01:44	0.35 ppm
	3/29/2019 16:50:28	0.15 ppm
	3/29/2019 16:46:41	0.25 ppm
	3/29/2019 16:46:16	0.15 ppm
	3/29/2019 16:41:31	0.29 ppm
	3/29/2019 16:37:46	2.85 ppm
	3/29/2019 16:36:08	2.05 ppm
	3/29/2019 16:33:20	0.02 ppm
	3/29/2019 16:32:33	0.02 ppm
	3/29/2019 16:28:42	0.25 ppm
	3/29/2019 16:28:07	0.03 ppm
	3/29/2019 16:27:31	0.49 ppm
	3/29/2019 16:25:54	1.05 ppm
	3/29/2019 16:24:34	0.12 ppm
Impacted Tank Farm	3/29/2019 16:19:03	0.31 ppm
	3/29/2019 16:16:22	0.02 ppm
	3/29/2019 16:15:59	2.33 ppm
	3/29/2019 16:12:41	0.54 ppm
	3/29/2019 16:11:49	0.12 ppm
	3/29/2019 16:08:37	0.03 ppm
	3/29/2019 16:06:48	0.55 ppm
	3/29/2019 16:05:07	0.13 ppm
	3/29/2019 16:04:39	0.07 ppm
	3/29/2019 16:04:17	60.40 ppm
	3/29/2019 16:01:01	8.73 ppm
	3/29/2019 16:32:49	0.05 ppm
	3/29/2019 16:15:49	0.03 ppm
Industrial Area	3/29/2019 16:35:44	0.73 ppm
	3/29/2019 16:27:43	0.12 ppm
	3/29/2019 16:27:28	0.85 ppm
	3/29/2019 16:11:46	1.63 ppm
	3/29/2019 16:09:30	1.75 ppm
Over Water (No Div..	3/29/2019 16:06:17	0.90 ppm
	3/29/2019 16:04:13	0.95 ppm
	3/29/2019 16:26:33	0.23 ppm

Not all real time data on this website have undergone full QA/QC (quality assurance/quality control) analysis.

It has been provided expeditiously to regulatory agencies and on-site contractors for informational purposes only

Preliminary Hand- Held Air Monitoring Locations | ITC Deer Park Tank Fire

Reading Date
3/29/2019 5:00:00 PM to 3/29/2019 6:00:00 PM




Recent Benzene Detections

Location Category	Reading Date	Concentration
Division B	3/29/2019 17:47:08	2.28 ppm
	3/29/2019 17:11:33	0.40 ppm
Division E	3/29/2019 17:56:10	4.51 ppm
	3/29/2019 17:55:34	1.71 ppm
	3/29/2019 17:55:02	0.23 ppm
	3/29/2019 17:54:11	0.96 ppm
	3/29/2019 17:50:03	0.78 ppm
	3/29/2019 17:46:53	29.55 ppm
	3/29/2019 17:44:50	0.15 ppm
	3/29/2019 17:43:00	11.75 ppm
	3/29/2019 17:41:29	0.08 ppm
	3/29/2019 17:38:50	0.08 ppm
	3/29/2019 17:37:24	0.10 ppm
	3/29/2019 17:36:14	0.25 ppm
	3/29/2019 17:34:00	0.08 ppm
	3/29/2019 17:33:53	6.81 ppm
	3/29/2019 17:32:04	2.55 ppm
	3/29/2019 17:21:07	0.10 ppm
	3/29/2019 17:19:13	2.57 ppm
	3/29/2019 17:15:49	11.85 ppm
	3/29/2019 17:12:52	0.81 ppm
	3/29/2019 17:10:12	2.35 ppm
	3/29/2019 17:09:39	0.79 ppm
	3/29/2019 17:04:39	0.23 ppm
	3/29/2019 17:00:42	4.26 ppm
Industrial Area	3/29/2019 17:50:36	3.23 ppm
	3/29/2019 17:32:48	0.70 ppm
	3/29/2019 17:11:22	0.45 ppm
	3/29/2019 17:07:32	0.30 ppm

Not all real time data on this website have undergone full QA/QC (quality assurance/quality control) analysis. It has been provided expeditiously to regulatory agencies and on-site contractors for informational purposes only

Preliminary Hand- Held Air Monitoring Locations | ITC Deer Park Tank Fire

Reading Date
3/29/2019 6:00:00 PM to 3/29/2019 7:00:00 PM




Recent Benzene Detections

Location Category	Reading Date	Concentration
Division B	3/29/2019 18:56:38	2.50 ppm
Division E	3/29/2019 18:58:01	6.85 ppm
	3/29/2019 18:49:32	4.92 ppm
	3/29/2019 18:42:44	6.27 ppm
	3/29/2019 18:40:39	0.45 ppm
	3/29/2019 18:35:00	0.75 ppm
	3/29/2019 18:27:44	2.03 ppm
	3/29/2019 18:27:32	0.46 ppm
	3/29/2019 18:24:48	0.93 ppm
	3/29/2019 18:22:50	0.28 ppm
	3/29/2019 18:15:35	0.10 ppm
	3/29/2019 18:11:07	0.36 ppm
	3/29/2019 18:10:17	6.26 ppm
	3/29/2019 18:06:52	5.87 ppm
Industrial Area	3/29/2019 18:01:48	0.16 ppm
	3/29/2019 18:00:07	19.10 ppm
	3/29/2019 18:35:12	0.03 ppm
	3/29/2019 18:05:32	0.60 ppm
	3/29/2019 18:02:32	1.23 ppm

Not all real time data on this website have undergone full QA/QC (quality assurance/quality control) analysis.
It has been provided expeditiously to regulatory agencies and on-site contractors for informational purposes only

Preliminary Hand- Held Air Monitoring Locations | ITC Deer Park Tank Fire

Reading Date
3/29/2019 7:00:00 PM to 3/29/2019 8:00:00 PM




Recent Benzene Detections

Location Category	Reading Date	Concentration
Division B	3/29/2019 19:56:56	2.300 ppm
	3/29/2019 19:47:56	2.530 ppm
	3/29/2019 19:13:19	4.725 ppm
	3/29/2019 19:07:53	0.850 ppm
	3/29/2019 19:03:51	1.200 ppm
Division E	3/29/2019 19:59:58	0.500 ppm
	3/29/2019 19:57:27	8.160 ppm
	3/29/2019 19:46:36	3.150 ppm
	3/29/2019 19:43:28	7.510 ppm
	3/29/2019 19:39:37	7.780 ppm
	3/29/2019 19:23:41	0.250 ppm
	3/29/2019 19:03:21	1.250 ppm

Not all real time data on this website have undergone full QA/QC (quality assurance/quality control) analysis.
It has been provided expeditiously to regulatory agencies and on-site contractors for informational purposes only

Preliminary Hand- Held Air Monitoring Locations | ITC Deer Park Tank Fire

Reading Date
3/29/2019 8:00:00 PM to 3/29/2019 9:00:00 PM




Recent Benzene Detections

Location Category	Reading Date	Concentration
Division B	3/29/2019 20:57:52	4.56 ppm
	3/29/2019 20:53:48	4.50 ppm
	3/29/2019 20:52:26	2.03 ppm
	3/29/2019 20:49:03	0.03 ppm
	3/29/2019 20:41:10	0.03 ppm
	3/29/2019 20:34:46	7.30 ppm
	3/29/2019 20:32:37	1.09 ppm
	3/29/2019 20:27:25	2.69 ppm
	3/29/2019 20:21:40	3.75 ppm
Division E	3/29/2019 20:54:11	0.08 ppm
	3/29/2019 20:53:45	14.60 ppm
	3/29/2019 20:51:31	1.18 ppm
	3/29/2019 20:48:45	1.77 ppm
	3/29/2019 20:46:57	0.35 ppm
	3/29/2019 20:46:10	5.69 ppm
	3/29/2019 20:43:29	0.33 ppm
	3/29/2019 20:38:15	0.45 ppm
	3/29/2019 20:34:36	0.68 ppm
	3/29/2019 20:32:19	0.79 ppm
	3/29/2019 20:31:34	8.28 ppm
	3/29/2019 20:29:50	1.17 ppm
	3/29/2019 20:28:43	81.50 ppm
	3/29/2019 20:27:44	1.62 ppm
	3/29/2019 20:25:05	7.08 ppm
	3/29/2019 20:20:54	0.20 ppm
	3/29/2019 20:19:33	0.16 ppm
	3/29/2019 20:16:59	0.38 ppm
	3/29/2019 20:16:16	0.49 ppm
	3/29/2019 20:14:59	0.23 ppm
	3/29/2019 20:13:15	0.50 ppm
	3/29/2019 20:05:48	13.50 ppm
	3/29/2019 20:05:17	9.45 ppm
	3/29/2019 20:05:08	2.40 ppm
	3/29/2019 20:02:47	9.80 ppm
Impacted Tank Farm	3/29/2019 20:42:35	23.70 ppm
	3/29/2019 20:31:20	1.65 ppm
Industrial Area	3/29/2019 20:56:37	1.60 ppm
	3/29/2019 20:49:57	0.18 ppm
	3/29/2019 20:48:44	2.08 ppm
	3/29/2019 20:22:00	2.20 ppm
	3/29/2019 20:15:15	0.15 ppm

Not all real time data on this website have undergone full QA/QC (quality assurance/quality control) analysis.
It has been provided expeditiously to regulatory agencies and on-site contractors for informational purposes only

Preliminary Hand- Held Air Monitoring Locations | ITC Deer Park Tank Fire

Reading Date
3/29/2019 9:00:00 PM to 3/29/2019 10:00:00 PM




Recent Benzene Detections

Location Category	Reading Date	Concentration
Division B	3/29/2019 21:50:55	4.925 ppm
	3/29/2019 21:44:50	4.425 ppm
	3/29/2019 21:40:16	4.825 ppm
	3/29/2019 21:27:49	2.625 ppm
	3/29/2019 21:23:34	3.300 ppm
	3/29/2019 21:22:22	2.750 ppm
	3/29/2019 21:18:55	3.120 ppm
	3/29/2019 21:14:39	2.100 ppm
	3/29/2019 21:12:56	2.250 ppm
	3/29/2019 21:11:24	1.400 ppm
	3/29/2019 21:11:21	3.370 ppm
	3/29/2019 21:07:33	3.310 ppm
	3/29/2019 21:04:08	3.500 ppm
	3/29/2019 21:02:11	0.550 ppm
Division E	3/29/2019 21:02:09	0.020 ppm
	3/29/2019 21:54:28	2.850 ppm
	3/29/2019 21:49:46	2.390 ppm
	3/29/2019 21:48:41	0.060 ppm
	3/29/2019 21:46:25	0.200 ppm
	3/29/2019 21:43:51	0.320 ppm
	3/29/2019 21:42:30	0.400 ppm
	3/29/2019 21:33:02	0.275 ppm
	3/29/2019 21:32:54	2.320 ppm
	3/29/2019 21:27:17	0.075 ppm
	3/29/2019 21:26:45	1.750 ppm
	3/29/2019 21:25:50	0.040 ppm
	3/29/2019 21:23:00	0.130 ppm
Industrial Area	3/29/2019 21:19:25	0.950 ppm
	3/29/2019 21:53:48	0.475 ppm
	3/29/2019 21:42:10	1.050 ppm
	3/29/2019 21:37:34	2.500 ppm
	3/29/2019 21:25:26	0.375 ppm
	3/29/2019 21:25:20	1.300 ppm
	3/29/2019 21:11:48	0.175 ppm
	3/29/2019 21:06:32	1.000 ppm

Not all real time data on this website have undergone full QA/QC (quality assurance/quality control) analysis.
It has been provided expeditiously to regulatory agencies and on-site contractors for informational purposes only

Preliminary Hand- Held Air Monitoring Locations | ITC Deer Park Tank Fire

Reading Date
3/29/2019 10:00:00 PM to 3/29/2019 11:00:00 PM



Recent Benzene Detections

Location Category	Reading Date	Concentration
Division B	3/29/2019 22:34:45	7.6 ppm
	3/29/2019 22:26:47	2.7 ppm
Division C	3/29/2019 22:04:11	0.0 ppm
Division E	3/29/2019 22:53:14	0.0 ppm
	3/29/2019 22:37:19	0.0 ppm
	3/29/2019 22:36:50	0.2 ppm
	3/29/2019 22:35:02	0.2 ppm
	3/29/2019 22:31:53	0.4 ppm
	3/29/2019 22:15:44	118.3 ppm
	3/29/2019 22:10:15	0.1 ppm
	3/29/2019 22:09:18	0.1 ppm
	3/29/2019 22:07:21	0.1 ppm
Industrial Area	3/29/2019 22:05:23	0.7 ppm
	3/29/2019 22:37:58	1.5 ppm
	3/29/2019 22:34:27	0.9 ppm
	3/29/2019 22:13:37	0.1 ppm
	3/29/2019 22:03:25	1.6 ppm

Not all real time data on this website have undergone full QA/QC (quality assurance/quality control) analysis.
It has been provided expeditiously to regulatory agencies and on-site contractors for informational purposes only