

TCEQ Analysis of TCEQ Contractor Surface Water Quality Sampling Data Collected on April 11, 2019 (Final Lab Results)

The Texas Commission on Environmental Quality (TCEQ) received final surface water quality data for 129 constituents at four (4) different sites. One sample was collected at each site on April 11, 2019 by the TCEQ's contractor. The constituents consist of inorganics, organics, metals, nutrients, chemical oxygen demand (COD), carbonaceous biochemical oxygen demand (CBOD), total suspended solids, and oil and grease in water. The sampling sites were the following:

- Tidal Rd @ Tucker Bayou
- Tidal Road @ Gate #13
- Upstream Tucker Bayou Clean
- Mouth of Tucker Bayou & Buffalo Bayou

This assessment is based on final results received from the laboratory. As additional water quality sampling is completed, the data will be assessed, and results made available.

The TCEQ used the Texas Water Quality Standards and the Texas Risk Reduction Program as references for determining the known health protective concentration levels (PCLs) in surface water. PCLs are very conservative and below levels where we would expect any health impacts. The TCEQ is using these PCLs to evaluate impacts to aquatic life and human health. No public drinking water system draws its source water from the Houston Ship Channel. This methodology was also used for previously reviewed data from samples collected by ITC and will be used to review samples from the TCEQ contractor. The TCEQ used the PCLs listed in the tables below to assess the surface water quality data.

Table 1: Assessment of Final Laboratory Results

	Tidal Road @ Tucker Bayou	Tidal Rd @ Gate #13	Upstream Tucker Bayou Clean	Mouth of Tucker Bayou @ Buffalo Bayou
Number of Constituents	129	129	129	129
Number of constituents analyzed but not detected (not detected above the method detection limit or quantitation limit)	111	103	123	122
Number of constituents detected above the method detection limit or quantitation limit	18	26	6	7
Number of constituents detected but below their known PCLs	7	7	2	2
Number of constituents that exceeded their known PCLs	3	11	1	0
Number of constituents that are still pending further TCEQ evaluation	0	0	0	0
Number of constituents that do not have a PCL or are assessed with other constituents*	8	8	3	5

*The water quality parameters ammonia nitrogen (as N), total Kjeldahl nitrogen, total phosphate, total organic nitrogen, and total suspended solids are not related to human health; therefore it is not appropriate to develop human health comparison values to evaluate these parameters. Three chemicals on the laboratory target analyte list (4-bromophenyl phenyl ether, 4-chlorophenyl phenyl ether, and benzo(g,h,i)perylene) do not have surface water comparison values and consequently will not be evaluated. These water quality parameters and chemicals are not directly related to the ITC incident, and the TCEQ is evaluating the chemicals that are directly related to the ITC incident (benzene and toluene, for example). C6-12, C12-28 and C28-35 range hydrocarbons, as well as total petroleum hydrocarbons, are included in the assessment of oil and grease. Therefore, these constituents are not assessed individually.

Below are tables of the constituents that exceeded their known PCL at the sampling site(s).

Table 2: Tidal Road @ Tucker Bayou

Constituent	Maximum (micrograms/L)	PCL (micrograms/L)
Benzene	1540	581
Phenolic	67.1	0.29
Total Xylenes	1790	850

Table 3: Tidal Rd @ Gate 13

Constituent	Maximum (micrograms/L)	PCL (micrograms/L)
Benzene	20400	581
CBOD	88200	39500*
COD	425000	150000**
Copper	5.34	3.6
2-Methylnaphthalene	50.3	30
Naphthalene	220	125
Oil and Grease, HEM	79100	28000
Phenolic	80.6	0.29
Toluene	2810	1000
Total Xylenes	5760	850
Zinc	88.3	84.2

Table 4: Upstream Tucker Bayou Clean

Constituent	Maximum (micrograms/L)	PCL (micrograms/L)
Phenolic	15.8	0.29

Footnote:

* CBOD is an organic pollution indicator that measures the oxygen demand exerted by the microbial decomposition of carbonaceous organic material in water (microbial breakdown of nitrogenous constituents is suppressed). There is not a known PCL for CBOD, therefore the permitted technology-based limit for treated process water of 39500 micrograms/L was used for comparison purposes.

**COD is a measure of the oxygen demand exerted by chemical constituents in water. There was not a known PCL for COD, therefore the permitted technology-based limit was used for comparison purposes. Although COD levels for treated process wastewater vary 150000 micrograms/L for noncontact stormwater was provided for comparison purposes.