Corpus Christi Bay Segment 2481 Station 13407 Example

Nutrient Criteria Development Advisory Workgroup June 20, 2011
Texas Commission on Environmental Quality Water Quality Standards



This map was generated by the Water Quality Planning Division of the Texas Commission on Environmental Quality. This map was not generated by a licensed surveyor and is intended for illustrative purposes only. No claims are made to the accuracy or completeness of the data or to its suitability for a particular use. For more information concerning this map, contact the Water Quality Planning Division at 512-239-1314.

0 2 4 8 Kilometers

N

Figure 1 map of station 13407 in Corpus Christi Bay at Corpus Christi CM 62.











Figure 2 Histograms of parameter frequency at station 13407 in Corpus Christi, segment 2481. Five graphs shown left to right down the page: total nitrogen (TN Calculated) in milligrams per liter, total phosphorus (TP 00665) in milligrams per liter, chlorophyll *a* both methods combine (Chl *a* Combine) in micrograms per liter, Secchi transparency (Secchi) in meters, and salinity calculated using conductance (Salinity Calculated) in parts per thousand. The normal distribution is represented by the black line. The mean, standard deviation, and sample for each parameter are shown to the right of the graph.











Figure 3 Graphs of each parameter over time at station 13407 in Corpus Christi Bay, segment 2481. Five graphs shown left to right down the page: total nitrogen (TN Calculated) in milligrams per liter, total phosphorus (TP 00665) in milligrams per liter, chlorophyll *a* both methods combine (Chl *a* Combine) in micrograms per liter, Secchi transparency (Secchi) in meters, and salinity calculated using conductance (Salinity Calculated) in parts per thousand. The median value is represented by the lower line and the 90th percentile is represented by the upper dashed line.