

Segment ID: 1007K **Water body name:** Country Club Bayou Above Tidal (unclassified water body)

Freshwater Stream

San Jacinto River Basin

Total size:

1

Miles

| Assessment Year | Assessment Method | Status of Use Support or Concern | Location | Location size | # of samples | # of exceedances | Mean |
|-----------------|-------------------|----------------------------------|----------|---------------|--------------|------------------|------|
|-----------------|-------------------|----------------------------------|----------|---------------|--------------|------------------|------|

Aquatic Life Use

| | | | | | | | |
|------|-------------------------------|----------------------|---|-----|----|----|--|
| 2002 | Dissolved Oxygen grab average | Use Concern | From North Wayside Drive to the confluence with Brays Bayou | 0.5 | 48 | 31 | |
| 2002 | Dissolved Oxygen grab average | Use Concern | From the headwaters to North Wayside Drive | 0.5 | 49 | 30 | |
| 2002 | Dissolved Oxygen grab minimum | Not Supporting | From North Wayside Drive to the confluence with Brays Bayou | 0.5 | 48 | 22 | |
| 2002 | Dissolved Oxygen grab minimum | Partially Supporting | From the headwaters to North Wayside Drive | 0.5 | 49 | 11 | |
| 2002 | Dissolved Oxygen 24hr average | Not Assessed | From North Wayside Drive to the confluence with Brays Bayou | 0.5 | 0 | | |
| 2002 | Dissolved Oxygen 24hr average | Not Assessed | From the headwaters to North Wayside Drive | 0.5 | 0 | | |
| 2002 | Dissolved Oxygen 24hr minimum | Not Assessed | From North Wayside Drive to the confluence with Brays Bayou | 0.5 | 0 | | |
| 2002 | Dissolved Oxygen 24hr minimum | Not Assessed | From the headwaters to North Wayside Drive | 0.5 | 0 | | |
| 2002 | Overall Aquatic Life Use | Not Supporting | From North Wayside Drive to the confluence with Brays Bayou | 0.5 | | | |
| 2002 | Overall Aquatic Life Use | Partially Supporting | From the headwaters to North Wayside Drive | 0.5 | | | |

Contact Recreation Use

| | | | | | | | |
|------|------------------------------|----------------|---|-----|----|----|--|
| 2002 | E. coli single sample | Not Assessed | From North Wayside Drive to the confluence with Brays Bayou | 0.5 | 0 | | |
| 2002 | E. coli single sample | Not Assessed | From the headwaters to North Wayside Drive | 0.5 | 0 | | |
| 2002 | E. coli geometric mean | Not Assessed | From North Wayside Drive to the confluence with Brays Bayou | 0.5 | 0 | | |
| 2002 | E. coli geometric mean | Not Assessed | From the headwaters to North Wayside Drive | 0.5 | 0 | | |
| 2002 | Fecal coliform single sample | Not Supporting | From North Wayside Drive to the confluence with Brays Bayou | 0.5 | 60 | 53 | |
| 2002 | Fecal coliform single sample | Not Supporting | From the headwaters to North Wayside Drive | 0.5 | 63 | 55 | |

Segment ID: 1007K **Water body name:** Country Club Bayou Above Tidal (unclassified water body)

Freshwater Stream

San Jacinto River Basin

Total size:

1

Miles

| Assessment Year | Assessment Method | Status of Use Support or Concern | Location | Location size | # of samples | # of exceedances | Mean |
|-----------------|-------------------|----------------------------------|----------|---------------|--------------|------------------|------|
|-----------------|-------------------|----------------------------------|----------|---------------|--------------|------------------|------|

Contact Recreation Use (continued)

| | | | | | | | |
|------|-------------------------------|----------------|---|-----|----|--|--------|
| 2002 | Fecal coliform geometric mean | Not Supporting | From North Wayside Drive to the confluence with Brays Bayou | 0.5 | 60 | | 18,018 |
| 2002 | Fecal coliform geometric mean | Not Supporting | From the headwaters to North Wayside Drive | 0.5 | 63 | | 11,722 |
| 2002 | Overall Recreation Use | Not Supporting | From North Wayside Drive to the confluence with Brays Bayou | 0.5 | | | |
| 2002 | Overall Recreation Use | Not Supporting | From the headwaters to North Wayside Drive | 0.5 | | | |

Fish Consumption Use

| | | | | | | | |
|------|------------------------------|--------------|---|-----|--|--|--|
| 2002 | Overall Fish Consumption Use | Not Assessed | From North Wayside Drive to the confluence with Brays Bayou | 0.5 | | | |
| 2002 | Overall Fish Consumption Use | Not Assessed | From the headwaters to North Wayside Drive | 0.5 | | | |

Overall Use Support

| | | | | | | | |
|------|--|----------------|---|-----|--|--|--|
| 2002 | | Not Supporting | From North Wayside Drive to the confluence with Brays Bayou | 0.5 | | | |
| 2002 | | Not Supporting | From the headwaters to North Wayside Drive | 0.5 | | | |

Nutrient Enrichment Concern

| | | | | | | | |
|------|----------------------------|--------------|---|-----|----|----|--|
| 2002 | Ammonia Nitrogen | Concern | From North Wayside Drive to the confluence with Brays Bayou | 0.5 | 52 | 44 | |
| 2002 | Ammonia Nitrogen | Concern | From the headwaters to North Wayside Drive | 0.5 | 52 | 44 | |
| 2002 | Nitrite + Nitrate Nitrogen | Not Assessed | From North Wayside Drive to the confluence with Brays Bayou | 0.5 | 0 | | |
| 2002 | Nitrite + Nitrate Nitrogen | Not Assessed | From the headwaters to North Wayside Drive | 0.5 | 0 | | |
| 2002 | Orthophosphorus | Not Assessed | From North Wayside Drive to the confluence with Brays Bayou | 0.5 | 0 | | |
| 2002 | Orthophosphorus | Not Assessed | From the headwaters to North Wayside Drive | 0.5 | 0 | | |

Segment ID: 1007K **Water body name:** Country Club Bayou Above Tidal (unclassified water body)

Freshwater Stream

San Jacinto River Basin

Total size:

1

Miles

| Assessment Year | Assessment Method | Status of Use Support or Concern | Location | Location size | # of samples | # of exceedances | Mean |
|-----------------|-------------------|----------------------------------|----------|---------------|--------------|------------------|------|
|-----------------|-------------------|----------------------------------|----------|---------------|--------------|------------------|------|

Nutrient Enrichment Concern (continued)

| | | | | | | | |
|------|--------------------------------------|--------------|---|-----|---|--|--|
| 2002 | Total Phosphorus | Not Assessed | From North Wayside Drive to the confluence with Brays Bayou | 0.5 | 0 | | |
| 2002 | Total Phosphorus | Not Assessed | From the headwaters to North Wayside Drive | 0.5 | 0 | | |
| 2002 | Overall Nutrient Enrichment Concerns | Concern | From North Wayside Drive to the confluence with Brays Bayou | 0.5 | | | |
| 2002 | Overall Nutrient Enrichment Concerns | Concern | From the headwaters to North Wayside Drive | 0.5 | | | |

Algal Growth Concern

| | | | | | | | |
|------|---------------|--------------|---|-----|---|--|--|
| 2002 | Chlorophyll a | Not Assessed | From North Wayside Drive to the confluence with Brays Bayou | 0.5 | 0 | | |
| 2002 | Chlorophyll a | Not Assessed | From the headwaters to North Wayside Drive | 0.5 | 0 | | |

Sediment Contaminants Concern

| | | | | | | | |
|------|---------------------------------------|--------------|---|-----|--|--|--|
| 2002 | Overall Sediment Contaminant Concerns | Not Assessed | From North Wayside Drive to the confluence with Brays Bayou | 0.5 | | | |
| 2002 | Overall Sediment Contaminant Concerns | Not Assessed | From the headwaters to North Wayside Drive | 0.5 | | | |

Fish Tissue Contaminants Concern

| | | | | | | | |
|------|--|--------------|---|-----|--|--|--|
| 2002 | Overall Fish Tissue Contaminant Concerns | Not Assessed | From North Wayside Drive to the confluence with Brays Bayou | 0.5 | | | |
| 2002 | Overall Fish Tissue Contaminant Concerns | Not Assessed | From the headwaters to North Wayside Drive | 0.5 | | | |

Narrative Criteria Concern

| | | | | | | | |
|------|-------------------------------------|------------|---|-----|--|--|--|
| 2002 | Overall Narrative Criteria Concerns | No Concern | From North Wayside Drive to the confluence with Brays Bayou | 0.5 | | | |
| 2002 | Overall Narrative Criteria Concerns | No Concern | From the headwaters to North Wayside Drive | 0.5 | | | |

Segment ID: 1007K **Water body name:** Country Club Bayou Above Tidal (unclassified water body)

Freshwater Stream

San Jacinto River Basin

Total size:

1

Miles

| Assessment Year | Assessment Method | Status of Use Support or Concern | Location | Location size | # of samples | # of exceedances | Mean |
|-----------------|-------------------|----------------------------------|----------|---------------|--------------|------------------|------|
|-----------------|-------------------|----------------------------------|----------|---------------|--------------|------------------|------|

Overall Secondary Concern

| | | | | | | | |
|------|--|---------|---|-----|--|--|--|
| 2002 | | Concern | From North Wayside Drive to the confluence with Brays Bayou | 0.5 | | | |
| 2002 | | Concern | From the headwaters to North Wayside Drive | 0.5 | | | |