

Segment ID: 1209 **Water body name:** Navasota River Below Lake Limestone

Freshwater Stream

Brazos River Basin

Total size:

120

Miles

Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
-----------------	-------------------	----------------------------------	----------	---------------	--------------	------------------	------

Aquatic Life Use

2002	Dissolved Oxygen grab average	No Concern	From confluence with Camp Creek to 25 miles upstream	25	28	0	
2002	Dissolved Oxygen grab average	No Concern	From confluence with Rocky Creek to confluence with Sandy Branch	17.6	41	1	
2002	Dissolved Oxygen grab average	No Concern	From confluence with Sandy Branch to confluence with Shepherd Branch	21	27	2	
2002	Dissolved Oxygen grab average	Not Assessed	From confluence with Shepherd Branch to confluence with Camp Creek	25	2		
2002	Dissolved Oxygen grab average	No Concern	From lower segment boundary to confluence with Rocky Creek	25	44	3	
2002	Dissolved Oxygen grab minimum	Fully Supporting	From confluence with Camp Creek to 25 miles upstream	25	28	0	
2002	Dissolved Oxygen grab minimum	Fully Supporting	From confluence with Rocky Creek to confluence with Sandy Branch	17.6	41	0	
2002	Dissolved Oxygen grab minimum	Fully Supporting	From confluence with Sandy Branch to confluence with Shepherd Branch	21	27	0	
2002	Dissolved Oxygen grab minimum	Not Assessed	From confluence with Shepherd Branch to confluence with Camp Creek	25	2		
2002	Dissolved Oxygen grab minimum	Fully Supporting	From lower segment boundary to confluence with Rocky Creek	25	44	0	
2002	Dissolved Oxygen 24hr average	Not Assessed	From confluence with Camp Creek to 25 miles upstream	25	0		
2002	Dissolved Oxygen 24hr average	Not Assessed	From confluence with Rocky Creek to confluence with Sandy Branch	17.6	0		
2002	Dissolved Oxygen 24hr average	Not Assessed	From confluence with Sandy Branch to confluence with Shepherd Branch	21	0		
2002	Dissolved Oxygen 24hr average	Not Assessed	From confluence with Shepherd Branch to confluence with Camp Creek	25	0		

Segment ID: 1209 **Water body name:** Navasota River Below Lake Limestone

Freshwater Stream

Brazos River Basin

Total size:

120

Miles

Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
-----------------	-------------------	----------------------------------	----------	---------------	--------------	------------------	------

Aquatic Life Use (continued)

2002	Dissolved Oxygen 24hr average	Not Assessed	From lower segment boundary to confluence with Rocky Creek	25	0		
2002	Dissolved Oxygen 24hr minimum	Not Assessed	From confluence with Camp Creek to 25 miles upstream	25	0		
2002	Dissolved Oxygen 24hr minimum	Not Assessed	From confluence with Rocky Creek to confluence with Sandy Branch	17.6	0		
2002	Dissolved Oxygen 24hr minimum	Not Assessed	From confluence with Sandy Branch to confluence with Shepherd Branch	21	0		
2002	Dissolved Oxygen 24hr minimum	Not Assessed	From confluence with Shepherd Branch to confluence with Camp Creek	25	0		
2002	Dissolved Oxygen 24hr minimum	Not Assessed	From lower segment boundary to confluence with Rocky Creek	25	0		
2002	Overall Aquatic Life Use	Fully Supporting	From confluence with Camp Creek to 25 miles upstream	25			
2002	Overall Aquatic Life Use	Fully Supporting	From confluence with Rocky Creek to confluence with Sandy Branch	17.6			
2002	Overall Aquatic Life Use	Fully Supporting	From confluence with Sandy Branch to confluence with Shepherd Branch	21			
2002	Overall Aquatic Life Use	Not Assessed	From confluence with Shepherd Branch to confluence with Camp Creek	25			
2002	Overall Aquatic Life Use	Fully Supporting	From lower segment boundary to confluence with Rocky Creek	25			
2002	Overall Aquatic Life Use	Not Assessed	Remainder of segment	6.4			

Contact Recreation Use

2002	E. coli single sample	Not Assessed	From confluence with Camp Creek to 25 miles upstream	25	0		
2002	E. coli single sample	Not Assessed	From confluence with Rocky Creek to confluence with Sandy Branch	17.6	0		

Segment ID: 1209 **Water body name:** Navasota River Below Lake Limestone

Freshwater Stream

Brazos River Basin

Total size:

120

Miles

Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
-----------------	-------------------	----------------------------------	----------	---------------	--------------	------------------	------

Contact Recreation Use (continued)

2002	E. coli single sample	Not Assessed	From confluence with Sandy Branch to confluence with Shepherd Branch	21	0		
2002	E. coli single sample	Not Assessed	From confluence with Shepherd Branch to confluence with Camp Creek	25	0		
2002	E. coli single sample	Not Assessed	From lower segment boundary to confluence with Rocky Creek	25	0		
2002	E. coli geometric mean	Not Assessed	From confluence with Camp Creek to 25 miles upstream	25	0		
2002	E. coli geometric mean	Not Assessed	From confluence with Rocky Creek to confluence with Sandy Branch	17.6	0		
2002	E. coli geometric mean	Not Assessed	From confluence with Sandy Branch to confluence with Shepherd Branch	21	0		
2002	E. coli geometric mean	Not Assessed	From confluence with Shepherd Branch to confluence with Camp Creek	25	0		
2002	E. coli geometric mean	Not Assessed	From lower segment boundary to confluence with Rocky Creek	25	0		
2002	Fecal coliform single sample	Fully Supporting	From confluence with Camp Creek to 25 miles upstream	25	25	6	
2002	Fecal coliform single sample	Use Concern	From confluence with Rocky Creek to confluence with Sandy Branch	17.6	35	10	
2002	Fecal coliform single sample	Fully Supporting	From confluence with Sandy Branch to confluence with Shepherd Branch	21	23	4	
2002	Fecal coliform single sample	Not Assessed	From confluence with Shepherd Branch to confluence with Camp Creek	25	2	0	
2002	Fecal coliform single sample	Not Supporting	From lower segment boundary to confluence with Rocky Creek	25	38	14	
2002	Fecal coliform geometric mean	Not Supporting	From confluence with Camp Creek to 25 miles upstream	25	25		210

Segment ID: 1209 **Water body name:** Navasota River Below Lake Limestone

Freshwater Stream

Brazos River Basin

Total size:

120

Miles

Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
-----------------	-------------------	----------------------------------	----------	---------------	--------------	------------------	------

Contact Recreation Use (continued)

2002	Fecal coliform geometric mean	Not Supporting	From confluence with Rocky Creek to confluence with Sandy Branch	17.6	35		234.8
2002	Fecal coliform geometric mean	Fully Supporting	From confluence with Sandy Branch to confluence with Shepherd Branch	21	23		108
2002	Fecal coliform geometric mean	Not Assessed	From confluence with Shepherd Branch to confluence with Camp Creek	25	2		108
2002	Fecal coliform geometric mean	Fully Supporting	From lower segment boundary to confluence with Rocky Creek	25	38		182.3
2002	Overall Recreation Use	Not Supporting	From confluence with Camp Creek to 25 miles upstream	25			
2002	Overall Recreation Use	Not Supporting	From confluence with Rocky Creek to confluence with Sandy Branch	17.6			
2002	Overall Recreation Use	Fully Supporting	From confluence with Sandy Branch to confluence with Shepherd Branch	21			
2002	Overall Recreation Use	Not Assessed	From confluence with Shepherd Branch to confluence with Camp Creek	25			
2002	Overall Recreation Use	Not Supporting	From lower segment boundary to confluence with Rocky Creek	25			
2002	Overall Recreation Use	Not Assessed	Remainder of segment	6.4			

General Use

2002	Water Temperature	Fully Supporting	From confluence with Camp Creek to 25 miles upstream	25	32	0	
2002	Water Temperature	Fully Supporting	From confluence with Rocky Creek to confluence with Sandy Branch	17.6	43	0	
2002	Water Temperature	Fully Supporting	From confluence with Sandy Branch to confluence with Shepherd Branch	21	29	0	
2002	Water Temperature	Not Assessed	From confluence with Shepherd Branch to confluence with Camp Creek	25	2	0	

Segment ID: 1209 **Water body name:** Navasota River Below Lake Limestone

Freshwater Stream

Brazos River Basin

Total size:

120

Miles

Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
-----------------	-------------------	----------------------------------	----------	---------------	--------------	------------------	------

General Use (continued)

2002	Water Temperature	Fully Supporting	From lower segment boundary to confluence with Rocky Creek	25	45	0	
2002	pH	Fully Supporting	From confluence with Camp Creek to 25 miles upstream	25	29	0	
2002	pH	Fully Supporting	From confluence with Rocky Creek to confluence with Sandy Branch	17.6	43	0	
2002	pH	Fully Supporting	From confluence with Sandy Branch to confluence with Shepherd Branch	21	29	0	
2002	pH	Not Assessed	From confluence with Shepherd Branch to confluence with Camp Creek	25	2	0	
2002	pH	Fully Supporting	From lower segment boundary to confluence with Rocky Creek	25	45	0	
2002	Chloride	Fully Supporting	From confluence with Camp Creek to 25 miles upstream	25	135		35.6
2002	Chloride	Fully Supporting	From confluence with Rocky Creek to confluence with Sandy Branch	17.6	135		35.6
2002	Chloride	Fully Supporting	From confluence with Sandy Branch to confluence with Shepherd Branch	21	135		35.6
2002	Chloride	Fully Supporting	From confluence with Shepherd Branch to confluence with Camp Creek	25	135		35.6
2002	Chloride	Fully Supporting	From lower segment boundary to confluence with Rocky Creek	25	135		35.6
2002	Chloride	Fully Supporting	Remainder of segment	6.4	135		35.6
2002	Sulfate	Fully Supporting	From confluence with Camp Creek to 25 miles upstream	25	133		32.8
2002	Sulfate	Fully Supporting	From confluence with Rocky Creek to confluence with Sandy Branch	17.6	133		32.8
2002	Sulfate	Fully Supporting	From confluence with Sandy Branch to confluence with Shepherd Branch	21	133		32.8

Segment ID: 1209 **Water body name:** Navasota River Below Lake Limestone

Freshwater Stream

Brazos River Basin

Total size:

120

Miles

Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
-----------------	-------------------	----------------------------------	----------	---------------	--------------	------------------	------

General Use (continued)

2002	Sulfate	Fully Supporting	From confluence with Shepherd Branch to confluence with Camp Creek	25	133		32.8
2002	Sulfate	Fully Supporting	From lower segment boundary to confluence with Rocky Creek	25	133		32.8
2002	Sulfate	Fully Supporting	Remainder of segment	6.4	133		32.8
2002	Total Dissolved Solids	Fully Supporting	From confluence with Camp Creek to 25 miles upstream	25	151		225.8
2002	Total Dissolved Solids	Fully Supporting	From confluence with Rocky Creek to confluence with Sandy Branch	17.6	151		225.8
2002	Total Dissolved Solids	Fully Supporting	From confluence with Sandy Branch to confluence with Shepherd Branch	21	151		225.8
2002	Total Dissolved Solids	Fully Supporting	From confluence with Shepherd Branch to confluence with Camp Creek	25	151		225.8
2002	Total Dissolved Solids	Fully Supporting	From lower segment boundary to confluence with Rocky Creek	25	151		225.8
2002	Total Dissolved Solids	Fully Supporting	Remainder of segment	6.4	151		225.8
2002	Overall General Use	Fully Supporting	From confluence with Camp Creek to 25 miles upstream	25			
2002	Overall General Use	Fully Supporting	From confluence with Rocky Creek to confluence with Sandy Branch	17.6			
2002	Overall General Use	Fully Supporting	From confluence with Sandy Branch to confluence with Shepherd Branch	21			
2002	Overall General Use	Fully Supporting	From confluence with Shepherd Branch to confluence with Camp Creek	25			
2002	Overall General Use	Fully Supporting	From lower segment boundary to confluence with Rocky Creek	25			
2002	Overall General Use	Fully Supporting	Remainder of segment	6.4			

Segment ID: 1209 **Water body name:** Navasota River Below Lake Limestone

Freshwater Stream

Brazos River Basin

Total size:

120

Miles

Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
-----------------	-------------------	----------------------------------	----------	---------------	--------------	------------------	------

Fish Consumption Use

2002	Overall Fish Consumption Use	Not Assessed	From confluence with Camp Creek to 25 miles upstream	25			
2002	Overall Fish Consumption Use	Not Assessed	From confluence with Rocky Creek to confluence with Sandy Branch	17.6			
2002	Overall Fish Consumption Use	Not Assessed	From confluence with Sandy Branch to confluence with Shepherd Branch	21			
2002	Overall Fish Consumption Use	Not Assessed	From confluence with Shepherd Branch to confluence with Camp Creek	25			
2002	Overall Fish Consumption Use	Not Assessed	From lower segment boundary to confluence with Rocky Creek	25			
2002	Overall Fish Consumption Use	Not Assessed	Remainder of segment	6.4			

Public Water Supply Use

2002	Overall Public Water Supply Use	Fully Supporting	From confluence with Camp Creek to 25 miles upstream	25			
2002	Overall Public Water Supply Use	Fully Supporting	From confluence with Rocky Creek to confluence with Sandy Branch	17.6			
2002	Overall Public Water Supply Use	Fully Supporting	From confluence with Sandy Branch to confluence with Shepherd Branch	21			
2002	Overall Public Water Supply Use	Fully Supporting	From confluence with Shepherd Branch to confluence with Camp Creek	25			
2002	Overall Public Water Supply Use	Fully Supporting	From lower segment boundary to confluence with Rocky Creek	25			
2002	Overall Public Water Supply Use	Fully Supporting	Remainder of segment	6.4			

Overall Use Support

2002		Not Supporting	From confluence with Camp Creek to 25 miles upstream	25			
2002		Not Supporting	From confluence with Rocky Creek to confluence with Sandy Branch	17.6			

Segment ID: 1209 **Water body name:** Navasota River Below Lake Limestone

Freshwater Stream

Brazos River Basin

Total size:

120

Miles

Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
-----------------	-------------------	----------------------------------	----------	---------------	--------------	------------------	------

Overall Use Support (continued)

2002		Fully Supporting	From confluence with Sandy Branch to confluence with Shepherd Branch	21			
2002		Fully Supporting	From confluence with Shepherd Branch to confluence with Camp Creek	25			
2002		Not Supporting	From lower segment boundary to confluence with Rocky Creek	25			
2002		Fully Supporting	Remainder of segment	6.4			

Nutrient Enrichment Concern

2002	Ammonia Nitrogen	Not Assessed	From confluence with Camp Creek to 25 miles upstream	25	0		
2002	Ammonia Nitrogen	Not Assessed	From confluence with Rocky Creek to confluence with Sandy Branch	17.6	0		
2002	Ammonia Nitrogen	Not Assessed	From confluence with Sandy Branch to confluence with Shepherd Branch	21	0		
2002	Ammonia Nitrogen	Not Assessed	From confluence with Shepherd Branch to confluence with Camp Creek	25	2	0	
2002	Ammonia Nitrogen	Not Assessed	From lower segment boundary to confluence with Rocky Creek	25	2	0	
2002	Nitrite + Nitrate Nitrogen	No Concern	From confluence with Camp Creek to 25 miles upstream	25	27	0	
2002	Nitrite + Nitrate Nitrogen	No Concern	From confluence with Rocky Creek to confluence with Sandy Branch	17.6	41	1	
2002	Nitrite + Nitrate Nitrogen	No Concern	From confluence with Sandy Branch to confluence with Shepherd Branch	21	28	0	
2002	Nitrite + Nitrate Nitrogen	Not Assessed	From confluence with Shepherd Branch to confluence with Camp Creek	25	1	0	
2002	Nitrite + Nitrate Nitrogen	No Concern	From lower segment boundary to confluence with Rocky Creek	25	38	7	

Segment ID: 1209 **Water body name:** Navasota River Below Lake Limestone

Freshwater Stream

Brazos River Basin

Total size:

120

Miles

Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
-----------------	-------------------	----------------------------------	----------	---------------	--------------	------------------	------

Nutrient Enrichment Concern (continued)

2002	Orthophosphorus	No Concern	From confluence with Camp Creek to 25 miles upstream	25	27	0	
2002	Orthophosphorus	No Concern	From confluence with Rocky Creek to confluence with Sandy Branch	17.6	41	1	
2002	Orthophosphorus	No Concern	From confluence with Sandy Branch to confluence with Shepherd Branch	21	28	0	
2002	Orthophosphorus	Not Assessed	From confluence with Shepherd Branch to confluence with Camp Creek	25	1	0	
2002	Orthophosphorus	No Concern	From lower segment boundary to confluence with Rocky Creek	25	38	9	
2002	Total Phosphorus	Not Assessed	From confluence with Camp Creek to 25 miles upstream	25	0		
2002	Total Phosphorus	Not Assessed	From confluence with Rocky Creek to confluence with Sandy Branch	17.6	0		
2002	Total Phosphorus	Not Assessed	From confluence with Sandy Branch to confluence with Shepherd Branch	21	0		
2002	Total Phosphorus	Not Assessed	From confluence with Shepherd Branch to confluence with Camp Creek	25	2	0	
2002	Total Phosphorus	Not Assessed	From lower segment boundary to confluence with Rocky Creek	25	2	0	
2002	Overall Nutrient Enrichment Concerns	No Concern	From confluence with Camp Creek to 25 miles upstream	25			
2002	Overall Nutrient Enrichment Concerns	No Concern	From confluence with Rocky Creek to confluence with Sandy Branch	17.6			
2002	Overall Nutrient Enrichment Concerns	No Concern	From confluence with Sandy Branch to confluence with Shepherd Branch	21			
2002	Overall Nutrient Enrichment Concerns	Not Assessed	From confluence with Shepherd Branch to confluence with Camp Creek	25			

Segment ID: 1209 **Water body name:** Navasota River Below Lake Limestone

Freshwater Stream Brazos River Basin Total size: 120 Miles

Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
-----------------	-------------------	----------------------------------	----------	---------------	--------------	------------------	------

Nutrient Enrichment Concern (continued)

2002	Overall Nutrient Enrichment Concerns	No Concern	From lower segment boundary to confluence with Rocky Creek	25			
2002	Overall Nutrient Enrichment Concerns	Not Assessed	Remainder of segment	6.4			

Algal Growth Concern

2002	Chlorophyll a	Not Assessed	From confluence with Camp Creek to 25 miles upstream	25	0		
2002	Chlorophyll a	Not Assessed	From confluence with Rocky Creek to confluence with Sandy Branch	17.6	0		
2002	Chlorophyll a	Not Assessed	From confluence with Sandy Branch to confluence with Shepherd Branch	21	0		
2002	Chlorophyll a	Not Assessed	From confluence with Shepherd Branch to confluence with Camp Creek	25	2	0	
2002	Chlorophyll a	Not Assessed	From lower segment boundary to confluence with Rocky Creek	25	2	2	
2002	Chlorophyll a	Not Assessed	Remainder of segment	6.4			

Sediment Contaminants Concern

2002	Overall Sediment Contaminant Concerns	Not Assessed	From confluence with Camp Creek to 25 miles upstream	25			
2002	Overall Sediment Contaminant Concerns	Not Assessed	From confluence with Rocky Creek to confluence with Sandy Branch	17.6			
2002	Overall Sediment Contaminant Concerns	Not Assessed	From confluence with Sandy Branch to confluence with Shepherd Branch	21			
2002	Overall Sediment Contaminant Concerns	Not Assessed	From confluence with Shepherd Branch to confluence with Camp Creek	25			
2002	Overall Sediment Contaminant Concerns	Not Assessed	From lower segment boundary to confluence with Rocky Creek	25			
2002	Overall Sediment Contaminant Concerns	Not Assessed	Remainder of segment	6.4			

Segment ID: 1209 **Water body name:** Navasota River Below Lake Limestone

Freshwater Stream

Brazos River Basin

Total size:

120

Miles

Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
-----------------	-------------------	----------------------------------	----------	---------------	--------------	------------------	------

Fish Tissue Contaminants Concern

2002	Overall Fish Tissue Contaminant Concerns	Not Assessed	From confluence with Camp Creek to 25 miles upstream	25			
2002	Overall Fish Tissue Contaminant Concerns	Not Assessed	From confluence with Rocky Creek to confluence with Sandy Branch	17.6			
2002	Overall Fish Tissue Contaminant Concerns	Not Assessed	From confluence with Sandy Branch to confluence with Shepherd Branch	21			
2002	Overall Fish Tissue Contaminant Concerns	Not Assessed	From confluence with Shepherd Branch to confluence with Camp Creek	25			
2002	Overall Fish Tissue Contaminant Concerns	Not Assessed	From lower segment boundary to confluence with Rocky Creek	25			
2002	Overall Fish Tissue Contaminant Concerns	Not Assessed	Remainder of segment	6.4			

Public Water Supply Concern

2002	Finished Water: Chloride	No Concern	From confluence with Camp Creek to 25 miles upstream	25			
2002	Finished Water: Chloride	No Concern	From confluence with Rocky Creek to confluence with Sandy Branch	17.6			
2002	Finished Water: Chloride	No Concern	From confluence with Sandy Branch to confluence with Shepherd Branch	21			
2002	Finished Water: Chloride	No Concern	From confluence with Shepherd Branch to confluence with Camp Creek	25			
2002	Finished Water: Chloride	No Concern	From lower segment boundary to confluence with Rocky Creek	25			
2002	Finished Water: Chloride	No Concern	Remainder of segment	6.4			
2002	Finished Water: Sulfate	No Concern	From confluence with Camp Creek to 25 miles upstream	25			
2002	Finished Water: Sulfate	No Concern	From confluence with Rocky Creek to confluence with Sandy Branch	17.6			

Segment ID: 1209 **Water body name:** Navasota River Below Lake Limestone

Freshwater Stream

Brazos River Basin

Total size:

120

Miles

Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
-----------------	-------------------	----------------------------------	----------	---------------	--------------	------------------	------

Public Water Supply Concern (continued)

2002	Finished Water: Sulfate	No Concern	From confluence with Sandy Branch to confluence with Shepherd Branch	21			
2002	Finished Water: Sulfate	No Concern	From confluence with Shepherd Branch to confluence with Camp Creek	25			
2002	Finished Water: Sulfate	No Concern	From lower segment boundary to confluence with Rocky Creek	25			
2002	Finished Water: Sulfate	No Concern	Remainder of segment	6.4			
2002	Finished Water: Total Dissolved Solids	No Concern	From confluence with Camp Creek to 25 miles upstream	25			
2002	Finished Water: Total Dissolved Solids	No Concern	From confluence with Rocky Creek to confluence with Sandy Branch	17.6			
2002	Finished Water: Total Dissolved Solids	No Concern	From confluence with Sandy Branch to confluence with Shepherd Branch	21			
2002	Finished Water: Total Dissolved Solids	No Concern	From confluence with Shepherd Branch to confluence with Camp Creek	25			
2002	Finished Water: Total Dissolved Solids	No Concern	From lower segment boundary to confluence with Rocky Creek	25			
2002	Finished Water: Total Dissolved Solids	No Concern	Remainder of segment	6.4			
2002	Finished Water: MTBE	No Concern	From confluence with Camp Creek to 25 miles upstream	25			
2002	Finished Water: MTBE	No Concern	From confluence with Rocky Creek to confluence with Sandy Branch	17.6			
2002	Finished Water: MTBE	No Concern	From confluence with Sandy Branch to confluence with Shepherd Branch	21			
2002	Finished Water: MTBE	No Concern	From confluence with Shepherd Branch to confluence with Camp Creek	25			
2002	Finished Water: MTBE	No Concern	From lower segment boundary to confluence with Rocky Creek	25			

Segment ID: 1209 **Water body name:** Navasota River Below Lake Limestone

Freshwater Stream

Brazos River Basin

Total size:

120

Miles

Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
-----------------	-------------------	----------------------------------	----------	---------------	--------------	------------------	------

Public Water Supply Concern (continued)

2002	Finished Water: MTBE	No Concern	Remainder of segment	6.4			
2002	Finished Water: Perchlorate	Not Assessed	From confluence with Camp Creek to 25 miles upstream	25			
2002	Finished Water: Perchlorate	Not Assessed	From confluence with Rocky Creek to confluence with Sandy Branch	17.6			
2002	Finished Water: Perchlorate	Not Assessed	From confluence with Sandy Branch to confluence with Shepherd Branch	21			
2002	Finished Water: Perchlorate	Not Assessed	From confluence with Shepherd Branch to confluence with Camp Creek	25			
2002	Finished Water: Perchlorate	Not Assessed	From lower segment boundary to confluence with Rocky Creek	25			
2002	Finished Water: Perchlorate	Not Assessed	Remainder of segment	6.4			
2002	Finished Water: Overall	No Concern	From confluence with Camp Creek to 25 miles upstream	25			
2002	Finished Water: Overall	No Concern	From confluence with Rocky Creek to confluence with Sandy Branch	17.6			
2002	Finished Water: Overall	No Concern	From confluence with Sandy Branch to confluence with Shepherd Branch	21			
2002	Finished Water: Overall	No Concern	From confluence with Shepherd Branch to confluence with Camp Creek	25			
2002	Finished Water: Overall	No Concern	From lower segment boundary to confluence with Rocky Creek	25			
2002	Finished Water: Overall	No Concern	Remainder of segment	6.4			
2002	Surface Water: Chloride	No Concern	From confluence with Camp Creek to 25 miles upstream	25	135		35.6
2002	Surface Water: Chloride	No Concern	From confluence with Rocky Creek to confluence with Sandy Branch	17.6	135		35.6

Segment ID: 1209 **Water body name:** Navasota River Below Lake Limestone

Freshwater Stream

Brazos River Basin

Total size:

120

Miles

Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
-----------------	-------------------	----------------------------------	----------	---------------	--------------	------------------	------

Public Water Supply Concern (continued)

2002	Surface Water: Chloride	No Concern	From confluence with Sandy Branch to confluence with Shepherd Branch	21	135		35.6
2002	Surface Water: Chloride	No Concern	From confluence with Shepherd Branch to confluence with Camp Creek	25	135		35.6
2002	Surface Water: Chloride	No Concern	From lower segment boundary to confluence with Rocky Creek	25	135		35.6
2002	Surface Water: Chloride	No Concern	Remainder of segment	6.4	135		35.6
2002	Surface Water: Sulfate	No Concern	From confluence with Camp Creek to 25 miles upstream	25	133		32.8
2002	Surface Water: Sulfate	No Concern	From confluence with Rocky Creek to confluence with Sandy Branch	17.6	133		32.8
2002	Surface Water: Sulfate	No Concern	From confluence with Sandy Branch to confluence with Shepherd Branch	21	133		32.8
2002	Surface Water: Sulfate	No Concern	From confluence with Shepherd Branch to confluence with Camp Creek	25	133		32.8
2002	Surface Water: Sulfate	No Concern	From lower segment boundary to confluence with Rocky Creek	25	133		32.8
2002	Surface Water: Sulfate	No Concern	Remainder of segment	6.4	133		32.8
2002	Surface Water: Total Dissolved Solids	No Concern	From confluence with Camp Creek to 25 miles upstream	25	151		225.8
2002	Surface Water: Total Dissolved Solids	No Concern	From confluence with Rocky Creek to confluence with Sandy Branch	17.6	151		225.8
2002	Surface Water: Total Dissolved Solids	No Concern	From confluence with Sandy Branch to confluence with Shepherd Branch	21	151		225.8
2002	Surface Water: Total Dissolved Solids	No Concern	From confluence with Shepherd Branch to confluence with Camp Creek	25	151		225.8
2002	Surface Water: Total Dissolved Solids	No Concern	From lower segment boundary to confluence with Rocky Creek	25	151		225.8

Segment ID: 1209 **Water body name:** Navasota River Below Lake Limestone

Freshwater Stream

Brazos River Basin

Total size:

120

Miles

Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
-----------------	-------------------	----------------------------------	----------	---------------	--------------	------------------	------

Public Water Supply Concern (continued)

2002	Surface Water: Total Dissolved Solids	No Concern	Remainder of segment	6.4	151		225.8
2002	Surface Water: Overall	No Concern	From confluence with Camp Creek to 25 miles upstream	25			
2002	Surface Water: Overall	No Concern	From confluence with Rocky Creek to confluence with Sandy Branch	17.6			
2002	Surface Water: Overall	No Concern	From confluence with Sandy Branch to confluence with Shepherd Branch	21			
2002	Surface Water: Overall	No Concern	From confluence with Shepherd Branch to confluence with Camp Creek	25			
2002	Surface Water: Overall	No Concern	From lower segment boundary to confluence with Rocky Creek	25			
2002	Surface Water: Overall	No Concern	Remainder of segment	6.4			
2002	Overall Public Water Supply Concerns	No Concern	From confluence with Camp Creek to 25 miles upstream	25			
2002	Overall Public Water Supply Concerns	No Concern	From confluence with Rocky Creek to confluence with Sandy Branch	17.6			
2002	Overall Public Water Supply Concerns	No Concern	From confluence with Sandy Branch to confluence with Shepherd Branch	21			
2002	Overall Public Water Supply Concerns	No Concern	From confluence with Shepherd Branch to confluence with Camp Creek	25			
2002	Overall Public Water Supply Concerns	No Concern	From lower segment boundary to confluence with Rocky Creek	25			
2002	Overall Public Water Supply Concerns	No Concern	Remainder of segment	6.4			

Narrative Criteria Concern

2002	Overall Narrative Criteria Concerns	No Concern	From confluence with Camp Creek to 25 miles upstream	25			
------	-------------------------------------	------------	--	----	--	--	--

Segment ID: 1209 **Water body name:** Navasota River Below Lake Limestone

Freshwater Stream

Brazos River Basin

Total size:

120

Miles

Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
-----------------	-------------------	----------------------------------	----------	---------------	--------------	------------------	------

Narrative Criteria Concern (continued)

2002	Overall Narrative Criteria Concerns	No Concern	From confluence with Rocky Creek to confluence with Sandy Branch	17.6			
2002	Overall Narrative Criteria Concerns	No Concern	From confluence with Sandy Branch to confluence with Shepherd Branch	21			
2002	Overall Narrative Criteria Concerns	No Concern	From confluence with Shepherd Branch to confluence with Camp Creek	25			
2002	Overall Narrative Criteria Concerns	No Concern	From lower segment boundary to confluence with Rocky Creek	25			
2002	Overall Narrative Criteria Concerns	No Concern	Remainder of segment	6.4			

Overall Secondary Concern

2002		No Concern	From confluence with Camp Creek to 25 miles upstream	25			
2002		No Concern	From confluence with Rocky Creek to confluence with Sandy Branch	17.6			
2002		No Concern	From confluence with Sandy Branch to confluence with Shepherd Branch	21			
2002		No Concern	From confluence with Shepherd Branch to confluence with Camp Creek	25			
2002		No Concern	From lower segment boundary to confluence with Rocky Creek	25			
2002		No Concern	Remainder of segment	6.4			