

2006 Texas 303(d) List (June 27, 2007)

As required under Sections 303(d) and 304(a) of the federal Clean Water Act, this list identifies the water bodies in or bordering Texas for which effluent limitations are not stringent enough to implement water quality standards, and for which the associated pollutants are suitable for measurement by maximum daily load.

In addition, the TCEQ also develops a schedule identifying Total Maximum Daily Loads (TMDLs) that will be initiated in the next two years for priority impaired waters. Issuance of permits to discharge into 303(d)-listed water bodies is described in the TCEQ regulatory guidance document *Procedures to Implement the Texas Surface Water Quality Standards* (August 2002, RG-194).

Impairments are limited to the geographic area described by the Assessment Unit and identified with a six or seven-digit AU_ID. A TMDL for each impaired parameter will be developed to allocate pollutant loads from contributing sources that affect the parameter of concern in each Assessment Unit. The TMDL will be identified and counted using a four or five-digit SegID. Water Quality permits that are issued before a TMDL is approved will not increase pollutant loading that would contribute to the impairment identified for the Assessment Unit.

Information Provided

- SegID and Name: The unique identifier (SegID), segment name, and location of the water body. The SegID may be one of two types of numbers. The first type is a classified segment number (4 digits, *e.g.*, 0218), as defined in Appendix A of the Texas Surface Water Quality Standards (TSWQS). The second type (five digits, *e.g.*, 0218A) is a partially classified water body described in Appendix D of the TSWQS, or an unclassified water body, not defined in the TSWQS, though associated with a classified water body because it is in the same watershed. The segment name and description immediately follow SegID.
- Area: Identifies the assessment unit (AU_ID, six or seven digits, *e.g.*, 0101A_01) and describes the location of the specific area in which one or more water quality standards are not met.
- Parameter(s): Pollutants or water quality conditions that assessment procedures indicate do not meet assigned water quality standards.
- Category: In the 2006 Assessment, one of three subcategories was assigned to each impaired parameter to provide information about water quality status and management activities on that water body. The categories are defined below:
- Category 5: The water body does not meet applicable water quality standards or is threatened for one or more designated uses by one or more pollutants.
- Category 5a* - A TMDL is underway, scheduled, or will be scheduled.
- Category 5b* - A review of the water quality standards for this water body will be conducted before a TMDL is scheduled.
- Category 5c* - Additional data and information will be collected before a TMDL is scheduled.
- Year First Listed: The assessment year the pollutant or water quality condition initially did not meet water quality standards as indicated by screening procedures.

SegID: 0101A Dixon Creek (unclassified water body)

From confluence of the Canadian River to the upstream perennial portion of the stream east of Borger in Hutchinson County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0101A_01 <i>Dixon Creek downstream of Phillips</i>		
bacteria	5c	2000
depressed dissolved oxygen	5b	2000

SegID: 0101B Rock Creek (unclassified water body)

Perennial stream from the confluence with the Canadian River up to SH 136 in the City of Borger

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0101B_01 <i>Perennial stream from the confluence with the Canadian River up to SH 136 in the City of Borger</i>		
bacteria	5c	2006

SegID: 0102 Lake Meredith

From Sanford Dam in Hutchinson County to a point immediately upstream of the confluence of Camp Creek in Potter County, up to normal pool level of 2936.5 feet (impounds Canadian River)

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0102_01 <i>Downstream half of lake including Big Blue Creek arm</i>		
chloride	5c	2006
mercury in edible tissue	5c	2002
sulfate	5c	2006
total dissolved solids	5c	2006
0102_02 <i>Upstream half of lake, above Big Blue Creek arm</i>		
chloride	5c	2006
mercury in edible tissue	5c	2002
sulfate	5c	2006
total dissolved solids	5c	2006

SegID: 0103 Canadian River Above Lake Meredith

From a point immediately upstream of the confluence of Camp Creek in Potter County to the New Mexico State Line in Oldham County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0103_01 <i>Lake Meredith headwaters to Sand Creek chloride</i>	5c	2006
0103_02 <i>Sand Creek to Punta de Agua Creek chloride</i>	5c	2006
0103_03 <i>Punta de Agua Creek to New Mexico State Line chloride</i>	5c	2006

SegID: 0104 Wolf Creek

From the Oklahoma State Line in Lipscomb County to a point 2.0 kilometers (1.2 miles) upstream of FM 3045 in Ochiltree County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0104_02 <i>Plum Creek to Lake Fryer Dam bacteria</i>	5c	2006

SegID: 0105 Rita Blanca Lake

From Rita Blanca Dam in Hartley County up to normal pool level of 3860 feet (impounds Rita Blanca Creek)

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0105_01 <i>Entire segment pH</i>	5c	2006

SegID: 0199A Palo Duro Reservoir (unclassified water body)

From Palo Duro dam up to normal pool elevation of 2,892 feet north of Spearman in Hansford County (impounds Palo Duro Creek)

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0199A_01 <i>Entire reservoir depressed dissolved oxygen</i>	5c	2000

SegID: 0201A Mud Creek (unclassified water body)

From the confluence of the Red River to the upstream perennial portion of the stream northwest of De Kalb in Bowie County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0201A_01 <i>Entire water body</i>		
bacteria	5c	2002
depressed dissolved oxygen	5c	2006

SegID: 0202G Smith Creek (unclassified water body)

From the confluence with Pine Creek north of Paris to the upstream portion of the stream in north Paris in Lamar County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0202G_01 <i>Entire segment</i>		
bacteria	5c	2006

SegID: 0206B South Groesbeck Creek (unclassified water body)

From the confluence of Groesbeck Creek NNW of Quanah in Hardeman County to the upstream portion 7.8 miles (12.6 Km) southwest of Childress

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0206B_01 <i>Entire segment</i>		
bacteria	5c	2006

SegID: 0207 Lower Prairie Dog Town Fork Red River

From a point immediately upstream of the confluence of Buck Creek in Hardeman County to the confluence of a point 100 meters (110 yards) upstream of the confluence of Salt Fork Creek in Armstrong County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0207_04 <i>SH 70 to upstream end of segment</i>		
bacteria	5c	2006

SegID: 0207A Buck Creek (unclassified water body)

From Oklahoma State Line east of Childress in Childress County to the upstream perennial portion of the stream west of Wellington in Collinsworth County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0207A_01 <i>From Oklahoma state line to House Log Creek</i> bacteria	5c	2000

SegID: 0211 Little Wichita River

From the confluence with the Red River in Clay County to Lake Arrowhead Dam in Clay County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0211_02 <i>East Fork confluence to dam</i> depressed dissolved oxygen	5b	1996

SegID: 0214 Wichita River Below Diversion Lake Dam

From the confluence with the Red River in Clay County to Diversion Dam in Archer County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0214_02 <i>FM 2393 to River Road WWTP</i> bacteria	5c	2006
0214_05 <i>From Beaver Creek to Diversion Dam</i> bacteria	5c	2006

SegID: 0214A Beaver Creek (unclassified water body)

From the confluence of the Wichita River west of Wichita Falls in Wichita County to the upstream perennial portion of the stream south of Vernon in Wilbarger County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0214A_02 <i>From Bull Creek to Santa Rosa Lake dam</i> bacteria	5c	2006
depressed dissolved oxygen	5c	2000

SegID: 0226 South Fork Wichita River

From the confluence with the North Fork Wichita River in Knox County to a point 15.0 kilometers (9.3 miles) upstream of US 82 in Dickens County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0226_01 Lower end of segment to SH 6 chloride	5c	2006
0226_02 From SH 6 to confluence with Willow Creek chloride	5c	2006
0226_03 From confluence with Willow Creek to confluence with Long Canyon Creek chloride	5c	2006
0226_04 Low-water dam to 0.5 mile upstream chloride	5c	2006

SegID: 0229 Upper Prairie Dog Town Fork Red River

From a point 100 meters (110 yards) upstream of the confluence of Salt Fork Creek in Armstrong County to Lake Tanglewood Dam in Randall County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0229_02 Palo Duro Canyon State Park upstream boundary to upper end of segment at Tanglewood Dam pH	5c	2006

SegID: 0230A Paradise Creek (unclassified water body)

From the confluence with the Pease River east of Vernon to the upstream perennial portion near Thalia in Foard County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0230A_03 Lower 5 miles of water body bacteria	5c	2006

SegID: 0299A Sweetwater Creek (unclassified water body)

From the Oklahoma State Line in Wheeler County to the upstream perennial portion of the stream northwest of Wheeler in Wheeler County (tributary of North Fork Red River)

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0299A_01 From Oklahoma State Line to confluence with Graham Creek bacteria	5c	2002

SegID: 0302 Wright Patman Lake

From Wright Patman Lake Dam in Bowie/Cass County to a point 1.5 kilometers (0.9 miles) downstream of Bassett Creek in Bowie/Cass County, up to the normal pool elevation of 225 feet (impounds the Sulphur River)

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0302_01 800 acres near dam depressed dissolved oxygen	5a	1996
0302_02 300 acres at International Paper intake depressed dissolved oxygen	5a	1996
0302_04 500 acres in the northeast corner of lake pH	5c	2000
0302_05 200 acres in the northwestern tip of lake pH	5c	2000
0302_06 Big Creek arm pH	5c	2000
0302_07 4000 acres mid-lake pH	5c	2000
0302_08 1600 acres in upper mid-lake pH	5c	2000
0302_10 4000 acres in upper portion of lake depressed dissolved oxygen	5a	1996

SegID: 0303B White Oak Creek (unclassified water body)

From the confluence of the Sulphur River north of Naples in Morris County to the upstream perennial portion of the stream east of Sulphur Springs in Hopkins County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0303B_01 Lower 25 miles of segment depressed dissolved oxygen	5b	2000
0303B_02 Middle 25 miles near Hwy 271 depressed dissolved oxygen	5b	2000
0303B_03 Upper 25 miles of segment depressed dissolved oxygen	5b	2000
bacteria	5c	2006

SegID: 0304A Swampoodle Creek (unclassified water body)

From the confluence of Days Creek in central Texarkana in Bowie County to the upstream perennial portion of the stream in northern Texarkana in Bowie County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0304A_01 <i>Entire segment</i>		
impaired fish community	5c	2006
impaired macrobenthic community	5c	2006

SegID: 0304B Cowhorn Creek (unclassified water body)

From the confluence of Wagner Creek in southern Texarkana in Bowie County to the upstream perennial portion of the stream in northern Texarkana in Bowie County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0304B_01 <i>Entire water body</i>		
impaired fish community	5c	2006
impaired macrobenthic community	5c	2006

SegID: 0305 North Sulphur River

From the confluence with the South Sulphur River in Lamar County to a point 6.7 km (4.2 miles) upstream of FM 68 in Fannin County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0305_02 <i>Upper 23 miles</i>		
impaired fish community	5b	2006
impaired habitat	5b	2006
impaired macrobenthic community	5b	2006

SegID: 0307 Cooper Lake

from Cooper Lake dam in Delta/Hopkins County to a point 1.0 kilometers (0.6 mile) upstream of SH 71 on the South Sulphur River arm in Delta/Hopkins County and 300 meters (330 yards) below the confluence of Barnett Creek on the Middle Sulphur River arm in Delta County, up to a conservation pool elevation of 440 feet (impounds the Middle Sulphur/South Sulphur River)

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
0307_01	Lower 5000 acres near dam pH	5c	2000
0307_02	Lower 3000 acre Doctors Creek arm pH	5c	2000
0307_03	Middle 5000 acres pH	5c	2000
0307_04	Middle 2000 acre Johns Creek arm pH	5c	2000

SegID: 0401 Caddo Lake

From the Louisiana State Line in Harrison/Marion County to a point 12.3 km (7.6 miles) downstream of SH 43 in Harrison/Marion County, up to pool elevation of 168.5 feet (impounds Big Cypress Creek)

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
0401_01	Lower 5000 acres mercury in edible tissue	5c	1996
0401_02	Harrison Bayou arm depressed dissolved oxygen mercury in edible tissue pH	5c 5c 5c	2000 1996 1996
0401_03	Goose Prairie arm depressed dissolved oxygen mercury in edible tissue pH	5c 5c 5c	2000 1996 1996
0401_05	Clinton Lake depressed dissolved oxygen mercury in edible tissue pH	5c 5c 5c	2000 1996 1996
0401_06	Pine Island mercury in edible tissue	5c	1996
0401_07	Mid-lake near Uncertain depressed dissolved oxygen mercury in edible tissue	5c 5c	2000 1996
0401_08	Remainder of segment mercury in edible tissue	5c	1996

SegID: 0401A Harrison Bayou (unclassified water body)

From the confluence of Caddo Lake east of Karnack in Harrison County to the upstream perennial portion of the stream east of Marshall in Harrison County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0401A_01 <i>Lower 5 miles</i> depressed dissolved oxygen	5c	2000
0401A_02 <i>Middle 3 miles near FM 134</i> depressed dissolved oxygen	5c	2000

SegID: 0402 Big Cypress Creek Below Lake O' the Pines

From a point 12.3 km (7.6 miles) downstream of SH 43 in Harrison/Marion County to Ferrell's Bridge Dam in Marion County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0402_01 <i>Lower 9 miles</i> mercury in edible tissue	5c	1998
pH	5c	2000
0402_02 <i>11 miles below Black Cypress Creek</i> mercury in edible tissue	5c	1998
pH	5c	2000
0402_03 <i>Middle 15 miles near Jefferson</i> mercury in edible tissue	5c	1998
0402_04 <i>Upper 7 miles</i> mercury in edible tissue	5c	1998

SegID: 0402A Black Cypress Bayou (unclassified water body)

Perennial stream from the confluence with Big Cypress in Marion County up to 7.5 miles above FM 250 in Cass County.

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0402A_02 <i>Middle 17 miles near CR 1617</i> depressed dissolved oxygen	5b	2000
bacteria	5c	2006
0402A_03 <i>Middle 1 mile, Pruitt Lake</i> depressed dissolved oxygen	5b	2000
mercury in edible tissue	5c	2000
0402A_05 <i>Upper 10 miles of water body</i> depressed dissolved oxygen	5b	2000

SegID: 0404 Big Cypress Creek Below Lake Bob Sandlin

From a point 1.0 km (0.6 miles) downstream of US 259 in Morris/Upshur Counties to Fort Sherman Dam in Camp/Titus Counties

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0404_02 <i>Upper 18 miles</i> bacteria	5a	1996

SegID: 0404A Ellison Creek Reservoir (unclassified water body)

From the Morris County Dam up to normal pool elevation near Lone Star in Morris County (impounds Ellison Creek)

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0404A_01 <i>Entire reservoir</i> PCBs in edible tissue	5c	2006
toxicity in sediment	5c	2006

SegID: 0404B Tankersley Creek (unclassified water body)

Perennial stream from the confluence with Big Cypress Creek upstream to the confluence with an unnamed tributary 250 meters upstream of IH 30

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0404B_01 <i>Lower 3 miles</i> bacteria	5c	2000
0404B_02 <i>Middle 2 miles near FM 127</i> bacteria	5c	2000
0404B_03 <i>3 miles below Tankersley Lake</i> bacteria	5c	2000

SegID: 0404C Hart Creek (unclassified water body)

Perennial stream from the confluence with Big Cypress Creek upstream to 0.2 km upstream of FM 1402

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0404C_01 <i>Entire water body</i> bacteria	5c	2006

SegID: 0404N Lake Daingerfield (unclassified water body)

Southeast of the City of Daingerfield in Daingerfield State Park in Morris County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0404N_01 <i>Entire lake</i> mercury in edible tissue	5c	2006

SegID: 0405 Lake Cypress Springs

From Franklin County Dam in Franklin County up to the normal pool elevation of 378 feet (impounds Big Cypress Creek)

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0405_03 <i>Panther Arm</i> depressed dissolved oxygen	5c	2006

SegID: 0406 Black Bayou

From the Louisiana State Line in Cass County to FM 96 in Cass County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0406_01 <i>Lower 12 miles</i> pH	5c	2006
depressed dissolved oxygen	5b	1996
bacteria	5c	2006
0406_02 <i>Upper 12 miles</i> depressed dissolved oxygen	5b	1996
pH	5c	2006

SegID: 0407 James' Bayou

From the Louisiana State Line in Marion County to Club Lake Road northwest of Linden in Cass County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0407_01 <i>Lower 15 miles of segment</i> depressed dissolved oxygen	5b	2000
0407_02 <i>Upper 25 miles of segment</i> depressed dissolved oxygen	5b	2000
bacteria	5c	2006

SegID: 0409 Little Cypress Bayou (Creek)

From the confluence of Big Cypress Creek in Harrison/Marion County to a point 1.0 km (0.6 miles) upstream of FM 2088 in Wood County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
0409_01	<i>Lower 25 miles of segment</i>		
	bacteria	5c	2006
	depressed dissolved oxygen	5c	2000
0409_02	<i>Middle 18 miles above Hwy 154</i>		
	bacteria	5c	2006
	depressed dissolved oxygen	5c	2000
0409_03	<i>Middle 25 miles below Hwy 271</i>		
	depressed dissolved oxygen	5c	2000
0409_04	<i>Upper 25 miles</i>		
	bacteria	5c	2006

SegID: 0409B South Lilly Creek (unclassified water body)

From the confluence of Lilly Creek to approximately 2 miles west of FM 1647

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
0409B_01	<i>Entire segment</i>		
	bacteria	5c	2006

SegID: 0501 Sabine River Tidal

From the confluence with Sabine Lake in Orange County to West Bluff in Orange County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
0501_02	<i>Upper 14 miles of segment</i>		
	bacteria	5c	2006

SegID: 0501B Little Cypress Bayou (unclassified water body)

From the confluence with the Sabine River to the headwaters west of Reese in Orange County.

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
<i>0501B_01 Lower 4.2 miles of bayou</i>		
toxicity in water	5c	2004
depressed dissolved oxygen	5c	2006
bacteria	5c	2006
<i>0501B_02 0.3 mile upstream to 0.5 mile downstream of Bear Path Road</i>		
bacteria	5c	2006
depressed dissolved oxygen	5c	2006
toxicity in water	5c	2004
<i>0501B_03 Upper 3.2 miles of bayou</i>		
bacteria	5c	2006
depressed dissolved oxygen	5c	2006
toxicity in water	5c	2004

SegID: 0502A Nichols Creek (unclassified water body)

From the confluence of the Sabine River to the upstream perennial portion of the stream south of Kirbyville in Newton and Jasper Counties

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
<i>0502A_01 Lower 25 miles of creek</i>		
bacteria	5c	2002
depressed dissolved oxygen	5c	2002
toxicity in water	5c	2002

SegID: 0502B Caney Creek (unclassified water body)

Perennial stream from the Sabine River upstream to the confluence with Martin Branch

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
<i>0502B_02 From Davison Street upstream to the confluence with Caney Branch and Little Caney Branch</i>		
bacteria	5c	2006

SegID: 0504 Toledo Bend Reservoir

From Toledo Bend Dam in Newton County to a point immediately upstream of the confluence of Murvaul Creek in Panola County, up to the normal pool elevation of 172 feet (impounds the Sabine River)

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
0504_01	Lowermost 5200 acres of reservoir, adjacent to dam, including Indian Creek arm mercury in edible tissue	5c	1998
0504_02	Six Mile Boat Lane arm mercury in edible tissue	5c	1998
0504_03	Sunshine Bay arm mercury in edible tissue	5c	1998
0504_04	Near SH 21 mercury in edible tissue	5c	1998
0504_05	Patroon Bayou Branch arm mercury in edible tissue	5c	1998
0504_06	Tenaha Creek arm depressed dissolved oxygen mercury in edible tissue	5c 5c	2000 1998
0504_07	Uppermost 5120 acres of reservoir mercury in edible tissue	5c	1998
0504_08	Negreet Bayou arm mercury in edible tissue	5c	1998
0504_09	San Miguel arm mercury in edible tissue	5c	1998
0504_10	San Patricia arm mercury in edible tissue	5c	1998
0504_11	Toledo Bend reservoir near Buzzard Bend mercury in edible tissue	5c	1998
0504_12	Remainder of reservoir mercury in edible tissue	5c	1998

SegID: 0504C Palo Gaucho Bayou (unclassified water body)

From the confluence with Toledo Bend Reservoir in Sabine County to the headwaters northeast of San Augustine in San Augustine County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
0504C_01	Entire segment toxicity in water	5c	2002

SegID: 0504E Clear Lake
 Oxbow lake 12 miles northwest of Logansport, LA

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0504E_01 <i>Oxbow lake 12 miles northwest of Logansport, LA</i> mercury in edible tissue	5c	2006

SegID: 0505 Sabine River Above Toledo Bend Reservoir
 From a point immediately upstream of the confluence of Murvaul Creek in Panola County to a point 100 meters (110 yards) downstream of US 271 in Gregg County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0505_03 <i>22 mile reach near SH 149</i> bacteria	5c	2002

SegID: 0505B Grace Creek (unclassified water body)
 Perennial stream from the confluence with the Sabine River up to FM 1844 in Gregg County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0505B_02 <i>Upper 12.3 miles</i> bacteria	5c	2000
depressed dissolved oxygen	5c	2000

SegID: 0505G Wards Creek (unclassified water body)
 From the confluence with Hatley Creek to the headwaters east of Hallsville in Harrison County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0505G_01 <i>Wards Creek from the confluence with Sewell Creek upstream to the confluence with unnamed 2nd order stream</i> depressed dissolved oxygen	5c	2000

SegID: 0505O Hills Lake

Oxbow lake 13 miles east of Carthage

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0505O_01 <i>Entire segment</i> mercury in edible tissue	5c	2006

SegID: 0506A Harris Creek (unclassified water body)

From the confluence of the Sabine River northeast of Winona in Smith County to the upstream perennial portion of the stream east of Tyler in Smith County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0506A_01 <i>Entire segment</i> depressed dissolved oxygen	5b	2000

SegID: 0506G Little White Oak Creek (unclassified water body)

From the confluence with the Sabine River to the headwaters southwest of Gilmer in Upshur County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0506G_01 <i>Entire water body</i> toxicity in water	5c	2004

SegID: 0507G South Fork of Sabine River (unclassified water body)

From the confluence with Lake Tawakoni upstream to the confluence with Klutts and Sabine Creeks

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0507G_01 <i>Entire segment</i> bacteria	5c	2006

SegID: 0508 Adams Bayou Tidal

From the confluence with the Sabine River in Orange County to a point 1.1 km (0.7 miles) upstream of IH 10 in Orange County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0508_01 Lower 3 miles of segment		
bacteria	5a	1996
depressed dissolved oxygen	5a	1996
0508_02 2 mile reach near Western Avenue		
bacteria	5a	1996
depressed dissolved oxygen	5a	1996
0508_03 1 mile reach near Green Avenue		
depressed dissolved oxygen	5a	1996
bacteria	5a	1996
0508_04 Upper 2 miles of segment		
bacteria	5a	1996
depressed dissolved oxygen	5a	1996

SegID: 0508A Adams Bayou Above Tidal (unclassified water body)

From a point 1.1 km (0.7 miles) upstream of IH 10 in Orange County to the upstream perennial portion of the stream northwest of Orange in Orange Count

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0508A_01 Entire bayou above tidal		
bacteria	5a	2000
depressed dissolved oxygen	5a	2000

SegID: 0508B Gum Gully (unclassified water body)

From the confluence of Adams Bayou to the upstream perennial portion of the stream northwest of Orange in Orange County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0508B_01 Entire creek		
bacteria	5a	2000
depressed dissolved oxygen	5a	2000

SegID: 0508C Hudson Gully (unclassified water body)

From the confluence with Adams Bayou to the headwaters near US 890 in Pinehurst in Orange County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0508C_01 <i>Entire creek</i>		
bacteria	5a	2002
depressed dissolved oxygen	5a	2002

SegID: 0511 Cow Bayou Tidal

From the confluence with the Sabine River in Orange County to a point 4.8 km (3.0 miles) upstream of IH 10 in Orange County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0511_01 <i>Lower 5 miles</i>		
bacteria	5a	2000
0511_02 <i>6 mile reach near FM 105</i>		
depressed dissolved oxygen	5a	2000
0511_03 <i>5 mile reach near FM 1442 (north crossing)</i>		
bacteria	5a	2000
depressed dissolved oxygen	5a	2000
0511_04 <i>Upper 4 miles</i>		
depressed dissolved oxygen	5a	2000
pH	5a	2000
bacteria	5a	2000

SegID: 0511A Cow Bayou Above Tidal (unclassified water body)

From a point 4.8 km (3.0 miles) upstream of IH 10 in Orange County to the upstream perennial portion of the stream northeast of Vidor in Orange County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0511A_02 <i>Upper 5.3 miles of above-tidal reach</i>		
depressed dissolved oxygen	5a	2000

SegID: 0511B Coon Bayou (unclassified water body)

From the confluence with Cow Bayou up to the extent of tidal limit in Orange County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0511B_01 <i>Entire tidal reach</i>		
bacteria	5a	2000
depressed dissolved oxygen	5a	2000

SegID: 0511C Cole Creek (unclassified water body)

From the confluence of Cow Bayou west of Orange in Orange County to the upstream perennial portion of the stream south of Mauriceville in Orange Count

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0511C_01 <i>Entire tidal reach</i>		
bacteria	5a	2000
depressed dissolved oxygen	5a	2000

SegID: 0511E Terry Gully (unclassified water body)

From the confluence with Cow Bayou in Orange County to the headwaters northeast of Vidor in Orange County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0511E_01 <i>Entire creek</i>		
bacteria	5a	2002

SegID: 0512A Running Creek (unclassified water body)

From the confluence with Lake Fork Reservoir to the headwaters southeast of Martin Springs in Hopkins County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0512A_01 <i>Entire creek</i>		
bacteria	5c	2002

SegID: 0512B Elm Creek (unclassified water body)

From the confluence with Lake Fork Reservoir in Rains County to the headwaters northwest of Shirley in Hopkins County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0512B_01 <i>Entire creek</i> bacteria	5c	2002

SegID: 0514 Big Sandy Creek

From the confluence with the Sabine River in Upshur County to a point 2.6 km (1.6 miles) upstream of SH 11 in Hopkins County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0514_02 <i>From just upstream of FM 49 to upper end of segment</i> bacteria	5c	2006

SegID: 0602A Booger Branch (unclassified water body)

From the confluence of Massey Lake Slough south of Silsbee to a point 0.6 miles (1.0 km) upstream of US 96 in Hardin County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0602A_01 <i>Entire water body</i> depressed dissolved oxygen	5b	2000

SegID: 0603 B. A. Steinhagen Lake

From Town Bluff Dam in Jasper/Tyler County to a point immediately upstream of the confluence of Hopson Mill Creek on the Neches River Arm in Jasper/Tyler County and to a point immediately upstream of the confluence of Indian Creek on the Angelina River Arm in Jasper County, up to the normal pool elevation of 83 feet (impounds Neches River)

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0603_01 <i>Main pool by dam</i> mercury in edible tissue	5c	1998
0603_02 <i>Remainder of reservoir</i> mercury in edible tissue	5c	1998

SegID: 0603A Sandy Creek (unclassified water body)

From the confluence of B.A. Steinhagen Lake southwest of Jasper in Jasper County to the confluence of Big and Little Sandy Creeks in Jasper in Jasper County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0603A_01 Lower 11.5 miles bacteria	5c	2000

SegID: 0603B Wolf Creek (unclassified water body)

From the confluence of B. A. Steinhagen Lake southeast of Colmesneil in Tyler County to the upstream perennial portion of the stream south of Colmesneil in Tyler County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0603B_01 Entire creek bacteria	5c	2006

SegID: 0604 Neches River Below Lake Palestine

From a point immediately upstream of the confluence of Hopson Mill Creek in Jasper/Tyler County to Blackburn Crossing Dam in Anderson/Cherokee County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0604_02 From US 69 to SH 94 bacteria	5c	2006
0604_04 From SH 21 to US 84 lead in water	5c	2002

SegID: 0604A Cedar Creek (unclassified water body)

From the confluence of the Neches River southwest of Lufkin in Angelina County to the upstream perennial portion of the stream in Lufkin in Angelina County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0604A_01 Lower area downstream of FM 2497 bacteria	5c	2000
0604A_02 Upper area upstream of FM 2497 bacteria	5c	2000

SegID: 0604B Hurricane Creek (unclassified water body)

From the confluence of Cedar Creek south of Lufkin in Angelina County to the upstream perennial portion of the stream in Lufkin in Angelina County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0604B_01 Upper 2 miles bacteria	5c	2000

SegID: 0604C Jack Creek (unclassified water body)

From the confluence of Cedar Creek southwest of Lufkin in Angelina County to the upstream perennial portion of the stream in northeast Lufkin in Angelina County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0604C_01 Entire water body bacteria	5c	2000

SegID: 0604D Piney Creek (unclassified water body)

From the confluence of the Neches River at the Polk/Tyler/Angelina County lines east of Corrigan to the upstream perennial portion of the stream east of Crockett in Houston County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0604D_01 Lower 25 miles bacteria	5c	2006
depressed dissolved oxygen	5c	2004

SegID: 0604M Biloxi Creek (unclassified water body)

From the confluence with the Neches River southeast of Diboll to FM 325 east of Lufkin in Angelina County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0604M_02 Lower portion below CR 228 bacteria	5c	2004
0604M_03 Upper portion above CR 228 bacteria	5c	2004
depressed dissolved oxygen	5c	2006

SegID: 0604T Lake Ratcliff (unclassified water body)

Lake in Houston County 3.4 miles northeast of Kennard

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0604T_01 <i>Entire lake</i> mercury in edible tissue	5c	2002

SegID: 0605 Lake Palestine

From Blackburn Crossing Dam in Anderson/Cherokee County to a point 6.7km (4.2 miles) downstream of FM 279 in Henderson/Smith County, up to normal pool elevation of 345 feet (impounds Neches River)

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0605_03 <i>Mid-lake near Tyler PWS intake</i> pH	5c	2006

SegID: 0605A Kickapoo Creek (unclassified water body)

From the confluence of Lake Palestine east of Brownsboro in Henderson County to the upstream perennial portion of the stream northeast of Murchinson in Henderson County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0605A_01 <i>Downstream of FM 1803</i> bacteria	5c	2000
depressed dissolved oxygen	5c	2006

SegID: 0606 Neches River Above Lake Palestine

From a point 6.7 km (4.2 miles) downstream of FM 279 in Henderson/Smith County to Rhines Lake Dam in Van Zandt County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0606_02 <i>Prairie Creek to river mile 7.0</i> depressed dissolved oxygen	5c	1996
pH	5c	2002
zinc in water	5c	1996
0606_03 <i>River mile 7.0 to headwaters</i> pH	5c	2002

SegID: 0606A Prairie Creek (unclassified water body)

From the confluence of the Neches River west of Tyler in Smith County to the upstream perennial portion of the stream south of Lindale in Smith County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0606A_01 Lower 4 miles bacteria	5c	2002

SegID: 0607 Pine Island Bayou

From the confluence with the Neches River in Hardin/Jefferson County to FM 787 in Hardin County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0607_01 Mouth to river mile 5.7 depressed dissolved oxygen	5b	1996
0607_02 River Mile 5.7 to mile 12.1 depressed dissolved oxygen	5b	1996
0607_03 River Mile 12.1 to mile 35.4 at confluence with Willow Creek (0607C) depressed dissolved oxygen	5b	1996
0607_04 River Mile 35.4 at confluence with Willow Creek (0607C) to mile 60.4 depressed dissolved oxygen	5b	1996
0607_05 River Mile 60.4 to top of segment at FM 787 depressed dissolved oxygen	5b	1996

SegID: 0607A Boggy Creek (unclassified water body)

From the confluence of Pine Island Bayou south of Lumberton in Hardin County to the upstream perennial portion of the stream west of Lumberton in Hardin County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0607A_01 Entire creek depressed dissolved oxygen	5b	2000

SegID: 0607B Little Pine Island Bayou (unclassified water body)

From the confluence of Pine Island Bayou southwest of Lumberton in Hardin County to the upstream perennial portion of the stream west of Kountze in Hardin County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0607B_01 Lower 25 miles		
depressed dissolved oxygen	5b	2000
bacteria	5c	2006

SegID: 0607C Willow Creek (unclassified water body)

From the confluence of Pine Island Bayou north of Nome in Jefferson County to the upstream perennial portion of the stream east of Devers in Liberty County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0607C_01 Entire creek		
depressed dissolved oxygen	5b	2000

SegID: 0608 Village Creek

From the confluence with the Neches River in Hardin County to Lake Kimble Dam in Hardin County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0608_02 From FM 418 to Lake Kimble dam		
pH	5b	2000

SegID: 0608A Beech Creek (unclassified water body)

From the confluence of Village Creek northeast of Kountze in Hardin County to the upstream perennial portion of the stream southeast of Woodville in Tyler County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0608A_01 Lower 20 miles of water body		
bacteria	5c	2006

SegID: 0608B Big Sandy Creek (unclassified water body)

From the confluence of Village Creek northwest of Kountze in Hardin County to the upstream perennial portion of the stream northeast of Livingston in Polk County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0608B_01 Lower 30 miles downstream of US 190 bacteria	5c	2000

SegID: 0608C Cypress Creek (unclassified water body)

From the confluence of Village Creek east of Kountze in Hardin County to the upstream perennial portion of the stream northwest of Kountze in Hardin County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0608C_01 Entire water body aluminum in water	5c	2004
bacteria	5c	2006
depressed dissolved oxygen	5c	2000

SegID: 0608E Mill Creek (unclassified water body)

From the confluence of Village Creek southwest of Silsbee in Hardin County to the upstream perennial portion of the stream northwest of Silsbee in Hardin County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0608E_01 Entire water body depressed dissolved oxygen	5c	2006

SegID: 0608F Turkey Creek (unclassified water body)

From the confluence of Village Creek north of Kountze in Hardin County to the upstream perennial portion of the stream southeast of Woodville in Tyler County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0608F_01 Lower 25 miles of segment bacteria	5c	2000

SegID: 0608G Lake Kimball (unclassified water body)

From Kimble Creek Dam northwest of Kountze in Hardin County to normal pool elevation in Tyler County (impounds Kimble and Village Creeks)

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0608G_01 <i>Entire lake</i> mercury in edible tissue	5c	2000

SegID: 0610 Sam Rayburn Reservoir

From Sam Rayburn Dam in Jasper County to a point 5.6 kilometers (3.5 miles) upstream of Marion's Ferry on the Angelina River Arm in Angelina/Nacogdoches County and to a point 3.9 km (2.4 miles) downstream of Curry Creek on the Attoyac Bayou Arm in Nacogdoches/San Augustine County, up to the normal pool elevation of 164 ft (except on the Angelina River Arm)(impounds Angelina River and Attoyac Bayou)

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0610_01 <i>Main pool by the dam</i> mercury in edible tissue	5c	1996
0610_02 <i>Lower Angelina River arm</i> mercury in edible tissue	5c	1996
0610_03 <i>Mid-Angelina River arm (SH 147)</i> mercury in edible tissue	5c	1996
0610_04 <i>Upper mid-Angelina River arm</i> depressed dissolved oxygen	5c	1996
	5c	1996
0610_05 <i>Lower Attoyac Bayou arm</i> depressed dissolved oxygen	5c	1996
	5c	1996
0610_06 <i>Upper Attoyac Bayou arm</i> mercury in edible tissue	5c	1996
0610_07 <i>Upper Angelina River arm</i> depressed dissolved oxygen	5c	1996
	5c	1996
0610_08 <i>Bear Creek arm</i> mercury in edible tissue	5c	1996
0610_09 <i>Lower Ayish Bayou arm</i> mercury in edible tissue	5c	1996
0610_10 <i>Upper Ayish Bayou arm</i> depressed dissolved oxygen	5c	1996
	5c	1996

SegID: 0610A Ayish Bayou (unclassified water body)

From the confluence of Sam Rayburn Reservoir south of San Augustine in San Augustine County to the upstream perennial portion of the stream north of San Augustine in San Augustine County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0610A_01 Lower portion downstream of US 96 bacteria	5c	2000
0610A_02 Middle portion from US 96 to SH 21 bacteria	5c	2000
0610A_03 Upper portion from SH 21 to headwaters bacteria	5c	2000

SegID: 0611 Angelina River Above Sam Rayburn Reservoir

From the aqueduct crossing 1.0 km (0.6 miles) upstream of the confluence of Paper Mill Creek in Angelina/Nacogdoches County to the confluence of Barnhardt Creek and Mill Creek at FM 225 in Rusk County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0611_01 Lower boundary to FM 1911 bacteria	5c	2000
0611_03 FM 343 to US 84 bacteria	5c	2000

SegID: 0611A East Fork Angelina River (unclassified water body)

From the confluence of the Angelina River at the Rusk/Nacogdoches county line to the upstream perennial portion of the stream west of Mount Enterprise in Rusk County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0611A_01 Confluence with Grassy Lake area bacteria	5c	2002
	lead in water	5c
0611A_02 Grassy Lake area to county road near Happy Valley lead in water	5c	2000
0611A_03 County road near Happy Valley to Wooten Creek lead in water	5c	2000
0611A_04 Wooten Creek to headwaters lead in water	5c	2000

SegID: 0611B La Nana Bayou (unclassified water body)

From the confluence of the Angelina River south of Nacogdoches in Nacogdoches County to the upstream perennial portion of the stream north of Nacogdoches in Nacogdoches County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0611B_01 Mouth to unimproved road near FM 3228/1275 bacteria	5c	2000
0611B_02 Unimproved road near FM 3228/1275 to SH 7 bacteria	5c	2000

SegID: 0612 Attoyac Bayou

From a point 3.9 km (2.4 miles) downstream of Curry Creek in Nacogdoches/San Augustine County to FM 95 in Rusk County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0612_01 Mouth to 8.2 miles downstream of SH 7 bacteria	5c	2004
0612_03 Bear Creek to headwaters bacteria	5c	2004

SegID: 0615 Angelina River/Sam Rayburn Reservoir

The riverine portion of Sam Rayburn Reservoir from a point 5.6 kilometers (3.5 miles) upstream of Marion's Ferry to a point 2.75 kilometers (1.71 miles) upstream of the confluence of Paper Mill Creek

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0615_01 Upstream of Papermill Creek bacteria	5c	2006
mercury in edible tissue	5c	2002
depressed dissolved oxygen	5c	2002
0615_02 Downstream of Papermill Creek bacteria	5c	2006
depressed dissolved oxygen	5c	2002
impaired fish community	5c	2002
mercury in edible tissue	5c	2002

SegID: 0615A Papermill Creek (unclassified water body)

From the confluence of Sam Rayburn Reservoir (Angelina River Arm) northeast of Lufkin in Angelina County to the upstream perennial portion of the stream in Lufkin in Angelina County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0615A_01 Lower 9 miles bacteria	5c	2006

SegID: 0701 Taylor Bayou Above Tidal

From the saltwater lock 7.7 km (4.8 miles) downstream of SH 73 in Jefferson County to the Lower Neches Valley Authority Canal in Jefferson County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0701_01 From saltwater lock to 8 miles upstream depressed dissolved oxygen	5a	1996
0701_02 from 8 miles upstream of saltwater lock to the confluence of N and S Forks Taylor Bayou depressed dissolved oxygen	5a	1996

SegID: 0701D Shallow Prong Lake (unclassified water body)

Reservoir on Big Hill Bayou located approximately 3.5 miles downstream of the confluence with Taylor Bayou in Jefferson County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0701D_01 Entire water body depressed dissolved oxygen	5c	2004

SegID: 0702 Intracoastal Waterway Tidal

From the confluence with Galveston Bay at Port Bolivar in Galveston County to the confluence with the Sabine-Neches Canal in Jefferson County (including Taylor Bayou Tidal from the confluence with the Intracoastal Waterway up to the saltwater lock 7.7 km (4.8 mi) downstream of SH 73 in Jefferson County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0702_01 From East Bay to confluence with Sabine-Neches Canal Tidal (0703) bacteria	5c	2006
0702_03 From Port Bolivar to top of East Bay bacteria	5c	2006

SegID: 0702A Alligator Bayou (unclassified water body)

From the Alligator Bayou pump station at the Jefferson County hurricane protection levee one mile downstream of Spur 215 in Port Arthur to a point immediately upstream of the confluence with Jefferson county Drainage District No. 7 city outfall canal

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0702A_02 <i>Lower portion from SH82 to its confluence with Taylor Bayou</i>		
toxicity in sediment	5c	1998
impaired fish community	5c	2002
0702A_03 <i>Upper portion from its headwaters at the Port Arthur Canal to SH82</i>		
toxicity in water	5c	1998
0702A_04 <i>Drainage canal leading into Alligator Bayou approx. 0.8 miles north of SH82</i>		
toxicity in water	5c	1998

SegID: 0704 Hillebrandt Bayou

From the confluence of Taylor Bayou in Jefferson County to a point 100 meters (110 yards) upstream of SH 124 in Jefferson County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0704_02 <i>From confluence with Bayou Din to upper end of segment</i>		
depressed dissolved oxygen	5a	1998

SegID: 0801C Cotton Bayou (unclassified water body)

From the confluence of Cotton Lake southeast of Mont Belvieu in Chambers County upstream to a point approximately 1 mile north of IH 10 in Chambers County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0801C_01 <i>Upper half of bayou</i>		
depressed dissolved oxygen	5b	2006

SegID: 0803 Lake Livingston

From Livingston Dam in Polk/San Jacinto County to a point 1.8 km (1.1 miles) upstream of Boggy Creek in Houston/Leon County, up to normal pool elevation of 131 feet (impounds Trinity River)

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0803_01 <i>Lowermost portion of reservoir, adjacent to dam</i>		
depressed dissolved oxygen	5c	1998
sulfate	5c	2006
0803_02 <i>Lower portion of reservoir, East Wolf Creek</i>		
depressed dissolved oxygen	5c	1998
sulfate	5c	2006
0803_03 <i>Lower portion of reservoir, East Willow Springs</i>		
depressed dissolved oxygen	5c	1998
sulfate	5c	2006
0803_04 <i>Middle portion of reservoir, East Pointblank</i>		
depressed dissolved oxygen	5c	1998
sulfate	5c	2006
0803_05 <i>Middle portion of reservoir, downstream of Kickapoo Creek</i>		
sulfate	5c	2006
0803_06 <i>Middle portion of reservoir, centering on US 190</i>		
sulfate	5c	2006
0803_07 <i>Upper portion of reservoir, west of Carlisle</i>		
sulfate	5c	2006
0803_08 <i>Cove off upper portion of reservoir, East Trinity</i>		
depressed dissolved oxygen	5c	1998
sulfate	5c	2006
0803_09 <i>West Carolina Creek cove, off upper portion of reservoir</i>		
sulfate	5c	2006
0803_10 <i>Upper portion of reservoir, centering on SH 19</i>		
sulfate	5c	2006
0803_11 <i>Riverine portion of reservoir, centering on SH 21</i>		
sulfate	5c	2006
0803_12 <i>Remainder of reservoir</i>		
sulfate	5c	2006

SegID: 0804G Catfish Creek (unclassified water body)

Twenty mile stretch of Catfish Creek running upstream from US 287 in Anderson Co., to Catfish Creek Ranch Lake just upstream of SH 19 in Henderson Co.

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0804G_01 <i>Entire Segment</i>		
depressed dissolved oxygen	5c	2006
impaired macrobenthic community	5c	2006

SegID: 0805 Upper Trinity River

From a point immediately upstream of the confluence of the Cedar Creek Reservoir discharge canal in Henderson/Navarro County to a point immediately upstream of the confluence of Elm Fork Trinity River in Dallas County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0805_01 <i>25 mile reach near FM 85</i>		
PCBs in edible tissue	5a	2002
0805_02 <i>25 mile reach near SH 34</i>		
PCBs in edible tissue	5a	2002
0805_03 <i>11 mile reach near S. Loop 12</i>		
PCBs in edible tissue	5a	2002
bacteria	5a	1996
0805_04 <i>Upper 8 miles</i>		
bacteria	5a	1996
PCBs in edible tissue	5a	2002
0805_05 <i>Remainder of segment</i>		
PCBs in edible tissue	5a	2002
0805_06 <i>From 15.57 mi. upstream of SH 34 to 4.71 mi. downstream of S Loop 12</i>		
PCBs in edible tissue	5a	2002

SegID: 0806 West Fork Trinity River Below Lake Worth

From a point immediately upstream of the confluence of Village Creek in Tarrant County to Lake Worth Dam in Tarrant County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0806_01 <i>Lower 22 miles of the segment</i>		
bacteria	5a	1996
PCBs in edible tissue	5a	1996

SegID: 0806D Marine Creek (unclassified water body)

Two mile stretch of Marine Creek running upstream from confluence with the W. Fork of Trinity River to Tenmile Bridge Road in Fort Worth.

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0806D_01 <i>Marine Creek from the confluence with W. Fork Trinity River 2 miles upstream to Tenmile Bridge Rd. in Ft. Worth</i> bacteria	5c	2006

SegID: 0806E Sycamore Creek (unclassified water body)

Five mile stretch of Sycamore Creek running upstream from confluence with the W. Fork of Trinity River to confluence with Echo Lake Tributary in Fort Worth.

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0806E_01 <i>Five mile stretch of Sycamore Creek running upstream from confluence with the W. Fork of Trinity River to confluence with Echo Lake Tributary in Fort Worth</i> bacteria	5c	2006

SegID: 0810 West Fork Trinity River Below Bridgeport Reservoir

From a point 0.6 km (0.4 miles) downstream of the confluence of Oates Branch in Wise County to Bridgeport Dam in Wise County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0810_01 <i>Lower 25 miles of segment</i> bacteria	5c	1998

SegID: 0810A Big Sandy Creek (unclassified water body)

Fifteen mile stretch of Sycamore Creek running upstream from confluence with Waggoner Creek to FM 1810, west of Alvord, Wise County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0810A_01 <i>Fifteen mile stretch of Big Sandy Creek running from confluence with Waggoner Creek to FM 1810 West of Alvord, Wise Co.</i> bacteria	5c	2006

SegID: 0810B Garrett Creek (unclassified water body)

Eighteen mile stretch of Garrett Creek running upstream from confluence with Salt Creek to Wise County Road approximately 14 miles upstream of SH114, Wise County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0810B_01 Eighteen mile stretch of Garrett Creek running upstream from confluence with Salt Creek to Wise County Road approximately 14 miles upstream of SH114, Wise Co. bacteria	5c	2006

SegID: 0810C Martin Branch (unclassified water body)

The eight mile stretch of Martin Branch running upstream from confluence with Center Creek to FM 730 south of Decatur, Wise County.

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0810C_01 Eight mile stretch of Martin Branch running upstream from confluence with Center Creek to FM 730 south of Decatur, Wise County. bacteria	5c	2006

SegID: 0810D Salt Creek (unclassified water body)

Eleven mile stretch of Salt Creek running upstream from confluence with Garrett Creek, Wise County.

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0810D_01 Eleven mile stretch of Salt Creek running upstream from confluence with Garrett Creek, Wise County. bacteria	5c	2006

SegID: 0812 West Fork Trinity River Above Bridgeport Reservoir

From a point immediately upstream of the confluence of Bear Hollow in Jack County to SH 79 in Archer County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
0812_01	<i>Lower 25 miles of segment</i>		
	chloride	5b	1998
	total dissolved solids	5b	1998
	depressed dissolved oxygen	5b	1998
0812_02	<i>Upper 60 miles of segment</i>		
	chloride	5b	1998
	total dissolved solids	5b	1998

SegID: 0814 Chambers Creek Above Richland-Chambers Reservoir

From a point 4.0 km (2.5 miles) downstream of Tupelo Branch in Navarro County to the confluence of North Fork Chambers Creek and South Fork Chambers Creek

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
0814_01	<i>From confluence with Cummins Creek to a point 16.5 miles upstream</i>		
	depressed dissolved oxygen	5c	1998

SegID: 0818 Cedar Creek Reservoir

From Joe B. Hoggsett Dam in Henderson County up to normal pool elevation of 322 feet (impounds Cedar Creek)

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0818_01 Lowermost portion of reservoir adjacent to dam pH	5c	2002
0818_02 Caney Creek cove pH	5c	2002
0818_03 Clear Creek cove pH	5c	2002
0818_04 Lower portion of reservoir east of Key Ranch Estates pH	5c	2002
0818_05 Cove off lower portion of reservoir adjacent to Clearview Estates pH	5c	2002
0818_06 Middle portion of reservoir downstream of Twin Creeks cove pH	5c	2002
0818_07 Twin Creeks cove pH	5c	2002
0818_08 Prairie Creek cove pH	5c	2002
0818_09 Upper portion of reservoir adjacent to Lacy Fork cove pH	5c	2002
0818_11 Upper portion of reservoir east of Tolosa pH	5c	2002
0818_12 Uppermost portion of reservoir downstream of Kings Creek pH	5c	2002

SegID: 0820C Muddy Creek (unclassified water body)

From the confluence with Lake Ray Hubbard, in Dallas County, to the headwaters east of Allen, in Collin County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0820C_01 Entire creek bacteria	5c	2002

SegID: 0822 Elm Fork Trinity River Below Lewisville Lake

From the confluence with the West Fork Trinity River in Dallas County to Lewisville Dam in Denton County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
0822_02	4.5 miles upstream to 7.5 miles downstream DWU intake bacteria	5c	2006

SegID: 0822A Cottonwood Branch (unclassified water body)

A 6 mile stretch of Cottonwood Branch running upstream from confluence with Hackberry Creek, to Valley View Road in Dallas County.

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
0822A_02	A 3.5 mile stretch of Cottonwood Branch running upstream from approximately 0.5 miles downstream of N. Story Rd. to Valley View Rd, Dallas, Co. bacteria	5c	2006

SegID: 0822B Grapevine Creek (unclassified water body)

A 5.5 mile stretch of Grapevine Creek running upstream from Coppell Rd. in Coppell, Dallas Co., to approximately 1.5 miles upstream of SH 21, Tarrant County.

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
0822B_01	A 5.5 mile stretch of Grapevine Creek running upstream from Coppell Rd. in Coppell, Dallas Co., to approximately 1.5 miles upstream of SH 21, Tarrant County. bacteria	5c	2006

SegID: 0823A Little Elm Creek (unclassified water body)

From confluence with Lake Lewisville in Denton Co., up to 1.4 km above FM 453 in Collin Co.

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
0823A_01	From the confluence with Lake Lewisville in Denton Co., up to FM 455 in Collin Co. (Lower 12 miles of segment). bacteria	5c	2002

SegID: 0829 Clear Fork Trinity River Below Benbrook Lake
 From the confluence with the West Fork Trinity River in Tarrant County to Benbrook Dam in Tarrant County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
0829_01	Lower mile of segment PCBs in edible tissue	5a	1996

SegID: 0831 Clear Fork Trinity River Below Lake Weatherford
 From a point 200 meters (220 yards) downstream of US 377 in Tarrant County to Weatherford Dam in Parker County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
0831_04	2 mi upstream of South Fork Trinity River confluence to Squaw Ck. Confluence depressed dissolved oxygen	5b	1996
0831_05	From the confluence of Squaw Ck. to Lake Weatherford Dam depressed dissolved oxygen	5b	1996

SegID: 0833 Clear Fork Trinity River Above Lake Weatherford
 From a point 3.1 km (1.9 miles) upstream of FM 1707 in Parker County, to FM 3107 in Parker County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
0833_02	Upper 11 miles of segment depressed dissolved oxygen	5b	1998
0833_03	From the confluence of McKnight Branch to the confluence of Cottonwood Ck. depressed dissolved oxygen	5b	1998
0833_04	From the confluence with Dobbs Branch to confluence with McKnight Branch depressed dissolved oxygen	5b	1998

SegID: 0838C Walnut Creek (unclassified water body)

A 7 mile stretch of Walnut Creek running upstream from Holland Road, to confluence with Willow Branch, NW Mansfield, Tarrant County.

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0838C_01 <i>Entire segment.</i> bacteria	5c	2006

SegID: 0841 Lower West Fork Trinity River

From a point immediately upstream of the confluence of the Elm Fork Trinity River in Dallas County to a point immediately upstream of the confluence of Village Creek in Tarrant County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0841_01 <i>Lower 14 miles of segment</i> PCBs in edible tissue	5a	1996
bacteria	5a	1996
0841_02 <i>Upper 13 miles of segment</i> PCBs in edible tissue	5a	1996

SegID: 0841B Bear Creek (unclassified water body)

A 10 mile stretch of Bear Creek running upstream from confluence with West Fork Trinity River, to just upstream of HWY 183, Dallas County.

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0841B_01 <i>Entire segment.</i> bacteria	5c	2006

SegID: 0841C Arbor Creek (unclassified water body)

A 2.2 mile stretch of Arbor Creek running upstream from confluence with Johnson Creek, to approx. 0.5 miles upstream of Tarrant/Dallas county line.

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0841C_01 <i>Entire segment.</i> bacteria	5c	2006

SegID: 0841D Big Bear Creek (unclassified water body)

An 8 mile stretch of Big Bear Creek running upstream from confluence with Little Bear Creek to SH 26, Tarrant Co.

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0841D_01 Entire segment. bacteria	5c	2006

SegID: 0841E Copart Branch Mountain Creek (unclassified water body)

A 2.8 mile stretch of Copart Branch running upstream from confluence with Mountain Creek to approximately 0.3 miles upstream of Camden Road on Dallas Naval Academy, Dallas County.

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0841E_01 Entire segment. bacteria	5c	2006

SegID: 0841F Cottonwood Creek (unclassified water body)

A 6.5 mile stretch of Cottonwood Creek running upstream from approx. 0.1 mi. upstream of Mountain Creek Reservoir in Dallas Co., to SH 360 in, Tarrant Co.

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0841F_01 Entire segment. bacteria	5c	2006

SegID: 0841G Dalworth Creek (unclassified water body)

A 2.2 mile stretch of Dalworth Creek running upstream from confluence with Lower W. Fork Trinity to County Line Road in Grand Prairie, Dallas Co.

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0841G_01 Entire segment. bacteria	5c	2006

SegID: 0841H Delaware Creek (unclassified water body)

An 8.5 mile stretch of Delaware Creek running upstream from confluence with Lower W. Fork Trinity to Finley Road in Irving.

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0841H_01 Entire segment. bacteria	5c	2006

SegID: 0841J Estelle Creek (unclassified water body)

A 4 mile stretch of Estelle Creek running upstream from confluence with Bear Creek to Valley View Lane in Irving, Dallas County.

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0841J_01 Entire segment. bacteria	5c	2006

SegID: 0841K Fish Creek (unclassified water body)

A 10.5 mile stretch of Fish Creek running upstream from approx. 100 m downstream of FM 382 in Grand Prairie, Dallas Co., to approx. 0.25 mi. upstream of Collins Rd. in Arlington, Tarrant Co. Includes north and south branches of Fish Creek.

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0841K_01 Entire segment. bacteria	5c	2006

SegID: 0841M Kee Branch (unclassified water body)

Three mile stretch of Kee Branch running upstream from confluence with Rush Creek to approx. 300 m upstream of Polly-Webb Road in Arlington, Tarrant Co. Sta. ID 10792

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0841M_01 Entire segment. bacteria	5c	2006

SegID: 0841N Kirby Creek (unclassified water body)

Four mile stretch of Kirby Creek running upstream from confluence with Fish Creek in Grand Prairie, Dallas Co., to just upstream of Great Southwest Parkway in Arlington, Tarrant Co.

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0841N_01 <i>Entire segment</i> bacteria	5c	2006

SegID: 0841S Vilbig Lakes (unclassified water body)

A 5 acre area in NW corner of Vilbig Lakes, near confluence with unnamed creek, approx. 100 m south of intersection of Rusdell Rd./Marvel Dr. in Irving, Dallas, Co.

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0841S_01 <i>A 5 acre area in NW corner of Vilbig Lakes, near confluence with unnamed creek, approx. 100 m south of intersection of Rusdell Rd./Marvel Dr. in Irving, Dallas, Co.</i> bacteria	5c	2006

SegID: 0841U West Irving Creek (unclassified water body)

A 4 mile stretch of West Irving Branch running upstream from approx. 0.4 mi. downstream of Oakdale Rd. to just south of Sowers Road in Irving, Dallas Co.

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0841U_01 <i>A 4 mile stretch of West Irving Branch running upstream from approx. 0.4 mi. downstream of Oakdale Rd. to just south of Sowers Road in Irving, Dallas Co.</i> bacteria	5c	2006

SegID: 0901 Cedar Bayou Tidal

From the confluence with Galveston Bay 1.0 km (0.6 miles) downstream of Tri-City Beach Road in Chambers County to a point 2.2 km (1.4 miles) upstream of IH 10 in Chambers/Harris County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0901_01 <i>Entire segment</i> dioxin in edible tissue	5a	2002
bacteria	5c	2006

SegID: 0902 Cedar Bayou Above Tidal
 From a point 2.2 km (1.4 miles) upstream of IH 10 in Chambers/Harris County to a point 7.4 km (4.6 miles) upstream of FM 1960 in Liberty County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
0902_01	Entire segment		
	bacteria	5c	2006
	impaired macrobenthic community	5c	2006

SegID: 1001 San Jacinto River Tidal
 From a point 100 meters (110yards) downstream of IH 10 in Harris County to Lake Houston Dam in Harris County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1001_01	From Lake Houston Dam to US Hwy 90		
	dioxin in edible tissue	5a	2000
1001_02	From US Hwy 90 to IH 10		
	dioxin in edible tissue	5a	2000
	PCBs in edible tissue	5a	2002

SegID: 1002 Lake Houston
 From Lake Houston Dam in Harris County to the confluence of Spring Creek on the West Fork San Jacinto Arm in Harris/Montgomery County and to the confluence of Caney Creek on the East Fork San Jacinto Arm in Harris County, up to normal pool elevation of 44.5 feet (impounds San Jacinto River)

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1002_06	Confluence with Spring Creek to West Lake Houston Pkwy		
	bacteria	5a	2006

SegID: 1003 East Fork San Jacinto River

From the confluence of Caney Creek in Harris County to US 190 in Walker County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1003_01	Confluence with Caney Creek upstream to US 59 bacteria	5a	2006
1003_02	US Hwy 59 to 25 miles upstream (just upstream of Clear Creek confluence) bacteria	5a	2006
1003_03	25 miles upstream of US 59 to US 190 (upper segment boundary) bacteria	5a	2006

SegID: 1004 West Fork San Jacinto River

From the confluence of Spring Creek in Harris/Montgomery County to Conroe Dam in
Montgomery County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1004_01	Lake Conroe Dam to IH45 impaired macrobenthic community	5c	2006
1004_02	IH 45 to the Spring Creek confluence bacteria	5a	1996

SegID: 1004D Crystal Creek (unclassified water body)

From the confluence of the east and west forks of Crystal Creek to the confluence with the West
Fork of the San Jacinto River.

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1004D_01	Confluence with West Fork San Jacinto River upstream to confluence of the East and West Forks of Crystal Creek bacteria	5a	2006

SegID: 1004E Stewarts Creek (unclassified water body)

From headwaters northwest of old Montgomery Rd to confluence with West Fork of the San Jacinto River.

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
<i>1004E_02 From Airport Rd to confluence with West Fork San Jacinto River</i>		
bacteria	5a	2006

SegID: 1005 Houston Ship Channel/San Jacinto River Tidal

From the confluence with Galveston Bay at Morgan's Point in Harris/Chambers County to a point 100 meters (110 yards) downstream of IH 10 in Harris County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
<i>1005_01 Downstream I-10 to Lynchburg Ferry Road</i>		
dioxin in edible tissue	5a	1996
PCBs in edible tissue	5a	2002
<i>1005_02 Lynchburg Ferry Road to Goose Island</i>		
dioxin in edible tissue	5a	1996
PCBs in edible tissue	5a	2002
bacteria	5c	2006
<i>1005_03 Goose Island to SH 146</i>		
dioxin in edible tissue	5a	1996
PCBs in edible tissue	5a	2002
<i>1005_04 SH 146 to Morgans Point</i>		
bacteria	5c	2006
dioxin in edible tissue	5a	1996
PCBs in edible tissue	5a	2002

SegID: 1006 Houston Ship Channel Tidal

From the confluence with the San Jacinto River in Harris County to a point immediately upstream of Greens Bayou in Harris County, including tidal portions of tributaries

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
<i>1006_01 Houston Ship Channel Tidal-Greens Bayou confluence to Patrick Bayou confluence</i>		
bacteria	5c	2006
dioxin in edible tissue	5a	1996
PCBs in edible tissue	5a	2002
<i>1006_02 Houston Ship Channel Tidal- Patrick Bayou confluence to lower segment boundary</i>		
dioxin in edible tissue	5a	1996
PCBs in edible tissue	5a	2002
bacteria	5c	2006
<i>1006_03 Greens Bayou Tidal</i>		
dioxin in edible tissue	5a	1996
PCBs in edible tissue	5a	2002
<i>1006_04 Patrick Bayou Tidal</i>		
dioxin in edible tissue	5a	1996
mercury in water	5a	1998
PCBs in edible tissue	5a	2002
toxicity in sediment	5c	2000
<i>1006_05 Goodyear Creek Tidal</i>		
PCBs in edible tissue	5a	2002
depressed dissolved oxygen	5c	2006
dioxin in edible tissue	5a	1996

SegID: 1006D Halls Bayou (unclassified water body)

Perennial stream from the confluence with Greens Bayou up to US 59 in Harris County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
<i>1006D_01 From the confluence with Greens Bayou to US 59</i>		
bacteria	5a	2002
<i>1006D_02 From Hirsch Road to Homestead Road</i>		
bacteria	5a	2002

SegID: 1006F Big Gulch Above Tidal (unclassified water body)

From the confluence with Greens Bayou Tidal to Wallisville Road in Harris County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1006F_01 Entire water body bacteria	5a	2002

SegID: 1006H Spring Gully Above Tidal (unclassified water body)

From confluence with Greens Bayou to US 90 in Harris County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1006H_01 Entire water body bacteria	5a	2002

SegID: 1006I Unnamed Tributary of Halls Bayou (unclassified water body)

From the confluence with Halls Bayou to a point 0.13 miles upstream of Richland Drive in Harris County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1006I_01 Entire water body bacteria	5a	2002

SegID: 1006J Unnamed Tributary of Halls Bayou (unclassified water body)

From the confluence of Halls Bayou (east of US 59 and south of Langley Road) to Mount Houston Road in Harris County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1006J_01 Entire water body bacteria	5a	2002

SegID: 1007 Houston Ship Channel/Buffalo Bayou Tidal

From a point immediately upstream of Greens Bayou in Harris County to a point 100 meters (110 yards) upstream of US 59 in Harris County, including tidal portion of tributaries

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
<i>1007_01 Houston Ship Channel/Buffalo Bayou Tidal</i>		
dioxin in edible tissue	5a	1996
PCBs in edible tissue	5a	2002
<i>1007_02 Sims Bayou Tidal (upstream of SH 35 to Houston Ship Channel confluence)</i>		
dioxin in edible tissue	5a	1996
PCBs in edible tissue	5a	2002
<i>1007_03 Hunting Bayou Tidal (I-10 to confluence with Houston Ship Channel)</i>		
dioxin in edible tissue	5a	1996
PCBs in edible tissue	5a	2002
<i>1007_04 Brays Bayou Tidal (downstream of I 45 to confluence with the Houston Ship Channel)</i>		
dioxin in edible tissue	5a	1996
PCBs in edible tissue	5a	2002
<i>1007_05 Vince Bayou Tidal (SH 225 to confluence with the Houston Ship Channel)</i>		
PCBs in edible tissue	5a	2002
bacteria	5c	2006
toxicity in sediment	5c	2000
dioxin in edible tissue	5a	1996
<i>1007_06 Berry Bayou Tidal (2.4 km upstream of the Sims Bayou confluence)</i>		
dioxin in edible tissue	5a	1996
PCBs in edible tissue	5a	2002
<i>1007_07 Buffalo Bayou (US 59 to upstream of 69th Street WWTP)</i>		
dioxin in edible tissue	5a	1996
PCBs in edible tissue	5a	2002
bacteria	5c	2006
<i>1007_08 Little Vince Bayou</i>		
dioxin in edible tissue	5a	1996
PCBs in edible tissue	5a	2002

SegID: 1007A Canal C-147 tributary of Sims Bayou Above Tidal (unclassified water body)
Houston Ship Channel/Buffalo Bayou Tidal tributary

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1007A_01 <i>From confluence with an unnamed flood control ditch near Corsair St to the confluence with Sims Bayou</i> bacteria	5c	2006

SegID: 1007B Brays Bayou Above Tidal (unclassified water body)
Perennial stream from 11.5 km upstream of confluence with Houston Ship Channel up to SH 6

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1007B_01 <i>From 11.5km upstream of confluence with Brays Bayou Tidal to SH 6</i> bacteria	5a	2002
1007B_02 <i>SH 6 to Clodine Road</i> bacteria	5a	2002

SegID: 1007C Keegans Bayou Above Tidal (unclassified water body)
Perennial stream from confluence with Brays Bayou upstream to Harris County line

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1007C_01 <i>From Harris County line to confluence with Brays Bayou</i> bacteria	5a	2002

SegID: 1007D Sims Bayou Above Tidal (unclassified water body)

Perennial stream from 11.0 km upstream of confluence with Houston Ship Channel upstream to Hiram Clark Drive

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1007D_01 <i>From 0.4 miles north of Beltway 8 to Hiram Clark</i> bacteria	5a	2002
1007D_02 <i>From Hiranman Clark to 11 miles upstream of the</i> <i>confluence with the Houston Ship Channel</i> bacteria	5a	2002
1007D_03 <i>From 11 miles upstream of the Houston Ship Channel</i> <i>confluence to SH 35</i> bacteria	5a	2002

SegID: 1007E Willow Waterhole Bayou Above Tidal (unclassified water body)

Perennial stream from confluence with Brays Bayou upstream to South Garden (in Missouri City)

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1007E_01 <i>Entire water body</i> bacteria	5a	2002

SegID: 1007F Berry Bayou Above Tidal (unclassified water body)

Perennial stream from 2.4 km upstream from the confluence with Sims Bayou to the southern city limits of South Houston

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1007F_01 <i>1.5 miles upstream from confluence with Sims Bayou to SH</i> <i>3</i> bacteria	5a	2002

SegID: 1007G Kuhlman Gully Above Tidal (unclassified water body)

From confluence with Brays Bayou in Harris County to Atchison, Topeka and Santa Fe Railroad tracks in Harris County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1007G_01 <i>Entire water body</i> bacteria	5a	2002

SegID: 1007H Pine Gully Above Tidal (unclassified water body)

From the confluence with Sims Bayou in Harris County to Broadway in Harris County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1007H_01 <i>Entire water body</i> bacteria	5a	2002

SegID: 1007I Plum Creek Above Tidal (unclassified water body)

From the confluence with Sims Bayou in Harris County to Telephone Road in Harris County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1007I_01 <i>Entire water body</i> bacteria	5a	2002

SegID: 1007K Country Club Bayou Above Tidal (unclassified water body)

From just downstream of South Lockwood Drive to the confluence with Brays Bayou to approximately 0.5 miles upstream of North Wayside Drive in Harris County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1007K_01 <i>From just downstream of South Lockwood Drive to the confluence with Brays Bayou</i> bacteria	5a	2002
depressed dissolved oxygen	5c	2002

SegID: 1007L Unnamed Non-Tidal Tributary of Brays Bayou (unclassified water body)

From the confluence with Brays Bayou near Fondren Road to a point 0.60 miles upstream in Harris County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1007L_01 <i>Entire perennial portion of water body</i> bacteria	5a	2002

SegID: 1007M Unnamed Non-Tidal Tributary of Hunting Bayou (unclassified water body)

From the confluence with Hunting Bayou to Mercury Road in Harris County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1007M_01 Entire water body		
bacteria	5a	2002

SegID: 1007N Unnamed Non-Tidal Tributary of Sims Bayou (unclassified water body)

From confluence with Sims Bayou, south of Airport Road, to Reed Road, east of SH 288 in Harris County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1007N_01 Entire water body		
bacteria	5a	2002

SegID: 1007O Unnamed Non-Tidal Tributary of Buffalo Bayou (unclassified water body)

From confluence with Buffalo Bayou to IH-10 between Hirsch Road and Lockwood in Harris County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1007O_01 Entire water body		
depressed dissolved oxygen	5c	2002
bacteria	5a	2002

SegID: 1007R Hunting Bayou Above Tidal (unclassified water body)

From the confluence with Hunting Bayou Tidal at IH-10 to Maury Street on the north fork and Bain Street on the south fork

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
<i>1007R_01 From Bain Street to Sayers Street (South Fork)</i>		
bacteria	5a	2002
depressed dissolved oxygen	5c	2002
<i>1007R_02 From just east of Elysian Street to Falls Street (North Fork)</i>		
bacteria	5a	2002
<i>1007R_03 From Falls Street to Loop 610 East</i>		
bacteria	5a	2002
<i>1007R_04 From Loop 610 East to IH 10</i>		
bacteria	5a	2002

SegID: 1008 Spring Creek

From the confluence with the West Fork San Jacinto River in Harris/Montgomery County to the most upstream crossing of FM 1736 in Waller County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
<i>1008_02 Field Store Road to SH 249</i>		
bacteria	5a	1996
depressed dissolved oxygen	5c	1996
<i>1008_03 SH 249 to IH 45</i>		
bacteria	5a	1996
<i>1008_04 IH 45 to confluence with Lake Houston</i>		
bacteria	5a	1996

SegID: 1008B Upper Panther Branch (unclassified water body)

Intermittent stream with perennial pools from the normal pool elevation of 125 feet of Lake Woodlands upstream to Old Conroe Road

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
<i>1008B_01 From Old Conroe Road to the confluence with Bear Branch</i>		
bacteria	5a	2006

SegID: 1008H Willow Creek (unclassified water body)

From 0.3 miles north of Juergen Rd to the confluence with Spring Creek

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1008H_01 <i>Entire water body</i> bacteria	5a	2006

SegID: 1009 Cypress Creek

From the confluence with Spring Creek in Harris County to the confluence of Snake Creek and Mound Creek in Waller County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1009_01 <i>Upper portion of segment to downstream of US 290</i> bacteria	5a	1996
1009_02 <i>US 290 to SH 249</i> bacteria	5a	1996
1009_03 <i>SH 249 to IH 45</i> bacteria	5a	1996
1009_04 <i>IH 45 to confluence with Spring Creek</i> bacteria	5a	1996

SegID: 1009C Faulkey Gully (unclassified water body)

Perennial stream from its confluence with Cypress Creek upstream 3.2 km, which is approximately 1.0 km upstream of Louetta Road

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1009C_01 <i>From an unnamed lake 0.3 miles southeast of Telge Road to the confluence with Cypress Creek</i> bacteria	5c	2006

SegID: 1009D Spring Gully (unclassified water body)

Perennial stream from a point 1 km upstream of Louetta Road upstream to Spring Cypress Road

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1009D_01 <i>Entire water body</i> bacteria	5c	2006

SegID: 1009E Little Cypress Creek

From the confluence with Cypress Creek upstream to Hwy 290A.

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1009E_01	Entire water body bacteria	5a	2006

SegID: 1010 Caney Creek

From the confluence with the East Fork San Jacinto River in Harris County to SH 150 in Walker County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1010_02	FM 1097 to SH 105 bacteria	5a	2006
1010_04	FM 2090 to lower segment boundary bacteria	5a	2006

SegID: 1011 Peach Creek

From the confluence with Caney Creek in Montgomery County to SH 150 in Walker County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1011_02	US Hwy 59 to confluence with Caney Creek bacteria	5a	2006

SegID: 1013 Buffalo Bayou Tidal

From a point 100 meters (110 yards) upstream of US 59 in Harris County to a point 400 meters (440 yards) upstream of Shepard Drive in Harris County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1013_01	Entire segment bacteria	5a	1996

SegID: 1013A Little White Oak Bayou (unclassified water body)

Perennial stream from the confluence with Whiteoak Bayou up to RR tracks north of IH 610

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1013A_01 From RR tracks north of IH 610 to Trimble St		
depressed dissolved oxygen	5c	2002
bacteria	5a	2002
1013A_02 From Trimble St to confluence with White Oak Bayou		
bacteria	5a	2002

SegID: 1013C Unnamed Non-Tidal Tributary of Buffalo Bayou Tidal (unclassified water body)

Located approximately 1.8 miles upstream of the Buffalo Bayou/White Oak Bayou confluence between IH-10 and Memorial Drive west of IH-45 in Harris County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1013C_01 Entire water body		
bacteria	5a	2002

SegID: 1014 Buffalo Bayou Above Tidal

From a point 400 meters (440 yards) upstream of Shepherd Drive in Harris County to SH 6 in Harris County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1014_01 Entire segment		
bacteria	5a	1996

SegID: 1014A Bear Creek (unclassified water body)

Perennial stream from the confluence with South Mayde Creek upstream to the confluence with an unnamed tributary 1.24 km north of Logenbaugh Road

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1014A_01 Confluence with South Mayde Creek to a point upstream of an unnamed tributary north of Langenbaugh Road		
bacteria	5a	2006

SegID: 1014B Buffalo Bayou (unclassified water body)

Perennial stream from SH 6 in Harris County upstream to the confluence with Willow Fork Buffalo Bayou in Fort Bend County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1014B_01 <i>From SH6 to the confluence with Willow Fork Buffalo Bayou</i> bacteria	5a	2006

SegID: 1014E Langham Creek (unclassified water body)

Perennial stream from the confluence with Dinner Creek upstream to FM 529

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1014E_01 <i>Confluence with Bear Creek upstream to the confluence with Dinner Creek</i> bacteria	5a	2006

SegID: 1014H South Mayde Creek (unclassified water body)

Perennial stream in the Addicks Reservoir flood pool area, from the confluence with Buffalo Bayou upstream to the confluence with an unnamed tributary 0.62 km east of Barker-Cypress Road.

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1014H_01 <i>From the confluence with Buffalo Bayou upstream to the confluence with an unnamed tributary 0.62 km east of Barker-Cypress Road</i> bacteria	5a	2002
1014H_02 <i>From the confluence with an unnamed tributary 0.62 km east of Barker-Cypress Road upstream to an unnamed tributary 1.05 km south of Clay Road</i> bacteria	5a	2002

SegID: 1014K Turkey Creek (unclassified water body)

Perennial stream from the confluence with South Mayde Creek in Harris County upstream to the headwaters south of Clay Road in Harris County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1014K_01 <i>From the confluence with South Mayde Creek upstream to a point south of Clay Road</i> bacteria	5a	2002
1014K_02 <i>From south of Clay Road upstream to north of Tanner Road</i> bacteria	5a	2002

SegID: 1014L Mason Creek (unclassified water body)

Perennial stream from the confluence with Buffalo Bayou upstream to channelization, 1.55 km south of Franz Road

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1014L_01 <i>Confluence with Buffalo Bayou upstream to the channelization south of Franz Rd.</i> bacteria	5a	2006

SegID: 1014M Neimans Bayou (unclassified water body)

From confluence with Buffalo Bayou Above Tidal to upstream of IH 10

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1014M_01 <i>Entire water body</i> bacteria	5a	2002
depressed dissolved oxygen	5c	2002

SegID: 1014N Rummel Creek (unclassified water body)

From confluence with Buffalo Bayou Above Tidal in Harris County to IH 10/Beltway 8 in Harris County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1014N_01 <i>Entire water body</i> bacteria	5a	2002

SegID: 1014O Spring Branch (unclassified water body)

From confluence with Buffalo Bayou in Harris County to Blalock Road in Harris County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1014O_01 Entire water body bacteria	5a	2002

SegID: 1016 Greens Bayou Above Tidal

From a point 0.7 km (0.4 miles) above the confluence of Halls Bayou in Harris County to a point 100 meters (110 yards) above FM 1960 in Harris County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1016_01 Upper segment boundary (FM 1960) to IH 45 bacteria	5a	1996
1016_02 IH 45 to US 59 bacteria	5a	1996
1016_03 US 59 to lower segment boundary at the Halls Bayou confluence bacteria	5a	1996

SegID: 1016A Garners Bayou (unclassified water body)

Perennial stream from the confluence with Williams Gully upstream to 1.5 km north of Atascocita Road

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1016A_02 From the confluence with Williams Gully upstream to 1.5 km north of Atascocita Road bacteria	5a	2002
1016A_03 From the confluence with Greens Bayou upstream to the confluence with Williams Gully bacteria	5a	2002

SegID: 1016B Unnamed Tributary of Greens Bayou (unclassified water body)

From confluence with Greens Bayou to Hirsch Road in Harris County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1016B_01 Entire water body bacteria	5a	2002

SegID: 1016C Unnamed Tributary of Greens Bayou (unclassified water body)

From the confluence with Greens Bayou, east of Aldine Westfield Road, to the Hardy Toll Road in Harris County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1016C_01 Entire water body bacteria	5a	2002

SegID: 1016D Unnamed Tributary of Greens Bayou (unclassified water body)

From confluence with Greens Bayou, west of El Dorado Country Club to Lee Road, west of US Hwy 59 in Harris County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1016D_01 Entire water body bacteria	5a	2002
depressed dissolved oxygen	5c	2002

SegID: 1017 Whiteoak Bayou Above Tidal

From a point immediately upstream of the confluence of Little White Oak Bayou in Harris County to a point 3.0 km (1.9 miles) upstream of FM 1960 in Harris County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1017_01 Huffsmith Rd to the confluence with Vogel Creek bacteria	5a	1996
1017_02 Vogel Creek to the Cole Creek confluence bacteria	5a	1996
1017_03 Cole Creek confluence to the Brickhouse Gully confluence bacteria	5a	1996
1017_04 Brickhouse Gully confluence to lower segment boundary bacteria	5a	1996

SegID: 1017A Brickhouse Gully/Bayou (unclassified water body)

Perennial stream from the confluence with Whiteoak Bayou up to Gessner Road

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1017A_01 Entire water body bacteria	5a	2002

SegID: 1017B Cole Creek (unclassified water body)

Perennial stream from the confluence with White Oak Bayou up to south of Beltway 8

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1017B_02 <i>From Flintlock Street to confluence with White Oak Bayou</i> bacteria	5a	2002

SegID: 1017D Unnamed Tributary of Whiteoak Bayou (unclassified water body)

From confluence with Whiteoak Bayou downstream of TC Jester, to Hempstead Hwy, north of US Hwy 290 in Harris County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1017D_01 <i>Entire water body</i> bacteria	5a	2002
depressed dissolved oxygen	5c	2002

SegID: 1017E Unnamed Tributary of White Oak Bayou (unclassified water body)

From the confluence with White Oak Bayou, near W 11th Street, to just upstream of W 26th Street, south of Loop 610 W in Harris County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1017E_01 <i>Entire water body</i> bacteria	5a	2002

SegID: 1101 Clear Creek Tidal

From the confluence with Clear Lake at a point 3.2 km (2.0 miles) downstream of El Camino Real in Galveston/Harris County to a point 100 m (110 yards) upstream of FM528 in Galveston/Harris County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1101_01 <i>Upper segment boundary to Chigger Creek confluence</i> bacteria	5a	1996
1101_02 <i>Chigger Creek confluence to IH 45</i> bacteria	5a	1996
1101_03 <i>IH45 to Cow Bayou confluence</i> bacteria	5a	1996

SegID: 1101B Chigger Creek (unclassified water body)

From the confluence of Clear Creek Tidal to the Brazos River Authority Canal near CR 143 in Galveston County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1101B_01 <i>From the headwaters to FM 528</i> bacteria	5a	2002
1101B_02 <i>FM 528 to the confluence with Clear Creek</i> bacteria	5a	2002

SegID: 1101D Robinson Bayou (unclassified water body)

From confluence with Clear Creek to 0.33 mile upstream of Webster Street in Galveston County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1101D_01 <i>From headwater to Abilene St.</i> bacteria	5c	2006
1101D_02 <i>From Abilene St. to confluence with Clear Lake</i> bacteria	5c	2006

SegID: 1102 Clear Creek Above Tidal

From a point 100 meters (110 yards) upstream of FM 528 in Galveston/Harris County to Rouen Road in Fort Bend County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1102_01 <i>Upper segment boundary (Rouen Road) to SH 288</i> bacteria	5a	1996
1102_02 <i>SH 288 to Hickory Slough confluence</i> bacteria	5a	1996
impaired habitat	5c	2006
impaired fish community	5c	2006
1102_03 <i>Hickory Slough confluence to Turkey Creek confluence</i> bacteria	5a	1996
1102_04 <i>Turkey Creek confluence to Mary's Creek confluence</i> bacteria	5a	1996
1102_05 <i>Mary's Creek confluence to lower segment boundary</i> bacteria	5a	1996

SegID: 1102A Cowart Creek (unclassified water body)

Intermittent stream with perennial pools from the confluence with Clear Creek in Galveston County to SH 35 in Brazoria County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1102A_01 <i>Sunset Drive to SH35</i> bacteria	5a	2002
1102A_02 <i>Confluence with Clear Creek to Sunset Drive</i> bacteria	5a	2002

SegID: 1102B Mary's Creek/ North Fork Mary's Creek (unclassified water body)

Perennial stream from the confl. with Clear Creek upstrm to confl. with N. and S. Fork Mary's Creek near FM 1128, approx. 5 km SW of Pearland. Includes perennial portion of N. Fork Mary's Creek to confl. with unnamed trib approx. 3.2 km upstrm of FM 1128

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1102B_01 <i>Entire water body</i> bacteria	5a	2002

SegID: 1102C Hickory Slough (unclassified water body)

From approximately 0.3 miles upstream of CR 92 to the confluence with Clear Creek.

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1102C_01 <i>From confluence with Clear Creek to (approx. 0.3 miles) upstream of CR 93</i> bacteria	5c	2006

SegID: 1102D Turkey Creek (unclassified water body)

From IH 45 to confluence with Clear Creek

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1102D_01 <i>Confluence with Clear Creek to IH 45</i> bacteria	5c	2006

SegID: 1102E Mud Gully (unclassified water body)
 From Beamer Rd to the confluence with Clear Creek

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1102E_01 <i>Beamer Road to confluence with Clear Creek</i> bacteria	5c	2006

SegID: 1103 Dickinson Bayou Tidal
 From the confluence with Dickinson Bay 2.1 km (1.3 miles) downstream of SH 146 in Galveston County to a point 4.0 km (2.5 miles) downstream of FM 517 in Galveston County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1103_01 <i>From 25 miles downstream of FM 517 to the Bordens Gully confluence</i> depressed dissolved oxygen	5a	1996
bacteria	5a	1996
1103_02 <i>From the Bordens Gully confluence to the Benson Bayou confluence</i> bacteria	5a	1996
depressed dissolved oxygen	5a	1996
1103_03 <i>From the Benson Bayou confluence to the confluence with Gum Bayou</i> bacteria	5a	1996
depressed dissolved oxygen	5a	1996

SegID: 1103A Bensons Bayou (unclassified water body)
 From the confluence with Dickinson Bayou Tidal to 0.37 miles upstream of FM 646 in Galveston County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1103A_01 <i>From confluence with Dickinson Bayou Tidal to 0.37 miles upstream of FM 646</i> bacteria	5c	2002

SegID: 1103B Bordens Gully (unclassified water body)

From confluence with Dickinson Bayou Tidal to upstream of Calder Road in Galveston County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1103B_01 Entire water body bacteria	5a	2002

SegID: 1103C Geisler Bayou (unclassified water body)

From confluence with Dickinson Bayou tidal to IH 45 in Galveston County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1103C_01 Entire water body bacteria	5a	2002

SegID: 1104 Dickinson Bayou Above Tidal

From a point 4.0 km (2.5 miles) downstream of FM 517 in Galveston County to FM 528 in Galveston County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1104_01 From lower segment boundary upstream to FM 517 bacteria	5a	1996
depressed dissolved oxygen	5c	2006
1104_02 From lower segment boundary upstream to FM 517 bacteria	5a	1996

SegID: 1110 Oyster Creek Above Tidal

From a point 100 meters (110 yards) upstream of FM 2004 in Brazoria County to the Brazos River Authority diversion dam 1.8 km (1.1 miles) upstream of SH 6 in Fort Bend County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1110_02 4 mi upstream South Texas Water Co. Canal to just above Ramsey Prison Unit bacteria	5c	2006
1110_03 From just upstream of Ramsey Prison Unit (Cow Cr) to CR 290/S Walker St. depressed dissolved oxygen	5b	1996
bacteria	5c	2006

SegID: 1113 Armand Bayou Tidal

From the confluence with Clear Lake (at NASA Road 1 bridge) in Harris County to a point 0.8 km (0.5 miles) downstream of Genoa-Red Bluff road in Pasadena in Harris County (includes Mud Lake)

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1113_01	Upper segment boundary to confluence with Big Island Slough depressed dissolved oxygen	5b	1996
1113_02	Big Island Slough confluence to Horsepen Bayou confluence bacteria depressed dissolved oxygen	5c 5b	2006 1996

SegID: 1113A Armand Bayou Above Tidal (unclassified water body)

From a point 0.8 km (0.5 miles) downstream of Genoa-Red Bluff Road in Pasadena in Harris County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1113A_01	0.5 miles downstream of Genoa Red Bluff to Preston Road bacteria depressed dissolved oxygen	5c 5c	1998 1998

SegID: 1113B Horsepen Bayou (unclassified water body)

From SH3 to the confluence of Armand Bayou Tidal

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1113B_01	Confluence with Armand Bayou to SH 3 bacteria	5c	2006

SegID: 1202H Allen's Creek (unclassified water body)

From the confluence with the Brazos River, two miles northeast of Wallis, to the headwaters one mile north of IH 10 in Austin County.

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1202H_01	Entire water body bacteria	5c	2002

SegID: 1202J Big Creek (unclassified water body)

From the confluence of Cottonwood and Coon Creeks, 5 miles north of Needville in Fort Bend County, downstream to the confluence with the Brazos River

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1202J_01 <i>Upstream portion of water body to Whaley-Longpoint Road</i>		
impaired fish community	5b	2006
impaired habitat	5b	2006
bacteria	5c	2002

SegID: 1206 Brazos River Below Possum Kingdom Lake

From a point 100 meters (110 yards) upstream of FM 2580 in Parker County to Morris Shepard Dam in Palo Pinto County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1206_01 <i>Downstream portion of segment</i>		
chloride	5b	2006
1206_02 <i>Middle Portion of Segment</i>		
chloride	5b	2006
1206_03 <i>Upstream portion of segment</i>		
chloride	5b	2006

SegID: 1209 Navasota River Below Lake Limestone

From the confluence with the Brazos River in Grimes County to Sterling C. Robertson Dam in Leon/Robertson County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1209_02 <i>From confluence with Rocky Creek to confluence with Sandy Branch</i>		
bacteria	5a	2002
1209_05 <i>From confluence with Camp Creek to 25 miles upstream</i>		
bacteria	5a	2002

SegID: 1209A Country Club Lake (unclassified water body)

From the Country Club Branch Dam up to normal pool elevation in Bryan in Brazos County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1209A_01 Entire reservoir toxicity in sediment	5c	1999

SegID: 1209B Fin Feather Lake (unclassified water body)

From Fin Feather Dam up to normal pool elevation in northwest Bryan in Brazos County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1209B_01 Entire reservoir toxicity in sediment	5c	2000

SegID: 1209C Carters Creek (unclassified water body)

Perennial stream from the confluence with the Navasota River southeast of College Station in Brazos County upstream to the confluence of an unnamed tributary 0.5 km upstream of FM 158 in Brazos County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1209C_01 Entire water body bacteria	5a	1999

SegID: 1209D Country Club Branch (unclassified water body)

From the confluence with Country Club Lake in Bryan in Brazos County to the dam at Fin Feather Lake in Bryan

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1209D_01 entire water body bacteria	5c	2006

SegID: 1209E Wickson Creek (unclassified water body)

Perennial stream from the confluence with an unnamed first order tributary (approximately 1.3 km upstream of Reliance Road crossing) upstream to the confluence with an unnamed first order tributary approximately 15 meters upstream of Dilly Shaw Road

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1209E_01 <i>Entire water body</i> bacteria	5c	2006

SegID: 1209G Cedar Creek (unclassified water body)

From the confluence with the Navasota River in Brazos County to the confluence with Moores Branch and Rocky Branch in Robertson County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1209G_01 <i>Entire water body</i> bacteria	5c	2002

SegID: 1209H Duck Creek (unclassified water body)

From the confluence with the Navasota river in Robertson County to Twin Oak Reservoir dam in Robertson County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1209H_01 <i>From the lower end of the creek to FM 2096</i> bacteria	5c	2006
1209H_02 <i>From FM 2096 to Twin Oak Reservoir dam</i> bacteria	5c	2006

SegID: 1209I Gibbons Creek (unclassified water body)

From confluence with Navasota River in Grimes County to SH 90 in Grimes County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1209I_01 <i>From lower end to confluence with Dry Creek</i> bacteria	5c	2002

SegID: 1209J Shepherd Creek (unclassified water body)

From the confluence with the Navasota River in Madison County to a point 0.7 miles upstream of FM 1452 in Madison County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1209J_01 Entire water body bacteria	5c	2002

SegID: 1209K Steele Creek (unclassified water body)

From confluence with Navasota River in Robertson County to a point 2.4 miles upstream of FM 147 in Limestone County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1209K_02 From the confluence with Willow Creek upstream to the end of the water body bacteria	5c	2002

SegID: 1209L Burton Creek (unclassified water body)

From the confluence with Carters Creek in College Station, upstream to its headwaters located 0.4 miles east of Fin Feather Lake in Brazos County.

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1209L_01 entire water body bacteria	5c	2006

SegID: 1210A Navasota River above Lake Mexia (unclassified water body)

From the confluence with the headwaters of Lake Mexia in Limestone County to a point 1.25 miles upstream of SH 31 in Hill County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1210A_01 Entire water body bacteria	5c	2002

SegID: 1211A Davidson Creek (unclassified water body)

Intermittent stream with perennial pools from the confluence with Yegua Creek to 0.2 km above SH 21 near Caldwell in Burleson County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1211A_02 <i>Upper 25 miles</i> bacteria	5c	2002

SegID: 1212 Somerville Lake

From Somerville Dam in Burleson/Washington County up to normal pool elevation of 238 feet (impounds Yegua Creek)

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1212_01 <i>Eastern end of reservoir near dam</i> pH	5c	2002
1212_03 <i>Middle of reservoir near Birch Creek State Park</i> pH	5c	2002

SegID: 1212B East Yegua Creek (unclassified water body)

From the confluence with Middle Yegua and Yegua Creeks southeast of Dime Box in Lee County to the upstream portion of the stream, south of Alcoa Lake in Milam County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1212B_01 <i>Lower 25 miles</i> bacteria	5c	2002

SegID: 1213 Little River

From the confluence with the Brazos River in Milam County to the confluence of the Leon River and the Lampasas River in Bell County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1213_01 <i>From the confluence with Brazos River upstream to confluence with City of Cameron WWTP receiving water</i> bacteria	5c	2006

SegID: 1214 San Gabriel River

From the confluence with the Little River in Milam County to Granger Lake Dam in Williamson County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1214_01	<i>From confluence with Little River upstream to confl. with Alligator Creek</i>		
	bacteria	5a	2006
	sulfate	5c	2006
1214_02	<i>From confluence with Alligator Creek upstream to Lake Granger</i>		
	sulfate	5c	2006

SegID: 1215 Lampasas River Below Stillhouse Hollow Lake

From the confluence with the Leon River in Bell County to Stillhouse Hollow Lake Dam in Bell County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1215_01	<i>Entire segment</i>		
	bacteria	5c	2006

SegID: 1217 Lampasas River Above Stillhouse Hollow Lake

From a point immediately upstream of the confluence of Rock Creek in Bell County to FM 2005 in Hamilton County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1217_04	<i>From the FM 1690 crossing to the CR 117 crossing</i>		
	bacteria	5c	2002

SegID: 1217D North Fork Rocky Creek (unclassified water body)

From its confluence with South Rocky Creek, upstream to its headwaters 7 miles west of US Hwy 183 in Burnet County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1217D_01	<i>entire water body</i>		
	depressed dissolved oxygen	5b	2006

SegID: 1218 Nolan Creek/ South Nolan Creek

From the confluence with the Leon River in Bell County to a point 100 meters (110 yards) upstream to the most upstream crossing of US 190 and Loop 172 in Bell County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1218_01	Entire segment bacteria	5a	1996

SegID: 1220A Cowhouse Creek (unclassified water body)

From the confluence of Belton Lake in Bell County south of Gatesville in Coryell County to the upstream perennial portion of the stream north of Goldthwaite in Mills County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1220A_03	Upstream portion of water body bacteria	5c	2006

SegID: 1221 Leon River Below Proctor Lake

From a point 100 meters (110 yards) upstream of FM 236 in Coryell County to Proctor Dam in Comanche County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1221_01	Directly upstream of Lake Belton bacteria	5a	1996
1221_02	Portion directly downstream of City of Gatesville WWTP bacteria	5a	1996
1221_05	From confluence with Pecan Creek, upstream to confluence with South Leon Creek bacteria	5a	1996
1221_06	From confluence with South Leon Creek upstream to confluence with Walnut Creek bacteria	5a	1996
1221_07	From the confluence with Walnut Creek upstream to Lake Proctor bacteria	5a	1996

SegID: 1221A Resley Creek (unclassified water body)

From the confluence of the Leon River east of Gustine in Comanche County to the upstream perennial portion of the stream north of Gustine in Comanche County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1221A_01 <i>Downstream portion, from confluence with Leon River upstream to conf. with unnamed tributary, approx. 1.0 mile N. of Comanche County Line</i>		
bacteria	5c	2004
depressed dissolved oxygen	5c	2006
1221A_02 <i>From confluence with unnamed tributary, upstream to end of water body, approx. 1.0 mile north west of Dublin</i>		
bacteria	5c	2004

SegID: 1221B South Leon River (unclassified water body)

From the confluence of the Leon River south of Gustine in Comanche County to the upstream perennial portion of the stream south of Comanche in Comanche County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1221B_01 <i>Entire water body</i>		
bacteria	5c	2006

SegID: 1221C Pecan Creek (unclassified water body)

Perennial stream from the confluence with the Leon River upstream to the confluence with an unnamed tributary approximately 3.5 km upstream of SH 36 near the City of Hamilton

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1221C_01 <i>Entire water body</i>		
bacteria	5c	2006

SegID: 1221D Indian Creek (unclassified water body)

Perennial stream from an unnamed second order tributary (approximately 0.7 km downstream of Live Oak Street crossing) upstream to the confluence with Bachelor Prong Creek

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1221D_01 <i>From confluence with Leon River, upstream to confluence with Armstrong Creek</i> bacteria	5c	2006
1221D_02 <i>From confluence with Armstrong Creek upstream to headwaters of water body</i> bacteria	5c	2006

SegID: 1221F Walnut Creek (unclassified water body)

From its confluence with Leon River upstream to its headwaters 2.4 miles west of Dublin in Erath County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1221F_01 <i>entire water body</i> bacteria	5c	2006

SegID: 1222A Duncan Creek (unclassified water body)

From the confluence of Proctor Lake northeast of Comanche in Comanche County to the upstream perennial portion of the stream west of Comanche in Comanche County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1222A_01 <i>Entire creek</i> bacteria	5c	1999

SegID: 1222B Rush-Copperas Creek (unclassified water body)

From the confluence of Proctor Lake northeast of Comanche in Comanche County to the upstream perennial portion of the stream northwest of Comanche in Comanche County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1222B_01 <i>Entire water body</i> bacteria	5c	2006

SegID: 1222C Sabana River (unclassified water body)

From the confluence of Proctor Lake northeast of Comanche in Comanche County to the upstream perennial portion of the stream northwest of Rising Star in Eastland County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1222C_01 <i>Downstream portion of segment</i> bacteria	5c	2006

SegID: 1222E Sweetwater Creek (unclassified water body)

From its confluence with Copperas Creek, upstream to its headwaters, 6.3 miles west of Comanche in Comanche County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1222E_01 <i>entire water body</i> bacteria	5c	2006

SegID: 1223 Leon River Below Leon Reservoir

From a point immediately upstream of the confluence of Mill Branch in Comanche County to Leon Dam in Eastland County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1223_01 <i>Entire Segment</i> bacteria	5c	2006

SegID: 1223A Armstrong Creek (unclassified water body)

From its confluence with the Leon River downstream of Leon Reservoir, upstream to its headwaters in Erath County 6.2 miles east of State Hwy 16.

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1223A_01 <i>entire water body</i> bacteria	5c	2006

SegID: 1226B Green Creek (unclassified water body)

From the confluence of the North Bosque River south of Clairette in Erath County to the upstream perennial portion of the stream south of Stephenville in Erath County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1226B_01 Entire water body depressed dissolved oxygen	5c	2006

SegID: 1226E Indian Creek (unclassified water body)

From the confluence with the North Bosque River in Erath County to the headwaters 3.5 miles east of Stephenville in Erath County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1226E_01 Entire water body bacteria	5c	2002

SegID: 1226F Sims Creek (unclassified water body)

From the confluence with the North Bosque River in Erath County to the headwaters 6 miles southeast of Stephenville in Erath County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1226F_01 Entire water body bacteria	5c	2002

SegID: 1226K Little Duffau Creek (unclassified water body)

From its confluence with Duffau Creek, upstream to its headwaters 2.4 miles south west of US 67 in Erath County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1226K_01 entire water body bacteria	5c	2006

SegID: 1227 Nolan River

From a point immediately upstream of the confluence of Rock Creek in Hill County to Cleburne Dam in Johnson County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1227_01 <i>Downstream portion, including Mustang Creek confluence</i>		
chloride	5b	2006
sulfate	5b	2002
total dissolved solids	5b	2006
1227_02 <i>Upstream portion, to Lake Pat Cleburne</i>		
total dissolved solids	5b	2006
chloride	5b	2006
sulfate	5b	2002

SegID: 1231 Lake Graham

From Graham Dam and Eddleman Dam in Young County up to the normal pool elevation of 1076.3 feet (impounds Salt Creek and Flint Creek)

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1231_01 <i>Entire segment</i>		
total dissolved solids	5c	2006

SegID: 1232B Deadman Creek (unclassified water body)

From the confluence of the Clear Fork Brazos River south of Lueders in Jones County to the upstream perennial portion of the stream north of Hamby in Jones County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1232B_01 <i>From the confluence with Clear Fork Brazos, upstream to city of Abilene WWTP receiving water</i>		
bacteria	5c	2006

SegID: 1238 Salt Fork Brazos River

From the confluence of the Double Mountain Fork Brazos River in Stonewall County to the most upstream crossing of SH 207 in Crosby County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1238_01	25 miles near Hwy 83 chloride	5b	2002
1238_02	25 miles near Hwy 380 at Swenson chloride	5b	2002
1238_03	Remainder of segment chloride	5b	2002

SegID: 1240 White River Lake

From White River Dam in Crosby County up to normal pool elevation of 2369 feet (impounds White River)

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1240_01	Entire segment chloride	5c	2002
	sulfate	5c	2006
	total dissolved solids	5c	2006

SegID: 1241 Double Mountain Fork Brazos River

From the confluence with the Salt Fork Brazos River in Stonewall County to the confluence of the North Fork Double Mountain Fork Brazos River in Kent County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1241_01	25 miles near Hwy 83 chloride	5c	2006
	total dissolved solids	5c	2006

SegID: 1241A North Fork Double Mountain Fork Brazos River (unclassified water body)

Perennial stream from the confluence with Double Mountain Fork Brazos River to the dam forming Lake Ransom Canyon

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1241A_02	Upstream portion, from confluence with Yellow House Draw to Lake Buffalo Springs bacteria	5c	2004

SegID: 1242B Cottonwood Branch (unclassified water body)

Intermittent stream with perennial pools from the confluence with Still Creek upstream 0.95 km to the confluence with an unnamed tributary

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1242B_01	Downstream portion, downstream of Sanderson Farms receiving water		
	bacteria	5c	2006

SegID: 1242C Still Creek (unclassified water body)

Perennial stream from the confluence with Thompsons Creek upstream to the confluence with Cottonwood Branch

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1242C_01	Downstream of Bryan WWTP		
	bacteria	5c	2006
1242C_02	Portion upstream of city of Bryan WWTP		
	bacteria	5c	2006

SegID: 1242D Thompson Creek (unclassified water body)

Intermittent stream with perennial pools from the confluence with the Brazos River upstream to the confluence with Thompson Branch north of FM 1687

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1242D_01	Portion downstream of the confluence with Still Creek		
	bacteria	5c	2002
1242D_02	Portion of segment upstream of confluence with Still Creek		
	bacteria	5c	2002
	depressed dissolved oxygen	5c	2006

SegID: 1242I Campbells Creek (unclassified water body)

From the confluence with the Little Brazos River upstream to the headwaters, one mile west of Old San Antonio Road

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1242I_01	Entire water body		
	bacteria	5c	2002

SegID: 1242J Deer Creek (unclassified water body)

From the confluence with the Brazos River upstream to the confluence of West Fork Deer Creek and East Fork Deer Creek in Falls County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1242J_01 Entire water body bacteria	5c	2006

SegID: 1242K Mud Creek (unclassified water body)

From confluence with the Little Brazos River, upstream to the confluence with Touchstone Branch and Wolf Den Branch, in Robertson County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1242K_01 Entire water body bacteria	5c	2002

SegID: 1242L Pin Oak Creek (unclassified water body)

From the confluence with the Little Brazos River in Robertson County upstream to the headwaters, 2.07 miles south of Franklin

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1242L_01 Entire water body bacteria	5c	2002

SegID: 1242M Spring Creek (unclassified water body)

From the confluence with the Little Brazos River in Robertson County, upstream to the headwaters, 1.5 miles north of FM 391

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1242M_01 Entire water body bacteria	5c	2002

SegID: 1242N Tehuacana Creek (unclassified water body)

From the confluence with the Brazos River in McLennan county upstream to the headwaters 2 miles south of Penelope in Hill County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1242N_01	<i>Downstream portion of water body, from confluence with Brazos River upstream to confl. with Little Tehuacana Creek</i>		
	bacteria	5c	2002

SegID: 1242O Walnut Creek (unclassified water body)

From the confluence with the Little Brazos River in Robertson County, upstream to the headwaters, one mile south of White Rock

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1242O_01	<i>Entire water body</i>		
	bacteria	5c	2006

SegID: 1242P Big Creek (unclassified water body)

From the confluence with Little Brazos River in Falls County upstream to the confluence with unnamed creeks near Mart in the northeast corner of Falls County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1242P_01	<i>Downstream portion of water body</i>		
	bacteria	5c	2002

SegID: 1244 Brushy Creek

From the confluence with the San Gabriel River in Milam County to the confluence of South Brushy Creek in Williamson County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1244_03	<i>From confluence with Cottonwood Branch upstream to City of Round Rock WWTP outfall</i>		
	bacteria	5a	2006
1244_04	<i>From immediately upstream of City of Round Rock WWTP outfall upstream to end of segment</i>		
	bacteria	5a	2006

SegID: 1245 Upper Oyster Creek

From Steep Bank Creek/Brazos River confluence in Fort Bend County to pumping station on Jones Creek confluence at Brazos River in Fort Bend County (includes portions of Steep Bank Creek, Flat Bank Creek, and Jones Creek)

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1245_01	<i>From the confluence with the Brazos River upstream to Dam #3</i>		
	bacteria	5a	1996
	depressed dissolved oxygen	5a	1996
1245_02	<i>From Dam #3 upstream to Harmon St. crossing in Sugar Land</i>		
	depressed dissolved oxygen	5a	1996
	bacteria	5a	1996
1245_03	<i>From Harmon St. crossing in Sugar Land upstream to the end of the segment</i>		
	bacteria	5a	1996
	depressed dissolved oxygen	5a	1996

SegID: 1245C Bullhead Bayou (unclassified water body)

From its confluence with Steep Bank Creek in Fort Colony, upstream to its headwaters in Pecan Grove in Fort Bend County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1245C_01	<i>Entire water body</i>		
	bacteria	5c	2006

SegID: 1245D Unnamed tributary of Bullhead Bayou (unclassified water body)

Tributary to Bullhead Bayou in Fort Bend County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1245D_01	<i>Entire water body</i>		
	bacteria	5c	2006

SegID: 1246E Wasp Creek (unclassified water body)

From the confluence with Tonk Creek in Crawford in McLennan County, upstream to the headwaters in Coryell County, 0.15 mile east of FM 185

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1246E_01 <i>Entire water body</i> bacteria	5c	2002

SegID: 1247A Willis Creek (unclassified water body)

From the confluence with the headwaters of Granger Lake in Williamson County to CR 313 in Williamson County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1247A_01 <i>Entire water body</i> bacteria	5c	2002

SegID: 1248C Mankins Branch (unclassified water body)

Perennial stream from the confluence with the San Gabriel River in Williamson County to the intersection of CR 105 and 104 in Williamson County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1248C_01 <i>Entire water body</i> bacteria	5c	2004

SegID: 1255 Upper North Bosque River

From a point immediately above the confluence of Indian Creek in Erath County to the confluence of the North Fork and South Fork of the Bosque River in Erath County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1255_01 <i>Lower portion of segment downstream of Stephenville</i> bacteria	5c	1996
1255_02 <i>Upper portion of segment, upstream of Stephenville</i> bacteria	5c	1996

SegID: 1255A Goose Branch (unclassified water body)

From the confluence with the south fork of the North Bosque River 2.5 miles (4.0 km) west of Stephenville, upstream to the headwaters 0.5 miles (0.8 km) north of FM 8 in Erath County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1255A_01 Entire water body bacteria	5c	2002

SegID: 1255B North Fork Upper North Bosque River (unclassified water body)

From the confluence with the South Fork of the Upper North Bosque River in Stephenville, upstream to the headwaters, 2.0 miles north of FM 219

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1255B_01 Entire water body bacteria	5c	2002

SegID: 1255C Scarborough Creek (unclassified water body)

From the confluence with the North Fork of the upper North Bosque River, upstream to the headwaters 0.1 miles (0.2 km) southeast of FM 219 in Erath County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1255C_01 Entire water body bacteria	5c	2002

SegID: 1255E Unnamed tributary of Goose Branch (unclassified water body)

From the confluence with Goose Branch in Erath County to its headwaters, 0.2 miles southeast of the intersection of FM 8 and Farm Road 1219

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1255E_01 Entire water body bacteria	5c	2002

SegID: 1255F Unnamed tributary of Scarborough Creek (unclassified water body)

From the confluence with Scarborough Creek, 1.0 mile west of SH 108 in Erath County, upstream to the headwaters, 0.3 mile north of FM 219

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1255F_01 Entire water body bacteria	5c	2002

SegID: 1255G Woodhollow Branch (unclassified water body)

From the confluence with the South Fork of the North Bosque River, 6 miles northwest of Stephenville, upstream to the headwaters, 1.5 miles north of FM 219 in Erath County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1255G_01 Entire water body bacteria	5c	2002

SegID: 1301 San Bernard River Tidal

From the confluence with the Intracoastal Waterway in Brazoria County to a point 3.2 km (2.0 miles) upstream of SH 35 in Brazoria County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1301_01 Entire Segment bacteria	5c	2006

SegID: 1302 San Bernard River Above Tidal

From a point 3.2 km (2.0 miles) upstream of SH 35 in Brazoria County to the county road southeast of New Ulm in Austin County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1302_01 Lower 25 miles of segment bacteria	5c	2002
1302_02 25 miles from just upstream of FM 442 to downstream of US 90A bacteria	5c	2002
1302_03 25 miles from downstream of US 90A to upstream of FM 3013 bacteria	5c	2002

SegID: 1302A Gum Tree Branch (unclassified water body)

From the confluence with West Bernard Creek near Wharton CR 252 to the headwaters approximately 15 miles upstream near RR 102

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1302A_01 <i>The entire 15 miles of the segment</i> bacteria	5c	2006

SegID: 1302B West Bernard Creek (unclassified water body)

From the confluence with the San Bernard River Above Tidal downstream of US highway 59 to the headwaters approximately 40 miles upstream near FM 1093

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1302B_01 <i>Lower 15 miles of segment</i> depressed dissolved oxygen	5c	2006
1302B_02 <i>Upper 25 miles of segment</i> bacteria	5c	2006

SegID: 1304 Caney Creek Tidal

From the confluence with the Intracoastal Waterway in Matagorda County to a point 1.9 km (1.2 miles) upstream of the confluence of Linnville Bayou in Matagorda County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1304_01 <i>Lower 25 miles of segment</i> bacteria	5c	2006

SegID: 1305 Caney Creek Above Tidal

From a point 1.9 km (1.2 miles) upstream of the confluence of Linnville Bayou in Matagorda County to Old Caney Road in Wharton County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1305_02 <i>25 miles surrounding SH 35</i> bacteria	5c	2002
depressed dissolved oxygen	5b	1999

SegID: 1401 Colorado River Tidal

From the confluence with the Gulf of Mexico in Matagorda County to a point 2.1 km (1.3 miles) downstream of the Missouri-Pacific Railroad in Matagorda County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1401_01	Entire segment bacteria	5c	2006

SegID: 1403A Bull Creek (unclassified water body)

From the confluence of Lake Austin in northwest Austin in Travis County to the upstream perennial portion of the stream north of Austin in Travis County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1403A_04	From Spicewood Springs Rd. crossing near Yaupon Dr. upstream to the Spicewood Springs Dr. crossing near Oak Grove cemetery impaired macrobenthic community	5c	2002

SegID: 1403J Spicewood Tributary to Shoal Creek (unclassified water body)

From the MoPac Expressway in north Austin in Travis County to a point west of Hart Lane in Travis County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1403J_01	Entire water body bacteria	5c	2002

SegID: 1403K Taylor Slough South (unclassified water body)

Form the confluence of Lake Austin in Travis County to a point west of Pecos Street in Austin in Travis County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1403K_01	Entire water body bacteria	5c	2002

SegID: 1403R Westlake-Davenport Tributary to Lake Austin (unclassified water body)

From the confluence of Lake Austin in Travis County to a point east of Loop 360 and The High Road in Travis County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1403R_01 <i>Entire water body</i> bacteria	5c	2006

SegID: 1414 Pedernales River

From a point immediately upstream of the confluence of Fall Creek in Travis County to FM 385 in Kimble County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1414_05 <i>Gellermann Lane to Live Oak Creek</i> bacteria	5c	2006

SegID: 1416A Brady Creek (unclassified water body)

From the confluence of the San Saba River southwest of San Saba in San Saba County to Brady Lake Dam west of Brady in McCulloch County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1416A_03 <i>From FM 714 upstream to Brady Lake dam</i> depressed dissolved oxygen	5c	2004

SegID: 1420 Pecan Bayou Above Lake Brownwood

From a point 100 meter (110 yards) upstream of FM 2559 in Brown County to the confluence of the North Prong Pecan Bayou and the South Prong of Pecan Bayou in Callahan County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1420_01 <i>Lower 25 miles</i> depressed dissolved oxygen	5c	1999

SegID: 1421 Concho River

From a point 2 km (1.2 miles) above the confluence of Fuzzy Creek in Concho County to San Angelo Dam on the North Concho River in Tom Green County and to Nasworthy Dam on the South Concho River in Tom Green County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1421_07	<i>From the dam near Vines Road upstream to the confluence of the North Concho River and the South Concho River</i>		
	impaired macrobenthic community	5c	2002

SegID: 1425 O. C. Fisher Lake

From San Angelo Dam in Tom Green County up to normal pool elevation of 1908 feet (impounds North Concho River)

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1425_01	<i>Entire reservoir</i>		
	chloride	5c	2002
	total dissolved solids	5c	2002

SegID: 1426 Colorado River Below E. V. Spence Reservoir

From a point 3.7 km (2.3 miles) below the confluence of Mustang Creek in Runnels County to Robert Lee Dam in Coke County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1426_01	<i>Lower end of segment to Country Club Lake</i>		
	chloride	5a	2002
	total dissolved solids	5a	1999
1426_02	<i>Country Club Lake to Coke County line</i>		
	chloride	5a	2002
	total dissolved solids	5a	1999
1426_03	<i>Coke County line to SH 208</i>		
	chloride	5a	2002
	total dissolved solids	5a	1999
1426_04	<i>SH 208 to dam</i>		
	chloride	5a	2002
	total dissolved solids	5a	1999

SegID: 1427A Slaughter Creek (unclassified water body)

Intermittent stream with perennial pools from the confluence with Onion Creek to above US 290 west of Austin

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1427A_01 <i>Entire water body</i> impaired macrobenthic community	5b	2002

SegID: 1428 Colorado River Below Town Lake

From a point 100 meters (110 yards) upstream of FM 969 near Utley in Bastrop County to Longhorn Dam in Travis County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1428_03 <i>Walnut Creek to Longhorn Dam</i> bacteria	5c	2006

SegID: 1428B Walnut Creek (unclassified water body)

From the confluence of the Colorado River in east Austin in Travis County to the upstream perennial portion of the stream in north Austin in Travis County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1428B_01 <i>From the Colorado River upstream to FM 969</i> bacteria	5c	2006
1428B_03 <i>From old Manor Road upstream to Dessau Road</i> bacteria	5c	2006

SegID: 1428C Gilleland Creek (unclassified water body)

Perennial stream and intermittent stream with perennial pools from the confluence with the Colorado River up to the spring source (Ward Spring) northwest of Pflugerville, in Travis County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1428C_01 <i>From the Colorado River upstream to Taylor Lane</i> bacteria	5a	1999

SegID: 1429B Eanes Creek (unclassified water body)

From the confluence of Town Lake in central Austin in Travis County to the upstream perennial portion of the stream in west Austin in Travis County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1429B_01 <i>Entire water body</i> bacteria	5c	1999

SegID: 1429C Waller Creek (unclassified water body)

From the confluence of Town Lake in central Austin in Travis County to the upstream portion of the stream in north Austin in Travis County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1429C_01 <i>From the confluence with Town Lake to East MLK Blvd.</i> bacteria	5c	2004
impaired macrobenthic community	5c	2002
1429C_03 <i>Upper portion of creek</i> bacteria	5c	2004

SegID: 1431 Mid Pecan Bayou

From a point immediately upstream of the confluence of Mackinally Creek in Brown County to a point immediately upstream of Willis Creek in Brown County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1431_01 <i>Entire water body</i> bacteria	5c	2006

SegID: 1501 Tres Palacios Creek Tidal

From the confluence with Tres Palacios Bay in Matagorda County to a point 1.0 km (0.6 miles) upstream of the confluence of Wilson creek in Matagorda County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1501_01 <i>Entire segment</i> bacteria	5c	2006
depressed dissolved oxygen	5b	1996

SegID: 1502 Tres Palacios Creek Above Tidal

From a point 1.0 km (0.6 miles) upstream of the confluence of Wilson Creek in Matagorda County to US 59 in Wharton County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1502_01	Middle 23 miles of segment bacteria	5c	1996

SegID: 1602 Lavaca River Above Tidal

From a point 8.6 km (5.3 miles) downstream of US 59 in Jackson County to a point 5.5 km (3.4 miles) upstream of SH 95 in Lavaca County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1602_01	Upper 29 miles of segment depressed dissolved oxygen	5b	2004

SegID: 1803A Elm Creek (unclassified water body)

From the confluence of Sandies Creek east of Smiley in Gonzales County to the upstream perennial portion of the stream southwest of Smiley in Gonzales County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1803A_01	Entire water body bacteria	5a	1999
	depressed dissolved oxygen	5a	1999

SegID: 1803B Sandies Creek (unclassified water body)

From the confluence of the Guadalupe River west of Cuero in DeWitt County to the upstream perennial portion of the stream northwest of Smiley in Gonzales County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1803B_01	From the confluence with the Guadalupe River to the confluence with Elm Ck. bacteria	5a	2002
	depressed dissolved oxygen	5a	1999
1803B_02	From the confluence with Elm Creek to upper end of water body depressed dissolved oxygen	5a	1999

SegID: 1803C Peach Creek (unclassified water body)

From the confluence of the Guadalupe River southeast of Gonzales in Gonzales County to the upstream perennial portion of the stream northeast of Waelder in Gonzales County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1803C_01 <i>Lower 25 miles of water body</i> bacteria	5a	2002
1803C_03 <i>From approx. 1.2 mi. downstream of FM 1680 in Gonzales Co. to confluence with Elm Cr. In Fayette Co.</i> bacteria	5a	2002
depressed dissolved oxygen	5c	2006

SegID: 1804A Geronimo Creek (unclassified water body)

From the confluence of the Guadalupe River south of Seguin in Guadalupe County to the upstream perennial portion north of Seguin in Guadalupe County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1804A_01 <i>Entire water body</i> bacteria	5c	2006

SegID: 1805 Canyon Lake

From Canyon Dam in Comal County to a point 2.7 km (1.7 miles) downstream of Rebecca Creek Road in Comal County, up to normal pool elevation of 909 feet (impounds Guadalupe River)

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1805_01 <i>Cove around Jacob's Creek Park</i> mercury in edible tissue	5c	2006
1805_02 <i>North end of Crane's Mill Park peninsula to south end of Canyon Park</i> mercury in edible tissue	5c	2006
1805_03 <i>Upper end of segment</i> mercury in edible tissue	5c	2006
1805_04 <i>Lower end of reservoir from dam upstream to Canyon Park</i> mercury in edible tissue	5c	2006

SegID: 1806 Guadalupe River Above Canyon Lake

From a point 2.7 km (1.7 miles) downstream of Rebecca Creek Road in Comal County to the confluence of North Fork Guadalupe River and the South Fork Guadalupe River in Kerr County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1806_04	From 1 mile upstream Flat Rock Dam to confluence with Camp Meeting Creek bacteria	5a	2002
1806_06	From RR 394 1 mile downstream bacteria	5a	2002

SegID: 1806A Camp Meeting Creek (unclassified water body)

From the confluence of Flatrock Lake in southeast Kerrville in Kerr County to the upstream perennial portion of the stream west of Kerrville in Kerr County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1806A_03	Upper 9 miles depressed dissolved oxygen	5b	1999

SegID: 1810 Plum Creek

From the confluence with the San Marcos River in Caldwell County to FM 2770 in Hays County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1810_03	From approx. 0.5 mi. upstream of SH 21 to upper end of segment bacteria	5c	2004

SegID: 1901 Lower San Antonio River

From the confluence with the Guadalupe River in Refugio/Victoria County to a point 600 meters (660 yards) downstream of FM 791 at Mays crossing near Falls City in Karnes County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1901_01	25 miles downstream of the confluence with Manahuilla Creek		
	bacteria	5c	2000
1901_02	25 miles upstream of Manahuilla Creek		
	bacteria	5c	2000
1901_03	From 25 miles upstream of Manahuilla Cr to 9 mi downstream of Escondido Cr		
	bacteria	5c	2000
1901_04	9 miles downstream of Escondido Creek		
	bacteria	5c	2000
1901_05	From upstream end of segment to Escondido Creek		
	bacteria	5c	2000

SegID: 1902 Lower Cibolo Creek

From the confluence with the San Antonio River in Karnes County to a point 100 meters (110 yards) downstream of IH 10 in Bexar/Guadalupe County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1902_01	Lower 5 miles of segment		
	bacteria	5c	2004
1902_02	From 5 miles upstream of confluence with the San Antonio River to FM 541		
	bacteria	5c	2004
	impaired fish community	5c	2006
1902_03	From FM 541 to confluence with Clifton Branch		
	bacteria	5c	2004

SegID: 1906 Lower Leon Creek

From the confluence with the Medina River in Bexar County to a point 100 meters (110 yards) upstream of SH 16 northwest of San Antonio in Bexar County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1906_02	<i>From 3 miles upstream lower end of segment to confluence with Indian Creek</i>		
	depressed dissolved oxygen	5c	1999
1906_04	<i>From Hwy 353 to two miles upstream</i>		
	bacteria	5a	1996
	depressed dissolved oxygen	5c	1999
1906_05	<i>From 2 miles upstream of Hwy 353 to Hwy 90</i>		
	PCBs in edible tissue	5a	2004
	depressed dissolved oxygen	5c	1999
1906_06	<i>Remainder of segment</i>		
	bacteria	5a	1996

SegID: 1908 Upper Cibolo Creek

From the Missouri-Pacific Railroad Bridge west of Bracken in Comal County to a point 1.5 km (0.9 miles) upstream of the confluence of Champee Springs in Kendall County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1908_01	<i>From confl. with Balcones Ck. to approx. 2 mi. upstream of Hwy 87 in Boerne</i>		
	bacteria	5c	2006
1908_02	<i>From approx. 2 mi. upstream of Hwy 87 in Boerne to upper end of segment</i>		
	bacteria	5c	2006

SegID: 1910 Salado Creek

From the confluence with the San Antonio River in Bexar County to Rocking Horse Lane west of Camp Bullis in Bexar County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1910_01	<i>From confluence with San Antonio River to confluence with Rosillo Creek</i>		
	bacteria	5a	1996
1910_02	<i>From confluence with Rosillo Creek to Roland Road</i>		
	bacteria	5a	1996
1910_03	<i>From Roland Road to Rice Road</i>		
	impaired macrobenthic community	5b	2006
	impaired fish community	5b	2004
	impaired fish community	5b	2004
	bacteria	5a	1996
1910_04	<i>From Rice Road to IH 10</i>		
	bacteria	5a	1996
1910_05	<i>From IH 10 to approx 1.5 miles upstream of IH 35</i>		
	impaired fish community	5b	2004
	impaired fish community	5b	2004
1910_06	<i>From approx. 1.5 miles upstream of IH 35 to Hwy 368</i>		
	bacteria	5a	1996
1910_07	<i>From Hwy 368 to approx 1.5 miles upstream of Loop 410</i>		
	impaired fish community	5b	2004
	impaired fish community	5b	2004
	impaired habitat	5b	2006
	impaired macrobenthic community	5b	2006

SegID: 1910A Walzem Creek (unclassified water body)

From the confluence with Salado Creek to approximately 1.5 miles upstream of Walzem Road in San Antonio

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1910A_01	<i>Lower 0.25 miles</i>		
	bacteria	5a	2002

SegID: 1911 Upper San Antonio River

From a point 600 meters (660 yards) downstream of FM 791 at Mays Crossing near Falls City in Karnes County to a point 100 meters (110 yards) upstream of Hildebrand Avenue at San Antonio in Bexar County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1911_02	<i>From 6 miles upstream of lower end of segment to confluence with Picoso Cr</i> bacteria	5a	1996
1911_03	<i>From confluence with Picoso Creek to approx. 2.5 miles upstream of FM 536</i> bacteria	5a	1996
1911_04	<i>From approx. 2.5 miles upstream of FM 528 to Bexar CR 125</i> bacteria	5a	1996
1911_05	<i>From Bexar CR 125 to approx. 2 miles downstream confluence with Medina R.</i> bacteria	5a	1996
1911_08	<i>From 3 miles upstream of confluence w/ Medina R. to confluence w/ Salado Cr</i> bacteria	5a	1996
1911_09	<i>From confluence with Salado Creek to confluence with Sixmile Creek</i> bacteria impaired fish community	5a 5c	1996 2006
1911_10	<i>From confluence with Sixmile Creek to confluence with San Pedro Creek</i> bacteria	5a	1996
1911_11	<i>Upper 8 miles of segment</i> bacteria	5a	1996

SegID: 1913 Mid Cibolo Creek

From a point 100 meters (110 yards) downstream of IH 10 in Bexar/Guadalupe County to the Missouri-Pacific Railroad bridge west of Bracken in Comal County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1913_02	<i>From Bexar CR 320 to approx. 0.50 miles upstream of Buffalo Lane in Cibolo</i> depressed dissolved oxygen	5c	1999
1913_03	<i>From approx. 0.50 mi. upstream of Buffalo Lane in Cibolo to upper end of segment</i> bacteria	5c	2006

SegID: 2001 Mission River Tidal

From the confluence with Mission Bay in Refugio County to a point 7.4 kilometers (4.6 miles) downstream of US 77 in Refugio County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2001_01	Entire segment bacteria	5c	2004

SegID: 2003 Aransas River Tidal

From the confluence with Copano Bay in Aransas/Refugio County to a point 1.6 kilometers (1.0 mile) upstream of US 77 in Refugio/San Patricio County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2003_01	Entire segment bacteria	5c	2004

SegID: 2004A West Aransas Creek (unclassified water body)

From confluence with the Aransas River to the headwaters of the stream about 10 km upstream of US Highway 59.

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2004A_01	Entire 20 miles of segment bacteria	5c	2006

SegID: 2104 Nueces River Above Frio River

From the confluence of the Frio River in Live Oak County to Holland Dam in LaSalle County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2104_03	Upper 46 miles of segment depressed dissolved oxygen	5a	1999

SegID: 2106 Nueces/Lower Frio River

From a point 100 meters (110 yards) upstream of US 59 in Live Oak County to Choke Canyon Dam in Live Oak County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2106_01	Lower 17 miles of segment total dissolved solids	5c	2006
2106_02	Upper 10 miles of segment total dissolved solids	5c	2006

SegID: 2107 Atascosa River

From the confluence with the Frio River in Live Oak County to the confluence of the West Prong Atascosa River and the North Prong Atascosa River in Atascosa County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2107_01	Lower 25 miles of segment bacteria	5a	1996
2107_02	25 miles surrounding FM 541 bacteria	5a	1996
	depressed dissolved oxygen	5b	1996
	impaired fish community	5b	2006
2107_03	25 miles surrounding State Highway 97 impaired fish community	5b	2006
	impaired habitat	5b	2006

SegID: 2108 San Miguel Creek

From a point immediately upstream of the confluence of Mustang Branch in McMullen County to the confluence of San Francisco Perez Creek and Chacon Creek in Frio County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2108_01	Lower 25 miles of segment bacteria	5c	2006

SegID: 2109 Leona River

From the confluence with the Frio River in Frio County to US 83 in Uvalde County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2109_02	25 miles surrounding US Highway 57 bacteria	5c	2006

SegID: 2113 Upper Frio River

From a point 100 meters (110 yards) upstream of US 90 in Uvalde County to the confluence of the West Frio River and the East Frio River in Real County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2113_01	Lower 25 miles of segment impaired fish community impaired habitat impaired macrobenthic community	5c 5c 5c	2006 2006 2006
2113_02	Upper 22 miles of segment impaired fish community impaired habitat	5c 5c	2006 2006

SegID: 2116 Choke Canyon Reservoir

From Choke Canyon Dam in Live Oak County to a point 4.2 km (2.6 miles) downstream of SH 16 on the Frio River Arm in McMullen County and to a point 100 meters (110 yards) upstream of the confluence of Mustang Branch on the San Miguel Creek Arm in McMullen County, up to the normal pool elevation of 220.5 feet (impounds Frio River)

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2116_01	5120 acres near dam bacteria	5c	1996
2116_02	Small north arm of lake near dam and Willow Hollow Tank bacteria	5c	1996
2116_04	Large north arm near mid lake and Jacob Oil Field bacteria	5c	1996
2116_05	Southern arm near mid lake and Rec. Road 7 west of Calliham bacteria	5c	1996
2116_06	Western end of lake up to RR 99 bridge bacteria depressed dissolved oxygen	5c 5c	1996 2006
2116_07	Remainder of lake bacteria	5c	1996

SegID: 2117 Frio River Above Choke Canyon Reservoir

From a point 4.2 km (2.6 miles) downstream of SH 16 in McMullen County to a point 100 meters (110 yards) upstream of US 90 in Uvalde County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2117_01	<i>Lower 25 miles of segment</i> depressed dissolved oxygen	5c	1999
2117_02	<i>From 1.5 mi. downstream of SH 97 to 23.5 mi. upstream of SH 97 crossing</i> depressed dissolved oxygen	5c	1999
2117_03	<i>33 mi. surrounding State Highway 85</i> depressed dissolved oxygen	5c	1999
2117_04	<i>40 miles surrounding US Highway 57</i> depressed dissolved oxygen	5c	1999

SegID: 2201 Arroyo Colorado Tidal

From confluence with Laguna Madre in Cameron/Willacy County to a point 100 meters (110 yards) downstream of Cemetery Road south of Port Harlingen in Cameron County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2201_03	<i>Approx. 3 miles upstream to 2 miles downstream of Marker 27</i> bacteria	5c	2006
2201_04	<i>Approx. 1 mile upstream to 3 miles downstream of Camp Perry</i> depressed dissolved oxygen bacteria	5a 5c	1996 2006
2201_05	<i>Upper 4 miles of segment</i> depressed dissolved oxygen bacteria	5a 5c	1996 2006

SegID: 2202 Arroyo Colorado Above Tidal

From a point 100 meters (110 yards) downstream of Cemetery Road south of Port Harlingen in Cameron County to FM 2062 in Hidalgo County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2202_01	<i>Lower 4 miles of segment</i> bacteria	5c	1996
2202_02	<i>Approx. 11 miles upstream to approx. 4 miles downstream of US 77</i> bacteria	5c	1996
2202_03	<i>Approx 14 miles upstream to approx. 11 miles downstream of FM 1015</i> bacteria	5c	1996
2202_04	<i>Upper 19 miles of segment</i> bacteria	5c	1996

SegID: 2204 Petronila Creek Above Tidal

From a point 1 km (0.6 miles) upstream of private road crossing near Laureles Ranch in Kleberg County to the confluence of Agua Dulce and Banquete Creeks in Nueces County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2204_01	<i>Lower 25 miles of segment</i> chloride	5a	1999
	sulfate	5a	1999
	total dissolved solids	5a	1999
2204_02	<i>Upper 19 miles of segment</i> total dissolved solids	5a	1999
	chloride	5a	1999
	sulfate	5a	1999

SegID: 2302 Rio Grande Below Falcon Reservoir

From a point 10.8 km (6.7 miles) downstream of the International Bridge in Cameron County to Falcon Dam in Starr County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2302_07	<i>Rancho Viejo Floodway area to El Jardin Pump Station</i> bacteria	5c	1996

SegID: 2302A Arroyo Los Olmos (unclassified water body)

From confluence with the Rio Grande at Rio Grande City to El Sauz in Starr County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
2302A_01 <i>Entire water body</i> bacteria	5c	2004

SegID: 2304 Rio Grande Below Amistad Reservoir

From the confluence of the Arroyo Salado (Mexico) in Zapata County to Amistad Dam in Val Verde County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
2304_02 <i>San Felipe Creek confluence to the Las Moras Creek confluence</i> bacteria	5c	1996
2304_03 <i>Las Moras Creek confluence to Hwy 277 (Eagle Pass)</i> bacteria	5c	1996
2304_08 <i>Laredo water treatment plant intake to International Bridge #2</i> bacteria	5c	1996
2304_09 <i>International Bridge # 2 to just below Chacon Creek confluence</i> bacteria	5c	1996
2304_10 <i>Masterson Road wastewater treatment plant to the Arroyo Salado confluence</i> bacteria	5c	1996

SegID: 2306 Rio Grande Above Amistad Reservoir

From a point 1.8 km (1.1 miles) downstream of the confluence of Ramsey Canyon in Val Verde County to the confluence of the Rio Conchos (Mexico) in Presidio County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
2306_01 <i>Confluence with Rio Conchos to Alamito Creek</i> bacteria	5c	1999

SegID: 2307 Rio Grande Below Riverside Diversion Dam
 From the confluence of the Rio Conchos (Mexico) in Presidio County to Riverside Diversion Dam in El Paso County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
2307_01 <i>Downstream of Riverside Dam to Guadalupe Bridge</i>		
bacteria	5c	1996
chloride	5c	1996
total dissolved solids	5c	1996
2307_02 <i>Guadalupe Bridge to the Alamo Grade Structure</i>		
total dissolved solids	5c	1996
bacteria	5c	1996
chloride	5c	1996
2307_03 <i>Alamo Grade Structure to Little Box Canyon</i>		
total dissolved solids	5c	1996
chloride	5c	1996
2307_04 <i>Little Box Canyon to 25 miles upstream of Rio Conchos confluence</i>		
chloride	5c	1996
total dissolved solids	5c	1996
2307_05 <i>25 miles upstream of the Rio Conchos confluence (lower segment boundary)</i>		
chloride	5c	1996
total dissolved solids	5c	1996

SegID: 2311 Upper Pecos River
 From a point immediately upstream of the confluence of Independence Creek in Crockett/Terrell County to Red Bluff Dam in Loving/Reeves County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
2311_05 <i>US 80 (Bus 20) to FM 1776</i>		
depressed dissolved oxygen	5c	2006
2311_06 <i>FM 1776 to US 67</i>		
depressed dissolved oxygen	5c	2006

SegID: 2314 Rio Grande Above International Dam
 From International Dam in El Paso County to the New Mexico State Line in El Paso County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
2314_02 <i>Upstream of Anthony Drain to International Dam</i>		
bacteria	5c	1996

SegID: 2421 Upper Galveston Bay

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2421_01	<i>Red Bluff to Five Mile Cut to Houston Point to Morgans Point</i>		
	bacteria (oyster waters)	5a	1996
	dioxin in edible tissue	5a	1996
	PCBs in edible tissue	5a	2004
2421_02	<i>Western portion of the bay</i>		
	bacteria (oyster waters)	5a	1996

SegID: 2422 Trinity Bay

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2422_01	<i>Upper half of bay</i>		
	bacteria (oyster waters)	5a	1998

SegID: 2422B Double Bayou West Fork (unclassified water body)

From the confluence with Trinity Bay to Belton Road in Chambers County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2422B_01	<i>Entire water body</i>		
	bacteria	5c	2006
	depressed dissolved oxygen	5c	2004

SegID: 2423 East Bay

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2423_01	<i>Area adjacent to the ICWW (Segment 0702)</i>		
	bacteria (oyster waters)	5a	1998

SegID: 2424 West Bay

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
2424_02 <i>Area adjacent to Lower Galveston Island</i> bacteria (oyster waters)	5a	1996

SegID: 2424A Highland Bayou (unclassified water body)

From confluence with Jones Bay to Avenue Q 0.5 miles (0.8 km) north of SH 6 between Arcadia and Alta Loma in Galveston County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
2424A_01 <i>From the headwaters to FM 2004</i> bacteria	5c	2002
	depressed dissolved oxygen	5c
2424A_02 <i>From FM 2001 to FM 519</i> bacteria	5c	2002
2424A_04 <i>From Fairwood Road to Bayou Lane</i> bacteria	5c	2002

SegID: 2424C Marchand Bayou (unclassified water body)

From confluence with Highland Bayou to 0.45 mile north of IH 45 in Galveston County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
2424C_01 <i>Entire water body</i> bacteria	5c	2002
	depressed dissolved oxygen	5c

SegID: 2425B Jarbo Bayou (unclassified water body)

From confluence with Clear Lake to 0.6 mile upstream of FM 518 in Galveston County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
2425B_01 <i>From headwaters to Lawrence Road</i> bacteria	5c	2002

SegID: 2426 Tabbs Bay

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2426_01	<i>Entire segment</i>		
	dioxin in edible tissue	5a	1996
	PCBs in edible tissue	5a	2004

SegID: 2427 San Jacinto Bay

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2427_01	<i>Entire segment</i>		
	dioxin in edible tissue	5a	1996
	PCBs in edible tissue	5a	2004

SegID: 2428 Black Duck Bay

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2428_01	<i>Entire segment</i>		
	dioxin in edible tissue	5a	1998
	PCBs in edible tissue	5a	2004

SegID: 2429 Scott Bay

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2429_01	<i>Entire segment</i>		
	dioxin in edible tissue	5a	1998
	PCBs in edible tissue	5a	2004

SegID: 2430 Burnett Bay

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2430_01	Entire segment		
	dioxin in edible tissue	5a	1998
	PCBs in edible tissue	5a	2004

SegID: 2432 Chocolate Bay

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2432_01	Entire segment		
	bacteria (oyster waters)	5a	1996

SegID: 2433 Bastrop Bay/Oyster Lake

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2433_02	Oyster Lake		
	bacteria (oyster waters)	5a	2006

SegID: 2434 Christmas Bay

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2434_01	Area adjacent to West Bay		
	bacteria (oyster waters)	5a	2006

SegID: 2436 Barbours Cut

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2436_01	<i>Entire segment</i>		
	dioxin in edible tissue	5a	1998
	PCBs in edible tissue	5a	2004

SegID: 2438 Bayport Channel

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2438_01	<i>Entire segment</i>		
	PCBs in edible tissue	5a	2004
	dioxin in edible tissue	5a	2000

SegID: 2439 Lower Galveston Bay

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2439_01	<i>Area adjacent to the Texas City Ship Channel and Moses Lake</i>		
	bacteria (oyster waters)	5a	1996

SegID: 2441 East Matagorda Bay

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2441_01	<i>Caney Creek am and western shoreline area</i>		
	bacteria (oyster waters)	5c	1998

SegID: 2442 Cedar Lakes

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2442_01	Entire segment bacteria (oyster waters)	5a	1998

SegID: 2451 Matagorda Bay/Powderhorn Lake

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2451_01	Northern end of Matagorda Bay bacteria (oyster waters)	5c	1996

SegID: 2452 Tres Palacios Bay/Turtle Bay

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2452_02	Turtle Bay bacteria (oyster waters)	5a	1998
2452_03	Tres Palacios Creek Arm bacteria (oyster waters)	5a	1998

SegID: 2453 Lavaca Bay/Chocolate Bay

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2453_02	North-northeastern portion of the bay near Point Comfort bacteria (oyster waters)	5a	1996
2453_03	Chocolate Bay area bacteria (oyster waters)	5a	1996

SegID: 2453A Garcitas Creek Tidal (unclassified water body)

From the confluence of Lavaca Bay in Jackson County to a point 8.5 miles upstream of FM 616 in Jackson County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
2453A_01 <i>Entire water body</i> depressed dissolved oxygen	5b	1999

SegID: 2453D Lavaca Bay Ship Channel Area (unclassified water body)

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
2453D_01 <i>Entire water body</i> depressed dissolved oxygen	5c	2006

SegID: 2454 Cox Bay

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
2454_01 <i>North end of bay near Cox Creek</i> bacteria (oyster waters)	5c	2006

SegID: 2455 Keller Bay

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
2455_01 <i>Upper arm</i> bacteria (oyster waters)	5a	2006

SegID: 2456 Carancahua Bay

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2456_02	<i>Upper half of bay</i>		
	bacteria	5c	2006
	bacteria (oyster waters)	5a	1996

SegID: 2456A West Carancahua Creek Tidal (unclassified water body)

From the confluence with Carancahua Bay in Jackson County to Jackson CR 440, 6.3 miles upstream of FM 616 in Jackson County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2456A_01	<i>Entire water body</i>		
	depressed dissolved oxygen	5c	2006

SegID: 2462 San Antonio Bay/Hynes Bay/Guadalupe Bay

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2462_02	<i>Guadalupe Bay</i>		
	bacteria (oyster waters)	5a	1996

SegID: 2472 Copano Bay/Port Bay/Mission Bay

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2472_01	<i>Mission Bay, Aransas River arm, Port Bay, and eastern shoreline</i>		
	bacteria (oyster waters)	5a	1998

SegID: 2483 Redfish Bay

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2483_01	Entire segment bacteria (oyster waters)	5a	2006

SegID: 2485 Oso Bay

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2485_01	Upper bay (Holly Road to County Hwy 24) bacteria (oyster waters)	5a	2006
	depressed dissolved oxygen	5b	1996
2485_02	Middle bay (State Park Road 22 to Holly Road) bacteria (oyster waters)	5a	2006
	depressed dissolved oxygen	5b	1996
	bacteria	5c	2004
2485_03	Lower portion of bay (Ocean Drive to State Park Road 22) bacteria (oyster waters)	5a	2006
	depressed dissolved oxygen	5b	1996

SegID: 2485A Oso Creek (unclassified water body)

From the confluence with Oso Bay in southern Corpus Christi to a point 3 miles upstream of SH 44, west of Corpus Christi in Nueces County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2485A_01	Entire water body bacteria	5a	2002

SegID: 2491 Laguna Madre

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2491_01	<i>Upper portion of bay north of the Arroyo Colorado confluence</i>		
	depressed dissolved oxygen	5b	1999
2491_02	<i>Area adjacent to the Arroyo Colorado confluence</i>		
	bacteria (oyster waters)	5a	2006
	depressed dissolved oxygen	5b	1999

SegID: 2492A San Fernando Creek (unclassified water body)

From the confluence with Cayo Del Grullo in Kleberg County to the Lake Alice Dam in Jim Wells County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2492A_01	<i>Entire water body</i>		
	bacteria	5c	2006

SegID: 2501 Gulf of Mexico

From the Gulf shoreline to the limit of Texas jurisdiction between Sabine Pass and the Rio Grande

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
2501_01 <i>Sabine Pass to Sea Rim Park area</i>		
bacteria	5c	2006
mercury in edible tissue	5c	1998
2501_02 <i>Jefferson-Chambers County line area</i>		
bacteria	5c	2006
mercury in edible tissue	5c	1998
2501_03 <i>Bolivar Point to San Luis Pass area</i>		
mercury in edible tissue	5c	1998
2501_04 <i>Freeport Area</i>		
mercury in edible tissue	5c	1998
2501_05 <i>Area between Freeport and Port Aransas</i>		
mercury in edible tissue	5c	1998
2501_06 <i>Port Aransas Area</i>		
mercury in edible tissue	5c	1998
2501_07 <i>Area between Port Aransas and Port Mansfield</i>		
mercury in edible tissue	5c	1998
2501_08 <i>Port Mansfield area</i>		
mercury in edible tissue	5c	1998
2501_09 <i>Area between Port Mansfield and Port Isabel</i>		
mercury in edible tissue	5c	1998
2501_10 <i>Port Isabel area</i>		
mercury in edible tissue	5c	1998