

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

Report Abbreviations	Description:		
SEGID:	Unique Segment identification alpha-numeric code; can be stream, reservoir, estuary, oyster waters, beach watch, etc.		
AUID:	Unique Assessment Unit code; this is a portion of the segment the AUID begins with and ends with _01, _02, etc. Some AUIDs are special units ending in "SA," or oyster water AUIDs are indicated by "OW" and beach watch AUIDs are indicated by abbreviations for name of beach in AUID.		
ASMT Start Date:	The start date of the period of record data for this method was selected; the official 2012 period of record is from 12/1/2003 to 11/30/2010. Assessors have the option of going back 10 years (12/1/2000) to select more data, according to assessment guidance.		
ASMT End Date	The end date of the period of record data for this method was selected; the official 2012 period of record dates are 12/1/2003 to 11/30/2010. Assessors have the option of including more recently collected data than 12/01/2010, if available.		
# Assd:	Number of samples assessed; some data are averaged, as with profile data, some are eliminated because criteria do not apply during certain conditions such as low flow.		
Mean Assd:	Mean of samples assessed; includes averaged methods like chronic criteria as well as geometric mean calculations for bacteria.		
# Exceed:	The number of samples that exceed criteria for single sample, or binomial, methods (not averaged data).		
Mean Exceed:	This is the mean of the samples that exceeded criteria for the single sample, or binomial, methods (not averaged data).		
Criteria:	Value that the data is compared against to determine level of support; Note: for acute metals in water, each value is compared to a calculated criteria and not all criteria could be reported here, only the minimum in the range of criteria calculated are included.		
DS Qual:	<p><i>Dataset Qualifier - indicates sample sizes:</i></p> <table style="width: 100%; border: none;"> <tr> <td style="width: 50%; vertical-align: top;"> <p>AD = Adequate Data (10 or more samples) LD = Limited Data (less than 9, greater than 3) ID = Inadequate Data (less than 4) JQ = Level of support is based on judgment of the assessor</p> </td> <td style="width: 50%; vertical-align: top;"> <p>SM = This assessment method is superseded by another method TR = Temporally Not Representative, used with NA SR = Spatially Not Representative, used with NA OE = Other information than ambient samples evaluated, generally information is provided by outside entity</p> </td> </tr> </table>	<p>AD = Adequate Data (10 or more samples) LD = Limited Data (less than 9, greater than 3) ID = Inadequate Data (less than 4) JQ = Level of support is based on judgment of the assessor</p>	<p>SM = This assessment method is superseded by another method TR = Temporally Not Representative, used with NA SR = Spatially Not Representative, used with NA OE = Other information than ambient samples evaluated, generally information is provided by outside entity</p>
<p>AD = Adequate Data (10 or more samples) LD = Limited Data (less than 9, greater than 3) ID = Inadequate Data (less than 4) JQ = Level of support is based on judgment of the assessor</p>	<p>SM = This assessment method is superseded by another method TR = Temporally Not Representative, used with NA SR = Spatially Not Representative, used with NA OE = Other information than ambient samples evaluated, generally information is provided by outside entity</p>		
LOS:	<p><i>Level of support for this use, method, assessment parameter:</i></p> <table style="width: 100%; border: none;"> <tr> <td style="width: 50%; vertical-align: top;"> <p>FS = Fully Supporting NC = No Concern NA = Not Assessed</p> </td> <td style="width: 50%; vertical-align: top;"> <p>NS = Nonsupport CS = Screening Level Concern CN = Use Concern</p> </td> </tr> </table>	<p>FS = Fully Supporting NC = No Concern NA = Not Assessed</p>	<p>NS = Nonsupport CS = Screening Level Concern CN = Use Concern</p>
<p>FS = Fully Supporting NC = No Concern NA = Not Assessed</p>	<p>NS = Nonsupport CS = Screening Level Concern CN = Use Concern</p>		
CF:	Carry forward indicator check box: indicates that the Integrated level of support of CS, CN, or NS was carried forward from a previous assessment due to inadequate data for this method in this assessment.		
Int LOS:	Integrated level of support. This is the overall level of support for this use, method, parameter group, which could be different from the LOS (described above) due to carry forward information or other types of changes. New Code added in 2010: PI = Pending Issue		
TCEQ Cause	This is the impairment description (e.g., bacteria, depressed dissolved oxygen, etc.)		
Cat:	<p><i>This is the assessment category assigned to this impairment. Subcategories as follows:</i></p> <p>Category 4: Standard is not supported or is threatened for one or more designated uses but does not require the development of a TMDL.</p> <p style="margin-left: 20px;"> 4a - TMDL has been completed and approved by EPA. Category. 4b - Other pollution control requirements are reasonably expected to result in the attainment of the water quality standard in the near future. 4c - Nonsupport of the water quality standard is not caused by a pollutant. </p> <p>Category 5: The water body does not meet applicable water quality standards or is threatened for one or more designated uses by one or more pollutants.</p> <p style="margin-left: 20px;"> 5a - A TMDL is underway, scheduled, or will be scheduled. 5b - A review of the water quality standards for this water body will be conducted before a TMDL is scheduled. 5c - Additional data and information will be collected before a TMDL is scheduled. </p>		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1001 San Jacinto River Tidal

AUID 1001_01 From Lake Houston Dam to US Hwy 90

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	172		0		4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	172		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	164	24.87	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	174		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	174		3	9.3	9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	174		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	46		1	1.84	1.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	50		0		0.46	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	168		0		0.46	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	158		0		0.66	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input type="checkbox"/>	NS	PCBs in edible tissue	5a
HH Bioaccumulative Toxics in water	Chromium	12/1/2003	11/30/2010	24	1.88	0		502.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2003	11/30/2010	23	0.49	0		3.83	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1001_02 From US Hwy 90 to IH 10

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	365		1	3.6	4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	365		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2003	11/30/2010	23		0		149.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2003	11/30/2010	23		0		45.40	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2003	11/30/2010	12		0		24.30	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2003	11/30/2010	23		0		133.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2003	11/30/2010	24		0		118.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/1/2003	11/30/2010	26		0		564.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2003	11/30/2010	24		0		92.70	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2003	11/30/2010	24	2.43	0		13.10	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2003	11/30/2010	23	0.49	0		5.30	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2003	11/30/2010	24	2.14	0		84.20	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2003	11/30/2010	12	3.07	0		6.48	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2003	11/30/2010	23	13.62	0		78.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2003	11/30/2010	23	1.04	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/1/2003	11/30/2010	26	0.37	0		136.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	352	21.93	0		35.00	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1001_02 From US Hwy 90 to IH 10

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	367		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	366		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	366		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	117		2	4.04	1.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	125		0		0.46	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	360		1	0.68	0.46	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	341		4	1.42	0.66	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	24		2	23.95	21.00	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a
HH Bioaccumulative Toxics in water	Chromium	12/1/2003	11/30/2010	24	1.88	0		502.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2003	11/30/2010	23	0.49	0		3.83	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1002 Lake Houston

AUID 1002_01 From the Red Gully confluence to FM 1960 East Pass

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	177		11	4.33	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	177		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2003	11/30/2010	3		0		60.36	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Aluminum	12/1/2003	11/30/2010	3		0		991.00	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Arsenic	12/1/2003	11/30/2010	3		0		360.00	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Cadmium	12/1/2003	11/30/2010	3		0		13.99	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Chromium	12/1/2003	11/30/2010	3		0		295.67	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Copper	12/1/2003	11/30/2010	3		0		9.05	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Lead	12/1/2003	11/30/2010	3		0		27.76	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Nickel	12/1/2003	11/30/2010	3		0		747.27	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Zinc	12/1/2003	11/30/2010	3	2.13	0		54.13	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Nickel	12/1/2003	11/30/2010	3	1.43	0		81.49	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Lead	12/1/2003	11/30/2010	3	0.14	0		0.94	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Chromium	12/1/2003	11/30/2010	3	0.40	0		94.24	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Arsenic	12/1/2003	11/30/2010	3	1.00	0		190.00	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Cadmium	12/1/2003	11/30/2010	3	0.02	0		0.56	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Copper	12/1/2003	11/30/2010	3	1.57	0		6.33	ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	147	58.43	0		126.00	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1002_01 From the Red Gully confluence to FM 1960 East Pass

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	212		4	33.1	32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	180		4	9.28	9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	180		11	6.23	6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2003	11/30/2010	837	9.19	0		50.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2003	11/30/2010	1104	175.45	0		400.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2003	11/30/2010	838	25.80	0		100.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	38		10	42.4	26.70	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	124		25	0.25	0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	113		1	0.12	0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	151		30	0.61	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	59		25	0.12	0.05	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Cadmium	12/1/2003	11/30/2010	35	0.11	0		5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2003	11/30/2010	35	1.47	0		62.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2003	11/30/2010	33	0.27	0		1.15	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Antimony	12/1/2003	11/30/2010	9	0.15	0		6.00	LD	NC	<input type="checkbox"/>	NC		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Lead	12/1/2003	11/30/2010	33	0.27	0		1.15	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Antimony	12/1/2003	11/30/2010	9	0.15	0		6.00	LD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1002_01 From the Red Gully confluence to FM 1960 East Pass

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2003	11/30/2010	859	0.66			10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2003	11/30/2010	35	0.11	0		5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Barium	12/1/2003	11/30/2010	9	66.33	0		2,000.00	LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for PWS average	Arsenic	12/1/2003	11/30/2010	34	2.00	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Selenium	12/1/2003	11/30/2010	27	0.36			50.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Fluoride	12/1/2003	11/30/2010	817	0.16			4.00	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1002_02 From West Lake Houston Parkway to FM 1960 West Pass

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	219		7	3.79	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	219		2	2.75	3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2003	11/30/2010	3		0		37.08	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Nickel	12/1/2003	11/30/2010	3		0		905.78	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Copper	12/1/2003	11/30/2010	3		0		11.21	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Cadmium	12/1/2003	11/30/2010	3		0		18.08	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Arsenic	12/1/2003	11/30/2010	3		0		360.00	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Aluminum	12/1/2003	11/30/2010	3		0		991.00	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Zinc	12/1/2003	11/30/2010	3		0		73.19	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Chromium	12/1/2003	11/30/2010	3		0		356.20	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Chromium	12/1/2003	11/30/2010	3	0.40	0		94.24	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Zinc	12/1/2003	11/30/2010	3	3.10	0		54.13	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Nickel	12/1/2003	11/30/2010	3	1.98	0		81.49	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Copper	12/1/2003	11/30/2010	3	2.30	0		6.33	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Cadmium	12/1/2003	11/30/2010	3	0.09	0		0.56	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Arsenic	12/1/2003	11/30/2010	3	1.67	0		190.00	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Lead	12/1/2003	11/30/2010	3	0.17	0		0.94	ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	184	71.38	0		126.00	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1002_02 From West Lake Houston Parkway to FM 1960 West Pass

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	259		4	32.9	32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	227		12	9.33	9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	227		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2003	11/30/2010	837	9.19	0		50.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2003	11/30/2010	838	25.80	0		100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2003	11/30/2010	1104	175.45	0		400.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	188		95	0.87	0.37	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	93		74	0.22	0.05	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	112		9	0.18	0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	127		63	0.33	0.20	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	53		18	43.44	26.70	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Cadmium	12/1/2003	11/30/2010	35	0.11	0		5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2003	11/30/2010	34	1.47	0		62.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2003	11/30/2010	33	0.27			1.15	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Antimony	12/1/2003	11/30/2010	9	0.15	0		6.00	LD	NC	<input type="checkbox"/>	NC		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Barium	12/1/2003	11/30/2010	9	66.33	0		2,000.00	LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for PWS average	Antimony	12/1/2003	11/30/2010	9	0.15	0		6.00	LD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1002_02 From West Lake Houston Parkway to FM 1960 West Pass

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Selenium	12/1/2003	11/30/2010	27	0.36			50.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2003	11/30/2010	859	0.66			10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2003	11/30/2010	33	0.27	0		1.15	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2003	11/30/2010	35	0.11	0		5.00	LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for PWS average	Arsenic	12/1/2003	11/30/2010	34	2.00	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Fluoride	12/1/2003	11/30/2010	817	0.16			4.00	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1002_03 From the downstream side of FM 1960 (includes East and West Passes) to the Missouri Pacific Railroad Tracks

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	94		5	4.12	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	94		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	46	63.12	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	99		2	32.7	32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	87		6	9.25	9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	87		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2003	11/30/2010	1104	175.45	0		400.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2003	11/30/2010	838	25.80	0		100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2003	11/30/2010	837	9.19	0		50.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	48		8	0.54	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	42		18	0.12	0.05	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	3		0		0.11	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	15		9	0.25	0.20	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	24		6	37.5	26.70	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Cadmium	12/1/2003	11/30/2010	35	0.11			5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2003	11/30/2010	34	1.47			62.00	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID

1002_03

From the downstream side of FM 1960 (includes East and West Passes) to the Missouri Pacific Railroad Tracks

USE

Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead	12/1/2003	11/30/2010	33	0.27			1.15	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Antimony	12/1/2003	11/30/2010	9	0.15			6.00	LD	NC	<input type="checkbox"/>	NC		

USE

Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Barium	12/1/2003	11/30/2010	9	66.33			2,000.00	LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for PWS average	Antimony	12/1/2003	11/30/2010	9	0.15			6.00	LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for PWS average	Selenium	12/1/2003	11/30/2010	27	0.36			50.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2003	11/30/2010	859	0.66			10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2003	11/30/2010	33	0.27			1.15	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2003	11/30/2010	35	0.11			5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Arsenic	12/1/2003	11/30/2010	34	2.00			10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Fluoride	12/1/2003	11/30/2010	817	0.16			4.00	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1002_04 From the Missouri Pacific Railroad Tracks to Foley Road

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	156		3	4	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	156		1	2.8	3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	46	91.88	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	177		4	33.43	32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	153		11	9.16	9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	153		1	6.2	6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2003	11/30/2010	1104	175.45	0		400.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2003	11/30/2010	837	9.19	0		50.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2003	11/30/2010	838	25.80	0		100.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	63		8	0.47	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	57		24	0.11	0.05	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	18		12	0.33	0.11	AD	CS	<input type="checkbox"/>	CS	ammonia	
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	26		7	0.26	0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	36		5	32.8	26.70	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Cadmium	12/1/2003	11/30/2010	35	0.11			5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2003	11/30/2010	34	1.47			62.00	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1002_04 From the Missouri Pacific Railroad Tracks to Foley Road

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead	12/1/2003	11/30/2010	33	0.27			1.15	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Antimony	12/1/2003	11/30/2010	9	0.15			6.00	LD	NC	<input type="checkbox"/>	NC		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Arsenic	12/1/2003	11/30/2010	34	2.00			10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Antimony	12/1/2003	11/30/2010	9	0.15			6.00	LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for PWS average	Selenium	12/1/2003	11/30/2010	27	0.36			50.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2003	11/30/2010	859	0.66			10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2003	11/30/2010	33	0.27			1.15	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Fluoride	12/1/2003	11/30/2010	817	0.16			4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Barium	12/1/2003	11/30/2010	9	66.33			2,000.00	LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for PWS average	Cadmium	12/1/2003	11/30/2010	35	0.11			5.00	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1002_05 From Foley Road to the Lake Houston Dam

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	139		8	3.87	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	139		1	1.73	3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2003	11/30/2010	25		0		8.82	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/1/2003	11/30/2010	27		0		20.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2003	11/30/2010	27		0		58.98	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2003	11/30/2010	27		0		26.81	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2003	11/30/2010	29		0		13.56	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2003	11/30/2010	28		0		360.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2003	11/30/2010	27		1	1500	991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2003	11/30/2010	28		0		730.18	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2003	11/30/2010	28		0		289.13	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2003	11/30/2010	27	4.05	0		54.13	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2003	11/30/2010	28	2.14	0		190.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2003	11/30/2010	29	0.12	0		0.56	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2003	11/30/2010	28	1.70	0		94.24	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2003	11/30/2010	25	1.97	0		6.33	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2003	11/30/2010	27	0.30	0		0.94	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2003	11/30/2010	28	2.52	0		81.49	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/1/2003	11/30/2010	27	0.45	0		5.00	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1002_05 From Foley Road to the Lake Houston Dam

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	127	90.68	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	176		4	33.03	32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	165		10	9.21	9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	165		3	6.2	6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2003	11/30/2010	1104	175.45	0		400.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2003	11/30/2010	838	25.80	0		100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2003	11/30/2010	837	9.19	0		50.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	39		15	40.37	26.70	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	132		38	0.55	0.37	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	39		33	0.1	0.05	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	131		1	0.14	0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	132		18	0.23	0.20	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Antimony	12/1/2003	11/30/2010	9	0.15			6.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Lead	12/1/2003	11/30/2010	33	0.27			1.15	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Cadmium	12/1/2003	11/30/2010	35	0.11			5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2003	11/30/2010	28	1.47			62.00	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1002_05 From Foley Road to the Lake Houston Dam

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Arsenic	12/1/2003	11/30/2010	34	2.00			10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Barium	12/1/2003	11/30/2010	9	66.33			2,000.00	LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for PWS average	Cadmium	12/1/2003	11/30/2010	35	0.11			5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Fluoride	12/1/2003	11/30/2010	817	0.16			4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2003	11/30/2010	33	0.27			1.15	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2003	11/30/2010	859	0.66			10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Selenium	12/1/2003	11/30/2010	27	0.36			50.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Antimony	12/1/2003	11/30/2010	9	0.15			6.00	LD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1002_06 From the confluence with Spring Creek to West Lake Houston Pkwy

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	214		5	4.1	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	214		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	218	254.77	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	256		2	33.5	32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	231		3	9.23	9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	231		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2003	11/30/2010	1104	175.45	0		400.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2003	11/30/2010	838	25.80	0		100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2003	11/30/2010	837	9.19	0		50.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	220		186	1.94	0.37	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	95		84	0.56	0.05	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	174		16	0.16	0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	182		157	0.57	0.20	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	29		13	52.95	26.70	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead	12/1/2003	11/30/2010	33	0.27			1.15	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2003	11/30/2010	34	1.47			62.00	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1002_06 From the confluence with Spring Creek to West Lake Houston Pkwy

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Cadmium	12/1/2003	11/30/2010	35	0.11			5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Antimony	12/1/2003	11/30/2010	9	0.15			6.00	LD	NC	<input type="checkbox"/>	NC		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Arsenic	12/1/2003	11/30/2010	34	2.00			10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Barium	12/1/2003	11/30/2010	9	66.33			2,000.00	LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for PWS average	Cadmium	12/1/2003	11/30/2010	35	0.11			5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Fluoride	12/1/2003	11/30/2010	817	0.16			4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2003	11/30/2010	33	0.27			1.15	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2003	11/30/2010	859	0.66			10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Selenium	12/1/2003	11/30/2010	27	0.36			50.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Antimony	12/1/2003	11/30/2010	9	0.15			6.00	LD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1002_07 From the East Fork San Jacinto River confluence to the Red Gully confluence

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	78		5	4.44	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	78		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	46	115.45	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	83		2	33.15	32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	71		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	71		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2003	11/30/2010	1104	175.45	0		400.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2003	11/30/2010	838	25.80	0		100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2003	11/30/2010	837	9.19	0		50.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	48		1	1.79	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	42		2	0.41	0.05	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	3		0		0.11	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	12		0		0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	24		4	34	26.70	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2003	11/30/2010	34	1.47			62.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2003	11/30/2010	33	0.27			1.15	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1002_07 From the East Fork San Jacinto River confluence to the Red Gully confluence

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Cadmium	12/1/2003	11/30/2010	35	0.11			5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Antimony	12/1/2003	11/30/2010	9	0.15			6.00	LD	NC	<input type="checkbox"/>	NC		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Arsenic	12/1/2003	11/30/2010	34	2.00			10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Barium	12/1/2003	11/30/2010	9	66.33			2,000.00	LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for PWS average	Cadmium	12/1/2003	11/30/2010	35	0.11			5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Fluoride	12/1/2003	11/30/2010	817	0.16			4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2003	11/30/2010	33	0.27			1.15	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2003	11/30/2010	859	0.66			10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Selenium	12/1/2003	11/30/2010	27	0.36			50.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Antimony	12/1/2003	11/30/2010	9	0.15			6.00	LD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1002A Tarkington Bayou (unclassified water body)

AUID 1002A_01 From the Luce Bayou confluence upstream to the Little Tarkington Bayou confluence near the City of Cleveland

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	10		1	2.4	4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	10		1	2.4	3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	11	37.33	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	11		8	1.56	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	11		2	0.95	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	11		1	14.9	1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	11		7	0.86	0.37	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1002B Luce Bayou (unclassified water body)

AUID 1002B_01 From the Lake Houston confluence upstream to the Key Gully confluence

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	89		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	89		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	98	72.42	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	100		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	54		2	0.61	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	63		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	64		0		0.69	AD	NC	<input type="checkbox"/>	NC		

SEGID 1002C Lake Isabell (unclassified water body)

AUID 1002C_01 Small lake located at the southern end of Lake Houston Park northeast of the Caney Creek (1010) and East Fork of the San Jacinto River (1003) confluence in Harris County.

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	mercury in edible tissue	5c

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID **1003** **East Fork San Jacinto River**

AUID **1003_01** From the Caney Creek confluence upstream to US 59

USE **Aquatic Life Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	110		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	110		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE **Recreation Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	84	193.45	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5a

USE **General Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	126		0		32.80	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	116		1	8.7	8.50	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	116		2	5.55	6.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2003	11/30/2010	153	128.06	0		400.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2003	11/30/2010	126	23.86	0		80.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2003	11/30/2010	126	4.93	0		50.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	2		0		14.10	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	86		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	41		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	65		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	69		0		0.69	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1003_01 From the Caney Creek confluence upstream to US 59

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/1/2003	11/30/2010	108	0.14			4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2003	11/30/2010	124	0.18			10.00	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1003_02 From US Hwy 59 to a point immediately downstream of State Hwy 150

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	51		1	3.9	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	51		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	37	158.20	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	55		0		32.80	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	50		1	8.6	8.50	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	50		0		6.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2003	11/30/2010	126	4.93	0		50.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2003	11/30/2010	153	128.06	0		400.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2003	11/30/2010	126	23.86	0		80.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	19		0		0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	15		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	34		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	37		0		1.95	AD	NC	<input type="checkbox"/>	NC		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/1/2003	11/30/2010	108	0.14			4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2003	11/30/2010	124	0.14			10.00	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1003_03 From a point immediately downstream of State Hwy 150 to US 190 (upper segment boundary)

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	3		0		5.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	3		0		3.00	ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	1/1/2002	11/30/2010	11	197.19	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	3		0		32.80	ID	NA	<input type="checkbox"/>	NA		
High pH	pH	12/1/2003	11/30/2010	3		0		8.50	ID	NA	<input type="checkbox"/>	NA		
Low pH	pH	12/1/2003	11/30/2010	3		0		6.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Solids	Chloride	12/1/2003	11/30/2010	126	23.86	0		80.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2003	11/30/2010	126	4.93	0		50.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2003	11/30/2010	153	128.06	0		400.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	3		0		0.37	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	3		0		0.33	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	3		0		0.69	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	3		0		14.10	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	3		0		1.95	ID	NA	<input type="checkbox"/>	NA		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/1/2003	11/30/2010	108	0.14			4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2003	11/30/2010	124	0.18			10.00	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1004 West Fork San Jacinto River

AUID 1004_01 From the Spring Creek confluence upstream to the Stewart Creek confluence

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	39		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	39		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	24	178.88	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	42		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	38		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	38		1	6	6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2003	11/30/2010	166	256.40	0		400.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2003	11/30/2010	83	40.12	0		100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2003	11/30/2010	83	16.05	0		50.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	24		10	5.11	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	21		8	0.68	0.37	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	2		0		0.33	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	6		2	0.8	0.69	LD	NC	<input type="checkbox"/>	NC		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/1/2003	11/30/2010	72	0.20			4.00	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1004_01 From the Spring Creek confluence upstream to the Stewart Creek confluence

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2003	11/30/2010	83	1.01			10.00	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1004_02 From the Stewart Creek confluence upstream to the Lake Conroe Dam

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	125		9	4.41	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	125		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Habitat	Habitat	12/1/2003	11/30/2010	1	22.00			20.00	AD	NC	<input type="checkbox"/>	NC		
Macrobenthic Community	Macrobenthic Community	12/1/2003	11/30/2010	2	36.13			29.00	AD	FS	<input type="checkbox"/>	FS		
Fish Community	Fish Community	12/1/2003	11/30/2010	2	59.69			42.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	59	170.41	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	129		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	125		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	125		1	6.3	6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2003	11/30/2010	166	256.40	0		400.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2003	11/30/2010	83	40.12	0		100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2003	11/30/2010	83	16.05	0		50.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	36		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	40		0		0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	59		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	55		1	0.46	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	23		4	20.03	14.10	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1004_02 From the Stewart Creek confluence upstream to the Lake Conroe Dam

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Lead	12/1/2003	11/30/2010	1		0		0.60	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2003	11/30/2010	1		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2003	11/30/2010	1		0		525.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2003	11/30/2010	1		0		4.38	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2003	11/30/2010	1		0		0.13	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Nickel	12/1/2003	11/30/2010	1		0		35.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2003	11/30/2010	1		0		0.53	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2003	11/30/2010	1		0		0.61	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2003	11/30/2010	1		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2003	11/30/2010	1		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2003	11/30/2010	1		0		0.14	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2003	11/30/2010	1		0		0.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2003	11/30/2010	1		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2003	11/30/2010	1		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2003	11/30/2010	1		0		250.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Dieldrin	12/1/2003	11/30/2010	1		0		0.06	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2003	11/30/2010	1		0		0.20	ID	NA	<input type="checkbox"/>	NA		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2003	11/30/2010	83	1.01			10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Fluoride	12/1/2003	11/30/2010	72	0.20			4.00	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1004D Crystal Creek (unclassified water body)

AUID 1004D_01 From the Confluence with West Fork San Jacinto River upstream to confluence of the East and West Forks of Crystal Creek

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	38		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	38		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	24	337.89	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	24		1	3.9	1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	6		0		0.69	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	2		0		0.33	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	21		0		0.37	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1004E Stewarts Creek (unclassified water body)

AUID 1004E_02 From Airport Rd to confluence with West Fork San Jacinto River

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	34		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	34		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2001	11/30/2010	48	283.25	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	19		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	16		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	2		0		0.33	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	6		0		0.69	LD	NC	<input type="checkbox"/>	NC		

SEGID 1004F Woodsons Gully (unclassified water body)

AUID 1004F_01 Entire water body

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	1		0		0.33	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	1		0		0.69	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	1		0		0.37	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	1		0		1.95	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	1		0		14.10	ID	NA	<input type="checkbox"/>	NA		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1005 Houston Ship Channel/San Jacinto River Tidal

AUID 1005_01 Downstream I-10 to Lynchburg Ferry Road

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	168		8	3.53	4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	168		1	2.8	3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	164	27.56	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	168		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	168		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	168		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	46		24	1.54	1.10	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	48		0		0.46	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	168		5	0.63	0.46	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	156		4	2.83	0.66	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1005_02 Lynchburg Ferry Road to Goose Island

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	35		3	4.3	4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	35		1	5.23	3.00	AD	FS	<input type="checkbox"/>	FS		
Toxic Substances in sediment	Zinc	12/1/2003	11/30/2010	4		0		410.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Arsenic	12/1/2003	11/30/2010	4		0		70.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Cadmium	12/1/2003	11/30/2010	4		0		9.60	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chromium	12/1/2003	11/30/2010	4		0		370.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Copper	12/1/2003	11/30/2010	4		0		270.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Lead	12/1/2003	11/30/2010	4		0		218.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Mercury	12/1/2003	11/30/2010	4		0		0.71	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Nickel	12/1/2003	11/30/2010	4		0		51.60	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Silver	12/1/2003	11/30/2010	4		0		3.70	LD	NC	<input type="checkbox"/>	NC		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	36	17.84	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	37		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	35		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	35		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	41		12	1.52	1.10	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	36		0		0.46	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1005_02 Lynchburg Ferry Road to Goose Island

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	40		1	0.49	0.46	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	41		0		0.66	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	36		3	22.6	21.00	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1005_03 Goose Island to SH 146

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	172		2	2.56	4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	172		1	1.17	3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	164	22.36	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	172		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	172		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	172		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	46		7	1.44	1.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	48		0		0.46	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	167		10	0.69	0.46	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	155		4	2.07	0.66	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	36		3	22.6	21.00	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1005_04 SH 146 to Morgans Point

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	33		3	3.41	4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	33		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	26	19.68	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	35		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	32		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	32		1	6.25	6.50	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	27		2	1.83	1.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	25		0		0.46	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	26		0		0.46	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	27		0		0.66	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	25		5	41.52	21.00	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1006 Houston Ship Channel Tidal

AUID 1006_01 Houston Ship Channel Tidal-From the Greens Bayou confluence to the Patrick Bayou confluence

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	197		1	1.9	2.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	197		1	1.9	2.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	205		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	203		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	203		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Enterococci (1006, 1007) geometric mean	Enterococcus	12/1/2003	11/30/2010	189	50.82	0		168.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	71		61	2.31	1.10	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	73		17	0.68	0.46	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	191		40	0.62	0.46	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	179		24	1.23	0.66	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	24		0		21.00	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	heptachlor epoxide in edible tissue	4b
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	chlordan in edible tissue	4b
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dieldrin in edible tissue	4b
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1006_02 Houston Ship Channel Tidal- From the Patrick Bayou confluence to the Houston Ship Channel/San Jacinto River Tidal (1005) confluence

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	116		0		2.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	116		0		2.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2003	11/30/2010	12		0		13.50	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2003	11/30/2010	24		0		92.70	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/1/2003	11/30/2010	25		0		564.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2003	11/30/2010	23		0		133.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2003	11/30/2010	23		0		45.40	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2003	11/30/2010	23		0		149.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2003	11/30/2010	24		0		118.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2003	11/30/2010	24	2.54	0		13.10	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2003	11/30/2010	23	19.96	0		78.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/1/2003	11/30/2010	25	0.77	0		136.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2003	11/30/2010	24	4.19	0		84.20	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2003	11/30/2010	23	1.37	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2003	11/30/2010	12	3.50	0		3.60	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2003	11/30/2010	23	0.77	0		5.30	AD	FS	<input type="checkbox"/>	FS		
Toxic Substances in sediment	Silver	12/1/2003	11/30/2010	14		0		3.70	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Zinc	12/1/2003	11/30/2010	14		0		410.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Nickel	12/1/2003	11/30/2010	14		0		51.60	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Mercury	12/1/2003	11/30/2010	14		0		0.71	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Copper	12/1/2003	11/30/2010	14		0		270.00	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1006_02 Houston Ship Channel Tidal- From the Patrick Bayou confluence to the Houston Ship Channel/San Jacinto River Tidal (1005) confluence

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Toxic Substances in sediment	Chromium	12/1/2003	11/30/2010	14		0		370.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Cadmium	12/1/2003	11/30/2010	14		0		9.60	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Arsenic	12/1/2003	11/30/2010	14		0		70.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Lead	12/1/2003	11/30/2010	14		0		218.00	AD	NC	<input type="checkbox"/>	NC		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	118		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	116		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	116		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Enterococci (1006, 1007) geometric mean	Enterococcus	12/1/2003	11/30/2010	108	31.15	0		168.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	49		6	0.48	0.46	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	108		11	0.6	0.46	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	102		2	3.56	0.66	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	24		1	27.3	21.00	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	48		35	1.77	1.10	AD	CS	<input type="checkbox"/>	CS	nitrate	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	heptachlor epoxide in edible tissue	4b
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dieldrin in edible tissue	4b
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	chlordane in edible tissue	4b

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1006_02 Houston Ship Channel Tidal- From the Patrick Bayou confluence to the Houston Ship Channel/San Jacinto River Tidal (1005) confluence

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a
HH Bioaccumulative Toxics in water	Chromium	12/1/2003	11/30/2010	24	1.88	0		502.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2003	11/30/2010	23	0.75	0		3.83	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1006_03 Greens Bayou Tidal- From the Houston Ship Channel confluence to a point 0.7 km (0.4 miles) upstream of the Halls Bayou confluence

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	191		0		2.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	191		0		2.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2003	11/30/2010	2		0		45.40	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Zinc	12/1/2003	11/30/2010	2		0		92.70	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Selenium	12/1/2003	11/30/2010	2		0		564.00	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Nickel	12/1/2003	11/30/2010	2		0		118.00	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Copper	12/1/2003	11/30/2010	2		0		32.40	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Arsenic	12/1/2003	11/30/2010	2		0		149.00	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Lead	12/1/2003	11/30/2010	2		0		133.00	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Nickel	12/1/2003	11/30/2010	2	2.50	0		13.10	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Cadmium	12/1/2003	11/30/2010	2	0.75	0		10.00	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Zinc	12/1/2003	11/30/2010	2	10.57	0		84.20	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Selenium	12/1/2003	11/30/2010	2	0.38	0		136.00	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Copper	12/1/2003	11/30/2010	2	5.18	0		8.64	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Arsenic	12/1/2003	11/30/2010	2	18.75	0		78.00	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Lead	12/1/2003	11/30/2010	2	0.38	0		5.30	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	4-Methyl-2-Pentanone (MIBK)	12/1/2003	11/30/2010	2		0		#####	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Xylene	12/1/2003	11/30/2010	8		0		7,470.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	1,3-Dichlorobenzene	12/1/2003	11/30/2010	11		0		1,950.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Zinc	12/1/2003	11/30/2010	14		0		410.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	gamma-BHC (Lindane)	12/1/2003	11/30/2010	11		1	3.63	0.99	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1006_03 Greens Bayou Tidal- From the Houston Ship Channel confluence to a point 0.7 km (0.4 miles) upstream of the Halls Bayou confluence

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Toxic Substances in sediment	DDT	12/1/2003	11/30/2010	11		6	678.93	4.77	AD	CS	<input type="checkbox"/>	CS	DDT in sediment	
Toxic Substances in sediment	Acetone	12/1/2003	11/30/2010	2		0		#####	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Benzene	12/1/2003	11/30/2010	8		0		45,010.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Carbon tetrachloride	12/1/2003	11/30/2010	8		0		37,330.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chlorobenzene	12/1/2003	11/30/2010	8		0		19,870.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	1,2-Dichloroethane	12/1/2003	11/30/2010	8		0		25,800.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Ethylbenzene	12/1/2003	11/30/2010	8		0		3,930.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Methylene chloride	12/1/2003	11/30/2010	8		0		22,910.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Nitrobenzene	12/1/2003	11/30/2010	11		0		161.06	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Styrene	12/1/2003	11/30/2010	2		0		22,310.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	1,1,2,2-Tetrachloroethane	12/1/2003	11/30/2010	8		0		3,690.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Tetrachloroethene	12/1/2003	11/30/2010	8		0		18,590.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Toluene	12/1/2003	11/30/2010	8		0		5,660.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Bromoform	12/1/2003	11/30/2010	8		0		10,670.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	1,2,4-Trichlorobenzene	12/1/2003	11/30/2010	11		0		2,320.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Trichloroethene	12/1/2003	11/30/2010	8		0		8,820.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	1,1,2-Trichloroethane	12/1/2003	11/30/2010	8		0		1,800.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Bis(2-ethyl-hexyl)phthalate	12/1/2003	11/30/2010	11		0		2,647.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	DDE	12/1/2003	11/30/2010	11		0		374.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chloroform	12/1/2003	11/30/2010	8		0		25.80	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	2-Methylnaphthalene	12/1/2003	11/30/2010	2		0		670.00	ID	NA	<input type="checkbox"/>	NA		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1006_03 Greens Bayou Tidal- From the Houston Ship Channel confluence to a point 0.7 km (0.4 miles) upstream of the Halls Bayou confluence

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Toxic Substances in sediment	1,1,1-Trichloroethane	12/1/2003	11/30/2010	8		0		15,830.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Dibenz(a,h)anthracene	12/1/2003	11/30/2010	11		0		260.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Silver	12/1/2003	11/30/2010	14		0		3.70	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Acenaphthene	12/1/2003	11/30/2010	11		0		500.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Acenaphthylene	12/1/2003	11/30/2010	11		0		640.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Acrylonitrile	12/1/2003	11/30/2010	8		0		1,040.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Anthracene	12/1/2003	11/30/2010	11		0		1,100.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Arsenic	12/1/2003	11/30/2010	14		0		70.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Benzo(a)pyrene	12/1/2003	11/30/2010	11		0		1,600.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Cadmium	12/1/2003	11/30/2010	14		0		9.60	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chlordane	12/1/2003	11/30/2010	11		0		4.79	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chloromethane	12/1/2003	11/30/2010	8		0		52,430.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chromium	12/1/2003	11/30/2010	14		0		370.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chrysene	12/1/2003	11/30/2010	11		0		2,800.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Benz(a)anthracene	12/1/2003	11/30/2010	11		0		1,600.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	DDD	12/1/2003	11/30/2010	11		9	168.23	7.81	AD	CS	<input type="checkbox"/>	CS	DDD in sediment	
Toxic Substances in sediment	1,4-Dichlorobenzene	12/1/2003	11/30/2010	11		0		4,210.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Dieldrin	12/1/2003	11/30/2010	11		0		4.30	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Fluoranthene	12/1/2003	11/30/2010	11		0		5,100.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Fluorene	12/1/2003	11/30/2010	11		0		540.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Hexachlorobutadiene (HCBd)	12/1/2003	11/30/2010	9		1	368	12.76	LD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1006_03 Greens Bayou Tidal- From the Houston Ship Channel confluence to a point 0.7 km (0.4 miles) upstream of the Halls Bayou confluence

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Toxic Substances in sediment	Hexachloroethane	12/1/2003	11/30/2010	11		0		13,770.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Lead	12/1/2003	11/30/2010	14		0		218.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Mercury	12/1/2003	11/30/2010	14		0		0.71	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Naphthalene	12/1/2003	11/30/2010	11		0		2,100.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Nickel	12/1/2003	11/30/2010	14		0		51.60	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	PCBs	12/1/2003	11/30/2010	11		0		180.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Phenanthrene	12/1/2003	11/30/2010	11		0		1,500.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Pyrene	12/1/2003	11/30/2010	11		0		2,600.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Copper	12/1/2003	11/30/2010	14		0		270.00	AD	NC	<input type="checkbox"/>	NC		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	197		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	188		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	188		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Enterococci (1006, 1007) geometric mean	Enterococcus	12/1/2003	11/30/2010	54	61.29	0		168.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	191		162	4.64	1.10	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	94		59	1.16	0.46	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	191		1	0.6	0.46	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	190		124	1.33	0.66	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	47		5	43.32	21.00	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1006_03 Greens Bayou Tidal- From the Houston Ship Channel confluence to a point 0.7 km (0.4 miles) upstream of the Halls Bayou confluence

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	chlordane in edible tissue	4b
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dieldrin in edible tissue	4b
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	heptachlor epoxide in edible tissue	4b
HH Bioaccumulative Toxics in water	Chromium	12/1/2003	11/30/2010	2	2.00	0		502.00	ID	NA	<input type="checkbox"/>	NA		
HH Bioaccumulative Toxics in water	Lead	12/1/2003	11/30/2010	2	0.38	0		3.83	ID	NA	<input type="checkbox"/>	NA		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1006_04 Patrick Bayou Tidal - From the confluence with the Houston Ship Channel to 100 m (328 ft) upstream of the railroad bridge

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	46		1	1.5	2.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	46		1	1.5	2.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2003	11/30/2010	36		0		149.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2003	11/30/2010	35		0		45.40	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2003	11/30/2010	23		0		13.50	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2003	11/30/2010	34		0		133.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2003	11/30/2010	37		0		118.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/1/2003	11/30/2010	39		0		564.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2003	11/30/2010	37		0		92.70	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2003	11/30/2010	34	0.84	0		5.30	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2003	11/30/2010	37	11.23	0		84.20	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2003	11/30/2010	37	2.87	0		13.10	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2003	11/30/2010	35	1.12	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2003	11/30/2010	36	17.23	0		78.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/1/2003	11/30/2010	39	0.64	0		136.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2003	11/30/2010	23	3.01	0		3.60	AD	FS	<input type="checkbox"/>	FS		
Acute Toxicity tests in whole sediment	Sediment Acute Toxicity	12/1/2003	11/30/2010	26		8			AD	NA	<input checked="" type="checkbox"/>	NS	toxicity in sediment	5c
Toxic Substances in sediment	Benz(a)anthracene	12/1/2003	11/30/2010	22		0		1,600.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	1,2-Dichloroethane	12/1/2003	11/30/2010	21		0		25,800.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chlorobenzene	12/1/2003	11/30/2010	21		0		19,870.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Carbon tetrachloride	12/1/2003	11/30/2010	19		0		37,330.00	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1006_04 Patrick Bayou Tidal - From the confluence with the Houston Ship Channel to 100 m (328 ft) upstream of the railroad bridge

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Toxic Substances in sediment	Benzene	12/1/2003	11/30/2010	19		0		45,010.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Acetone	12/1/2003	11/30/2010	6		0		#####	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Ethylbenzene	12/1/2003	11/30/2010	19		0		3,930.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	gamma-BHC (Lindane)	12/1/2003	11/30/2010	22		0		0.99	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Styrene	12/1/2003	11/30/2010	6		0		22,310.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	1,3-Dichlorobenzene	12/1/2003	11/30/2010	21		1	4630	1,950.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Bis(2-ethyl-hexyl)phthalate	12/1/2003	11/30/2010	22		0		2,647.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Zinc	12/1/2003	11/30/2010	26		7	490.43	410.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	DDT	12/1/2003	11/30/2010	22		1	75.8	4.77	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	4-Methyl-2-Pentanone (MIBK)	12/1/2003	11/30/2010	6		0		#####	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Trichloroethene	12/1/2003	11/30/2010	19		0		8,820.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Nitrobenzene	12/1/2003	11/30/2010	21		0		161.06	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	1,1,2,2-Tetrachloroethane	12/1/2003	11/30/2010	21		0		3,690.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Tetrachloroethene	12/1/2003	11/30/2010	19		0		18,590.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Bromoform	12/1/2003	11/30/2010	21		0		10,670.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	1,2,4-Trichlorobenzene	12/1/2003	11/30/2010	21		0		2,320.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	1,1,1-Trichloroethane	12/1/2003	11/30/2010	19		0		15,830.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	1,1,2-Trichloroethane	12/1/2003	11/30/2010	21		0		1,800.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Xylene	12/1/2003	11/30/2010	19		0		7,470.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	DDE	12/1/2003	11/30/2010	22		0		374.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chloroform	12/1/2003	11/30/2010	19		0		25.80	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1006_04 Patrick Bayou Tidal - From the confluence with the Houston Ship Channel to 100 m (328 ft) upstream of the railroad bridge

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Toxic Substances in sediment	2-Methylnaphthalene	12/1/2003	11/30/2010	6		0		670.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Methylene chloride	12/1/2003	11/30/2010	21		0		22,910.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chromium	12/1/2003	11/30/2010	26		0		370.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Silver	12/1/2003	11/30/2010	26		0		3.70	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	1,4-Dichlorobenzene	12/1/2003	11/30/2010	21		1	4320	4,210.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Acenaphthene	12/1/2003	11/30/2010	22		1	12500	500.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Acenaphthylene	12/1/2003	11/30/2010	22		3	2544.67	640.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Acrylonitrile	12/1/2003	11/30/2010	21		0		1,040.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Anthracene	12/1/2003	11/30/2010	22		1	8830	1,100.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Arsenic	12/1/2003	11/30/2010	26		0		70.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Benzo(a)pyrene	12/1/2003	11/30/2010	22		0		1,600.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Cadmium	12/1/2003	11/30/2010	26		0		9.60	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chlordane	12/1/2003	11/30/2010	22		0		4.79	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Toluene	12/1/2003	11/30/2010	19		0		5,660.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chloromethane	12/1/2003	11/30/2010	19		0		52,430.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chrysene	12/1/2003	11/30/2010	22		0		2,800.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Copper	12/1/2003	11/30/2010	26		0		270.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Naphthalene	12/1/2003	11/30/2010	21		1	10300	2,100.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Pyrene	12/1/2003	11/30/2010	22		7	7118.6	2,600.00	AD	CS	<input type="checkbox"/>	CS	pyrene in sediment	
Toxic Substances in sediment	Phenanthrene	12/1/2003	11/30/2010	22		1	34300	1,500.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Nickel	12/1/2003	11/30/2010	26		2	83.35	51.60	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1006_04 Patrick Bayou Tidal - From the confluence with the Houston Ship Channel to 100 m (328 ft) upstream of the railroad bridge

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Toxic Substances in sediment	DDD	12/1/2003	11/30/2010	22		0		7.81	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Mercury	12/1/2003	11/30/2010	23		20	15.56	0.71	AD	CS	<input type="checkbox"/>	CS	mercury in sediment	
Toxic Substances in sediment	Lead	12/1/2003	11/30/2010	26		1	498	218.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Hexachloroethane	12/1/2003	11/30/2010	21		0		13,770.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Hexachlorobutadiene (HCBd)	12/1/2003	11/30/2010	18		7	6870	12.76	AD	CS	<input type="checkbox"/>	CS	hexachlorobutadiene (HCBd) in sedi	
Toxic Substances in sediment	Fluorene	12/1/2003	11/30/2010	22		1	11200	540.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Fluoranthene	12/1/2003	11/30/2010	22		2	6660	5,100.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Dieldrin	12/1/2003	11/30/2010	22		0		4.30	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Dibenz(a,h)anthracene	12/1/2003	11/30/2010	22		0		260.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	PCBs	12/1/2003	11/30/2010	22		6	30583	180.00	AD	NC	<input type="checkbox"/>	NC		
LOE Toxic Sediment condition	Sediment Toxicity (LOE)	12/1/2003	11/30/2010						JQ	NS	<input checked="" type="checkbox"/>	NS	toxicity in sediment	5c

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	48		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	47		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	47		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Enterococci (1006, 1007) geometric mean	Enterococcus	12/1/2003	11/30/2010	39	28.46	0		168.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	37		13	91.35	21.00	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	42		38	3.04	1.10	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	42		20	1.09	0.66	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	39		21	0.88	0.46	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1006_04 Patrick Bayou Tidal - From the confluence with the Houston Ship Channel to 100 m (328 ft) upstream of the railroad bridge

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	41		8	0.87	0.46	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	chlordane in edible tissue	4b
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dieldrin in edible tissue	4b
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	heptachlor epoxide in edible tissue	4b
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a
HH Bioaccumulative Toxics in water	Lead	12/1/2003	11/30/2010	34	0.80	0		3.83	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Mercury	12/1/2003	11/30/2010	6	0.13			0.03	LD	NS	<input checked="" type="checkbox"/>	NS	mercury in water	5c
HH Bioaccumulative Toxics in water	Chromium	12/1/2003	11/30/2010	37	1.88	0		502.00	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1006_05 Goodyear Creek-From confluence with Greens Bayou Tidal to Granada St. in Harris County

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	69		0		2.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	69		0		2.00	AD	FS	<input checked="" type="checkbox"/>	FS	depressed dissolved oxygen	

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	71		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	67		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	67		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Enterococci (1006, 1007) geometric mean	Enterococcus	12/1/2003	11/30/2010	58	192.11	0		168.00	JQ	FS	<input checked="" type="checkbox"/>	FS	bacteria	5c
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	71		50	3.41	1.10	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	1		0		21.00	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	71		30	1.16	0.66	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	23		12	1.09	0.46	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	71		1	0.68	0.46	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	chlordane in edible tissue	4b
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dieldrin in edible tissue	4b
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	heptachlor epoxide in edible tissue	4b
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1006_06 Tucker Bayou- From the Houston Ship Channel confluence to a point 2.7 km (1.7 mi) upstream

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	26		0		2.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	26		0		2.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	26		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	26		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	26		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Enterococci (1006, 1007) geometric mean	Enterococcus	12/1/2003	11/30/2010	25	33.47	0		168.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	26		10	0.75	0.46	AD	CS	<input type="checkbox"/>	CS	ammonia	
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	26		0		0.66	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	26		20	1.68	1.10	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	25		1	0.51	0.46	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	24		0		21.00	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	chlordane in edible tissue	4b
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dieldrin in edible tissue	4b
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	heptachlor epoxide in edible tissue	4b
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1006_07 Carpenters Bayou-From the Houston Ship Channel confluence to the lower boundary of 1006B (2.3 m/ 1.4 mi) upstream from the Houston Ship Channel confluence

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	5		0		2.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	5		0		2.00	LD	NC	<input type="checkbox"/>	NC		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	6		0		35.00	LD	NC	<input type="checkbox"/>	NC		
High pH	pH	12/1/2003	11/30/2010	6		0		9.00	LD	NC	<input type="checkbox"/>	NC		
Low pH	pH	12/1/2003	11/30/2010	6		1	6.1	6.50	LD	NC	<input type="checkbox"/>	NC		
Enterococci (1006, 1007) geometric mean	Enterococcus	12/1/2003	11/30/2010	3	96.91	0		168.00	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	2		0		0.46	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	4		0		0.46	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	4		0		0.66	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	1		1	40.5	21.00	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	2		1	1.99	1.10	ID	NA	<input type="checkbox"/>	NA		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	chlordan in edible tissue	4b
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dieldrin in edible tissue	4b
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	heptachlor epoxide in edible tissue	4b
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1006D Halls Bayou (unclassified water body)

AUID 1006D_01 From the Greens Bayou confluence upstream to US 59

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	307		9	3	4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	307		2	1	3.00	AD	FS	<input type="checkbox"/>	FS		
Habitat	Habitat	12/1/2003	11/30/2010	1	15.00			14.00	AD	NC	<input type="checkbox"/>	NC		
Macrobenthic Community	Macrobenthic Community	12/1/2003	11/30/2010	1	27.63			22.00	LD	NC	<input type="checkbox"/>	NC		
Fish Community	Fish Community	12/1/2003	11/30/2010	1	32.75			31.00	LD	NC	<input type="checkbox"/>	NC		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	322	936.32	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	305		234	4.7	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	114		108	1.22	0.37	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	308		61	0.61	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	309		227	1.39	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	25		1	22.6	14.10	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1006D_02 From US 59 upstream to Frick Road

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	207		1	2.6	3.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	207		0		2.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	223	1017.77	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	81		78	1.93	0.37	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	223		125	0.99	0.33	AD	CS	<input type="checkbox"/>	CS	ammonia	
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	220		176	5.91	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	223		187	2.01	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1006F Big Gulch Above Tidal (unclassified water body)

AUID 1006F_01 Entire water body

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	80		8	3.24	4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	80		2	2.4	3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	82	489.09	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	70		14	3.53	1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	21		4	0.5	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	70		2	0.94	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	70		1	0.82	0.69	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1006H Spring Gully Above Tidal (unclassified water body)

AUID 1006H_01 Entire water body

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	83		2	3.1	4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	83		1	2.6	3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	84	340.91	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	71		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	71		0		0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	71		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	23		0		0.37	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1006I Unnamed Tributary of Halls Bayou (unclassified water body)

AUID 1006I_01 Entire water body

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	123		10	2.28	3.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	123		3	1.5	2.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	134	953.74	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	119		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	33		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	120		5	1.45	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	120		1	0.71	0.69	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1006J Unnamed Tributary of Halls Bayou (unclassified water body)

AUID 1006J_01 From the Halls Bayou confluence (east of US 59 and south of Langley Road) to Mount Houston Road

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	79		10	2.12	3.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	79		3	1.47	2.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	83	1576.98	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	71		22	0.94	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	71		32	0.74	0.33	AD	CS	<input type="checkbox"/>	CS	ammonia	
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	70		1	2.63	1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	23		18	0.68	0.37	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1007 Houston Ship Channel/Buffalo Bayou Tidal

AUID 1007_01 Houston Ship Channel - From a point immediately upstream of Greens Bayou Tidal to immediately upstream of the 69th Street WWTP outfall

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	222		12	2.52	1.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	222		1	1.07	1.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	229		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	225		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	225		1	6.1	6.50	AD	FS	<input type="checkbox"/>	FS		
Enterococci (1006, 1007) geometric mean	Enterococcus	12/1/2003	11/30/2010	216	59.50	0		168.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	205		59	0.87	0.66	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	51		1	28.4	21.00	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	99		47	0.61	0.46	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	99		90	2.68	1.10	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	221		106	0.79	0.46	AD	CS	<input type="checkbox"/>	CS	ammonia	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	chlordane in edible tissue	4b
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dieldrin in edible tissue	4b
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	heptachlor epoxide in edible tissue	4b
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1007_01 Houston Ship Channel - From a point immediately upstream of Greens Bayou Tidal to immediately upstream of the 69th Street WWTP outfall

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2003	11/30/2010	25	1.90	0		502.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2003	11/30/2010	23	0.45	0		3.83	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1007_02 Sims Bayou Tidal - From the Houston Ship Channel confluence to a point 11 km (6.8 mi) upstream

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	149		1	0.9	1.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	149		1	0.9	1.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	171		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	169		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	169		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Enterococci (1006, 1007) geometric mean	Enterococcus	12/1/2003	11/30/2010	127	56.15	0		168.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	169		135	3.69	1.10	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	72		60	0.92	0.46	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	169		121	1.48	0.46	AD	CS	<input type="checkbox"/>	CS	ammonia	
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	168		106	1.1	0.66	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	23		4	40.7	21.00	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	chlordane in edible tissue	4b
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dieldrin in edible tissue	4b
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	heptachlor epoxide in edible tissue	4b
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1007_03 Hunting Bayou Tidal - From the Houston Ship Channel confluence to IH-10

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	91		0		1.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	91		0		1.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	99		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	97		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	97		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Enterococci (1006, 1007) geometric mean	Enterococcus	12/1/2003	11/30/2010	85	62.16	0		168.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	98		57	1.84	1.10	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	49		3	3.02	0.46	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	98		21	2.27	0.46	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	96		1	8.04	0.66	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	23		4	58.35	21.00	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	heptachlor epoxide in edible tissue	4b
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dieldrin in edible tissue	4b
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	chlordan in edible tissue	4b
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1007_04 Brays Bayou Tidal - From the Houston Ship Channel confluence to downstream of IH-45

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	164		0		1.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	164		0		1.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	103		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	171		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	171		1	6.2	6.50	AD	FS	<input type="checkbox"/>	FS		
Enterococci (1006, 1007) geometric mean	Enterococcus	12/1/2003	11/30/2010	79	80.04	0		168.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	22		2	35.1	21.00	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	50		36	0.747	0.46	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	97		69	1.189	0.46	AD	CS	<input type="checkbox"/>	CS	ammonia	
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	96		52	0.916	0.66	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	97		68	4.67	1.10	AD	CS	<input type="checkbox"/>	CS	nitrate	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	heptachlor epoxide in edible tissue	4b
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	chlordan in edible tissue	4b
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dieldrin in edible tissue	4b

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1007_05 Vince Bayou Tidal - From the Houston Ship Channel confluence to SH 225

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	57		5	1.53	1.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	57		5	1.53	1.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxicity tests in whole sediment	Sediment Acute Toxicity	12/1/2003	11/30/2010	12		6			AD	NA	<input checked="" type="checkbox"/>	NS	toxicity in sediment	5c
LOE Toxic Sediment condition	Sediment Toxicity (LOE)	12/1/2003	11/30/2010						JQ	NS	<input checked="" type="checkbox"/>	NS	toxicity in sediment	5c

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	58		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	58		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	58		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Enterococci (1006, 1007) geometric mean	Enterococcus	12/1/2003	11/30/2010	51	115.51	0		168.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	54		39	4.75	1.10	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	46		3	52.67	21.00	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	53		41	1.43	0.66	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	47		37	1.24	0.46	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	53		16	1.19	0.46	AD	CS	<input type="checkbox"/>	CS	ammonia	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	chlordan in edible tissue	4b
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dieldrin in edible tissue	4b
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	heptachlor epoxide in edible tissue	4b

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1007_05 Vince Bayou Tidal - From the Houston Ship Channel confluence to SH 225

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1007_06 Berry Bayou - From the Houston Ship Channel confluence to a point 2.4 km (1.5 mi) upstream of the Sims Bayou confluence

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	60		1	0.3	1.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	60		1	0.3	1.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	71		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	70		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	70		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Enterococci (1006, 1007) geometric mean	Enterococcus	12/1/2003	11/30/2010	49	89.10	0		168.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	71		66	5.25	1.10	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	23		20	1.48	0.46	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	71		13	1.53	0.46	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	71		55	1.54	0.66	AD	CS	<input type="checkbox"/>	CS	total phosphorus	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	chlordane in edible tissue	4b
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dieldrin in edible tissue	4b
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	heptachlor epoxide in edible tissue	4b

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID

1007_07

Buffalo Bayou - From immediately upstream of 69th Street WWTP outfall to US 59

USE

Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	206		2	1.2	1.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	206		2	1.2	1.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2003	11/30/2010	24		0		149.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2003	11/30/2010	24		0		45.40	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2003	11/30/2010	16		0		24.30	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2003	11/30/2010	23		0		133.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2003	11/30/2010	25		0		118.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/1/2003	11/30/2010	26		0		564.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2003	11/30/2010	25		0		92.70	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2003	11/30/2010	23	0.45	0		5.30	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/1/2003	11/30/2010	26	0.31	0		136.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2003	11/30/2010	25	2.92	0		13.10	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2003	11/30/2010	24	0.43	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2003	11/30/2010	24	7.09	0		78.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2003	11/30/2010	25	9.82	0		84.20	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2003	11/30/2010	16	2.95	0		6.48	AD	FS	<input type="checkbox"/>	FS		
Toxic Substances in sediment	Arsenic	12/1/2003	11/30/2010	13		0		70.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Cadmium	12/1/2003	11/30/2010	13		0		9.60	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chromium	12/1/2003	11/30/2010	13		0		370.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Copper	12/1/2003	11/30/2010	13		0		270.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Lead	12/1/2003	11/30/2010	13		0		218.00	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1007_07 Buffalo Bayou - From immediately upstream of 69th Street WWTP outfall to US 59

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Toxic Substances in sediment	Mercury	12/1/2003	11/30/2010	13		0		0.71	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Nickel	12/1/2003	11/30/2010	13		0		51.60	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Silver	12/1/2003	11/30/2010	13		0		3.70	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Zinc	12/1/2003	11/30/2010	13		1	473	410.00	AD	NC	<input type="checkbox"/>	NC		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	214		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	207		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	207		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Enterococci (1006, 1007) geometric mean	Enterococcus	12/1/2003	11/30/2010	190	90.88	0		168.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	146		108	4.04	1.10	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	96		59	0.93	0.46	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	206		73	0.91	0.46	AD	CS	<input type="checkbox"/>	CS	ammonia	
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	200		119	1.1	0.66	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	73		5	28.06	21.00	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	chlordan in edible tissue	4b
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dieldrin in edible tissue	4b
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	heptachlor epoxide in edible tissue	4b

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID

1007_07

Buffalo Bayou - From immediately upstream of 69th Street WWTP outfall to US 59

USE

Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a
HH Bioaccumulative Toxics in water	Chromium	12/1/2003	11/30/2010	25	1.90	0		502.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2003	11/30/2010	23	0.42	0		3.83	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1007_08 Little Vince Bayou Tidal - From the Vince Bayou confluence to SH 225

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	10		0		1.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	10		0		1.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	11		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	11		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	11		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	11		9	8.32	1.10	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	5		5	1.95	0.46	LD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	11		3	0.75	0.46	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	11		11	2.1	0.66	AD	CS	<input type="checkbox"/>	CS	total phosphorus	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dieldrin in edible tissue	4b
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	chlordane in edible tissue	4b
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	heptachlor epoxide in edible tissue	4b

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1007A Canal C-147 Tributary of Sims Bayou Above Tidal (unclassified water body)

AUID 1007A_01 From the Sims Bayou confluence upstream to a point 0.71 km (0.44 mi) east of Beltway 8

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	67		0		3.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	67		0		2.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	91	338.09	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	89		64	7.049	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	26		22		0.37	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	91		2	2.595	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	89		60	1.78	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Enrichment	Dissolved Oxygen Grab	12/1/2003	11/30/2010						AD	CN	<input type="checkbox"/>	CN	nutrients	

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1007B Brays Bayou Above Tidal (unclassified water body)

AUID 1007B_01 From a point 11.5 km (7.1 mi) upstream of confluence with Houston Ship Channel up to SH 6

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	869		9	1.66	3.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	869		6	1.15	2.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	932	2207.00	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	909		761	5.15	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	307		286	1.01	0.37	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	914		581	1.48	0.33	AD	CS	<input type="checkbox"/>	CS	ammonia	
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	913		681	1.31	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	21		3	18.9	14.10	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1007B_02 From State Highway 6 upstream to Clodine Road

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	869		9	1.66	3.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	869		6	1.15	2.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	932	2207.00	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	914		581	1.48	0.33	AD	CS	<input type="checkbox"/>	CS	ammonia	
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	913		681	1.31	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	306		285	1.09	0.37	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	908		739	5.1	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1007C Keegans Bayou Above Tidal (unclassified water body)

AUID 1007C_01 From the Brays Bayou confluence to the Harris County Line

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	98		5	2.24	3.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	98		1	1.9	2.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	100	1073.28	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	99		90	9.08	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	34		34	1.8	0.37	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	99		40	0.78	0.33	AD	CS	<input type="checkbox"/>	CS	ammonia	
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	100		90	1.89	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1007D Sims Bayou Above Tidal (unclassified water body)

AUID 1007D_01 From Fort Bend Parkway to Hiram Clarke

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	105		5	3.68	4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	105		1	0.5	3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	70	331.70	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	118		9	0.5309	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	118		52	0.82	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	116		55	3.028	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	30		22	1.125	0.37	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1007D_02 From Hiram Clarke to 11 miles upstream of the confluence with the Houston Ship Channel

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	132		7	2.24	3.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	132		2	1.65	2.00	AD	FS	<input type="checkbox"/>	FS		
Habitat	Habitat	12/1/2003	11/30/2010	1	17.00			13.00	AD	NC	<input type="checkbox"/>	NC		
Macrobenthic Community	Macrobenthic Community	12/1/2003	11/30/2010	2	26.42			22.00	AD	FS	<input type="checkbox"/>	FS		
Fish Community	Fish Community	12/1/2003	11/30/2010	2	34.27			31.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	149	938.34	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	153		94	1.4	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	21		6	19.37	14.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	154		86	3.08	0.33	AD	CS	<input type="checkbox"/>	CS	ammonia	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	66		50	1.1	0.37	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	152		65	4.09	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1007D_03 From 11 miles upstream of the Houston Ship Channel confluence to SH 35

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	183		5	1.44	3.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	183		3	0.87	2.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	218	1004.07	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	210		78	2.8	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	67		55	1	0.37	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	211		179	2.48	0.33	AD	CS	<input type="checkbox"/>	CS	ammonia	
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	211		130	1.28	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1007E Willow Waterhole Bayou Above Tidal (unclassified water body)

AUID 1007E_01 From the Brays Bayou confluence upstream to South Garden Street

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	59		0		3.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	59		0		2.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	76	1054.07	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	54		1	1.38	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	53		0		0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	54		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	16		0		0.37	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1007F Berry Bayou Above Tidal (unclassified water body)

AUID 1007F_01 From a point 2.4 km (1.5 mi) upstream of the Sims Bayou confluence to SH 3

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	60		1	2.5	3.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	60		0		2.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	71	2236.26	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	71		64	8.84	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	23		21	2.14	0.37	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	71		27	1.57	0.33	AD	CS	<input type="checkbox"/>	CS	ammonia	
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	71		64	2.27	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1007G Kuhlman Gully Above Tidal (unclassified water body)

AUID 1007G_01 From Brays Bayou confluence to Atchison, Topeka and Santa Fe Railroad tracks

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	77		24	3.81	5.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	77		2	1.8	3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	81	1146.96	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	22		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	69		12	0.52	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	69		1	1.98	1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	69		1	0.8	0.69	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1007H Pine Gully Above Tidal (unclassified water body)

AUID 1007H_01 From the Sims Bayou confluence to 0.11 km (0.07 mi) east of Broadway Street

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	72		45	2.42	4.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	72		34	2.07	3.00	AD	NS	<input type="checkbox"/>	NS	depressed dissolved oxygen	5c

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	83	1741.38	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	71		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	23		2	0.66	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	71		39	0.86	0.33	AD	CS	<input type="checkbox"/>	CS	ammonia	
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	71		1	0.82	0.69	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1007I Plum Creek Above Tidal (unclassified water body)

AUID 1007I_01 From the Sims Bayou confluence to Telephone Road in Harris County

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	68		45	1.82	4.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	68		35	1.35	3.00	AD	NS	<input type="checkbox"/>	NS	depressed dissolved oxygen	5c

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	82	3938.94	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	70		3	1.33	0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	70		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	23		3	0.84	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	70		40	0.93	0.33	AD	CS	<input type="checkbox"/>	CS	ammonia	

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1007K Country Club Bayou Above Tidal (unclassified water body)

AUID 1007K_01 From just downstream of South Lockwood Drive to the confluence with Brays Bayou

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	150		50	2.85	4.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	150		22	2.11	3.00	AD	NS	<input type="checkbox"/>	NS	depressed dissolved oxygen	5c
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2001	11/30/2010	5		1	1	4.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2001	11/30/2010	5		2	1.3	3.00	LD	CN	<input type="checkbox"/>	CN	depressed dissolved oxygen	

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	149	2074.92	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	139		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	45		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	138		65	0.78	0.33	AD	CS	<input type="checkbox"/>	CS	ammonia	
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	138		2	1.02	0.69	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1007L Unnamed Tributary of Brays Bayou (unclassified water body)

AUID 1007L_01 From the Brays Bayou confluence near Fondren Road to a point (0.37 km) 0.60 miles upstream in Harris County

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	68		2	2.55	4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	68		1	1.5	3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	70	564.54	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	69		18	2.74	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	22		6	0.55	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	70		3	0.44	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	70		5	0.72	0.69	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1007M Unnamed Tributary of Hunting Bayou (unclassified water body)

AUID 1007M_01 Entire water body

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	74		12	3.19	4.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	74		2	1.6	3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	83	455.62	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	70		3	0.89	0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	70		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	22		1	0.6	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	70		6	2.41	0.33	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1007N Unnamed Tributary of Sims Bayou (unclassified water body)

AUID 1007N_01 Entire water body

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	70		26	3.15	4.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	70		8	2.28	3.00	AD	CN	<input type="checkbox"/>	CN	depressed dissolved oxygen	

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	81	808.63	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	67		2	2.91	1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	21		1	0.48	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	68		60	2.87	0.33	AD	CS	<input type="checkbox"/>	CS	ammonia	
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	68		1	0.8	0.69	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 10070 Unnamed Tributary of Buffalo Bayou (unclassified water body)

AUID 10070_01 Entire water body

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2010	110		78	1.68	4.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2010	110		69	1.44	3.00	AD	NS	<input type="checkbox"/>	NS	depressed dissolved oxygen	5c
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2001	11/30/2010	5		3	1.5	4.00	LD	NS	<input type="checkbox"/>	NS	depressed dissolved oxygen	5c
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2001	11/30/2010	5		4	0.8	3.00	LD	NS	<input type="checkbox"/>	NS	depressed dissolved oxygen	5c

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	83	1889.11	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	71		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	70		0		0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	23		1	0.45	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	71		21	0.98	0.33	AD	CS	<input type="checkbox"/>	CS	ammonia	

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1007R Hunting Bayou Above Tidal (unclassified water body)

AUID 1007R_01 From Bain Street to Sayers Street (South Fork)

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	70		29	2.73	4.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	70		14	1.99	3.00	AD	NS	<input type="checkbox"/>	NS	depressed dissolved oxygen	5c
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2003	11/30/2010	3		1	1.3	4.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2003	11/30/2010	3		2	0.8	3.00	ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	71	5563.42	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	71		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	21		2	0.57	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	71		38	1.51	0.33	AD	CS	<input type="checkbox"/>	CS	ammonia	
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	71		4	0.81	0.69	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1007R_02 From just east of Elysian Street to Falls Street (North Fork)

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	62		10	2.66	4.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	62		5	1.96	3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2001	11/30/2010	1		1	0.3	4.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2001	11/30/2010	1		1	0.2	3.00	ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	70	371.70	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	70		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	20		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	70		4	0.48	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	70		2	1.75	0.69	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1007R_03 From Falls Street to Loop 610 East

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	125		22	3.25	4.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	125		6	2.42	3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2001	11/30/2010	1		1	2.4	4.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2001	11/30/2010	1		1	0.6	3.00	ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	141	500.44	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	142		3	0.97	0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	142		33	0.54	0.33	AD	CS	<input type="checkbox"/>	CS	ammonia	
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	142		31	2.92	1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	43		3	0.61	0.37	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1007R_04 From Loop 610 East to IH 10

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	75		3	3.53	4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	75		0	1.9	3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2001	11/30/2010	4		2	2.6	4.00	LD	CN	<input type="checkbox"/>	CN	depressed dissolved oxygen	
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2001	11/30/2010	4		3	0.63	3.00	LD	NS	<input type="checkbox"/>	NS	depressed dissolved oxygen	5c

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	84	516.25	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	71		0		0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	71		18	2.67	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	22		2	0.44	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	71		9	0.56	0.33	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1007S Poor Farm Ditch (unclassified water body)

AUID 1007S_01 From the Brays Bayou confluence upstream 3.6 km (2.3 mi) to the Bissonnet Road bridge crossing

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	43		0		4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	43		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	44	1278.86	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	44		7	2.95	1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	17		1	0.39	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	44		26	1.17	0.33	AD	CS	<input type="checkbox"/>	CS	ammonia	
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	44		9	1.11	0.69	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1007T Bintliff Ditch (unclassified water body)

AUID 1007T_01 From the Brays Bayou confluence to 0.57 km (0.35 mi) upstream of the Fondren Road bridge crossing

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	49		0		4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	49		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	48	6097.13	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	49		15	0.91	0.33	AD	CS	<input type="checkbox"/>	CS	ammonia	
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	49		2	1.76	0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	18		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	49		0		1.95	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1007U Mimosa Ditch (unclassified water body)

AUID 1007U_01 From the Brays Bayou confluence upstream 2.9 km (1.8 mi) to the Chimney Rock bridge crossing

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	46		1	3.7	4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	46		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	46	4497.71	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	46		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	18		1	0.56	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	46		1	0.38	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	46		0		0.69	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1007V Unnamed Tributary of Hunting Bayou (unclassified water body)

AUID 1007V_01 From the Hunting Bayou confluence to 1.7 km (1.1 mi) upstream of the confluence (0.3 km west of Collingsworth Street)

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	43		2	3.55	4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	43		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	45	490.32	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	45		1	2.69	1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	45		0		0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	45		7	0.6	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	17		0		0.37	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1008 Spring Creek

AUID 1008_01 FM 1736 to Field Store Road

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Total Dissolved Solids	12/1/2003	11/30/2010	318	204.40			450.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2003	11/30/2010	292	39.18			100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2003	11/30/2010	292	9.04			50.00	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/1/2003	11/30/2010	273	0.17			4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2003	11/30/2010	289	1.33			10.00	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1008_02 Field Store Road to SH 249

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	115		28	3.93	5.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	115		2	2.4	3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2003	11/30/2010	13		4	4.32	5.00	AD	NS	<input type="checkbox"/>	NS	depressed dissolved oxygen	5c
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2003	11/30/2010	13		1	2.26	3.00	AD	FS	<input type="checkbox"/>	FS		
Habitat	Habitat	12/1/2003	11/30/2010	1	23.00			20.00	LD	NC	<input type="checkbox"/>	NC		
Macrobenthic Community	Macrobenthic Community	12/1/2001	11/30/2008	1	30.60			29.00	LD	NC	<input type="checkbox"/>	NC		
Fish Community	Fish Community	12/1/2001	11/30/2008	1	39.10			42.00	LD	CN	<input checked="" type="checkbox"/>	CN	impaired fish community	

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	106	369.24	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	120		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	115		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	115		1	5.4	6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2003	11/30/2010	318	204.44	0		450.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2003	11/30/2010	292	39.18	0		100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2003	11/30/2010	292	9.04	0		50.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	6		1	18.7	14.10	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	93		0	1.2	0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	55		2	0.78	0.37	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID	1008_02	Field Store Road to SH 249
-------------	----------------	----------------------------

USE	General Use
------------	--------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	108		3	2.76	1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	89		1	0.84	0.33	AD	NC	<input type="checkbox"/>	NC		

USE	Public Water Supply Use
------------	--------------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/1/2003	11/30/2010	273	0.17			4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2003	11/30/2010	289	1.33			10.00	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1008_03 SH 249 to IH 45

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	143		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	143		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2003	11/30/2010	9		0		5.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2003	11/30/2010	9		0		3.00	LD	NC	<input type="checkbox"/>	NC		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	98	391.99	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	150		1	32.3	32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	141		2	9.4	9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	141		2	5.95	6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2003	11/30/2010	318	204.44	0		450.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2003	11/30/2010	292	39.18	0		100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2003	11/30/2010	292	9.04	0		50.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	99		16	5.28	1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	49		11	0.9	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	77		2	0.43	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	81		8	1.2	0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	4		0		14.10	LD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID	1008_03	SH 249 to IH 45
-------------	----------------	-----------------

USE	Public Water Supply Use
------------	--------------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/1/2003	11/30/2010	273	0.17			4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2003	11/30/2010	289	1.33			10.00	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1008_04 IH 45 to confluence with Lake Houston

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	80		4	2.45	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	80		3	1.93	3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2003	11/30/2010	5		1	3.4	5.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2003	11/30/2010	5		1	2.9	3.00	LD	NC	<input type="checkbox"/>	NC		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	82	417.18	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	83		2	33.1	32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	78		2	9.25	9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	78		1	6.4	6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2003	11/30/2010	318	204.44	0		450.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2003	11/30/2010	292	39.18			100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2003	11/30/2010	292	9.04			50.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	82		40	4.16	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	37		17	0.77	0.37	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	83		1	0.34	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	83		39	1.17	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	2		0		14.10	ID	NA	<input type="checkbox"/>	NA		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1008_04 IH 45 to confluence with Lake Houston

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/1/2003	11/30/2010	273	0.17			4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2003	11/30/2010	289	1.33			10.00	AD	FS	<input type="checkbox"/>	FS		

SEGID 1008A Mill Creek (unclassified water body)

AUID 1008A_01 From the normal pool elevation of Neidigk Lake upstream to the Hurricane Creek and Kickapoo Creek confluences

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	12		3	3.23	4.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	12		1	2.8	3.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	13		2	13.53	1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	13		4	0.84	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	13		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	13		3	2.42	0.69	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1008B Upper Panther Branch (unclassified water body)

AUID 1008B_01 From Old Conroe Road to a point 0.22 miles (0.35 km) upstream of the Bear Branch confluence

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	84		3	2.53	3.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	84		0		2.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2003	11/30/2010	13		0		259.09	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/1/2003	11/30/2010	13		0		20.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2003	11/30/2010	13		0		651.96	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2003	11/30/2010	13		0		52.65	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2003	11/30/2010	13		0		11.66	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2003	11/30/2010	13		0		360.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2003	11/30/2010	13		1	1114	991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2003	11/30/2010	13		0		22.61	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2003	11/30/2010	13		0		7.77	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2003	11/30/2010	13	10.96	0		45.01	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2003	11/30/2010	13	2.50	0		190.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2003	11/30/2010	13	0.13	0		0.47	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2003	11/30/2010	13	3.85	0		78.85	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2003	11/30/2010	13	1.62	0		5.25	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2003	11/30/2010	13	0.18	0		0.71	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2003	11/30/2010	13	5.00	0		67.78	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/1/2003	11/30/2010	13	1.15	0		5.00	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1008B_01 From Old Conroe Road to a point 0.22 miles (0.35 km) upstream of the Bear Branch confluence

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	28	157.67	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	28		1	3.73	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	28		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	28		2	4	0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	28		2	10.09	1.95	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2003	11/30/2010	26	3.85	0		62.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2003	11/30/2010	26	0.16	0		1.15	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1008B_02 From a point a point 0.22 miles (0.35 km) upstream of the Bear Branch confluence to the confluence of Lake Woodlands

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	84		0		3.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	84		0		2.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2003	11/30/2010	13		0		37.88	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2003	11/30/2010	13		0		74.24	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/1/2003	11/30/2010	13		0		20.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2003	11/30/2010	13		0		918.75	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2003	11/30/2010	13		0		361.14	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2003	11/30/2010	13		0		18.42	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2003	11/30/2010	13		0		360.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2003	11/30/2010	13		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2003	11/30/2010	13		4	11.75	68.37	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2003	11/30/2010	13	34.15	0		45.01	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2003	11/30/2010	13	2.50	0		190.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2003	11/30/2010	13	0.07	0		0.47	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2003	11/30/2010	13	3.85	0		78.85	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2003	11/30/2010	13	8.23			10.60	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2003	11/30/2010	13	0.15	0		0.71	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2003	11/30/2010	13	5.00	0		67.78	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/1/2003	11/30/2010	13	1.15	0		5.00	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1008B_02 From a point a point 0.22 miles (0.35 km) upstream of the Bear Branch confluence to the confluence of Lake Woodlands

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	28	246.09	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	28		26	3.19	0.37	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	28		4	0.5	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	28		26	3.72	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	28		25	13.59	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2003	11/30/2010	26	3.85	0		502.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2003	11/30/2010	26	0.16	0		3.83	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1008C Lower Panther Branch (unclassified water body)

AUID 1008C_01 From Spring Creek confluence upstream to Saw Dust Road

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	84		1	2.8	4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	84		1	2.8	3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2003	11/30/2010	13		0		311.04	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2003	11/30/2010	13		0		63.61	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/1/2003	11/30/2010	13		0		20.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2003	11/30/2010	13		0		787.43	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2003	11/30/2010	13		0		30.03	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2003	11/30/2010	13		0		15.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2003	11/30/2010	13		0		360.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2003	11/30/2010	13		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2003	11/30/2010	13		0		9.59	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2003	11/30/2010	13	15.73	0		45.01	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2003	11/30/2010	13	2.50	0		190.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2003	11/30/2010	13	0.10	0		0.47	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2003	11/30/2010	13	3.85	0		78.85	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2003	11/30/2010	13	3.73	0		5.25	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2003	11/30/2010	13	0.15	0		0.71	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2003	11/30/2010	13	5.00	0		67.78	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/1/2003	11/30/2010	13	1.00	0		5.00	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1008C_01 From Spring Creek confluence upstream to Saw Dust Road

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	28	198.27	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	28		28	1.51	0.37	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	28		3	0.63	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	28		25	2.14	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	28		23	7.23	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2003	11/30/2010	26	3.85	0		502.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2003	11/30/2010	13	0.15	0		3.83	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1008C_02 From Saw Dust Road to the Lake Woodlands Dam

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	84		10	2.95	4.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	84		3	2.07	3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2003	11/30/2010	13		0		259.09	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2003	11/30/2010	13		0		52.65	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/1/2003	11/30/2010	13		0		20.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2003	11/30/2010	13		0		651.96	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2003	11/30/2010	13		0		22.61	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2003	11/30/2010	13		0		11.66	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2003	11/30/2010	13		0		360.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2003	11/30/2010	13		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2003	11/30/2010	13		0		7.77	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2003	11/30/2010	13	8.92	0		45.01	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2003	11/30/2010	13	2.50	0		190.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2003	11/30/2010	13	0.10	0		0.47	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2003	11/30/2010	13	3.85	0		78.85	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2003	11/30/2010	13	2.46	0		5.25	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2003	11/30/2010	13	0.15	0		0.71	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2003	11/30/2010	13	7.54	0		67.78	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/1/2003	11/30/2010	13	1.15	0		5.00	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1008C_02 From Saw Dust Road to the Lake Woodlands Dam

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	28	157.37	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	28		16	0.74	0.37	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	28		3	0.54	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	28		9	1.35	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	28		7	3.54	1.95	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2003	11/30/2010	26	3.85	0		502.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2003	11/30/2010	26	0.15	0		3.83	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1008E Bear Branch (unclassified water body)

AUID 1008E_01 From Upper Panther Branch confluence to south of FM 1488

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	82		2	2.2	3.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	82		1	1.9	2.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2003	11/30/2010	13		0		311.04	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/1/2003	11/30/2010	13		0		20.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2003	11/30/2010	13		0		787.43	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2003	11/30/2010	13		0		63.61	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2003	11/30/2010	13		0		15.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2003	11/30/2010	13		0		360.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2003	11/30/2010	13		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2003	11/30/2010	13		0		30.03	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2003	11/30/2010	13		0		9.59	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2003	11/30/2010	13	8.92	0		45.01	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2003	11/30/2010	13	2.50	0		190.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2003	11/30/2010	13	0.08	0		0.47	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2003	11/30/2010	13	3.85	0		78.85	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2003	11/30/2010	13	1.38	0		5.25	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2003	11/30/2010	13	0.15	0		0.71	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2003	11/30/2010	13	5.00	0		67.78	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/1/2003	11/30/2010	13	1.08	0		5.00	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1008E_01 From Upper Panther Branch confluence to south of FM 1488

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	27	167.00	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	28		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	28		1	0.4	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	28		1	4.96	0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	28		1	4.42	1.95	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2003	11/30/2010	12	3.75	0		502.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2003	11/30/2010	12	0.15	0		3.83	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1008F Lake Woodlands (unclassified water body)

AUID 1008F_01 Upper end of segment to Northshore Park/Woodlock Forest

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	233		19	4.17	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	233		1	2.8	3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2003	11/30/2010	13		0		259.09	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2003	11/30/2010	13		0		52.65	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/1/2003	11/30/2010	13		0		20.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2003	11/30/2010	13		0		651.96	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2003	11/30/2010	13		0		22.61	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2003	11/30/2010	13		0		11.66	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2003	11/30/2010	13		0		360.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2003	11/30/2010	13		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2003	11/30/2010	13		0		7.77	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2003	11/30/2010	13	3.85	0		78.85	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2003	11/30/2010	13	6.92	0		45.01	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/1/2003	11/30/2010	13	1.15	0		5.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2003	11/30/2010	13	5.00	0		67.78	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2003	11/30/2010	13	3.19	0		5.25	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2003	11/30/2010	13	0.06	0		0.47	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2003	11/30/2010	13	2.50	0		190.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2003	11/30/2010	13	0.15	0		0.71	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1008F_01 Upper end of segment to Northshore Park/Woodlock Forest

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	28	92.83	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	28		28	1.23	0.20	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	171		92	48.21	26.70	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	28		12	0.38	0.11	AD	CS	<input type="checkbox"/>	CS	ammonia	
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	28		28	3.49	0.37	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	28		28	0.93	0.05	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Enrichment	Dissolved Oxygen Grab	12/1/2003	11/30/2010						JQ	CN	<input type="checkbox"/>	CN	nutrients	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2003	11/30/2010	53	3.85	0		502.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2003	11/30/2010	52	0.15	0		3.83	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1008F_02 Northshore Park/Woodlock Forest to inflow from unnamed tributary

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	83		4	4	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	83		1	2.8	3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2003	11/30/2010	13		0		787.43	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2003	11/30/2010	13		0		311.04	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2003	11/30/2010	13		0		63.61	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/1/2003	11/30/2010	13		0		20.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2003	11/30/2010	13		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2003	11/30/2010	13		0		9.59	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2003	11/30/2010	13		0		15.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2003	11/30/2010	13		0		360.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2003	11/30/2010	13		0		30.03	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2003	11/30/2010	13	3.85	0		78.85	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2003	11/30/2010	13	3.77	0		45.01	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/1/2003	11/30/2010	13	1.15	0		5.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2003	11/30/2010	13	5.00	0		67.78	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2003	11/30/2010	13	2.08	0		5.25	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2003	11/30/2010	13	0.07	0		0.47	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2003	11/30/2010	13	2.50	0		190.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2003	11/30/2010	13	0.11	0		0.71	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1008F_02 Northshore Park/Woodlock Forest to inflow from unnamed tributary

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	27	55.94	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	24		12	46.42	26.70	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	27		27	0.8	0.20	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	27		8	0.17	0.11	AD	CS	<input type="checkbox"/>	CS	ammonia	
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	27		24	1.52	0.37	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	27		27	0.54	0.05	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Enrichment	Dissolved Oxygen Grab	12/1/2003	11/30/2010						JQ	CN	<input type="checkbox"/>	CN	nutrients	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2003	11/30/2010	53	3.85	0		502.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2003	11/30/2010	52	0.15	0		3.83	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1008F_03 From inflow of unnamed tributary to dam

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	83		6	4.29	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	83		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2003	11/30/2010	13		0		30.03	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/1/2003	11/30/2010	13		0		20.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2003	11/30/2010	13		0		63.61	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2003	11/30/2010	13		0		787.43	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2003	11/30/2010	13		0		311.04	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2003	11/30/2010	13		0		15.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2003	11/30/2010	13		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2003	11/30/2010	13		0		360.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2003	11/30/2010	13		0		9.59	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2003	11/30/2010	13	3.85	0		78.85	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2003	11/30/2010	13	3.65	0		45.01	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/1/2003	11/30/2010	13	1.15	0		5.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2003	11/30/2010	13	5.00	0		67.78	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2003	11/30/2010	13	1.85	0		5.25	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2003	11/30/2010	13	0.11	0		0.47	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2003	11/30/2010	13	2.50	0		190.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2003	11/30/2010	13	0.24	0		0.71	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1008F_03 From inflow of unnamed tributary to dam

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	27	63.28	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	27		26	0.76	0.20	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	24		10	46.7	26.70	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	27		5	0.16	0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	27		19	1.36	0.37	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	27		27	0.49	0.05	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Enrichment	Dissolved Oxygen Grab	12/1/2003	11/30/2010						JQ	CN	<input type="checkbox"/>	CN	nutrients	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2003	11/30/2010	53	3.85	0		502.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2003	11/30/2010	52	0.15	0		3.83	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1008F_04 Arm near dam adjacent to West Isle Drive and Pleasure Cove Drive

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	83		3	4.1	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	83		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2003	11/30/2010	13		0		22.61	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/1/2003	11/30/2010	13		0		20.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2003	11/30/2010	13		0		52.65	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2003	11/30/2010	13		0		651.96	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2003	11/30/2010	13		0		259.09	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2003	11/30/2010	13		0		11.66	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2003	11/30/2010	13		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2003	11/30/2010	13		0		360.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2003	11/30/2010	13		0		7.77	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2003	11/30/2010	13	0.11	0		0.71	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2003	11/30/2010	13	3.08	0		45.01	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2003	11/30/2010	13	5.00	0		67.78	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2003	11/30/2010	13	2.04	0		5.25	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2003	11/30/2010	13	3.85	0		78.85	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2003	11/30/2010	13	0.05	0		0.47	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2003	11/30/2010	13	2.77	0		190.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/1/2003	11/30/2010	13	1.00	0		5.00	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1008F_04 Arm near dam adjacent to West Isle Drive and Pleasure Cove Drive

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	27	60.07	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	27		21	1.16	0.37	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	27		27	0.49	0.05	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	27		6	0.18	0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	27		27	0.8	0.20	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	23		10	45.4	26.70	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Enrichment	Dissolved Oxygen Grab	12/1/2003	11/30/2010						JQ	CN	<input type="checkbox"/>	CN	nutrients	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2003	11/30/2010	53	3.85	0		502.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2003	11/30/2010	52	0.15	0		3.83	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1008H Willow Creek (unclassified water body)

AUID 1008H_01 From the Spring Creek confluence to a point 0.48 km (0.3 mi) north of Juergen Rd

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	68		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	68		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	70	326.75	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	69		57	6.61	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	23		20	1.36	0.37	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	70		7	1.05	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	70		58	1.65	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1008I Walnut Creek (unclassified water body)

AUID 1008I_01 From the Spring Creek confluence to a point 41.1 km (25.5 mi) upstream

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	11		2	3.7	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	11		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	12	190.52	1		126.00	LD	NS	<input type="checkbox"/>	CN	bacteria	

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	12		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	12		0		0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	12		1	0.4	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	12		0		0.33	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1008J Brushy Creek (unclassified water body)

AUID 1008J_01 From the Spring Creek confluence upstream to a point 5.6 km (3.5 mi) upstream of FM 1488

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	10		5	3.52	5.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	10		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	11	221.06	1		126.00	LD	NS	<input type="checkbox"/>	CN	bacteria	

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	11		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	11		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	11		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	11		0		0.69	AD	NC	<input type="checkbox"/>	NC		

SEGID 1008M Sulphur Branch (unclassified water body)

AUID 1008M_01 Entire water body

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	1		0		14.10	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	1		0		0.69	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	1		0		0.37	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	1		0		1.95	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	1		0		0.33	ID	NA	<input type="checkbox"/>	NA		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1009 Cypress Creek

AUID 1009_01 Upper portion of segment to downstream of US 290

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	78		9	3.34	5.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	78		2	1.55	3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	79	258.87	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	80		1	32.6	32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	76		2	9.35	9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	76		2	6.2	6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2003	11/30/2010	409	352.99	0		600.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2003	11/30/2010	384	56.92	0		100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2003	11/30/2010	384	15.94	0		50.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	32		16	2.02	0.37	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	26		5	90.42	14.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	80		9	0.6	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	80		33	5.24	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	79		40	2.05	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1009_01 Upper portion of segment to downstream of US 290

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/1/2003	11/30/2010	359	0.36			4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2003	11/30/2010	368	4.09			10.00	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1009_02 US 290 to SH 249

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	133		1	4.9	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	133		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Habitat	Habitat	12/1/2003	11/30/2010	2	16.00			20.00	AD	CS	<input type="checkbox"/>	CS	impaired habitat	
Macrobenthic Community	Macrobenthic Community	12/1/2003	11/30/2010	3	28.72			29.00	AD	NS	<input type="checkbox"/>	CN	impaired macrobenthic community	
Fish Community	Fish Community	12/1/2003	11/30/2010	3	51.25			39.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	124	521.74	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	140		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	135		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	135		1	5.8	6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2003	11/30/2010	409	352.99	0		600.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2003	11/30/2010	384	15.94	0		50.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2003	11/30/2010	384	56.92	0		100.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	125		82	5.44	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	72		51	1.56	0.37	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	103		6	0.8	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	105		71	1.69	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	21		1	43.9	14.10	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1009_02 US 290 to SH 249

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/1/2003	11/30/2010	359	0.36			4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2003	11/30/2010	368	4.09			10.00	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1009_03 SH 249 to IH 45

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	171		9	4.48	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	171		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	150	968.59	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	180		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	169		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	169		2	6.35	6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2003	11/30/2010	409	352.99	0		600.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2003	11/30/2010	384	56.92	0		100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2003	11/30/2010	384	15.94	0		50.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	152		123	6.46	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	60		50	1.8	0.37	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	132		14	0.5	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	132		106	1.95	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	21		1	43.9	14.10	AD	NC	<input type="checkbox"/>	NC		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/1/2003	11/30/2010	359	0.36			4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2003	11/30/2010	368	4.09			10.00	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1009_04 IH 45 to confluence with Spring Creek

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	27		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	27		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	27	734.74	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	27		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	27		1	9.2	9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	27		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2003	11/30/2010	409	352.99	0		600.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2003	11/30/2010	384	56.92	0		100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2003	11/30/2010	384	15.94	0		50.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	26		5	90.42	14.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	26		22	5.65	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	25		23	1.44	0.37	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	25		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	27		23	1.63	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/1/2003	11/30/2010	359	0.36			4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2003	11/30/2010	368	4.09			10.00	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1009C Faulkey Gully (unclassified water body)

AUID 1009C_01 From the Cypress Creek confluence to a point 11.7 km (7.2 mi) upstream

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	64		0		2.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	64		0		1.50	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	65	571.08	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	66		45	7.2	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	21		18	1.96	0.37	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	66		10	1.83	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	65		53	2.05	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1009D Spring Gully (unclassified water body)

AUID 1009D_01 Perennial stream from a point 1 km downstream of Louetta Road upstream to Spring Cypress Road

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	67		2	3.65	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	67		1	2.4	3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	69	569.80	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	70		59	6.96	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	68		58	2.32	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	69		17	1.15	0.33	AD	NC	<input type="checkbox"/>	CS	ammonia	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	22		18	2.29	0.37	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1009E Little Cypress Creek (unclassified water body)

AUID 1009E_01 From the Cypress Creek confluence to a point 11 km (6.8 mi) upstream

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	81		9	2.81	5.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	81		4	1.55	3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	82	341.67	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	82		48	7.7	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	36		22	1.69	0.37	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	81		5	0.73	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	81		54	1.96	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1010 Caney Creek

AUID 1010_01 Remaining portion of upper segment

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Sulfate	12/1/2003	11/30/2010	162	5.50			50.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2003	11/30/2010	190	105.64			300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2003	11/30/2010	162	16.06			50.00	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/1/2003	11/30/2010	126	0.14			4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2003	11/30/2010	162	0.34			10.00	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1010_02 From FM 1097 to SH 105

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	52		1	4.7	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	52		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	39	278.92	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	56		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	62		0		8.50	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	62		1	5.8	6.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2003	11/30/2010	190	105.64	0		300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2003	11/30/2010	162	16.06	0		50.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2003	11/30/2010	162	5.50	0		50.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	20		1	0.75	0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	29		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	35		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	38		1	2.43	1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	3		0		14.10	ID	NA	<input type="checkbox"/>	NA		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/1/2003	11/30/2010	126	0.14			4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2003	11/30/2010	162	0.34			10.00	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1010_03 From SH 105 to FM 2090

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	3		0		5.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	3		0		3.00	ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2001	11/30/2010	3	81.63	1		126.00	ID	NA	<input type="checkbox"/>	NA		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	3		0		32.20	ID	NA	<input type="checkbox"/>	NA		
High pH	pH	12/1/2003	11/30/2010	3		0		8.50	ID	NA	<input type="checkbox"/>	NA		
Low pH	pH	12/1/2003	11/30/2010	15		0		6.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2003	11/30/2010	162	16.06	0		50.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2003	11/30/2010	162	5.50	0		50.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2003	11/30/2010	190	105.64	0		300.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	3		0		0.37	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	3		0		0.33	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	3		0		0.69	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	3		0		14.10	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	3		0		1.95	ID	NA	<input type="checkbox"/>	NA		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/1/2003	11/30/2010	126	0.14			4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2003	11/30/2010	162	0.34			10.00	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1010_04 From FM 2090 to lower segment boundary

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	124		2	3.15	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	124		1	1.8	3.00	AD	FS	<input type="checkbox"/>	FS		
Habitat	Habitat	12/1/2003	11/30/2010	1	24.00			20.00	AD	NC	<input type="checkbox"/>	NC		
Macrobenthic Community	Macrobenthic Community	12/1/2003	11/30/2010	2	35.07			29.00	AD	FS	<input type="checkbox"/>	FS		
Fish Community	Fish Community	12/1/2003	11/30/2010	2	47.01			42.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	121	250.22	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	139		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	122		0		8.50	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	122		2	5.75	6.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2003	11/30/2010	190	105.64	0		300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2003	11/30/2010	162	16.06	0		50.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2003	11/30/2010	162	5.50	0		50.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	121		1	4.41	1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	62		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	88		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	102		0		0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	26		2	21.35	14.10	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID **1010_04** From FM 2090 to lower segment boundary

USE **Public Water Supply Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2003	11/30/2010	162	0.34			10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Fluoride	12/1/2003	11/30/2010	126	0.14			4.00	AD	FS	<input type="checkbox"/>	FS		

SEGID **1010C Spring Branch (unclassified water body)**

AUID **1010C_01** From the Caney Creek confluence to a point 0.54 km (0.34 mi) upstream of SH 105

USE **Aquatic Life Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	13		7	3.3	5.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	13		2	2.5	3.00	AD	FS	<input type="checkbox"/>	FS		

USE **Recreation Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	13	308.68	1		126.00	LD	NS	<input type="checkbox"/>	CN	bacteria	

USE **General Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	13		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	13		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	13		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	13		0		0.69	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1011 Peach Creek

AUID 1011_01 Upper segment boundary to US Hwy 59

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	57		1	4.6	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	57		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	43	161.74	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	61		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	56		0		8.50	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	56		1	4.9	6.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2003	11/30/2010	157	3.66	0		50.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2003	11/30/2010	156	13.89	0		50.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2003	11/30/2010	191	75.72	0		300.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	43		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	40		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	21		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	25		0		0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	6		0		14.10	LD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID	1011_01	Upper segment boundary to US Hwy 59
-------------	----------------	-------------------------------------

USE	Public Water Supply Use
------------	--------------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/1/2003	11/30/2010	133	0.13			4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2003	11/30/2010	157	0.22			10.00	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1011_02 US Hwy 59 to confluence with Caney Creek

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	123		1	4.6	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	123		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2003	11/30/2010	4		0		5.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2003	11/30/2010	4		0		3.00	LD	NC	<input type="checkbox"/>	NC		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	112	298.96	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	138		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	128		0		8.50	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	128		7	5.74	6.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2003	11/30/2010	191	75.72	0		300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2003	11/30/2010	156	13.89	0		50.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2003	11/30/2010	157	3.66	0		50.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	29		1	19.3	14.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	114		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	67		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	91		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	96		0		0.69	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1011_02 US Hwy 59 to confluence with Caney Creek

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2003	11/30/2010	157	0.22			10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Fluoride	12/1/2003	11/30/2010	133	0.13			4.00	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1012 Lake Conroe

AUID 1012_01 West Fork San Jacinto River arm to FM1375

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	98		12	3.77	5.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	98		1	2.97	3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	46	10.30	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	105		6	32.62	32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	98		7	9.15	9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	98		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2003	11/30/2010	508	6.47	0		50.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2003	11/30/2010	1041	141.76	0		300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2003	11/30/2010	528	18.35	0		50.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	24		3	37.33	26.70	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	57		1	1.88	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	54		1	0.26	0.05	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	14		0		0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	26		1	0.23	0.20	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID	1012_01	West Fork San Jacinto River arm to FM1375
-------------	----------------	---

USE	Public Water Supply Use
------------	--------------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/1/2003	11/30/2010	470	0.16	0		4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2003	11/30/2010	550	0.06	0		10.00	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1012_02 FM 1375 to Johnson Bluff

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	83		9	3.61	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	83		2	2.44	3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	46	8.66	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	83		2	32.65	32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	83		3	9.2	9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	83		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2003	11/30/2010	508	6.47	0		50.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2003	11/30/2010	1041	141.76	0		300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2003	11/30/2010	528	18.35	0		50.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	24		4	38.75	26.70	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	47		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	44		1	0.08	0.05	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	3		0		0.11	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	26		1	0.24	0.20	AD	NC	<input type="checkbox"/>	NC		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2003	11/30/2010	550	0.06			10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Fluoride	12/1/2003	11/30/2010	470	0.16			4.00	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1012_03 Lewis Creek arm

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	93		7	3.76	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	93		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2003	11/30/2010	11		1	4.8	5.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2003	11/30/2010	11		1	2.53	3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	45	9.42	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	93		6	34.16	32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	93		10	9.24	9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	93		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2003	11/30/2010	1041	141.76	0		300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2003	11/30/2010	528	18.35	0		50.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2003	11/30/2010	508	6.47	0		50.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	3		1	0.3	0.11	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	29		1	0.7	0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	50		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	27		9	39.92	26.70	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	47		1	0.06	0.05	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1012_03 Lewis Creek arm

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/1/2003	11/30/2010	470	0.16	0		4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2003	11/30/2010	550	0.06	0		10.00	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1012_04 Caney Creek arm to Hunters Point

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	290		8	3.64	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	110		2	2.71	3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2003	11/30/2010	11		0		5.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2003	11/30/2010	11		2	1.88	3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	46	7.48	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	119		8	34.08	32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	107		9	9.24	9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	107		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2003	11/30/2010	1041	141.76	0		300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2003	11/30/2010	528	18.35	0		50.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2003	11/30/2010	508	6.47	0		50.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	29		0		0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	3		1	0.2	0.11	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	47		0		0.05	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	50		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	27		8	38.41	26.70	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1012_04 Caney Creek arm to Hunters Point

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/1/2003	11/30/2010	470	0.16	0		4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2003	11/30/2010	550	0.06	0		10.00	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1012_05 Johnson Bluff to FM 1097

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	101		10	3.86	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	101		1	2.1	3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	46	7.94	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	110		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	101		4	9.14	9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	101		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2003	11/30/2010	1041	141.76	0		300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2003	11/30/2010	528	18.35	0		50.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2003	11/30/2010	508	6.47	0		50.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	24		7	39.43	26.70	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	58		0		0.05	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	61		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	26		1	0.36	0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	16		1	0.2	0.11	AD	NC	<input type="checkbox"/>	NC		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/1/2003	11/30/2010	470	0.16	0		4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2003	11/30/2010	550	0.06	0		10.00	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1012_06 Little Lake Creek arm to Walden Estates

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	100		7	3.93	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	100		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	46	7.10	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	109		1	32.4	32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	100		4	9.24	9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	100		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2003	11/30/2010	1041	141.76	0		300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2003	11/30/2010	528	18.35	0		50.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2003	11/30/2010	508	6.47	0		50.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	3		1	0.2	0.11	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	26		0		0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	44		0		0.05	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	47		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	24		6	35	26.70	AD	NC	<input type="checkbox"/>	NC		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/1/2003	11/30/2010	470	0.16	0		4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2003	11/30/2010	550	0.06	0		10.00	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1012_07 Lewis Creek arm to Bowsprit Point

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	83		7	4.08	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	83		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	46	9.31	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	82		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	83		3	9.23	9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	83		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2003	11/30/2010	1041	141.76	0		300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2003	11/30/2010	528	18.35	0		50.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2003	11/30/2010	508	6.47	0		50.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	26		2	0.25	0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	3		1	0.2	0.11	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	44		0		0.05	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	47		1	0.61	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	24		6	34.6	26.70	AD	NC	<input type="checkbox"/>	NC		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/1/2003	11/30/2010	470	0.16	0		4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2003	11/30/2010	550	0.06	0		10.00	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1012_08 Atkins Creek/Stewart Creek arm

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	100		7	4.29	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	100		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	46	8.06	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	109		1	33.5	32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	100		2	9.25	9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	100		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2003	11/30/2010	1041	141.76	0		300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2003	11/30/2010	528	18.35	0		50.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2003	11/30/2010	508	6.47	0		50.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	24		6	35.53	26.70	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	47		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	44		0		0.05	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	3		0		0.11	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	26		0		0.20	AD	NC	<input type="checkbox"/>	NC		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2003	11/30/2010	550	0.06	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Fluoride	12/1/2003	11/30/2010	470	0.16	0		4.00	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1012_09 Live Branch Creek arm

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Total Dissolved Solids	12/1/2003	11/30/2010	1041	141.76			300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2003	11/30/2010	528	18.35			50.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2003	11/30/2010	508	6.47			50.00	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/1/2003	11/30/2010	470	0.16			4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2003	11/30/2010	550	0.06			10.00	AD	FS	<input type="checkbox"/>	FS		

AUID 1012_10 FM 1097 to Walden Estates (main lake)

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Total Dissolved Solids	12/1/2003	11/30/2010	1041	141.76			300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2003	11/30/2010	528	18.35			50.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2003	11/30/2010	508	6.47			50.00	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/1/2003	11/30/2010	470	0.16			4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2003	11/30/2010	550	0.06			10.00	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1012_11 Walden Estates to dam

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	234		22	3.78	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	234		3	2.6	3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2003	11/30/2010	3		0		5.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2003	11/30/2010	3		0		3.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Di-n-butyl phthalate	12/1/2003	11/30/2010	1		0		43.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Hexachloroethane	12/1/2003	11/30/2010	1		0		13,770.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Hexachlorobutadiene (HCBBD)	12/1/2003	11/30/2010	1		0		550.00	ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	92	8.50	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	266		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	233		4	9.15	9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	233		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2003	11/30/2010	528	18.35	0		50.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2003	11/30/2010	508	6.47	0		50.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2003	11/30/2010	1041	141.76	0		300.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	101		2	0.07	0.05	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	18		2	0.2	0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	53		0		0.20	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1012_11 Walden Estates to dam

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	49		10	33.24	26.70	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	107		0		0.37	AD	NC	<input type="checkbox"/>	NC		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2003	11/30/2010	550	0.06	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Fluoride	12/1/2003	11/30/2010	470	0.16	0		4.00	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID **1013** **Buffalo Bayou Tidal**

AUID **1013_01** From a point immediately upstream of US 59 to a point immediately upstream of Shepard Drive

USE **Aquatic Life Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	300		1	2.7	3.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	300		0		2.00	AD	FS	<input type="checkbox"/>	FS		

USE **Recreation Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	246	300.48	1		35.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE **General Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	330		0		33.30	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	306		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	306		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	118		81	0.97	0.46	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	22		0		21.00	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	329		2	0.91	0.46	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	329		236	4.21	1.10	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	325		179	1.13	0.66	AD	CS	<input type="checkbox"/>	CS	total phosphorus	

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1013A Little White Oak Bayou (unclassified water body)

AUID 1013A_01 From the confluence of White Oak Bayou upstream to the RR Tracks north of IH 610

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	139		30	2.92	4.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	139		13	2.19	3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2003	11/30/2010	9		4	2.63	4.00	LD	NS	<input type="checkbox"/>	NS	depressed dissolved oxygen	5c
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2003	11/30/2010	9		7	1.83	3.00	LD	NS	<input type="checkbox"/>	NS	depressed dissolved oxygen	5c
Habitat	Habitat	12/1/2003	11/30/2010	2	26.50			14.00	AD	NC	<input type="checkbox"/>	NC		
Macroinvertebrate Community	Macroinvertebrate Community	12/1/2003	11/30/2010	2	15.95			22.00	AD	NS	<input type="checkbox"/>	CN	impaired macroinvertebrate community	
Fish Community	Fish Community	12/1/2003	11/30/2010	2	35.12			31.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	141	2832.69	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	5		1	26.7	14.10	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	146		1	3.08	1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	48		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	146		14	0.5	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	146		0		0.69	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1013C Unnamed Non-Tidal Tributary of Buffalo Bayou Tidal (unclassified water body)

AUID 1013C_01 Entire Segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	65		19	2.78	5.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	65		8	1.48	3.00	AD	CN	<input type="checkbox"/>	CN	depressed dissolved oxygen	

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	70	5724.15	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	71		1	1.97	1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	23		2	1.2	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	71		26	1.76	0.33	AD	CS	<input type="checkbox"/>	CS	ammonia	
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	70		4	1.23	0.69	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1014 Buffalo Bayou Above Tidal

AUID 1014_01 From a point immediately upstream of Shepherd Drive upstream to SH 6

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	669		0		3.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	669		0		2.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	689	851.26	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	686		0		33.30	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	649		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	649		5	6.38	6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2003	11/30/2010	689	339.33	0		600.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2003	11/30/2010	682	62.37	0		110.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2003	11/30/2010	682	23.75	0		65.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	682		447	5.89	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	45		2	30.7	14.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	682		441	1.49	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	263		214	1.32	0.37	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	681		45	0.49	0.33	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1014A Bear Creek (unclassified water body)

AUID 1014A_01 Confluence with South Mayde Creek to a point upstream of an unnamed tributary north of Langenbaugh Road

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	70		5	2.5	4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	70		2	1.65	3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	75	414.02	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	70		60	12.26	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	70		56	2.35	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	70		15	1.5	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	29		28	2.49	0.37	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1014B Buffalo Bayou/Barker Reservoir (unclassified water body)

AUID 1014B_01 From SH 6 to the confluence with Willow Fork Buffalo Bayou

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	83		3	2.03	4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	83		3	2.03	3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	89	353.61	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	84		10	0.59	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	84		58	1.75	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	43		40	1.61	0.37	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	84		56	6.44	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1014C Horsepen Creek (unclassified water body)

AUID 1014C_01 From the Langham Creek confluence upstream to where channelization begins, 0.62 km (0.39 mi) north of FM 529

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	19		5	3.16	4.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	19		2	2.45	3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	19	410.48	1		126.00	LD	NS	<input type="checkbox"/>	CN	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	13		13	3.24	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	13		6	12.32	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	19		17	2.95	0.37	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	13		3	1.32	0.33	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1014E Langham Creek (unclassified water body)

AUID 1014E_01 From the Bear Creek confluence upstream to the Dinner Creek confluence

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	66		2	2.75	4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	66		2	2.75	3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	70	889.66	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	71		60	8.8	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	21		20	2.44	0.37	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	71		30	1.07	0.33	AD	CS	<input type="checkbox"/>	CS	ammonia	
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	71		61	2.37	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1014H South Mayde Creek (unclassified water body)

AUID 1014H_01 From the Buffalo Bayou confluence upstream to the confluence with an unnamed tributary 0.62 km (0.39 mi) east of Barker-Cypress Road

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	72		4	3	4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	72		1	1.5	3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	77	419.42	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	70		49	7.57	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	30		30	2.41	0.37	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	70		3	0.53	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	70		52	1.98	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID

1014H_02

From the confluence with an unnamed tributary 0.62 km (0.39 mi) east of Barker-Cypress Road upstream to an unnamed tributary 1.05 km (0.65 mi) south of Clay Road

USE

Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	64		10	2.53	3.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	64		1	1.9	2.00	AD	FS	<input type="checkbox"/>	FS		

USE

Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	68	593.80	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE

General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	23		23	2.13	0.37	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	69		33	0.88	0.33	AD	CS	<input type="checkbox"/>	CS	ammonia	
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	69		62	2.23	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	69		61	7.63	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1014K Turkey Creek (unclassified water body)

AUID 1014K_01 From the South Mayde Creek confluence upstream to 0.17 km (0.1 mi) south of Clay Road

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	74		7	2.87	4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	74		3	1.73	3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	77	463.30	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	71		11	0.93	0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	71		3	0.38	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	71		19	3.82	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	28		14	0.58	0.37	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1014K_02 From 0.17 km (0.1 mi) south of Clay Road upstream to FM 529 1.1 km (0.68 mi) directly east of N. Eldridge Pkwy

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	59		5	2.74	4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	59		2	1.75	3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	63	631.44	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	18		5	0.78	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	64		4	1.71	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	64		10	0.99	0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	64		8	5.38	1.95	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1014L Mason Creek (unclassified water body)

AUID 1014L_01 From the Buffalo Bayou confluence upstream to Mason Road

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	68		4	3.45	4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	68		1	2.9	3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	72	928.33	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	70		64	3.22	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	71		62	9.16	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	25		25	3.01	0.37	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	71		6	1.05	0.33	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1014M Newman Branch (Neimans Bayou) (unclassified water body)

AUID 1014M_01 From the Buffalo Bayou confluence to 0.1 km (0.06 mi) upstream of Hammerly Blvd

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	84		40	2.56	4.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	84		24	1.92	3.00	AD	NS	<input type="checkbox"/>	NS	depressed dissolved oxygen	5b
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2003	11/30/2010	10		6	1.35	4.00	AD	NS	<input type="checkbox"/>	NS	depressed dissolved oxygen	5b
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2003	11/30/2010	10		6	0.52	3.00	AD	NS	<input type="checkbox"/>	NS	depressed dissolved oxygen	5b
Habitat	Habitat	12/1/2003	11/30/2010	2	26.50			14.00	AD	NC	<input type="checkbox"/>	NC		
Macrobenthic Community	Macrobenthic Community	12/1/2003	11/30/2010	2	12.76			22.00	AD	NS	<input type="checkbox"/>	NS	impaired macrobenthic community	5c
Fish Community	Fish Community	12/1/2003	11/30/2010	2	29.96			31.00	AD	NS	<input type="checkbox"/>	NS	impaired fish community	5c

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	70	1472.26	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	5		0		14.10	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	74		4	1.02	0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	74		9	0.58	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	74		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	27		2	0.47	0.37	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1014N Rummel Creek (unclassified water body)

AUID 1014N_01 From the Buffalo Bayou Above Tidal confluence to 1.2 km (0.75 mi) upstream of IH-10

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	68		5	2.74	4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	68		3	2.37	3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	71	2987.68	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	71		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	23		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	70		16	0.66	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	70		0		0.69	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 10140 Spring Branch (unclassified water body)

AUID 10140_01 Entire water body

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	70		1	2.5	4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	70		1	2.5	3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	70	2297.21	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	71		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	70		1	0.94	0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	71		10	0.79	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	23		0		0.37	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1015 Lake Creek

AUID 1015_01 From the West Fork of the San Jacinto River confluence upstream to the Landrum Creek confluence

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	37		6	4.3	5.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	37		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	29	135.37	1		126.00	JQ	NS	<input type="checkbox"/>	CN	bacteria	

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	37		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	37		1	8.7	8.50	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	37		0		6.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2003	11/30/2010	38	10.76	0		50.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2003	11/30/2010	48	223.68	0		300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2003	11/30/2010	38	56.05	0		80.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	6		0		14.10	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	32		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	32		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	32		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	32		0		0.69	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1015_01 From the West Fork of the San Jacinto River confluence upstream to the Landrum Creek confluence

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2003	11/30/2010	34	0.07	0		10.00	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1015_02 From the Landrum Creek confluence upstream to a point 4.0 km (2.5 mi) upstream of State Hwy 30

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	6		2	2.75	5.00	LD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	6		1	2.4	3.00	LD	NC	<input type="checkbox"/>	NC		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2001	11/30/2010	8	95.94	0		126.00	LD	NC	<input type="checkbox"/>	NC		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	6		0		32.20	LD	NC	<input type="checkbox"/>	NC		
High pH	pH	12/1/2003	11/30/2010	6		0		8.50	LD	NC	<input type="checkbox"/>	NC		
Low pH	pH	12/1/2003	11/30/2010	6		0		6.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Solids	Total Dissolved Solids	12/1/2003	11/30/2010	48	223.68	0		300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2003	11/30/2010	38	56.05	0		80.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2003	11/30/2010	38	10.76	0		50.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	6		0		1.95	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	6		0		0.37	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	6		0		0.33	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	6		0		0.69	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	6		0		14.10	LD	NC	<input type="checkbox"/>	NC		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2003	11/30/2010	34	0.07	0		10.00	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1015A Mound Creek (unclassified water body)

AUID 1015A_01 From the Lake Creek confluence upstream to the confluence with an unnamed tributary approximately 0.75 km (0.47 mi) downstream of Rabon-Chapel Road

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	12		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	12		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	12	799.82	1		126.00	LD	NS	<input type="checkbox"/>	CN	bacteria	

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	12		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	12		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	12		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	12		0		0.69	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1015B Caney Creek (unclassified water body)

AUID 1015B_01 From the Lake Creek confluence upstream to a point 2.4 km (1.5 mi) south of FM 1774

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2010	9		1	4	5.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2010	9		0		3.00	LD	NC	<input type="checkbox"/>	NC		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2001	11/30/2010	4	123.60	0		126.00	LD	NC	<input type="checkbox"/>	NC		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2010	9		0		1.95	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2010	9		0		0.37	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2010	9		0		0.33	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2010	9		0		0.69	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2010	8		2	59.3	14.10	LD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1016 Greens Bayou Above Tidal

AUID 1016_01 Upper segment boundary (FM 1960) to IH 45

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	137		2	2.5	3.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	137		0		2.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	141	306.98	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	139		2	33.75	33.30	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	131		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	131		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2003	11/30/2010	477	44.68	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2003	11/30/2010	489	405.50	0		1,000.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2003	11/30/2010	477	71.92	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	141		109	1.42	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	141		1	0.5	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	141		102	4.6	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	46		45	1.29	0.37	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1016_02 IH 45 to US 59

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	175		1	2.3	3.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	175		0		2.00	AD	FS	<input type="checkbox"/>	FS		
Habitat	Habitat	12/1/2003	11/30/2010	2	24.00			13.00	AD	NC	<input type="checkbox"/>	NC		
Macrobenthic Community	Macrobenthic Community	12/1/2003	11/30/2010	4	29.33			22.00	AD	FS	<input type="checkbox"/>	FS		
Fish Community	Fish Community	12/1/2003	11/30/2010	4	31.41			31.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	175	1030.66	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	177		1	34.8	33.30	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	168		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	168		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2003	11/30/2010	489	405.50	0		1,000.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2003	11/30/2010	477	71.92	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2003	11/30/2010	477	44.68	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	166		147	5.93	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	25		1	15	14.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	167		149	1.5	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	70		69	1.38	0.37	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	167		40	0.58	0.33	AD	CS	<input type="checkbox"/>	CS	ammonia	

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1016_03 From US 59 to the downstream boundary 0.7 km (0.4 miles) upstream of the Halls Bayou confluence

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	163		0		3.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	163		0		2.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	166	404.54	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	167		0		33.30	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	159		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	159		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2003	11/30/2010	489	405.50	0		1,000.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2003	11/30/2010	477	71.92	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2003	11/30/2010	477	44.68	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	166		12	0.43	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	167		127	1.55	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	71		66	1.3	0.37	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	166		139	6.38	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	26		0		14.10	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1016A Garners Bayou (unclassified water body)

AUID 1016A_02 From the confluence with Williams Gully upstream to 1.5 km north of Atascocita Road

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	69		3	2.83	3.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	69		0		2.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	71	208.97	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	71		58	1.87	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	71		31	5.59	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	23		22	1.92	0.37	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	71		33	3.88	0.33	AD	CS	<input type="checkbox"/>	CS	ammonia	

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1016A_03 From the confluence with Greens Bayou to confluence with Williams Gully

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	68		3	3.07	4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	68		1	2.4	3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	70	541.54	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	69		62	7.1	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	22		21	2.2	0.37	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	69		33	1.11	0.33	AD	CS	<input type="checkbox"/>	CS	ammonia	
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	70		65	2.2	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1016B Unnamed Tributary of Greens Bayou (unclassified water body)

AUID 1016B_01 Entire water body

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	77		4	1.88	3.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	77		2	1.05	2.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	78	466.95	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	65		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	22		1	0.47	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	65		3	1.57	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	65		1	1.11	0.69	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1016C Unnamed Tributary of Greens Bayou (unclassified water body)

AUID 1016C_01 Entire water body

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	78		0		3.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	78		0		2.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	79	1396.38	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	70		49	4.44	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	23		21	0.96	0.37	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	70		7	0.72	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	70		38	1.31	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1016D Unnamed Tributary of Greens Bayou (unclassified water body)

AUID 1016D_01 Entire water body

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	84		36	2.839	4.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	84		19	2.25	3.00	AD	NS	<input type="checkbox"/>	NS	depressed dissolved oxygen	5c
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2003	11/30/2010	5		0		4.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2003	11/30/2010	5		1	2.9	3.00	LD	NC	<input type="checkbox"/>	NC		
Habitat	Habitat	12/1/2003	11/30/2010	2	20.50			14.00	AD	NC	<input type="checkbox"/>	NC		
Macroinvertebrate Community	Macroinvertebrate Community	12/1/2003	11/30/2010	2	22.33			22.00	AD	FS	<input type="checkbox"/>	FS		
Fish Community	Fish Community	12/1/2003	11/30/2010	2	37.19			31.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	81	3128.91	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	5		0		14.10	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	76		14	0.93	0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	28		10	0.66	0.37	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	76		6	2.74	1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	76		25	1.23	0.33	AD	CS	<input type="checkbox"/>	CS	ammonia	

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1017 Whiteoak Bayou Above Tidal

AUID 1017_01 Huffmeister Rd to the confluence with Vogel Creek

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	91		0		3.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	91		0		2.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	97	405.27	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	95		0		33.30	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	91		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	91		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2003	11/30/2010	447	75.73	0		110.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2003	11/30/2010	447	36.20	0		65.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2003	11/30/2010	447	415.30	0		600.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	46		2	32.95	14.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	97		92	9.73	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	34		33	2.44	0.37	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	97		16	0.71	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	97		91	2.42	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1017_02 Vogel Creek to the Cole Creek confluence

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	66		1	1.2	3.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	66		1	1.2	2.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	71	796.20	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	70		0		33.30	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	67		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	67		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2003	11/30/2010	447	36.20	0		65.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2003	11/30/2010	447	415.30	0		600.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2003	11/30/2010	447	75.73	0		110.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	71		64	1.81	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	71		5	0.62	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	71		64	7.19	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	23		23	1.8	0.37	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1017_03 Cole Creek confluence to the Brickhouse Gully confluence

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	65		0		3.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	65		0		2.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	69	720.96	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	69		0		33.30	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	66		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	66		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2003	11/30/2010	447	75.73	0		110.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2003	11/30/2010	447	36.20	0		65.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2003	11/30/2010	447	415.30	0		600.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	69		59	5.8	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	21		19	1.27	0.37	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	69		6	0.88	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	69		49	1.35	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

AUID 1017_04 Brickhouse Gully confluence to a point immediately upstream of the confluence of Little White Oak Bayou in Harris Co. (lower segment boundary)

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	190		0		3.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	190		0		2.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	209	3209.32	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	207		0		33.30	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	202		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	202		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2003	11/30/2010	447	36.20	0		65.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2003	11/30/2010	447	415.30	0		600.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2003	11/30/2010	447	75.73	0		110.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	46		2	32.95	14.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	210		135	1.27	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	210		17	0.64	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	209		174	5.01	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	94		83	0.99	0.37	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1017A Brickhouse Gully/Bayou (unclassified water body)

AUID 1017A_01 Entire water body

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	58		0		3.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	58		0		2.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	63	2278.75	1		630.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	63		28	4.9	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	20		5	0.55	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	63		2	0.7	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	63		7	0.87	0.69	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1017B Cole Creek (unclassified water body)

AUID 1017B_02 From Flintlock Street to confluence with White Oak Bayou

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	66		3	2.03	3.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	66		2	1.8	2.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	70	2080.96	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	71		7	2.64	1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	71		22	1.31	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	71		11	0.77	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	23		17	0.87	0.37	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1017C Vogel Creek (unclassified water body)

AUID 1017C_01 From the White Oak Bayou confluence to a point 3.2 km (2.0 mi) upstream

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	57		0		3.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	57		0		2.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	62	360.65	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	62		14	0.96	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	62		38	1.45	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	20		16	1.16	0.37	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	62		43	5.03	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1017D Unnamed Tributary of Whiteoak Bayou (unclassified water body)

AUID 1017D_01 Entire water body

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	74		16	1.78	3.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	74		7	0.89	2.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2003	11/30/2010	4		3	1.23	3.00	LD	NS	<input type="checkbox"/>	NS	depressed dissolved oxygen	5c
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2003	11/30/2010	4		3	0	2.00	LD	NS	<input type="checkbox"/>	NS	depressed dissolved oxygen	5c

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	71	2309.12	1		630.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	23		2	0.78	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	71		25	1.82	0.33	AD	CS	<input type="checkbox"/>	CS	ammonia	
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	71		4	1.57	0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	71		1	4.58	1.95	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1017E Unnamed Tributary of White Oak Bayou (unclassified water body)

AUID 1017E_01 Entire water body

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	64		2	2.35	3.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	64		1	1.8	2.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	70	1311.05	1		630.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	70		6	0.57	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	69		1	20.9	0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	21		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	70		0		1.95	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 10 - San Jacinto River

SEGID 1017F Rolling Fork Creek (unclassified water body)

AUID 1017F_01 From the White Oak Bayou Above Tidal confluence to a point 3.9 km (2.4 mi) upstream

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	23		0		4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	23		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	24	552.38	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	24		23	3.07	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	24		24	10.63	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	11		11	3.07	0.37	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	24		0		0.33	AD	NC	<input type="checkbox"/>	NC		