

**2014 Texas Integrated Report**  
**Water Bodies with Concerns for Use Attainment and Screening Levels**

---

**Explanation of Column Headings**

- SegID and Name: The unique identifier (SegID), segment name, and location of the water body. Items may be one of three types of numbers for SegID. The first type is a classified segment number (4 digits, e.g. 0218), as defined in the Texas Surface Water Quality Standards (TSWQS). The second type is an unclassified water body (e.g. 0218A), not defined in the Standards and associated with a classified water body because it is in the same watershed. The third type includes special Segments for Oyster Water Use (e.g. 2421OW) and Beach Watch Use (e.g. 2481CB) special areas. The segment name and description follow SegID.
- AU\_ID: Identifies the assessment unit (AU\_ID, six or seven digits, e.g., 0101A\_01) and describes the location of the specific area within a classified or unclassified water body for which one or more water quality standards are not met.
- Parameter(s): Pollutants or water quality conditions that assessment procedures indicate do not meet assigned water quality standards or screening levels
- Level of Concern: **CN** - Concern for near-nonattainment of the TSWQS based on numeric criteria  
**CS** - Concern for water quality based on screening levels

<b>SEG ID: 0101 Canadian River Below Lake Meredith</b> From the Oklahoma State Line in Hemphill County to Sanford Dam in Hutchinson County
---

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
0101_03 From the confluence with White Deer Creek upstream to the confluence with Dixon Creek east of Borger	
0101_04 From the confluence with Dixon Creek upstream to Sanford Dam in Hutchinson County	
<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0101_04 From the confluence with Dixon Creek upstream to Sanford Dam in Hutchinson County	
<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CN</b>
0101_04 From the confluence with Dixon Creek upstream to Sanford Dam in Hutchinson County	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 0101A Dixon Creek**

Dixon Creek - intermittent stream with perennial pools from the confluence with the Canadian River in Hutchinson County upstream to the confluence with the Middle, West, and East Dixon creeks in Carson County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0101A_02 Dixon Creek an Appendix D Intermittent stream with perennial pools from the confluence with the permitted outfall receiving waters tributary upstream to the confluence of the East, Middle, and West Forks of Dixon Creek	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
0101A_01 Dixon Creek an Appendix D Intermittent stream with perennial pools from the confluence with the Canadian River upstream to the confluence with the permitted outfall receiving waters tributary	

**SEG ID: 0101B Rock Creek**

Perennial stream from the confluence with the Canadian River upstream to the headwaters in Carson County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0101B_01 Appendix D, Perennial stream from the confluence with the Canadian River up to SH 136 in the City of Borger	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
0101B_01 Appendix D, Perennial stream from the confluence with the Canadian River up to SH 136 in the City of Borger	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
0101B_01 Appendix D, Perennial stream from the confluence with the Canadian River up to SH 136 in the City of Borger	

**SEG ID: 0103 Canadian River Above Lake Meredith**

From a point immediately upstream of the confluence of Camp Creek in Potter County to the New Mexico State Line in Oldham County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>bacteria</b>	<b>CN</b>
0103_01 From the headwaters of Lake Meredith upstream to the confluence with Sand Creek	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 0103A East Amarillo Creek**  
From the confluence of the Canadian River to the headwaters of Thompson Park Lake in Amarillo

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0103A_01	From the confluence with the Canadian River upstream to the Thompson Park Lake spillway
0103A_02	From the Thompson Park Lake spillway upstream to the headwaters of the lake

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
0103A_01	From the confluence with the Canadian River upstream to the Thompson Park Lake spillway

**SEG ID: 0103C Unnamed Tributary of West Amarillo Creek**  
Unnamed tributary of West Amarillo Creek - from the confluence of West Amarillo Creek upstream to the confluence of two unnamed streams near Amarillo Blvd

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0103C_01	Unnamed tributary from the confluence of West Amarillo Creek upstream to the confluence of two unnamed streams near Amarillo Blvd

**SEG ID: 0104 Wolf Creek**  
From the Oklahoma State Line in Lipscomb County to a point 2.0 kilometers (1.2 miles) upstream of FM 3045 in Ochiltree County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0104_03	From the Lake Fryer Dam to a point 2.0 km (1.2 mi.) upstream of FM 3045 in Ochiltree County

**SEG ID: 0105 Rita Blanca Lake**  
Rita Blanca Lake - from Rita Blanca Dam in Hartley County up to the normal pool elevation of 3860 feet (impounds Rita Blanca Creek)

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
0105_01	Rita Blanca Lake from Rita Blanca Dam up to the normal pool elevation of 3860 feet

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0105_01	Rita Blanca Lake from Rita Blanca Dam up to the normal pool elevation of 3860 feet

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
0105_01	Rita Blanca Lake from Rita Blanca Dam up to the normal pool elevation of 3860 feet

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
0105_01	Rita Blanca Lake from Rita Blanca Dam up to the normal pool elevation of 3860 feet

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 0199A Palo Duro Reservoir**

Palo Duro Reservoir - from Palo Duro dam up to the normal pool elevation of 2892 feet north of Spearman

Parameter(s)

Level of Concern

**total phosphorus**

**CS**

0199A\_01 Palo Duro Reservoir from Palo Duro dam up to the normal pool elevation of 2892 feet north of Spearman

**SEG ID: 0201 Lower Red River**

From the Arkansas State Line in Bowie County to the Arkansas-Oklahoma State Line in Bowie County

Parameter(s)

Level of Concern

**chlorophyll-a**

**CS**

0201\_01 From the Arkansas state line upstream to the confluence with Walnut Bayou (Oklahoma stream)

**SEG ID: 0201A Mud Creek**

Mud Creek - from the confluence of the Red River upstream to the headwater near the intersection of US 82 and Bowie CR 3403

Parameter(s)

Level of Concern

**ammonia**

**CS**

0201A\_01 Mud Creek from the confluence of the Red River upstream to the headwater near the intersection of US 82 and Bowie CR 3403

Parameter(s)

Level of Concern

**depressed dissolved oxygen**

**CS**

0201A\_01 Mud Creek from the confluence of the Red River upstream to the headwater near the intersection of US 82 and Bowie CR 3403

**SEG ID: 0202 Red River Below Lake Texoma**

From the Arkansas-Oklahoma State Line in Bowie County to Denison Dam in Grayson County

Parameter(s)

Level of Concern

**chlorophyll-a**

**CS**

0202\_01 From the Oklahoma/Arkansas state line upstream to the confluence with Pecan Bayou

0202\_02 From the confluence with Pecan Bayou upstream to the confluence with Pine Creek

0202\_03 From the confluence with Pine Creek upstream to the confluence with Bois d'Arc Creek

0202\_04 From the confluence with Bois d'Arc upstream to the confluence with Choctaw Creek

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 0202D Pine Creek**

Pine Creek - perennial and intermittent stream from the confluence of the Red River upstream to the dam forming Lake Crook

Parameter(s)

Level of Concern

**chlorophyll-a**

**CS**

0202D\_01 Pine Creek an Appendix D Perennial and intermittent stream from the confluence of the Red River upstream to the dam forming Lake Crook

**SEG ID: 0202E Post Oak Creek**

Post Oak Creek - from the confluence of Choctaw Creek upstream to the headwater east of Shadow St northwest of Sherman

Parameter(s)

Level of Concern

**nitrate**

**CS**

0202E\_01 Post Oak Creek from the confluence of Choctaw Creek upstream to the confluence of Sand Creek

Parameter(s)

Level of Concern

**total phosphorus**

**CS**

0202E\_01 Post Oak Creek from the confluence of Choctaw Creek upstream to the confluence of Sand Creek

**SEG ID: 0202F Choctaw Creek**

From the confluence with the Red River east of Denison to the upstream perennial portion near the intersection of SH 56 and SH 289 in Grayson County

Parameter(s)

Level of Concern

**nitrate**

**CS**

0202F\_01 From the confluence with the Red River upstream to the confluence with Post Oak Creek

Parameter(s)

Level of Concern

**total phosphorus**

**CS**

0202F\_01 From the confluence with the Red River upstream to the confluence with Post Oak Creek

**SEG ID: 0202G Smith Creek**

Smith Creek - from the confluence of Pine Creek upstream to the confluence of two unnamed streams south of Loop 286 in Paris

Parameter(s)

Level of Concern

**ammonia**

**CS**

0202G\_01 Smith Creek from the confluence of Pine Creek upstream to the confluence of two unnamed streams south of Loop 286 in Paris

Parameter(s)

Level of Concern

**total phosphorus**

**CS**

0202G\_01 Smith Creek from the confluence of Pine Creek upstream to the confluence of two unnamed streams south of Loop 286 in Paris

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 0202I Little Pine Creek**

Little Pine Creek - from the confluence of Big Pine Creek upstream to the headwater north of Detroit, TX

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0202I_01 Little Pine Creek from the confluence of Big Pine Creek upstream to the headwater north of Detroit, TX	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
0202I_01 Little Pine Creek from the confluence of Big Pine Creek upstream to the headwater north of Detroit, TX	

**SEG ID: 0202L Honey Grove Creek**

Honey Grove Creek - from the confluence of Bois d'Arc Creek upstream to the headwater east of Honey Grove

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>bacteria</b>	<b>CN</b>
0202L_01 Honey Grove Creek from the confluence of Bois d'Arc Creek upstream to the headwater east of Honey Grove	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0202L_01 Honey Grove Creek from the confluence of Bois d'Arc Creek upstream to the headwater east of Honey Grove	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
0202L_01 Honey Grove Creek from the confluence of Bois d'Arc Creek upstream to the headwater east of Honey Grove	

**SEG ID: 0202M Lake Bonham (Bonham City Lake)**

Lake Bonham - from the dam up to the normal pool elevation of 565 feet

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0202M_01 Lake Bonham from the dam up to the normal pool elevation of 565 feet	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 0203 Lake Texoma**  
Lake Texoma - from Denison Dam in Grayson County to a point immediately upstream of the confluence of Sycamore Creek in Cooke County, up to the normal pool elevation of 617 feet (impounds Red River)

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0203_04 Lake Texoma upper-lake area bounded downstream by a line from East Juniper Point to Cardinal Cove (OK) upstream to headwaters	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>harmful algal bloom/golden alga</b>	<b>CN</b>
0203_01 Lake Texoma lower lake from Denison Dam upstream to a line from Rock Point (TX) to Burns West Recreational Area (OK)	
0203_02 Lake Texoma Little Mineral Arm from a line from Rocky point to the Episcopal Recreation Center on Preston peninsula	
0203_03 Lake Texoma mid-lake area bounded upstream by a line from East Juniper Point to Cardinal Cove (OK) and downstream by a line from Treasure Island to Mill Creek picnic area	
0203_04 Lake Texoma upper-lake area bounded downstream by a line from East Juniper Point to Cardinal Cove (OK) upstream to headwaters	
0203_05 Remainder of Lake Texoma not assessed	

**SEG ID: 0203A Big Mineral Creek**  
Big Mineral Creek -intermittent stream with perennial pools from the normal pool elevation of Lake Texoma upstream to the confluence of unnamed tributaries on the North and South Branch, 2.4 km and 1.1 km upstream of US 377, respectively

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
0203A_01 Big Mineral Creek an Appendix D Intermittent stream with perennial pools from the normal pool elevation of Lake Texoma upstream to the confluence of unnamed tributaries on the North and South Branch, 2.4 km and 1.1 km upstream of US 377, respectively	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
0203A_01 Big Mineral Creek an Appendix D Intermittent stream with perennial pools from the normal pool elevation of Lake Texoma upstream to the confluence of unnamed tributaries on the North and South Branch, 2.4 km and 1.1 km upstream of US 377, respectively	

**SEG ID: 0204 Red River Above Lake Texoma**  
From a point immediately upstream of the confluence of Sycamore Creek in Cooke County to the confluence of the Wichita River in Clay County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0204_01 From the normal pool elevation of Lake Texoma upstream to the confluence with Fish Creek	
0204_02 From the confluence with Fish Creek upstream to the confluence with Farmers Creek	
0204_03 From the confluence with Farmers Creek upstream to the confluence with the Little Wichita River	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 0205 Red River Below Pease River**  
From the confluence of the Wichita River in Clay County to the confluence of the Pease River in Wilbarger County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0205_01	From the confluence with the Wichita River upstream to IH 44 in Burkburnett
0205_02	From IH 44 in Burkburnett upstream to the confluence with the Pease River

**SEG ID: 0206B South Groesbeck Creek**  
South Groesbeck Creek - from the confluence of Groesbeck Creek and North Groesbeck Creek upstream to the headwater 12.6 km southwest of Childress

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
0206B_01	South Groesbeck Creek from the confluence of Groesbeck Creek and North Groesbeck Creek upstream to the headwater 12.6 km southwest of Childress

**SEG ID: 0207 Lower Prairie Dog Town Fork Red River**  
Lower Prairie Dog Town Fork Red River - from a point immediately upstream of the confluence of Buck Creek in Hardeman County to a point 100 meters (110 yards) upstream of the confluence of Salt Fork Creek in Armstrong County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0207_04	Lower Prairie Dog Town Fork Red River from the confluence of Battle Creek upstream to the confluence of Salt Fork Creek upstream of SH 207 south of Claude

**SEG ID: 0207A Buck Creek**  
Buck Creek - from Oklahoma State Line upstream to the headwater south of Hedley

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
0207A_01	Buck Creek from Oklahoma State Line upstream to the confluence of House Log Creek



**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 0209 Pat Mayse Lake**  
Pat Mayse Lake - from Pat Mayse Dam in Lamar County up to the normal pool elevation of 451 feet (impounds Sanders Creek)

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0209_02 Pat Mayse Lake upper half from the easternmost point of Pat Mayse West campground up to normal pool elevation of 451 feet	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>manganese in sediment</b>	<b>CS</b>
0209_01 Pat Mayse Lake lower half from the dam upstream to the easternmost point of Pat Mayse West campground	
0209_02 Pat Mayse Lake upper half from the easternmost point of Pat Mayse West campground up to normal pool elevation of 451 feet	

**SEG ID: 0211 Little Wichita River**  
From the confluence with the Red River in Clay County to Lake Arrowhead Dam in Clay County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>bacteria</b>	<b>CN</b>
0211_02 From the confluence with the East Fork Little Wichita River upstream to the Lake Arrowhead Dam	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0211_01 From the confluence with the Red River upstream to the confluence with the East Fork Little Wichita River	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 0214 Wichita River Below Diversion Lake Dam**  
From the confluence with the Red River in Clay County to Diversion Dam in Archer County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0214_01 From the confluence with the Red River upstream to the confluence with an un-named tributary immediately upstream of FM 2393	
0214_02 From an un-named tributary immediately upstream of FM 2393 upstream to the River Road WWTP	
0214_03 From the River Road WWTP upstream to the confluence with Buffalo Creek	
0214_04 From the confluence with Buffalo Creek upstream to the confluence with Beaver Creek	
0214_05 From the confluence with Beaver Creek upstream to the Diversion Lake Dam	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
0214_01 From the confluence with the Red River upstream to the confluence with an un-named tributary immediately upstream of FM 2393	
0214_02 From an un-named tributary immediately upstream of FM 2393 upstream to the River Road WWTP	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
0214_01 From the confluence with the Red River upstream to the confluence with an un-named tributary immediately upstream of FM 2393	
0214_02 From an un-named tributary immediately upstream of FM 2393 upstream to the River Road WWTP	

**SEG ID: 0214A Beaver Creek**  
From the confluence of the Wichita River west of Wichita Falls in Wichita County upstream to the headwaters west of Crowell in Foard County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0214A_02 From the confluence with Bull Creek upstream to the Santa Rosa Lake dam	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CN</b>
0214A_01 From the confluence with the Wichita River upstream to the confluence with Bull Creek	
0214A_02 From the confluence with Bull Creek upstream to the Santa Rosa Lake dam	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 0214B Buffalo Creek**  
Buffalo Creek - from the confluence of the Wichita River upstream to the headwater east of Electra

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
0214B_01 Buffalo Creek from the confluence of the Wichita River upstream to the headwater east of Electra	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0214B_01 Buffalo Creek from the confluence of the Wichita River upstream to the headwater east of Electra	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
0214B_01 Buffalo Creek from the confluence of the Wichita River upstream to the headwater east of Electra	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
0214B_01 Buffalo Creek from the confluence of the Wichita River upstream to the headwater east of Electra	

**SEG ID: 0214E Wichita Valley Irrigation Project**  
South Side Canal

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0214E_01 South Side Canal	

**SEG ID: 0215 Diversion Lake**  
Diversion Lake - from Diversion Dam in Archer County to a point 1.5 kilometers (0.9 mile) downstream of the confluence of Cottonwood Creek in Baylor County, up to the normal pool elevation of 1052 feet (impounds Wichita River)

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>harmful algal bloom/golden alga</b>	<b>CN</b>
0215_01 Diversion Lake from Diversion Dam to a point 1.5 kilometers downstream of the confluence of Cottonwood Creek, to the normal pool elevation of 1052 feet	

**SEG ID: 0218 Wichita/North Fork Wichita River**  
Wichita/North Fork Wichita River - from a point 9.4 kilometers (5.8 miles) downstream of the confluence of Crooked Creek in Baylor County to a point 8.5 kilometers (5.3 miles) downstream of the most upstream crossing of FM 193 in Dickens County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>bacteria</b>	<b>CN</b>
0218_02 North Fork Wichita River from the confluence of the South Fork Wichita River upstream to the confluence of the Middle Fork Wichita River	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 0218A Middle Fork Wichita River**

Middle Fork Wichita River - from the confluence of the North Wichita River upstream to the headwater 15 km north of Guthrie in King County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>selenium in water</b>	<b>CN</b>
0218A_01 Middle Fork Wichita River from the confluence of the North Wichita River upstream to the headwater 15 km north of Guthrie in King County	

**SEG ID: 0219 Lake Wichita**

Lake Wichita - from Lake Wichita Dam in Wichita County up to the normal pool elevation of 980.5 feet (impounds Holliday Creek)

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0219_01 Lake Wichita from the dam up to the normal pool elevation of 980.5 feet	
<hr/>	
<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>harmful algal bloom/golden alga</b>	<b>CN</b>
0219_01 Lake Wichita from the dam up to the normal pool elevation of 980.5 feet	
<hr/>	
<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
0219_01 Lake Wichita from the dam up to the normal pool elevation of 980.5 feet	

**SEG ID: 0222 Salt Fork Red River**

Salt Fork Red River - from the Oklahoma State Line in Collingsworth County to Greenbelt Dam in Donley County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
0222_01 Salt Fork Red River from the Oklahoma State Line upstream to the confluence of Lake Creek	

**SEG ID: 0226 South Fork Wichita River**

South Fork Wichita River - from the confluence with the North Fork Wichita River in Knox County to a point 15.0 kilometers (9.3 miles) upstream of US 82 in Dickens County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
0226_02 South Fork Wichita River from SH 6 upstream to the confluence of Willow Creek	
0226_03 South Fork Wichita River from confluence of Willow Creek upstream to the confluence of Long Canyon Creek	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 0229 Upper Prairie Dog Town Fork Red River**  
Upper Prairie Dog Town Fork Red River - from a point 100 meters (110 yards) upstream of the confluence of Salt Fork Creek in Armstrong County to Lake Tanglewood Dam in Randall County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>bacteria</b>	<b>CN</b>
0229_01 Upper Prairie Dog Town Fork Red River from a point 100 m (110 yds) upstream of the confluence of Salt Creek upstream to the Palo Duro Canyon State Park northern boundary	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0229_01 Upper Prairie Dog Town Fork Red River from a point 100 m (110 yds) upstream of the confluence of Salt Creek upstream to the Palo Duro Canyon State Park northern boundary	
0229_02 Upper Prairie Dog Town Fork Red River from the Palo Duro Canyon State Park northern boundary upstream to Tanglewood Dam	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
0229_02 Upper Prairie Dog Town Fork Red River from the Palo Duro Canyon State Park northern boundary upstream to Tanglewood Dam	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
0229_01 Upper Prairie Dog Town Fork Red River from a point 100 m (110 yds) upstream of the confluence of Salt Creek upstream to the Palo Duro Canyon State Park northern boundary	
0229_02 Upper Prairie Dog Town Fork Red River from the Palo Duro Canyon State Park northern boundary upstream to Tanglewood Dam	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
0229_01 Upper Prairie Dog Town Fork Red River from a point 100 m (110 yds) upstream of the confluence of Salt Creek upstream to the Palo Duro Canyon State Park northern boundary	
0229_02 Upper Prairie Dog Town Fork Red River from the Palo Duro Canyon State Park northern boundary upstream to Tanglewood Dam	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 0229A Lake Tanglewood**  
Lake Tanglewood - from the dam up to the Palisades neighborhood

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
0229A_01 Lake Tanglewood from the dam up to the Palisades neighborhood	
<b>chlorophyll-a</b>	<b>CS</b>
0229A_01 Lake Tanglewood from the dam up to the Palisades neighborhood	
<b>depressed dissolved oxygen</b>	<b>CS</b>
0229A_01 Lake Tanglewood from the dam up to the Palisades neighborhood	
<b>nitrate</b>	<b>CS</b>
0229A_01 Lake Tanglewood from the dam up to the Palisades neighborhood	
<b>total phosphorus</b>	<b>CS</b>
0229A_01 Lake Tanglewood from the dam up to the Palisades neighborhood	

**SEG ID: 0230A Paradise Creek**  
Paradise Creek - from the confluence of the Pease River east of Vernon upstream to the headwater 500m west of the intersection of US 70 and Foard CR 233

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0230A_01 Paradise Creek from the confluence of the Pease River east of Vernon upstream to a point 400m upstream of the intersection of FM 433 and Wilbarger CR 97	

**SEG ID: 0301 Sulphur River Below Wright Patman Lake**  
From the Arkansas State Line in Bowie/Cass County to Wright Patman Lake Dam in Bowie/Cass County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0301_01 From the Arkansas state line approximately 9 miles upstream to the unnamed creek at NHD RC 11140302004559	
0301_02 From the unnamed creek at NHD RC 11140302004559 approximately 10 miles to Wright Patman Lake Dam	

**SEG ID: 0301A Akin Creek**  
From the confluence with the Sulphur River in Bowie County below Lake Wright Patman to 1 kilometer (.6 miles) south of US HWY 82

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>impaired fish community</b>	<b>CN</b>
0301A_01 Entire water body	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 0302 Wright Patman Lake**  
From Wright Patman Lake Dam in Bowie/Cass County to a point 1.5 kilometers (0.9 miles) downstream of Bassett Creek in Bowie/Cass County, up to the normal pool elevation of 226.4 feet (impounds the Sulphur River)

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0302_01 800 acres near dam	
0302_02 300 acres at International Paper intake	
0302_03 1600 acres southwest of dam	
0302_04 500 acres in the northeast corner of lake	
0302_06 Big Creek arm	
0302_09 5000 acres mid-lake, below Hwy 8	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
0302_01 800 acres near dam	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>pH</b>	<b>CN</b>
0302_09 5000 acres mid-lake, below Hwy 8	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
0302_02 300 acres at International Paper intake	

**SEG ID: 0302A Big Creek**  
Intermittent stream with perennial pools from FM 2149 up to 1.3 kilometers south of U.S. 82 south-east of New Boston

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
0302A_02 From the confluence with NHD RC 11140302004386 upstream 24.3 km (15.1 mi) to the headwaters near I30 and WQS Appendix D portion of the water body.	

**SEG ID: 0302C Anderson Creek**  
From Lake Wright Patman upstream 88.6 km (55 mi) to the headwaters near US HWY 82

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>impaired habitat</b>	<b>CS</b>
0302C_01 Entire water body	

**SEG ID: 0302E Rice Creek**  
From the confluence with Anderson Creek in Bowie County upstream to the dam of TP Lake west of New Boston

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
0302E_01 Entire water body	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 0302G TP Lake**

Impounds the portion of Rice Creek 0.02 kilometers south of US 82 in Bowie County extending to the dam

Parameter(s)

Level of Concern

**depressed dissolved oxygen**

**CS**

0302G\_01 Entire segment

**SEG ID: 0303 Sulphur/South Sulphur River**

From a point 1.5 kilometers (0.9 miles) downstream of Bassett Creek in Bowie/Cass County to Jim L. Chapman Dam (formerly Cooper Lake dam) in Delta/Hopkins County

Parameter(s)

Level of Concern

**chlorophyll-a**

**CS**

0303\_05 Portion of the Sulphur/South Sulphur River from the confluence with the North Sulphur River approximately 43 km (26.5 mi) upstream to Jim L. Chapman Dam (formerly Cooper Lake dam)

**SEG ID: 0303B White Oak Creek**

From the confluence of the Sulphur River north of Naples in Morris County to the upstream perennial portion of the stream east of Sulphur Springs in Hopkins County

Parameter(s)

Level of Concern

**bacteria**

**CN**

0303B\_03 Portion of White Oak Creek from the confluence with the Ripley Creek approximately 42 km (26 mi) upstream to Stouts Creek.

Parameter(s)

Level of Concern

**depressed dissolved oxygen**

**CS**

0303B\_03 Portion of White Oak Creek from the confluence with the Ripley Creek approximately 42 km (26 mi) upstream to Stouts Creek.

Parameter(s)

Level of Concern

**total phosphorus**

**CS**

0303B\_04 Portion of White Oak Creek from the confluence with the Stouts Creek approximately 46 km (28 mi) upstream to Midget Creek.



**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 0303D Rock Creek**  
From the confluence with White Oak Creek to the southwest corner of Hughes Springs  
approximately 2 miles southeast of the intersection of I-30 and State Hwy 19

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>bacteria</b>	<b>CN</b>
0303D_01 Entire water body	
<b>impaired fish community</b>	<b>CN</b>
0303D_01 Entire water body	
<b>impaired habitat</b>	<b>CS</b>
0303D_01 Entire water body	
<b>nitrate</b>	<b>CS</b>
0303D_01 Entire water body	
<b>total phosphorus</b>	<b>CS</b>
0303D_01 Entire water body	

**SEG ID: 0303E East Caney Creek**  
From the confluence with White Oak Creek to just east of Como in southeastern Hopkins  
County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
0303E_01 Entire water body	
<b>bacteria</b>	<b>CN</b>
0303E_01 Entire water body	
<b>total phosphorus</b>	<b>CS</b>
0303E_01 Entire water body	

**SEG ID: 0303F Stouts Creek**  
From the confluence with White Oak Creek to approximately 7 miles due east of Como in  
Hopkins County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
0303F_01 Entire water body	
<b>bacteria</b>	<b>CN</b>
0303F_01 Entire water body	
<b>total phosphorus</b>	<b>CS</b>
0303F_01 Entire water body	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

---

**SEG ID: 0303L Kickapoo Creek**  
From the confluence with Cuthand Creek in Titus County to 1.6 kilometers (1 mile) south of FM 114

Parameter(s)

**impaired habitat**

0303L\_01 Entire water body

Level of Concern

**CS**

**SEG ID: 0303M Smackover Creek**  
From the confluence of White Oak Creek upstream to the headwaters at an impoundment 1.8 kilometers upstream of FM1001 in Titus County

Parameter(s)

**impaired habitat**

0303M\_01 Entire water body

Level of Concern

**CS**

**SEG ID: 0303N Horse Creek**  
From the confluence of White Oak Creek upstream to a small impoundment 0.2 kilometers northeast of the intersection of Highway 67 and FM 1993 in Titus County

Parameter(s)

**impaired macrobenthic community**

0303N\_01 Entire water body

Level of Concern

**CN**

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 0304 Days Creek**  
From the Arkansas State Line in Bowie County to the confluence of Swampoodle Creek and Nix Creek in Bowie County.

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>acenaphthene in sediment</b> 0304_01 Entire water body	<b>CS</b>
<b>benz(a)anthracene in sediment</b> 0304_01 Entire water body	<b>CS</b>
<b>benzo(a)pyrene in sediment</b> 0304_01 Entire water body	<b>CS</b>
<b>chrysene in sediment</b> 0304_01 Entire water body	<b>CS</b>
<b>fluoranthene in sediment</b> 0304_01 Entire water body	<b>CS</b>
<b>naphthalene in sediment</b> 0304_01 Entire water body	<b>CS</b>
<b>nitrate</b> 0304_01 Entire water body	<b>CS</b>
<b>phenanthrene in sediment</b> 0304_01 Entire water body	<b>CS</b>
<b>pyrene in sediment</b> 0304_01 Entire water body	<b>CS</b>

**SEG ID: 0304A Swampoodle Creek**  
From the confluence of Days Creek in central Texarkana in Bowie County to the upstream perennial portion of the stream in northern Texarkana in Bowie County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>bacteria</b> 0304A_01 Entire water body	<b>CN</b>
<b>impaired macrobenthic community</b> 0304A_01 Entire water body	<b>CN</b>

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 0304B Cowhorn Creek**

From the confluence of Wagner Creek in southern Texarkana in Bowie County to the upstream perennial portion of the stream in northern Texarkana in Bowie County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>impaired habitat</b>	<b>CS</b>
0304B_01 Entire water body	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>impaired macrobenthic community</b>	<b>CN</b>
0304B_01 Entire water body	

**SEG ID: 0304C Wagner Creek**

Perennial stream from the confluence with Days Creek to a point 1.5 km upstream of IH 30

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
0304C_01 Entire water body and WQS Appendix D portion of the water body.	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>bacteria</b>	<b>CN</b>
0304C_01 Entire water body and WQS Appendix D portion of the water body.	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CN</b>
0304C_01 Entire water body and WQS Appendix D portion of the water body.	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>impaired macrobenthic community</b>	<b>CN</b>
0304C_01 Entire water body and WQS Appendix D portion of the water body.	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
0304C_01 Entire water body and WQS Appendix D portion of the water body.	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
0304C_01 Entire water body and WQS Appendix D portion of the water body.	

**SEG ID: 0304D Nix Creek**

From the confluence with Swampoodle Creek to 1.6 kilometers (1 mile) directly east of the intersection of US HWY 271 and I30

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>impaired habitat</b>	<b>CS</b>
0304D_01 Entire water body	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 0305 North Sulphur River**  
From the confluence with the South Sulphur River in Lamar County to a point 6.7 km (4.2 miles) upstream of FM 68 in Fannin County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0305_01 Portion of the North Sulphur River from the confluence with the Sulphur/South Sulphur upstream approximately 41 km (25 mi) to Morrison Creek	

**SEG ID: 0305B Auds Creek**  
From the confluence with the North Sulphur River in Lamar County to 2 kilometers (1.2 miles) south of US HWY 82

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>impaired habitat</b>	<b>CS</b>
0305B_01 Entire water body	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>impaired macrobenthic community</b>	<b>CN</b>
0305B_01 Entire water body	

**SEG ID: 0305D Big Sandy Creek**  
From the confluence with the North Sulphur River in Lamar County to .4 kilometers (.2 miles) of US HWY 82 Business in Paris

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>impaired habitat</b>	<b>CS</b>
0305D_01 Entire water body	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>impaired macrobenthic community</b>	<b>CN</b>
0305D_01 Entire water body	

**SEG ID: 0306 Upper South Sulphur River**  
From a point 1.0 km (0.6 miles) upstream of SH 71 in Delta/Hopkins County to SH 78 in Fannin County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0306_01 Portion of the Upper South Sulphur River from a point 1 km (.6 mi) upstream of SH 71 upstream approximately 10 km (6 mi) to Dunbar Creek.	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
0306_01 Portion of the Upper South Sulphur River from a point 1 km (.6 mi) upstream of SH 71 upstream approximately 10 km (6 mi) to Dunbar Creek.	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
0306_01 Portion of the Upper South Sulphur River from a point 1 km (.6 mi) upstream of SH 71 upstream approximately 10 km (6 mi) to Dunbar Creek.	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 0401 Caddo Lake**

From the Louisiana State Line in Harrison/Marion County to a point 12.3 km (7.6 miles) downstream of SH 43 in Harrison/Marion County, up to pool elevation of 168.5 feet (impounds Big Cypress Creek)

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
0401_02 Harrison Bayou arm	
0401_03 Goose Prairie arm	
0401_05 Clinton Lake	
0401_07 Mid-lake near Uncertain	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>iron in sediment</b>	<b>CS</b>
0401_01 Lower 5000 acres	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>mercury in edible tissue</b>	<b>CS</b>
0401_01 Lower 5000 acres	
0401_02 Harrison Bayou arm	
0401_03 Goose Prairie arm	
0401_05 Clinton Lake	
0401_07 Mid-lake near Uncertain	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
0401_07 Mid-lake near Uncertain	

**SEG ID: 0401A Harrison Bayou**

From the confluence of Caddo Lake east of Karnack in Harrison County to the upstream perennial portion of the stream east of Marshall in Harrison County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>bacteria</b>	<b>CN</b>
0401A_01 From Caddo Lake upstream 21.8 km (13.5 mi) to the confluence with NHD RC 11140306000177, an unnamed tributary approximately 2 km downstream from FM 1998	

**SEG ID: 0402 Big Cypress Creek Below Lake O' the Pines**

From a point 12.3 km (7.6 miles) downstream of SH 43 in Harrison/Marion County to Ferrell's Bridge Dam in Marion County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
0402_02 From the confluence with Haggerty Creek upstream 25 km (15.5 mi) to the confluence with Black Cypress Bayou.	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>impaired macrobenthic community</b>	<b>CN</b>
0402_03 From the confluence with Black Cypress Bayou upstream 23.8 km (14.7 mi) to French Creek.	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 0402A Black Cypress Bayou (Creek)**

Perennial stream from the confluence with Big Cypress in Marion County up to 7.5 miles above FM 250 in Cass County.

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>bacteria</b>	<b>CN</b>
0402A_05 An Appendix D intermittent stream with perennial pools from the confluence with Kelly Creek upstream to FM 250 north of the City of Hughes Springs	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>copper in water</b>	<b>CN</b>
0402A_01 From the confluence with Big Cypress Creek upstream 25 km (15.5 mi) to the confluence with White Oak Creek	
0402A_03 Pruitt Lake beginning near HWY 155, extending upstream 1.8 km (1.1 mi)	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
0402A_03 Pruitt Lake beginning near HWY 155, extending upstream 1.8 km (1.1 mi)	
0402A_04 From Pruitt Lake 26.4 km (16.4 mi) upstream to the confluence with Kelly Creek in Cass County	

**SEG ID: 0403 Lake O' the Pines**

From Ferrell's Bridge Dam in Marion County to a point 1.0 km (0.6 miles) downstream of US 259 in Morris/Upshur County, up to normal pool elevation of 228.5 feet (impounds Big Cypress Creek)

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0403_02 Middle 5000 acres	
0403_03 Middle 5000 acres below Hwy 155	
0403_04 Upper 3700 acres	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
0403_04 Upper 3700 acres	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
0403_04 Upper 3700 acres	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 0404 Big Cypress Creek Below Lake Bob Sandlin**  
From a point 1.0 km (0.6 miles) downstream of US 259 in Morris/Upshur Counties to Fort Sherman Dam in Camp/Titus Counties

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0404_01 From the confluence with Lake O' the Pines upstream 24 km (14.9 mi) to the confluence with an unnamed tributary NHD RC 11140305002717	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CN</b>
0404_01 From the confluence with Lake O' the Pines upstream 24 km (14.9 mi) to the confluence with an unnamed tributary NHD RC 11140305002717	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
0404_02 From the confluence with an unnamed tributary NHD RC 11140305002717 upstream 37.2 km (23 mi) to Lake Bob Sandlin	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
0404_02 From the confluence with an unnamed tributary NHD RC 11140305002717 upstream 37.2 km (23 mi) to Lake Bob Sandlin	

**SEG ID: 0404A Ellison Creek Reservoir**  
From the Morris County Dam up to normal pool elevation near Lone Star in Morris County (impounds Ellison Creek)

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>cadmium in sediment</b>	<b>CS</b>
0404A_01 Entire water body	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>iron in sediment</b>	<b>CS</b>
0404A_01 Entire water body	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>lead in sediment</b>	<b>CS</b>
0404A_01 Entire water body	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>manganese in sediment</b>	<b>CS</b>
0404A_01 Entire water body	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nickel in sediment</b>	<b>CS</b>
0404A_01 Entire water body	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>PCBs in edible tissue</b>	<b>CS</b>
0404A_01 Entire water body	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>zinc in sediment</b>	<b>CS</b>
0404A_01 Entire water body	



**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 0404B Tankersley Creek**

Perennial stream from the confluence with Big Cypress Creek upstream to the confluence with an unnamed tributary 250 meters upstream of IH 30

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
0404B_01 From the confluence with Big Cypress Creek upstream 16.1 km (10 mi) to Tankersley Lake. WQS Appendix D portion of the creek.	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>impaired habitat</b>	<b>CS</b>
0404B_01 From the confluence with Big Cypress Creek upstream 16.1 km (10 mi) to Tankersley Lake. WQS Appendix D portion of the creek.	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
0404B_01 From the confluence with Big Cypress Creek upstream 16.1 km (10 mi) to Tankersley Lake. WQS Appendix D portion of the creek.	

**SEG ID: 0404C Hart Creek**

Perennial stream from the confluence with Big Cypress Creek upstream to 0.2 km upstream of FM 1402

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
0404C_01 Entire water body and WQS Appendix D portion of the water body.	

**SEG ID: 0404E Dry Creek**

Perennial stream from the confluence with Big Cypress Creek upstream to the confluence of Mile Branch and Little Creek

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
0404E_01 Entire water body	

**SEG ID: 0404J Prairie Creek**

From the confluence with Big Cypress Creek to Bennett Lake, south of Pittsburg in Camp County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CN</b>
0404J_01 Entire water body	

**SEG ID: 0404N Lake Daingerfield**

Southeast of the City of Daingerfield in Daingerfield State Park in Morris County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>mercury in edible tissue</b>	<b>CS</b>
0404N_01 Entire reservoir	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 0405 Lake Cypress Springs**  
From Franklin County Dam in Franklin County up to the normal pool elevation of 378 feet  
(impounds Big Cypress Creek)

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0405_02 Upper 2600 acres	
0405_03 Panther Arm	

**SEG ID: 0405A Big Cypress Creek**  
From the confluence with Lake Cypress springs in Franklin County, to approximately 5  
miles west of State HWY 37

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>bacteria</b>	<b>CN</b>
0405A_01 Entire water body	

---

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
0405A_01 Entire water body	

**SEG ID: 0405B Panther Creek**  
From the confluence with Lake Cypress springs in Franklin County, to approximately .25  
miles west of State HWY 37

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>impaired habitat</b>	<b>CS</b>
0405B_01 Entire water body	

**SEG ID: 0406 Black Bayou**  
From the Louisiana State Line in Cass County to FM 96 in Cass County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0406_02 From the confluence with Hurricane Creek upstream 28.6 km (17.7 mi) to NHD RC 11140304000881 near FM 96	

---

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
0406_01 Black Bayou from the LA state line upstream 19.1 km (11.8 mi) to the confluence with Hurricane Creek	
0406_02 From the confluence with Hurricane Creek upstream 28.6 km (17.7 mi) to NHD RC 11140304000881 near FM 96	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 0407 James' Bayou**  
From the Louisiana State Line in Marion County to Club Lake Road northwest of Linden in Cass County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>bacteria</b>	<b>CN</b>
0407_01 From the LA state line upstream 31.6 km (19.6 mi) to the confluence with Bear Creek.	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>impaired habitat</b>	<b>CS</b>
0407_01 From the LA state line upstream 31.6 km (19.6 mi) to the confluence with Bear Creek.	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>impaired macrobenthic community</b>	<b>CN</b>
0407_02 From the confluence with Bear Creek upstream 29.8 km (18.5 mi) to approximately 2 km north of HWY 11	

**SEG ID: 0407B Frazier Creek**  
From the confluence with James Bayou to approximately 4 miles northwest of SH 8 near Red Hill in Cass County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
0407B_02 From the confluence with the confluence with NHD RC 11140306000019 near HWY 59 upstream 24.7 km (15.3 mi) to the headwaters	

**SEG ID: 0408C Brushy Creek**  
From the confluence with Lake Bob Sandlin in Franklin County to Winnsboro at State HWY 37

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>impaired habitat</b>	<b>CS</b>
0408C_01 Entire water body	

**SEG ID: 0409 Little Cypress Bayou (Creek)**  
From the confluence of Big Cypress Creek in Harrison/Marion County to a point 1.0 km (0.6 miles) upstream of FM 2088 in Wood County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CN</b>
0409_02 From the confluence with Lawrence Creek upstream 29.2 km (18.1 mi) to the confluence with NHD RC 11140307000368	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 0409A Lilly Creek**  
From the confluence with Little Cypress Creek to the Camp County line near Lawton in Upshur County.

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>bacteria</b>	<b>CN</b>
0409A_01 Entire water body	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
0409A_01 Entire water body	

**SEG ID: 0409E Clear Creek**  
From the confluence with Little Cypress Creek in Upshur County to 1 kilometer (.6 miles) west of US HWY 271

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>impaired habitat</b>	<b>CS</b>
0409E_01 Entire water body	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>impaired macrobenthic community</b>	<b>CN</b>
0409E_01 Entire water body	

**SEG ID: 0501B Little Cypress Bayou**  
Little Cypress Bayou - from the confluence of the Sabine River upstream to the headwater near the intersection of S Teal Rd and Dunromin Rd north of Orange

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
0501B_01 Little Cypress Bayou from the confluence of the Sabine River upstream to a point 340m downstream of 16th St in Orange	
0501B_02 Little Cypress Bayou from a point 340m downstream of 16th St in Orange upstream to the confluence of an unnamed stream 100m downstream of Little Cypress Dr	
0501B_03 Little Cypress Bayou from the confluence of an unnamed stream 100m downstream of Little Cypress Dr upstream to the headwater near the intersection of S Teal Rd and Dunromin Rd north of Orange	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>impaired habitat</b>	<b>CS</b>
0501B_02 Little Cypress Bayou from a point 340m downstream of 16th St in Orange upstream to the confluence of an unnamed stream 100m downstream of Little Cypress Dr	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

---

**SEG ID: 0502 Sabine River Above Tidal**  
Sabine River Above Tidal - from West Bluff in Orange County to the confluence with  
Caney Creek in Newton County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
0502_01 Sabine River from the confluence of Old River at West Bluff upstream to the confluence of Indian Bayou	

**SEG ID: 0502E Cypress Creek**  
Cypress Creek - from the confluence of the Sabine River up to the headwater 500m south of  
FM 82 east of Kirbyville

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>impaired habitat</b>	<b>CS</b>
0502E_01 Cypress Creek from the confluence of the Sabine River up to the headwater 500m south of FM 82 east of Kirbyville	

---

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>impaired macrobenthic community</b>	<b>CN</b>
0502E_01 Cypress Creek from the confluence of the Sabine River up to the headwater 500m south of FM 82 east of Kirbyville	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 0504 Toledo Bend Reservoir**

Toledo Bend Reservoir - from Toledo Bend Dam in Newton County to a point immediately upstream of the confluence of Murvaul Creek in Panola County, up to the normal pool elevation of 172 feet (impounds Sabine River)

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0504_07	Toledo Bend Reservoir from a line from the confluence of Pen Bayou (LA) west to the confluence of Tenaha Bayou (TX) up to a point immediately upstream of the confluence of Murvaul Creek, up to the normal pool elevation of 172 feet
0504_11	Toledo Bend Reservoir from a line from North Toledo Bend State Park (LA) southwest to Carter's Ferry Rd north of Patroon Bayou (TX) up to a line from the confluence of Ten Acre Creek (LA) west to Shelby CR 2000 near Huxley, TX

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
0504_07	Toledo Bend Reservoir from a line from the confluence of Pen Bayou (LA) west to the confluence of Tenaha Bayou (TX) up to a point immediately upstream of the confluence of Murvaul Creek, up to the normal pool elevation of 172 feet
0504_10	Toledo Bend Reservoir Bayou San Patricio (Louisiana)

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
0504_07	Toledo Bend Reservoir from a line from the confluence of Pen Bayou (LA) west to the confluence of Tenaha Bayou (TX) up to a point immediately upstream of the confluence of Murvaul Creek, up to the normal pool elevation of 172 feet

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>pH</b>	<b>CN</b>
0504_09	Toledo Bend Reservoir Bayou San Miguel (Louisiana) from North Toledo Bend State Park Rd on northside peninsula to Aspen St on southside peninsula

**SEG ID: 0505D Rabbit Creek**

Rabbit Creek - perennial stream from the confluence of the Sabine River upstream to the headwater at Smith CR 246 5.7 km northwest of Overton

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>bacteria</b>	<b>CN</b>
0505D_01	Rabbit Creek an Appendix D perennial stream from the confluence of the Sabine River upstream to the confluence of Bighead Creek on the north side of Kilgore

**SEG ID: 0505G Wards Creek**

Wards Creek - intermittent stream with perennial pools from the confluence of Sewell Creek upstream to the confluence of an unnamed second order tributary approximately 0.6 km upstream of US 80

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>impaired habitat</b>	<b>CS</b>
0505G_01	Wards Creek an Appendix D intermittent stream with perennial pools from the confluence of Sewell Creek upstream to the confluence of an unnamed second order tributary approximately 0.6 km upstream of US 80

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 0506 Sabine River Below Lake Tawakoni**  
Sabine River Below Lake Tawakoni - from a point 100 meters (110 yards) downstream of US 271 in Gregg County to Iron Bridge Dam in Rains County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0506_02 Sabine River from the confluence of Big Sandy Creek upstream to the confluence of Lake Fork Creek 12 km southeast of Mineola	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
0506_03 Sabine River from the confluence of Lake Fork Creek 12 km southeast of Mineola upstream to the confluence of Grand Saline Creek 7 km west of Mineola	
0506_04 Sabine River from the confluence of Grand Saline Creek 7 km west of Mineola upstream to the confluence of Mill Creek 9 km northwest of Grand Saline	

**SEG ID: 0506A Harris Creek**  
Harris Creek - from the confluence of the Sabine River 5.7 km north of Winona upstream to the headwater near SH 64 east of Tyler

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>bacteria</b>	<b>CN</b>
0506A_01 Harris Creek from the confluence of the Sabine River 5.7 km north of Winona upstream to the headwater near SH 64 east of Tyler	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
0506A_01 Harris Creek from the confluence of the Sabine River 5.7 km north of Winona upstream to the headwater near SH 64 east of Tyler	

**SEG ID: 0506C Wiggins Creek**  
Wiggins Creek - perennial stream from the confluence with Harris Creek upstream to the dam impounding an unnamed reservoir located approximately 3.8 km upstream of FM 2015 northeast of the City of Tyler

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
0506C_01 Wiggins Creek an Appendix D perennial stream from the confluence with Harris Creek upstream to the dam impounding an unnamed reservoir located approximately 3.8 km upstream of FM 2015 northeast of the City of Tyler	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
0506C_01 Wiggins Creek an Appendix D perennial stream from the confluence with Harris Creek upstream to the dam impounding an unnamed reservoir located approximately 3.8 km upstream of FM 2015 northeast of the City of Tyler	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 0506H Lake Gladewater**

Lake Gladewater - from the dam up to the normal pool elevation of 300.2 ft in north Gladewater

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0506H_01 Lake Gladewater from the dam up to the normal pool elevation of 300.2 ft in north Gladewater	

**SEG ID: 0507 Lake Tawakoni**

Lake Tawakoni - from Iron Bridge Dam in Rains County up to the normal pool elevation of 437.5 feet (impounds Sabine River)

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0507_01 Lake Tawakoni lowermost area of reservoir, including Cedar Cove, from Iron Bridge Dam up to a line from Sun Point near East Tawakoni to Autumn Point near the Hunt/Van Zandt County Line on the west side	
0507_02 Lake Tawakoni from a line from Sun Point in East Tawakoni to Autumn Point near the Hunt/Van Zandt County Line on the west side up to a line from Cloud Point in East Tawakoni to Arm Point near West Tawakoni, including Oak Cove	
0507_03 Lake Tawakoni from a line from Cloud Point in East Tawakoni to Arm Point near West Tawakoni up to a line from Thunder Point on the east side to Ice point on the west side, including Wichita Bay	
0507_04 Lake Tawakoni Cowleech Fork of Sabine River arm, including Pawnee Inlet, from a line from Thunder Point on the east side to Ice Point on the west side up to the confluence of the Cowleech Fork of the Sabine River at the normal pool elevation of 437.5	
0507_05 Lake Tawakoni South Fork Sabine arm, including Kitsee Inlet and Waco Bay, to a line from Finger Point on the north side to Spring Point in Tawakoni State Park on the south side	

**SEG ID: 0507A Cowleech Fork Sabine River**

Cowleech Fork - from the confluence of Lake Tawakoni upstream to the headwater northwest of Celeste

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0507A_02 Cowleech Fork from the confluence of Long Branch east of Greenville upstream to the headwater northwest of Celeste	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
0507A_01 Cowleech Fork from the confluence of Lake Tawakoni upstream to the confluence of Long Branch east of Greenville	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
0507A_01 Cowleech Fork from the confluence of Lake Tawakoni upstream to the confluence of Long Branch east of Greenville	



**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 0507B Long Branch**

Long Branch - from the confluence with Cowleech Fork Sabine River east of Greenville upstream to the headwater northeast of Greenville

Parameter(s)

Level of Concern

**nitrate**

**CS**

0507B\_01 Long Branch from the confluence with Cowleech Fork Sabine River east of Greenville upstream to the headwater northeast of Greenville

**SEG ID: 0507H Caddo Creek**

Caddo Creek - from the confluence of Lake Tawakoni at Caddo Inlet upstream to the confluence of East Caddo and West Caddo Creeks

Parameter(s)

Level of Concern

**depressed dissolved oxygen**

**CN**

0507H\_01 Caddo Creek from the confluence of Lake Tawakoni at Caddo Inlet upstream to the confluence of East Caddo and West Caddo Creeks

**SEG ID: 0508 Adams Bayou Tidal**

From the confluence with the Sabine River in Orange County to a point 1.1 km (0.7 miles) upstream of IH 10 in Orange County

Parameter(s)

Level of Concern

**depressed dissolved oxygen**

**CS**

0508\_01 Lower 3 miles of segment

0508\_02 2 mile reach near Western Avenue

0508\_03 1 mile reach near Green Avenue

0508\_04 Upper 2 miles of segment

Parameter(s)

Level of Concern

**pH**

**CN**

0508\_04 Upper 2 miles of segment

**SEG ID: 0508C Hudson Gully**

From the confluence with Adams Bayou to the headwaters near US 890 in Pinehurst in Orange County

Parameter(s)

Level of Concern

**depressed dissolved oxygen**

**CS**

0508C\_01 Entire creek

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 0509 Murvaul Lake**  
Murvaul Lake - from Murvaul Dam in Panola County up to the normal pool elevation of 265.3 feet (impounds Murvaul Bayou)

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0509_01 Murvaul Lake from the dam up to the normal pool elevation of 265.3 feet	

**SEG ID: 0510 Lake Cherokee**  
Lake Cherokee - from Cherokee Dam in Gregg/Rusk County up to the normal pool elevation of 280 feet (impounds Cherokee Bayou)

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
0510_02 Lake Cherokee from a line at the East Texas Regional Airport runway up to the normal pool elevation of 280 feet	

**SEG ID: 0511 Cow Bayou Tidal**  
From the confluence with the Sabine River in Orange County to a point 4.8 km (3.0 miles) upstream of IH 10 in Orange County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
0511_04 Upper 4 miles	

**SEG ID: 0511A Cow Bayou Above Tidal**  
From a point 4.8 km (3.0 miles) upstream of IH 10 in Orange County to the upstream perennial portion of the stream northeast of Vidor in Orange County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
0511A_02 Upper 5.3 miles of above-tidal reach	

**SEG ID: 0511B Coon Bayou**  
From the confluence with Cow Bayou up to the extent of tidal limit in Orange County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
0511B_01 Entire tidal reach	

**SEG ID: 0511C Cole Creek**  
From the confluence of Cow Bayou west of Orange in Orange County to the upstream perennial portion of the stream south of Mauriceville in Orange County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
0511C_01 Entire tidal reach	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 0511E Terry Gully**

From the confluence with Cow Bayou in Orange County to the headwaters northeast of Vidor in Orange County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CN</b>
0511E_01 Entire creek	

**SEG ID: 0512 Lake Fork Reservoir**

Lake Fork Reservoir - from Lake Fork Dam in Wood County up to the normal pool elevation of 403 feet (impounds Lake Fork Creek)

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0512_02 Lake Fork from the SH 154 crossing on the Caney Creek arm up to the normal pool elevation of 403 feet	
0512_05 Upper Lake Fork Creek arm from the FM 2946 crossing up to the normal pool elevation of 403 feet	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>pH</b>	<b>CN</b>
0512_05 Upper Lake Fork Creek arm from the FM 2946 crossing up to the normal pool elevation of 403 feet	

**SEG ID: 0512A Running Creek**

Running Creek - from the confluence of Lake Fork at the Hopkins/Wood County line upstream to the headwater 400 m south of SH 11 southeast of Sulphur Springs

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
0512A_01 Running Creek from the confluence of Lake Fork at the Hopkins/Wood County line upstream to the headwater 400 m south of SH 11 southeast of Sulphur Springs	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
0512A_01 Running Creek from the confluence of Lake Fork at the Hopkins/Wood County line upstream to the headwater 400 m south of SH 11 southeast of Sulphur Springs	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
0512A_01 Running Creek from the confluence of Lake Fork at the Hopkins/Wood County line upstream to the headwater 400 m south of SH 11 southeast of Sulphur Springs	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 0512B Elm Creek**

Elm Creek - from the confluence of Lake Fork 375 m downstream of FM 514 upstream to the headwater at Hopkins CR 1110 southwest of Sulphur Springs

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
0512B_01 Elm Creek from the confluence of Lake Fork 375 m downstream of FM 514 upstream to the headwater at Hopkins CR 1110 southwest of Sulphur Springs	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CN</b>
0512B_01 Elm Creek from the confluence of Lake Fork 375 m downstream of FM 514 upstream to the headwater at Hopkins CR 1110 southwest of Sulphur Springs	

**SEG ID: 0513 Big Cow Creek**

Big Cow Creek - from the confluence with the Sabine River in Newton County to a point 4.6 kilometers (2.9 miles) upstream of R 255 in Newton County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>lead in water</b>	<b>CN</b>
0513_01 Big Cow Creek from the confluence of the Sabine River southeast of Kirbyville upstream to the confluence of White Oak Creek west of Kirbyville	

**SEG ID: 0514 Big Sandy Creek**

Big Sandy Creek - from the confluence with the Sabine River in Upshur County to a point 2.6 kilometers (1.6 miles) upstream of SH 11 in Hopkins County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0514_02 Big Sandy Creek from the confluence of Mill Creek near FM 49 north of Hawkins upstream to the headwater 2.6 km upstream of SH 11 northwest of Winnsboro	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
0514_02 Big Sandy Creek from the confluence of Mill Creek near FM 49 north of Hawkins upstream to the headwater 2.6 km upstream of SH 11 northwest of Winnsboro	

**SEG ID: 0515A Lake Quitman**

Lake Quitman - from the dam up to the normal pool elevation of 400 feet

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0515A_01 Lake Quitman - from the dam up to the normal pool elevation of 400 feet	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 0601 Neches River Tidal**  
From the confluence with Sabine Lake in Orange County to the Neches River Saltwater Barrier, which is at a point 0.8 kilometers (0.5 miles) downstream of the confluence of Pine Island Bayou, in Orange County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>malathion in water</b>	<b>CN</b>
0601_01 Lower boundary to top of first oxbow, above Bird Island Bayou confluence at NHD RC 12020003000004	

**SEG ID: 0601A Star Lake Canal**  
North of Groves in Jefferson County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>malathion in water</b>	<b>CN</b>
0601A_01 Entire water body	

**SEG ID: 0602 Neches River Below B. A. Steinhagen Lake**  
From the Neches River Saltwater Barrier, which is at a point 0.8 kilometers (0.5 miles) downstream of the confluence of Pine Island Bayou, in Orange County to Town Bluff Dam in Jasper/Tyler County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
0602_02 From the confluence with Village Creek 0608 upstream to the confluence with Black Branch NHD RC 12020003000695	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>mercury in edible tissue</b>	<b>CS</b>
0602_01 From the saltwater barrier upstream to confluence with Village Creek 0608 at NHD RC 12020003000025	
0602_02 From the confluence with Village Creek 0608 upstream to the confluence with Black Branch NHD RC 12020003000695	
0602_03 From the confluence with Black Branch upstream to confluence with unnamed tributary at NHD RC 12020003000058	
0602_04 From the confluence with unnamed tributary at NHD RC 12020003000058 upstream to Town Bluff Dam	

**SEG ID: 0604 Neches River Below Lake Palestine**  
From a point immediately upstream of the confluence of Hopson Mill Creek in Jasper/Tyler County to Blackburn Crossing Dam in Anderson/Cherokee County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0604_04 From the confluence with Cedar Creek in Cherokee County near Hargrove lake upstream to the confluence with Beech Creek in Anderson County at NHD RC 12020001006717	
0604_05 From the confluence with Beech Creek in Anderson County upstream to the Blackburn Crossing Dam	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 0604A Cedar Creek**

From the confluence of the Neches River southwest of Lufkin in Angelina County to the upstream perennial portion of the stream in Lufkin in Angelina County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
0604A_02	From the confluence with Jack Creek (0604C) upstream to confluence with unnamed tributary adjacent to State Loop 287, per App. D in WQS, at NHD RC 12020002000436

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
0604A_02	From the confluence with Jack Creek (0604C) upstream to confluence with unnamed tributary adjacent to State Loop 287, per App. D in WQS, at NHD RC 12020002000436

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
0604A_02	From the confluence with Jack Creek (0604C) upstream to confluence with unnamed tributary adjacent to State Loop 287, per App. D in WQS, at NHD RC 12020002000436

**SEG ID: 0604B Hurricane Creek**

Perennial stream from the confluence with Cedar Creek to the confluence of two unnamed tributaries 100 meters upstream of SH Loop 287 in Lufkin

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
0604B_01	From the confluence with Cedar Creek (0604A) upstream to confluence with unnamed tributary 100m above State Loop 287 in Lufkin, per WQS App. D, at NHD RC 12020002000043

**SEG ID: 0604C Jack Creek**

From the confluence of Cedar Creek southwest of Lufkin in Angelina County to the upstream perennial portion of the stream in northeast Lufkin in Angelina County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
0604C_01	From the confluence with Cedar Creek (0604A) upstream to confluence with unnamed tributary 1.6km SW of US Hwy 69 NW of Lufkin at NHD RC 12020002012470.

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
0604C_01	From the confluence with Cedar Creek (0604A) upstream to confluence with unnamed tributary 1.6km SW of US Hwy 69 NW of Lufkin at NHD RC 12020002012470.

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
0604C_01	From the confluence with Cedar Creek (0604A) upstream to confluence with unnamed tributary 1.6km SW of US Hwy 69 NW of Lufkin at NHD RC 12020002012470.

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 0604D Piney Creek**  
From the confluence of the Neches River at the Polk/Tyler/Angelina County lines east of Corrigan to the upstream perennial portion of the stream east of Crockett in Houston County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
0604D_01 Middle portion of the stream from the confluence with Bear Creek (0604L) in Polk County upstream to the confluence with Caney Creek (0604O) in Trinity County at NHD RC 12020002000163.	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0604D_02 Upper portion of stream from the confluence with Caney Creek (0604O) in Trinity County upstream to confluence with unnamed tributary at NHD RC 12020002000181 in Houston County 0.75km west of FM 2781.	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
0604D_01 Middle portion of the stream from the confluence with Bear Creek (0604L) in Polk County upstream to the confluence with Caney Creek (0604O) in Trinity County at NHD RC 12020002000163.	

**SEG ID: 0604M Biloxi Creek**  
From the confluence with the Neches River southeast of Diboll to FM 325 east of Lufkin in Angelina County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
0604M_02 From the confluence with Neches River (0604) upstream to confluence with One Eye Creek in Angelina County SE of Lufkin.	
0604M_03 From the confluence with One Eye Creek in Angelina County SE of Lufkin upstream to FM 325 east of Lufkin	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
0604M_03 From the confluence with One Eye Creek in Angelina County SE of Lufkin upstream to FM 325 east of Lufkin	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
0604M_03 From the confluence with One Eye Creek in Angelina County SE of Lufkin upstream to FM 325 east of Lufkin	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 0605 Lake Palestine**  
From Blackburn Crossing Dam in Anderson/Cherokee County to a point 6.7km (4.2 miles) downstream of FM 279 in Henderson/Smith County, up to normal pool elevation of 345 feet (impounds Neches River)

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0605_01 Lower portion of reservoir near dam to the first bend in reservoir	
0605_03 Upper mid-lake including Tyler Public Water Supply intake	
0605_09 Flat Creek Arm	
0605_10 Upper Lake	
0605_11 From the SH 155 Bridge crossing to the Flat Creek Arm and across the main portion of the lake at the Flat Creek Arm	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
0605_01 Lower portion of reservoir near dam to the first bend in reservoir	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>pH</b>	<b>CN</b>
0605_01 Lower portion of reservoir near dam to the first bend in reservoir	

**SEG ID: 0605A Kickapoo Creek in Henderson County**  
From the confluence of Lake Palestine east of Brownsboro in Henderson County to the upstream perennial portion of the stream northeast of Murchison in Henderson County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
0605A_01 From the confluence with Lake Palestine (0605) east of Brownsboro in Henderson County to the confluence with Slater Creek (0605E).	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
0605A_01 From the confluence with Lake Palestine (0605) east of Brownsboro in Henderson County to the confluence with Slater Creek (0605E).	



**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 0606 Neches River Above Lake Palestine**  
From a point 6.7 kilometers (4.2 miles) downstream of FM 279 in Henderson/Smith County to Rhine Lake Dam in Van Zandt County before it was breached in 2001

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>bacteria</b>	<b>CN</b>
0606_02 From the confluence with Prairie Creek (0606A) upstream to the Rhine Lake Dam	
<b>depressed dissolved oxygen</b>	<b>CN</b>
0606_02 From the confluence with Prairie Creek (0606A) upstream to the Rhine Lake Dam	
<b>nitrate</b>	<b>CS</b>
0606_01 From a point approximately 0.06km (0.03 mi) south of St. Louis Southwestern Railroad upstream to the confluence with Prairie Creek (0606A).	
<b>total phosphorus</b>	<b>CS</b>
0606_01 From a point approximately 0.06km (0.03 mi) south of St. Louis Southwestern Railroad upstream to the confluence with Prairie Creek (0606A).	
<b>zinc in water</b>	<b>CN</b>
0606_02 From the confluence with Prairie Creek (0606A) upstream to the Rhine Lake Dam	

**SEG ID: 0606D Black Fork Creek**  
Perennial stream from the confluence with Prairie Creek to a point 0.4 km downstream of FM 14 in Tyler

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
0606D_02 From the confluence with unnamed tributary at NHD RC 12020001000072 upstream to a point 0.4km downstream of FM 14 in Tyler, at the confluence with unnamed tributary at NHD RC 12020001000073, per WQS App. D second entry for Black Fork Creek.	

**SEG ID: 0607 Pine Island Bayou**  
From the confluence with the Neches River in Hardin/Jefferson County to FM 787 in Hardin County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
0607_01 From the confluence with the Neches River upstream to unnamed tributary at NHD RC 12020007001215 that runs through Sherwood Drive in northern City of Beaumont.	
0607_02 From the confluence with unnamed tributary that runs through Sherwood Drive in northern City of Beaumont upstream to the confluence with Black Creek	
0607_03 From the confluence with Black Creek upstream to the confluence with Willow Creek (0607C)	
0607_04 From the confluence with Willow Creek (0607C) upstream to the confluence with Mayhaw Slough near oil fields	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 0607A Boggy Creek**

From the confluence of Pine Island Bayou upstream to the confluence with an unnamed tributary 4 km downstream of the crossing of the Southern Pacific Railroad.

Parameter(s)

Level of Concern

**depressed dissolved oxygen**

**CS**

0607A\_02 From the confluence with unnamed tributary 0.39 km downstream of CR 421 upstream to confluence with unnamed tributary 4 km downstream of the crossing of the Southern Pacific Railroad, per WQS App. D, at NHD RC 12020007003034.

Parameter(s)

Level of Concern

**impaired habitat**

**CS**

0607A\_02 From the confluence with unnamed tributary 0.39 km downstream of CR 421 upstream to confluence with unnamed tributary 4 km downstream of the crossing of the Southern Pacific Railroad, per WQS App. D, at NHD RC 12020007003034.

**SEG ID: 0607B Little Pine Island Bayou**

From the confluence of Pine Island Bayou southwest of Lumberton in Hardin County to the upstream perennial portion of the stream west of Kountze in Hardin County

Parameter(s)

Level of Concern

**depressed dissolved oxygen**

**CS**

0607B\_01 From the confluence with Pine Island Bayou (0607) at the Hardin/Jefferson Counties border upstream to unnamed tributary 1.1 km SE of intersection of FM 770 and FM 787 at NHD RC 12020007000021, same tributary as Big Thicket National Park boundary.

0607B\_02 From the confluence with unnamed tributary 1.1 km SE of intersection of FM 770 and 787 upstream to headwaters 5.5 km SE of City of Segno in Polk County at NHD RC 12020007000151.

**SEG ID: 0607C Willow Creek**

From the confluence of Pine Island Bayou north of Nome in Jefferson County to the upstream perennial portion of the stream east of Devers in Liberty County

Parameter(s)

Level of Concern

**depressed dissolved oxygen**

**CS**

0607C\_01 From the confluence with Pine Island Bayou (0607) at the State Hwy 326 bridge at NHD RC 12020007000258 upstream to headwaters NE of Devers in Liberty County at NHD RC 12020007000200.

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 0608 Village Creek**  
From the confluence with the Neches River in Hardin County to Lake Kimble Dam in Hardin County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>mercury in edible tissue</b>	<b>CS</b>
0608_01 From the confluence with Neches River (0602) upstream to confluence with Cypress Creek (0608C)	
0608_02 From the confluence with Cypress Creek (0608C) upstream to confluence with Beech Creek (0608A)	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>pH</b>	<b>CN</b>
0608_02 From the confluence with Cypress Creek (0608C) upstream to confluence with Beech Creek (0608A)	

**SEG ID: 0608A Beech Creek**  
From the confluence of Village Creek northeast of Kountze in Hardin County to the upstream perennial portion of the stream southeast of Woodville in Tyler County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>impaired habitat</b>	<b>CS</b>
0608A_02 From the confluence with Drakes Branch upstream to headwaters 0.62 km south of FM 1746 at NHD RC 12020006000035.	

**SEG ID: 0608C Cypress Creek**  
From the confluence of Village Creek (0608) east of Kountze in Hardin County to the confluence with Bad Luck Creek northwest of Kountze in Hardin County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>impaired habitat</b>	<b>CS</b>
0608C_01 Upper portion from the confluence with unnamed tributary upstream of Pea Monk Branch upstream to confluence with Bad Luck Creek, per WQS App. D, at NHD RC 12020006000148.	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 0610 Sam Rayburn Reservoir**

From Sam Rayburn Dam to a point 5.6 kilometers (3.5 miles) upstream of Marion's Ferry on the Angelina River Arm and to a point 3.9 km (2.4 miles) downstream of Curry Creek on the Attoyac Bayou Arm, up to the normal pool elevation of 164.4 feet (except on

<u>Parameter(s)</u>	<u>Level of Concern</u>
---------------------	-------------------------

<b>ammonia</b>		<b>CS</b>
----------------	--	-----------

0610_02	Sam Rayburn lower Angelina River arm	
---------	--------------------------------------	--

0610_04	Sam Rayburn upper mid-Angelina River arm	
---------	--	--

0610_05	Sam Rayburn lower Attoyac Bayou arm	
---------	-------------------------------------	--

0610_08	Sam Rayburn Bear Creek arm	
---------	----------------------------	--

0610_09	Sam Rayburn lower Ayish Bayou arm	
---------	-----------------------------------	--

<u>Parameter(s)</u>	<u>Level of Concern</u>
---------------------	-------------------------

<b>depressed dissolved oxygen</b>		<b>CS</b>
-----------------------------------	--	-----------

0610_06	Sam Rayburn upper Attoyac Bayou arm	
---------	-------------------------------------	--

0610_10	Sam Rayburn upper Ayish Bayou arm	
---------	-----------------------------------	--

<u>Parameter(s)</u>	<u>Level of Concern</u>
---------------------	-------------------------

<b>iron in sediment</b>		<b>CS</b>
-------------------------	--	-----------

0610_01	Sam Rayburn main pool by the dam to the Bear Creek and Ayish Arms	
---------	---	--

0610_02	Sam Rayburn lower Angelina River arm	
---------	--------------------------------------	--

0610_03	Sam Rayburn mid-Angelina River arm (area around SH 147)	
---------	---	--

0610_04	Sam Rayburn upper mid-Angelina River arm	
---------	--	--

0610_05	Sam Rayburn lower Attoyac Bayou arm	
---------	-------------------------------------	--

0610_06	Sam Rayburn upper Attoyac Bayou arm	
---------	-------------------------------------	--

0610_07	Sam Rayburn upper Angelina arm	
---------	--------------------------------	--

0610_08	Sam Rayburn Bear Creek arm	
---------	----------------------------	--

0610_09	Sam Rayburn lower Ayish Bayou arm	
---------	-----------------------------------	--

0610_10	Sam Rayburn upper Ayish Bayou arm	
---------	-----------------------------------	--

<u>Parameter(s)</u>	<u>Level of Concern</u>
---------------------	-------------------------

<b>manganese in sediment</b>		<b>CS</b>
------------------------------	--	-----------

0610_01	Sam Rayburn main pool by the dam to the Bear Creek and Ayish Arms	
---------	---	--

0610_02	Sam Rayburn lower Angelina River arm	
---------	--------------------------------------	--

0610_03	Sam Rayburn mid-Angelina River arm (area around SH 147)	
---------	---	--

0610_04	Sam Rayburn upper mid-Angelina River arm	
---------	--	--

0610_05	Sam Rayburn lower Attoyac Bayou arm	
---------	-------------------------------------	--

0610_06	Sam Rayburn upper Attoyac Bayou arm	
---------	-------------------------------------	--

0610_07	Sam Rayburn upper Angelina arm	
---------	--------------------------------	--

0610_08	Sam Rayburn Bear Creek arm	
---------	----------------------------	--

0610_09	Sam Rayburn lower Ayish Bayou arm	
---------	-----------------------------------	--

0610_10	Sam Rayburn upper Ayish Bayou arm	
---------	-----------------------------------	--

<u>Parameter(s)</u>	<u>Level of Concern</u>
---------------------	-------------------------

<b>mercury in edible tissue</b>		<b>CS</b>
---------------------------------	--	-----------

0610_01	Sam Rayburn main pool by the dam to the Bear Creek and Ayish Arms	
---------	---	--

0610_02	Sam Rayburn lower Angelina River arm	
---------	--------------------------------------	--

0610_03	Sam Rayburn mid-Angelina River arm (area around SH 147)	
---------	---	--

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 0610 Sam Rayburn Reservoir**  
From Sam Rayburn Dam to a point 5.6 kilometers (3.5 miles) upstream of Marion's Ferry on the Angelina River Arm and to a point 3.9 km (2.4 miles) downstream of Curry Creek on the Attoyac Bayou Arm, up to the normal pool elevation of 164.4 feet (except on

- 0610\_04 Sam Rayburn upper mid-Angelina River arm
- 0610\_05 Sam Rayburn lower Attoyac Bayou arm
- 0610\_06 Sam Rayburn upper Attoyac Bayou arm
- 0610\_07 Sam Rayburn upper Angelina arm
- 0610\_08 Sam Rayburn Bear Creek arm
- 0610\_09 Sam Rayburn lower Ayish Bayou arm
- 0610\_10 Sam Rayburn upper Ayish Bayou arm

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>pH</b>	<b>CN</b>
0610_04 Sam Rayburn upper mid-Angelina River arm	

**SEG ID: 0611A East Fork Angelina River**  
From the confluence of the Angelina River at the Rusk/Nacogdoches county line upstream to the confluence with Wooten Creek in Rusk County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>bacteria</b>	<b>CN</b>
0611A_02 From a point immediately upstream of confluence with Beech Creek (0611J) upstream to confluence with Wooten Creek (0611P)	

**SEG ID: 0611B La Nana Bayou**  
From the confluence of the Angelina River south of Nacogdoches in Nacogdoches County to the upstream perennial portion of the stream north of Nacogdoches in Nacogdoches County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
0611B_01 From the confluence with Angelina River (0611), per WQS App. D, upstream to State Loop 224 in City of Nacogdoches	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>bacteria</b>	<b>CN</b>
0611B_03 From the upstream side of FM 1878 in City of Nacogdoches upstream to confluence with Banita Creek.	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
0611B_01 From the confluence with Angelina River (0611), per WQS App. D, upstream to State Loop 224 in City of Nacogdoches	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
0611B_01 From the confluence with Angelina River (0611), per WQS App. D, upstream to State Loop 224 in City of Nacogdoches	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 0611C Mud Creek**

Perennial stream from the confluence with the Angelina River upstream to a point immediately upstream of the confluence of Prairie Creek in Smith County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>bacteria</b>	<b>CN</b>
0611C_02 From a point immediately upstream of channelized/dredged portion about 2.3 km south of US hwy 79 at -95.150452N/31.956933W upstream to confluence with Prairie Creek in Smith County, per WQS App. D	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
0611C_01 From the confluence with Angelina River (0611), per WQS App. D, at the Cherokee and Nacogdoches county line south of City of Reklaw upstream to top of channelized/dredged portion about 2.3 km south of US hwy 79 at -95.150452N/31.956933W	

**SEG ID: 0611D West Mud Creek**

Perennial stream from the confluence with Mud Creek in Cherokee County to the confluence of an unnamed tributary 300 meters upstream of the most northern crossing of US 69 (approximately 2.25 km south of the intersection of Loop 323) in the City of Tyler\*

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
0611D_01 From the confluence with Mud Creek (0611C), per WQS App. D, upstream to confluence with unnamed tributary about 75 m north of WWTP in City of Tyler at NHD RC 12020004000212.	
0611D_02 From the confluence with unnamed tributary about 75 m north of WWTP in City of Tyler upstream to confluence of unnamed tributary about 300 meters upstream of the most northern crossing of US 69 in City of Tyler, per WQS App. D, at NHD RC 12020004000212.	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
0611D_01 From the confluence with Mud Creek (0611C), per WQS App. D, upstream to confluence with unnamed tributary about 75 m north of WWTP in City of Tyler at NHD RC 12020004000212.	

**SEG ID: 0611Q Lake Nacogdoches**

Located approximately 10 miles west of Nacogdoches in Nacogdoches County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
0611Q_01 Entire water body	

**SEG ID: 0611R Lake Striker**

From the dam approximately 0.5 mile west of CR2430 to the north end of the lake south of US HWY 79 in Rusk County north of Reklaw.

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
0611R_01 Entire water body	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 0612 Attoyac Bayou**  
From a point 3.9 km (2.4 miles) downstream of Curry Creek in Nacogdoches/San Augustine County to FM 95 in Rusk County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
0612_03 From a point immediately upstream of Bear Bayou upstream to upper boundary at FM 95.	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
0612_02 From a point immediately upstream of Polly Branch confluence upstream to confluence with Bear Bayou.	
0612_03 From a point immediately upstream of Bear Bayou upstream to upper boundary at FM 95.	

**SEG ID: 0612B Waffelow Creek**  
From the confluence of Naconiche Creek north of Martinsville in Nacogdoches County upstream to headwaters east of Appleby in Nacogdoches County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
0612B_01 From the confluence of Naconiche Creek north of Martinsville in Nacogdoches County upstream to confluence with unnamed tributary about 0.27 km west of CR 234 at NHD RC 12020005000207.	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
0612B_01 From the confluence of Naconiche Creek north of Martinsville in Nacogdoches County upstream to confluence with unnamed tributary about 0.27 km west of CR 234 at NHD RC 12020005000207.	

**SEG ID: 0615 Angelina River/Sam Rayburn Reservoir**  
The riverine portion of Sam Rayburn Reservoir from a point 5.6 kilometers (3.5 miles) upstream of Marion's Ferry to the aqueduct crossing 1.0 kilometer (0.6 mile) upstream of the confluence of Paper Mill Creek

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
0615_01 Entire water body	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
0615_01 Entire water body	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 0701 Taylor Bayou/North Fork Taylor Bayou Above Tidal**  
From the saltwater lock 7.7 km (4.8 miles) downstream of SH 73 in Jefferson County to the Lower Neches Valley Authority Canal in Jefferson County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0701_01	From the saltwater lock 7.7 km (4.8 miles) downstream of SH 73 in Jefferson County, per WQS App. C, upstream to the confluence with Hillebrandt Bayou (0704).
0701_02	From the confluence with Hillebrandt Bayou upstream to confluences with North Fork Taylor Bayou and South Fork Bayou.

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
0701_01	From the saltwater lock 7.7 km (4.8 miles) downstream of SH 73 in Jefferson County, per WQS App. C, upstream to the confluence with Hillebrandt Bayou (0704).
0701_02	From the confluence with Hillebrandt Bayou upstream to confluences with North Fork Taylor Bayou and South Fork Bayou.

**SEG ID: 0701D Shallow Prong Lake**  
Widest upper portion of Big Hill Bayou about 2.0 km (1.26 miles) north of Blind Lake

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>arsenic in edible tissue</b>	<b>CS</b>
0701D_01	Portion of Big Hill Bayou, Shallow Prong portion of NHD RC 12040201006920

**SEG ID: 0702 Intracoastal Waterway Tidal**  
From the confluence with Galveston Bay at Port Bolivar in Galveston County to the confluence with the Sabine-Neches Canal in Jefferson County (including Taylor Bayou Tidal from the confluence with the Intracoastal Waterway up to the saltwater lock 7.7 k\*

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0702_02	Taylor Bayou tidal from the confluence with the Intracoastal Waterway Tidal to the saltwater barriers.

**SEG ID: 0702A Alligator Bayou and Main Canals A, B, C, and D**  
All perennial canals in Jefferson County Drainage District No. 7 that eventually drain into the tidal portion of Taylor Bayou at the pump house gate, including Alligator Bayou.

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0702A_01	From Taylor Bayou Tidal (0702) to confluence with Main Canal D above SH 82.
0702A_03	Main Canal D from the confluence with Alligator Bayou at SH 82 upstream to about 0.35 km upstream of confluence with Canal A

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>lead in sediment</b>	<b>CS</b>
0702A_01	From Taylor Bayou Tidal (0702) to confluence with Main Canal D above SH 82.



**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 0704 Hillebrandt Bayou**  
From the confluence of Taylor Bayou in Jefferson County to a point 100 meters (110 yards) upstream of SH 124 in Jefferson County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
0704_01 From the confluence with Taylor Bayou Above Tidal (0701) upstream to confluence with Willow Marsh Bayou (0704A)	
0704_02 From the confluence with Willow Marsh Bayou (0704A) upstream to a point 100 meters (110 yards) upstream of SH 124 in Jefferson County	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0704_01 From the confluence with Taylor Bayou Above Tidal (0701) upstream to confluence with Willow Marsh Bayou (0704A)	
0704_02 From the confluence with Willow Marsh Bayou (0704A) upstream to a point 100 meters (110 yards) upstream of SH 124 in Jefferson County	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CN</b>
0704_02 From the confluence with Willow Marsh Bayou (0704A) upstream to a point 100 meters (110 yards) upstream of SH 124 in Jefferson County	

**SEG ID: 0801 Trinity River Tidal**  
From the confluence with Anahuac Channel in Chambers County to a point 3.1 km (1.9 miles) downstream of US 90 in Liberty County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0801_01 Lower 25 miles of segment	

**SEG ID: 0801B Old River**  
From IH 10 in Chambers County to approximately 9 miles upstream of confluence with Cherry Point Gully.

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0801B_01 Entire Segment	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 0801C Cotton Bayou**

From the confluence of Cotton Lake southeast of Mont Belvieu in Chambers County upstream to a point (NHD RC 12040203000496) approximately 1 mile north of IH 10 in Chambers County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0801C_01 Entire Segment	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CN</b>
0801C_01 Entire Segment	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
0801C_01 Entire Segment	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
0801C_01 Entire Segment	

**SEG ID: 0802 Trinity River Below Lake Livingston**

From a point 3.1 km (1.9 miles) downstream of US 90 in Liberty County to Livingston Dam in Polk/San Jacinto County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0802_01 Lower 17 miles of segment	
0802_03 11 miles upstream to approx. 9 miles downstream of FM 787	
0802_04 5 miles upstream to 11 miles downstream of US 59	
0802_05 Upper 6 miles of segment	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>pH</b>	<b>CN</b>
0802_02 Approx. 9 miles upstream to approx. 15 miles downstream of SH 105	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 0803 Lake Livingston**  
From Livingston Dam in Polk/San Jacinto County to a point 1.8 km (1.1 miles) upstream of Bogy Creek in Houston/Leon County, up to normal pool elevation of 131 feet (impounds Trinity River)

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0803_01 Lowermost portion of reservoir, adjacent to dam	
0803_05 Middle portion of reservoir, downstream of Kickapoo Creek	
0803_06 Middle portion of reservoir, centering on US 190	
0803_07 Upper portion of reservoir, west of Carlisle	
0803_10 Upper portion of reservoir, centering on SH 19	
0803_11 Riverine portion of reservoir, centering on SH 21	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
0803_09 West Carolina Creek cove, off upper portion of reservoir	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
0803_04 Middle portion of reservoir, East Pointblank	
0803_06 Middle portion of reservoir, centering on US 190	
0803_07 Upper portion of reservoir, west of Carlisle	
0803_08 Cove off upper portion of reservoir, East Trinity	
0803_10 Upper portion of reservoir, centering on SH 19	
0803_11 Riverine portion of reservoir, centering on SH 21	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
0803_06 Middle portion of reservoir, centering on US 190	
0803_07 Upper portion of reservoir, west of Carlisle	
0803_10 Upper portion of reservoir, centering on SH 19	
0803_11 Riverine portion of reservoir, centering on SH 21	

**SEG ID: 0803A Harmon Creek**  
From the confluence with Lake Livingston (normal pool elevation of 131 feet) to the confluence of East Fork Harmon Creek east of Huntsville in Walker County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
0803A_01 A 16 mile (25.7 KM) stretch of Harmon Creek extending from Lake Livingston (normal pool elevation of 131 feet) upstream to the confluence of East Fork Harmon Creek.	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
0803A_01 A 16 mile (25.7 KM) stretch of Harmon Creek extending from Lake Livingston (normal pool elevation of 131 feet) upstream to the confluence of East Fork Harmon Creek.	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 0803B White Rock Creek**

From the confluence of Lake Livingston northeast of Trinity in Trinity County to the upstream perennial portion of the stream east of Lovelady in Houston County

Parameter(s)

Level of Concern

**chlorophyll-a**

**CS**

0803B\_01 lower 25 miles of segment

**SEG ID: 0803E Nelson Creek**

From the confluence with segment 0803 Trinity River, to upper end of Nelson Creek NHD  
RC 12030202005424

Parameter(s)

Level of Concern

**bacteria**

**CN**

0803E\_01 Entire water body.

**SEG ID: 0803F Bedias Creek**

From the confluence with segment 0803 Trinity River, to upper end of Bedias Creek, NHD  
RC 12030202000350

Parameter(s)

Level of Concern

**bacteria**

**CN**

0803F\_01 From the confluence with segment 0803 Trinity River up to confluence with Poole Creek (NHD  
RC 12030202000572)

Parameter(s)

Level of Concern

**zinc in water**

**CN**

0803F\_02 From the confluence with Poole Creek (NHD RC 12030202000572) to upper end of NHD RC  
Bedias Creek (NHD RC 12030202000350)

**SEG ID: 0803G Lake Madisonville**

From Lake Madisonville Dam in Madison County up to the normal pool elevation of 285 feet (impounds Town Branch)

Parameter(s)

Level of Concern

**chlorophyll-a**

**CS**

0803G\_01 Entire water body

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 0804 Trinity River Above Lake Livingston**  
From a point 1.8 km (1.1 miles) upstream of Boggy Creek in Houston/Leon County to a point immediately upstream of the confluence of the Cedar Creek Reservoir discharge canal in Henderson/Navarro County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0804_01 From the lower end of the segment up to just above the confluence with Hurricane Bayou in Houston County.	
0804_02 From just upstream of the confluence with Hurricane Bayou up to just above the confluence with Boons Creek.	
0804_04 From the confluence with Caney Creek up to just above the confluence with Indian Creek in Anderson County.	
0804_07 From just above the confluence with Richland Creek in Henderson County, up to the upper end of the segment.	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
0804_01 From the lower end of the segment up to just above the confluence with Hurricane Bayou in Houston County.	
0804_02 From just upstream of the confluence with Hurricane Bayou up to just above the confluence with Boons Creek.	
0804_03 From just upstream of the confluence with Boons Creek up to just above the confluence with Caney Creek.	
0804_04 From the confluence with Caney Creek up to just above the confluence with Indian Creek in Anderson County.	
0804_07 From just above the confluence with Richland Creek in Henderson County, up to the upper end of the segment.	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
0804_01 From the lower end of the segment up to just above the confluence with Hurricane Bayou in Houston County.	
0804_02 From just upstream of the confluence with Hurricane Bayou up to just above the confluence with Boons Creek.	
0804_04 From the confluence with Caney Creek up to just above the confluence with Indian Creek in Anderson County.	
0804_07 From just above the confluence with Richland Creek in Henderson County, up to the upper end of the segment.	

**SEG ID: 0804G Catfish Creek**  
Twenty mile stretch of Catfish Creek running upstream from US 287 in Anderson Co., to Catfish Creek Ranch Lake just upstream of SH 19 in Henderson Co.

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
0804G_01 Entire Segment	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>impaired macrobenthic community</b>	<b>CN</b>
0804G_01 Entire Segment	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 0804H Upper Keechi Creek**

From confluence with segment 0804 Trinity River to the upper end of NHD stream Upper Keechi Creek (NHD RC 12030201001075)

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0804H_01 From the confluence with segment 0804 Trinity River up to confluence with Twin Branch (NHD RC 12030201027099)	

**SEG ID: 0804J Fairfield Lake**

Impounded Big Brown Creek in Freestone County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0804J_01 Entire segment	
<hr/>	
<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
0804J_01 Entire segment	
<hr/>	
<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>fish kill report</b>	<b>CN</b>
0804J_01 Entire segment	
<hr/>	
<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
0804J_01 Entire segment	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 0805 Upper Trinity River**

From a point immediately upstream of the confluence of the Cedar Creek Reservoir discharge canal in Henderson/Navarro County to a point immediately upstream of the confluence of Elm Fork Trinity River in Dallas County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0805_01 From confluence of the Cedar Creek Reservoir discharge canal upstream to confluence of Smith Creek.	
0805_02 From confluence of Smith Creek upstream to confluence of Tenmile Creek.	
0805_03 From the confluence of Fivemile Creek upstream to the confluence of Cedar Creek.	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
0805_01 From confluence of the Cedar Creek Reservoir discharge canal upstream to confluence of Smith Creek.	
0805_02 From confluence of Smith Creek upstream to confluence of Tenmile Creek.	
0805_03 From the confluence of Fivemile Creek upstream to the confluence of Cedar Creek.	
0805_04 From confluence of Cedar Creek upstream to confluence of Elm Fork Trinity River	
0805_06 From confluence of Tenmile Creek upstream to confluence of Fivemile Creek	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
0805_01 From confluence of the Cedar Creek Reservoir discharge canal upstream to confluence of Smith Creek.	
0805_02 From confluence of Smith Creek upstream to confluence of Tenmile Creek.	
0805_03 From the confluence of Fivemile Creek upstream to the confluence of Cedar Creek.	
0805_04 From confluence of Cedar Creek upstream to confluence of Elm Fork Trinity River	
0805_06 From confluence of Tenmile Creek upstream to confluence of Fivemile Creek	

**SEG ID: 0806 West Fork Trinity River below Lake Worth**

from a point immediately upstream of the confluence of Village Creek in Tarrant County to Lake Worth Dam in Tarrant County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0806_01 From confluence of Village Creek upstream to confluence of Clear Fork Trinity River	

**SEG ID: 0806A Fosdic Lake**

From Fosdic Lake Dam to the reservoir headwaters in Oakland Lake Park in Tarrant County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>arsenic in edible tissue</b>	<b>CS</b>
0806A_01 Entire lake	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 0806B Echo Lake**  
From Echo Lake Dam to the reservoirs headwaters in Tarrant County

Parameter(s)

**arsenic in edible tissue**

0806B\_01 Entire lake

Level of Concern

**CS**

**SEG ID: 0806D Marine Creek**  
Two mile stretch of Marine Creek running upstream from confluence with the W. Fork of Trinity River to Tenmile Bridge Road in Fort Worth.

Parameter(s)

**bacteria**

0806D\_01 Marine Creek from the confluence with W. Fork Trinity River 2 miles upstream to Tenmile Bridge Rd. in Ft. Worth

Level of Concern

**CN**

**SEG ID: 0806F Little Fossil Creek**  
A 13.7 mile stretch of Little Fossil Creek running upstream from confluence with segment 0806 W. Fork Trinity River upstream to upper end (NHD RC Reach Code of NHD RC stream Little Fossil Creek.

Parameter(s)

**bacteria**

0806F\_01 Entire water body.

Level of Concern

**CN**

**SEG ID: 0807 Lake Worth**  
From Lake Worth Dam in Tarrant County to a point 4.0 km (2.5 miles) downstream of Eagle Mountain Dam in Tarrant County, up to normal pool elevation of 594 feet (impounds West Fork Trinity River)

Parameter(s)

**chlorophyll-a**

0807\_01 Entire reservoir

Level of Concern

**CS**



**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 0809 Eagle Mountain Reservoir**

From Eagle Mountain Dam in Tarrant County to a point 0.6 km (0.4 miles) downstream of the confluence of Oates Branch in Wise County up to normal pool elevation of 649.1 feet (impounds West Fork Trinity River)

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
0809_03 Ash Creek cove	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0809_01 Lowermost portion of reservoir near east end of dam	
0809_05 Lower portion of reservoir east of Walnut Creek cove	
0809_08 Middle portion of reservoir near Cole subdivision	
0809_09 Indian Creek cove	
0809_10 Upper portion of reservoir near Indian Creek cove	
0809_14 Mid-Lake, from just above Walnut Cr. Cove to Oakwood Rd. peninsula	

**SEG ID: 0809B Ash Creek**

From the normal pool elevation of Eagle Mountain Reservoir up to the headwaters at Upper Denton Road in Parker County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
0809B_01 Entire Segment	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
0809B_01 Entire Segment	

**SEG ID: 0810 West Fork Trinity River Below Bridgeport Reservoir**

From a point 0.6 km (0.4 miles) downstream of the confluence of Oates Branch in Wise County to Bridgeport Dam in Wise County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0810_01 Lower 25 miles of segment	

**SEG ID: 0812 West Fork Trinity River Above Bridgeport Reservoir**

From a point immediately upstream of the confluence of Bear Hollow in Jack County to SH 79 in Archer County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>bacteria</b>	<b>CN</b>
0812_01 Lower 25 miles of segment	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 0814 Chambers Creek Above Richland-Chambers Reservoir**  
From a point 4.0 km (2.5 miles) downstream of Tupelo Branch in Navarro County to the confluence of North Fork Chambers Creek and South Fork Chambers Creek

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0814_01	From the lower end of the segment up to just above the confluence with Cummins Creek.
0814_03	From just above the confluence with Waxahachie Creek up to just above the confluence with Mill Branch.

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
0814_01	From the lower end of the segment up to just above the confluence with Cummins Creek.
0814_03	From just above the confluence with Waxahachie Creek up to just above the confluence with Mill Branch.

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
0814_01	From the lower end of the segment up to just above the confluence with Cummins Creek.
0814_03	From just above the confluence with Waxahachie Creek up to just above the confluence with Mill Branch.

**SEG ID: 0815A Waxahachie Creek**  
Perennial stream from the confluence with Bardwell Reservoir (normal pool elevation 421 feet) to the headwaters west of Waxahachie in Ellis County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
0815A_01	Entire creek

**SEG ID: 0816 Lake Waxahachie**  
From South Prong Dam in Ellis County up to normal pool elevation of 531.5 feet (impounds South Prong Creek)

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0816_01	Entire reservoir

**SEG ID: 0817 Navarro Mills Lake**  
From Navarro Mills Dam in Navarro County up to normal pool elevation of 424.5 feet (impounds Richland Creek)

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
0817_01	Entire reservoir

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 0818 Cedar Creek Reservoir**  
From Joe B. Hoggsett Dam in Henderson County up to normal pool elevation of 322 feet  
(impounds Cedar Creek)

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
0818_02 Caney Creek cove	
0818_05 Cove off lower portion of reservoir adjacent to Clearview Estates	
0818_08 Prairie Creek cove	
0818_13 Cedar Creek cove	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0818_01 Lowermost portion of the reservoir, adjacent to the dam.	
0818_04 Lower portion of reservoir east of Key Ranch Estates	
0818_06 Middle portion of reservoir downstream of Twin Creeks cove	
0818_08 Prairie Creek cove	
0818_09 Upper portion of reservoir adjacent to Lacy Fork cove	
0818_10 Lacy Fork cove	
0818_11 Upper portion of reservoir east of Tolosa	
0818_13 Cedar Creek cove	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
0818_13 Cedar Creek cove	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
0818_13 Cedar Creek cove	

**SEG ID: 0819 East Fork Trinity River**  
From the confluence with the Trinity River in Kaufman County to Rockwall-Forney Dam in  
Kaufman County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
0819_01 Entire segment	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0819_01 Entire segment	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
0819_01 Entire segment	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
0819_01 Entire segment	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 0819B Buffalo Creek**

Perennial stream from the confluence with the East Fork Trinity River up to 0.6 km above the confluence of Little Buffalo Creek

Parameter(s)

Level of Concern

**nitrate**

**CS**

0819B\_01 Entire water body.

Parameter(s)

Level of Concern

**total phosphorus**

**CS**

0819B\_01 Entire water body.

**SEG ID: 0820 Lake Ray Hubbard**

From Rockwall-Forney Dam in Kaufman County to Lavon Dam in Collin County, up to normal pool elevation of 435.5 feet (impounds East Fork Trinity River)

Parameter(s)

Level of Concern

**chlorophyll-a**

**CS**

0820\_01 Lower portion of East Fork arm, centering on IH 30

0820\_02 Middle portion of East Fork arm, centering on SH 66

0820\_04 Lower portion of main body of reservoir extending up from dam to Yankee Cr. Arm.

**SEG ID: 0820B Rowlett Creek**

Perennial stream from the normal pool elevation of 435.5 feet of Lake Ray Hubbard to the Parker Road crossing

Parameter(s)

Level of Concern

**nitrate**

**CS**

0820B\_01 Entire water body

**SEG ID: 0820C Muddy Creek**

From the confluence with Lake Ray Hubbard, in Dallas County, to the headwaters east of Allen, in Collin County

Parameter(s)

Level of Concern

**nitrate**

**CS**

0820C\_01 Entire creek

**SEG ID: 0821 Lake Lavon**

From Lavon Dam in Collin County, up to normal pool elevation of 492 feet (impounds East Fork Trinity River)

Parameter(s)

Level of Concern

**nitrate**

**CS**

0821\_01 Lowermost portion of reservoir

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 0822 Elm Fork Trinity River Below Lewisville Lake**  
From the confluence with the West Fork Trinity River in Dallas County to Lewisville Dam in Denton County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0822_01 Lower 11 miles of segment	
0822_02 4.5 miles upstream to 7.5 miles downstream DWU intake	
0822_04 Upper 1.5 miles of segment	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
0822_01 Lower 11 miles of segment	
0822_02 4.5 miles upstream to 7.5 miles downstream DWU intake	

**SEG ID: 0822C Hackberry Creek**  
A 5.5 mile stretch of Hackberry Creek running upstream from confluence with Cottonwood Branch, to approximately 2.4 miles upstream of SH 114, in Irving, Dallas County.

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0822C_01 A 5.5 mile stretch of Hackberry Creek running upstream from confluence with S. Fork Hackberry Creek to approximately 2.4 miles upstream of SH 114 in Irving, Dallas Co.	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
0822C_01 A 5.5 mile stretch of Hackberry Creek running upstream from confluence with S. Fork Hackberry Creek to approximately 2.4 miles upstream of SH 114 in Irving, Dallas Co.	

**SEG ID: 0822D Ski Lake**  
A 65 acre reservoir locate just south of the intersection of US 35E and spur 482 in Irving.

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0822D_01 Entire segment.	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 0823 Lewisville Lake**  
From Lewisville Dam in Denton County to a point 100 meters (110 yards) upstream of US 380 in Denton County, up to normal pool elevation of 515 feet (impounds Elm Fork Trinity River)

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
0823_02 Stewart Creek arm	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0823_03 Hickory Creek arm	
0823_05 Middle portion of reservoir east of Lake Dallas	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
0823_02 Stewart Creek arm	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
0823_02 Stewart Creek arm	

**SEG ID: 0823B Stewart Creek**  
From the confluence with Lake Lewisville in Denton County to the headwaters near Frisco in Collin County.

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
0823B_01 Entire segment.	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
0823B_01 Entire segment.	

**SEG ID: 0824 Elm Fork Trinity River Above Ray Roberts Lake**  
From a point 9.5 km (5.9 miles) downstream of the confluence of Pecan Creek in Cooke County to US 82 in Montague County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0824_01 Lower 7.5 miles of segment	
0824_03 3.5 mile reach near SH 51	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
0824_01 Lower 7.5 miles of segment	
0824_02 2 mile reach near unmarked county road, 1.4 km downstream Gainesville WWTP	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 0825 Denton Creek**  
From the confluence with the Elm Fork Trinity River in Dallas County to Grapevine Dam in Tarrant County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>bacteria</b>	<b>CN</b>
0825_01 Entire segment	

**SEG ID: 0826 Grapevine Lake**  
From Grapevine Dam in Tarrant County up to normal pool elevation of 535 feet (impounds Denton Creek)

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0826_06 Middle portion of reservoir southeast of Walnut Grove Park	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
0826_07 Upper portion of reservoir east of Marshall Creek Park	

**SEG ID: 0826A Denton Creek**  
Perennial stream from the confluence with Grapevine Lake in Denton County to the headwaters northeast of Bowie in Montague County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
0826A_01 Lower 7.9 miles of creek	

**SEG ID: 0827 White Rock Lake**  
From White Rock Dam in Dallas County up to the normal pool elevation of 458 feet (impounds White Rock Creek)

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0827_01 Entire segment	

**SEG ID: 0827A White Rock Creek above White Rock Lake**  
Perennial stream from the headwaters of White Rock Lake upstream to the confluence with McKamy Branch east of the City of Addison

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>bacteria</b>	<b>CN</b>
0827A_01 From the headwaters of White Rock Lake upstream to the upper end of the water body at NHD RC 12030105001118.	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
0827A_01 From the headwaters of White Rock Lake upstream to the upper end of the water body at NHD RC 12030105001118.	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 0828 Lake Arlington**  
From Arlington Dam in Tarrant County up to the normal pool elevation of 550 feet  
(impounds Village Creek)

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0828_02 Lowermost portion of lake along eastern half of dam	
0828_05 Western half of upper portion of lake	
0828_06 Eastern half of upper portion of lake	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
0828_07 Uppermost portion of lake	

**SEG ID: 0829A Lake Como**  
From Lake Como Dam to the reservoir headwaters in Lake Como Park in Tarrant County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>arsenic in edible tissue</b>	<b>CS</b>
0829A_01 Entire lake	

**SEG ID: 0830 Benbrook Lake**  
From Benbrook Dam in Tarrant County to a point 200 meters (220 yards) downstream of  
US 377 in Tarrant County, up to normal pool elevation of 694 feet (impounds Clear Fork  
Trinity River)

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0830_01 Lower portion of reservoir	
0830_02 Middle portion of reservoir	
0830_03 Upper portion of reservoir	
0830_05 Rock/Mustang Creek arm of Benbrook Lake.	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
0830_01 Lower portion of reservoir	



**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 0831 Clear Fork Trinity River Below Lake Weatherford**  
From a point 200 meters (220 yards) downstream of US 377 in Tarrant County to Weatherford Dam in Parker County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
0831_05 From the confluence of Squaw Ck. to Lake Weatherford Dam	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
0831_01 Lower 12.75 miles, downstream from South Fork Trinity River confluence	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
0831_01 Lower 12.75 miles, downstream from South Fork Trinity River confluence	

**SEG ID: 0831A South Fork Trinity River**  
Eleven mile stretch of South Fork Trinity River running upstream from confluence with Clear Fork Trinity River to confluence with Willow Creek, Parker Co.

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
0831A_01 Eleven mile stretch of S. Fork Trinity River running upstream from confluence with Clear Fork Trinity River to confluence with Willow Creek, Parker Co.	

**SEG ID: 0831B Unnamed Tributary of South Fork Trinity River**  
A 4.4 mile (7.1 KM) stretch of unnamed tributary to South Fork Trinity River stretching from the confluence to the upper end of the creek (NHD RC 12030102000351)

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
0831B_01 Entire segment.	

**SEG ID: 0832 Lake Weatherford**  
From Weatherford Dam in Parker County to a point 3.1 km (1.9 miles) upstream of FM 730 in Parker County, up to the normal pool elevation of 896 feet (impounds Clear Fork Trinity River)

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0832_01 Entire reservoir	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 0833 Clear Fork Trinity River Above Lake Weatherford**  
From a point 3.1 km (1.9 miles) upstream of FM 730 in Parker County, to the confluence with Strickland Creek approximately 8 kilometers (5 miles) upstream of FM 51 in Parker County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
0833_03 From the confluence of McKnight Branch to the confluence of Strickland Ck. approximately 8 kilometers (5 miles) upstream of FM 51 in Parker County.	
0833_04 From the confluence with Dobbs Branch to confluence with McKnight Branch	
0833_05 From the confluence of Dobbs Ck. to the lower end of segment	

**SEG ID: 0836 Richland-Chambers Reservoir**  
From Richland-Chambers Dam in Freestone County to a point immediately upstream of the confluence of Pin Oak Creek on the Richland Creek Arm in Navarro County and to a point 4.0 kilometers (2.5 miles) downstream of Tupelo Branch on the Chambers Creek Arm

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0836_04 Upper portion of Chambers Creek arm	
0836_05 Lower portion of Richland Creek arm	

**SEG ID: 0836B Cedar Creek**  
From the confluence with Richland Chambers Reservoir to the upper end of the creek (NHD RC 12030109012807)

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
0836B_01 Entire segment.	

**SEG ID: 0836C Grape Creek**  
From the confluence with Richland Chambers Reservoir to the upper end of the creek (NHD RC 12030108000107) southwest of Corsicana, Navarro County, TX.

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CN</b>
0836C_01 Entire segment.	

**SEG ID: 0836D Post Oak Creek**  
From the confluence with Richland Chambers Reservoir to the upper end of the creek (NHD RC 12030109012706)

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
0836D_01 Entire segment.	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 0837 Richland Creek Above Richland-Chambers Reservoir**  
From the confluence of Pin Oak Creek in Navarro County to Navarro Mills Dam in Navarro County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0837_01 Entire segment	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
0837_01 Entire segment	

**SEG ID: 0838 Joe Pool Lake**  
From Joe Pool Dam in Dallas County up to the normal pool elevation of 522 feet (impounds Mountain Creek)

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
0838_02 Mountain Creek arm	

**SEG ID: 0840 Ray Roberts Lake**  
From Ray Roberts Dam in Denton County to a point 9.5 km (5.9 miles) upstream of the confluence of Pecan Creek in Cooke County, up to the normal pool elevation of 632.5 feet (impounds Elm Fork Trinity River)

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
0840_03 Upper portion of Jordan Creek arm	
0840_04 Buck Creek cove	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
0840_08 Remainder of reservoir	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
0840_03 Upper portion of Jordan Creek arm	
0840_04 Buck Creek cove	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
0840_03 Upper portion of Jordan Creek arm	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 0841 Lower West Fork Trinity River**

From a point immediately upstream of the confluence of the Elm Fork Trinity River in Dallas County to a point immediately upstream of the confluence of Village Creek in Tarrant County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
0841_01	From confluence of the Elm Fork Trinity River to the confluence with Johnson Creek.

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
0841_01	From confluence of the Elm Fork Trinity River to the confluence with Johnson Creek.
0841_02	From the confluence with Johnson Creek upstream to the confluence of Village Creek.

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
0841_01	From confluence of the Elm Fork Trinity River to the confluence with Johnson Creek.
0841_02	From the confluence with Johnson Creek upstream to the confluence of Village Creek.

**SEG ID: 0841F Cottonwood Creek**

A 6.5 mile stretch of Cottonwood Creek running upstream from approx. 0.1 mi. upstream of Mountain Creek Reservoir in Dallas Co., to SH 360 in, Tarrant Co.

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
0841F_01	Entire Segment.

**SEG ID: 0841G Dalworth Creek**

A 2.2 mile stretch of Dalworth Creek running upstream from confluence with Lower W. Fork Trinity to County Line Road in Grand Prairie, Dallas Co.

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
0841G_01	Entire segment.

**SEG ID: 0841K Fish Creek**

A 15 mile stretch of Fish Creek running upstream from the confluence with Mountain Creek Reservoir in Grand Prairie, Dallas Co., to the upper end of the creek (NHD RC 12030102000107) in Arlington, Tarrant Co.

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
0841K_01	From South Belt Line Road (FM 1382) upstream to the upper end of the creek south of West Bardin Road (NHD RC 12030102000107) in Arlington, Tarrant County. From South Belt Line Road (FM 1382) upstream to the upper end of creek south of West Bardin Road.

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 0841L Johnson Creek**

Four mile stretch of Johnson Creek running upstream from confluence with the Arbor Creek to just upstream of I30 in Grand Prairie, Tarrant Co.

Parameter(s)

Level of Concern

**depressed dissolved oxygen**

**CS**

0841L\_01 From the confluence with the Lower West Fork Trinity River, upstream to just south of Mayfield Road in Arlington, Tarrant, Co..

**SEG ID: 0841N Kirby Creek**

Four mile stretch of Kirby Creek running upstream from confluence with Fish Creek in Grand Prairie, Dallas Co., to just upstream of Great Southwest Parkway in Arlington, Tarrant Co.

Parameter(s)

Level of Concern

**depressed dissolved oxygen**

**CS**

0841N\_01 Entire segment

**SEG ID: 0841O Mountain Creek**

Four mile stretch of Mountain Creek running upstream from confluence with West Fork Trinity, to approximately 0.3 mile downstream of Mountain Creek Lake in Grand Prairie, Dallas Co.

Parameter(s)

Level of Concern

**depressed dissolved oxygen**

**CS**

0841O\_01 Entire segment.

**SEG ID: 0841P North Fork Cottonwood Creek**

A 4.4 mile stretch of North Fork Cottonwood Creek running upstream from confluence with the S. Fork Cottonwood Creek in Grand Prairie, Dallas Co., to approx. 0.3 mi. upstream of Carter St. in Arlington, Tarrant Co.

Parameter(s)

Level of Concern

**bacteria**

**CN**

0841P\_01 Entire segment.

Parameter(s)

Level of Concern

**depressed dissolved oxygen**

**CS**

0841P\_01 Entire segment.

**SEG ID: 0841Q North Fork Fish Creek**

A 5 mile stretch of North Fork Fish Creek running upstream from confluence with Fish Creek in Dallas Co., to SH 360 in, Tarrant Co.

Parameter(s)

Level of Concern

**bacteria**

**CN**

0841Q\_01 Entire segment.

Parameter(s)

Level of Concern

**depressed dissolved oxygen**

**CS**

0841Q\_01 Entire segment.

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 0841R Rush Creek**

A 5 mile stretch of Rush Creek running upstream from confluence with Village Creek to confluence with Kee Branch in Arlington, Tarrant Co.

Parameter(s)

**chlorophyll-a**

0841R\_01 Entire segment.

Level of Concern

**CS**

**SEG ID: 0841V Crockett Branch**

A 1 mile (1.5 KM) stretch of Crockett Branch extending upstream from the confluence with Cottonwood Creek to the upper end of the creek (NHD RC 12030102044745)

Parameter(s)

**depressed dissolved oxygen**

0841V\_01 Entire Segment.

Level of Concern

**CS**

**SEG ID: 0901 Cedar Bayou Tidal**

From the confluence with Galveston Bay 1.0 km (0.6 miles) downstream of Tri-City Beach Road in Chambers County to a point 2.2 km (1.4 miles) upstream of IH 10 in Chambers/Harris County

Parameter(s)

**chlorophyll-a**

0901\_01 From the confluence with Galveston Bay 1.0 km (0.6 miles) downstream of Tri-City Beach Road to a point 2.2 km (1.4 miles) upstream of IH 10

Level of Concern

**CS**

Parameter(s)

**depressed dissolved oxygen**

0901\_01 From the confluence with Galveston Bay 1.0 km (0.6 miles) downstream of Tri-City Beach Road to a point 2.2 km (1.4 miles) upstream of IH 10

Level of Concern

**CS**

**SEG ID: 0902 Cedar Bayou Above Tidal**

From a point 2.2 km (1.4 miles) upstream of IH 10 in Chambers/Harris County to a point 7.4 km (4.6 miles) upstream of FM 1960 in Liberty County

Parameter(s)

**depressed dissolved oxygen**

0902\_01 From a point 2.2 km (1.4 miles) upstream of IH 10 to a point 7.4 km (4.6 miles) upstream of FM 1960

Level of Concern

**CS**

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1002 Lake Houston**

From Lake Houston Dam in Harris County to the confluence of Spring Creek on the West Fork San Jacinto Arm in Harris/Montgomery County and to the confluence of Caney Creek on the East Fork San Jacinto Arm in Harris County, up to normal pool elevation of 4

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
1002_04 From the Missouri Pacific Railroad Tracks to Foley Road	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1002_02 From West Lake Houston Parkway to FM 1960 West Pass	
1002_05 From Foley Road to the Lake Houston Dam	
1002_06 From the confluence with Spring Creek to West Lake Houston Pkwy	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1002_02 From West Lake Houston Parkway to FM 1960 West Pass	
1002_05 From Foley Road to the Lake Houston Dam	
1002_06 From the confluence with Spring Creek to West Lake Houston Pkwy	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>pH</b>	<b>CN</b>
1002_05 From Foley Road to the Lake Houston Dam	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1002_01 From the Red Gully confluence to FM 1960 East Pass	
1002_02 From West Lake Houston Parkway to FM 1960 West Pass	
1002_03 From the downstream side of FM 1960 (includes East and West Passes) to the Missouri Pacific Railroad Tracks	
1002_04 From the Missouri Pacific Railroad Tracks to Foley Road	
1002_05 From Foley Road to the Lake Houston Dam	
1002_06 From the confluence with Spring Creek to West Lake Houston Pkwy	

**SEG ID: 1002A Tarkington Bayou**

From the Luce Bayou confluence upstream to a point just upstream of FM 2025 in Liberty County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1002A_01 From the Luce Bayou confluence upstream to the Little Tarkington Bayou confluence near the City of Cleveland	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1002A_01 From the Luce Bayou confluence upstream to the Little Tarkington Bayou confluence near the City of Cleveland	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

---

**SEG ID: 1004 West Fork San Jacinto River**  
From the confluence of Spring Creek in Harris/Montgomery County to Conroe Dam in Montgomery County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1004_01 From the Spring Creek confluence upstream to the Stewart Creek confluence	

**SEG ID: 1005 Houston Ship Channel/San Jacinto River Tidal**  
From the confluence with Galveston Bay at Morgan's Point in Harris/Chambers County to a point 100 meters (110 yards) downstream of IH 10 in Harris County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1005_01 Downstream I-10 to Lynchburg Ferry Road	
1005_02 Lynchburg Ferry Road to Goose Island	
1005_03 Goose Island to SH 146	



**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1006 Houston Ship Channel Tidal**

From the confluence with the San Jacinto River in Harris County to a point immediately upstream of Greens Bayou in Harris County, including tidal portions of tributaries

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>

1006_06	Tucker Bayou- From the Houston Ship Channel confluence to a point 2.7 km (1.7 mi) upstream
---------	--

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>

1006_04	Patrick Bayou Tidal - From the confluence with the Houston Ship Channel to 100 m (328 ft) upstream of the railroad bridge
---------	---

1006_07	Carpenters Bayou-From the Houston Ship Channel confluence to the lower boundary of 1006B (2.3 m/ 1.4 mi) upstream from the Houston Ship Channel confluence)
---------	---

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>DDD in sediment</b>	<b>CS</b>

1006_03	Greens Bayou Tidal- From the Houston Ship Channel confluence to a point 0.7 km (0.4 miles) upstream of the Halls Bayou confluence
---------	---

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>DDT in sediment</b>	<b>CS</b>

1006_03	Greens Bayou Tidal- From the Houston Ship Channel confluence to a point 0.7 km (0.4 miles) upstream of the Halls Bayou confluence
---------	---

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>hexachlorobutadiene (HCBd) in sediment</b>	<b>CS</b>

1006_04	Patrick Bayou Tidal - From the confluence with the Houston Ship Channel to 100 m (328 ft) upstream of the railroad bridge
---------	---

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>mercury in sediment</b>	<b>CS</b>

1006_04	Patrick Bayou Tidal - From the confluence with the Houston Ship Channel to 100 m (328 ft) upstream of the railroad bridge
---------	---

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>

1006_01	Houston Ship Channel Tidal-From the Greens Bayou confluence to the Patrick Bayou confluence
---------	---

1006_02	Houston Ship Channel Tidal- From the Patrick Bayou confluence to the Houston Ship Channel/San Jacinto River Tidal (1005) confluence
---------	---

1006_03	Greens Bayou Tidal- From the Houston Ship Channel confluence to a point 0.7 km (0.4 miles) upstream of the Halls Bayou confluence
---------	---

1006_04	Patrick Bayou Tidal - From the confluence with the Houston Ship Channel to 100 m (328 ft) upstream of the railroad bridge
---------	---

1006_05	Goodyear Creek-From confluence with Greens Bayou Tidal to Granada St. in Harris County
---------	--

1006_06	Tucker Bayou- From the Houston Ship Channel confluence to a point 2.7 km (1.7 mi) upstream
---------	--

1006_07	Carpenters Bayou-From the Houston Ship Channel confluence to the lower boundary of 1006B (2.3 m/ 1.4 mi) upstream from the Houston Ship Channel confluence)
---------	---

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>

1006_03	Greens Bayou Tidal- From the Houston Ship Channel confluence to a point 0.7 km (0.4 miles) upstream of the Halls Bayou confluence
---------	---

1006_04	Patrick Bayou Tidal - From the confluence with the Houston Ship Channel to 100 m (328 ft) upstream of the railroad bridge
---------	---

1006_05	Goodyear Creek-From confluence with Greens Bayou Tidal to Granada St. in Harris County
---------	--

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1006B Carpenters Bayou**  
Perennial stream from 9.0 km upstream of Houston Ship Channel up to Sheldon Reservoir

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
1006B_01	Perennial stream from 9.0 km upstream of Houston Ship Channel up to 0.8 km upstream of Wallisville Road, per WQS App D first entry

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1006B_01	Perennial stream from 9.0 km upstream of Houston Ship Channel up to 0.8 km upstream of Wallisville Road, per WQS App D first entry

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1006B_01	Perennial stream from 9.0 km upstream of Houston Ship Channel up to 0.8 km upstream of Wallisville Road, per WQS App D first entry

**SEG ID: 1006D Halls Bayou**  
From the Greens Bayou confluence upstream to Frick Road in Harris County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
1006D_02	From US 59 upstream to Frick Road

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1006D_01	From the Greens Bayou confluence upstream to US 59
1006D_02	From US 59 upstream to Frick Road

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1006D_01	From the Greens Bayou confluence upstream to US 59
1006D_02	From US 59 upstream to Frick Road

**SEG ID: 1006F Big Gulch Above Tidal**  
From the confluence with Greens Bayou Tidal to Wallisville Road in Harris County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1006F_01	Entire water body

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1006F_01	Entire water body

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1006I Unnamed Tributary of Halls Bayou**  
From the confluence with Halls Bayou to a point 0.13 miles upstream of Richland Drive in Harris County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1006I_01 Entire water body	

**SEG ID: 1006J Unnamed Tributary of Halls Bayou**  
From the confluence with Halls Bayou (east of US 59 and south of Langley Road) to Mount Houston Road in Harris County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
1006J_01 From the Halls Bayou confluence (east of US 59 and south of Langley Road) to Mount Houston Road	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1006J_01 From the Halls Bayou confluence (east of US 59 and south of Langley Road) to Mount Houston Road	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1006J_01 From the Halls Bayou confluence (east of US 59 and south of Langley Road) to Mount Houston Road	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1007 Houston Ship Channel/Buffalo Bayou Tidal**  
From a point immediately upstream of Greens Bayou in Harris County to a point 100 meters (110 yards) upstream of US 59 in Harris County, including tidal portion of tributaries

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
1007_01 Houston Ship Channel - From a point immediately upstream of Greens Bayou Tidal to immediately upstream of the 69th Street WWTP outfall	
1007_02 Sims Bayou Tidal - From the Houston Ship Channel confluence to a point 11 km (6.8 mi) upstream	
1007_04 Brays Bayou Tidal - From the Houston Ship Channel confluence to downstream of IH-45	
1007_05 Vince Bayou Tidal - From the Houston Ship Channel confluence to SH 225	
1007_07 Buffalo Bayou - From immediately upstream of 69th Street WWTP outfall to US 59	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1007_01 Houston Ship Channel - From a point immediately upstream of Greens Bayou Tidal to immediately upstream of the 69th Street WWTP outfall	
1007_02 Sims Bayou Tidal - From the Houston Ship Channel confluence to a point 11 km (6.8 mi) upstream	
1007_03 Hunting Bayou Tidal - From the Houston Ship Channel confluence to IH-10	
1007_04 Brays Bayou Tidal - From the Houston Ship Channel confluence to downstream of IH-45	
1007_05 Vince Bayou Tidal - From the Houston Ship Channel confluence to SH 225	
1007_06 Berry Bayou - From the Houston Ship Channel confluence to a point 2.4 km (1.5 mi) upstream of the Sims Bayou confluence	
1007_07 Buffalo Bayou - From immediately upstream of 69th Street WWTP outfall to US 59	
1007_08 Little Vince Bayou Tidal - From the Vince Bayou confluence to SH 225	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1007_01 Houston Ship Channel - From a point immediately upstream of Greens Bayou Tidal to immediately upstream of the 69th Street WWTP outfall	
1007_02 Sims Bayou Tidal - From the Houston Ship Channel confluence to a point 11 km (6.8 mi) upstream	
1007_04 Brays Bayou Tidal - From the Houston Ship Channel confluence to downstream of IH-45	
1007_05 Vince Bayou Tidal - From the Houston Ship Channel confluence to SH 225	
1007_06 Berry Bayou - From the Houston Ship Channel confluence to a point 2.4 km (1.5 mi) upstream of the Sims Bayou confluence	
1007_07 Buffalo Bayou - From immediately upstream of 69th Street WWTP outfall to US 59	
1007_08 Little Vince Bayou Tidal - From the Vince Bayou confluence to SH 225	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1007A Canal C-147**

From the confluence with Sims Bayou to a point 0.71 km east of Beltway 8 in Houston

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nutrients</b>	<b>CN</b>
1007A_01 From the confluence with Sims Bayou upstream to a point 0.71 km east of Beltway 8	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1007A_01 From the confluence with Sims Bayou upstream to a point 0.71 km east of Beltway 8	

**SEG ID: 1007B Brays Bayou Above Tidal**

From a point 11.5 km (7.1 mi) upstream of confluence with Houston Ship Channel up to SH 6

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
1007B_01 From a point 11.5 km (7.1 mi) upstream of confluence with Houston Ship Channel up to SH 6	
1007B_02 From State Highway 6 upstream to Clodine Road	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1007B_01 From a point 11.5 km (7.1 mi) upstream of confluence with Houston Ship Channel up to SH 6	
1007B_02 From State Highway 6 upstream to Clodine Road	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1007B_01 From a point 11.5 km (7.1 mi) upstream of confluence with Houston Ship Channel up to SH 6	
1007B_02 From State Highway 6 upstream to Clodine Road	

**SEG ID: 1007C Keegans Bayou Above Tidal**

From the Brays Bayou confluence upstream to Harris County line

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
1007C_01 From the Brays Bayou confluence to the Harris County Line	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1007C_01 From the Brays Bayou confluence to the Harris County Line	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1007C_01 From the Brays Bayou confluence to the Harris County Line	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1007D Sims Bayou Above Tidal**  
Perennial stream from 11.0 km upstream of confluence with Houston Ship Channel  
upstream to Hiram Clark Drive

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
1007D_02 From Hiram Clark to 11 miles upstream of the confluence with the Houston Ship Channel	
1007D_03 From 11 miles upstream of the Houston Ship Channel confluence to SH 35	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1007D_01 From Fort Bend Parkway to Hiram Clarke	
1007D_02 From Hiram Clark to 11 miles upstream of the confluence with the Houston Ship Channel	
1007D_03 From 11 miles upstream of the Houston Ship Channel confluence to SH 35	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1007D_01 From Fort Bend Parkway to Hiram Clarke	
1007D_02 From Hiram Clark to 11 miles upstream of the confluence with the Houston Ship Channel	
1007D_03 From 11 miles upstream of the Houston Ship Channel confluence to SH 35	

**SEG ID: 1007F Berry Bayou Above Tidal**  
From a point 2.4 km (1.5 mi) upstream of the Sims Bayou confluence to the southern city  
limits of South Houston

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
1007F_01 From a point 2.4 km (1.5 mi) upstream of the Sims Bayou confluence to SH 3	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1007F_01 From a point 2.4 km (1.5 mi) upstream of the Sims Bayou confluence to SH 3	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1007F_01 From a point 2.4 km (1.5 mi) upstream of the Sims Bayou confluence to SH 3	

**SEG ID: 1007G Kuhlman Gully Above Tidal**  
From Brays Bayou confluence to Atchison, Topeka and Santa Fe Railroad tracks in Harris  
County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1007G_01 From Brays Bayou confluence to Atchison, Topeka and Santa Fe Railroad tracks	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1007H Pine Gully Above Tidal**  
From the Sims Bayou confluence to 0.11 km (0.07 mi) east of Broadway Street in Harris County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
1007H_01 From the Sims Bayou confluence to 0.11 km (0.07 mi) east of Broadway Street	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1007H_01 From the Sims Bayou confluence to 0.11 km (0.07 mi) east of Broadway Street	

**SEG ID: 1007I Plum Creek Above Tidal**  
From the Sims Bayou confluence to Telephone Road in Harris County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
1007I_01 From the Sims Bayou confluence to Telephone Road in Harris County	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1007I_01 From the Sims Bayou confluence to Telephone Road in Harris County	

**SEG ID: 1007K Country Club Bayou Above Tidal**  
From just downstream of South Lockwood Drive to the confluence with Brays Bayou to approximately 0.5 miles upstream of North Wayside Drive in Harris County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
1007K_01 From just downstream of South Lockwood Drive to the confluence with Brays Bayou	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CN</b>
1007K_01 From just downstream of South Lockwood Drive to the confluence with Brays Bayou	

**SEG ID: 1007L Unnamed Tributary of Brays Bayou**  
From the Brays Bayou confluence near Fondren Road to a point 0.97 km (0.60 mi) upstream in Harris County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1007L_01 From the Brays Bayou confluence near Fondren Road to a point (0.37 km) 0.60 miles upstream in Harris County	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1007M Unnamed Tributary of Hunting Bayou**  
From the confluence with Hunting Bayou to Mercury Road in Harris County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1007M_01 Entire water body	

**SEG ID: 1007N Unnamed Tributary of Sims Bayou**  
From the confluence with Sims Bayou, south of Airport Road, east of SH 288 in Harris County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
1007N_01 Entire water body	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1007N_01 Entire water body	

**SEG ID: 1007O Unnamed Tributary of Buffalo Bayou**  
From the confluence with Buffalo Bayou to IH-10 between Hirsch Road and Lockwood in Harris County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
1007O_01 Entire water body	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1007O_01 Entire water body	

**SEG ID: 1007R Hunting Bayou Above Tidal**  
From the confluence with Hunting Bayou Tidal at IH-10 to Maury Street on the north fork and Bain Street on the south fork

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
1007R_01 From Bain Street to Sayers Street (South Fork)	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1007R_01 From Bain Street to Sayers Street (South Fork)	
1007R_02 From just east of Elysian Street to Falls Street (North Fork)	
1007R_03 From Falls Street to Loop 610	
1007R_04 From Loop 610 East to IH 10	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1007R_04 From Loop 610 East to IH 10	



**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1007S Poor Farm Ditch**  
From the Brays Bayou confluence upstream 3.6 km (2.3 mi) to the Bissonnet Road bridge crossing

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
1007S_01 From the Brays Bayou confluence upstream 3.6 km (2.3 mi) to the Bissonnet Road bridge crossing	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1007S_01 From the Brays Bayou confluence upstream 3.6 km (2.3 mi) to the Bissonnet Road bridge crossing	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1007S_01 From the Brays Bayou confluence upstream 3.6 km (2.3 mi) to the Bissonnet Road bridge crossing	

**SEG ID: 1007T Bintliff Ditch**  
From the Brays Bayou confluence upstream 5.8 km (3.6 mi) to the Fondren Road bridge crossing

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
1007T_01 From the Brays Bayou confluence to 0.57 km (0.35 mi) upstream of the Fondren Road bridge crossing	

**SEG ID: 1007U Mimosa Ditch**  
From the Brays Bayou confluence upstream 2.9 km (1.8 mi) to the Chimney Rock bridge crossing

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1007U_01 From the Brays Bayou confluence upstream 2.9 km (1.8 mi) to the Chimney Rock bridge crossing	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1008 Spring Creek**  
From the confluence with the West Fork San Jacinto River in Harris/Montgomery County to the confluence with Kickapoo Creek in Waller County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1008_02 Kickapoo Creek confluence to SH 249	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>impaired fish community</b>	<b>CN</b>
1008_02 Kickapoo Creek confluence to SH 249	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1008_04 IH 45 to the confluence with Lake Houston	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1008_04 IH 45 to the confluence with Lake Houston	

**SEG ID: 1008A Mill Creek**  
Perennial stream from the normal pool elevation of Neidigk Lake upstream to the confluence of Hurricane Creek and Kickapoo Creek

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1008A_01 From the normal pool elevation of Neidigk Lake upstream to the Hurricane Creek and Kickapoo Creek confluences	

**SEG ID: 1008B Upper Panther Branch**  
From the normal pool elevation of 125 feet of Lake Woodlands upstream to Old Conroe Road

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1008B_01 From the Lake Woodlands confluence upstream to the Bear Branch confluence	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1008B_01 From the Lake Woodlands confluence upstream to the Bear Branch confluence	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1008C Lower Panther Branch**

From the Spring Creek confluence upstream to the dam impounding Lake Woodlands in Montgomery County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1008C_02 From Saw Dust Road to the Lake Woodlands Dam	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1008C_01 From Spring Creek confluence upstream to Saw Dust Road	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1008C_01 From Spring Creek confluence upstream to Saw Dust Road	
1008C_02 From Saw Dust Road to the Lake Woodlands Dam	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1008F Lake Woodlands**  
From Lake Woodlands Dam to confluence with Upper Panther Branch Creek in Montgomery County (impounds Upper Panther Branch)

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
1008F_01 Upper end of segment to Northshore Park/Woodlock Forest	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>bacteria</b>	<b>CN</b>
1008F_01 Upper end of segment to Northshore Park/Woodlock Forest	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1008F_01 Upper end of segment to Northshore Park/Woodlock Forest	
1008F_02 Northshore Park/Woodlock Forest to inflow from unnamed tributary	
1008F_03 From inflow of unnamed tributary to dam	
1008F_04 Arm near dam adjacent to West Isle Drive and Pleasure Cove Drive	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1008F_01 Upper end of segment to Northshore Park/Woodlock Forest	
1008F_02 Northshore Park/Woodlock Forest to inflow from unnamed tributary	
1008F_03 From inflow of unnamed tributary to dam	
1008F_04 Arm near dam adjacent to West Isle Drive and Pleasure Cove Drive	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nutrients</b>	<b>CN</b>
1008F_01 Upper end of segment to Northshore Park/Woodlock Forest	
1008F_02 Northshore Park/Woodlock Forest to inflow from unnamed tributary	
1008F_03 From inflow of unnamed tributary to dam	
1008F_04 Arm near dam adjacent to West Isle Drive and Pleasure Cove Drive	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1008F_01 Upper end of segment to Northshore Park/Woodlock Forest	
1008F_02 Northshore Park/Woodlock Forest to inflow from unnamed tributary	
1008F_03 From inflow of unnamed tributary to dam	
1008F_04 Arm near dam adjacent to West Isle Drive and Pleasure Cove Drive	

**SEG ID: 1008H Willow Creek**  
From the Spring Creek confluence to a point 0.48 km (0.3 mi) north of Juergen Rd

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1008H_01 From the Spring Creek confluence to a point 0.48 km (0.3 mi) north of Juergen Rd	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1008H_01 From the Spring Creek confluence to a point 0.48 km (0.3 mi) north of Juergen Rd	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1008I Walnut Creek**  
From the Spring Creek confluence to a point 41.1 km (25.5 mi) upstream

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>bacteria</b>	<b>CN</b>
1008I_01 From the Spring Creek confluence to a point 41.1 km (25.5 mi) upstream	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1008I_01 From the Spring Creek confluence to a point 41.1 km (25.5 mi) upstream	

**SEG ID: 1008J Brushy Creek**  
From the Spring Creek confluence upstream to a point 5.6 km (3.5 mi) upstream of FM 1488

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>bacteria</b>	<b>CN</b>
1008J_01 From the Spring Creek confluence upstream to a point 5.6 km (3.5 mi) upstream of FM 1488	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1008J_01 From the Spring Creek confluence upstream to a point 5.6 km (3.5 mi) upstream of FM 1488	

**SEG ID: 1009 Cypress Creek**  
From the confluence with Spring Creek in Harris County to the confluence of Snake Creek and Mound Creek in Waller County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1009_01 Upper portion of segment to downstream of US 290	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>impaired macrobenthic community</b>	<b>CN</b>
1009_02 US 290 to SH 249	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1009_01 Upper portion of segment to downstream of US 290	
1009_02 US 290 to SH 249	
1009_03 SH 249 to IH 45	
1009_04 IH 45 to confluence with Spring Creek	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1009_01 Upper portion of segment to downstream of US 290	
1009_02 US 290 to SH 249	
1009_03 SH 249 to IH 45	
1009_04 IH 45 to confluence with Spring Creek	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1009C Faulkey Gully**  
From Cypress Creek confluence with upstream 3.2 km (2.0 mi), which is approximately 1.0 km upstream of Louetta Road

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1009C_01 From the Cypress Creek confluence to a point 11.7 km (7.2 mi) upstream	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1009C_01 From the Cypress Creek confluence to a point 11.7 km (7.2 mi) upstream	

**SEG ID: 1009D Spring Gully**  
From the Cypress Creek confluence upstream to near Spring Cypress Road

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
1009D_01 From the Cypress Creek confluence upstream to near Spring Cypress Road	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1009D_01 From the Cypress Creek confluence upstream to near Spring Cypress Road	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1009D_01 From the Cypress Creek confluence upstream to near Spring Cypress Road	

**SEG ID: 1009E Little Cypress Creek**  
From the Cypress Creek confluence to a point 11 km (6.8 mi) upstream in Harris County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1009E_01 From the Cypress Creek confluence to a point 11 km (6.8 mi) upstream	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1009E_01 From the Cypress Creek confluence to a point 11 km (6.8 mi) upstream	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1009E_01 From the Cypress Creek confluence to a point 11 km (6.8 mi) upstream	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1010C Spring Branch**  
From the Caney Creek confluence to a point 0.54 km (0.34 mi) upstream of SH 105

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>bacteria</b>	<b>CN</b>
1010C_01 From the Caney Creek confluence to a point 0.54 km (0.34 mi) upstream of SH 105	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1010C_01 From the Caney Creek confluence to a point 0.54 km (0.34 mi) upstream of SH 105	

**SEG ID: 1012 Lake Conroe**  
From Conroe Dam in Montgomery County up to the normal pool elevation of 201 feet (impounds West Fork San Jacinto River)

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1012_01 West Fork San Jacinto River arm to FM1375	
1012_02 FM 1375 to Johnson Bluff	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>pH</b>	<b>CN</b>
1012_03 Lewis Creek arm	

**SEG ID: 1013 Buffalo Bayou Tidal**  
From a point 100 meters (110 yards) upstream of US 59 in Harris County to a point 400 meters (440 yards) upstream of Shepherd Drive in Harris County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1013_01 From a point immediately upstream of US 59 to a point immediately upstream of Shepard Drive	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1013_01 From a point immediately upstream of US 59 to a point immediately upstream of Shepard Drive	

**SEG ID: 1013A Little White Oak Bayou**  
From the White Oak Bayou confluence to Yale Street in Harris County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1013A_01 From the confluence of White Oak Bayou upstream to the RR Tracks north of IH 610	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>impaired macrobenthic community</b>	<b>CN</b>
1013A_01 From the confluence of White Oak Bayou upstream to the RR Tracks north of IH 610	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1013C Unnamed Non-Tidal Tributary of Buffalo Bayou Tidal**  
 Located approximately 1.8 miles upstream of the Buffalo Bayou/White Oak Bayou  
 confluence between IH-10 and Memorial Drive west of IH-45 in Harris County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
1013C_01 Entire Segment	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1013C_01 Entire Segment	

**SEG ID: 1014 Buffalo Bayou Above Tidal**  
 From a point 400 meters (440 yards) upstream of Shepherd Drive in Harris County to SH 6  
 in Harris County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1014_01 From a point immediately upstream of Shepherd Drive upstream to SH 6	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1014_01 From a point immediately upstream of Shepherd Drive upstream to SH 6	

**SEG ID: 1014A Bear Creek**  
 Perennial stream from the confluence with South Mayde Creek upstream to the confluence  
 with an unnamed tributary 1.24 km north of Longenbaugh Road

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
1014A_01 Confluence with South Mayde Creek to a point upstream of an unnamed tributary north of Langenbaugh Road	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1014A_01 Confluence with South Mayde Creek to a point upstream of an unnamed tributary north of Langenbaugh Road	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1014A_01 Confluence with South Mayde Creek to a point upstream of an unnamed tributary north of Langenbaugh Road	



**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1014B Buffalo Bayou/Barker Reservoir**  
Perennial stream from SH 6 in Harris County upstream to the confluence with Willow Fork Buffalo Bayou in Fort Bend County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1014B_01 From SH 6 to the confluence with Willow Fork Buffalo Bayou	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1014B_01 From SH 6 to the confluence with Willow Fork Buffalo Bayou	

**SEG ID: 1014C Horsepen Creek**  
From the Langham Creek confluence upstream to a point 0.1 km (0.06 mi) west of Barker Cypress Road

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
1014C_01 From the Langham Creek confluence upstream to where channelization begins, 0.62 km (0.39 mi) north of FM 529	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1014C_01 From the Langham Creek confluence upstream to where channelization begins, 0.62 km (0.39 mi) north of FM 529	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1014C_01 From the Langham Creek confluence upstream to where channelization begins, 0.62 km (0.39 mi) north of FM 529	

**SEG ID: 1014E Langham Creek**  
From the Dinner Creek confluence upstream to FM 529

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
1014E_01 From the Bear Creek confluence upstream to the Dinner Creek confluence	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1014E_01 From the Bear Creek confluence upstream to the Dinner Creek confluence	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1014E_01 From the Bear Creek confluence upstream to the Dinner Creek confluence	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1014H South Mayde Creek**  
Perennial stream in the Addicks Reservoir flood pool area from the confluence with Buffalo Bayou upstream to the confluence with an unnamed tributary 1.05 km south of Clay Road

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
1014H_01 Perennial stream in the Addicks Reservoir flood pool area from the confluence with Buffalo Bayou upstream to the confluence with an unnamed tributary 1.3 km west of Barker-Cypress Road	
1014H_02 Perennial stream from the confluence with an unnamed tributary 1.3 km west of Barker-Cypress Road upstream to an unnamed tributary 1.05 km south of Clay Road	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1014H_01 Perennial stream in the Addicks Reservoir flood pool area from the confluence with Buffalo Bayou upstream to the confluence with an unnamed tributary 1.3 km west of Barker-Cypress Road	
1014H_02 Perennial stream from the confluence with an unnamed tributary 1.3 km west of Barker-Cypress Road upstream to an unnamed tributary 1.05 km south of Clay Road	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1014H_01 Perennial stream in the Addicks Reservoir flood pool area from the confluence with Buffalo Bayou upstream to the confluence with an unnamed tributary 1.3 km west of Barker-Cypress Road	
1014H_02 Perennial stream from the confluence with an unnamed tributary 1.3 km west of Barker-Cypress Road upstream to an unnamed tributary 1.05 km south of Clay Road	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1014H_01 Perennial stream in the Addicks Reservoir flood pool area from the confluence with Buffalo Bayou upstream to the confluence with an unnamed tributary 1.3 km west of Barker-Cypress Road	
1014H_02 Perennial stream from the confluence with an unnamed tributary 1.3 km west of Barker-Cypress Road upstream to an unnamed tributary 1.05 km south of Clay Road	

**SEG ID: 1014K Turkey Creek**  
From the South Mayde Creek confluence upstream to a point 1.1 km (0.68 mi) directly east of FM 529 in Harris County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1014K_01 From the South Mayde Creek confluence upstream to 0.17 km (0.1 mi) south of Clay Road	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1014L Mason Creek**  
From the Buffalo Bayou confluence upstream to Mason Road upstream to 0.32 km (0.2 mi) east of Katyland Drive

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1014L_01 From the Buffalo Bayou confluence upstream to Mason Road	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1014L_01 From the Buffalo Bayou confluence upstream to Mason Road	

**SEG ID: 1014M Newman Branch (Neimans Bayou)**  
From the Buffalo Bayou Above Tidal confluence to 0.1 km (0.06 mi) upstream of Hammerly Blvd in Harris County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1014M_01 From the Buffalo Bayou confluence to 0.1 km (0.06 mi) upstream of Hammerly Blvd	

**SEG ID: 1014N Rummel Creek**  
From the Buffalo Bayou Above Tidal confluence to 1.2 km (0.75 mi) upstream of IH-10 in Harris County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
1014N_01 From the Buffalo Bayou Above Tidal confluence to 1.2 km (0.75 mi) upstream of IH-10	

**SEG ID: 1015 Lake Creek**  
From the confluence with the West Fork San Jacinto River in Montgomery County to a point 4.0 km (2.5 miles) upstream of SH 30 in Grimes County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1015_01 From the West Fork of the San Jacinto River confluence upstream to the Landrum Creek confluence	
1015_02 From the Landrum Creek confluence upstream to a point 4.0 km (2.5 mi) upstream of State Hwy 30	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1016 Greens Bayou Above Tidal**  
From a point 0.7 km (0.4 miles) above the confluence of Halls Bayou in Harris County to a point 100 meters (110 yards) above FM 1960 in Harris County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1016_01 Upper segment boundary (FM 1960) to IH 45	
1016_02 IH 45 to US 59	
1016_03 From US 59 to the downstream boundary 0.7 km (0.4 miles) upstream of the Halls Bayou confluence	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1016_01 Upper segment boundary (FM 1960) to IH 45	
1016_02 IH 45 to US 59	
1016_03 From US 59 to the downstream boundary 0.7 km (0.4 miles) upstream of the Halls Bayou confluence	

**SEG ID: 1016A Garners Bayou**  
From the confluence with Greens Bayou upstream to a point 0.89 km northeast of Will Clayton Parkway near Humble

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
1016A_03 From the Greens Bayou confluence to the Williams Gully confluence	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1016A_03 From the Greens Bayou confluence to the Williams Gully confluence	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1016A_02 From the Williams Gully confluence upstream to 1.5km north of Atascocita Road	
1016A_03 From the Greens Bayou confluence to the Williams Gully confluence	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1016A_02 From the Williams Gully confluence upstream to 1.5km north of Atascocita Road	
1016A_03 From the Greens Bayou confluence to the Williams Gully confluence	

**SEG ID: 1016C Unnamed Tributary of Greens Bayou**  
From the confluence with Greens Bayou, east of Aldine Westfield Road, to the Hardy Toll Road in Harris County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1016C_01 Entire water body	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1016C_01 Entire water body	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1016D Unnamed Tributary of Greens Bayou**  
From the confluence with Greens Bayou, west of El Dorado Country Club to Lee Road,  
west of US Hwy 59 in Harris County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
1016D_01 Entire water body	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1016D_01 Entire water body	

**SEG ID: 1017 Whiteoak Bayou Above Tidal**  
From a point immediately upstream of the confluence of Little White Oak Bayou in Harris  
County to a point 3.0 km (1.9 miles) upstream of FM 1960 in Harris County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1017_01 Huffmeister Rd to the confluence with Vogel Creek	
1017_02 Vogel Creek to the Cole Creek confluence	
1017_03 Cole Creek confluence to the Brickhouse Gully confluence	
1017_04 From Brickhouse Gully confluence to a point immediately upstream of the confluence of Little White Oak Bayou in Harris Co. (lower segment boundary).	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1017_01 Huffmeister Rd to the confluence with Vogel Creek	
1017_02 Vogel Creek to the Cole Creek confluence	
1017_03 Cole Creek confluence to the Brickhouse Gully confluence	
1017_04 From Brickhouse Gully confluence to a point immediately upstream of the confluence of Little White Oak Bayou in Harris Co. (lower segment boundary).	

**SEG ID: 1017A Brickhouse Gully/Bayou**  
Perennial stream from the confluence with Whiteoak Bayou up to Gessner Road

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1017A_01 Entire water body	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1017B Cole Creek**  
Perennial stream from the confluence with White Oak Bayou up to south of Beltway 8

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1017B_02 From Flintlock Street to confluence with White Oak Bayou	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1017B_02 From Flintlock Street to confluence with White Oak Bayou	

**SEG ID: 1017C Vogel Creek**  
From the White Oak Bayou Above Tidal confluence to a point 3.2 km (2.0 mi) upstream of the White Oak Bayou confluence to just south of State Hwy 249 in Harris County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
1017C_01 From the White Oak Bayou confluence to a point 3.2 km (2.0 mi) upstream	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1017C_01 From the White Oak Bayou confluence to a point 3.2 km (2.0 mi) upstream	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1017C_01 From the White Oak Bayou confluence to a point 3.2 km (2.0 mi) upstream	

**SEG ID: 1017D Unnamed Tributary of Whiteoak Bayou**  
From the confluence with White Oak Bayou downstream of TC Jester, to Hempstead Hwy, north of US Hwy 290 in Harris County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
1017D_01 Entire water body	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CN</b>
1017D_01 Entire water body	

**SEG ID: 1017F Rolling Fork Creek**  
From the White Oak Bayou Above Tidal confluence to a point 3.9 km (2.4 mi) upstream

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1017F_01 From the White Oak Bayou Above Tidal confluence to a point 3.9 km (2.4 mi) upstream	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1017F_01 From the White Oak Bayou Above Tidal confluence to a point 3.9 km (2.4 mi) upstream	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1101 Clear Creek Tidal**  
From the Clear Lake confluence at a point 3.2 km (2.0 miles) downstream of El Camino Real in Galveston/Harris County to a point 100 m (110 yards) upstream of FM528 in Galveston/Harris County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1101_03 IH 45 to Cow Bayou confluence	
1101_04 Cow Bayou confluence to confluence with Clear Lake	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1101_02 Chigger Creek confluence to IH 45	
1101_03 IH 45 to Cow Bayou confluence	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1101_02 Chigger Creek confluence to IH 45	
1101_03 IH 45 to Cow Bayou confluence	
1101_04 Cow Bayou confluence to confluence with Clear Lake	

**SEG ID: 1101A Magnolia Creek**  
From the Clear Creek Tidal confluence upstream to 0.8 km (0.5 mi) upstream of the confluence with the second unnamed tributary

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1101A_01 From the Clear Creek Tidal confluence upstream 7.7 km (4.8 mi)	

**SEG ID: 1101D Robinson Bayou**  
From confluence with Clear Creek 0.33 mile upstream of Webster Street in Galveston County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1101D_01 From Clear Creek Tidal confluence to 0.05 km (0.03 mi) upstream of Hewitt Street	

**SEG ID: 1101F Unnamed Tributary of Clear Creek Tidal**  
From Clear Creek Tidal confluence to a point 7.8 km (4.8 mi) upstream (immediately downstream of I-45 in Galveston County)

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1101F_01 From the Clear Creek Tidal confluence to a point 7.9 km (4.9 mi) upstream (immediately downstream of IH 45)	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1102 Clear Creek Above Tidal**  
From a point 100 meters (110 yards) upstream of FM 528 in Galveston/Harris County to Rouen Road in Fort Bend County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1102_02 SH 288 to Hickory Slough confluence	
1102_03 Hickory Slough confluence to Turkey Creek confluence	
1102_05 Mary's Creek confluence to lower segment boundary	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>impaired habitat</b>	<b>CS</b>
1102_02 SH 288 to Hickory Slough confluence	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1102_04 Turkey Creek confluence to Mary's Creek confluence	
1102_05 Mary's Creek confluence to lower segment boundary	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1102_02 SH 288 to Hickory Slough confluence	
1102_03 Hickory Slough confluence to Turkey Creek confluence	
1102_04 Turkey Creek confluence to Mary's Creek confluence	

**SEG ID: 1102B Mary's Creek/ North Fork Mary's Creek**  
Perennial stream from the confl. With Clear Creek to confl. With N. and S. Fork Mary's Creek near FM 1128, approx. 5 km SW Pearland. Includes perennial portion of N. Fork Mary's Creek to confl. with unnamed trib approx. 3.2 km upstrm of FM 1128

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1102B_01 From the Clear Creek Above Tidal confluence upstream to the N. and S. Fork Mary's Creek near FM 1128	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1102B_01 From the Clear Creek Above Tidal confluence upstream to the N. and S. Fork Mary's Creek near FM 1128	

**SEG ID: 1102C Hickory Slough**  
From the Clear Creek Above Tidal confluence to a point 0.69 km (0.43 mi) upstream of Mykawa Road

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1102C_01 From the Clear Creek Above Tidal confluence to a point 0.69 km (0.43 mi) upstream of Mykawa Road	



**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1102D Turkey Creek**

From the Clear Creek Above Tidal confluence to a point 0.98 km (0.61 mi) upstream of Scarsdale Blvd

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
1102D_01 From the Clear Creek Above Tidal confluence to a point 0.98 km (0.61 mi) upstream of Scarsdale Blvd	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1102D_01 From the Clear Creek Above Tidal confluence to a point 0.98 km (0.61 mi) upstream of Scarsdale Blvd	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1102D_01 From the Clear Creek Above Tidal confluence to a point 0.98 km (0.61 mi) upstream of Scarsdale Blvd	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1102D_01 From the Clear Creek Above Tidal confluence to a point 0.98 km (0.61 mi) upstream of Scarsdale Blvd	

**SEG ID: 1102E Mud Gully**

From the Clear Creek Above Tidal confluence to a point 0.80 km (0.49 mi) downstream of Hughes Road

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1102E_01 From the Clear Creek Above Tidal confluence to a point 0.80 km (0.49 mi) downstream of Hughes Road	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1102E_01 From the Clear Creek Above Tidal confluence to a point 0.80 km (0.49 mi) downstream of Hughes Road	

**SEG ID: 1102F Mary's Creek Bypass**

From the Mary's Creek confluence NE of FM 518 to a point 0.96 km (0.60 mi) upstream to the Mary's Creek confluence (NW of County Road 126)

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1102F_01 From the Mary's Creek confluence NE of FM 518 to a point 0.96 km (0.60 mi) upstream to the Mary's Creek confluence (NW of County Road 126)	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1102F_01 From the Mary's Creek confluence NE of FM 518 to a point 0.96 km (0.60 mi) upstream to the Mary's Creek confluence (NW of County Road 126)	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1103 Dickinson Bayou Tidal**  
From the Dickinson Bay confluence 2.1 km (1.3 miles) downstream of SH 146 in Galveston County to a point 4.0 km (2.5 miles) downstream of FM 517 in Galveston County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1103_02 From the Gum Bayou confluence upstream to the Benson Bayou confluence	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1103_02 From the Gum Bayou confluence upstream to the Benson Bayou confluence	
1103_04 From the Bordens Gully confluence upstream to a point 4.0 km (2.5 mi) downstream of FM 517	

**SEG ID: 1103A Bensons Bayou**  
From the Dickinson Bayou confluence to point 0.6 km (0.37 mi) upstream of FM 646 in Galveston County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CN</b>
1103A_01 From the Dickinson Bayou Tidal confluence to point 0.6 km (0.37 mi) upstream of FM 646	

**SEG ID: 1103B Bordens Gully**  
From the Dickinson Bayou Tidal confluence to a point 1.4 km (0.87 mi) upstream of FM 646 in Galveston County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1103B_01 From the Dickinson Bayou Tidal confluence to a point 1.4 km (0.87 mi) upstream of FM 646	

**SEG ID: 1103C Geisler Bayou**  
From the Dickinson Bayou Tidal confluence to a point 1.37 km (0.85 mi) upstream of FM 646 in Galveston County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1103C_01 From the Dickinson Bayou Tidal confluence to a point 1.37 km (0.85 mi) upstream of FM 646	

**SEG ID: 1103E Cedar Creek**  
From the Dickinson Bayou Tidal confluence to a point 0.63 km (0.39 mi) upstream FM 517 in Galveston County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1103E_01 From the Dickinson Bayou Tidal confluence to a point 0.63 km (0.39 mi) upstream FM 517	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1103G Unnamed Tributary of Gum Bayou**  
From the confluence with Gum Bayou to a point 0.39 miles south of the FM 646/FM 1266 intersection between League City and Dickinson

Parameter(s) Level of Concern

**bacteria** **CN**

1103G\_01 From the confluence with Gum Bayou to a point 0.39 miles south of the FM 646/FM 1266 intersection between League City and Dickinson

**SEG ID: 1104 Dickinson Bayou Above Tidal**  
From a point 4.0 km (2.5 miles) downstream of FM 517 in Galveston County to FM 528 in Galveston County

Parameter(s) Level of Concern

**depressed dissolved oxygen** **CS**

1104\_02 From FM 517 upstream to FM 528

**SEG ID: 1105 Bastrop Bayou Tidal**  
From the confluence with Bastrop Bay 1.1 kilometers (0.7 mile) downstream of the Intracoastal Waterway in Brazoria County to a point 8.6km (5.3 miles) upstream of Business 288 at Lake Jackson in Brazoria County

Parameter(s) Level of Concern

**depressed dissolved oxygen** **CN**

1105\_01 From the confluence with Bastrop Bay 1.1 kilometers (0.7 miles) downstream of the Intracoastal Waterway in Brazoria County to a point 8.6 km (5.3 miles) upstream of Business 288 at Lake Jackson in Brazoria County

**SEG ID: 1105B Austin Bayou Tidal**  
From the Bastrop Bayou Tidal confluence to the FM 2004 bridge crossing in Brazoria County

Parameter(s) Level of Concern

**depressed dissolved oxygen** **CS**

1105B\_01 From the Bastrop Bayou Tidal confluence to the FM 2004 bridge crossing

**SEG ID: 1105C Austin Bayou Above Tidal**  
From FM 2004 upstream (Austin Bayou Tidal upper boundary) to 0.3 km (0.19 mi) upstream of SH 288 in Brazoria County

Parameter(s) Level of Concern

**depressed dissolved oxygen** **CS**

1105C\_01 From FM 2004 upstream to 0.3 km (0.19 mi) upstream of SH 288

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1105D Unnamed Tributary of Bastrop Creek**  
From the Bastrop Bayou Tidal confluence to 0.57 km (0.35 mi) upstream of SH 288 Bus in Brazoria County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>bacteria</b>	<b>CN</b>
1105D_01 From the Bastrop Bayou Tidal confluence to 057 km (0.35 mi) upstream of SH 288 Bus	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1105D_01 From the Bastrop Bayou Tidal confluence to 057 km (0.35 mi) upstream of SH 288 Bus	

**SEG ID: 1105E Brushy Bayou**  
From the confluence with Austin Bayou Above Tidal (1105C) upstream to end of canal approximately 0.4 miles upstream of FM 210 crossing east of the City of Angleton in Brazoria County.

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
1105E_01 Entire water body	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1105E_01 Entire water body	

**SEG ID: 1110 Oyster Creek Above Tidal**  
From a point 100 meters (110 yards) upstream of FM 2004 in Brazoria County to the Brazos River Authority diversion dam 1.8 km (1.1 miles) upstream of SH 6 in Fort Bend County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1110_01 From the lower segment boundary immediately upstream of FM 2004 to the Styles Bayou confluence	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1110_01 From the lower segment boundary immediately upstream of FM 2004 to the Styles Bayou confluence	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>impaired habitat</b>	<b>CS</b>
1110_01 From the lower segment boundary immediately upstream of FM 2004 to the Styles Bayou confluence	
1110_02 From Styles Bayou upstream to an unnamed tributary [2.9 km (1.8 mi) downstream of FM 1462]	
1110_03 From an unnamed tributary [2.9 km (1.8 mi) downstream of FM 1462] upstream to the Brazos River Diversion Dam	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1111 Old Brazos River Channel Tidal**  
From the Intercoastal Waterway confluence to SH 288 in Brazoria County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1111_01 From the Intracoastal Waterway confluence State Hwy 288	

**SEG ID: 1113 Armand Bayou Tidal**  
From the Clear Lake confluence (at NASA Road 1 bridge) in Harris County to a point 0.8 km (0.5 miles) downstream of Genoa-Red Bluff Road in Pasadena in Harris County (includes Mud Lake/Pasadena Lake)

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1113_01 From the Clear Lake confluence at Nasa Road 1 to the Horsepen Bayou confluence	
1113_02 From the Horsepen Bayou confluence to the Big Island Slough confluence	
1113_03 From the Big Island Slough confluence upstream to a point 0.8 km (0.5 mi) downstream of Genoa-Red Bluff Road	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1113_03 From the Big Island Slough confluence upstream to a point 0.8 km (0.5 mi) downstream of Genoa-Red Bluff Road	

**SEG ID: 1113A Armand Bayou Above Tidal**  
From the upper segment boundary of Armand Bayou Tidal, 0.8 km (0.5 miles) downstream of Genoa-Red Bluff Road), upstream to Beltway 8 in Harris County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1113A_01 From the upper segment boundary of Armand Bayou Tidal (point 0.8 km (0.5 miles) downstream of Genoa-Red Bluff Road) upstream to Beltway 8	

**SEG ID: 1113B Horsepen Bayou Tidal**  
From the Armand Bayou confluence to the SH3

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CN</b>
1113B_01 From the Armand Bayou confluence to the SH3	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1113B_01 From the Armand Bayou confluence to the SH3	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1113B_01 From the Armand Bayou confluence to the SH3	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1113E Big Island Slough**  
From the Armand Bayou confluence upstream to a point 2.4 km (1.5 mi) north of Spencer Hwy

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1113E_01 From the Armand Bayou confluence upstream to a point 2.4 km (1.5 mi) north of Spencer Hwy	

**SEG ID: 1201 Brazos River Tidal**  
From the confluence with the Gulf of Mexico in Brazoria County to a point 100 meters (110 miles) upstream of SH 332 in Brazoria County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1201_01 Entire segment	

**SEG ID: 1202 Brazos River Below Navasota River**  
From a point 100 meters (110 yards) upstream of SH 332 in Brazoria County to the confluence of the Navasota River in Grimes County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1202_02 Portion of the Brazos River from the confluence with Flat Bank Creek upstream to the confluence with Bessie's Creek in Fort Bend County.	
1202_05 Portion of the Brazos River from confluence with Lewisville Creek in Waller County upstream to the confluence with the Navasota River in Grimes County.	

**SEG ID: 1202H Allen's Creek**  
From the confluence with the Brazos River, two miles northeast of Wallis, to the headwaters one mile north of IH 10 in Austin County.

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1202H_01 Entire water body	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1202H_01 Entire water body	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1202H_01 Entire water body	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1202J Big Creek**  
Big Creek - from the confluence of the Brazos River upstream to the confluence of Cottonwood Creek and Coon Creek

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1202J_01 Big Creek from the confluence of the Brazos River upstream to the confluence of an unnamed tributary 2.1 km downstream of FM 2977 south of Rosenberg	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1202J_02 Big Creek Appendix D intermittent stream with perennial pools section from the confluence with an unnamed tributary 2.1 km downstream of FM 2977 upstream to the confluence of Cottonwood Creek and Coon Creek	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>impaired habitat</b>	<b>CS</b>
1202J_01 Big Creek from the confluence of the Brazos River upstream to the confluence of an unnamed tributary 2.1 km downstream of FM 2977 south of Rosenberg	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1202J_02 Big Creek Appendix D intermittent stream with perennial pools section from the confluence with an unnamed tributary 2.1 km downstream of FM 2977 upstream to the confluence of Cottonwood Creek and Coon Creek	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1202J_02 Big Creek Appendix D intermittent stream with perennial pools section from the confluence with an unnamed tributary 2.1 km downstream of FM 2977 upstream to the confluence of Cottonwood Creek and Coon Creek	

**SEG ID: 1202K Mill Creek**  
From confluence of East and West Mill Creeks downstream to confluence with Brazos River

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>impaired habitat</b>	<b>CS</b>
1202K_01 Portion of Mill Creek from confluence with Brazos River upstream to confluence with East/West Forks Mill Creek in Austin County.	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1203 Whitney Lake**

From Whitney Dam in Bosque/Hill County to a point immediately upstream of the confluence of Camp Creek on the Brazos River Arm in Bosque/Johnson County and to a point immediately upstream of the confluence of Rock Creek on the Nolan River Arm in Hill Cou

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1203_03 Steele Creek Arm	
1203_05 Nolan River Arm	
1203_06 Brazos River Arm	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CN</b>
1203_01 Portion near dam	

**SEG ID: 1204 Brazos River Below Lake Granbury**

From a point immediately upstream of the confluence of Camp Creek in Bosque/Johnson County to DeCordova Bend Dam in Hood County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1204_02 Portion of Brazos River below Lake Granbury from the confluence with the Paluxy River upstream to DeCordova Bend Dam in Hood County.	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>impaired habitat</b>	<b>CS</b>
1204_02 Portion of Brazos River below Lake Granbury from the confluence with the Paluxy River upstream to DeCordova Bend Dam in Hood County.	

**SEG ID: 1205 Lake Granbury**

From DeCordova Bend Dam in Hood County to a point 100 meters (110 yards) upstream of FM 2580 in Parker County, up to normal pool elevation of 693 feet (impounds Brazos River)

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1205_02 Portion of lake adjacent to the City of Oak Trail Shores	
1205_03 Portion of lake adjacent to the City of Granbury	
1205_05 Downstream portion of lake	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1205_05 Downstream portion of lake	



**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1205C Walnut Creek**  
From the confluence with Lake Granbury upstream to its headwaters in Hood County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1205C_01 Entire water body	

**SEG ID: 1206 Brazos River Below Possum Kingdom Lake**  
From a point 100 meters (110 yards) upstream of FM 2580 in Parker County to Morris Sheppard Dam in Palo Pinto County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1206_01 Portion of the Brazos River 100 meters (110 yards) upstream of FM 2580 in Parker County upstream to confluence with Rock Creek in Parker County.	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>impaired habitat</b>	<b>CS</b>
1206_01 Portion of the Brazos River 100 meters (110 yards) upstream of FM 2580 in Parker County upstream to confluence with Rock Creek in Parker County.	
1206_02 Portion of Brazos River from confluence with Rock Creek upstream to confluence with Elm Creek in Palo Pinto County.	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>impaired macrobenthic community</b>	<b>CN</b>
1206_01 Portion of the Brazos River 100 meters (110 yards) upstream of FM 2580 in Parker County upstream to confluence with Rock Creek in Parker County.	
1206_02 Portion of Brazos River from confluence with Rock Creek upstream to confluence with Elm Creek in Palo Pinto County.	

**SEG ID: 1208 Brazos River Above Possum Kingdom Lake**  
From a point immediately upstream of the confluence of Cove Creek at Salem Bend in Young County to the confluence of the Double Mountain Fork Brazos River and the Salt Fork Brazos River in Stonewall County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1208_01 Portion of segment from confluence with Possum Kingdom Reservoir headwaters upstream to confluence with Spring Branch in Young County.	
1208_05 From confluence with Millers Creek upstream to confluence with Lake Creek	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1208A Millers Creek Reservoir**  
Impoundment of Millers Creek, 12.5 miles southwest of Seymour in Baylor County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>bacteria</b>	<b>CN</b>
1208A_01 entire water body	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1208A_01 entire water body	

**SEG ID: 1209 Navasota River Below Lake Limestone**  
From the confluence with the Brazos River in Grimes County to Sterling C. Robertson Dam  
in Leon/Robertson County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1209_01 Portion of Navasota River from confluence with Brazos River upstream to confluence with Rocky Creek in grimes County.	
1209_02 Portion of Navasota River from confluence with Rocky Creek upstream to confluence with Sandy Branch in Grimes County.	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1209_01 Portion of Navasota River from confluence with Brazos River upstream to confluence with Rocky Creek in grimes County.	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1209_01 Portion of Navasota River from confluence with Brazos River upstream to confluence with Rocky Creek in grimes County.	

**SEG ID: 1209A Country Club Lake**  
From the Country Club Branch Dam up to normal pool elevation in Bryan in Brazos County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>arsenic in sediment</b>	<b>CS</b>
1209A_01 Entire reservoir	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1209A_01 Entire reservoir	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1209B Fin Feather Lake**  
From Fin Feather Dam up to normal pool elevation in northwest Bryan in Brazos County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>arsenic in sediment</b> 1209B_01 Entire reservoir	<b>CS</b>
<b>chlorophyll-a</b> 1209B_01 Entire reservoir	<b>CS</b>
<b>chromium in sediment</b> 1209B_01 Entire reservoir	<b>CS</b>
<b>copper in sediment</b> 1209B_01 Entire reservoir	<b>CS</b>
<b>DDD in sediment</b> 1209B_01 Entire reservoir	<b>CS</b>
<b>DDE in sediment</b> 1209B_01 Entire reservoir	<b>CS</b>
<b>zinc in sediment</b> 1209B_01 Entire reservoir	<b>CS</b>

**SEG ID: 1209C Carters Creek**  
Perennial stream from the confluence with the Navasota River southeast of College Station in Brazos County upstream to the confluence of an unnamed tributary 0.5 km upstream of FM 158 in Brazos County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b> 1209C_01 Entire water body	<b>CS</b>
<b>nitrate</b> 1209C_01 Entire water body	<b>CS</b>
<b>total phosphorus</b> 1209C_01 Entire water body	<b>CS</b>

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1209H Duck Creek**

From the confluence with the Navasota river in Robertson County to Twin Oak Reservoir dam in Robertson County

Parameter(s)

Level of Concern

**depressed dissolved oxygen**

**CN**

1209H\_01 Portion of Duck Creek from confluence with Navasota River upstream to confluence with Mineral Creek in Robertson County.

1209H\_02 Portion of Duck Creek from confluence with Mineral Creek in Robertson County upstream to headwaters in Limestone County.

**SEG ID: 1209I Gibbons Creek**

From confluence with Navasota River in Grimes County to SH 90 in Grimes County

Parameter(s)

Level of Concern

**bacteria**

**CN**

1209I\_02 Portion of Gibbons Creek from confluence with Dry Creek upstream to Gibbons Creek Reservoir dam in Grimes County

Parameter(s)

Level of Concern

**depressed dissolved oxygen**

**CN**

1209I\_01 Portion of Gibbons Creek from confluence with Navasota River upstream to confluence with Dry Creek in Grimes County.

**SEG ID: 1209L Burton Creek**

Burton Creek - from the confluence of Carters Creek in College Station upstream to the headwater 0.7 km northeast of Finfeather lake in Bryan

Parameter(s)

Level of Concern

**nitrate**

**CS**

1209L\_01 Burton Creek from the confluence of Carters Creek in College Station upstream to the headwater 0.7 km northeast of Finfeather Lake in Bryan

**SEG ID: 1209O Normangee Lake**

Impounded Running Creek, 7.5 km west of Normangee in Leon County.

Parameter(s)

Level of Concern

**arsenic in sediment**

**CS**

1209O\_01 Entire water body

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1210 Lake Mexia**  
From Bistone Dam in Limestone County up to the normal pool elevation of 448.3 feet (impounds Navasota River)

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1210_01 Eastern end of reservoir, from dam to RR 2681 east of Washington Park	
1210_02 Western end, from point where reservoir begins to widen, to upper end	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1210_01 Eastern end of reservoir, from dam to RR 2681 east of Washington Park	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1210_02 Western end, from point where reservoir begins to widen, to upper end	

**SEG ID: 1211 Yegua Creek**  
From the confluence with the Brazos River in Burleson/Washington County to Somerville Dam in Burleson/Washington County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1211_01 Entire segment	

**SEG ID: 1211A Davidson Creek**  
Intermittent stream with perennial pools from the confluence with Yegua Creek to 0.2 km above SH 21 near Caldwell in Burleson County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1211A_02 Portion of Davidson Creek from confluence with unnamed tributary (NHD RC 12070102001903) upstream to headwaters in Milam County.	

**SEG ID: 1212 Somerville Lake**  
From Somerville Dam in Burleson/Washington County up to normal pool elevation of 238 feet (impounds Yegua Creek)

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1212_01 Eastern end of reservoir near dam	
1212_03 Middle of reservoir near Birch Creek State Park	
1212_04 Western end of reservoir near upper segment boundary	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1212A Middle Yegua Creek**  
From the confluence with East Yegua and Yegua Creeks in Lee County to the Lee County/Williamson County line

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1212A_02 From confluence with West Yegua Creek upstream to headwaters of water body in Williamson County.	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>impaired habitat</b>	<b>CS</b>
1212A_02 From confluence with West Yegua Creek upstream to headwaters of water body in Williamson County.	

**SEG ID: 1212C Nail Creek**  
Nail Creek from the confluence of Yegua Creek upstream to the headwater 340 m north of US 290 west of Giddings

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1212C_01 Nail Creek from the confluence of Yegua Creek upstream to the headwater 340 m north of US 290 west of Giddings	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1212C_01 Nail Creek from the confluence of Yegua Creek upstream to the headwater 340 m north of US 290 west of Giddings	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1212C_01 Nail Creek from the confluence of Yegua Creek upstream to the headwater 340 m north of US 290 west of Giddings	

**SEG ID: 1212F Burns Creek**  
Burns Creek from the confluence of Somerville Lake upstream to the headwater approximately 1.4 km north of the intersection of FM 390 W (La Bahia Trail W) and FM 1948 northeast of Burton

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1212F_01 Burns Creek from the confluence of Somerville Lake upstream to the headwater approximately 1.4 km north of the intersection of FM 390 W (La Bahia Trail W) and FM 1948 northeast of Burton	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1212F_01 Burns Creek from the confluence of Somerville Lake upstream to the headwater approximately 1.4 km north of the intersection of FM 390 W (La Bahia Trail W) and FM 1948 northeast of Burton	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1212K Brushy Creek**

Brushy Creek from the confluence of Somerville Lake upstream to the headwater near the intersection of Burleson CR 408 and CR 415 approximately 3 km northwest of Somerville

Parameter(s)

Level of Concern

**chlorophyll-a**

**CS**

1212K\_01 Brushy Creek from the confluence of Somerville Lake upstream to the headwater near the intersection of Burleson CR 408 and CR 415 approximately 3 km northwest of Somerville

**SEG ID: 1212L Yegua Creek**

Yegua Creek from the confluence of Somerville Lake upstream to the confluence of East Yegua and Middle Yegua Creeks at the Burleson and Lee County Line

Parameter(s)

Level of Concern

**chlorophyll-a**

**CS**

1212L\_01 Yegua Creek from the confluence of Somerville Lake upstream to the confluence of East Yegua and Middle Yegua Creeks at the Burleson and Lee County Line

**SEG ID: 1213 Little River**

From the confluence with the Brazos River in Milam County to the confluence of the Leon River and the Lampasas River in Bell County

Parameter(s)

Level of Concern

**chlorophyll-a**

**CS**

1213\_01 From the confluence with Brazos River upstream to confluence with City of Cameron WWTP receiving water

Parameter(s)

Level of Concern

**nitrate**

**CS**

1213\_01 From the confluence with Brazos River upstream to confluence with City of Cameron WWTP receiving water

1213\_02 From the City of Cameron WWTP receiving water upstream to the confluence with the San Gabriel River

1213\_03 From confluence with San Gabriel River upstream to confl. with Boggy Creek

1213\_04 From confluence with Boggy Creek upstream to its confluence with Leon and Lampasas Rivers

**SEG ID: 1213B Little Elm Creek**

From the confluence with Big Elm Creek upstream to headwaters, 2.5 km north of Temple in Bell County

Parameter(s)

Level of Concern

**depressed dissolved oxygen**

**CN**

1213B\_01 From confluence with Big Elm Creek upstream to confluence with Williamson Branch

Parameter(s)

Level of Concern

**nitrate**

**CS**

1213B\_01 From confluence with Big Elm Creek upstream to confluence with Williamson Branch

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1213C Unnamed Tributary of Little Elm Creek**  
From confluence with Little Elm Creek upstream to headwaters in Temple, Bell County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>impaired habitat</b>	<b>CS</b>
1213C_01 Entire Creek	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1213C_01 Entire Creek	

**SEG ID: 1214 San Gabriel River**  
From the confluence with the Little River in Milam County to Granger Lake Dam in Williamson County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>bacteria</b>	<b>CN</b>
1214_02 From confluence with Alligator Creek upstream to Lake Granger	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1214_01 From confluence with Little River upstream to confl. with Alligator Creek	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1214_01 From confluence with Little River upstream to confl. with Alligator Creek	

**SEG ID: 1216A Trimmier Creek**  
From confluence with Stillhouse Hollow Lake upstream to its headwaters, southwest of Killeen in Bell County.

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>impaired macrobenthic community</b>	<b>CN</b>
1216A_01 entire water body	

**SEG ID: 1217B Sulphur Creek**  
From the confluence of the Lampasas River east of Lampasas in Lampasas County to the confluences of Donalson Creek and Espy Branch west of Lampasas in Lampasas County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1217B_02 Portion of Sulphur Creek from the confluence with Burseson Creek upstream to the confluences with Donalson Creek and Espy Branch west of Lampasas in Lampasas County	



**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1217G Clear Creek**  
Clear Creek from the confluence of the Lampasas River upstream to the headwater in Copperas Cove

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1217G_01 Clear Creek from the confluence of the Lampasas River upstream to the headwater in Copperas Cove	

**SEG ID: 1218 Nolan Creek/ South Nolan Creek**  
From the confluence with the Leon River in Bell County to a point 100 meters (110 yards) upstream to the most upstream crossing of US 190 and Loop 172 in Bell County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1218_02 Portion of South Nolan Creek from confluence with North Nolan / Nolan Creek fork upstream to confluence with Liberty Ditch in city of Killeen in Bell County.	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1218_02 Portion of South Nolan Creek from confluence with North Nolan / Nolan Creek fork upstream to confluence with Liberty Ditch in city of Killeen in Bell County.	

**SEG ID: 1218A Unnamed Tributary to Little Nolan Creek**  
From the confluence with Little Nolan Creek upstream to headwaters in the city of Killeen, Bell County.

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>bacteria</b>	<b>CN</b>
1218A_01 Entire water body	

**SEG ID: 1219 Leon River Below Belton Lake**  
From the confluence with the Lampasas River in Bell County to Belton Dam in Bell County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1219_01 Entire segment	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1219_01 Entire segment	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1221 Leon River Below Proctor Lake**  
From a point 100 meters (110 yards) upstream of FM 236 in Coryell County to Proctor Dam in Comanche County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1221_01	Portion of Leon River from confluence with Lake Belton upstream to confluence with unnamed tributary (NHD RC 12070201005989) in Coryell County.
1221_03	From confluence with Stillhouse Creek, upstream to confluence with Plum Creek
1221_04	From the confluence with Plum Creek, upstream to the confluence with Pecan Creek
1221_05	From confluence with Pecan Creek, upstream to confluence with South Leon Creek
1221_06	From confluence with South Leon Creek upstream to confluence with Walnut Creek
1221_07	From the confluence with Walnut Creek upstream to Lake Proctor

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1221_01	Portion of Leon River from confluence with Lake Belton upstream to confluence with unnamed tributary (NHD RC 12070201005989) in Coryell County.
1221_04	From the confluence with Plum Creek, upstream to the confluence with Pecan Creek
1221_05	From confluence with Pecan Creek, upstream to confluence with South Leon Creek
1221_07	From the confluence with Walnut Creek upstream to Lake Proctor

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1221_02	Portion of Leon River from confluence with unnamed tributary (NHD RC 12070201005989) upstream to confluence with Stillhouse Branch in Coryell County.

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1221_02	Portion of Leon River from confluence with unnamed tributary (NHD RC 12070201005989) upstream to confluence with Stillhouse Branch in Coryell County.

**SEG ID: 1221A Resley Creek**  
From the confluence of the Leon River east of Gustine in Comanche County to the upstream perennial portion of the stream north of Gustine in Comanche County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1221A_01	Portion of Resley Creek from confluence with Leon River upstream to conf. with unnamed tributary (NHD RC 12070201007823), approx. 1.0 mile N. of Comanche County Line
1221A_02	Portion of Resley Creek from confluence with unnamed tributary (NHD RC 12070201007823), upstream to headwaters in Erath County.

**SEG ID: 1221B South Leon River**  
From the confluence of the Leon River south of Gustine in Comanche County to the upstream perennial portion of the stream south of Comanche in Comanche County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>impaired habitat</b>	<b>CS</b>
1221B_01	Entire water body

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1221C Pecan Creek**

Perennial stream from the confluence with the Leon River upstream to the confluence with an unnamed tributary approximately 3.5 km upstream of SH 36 near the City of Hamilton

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1221C_01 Entire water body	

**SEG ID: 1221D Indian Creek**

Perennial stream from the confluence of the Leon River to the headwaters

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1221D_01 From confluence with Leon River, upstream to confluence with Armstrong Creek	
1221D_02 From confluence with Armstrong Creek upstream to headwaters of water body (includes the Appendix D portion of the WQS)	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1221D_01 From confluence with Leon River, upstream to confluence with Armstrong Creek	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1221D_02 From confluence with Armstrong Creek upstream to headwaters of water body (includes the Appendix D portion of the WQS)	

**SEG ID: 1221F Walnut Creek**

From its confluence with Leon River upstream to its headwaters 2.4 miles west of Dublin in Erath County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1221F_01 entire water body	

**SEG ID: 1222 Proctor Lake**

From Proctor Dam in Comanche County to a point immediately upstream of the confluence of Mill Branch in Comanche County, up to the normal pool elevation of 1162 feet (impounds Leon River)

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1222_01 Sabana River arm of lake	
1222_02 Copperas / Duncan Creeks arm of lake.	
1222_03 Portion of water body near dam	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1222A Duncan Creek**

From the confluence of Proctor Lake northeast of Comanche in Comanche County to the upstream perennial portion of the stream west of Comanche in Comanche County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1222A_01 Entire creek	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CN</b>
1222A_01 Entire creek	

**SEG ID: 1222B Rush-Copperas Creek**

From the confluence of Proctor Lake northeast of Comanche in Comanche County to the upstream perennial portion of the stream northwest of Comanche in Comanche County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1222B_01 Entire water body	

**SEG ID: 1222D Sowell's Creek**

From its confluence with Lake Proctor, upstream to its headwaters 1.3 miles west of Dublin in Erath County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>bacteria</b>	<b>CN</b>
1222D_01 entire water body	

**SEG ID: 1222F Hackberry Creek**

From its confluence with Armstrong Creek, upstream to its headwaters approximately 9.8 miles west of Stephenville in Erath County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>bacteria</b>	<b>CN</b>
1222F_01 entire water body	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CN</b>
1222F_01 entire water body	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1223 Leon River Below Leon Reservoir**  
From a point immediately upstream of the confluence of Mill Branch in Comanche County to Leon Dam in Eastland County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1223_01 Entire Segment	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1223_01 Entire Segment	

**SEG ID: 1223A Armstrong Creek**  
From its confluence with the Leon River downstream of Leon Reservoir, upstream to its headwaters in Erath County 6.2 miles east of State Hwy 16.

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1223A_01 entire water body	

**SEG ID: 1223B Cow Creek**  
From the confluence with Armstrong Creek, upstream to its headwaters in Erath County, 5 miles north of Dublin

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>bacteria</b>	<b>CN</b>
1223B_01 entire water body	

**SEG ID: 1225 Waco Lake**  
From Lake Waco Dam to a point 0.51 km (0.32 mi) downstream of Caldwell Crossing on the North Bosque River; and to a point on the Middle Bosque River 1.64 km (1.02 mi) and to a point on the South Bosque River 1.35 km (0.84 mi) upstream of the confluence o

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1225_03 Middle/South Bosque River arm of lake	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1226 North Bosque River**  
From a point 0.51 kilometers (0.32 miles) downstream of Caldwell Crossing in McLennan County to a point immediately upstream of the confluence of Indian Creek in Erath County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1226_01	Portion of North Bosque River from confluence with Lake Waco in McLennan County upstream to confluence with Neils Creek in Bosque County.
1226_02	Portion of North Bosque River from confluence with Neils Creek upstream to confluence with Meridian Creek in Bosque County.
1226_03	Portion of North Bosque River from confluence with Meridian Creek upstream to confluence with Duffau Creek in Bosque County.
1226_04	Portion of North Bosque River from confluence with Duffau Creek in Bosque County upstream to a point immediately upstream of Indian Creek confluence (end of segment) in Erath County.

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CN</b>
1226_02	Portion of North Bosque River from confluence with Neils Creek upstream to confluence with Meridian Creek in Bosque County.

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>impaired macrobenthic community</b>	<b>CN</b>
1226_04	Portion of North Bosque River from confluence with Duffau Creek in Bosque County upstream to a point immediately upstream of Indian Creek confluence (end of segment) in Erath County.

**SEG ID: 1226B Green Creek**  
From the confluence of the North Bosque River south of Clairette in Erath County upstream to its headwaters 10km west of Stephenville in Erath County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1226B_01	Entire water body

**SEG ID: 1226E Indian Creek**  
From the confluence with the North Bosque River in Erath County to the headwaters 3.5 miles east of Stephenville in Erath County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1226E_01	Entire water body

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1226E_01	Entire water body

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1226F Sims Creek**  
From the confluence with the North Bosque River in Erath County to the headwaters 6 miles southeast of Stephenville in Erath County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1226F_01 Entire water body	

**SEG ID: 1226H Alarm Creek**  
From its confluence with the North Bosque River, upstream to its headwaters 3 miles west of Stephenville in Erath County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1226H_01 entire water body	

**SEG ID: 1226K Little Duffau Creek**  
From its confluence with Duffau Creek, upstream to its headwaters 2.4 miles south west of US 67 in Erath County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1226K_01 entire water body	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1226K_01 entire water body	

**SEG ID: 1226N Indian Creek Reservoir**  
Impounded Indian Creek in Erath County, 5.6 miles southeast of Stephenville

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
1226N_01 entire water body	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1226N_01 entire water body	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1226N_01 entire water body	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1226O Sims Creek Reservoir**  
Impounded Sims Creek in Erath County, 6.8 miles south east of Stephenville

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1226O_01 entire water body	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1226O_01 entire water body	

**SEG ID: 1227 Nolan River**  
From a point immediately upstream of the confluence of Rock Creek in Hill County to Cleburne Dam in Johnson County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1227_01 Portion of Nolan River from confluence with Whitney Lake upstream to confluence with Mustang Creek in Hill County.	
1227_02 Portion of Nolan River from confluence with Mustang Creek in Hill County upstream to confluence with Lake Pat Cleburne Dam in Johnson County.	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1227_02 Portion of Nolan River from confluence with Mustang Creek in Hill County upstream to confluence with Lake Pat Cleburne Dam in Johnson County.	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1227_02 Portion of Nolan River from confluence with Mustang Creek in Hill County upstream to confluence with Lake Pat Cleburne Dam in Johnson County.	

**SEG ID: 1227A Buffalo Creek**  
From the confluence with the Nolan River upstream to the confluence with East Buffalo Creek and West Buffalo Creek

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1227A_01 Entire segment	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1227A_01 Entire segment	

**SEG ID: 1228 Lake Pat Cleburne**  
From Cleburne Dam in Johnson County up to the normal pool elevation of 733.5 feet (impounds Nolan River)

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1228_01 Entire water body	



**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1229A Squaw Creek Reservoir**  
Impounded Squaw Creek in Hood and Somerville Counties, 2.4 miles north of Glen Rose.

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1229A_01 Entire water body	

**SEG ID: 1232 Clear Fork Brazos River**  
From the confluence with the Brazos River in Young County to the most upstream crossing of US 180 in Fisher County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1232_02 From confluence with Hubbard Creek upstream to confluence with Deadman Creek	
1232_03 From confluence with Deadman Creek upstream to conf. With Bitter Creek	
1232_04 From confluence with Bitter Creek upstream to end of segment	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1232_04 From confluence with Bitter Creek upstream to end of segment	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1232_04 From confluence with Bitter Creek upstream to end of segment	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>pH</b>	<b>CN</b>
1232_02 From confluence with Hubbard Creek upstream to confluence with Deadman Creek	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1232_02 From confluence with Hubbard Creek upstream to confluence with Deadman Creek	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1232A California Creek**

From the confluence of Paint Creek southeast of Haskell in Haskell County to the headwaters southwest of Stamford in Jones County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1232A_01 Portion of California Creek from confluence with Paint Creek in Haskell County upstream to confluence with Thompson Creek in Jones County.	
<b>impaired fish community</b>	<b>CN</b>
1232A_01 Portion of California Creek from confluence with Paint Creek in Haskell County upstream to confluence with Thompson Creek in Jones County.	
<b>impaired macrobenthic community</b>	<b>CN</b>
1232A_01 Portion of California Creek from confluence with Paint Creek in Haskell County upstream to confluence with Thompson Creek in Jones County.	
<b>nitrate</b>	<b>CS</b>
1232A_01 Portion of California Creek from confluence with Paint Creek in Haskell County upstream to confluence with Thompson Creek in Jones County.	

**SEG ID: 1232B Deadman Creek**

From the confluence of the Clear Fork Brazos River south of Lueders in Jones County to the headwaters north of Hamby in Jones County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>bacteria</b>	<b>CN</b>
1232B_02 Upstream of WWTP outfall to headwaters	
<b>nitrate</b>	<b>CS</b>
1232B_01 From the confluence with Clear Fork Brazos, upstream to city of Abilene WWTP receiving water	
<b>total phosphorus</b>	<b>CS</b>
1232B_01 From the confluence with Clear Fork Brazos, upstream to city of Abilene WWTP receiving water	

**SEG ID: 1232C Paint Creek**

From the confluence with the Clear Fork Brazos River in Throckmorton County, upstream to its headwaters in Jones County, 2.7 km north of SH 92.

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1232C_01 From confluence with Clear Fork Brazos River upstream to Lake Stamford	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1233 Hubbard Creek Reservoir**  
From Hubbard Creek Dam in Stephens County up to the normal pool elevation of 1183 feet (impounds Hubbard Creek)

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1233_02      Hubbard Creek Arm	

**SEG ID: 1233A Big Sandy Creek**  
From its confluence with Hubbard Creek Reservoir, upstream to its headwaters 4 miles west of US 183 in Stephens County.

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>bacteria</b>	<b>CN</b>
1233A_01      entire water body	

**SEG ID: 1238A Croton Creek**  
From its confluence with the Salt Fork of the Brazos River, upstream to its headwaters 1.6 miles north of Dickens in Dickens County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>bacteria</b>	<b>CN</b>
1238A_01      entire water body	

**SEG ID: 1241A North Fork Double Mountain Fork Brazos River**  
Perennial stream from the confluence with Double Mountain Fork Brazos River to the dam forming Lake Ransom Canyon

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1241A_01      From confluence with Double Mountain Fork of Brazos River to Lake Ransom Canyon	
1241A_02      Upstream portion, from confluence with Lake Buffalo Springs upstream to confluence with Yellow House Draw	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1241A_01      From confluence with Double Mountain Fork of Brazos River to Lake Ransom Canyon	
1241A_02      Upstream portion, from confluence with Lake Buffalo Springs upstream to confluence with Yellow House Draw	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1241A_01      From confluence with Double Mountain Fork of Brazos River to Lake Ransom Canyon	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1241C Buffalo Springs Lake**  
Impounded North Fork Double Mountain Fork Brazos River within city limits of Buffalo Springs, Lubbock County.

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
1241C_01 entire water body	
<b>chlorophyll-a</b>	<b>CS</b>
1241C_01 entire water body	
<b>nitrate</b>	<b>CS</b>
1241C_01 entire water body	

**SEG ID: 1242 Brazos River Above Navasota River**  
From a point immediately upstream of the confluence of the Navasota River in Brazos/Grimes/Washington County to the low water dam forming Lake Brazos in McLennan County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1242_02 Portion of Brazos River from confluence with Thompson's Creek in Brazos County upstream to confluence with Little River in Milam County.	
1242_04 Portion of Brazos River from confluence with Pond Creek in Milam County upstream to confluence with Deer Creek in Falls county.	
1242_05 Portion of Brazos River from confluence with Deer Creek in Falls County upstream to confluence with Tehuacana Creek in McLennan County	

**SEG ID: 1242A Marlin City Lake System**  
From New Marlin City Dam up to normal pool elevation northeast of Marlin in Falls County (impounds Big Sandy Creek)

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1242A_01 Old Marlin City Lake	
1242A_02 New Marlin City Lake	
<b>total phosphorus</b>	<b>CS</b>
1242A_02 New Marlin City Lake	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1242B Cottonwood Branch**

Intermittent stream with perennial pools from the confluence with Still Creek upstream 0.95 km to the confluence with an unnamed tributary

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1242B_01    Portion of Cottonwood Branch from confluence with Still Creek upstream to unnamed tributary (NHD RC 12070101000835) in Brazos County.	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1242B_01    Portion of Cottonwood Branch from confluence with Still Creek upstream to unnamed tributary (NHD RC 12070101000835) in Brazos County.	

**SEG ID: 1242C Still Creek**

Perennial stream from the confluence with Thompson's Creek upstream to the confluence with Cottonwood Branch

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1242C_01    Portion of Still Creek from confluence with Thompsons Creek in Brazos County upstream to confluence with unnamed tributary (NHD RC 12070101006127).	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1242C_01    Portion of Still Creek from confluence with Thompsons Creek in Brazos County upstream to confluence with unnamed tributary (NHD RC 12070101006127).	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1242D Thompsons Creek**  
Thompsons Creek - perennial stream from the confluence of the Brazos River upstream to the confluence of Thompson's Branch, north of FM 1687

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
1242D_02 Thompsons Creek an Appendix D intermittent stream with perennial pools section from the confluence of Still Creek upstream to the confluence of Thompson's Branch, north of FM 1687	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1242D_02 Thompsons Creek an Appendix D intermittent stream with perennial pools section from the confluence of Still Creek upstream to the confluence of Thompson's Branch, north of FM 1687	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>impaired fish community</b>	<b>CN</b>
1242D_01 Thompsons Creek an Appendix D perennial stream from the confluence of the Brazos River upstream to the confluence of Still Creek in Brazos County.	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>impaired macrobenthic community</b>	<b>CN</b>
1242D_02 Thompsons Creek an Appendix D intermittent stream with perennial pools section from the confluence of Still Creek upstream to the confluence of Thompson's Branch, north of FM 1687	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1242D_01 Thompsons Creek an Appendix D perennial stream from the confluence of the Brazos River upstream to the confluence of Still Creek in Brazos County.	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1242D_01 Thompsons Creek an Appendix D perennial stream from the confluence of the Brazos River upstream to the confluence of Still Creek in Brazos County.	

**SEG ID: 1242H Tradinghouse Reservoir**  
Impounded Tradinghouse Creek, within the city of Hallsburg, McLennan County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>harmful algal bloom/golden alga</b>	<b>CN</b>
1242H_01 entire reservoir	

**SEG ID: 1242I Campbells Creek**  
From the confluence with the Little Brazos River upstream to the headwaters, one mile west of Old San Antonio Road

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1242I_01 Entire water body	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1242J Deer Creek**

Deer Creek - perennial stream from the confluence of the Brazos River upstream to the confluence of Dog Branch northwest of Lott

Parameter(s)

Level of Concern

**impaired macrobenthic community**

**CN**

1242J\_01 Deer Creek an Appendix D perennial stream from the confluence of the Brazos River upstream to the confluence of Dog Branch northwest of Lott

**SEG ID: 1242M Spring Creek**

From the confluence with the Little Brazos River in Robertson County, upstream to the headwaters, 1.5 miles north of FM 391

Parameter(s)

Level of Concern

**depressed dissolved oxygen**

**CS**

1242M\_01 Entire water body

**SEG ID: 1242N Tehuacana Creek**

From the confluence with the Brazos River in McLennan county upstream to the headwaters 2 miles south of Penelope in Hill County

Parameter(s)

Level of Concern

**chlorophyll-a**

**CS**

1242N\_01 Downstream portion of water body, from confluence with Brazos River upstream to confl. with Little Tehuacana Creek

Parameter(s)

Level of Concern

**fish kill report**

**CN**

1242N\_01 Downstream portion of water body, from confluence with Brazos River upstream to confl. with Little Tehuacana Creek

Parameter(s)

Level of Concern

**impaired macrobenthic community**

**CN**

1242N\_01 Downstream portion of water body, from confluence with Brazos River upstream to confl. with Little Tehuacana Creek

Parameter(s)

Level of Concern

**nitrate**

**CS**

1242N\_01 Downstream portion of water body, from confluence with Brazos River upstream to confl. with Little Tehuacana Creek

Parameter(s)

Level of Concern

**total phosphorus**

**CS**

1242N\_01 Downstream portion of water body, from confluence with Brazos River upstream to confl. with Little Tehuacana Creek

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1242Q Bull Hide Creek**

From the confluence with the Brazos River in Falls County upstream to its headwaters, 1.5 km west of Waco in McLennan County.

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1242Q_01	Portion of Bull Hide Creek from the confluence with the Brazos River in Falls county upstream to the confluence with unnamed tributary (NHD RC 12070101002570) in McLennan County.

**SEG ID: 1243 Salado Creek**

From the confluence with the Lampasas River in Bell County to the confluence of North Salado Creek and South Salado Creek in Williamson County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1243_01	Portion of Salado Creek from confluence with Lampasas River upstream to unnamed tributary (NHD RC 12070203003968) just downstream of Stagecoach outfall.
1243_02	Portion of Salado Creek from confluence with unnamed tributary (NHD RC 12070203003968) upstream to confluence with North/South Forks Salado Creek in Williamson County.

**SEG ID: 1244 Brushy Creek**

From the confluence with the San Gabriel River in Milam County to the confluence of South Brushy Creek in Williamson County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>bacteria</b>	<b>CN</b>
1244_01	From the confluence of the San Gabriel River upstream to the confluence of Mustang Creek

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1244_01	From the confluence of the San Gabriel River upstream to the confluence of Mustang Creek
1244_03	From the confluence of Cottonwood Creek upstream to the confluence of Lake Creek

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1244_01	From the confluence of the San Gabriel River upstream to the confluence of Mustang Creek
1244_03	From the confluence of Cottonwood Creek upstream to the confluence of Lake Creek



**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1245 Upper Oyster Creek**  
From Steep Bank Creek/Brazos River confluence in Fort Bend County to pumping station on Jones Creek confluence at Brazos River in Fort Bend County (includes portions of Steep Bank Creek, Flat Bank Creek, and Jones Creek)

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1245_01	From the confluence with the Brazos River upstream to Dam #3
1245_02	From Dam #3 upstream to Harmon St. crossing in Sugar Land
1245_03	From Harmon St. crossing in Sugar Land upstream to the end of the segment

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1245_01	From the confluence with the Brazos River upstream to Dam #3
1245_02	From Dam #3 upstream to Harmon St. crossing in Sugar Land

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1245_01	From the confluence with the Brazos River upstream to Dam #3

**SEG ID: 1245A Red Gully**  
Perennial stream from the confluence with Oyster Creek up to 1.7 km upstream of Old Richmond Road

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>bacteria</b>	<b>CN</b>
1245A_01	entire water body

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1245A_01	entire water body

**SEG ID: 1245E Flewellen Creek**  
From the confluence with Oyster Creek upstream to the confluence with two unnamed tributaries, 0.3 km east of Fulshear in Fort Bend county.

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>bacteria</b>	<b>CN</b>
1245E_01	Entire water body

**SEG ID: 1245F Alcorn Bayou**  
From the confluence with Steep Bank Creek upstream to its headwaters 0.5km east of Pecan Grove in Fort Bend county

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1245F_01	Entire water body

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1245I Steep Bank Creek**  
From confluence with Oyster Creek (Flat Bank Creek portion) upstream to end of water body, 0.2 km east of US 59 in city of First Colony, Fort Bend County.

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1245I_01 Entire water body	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1245I_01 Entire water body	

**SEG ID: 1245J Stafford Run**  
From the confluence with Upper Oyster Creek upstream to headwaters near Stafford, Fort Bend County.

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>bacteria</b>	<b>CN</b>
1245J_01 Entire water body	

**SEG ID: 1246 Middle Bosque/South Bosque River**  
Middle Bosque River from a point 1.64 kilometers (1.02 miles) from the confluence with the South Bosque River to the confluence of Cave Creek and Middle Bosque Creek and for the South Bosque River from a point 1.35 kilometers (0.84 miles) from the confl\*.

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1246_02 Entire South Bosque River	

**SEG ID: 1246D Tonk Creek**  
From the confluence with Middle Bosque River in Crawford (McLennan County), upstream to the headwaters in Coryell County, 1.0 mile west of FM 929

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1246D_01 Entire water body	

**SEG ID: 1246E Wasp Creek**  
From the confluence with Tonk Creek in Crawford in McLennan County, upstream to the headwaters in Coryell County, 0.15 mile east of FM 185

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1246E_01 Entire water body	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1247 Granger Lake**  
From Granger Dam in Williamson County to a point 1.9 km (1.2 miles) downstream of SH 95 in Williamson County, up to normal pool elevation of 504 feet (impounds San Gabriel River)

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1247_01 Eastern end of lake near the dam	
1247_02 Willis Creek arm of lake	
1247_03 Western end of lake on the San Gabriel River	

**SEG ID: 1247A Willis Creek**  
From the confluence with the headwaters of Granger Lake in Williamson County to CR 313 in Williamson County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1247A_01 Entire water body	

**SEG ID: 1248 San Gabriel/North Fork San Gabriel River**  
From point 1.9 km (1.2 miles) downstream of SH 95 in Williamson County to North San Gabriel Dam in Williamson County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1248_01 Entire segment	

**SEG ID: 1248B Huddleston Branch**  
From the confluence with Mankins Branch in Williamson County to a point 1 km upstream of CR 105 in Williamson County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>bacteria</b>	<b>CN</b>
1248B_01 Entire reach	

---

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1248B_01 Entire reach	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1248C Mankins Branch**  
Perennial stream from the confluence with the San Gabriel River in Williamson County to the intersection of CR 105 and 104 in Williamson County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>impaired habitat</b>	<b>CS</b>
1248C_01 Entire water body	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1248C_01 Entire water body	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1248C_01 Entire water body	

**SEG ID: 1250 South Fork San Gabriel River**  
From the confluence with the North Fork San Gabriel River in Williamson County to the most upstream crossing of SH 29 in Burnet County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1250_03 From the confluence with unnamed tributary ( NHD RC 12070205002505) upstream to headwaters of water body.	

**SEG ID: 1252 Lake Limestone**  
From Sterling C. Robertson Dam in Leon/Robertson County to a point 2.3 km (1.4 miles) downstream of SH 164 in Limestone County, up to normal pool elevation of 363 feet (impounds Navasota River)

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1252_01 South end of lake near dam	
1252_02 Main body of lake	
1252_03 Lambs Creek arm on east side of lake	
1252_05 Navasota River Arm near headwaters	

**SEG ID: 1253 Navasota River Below Lake Mexia**  
From a point 2.3 km (1.4 miles) downstream of SH 164 in Limestone County to Bistone Dam in Limestone County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1253_01 From headwaters of Lake Limestone upstream to confluence with Plummer's Creek	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1253_01 From headwaters of Lake Limestone upstream to confluence with Plummer's Creek	
1253_02 From confluence with Plummer's Creek upstream to Springfield Lake	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1253A Springfield Lake**  
Impoundment of Navasota River below Lake Mexia in Limestone County.

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1253A_01 Entire water body	
<b>depressed dissolved oxygen</b>	<b>CN</b>
1253A_01 Entire water body	
<b>total phosphorus</b>	<b>CS</b>
1253A_01 Entire water body	

**SEG ID: 1254 Aquilla Reservoir**  
From Aquilla Dam in Hill County up to the normal pool elevation of 537.5 feet (impounds Aquilla Creek)

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>arsenic in sediment</b>	<b>CS</b>
1254_03 Hackberry Creek arm on the east	
<b>nitrate</b>	<b>CS</b>
1254_01 South end of reservoir near dam	
1254_02 Aquilla Creek arm on the west	
1254_03 Hackberry Creek arm on the east	

**SEG ID: 1254A Hackberry Creek**  
From its confluence with Aquilla Reservoir, upstream to its headwaters 1.3 miles west of Itasca in Hill County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
1254A_01 Portion of Hackberry Creek from the confluence with Aquilla Reservoir upstream to the confluence with Little Hackberry Creek in Hill County.	
<b>depressed dissolved oxygen</b>	<b>CS</b>
1254A_01 Portion of Hackberry Creek from the confluence with Aquilla Reservoir upstream to the confluence with Little Hackberry Creek in Hill County.	
<b>nitrate</b>	<b>CS</b>
1254A_01 Portion of Hackberry Creek from the confluence with Aquilla Reservoir upstream to the confluence with Little Hackberry Creek in Hill County.	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1255 Upper North Bosque River**

From a point immediately above the confluence of Indian Creek in Erath County to the confluence of the North Fork and South Fork of the Bosque River in Erath County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>

1255_01	Portion of Upper North Bosque River from confluence with Indian Creek upstream to confluence with Dry Branch in Erath County.
---------	---

1255_02	Portion of Upper North Bosque River from confluence with Dry Branch upstream to confluence with North/South Forks North Bosque River in Erath County.
---------	---

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CN</b>

1255_02	Portion of Upper North Bosque River from confluence with Dry Branch upstream to confluence with North/South Forks North Bosque River in Erath County.
---------	---

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>

1255_01	Portion of Upper North Bosque River from confluence with Indian Creek upstream to confluence with Dry Branch in Erath County.
---------	---

**SEG ID: 1255A Goose Branch**

From the confluence with the south fork of the North Bosque River 2.5 miles (4.0 km) west of Stephenville, upstream to the headwaters 0.5 miles (0.8 km) north of FM 8 in Erath County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>

1255A_01	Entire water body
----------	-------------------

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>

1255A_01	Entire water body
----------	-------------------

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>

1255A_01	Entire water body
----------	-------------------

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>

1255A_01	Entire water body
----------	-------------------

**SEG ID: 1255B North Fork Upper North Bosque River**

From the confluence with the South Fork of the Upper North Bosque River in Stephenville, upstream to the headwaters, 2.0 miles north of FM 219

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>

1255B_01	Entire water body
----------	-------------------

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1255C Scarborough Creek**  
From the confluence with the North Fork of the upper North Bosque River, upstream to the headwaters 0.1 miles (0.2 km) southeast of FM 219 in Erath County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1255C_01 Entire water body	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1255C_01 Entire water body	

**SEG ID: 1255D South Fork North Bosque River**  
From the confluence with the North Fork of the upper North Bosque River in Stephenville, upstream to the headwaters 3 miles (4.8 km) north of FM 219 in Erath County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1255D_01 Entire water body	

**SEG ID: 1255E Unnamed Tributary of Goose Branch**  
From the confluence with Goose Branch in Erath County to its headwaters, 0.2 miles southeast of the intersection of FM 8 and Farm Road 1219

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
1255E_01 Entire water body	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1255E_01 Entire water body	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1255E_01 Entire water body	

**SEG ID: 1255H South Fork Upper North Bosque River Reservoir**  
Impoundment of South Fork Upper North Bosque River, 8 miles north west of Stephenville in Erath County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1255H_01 entire water body	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1255I Dry Branch**

From its confluence with the Upper North Bosque River, upstream to its headwaters 2.3 miles east of SH 106 in Erath County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1255I_01 entire water body	

**SEG ID: 1255J Goose Branch Reservoir**

Impoundment of Goose Branch, 5 miles west of Stephenville in Erath County.

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
1255J_01 entire water body	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1255J_01 entire water body	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1255J_01 entire water body	

**SEG ID: 1255K Scarborough Creek Reservoir**

Impoundment of Scarborough Creek, 5 miles north west of Stephenville in Erath County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1255K_01 entire water body	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1255K_01 entire water body	

**SEG ID: 1256 Brazos River/Lake Brazos**

From the low water dam forming Lake Brazos in McLennan County to a point immediately upstream of the confluence of Aquilla Creek in McLennan County (includes the Bosque River Arm to the Waco Lake Dam)

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1256_02 Lake Brazos portion of segment	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1256_03 Bosque River portion of segment	



**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1257 Brazos River Below Lake Whitney**  
From a point immediately upstream of the confluence of Aquilla Creek in McLennan County to Whitney Dam in Bosque/Hill County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1257_01 Downstream portion of segment from confluence with Aquilla Creek upstream to confluence with Coon Creek	

**SEG ID: 1301 San Bernard River Tidal**  
From the confluence with the Intracoastal Waterway in Brazoria County to a point 3.2 km (2.0 miles) upstream of SH 35 in Brazoria County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1301_01 Entire Segment	

**SEG ID: 1302 San Bernard River Above Tidal**  
From a point 3.2 km (2.0 miles) upstream of SH 35 in Brazoria County to the county road southeast of New Ulm in Austin County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1302_02 From the confluence with Peach Creek to the unnamed tributary at NHD RC 12090401001535 at N-96.03, W29.51	
1302_03 From the confluence with unnamed tributary at NHD RC 12090401001535 at N-96.03, W29.51 to the confluence with Coushatta Creek	

**SEG ID: 1302A Gum Tree Branch**  
From the confluence with West Bernard Creek near Wharton CR 252 to the headwaters approximately 15 miles upstream near RR 102

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1302A_01 Entire Water Body	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1302B West Bernard Creek**

From the confluence with the San Bernard River Above Tidal downstream of US highway 59 to the headwaters approximately 40 miles upstream near FM 1093

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
1302B_02 From the confluence with Clarks Branch to the upper end of segment	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>bacteria</b>	<b>CN</b>
1302B_01 From the confluence with the San Bernard River Above Tidal to the confluence with Clarks Branch	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1302B_01 From the confluence with the San Bernard River Above Tidal to the confluence with Clarks Branch	
1302B_02 From the confluence with Clarks Branch to the upper end of segment	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>impaired habitat</b>	<b>CS</b>
1302B_01 From the confluence with the San Bernard River Above Tidal to the confluence with Clarks Branch	

**SEG ID: 1302D Peach Creek**

From the confluence with the San Bernard River in Wharton Co. to the headwaters approximately 8 km upstream of FM-102 in Wharton Co.

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1302D_01 From the confluence with the San Bernard River in Wharton Co. to the headwaters approximately 8 km upstream of FM-102 in Wharton Co.	

**SEG ID: 1304 Caney Creek Tidal**

From the confluence with the Intracoastal Waterway in Matagorda County to a point 1.9 km (1.2 miles) upstream of the confluence of Linville Bayou in Matagorda County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>bacteria</b>	<b>CN</b>
1304_02 From the confluence with Dead Slough to the upstream end of segment	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1304_01 From the downstream end of segment to the confluence with Dead Slough	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1305 Caney Creek Above Tidal**

From a point 1.9 km (1.2 miles) upstream of the confluence of Linnville Bayou in Matagorda County to the confluence of Water Hole Creek in Matagorda County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CN</b>
1305_03 From the confluence with Snead Slough in Matagorda Co. to the upper end of segment at the confluence with Water Hole Creek in Matagorda Co.	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>impaired habitat</b>	<b>CS</b>
1305_02 From the confluence with Hardeman Slough to the confluence with Snead Slough	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1305_03 From the confluence with Snead Slough in Matagorda Co. to the upper end of segment at the confluence with Water Hole Creek in Matagorda Co.	

**SEG ID: 1305B Caney Creek Above Water Hole Creek**

From the confluence with Water Hole Creek in Matagorda Co. (at the upper end of Segment 1305) to the headwaters approximately 43 miles at Old Caney Rd. in Wharton Co.

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>bacteria</b>	<b>CN</b>
1305B_01 From the confluence with Water Hole Creek in Matagorda Co. (at the upper end of Segment 1305) to the headwaters approximately 43 miles at Old Caney Rd. in Wharton Co.	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1305B_01 From the confluence with Water Hole Creek in Matagorda Co. (at the upper end of Segment 1305) to the headwaters approximately 43 miles at Old Caney Rd. in Wharton Co.	

**SEG ID: 1401 Colorado River Tidal**

From the confluence with the Gulf of Mexico in Matagorda County to a point 2.1 km (1.3 miles) downstream of the Missouri-Pacific Railroad in Matagorda County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1401_01 Entire water body	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1402 Colorado River Below La Grange**  
From a point 2.1 km (1.3 miles) downstream of the Missouri-Pacific Railroad in Matagorda County to a point 100 meters (110 yards) downstream of SH 71 at La Grange in Fayette County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1402_01 From a point 2.1 km (1.3 miles) downstream of the Missouri-Pacific Railroad in Matagorda County upstream to the confluence of Blue Creek in Matagorda County	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1402_01 From a point 2.1 km (1.3 miles) downstream of the Missouri-Pacific Railroad in Matagorda County upstream to the confluence of Blue Creek in Matagorda County	
1402_02 From the confluence of Blue Creek in Matagorda County upstream to the confluence of Pierce Canal west of Wharton in Wharton County	
1402_05 From the confluence of Skull Creek in Colorado County upstream to the confluence of Cummins Creek northeast of Columbus in Colorado County	
1402_06 From the confluence of Cummins Creek northeast of Columbus in Colorado County upstream to confluence of Williams Creek in Fayette County	
1402_07 From the confluence of Williams Creek in Fayette County upstream to a point 100 meters (110 yards) downstream of Business SH 71 at La Grange in Fayette County	

**SEG ID: 1402A Cummins Creek**  
Perennial stream from the confluence with the Colorado River upstream to the headwaters east of Giddings in Lee County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1402A_01 From the confluence with the Colorado River northeast of the city of Columbus upstream to the confluence of Boggy Creek at FM 1291 in Colorado County	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>impaired habitat</b>	<b>CS</b>
1402A_01 From the confluence with the Colorado River northeast of the city of Columbus upstream to the confluence of Boggy Creek at FM 1291 in Colorado County	

**SEG ID: 1402C Buckners Creek**  
Perennial stream from the confluence with the Colorado River upstream to the headwaters at Patterson Road southeast of the City of Rosanky in Bastrop County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1402C_01 Perennial stream from the confluence with the Colorado River upstream to the confluence with Chandler Branch 1.6 km upstream of FM 154 in Fayette County	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1402C_01 Perennial stream from the confluence with the Colorado River upstream to the confluence with Chandler Branch 1.6 km upstream of FM 154 in Fayette County	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1402G Cedar Creek Reservoir / Lake Fayette**  
Encompasses the entire reservoir up to the normal pool elevation of 390 feet

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1402G_02 Area near intake canal	
1402G_03 Mid-lake near dam	

**SEG ID: 1402H Skull Creek**  
From the confluence with the Colorado River west of Eagle Lake in Colorado County to the upstream perennial portion southwest of Columbus

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1402H_01 Entire water body	

---

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CN</b>
1402H_01 Entire water body	

**SEG ID: 1403 Lake Austin**  
From Tom Miller Dam in Travis County to Mansfield Dam in Travis County, up to normal pool elevation of 492.8 feet (impounds Colorado River)

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1403_03 Quinlan Park upstream to Mansfield Dam	

---

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>manganese in sediment</b>	<b>CS</b>
1403_01 From Tom Miller dam to Loop 360 bridge	

**SEG ID: 1403A Bull Creek**  
From the confluence of Lake Austin in northwest Austin in Travis County to the upstream perennial portion of the stream north of Austin in Travis County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1403A_05 From the Spicewood Springs Rd. crossing near the Oak Grove cemetery upstream to the end of segment	

**SEG ID: 1403B West Bull Creek**  
From the confluence of Bull Creek at FM 2222 and Lakewood Drive in Austin in Travis County upstream to a point north of FM 2222 in Travis County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>bacteria</b>	<b>CN</b>
1403B_01 Entire water body	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1403D Barrow Preserve Tributary**

From the confluence of Stillhouse Hollow south of Loop 360 in Austin in Travis County upstream to the headsprings in Barrow Nature Preserve

Parameter(s)

Level of Concern

**nitrate**

**CS**

1403D\_01 Entire water body

**SEG ID: 1403E Stillhouse Hollow**

From the confluence of Bull Creek south of Loop 360 in Austin in Travis County upstream to the headsprings in Stillhouse Hollow Nature Preserve

Parameter(s)

Level of Concern

**nitrate**

**CS**

1403E\_01 Entire water body

**SEG ID: 1403J Spicewood Tributary to Shoal Creek**

From the confluence of an unnamed tributary west of the MoPac Expressway in north Austin in Travis County upstream to the head waters north of Williamsburg Circle in Travis County

Parameter(s)

Level of Concern

**nitrate**

**CS**

1403J\_01 Entire water body

**SEG ID: 1404 Lake Travis**

From Mansfield Dam in Travis County to Max Starcke Dam on the Colorado River Arm in Burnet County and to a point immediately upstream of the confluence of Fall Creek on the Pedernales River Arm in Travis County, up to the normal pool elevation of 681 feet

Parameter(s)

Level of Concern

**depressed dissolved oxygen**

**CS**

1404\_03 Arkansas Bend area, from Sandy Creek Arm upstream to Hurst Creek Arm

1404\_04 Lakeway area, from Hurst Creek arm upstream to the confluence with Cow Creek

1404\_06 From the confluence with the Pedernales River Arm upstream to Muleshoe Bend

1404\_10 Bee Creek Arm

**SEG ID: 1406 Lake Lyndon B. Johnson**

From Alvin Wirtz Dam in Burnet County to Roy Inks Dam on the Colorado River Arm in Burnet/Llano County and to a point immediately upstream of the confluence of Honey Creek on the Llano River Arm in Llano County, up to the normal pool elevation of 825.6 feet

Parameter(s)

Level of Concern

**depressed dissolved oxygen**

**CS**

1406\_01 From Alvin Wirtz Dam upstream to the Pecan Creek Arm

1406\_06 From the Williams Creek confluence upstream to Roy Inks Dam

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1407 Inks Lake**  
From Roy Inks Dam on the Colorado River Arm in Burnet/Llano County to Buchanan Dam in Burnet/Llano County, up to normal pool elevation of 888 feet (impounds the Colorado River)

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1407_02 From Clear Creek Arm upstream to Buchanan Dam	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>manganese in sediment</b>	<b>CS</b>
1407_01 From Roy Inks Dam upstream to the Clear Creek Arm	

**SEG ID: 1407A Clear Creek**  
From the confluence with Inks Lake in Burnet County west of Burnet upstream to a point 2 miles (3.2 km) west of FM 2341 near Potato Hill northwest of Burnet

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>cadmium in water</b>	<b>CN</b>
1407A_01 From the confluence with Inks Lake upstream to FM 2341	

**SEG ID: 1408 Lake Buchanan**  
From Buchanan Dam in Burnet/Llano County to a point immediately upstream of the confluence of Yancey Creek, up to normal pool elevation of 1020.5 feet (impounds Colorado River)

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1408_05 From the Willow Slough area upstream to the headwaters near the Yancey Creek confluence	

**SEG ID: 1410 Colorado River Below O. H. Ivie Reservoir**  
From the confluence of the San Saba River in San Saba County to S. W. Freese Dam in Coleman/Concho County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1410_03 From the confluence of Indian Creek upstream to the confluence of Bull Creek	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1411 E. V. Spence Reservoir**  
From Robert Lee Dam in Coke County to a point immediately upstream of the confluence of Little Silver Creek in Coke County, up to the normal pool elevation of 1898 feet (impounds Colorado River)

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1411_01 Main pool from the dam upstream to the Rough Creek arm	
1411_02 From the Rough Creek arm upstream to the confluence of Little Silver Creek	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>harmful algal bloom/golden alga</b>	<b>CN</b>
1411_01 Main pool from the dam upstream to the Rough Creek arm	
1411_02 From the Rough Creek arm upstream to the confluence of Little Silver Creek	

**SEG ID: 1412 Colorado River Below Lake J. B. Thomas**  
From a point immediately upstream of the confluence of Little Silver Creek in Coke County to Colorado River Dam in Scurry County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1412_01 From a point 275 m (300 yds) upstream of the confluence of Little Silver Creek in Coke County upstream to the confluence of Beals Creek	
1412_02 From the confluence of Beals Creek upstream to the dam below Barber Reservoir pump station	
1412_03 From the dam below Barber Reservoir pump station upstream to the confluence of Deep Creek	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1412_02 From the confluence of Beals Creek upstream to the dam below Barber Reservoir pump station	
1412_04 From the confluence of Deep Creek upstream to the Confluence of Willow Creek	

**SEG ID: 1412A Lake Colorado City**  
From Lake Colorado City Dam up to normal pool elevation of 2070.0 feet southwest of Colorado City in Mitchell County (impounds Morgans Creek)

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1412A_01 Entire water body	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>harmful algal bloom/golden alga</b>	<b>CN</b>
1412A_01 Entire water body	



**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1412B Beals Creek**  
From the confluence of the Colorado River south of Colorado City in Mitchell County to the confluence of Mustang Draw and Sulphur Springs Draw in Howard County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
1412B_03 From the confluence of Gutherie Draw upstream to the confluence of Mustang Draw and Sulphur Springs Draw	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>bacteria</b>	<b>CN</b>
1412B_01 From the confluence with the Colorado River upstream to the confluence of Bull Creek	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1412B_01 From the confluence with the Colorado River upstream to the confluence of Bull Creek	
1412B_03 From the confluence of Gutherie Draw upstream to the confluence of Mustang Draw and Sulphur Springs Draw	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1412B_03 From the confluence of Gutherie Draw upstream to the confluence of Mustang Draw and Sulphur Springs Draw	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1412B_03 From the confluence of Gutherie Draw upstream to the confluence of Mustang Draw and Sulphur Springs Draw	

**SEG ID: 1416A Brady Creek**  
From the confluence of the San Saba River southwest of San Saba in San Saba County to Brady Lake Dam west of Brady in McCulloch County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1416A_02 From the confluence of an unnamed tributary approximately 5 km east of FM 2309 east of Brady upstream to FM 714	
1416A_03 From FM 714 upstream to Brady Lake dam	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1416A_02 From the confluence of an unnamed tributary approximately 5 km east of FM 2309 east of Brady upstream to FM 714	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1416A_02 From the confluence of an unnamed tributary approximately 5 km east of FM 2309 east of Brady upstream to FM 714	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1416B Brady Creek Reservoir**  
From Brady Creek Reservoir dam up to pool elevation 1,743 ft.

Parameter(s)

**chlorophyll-a**

1416B\_01 Entire water body

Level of Concern

**CS**

**SEG ID: 1416C Brady Creek above Brady Creek Reservoir**  
From the confluence of an unnamed tributary 2.5 km (1.5 miles) downstream of the Cow Creek confluence in McCulloch County upstream the headwaters 22.5 km (14 miles) southwest of Eden in Concho County

Parameter(s)

**nitrate**

1416C\_01 From the confluence of an unnamed tributary 2.5 km (1.5 miles) downstream of the Cow Creek confluence in McCulloch County upstream to the confluence of Harden Branch in Concho County.

Level of Concern

**CS**

**SEG ID: 1417 Lower Pecan Bayou**  
From the confluence with the Colorado River in Mills County to a point immediately upstream of the confluence of Mackinally Creek in Brown County

Parameter(s)

**chlorophyll-a**

1417\_01 Entire water body

Level of Concern

**CS**

**SEG ID: 1418 Lake Brownwood**  
From Lake Brownwood Dam in Brown County to a point 100 meters (110 yards) upstream of FM 2559 in Brown County, up to normal pool elevation of 1425 feet (impounds Pecan Bayou)

Parameter(s)

**manganese in sediment**

1418\_01 Mid-lake near dam

Level of Concern

**CS**

**SEG ID: 1420 Pecan Bayou Above Lake Brownwood**  
From a point 100 meter (110 yards) upstream of FM 2559 in Brown County to the confluence of the North Prong Pecan Bayou and the South Prong of Pecan Bayou in Callahan County

Parameter(s)

**chlorophyll-a**

1420\_01 Lower 25 miles

Level of Concern

**CS**

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1421 Concho River**  
From a point 2 km (1.2 miles) above the confluence of Fuzzy Creek in Concho County to San Angelo Dam on the North Concho River in Tom Green County and to Nasworthy Dam on the South Concho River in Tom Green County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1421_01 Downstream end to Chandler Lake confluence	
1421_03 From the confluence of Puddle Creek upstream to the confluence of Willow Creek	
1421_04 From the confluence of Willow Creek upstream to the confluence of an unnamed tributary near Chandler Road	
1421_07 From the dam near Vines Road upstream to the confluence of the North Concho River and the South Concho River	
1421_08 North Concho River, from the confluence with the South Concho River upstream to O.C. Fisher dam	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1421_05 From the confluence of an unnamed tributary near Chandler Rd. upstream to the confluence of Red Ck.	
1421_06 From the confluence of Red Creek upstream to the dam near Vines Rd.	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1421_01 Downstream end to Chandler Lake confluence	
1421_02 From Chandler Lake confluence upstream to confluence of Puddle Ck.	
1421_03 From the confluence of Puddle Creek upstream to the confluence of Willow Creek	
1421_04 From the confluence of Willow Creek upstream to the confluence of an unnamed tributary near Chandler Road	

**SEG ID: 1421A Dry Hollow Creek**  
From the confluence with the Concho River west of Paint Rock in Concho County to the headwaters at US 87

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1421A_01 Entire water body	

**SEG ID: 1421C Lipan Creek**  
From the confluence with the Concho River west of Paint Rock in Concho County to the headwaters near RR 1223 in Tom Green County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1421C_01 Lower 25 miles of creek	

---

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1421C_01 Lower 25 miles of creek	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1424 Middle Concho/South Concho River**  
From a point 4.0 km (2.5 miles) downstream of FM 2335 in Tom Green County to the confluence of Bois d' Arc Draw on the South Concho River in Tom Green County, and from a point 100 meters (110 yards) upstream of US 67 in Tom Green County to the confluence\*

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1424_01 South Concho River from a point 4 km (2.5 miles) downstream of FM 2335 upstream to the confluence of Bois D'Arc Draw in Tom Green County	

**SEG ID: 1424A West Rocky Creek**  
From the confluence of Middle Concho River to the upstream perennial portion of the stream north of Mertzon in Irion County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1424A_01 Entire water body	

**SEG ID: 1424B Cold Creek**  
From the confluence of the South Concho River 110 meters (360 ft.) southwest of Musik Lane south of Christoval in Tom Green County (upstream to the confluence of the South Concho River in Tom Green County (NHD Reach Code 12090102000009).

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1424B_01 Entire water body	

**SEG ID: 1425 O. C. Fisher Lake**  
From San Angelo Dam in Tom Green County up to normal pool elevation of 1908 feet (impounds North Concho River)

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1425_01 Entire water body	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1425_01 Entire water body	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1425_01 Entire water body	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1425A North Concho River**  
From the headwaters of OC Fisher Lake near San Angelo in Tom Green County upstream to the Glasscock/Howard County line

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>bacteria</b>	<b>CN</b>
1425A_02 Sterling County line to SH 163	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1425A_01 Lower end of water body to Sterling County line	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1425A_03 SH 163 to US 87	

**SEG ID: 1426 Colorado River Below E. V. Spence Reservoir**  
From a point 3.7 km (2.3 miles) below the confluence of Mustang Creek in Runnels County to Robert Lee Dam in Coke County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1426_01 Lower end of segment to Country Club Lake	
1426_02 Country Club Lake to Coke County line	
1426_03 Coke County line to SH 208	
1426_04 SH 208 to dam	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>harmful algal bloom/golden alga</b>	<b>CN</b>
1426_01 Lower end of segment to Country Club Lake	
1426_02 Country Club Lake to Coke County line	

**SEG ID: 1426B Elm Creek**  
From the confluence with the Colorado River near Ballinger in Runnels County to the Lake Winters dam east of Winters in Runnels County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1426B_01 From the confluence with the Colorado River upstream dam upstream of US 67 near Crosson Avenue in the city of Ballinger	
1426B_02 From the dam upstream of US 67 near Crosson Avenue in the city of Ballinger upstream to Lake Winters dam	

**SEG ID: 1426C Bluff Creek**  
From the confluence with Elm Creek in Runnels County upstream to a point 1 mile east of US Hwy 277 in Taylor County.

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1426C_01 From the confluence with Elm Creek upstream to the confluence of Mill Creek	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1426D Coyote Creek**  
From the confluence with Elm Creek in Runnels County upstream to the confluence of Big Coyote Creek and Little Coyote Creek southwest of Winters in Runnels County.

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1426D_01 Entire water body	

**SEG ID: 1427A Slaughter Creek**  
Intermittent stream with perennial pools from the confluence with Onion Creek to above US 290 west of Austin

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CN</b>
1427A_01 Entire water body	

**SEG ID: 1427G Granada Hills Tributary to Slaughter Creek**  
Unnamed tributary from the confluence of Slaughter Creek in Travis County upstream to La Fauna Path in Travis County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1427G_01 Entire water body	

**SEG ID: 1428 Colorado River Below Lady Bird Lake (formerly Town Lake)**  
From a point 100 meters (110 yards) upstream of FM 969 near Utley in Bastrop County to Longhorn Dam in Travis County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>impaired fish community</b>	<b>CN</b>
1428_01 Lower end of segment to Gilleland Creek confluence	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>impaired macrobenthic community</b>	<b>CN</b>
1428_01 Lower end of segment to Gilleland Creek confluence	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1428_01 Lower end of segment to Gilleland Creek confluence	
1428_02 From the confluence of Gilleland Creek upstream to the confluence of Walnut Ck.	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1428_01 Lower end of segment to Gilleland Creek confluence	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1428B Walnut Creek**

From the confluence of the Colorado River in east Austin in Travis County to the upstream perennial portion of the stream in north Austin in Travis County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>bacteria</b>	<b>CN</b>
1428B_02 From FM 969 upstream to Old Manor Rd.	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>impaired habitat</b>	<b>CS</b>
1428B_03 From old Manor Road upstream to Dessau Road	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>impaired macrobenthic community</b>	<b>CN</b>
1428B_04 From Dessau Rd. upstream to MoPac/Loop 1	

**SEG ID: 1428C Gilleland Creek**

Perennial stream and intermittent stream with perennial pools from the confluence with the Colorado River up to the spring source (Ward Spring) northwest of Pflugerville, in Travis County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>bacteria</b>	<b>CN</b>
1428C_01 From the Colorado River upstream to Taylor Lane	
1428C_04 From Cameron Road to the spring source	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1428C_01 From the Colorado River upstream to Taylor Lane	
1428C_02 From Taylor Lane upstream to Old Highway 20	
1428C_03 From Old Highway 20 to Cameron Road	
1428C_04 From Cameron Road to the spring source	

**SEG ID: 1429 Lady Bird Lake (formerly Town Lake)**

From Longhorn Dam in Travis County to Tom Miller Dam in Travis County, up to the normal pool elevation of 429 feet (impounds Colorado River)

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>dibenz(a,h)anthracene in sediment</b>	<b>CS</b>
1429_01 Longhorn Dam upstream to Lamar Street bridge	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1429C Waller Creek**

From the confluence of Town Lake in central Austin in Travis County to the upstream portion of the stream in north Austin in Travis County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>benz(a)anthracene in sediment</b> 1429C_02 From East MLK Blvd. to East 41st Street	<b>CS</b>
<b>benzo(a)pyrene in sediment</b> 1429C_02 From East MLK Blvd. to East 41st Street	<b>CS</b>
<b>chrysene in sediment</b> 1429C_02 From East MLK Blvd. to East 41st Street	<b>CS</b>
<b>dibenz(a,h)anthracene in sediment</b> 1429C_02 From East MLK Blvd. to East 41st Street	<b>CS</b>
<b>fluoranthene in sediment</b> 1429C_02 From East MLK Blvd. to East 41st Street	<b>CS</b>
<b>lead in sediment</b> 1429C_02 From East MLK Blvd. to East 41st Street	<b>CS</b>
<b>phenanthrene in sediment</b> 1429C_02 From East MLK Blvd. to East 41st Street	<b>CS</b>
<b>pyrene in sediment</b> 1429C_02 From East MLK Blvd. to East 41st Street	<b>CS</b>



**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1429D East Bouldin Creek**  
From the confluence of Town Lake in Austin in Travis County upstream to SH 71 in south Austin in Travis County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>benz(a)anthracene in sediment</b> 1429D_01 Entire water body	<b>CS</b>
<b>cadmium in sediment</b> 1429D_01 Entire water body	<b>CS</b>
<b>chrysene in sediment</b> 1429D_01 Entire water body	<b>CS</b>
<b>dibenz(a,h)anthracene in sediment</b> 1429D_01 Entire water body	<b>CS</b>
<b>fluoranthene in sediment</b> 1429D_01 Entire water body	<b>CS</b>
<b>lead in sediment</b> 1429D_01 Entire water body	<b>CS</b>
<b>phenanthrene in sediment</b> 1429D_01 Entire water body	<b>CS</b>
<b>pyrene in sediment</b> 1429D_01 Entire water body	<b>CS</b>

**SEG ID: 1430 Barton Creek**  
From the confluence with Lady Bird Lake (formerly Town Lake) in Travis County to FM 12 in Hays County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>toxicity in sediment</b> 1430_02 From Barton Springs Pool upstream dam to a point 2 miles upstream of Loop 1	<b>CN</b>

**SEG ID: 1430A Barton Springs**  
Barton Springs 0.4 mile upstream of Barton Springs Road in Austin in Travis County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b> 1430A_01 Barton Springs Pool - entire water body	<b>CS</b>
<b>toxicity in sediment</b> 1430A_01 Barton Springs Pool - entire water body	<b>CN</b>

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1430B Tributaries to Barton Creek (unclassified water bodies)**  
Tributaries to Barton Creek in Travis County and Hays County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1430B_01 Tributaries entering Barton Cr from a point 2 mi upstream of Loop 1 upstream to Barton Creek Blvd.	

**SEG ID: 1431 Mid Pecan Bayou**  
From a point immediately upstream of the confluence of Mackinally Creek in Brown County to a point immediately upstream of Willis Creek in Brown County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1431_01 Entire water body	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1431_01 Entire water body	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1431_01 Entire water body	

**SEG ID: 1432 Upper Pecan Bayou**  
From a point immediately upstream of the confluence of Willis Creek in Brown County to Lake Brownwood Dam in Brown County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1432_01 Entire water body	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1432_01 Entire water body	

**SEG ID: 1433 O. H. Ivie Reservoir**  
From S. W. Freese Dam in Coleman/Concho County to a point 3.7 km (2.3 miles) below the confluence of Mustang Creek on the Colorado River Arm in Runnels County and to a point 2.0 km (1.2 miles) above the confluence of Fuzzy Creek on the Concho River Arm i

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1433_02 Concho River arm	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1434 Colorado River above La Grange**  
From a point 100 meters (110 yards) downstream of SH 71 at La Grange in Fayette County to a point 100 meters (110 yards) upstream of FM 969 near Utley in Bastrop County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1434_02 Southern-Pacific RR upstream to the confluence of Reeds Creek west of Smithville	
1434_03 From the confluence of Reeds Creek west of Smithville upstream to the end of segment	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1434_02 Southern-Pacific RR upstream to the confluence of Reeds Creek west of Smithville	
1434_03 From the confluence of Reeds Creek west of Smithville upstream to the end of segment	

**SEG ID: 1434B Cedar Creek**  
Perennial stream from the confluence with the Colorado River upstream to the confluence of an unnamed tributary at FM 525 in Bastrop County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CN</b>
1434B_01 Entire water body	

**SEG ID: 1434C Lake Bastrop**  
From the Lake Bastrop dam to the normal pool elevation of 450 ft. (impounds Spicey Creek) in Bastrop County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1434C_02 Mid-lake	

**SEG ID: 1434D Wilbarger Creek**  
Wilbarger Creek from the confluence of the Colorado River at Hemphill Bend in Bastrop County upstream to Schultz lane east of Pflugerville Heights in Travis County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1434D_02 From the confluence with Cottonwood Creek upstream to Schultz lane east of Pflugerville Heights in Travis County	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1434D_02 From the confluence with Cottonwood Creek upstream to Schultz lane east of Pflugerville Heights in Travis County	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1434E Big Sandy Creek**  
Big Sandy Creek from the confluence of the Colorado River in Bastrop County upstream to a point east of CR 302 near Sundbeck Ranch Airport in Lee County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1434E_01 From the confluence of the Colorado River in Bastrop County upstream to a point east of CR 302 near Sundbeck Ranch Airport in Lee County	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1434E_01 From the confluence of the Colorado River in Bastrop County upstream to a point east of CR 302 near Sundbeck Ranch Airport in Lee County	

**SEG ID: 1501 Tres Palacios Creek Tidal**  
From the confluence with Tres Palacios Bay in Matagorda County to a point 1.6 km (1.0 mile) upstream of the confluence of Wilson Creek in Matagorda County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1501_01 From the confluence with Willow Dam Creek at Tres Palacios Bay/Turtle Bay upstream to a point 1.6 km (1.0 mile) upstream of the confluence of Wilson Creek in Matagorda County	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1501_01 From the confluence with Willow Dam Creek at Tres Palacios Bay/Turtle Bay upstream to a point 1.6 km (1.0 mile) upstream of the confluence of Wilson Creek in Matagorda County	

**SEG ID: 1502 Tres Palacios Creek Above Tidal**  
From a point 1.6 km (1.0 mile) upstream of the confluence of Wilson Creek in Matagorda County to State Route 525 (Old US 59) in Wharton County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1502_01 Middle portion of segment from the confluence with Wallace Creek upstream to confluence with unnamed tributary with NHD RC 12100401013089 about 1.0 km SW of intersection of FM 418 and FM 422 NE of City of Danevang in Wharton County	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1502_03 Lower portion of segment from a point 1.6 km (1.0 mile) upstream of the confluence of Wilson Creek upstream to confluence with Wallace Creek Matagorda County	

**SEG ID: 1601C Dry Creek**  
From the confluence of Lavaca River Tidal upstream to three miles north of the City of Edna

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1601C_01 Entire water body	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1604 Lake Texana**  
From Palmetto Bend Dam in Jackson County to a point 100 meters (110 yards) downstream of FM 530 in Jackson County, up to normal pool elevation of 44 feet (impounds Navidad River)

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1604_02 East Mustang Creek arm of Lake Texana	
1604_05 Downstream portion of Lake Texana	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1604_01 Navidad River arm of Lake Texana	
1604_02 East Mustang Creek arm of Lake Texana	
1604_03 Upstream middle portion of Lake Texana	
1604_04 Downstream middle portion of Lake Texana	
1604_05 Downstream portion of Lake Texana	

**SEG ID: 1701 Victoria Barge Canal**  
From the confluence with San Antonio Bay in Calhoun County to Victoria Turning Basin in Victoria County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1701_01 Entire segment	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1701_01 Entire segment	

**SEG ID: 1801 Guadalupe River Tidal**  
From the confluence with Guadalupe Bay in Calhoun/Refugio County to the Guadalupe-Blanco River Authority Salt Water Barrier 0.7 km (0.4 miles) downstream of the confluence of the San Antonio River in Calhoun/Refugio County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1801_01 Entire segment	

**SEG ID: 1802 Guadalupe River Below San Antonio River**  
From the Guadalupe-Blanco River Authority Salt Water Barrier 0.7 kilometer (0.4 mile) downstream of the confluence of the San Antonio River in Calhoun/Refugio County to a point immediately upstream of the confluence of the San Antonio River in Calhoun/R\*

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1802_01 Entire segment	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1803 Guadalupe River Below San Marcos River**  
From the a point immediately upstream of the confluence of the San Antonio River in Calhoun/Refugio/Victoria County to a point immediately upstream to the confluence of the San Marcos River in Gonzales

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1803_01 Lower 25 miles of segment	

**SEG ID: 1803A Elm Creek**  
From the confluence of Sandies Creek east of Smiley in Gonzales County to the upstream perennial portion of the stream southwest of Smiley in Gonzales County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1803A_01 Entire water body	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1803A_01 Entire water body	

**SEG ID: 1803B Sandies Creek**  
From the confluence of the Guadalupe River west of Cuero in DeWitt County to the upstream perennial portion of the stream northwest of Smiley in Gonzales County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1803B_01 From the confluence with the Guadalupe River to the confluence with Elm Ck.	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CN</b>
1803B_01 From the confluence with the Guadalupe River to the confluence with Elm Ck.	
1803B_02 From the confluence with Elm Creek to upper end of water body	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>impaired habitat</b>	<b>CS</b>
1803B_01 From the confluence with the Guadalupe River to the confluence with Elm Ck.	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1803C Peach Creek**

From the confluence of the Guadalupe River southeast of Gonzales in Gonzales County to the upstream perennial portion of the stream northeast of Waelder in Gonzales County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1803C_03 From approx. 1.2 mi. downstream of FM 1680 in Gonzales Co. to confluence with Elm Cr. In Fayette Co.	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1803C_01 Lower 25 miles of water body	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>impaired fish community</b>	<b>CN</b>
1803C_03 From approx. 1.2 mi. downstream of FM 1680 in Gonzales Co. to confluence with Elm Cr. In Fayette Co.	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1803C_03 From approx. 1.2 mi. downstream of FM 1680 in Gonzales Co. to confluence with Elm Cr. In Fayette Co.	

**SEG ID: 1804A Geronimo Creek**

From the confluence of the Guadalupe River south of Seguin in Guadalupe County to the upstream perennial portion north of Seguin in Guadalupe County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1804A_01 Entire water body	

**SEG ID: 1804D Bear Creek**

From the confluence of Geronimo Creek up to the headwaters approximately 1 mile north of HWY 90, and 0.25 miles south of Ilka Switch Road in Seguin.

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>bacteria</b>	<b>CN</b>
1804D_01 From the confluence of Geronimo Creek up to the headwaters approximately 1 mile north of HWY 90, and 0.25 miles south of Ilka Switch Road in Seguin.	

**SEG ID: 1805 Canyon Lake**

From Canyon Dam in Comal County to a point 2.7 km (1.7 miles) downstream of Rebecca Creek Road in Comal County, up to normal pool elevation of 909 feet (impounds Guadalupe River)

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
1805_01 Cove around Jacob's Creek Park	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1806**    **Guadalupe River Above Canyon Lake**  
From a point 2.7 km (1.7 miles) downstream of Rebecca Creek Road in Comal County to the confluence of North Fork Guadalupe River and the South Fork Guadalupe River in Kerr County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>impaired habitat</b>	<b>CS</b>
1806_02      From the confluence with Big Joshua Creek to Flat Rock Dam in Kerrville.	
1806_07      Upper 10 miles of segment.	

**SEG ID: 1806A**    **Camp Meeting Creek**  
From the confluence with segment 1806 of the Guadalupe River up to the headwaters at Bearskin Road.

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1806A_01    Intermittent stream with perennial pools from the confluence with the Guadalupe River upstream to the dam on an unnamed impoundment, located downstream of Rancho Road in the City of Kerrville.	

**SEG ID: 1806D**    **Quinlan Creek**  
From the confluence of the Guadalupe River in Kerrville in Kerr County to the upstream perennial portion of the stream north of Kerrville in Kerr County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1806D_01    Entire water body	

**SEG ID: 1806E**    **Town Creek**  
From the confluence of the Guadalupe River in Kerrville in Kerr County to the upstream perennial portion of the stream north of Kerrville in Kerr County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1806E_01    From the confluence with segment 1806 of the Guadalupe River in Kerrville, Kerr County Texas up to the upper end of the segment (NHD RC 12100201000572)	



**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1810 Plum Creek**  
From the confluence with the San Marcos River in Caldwell County to FM 2770 in Hays County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CN</b>
1810_01 Confluence with San Marcos River to approx. 2.5 mi. upstream of the confluence with Clear Fork Plum Creek	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>impaired habitat</b>	<b>CS</b>
1810_02 From approx. 2.5 mi. upstream of confluence with Clear Fork Plum Ck to approx. 0.5 mi upstream of SH21	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1810_01 Confluence with San Marcos River to approx. 2.5 mi. upstream of the confluence with Clear Fork Plum Creek	
1810_02 From approx. 2.5 mi. upstream of confluence with Clear Fork Plum Ck to approx. 0.5 mi upstream of SH21	
1810_03 From approx. 0.5 mi. upstream of SH 21 to upper end of segment	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1810_01 Confluence with San Marcos River to approx. 2.5 mi. upstream of the confluence with Clear Fork Plum Creek	
1810_02 From approx. 2.5 mi. upstream of confluence with Clear Fork Plum Ck to approx. 0.5 mi upstream of SH21	
1810_03 From approx. 0.5 mi. upstream of SH 21 to upper end of segment	

**SEG ID: 1810A Town Branch**  
Perennial stream from the confluence with Plum Creek upstream to US 183 in the City of Lockhart

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>bacteria</b>	<b>CN</b>
1810A_01 Entire segment.	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1810A_01 Entire segment.	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1810A_01 Entire segment.	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1815 Cypress Creek**

From the confluence with the Blanco River in Hays County to a point 6.4 km (4.0 miles) upstream of the most upstream unnamed county road crossing Hays County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1815_01 Lower 7 miles of segment	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>impaired habitat</b>	<b>CS</b>
1815_01 Lower 7 miles of segment	

**SEG ID: 1818 South Fork Guadalupe River**

From the confluence with the Guadalupe River in Kerr County to a point 4.8 km (3.0 miles) upstream of FM 187 in Kerr County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1818_01 Lower 1.5 miles of segment	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1901 Lower San Antonio River**

From the confluence with the Guadalupe River in Refugio/Victoria County to a point 600 meters (660 yards) downstream of FM 791 at Mays crossing near Falls City in Karnes County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1901_02 25 miles upstream of Manahuilla Creek	
1901_06 Lower 31 miles of segment	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>impaired habitat</b>	<b>CS</b>
1901_02 25 miles upstream of Manahuilla Creek	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1901_01 25 miles downstream of the confluence with Manahuilla Creek	
1901_02 25 miles upstream of Manahuilla Creek	
1901_03 From 25 miles upstream of Manahuilla Cr to 9 mi downstream of Escondido Cr	
1901_04 9 miles downstream of Escondido Creek	
1901_05 From upstream end of segment to Escondido Creek	
1901_06 Lower 31 miles of segment	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1901_01 25 miles downstream of the confluence with Manahuilla Creek	
1901_02 25 miles upstream of Manahuilla Creek	
1901_03 From 25 miles upstream of Manahuilla Cr to 9 mi downstream of Escondido Cr	
1901_04 9 miles downstream of Escondido Creek	
1901_05 From upstream end of segment to Escondido Creek	
1901_06 Lower 31 miles of segment	

**SEG ID: 1901A Escondido Creek**

From the confluence with segment 1901 up to the upper end of the water body (NHD RC 12100303002847).

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1901A_01 From the confluence with segment 1901 up to the confluence with Nichols Creek in Kennedy.	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1901A_01 From the confluence with segment 1901 up to the confluence with Nichols Creek in Kennedy.	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1902 Lower Cibolo Creek**  
From the confluence with the San Antonio River in Karnes County to a point 100 meters (110 yards) downstream of IH 10 in Bexar/Guadalupe County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>impaired fish community</b>	<b>CN</b>
1902_03 From FM 541 to confluence with Clifton Branch	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1902_04 From confluence with Clifton Branch to the confluence with Elm Creek	
1902_05 Upper end of segment	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1902_05 Upper end of segment	

**SEG ID: 1902A Martinez Creek**  
Perennial stream from the confluence with Escondido Creek upstream to Binz-Engleman Road

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>bacteria</b>	<b>CN</b>
1902A_01 From confluence with Cibolo Creek to confluence with Salatrillo Creek	
1902A_03 From confluence with Escondido Creek to about 1.9 miles downstream of IH 10	
1902A_04 From approximately 1.1 km downstream of FM 1516 to Binz-Engleman Road.	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1902A_03 From confluence with Escondido Creek to about 1.9 miles downstream of IH 10	
1902A_04 From approximately 1.1 km downstream of FM 1516 to Binz-Engleman Road.	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1902A_01 From confluence with Cibolo Creek to confluence with Salatrillo Creek	
1902A_03 From confluence with Escondido Creek to about 1.9 miles downstream of IH 10	
1902A_04 From approximately 1.1 km downstream of FM 1516 to Binz-Engleman Road.	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1902B Salatrillo Creek**  
From the confluence with Martinez Creek to approximately 1.3 miles upstream of FM 1976.

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
1902B_01 From the confluence with Martinez Creek to FM 78 in Converse	
<b>nitrate</b>	<b>CS</b>
1902B_01 From the confluence with Martinez Creek to FM 78 in Converse	
<b>total phosphorus</b>	<b>CS</b>
1902B_01 From the confluence with Martinez Creek to FM 78 in Converse	

**SEG ID: 1902C Clifton Branch**  
From the confluence of Lower Cibolo Creek upstream to the headwater 0.6 miles upstream of Wilson CR 424 north of Stockdale

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1902C_01 From the confluence of Lower Cibolo Creek upstream to the headwater 0.6 miles upstream of Wilson CR 424 north of Stockdale	
<b>total phosphorus</b>	<b>CS</b>
1902C_01 From the confluence of Lower Cibolo Creek upstream to the headwater 0.6 miles upstream of Wilson CR 424 north of Stockdale	

**SEG ID: 1903 Medina River Below Medina Diversion Lake**  
From the confluence with the San Antonio River in Bexar County to Medina Diversion Dam in Medina County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
1903_02 From 5 mi upstream of San Antonio River to 1.5 mi upstream of Leon Creek	
<b>nitrate</b>	<b>CS</b>
1903_01 Lower 5 miles of segment	
1903_02 From 5 mi upstream of San Antonio River to 1.5 mi upstream of Leon Creek	
1903_03 From 1.5 miles upstream of Leon Cr to confluence with Live Oak Slough	
1903_04 From confluence with Live Oak Slough to upstream 25 miles.	
<b>total phosphorus</b>	<b>CS</b>
1903_01 Lower 5 miles of segment	
1903_02 From 5 mi upstream of San Antonio River to 1.5 mi upstream of Leon Creek	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1905 Medina River Above Medina Lake**  
From the confluence of Red Bluff Creek in Bandera County to the confluence of the North Prong Medina River and the West Prong Medina River in Bandera County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>impaired fish community</b>	<b>CN</b>
1905_02      Remainder of segment	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>impaired habitat</b>	<b>CS</b>
1905_01      From lower end of segment to RR 470, upstream of Bandera	

**SEG ID: 1906 Lower Leon Creek**  
From the confluence with the Medina River in Bexar County to a point 100 meters (110 yards) upstream of SH 16 northwest of San Antonio in Bexar County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1906_06      From US 90 on the westside of San Antonio upstream to a point 100 meters upstream of SH 16 northwest of San Antonio	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CN</b>
1906_04      From Hwy 353 (New Laredo Hwy) upstream approximately 2 miles to a point southeast of Pearsall Park	
1906_05      From a point southeast of Pearsall Park upstream to US 90 on the westside of San Antonio	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>silver in sediment</b>	<b>CS</b>
1906_06      From US 90 on the westside of San Antonio upstream to a point 100 meters upstream of SH 16 northwest of San Antonio	

**SEG ID: 1908 Upper Cibolo Creek**  
From the Missouri-Pacific Railroad Bridge west of Bracken in Comal County to a point 1.5 km (0.9 miles) upstream of the confluence of Champee Springs in Kendall County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1908_01      From confluence. with Balcones Ck. to approx. 2 mi. upstream of Hwy 87 in Boerne	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>impaired habitat</b>	<b>CS</b>
1908_02      From approx. 2 mi. upstream of Hwy 87 in Boerne to upper end of segment	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1908_01      From confluence. with Balcones Ck. to approx. 2 mi. upstream of Hwy 87 in Boerne	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1910 Salado Creek**  
From the confluence with the San Antonio River in Bexar County to the confluence of Beitel Creek in Bexar County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1910_02 From the confluence with Rosillo Creek up to the confluence with Pershing Creek.	
1910_04 From the confluence with Walzem Creek up to the confluence with Beitel Creek	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1910_03 From the confluence with Pershing Creek up to the confluence with Walzem Creek.	

**SEG ID: 1910C Salado Creek Tributary**  
From the confluence with segment 1910 to the upper end of the water body, NHD RC 12100301000902.

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>bacteria</b>	<b>CN</b>
1910C_01 Entire water body	

**SEG ID: 1910D Menger Creek**  
From the confluence with segment 1910 to the upper end of the water body, NHD RC 12100301000147.

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1910D_01 Entire water body	

**SEG ID: 1910E Beitel Creek**  
From the confluence with segment 1910 to the upper end of the water body, NHD RC 12100301000662.

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1910E_01 Entire water body	

**SEG ID: 1910F Upper Salado Creek**  
Upper Salado Creek from the confluence of Beitel Creek upstream to the headwater approximately 1.5 miles upstream of FM 3351 near Fair Oaks Ranch

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1910F_01 Upper Salado Creek an Appendix D section from the confluence with Beitel Creek upstream to Nacogdoches Road	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1911 Upper San Antonio River**  
 From a point 600 meters (660 yards) downstream of FM 791 at Mays Crossing near Falls City in Karnes County to a point 100 meters (110 yards) upstream of Hildebrand Avenue at San Antonio in Bexar County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>impaired fish community</b>	<b>CN</b>
1911_08 From just upstream of the confluence with Sixmile Creek to just upstream of the confluence with San Pedro Creek.	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>impaired habitat</b>	<b>CS</b>
1911_05 From just upstream of the confluence with Calaveras Creek up to just upstream of the confluence with the Medina River.	
1911_07 From just upstream of the confluence with Salado Creek up to just upstream of the confluence with Sixmile Creek.	
1911_08 From just upstream of the confluence with Sixmile Creek to just upstream of the confluence with San Pedro Creek.	
1911_09 From just upstream of the confluence with San Pedro Creek up to the upper end of the segment.	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1911_01 From the lower end of the segment up to just upstream of the confluence with Olmos Creek.	
1911_02 From the confluence with Olmos Creek up to just upstream of the confluence with Picos Creek .	
1911_03 From just upstream of the confluence with Picos Creek up to just upstream of the confluence with Lodi Branch in Floresville, Wilson County, Texas.	
1911_04 From just upstream of the confluence with Lodi Branch in Floresville, Wilson County, Texas up to just upstream of the confluence with Calaveras Creek.	
1911_05 From just upstream of the confluence with Calaveras Creek up to just upstream of the confluence with the Medina River.	
1911_06 From just upstream of the confluence with the Medina River up to just upstream of the confluence with Salado Creek.	
1911_07 From just upstream of the confluence with Salado Creek up to just upstream of the confluence with Sixmile Creek.	
1911_08 From just upstream of the confluence with Sixmile Creek to just upstream of the confluence with San Pedro Creek.	
1911_09 From just upstream of the confluence with San Pedro Creek up to the upper end of the segment.	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1911_01 From the lower end of the segment up to just upstream of the confluence with Olmos Creek.	
1911_02 From the confluence with Olmos Creek up to just upstream of the confluence with Picos Creek .	
1911_03 From just upstream of the confluence with Picos Creek up to just upstream of the confluence with Lodi Branch in Floresville, Wilson County, Texas.	
1911_04 From just upstream of the confluence with Lodi Branch in Floresville, Wilson County, Texas up to just upstream of the confluence with Calaveras Creek.	
1911_05 From just upstream of the confluence with Calaveras Creek up to just upstream of the confluence with the Medina River.	
1911_09 From just upstream of the confluence with San Pedro Creek up to the upper end of the segment.	



**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1911B Apache Creek**

From the confluence with San Pedro Creek up to the upper end of the segment at State Highway 421 (NHD RC 12100301001439).

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1911B_01 From the confluence with San Pedro Creek up to just upstream of the confluence with Zarzamora Creek.	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1911B_01 From the confluence with San Pedro Creek up to just upstream of the confluence with Zarzamora Creek.	

**SEG ID: 1911C Alazan Creek**

From the confluence with Apache Creek up to 0.4 KM (0.25 Mi.) upstream of St. Cloud Road (NHD RC 12100301000163) in San Antonio, Bexar County, Texas.

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
1911C_02 From just upstream of the confluence with Martinez Creek to the upper end of the segment.	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
1911C_02 From just upstream of the confluence with Martinez Creek to the upper end of the segment.	

**SEG ID: 1911D San Pedro Creek**

From the confluence with segment 1911 to the upper end of the water body, NHD RC 12100301000867

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1911D_02 From the confluence with Apache Creek to the upper end of the segment, NHD RC 12100301000867	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1911D_01 From the confluence with segment 1911 up to the confluence with Apache Creek.	
1911D_02 From the confluence with Apache Creek to the upper end of the segment, NHD RC 12100301000867	

**SEG ID: 1911H Picoso Creek**

From the confluence with segment 1911 to the upper end of the water body, NHD RC 12100303003001937.

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1911H_01 From the confluence with 1911 up to the confluence with Mariana Creek	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 1911I Martinez Creek**

Martinez Creek from the confluence of Alazan Creek in central San Antonio upstream to the terminus at Vance Jackson Rd in north San Antonio

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
1911I_01     Martinez Creek from the confluence of Alazan Creek in central San Antonio upstream to the concrete channel portion at San Francisco St in north San Antonio	

**SEG ID: 1912 Medio Creek**

From the confluence with the Medina River in Bexar County to a point 1.0 km (0.6 miles) upstream of IH 35 in San Antonio in Bexar County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1912_01     Entire segment	
<hr/>	
<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1912_01     Entire segment	

**SEG ID: 1912A Upper Medio Creek**

From approximately 1.0 kilometer (0.6 miles) upstream of IH 35 at San Antonio (Bexar County) to approximately 1.0 mile upstream of the Bexar/Medina County Line

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1912A_01     Entire water body	
<hr/>	
<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1912A_01     Entire water body	

**SEG ID: 1913 Mid Cibolo Creek**

From a point 100 meters (110 yards) downstream of IH 10 in Bexar/Guadalupe County to the Missouri-Pacific Railroad bridge west of Bracken in Comal County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
1913_01     From 100 M downstream of I10 up to unnamed tributary approximately 0.3 miles upstream of Weir Road, Bexar County, Texas.	
1913_02     From the confluence with unnamed tributary approximately 0.3 miles upstream of Weir Road, Bexar county, Texas up to 100 meters upstream of the Cibolo Creek Municipal WWTP.	
<hr/>	
<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
1913_01     From 100 M downstream of I10 up to unnamed tributary approximately 0.3 miles upstream of Weir Road, Bexar County, Texas.	
1913_02     From the confluence with unnamed tributary approximately 0.3 miles upstream of Weir Road, Bexar county, Texas up to 100 meters upstream of the Cibolo Creek Municipal WWTP.	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 2004 Aransas River Above Tidal**  
From a point 1.6 kilometers (1.0 mile) upstream of US 77 in Refugio/San Patricio County to the confluence of Poesta Creek and Aransas Creek in Bee County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
2004_02 From the confluence with Papalote Creek to the upstream end of segment at the confluence with Aransas Creek and Poesta Creek	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
2004_02 From the confluence with Papalote Creek to the upstream end of segment at the confluence with Aransas Creek and Poesta Creek	

**SEG ID: 2004A Aransas Creek**  
From confluence with the Aransas River to the headwaters of the stream about 10 km upstream of US Highway 59.

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
2004A_01 Entire 20 miles of segment	

**SEG ID: 2004B Poesta Creek**  
From the confluence with the Aransas River to the headwaters of the stream about 7.5 km upstream of FM 673.

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
2004B_02 From the confluence with Talpacate Creek to the headwaters of the stream approximately 7.5 km upstream of FM 673	

**SEG ID: 2101 Nueces River Tidal**  
From the confluence with Nueces Bay in Nueces County to Calallen Dam 1.7 km (1.1 miles) upstream of US 77/IH 37 in Nueces/San Patricio County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
2101_01 Entire Water Body	

**SEG ID: 2102 Nueces River Below Lake Corpus Christi**  
From Calallen Dam 1.7 km (1.1 miles) upstream of US 77/IH 37 in Nueces/San Patricio County to Wesley E. Seale Dam in Jim Wells/San Patricio County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
2102_01 From the downstream end of segment to the confluence with Javelin Creek	
2102_02 From the confluence with Javelin Creek to the upstream end of segment at Lake Corpus Christi	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 2103 Lake Corpus Christi**  
From Wesley E. Seale Dam in Jim Wells/San Patricio County to a point 100 meters (110 yards) upstream of US 59 in Live Oak County, up to normal pool elevation of 94 feet (impounds Nueces River)

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
2103_01 Mid-lake near dam	
2103_02 Area approx. 4 mi. SE of FM 3162 and FM 534 intersection near western shore	
2103_06 Uppermost riverine part of reservoir upstream of FM 534 to upper end of segment to just upstream of US Highway 59.	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
2103_02 Area approx. 4 mi. SE of FM 3162 and FM 534 intersection near western shore	
2103_04 Upper portion of lake on opposite shore from Hideaway Hill	
2103_06 Uppermost riverine part of reservoir upstream of FM 534 to upper end of segment to just upstream of US Highway 59.	

**SEG ID: 2104 Nueces River Above Frio River**  
From the confluence of the Frio River in Live Oak County to Holland Dam in LaSalle County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
2104_03 From the confluence with Guadalupe Creek to the upstream end of the segment	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>impaired fish community</b>	<b>CN</b>
2104_02 From the confluence with Dragon Creek to the confluence with Guadalupe Creek	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>impaired macrobenthic community</b>	<b>CN</b>
2104_01 From the downstream end of the segment to the confluence with Dragon Creek	
2104_02 From the confluence with Dragon Creek to the confluence with Guadalupe Creek	

**SEG ID: 2105 Nueces River Above Holland Dam**  
From Holland Dam in LaSalle County to a point 100 meters (110 yards) upstream of FM 1025 in Zavala County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
2105_01 From the downstream end of the segment at Holland Dam to the confluence of Sauz Mocho Creek	
2105_02 From the confluence with Sauz Macho Creek to the confluence of Line Oak Slough	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
2105_01 From the downstream end of the segment at Holland Dam to the confluence of Sauz Mocho Creek	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 2107 Atascosa River**  
From the confluence with the Frio River in Live Oak County to the confluence of the West Prong Atascosa River and the North Prong Atascosa River in Atascosa County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
2107_01 From the downstream end of the segment at the confluence with the Frio River to the confluence with Borrego Creek	
2107_03 From the confluence with Galvan Creek to the confluence with Palo Alto Creek	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
2107_02 From the confluence with Borrego Creek to the confluence with Galvan Creek	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>impaired habitat</b>	<b>CS</b>
2107_02 From the confluence with Borrego Creek to the confluence with Galvan Creek	
2107_03 From the confluence with Galvan Creek to the confluence with Palo Alto Creek	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
2107_02 From the confluence with Borrego Creek to the confluence with Galvan Creek	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
2107_02 From the confluence with Borrego Creek to the confluence with Galvan Creek	

**SEG ID: 2108 San Miguel Creek**  
From a point immediately upstream of the confluence of Mustang Branch in McMullen County to the confluence of San Francisco Perez Creek and Chacon Creek in Frio County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
2108_01 From the downstream end of the segment to the confluence of Liveoak Creek	

**SEG ID: 2109 Leona River**  
From the confluence with the Frio River in Frio County to US 83 in Uvalde County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
2109_03 From the confluence of Camp Lake Slough to the upper end of segment	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
2109_01 From the downstream end of segment to the confluence of Yoledigo Creek	
2109_02 From the confluence of Yoledigo Creek to the confluence of Camp Lake Slough	
2109_03 From the confluence of Camp Lake Slough to the upper end of segment	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 2109D Gallina Slough**  
From the confluence with the Leona River in Zavala Co. to the headwaters approximately 9 km upstream of US Hwy 57 in Zavala Co.

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>bacteria</b>	<b>CN</b>
2109D_01 From the confluence with the Leona River in Zavala Co. to the headwaters approximately 9 km upstream of US Hwy 57 in Zavala Co.	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
2109D_01 From the confluence with the Leona River in Zavala Co. to the headwaters approximately 9 km upstream of US Hwy 57 in Zavala Co.	

**SEG ID: 2110 Lower Sabinal River**  
From the confluence with the Frio River in Frio County to Uvalde County to a point 100 meters (110 yards) upstream of SH 127 in Uvalde County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
2110_01 Entire Water Body	

**SEG ID: 2113 Upper Frio River**  
From a point 100 meters (110 yards) upstream of US 90 in Uvalde County to the confluence of the West Frio River and the East Frio River in Real County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>impaired fish community</b>	<b>CN</b>
2113_02 From the confluence with Bear Creek to the upstream end of segment	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>impaired habitat</b>	<b>CS</b>
2113_01 From the downstream end of the segment to the confluence with Bear Creek	
2113_02 From the confluence with Bear Creek to the upstream end of segment	

**SEG ID: 2114 Hondo Creek**  
From the confluence with the Frio River in Frio County to FM 470 in Bandera County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
2114_01 From the downstream end of the segment to the confluence with and unnamed tributary with NHD RC 12110107000245 at point N-99.12, W29.38 just upstream of FM 2676.	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 2117 Frio River Above Choke Canyon Reservoir**  
From a point 4.2 km (2.6 miles) downstream of SH 16 in McMullen County to a point 100 meters (110 yards) upstream of US 90 in Uvalde County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
2117_01 From the downstream end of segment to the confluence with Esperanza Creek	
2117_02 From the confluence with Esperanza Creek to the confluence with Ruiz Creek	
<b>depressed dissolved oxygen</b>	<b>CS</b>
2117_01 From the downstream end of segment to the confluence with Esperanza Creek	
2117_02 From the confluence with Esperanza Creek to the confluence with Ruiz Creek	
2117_03 From the confluence with Ruiz Creek to the confluence with Live Oak Creek	
<b>nitrate</b>	<b>CS</b>
2117_03 From the confluence with Ruiz Creek to the confluence with Live Oak Creek	
2117_04 From the confluence with Live Oak Creek to the confluence with Elm Creek	
2117_05 From the confluence with Elm to the confluence with Spring Branch	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 2201 Arroyo Colorado Tidal**  
From confluence with Laguna Madre in Cameron/Willacy County to a point 100 meters (110 yards) downstream of Cemetery Road south of Port Harlingen in Cameron County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
2201_01	From the downstream end of the segment to the confluence with San Vincente Drainage Ditch
2201_02	From the confluence with San Vincente Drainage Ditch to the confluence with an unnamed drainage ditch with NHD RC 12110108005353 at point N-97.53, W 26.31
2201_03	From the confluence with an unnamed drainage ditch with NHD RC 12110108005353 at point N-97.53, W 26.31 to the confluence with Harding Ranch Ditch tributary
2201_04	From the confluence with Harding Ranch Ditch tributary to just upstream of the City of Hondo Wastewater Discharge at point N-97.58359, W26.247186
2201_05	From just upstream of the City of Hondo Wastewater Discharge at point N-97.58359, W26.247186 to the upstream end of the segment

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
2201_05	From just upstream of the City of Hondo Wastewater Discharge at point N-97.58359, W26.247186 to the upstream end of the segment

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
2201_01	From the downstream end of the segment to the confluence with San Vincente Drainage Ditch
2201_02	From the confluence with San Vincente Drainage Ditch to the confluence with an unnamed drainage ditch with NHD RC 12110108005353 at point N-97.53, W 26.31
2201_03	From the confluence with an unnamed drainage ditch with NHD RC 12110108005353 at point N-97.53, W 26.31 to the confluence with Harding Ranch Ditch tributary
2201_04	From the confluence with Harding Ranch Ditch tributary to just upstream of the City of Hondo Wastewater Discharge at point N-97.58359, W26.247186
2201_05	From just upstream of the City of Hondo Wastewater Discharge at point N-97.58359, W26.247186 to the upstream end of the segment

**SEG ID: 2201A Harding Ranch Drainage Ditch Tributary (A) to the Arroyo Colorado Tidal**  
From the confluence with the Arroyo Colorado in Cameron County downstream of Rio Hondo at -97.584, 26.279 decimal degrees to a point 20.8 km upstream at the FM 508 crossing.

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
2201A_01	Entire Water Body



**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 2201B Unnamed Drainage Ditch Tributary (B) in Cameron County Drainage District #3**  
From the confluence with the Arroyo Colorado in Cameron County in the Rio Hondo turning basin at -97.6, 26.196 decimal degrees to a point 17.6 km upstream at the FM 510 crossing.

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
2201B_01 Entire Water Body	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
2201B_01 Entire Water Body	

**SEG ID: 2202 Arroyo Colorado Above Tidal**  
From a point 100 meters (110 yards) downstream of Cemetery Road south of Port Harlingen in Cameron County to FM 2062 in Hidalgo County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
2202_01 From the downstream end of segment to the confluence with Little Creek just upstream of State Loop 499.	
2202_02 From the confluence with Little Creek to the confluence with La Feria Main Canal just upstream of Dukes Highway.	
2202_03 From the confluence with La Feria Main Canal just upstream of Dukes Highway to the confluence with La Cruz Resaca just downstream of FM 907	
2202_04 From the confluence with La Cruz Resaca to the upper end of segment at FM 2062	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
2202_01 From the downstream end of segment to the confluence with Little Creek just upstream of State Loop 499.	
2202_02 From the confluence with Little Creek to the confluence with La Feria Main Canal just upstream of Dukes Highway.	
2202_03 From the confluence with La Feria Main Canal just upstream of Dukes Highway to the confluence with La Cruz Resaca just downstream of FM 907	
2202_04 From the confluence with La Cruz Resaca to the upper end of segment at FM 2062	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
2202_01 From the downstream end of segment to the confluence with Little Creek just upstream of State Loop 499.	
2202_02 From the confluence with Little Creek to the confluence with La Feria Main Canal just upstream of Dukes Highway.	
2202_03 From the confluence with La Feria Main Canal just upstream of Dukes Highway to the confluence with La Cruz Resaca just downstream of FM 907	
2202_04 From the confluence with La Cruz Resaca to the upper end of segment at FM 2062	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 2202B Unnamed Drainage Ditch Tributary (B) to S. Arroyo Colorado**  
Perennial drainage ditches that flow into the segment in Cameron and Hidalgo counties

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
2202B_01 Entire segment	
<b>bacteria</b>	<b>CN</b>
2202B_01 Entire segment	
<b>chlorophyll-a</b>	<b>CS</b>
2202B_01 Entire segment	

**SEG ID: 2202C Unnamed Drainage Ditch Tributary (C) to S. Arroyo Colorado**  
From the confluence with S. Arroyo Colorado to a point 1.1 miles upstream near US Highway 281.

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
2202C_01 Entire segment	
<b>bacteria</b>	<b>CN</b>
2202C_01 Entire segment	

**SEG ID: 2203 Petronila Creek Tidal**  
From the confluence of Chiltipin Creek in Kleberg County to a point 1 km (0.6 miles) upstream of private road crossing near Laureles Ranch in Kleberg County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
2203_01 Entire segment	
<b>pH</b>	<b>CN</b>
2203_01 Entire segment	
<b>total phosphorus</b>	<b>CS</b>
2203_01 Entire segment	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 2204 Petronila Creek Above Tidal**

From a point 1 km (0.6 miles) upstream of private road crossing near Laureles Ranch in Kleberg County to the confluence of Agua Dulce and Banquete Creeks in Nueces County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
2204_01	From downstream end of segment to the confluence with 2204A, unnamed drainage ditch tributary to Petronila Creek at N-97.7, W27.65 approximately 32.5 km (20.2 mi) upstream
2204_02	From the confluence with 2204A, unnamed drainage ditch tributary of Petronila Creek at N-97.7, W27.65 to the upstream end of segment at the confluence with Agua Dulce and Banquete Creeks approximately 31.6 km (19.6 mi) upstream

**SEG ID: 2301 Rio Grande Tidal**

From the confluence with the Gulf of Mexico in Cameron County to a point 10.8 km (6.7 miles) downstream of the International Bridge in Cameron County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>bacteria</b>	<b>CN</b>
2301_02	From a point 71.7 km (44.6 mi) upstream of the mouth the Rio Grande to the upper segment boundary 10.8 km (6.7 mi) downstream of the International Bridge
<b>chlorophyll-a</b>	<b>CS</b>
2301_01	From the mouth of the Rio Grande (lower segment boundary) to a point 71.7 km (44.6 mi) upstream
<b>nitrate</b>	<b>CS</b>
2301_02	From a point 71.7 km (44.6 mi) upstream of the mouth the Rio Grande to the upper segment boundary 10.8 km (6.7 mi) downstream of the International Bridge

**SEG ID: 2302 Rio Grande Below Falcon Reservoir**

From a point 10.8 km (6.7 miles) downstream of the International Bridge in Cameron County to Falcon Dam in Starr County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
2302_01	From the El Jardin Pump Station upstream to the Rancho Viejo Floodway
2302_07	From the Arroyo Los Olmos confluence upstream to the Falcon Dam
<b>chlorophyll-a</b>	<b>CS</b>
2302_01	From the El Jardin Pump Station upstream to the Rancho Viejo Floodway
2302_02	From the Rancho Viejo Floodway upstream to the Progreso Int'l Bridge (FM 1015)
<b>depressed dissolved oxygen</b>	<b>CS</b>
2302_01	From the El Jardin Pump Station upstream to the Rancho Viejo Floodway
2302_03	From the Progreso Int'l Bridge (FM 1015) upstream to the McAllen Int'l Bridge (US Hwy 281)
2302_04	From the McAllen Int'l Bridge (US Hwy 281) upstream to Anzalduas Dam
2302_06	From the Los Ebanos Ferry Crossing upstream to the Arroyo Los Olmos confluence

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 2302A Arroyo Los Olmos**  
From Rio Grande confluence at Rio Grande City to El Sauz in Starr County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
2302A_01 From the Rio Grande confluence near Rio Grande City upstream to a point 39.4 km (24.5 mi) near El Sauz	

**SEG ID: 2303 International Falcon Reservoir**  
From Falcon Dam in Starr County to the confluence of the Arroyo Salado (Mexico) in Zapata County, up to normal pool elevation of 301.1 feet (impounds Rio Grande)

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
2303_02 Area around Zapata WTP intake	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
2303_02 Area around Zapata WTP intake	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
2303_02 Area around Zapata WTP intake	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>toxicity in water</b>	<b>CN</b>
2303_02 Area around Zapata WTP intake	

**SEG ID: 2304 Rio Grande Below Amistad Reservoir**  
From the confluence of the Arroyo Salado (Mexico) in Zapata County to Amistad Dam in Val Verde County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
2304_08 From downstream of US Hwy 277 (Eagle Pass) upstream to the Las Moras Creek confluence	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>toxicity in water</b>	<b>CN</b>

2304\_03 From the International Bridge #2 upstream to the City of Laredo water treatment plant intake

2304\_04 From the City of Laredo water treatment plant intake upstream to the World Trade Center Bridge

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 2304B Manadas Creek**

From the Rio Grande confluence in Laredo to a point 1.3 km (0.81 mi) upstream of Bob Bullock Loop

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
2304B_01 From the Rio Grande confluence in Laredo to a point 1.3 km (0.81 mi) upstream of Bob Bullock Loop	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>bacteria</b>	<b>CN</b>
2304B_01 From the Rio Grande confluence in Laredo to a point 1.3 km (0.81 mi) upstream of Bob Bullock Loop	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
2304B_01 From the Rio Grande confluence in Laredo to a point 1.3 km (0.81 mi) upstream of Bob Bullock Loop	

**SEG ID: 2305 International Amistad Reservoir**

From Amistad Dam in Val Verde County to a point 1.8 km (1.1 miles) downstream of the confluence of Ramsey Canyon on the Rio Grande Arm in Val Verde County and to a point 0.7 km (0.4 miles) downstream of the confluence of Painted Canyon on the Pecos Arm i

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
2305_01 Rio Grande Arm	
2305_02 Devils River arm	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 2306 Rio Grande Above Amistad Reservoir**  
From a point 1.8 km (1.1 miles) downstream of the confluence of Ramsey Canyon in Val Verde County to the confluence of the Rio Conchos (Mexico) in Presidio County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
2306_03 From FM 2627 upstream to Boquillas Canyon	
2306_04 From Boquillas Canyon upstream to Mariscal Canyon	
2306_06 From a point upstream of the IBWC gage at Johnson Ranch to the mouth of Santa Elena Canyon at the Terlingua Creek confluence	
2306_08 From Alamito Creek confluence upstream to the Rio Conchos confluence	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>fish kill report</b>	<b>CN</b>
2306_04 From Boquillas Canyon upstream to Mariscal Canyon	
2306_05 From Mariscal Canyon to a point upstream of the IBWC gage at Johnson Ranch	
2306_06 From a point upstream of the IBWC gage at Johnson Ranch to the mouth of Santa Elena Canyon at the Terlingua Creek confluence	
2306_07 From the mouth of Santa Elena Canyon at the Terlingua Creek confluence upstream to the Alamito Creek confluence	
2306_08 From Alamito Creek confluence upstream to the Rio Conchos confluence	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
2306_01 From the lower segment boundary at Ramsey Canyon upstream to the confluence of Panther Gulch	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 2307 Rio Grande Below Riverside Diversion Dam**  
From the confluence of the Rio Conchos (Mexico) in Presidio County to Riverside Diversion Dam in El Paso County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
2307_02 From a point 40.2 km (25 mi) upstream of the Rio Conchos confluence to Little Box Canyon	
2307_03 From Little Box Canyon upstream to the Alamo Grade Structure	
2307_04 From the Alamo Grade Structure upstream to the Guadalupe Bridge	
2307_05 From the Guadalupe Bridge to downstream of the Riverside Diversion Dam	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
2307_01 From immediately upstream of the Rio Conchos confluence to a point 40.2 km (25 mi) upstream	
2307_03 From Little Box Canyon upstream to the Alamo Grade Structure	
2307_04 From the Alamo Grade Structure upstream to the Guadalupe Bridge	
2307_05 From the Guadalupe Bridge to downstream of the Riverside Diversion Dam	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
2307_05 From the Guadalupe Bridge to downstream of the Riverside Diversion Dam	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
2307_02 From a point 40.2 km (25 mi) upstream of the Rio Conchos confluence to Little Box Canyon	
2307_03 From Little Box Canyon upstream to the Alamo Grade Structure	
2307_04 From the Alamo Grade Structure upstream to the Guadalupe Bridge	
2307_05 From the Guadalupe Bridge to downstream of the Riverside Diversion Dam	

**SEG ID: 2308 Rio Grande Below International Dam**  
From the Riverside Diversion Dam in El Paso County to International Dam in El Paso County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
2308_01 From the Riverside Diversion Dam to the International Dam in El Paso County	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
2308_01 From the Riverside Diversion Dam to the International Dam in El Paso County	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
2308_01 From the Riverside Diversion Dam to the International Dam in El Paso County	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 2310 Lower Pecos River**

From a point 0.7 km (0.4 miles) downstream of the confluence of Painted Canyon in Val Verde County to a point immediately upstream of the confluence of Independence Creek in Crockett/Terrell County

Parameter(s)

Level of Concern

**harmful algal bloom/golden alga**

**CN**

2310\_01 From the Devils River Arm of Amistad Reservoir confluence upstream to FM 2083 near Pan Dale

**SEG ID: 2311 Upper Pecos River**

From a point immediately upstream of the confluence of Independence Creek in Crockett/Terrell County to Red Bluff Dam in Loving/Reeves County

Parameter(s)

Level of Concern

**bacteria**

**CN**

2311\_02 From US Hwy 290 upstream to US Hwy 67

2311\_03 From US Hwy 67 upstream to the Ward Two Irrigation Turnout

Parameter(s)

Level of Concern

**chlorophyll-a**

**CS**

2311\_03 From US Hwy 67 upstream to the Ward Two Irrigation Turnout

2311\_04 From the Ward Two Irrigation Turnout upstream to US Hwy 80 (Bus 20)

2311\_08 From FM 652 upstream to the Red Bluff Dam

Parameter(s)

Level of Concern

**depressed dissolved oxygen**

**CS**

2311\_03 From US Hwy 67 upstream to the Ward Two Irrigation Turnout

2311\_08 From FM 652 upstream to the Red Bluff Dam

Parameter(s)

Level of Concern

**harmful algal bloom/golden alga**

**CN**

2311\_01 From just upstream of the Independence Creek confluence upstream to US Hwy 290

2311\_02 From US Hwy 290 upstream to US Hwy 67

2311\_03 From US Hwy 67 upstream to the Ward Two Irrigation Turnout

2311\_04 From the Ward Two Irrigation Turnout upstream to US Hwy 80 (Bus 20)

2311\_05 From US Hwy 80 (Bus 20) upstream to the Barstow Dam

2311\_06 From the Barstow Dam upstream to State Hwy 302

2311\_07 From State Hwy 302 upstream to FM 652

2311\_08 From FM 652 upstream to the Red Bluff Dam



**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 2312 Red Bluff Reservoir**  
From Red Bluff Dam in Loving/Reeves County to New Mexico State Line in Loving/Reeves County, up to normal pool elevation 2842 feet (impounds Pecos River)

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
2312_01 From the Red Bluff Dam to mid-lake	
2312_02 From mid-lake to the Texas/New Mexico state line	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
2312_01 From the Red Bluff Dam to mid-lake	
2312_02 From mid-lake to the Texas/New Mexico state line	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>harmful algal bloom/golden alga</b>	<b>CN</b>
2312_01 From the Red Bluff Dam to mid-lake	
2312_02 From mid-lake to the Texas/New Mexico state line	

**SEG ID: 2314 Rio Grande Above International Dam**  
From International Dam in El Paso County to the New Mexico State Line in El Paso County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
2314_01 From the International Dam upstream to the Anthony Drain confluence	
2314_02 From the Anthony Drain confluence upstream to the New Mexico/Texas state line	

**SEG ID: 2421 Upper Galveston Bay**  
From the Lower Galveston Bay confluence to SH 146

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
2421_01 Red Bluff to Five Mile Cut to Houston Point to Morgans Point	
2421_02 Western portion of the bay	
2421_03 Eastern portion of the bay	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
2421_01 Red Bluff to Five Mile Cut to Houston Point to Morgans Point	
2421_02 Western portion of the bay	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
2421_01 Red Bluff to Five Mile Cut to Houston Point to Morgans Point	
2421_02 Western portion of the bay	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 2421A Clear Lake Channel**  
Clear Lake Channel

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
2421A_01 From Lower Galveston Bay confluence to SH 146	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
2421A_01 From Lower Galveston Bay confluence to SH 146	

**SEG ID: 2421B Little Cedar Bayou**  
From the confluence with Upper Galveston Bay to a point immediately upstream of  
Barbours Cut Blvd in La Porte

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>bacteria</b>	<b>CN</b>
2421B_01 From the confluence with Galveston Bay to a point immediately upstream of Barbours Cut Blvd in La Porte	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
2421B_01 From the confluence with Galveston Bay to a point immediately upstream of Barbours Cut Blvd in La Porte	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
2421B_01 From the confluence with Galveston Bay to a point immediately upstream of Barbours Cut Blvd in La Porte	

**SEG ID: 2422 Trinity Bay**  
Trinity Bay

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
2422_01 Upper half of bay	
2422_02 Lower half of bay	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
2422_01 Upper half of bay	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 2422B Double Bayou West Fork**  
From the Trinity Bay confluence to Belton Road in Chambers County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
2422B_01 From the Trinity Bay confluence to Belton Road	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
2422B_01 From the Trinity Bay confluence to Belton Road	

**SEG ID: 2423 East Bay**  
East Bay

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
2423_01 Area adjacent to the ICWW (Segment 0702)	
2423_02 Remainder of segment	

**SEG ID: 2423A Oyster Bayou**  
From the East Bay confluence to a point 2.2 km (1.4 mi) upstream from SH 65 in Chambers County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
2423A_01 From the East Bay confluence to a point 2.2 km (1.4 mi) upstream from SH 65	

**SEG ID: 2424A Highland Bayou**  
From Jones Bay confluence to Avenue Q 0.8 km (0.5 mi) north of SH 6 between Arcadia and Alta Loma in Galveston County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
2424A_02 From Bayou Lane upstream to Lake Road	
2424A_03 From Lake Road upstream to FM 519	
2424A_05 From FM 2004 to the headwaters just west of FM 1764	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
2424A_01 From the Jones Bay confluence upstream to Bayou Lane	
2424A_02 From Bayou Lane upstream to Lake Road	
2424A_03 From Lake Road upstream to FM 519	
2424A_04 From FM 519 upstream to FM 2004	
2424A_05 From FM 2004 to the headwaters just west of FM 1764	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 2424B Lake Madeline**  
Located between Jones Street, Stewart Street and Pine Street, north of the seawall on Galveston Island

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
2424B_01 Between Jones Street, Stewart Street and Pine Street, north of the seawall on Galveston Island	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
2424B_01 Between Jones Street, Stewart Street and Pine Street, north of the seawall on Galveston Island	

**SEG ID: 2424C Marchand Bayou**  
From Highland Bayou confluence to 0.72 km (0.45 mi) north of IH 45 in Galveston County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
2424C_01 From Highland Bayou confluence 0.72 km (0.45 mi) north of IH-45	

**SEG ID: 2424D Offatts Bayou**  
Located on the east end of Galveston Island, running parallel with the southern terminus of IH 45, and joins West Bay near Teichman Point

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
2424D_02 Middle area bordered by 71st Street and Walsh Street	

**SEG ID: 2424E English Bayou**  
Between IH 45, Bayou Shore Drive, South Shore Rear and SH 342 on Galveston Island

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
2424E_01 Entire segment	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
2424E_01 Entire segment	

**SEG ID: 2424G Highland Bayou Diversion Canal**  
From the confluence with an unnamed tributary adjacent to Jones Bay upstream to the Highland Bayou confluence

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
2424G_01 From the confluence with an unnamed tributary adjacent to Jones Bay upstream to the Highland Bayou confluence	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 2425 Clear Lake**  
Clear Lake

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
2425_01 Entire segment	
<b>chlorophyll-a</b>	<b>CS</b>
2425_01 Entire segment	
<b>copper in water</b>	<b>CN</b>
2425_01 Entire segment	
<b>nitrate</b>	<b>CS</b>
2425_01 Entire segment	
<b>total phosphorus</b>	<b>CS</b>
2425_01 Entire segment	

**SEG ID: 2425A Taylor Lake**  
From the Clear Lake confluence to the Taylor Bayou confluence near Red Bluff Road in Galveston County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
2425A_01 From the Clear Lake confluence to the Taylor Bayou confluence near Red Bluff Road	
<b>nitrate</b>	<b>CS</b>
2425A_01 From the Clear Lake confluence to the Taylor Bayou confluence near Red Bluff Road	
<b>total phosphorus</b>	<b>CS</b>
2425A_01 From the Clear Lake confluence to the Taylor Bayou confluence near Red Bluff Road	

**SEG ID: 2425B Jarbo Bayou**  
From Clear Lake confluence with Clear Lake to 1.1 km (0.67 mi) upstream of FM 518 in Galveston County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>bacteria</b>	<b>CN</b>
2425B_02 From Lawrence Road to the headwaters 1.1 km (0.67 mi) upstream of FM 518	
<b>depressed dissolved oxygen</b>	<b>CS</b>
2425B_01 From the Clear Lake confluence upstream to Lawrence Road	
<b>total phosphorus</b>	<b>CS</b>
2425B_01 From the Clear Lake confluence upstream to Lawrence Road	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 2426 Tabbs Bay**  
Tabbs Bay

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
2426_01 Entire segment	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
2426_01 Entire segment	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
2426_01 Entire segment	

**SEG ID: 2427 San Jacinto Bay**  
San Jacinto Bay

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
2427_01 Entire segment	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
2427_01 Entire segment	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
2427_01 Entire segment	

**SEG ID: 2428 Black Duck Bay**  
Black Duck Bay

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
2428_01 Entire segment	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
2428_01 Entire segment	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
2428_01 Entire segment	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 2429 Scott Bay**  
Scott Bay

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
2429_01 Entire segment	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
2429_01 Entire segment	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
2429_01 Entire segment	

**SEG ID: 2430 Burnett Bay**  
Burnett Bay

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
2430_01 Entire segment	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
2430_01 Entire segment	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
2430_01 Entire segment	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
2430_01 Entire segment	

**SEG ID: 2430A Crystal Bay**  
Crystal Bay, a side bay of Burnett Bay, located between Burnett and Scott (Segment 2429)  
Bays adjacent to the San Jacinto Monument and Houston Ship Channel (Segment 1005)

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
2430A_01 Entire segment	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
2430A_01 Entire segment	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
2430A_01 Entire segment	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 2431 Moses Lake**  
Moses Lake

Parameter(s)

**chlorophyll-a**

2431\_01 Entire segment

Level of Concern

**CS**

**SEG ID: 2431D Unnamed Tributary to the Southern Arm of Moses Lake (East)**  
From the confluence with the southern arm (east) of Moses Lake to a point 0.6 miles  
upstream of State Highway 146 in Texas City

Parameter(s)

**bacteria**

2431D\_01 From the confluence with the southern arm (east) of Moses Lake to a point 0.6 miles upstream of  
State Highway 146 in Texas City

Level of Concern

**CN**

**SEG ID: 2432B Willow Bayou**  
From the Halls Bayou confluence to a point 9.7 km (6 mi) upstream.

Parameter(s)

**bacteria**

2432B\_01 From the Halls Bayou confluence to a point 9.7 km (6 mi) upstream.

Level of Concern

**CN**

Parameter(s)

**depressed dissolved oxygen**

2432B\_01 From the Halls Bayou confluence to a point 9.7 km (6 mi) upstream.

Level of Concern

**CS**

**SEG ID: 2432C Halls Bayou Tidal**  
From the Chocolate Bay confluence upstream to a point 31.5 km (19.6 mi) upstream

Parameter(s)

**depressed dissolved oxygen**

2432C\_01 From the Chocolate Bay confluence upstream to a point 31.5 km (19.6 mi) upstream

Level of Concern

**CS**

**SEG ID: 2432D Persimmon Bayou**  
From the New Bayou confluence upstream to the Mustang Bayou confluence

Parameter(s)

**bacteria**

2432D\_01 From the New Bayou confluence upstream to the confluence with Mustang Bayou

Level of Concern

**CN**



**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 2432E New Bayou**  
From the Chocolate Bay confluence upstream 25.4 km (15.8 mi) to an unnamed tributary

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>bacteria</b>	<b>CN</b>
2432E_01 From the Chocolate Bay confluence upstream 25.4 km (15.8 mi) to an unnamed tributary	

**SEG ID: 2436 Barbours Cut**  
Barbours Cut

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
2436_01 Entire segment	
<hr/>	
<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
2436_01 Entire segment	
<hr/>	
<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
2436_01 Entire segment	

**SEG ID: 2437 Texas City Ship Channel**  
Texas City Ship Channel

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
2437_01 Entire segment	
<hr/>	
<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
2437_01 Entire segment	
<hr/>	
<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
2437_01 Entire segment	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 2438 Bayport Channel**  
Bayport Channel

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
2438_01 Entire segment	
<b>chlorophyll-a</b>	<b>CS</b>
2438_01 Entire segment	
<b>depressed dissolved oxygen</b>	<b>CS</b>
2438_01 Entire segment	
<b>nitrate</b>	<b>CS</b>
2438_01 Entire segment	
<b>total phosphorus</b>	<b>CS</b>
2438_01 Entire segment	

**SEG ID: 2439 Lower Galveston Bay**  
Lower Galveston Bay

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
2439_01 Area adjacent to the Texas City Ship Channel and Moses Lake	
2439_02 Main portion of the bay	

**SEG ID: 2452A Tres Palacios Harbor**  
Tres Palacios Harbor

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
2452A_01 Entire segment	
<b>depressed dissolved oxygen</b>	<b>CN</b>
2452A_01 Entire segment	

**SEG ID: 2453 Lavaca Bay/Chocolate Bay**  
Lavaca Bay/Chocolate Bay

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
2453_02 North-northeastern portion of the bay near Point Comfort	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 2454A Cox Lake**  
From the Cox Lake dam located 4.0 km (2.5 mi) southeast of Point Comfort in Calhoun County to the Calhoun/Jackson County line

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
2454A_01 From the Cox Lake dam located 4.0 km (2.5 mi) southeast of Point Comfort to the Calhoun/Jackson County line	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
2454A_01 From the Cox Lake dam located 4.0 km (2.5 mi) southeast of Point Comfort to the Calhoun/Jackson County line	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
2454A_01 From the Cox Lake dam located 4.0 km (2.5 mi) southeast of Point Comfort to the Calhoun/Jackson County line	

**SEG ID: 2456 Carancahua Bay**  
Carancahua Bay

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
2456_02 Upper half of bay	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
2456_02 Upper half of bay	

**SEG ID: 2456A West Carancahua Creek Tidal**  
From the Carancahua Bay confluence to Jackson CR 440, 10.1 km (6.3 mi) upstream of FM 616 in Jackson County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
2456A_01 From the Carancahua Bay confluence to Jackson CR 440, 10.1 km (6.3 mi) upstream of FM 616 in Jackson County	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
2456A_01 From the Carancahua Bay confluence to Jackson CR 440, 10.1 km (6.3 mi) upstream of FM 616 in Jackson County	

**SEG ID: 2462 San Antonio Bay/Hynes Bay/Guadalupe Bay**  
San Antonio Bay/Hynes Bay/Guadalupe Bay

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
2462_01 Entire segment	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 2471A Little Bay**

Located between Aransas Bay (Segment 2471) on the east side and Broadway Street in Rockport on the west side and Rockport Beach on the south side in Aransas County

Parameter(s)

**chlorophyll-a**

2471A\_01 Entire segment

Level of Concern

**CS**

**SEG ID: 2473 St. Charles Bay**

St. Charles Bay

Parameter(s)

**depressed dissolved oxygen**

2473\_01 Entire segment

Level of Concern

**CS**

**SEG ID: 2482 Nueces Bay**

Nueces Bay

Parameter(s)

**copper in water**

2482\_01 Entire segment

Level of Concern

**CN**

**SEG ID: 2483A Conn Brown Harbor**

From the Aransas Channel confluence southeast of Aransas Pass in San Patricio County to a point 1.6 km (1 mi) northeast in Aransas County

Parameter(s)

**copper in water**

2483A\_01 From the Aransas Channel confluence southeast of Aransas Pass to a point 1.6 km (1 mi) northeast

Level of Concern

**CN**

**SEG ID: 2484 Corpus Christi Inner Harbor**

Corpus Christi Inner Harbor

Parameter(s)

**ammonia**

2484\_01 Entire segment

Level of Concern

**CS**

Parameter(s)

**nitrate**

2484\_01 Entire segment

Level of Concern

**CS**

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 2485 Oso Bay**  
Oso Bay

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
2485_01 Upper bay (Holly Road to County Hwy 24)	
2485_02 Middle bay (State Park Road 22 to Holly Road)	
2485_03 Lower portion of bay (Ocean Drive to State Park Road 22)	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
2485_03 Lower portion of bay (Ocean Drive to State Park Road 22)	

**SEG ID: 2485A Oso Creek**  
From the Oso Bay confluence in southern Corpus Christi to a point 4.8 km (3 mi) upstream of SH 44, west of Corpus Christi in Nueces County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
2485A_01 From the Oso Bay confluence in southern Corpus Christi to a point 4.8 km (3 mi) upstream of SH 44, west of Corpus Christi	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
2485A_01 From the Oso Bay confluence in southern Corpus Christi to a point 4.8 km (3 mi) upstream of SH 44, west of Corpus Christi	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
2485A_01 From the Oso Bay confluence in southern Corpus Christi to a point 4.8 km (3 mi) upstream of SH 44, west of Corpus Christi	

**SEG ID: 2485B Unnamed trib of Oso Creek**  
From the Oso Creek confluence upstream to a point 5.2 km (3.2 mi) west of State Hwy 286 in Nueces County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
2485B_01 From the Oso Creek confluence upstream to a point 5.2 km (3.2 mi) west of State Hwy 286	

**SEG ID: 2485D West Oso Creek**  
From the Oso Creek confluence upstream to a point 0.49 km (0.3 mi) west of FM 1694 in Neuces County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
2485D_01 From the Oso Creek confluence upstream to a point 0.49 km (0.3 mi) west of FM 1694	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

**SEG ID: 2491 Laguna Madre**  
Laguna Madre

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>ammonia</b>	<b>CS</b>
2491_02 Area adjacent to the Arroyo Colorado confluence	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
2491_01 Upper portion of bay north of the Arroyo Colorado confluence	
2491_02 Area adjacent to the Arroyo Colorado confluence	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
2491_03 Lower portion of bay south of the Arroyo Colorado confluence	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
2491_02 Area adjacent to the Arroyo Colorado confluence	

**SEG ID: 2492 Baffin Bay/Alazan Bay/Cayo del Grullo/Laguna Salada**  
Baffin Bay/Alazan Bay/Cayo del Grullo/Laguna Salada

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
2492_01 Entire segment	

**SEG ID: 2492A San Fernando Creek**  
From the Gayo Del Grullo confluence in Kleberg County to the Lake Alice Dam in Jim Wells County

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>chlorophyll-a</b>	<b>CS</b>
2492A_01 From the Cayo Del Grullo confluence to the Lake Alice Dam	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>nitrate</b>	<b>CS</b>
2492A_01 From the Cayo Del Grullo confluence to the Lake Alice Dam	

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>total phosphorus</b>	<b>CS</b>
2492A_01 From the Cayo Del Grullo confluence to the Lake Alice Dam	

**SEG ID: 2494 Brownsville Ship Channel**  
From the Laguna Madre confluence upstream to the Port of Brownsville

<u>Parameter(s)</u>	<u>Level of Concern</u>
<b>depressed dissolved oxygen</b>	<b>CS</b>
2494_01 From the Laguna Madre confluence upstream to the Port of Brownsville	

**2014 Texas Integrated Report -  
Water Bodies with Concerns for Use Attainment and Screening Levels**

---

**SEG ID: 2501 Gulf of Mexico**

From the Gulf shoreline to the limit of Texas' jurisdiction between Sabine Pass and the mouth of the Rio Grande

Parameter(s)

**chlorophyll-a**

2501\_02

Jefferson-Chambers County line area

Level of Concern

**CS**