

2014 Texas Integrated Report - Water Bodies Evaluated

Explanation of Report Headings

SegID and Name:	The unique identifier (SegID), segment name, and location of the water body. The SegID may be one of three types of numbers. The first type is a classified segment number (4 digits, e.g. 0218), as defined in the Texas Surface Water Quality Standards (TSWQS). The second type is a water body described in Appendix D of the TSWQS, or an unclassified water body, not defined in the TSWQS, though associated with a classified water body in the same watershed. The third type include special Segments for Oyster Water Use (e.g. 2421OW) and Beach Watch Use (e.g. 2481CB) special areas. The segment name and description follow SegID.
Segment Type:	The type of water body (e.g. Reservoir, Estuary, Freshwater Stream, Tidal Stream, etc.)
AU_ID:	Identifies the assessment unit (AU_ID, six or seven digits, e.g., 0101A_01) and describes a specific area within a classified or unclassified water body. The AU descriptions immediately follow the AU_ID. This report includes all AUs identified for each Segment, including those without assessments.
Flow Type:	Type of flow regime (perennial, intermittent, intermittent with perennial pools) for streams. For non-stream water bodies, Flow type and Segment Type are typically the same.
Flow Type Source:	This is the reference source used to determine the flow type of an AU.
ALU Designation:	This is the designated Aquatic Life Use associated with the AU (exceptional, high, intermediate, limited, and minimal).
ALU Designation Source:	This is the reference source of the ALU designation.
Station ID(s):	Station IDs are the numbers that identify specific monitoring sites associated an AUID, but do not necessarily indicate data were available from that station for the period of record. Some assessment units do not have monitoring stations; other information may have been evaluated to determine support status for those AUs.

SegID: 0101 Canadian River Below Lake Meredith

From the Oklahoma State Line in Hemphill County to Sanford Dam in Hutchinson County

Segment Type Freshwater Stream

AU_ID: 0101_01 *From the Oklahoma state line upstream to the confluence with Red Deer Creek east of Canadian*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10032

AU_ID: 0101_02 *From the confluence with Red Deer Creek upstream to the confluence with White Deer Creek in Hutchinson County*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10033

AU_ID: 0101_03 *From the confluence with White Deer Creek upstream to the confluence with Dixon Creek east of Borger*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10034; 20702

2014 Texas Integrated Report - Water Bodies Evaluated

AU_ID: 0101_04 From the confluence with Dixon Creek upstream to Sanford Dam in Hutchinson County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10035

SegID: 0101A Dixon Creek

Dixon Creek - intermittent stream with perennial pools from the confluence with the Canadian River in Hutchinson County upstream to the confluence with the Middle, West, and East Dixon creeks in Carson County

Segment Type Freshwater Stream

AU_ID: 0101A_01 Dixon Creek an Appendix D Intermittent stream with perennial pools from the confluence with the Canadian River upstream to the confluence with the permitted outfall receiving waters tributary

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 10016

AU_ID: 0101A_02 Dixon Creek an Appendix D Intermittent stream with perennial pools from the confluence with the permitted outfall receiving waters tributary upstream to the confluence of the East, Middle, and West Forks of Dixon Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 17045

SegID: 0101B Rock Creek

Perennial stream from the confluence with the Canadian River upstream to the headwaters in Carson County

Segment Type Freshwater Stream

AU_ID: 0101B_01 Appendix D, Perennial stream from the confluence with the Canadian River up to SH 136 in the City of Borger

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D

Station ID(s): 10024; 10025

SegID: 0101C White Deer Creek

White Deer Creek - from the confluence of the Canadian River upstream to the headwater near Ranch Road 294 north of White Deer

Segment Type Freshwater Stream

AU_ID: 0101C_01 White Deer Creek from the confluence of the Canadian River upstream to the headwater near Ranch Road 294 north of White Deer

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 18195; 21174

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0102 Lake Meredith

Lake Meredith - from Sanford Dam in Hutchinson County to a point immediately upstream of the confluence of Camp Creek in Potter County, up to the normal pool elevation of 2936.5 feet (impounds Canadian River)

Segment Type Reservoir

AU_ID: 0102_01 *Lake Meredith downstream of a line from red starboard marker 14 at Blue West Campground to green port marker 11 north of Fritch Canyon*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 10036; 10037; 10038; 10043; 10044; 10045; 10050; 10051; 10052

AU_ID: 0102_02 *Lake Meredith upstream of a line from red starboard marker 14 at Blue West Campground to green port marker 11 north of Fritch Canyon*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 10039; 10040; 10041; 10042; 10046; 10047; 10048; 10049

SegID: 0102A Big Blue Creek

Big Blue Creek - from the confluence of Lake Meredith upstream to the headwater 500m upstream of Moore CR 2202

Segment Type Freshwater Stream

AU_ID: 0102A_01 *Big Blue Creek from the confluence of Lake Meredith upstream to the headwater 500m upstream of Moore CR 2202*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type

Station ID(s): 15270

SegID: 0103 Canadian River Above Lake Meredith

From a point immediately upstream of the confluence of Camp Creek in Potter County to the New Mexico State Line in Oldham County

Segment Type Freshwater Stream

AU_ID: 0103_01 *From the headwaters of Lake Meredith upstream to the confluence with Sand Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10054

AU_ID: 0103_02 *From the confluence with Sand Creek upstream to the confluence with Punta de Agua Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10056

AU_ID: 0103_03 *From the confluence with Punta de Agua Creek upstream to the New Mexico State Line*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 16344

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0103A East Amarillo Creek

From the confluence of the Canadian River to the headwaters of Thompson Park Lake in Amarillo

Segment Type Freshwater Stream

AU_ID: 0103A_01 *From the confluence with the Canadian River upstream to the Thompson Park Lake spillway*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type

Station ID(s): 10017; 10018; 21024

AU_ID: 0103A_02 *From the Thompson Park Lake spillway upstream to the headwaters of the lake*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type

Station ID(s): 15775

SegID: 0103C Unnamed Tributary of West Amarillo Creek

Unnamed tributary of West Amarillo Creek - from the confluence of West Amarillo Creek upstream to the confluence of two unnamed streams near Amarillo Blvd

Segment Type Freshwater Stream

AU_ID: 0103C_01 *Unnamed tributary from the confluence of West Amarillo Creek upstream to the confluence of two unnamed streams near Amarillo Blvd*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 17056

SegID: 0104 Wolf Creek

From the Oklahoma State Line in Lipscomb County to a point 2.0 kilometers (1.2 miles) upstream of FM 3045 in Ochiltree County

Segment Type Freshwater Stream

AU_ID: 0104_01 *From the Oklahoma State Line upstream to the confluence with Plum Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10059

AU_ID: 0104_02 *From the confluence with Plum Creek upstream to Lake Fryer Dam*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10058

AU_ID: 0104_03 *From the Lake Fryer Dam to a point 2.0 km (1.2 mi.) upstream of FM 3045 in Ochiltree County*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	TWQS-Appendix A

Station ID(s): 17465

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0105 Rita Blanca Lake

Rita Blanca Lake - from Rita Blanca Dam in Hartley County up to the normal pool elevation of 3860 feet (impounds Rita Blanca Creek)

Segment Type Reservoir

AU_ID: 0105_01 Rita Blanca Lake from Rita Blanca Dam up to the normal pool elevation of 3860 feet

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	Limited	TWQS-Appendix A

Station ID(s): 10060

SegID: 0199A Palo Duro Reservoir

Palo Duro Reservoir - from Palo Duro dam up to the normal pool elevation of 2892 feet north of Spearman

Segment Type Reservoir

AU_ID: 0199A_01 Palo Duro Reservoir from Palo Duro dam up to the normal pool elevation of 2892 feet north of Spearman

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 10005

SegID: 0201 Lower Red River

From the Arkansas State Line in Bowie County to the Arkansas-Oklahoma State Line in Bowie County

Segment Type Freshwater Stream

AU_ID: 0201_01 From the Arkansas state line upstream to the confluence with Walnut Bayou (Oklahoma stream)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10123

AU_ID: 0201_02 From the confluence with Walnut Bayou (Oklahoma stream) upstream to the Arkansas-Oklahoma state line

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

SegID: 0201A Mud Creek

Mud Creek - from the confluence of the Red River upstream to the headwater near the intersection of US 82 and Bowie CR 3403

Segment Type Freshwater Stream

AU_ID: 0201A_01 Mud Creek from the confluence of the Red River upstream to the headwater near the intersection of US 82 and Bowie CR 3403

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 15319; 18515

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0202 Red River Below Lake Texoma

From the Arkansas-Oklahoma State Line in Bowie County to Denison Dam in Grayson County

Segment Type Freshwater Stream

AU_ID: 0202_01 *From the Oklahoma/Arkansas state line upstream to the confluence with Pecan Bayou*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10125**AU_ID: 0202_02** *From the confluence with Pecan Bayou upstream to the confluence with Pine Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 15779**AU_ID: 0202_03** *From the confluence with Pine Creek upstream to the confluence with Bois d'Arc Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10126**AU_ID: 0202_04** *From the confluence with Bois d'Arc upstream to the confluence with Choctaw Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10127**AU_ID: 0202_05** *From the confluence with Choctaw Creek upstream to Denison Dam*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13684; 21031

SegID: 0202A Bois D' Arc Creek

Bois D' Arc Creek - from the confluence of the Red River upstream to the headwater northwest of Whitewright

Segment Type Freshwater Stream

AU_ID: 0202A_01 *Bois D' Arc Creek from the confluence of the Red River upstream to the confluence of Sandy Creek north of Dodd City*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 15318; 20167; 21029**AU_ID: 0202A_02** *Bois D' Arc Creek Appendix D section of Perennial stream from the confluence of Sandy Creek upstream to the confluence of Pace Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 15749; 18652; 21028

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0202C Pecan Bayou

Pecan Bayou - from the confluence of the Red River upstream to the headwater south of Red River CR 2242-S

Segment Type Freshwater Stream

AU_ID: 0202C_01 *Pecan Bayou from the confluence of the Red River upstream to the headwater south of Red River CR 2242-S*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 16001

SegID: 0202D Pine Creek

Pine Creek - perennial and intermittent stream from the confluence of the Red River upstream to the dam forming Lake Crook

Segment Type Freshwater Stream

AU_ID: 0202D_01 *Pine Creek an Appendix D Perennial and intermittent stream from the confluence of the Red River upstream to the dam forming Lake Crook*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 10118; 10120; 14234

SegID: 0202E Post Oak Creek

Post Oak Creek - from the confluence of Choctaw Creek upstream to the headwater east of Shadow St northwest of Sherman

Segment Type Freshwater Stream

AU_ID: 0202E_01 *Post Oak Creek from the confluence of Choctaw Creek upstream to the confluence of Sand Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 10114; 10115; 17599; 21130

SegID: 0202F Choctaw Creek

From the confluence with the Red River east of Denison to the upstream perennial portion near the intersection of SH 56 and SH 289 in Grayson County

Segment Type Freshwater Stream

AU_ID: 0202F_01 *From the confluence with the Red River upstream to the confluence with Post Oak Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 10111; 16123; 18370

AU_ID: 0202F_02 *From the confluence with Post Oak Creek upstream to the headwaters near the intersection of SH 56 and SH 289 in Grayson County*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 10112

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0202G Smith Creek

Smith Creek - from the confluence of Pine Creek upstream to the confluence of two unnamed streams south of Loop 286 in Paris

Segment Type Freshwater Stream

AU_ID: 0202G_01 Smith Creek from the confluence of Pine Creek upstream to the confluence of two unnamed streams south of Loop 286 in Paris

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	WQS/Permits program	Minimal	Previous TCEQ Permit Decision

Station ID(s): 17044; 21026; 21027

SegID: 0202H Big Pine Creek

Big Pine Creek - from the confluence of the Red River upstream to the confluence of Little Pine Creek and an unnamed stream

Segment Type Freshwater Stream

AU_ID: 0202H_01 Big Pine Creek from the confluence of the Red River upstream to the confluence of Little Pine Creek and an unnamed stream

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 18513

SegID: 0202I Little Pine Creek

Little Pine Creek - from the confluence of Big Pine Creek upstream to the headwater north of Detroit, TX

Segment Type Freshwater Stream

AU_ID: 0202I_01 Little Pine Creek from the confluence of Big Pine Creek upstream to the headwater north of Detroit, TX

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 18514

SegID: 0202J Sand Creek

Sand Creek - from the confluence of Post Oak Creek upstream to the headwater north of US82 northwest of Sherman

Segment Type Freshwater Stream

AU_ID: 0202J_01 Sand Creek from the confluence of Post Oak Creek upstream to the headwater north of US82 northwest of Sherman

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 15446

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0202K Iron Ore Creek

Iron Ore Creek - from the confluence of Choctaw Creek upstream to the headwater south of FM 120 east of Denison

Segment Type Freshwater Stream

AU_ID: 0202K_01 *Iron Ore Creek from the confluence of Choctaw Creek upstream to the headwater south of FM 120 east of Denison*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 18653

SegID: 0202L Honey Grove Creek

Honey Grove Creek - from the confluence of Bois d'Arc Creek upstream to the headwater east of Honey Grove

Segment Type Freshwater Stream

AU_ID: 0202L_01 *Honey Grove Creek from the confluence of Bois d'Arc Creek upstream to the headwater east of Honey Grove*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type

Station ID(s): 21030

SegID: 0202M Lake Bonham (Bonham City Lake)

Lake Bonham - from the dam up to the normal pool elevation of 565 feet

Segment Type Reservoir

AU_ID: 0202M_01 *Lake Bonham from the dam up to the normal pool elevation of 565 feet*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 16943; 21032

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0203 Lake Texoma

Lake Texoma - from Denison Dam in Grayson County to a point immediately upstream of the confluence of Sycamore Creek in Cooke County, up to the normal pool elevation of 617 feet (impounds Red River)

Segment Type Reservoir

AU_ID: 0203_01 *Lake Texoma lower lake from Denison Dam upstream to a line from Rock Point (TX) to Burns West Recreational Area (OK)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10128; 15388; 15440; 20545

AU_ID: 0203_02 *Lake Texoma Little Mineral Arm from a line from Rocky point to the Episcopal Recreation Center on Preston peninsula*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 17480

AU_ID: 0203_03 *Lake Texoma mid-lake area bounded upstream by a line from East Juniper Point to Cardinal Cove (OK) and downstream by a line from Treasure Island to Mill Creek picnic area*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10130; 20543; 20544

AU_ID: 0203_04 *Lake Texoma upper-lake area bounded downstream by a line from East Juniper Point to Cardinal Cove (OK) upstream to headwaters*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10131

AU_ID: 0203_05 *Remainder of Lake Texoma not assessed*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

SegID: 0203A Big Mineral Creek

Big Mineral Creek -intermittent stream with perennial pools from the normal pool elevation of Lake Texoma upstream to the confluence of unnamed tributaries on the North and South Branch, 2.4 km and 1.1 km upstream of US 377, respectively

Segment Type Freshwater Stream

AU_ID: 0203A_01 *Big Mineral Creek an Appendix D Intermittent stream with perennial pools from the normal pool elevation of Lake Texoma upstream to the confluence of unnamed tributaries on the North and South Branch, 2.4 km and 1.1 km upstream of US 377, respectively*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 15320; 15750; 17502; 17505; 17589

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0204 Red River Above Lake Texoma

From a point immediately upstream of the confluence of Sycamore Creek in Cooke County to the confluence of the Wichita River in Clay County

Segment Type Freshwater Stream

AU_ID: 0204_01 *From the normal pool elevation of Lake Texoma upstream to the confluence with Fish Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10132

AU_ID: 0204_02 *From the confluence with Fish Creek upstream to the confluence with Farmers Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 20168

AU_ID: 0204_03 *From the confluence with Farmers Creek upstream to the confluence with the Little Wichita River*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10133

AU_ID: 0204_04 *From the confluence with the Little Wichita River upstream to the confluence with the Wichita River*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

SegID: 0204B Moss Lake

Moss Lake - from Fish Creek Dam up to spillway elevation of 715 feet

Segment Type Reservoir

AU_ID: 0204B_01 *Moss Lake from Fish Creek Dam up to spillway elevation of 715 feet*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 15447

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0205 Red River Below Pease River

From the confluence of the Wichita River in Clay County to the confluence of the Pease River in Wilbarger County

Segment Type Freshwater Stream

AU_ID: 0205_01 From the confluence with the Wichita River upstream to IH 44 in Burkburnett

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s):

AU_ID: 0205_02 From IH 44 in Burkburnett upstream to the confluence with the Pease River

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s):

SegID: 0205A Wildhorse Creek

Wildhorse Creek - from the confluence of Red River east of Burkburnett upstream to the headwater 1.9 km south of SH 240 and 11 km west of Burkburnett in Wichita County

Segment Type Freshwater Stream

AU_ID: 0205A_01 Wildhorse Creek from the confluence of Red River east of Burkburnett upstream to the headwater 1.9 km south of SH 240 and 11 km west of Burkburnett in Wichita County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s):

SegID: 0206 Red River Above Pease River

From the confluence of the Pease River in Wilbarger County to a point immediately upstream of the confluence of Buck Creek in Hardeman County

Segment Type Freshwater Stream

AU_ID: 0206_01 From the confluence with the Pease River upstream to the confluence with Groesbeck Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s):

AU_ID: 0206_02 From the confluence with the Groesbeck Creek upstream to the confluence with Buck Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s):

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0206B South Groesbeck Creek

South Groesbeck Creek - from the confluence of Groesbeck Creek and North Groesbeck Creek upstream to the headwater 12.6 km southwest of Childress

Segment Type Freshwater Stream

AU_ID: 0206B_01 *South Groesbeck Creek from the confluence of Groesbeck Creek and North Groesbeck Creek upstream to the headwater 12.6 km southwest of Childress*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 16000

SegID: 0207 Lower Prairie Dog Town Fork Red River

Lower Prairie Dog Town Fork Red River - from a point immediately upstream of the confluence of Buck Creek in Hardeman County to a point 100 meters (110 yards) upstream of the confluence of Salt Fork Creek in Armstrong County

Segment Type Freshwater Stream

AU_ID: 0207_01 *Lower Prairie Dog Town Fork Red River from a point immediately upstream of the confluence of Buck Creek upstream to the confluence of Grassy Creek north of Childress*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10136

AU_ID: 0207_02 *Lower Prairie Dog Town Fork Red River from the confluence of Grassy Creek upstream to the confluence of Parker Creek northwest of Estelline*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

AU_ID: 0207_03 *Lower Prairie Dog Town Fork Red River from the confluence of Parker Creek upstream to the confluence of Battle Creek near SH 70 north of Turkey*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 16037

AU_ID: 0207_04 *Lower Prairie Dog Town Fork Red River from the confluence of Battle Creek upstream to the confluence of Salt Fork Creek upstream of SH 207 south of Claude*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13637

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0207A Buck Creek

Buck Creek - from Oklahoma State Line upstream to the headwater south of Hedley

Segment Type Freshwater Stream

AU_ID: 0207A_01 Buck Creek from Oklahoma State Line upstream to the confluence of House Log Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 15811; 20371; 20372; 20373; 20375; 20376

AU_ID: 0207A_02 Buck Creek from the confluence of House Log Creek upstream to the headwater south of Hedley

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 20364; 20365; 20366; 20368; 20369; 20370

SegID: 0208 Lake Crook

Lake Crook - from Lake Crook Dam in Lamar County up to the normal pool elevation of 476 feet (impounds Pine Creek)

Segment Type Reservoir

AU_ID: 0208_01 Lake Crook from the dam in Lamar County up to the normal pool elevation of 476 feet

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10137

SegID: 0209 Pat Mayse Lake

Pat Mayse Lake - from Pat Mayse Dam in Lamar County up to the normal pool elevation of 451 feet (impounds Sanders Creek)

Segment Type Reservoir

AU_ID: 0209_01 Pat Mayse Lake lower half from the dam upstream to the easternmost point of Pat Mayse West campground

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10138; 16343

AU_ID: 0209_02 Pat Mayse Lake upper half from the easternmost point of Pat Mayse West campground up to normal pool elevation of 451 feet

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 16342; 18439

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0210 Farmers Creek Reservoir

Farmers Creek Reservoir (also known as Lake Nocona) - from Farmers Creek Dam in Montague County up to the normal pool elevation of 827.5 feet (impounds Farmers Creek)

Segment Type Reservoir

AU_ID: 0210_01 *Farmers Creek Reservoir from the dam up to the normal pool elevation of 827.5 feet*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10139

SegID: 0211 Little Wichita River

From the confluence with the Red River in Clay County to Lake Arrowhead Dam in Clay County

Segment Type Freshwater Stream

AU_ID: 0211_01 *From the confluence with the Red River upstream to the confluence with the East Fork Little Wichita River*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10140

AU_ID: 0211_02 *From the confluence with the East Fork Little Wichita River upstream to the Lake Arrowhead Dam*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10141; 13633; 17479

SegID: 0211A East Fork Little Wichita River

East Fork Little Wichita River - from the confluence of Little Wichita River upstream to the headwater 2.7 km west of the intersection of SH 148 and FM 174 and east of Windthorst

Segment Type Freshwater Stream

AU_ID: 0211A_01 *East Fork Little Wichita River from the confluence of Little Wichita River upstream to the headwater 2.7 km west of the intersection of SH 148 and FM 174 and east of Windthorst*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 10105

SegID: 0212 Lake Arrowhead

Lake Arrowhead - from Lake Arrowhead Dam in Clay County up to the normal pool elevation of 926 feet (impounds the Little Wichita River)

Segment Type Reservoir

AU_ID: 0212_01 *Lake Arrowhead from Lake Arrowhead Dam in Clay County up to normal pool elevation of 926 feet*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10142; 20181; 20190; 20191; 20203; 20204; 20205

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0212A Little Wichita River above Lake Arrowhead

Little Wichita River - from the headwater of Lake Arrowhead at normal pool elevation of 926 feet upstream to the confluence of the North and South Forks of Little Wichita River north of Archer City

Segment Type Freshwater Stream

AU_ID: 0212A_01 Little Wichita River from the headwater of Lake Arrowhead at normal pool elevation of 926 feet upstream to the confluence of the North and South Forks of Little Wichita River north of Archer City

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s):

SegID: 0213 Lake Kickapoo

Lake Kickapoo - from Kickapoo Dam in Archer County up to the normal pool elevation of 1045 feet (impounds North Fork Little Wichita River)

Segment Type Reservoir

AU_ID: 0213_01 Lake Kickapoo from the dam in Archer County up to normal pool elevation of 1045 feet

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s):

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0214 Wichita River Below Diversion Lake Dam

From the confluence with the Red River in Clay County to Diversion Dam in Archer County

Segment Type Freshwater Stream

AU_ID: 0214_01 *From the confluence with the Red River upstream to the confluence with an un-named tributary immediately upstream of FM 2393*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10145

AU_ID: 0214_02 *From an un-named tributary immediately upstream of FM 2393 upstream to the River Road WWTP*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10148; 10149

AU_ID: 0214_03 *From the River Road WWTP upstream to the confluence with Buffalo Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10150; 10151; 10152; 10153; 15999; 16734; 16735; 18832; 20321

AU_ID: 0214_04 *From the confluence with Buffalo Creek upstream to the confluence with Beaver Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10154

AU_ID: 0214_05 *From the confluence with Beaver Creek upstream to the Diversion Lake Dam*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10155; 10156

SegID: 0214A Beaver Creek

From the confluence of the Wichita River west of Wichita Falls in Wichita County upstream to the headwaters west of Crowell in Foard County

Segment Type Freshwater Stream

AU_ID: 0214A_01 *From the confluence with the Wichita River upstream to the confluence with Bull Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 10100; 15120

AU_ID: 0214A_02 *From the confluence with Bull Creek upstream to the Santa Rosa Lake dam*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 15121

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0214B Buffalo Creek

Buffalo Creek - from the confluence of the Wichita River upstream to the headwater east of Electra

Segment Type Freshwater Stream

AU_ID: 0214B_01 Buffalo Creek from the confluence of the Wichita River upstream to the headwater east of Electra

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Intermediate	Presumption from Flow Type

Station ID(s): 10097

SegID: 0214C Holliday Creek

Holliday Creek - from the confluence of the Wichita River in Wichita Falls upstream to the Lake Wichita dam

Segment Type Freshwater Stream

AU_ID: 0214C_01 Holliday Creek from the confluence of the Wichita River in Wichita Falls upstream to the Lake Wichita dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 10095; 21025

SegID: 0214D Gordon Lake

Gordon Lake - from the dam upstream to the US 287 frontage road

Segment Type Reservoir

AU_ID: 0214D_01 Gordon Lake from the dam upstream to the US 287 frontage road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 17946

SegID: 0214E Wichita Valley Irrigation Project

South Side Canal

Segment Type Freshwater Stream

AU_ID: 0214E_01 South Side Canal

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 18831

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0214F Unnamed tributary of Buffalo Creek

Unnamed tributary of Buffalo Creek - from the confluence of Buffalo Creek upstream to the headwater at eastbound frontage road of US 287 in Iowa Park

Segment Type Freshwater Stream

AU_ID: 0214F_01 *Unnamed tributary from the confluence of Buffalo Creek upstream to the headwater at eastbound frontage road of US 287 in Iowa Park*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 21172

SegID: 0215 Diversion Lake

Diversion Lake - from Diversion Dam in Archer County to a point 1.5 kilometers (0.9 mile) downstream of the confluence of Cottonwood Creek in Baylor County, up to the normal pool elevation of 1052 feet (impounds Wichita River)

Segment Type Reservoir

AU_ID: 0215_01 *Diversion Lake from Diversion Dam to a point 1.5 kilometers downstream of the confluence of Cottonwood Creek, to the normal pool elevation of 1052 feet*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10157

SegID: 0216 Wichita River Below Lake Kemp Dam

Wichita River Below Lake Kemp - from a point 1.5 kilometers (0.9 mile) downstream of the confluence of Cottonwood Creek in Baylor County to Lake Kemp Dam in Baylor County

Segment Type Freshwater Stream

AU_ID: 0216_01 *Wichita River from a point 1.5 km downstream of the confluence of Cottonwood Creek upstream to the Lake Kemp Dam*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10158

SegID: 0217 Lake Kemp

Lake Kemp - from Lake Kemp Dam in Baylor County to a point 9.4 kilometers (5.8 miles) downstream of the confluence of Crooked Creek in Baylor County, up to the normal pool elevation of 1144 feet (impounds Wichita River)

Segment Type Reservoir

AU_ID: 0217_01 *Lake Kemp from the dam upstream to Cattle Island*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10159; 13959

AU_ID: 0217_02 *Lake Kemp from Cattle Island up to a point 9.4 km downstream of the confluence of Crooked Creek, up to the normal pool elevation of 1144 feet*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10160

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0218 Wichita/North Fork Wichita River

Wichita/North Fork Wichita River - from a point 9.4 kilometers (5.8 miles) downstream of the confluence of Crooked Creek in Baylor County to a point 8.5 kilometers (5.3 miles) downstream of the most upstream crossing of FM 193 in Dickens County

Segment Type Freshwater Stream

AU_ID: 0218_01 *Wichita River from a point 9.4 km downstream of the confluence of Crooked Creek upstream to the confluence of the South Fork Wichita River*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10161

AU_ID: 0218_02 *North Fork Wichita River from the confluence of the South Fork Wichita River upstream to the confluence of the Middle Fork Wichita River*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10162; 15177

AU_ID: 0218_03 *North Fork Wichita River from the confluence of the Middle Fork Wichita River upstream to the confluence of Salt Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 15119

AU_ID: 0218_04 *North Fork Wichita River from the confluence of Salt Creek upstream to a point 8.5 km downstream of the uppermost crossing of FM 193*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

SegID: 0218A Middle Fork Wichita River

Middle Fork Wichita River - from the confluence of the North Wichita River upstream to the headwater 15 km north of Guthrie in King County

Segment Type Freshwater Stream

AU_ID: 0218A_01 *Middle Fork Wichita River from the confluence of the North Wichita River upstream to the headwater 15 km north of Guthrie in King County*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 14900

SegID: 0219 Lake Wichita

Lake Wichita - from Lake Wichita Dam in Wichita County up to the normal pool elevation of 980.5 feet (impounds Holliday Creek)

Segment Type Reservoir

AU_ID: 0219_01 *Lake Wichita from the dam up to the normal pool elevation of 980.5 feet*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10163

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0219A Holliday Creek above Lake Wichita

Holliday Creek - from the headwaters of Lake Wichita upstream to the headwater near the intersection of US 277 and an unnamed Rd southwest of Dundee

Segment Type Freshwater Stream

AU_ID: 0219A_01 *Holliday Creek from the headwaters of Lake Wichita upstream to the headwater near the intersection of US 277 and an unnamed Rd southwest of Dundee*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 15122

SegID: 0220 Upper Pease/North Fork Pease River

Upper Pease/North Fork Pease River - from the confluence with Canal Creek at the Hardeman-Foard county line to 6.0 kilometers (3.7 miles) upstream of the confluence of Dick Moore Canyon in Floyd County

Segment Type Freshwater Stream

AU_ID: 0220_01 *Pease River from the confluence of Canal Creek upstream to the confluence of the Middle Fork Pease River*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10167

AU_ID: 0220_02 *North Fork Pease River from the confluence of the Middle Fork Pease River upstream to a point 6.0 km upstream of Dick Moore Canyon*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10168

SegID: 0221 Middle Fork Pease River

Middle Fork Pease River - from the confluence with the North Fork Pease River in Cottle County to the confluence of Boggy Creek and Mott Creek in Motley County

Segment Type Freshwater Stream

AU_ID: 0221_01 *Middle Fork Pease River from the confluence of the North Fork Pease River upstream to the confluence of the South Fork Pease River*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10170

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0222 Salt Fork Red River

Salt Fork Red River - from the Oklahoma State Line in Collingsworth County to Greenbelt Dam in Donley County

Segment Type Freshwater Stream

AU_ID: 0222_01 *Salt Fork Red River from the Oklahoma State Line upstream to the confluence of Lake Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10171

AU_ID: 0222_02 *Salt Fork Red River from the confluence of Lake Creek upstream to Greenbelt Dam*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10172

SegID: 0222A Lelia Lake Creek

Lelia Lake Creek - from the confluence of the Salt Fork Red River upstream to the confluence of East Lelia Lake Creek and West Lelia Lake Creek

Segment Type Freshwater Stream

AU_ID: 0222A_01 *Lelia Lake Creek from the confluence of the Salt Fork Red River upstream to the confluence of East Lelia Lake Creek and West Lelia Lake Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 10076

SegID: 0223 Greenbelt Lake

Greenbelt Lake - from Greenbelt Dam in Donley County up to the normal pool elevation of 2664 feet (impounds Salt Fork Red River)

Segment Type Reservoir

AU_ID: 0223_01 *Greenbelt Lake from the dam up to normal pool elevation of 2664 feet*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10173

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0224 North Fork Red River

North Fork Red River - from the Oklahoma State Line in Wheeler County to a point 4.0 kilometers (2.5 miles) upstream of FM 2300 in Gray County

Segment Type Freshwater Stream

AU_ID: 0224_01 *North Fork Red River from the Oklahoma State Line upstream to the confluence of McClellan Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s):

AU_ID: 0224_02 *North Fork Red River from the confluence of McClellan Creek upstream to a point 4.0 km upstream of FM 2300*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s):

SegID: 0224A McClellan Creek

McClellan Creek - from the confluence of the North Fork Red River upstream to the headwater near Carson CR 117 km east of Amarillo

Segment Type Freshwater Stream

AU_ID: 0224A_01 *McClellan Creek from the confluence of the North Fork Red River upstream to the Lake McClellan dam*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s):

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0226 South Fork Wichita River

South Fork Wichita River - from the confluence with the North Fork Wichita River in Knox County to a point 15.0 kilometers (9.3 miles) upstream of US 82 in Dickens County

Segment Type Freshwater Stream

AU_ID: 0226_01 *South Fork Wichita River from the confluence of the North Fork Wichita River upstream to SH 6*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10185

AU_ID: 0226_02 *South Fork Wichita River from SH 6 upstream to the confluence of Willow Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

AU_ID: 0226_03 *South Fork Wichita River from confluence of Willow Creek upstream to the confluence of Long Canyon Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13635; 13636

AU_ID: 0226_04 *South Fork Wichita River from the confluence of Long Canyon Creek upstream to a point 15.0 km upstream of US 82*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

SegID: 0228 Mackenzie Reservoir

Mackenzie Reservoir - from Mackenzie Dam in Briscoe County up to the normal pool elevation of 3100 feet (impounds Tule Creek)

Segment Type Reservoir

AU_ID: 0228_01 *Mackenzie Reservoir from the dam up to the normal pool elevation of 3100 feet*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10188

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0229 Upper Prairie Dog Town Fork Red River

Upper Prairie Dog Town Fork Red River - from a point 100 meters (110 yards) upstream of the confluence of Salt Fork Creek in Armstrong County to Lake Tanglewood Dam in Randall County

Segment Type Freshwater Stream

AU_ID: 0229_01 *Upper Prairie Dog Town Fork Red River from a point 100 m (110 yds) upstream of the confluence of Salt Creek upstream to the Palo Duro Canyon State Park northern boundary*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10191; 13772

AU_ID: 0229_02 *Upper Prairie Dog Town Fork Red River from the Palo Duro Canyon State Park northern boundary upstream to Tanglewood Dam*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 18317; 20801

SegID: 0229A Lake Tanglewood

Lake Tanglewood - from the dam up to the Palisades neighborhood

Segment Type Reservoir

AU_ID: 0229A_01 *Lake Tanglewood from the dam up to the Palisades neighborhood*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 10192

SegID: 0230 Pease River

Pease River - from the confluence with the Red River in Wilbarger County upstream to the confluence with Canal Creek at the Hardeman-Foard county line

Segment Type Freshwater Stream

AU_ID: 0230_01 *Pease River from the confluence of the Red River upstream to the confluence of Paradise Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 10165; 10166

AU_ID: 0230_02 *Pease River from the confluence of Paradise Creek upstream to the confluence of Canal Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): No Stations

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0230A Paradise Creek

Paradise Creek - from the confluence of the Pease River east of Vernon upstream to the headwater 500m west of the intersection of US 70 and Foard CR 233

Segment Type Freshwater Stream

AU_ID: 0230A_01 *Paradise Creek from the confluence of the Pease River east of Vernon upstream to a point 400m upstream of the intersection of FM 433 and Wilbarger CR 97*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 10094; 17600

SegID: 0299A Sweetwater Creek

Sweetwater Creek - from the Oklahoma State Line upstream to the headwaters SW of the intersection of Gray CR 1268 and CR 748

Segment Type Freshwater Stream

AU_ID: 0299A_01 *Sweetwater Creek from the Oklahoma State Line upstream to the confluence of Graham Creek south of Mobeetie*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 10072; 10074

SegID: 0301 Sulphur River Below Wright Patman Lake

From the Arkansas State Line in Bowie/Cass County to Wright Patman Lake Dam in Bowie/Cass County

Segment Type Freshwater Stream

AU_ID: 0301_01 *From the Arkansas state line approximately 9 miles upstream to the unnamed creek at NHD RC 11140302004559*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13783

AU_ID: 0301_02 *From the unnamed creek at NHD RC 11140302004559 approximately 10 miles to Wright Patman Lake Dam*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10212

SegID: 0301A Akin Creek

From the confluence with the Sulphur River in Bowie County below Lake Wright Patman to 1 kilometer (.6 miles) south of US HWY 82

Segment Type Freshwater Stream

AU_ID: 0301A_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 18356

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0302 Wright Patman Lake

From Wright Patman Lake Dam in Bowie/Cass County to a point 1.5 kilometers (0.9 miles) downstream of Bassett Creek in Bowie/Cass County, up to the normal pool elevation of 226.4 feet (impounds the Sulphur River)

Segment Type Reservoir

AU_ID: 0302_01 800 acres near dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 14097; 14098**AU_ID:** 0302_02 300 acres at International Paper intake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 16859**AU_ID:** 0302_03 1600 acres southwest of dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10213**AU_ID:** 0302_04 500 acres in the northeast corner of lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 15061**AU_ID:** 0302_05 200 acres in the northwestern tip of lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 14099**AU_ID:** 0302_06 Big Creek arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 14100; 16860**AU_ID:** 0302_07 4000 acres mid-lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 14101; 14102**AU_ID:** 0302_08 1600 acres in upper mid-lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 14103**AU_ID:** 0302_09 5000 acres mid-lake, below Hwy 8

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 16205; 16857

2014 Texas Integrated Report - Water Bodies Evaluated

AU_ID: 0302_10 4000 acres in upper portion of lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10214; 16858

SegID: 0302A Big Creek

Intermittent stream with perennial pools from FM 2149 up to 1.3 kilometers south of U.S. 82 south-east of New Boston

Segment Type Freshwater Stream

AU_ID: 0302A_02 From the confluence with NHD RC 11140302004386 upstream 24.3 km (15.1 mi) to the headwaters near I30 and WQS Appendix D portion of the water body.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Intermediate	Previous TCEQ Permit Decision

Station ID(s): 16864

SegID: 0302B Boone Creek

From the confluence with Wright Patman Lake upstream to approximately 3.5 miles north of highway 67 in Bowie County

Segment Type Freshwater Stream

AU_ID: 0302B_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 17326; 18824

SegID: 0302C Anderson Creek

From Lake Wright Patman upstream 88.6 km (55 mi) to the headwaters near US HWY 82

Segment Type Freshwater Stream

AU_ID: 0302C_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Intermediate	Previous TCEQ Permit Decision

Station ID(s): 16863; 20765; 20935

SegID: 0302D Caney Creek

From the confluence with Big Creek in Bowie County to approximately 1.5 kilometers south of US HWY 82

Segment Type Freshwater Stream

AU_ID: 0302D_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 18556

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0302E Rice Creek

From the confluence with Anderson Creek in Bowie County upstream to the dam of TP Lake west of New Boston

Segment Type Freshwater Stream

AU_ID: 0302E_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 15947; 18555

SegID: 0302G TP Lake

Impounds the portion of Rice Creek 0.02 kilometers south of US 82 in Bowie County extending to the dam

Segment Type Reservoir

AU_ID: 0302G_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 20813

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0303 Sulphur/South Sulphur River

From a point 1.5 kilometers (0.9 miles) downstream of Bassett Creek in Bowie/Cass County to Jim L. Chapman Dam (formerly Cooper Lake dam) in Delta/Hopkins County

Segment Type Freshwater Stream

AU_ID: 0303_01 *Portion of the Sulphur/South Sulphur River from Lake Wright Patman upstream approximately 29 km (18 mi) to the confluence with White Oak Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10215

AU_ID: 0303_02 *Portion of the Sulphur/South Sulphur River from the confluence of White Oak Creek approximately 44 km (27 mi) upstream to the confluence with the Roden Creek.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10216

AU_ID: 0303_03 *Portion of the Sulphur/South Sulphur River from the confluence with Roden Creek approximately 44 km (27 mi) upstream to the confluence with the Cottonwood Slough .*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10217

AU_ID: 0303_04 *Portion of the Sulphur/South Sulphur River from the confluence with Cottonwood Slough approximately 41.5 km (26 mi) upstream to the confluence with the North Sulphur River.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10218; 10219; 10220

AU_ID: 0303_05 *Portion of the Sulphur/South Sulphur River from the confluence with the North Sulphur River approximately 43 km (26.5 mi) upstream to Jim L. Chapman Dam (formerly Cooper Lake dam)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10221; 10222

SegID: 0303A Big Creek Lake

From Big Creek Dam up to normal pool elevation of 458 feet north of Cooper (impounds Big Creek)

Segment Type Reservoir

AU_ID: 0303A_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 16856

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0303B White Oak Creek

From the confluence of the Sulphur River north of Naples in Morris County to the upstream perennial portion of the stream east of Sulphur Springs in Hopkins County

Segment Type Freshwater Stream

AU_ID: 0303B_01 *Portion of White Oak Creek from the confluence with the South Sulphur River approximately 40 km (25 mi) upstream to the confluence with Lacy Creek.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 10198; 16697

AU_ID: 0303B_02 *Portion of White Oak Creek from the confluence with the Lacy Creek approximately 42 km (26 mi) upstream to the confluence with Ripley Creek.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): No Stations

AU_ID: 0303B_03 *Portion of White Oak Creek from the confluence with the Ripley Creek approximately 42 km (26 mi) upstream to Stouts Creek.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 10199

AU_ID: 0303B_04 *Portion of White Oak Creek from the confluence with the Stouts Creek approximately 46 km (28 mi) upstream to Midget Creek.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 10201; 20099

SegID: 0303D Rock Creek

From the confluence with White Oak Creek to the southwest corner of Hughes Springs approximately 2 miles southeast of the intersection of I-30 and State Hwy 19

Segment Type Freshwater Stream

AU_ID: 0303D_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Intermediate	Presumption from Flow Type

Station ID(s): 10200

SegID: 0303E East Caney Creek

From the confluence with White Oak Creek to just east of Como in southeastern Hopkins County

Segment Type Freshwater Stream

AU_ID: 0303E_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 17909

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0303F Stouts Creek

From the confluence with White Oak Creek to approximately 7 miles due east of Como in Hopkins County

Segment Type Freshwater Stream

AU_ID: 0303F_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 17907; 18189

SegID: 0303L Kickapoo Creek

From the confluence with Cuthand Creek in Titus County to 1.6 kilometers (1 mile) south of FM 114

Segment Type Freshwater Stream

AU_ID: 0303L_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 17342

SegID: 0303M Smackover Creek

From the confluence of White Oak Creek upstream to the headwaters at an impoundment 1.8 kilometers upstream of FM1001 in Titus County

Segment Type Freshwater Stream

AU_ID: 0303M_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): No Stations

SegID: 0303N Horse Creek

From the confluence of White Oak Creek upstream to a small impoundment 0.2 kilometers northeast of the intersection of Highway 67 and FM 1993 in Titus County

Segment Type Freshwater Stream

AU_ID: 0303N_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): No Stations

SegID: 0304 Days Creek

From the Arkansas State Line in Bowie County to the confluence of Swampoodle Creek and Nix Creek in Bowie County.

Segment Type Freshwater Stream

AU_ID: 0304_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 10226; 10227; 10228; 10229; 14432

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0304A Swampoodle Creek

From the confluence of Days Creek in central Texarkana in Bowie County to the upstream perennial portion of the stream in northern Texarkana in Bowie County

Segment Type Freshwater Stream

AU_ID: 0304A_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 10211; 15256; 15342; 15786

SegID: 0304B Cowhorn Creek

From the confluence of Wagner Creek in southern Texarkana in Bowie County to the upstream perennial portion of the stream in northern Texarkana in Bowie County

Segment Type Freshwater Stream

AU_ID: 0304B_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 15254; 17324

SegID: 0304C Wagner Creek

Perennial stream from the confluence with Days Creek to a point 1.5 km upstream of IH 30

Segment Type Freshwater Stream

AU_ID: 0304C_01 Entire water body and WQS Appendix D portion of the water body.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 14431; 14475; 17325; 18355

SegID: 0304D Nix Creek

From the confluence with Swampoodle Creek to 1.6 kilometers (1 mile) directly east of the intersection of US HWY 271 and I30

Segment Type Freshwater Stream

AU_ID: 0304D_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 10210

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0305 North Sulphur River

From the confluence with the South Sulphur River in Lamar County to a point 6.7 km (4.2 miles) upstream of FM 68 in Fannin County

Segment Type Freshwater Stream

AU_ID: 0305_01 Portion of the North Sulphur River from the confluence with the Sulphur/South Sulphur upstream approximately 41 km (25 mi) to Morrison Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 10230; 10231

AU_ID: 0305_02 Portion of the North Sulphur River from the confluence with Morrison Creek upstream approximately 37 km (23 mi) to the headwaters.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 17613; 18844; 18846

SegID: 0305B Auds Creek

From the confluence with the North Sulphur River in Lamar County to 2 kilometers (1.2 miles) south of US HWY 82

Segment Type Freshwater Stream

AU_ID: 0305B_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 10197

SegID: 0305D Big Sandy Creek

From the confluence with the North Sulphur River in Lamar County to .4 kilometers (.2 miles) Of US HWY 82 Business in Paris

Segment Type Freshwater Stream

AU_ID: 0305D_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 10205

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0306 Upper South Sulphur River

From a point 1.0 km (0.6 miles) upstream of SH 71 in Delta/Hopkins County to SH 78 in Fannin County

Segment Type Freshwater Stream

AU_ID: 0306_01 *Portion of the Upper South Sulphur River from a point 1 km (.6 mi) upstream of SH 71 upstream approximately 10 km (6 mi) to Dunbar Creek.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s):

AU_ID: 0306_02 *Portion of the Upper South Sulphur River from the confluence with Dunbar Creek approximately 42 km (26 mi) to Hickory Creek..*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s):

AU_ID: 0306_03 *Portion of the Upper South Sulphur River from the confluence with Hickory Creek approximately 19 km (12 mi) to SH 71.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s):

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0307 Jim L. Chapman Lake (formerly Cooper Lake)

From Jim L. Chapman Dam to a point 1.0 kilometers (0.7 mile) upstream of SH 71 on the South Sulphur River arm and 300 meters (275 yards) below the confluence of Barnett Creek on the Middle Sulphur River arm, up to a conservation pool elevation of 440 feet

Segment Type Reservoir

AU_ID: 0307_01 Lower 5000 acres near dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s):

AU_ID: 0307_02 Lower 3000 acre Doctors Creek arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s):

AU_ID: 0307_03 Middle 5000 acres

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s):

AU_ID: 0307_04 Middle 2000 acre Johns Creek arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s):

AU_ID: 0307_05 Middle 1000 acres near Finley Branch

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s):

AU_ID: 0307_06 Upper 3305 Acres in the headwaters

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s):

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0401 Caddo Lake

From the Louisiana State Line in Harrison/Marion County to a point 12.3 km (7.6 miles) downstream of SH 43 in Harrison/Marion County, up to pool elevation of 168.5 feet (impounds Big Cypress Creek)

Segment Type Reservoir

AU_ID: 0401_01 Lower 5000 acres

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10281; 10282; 10283; 10284; 15024; 15025

AU_ID: 0401_02 Harrison Bayou arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10285; 10286; 10287; 14946; 16365

AU_ID: 0401_03 Goose Prairie arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10288; 10289; 15275; 16364

AU_ID: 0401_05 Clinton Lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 14236

AU_ID: 0401_07 Mid-lake near Uncertain

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10291; 10292; 10293; 15249; 17867; 20109

SegID: 0401A Harrison Bayou

From the confluence of Caddo Lake east of Karnack in Harrison County to the upstream perennial portion of the stream east of Marshall in Harrison County

Segment Type Freshwater Stream

AU_ID: 0401A_01 From Caddo Lake upstream 21.8 km (13.5 mi) to the confluence with NHD RC 11140306000177, an unnamed tributary approximately 2 km downstream from FM 1998

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 15506; 15508; 15509

SegID: 0401B Kitchen Creek

From the confluence with Clinton Lake to near Payne in Marion County

Segment Type Freshwater Stream

AU_ID: 0401B_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 14998; 14999

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0402 Big Cypress Creek Below Lake O' the Pines

From a point 12.3 km (7.6 miles) downstream of SH 43 in Harrison/Marion County to Ferrell's Bridge Dam in Marion County

Segment Type Freshwater Stream

AU_ID: 0402_01 *From the confluence with Caddo Lake upstream 15 km (9 mi) to Haggerty Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10294; 10295; 15022; 15023; 15248

AU_ID: 0402_02 *From the confluence with Haggerty Creek upstream 25 km (15.5 mi) to the confluence with Black Cypress Bayou.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 14471; 15510; 16254; 20635

AU_ID: 0402_03 *From the confluence with Black Cypress Bayou upstream 23.8 km (14.7 mi) to French Creek.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 15136; 15511; 20108

AU_ID: 0402_04 *From the confluence with French Creek upstream 13 km (8 mi) to Lake O' the Pines*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13630; 15135

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0402A Black Cypress Bayou (Creek)

Perennial stream from the confluence with Big Cypress in Marion County up to 7.5 miles above FM 250 in Cass County.

Segment Type Freshwater Stream

AU_ID: 0402A_01 *From the confluence with Big Cypress Creek upstream 25 km (15.5 mi) to the confluence with White Oak Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10243; 10245

AU_ID: 0402A_02 *From the confluence with White Oak Creek upstream 31.3 km (19.4 mi) to Pruitt Lake*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10244; 16705

AU_ID: 0402A_03 *Pruitt Lake beginning near HWY 155, extending upstream 1.8 km (1.1 mi)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10246

AU_ID: 0402A_04 *From Pruitt Lake 26.4 km (16.4 mi) upstream to the confluence with Kelly Creek in Cass County*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10247

AU_ID: 0402A_05 *An Appendix D intermittent stream with perennial pools from the confluence with Kelly Creek upstream to FM 250 north of the City of Hughes Springs*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	TWQS-Appendix D	high	TWQS-Appendix D

Station ID(s): 10248

SegID: 0402B Hughes Creek

Perennial stream from the confluence with Black Cypress Creek upstream to the confluence with an unnamed first order tributary approximately 0.5 km downstream of FM 250

Segment Type Freshwater Stream

AU_ID: 0402B_01 *Entire water body and WQS Appendix D portion of the water body.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	WQS/Permits program	High	TWQS-Appendix D

Station ID(s): 16258; 16936

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0402C Haggerty Creek

From the confluence with Big Cypress Bayou to approximately 6 miles east of Marshall in Harrison County

Segment Type Freshwater Stream

AU_ID: 0402C_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 14997; 16253

SegID: 0402E Kelly Creek

From the confluence with Black Cypress Creek in Cass County, north to approximately 2 miles southwest of where State HWY 338 and US HWY 259 merge

Segment Type Freshwater Stream

AU_ID: 0402E_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 16934

SegID: 0403 Lake O' the Pines

From Ferrell's Bridge Dam in Marion County to a point 1.0 km (0.6 miles) downstream of US 259 in Morris/Upshur County, up to normal pool elevation of 228.5 feet (impounds Big Cypress Creek)

Segment Type Reservoir

AU_ID: 0403_01 Lower 5000 acres

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10296; 13974; 13975; 13976; 13978; 16448; 16452; 17967; 17968

AU_ID: 0403_02 Middle 5000 acres

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 13977; 13979; 16156; 16449; 16450

AU_ID: 0403_03 Middle 5000 acres below Hwy 155

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10297

AU_ID: 0403_04 Upper 3700 acres

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10298; 10300; 13980; 16868; 17087

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0404 Big Cypress Creek Below Lake Bob Sandlin

From a point 1.0 km (0.6 miles) downstream of US 259 in Morris/Upshur Counties to Fort Sherman Dam in Camp/Titus Counties

Segment Type Freshwater Stream

AU_ID: 0404_01 *From the confluence with Lake O' the Pines upstream 24 km (14.9 mi) to the confluence with an unnamed tributary NHD RC 11140305002717*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 10302; 10303; 10304; 10305; 10306; 13631; 15257; 16458

AU_ID: 0404_02 *From the confluence with an unnamed tributary NHD RC 11140305002717 upstream 37.2 km (23 mi) to Lake Bob Sandlin*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 10307; 10308; 10309; 10310; 10311; 16457; 16460

SegID: 0404A Ellison Creek Reservoir

From the Morris County Dam up to normal pool elevation near Lone Star in Morris County (impounds Ellison Creek)

Segment Type Reservoir

AU_ID: 0404A_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 14473; 14994; 18767; 18768; 18769; 18770; 18771; 18772; 18773; 18774; 18775; 18776; 18777; 18778; 18779; 18780

SegID: 0404B Tankersley Creek

Perennial stream from the confluence with Big Cypress Creek upstream to the confluence with an unnamed tributary 250 meters upstream of IH 30

Segment Type Freshwater Stream

AU_ID: 0404B_01 *From the confluence with Big Cypress Creek upstream 16.1 km (10 mi) to Tankersley Lake. WQS Appendix D portion of the creek.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 10261; 10263; 10264; 15513

SegID: 0404C Hart Creek

Perennial stream from the confluence with Big Cypress Creek upstream to 0.2 km upstream of FM 1402

Segment Type Freshwater Stream

AU_ID: 0404C_01 *Entire water body and WQS Appendix D portion of the water body.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 10266; 10271; 10272; 10273; 16467

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0404E Dry Creek

Perennial stream from the confluence with Big Cypress Creek upstream to the confluence of Mile Branch and Little Creek

Segment Type Freshwater Stream

AU_ID: 0404E_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 10274; 10275; 16461

SegID: 0404J Prairie Creek

From the confluence with Big Cypress Creek to Bennett Lake, south of Pittsburg in Camp County

Segment Type Freshwater Stream

AU_ID: 0404J_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 15836; 15837

SegID: 0404K Walkers Creek

From the confluence with Big Cypress Creek to approximately 2 miles west of Pittsburg in Camp County

Segment Type Freshwater Stream

AU_ID: 0404K_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type

Station ID(s): 16454; 16714

SegID: 0404N Lake Daingerfield

Southeast of the City of Daingerfield in Daingerfield State Park in Morris County

Segment Type Reservoir

AU_ID: 0404N_01 Entire reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 17337

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0405 Lake Cypress Springs

From Franklin County Dam in Franklin County up to the normal pool elevation of 378 feet (impounds Big Cypress Creek)

Segment Type Reservoir

AU_ID: 0405_01 *From the confluence with an unnamed tributary NHD RC 11140305002717 upstream 37.2 km (23 mi) to Lake Bob Sandlin*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10312; 17868; 17869; 17870; 17871

AU_ID: 0405_02 *Upper 2600 acres*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10313; 16937; 16939; 17634; 17872; 20107; 20346

AU_ID: 0405_03 *Panther Arm*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 15741; 16938; 16940; 17518; 17548

SegID: 0405A Big Cypress Creek

From the confluence with Lake Cypress springs in Franklin County, to approximately 5 miles west of State HWY 37

Segment Type Freshwater Stream

AU_ID: 0405A_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 15260

SegID: 0405B Panther Creek

From the confluence with Lake Cypress springs in Franklin County, to approximately .25 miles west of State HWY 37

Segment Type Freshwater Stream

AU_ID: 0405B_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 17322

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0406 Black Bayou

From the Louisiana State Line in Cass County to FM 96 in Cass County

Segment Type Freshwater Stream

AU_ID: 0406_01 *Black Bayou from the LA state line upstream 19.1 km (11.8 mi) to the confluence with Hurricane Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 10314; 10315**AU_ID: 0406_02** *From the confluence with Hurricane Creek upstream 28.6 km (17.7 mi) to NHD RC 11140304000881 near FM 96*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 10316; 10317; 10318; 16157

SegID: 0407 James' Bayou

From the Louisiana State Line in Marion County to Club Lake Road northwest of Linden in Cass County

Segment Type Freshwater Stream

AU_ID: 0407_01 *From the LA state line upstream 31.6 km (19.6 mi) to the confluence with Bear Creek.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10319; 14976**AU_ID: 0407_02** *From the confluence with Bear Creek upstream 29.8 km (18.5 mi) to approximately 2 km north of HWY 11*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10320; 10321; 10322; 10323; 10324; 10325; 10326; 10327; 10328; 18200

SegID: 0407B Frazier Creek

From the confluence with James Bayou to approximately 4 miles northwest of SH 8 near Red Hill in Cass County

Segment Type Freshwater Stream

AU_ID: 0407B_01 *From the confluence with James' Bayou upstream 38.6 km (23.9 mi) to the confluence with NHD RC 11140306000019 near HWY 59*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 10258; 10259**AU_ID: 0407B_02** *From the confluence with the confluence with NHD RC 11140306000019 near HWY 59 upstream 24.7 km (15.3 mi) to the headwaters*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 15838; 17619; 18201

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0408 Lake Bob Sandlin

From Fort Sherman Dam in Camp/Titus County to Franklin County Dam in Franklin County up to normal pool elevation of 337.5 feet (impounds Big Cypress Creek)

Segment Type Reservoir

AU_ID: 0408_01 Lower 2000 acres near dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10329; 17059; 17060

AU_ID: 0408_02 Middle 4460 acres

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10330

AU_ID: 0408_03 Upper 3000 acres

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 16158; 20034

SegID: 0408A Lake Monticello

Reservoir southwest of Mt. Pleasant in Titus County

Segment Type Reservoir

AU_ID: 0408A_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 10278; 17345

SegID: 0408C Brushy Creek

From the confluence with Lake Bob Sandlin in Franklin County to Winnsboro at State HWY 37

Segment Type Freshwater Stream

AU_ID: 0408C_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 15261

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0409 Little Cypress Bayou (Creek)

From the confluence of Big Cypress Creek in Harrison/Marion County to a point 1.0 km (0.6 miles) upstream of FM 2088 in Wood County

Segment Type Freshwater Stream

AU_ID: 0409_01 *From the confluence with Big Cypress Creek upstream 41 km (25.4 mi) to the confluence with Lawrence Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10331; 10332

AU_ID: 0409_02 *From the confluence with Lawrence Creek upstream 29.2 km (18.1 mi) to the confluence with NHD RC 11140307000368*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 15773

AU_ID: 0409_03 *From the confluence with NHD RC 11140307000368 upstream 52.2 km (32.6 mi) to the confluence with Kelsey Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10333; 10334; 10335; 16861

AU_ID: 0409_04 *From the confluence with NHD RC 11140307001531 upstream 41.1 km (29.2 mi) to the headwaters at FM 2088*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 14975; 16017

SegID: 0409A Lilly Creek

From the confluence with Little Cypress Creek to the Camp County line near Lawton in Upshur County.

Segment Type Freshwater Stream

AU_ID: 0409A_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 15833; 15834; 15835

SegID: 0409B South Lilly Creek

From the confluence of Lilly Creek to approximately 2 miles west of FM 1647

Segment Type Freshwater Stream

AU_ID: 0409B_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 17953; 17954

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0409D Lake Gilmer

Unclassified reservoir bisecting Kelsey Creek, approximately 2 miles west of US Hwy 271 and 1 mile south of Little Cypress Bayou.

Segment Type Reservoir

AU_ID: 0409D_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 17478; 18825

SegID: 0409E Clear Creek

From the confluence with Little Cypress Creek in Upshur County to 1 kilometer (.6 miles) west of US HWY 271

Segment Type Freshwater Stream

AU_ID: 0409E_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 18590

SegID: 0501 Sabine River Tidal

Sabine River Tidal - from the confluence with Sabine Lake in Orange County to West Bluff in Orange County

Segment Type Tidal Stream

AU_ID: 0501_01 Sabine River tidal from the confluence of Sabine Lake upstream to confluence of Adams Bayou Tidal

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 10391; 10392; 10393

AU_ID: 0501_02 Sabine River tidal from the confluence of Adams Bayou Tidal upstream to the confluence of Little Cypress Bayou

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 10394; 18055; 18056

AU_ID: 0501_03 Sabine River tidal from the confluence of Little Cypress Bayou upstream to the confluence of Old River at West Bluff

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 18454

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0501B Little Cypress Bayou

Little Cypress Bayou - from the confluence of the Sabine River upstream to the headwater near the intersection of S Teal Rd and Dunromin Rd north of Orange

Segment Type Tidal Stream

AU_ID: 0501B_01 *Little Cypress Bayou from the confluence of the Sabine River upstream to a point 340m downstream of 16th St in Orange*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s):

AU_ID: 0501B_02 *Little Cypress Bayou from a point 340m downstream of 16th St in Orange upstream to the confluence of an unnamed stream 100m downstream of Little Cypress Dr*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s):

AU_ID: 0501B_03 *Little Cypress Bayou from the confluence of an unnamed stream 100m downstream of Little Cypress Dr upstream to the headwater near the intersection of S Teal Rd and Dunromin Rd north of Orange*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s):

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0502 Sabine River Above Tidal

Sabine River Above Tidal - from West Bluff in Orange County to the confluence with Caney Creek in Newton County

Segment Type Freshwater Stream

AU_ID: 0502_01 *Sabine River from the confluence of Old River at West Bluff upstream to the confluence of Indian Bayou*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10395; 18417; 18455

AU_ID: 0502_02 *Sabine River from the confluence of Indian Bayou upstream to the confluence of Cypress Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10397

AU_ID: 0502_03 *Sabine River from the confluence of Cypress Creek upstream to the confluence of Nichols Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

AU_ID: 0502_04 *Sabine River from the confluence of Nichols Creek upstream to the confluence of Big Cow Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

AU_ID: 0502_05 *Sabine River from the confluence of Big Cow Creek upstream to the confluence of Caney Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

SegID: 0502A Nichols Creek

Nichols Creek from the confluence of the Sabine River upstream to the headwater at FM 1013 northwest of Kirbyville

Segment Type Freshwater Stream

AU_ID: 0502A_01 *Nichols Creek from the confluence of the Sabine River upstream to the headwater at FM 1013 northwest of Kirbyville*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 15652

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0502B Caney Creek

Caney Creek - perennial stream from the Sabine River upstream to the confluence with Martin Branch

Segment Type Freshwater Stream

AU_ID: 0502B_02 *Caney Creek an Appendix D perennial stream from the Davison St crossing in Newton upstream to the confluence of Martin Branch*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 17464

SegID: 0502E Cypress Creek

Cypress Creek - from the confluence of the Sabine River up to the headwater 500m south of FM 82 east of Kirbyville

Segment Type Freshwater Stream

AU_ID: 0502E_01 *Cypress Creek from the confluence of the Sabine River up to the headwater 500m south of FM 82 east of Kirbyville*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 10342

SegID: 0503 Sabine River Above Caney Creek

Sabine River Above Caney Creek - from a point immediately upstream of the confluence with Caney Creek in Newton County up to Toledo Bend Dam in Newton County

Segment Type Freshwater Stream

AU_ID: 0503_01 *Sabine River from the confluence of Caney Creek upstream to the confluence of Anacoco Bayou*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10398; 17063; 17433; 18428; 18429

AU_ID: 0503_02 *Sabine River from the confluence of Anacoco Bayou upstream to the confluence of Little Cow Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 17432

AU_ID: 0503_03 *Sabine River from the confluence of Little Cow Creek upstream to the Toledo Bend Dam*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10399; 10400; 10401

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0503D Little Cow Creek

Little Cow Creek - from the confluence of the Sabine River upstream to the headwater 4.4 km upstream of SH 255 crossing

Segment Type Freshwater Stream

AU_ID: 0503D_01 *Little Cow Creek from the confluence of the Sabine River upstream to the confluence of McGraw Creek*

Flow Type

perennial

Flow Type Source

Routine Flow Data

ALU Designation

High

ALU Designation Source

Presumption from Flow Type

Station ID(s):

14969

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0504 Toledo Bend Reservoir

Toledo Bend Reservoir - from Toledo Bend Dam in Newton County to a point immediately upstream of the confluence of Murvaul Creek in Panola County, up to the normal pool elevation of 172 feet (impounds Sabine River)

Segment Type Reservoir

AU_ID: 0504_01 *Toledo Bend Reservoir from the dam up to a line from Louisiana State Park #15 (LA) west to near Pleasure Bend Rd (TX)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10404; 16696

AU_ID: 0504_02 *Toledo Bend Reservoir Six Mile Bay, including Sandy Creek arm, from near Lakeview Rd on the northside peninsula to near Pleasure Bend Rd on the southside peninsula*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10407

AU_ID: 0504_03 *Toledo Bend Reservoir Sunshine Bay arm, including Spring Hill Bay, from Alpine Marina on the northside peninsula to New Haven Rd on the southside peninsula*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10411

AU_ID: 0504_04 *Toledo Bend Reservoir from a line from Cypress Bend Golf Resort (LA) west to Alpine Marina (TX) up to a line from North Toledo Bend State Park (LA) southwest to Carter's Ferry Rd north of Patroon Bayou (TX)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10402

AU_ID: 0504_05 *Toledo Bend Reservoir Patroon Bayou arm from Carter's Ferry Rd on northside peninsula to Elma Ln on southside peninsula*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 15655

AU_ID: 0504_06 *Toledo Bend Reservoir from a line from the confluence of Ten Acre Creek (LA) west to Shelby CR 2000 near Huxley, TX up to a line from the confluence of Pen Bayou (LA) west to the confluence of Tenaha Bayou (TX)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10412; 20283

AU_ID: 0504_07 *Toledo Bend Reservoir from a line from the confluence of Pen Bayou (LA) west to the confluence of Tenaha Bayou (TX) up to a point immediately upstream of the confluence of Murvaul Creek, up to the normal pool elevation of 172 feet*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10403; 18051

2014 Texas Integrated Report - Water Bodies Evaluated

AU_ID: 0504_08 *Toledo Bend Reservoir Bayou Negreet (Louisiana) from Lake Vista Dr on the northside peninsula to Laura Ln on the southside peninsula*

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 18054

AU_ID: 0504_09 *Toledo Bend Reservoir Bayou San Miguel (Louisiana) from North Toledo Bend State Park Rd on northside peninsula to Aspen St on southside peninsula*

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 15656; 18053

AU_ID: 0504_10 *Toledo Bend Reservoir Bayou San Patricio (Louisiana)*

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 15657

AU_ID: 0504_11 *Toledo Bend Reservoir from a line from North Toledo Bend State Park (LA) southwest to Carter's Ferry Rd north of Patroon Bayou (TX) up to a line from the confluence of Ten Acre Creek (LA) west to Shelby CR 2000 near Huxley, TX*

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 18052

AU_ID: 0504_12 *Toledo Bend Reservoir from a line from Louisiana State Park #15 (LA) west to Pleasure Bend Rd (TX) up to Cypress Bend Golf Resort (LA) west to Alpine Marina (TX)*

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): No Stations

AU_ID: 0504_13 *Toledo Bend reservoir Bayou La Nana (Louisiana) from Aspen St on the northside peninsula to Jamie Ln near Merritt Mountain on the southside peninsula*

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 15659

SegID: 0504C Palo Gaucho Bayou

Palo Gaucho Bayou - from the confluence of Toledo Bend Reservoir upstream to the headwater 300 m south of FM 353 northeast of San Augustine

Segment Type Freshwater Stream

AU_ID: 0504C_01 *Palo Gaucho Bayou from the confluence of Toledo Bend Reservoir upstream to the headwater 300 m south of FM 353 northeast of San Augustine*

<u>Flow Type</u> perennial	<u>Flow Type Source</u> Routine Flow Data	<u>ALU Designation</u> High	<u>ALU Designation Source</u> Presumption from Flow Type
-------------------------------	--	--------------------------------	---

Station ID(s): 16695

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0504E Clear Lake

Clear Lake - an oxbow lake 12 miles northwest of Logansport, LA

Segment Type Reservoir

AU_ID: 0504E_01 Clear Lake an oxbow lake 12 miles northwest of Logansport, LA

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 18426

SegID: 0505 Sabine River Above Toledo Bend Reservoir

Sabine River Above Toledo Bend Reservoir - from a point immediately upstream of the confluence of Murvaul Creek in Panola County to a point 100 meters (110 yards) downstream of US 271 in Gregg County

Segment Type Freshwater Stream

AU_ID: 0505_01 Sabine River from a point immediately upstream of the confluence of Murvaul Creek in Panola County upstream to the confluence of Hoggs Bayou 9 km east of Carthage

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10414; 10415; 17995

AU_ID: 0505_02 Sabine River from the confluence of Hoggs Bayou 9 km east of Carthage upstream to the confluence of Irons Bayou 5.9 km north of Carthage

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10416

AU_ID: 0505_03 Sabine River from the confluence of Irons Bayou 5.9 km north of Carthage upstream to the confluence of Hatley Creek 7.7 km north of Tatum

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10417; 10418; 13628

AU_ID: 0505_04 Sabine River from the confluence of Hatley Creek 7.7 km north of Tatum upstream to the confluence of Grace Creek near IH 20 west of Longview

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10419; 10420; 10421; 10422; 10423

AU_ID: 0505_05 Sabine River from the confluence of Grace Creek near IH 20 west of Longview upstream to a point 100 m downstream of US 271 in Gladewater

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10425; 10426; 10427; 15484

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0505B Grace Creek

Grace Creek - perennial stream from the confluence of the Sabine River upstream to the headwater at FM 1844

Segment Type Freshwater Stream

AU_ID: 0505B_02 *Grace Creek an Appendix D perennial stream from an unnamed tributary from Longview WWTP south of Loop 281 upstream to the headwater at FM 1844*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 14499; 16686; 16689

SegID: 0505D Rabbit Creek

Rabbit Creek - perennial stream from the confluence of the Sabine River upstream to the headwater at Smith CR 246 5.7 km northwest of Overton

Segment Type Freshwater Stream

AU_ID: 0505D_01 *Rabbit Creek an Appendix D perennial stream from the confluence of the Sabine River upstream to the confluence of Bighead Creek on the north side of Kilgore*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 10371; 16681

SegID: 0505E Brandy Branch Reservoir

Brandy Branch Reservoir - from the Harrison County Dam up to normal pool elevation of 340 feet southwest of Marshall

Segment Type Reservoir

AU_ID: 0505E_01 *Brandy Branch Reservoir from the Harrison County Dam up to normal pool elevation of 340 feet southwest of Marshall*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 13703; 17571; 17572

SegID: 0505F Martin Creek Reservoir

Martin Creek Reservoir - from Rusk County Dam up to normal pool elevation of 306 feet northeast of Henderson

Segment Type Reservoir

AU_ID: 0505F_01 *Martin Creek Reservoir from Rusk County Dam up to normal pool elevation of 306 feet northeast of Henderson*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 13601; 13602; 17568; 17569; 17570

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0505G Wards Creek

Wards Creek - intermittent stream with perennial pools from the confluence of Sewell Creek upstream to the confluence of an unnamed second order tributary approximately 0.6 km upstream of US 80

Segment Type Freshwater Stream

AU_ID: 0505G_01 Wards Creek an Appendix D intermittent stream with perennial pools from the confluence of Sewell Creek upstream to the confluence of an unnamed second order tributary approximately 0.6 km upstream of US 80

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 15188

SegID: 0505O Hills Lake

Hills Lake - an oxbow lake 13 miles east of Carthage

Segment Type Reservoir

AU_ID: 0505O_01 Hills Lake an oxbow lake 13 miles east of Carthage

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 18422

SegID: 0505P Irons Bayou

Irons Bayou - from the confluence of the Sabine River upstream to the headwater 12 km southeast of Henderson

Segment Type Freshwater Stream

AU_ID: 0505P_01 Irons Bayou from the confluence of the Sabine River upstream to the headwater 12 km southeast of Henderson

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Water body description	Minimal	Presumption from Flow Type

Station ID(s): 10389

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0506 Sabine River Below Lake Tawakoni

Sabine River Below Lake Tawakoni - from a point 100 meters (110 yards) downstream of US 271 in Gregg County to Iron Bridge Dam in Rains County

Segment Type Freshwater Stream

AU_ID: 0506_01 Sabine River from a point 100 m downstream of US 271 in Gladewater upstream to the confluence of Big Sandy Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10428

AU_ID: 0506_02 Sabine River from the confluence of Big Sandy Creek upstream to the confluence of Lake Fork Creek 12 km southeast of Mineola

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10429

AU_ID: 0506_03 Sabine River from the confluence of Lake Fork Creek 12 km southeast of Mineola upstream to the confluence of Grand Saline Creek 7 km west of Mineola

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10430

AU_ID: 0506_04 Sabine River from the confluence of Grand Saline Creek 7 km west of Mineola upstream to the confluence of Mill Creek 9 km northwest of Grand Saline

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 17065

AU_ID: 0506_05 Sabine River from the confluence of Mill Creek 9 km northwest of Grand saline upstream to the Iron Bridge Dam on Lake Tawakoni

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10432

SegID: 0506A Harris Creek

Harris Creek - from the confluence of the Sabine River 5.7 km north of Winona upstream to the headwater near SH 64 east of Tyler

Segment Type Freshwater Stream

AU_ID: 0506A_01 Harris Creek from the confluence of the Sabine River 5.7 km north of Winona upstream to the headwater near SH 64 east of Tyler

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 14500; 17534

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0506C Wiggins Creek

Wiggins Creek - perennial stream from the confluence with Harris Creek upstream to the dam impounding an unnamed reservoir located approximately 3.8 km upstream of FM 2015 northeast of the City of Tyler

Segment Type Freshwater Stream

AU_ID: 0506C_01 Wiggins Creek an Appendix D perennial stream from the confluence with Harris Creek upstream to the dam impounding an unnamed reservoir located approximately 3.8 km upstream of FM 2015 northeast of the City of Tyler

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 14507

SegID: 0506G Little White Oak Creek

Little White Oak Creek - from the confluence of the Sabine River upstream to the headwater upstream of SH 155 and southwest of Gilmer

Segment Type Freshwater Stream

AU_ID: 0506G_01 Little White Oak Creek from the confluence of the Sabine River upstream to the headwater upstream of SH 155 and southwest of Gilmer

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 15986

SegID: 0506H Lake Gladewater

Lake Gladewater - from the dam up to the normal pool elevation of 300.2 ft in north Gladewater

Segment Type Reservoir

AU_ID: 0506H_01 Lake Gladewater from the dam up to the normal pool elevation of 300.2 ft in north Gladewater

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 17062; 17585

SegID: 0506I Lake Hawkins

Lake Hawkins - from the dam upstream to the normal pool elevation of approximately 346 feet northwest of Hawkins

Segment Type Reservoir

AU_ID: 0506I_01 Lake Hawkins from the dam upstream to the normal pool elevation of approximately 346 feet northwest of Hawkins

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 14422; 18512

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0506L Lake Holbrook

Lake Holbrook - from the dam up to the normal pool elevation of 370 feet

Segment Type Reservoir

AU_ID: 0506L_01 Lake Holbrook - from the dam up to the normal pool elevation of 370 feet

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type
Station ID(s):	16956; 18847		

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0507 Lake Tawakoni

Lake Tawakoni - from Iron Bridge Dam in Rains County up to the normal pool elevation of 437.5 feet (impounds Sabine River)

Segment Type Reservoir

AU_ID: 0507_01 *Lake Tawakoni lowermost area of reservoir, including Cedar Cove, from Iron Bridge Dam up to a line from Sun Point near East Tawakoni to Autumn Point near the Hunt/Van Zandt County Line on the west side*

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 10434; 17041

AU_ID: 0507_02 *Lake Tawakoni from a line from Sun Point in East Tawakoni to Autumn Point near the Hunt/Van Zandt County Line on the west side up to a line from Cloud Point in East Tawakoni to Arm Point near West Tawakoni, including Oak Cove*

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 17835

AU_ID: 0507_03 *Lake Tawakoni from a line from Cloud Point in East Tawakoni to Arm Point near West Tawakoni up to a line from Thunder Point on the east side to Ice point on the west side, including Wichita Bay*

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 10437

AU_ID: 0507_04 *Lake Tawakoni Cowleech Fork of Sabine River arm, including Pawnee Inlet, from a line from Thunder Point on the east side to Ice Point on the west side up to the confluence of the Cowleech Fork of the Sabine River at the normal pool elevation of 437.5*

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 10440; 17836

AU_ID: 0507_05 *Lake Tawakoni South Fork Sabine arm, including Kitsee Inlet and Waco Bay, to a line from Finger Point on the north side to Spring Point in Tawakoni State Park on the south side*

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 10435

AU_ID: 0507_06 *Lake Tawakoni Caddo Creek arm, including Caddo Inlet and Hickory Cove, to a line from Ice point on the north side to Rainbow Point near West Tawakoni on the south side*

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 10438

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0507A Cowleech Fork Sabine River

Cowleech Fork - from the confluence of Lake Tawakoni upstream to the headwater northwest of Celeste

Segment Type Freshwater Stream

AU_ID: 0507A_01 *Cowleech Fork from the confluence of Lake Tawakoni upstream to the confluence of Long Branch east of Greenville*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Previous TCEQ Permit Decision

Station ID(s):

AU_ID: 0507A_02 *Cowleech Fork from the confluence of Long Branch east of Greenville upstream to the headwater northwest of Celeste*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	WQS/Permits program	Minimal	Presumption from Flow Type

Station ID(s):

SegID: 0507B Long Branch

Long Branch - from the confluence with Cowleech Fork Sabine River east of Greenville upstream to the headwater northeast of Greenville

Segment Type Freshwater Stream

AU_ID: 0507B_01 *Long Branch from the confluence with Cowleech Fork Sabine River east of Greenville upstream to the headwater northeast of Greenville*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type

Station ID(s):

SegID: 0507G South Fork of Sabine River

South Fork of Sabine River - from the confluence of Lake Tawakoni upstream to the confluence of Parker and Sabine Creeks

Segment Type Freshwater Stream

AU_ID: 0507G_01 *South Fork of Sabine River from the confluence of Lake Tawakoni upstream to the confluence of Parker and Sabine Creeks*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s):

SegID: 0507H Caddo Creek

Caddo Creek - from the confluence of Lake Tawakoni at Caddo Inlet upstream to the confluence of East Caddo and West Caddo Creeks

Segment Type Freshwater Stream

AU_ID: 0507H_01 *Caddo Creek from the confluence of Lake Tawakoni at Caddo Inlet upstream to the confluence of East Caddo and West Caddo Creeks*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s):

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0508 Adams Bayou Tidal

From the confluence with the Sabine River in Orange County to a point 1.1 km (0.7 miles) upstream of IH 10 in Orange County

Segment Type Tidal Stream

AU_ID: 0508_01 Lower 3 miles of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s):

AU_ID: 0508_02 2 mile reach near Western Avenue

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s):

AU_ID: 0508_03 1 mile reach near Green Avenue

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s):

AU_ID: 0508_04 Upper 2 miles of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s):

SegID: 0508A Adams Bayou Above Tidal

From a point 1.1 km (0.7 miles) upstream of IH 10 in Orange County to the upstream perennial portion of the stream northwest of Orange in Orange County

Segment Type Freshwater Stream

AU_ID: 0508A_01 Entire bayou above tidal

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s):

SegID: 0508B Gum Gully

From the confluence of Adams Bayou to the upstream perennial portion of the stream northwest of Orange in Orange County

Segment Type Freshwater Stream

AU_ID: 0508B_01 Entire creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s):

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0508C Hudson Gully

From the confluence with Adams Bayou to the headwaters near US 890 in Pinehurst in Orange County

Segment Type Tidal Stream

AU_ID: 0508C_01 Entire creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type

Station ID(s): 16041

SegID: 0509 Murvaul Lake

Murvaul Lake - from Murvaul Dam in Panola County up to the normal pool elevation of 265.3 feet (impounds Murvaul Bayou)

Segment Type Reservoir

AU_ID: 0509_01 Murvaul Lake from the dam up to the normal pool elevation of 265.3 feet

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10444; 16954; 18438

SegID: 0510 Lake Cherokee

Lake Cherokee - from Cherokee Dam in Gregg/Rusk County up to the normal pool elevation of 280 feet (impounds Cherokee Bayou)

Segment Type Reservoir

AU_ID: 0510_01 Lake Cherokee from the dam in Gregg/Rusk county up to a line at the East Texas Regional Airport runway

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 15514

AU_ID: 0510_02 Lake Cherokee from a line at the East Texas Regional Airport runway up to the normal pool elevation of 280 feet

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 15195

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0511 Cow Bayou Tidal

From the confluence with the Sabine River in Orange County to a point 4.8 km (3.0 miles) upstream of IH 10 in Orange County

Segment Type Tidal Stream

AU_ID: 0511_01 Lower 5 miles

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 10446; 10449; 10451

AU_ID: 0511_02 6 mile reach near FM 105

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 10454; 17877

AU_ID: 0511_03 5 mile reach near FM 1442 (north crossing)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 13781

AU_ID: 0511_04 Upper 4 miles

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

SegID: 0511A Cow Bayou Above Tidal

From a point 4.8 km (3.0 miles) upstream of IH 10 in Orange County to the upstream perennial portion of the stream northeast of Vidor in Orange County

Segment Type Freshwater Stream

AU_ID: 0511A_02 Upper 5.3 miles of above-tidal reach

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): No Stations

SegID: 0511B Coon Bayou

From the confluence with Cow Bayou up to the extent of tidal limit in Orange County

Segment Type Tidal Stream

AU_ID: 0511B_01 Entire tidal reach

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): No Stations

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0511C Cole Creek

From the confluence of Cow Bayou west of Orange in Orange County to the upstream perennial portion of the stream south of Mauriceville in Orange Count

Segment Type Tidal Stream

AU_ID: 0511C_01 Entire tidal reach

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type

Station ID(s): 16060

SegID: 0511E Terry Gully

From the confluence with Cow Bayou in Orange County to the headwaters northeast of Vidor in Orange County

Segment Type Freshwater Stream

AU_ID: 0511E_01 Entire creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 16040

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0512 Lake Fork Reservoir

Lake Fork Reservoir - from Lake Fork Dam in Wood County up to the normal pool elevation of 403 feet (impounds Lake Fork Creek)

Segment Type Reservoir

AU_ID: 0512_01 *Lake Fork from the dam up to the Wood County Electric Cooperative transmission lines on the Lake Fork Creek arm and up to the SH 154 crossing on the Caney Creek arm*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10458; 20178

AU_ID: 0512_02 *Lake Fork from the SH 154 crossing on the Caney Creek arm up to the normal pool elevation of 403 feet*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10461; 18050

AU_ID: 0512_03 *Lake Fork Running Creek arm west of Yantis*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 13704; 16192

AU_ID: 0512_04 *Lower Lake Fork Creek arm from the Wood County Electric Cooperative transmission lines up to the FM 2946 crossing*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10462

AU_ID: 0512_05 *Upper Lake Fork Creek arm from the FM 2946 crossing up to the normal pool elevation of 403 feet*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 16691

AU_ID: 0512_06 *Lake Fork Little Caney Creek arm south of Yantis*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

AU_ID: 0512_07 *Lake Fork Birch Creek arm east of Yantis*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0512A Running Creek

Running Creek - from the confluence of Lake Fork at the Hopkins/Wood County line upstream to the headwater 400 m south of SH 11 southeast of Sulphur Springs

Segment Type Freshwater Stream

AU_ID: 0512A_01 *Running Creek from the confluence of Lake Fork at the Hopkins/Wood County line upstream to the headwater 400 m south of SH 11 southeast of Sulphur Springs*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 14264; 14275

SegID: 0512B Elm Creek

Elm Creek - from the confluence of Lake Fork 375 m downstream of FM 514 upstream to the headwater at Hopkins CR 1110 southwest of Sulphur Springs

Segment Type Freshwater Stream

AU_ID: 0512B_01 *Elm Creek from the confluence of Lake Fork 375 m downstream of FM 514 upstream to the headwater at Hopkins CR 1110 southwest of Sulphur Springs*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 14263; 14479

SegID: 0513 Big Cow Creek

Big Cow Creek - from the confluence with the Sabine River in Newton County to a point 4.6 kilometers (2.9 miles) upstream of R 255 in Newton County

Segment Type Freshwater Stream

AU_ID: 0513_01 *Big Cow Creek from the confluence of the Sabine River southeast of Kirbyville upstream to the confluence of White Oak Creek west of Kirbyville*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10465

AU_ID: 0513_02 *Big Cow Creek from the confluence of White Oak Creek west of Kirbyville upstream to the headwater 4.6 km upstream of RE 255 in Newton County*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0514 Big Sandy Creek

Big Sandy Creek - from the confluence with the Sabine River in Upshur County to a point 2.6 kilometers (1.6 miles) upstream of SH 11 in Hopkins County

Segment Type Freshwater Stream

AU_ID: 0514_01 *Big Sandy Creek from the confluence of the Sabine River southeast of Big Sandy upstream to the confluence of Mill Creek near FM 49 north of Hawkins*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10467; 10468; 16011

AU_ID: 0514_02 *Big Sandy Creek from the confluence of Mill Creek near FM 49 north of Hawkins upstream to the headwater 2.6 km upstream of SH 11 northwest of Winnsboro*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 16867; 17950

SegID: 0515 Lake Fork Creek

Lake Fork Creek - from the confluence with the Sabine River in Wood County to Lake Fork Dam in Wood County

Segment Type Freshwater Stream

AU_ID: 0515_01 *Lake Fork Creek from the confluence of the Sabine River in Wood County upstream to Lake Fork Dam in Wood County east of Quitman*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10469; 10470

SegID: 0515A Lake Quitman

Lake Quitman - from the dam up to the normal pool elevation of 400 feet

Segment Type Reservoir

AU_ID: 0515A_01 *Lake Quitman - from the dam up to the normal pool elevation of 400 feet*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 17948

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0601 Neches River Tidal

From the confluence with Sabine Lake in Orange County to the Neches River Saltwater Barrier, which is at a point 0.8 kilometers (0.5 miles) downstream of the confluence of Pine Island Bayou, in Orange County

Segment Type Tidal Stream

AU_ID: 0601_01 *Lower boundary to top of first oxbow, above Bird Island Bayou confluence at NHD RC 12020003000004*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s):

AU_ID: 0601_02 *Top of first oxbow to top of U.S. Nat'l Defense Reserve Fleet Basin at top of NHD RC 12020003008459*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s):

AU_ID: 0601_03 *Top of U.S. Nat'l Defense Reserve Fleet Basin to top of last oxbow below Kansas City Southern Railroad bridge 0.44km upstream of NHD RC 12020003000013*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	WQS/Permits program	Intermediate	TWQS-Appendix A

Station ID(s):

AU_ID: 0601_04 *Top of last oxbow below Kansas City Southern Railroad bridge to saltwater barrier at NHD RC 12020003000017*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s):

SegID: 0601A Star Lake Canal

North of Groves in Jefferson County

Segment Type Tidal Stream

AU_ID: 0601A_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	WQS/Permits program	High	Presumption from Flow Type

Station ID(s):

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0602 Neches River Below B. A. Steinhagen Lake

From the Neches River Saltwater Barrier, which is at a point 0.8 kilometers (0.5 miles) downstream of the confluence of Pine Island Bayou, in Orange County to Town Bluff Dam in Jasper/Tyler County

Segment Type Freshwater Stream

AU_ID: 0602_01 *From the saltwater barrier upstream to confluence with Village Creek 0608 at NHD RC 12020003000025*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10579; 15343

AU_ID: 0602_02 *From the confluence with Village Creek 0608 upstream to the confluence with Black Branch NHD RC 12020003000695*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10580

AU_ID: 0602_03 *From the confluence with Black Branch upstream to confluence with unnamed tributary at NHD RC 12020003000058*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10581

AU_ID: 0602_04 *From the confluence with unnamed tributary at NHD RC 12020003000058 upstream to Town Bluff Dam*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13626

SegID: 0603 B. A. Steinhagen Lake

From Town Bluff Dam in Jasper/Tyler County to a point immediately upstream of the confluence of Hopson Mill Creek on the Neches River Arm in Jasper/Tyler County and to a point immediately upstream of the confluence of Indian Creek on the Angelina River A

Segment Type Reservoir

AU_ID: 0603_01 *Main pool by dam to include all the area below the US HWY 190 bridge*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10582

AU_ID: 0603_02 *Area above the US HWY 190 bridge to the upper boundaries of the segment at points immediately upstream of confluences Hopson Mill Creek (Neches Arm) and Indian Creek (Angelina Arm)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10583

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0603A Sandy Creek in Jasper County

From the confluence of B.A. Steinhagen Lake southwest of City of Jasper in Jasper County to the confluence of Big and Little Sandy Creeks in City of Jasper in Jasper County

Segment Type Freshwater Stream

AU_ID: 0603A_01 *From the confluence with B.A. Steinhagen Lake upstream to confluence with Little Sandy Creek about 0.5 km downstream of Hwy 776, per WQS App. D*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 10484; 16129

SegID: 0603B Wolf Creek

From the confluence of B. A. Steinhagen Lake southeast of Colmesneil in Tyler County to the upstream perennial portion of the stream south of Colmesneil in Tyler County

Segment Type Freshwater Stream

AU_ID: 0603B_01 *From the confluence of B.A. Steinhagen Lake upstream to Lake Amanda Dam.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 15344

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0604 Neches River Below Lake Palestine

From a point immediately upstream of the confluence of Hopson Mill Creek in Jasper/Tyler County to Blackburn Crossing Dam in Anderson/Cherokee County

Segment Type Freshwater Stream

AU_ID: 0604_01 *Lower boundary to a point immediately upstream of confluence of Biloxi Creek 0604M at NHD RC 12020002001061*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10584; 10585

AU_ID: 0604_02 *From the confluence of Biloxi Creek (0604M) upstream to the upper confluence of Old River at NHD RC 12020002000037*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10586; 13531; 13532

AU_ID: 0604_03 *From the upper confluence of Old River upstream to the confluence with Cedar Creek in Cherokee County at NHD RC 12020002000085 near Hargrove Lake*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10587; 17067

AU_ID: 0604_04 *From the confluence with Cedar Creek in Cherokee County near Hargrove lake upstream to the confluence with Beech Creek in Anderson County at NHD RC 12020001006717*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10588; 10589; 14794

AU_ID: 0604_05 *From the confluence with Beech Creek in Anderson County upstream to the Blackburn Crossing Dam*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10590; 10591; 13627

SegID: 0604A Cedar Creek

From the confluence of the Neches River southwest of Lufkin in Angelina County to the upstream perennial portion of the stream in Lufkin in Angelina County

Segment Type Freshwater Stream

AU_ID: 0604A_02 *From the confluence with Jack Creek (0604C) upstream to confluence with unnamed tributary adjacent to State Loop 287, per App. D in WQS, at NHD RC 12020002000436*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 10478; 10479; 13527; 13528; 16149

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0604B Hurricane Creek

Perennial stream from the confluence with Cedar Creek to the confluence of two unnamed tributaries 100 meters upstream of SH Loop 287 in Lufkin

Segment Type Freshwater Stream

AU_ID: 0604B_01 *From the confluence with Cedar Creek (0604A) upstream to confluence with unnamed tributary 100m above State Loop 287 in Lufkin, per WQS App. D, at NHD RC 12020002000043*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 10487; 13529

SegID: 0604C Jack Creek

From the confluence of Cedar Creek southwest of Lufkin in Angelina County to the upstream perennial portion of the stream in northeast Lufkin in Angelina County

Segment Type Freshwater Stream

AU_ID: 0604C_01 *From the confluence with Cedar Creek (0604A) upstream to confluence with unnamed tributary 1.6km SW of US Hwy 69 NW of Lufkin at NHD RC 12020002012470.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 10492; 10493; 10494; 10495

SegID: 0604D Piney Creek

From the confluence of the Neches River at the Polk/Tyler/Angelina County lines east of Corrigan to the upstream perennial portion of the stream east of Crockett in Houston County

Segment Type Freshwater Stream

AU_ID: 0604D_01 *Middle portion of the stream from the confluence with Bear Creek (0604L) in Polk County upstream to the confluence with Caney Creek (0604O) in Trinity County at NHD RC 12020002000163.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 16081

AU_ID: 0604D_02 *Upper portion of stream from the confluence with Caney Creek (0604O) in Trinity County upstream to confluence with unnamed tributary at NHD RC 12020002000181 in Houston County 0.75km west of FM 2781.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 10530; 16095; 16096

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0604M Biloxi Creek

From the confluence with the Neches River southeast of Diboll to FM 325 east of Lufkin in Angelina County

Segment Type Freshwater Stream

AU_ID: 0604M_02 From the confluence with Neches River (0604) upstream to confluence with One Eye Creek in Angelina County SE of Lufkin.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s):

AU_ID: 0604M_03 From the confluence with One Eye Creek in Angelina County SE of Lufkin upstream to FM 325 east of Lufkin

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s):

SegID: 0604N Buck Creek

From its confluence with Biloxi Creek south of Huntington to a point 2.1 mi upstream of FM 1475, northwest of Huntington in Angelina County

Segment Type Freshwater Stream

AU_ID: 0604N_01 From the confluence with Biloxi Creek (0604M) upstream to the confluence with Graham Creek (0604E) SW of City of Huntington at NHD RC 12020002000417.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s):

SegID: 0604T Lake Ratcliff

Lake in Houston County 3.4 miles northeast of Kennard

Segment Type Reservoir

AU_ID: 0604T_01 Entire lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s):

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0605 Lake Palestine

From Blackburn Crossing Dam in Anderson/Cherokee County to a point 6.7km (4.2 miles) downstream of FM 279 in Henderson/Smith County, up to normal pool elevation of 345 feet (impounds Neches River)

Segment Type Reservoir

AU_ID: 0605_01 Lower portion of reservoir near dam to the first bend in reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s):

AU_ID: 0605_02 From the first bend in lower portion of reservoir up to the SH 155 Bridge crossing.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s):

AU_ID: 0605_03 Upper mid-lake including Tyler Public Water Supply intake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s):

AU_ID: 0605_09 Flat Creek Arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s):

AU_ID: 0605_10 Upper Lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s):

AU_ID: 0605_11 From the SH 155 Bridge crossing to the Flat Creek Arm and across the main portion of the lake at the Flat Creek Arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s):

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0605A Kickapoo Creek in Henderson County

From the confluence of Lake Palestine east of Brownsboro in Henderson County to the upstream perennial portion of the stream northeast of Murchison in Henderson County

Segment Type Freshwater Stream

AU_ID: 0605A_01 *From the confluence with Lake Palestine (0605) east of Brownsboro in Henderson County to the confluence with Slater Creek (0605E).*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 10517

AU_ID: 0605A_02 *From the confluence with Slater Creek (0605E) upstream to confluence with unnamed tributary about 1.62 km north of FM 858 in Van Zandt County at NHD RC 12020001000161.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 16796; 16797

SegID: 0605F Lake Athens

From the dam 5.5 miles East of Athens, 1.8 miles South of FN 317 on Flat Ck, to a point one mile west of FM 2495 in Henderson County.

Segment Type Reservoir

AU_ID: 0605F_01 *Entire lake*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 15288; 17575

SegID: 0606 Neches River Above Lake Palestine

From a point 6.7 kilometers (4.2 miles) downstream of FM 279 in Henderson/Smith County to Rhine Lake Dam in Van Zandt County before it was breached in 2001

Segment Type Freshwater Stream

AU_ID: 0606_01 *From a point approximately 0.06km (0.03 mi) south of St. Louis Southwestern Railroad upstream to the confluence with Prairie Creek (0606A).*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 10595; 10596

AU_ID: 0606_02 *From the confluence with Prairie Creek (0606A) upstream to the Rhine Lake Dam*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 10597; 10598; 20282

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0606A Prairie Creek

Perennial stream from the confluence with the Neches River to an unnamed tributary approximately 0.6km downstream of the US 69 bridge crossing.

Segment Type Freshwater Stream

AU_ID: 0606A_01 *From the confluence with Neches River (0606), per WQS App. D first entry for Prairie Creek at NHD RC 12020001000071 in Smith County upstream to the confluence with Black Fork Creek (0606D) at NHD RC 12020001000071 .*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 10518; 10519

AU_ID: 0606A_03 *From the confluence with Caney Creek upstream to confluence with unnamed tributary appx. 0.6 km downstream of the US 69 bridge crossing, which is located appx. 0.6 km south of the City of Lindale, per App. D second line entry*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 18301

SegID: 0606D Black Fork Creek

Perennial stream from the confluence with Prairie Creek to a point 0.4 km downstream of FM 14 in Tyler

Segment Type Freshwater Stream

AU_ID: 0606D_01 *Perennial stream from the confluence with Prairie Creek (0606A), per WQS App. D second entry for Black Fork Creek, upstream to the confluence with unnamed tributary (receiving waters for WWTP) at NHD RC 12020001000072.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 10521

AU_ID: 0606D_02 *From the confluence with unnamed tributary at NHD RC 12020001000072 upstream to a point 0.4km downstream of FM 14 in Tyler, at the confluence with unnamed tributary at NHD RC 12020001000073, per WQS App. D second entry for Black Fork Creek.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 10522; 10523

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0607 Pine Island Bayou

From the confluence with the Neches River in Hardin/Jefferson County to FM 787 in Hardin County

Segment Type Freshwater Stream

AU_ID: 0607_01 *From the confluence with the Neches River upstream to unnamed tributary at NHD RC 12020007001215 that runs through Sherwood Drive in northern City of Beaumont.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10599**AU_ID: 0607_02** *From the confluence with unnamed tributary that runs through Sherwood Drive in northern City of Beaumont upstream to the confluence with Black Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10600; 10601; 10602; 10603; 10604**AU_ID: 0607_03** *From the confluence with Black Creek upstream to the confluence with Willow Creek (0607C)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10605; 10606; 10607; 14420**AU_ID: 0607_04** *From the confluence with Willow Creek (0607C) upstream to the confluence with Mayhaw Slough near oil fields*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10608; 15367**AU_ID: 0607_05** *From the confluence with Mayhaw Slough near oil fields upstream to the headwaters*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

SegID: 0607A Boggy Creek

From the confluence of Pine Island Bayou upstream to the confluence with an unnamed tributary 4 km downstream of the crossing of the Southern Pacific Railroad.

Segment Type Freshwater Stream

AU_ID: 0607A_02 *From the confluence with unnamed tributary 0.39 km downstream of CR 421 upstream to confluence with unnamed tributary 4 km downstream of the crossing of the Southern Pacific Railroad, per WQS App. D, at NHD RC 12020007003034.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 16127

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0607B Little Pine Island Bayou

From the confluence of Pine Island Bayou southwest of Lumberton in Hardin County to the upstream perennial portion of the stream west of Kountze in Hardin County

Segment Type Freshwater Stream

AU_ID: 0607B_01 *From the confluence with Pine Island Bayou (0607) at the Hardin/Jefferson Counties border upstream to unnamed tributary 1.1 km SE of intersection of FM 770 and FM 787 at NHD RC 12020007000021, same tributary as Big Thicket National Park boundary.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 10547; 15346; 20069

AU_ID: 0607B_02 *From the confluence with unnamed tributary 1.1 km SE of intersection of FM 770 and 787 upstream to headwaters 5.5 km SE of City of Segno in Polk County at NHD RC 12020007000151.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 15347; 15545

SegID: 0607C Willow Creek

From the confluence of Pine Island Bayou north of Nome in Jefferson County to the upstream perennial portion of the stream east of Devers in Liberty County

Segment Type Freshwater Stream

AU_ID: 0607C_01 *From the confluence with Pine Island Bayou (0607) at the State Hwy 326 bridge at NHD RC 12020007000258 upstream to headwaters NE of Devers in Liberty County at NHD RC 12020007000200.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 15345

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0608 Village Creek

From the confluence with the Neches River in Hardin County to Lake Kimble Dam in Hardin County

Segment Type Freshwater Stream

AU_ID: 0608_01 *From the confluence with Neches River (0602) upstream to confluence with Cypress Creek (0608C)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10609; 15457; 20315**AU_ID: 0608_02** *From the confluence with Cypress Creek (0608C) upstream to confluence with Beech Creek (0608A)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13625**AU_ID: 0608_03** *From the confluence with Beech Creek (0608A) upstream to confluence with Big Sandy Creek and Kimball Creek in Hardin County*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 20314

SegID: 0608A Beech Creek

From the confluence of Village Creek northeast of Kountze in Hardin County to the upstream perennial portion of the stream southeast of Woodville in Tyler County

Segment Type Freshwater Stream

AU_ID: 0608A_01 *From the confluence with Village Creek (0608) at NHD RC 12020006000017 upstream to the confluence with Drakes Branch 0.35 km upstream of FM1943 RD E at NHD RC 12020006000025*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 13482; 15355**AU_ID: 0608A_02** *From the confluence with Drakes Branch upstream to headwaters 0.62 km south of FM 1746 at NHD RC 12020006000035.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 10529; 17903

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0608B Big Sandy Creek

From the confluence of Village and Kimball Creeks in Hardin County upstream to headwaters in Polk County

Segment Type Freshwater Stream

AU_ID: 0608B_03 *From the confluence of Village Creek (0608) and Kimball Creek in Hardin County at NHD RC 12020006000109 upstream to the confluence with Bear Creek in Polk County at NHD RC 12020006000119.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 20316

AU_ID: 0608B_04 *From the confluence with Bear Creek in Polk County upstream to headwaters about 5 km SE of intersection of US Hwy 59 and FM 62 at NHD RC 12020006000133.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 15353; 15354

SegID: 0608C Cypress Creek

From the confluence of Village Creek (0608) east of Kountze in Hardin County to the confluence with Bad Luck Creek northwest of Kountze in Hardin County

Segment Type Freshwater Stream

AU_ID: 0608C_01 *Upper portion from the confluence with unnamed tributary upstream of Pea Monk Branch upstream to confluence with Bad Luck Creek, per WQS App. D, at NHD RC 12020006000148.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	Presumption from Flow Type

Station ID(s): 15352; 16728

SegID: 0608D Hickory Creek

From the confluence of Village Creek north of Kountze in Hardin County upstream through Tyler County to the confluence with Little Hickory Creek and Woods Creek (0608I) in Polk County.

Segment Type Freshwater Stream

AU_ID: 0608D_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 15349; 15351

SegID: 0608E Mill Creek in Hardin County

From the confluence of Village Creek (0608) west of Silsbee in Hardin County upstream to headwaters northwest of Silsbee in Hardin County

Segment Type Freshwater Stream

AU_ID: 0608E_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 16126

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0608F Turkey Creek

Perennial stream from the confluence with Village Creek up to 1.6 km above U.S. 69 north of City of Woodville

Segment Type Freshwater Stream

AU_ID: 0608F_01 *From the confluence with Village Creek (0608) in Hardin County, per WQS App. D, upstream to confluence with Big Cypress Creek in Tyler County about 0.88 km north of FM 1943 RD E at NHD RC 12020006000052.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 15348; 15350

AU_ID: 0608F_02 *From the confluence with Big Cypress Creek in Tyler County upstream to confluence with unnamed tributary about 1.6 km above U.S. 69 north of City of Woodville, per WQS App. D, at NHD RC 12020006000057*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 14137; 14138; 15356

SegID: 0608G Lake Kimball

From Kimble Creek Dam northwest of Kountze in Hardin County to normal pool elevation in Tyler County (impounds Kimble and Village Creeks)

Segment Type Reservoir

AU_ID: 0608G_01 *Entire lake*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 15641

SegID: 0609 Angelina River Below Sam Rayburn Reservoir

From a point immediately upstream of the confluence of Indian Creek in Jasper County to Sam Rayburn Dam in Jasper County

Segment Type Freshwater Stream

AU_ID: 0609_01 *Entire Segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10610

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0610 Sam Rayburn Reservoir

From Sam Rayburn Dam to a point 5.6 kilometers (3.5 miles) upstream of Marion's Ferry on the Angelina River Arm and to a point 3.9 km (2.4 miles) downstream of Curry Creek on the Attoyac Bayou Arm, up to the normal pool elevation of 164.4 feet (except on

Segment Type Reservoir

AU_ID: 0610_01 Sam Rayburn main pool by the dam to the Bear Creek and Ayish Arms

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 14906; 15451; 15672; 16785; 16786

AU_ID: 0610_02 Sam Rayburn lower Angelina River arm

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 15522; 15670; 15671; 16240

AU_ID: 0610_03 Sam Rayburn mid-Angelina River arm (area around SH 147)

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 10612; 16790

AU_ID: 0610_04 Sam Rayburn upper mid-Angelina River arm

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 15524; 15669; 16792; 16793

AU_ID: 0610_05 Sam Rayburn lower Attoyac Bayou arm

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 15523; 15666; 15667; 16791

AU_ID: 0610_06 Sam Rayburn upper Attoyac Bayou arm

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 10614

AU_ID: 0610_07 Sam Rayburn upper Angelina arm

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 10613; 10615; 10616; 15668; 16788; 21100

AU_ID: 0610_08 Sam Rayburn Bear Creek arm

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 15527; 15674; 16787

AU_ID: 0610_09 Sam Rayburn lower Ayish Bayou arm

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 15526; 15673; 15675; 16784

2014 Texas Integrated Report - Water Bodies Evaluated

AU_ID: 0610_10 Sam Rayburn upper Ayish Bayou arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 14907

SegID: 0610A Ayish Bayou

Perennial stream from the headwaters of Sam Rayburn Reservoir to the dam impounding Bland Lake approximately 0.1km upstream of FM 1279 near the City of San Augustine

Segment Type Freshwater Stream

AU_ID: 0610A_01 From the headwaters of Sam Rayburn Reservoir, per WQS App. D, about 2.4 km north of FM 83 upstream to confluence with unnamed tributary about 0.4 km SW of intersection of SH 147 and AT and SF Railroad at NHD RC 12020005000036.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 15361

AU_ID: 0610A_02 From the confluence with unnamed tributary about 0.4 km SW of intersection of SH 147 and AT and SF Railroad in the City of San Augustine upstream to the Bland Lake dam, per WQS App. D.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 15364; 15365

SegID: 06100 City Lake

San Augustine City Lake in southern San Augustine City in San Augustine County from the Carrizo Creek (0610H) dam to top of lake.

Segment Type Reservoir

AU_ID: 06100_01 Entire lake from dam of Carrizo Creek south of City of San Augustine at NHD RC 12020005001075.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 20164

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0611 Angelina River Above Sam Rayburn Reservoir

From the aqueduct crossing 1.0 kilometer (0.6 mile) upstream of the confluence of Paper Mill Creek in Angelina/Nacogdoches County to the confluence of Barnhardt Creek and Mill Creek at FM 225 in Rusk County

Segment Type Freshwater Stream

AU_ID: 0611_01 *From the aqueduct crossing upstream to the confluence with Old River Channel in Nacogdoches County about 2.8 km downstream of County Hwy 2625 at NHD RC 12020004000039.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10624; 10625; 10626; 10627; 10628

AU_ID: 0611_02 *From a point immediately upstream of the confluence with Old River channel about 2.8 km downstream of County Hwy 2625 upstream to the confluence with Mud Creek (0611C)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10629; 10630; 10631; 10632

AU_ID: 0611_03 *From a point immediately upstream of the confluence with Mud Creek (0611C) upstream to the confluence with East Fork Angelina River (0611A)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10633

AU_ID: 0611_04 *From a point immediately upstream of confluence with East Fork Angelina River (0611A) upstream to confluence with Barnhardt and Mill Creeks.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10634; 10635; 14470

SegID: 0611A East Fork Angelina River

From the confluence of the Angelina River at the Rusk/Nacogdoches county line upstream to the confluence with Wooten Creek in Rusk County

Segment Type Freshwater Stream

AU_ID: 0611A_01 *From the confluence with Angelina River (0611) at Rusk/Nacogdoches county line upstream to confluence with Beech Creek (0611J) in Rusk County*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 10551; 10552; 16304

AU_ID: 0611A_02 *From a point immediately upstream of confluence with Beech Creek (0611J) upstream to confluence with Wooten Creek (0611P)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 13788

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0611B La Nana Bayou

From the confluence of the Angelina River south of Nacogdoches in Nacogdoches County to the upstream perennial portion of the stream north of Nacogdoches in Nacogdoches County

Segment Type Freshwater Stream

AU_ID: 0611B_01 *From the confluence with Angelina River (0611), per WQS App. D, upstream to State Loop 224 in City of Nacogdoches*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 10472; 10473; 10474

AU_ID: 0611B_02 *From the upstream side of State Loop 224 upstream to FM 1878 in City of Nacogdoches, per WQS App. D.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 10475; 20792

AU_ID: 0611B_03 *From the upstream side of FM 1878 in City of Nacogdoches upstream to confluence with Banita Creek.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	high	TWQS-Appendix D

Station ID(s): 10476; 16301

SegID: 0611C Mud Creek

Perennial stream from the confluence with the Angelina River upstream to a point immediately upstream of the confluence of Prairie Creek in Smith County

Segment Type Freshwater Stream

AU_ID: 0611C_01 *From the confluence with Angelina River (0611), per WQS App. D, at the Cherokee and Nacogdoches county line south of City of Reklaw upstream to top of channelized/dredged portion about 2.3 km south of US hwy 79 at -95.150452N/31.956933W*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 10532

AU_ID: 0611C_02 *From a point immediately upstream of channelized/dredged portion about 2.3 km south of US hwy 79 at -95.150452N/31.956933W upstream to confluence with Prairie Creek in Smith County, per WQS App. D*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 10535; 10536; 10537; 14477; 16586; 17103

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0611D West Mud Creek

Perennial stream from the confluence with Mud Creek in Cherokee County to the confluence of an unnamed tributary 300 meters upstream of the most northern crossing of US 69 (approximately 2.25 km south of the intersection of Loop 323) in the City of Tyle*

Segment Type Freshwater Stream

AU_ID: 0611D_01 *From the confluence with Mud Creek (0611C), per WQS App. D, upstream to confluence with unnamed tributary about 75 m north of WWTP in City of Tyler at NHD RC 12020004000212.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D

Station ID(s): 10538; 10539; 10540; 10541; 10542; 18302

AU_ID: 0611D_02 *From the confluence with unnamed tributary about 75 m north of WWTP in City of Tyler upstream to confluence of unnamed tributary about 300 meters upstream of the most northern crossing of US 69 in City of Tyler, per WQS App. D, at NHD RC 12020004000212.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D

Station ID(s): 10543

SegID: 0611Q Lake Nacogdoches

Located approximately 10 miles west of Nacogdoches in Nacogdoches County

Segment Type Reservoir

AU_ID: 0611Q_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 15801; 17818; 21021

SegID: 0611R Lake Striker

From the dam approximately 0.5 mile west of CR2430 to the north end of the lake south of US HWY 79 in Rusk County north of Reklaw.

Segment Type Reservoir

AU_ID: 0611R_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 16950; 17822; 17824

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0612 Attoyac Bayou

From a point 3.9 km (2.4 miles) downstream of Curry Creek in Nacogdoches/San Augustine County to FM 95 in Rusk County

Segment Type Freshwater Stream

AU_ID: 0612_01 *From the lower boundary approximately at confluence with Granberry Branch upstream to confluence with Polly Branch.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10636

AU_ID: 0612_02 *From a point immediately upstream of Polly Branch confluence upstream to confluence with Bear Bayou.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 15253; 20841

AU_ID: 0612_03 *From a point immediately upstream of Bear Bayou upstream to upper boundary at FM 95.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 16076; 20842

SegID: 0612A Terrapin Creek

From the confluence of Attoyac Bayou east of Martinsville in Nacogdoches County to the upstream perennial portion of the stream northwest of Martinsville in Nacogdoches County

Segment Type Freshwater Stream

AU_ID: 0612A_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 16084

SegID: 0612B Waffelow Creek

From the confluence of Naconiche Creek north of Martinsville in Nacogdoches County upstream to headwaters east of Appleby in Nacogdoches County

Segment Type Freshwater Stream

AU_ID: 0612B_01 *From the confluence of Naconiche Creek north of Martinsville in Nacogdoches County upstream to confluence with unnamed tributary about 0.27 km west of CR 234 at NHD RC 12020005000207.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 16083

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0612D Naconiche Creek

From the confluence with the Attoyac Bayou in Nacogdoches Co. to the headwaters approximately 3.2 km upstream of FM-1087 in Rusk Co.

Segment Type Freshwater Stream

AU_ID: 0612D_01 *From the confluence with the Attoyac Bayou in Nacogdoches Co. to the headwaters approximately 3.2 km upstream of FM-1087 in Rusk Co.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s):

SegID: 0612E Big Iron Ore Creek

From the confluence with the Attoyac Bayou in San Augustine Co. to the headwaters approximately 4.3 km upstream of US Hwy 96 in San Augustine Co.

Segment Type Freshwater Stream

AU_ID: 0612E_01 *From the confluence with the Attoyac Bayou in San Augustine Co. to the headwaters approximately 4.3 km upstream of US Hwy 96 in San Augustine Co.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s):

SegID: 0612F West Creek

From the confluence with Attoyac Bayou in Shelby Co. to the headwaters approximately 2.2 km upstream of CR 4054 in Shelby Co.

Segment Type Freshwater Stream

AU_ID: 0612F_01 *From the confluence with Attoyac Bayou in Shelby Co. to the headwaters approximately 2.2 km upstream of CR 4054 in Shelby Co.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s):

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0613 Lake Tyler/Lake Tyler East

From Whitehouse Dam and Mud Creek Dam in Smith County up to the normal pool elevation of 375.38 feet (impounds Prairie Creek and Mud Creek)

Segment Type Reservoir

AU_ID: 0613_01 Lake Tyler lower reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s):

AU_ID: 0613_02 Lake Tyler upper reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s):

AU_ID: 0613_03 Lake Tyler East lower reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s):

AU_ID: 0613_04 Lake Tyler East upper reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s):

SegID: 0614 Lake Jacksonville

From Buckner Dam in Cherokee County up to the normal pool elevation of 422 feet (impounds Gum Creek)

Segment Type Reservoir

AU_ID: 0614_01 Lower reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s):

AU_ID: 0614_02 Upper reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s):

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0615 Angelina River/Sam Rayburn Reservoir

The riverine portion of Sam Rayburn Reservoir from a point 5.6 kilometers (3.5 miles) upstream of Marion's Ferry to the aqueduct crossing 1.0 kilometer (0.6 mile) upstream of the confluence of Paper Mill Creek

Segment Type Reservoir

AU_ID: 0615_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10617; 10618; 10619; 10620; 10621; 10622; 10623; 18431; 18432

SegID: 0615A Paper Mill Creek

From the confluence with Angelina River/Sam Rayburn Reservoir (0615) upstream to confluence with Mill Creek (0615B)

Segment Type Freshwater Stream

AU_ID: 0615A_01 From the confluence of Angelina River/Sam Rayburn (0615) upstream to confluence with Mill Creek (0615B)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	TWQS-Appendix D	Minimal	TWQS-Appendix D

Station ID(s): 10502; 10503; 10504; 18430

SegID: 0701 Taylor Bayou/North Fork Taylor Bayou Above Tidal

From the saltwater lock 7.7 km (4.8 miles) downstream of SH 73 in Jefferson County to the Lower Neches Valley Authority Canal in Jefferson County

Segment Type Freshwater Stream

AU_ID: 0701_01 From the saltwater lock 7.7 km (4.8 miles) downstream of SH 73 in Jefferson County, per WQS App. C, upstream to the confluence with Hillebrandt Bayou (0704).

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 10667; 10668

AU_ID: 0701_02 From the confluence with Hillebrandt Bayou upstream to confluences with North Fork Taylor Bayou and South Fork Bayou.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 10669

AU_ID: 0701_03 North Fork Taylor Bayou from the confluence with Taylor Bayou and South Fork Taylor Bayou upstream to the Lower Neches Valley Authority Canal, per WQS App. C, about 2.7 km SW of intersection of FM 1406 and FM 365 Road south of the City of Nome.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 10673; 10674

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0701D Shallow Prong Lake

Widest upper portion of Big Hill Bayou about 2.0 km (1.26 miles) north of Blind Lake

Segment Type Reservoir

AU_ID: 0701D_01 *Portion of Big Hill Bayou, Shallow Prong portion of NHD RC 12040201006920*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
freshwater wetland	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 10642

SegID: 0702 Intracoastal Waterway Tidal

From the confluence with Galveston Bay at Port Bolivar in Galveston County to the confluence with the Sabine-Neches Canal in Jefferson County (including Taylor Bayou Tidal from the confluence with the Intracoastal Waterway up to the saltwater lock 7.7 k*

Segment Type Tidal Stream

AU_ID: 0702_01 *From the confluence with Sabine-Neches Canal Tidal (0703) to eastern most boundary of East Bay*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 10675; 10676; 10677; 10678; 10679; 17426; 18688

AU_ID: 0702_02 *Taylor Bayou tidal from the confluence with the Intracoastal Waterway Tidal to the saltwater barriers.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 10640

AU_ID: 0702_03 *From the eastern most boundary of East Bay to Port Bolivar*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 15233; 17082; 17083; 17084

SegID: 0702A Alligator Bayou and Main Canals A, B, C, and D

All perennial canals in Jefferson County Drainage District No. 7 that eventually drain into the tidal portion of Taylor Bayou at the pump house gate, including Alligator Bayou.

Segment Type Freshwater Stream

AU_ID: 0702A_01 *From Taylor Bayou Tidal (0702) to confluence with Main Canal D above SH 82.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 10643

AU_ID: 0702A_03 *Main Canal D from the confluence with Alligator Bayou at SH 82 upstream to about 0.35 km upstream of confluence with Canal A*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 14411

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0703 Sabine-Neches Canal Tidal

From the confluence with Sabine Pass at the southern tip of Pleasure Island in Jefferson County to the Sabine Lake seawall at the northern tip of Pleasure Island in Jefferson County

Segment Type Tidal Stream

AU_ID: 0703_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 10652; 10683

SegID: 0704 Hillebrandt Bayou

From the confluence of Taylor Bayou in Jefferson County to a point 100 meters (110 yards) upstream of SH 124 in Jefferson County

Segment Type Freshwater Stream

AU_ID: 0704_01 From the confluence with Taylor Bayou Above Tidal (0701) upstream to confluence with Willow Marsh Bayou (0704A)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 10684; 10685; 10686

AU_ID: 0704_02 From the confluence with Willow Marsh Bayou (0704A) upstream to a point 100 meters (110 yards) upstream of SH 124 in Jefferson County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 10687; 20657

SegID: 0704D Bayou Din

From the confluence with Hillebrandt Bayou upstream to headwaters in Jefferson County

Segment Type Freshwater Stream

AU_ID: 0704D_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	WQS/Permits program	High	Previous TCEQ Permit Decision

Station ID(s): 10660

SegID: 0801 Trinity River Tidal

From the confluence with Anahuac Channel in Chambers County to a point 3.1 km (1.9 miles) downstream of US 90 in Liberty County

Segment Type Tidal Stream

AU_ID: 0801_01 Lower 25 miles of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 10892; 20839

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0801B Old River

From IH 10 in Chambers County to approximately 9 miles upstream of confluence with Cherry Point Gully.

Segment Type Tidal Stream

AU_ID: 0801B_01 Entire Segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type

Station ID(s): 18360

SegID: 0801C Cotton Bayou

From the confluence of Cotton Lake southeast of Mont Belvieu in Chambers County upstream to a point (NHD RC 12040203000496) approximately 1 mile north of IH 10 in Chambers County

Segment Type Tidal Stream

AU_ID: 0801C_01 Entire Segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type

Station ID(s): 17628; 17629; 17632; 17633; 18696; 18697; 20003

SegID: 0801D Lynchburg Canal

Lynchburg Canal from confluence with Trinity River Tidal to confluence with Cedar Point lateral (Reach Code 12030203000425)

Segment Type Tidal Stream

AU_ID: 0801D_01 From confluence with Trinity River Tidal upstream to confluence with Big Caney Creek.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type

Station ID(s): 16148

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0802 Trinity River Below Lake Livingston

From a point 3.1 km (1.9 miles) downstream of US 90 in Liberty County to Livingston Dam in Polk/San Jacinto County

Segment Type Freshwater Stream

AU_ID: 0802_01 *Lower 17 miles of segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10894

AU_ID: 0802_02 *Approx. 9 miles upstream to approx. 15 miles downstream of SH 105*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10895

AU_ID: 0802_03 *11 miles upstream to approx. 9 miles downstream of FM 787*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10896

AU_ID: 0802_04 *5 miles upstream to 11 miles downstream of US 59*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10897

AU_ID: 0802_05 *Upper 6 miles of segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 16998

SegID: 0802B Long King Creek

Perennial stream from the confluence with the Trinity River upstream to the confluence with an unnamed tributary approximately 1.2 km upstream of FM 350 near the City of Livingston

Segment Type Freshwater Stream

AU_ID: 0802B_02 *From just upstream of the confluence with unnamed tributary (NHD RC 12030202001817) up to the confluence with Mud Creek, in Polk County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 10689

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0802D Menard Creek

From the confluence with segment 0802 of the Trinity River up to the confluence with Meetinghouse Creek.

Segment Type Freshwater Stream

AU_ID: 0802D_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type
Station ID(s):	10688		

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0803 Lake Livingston

From Livingston Dam in Polk/San Jacinto County to a point 1.8 km (1.1 miles) upstream of Boggy Creek in Houston/Leon County, up to normal pool elevation of 131 feet (impounds Trinity River)

Segment Type Reservoir

AU_ID: 0803_01 *Lowermost portion of reservoir, adjacent to dam*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10899; 14003; 14004

AU_ID: 0803_02 *Lower portion of reservoir, East Wolf Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 14005

AU_ID: 0803_03 *Lower portion of reservoir, East Willow Springs*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 14006

AU_ID: 0803_04 *Middle portion of reservoir, East Pointblank*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 14007; 14008

AU_ID: 0803_05 *Middle portion of reservoir, downstream of Kickapoo Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10909; 14009

AU_ID: 0803_06 *Middle portion of reservoir, centering on US 190*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10911; 14010

AU_ID: 0803_07 *Upper portion of reservoir, west of Carlisle*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10913; 14013

AU_ID: 0803_08 *Cove off upper portion of reservoir, East Trinity*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 14014

AU_ID: 0803_09 *West Carolina Creek cove, off upper portion of reservoir*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 14011

2014 Texas Integrated Report - Water Bodies Evaluated

AU_ID: 0803_10 Upper portion of reservoir, centering on SH 19

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10914

AU_ID: 0803_11 Riverine portion of reservoir, centering on SH 21

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10917

AU_ID: 0803_12 Remainder of reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

SegID: 0803A Harmon Creek

From the confluence with Lake Livingston (normal pool elevation of 131 feet) to the confluence of East Fork Harmon Creek east of Huntsville in Walker County

Segment Type Freshwater Stream

AU_ID: 0803A_01 A 16 mile (25.7 KM) stretch of Harmon Creek extending from Lake Livingston (normal pool elevation of 131 feet) upstream to the confluence of East Fork Harmon Creek.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 10698

SegID: 0803B White Rock Creek

From the confluence of Lake Livingston northeast of Trinity in Trinity County to the upstream perennial portion of the stream east of Lovelady in Houston County

Segment Type Freshwater Stream

AU_ID: 0803B_01 lower 25 miles of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 10696

SegID: 0803E Nelson Creek

From the confluence with segment 0803 Trinity River, to upper end of Nelson Creek NHD RC 12030202005424

Segment Type Freshwater Stream

AU_ID: 0803E_01 Entire water body.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 10700; 10701

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0803F Bedias Creek

From the confluence with segment 0803 Trinity River, to upper end of Bedias Creek, NHD RC 12030202000350

Segment Type Freshwater Stream

AU_ID: 0803F_01 *From the confluence with segment 0803 Trinity River up to confluence with Poole Creek (NHD RC 12030202000572)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Water body description	High	Presumption from Flow Type

Station ID(s): 10702

AU_ID: 0803F_02 *From the confluence with Poole Creek (NHD RC 12030202000572) to upper end of NHD RC Bedias Creek (NHD RC 12030202000350)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 10703

SegID: 0803G Lake Madisonville

From Lake Madisonville Dam in Madison County up to the normal pool elevation of 285 feet (impounds Town Branch)

Segment Type Reservoir

AU_ID: 0803G_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 16953

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0804 Trinity River Above Lake Livingston

From a point 1.8 km (1.1 miles) upstream of Boggy Creek in Houston/Leon County to a point immediately upstream of the confluence of the Cedar Creek Reservoir discharge canal in Henderson/Navarro County

Segment Type Freshwater Stream

AU_ID: 0804_01 *From the lower end of the segment up to just above the confluence with Hurricane Bayou in Houston County.*

<u>Flow Type</u> perennial	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 10918; 13690

AU_ID: 0804_02 *From just upstream of the confluence with Hurricane Bayou up to just above the confluence with Boons Creek.*

<u>Flow Type</u> perennial	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): No Stations

AU_ID: 0804_03 *From just upstream of the confluence with Boons Creek up to just above the confluence with Caney Creek.*

<u>Flow Type</u> perennial	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): No Stations

AU_ID: 0804_04 *From the confluence with Caney Creek up to just above the confluence with Indian Creek in Anderson County.*

<u>Flow Type</u> perennial	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 10919

AU_ID: 0804_05 *From just above the confluence with Indian Creek in Anderson County up to just above the confluence with Tehuacana Creek.*

<u>Flow Type</u> perennial	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): No Stations

AU_ID: 0804_06 *From just above the confluence with Tehuacana Creek to just above the confluence with Richland Creek.*

<u>Flow Type</u> perennial	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): No Stations

AU_ID: 0804_07 *From just above the confluence with Richland Creek in Henderson County, up to the upper end of the segment.*

<u>Flow Type</u> perennial	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 10920; 10921; 10922

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0804F Tehuacana Creek

From the confluence with the Trinity River northeast of Fairfield in Freestone County to the headwaters northwest of Mexia in Limestone County

Segment Type Freshwater Stream

AU_ID: 0804F_01 *A 27 mile stretch of Tehuacana Creek extending from the confluence with 0804 of the Trinity River up to the confluence with Caney Creek (NHD RC 120302010000226).*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Water body description	Limited	Presumption from Flow Type

Station ID(s): 10705; 20770

AU_ID: 0804F_02 *A 28.4 mile (45.7 KM) stretch of Tehuacana Creek extending from the confluence with Caney Creek to the upper end (NHD RC 120302010000225) of Tehuacana Creek.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Water body description	Limited	Presumption from Flow Type

Station ID(s): 18572

SegID: 0804G Catfish Creek

Twenty mile stretch of Catfish Creek running upstream from US 287 in Anderson Co., to Catfish Creek Ranch Lake just upstream of SH 19 in Henderson Co.

Segment Type Freshwater Stream

AU_ID: 0804G_01 *Entire Segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 10717; 18596; 18597

SegID: 0804H Upper Keechi Creek

From confluence with segment 0804 Trinity River to the upper end of NHD stream Upper Keechi Creek (NHD RC 12030201001075)

Segment Type Freshwater Stream

AU_ID: 0804H_01 *From the confluence with segment 0804 Trinity River up to confluence with Twin Branch (NHD RC 12030201027099)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 18401; 20771

SegID: 0804J Fairfield Lake

Impounded Big Brown Creek in Freestone County

Segment Type Reservoir

AU_ID: 0804J_01 *Entire segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 17951

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0805 Upper Trinity River

From a point immediately upstream of the confluence of the Cedar Creek Reservoir discharge canal in Henderson/Navarro County to a point immediately upstream of the confluence of Elm Fork Trinity River in Dallas County

Segment Type Freshwater Stream

AU_ID: 0805_01 *From confluence of the Cedar Creek Reservoir discharge canal upstream to confluence of Smith Creek.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10924

AU_ID: 0805_02 *From confluence of Smith Creek upstream to confluence of Tenmile Creek.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10925; 10926; 10927; 10928; 16121

AU_ID: 0805_03 *From the confluence of Fivemile Creek upstream to the confluence of Cedar Creek.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10934; 10935; 13614; 17161; 20444; 20567

AU_ID: 0805_04 *From confluence of Cedar Creek upstream to confluence of Elm Fork Trinity River*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10936; 10937; 16088

AU_ID: 0805_06 *From confluence of Tenmile Creek upstream to confluence of Fivemile Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10929; 10930; 10931; 10932; 20566

SegID: 0805A Red Oak Creek

From confluence with segment 0805 Trinity River 12 miles upstream to I 45.

Segment Type Freshwater Stream

AU_ID: 0805A_01 *Entire Segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 17506; 18569

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0805B Parsons Slough

From confluence with segment 0805 Trinity River in Kaufman County, 11 miles upstream to Malloy Bridge Road in Dallas Co.

Segment Type Freshwater Stream

AU_ID: 0805B_01 Entire Segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 10839

SegID: 0806 West Fork Trinity River below Lake Worth

from a point immediately upstream of the confluence of Village Creek in Tarrant County to Lake Worth Dam in Tarrant County

Segment Type Freshwater Stream

AU_ID: 0806_01 From confluence of Village Creek upstream to confluence of Clear Fork Trinity River

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10938; 10939; 10940; 11085; 16120; 17368; 17662; 17863; 18459; 20292; 20336; 20422

AU_ID: 0806_02 From confluence of Clear Fork Trinity River upstream to Lake Worth Dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10941; 18460; 20424; 20425

SegID: 0806A Fosdic Lake

From Fosdic Lake Dam to the reservoir headwaters in Oakland Lake Park in Tarrant County

Segment Type Reservoir

AU_ID: 0806A_01 Entire lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	Presumption from Flow Type

Station ID(s): 16818

SegID: 0806B Echo Lake

From Echo Lake Dam to the reservoirs headwaters in Tarrant County

Segment Type Reservoir

AU_ID: 0806B_01 Entire lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 16813

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0806D Marine Creek

Two mile stretch of Marine Creek running upstream from confluence with the W. Fork of Trinity River to Tenmile Bridge Road in Fort Worth.

Segment Type Freshwater Stream

AU_ID: 0806D_01 Marine Creek from the confluence with W. Fork Trinity River 2 miles upstream to Tenmile Bridge Rd. in Ft. Worth

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 17370; 20428

SegID: 0806E Sycamore Creek

Five mile stretch of Sycamore Creek running upstream from confluence with the W. Fork of Trinity River to confluence with Echo Lake Tributary in Fort Worth.

Segment Type Freshwater Stream

AU_ID: 0806E_01 Five mile stretch of Sycamore Creek running upstream from confluence with the W. Fork of Trinity River to confluence with Echo Lake Tributary in Fort Worth

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 17131; 17369; 20431

SegID: 0806F Little Fossil Creek

A 13.7 mile stretch of Little Fossil Creek running upstream from confluence with segment 0806 W. Fork Trinity River upstream to upper end (NHD RC Reach Code of NHD RC stream Little Fossil Creek.

Segment Type Freshwater Stream

AU_ID: 0806F_01 Entire water body.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 17129

SegID: 0807 Lake Worth

From Lake Worth Dam in Tarrant County to a point 4.0 km (2.5 miles) downstream of Eagle Mountain Dam in Tarrant County, up to normal pool elevation of 594 feet (impounds West Fork Trinity River)

Segment Type Reservoir

AU_ID: 0807_01 Entire reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10942; 15163; 15166; 15167

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0808 West Fork Trinity River Below Eagle Mountain Reservoir

From a point 4.0 km (2.5 miles) downstream of Eagle Mountain Dam in Tarrant County to Eagle Mountain Dam in Tarrant County

Segment Type Freshwater Stream

AU_ID: *0808_01* *Entire segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s):

No Stations

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0809 Eagle Mountain Reservoir

From Eagle Mountain Dam in Tarrant County to a point 0.6 km (0.4 miles) downstream of the confluence of Oates Branch in Wise County up to normal pool elevation of 649.1 feet (impounds West Fork Trinity River)

Segment Type Reservoir

AU_ID: 0809_01 *Lowermost portion of reservoir near east end of dam*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10944**AU_ID:** 0809_02 *Dosier Slough cove*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10947**AU_ID:** 0809_03 *Ash Creek cove*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10949; 10950; 10951**AU_ID:** 0809_04 *Lowermost portion of reservoir near west end of dam*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10945**AU_ID:** 0809_05 *Lower portion of reservoir east of Walnut Creek cove*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10952**AU_ID:** 0809_06 *Walnut Creek cove*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10954**AU_ID:** 0809_07 *Old Ranch cove*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10958; 10959**AU_ID:** 0809_08 *Middle portion of reservoir near Cole subdivision*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10956**AU_ID:** 0809_09 *Indian Creek cove*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10961; 10962

2014 Texas Integrated Report - Water Bodies Evaluated

AU_ID: 0809_10 Upper portion of reservoir near Indian Creek cove

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10960

AU_ID: 0809_11 Darrett Creek cove

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10965

AU_ID: 0809_12 Upper portion of reservoir near Newark Beach

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10964

AU_ID: 0809_14 Mid-Lake, from just above Walnut Cr. Cove to Oakwood Rd. peninsula

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 17667

SegID: 0809A Walnut Creek

From the normal pool elevation of Eagle Mountain Reservoir up to the headwaters approximately 2.1 miles upstream of State Highway 199 in Parker County.

Segment Type Freshwater Stream

AU_ID: 0809A_01 Entire Segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 10853

SegID: 0809B Ash Creek

From the normal pool elevation of Eagle Mountain Reservoir up to the headwaters at Upper Denton Road in Parker County

Segment Type Freshwater Stream

AU_ID: 0809B_01 Entire Segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 10854

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0810 West Fork Trinity River Below Bridgeport Reservoir

From a point 0.6 km (0.4 miles) downstream of the confluence of Oates Branch in Wise County to Bridgeport Dam in Wise County

Segment Type Freshwater Stream

AU_ID: 0810_01 Lower 25 miles of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10967; 10968; 10969; 14246; 17844

AU_ID: 0810_02 Upper 11 miles of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 14904; 20840

SegID: 0810A Big Sandy Creek

Fifteen mile stretch of Sycamore Creek running upstream from confluence with Waggoner Creek to FM 1810, west of Alvord, Wise County

Segment Type Freshwater Stream

AU_ID: 0810A_01 Fifteen mile stretch of Big Sandy Creek running from confluence with Waggoner Creek to FM 1810 West of Alvord, Wise Co.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	Presumption from Flow Type

Station ID(s): 15688

SegID: 0810B Garrett Creek

Eighteen mile stretch of Garrett Creek running upstream from confluence with Salt Creek to Wise County Road approximately 14 miles upstream of SH114, Wise County

Segment Type Freshwater Stream

AU_ID: 0810B_01 Eighteen mile stretch of Garrett Creek running upstream from confluence with Salt Creek to Wise County Road approximately 14 miles upstream of SH114, Wise Co.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 16767

SegID: 0810C Martin Branch

The eight mile stretch of Martin Branch running upstream from confluence with Center Creek to FM 730 south of Decatur, Wise County.

Segment Type Freshwater Stream

AU_ID: 0810C_01 Eight mile stretch of Martin Branch running upstream from confluence with Center Creek to FM 730 south of Decatur, Wise County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 17848

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0810D Salt Creek

Eleven mile stretch of Salt Creek running upstream from confluence with Garrett Creek, Wise County.

Segment Type Freshwater Stream

AU_ID: 0810D_01 *Eleven mile stretch of Salt Creek running upstream from confluence with Garrett Creek, Wise County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	TSWQS	Limited	Presumption from Flow Type

Station ID(s): 16766

SegID: 0811 Bridgeport Reservoir

From Bridgeport Dam in Wise County to a point immediately upstream of the confluence of Bear Hollow in Jack County, up to normal pool elevation of 836 feet (impounds West Fork Trinity River)

Segment Type Reservoir

AU_ID: 0811_01 *Southeast portion of main body of reservoir*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 16762; 16764

AU_ID: 0811_02 *Southwest portion of main body of reservoir*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 15165; 16763

AU_ID: 0811_03 *Central portion of main body of reservoir*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10970

AU_ID: 0811_04 *Northern portion of main body of reservoir*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 15164

AU_ID: 0811_05 *Remainder of reservoir*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 16736; 16759; 16760; 16761; 16765

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0812 West Fork Trinity River Above Bridgeport Reservoir

From a point immediately upstream of the confluence of Bear Hollow in Jack County to SH 79 in Archer County

Segment Type Freshwater Stream

AU_ID: *0812_01* *Lower 25 miles of segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10972; 18058; 18059

AU_ID: *0812_02* *Upper 60 miles of segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

SegID: 0813 Houston County Lake

From Houston County Dam in Houston County up to the normal pool elevation of 260 feet (impounds Little Elkhart Creek)

Segment Type Reservoir

AU_ID: *0813_01* *Entire reservoir*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10973

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0814 Chambers Creek Above Richland-Chambers Reservoir

From a point 4.0 km (2.5 miles) downstream of Tupelo Branch in Navarro County to the confluence of North Fork Chambers Creek and South Fork Chambers Creek

Segment Type Freshwater Stream

AU_ID: 0814_01 *From the lower end of the segment up to just above the confluence with Cummins Creek.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10975

AU_ID: 0814_02 *From just above the confluence with Cummins Creek up to just above the confluence with Waxahachie Creek.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10977; 20000

AU_ID: 0814_03 *From just above the confluence with Waxahachie Creek up to just above the confluence with Mill Branch.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

AU_ID: 0814_04 *From just above the confluence with Mill Branch to the upper end of the segment.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10978

SegID: 0815 Bardwell Reservoir

From Bardwell Dam in Ellis County up to the normal pool elevation of 421 feet (impounds Waxahachie Creek)

Segment Type Reservoir

AU_ID: 0815_01 *Entire reservoir*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10979; 16700; 17582; 18437; 18549; 18550

SegID: 0815A Waxahachie Creek

Perennial stream from the confluence with Bardwell Reservoir (normal pool elevation 421 feet) to the headwaters west of Waxahachie in Ellis County

Segment Type Freshwater Stream

AU_ID: 0815A_01 *Entire creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 13686; 18519

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0816 Lake Waxahachie

From South Prong Dam in Ellis County up to normal pool elevation of 531.5 feet (impounds South Prong Creek)

Segment Type Reservoir

AU_ID: 0816_01 Entire reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s):

SegID: 0817 Navarro Mills Lake

From Navarro Mills Dam in Navarro County up to normal pool elevation of 424.5 feet (impounds Richland Creek)

Segment Type Reservoir

AU_ID: 0817_01 Entire reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s):

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0818 Cedar Creek Reservoir

From Joe B. Hoggsett Dam in Henderson County up to normal pool elevation of 322 feet (impounds Cedar Creek)

Segment Type Reservoir

AU_ID: 0818_01 *Lowermost portion of the reservoir, adjacent to the dam.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 13845; 16745; 16748**AU_ID: 0818_02** *Caney Creek cove*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 16744**AU_ID: 0818_03** *Clear Creek cove*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 16743**AU_ID: 0818_04** *Lower portion of reservoir east of Key Ranch Estates*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 13848; 16749**AU_ID: 0818_05** *Cove off lower portion of reservoir adjacent to Clearview Estates*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 16746**AU_ID: 0818_06** *Middle portion of reservoir downstream of Twin Creeks cove*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 15812; 16741; 16747; 16750; 17090; 18472; 18473**AU_ID: 0818_07** *Twin Creeks cove*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 16739**AU_ID: 0818_08** *Prairie Creek cove*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 16751; 16752**AU_ID: 0818_09** *Upper portion of reservoir adjacent to Lacy Fork cove*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 13854; 16753; 18471

2014 Texas Integrated Report - Water Bodies Evaluated

AU_ID: 0818_10 Lacy Fork cove

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 16771

AU_ID: 0818_11 Upper portion of reservoir east of Tolosa

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 16772

AU_ID: 0818_12 Uppermost portion of reservoir downstream of Kings Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 16774; 18469; 18470

AU_ID: 0818_13 Cedar Creek cove

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 16773

AU_ID: 0818_14 Remainder of reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

SegID: 0819 East Fork Trinity River

From the confluence with the Trinity River in Kaufman County to Rockwall-Forney Dam in Kaufman County

Segment Type Freshwater Stream

AU_ID: 0819_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 10987; 10989; 10990; 10991; 10992; 10993; 10996; 10997; 13612; 20284; 20285; 20286

SegID: 0819B Buffalo Creek

Perennial stream from the confluence with the East Fork Trinity River up to 0.6 km above the confluence of Little Buffalo Creek

Segment Type Freshwater Stream

AU_ID: 0819B_01 Entire water body.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D

Station ID(s): 10824; 18576

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0820 Lake Ray Hubbard

From Rockwall-Forney Dam in Kaufman County to Lavon Dam in Collin County, up to normal pool elevation of 435.5 feet (impounds East Fork Trinity River)

Segment Type Reservoir

AU_ID: 0820_01 Lower portion of East Fork arm, centering on IH 30

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 16809

AU_ID: 0820_02 Middle portion of East Fork arm, centering on SH 66

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11001; 16829

AU_ID: 0820_04 Lower portion of main body of reservoir extending up from dam to Yankee Cr. Arm.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10998; 20194

AU_ID: 0820_05 Mid-reservoir, I30 crossing Rowlett Cr. Arm to Yankee Cr. Arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 17829

AU_ID: 0820_06 Outfall canal from Lake Lavon Dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 17846

SegID: 0820B Rowlett Creek

Perennial stream from the normal pool elevation of 435.5 feet of Lake Ray Hubbard to the Parker Road crossing

Segment Type Freshwater Stream

AU_ID: 0820B_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 10753; 17845

SegID: 0820C Muddy Creek

From the confluence with Lake Ray Hubbard, in Dallas County, to the headwaters east of Allen, in Collin County

Segment Type Freshwater Stream

AU_ID: 0820C_01 Entire creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 16828; 20110

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0821 Lake Lavon

From Lavon Dam in Collin County, up to normal pool elevation of 492 feet (impounds East Fork Trinity River)

Segment Type Reservoir

AU_ID: 0821_01 Lowermost portion of reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 15684; 15685

SegID: 0821C Wilson Creek

From the confluence with Lake Lavon in Collin County up to West FM 455 (NHD RC 12030106000086), just east of Celina, Collin Co., TX.

Segment Type Freshwater Stream

AU_ID: 0821C_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	WQS/Permits program	Intermediate	Previous TCEQ Permit Decision

Station ID(s): 10777; 15041

SegID: 0821D East Fork Trinity River above Lake Lavon

A portion of the East Fork Trinity River extending from the confluence with Lake Lavon (segment 0821) to the upper end of the water body (NHD RC 12030106000074) in Collin County, Texas.

Segment Type Freshwater Stream

AU_ID: 0821D_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	WQS/Permits program	Intermediate	Previous TCEQ Permit Decision

Station ID(s): 13740

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0822 Elm Fork Trinity River Below Lewisville Lake

From the confluence with the West Fork Trinity River in Dallas County to Lewisville Dam in Denton County

Segment Type Freshwater Stream

AU_ID: 0822_01 *Lower 11 miles of segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 16436; 17163; 17164; 18310; 18648; 20287

AU_ID: 0822_02 *4.5 miles upstream to 7.5 miles downstream DWU intake*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11024; 16438; 17162

AU_ID: 0822_03 *1.0 mi upstream to 4.5 miles downstream SH 121*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13615; 18358

AU_ID: 0822_04 *Upper 1.5 miles of segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 15252; 16437

SegID: 0822A Cottonwood Branch

A 6 mile stretch of Cottonwood Branch running upstream from confluence with Hackberry Creek, to Valley View Road in Dallas County.

Segment Type Freshwater Stream

AU_ID: 0822A_01 *A 2.5 mile stretch of Cottonwood Branch running upstream from confluence with Hackberry Creek to approx. 0.5 miles downstream of N. Story Rd., Dallas Co.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 17167; 17168; 18359

AU_ID: 0822A_02 *A 3.5 mile stretch of Cottonwood Branch running upstream from approximately 0.5 miles downstream of N. Story Rd. to Valley View Rd, Dallas, Co.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 17165; 17166

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0822B Grapevine Creek

From the confluence with Elm Fork Trinity River in Dallas County upstream to its headwaters west of International Parkway at DFW Airport in Tarrant County

Segment Type Freshwater Stream

AU_ID: 0822B_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 17169; 17531; 17939; 20311

SegID: 0822C Hackberry Creek

A 5.5 mile stretch of Hackberry Creek running upstream from confluence with Cottonwood Branch, to approximately 2.4 miles upstream of SH 114, in Irving, Dallas County.

Segment Type Freshwater Stream

AU_ID: 0822C_01 A 5.5 mile stretch of Hackberry Creek running upstream from confluence with S. Fork Hackberry Creek to approximately 2.4 miles upstream of SH 114 in Irving, Dallas Co.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 17170; 17171; 17172; 17532; 17938

SegID: 0822D Ski Lake

A 65 acre reservoir locate just south of the intersection of US 35E and spur 482 in Irving.

Segment Type Reservoir

AU_ID: 0822D_01 Entire segment.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 17849

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0823 Lewisville Lake

From Lewisville Dam in Denton County to a point 100 meters (110 yards) upstream of US 380 in Denton County, up to normal pool elevation of 515 feet (impounds Elm Fork Trinity River)

Segment Type Reservoir

AU_ID: 0823_01 *Lowermost portion of reservoir*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11025; 13995; 13996**AU_ID: 0823_02** *Stewart Creek arm*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 13997; 16808**AU_ID: 0823_03** *Hickory Creek arm*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11027; 13998; 18475; 18476; 18477; 18478; 18479; 20893**AU_ID: 0823_04** *Little Elm Creek arm*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 17830**AU_ID: 0823_05** *Middle portion of reservoir east of Lake Dallas*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11026; 13999; 14001**AU_ID: 0823_06** *Remainder of reservoir*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 18480; 18481

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0823A Little Elm Creek

From confluence with Lake Lewisville in Denton Co., up to 1.4 km above FM 453 in Collin Co.

Segment Type Freshwater Stream

AU_ID: 0823A_01 *From the confluence with Lake Lewisville in Denton Co., up to FM 455 in Collin Co. (Lower 12 miles of segment).*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 13617; 16826

AU_ID: 0823A_02 *From FM 455 in Collin Co., up to 1.4 km above FM 121 in Grayson, Co. near Guenther. (Upper 15 miles of segment).*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): No Stations

SegID: 0823B Stewart Creek

From the confluence with Lake Lewisville in Denton County to the headwaters near Frisco in Collin County.

Segment Type Freshwater Stream

AU_ID: 0823B_01 *Entire segment.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 10860

SegID: 0823C Clear Creek

From the confluence with Lake Lewisville in Denton County to the headwaters west of Montague in Montague County

Segment Type Freshwater Stream

AU_ID: 0823C_01 *Lower 25 miles of segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 10859; 16827

AU_ID: 0823C_02 *Upper 40 miles of segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): No Stations

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0823D Doe Branch

From the confluence (NHD RC 12030103023518) with Lake Lewisville/Elm Fork Trinity in Denton County to the headwaters (NHD RC 12030103005935) northeast of Celina, Collin Co., TX.

Segment Type Freshwater Stream

AU_ID: 0823D_01 *From the confluence (NHD RC 12030103023518) with Lake Lewisville/Elm Fork Trinity in Denton County to the headwaters (NHD RC 12030103005935) northeast of Celina, Collin Co., TX.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	WQS/Permits program	Minimal	Previous TCEQ Permit Decision

Station ID(s): 18560; 20291

SegID: 0824 Elm Fork Trinity River Above Ray Roberts Lake

From a point 9.5 km (5.9 miles) downstream of the confluence of Pecan Creek in Cooke County to US 82 in Montague County

Segment Type Freshwater Stream

AU_ID: 0824_01 *Lower 7.5 miles of segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11029; 11031

AU_ID: 0824_02 *2 mile reach near unmarked county road, 1.4 km downstream Gainesville WWTP*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11033

AU_ID: 0824_03 *3.5 mile reach near SH 51*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 15635; 17670

AU_ID: 0824_04 *25 mile reach near FM 3108*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 16432

AU_ID: 0824_05 *Upper 48 miles of segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0825**Denton Creek**

From the confluence with the Elm Fork Trinity River in Dallas County to Grapevine Dam in Tarrant County

Segment Type Freshwater Stream

AU_ID: 0825_01 *Entire segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s):

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0826 Grapevine Lake

From Grapevine Dam in Tarrant County up to normal pool elevation of 535 feet (impounds Denton Creek)

Segment Type Reservoir

AU_ID: 0826_01 *Lowermost portion of reservoir*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11035; 13873; 13874; 16113; 17827; 20889; 20890; 20891**AU_ID:** 0826_02 *Morehead Creek cove*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11036; 11037; 16118; 20886**AU_ID:** 0826_03 *Lower portion of reservoir north of Oak Grove Park*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 16114**AU_ID:** 0826_04 *North Main Slough cove*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 16116; 16117; 20887; 20888**AU_ID:** 0826_05 *Middle portion of reservoir east of Meadowmere Park*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 13875; 16115**AU_ID:** 0826_06 *Middle portion of reservoir southeast of Walnut Grove Park*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 13876; 16112; 17828**AU_ID:** 0826_07 *Upper portion of reservoir east of Marshall Creek Park*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 13877; 13878; 16111; 20882**AU_ID:** 0826_08 *Remainder of reservoir*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 20880; 20881; 20883; 20884

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0826A Denton Creek

Perennial stream from the confluence with Grapevine Lake in Denton County to the headwaters northeast of Bowie in Montague County

Segment Type Freshwater Stream

AU_ID: 0826A_01 Lower 7.9 miles of creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s):

AU_ID: 0826A_02 15.7 miles upstream to 7.4 miles down stream of FM 156

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s):

SegID: 0827 White Rock Lake

From White Rock Dam in Dallas County up to the normal pool elevation of 458 feet (impounds White Rock Creek)

Segment Type Reservoir

AU_ID: 0827_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s):

SegID: 0827A White Rock Creek above White Rock Lake

Perennial stream from the headwaters of White Rock Lake upstream to the confluence with McKamy Branch east of the City of Addison

Segment Type Freshwater Stream

AU_ID: 0827A_01 From the headwaters of White Rock Lake upstream to the upper end of the water body at NHD RC 12030105001118.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s):

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0828 Lake Arlington

From Arlington Dam in Tarrant County up to the normal pool elevation of 550 feet (impounds Village Creek)

Segment Type Reservoir

AU_ID: 0828_01 *Lowermost portion of lake along western half of dam*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11040; 13905**AU_ID: 0828_02** *Lowermost portion of lake along eastern half of dam*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 13904**AU_ID: 0828_03** *Western half of lower portion of lake*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 13903**AU_ID: 0828_04** *Eastern half of lower portion of lake*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 13901**AU_ID: 0828_05** *Western half of upper portion of lake*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 13899**AU_ID: 0828_06** *Eastern half of upper portion of lake*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11042; 13898**AU_ID: 0828_07** *Uppermost portion of lake*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 13897**AU_ID: 0828_08** *Remainder of lake*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 13900

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0828A Village Creek

From the confluence with Lake Arlington in Tarrant County to the headwaters east of Joshua in Johnson County

Segment Type Freshwater Stream

AU_ID: 0828A_01 From Lake Arlington to the headwaters

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	TSWQS	Limited	Presumption from Flow Type

Station ID(s): 10780; 10786

SegID: 0829 Clear Fork Trinity River Below Benbrook Lake

From the confluence with the West Fork Trinity River in Tarrant County to Benbrook Dam in Tarrant County

Segment Type Freshwater Stream

AU_ID: 0829_01 From the confluence with West Fork Trinity River to 1 mile upstream.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 16119; 20427

AU_ID: 0829_02 From 1 mile upstream of the confluence with West Fork Trinity River up to the confluence with Mary's Creek.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11044; 11045; 16122; 18456

AU_ID: 0829_03 From the confluence with Mary's Creek up to Benbrook Dam in Tarrant County, TX.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13623

SegID: 0829A Lake Como

From Lake Como Dam to the reservoir headwaters in Lake Como Park in Tarrant County

Segment Type Reservoir

AU_ID: 0829A_01 Entire lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 16814

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0830 Benbrook Lake

From Benbrook Dam in Tarrant County to a point 200 meters (220 yards) downstream of US 377 in Tarrant County, up to normal pool elevation of 694 feet (impounds Clear Fork Trinity River)

Segment Type Reservoir

AU_ID: 0830_01 Lower portion of reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 13830; 15151; 15161

AU_ID: 0830_02 Middle portion of reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 13831; 15156

AU_ID: 0830_03 Upper portion of reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 15158

AU_ID: 0830_05 Rock/Mustang Creek arm of Benbrook Lake.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 13832

SegID: 0831 Clear Fork Trinity River Below Lake Weatherford

From a point 200 meters (220 yards) downstream of US 377 in Tarrant County to Weatherford Dam in Parker County

Segment Type Freshwater Stream

AU_ID: 0831_01 Lower 12.75 miles, downstream from South Fork Trinity River confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13691; 17444; 17447

AU_ID: 0831_03 From the confluence with South Fork of Trinity R. to a point 2 mi upstream

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 17445

AU_ID: 0831_04 2 mi upstream of South Fork Trinity River confluence to Squaw Ck. Confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11060

AU_ID: 0831_05 From the confluence of Squaw Ck. to Lake Weatherford Dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 17446; 17637

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0831A South Fork Trinity River

Eleven mile stretch of South Fork Trinity River running upstream from confluence with Clear Fork Trinity River to confluence with Willow Creek, Parker Co.

Segment Type Freshwater Stream

AU_ID: 0831A_01 *Eleven mile stretch of S. Fork Trinity River running upstream from confluence with Clear Fork Trinity River to confluence with Willow Creek, Parker Co.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 17454; 17455

SegID: 0831B Unnamed Tributary of South Fork Trinity River

A 4.4 mile (7.1 KM) stretch of unnamed tributary to South Fork Trinity River stretching from the confluence to the upper end of the creek (NHD RC 12030102000351)

Segment Type Freshwater Stream

AU_ID: 0831B_01 *Entire segment.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 17456

SegID: 0832 Lake Weatherford

From Weatherford Dam in Parker County to a point 3.1 km (1.9 miles) upstream of FM 730 in Parker County, up to the normal pool elevation of 896 feet (impounds Clear Fork Trinity River)

Segment Type Reservoir

AU_ID: 0832_01 *Entire reservoir*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11061

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0833 Clear Fork Trinity River Above Lake Weatherford

From a point 3.1 km (1.9 miles) upstream of FM 730 in Parker County, to the confluence with Strickland Creek approximately 8 kilometers (5 miles) upstream of FM 51 in Parker County

Segment Type Freshwater Stream

AU_ID: 0833_03 *From the confluence of McKnight Branch to the confluence of Strickland Ck. approximately 8 kilometers (5 miles) upstream of FM 51 in Parker County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s):

AU_ID: 0833_04 *From the confluence with Dobbs Branch to confluence with McKnight Branch*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s):

AU_ID: 0833_05 *From the confluence of Dobbs Ck. to the lower end of segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s):

SegID: 0834 Lake Amon G. Carter

From Amon G. Carter Dam in Montague County up to the normal pool elevation of 920 feet (impounds Big Sandy Creek)

Segment Type Reservoir

AU_ID: 0834_01 *Entire reservoir*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s):

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0836 Richland-Chambers Reservoir

From Richland-Chambers Dam in Freestone County to a point immediately upstream of the confluence of Pin Oak Creek on the Richland Creek Arm in Navarro County and to a point 4.0 kilometers (2.5 miles) downstream of Tupelo Branch on the Chambers Creek Arm

Segment Type Reservoir

AU_ID: 0836_01 *Lowermost portion of reservoir, adjacent to dam*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11065; 15168**AU_ID: 0836_02** *Confluence of Richland and Chambers Creek arms*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 15169**AU_ID: 0836_03** *Lower portion of Chambers Creek arm*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 15170; 18720**AU_ID: 0836_04** *Upper portion of Chambers Creek arm*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 15199; 18724**AU_ID: 0836_05** *Lower portion of Richland Creek arm*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11068**AU_ID: 0836_06** *Upper portion of Richland Creek arm*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 15172; 18727**AU_ID: 0836_07** *Remainder of reservoir*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 18725; 18726**AU_ID: 0836_08** *Post Oak Creek Arm off of Chambers Creek Arm of Richland Chambers Reservoir.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 18723

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0836B Cedar Creek

From the confluence with Richland Chambers Reservoir to the upper end of the creek (NHD RC 12030109012807)

Segment Type Freshwater Stream

AU_ID: 0836B_01 Entire segment.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 18716; 18718; 18719

SegID: 0836C Grape Creek

From the confluence with Richland Chambers Reservoir to the upper end of the creek (NHD RC 12030108000107) southwest of Corsicana, Navarro County, TX.

Segment Type Freshwater Stream

AU_ID: 0836C_01 Entire segment.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	WQS/Permits program	Limited	Previous TCEQ Permit Decision

Station ID(s): 18721

SegID: 0836D Post Oak Creek

From the confluence with Richland Chambers Reservoir to the upper end of the creek (NHD RC 12030109012706)

Segment Type Freshwater Stream

AU_ID: 0836D_01 Entire segment.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	WQS/Permits program	High	Previous TCEQ Permit Decision

Station ID(s): 18722

SegID: 0837 Richland Creek Above Richland-Chambers Reservoir

From the confluence of Pin Oak Creek in Navarro County to Navarro Mills Dam in Navarro County

Segment Type Freshwater Stream

AU_ID: 0837_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11070; 18344

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0838 Joe Pool Lake

From Joe Pool Dam in Dallas County up to the normal pool elevation of 522 feet (impounds Mountain Creek)

Segment Type Reservoir

AU_ID: 0838_01 Lowermost portion of reservoir adjacent to the dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11073; 13890; 13891; 13893; 13894

AU_ID: 0838_02 Mountain Creek arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11071; 13896; 17684

AU_ID: 0838_03 Walnut Creek arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11072; 13892

SegID: 0838A Mountain Creek

Ten mile stretch of Mountain Creek running upstream from US 287 in Ellis Co., to confluence with Fish Spring Branch in Johnson County.

Segment Type Freshwater Stream

AU_ID: 0838A_01 Entire segment.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 13622

SegID: 0838B Sugar Creek

A 1.6 mile stretch of Sugar Creek running upstream from Tarrant/Dallas County line, to just upstream of Britton Road in Mansfield, Tarrant County.

Segment Type Freshwater Stream

AU_ID: 0838B_01 Entire segment.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 17680

SegID: 0838C Walnut Creek

From the confluence with Joe Pool Lake up to the headwaters at Spring Street in Burleson.

Segment Type Freshwater Stream

AU_ID: 0838C_01 From the confluence with Joe Pool Lake up to the headwaters at Spring Street in Burleson.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 13621; 20790

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0838D Hollings Branch

Hollings Branch from the confluence of the Mountain Creek arm of Joe Pool Lake upstream to the headwater 500 m downstream of US 67 in Midlothian

Segment Type Freshwater Stream

AU_ID: 0838D_01 Hollings Branch from the confluence of the Mountain Creek arm of Joe Pool Lake upstream to the headwater 500 m downstream of US 67 in Midlothian

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type

Station ID(s): 16433

SegID: 0838E Soap Creek

Soap Creek from the confluence of the Mountain Creek arm of Joe Pool Lake upstream to the headwater 6.6 km (3.98 miles) upstream of US 67 in Midlothian

Segment Type Freshwater Stream

AU_ID: 0838E_01 Soap Creek from the confluence of the Mountain Creek arm of Joe Pool Lake upstream to the headwater 6.6 km (3.98 miles) upstream of US 67 in Midlothian

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type

Station ID(s): 16435

SegID: 0839 Elm Fork Trinity River Below Ray Roberts Lake

From a point 100 meters (110 yards) upstream of US 380 in Denton County to Ray Roberts Dam in Denton County

Segment Type Freshwater Stream

AU_ID: 0839_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13619

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0840 Ray Roberts Lake

From Ray Roberts Dam in Denton County to a point 9.5 km (5.9 miles) upstream of the confluence of Pecan Creek in Cooke County, up to the normal pool elevation of 632.5 feet (impounds Elm Fork Trinity River)

Segment Type Reservoir

AU_ID: 0840_01 *Lowermost portion of reservoir adjacent to dam*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 14039; 17834**AU_ID: 0840_02** *Lower portion of Jordan Creek arm west of Pilot Point*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11076**AU_ID: 0840_03** *Upper portion of Jordan Creek arm*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 16823**AU_ID: 0840_04** *Buck Creek cove*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 16822**AU_ID: 0840_05** *Lower portion of Elm Fork arm*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations**AU_ID: 0840_06** *Middle portion of Elm Fork arm*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 14043**AU_ID: 0840_07** *Upper portion of Elm Fork arm*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 16824**AU_ID: 0840_08** *Remainder of reservoir*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 20894; 20895; 20896; 20897; 20898; 20899

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0841 Lower West Fork Trinity River

From a point immediately upstream of the confluence of the Elm Fork Trinity River in Dallas County to a point immediately upstream of the confluence of Village Creek in Tarrant County

Segment Type Freshwater Stream

AU_ID: 0841_01 From confluence of the Elm Fork Trinity River to the confluence with Johnson Creek.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 11079; 11080; 11081; 11082; 11089

AU_ID: 0841_02 From the confluence with Johnson Creek upstream to the confluence of Village Creek.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 11083; 11084; 11086; 11087; 11088; 17160; 17669

SegID: 0841A Mountain Creek Lake

From Mountain Creek Lake Dam to the reservoir headwater at the confluence of Mountain and Fish Creeks, in Dallas County (impounds Mountain Creek)

Segment Type Reservoir

AU_ID: 0841A_01 Entire reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): No Stations

SegID: 0841B Bear Creek

A 12 mile stretch of Bear Creek running upstream from confluence with West Fork Trinity River, to the confluence with Little Bear Creek just upstream of HWY 183 in Euless, Tarrant County, TX.

Segment Type Freshwater Stream

AU_ID: 0841B_01 Entire segment.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 10864; 10865; 10866; 10867; 10868; 10869; 17663; 18313; 18315

SegID: 0841C Arbor Creek

A 2.2 mile stretch of Arbor Creek running upstream from confluence with Johnson Creek, to approx. 0.5 miles upstream of Tarrant/Dallas county line.

Segment Type Freshwater Stream

AU_ID: 0841C_01 Entire segment.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 17666; 20610

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0841D Big Bear Creek

An 8 mile stretch of Big Bear Creek running upstream from confluence with Little Bear Creek to SH 26, Tarrant Co.

Segment Type Freshwater Stream

AU_ID: 0841D_01 From the confluence with Little Bear Creek to SH 26, Tarrant County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 17089

SegID: 0841E Copart Branch Mountain Creek

A 2.8 mile stretch of Copart Branch running upstream from confluence with Mountain Creek to approximately 0.3 miles upstream of Camden Road on Dallas Naval Academy, Dallas County.

Segment Type Freshwater Stream

AU_ID: 0841E_01 Entire segment.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 17672

SegID: 0841F Cottonwood Creek

A 6.5 mile stretch of Cottonwood Creek running upstream from approx. 0.1 mi. upstream of Mountain Creek Reservoir in Dallas Co., to SH 360 in, Tarrant Co.

Segment Type Freshwater Stream

AU_ID: 0841F_01 Entire Segment.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 10723; 17674; 17676; 20837

SegID: 0841G Dalworth Creek

A 2.2 mile stretch of Dalworth Creek running upstream from confluence with Lower W. Fork Trinity to County Line Road in Grand Prairie, Dallas Co.

Segment Type Freshwater Stream

AU_ID: 0841G_01 Entire segment.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 17671

SegID: 0841H Delaware Creek

An 8.5 mile stretch of Delaware Creek running upstream from confluence with Lower W. Fork Trinity to Finley Road in Irving.

Segment Type Freshwater Stream

AU_ID: 0841H_01 Entire segment.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 10871; 15617; 17175; 17176; 17177; 17178; 18314

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0841J Estelle Creek

A 4 mile stretch of Estelle Creek running upstream from confluence with Bear Creek to Valley View Lane in Irving, Dallas County.

Segment Type Freshwater Stream

AU_ID: 0841J_01 Entire segment.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 17174

SegID: 0841K Fish Creek

A 15 mile stretch of Fish Creek running upstream from the confluence with Mountain Creek Reservoir in Grand Prairie, Dallas Co., to the upper end of the creek (NHD RC 12030102000107) in Arlington, Tarrant Co.

Segment Type Freshwater Stream

AU_ID: 0841K_01 From South Belt Line Road (FM 1382) upstream to the upper end of the creek south of West Bardin Road (NHD RC 12030102000107) in Arlington, Tarrant County. From South Belt Line Road (FM 1382) upstream to the upper end of creek south of West Bardin Road.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 10724; 10725; 15294; 17677; 17679; 20342

SegID: 0841L Johnson Creek

Four mile stretch of Johnson Creek running upstream from confluence with the Arbor Creek to just upstream of I30 in Grand Prairie, Tarrant Co.

Segment Type Freshwater Stream

AU_ID: 0841L_01 From the confluence with the Lower West Fork Trinity River, upstream to just south of Mayfield Road in Arlington, Tarrant, Co..

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 10718; 10719; 10721; 17664; 17665; 18311

SegID: 0841M Kee Branch

Six mile stretch of Kee Branch running upstream from confluence with Rush Creek to upper end of the creek (NHD RC 12030102000165).

Segment Type Freshwater Stream

AU_ID: 0841M_01 Entire Segment.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 10792; 15103; 16896

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0841N Kirby Creek

Four mile stretch of Kirby Creek running upstream from confluence with Fish Creek in Grand Prairie, Dallas Co., to just upstream of Great Southwest Parkway in Arlington, Tarrant Co.

Segment Type Freshwater Stream

AU_ID: 0841N_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 17675

SegID: 0841O Mountain Creek

Four mile stretch of Mountain Creek running upstream from confluence with West Fork Trinity, to approximately 0.3 mile downstream of Mountain Creek Lake in Grand Prairie, Dallas Co.

Segment Type Freshwater Stream

AU_ID: 0841O_01 Entire segment.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 10815; 13672; 17681; 17682

SegID: 0841P North Fork Cottonwood Creek

A 4.4 mile stretch of North Fork Cottonwood Creek running upstream from confluence with the S. Fork Cottonwood Creek in Grand Prairie, Dallas Co., to approx. 0.3 mi. upstream of Carter St. in Arlington, Tarrant Co.

Segment Type Freshwater Stream

AU_ID: 0841P_01 Entire segment.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 10722; 17673; 20836

SegID: 0841Q North Fork Fish Creek

A 5 mile stretch of North Fork Fish Creek running upstream from confluence with Fish Creek in Dallas Co., to SH 360 in, Tarrant Co.

Segment Type Freshwater Stream

AU_ID: 0841Q_01 Entire segment.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 17678; 20838

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0841R Rush Creek

A 5 mile stretch of Rush Creek running upstream from confluence with Village Creek to confluence with Kee Branch in Arlington, Tarrant Co.

Segment Type Freshwater Stream

AU_ID: 0841R_01 Entire segment.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 10788; 10790; 10791; 17190; 17191

SegID: 0841S Vilbig Lakes

A 5 acre area in NW corner of Vilbig Lakes, near confluence with unnamed creek, approx. 100 m south of intersection of Rusdell Rd./Marvel Dr. in Irving, Dallas, Co.

Segment Type Reservoir

AU_ID: 0841S_01 A 5 acre area in NW corner of Vilbig Lakes, near confluence with unnamed creek, approx. 100 m south of intersection of Rusdell Rd./Marvel Dr. in Irving, Dallas, Co.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 15624; 20793; 20794; 20795; 20796

SegID: 0841T Village Creek

A 7 mile stretch of Village Creek running upstream from confluence with West Fork Trinity River to SH 303 approx. 0.75 mi. downstream of Lake Arlington.

Segment Type Freshwater Stream

AU_ID: 0841T_01 A 7 mile stretch of Village Creek running upstream from confluence with West Fork Trinity River to SH 303 approx. 0.75 mi. downstream of Lake Arlington.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 10778; 17189

SegID: 0841U West Irving Creek

A 4 mile stretch of West Irving Branch running upstream from approx. 0.4 mi. downstream of Oakdale Rd. to just south of Sowers Road in Irving, Dallas Co.

Segment Type Freshwater Stream

AU_ID: 0841U_01 A 4 mile stretch of West Irving Branch running upstream from approx. 0.4 mi. downstream of Oakdale Rd. to just south of Sowers Road in Irving, Dallas Co.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 17179

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 0841V Crockett Branch

A 1 mile (1.5 KM) stretch of Crockett Branch extending upstream from the confluence with Cottonwood Creek to the upper end of the creek (NHD RC 12030102044745)

Segment Type Freshwater Stream

AU_ID: 0841V_01 Entire Segment.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 15295; 17683

SegID: 0901 Cedar Bayou Tidal

From the confluence with Galveston Bay 1.0 km (0.6 miles) downstream of Tri-City Beach Road in Chambers County to a point 2.2 km (1.4 miles) upstream of IH 10 in Chambers/Harris County

Segment Type Tidal Stream

AU_ID: 0901_01 From the confluence with Galveston Bay 1.0 km (0.6 miles) downstream of Tri-City Beach Road to a point 2.2 km (1.4 miles) upstream of IH 10

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 11111; 11115; 11117

SegID: 0902 Cedar Bayou Above Tidal

From a point 2.2 km (1.4 miles) upstream of IH 10 in Chambers/Harris County to a point 7.4 km (4.6 miles) upstream of FM 1960 in Liberty County

Segment Type Freshwater Stream

AU_ID: 0902_01 From a point 2.2 km (1.4 miles) upstream of IH 10 to a point 7.4 km (4.6 miles) upstream of FM 1960

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11120; 11123

SegID: 1001 San Jacinto River Tidal

From a point 100 meters (110yards) downstream of IH 10 in Harris County to Lake Houston Dam in Harris County

Segment Type Tidal Stream

AU_ID: 1001_01 From Lake Houston Dam to US Hwy 90

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 11197; 11200; 11201; 18388; 18389

AU_ID: 1001_02 From US Hwy 90 to IH 10

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 11193; 11198; 16622; 17919

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1002 Lake Houston

From Lake Houston Dam in Harris County to the confluence of Spring Creek on the West Fork San Jacinto Arm in Harris/Montgomery County and to the confluence of Caney Creek on the East Fork San Jacinto Arm in Harris County, up to normal pool elevation of 4

Segment Type Reservoir

AU_ID: 1002_01 From the Red Gully confluence to FM 1960 East Pass

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11212; 13954; 18670

AU_ID: 1002_02 From West Lake Houston Parkway to FM 1960 West Pass

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11211; 13957; 14148; 18667

AU_ID: 1002_03 From the downstream side of FM 1960 (includes East and West Passes) to the Missouri Pacific Railroad Tracks

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11208; 13948; 13951; 20929

AU_ID: 1002_04 From the Missouri Pacific Railroad Tracks to Foley Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11205; 13945; 16668; 20184; 20185

AU_ID: 1002_05 From Foley Road to the Lake Houston Dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11204; 13942; 20928; 20931

AU_ID: 1002_06 From the confluence with Spring Creek to West Lake Houston Pkwy

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11213; 18669; 20782

AU_ID: 1002_07 From the East Fork San Jacinto River confluence to the Red Gully confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 16623

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1002A Tarkington Bayou

From the Luce Bayou confluence upstream to a point just upstream of FM 2025 in Liberty County

Segment Type Freshwater Stream

AU_ID: 1002A_01 *From the Luce Bayou confluence upstream to the Little Tarkington Bayou confluence near the City of Cleveland*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s):

SegID: 1002B Luce Bayou

From confluence with Lake Houston (Harris County) to FM 1008 (Liberty County)

Segment Type Freshwater Stream

AU_ID: 1002B_01 *From the Lake Houston confluence upstream to the Key Gully confluence*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Intermediate	Presumption from Flow Type

Station ID(s):

SegID: 1002C Lake Isabell

Small lake located at the southern end of Lake Houston Park northeast of the Caney Creek (1010) and East Fork of the San Jacinto River (1003) confluence in Harris County.

Segment Type Reservoir

AU_ID: 1002C_01 *Small lake located at the southern end of Lake Houston Park northeast of the Caney Creek (1010) and East Fork of the San Jacinto River (1003) confluence in Harris County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s):

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1003 East Fork San Jacinto River

From the confluence of Caney Creek in Harris County to US 190 in Walker County

Segment Type Freshwater Stream

AU_ID: 1003_01 From the Caney Creek confluence upstream to US 59

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11235; 11236**AU_ID: 1003_02** From US Hwy 59 to a point 40 km (25 mi) upstream (just upstream of Clear Creek confluence)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11238; 14242**AU_ID: 1003_03** From a point 40 km (25 mi) upstream (just upstream of Clear Creek confluence) to US 190 (upper segment boundary)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11237; 17431

SegID: 1004 West Fork San Jacinto River

From the confluence of Spring Creek in Harris/Montgomery County to Conroe Dam in Montgomery County

Segment Type Freshwater Stream

AU_ID: 1004_01 From the Spring Creek confluence upstream to the Stewart Creek confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11243; 13611; 16624; 16804**AU_ID: 1004_02** From the Stewart Creek confluence upstream to the Lake Conroe Dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11245; 11250; 11251

SegID: 1004D Crystal Creek

From the West Fork of the San Jacinto River confluence to the confluence of the east and west forks of Crystal Creek

Segment Type Freshwater Stream

AU_ID: 1004D_01 From the Confluence with West Fork San Jacinto River upstream to confluence of the East and West Forks of Crystal Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 11181; 16635

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1004E Stewarts Creek

From headwaters northwest of old Montgomery Rd to confluence with West Fork of the San Jacinto River

Segment Type Freshwater Stream

AU_ID: 1004E_02 *From Airport Rd to confluence with West Fork San Jacinto River*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 11178; 16626

SegID: 1005 Houston Ship Channel/San Jacinto River Tidal

From the confluence with Galveston Bay at Morgan's Point in Harris/Chambers County to a point 100 meters (110 yards) downstream of IH 10 in Harris County

Segment Type Tidal Stream

AU_ID: 1005_01 *Downstream I-10 to Lynchburg Ferry Road*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 11262; 15301; 16619; 16621

AU_ID: 1005_02 *Lynchburg Ferry Road to Goose Island*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 11258; 15897; 16195

AU_ID: 1005_03 *Goose Island to SH 146*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 11254; 16618

AU_ID: 1005_04 *SH 146 to Morgans Point*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 11252; 11261; 18390

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1006 Houston Ship Channel Tidal

From the confluence with the San Jacinto River in Harris County to a point immediately upstream of Greens Bayou in Harris County, including tidal portions of tributaries

Segment Type Tidal Stream

AU_ID: 1006_01 *Houston Ship Channel Tidal-From the Greens Bayou confluence to the Patrick Bayou confluence*

<u>Flow Type</u> tidal stream	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> Minimal	<u>ALU Designation Source</u> TWQS-Appendix A
----------------------------------	----------------------------------	-----------------------------------	--

Station ID(s): 11268; 11269; 11270; 11271; 15979; 15980; 16617; 18391

AU_ID: 1006_02 *Houston Ship Channel Tidal- From the Patrick Bayou confluence to the Houston Ship Channel/San Jacinto River Tidal (1005) confluence*

<u>Flow Type</u> tidal stream	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> Minimal	<u>ALU Designation Source</u> TWQS-Appendix A
----------------------------------	----------------------------------	-----------------------------------	--

Station ID(s): 11264; 11265; 11266; 11267; 15936

AU_ID: 1006_03 *Greens Bayou Tidal- From the Houston Ship Channel confluence to a point 0.7 km (0.4 miles) upstream of the Halls Bayou confluence*

<u>Flow Type</u> tidal stream	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> Minimal	<u>ALU Designation Source</u> TWQS-Appendix A
----------------------------------	----------------------------------	-----------------------------------	--

Station ID(s): 11274; 11275; 11277; 11279; 16981; 18363; 21008

AU_ID: 1006_04 *Patrick Bayou Tidal - From the confluence with the Houston Ship Channel to 100 m (328 ft) upstream of the railroad bridge*

<u>Flow Type</u> tidal stream	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> Minimal	<u>ALU Designation Source</u> TWQS-Appendix A
----------------------------------	----------------------------------	-----------------------------------	--

Station ID(s): 11273; 15302; 16872; 16876; 16877; 17145; 17146; 17147; 17148; 17149; 17150; 17151; 17152; 17153; 17154; 17155

AU_ID: 1006_05 *Goodyear Creek-From confluence with Greens Bayou Tidal to Granada St. in Harris County*

<u>Flow Type</u> tidal stream	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> Minimal	<u>ALU Designation Source</u> TWQS-Appendix A
----------------------------------	----------------------------------	-----------------------------------	--

Station ID(s): 16664

AU_ID: 1006_06 *Tucker Bayou- From the Houston Ship Channel confluence to a point 2.7 km (1.7 mi) upstream*

<u>Flow Type</u> tidal stream	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> Minimal	<u>ALU Designation Source</u> TWQS-Appendix A
----------------------------------	----------------------------------	-----------------------------------	--

Station ID(s): 18322

AU_ID: 1006_07 *Carpenters Bayou-From the Houston Ship Channel confluence to the lower boundary of 1006B (2.3 m/ 1.4 mi) upstream from the Houston Ship Channel confluence)*

<u>Flow Type</u> tidal stream	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> Minimal	<u>ALU Designation Source</u> TWQS-Appendix A
----------------------------------	----------------------------------	-----------------------------------	--

Station ID(s): 11272; 20797

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1006B Carpenters Bayou

Perennial stream from 9.0 km upstream of Houston Ship Channel up to Sheldon Reservoir

Segment Type Freshwater Stream

AU_ID: 1006B_01 *Perennial stream from 9.0 km upstream of Houston Ship Channel up to 0.8 km upstream of Wallisville Road, per WQS App D first entry*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 20575

SegID: 1006D Halls Bayou

From the Greens Bayou confluence upstream to Frick Road in Harris County

Segment Type Freshwater Stream

AU_ID: 1006D_01 *From the Greens Bayou confluence upstream to US 59*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Intermediate	TWQS-Appendix D

Station ID(s): 11127; 15862; 15863; 15864; 20023; 20535

AU_ID: 1006D_02 *From US 59 upstream to Frick Road*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D

Station ID(s): 11126; 17490; 17491; 20455

SegID: 1006F Big Gulch Above Tidal

From the confluence with Greens Bayou Tidal to Wallisville Road in Harris County

Segment Type Freshwater Stream

AU_ID: 1006F_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	Intermediate	Previous TCEQ Permit Decision

Station ID(s): 16662

SegID: 1006H Spring Gully Above Tidal

From confluence with Greens Bayou to US 90 in Harris County

Segment Type Freshwater Stream

AU_ID: 1006H_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	Intermediate	Presumption from Flow Type

Station ID(s): 16663

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1006I Unnamed Tributary of Halls Bayou

From the confluence with Halls Bayou to a point 0.13 miles upstream of Richland Drive in Harris County

Segment Type Freshwater Stream

AU_ID: *1006I_01* *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	Limited	Previous TCEQ Permit Decision

Station ID(s): 16666; 16667

SegID: 1006J Unnamed Tributary of Halls Bayou

From the confluence with Halls Bayou (east of US 59 and south of Langley Road) to Mount Houston Road in Harris County

Segment Type Freshwater Stream

AU_ID: *1006J_01* *From the Halls Bayou confluence (east of US 59 and south of Langley Road) to Mount Houston Road*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 16665

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1007 Houston Ship Channel/Buffalo Bayou Tidal

From a point immediately upstream of Greens Bayou in Harris County to a point 100 meters (110 yards) upstream of US 59 in Harris County, including tidal portion of tributaries

Segment Type Tidal Stream

AU_ID: 1007_01 *Houston Ship Channel - From a point immediately upstream of Greens Bayou Tidal to immediately upstream of the 69th Street WWTP outfall*

<u>Flow Type</u> tidal stream	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> Minimal	<u>ALU Designation Source</u> TWQS-Appendix A
----------------------------------	----------------------------------	-----------------------------------	--

Station ID(s): 11280; 11283; 11284; 11286; 11287; 16620; 18392

AU_ID: 1007_02 *Sims Bayou Tidal - From the Houston Ship Channel confluence to a point 11 km (6.8 mi) upstream*

<u>Flow Type</u> tidal stream	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> Minimal	<u>ALU Designation Source</u> TWQS-Appendix A
----------------------------------	----------------------------------	-----------------------------------	--

Station ID(s): 11302; 11304

AU_ID: 1007_03 *Hunting Bayou Tidal - From the Houston Ship Channel confluence to IH-10*

<u>Flow Type</u> tidal stream	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> Minimal	<u>ALU Designation Source</u> TWQS-Appendix A
----------------------------------	----------------------------------	-----------------------------------	--

Station ID(s): 11298; 18362

AU_ID: 1007_04 *Brays Bayou Tidal - From the Houston Ship Channel confluence to downstream of IH-45*

<u>Flow Type</u> tidal stream	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> Minimal	<u>ALU Designation Source</u> TWQS-Appendix A
----------------------------------	----------------------------------	-----------------------------------	--

Station ID(s): 11305; 11306; 11307; 11309; 20196; 20735

AU_ID: 1007_05 *Vince Bayou Tidal - From the Houston Ship Channel confluence to SH 225*

<u>Flow Type</u> tidal stream	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> Minimal	<u>ALU Designation Source</u> TWQS-Appendix A
----------------------------------	----------------------------------	-----------------------------------	--

Station ID(s): 11285; 11299; 11300; 11301; 14368; 20654; 20655

AU_ID: 1007_06 *Berry Bayou - From the Houston Ship Channel confluence to a point 2.4 km (1.5 mi) upstream of the Sims Bayou confluence*

<u>Flow Type</u> tidal stream	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> Minimal	<u>ALU Designation Source</u> TWQS-Appendix A
----------------------------------	----------------------------------	-----------------------------------	--

Station ID(s): 16660

AU_ID: 1007_07 *Buffalo Bayou - From immediately upstream of 69th Street WWTP outfall to US 59*

<u>Flow Type</u> tidal stream	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> Minimal	<u>ALU Designation Source</u> TWQS-Appendix A
----------------------------------	----------------------------------	-----------------------------------	--

Station ID(s): 11288; 11292; 11294; 11296; 15841

AU_ID: 1007_08 *Little Vince Bayou Tidal - From the Vince Bayou confluence to SH 225*

<u>Flow Type</u> tidal stream	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> Minimal	<u>ALU Designation Source</u> TWQS-Appendix A
----------------------------------	----------------------------------	-----------------------------------	--

Station ID(s): 11172

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1007A Canal C-147

From the confluence with Sims Bayou to a point 0.71 km east of Beltway 8 in Houston

Segment Type Freshwater Stream

AU_ID: 1007A_01 From the confluence with Sims Bayou upstream to a point 0.71 km east of Beltway 8

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	WQS/Permits program	Limited	Previous TCEQ Permit Decision

Station ID(s): 15875

SegID: 1007B Brays Bayou Above Tidal

From a point 11.5 km (7.1 mi) upstream of confluence with Houston Ship Channel up to SH 6

Segment Type Freshwater Stream

AU_ID: 1007B_01 From a point 11.5 km (7.1 mi) upstream of confluence with Houston Ship Channel up to SH 6

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D

Station ID(s): 11138; 11139; 11140; 15849; 15850; 15851; 15852; 15853; 15854; 15855; 15859; 16479; 18561

AU_ID: 1007B_02 From State Highway 6 upstream to Clodine Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	WQS/Permits program	Limited	Presumption from Flow Type

Station ID(s): 15848

SegID: 1007C Keegans Bayou Above Tidal

From the Brays Bayou confluence upstream to Harris County line

Segment Type Freshwater Stream

AU_ID: 1007C_01 From the Brays Bayou confluence to the Harris County Line

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D

Station ID(s): 11169; 20211

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1007D Sims Bayou Above Tidal

Perennial stream from 11.0 km upstream of confluence with Houston Ship Channel upstream to Hiram Clark Drive

Segment Type Freshwater Stream

AU_ID: 1007D_01 From Fort Bend Parkway to Hiram Clarke

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	WQS/Permits program	Intermediate	Presumption from Flow Type

Station ID(s): 11135; 16656

AU_ID: 1007D_02 From Hiram Clark to 11 miles upstream of the confluence with the Houston Ship Channel

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D

Station ID(s): 11133; 15876

AU_ID: 1007D_03 From 11 miles upstream of the Houston Ship Channel confluence to SH 35

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	WQS/Permits program	Limited	Presumption from Flow Type

Station ID(s): 11132; 15877; 15878

SegID: 1007E Willow Waterhole Bayou Above Tidal

From the Brays Bayou confluence upstream to South Garden (in Missouri City)

Segment Type Freshwater Stream

AU_ID: 1007E_01 From the Brays Bayou confluence upstream to South Garden Street

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D

Station ID(s): 16652

SegID: 1007F Berry Bayou Above Tidal

From a point 2.4 km (1.5 mi) upstream of the Sims Bayou confluence to the southern city limits of South Houston

Segment Type Freshwater Stream

AU_ID: 1007F_01 From a point 2.4 km (1.5 mi) upstream of the Sims Bayou confluence to SH 3

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D

Station ID(s): 16661

SegID: 1007G Kuhlman Gully Above Tidal

From Brays Bayou confluence to Atchison, Topeka and Santa Fe Railroad tracks in Harris County

Segment Type Freshwater Stream

AU_ID: 1007G_01 From Brays Bayou confluence to Atchison, Topeka and Santa Fe Railroad tracks

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 16653

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1007H Pine Gully Above Tidal

From the Sims Bayou confluence to 0.11 km (0.07 mi) east of Broadway Street in Harris County

Segment Type Freshwater Stream

AU_ID: 1007H_01 From the Sims Bayou confluence to 0.11 km (0.07 mi) east of Broadway Street

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	WQS/Permits program	Intermediate	Presumption from Flow Type

Station ID(s): 16659

SegID: 1007I Plum Creek Above Tidal

From the Sims Bayou confluence to Telephone Road in Harris County

Segment Type Freshwater Stream

AU_ID: 1007I_01 From the Sims Bayou confluence to Telephone Road in Harris County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	WQS/Permits program	Intermediate	Presumption from Flow Type

Station ID(s): 16658

SegID: 1007K Country Club Bayou Above Tidal

From just downstream of South Lockwood Drive to the confluence with Brays Bayou to approximately 0.5 miles upstream of North Wayside Drive in Harris County

Segment Type Freshwater Stream

AU_ID: 1007K_01 From just downstream of South Lockwood Drive to the confluence with Brays Bayou

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	Intermediate	Presumption from Flow Type

Station ID(s): 16650; 16651

SegID: 1007L Unnamed Tributary of Brays Bayou

From the Brays Bayou confluence near Fondren Road to a point 0.97 km (0.60 mi) upstream in Harris County

Segment Type Freshwater Stream

AU_ID: 1007L_01 From the Brays Bayou confluence near Fondren Road to a point (0.37 km) 0.60 miles upstream in Harris County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Water body description	Intermediate	Presumption from Flow Type

Station ID(s): 16654

SegID: 1007M Unnamed Tributary of Hunting Bayou

From the confluence with Hunting Bayou to Mercury Road in Harris County

Segment Type Freshwater Stream

AU_ID: 1007M_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	Intermediate	Previous TCEQ Permit Decision

Station ID(s): 16657

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1007N Unnamed Tributary of Sims Bayou

From the confluence with Sims Bayou, south of Airport Road, east of SH 288 in Harris County

Segment Type Freshwater Stream

AU_ID: 1007N_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	Intermediate	Presumption from Flow Type

Station ID(s): 16655

SegID: 1007O Unnamed Tributary of Buffalo Bayou

From the confluence with Buffalo Bayou to IH-10 between Hirsch Road and Lockwood in Harris County

Segment Type Freshwater Stream

AU_ID: 1007O_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	Intermediate	Presumption from Flow Type

Station ID(s): 16649; 17977

SegID: 1007R Hunting Bayou Above Tidal

From the confluence with Hunting Bayou Tidal at IH-10 to Maury Street on the north fork and Bain Street on the south fork

Segment Type Freshwater Stream

AU_ID: 1007R_01 From Bain Street to Sayers Street (South Fork)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	WQS/Permits program	Intermediate	Presumption from Flow Type

Station ID(s): 15869; 15872

AU_ID: 1007R_02 From just east of Elysian Street to Falls Street (North Fork)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	WQS/Permits program	Intermediate	Presumption from Flow Type

Station ID(s): 11131; 15867; 15868

AU_ID: 1007R_03 From Falls Street to Loop 610

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	WQS/Permits program	Intermediate	Presumption from Flow Type

Station ID(s): 11129; 15873

AU_ID: 1007R_04 From Loop 610 East to IH 10

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	WQS/Permits program	Intermediate	Presumption from Flow Type

Station ID(s): 11128; 20574

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1007S Poor Farm Ditch

From the Brays Bayou confluence upstream 3.6 km (2.3 mi) to the Bissonnet Road bridge crossing

Segment Type Freshwater Stream

AU_ID: 1007S_01 *From the Brays Bayou confluence upstream 3.6 km (2.3 mi) to the Bissonnet Road bridge crossing*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 18692

SegID: 1007T Bintliff Ditch

From the Brays Bayou confluence upstream 5.8 km (3.6 mi) to the Fondren Road bridge crossing

Segment Type Freshwater Stream

AU_ID: 1007T_01 *From the Brays Bayou confluence to 0.57 km (0.35 mi) upstream of the Fondren Road bridge crossing*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 18690

SegID: 1007U Mimosa Ditch

From the Brays Bayou confluence upstream 2.9 km (1.8 mi) to the Chimney Rock bridge crossing

Segment Type Freshwater Stream

AU_ID: 1007U_01 *From the Brays Bayou confluence upstream 2.9 km (1.8 mi) to the Chimney Rock bridge crossing*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 18691

SegID: 1007V Unnamed Tributary of Hunting Bayou

From the Hunting Bayou confluence to 1.7 km (1.1 mi) upstream of the confluence (0.3 km west of Collingsworth Street)

Segment Type Freshwater Stream

AU_ID: 1007V_01 *From the Hunting Bayou confluence to 1.7 km (1.1 mi) upstream of the confluence (0.3 km west of Collingsworth Street)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 18689

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1007W Harris County Flood Control Ditch D 138

From the confluence with Brays Bayou to a point immediately south of Beechnut Street in Houston

Segment Type Freshwater Stream

AU_ID: 1007W_01 From the confluence with Brays Bayou to a point immediately south of Beechnut Street in Houston

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	TWQS-Appendix D	Limited	TWQS-Appendix D

Station ID(s): 21180

SegID: 1008 Spring Creek

From the confluence with the West Fork San Jacinto River in Harris/Montgomery County to the confluence with Kickapoo Creek in Waller County

Segment Type Freshwater Stream

AU_ID: 1008_02 Kickapoo Creek confluence to SH 249

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11314; 11315; 11323

AU_ID: 1008_03 SH 249 to IH 45

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11313; 17489; 18198

AU_ID: 1008_04 IH 45 to the confluence with Lake Houston

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11311; 11312; 18868

SegID: 1008A Mill Creek

Perennial stream from the normal pool elevation of Neidigk Lake upstream to the confluence of Hurricane Creek and Kickapoo Creek

Segment Type Freshwater Stream

AU_ID: 1008A_01 From the normal pool elevation of Neidigk Lake upstream to the Hurricane Creek and Kickapoo Creek confluences

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 16604; 20461

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1008B Upper Panther Branch

From the normal pool elevation of 125 feet of Lake Woodlands upstream to Old Conroe Road

Segment Type Freshwater Stream

AU_ID: 1008B_01 From the Lake Woodlands confluence upstream to the Bear Branch confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 16630; 16632; 16634

AU_ID: 1008B_02 From the Bear Branch confluence to Old Conroe Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	TWQS-Appendix D	Limited	TWQS-Appendix D

Station ID(s): 16629

SegID: 1008C Lower Panther Branch

From the Spring Creek confluence upstream to the dam impounding Lake Woodlands in Montgomery County

Segment Type Freshwater Stream

AU_ID: 1008C_01 From Spring Creek confluence upstream to Saw Dust Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 16628

AU_ID: 1008C_02 From Saw Dust Road to the Lake Woodlands Dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	Intermediate	TWQS-Appendix D

Station ID(s): 16627

SegID: 1008E Bear Branch

From the Upper Panther Branch confluence to south of FM 1488 in Montgomery County

Segment Type Freshwater Stream

AU_ID: 1008E_01 From Upper Panther Branch confluence to south of FM 1488

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 16631

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1008F Lake Woodlands

From Lake Woodlands Dam to confluence with Upper Panther Branch Creek in Montgomery County (impounds Upper Panther Branch)

Segment Type Reservoir

AU_ID: 1008F_01 Upper end of segment to Northshore Park/Woodlock Forest

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 16484; 20568

AU_ID: 1008F_02 Northshore Park/Woodlock Forest to inflow from unnamed tributary

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 16483

AU_ID: 1008F_03 From inflow of unnamed tributary to dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 16482

AU_ID: 1008F_04 Arm near dam adjacent to West Isle Drive and Pleasure Cove Drive

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 16481

SegID: 1008H Willow Creek

From the Spring Creek confluence to a point 0.48 km (0.3 mi) north of Juergen Rd

Segment Type Freshwater Stream

AU_ID: 1008H_01 From the Spring Creek confluence to a point 0.48 km (0.3 mi) north of Juergen Rd

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 11185; 16426; 20730

SegID: 1008I Walnut Creek

From the Spring Creek confluence to a point 41.1 km (25.5 mi) upstream

Segment Type Freshwater Stream

AU_ID: 1008I_01 From the Spring Creek confluence to a point 41.1 km (25.5 mi) upstream

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 20462

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1008J Brushy Creek

From the Spring Creek confluence upstream to a point 5.6 km (3.5 mi) upstream of FM 1488

Segment Type Freshwater Stream

AU_ID: 1008J_01 From the Spring Creek confluence upstream to a point 5.6 km (3.5 mi) upstream of FM 1488

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 20463

SegID: 1009 Cypress Creek

From the confluence with Spring Creek in Harris County to the confluence of Snake Creek and Mound Creek in Waller County

Segment Type Freshwater Stream

AU_ID: 1009_01 Upper portion of segment to downstream of US 290

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11333; 20457

AU_ID: 1009_02 US 290 to SH 249

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11331; 11332

AU_ID: 1009_03 SH 249 to IH 45

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11328; 11330

AU_ID: 1009_04 IH 45 to confluence with Spring Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11324

SegID: 1009C Faulkey Gully

From Cypress Creek confluence with upstream 3.2 km (2.0 mi), which is approximately 1.0 km upstream of Louetta Road

Segment Type Freshwater Stream

AU_ID: 1009C_01 From the Cypress Creek confluence to a point 11.7 km (7.2 mi) upstream

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type

Station ID(s): 17496

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1009D Spring Gully

From the Cypress Creek confluence upstream to near Spring Cypress Road

Segment Type Freshwater Stream

AU_ID: 1009D_01 From the Cypress Creek confluence upstream to near Spring Cypress Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 17481

SegID: 1009E Little Cypress Creek

From the Cypress Creek confluence to a point 11 km (6.8 mi) upstream in Harris County

Segment Type Freshwater Stream

AU_ID: 1009E_01 From the Cypress Creek confluence to a point 11 km (6.8 mi) upstream

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 14159; 20456

SegID: 1010 Caney Creek

From the confluence with the East Fork San Jacinto River in Harris County to SH 150 in Walker County

Segment Type Freshwater Stream

AU_ID: 1010_01 Remaining upper portion of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

AU_ID: 1010_02 FM 1097 to SH 105

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 14241; 20453

AU_ID: 1010_03 SH 105 to FM 2090

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11335

AU_ID: 1010_04 FM 2090 to lower segment boundary

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11334; 20452

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1010C Spring Branch

From the Caney Creek confluence to a point 0.54 km (0.34 mi) upstream of SH 105

Segment Type Freshwater Stream

AU_ID: 1010C_01 *From the Caney Creek confluence to a point 0.54 km (0.34 mi) upstream of SH 105*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 20451

SegID: 1011 Peach Creek

From the confluence with Caney Creek in Montgomery County to SH 150 in Walker County

Segment Type Freshwater Stream

AU_ID: 1011_01 *Upper segment boundary to US Hwy 59*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11337; 11338; 16625; 20454

AU_ID: 1011_02 *US Hwy 59 to confluence with Caney Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11336; 17746

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1012 Lake Conroe

From Conroe Dam in Montgomery County up to the normal pool elevation of 201 feet (impounds West Fork San Jacinto River)

Segment Type Reservoir

AU_ID: *1012_01* *West Fork San Jacinto River arm to FM1375*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11344**AU_ID:** *1012_02* *FM 1375 to Johnson Bluff*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 16645**AU_ID:** *1012_03* *Lewis Creek arm*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 16644; 18495; 18496; 18497**AU_ID:** *1012_04* *Caney Creek arm to Hunters Point*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 13921; 16643; 18492; 18493; 18494**AU_ID:** *1012_05* *Johnson Bluff to FM 1097*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 13920; 16642**AU_ID:** *1012_06* *Little Lake Creek arm to Walden Estates*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 13919; 16640**AU_ID:** *1012_07* *Lewis Creek arm to Bowsprit Point*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 16641**AU_ID:** *1012_08* *Atkins Creek/Stewart Creek arm*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 13916; 16638**AU_ID:** *1012_09* *Live Branch Creek arm*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

2014 Texas Integrated Report - Water Bodies Evaluated

AU_ID: 1012_10 FM 1097 to Walden Estates (main lake)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

AU_ID: 1012_11 Walden Estates to dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11342; 13915; 13917; 13918; 16639; 18446

SegID: 1013 Buffalo Bayou Tidal

From a point 100 meters (110 yards) upstream of US 59 in Harris County to a point 400 meters (440 yards) upstream of Shepherd Drive in Harris County

Segment Type Tidal Stream

AU_ID: 1013_01 From a point immediately upstream of US 59 to a point immediately upstream of Shepard Drive

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 11345; 11347; 11351; 11382; 15825; 15843; 20570

SegID: 1013A Little White Oak Bayou

From the White Oak Bayou confluence to Yale Street in Harris County

Segment Type Freshwater Stream

AU_ID: 1013A_01 From the confluence of White Oak Bayou upstream to the RR Tracks north of IH 610

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Intermediate	TWQS-Appendix D

Station ID(s): 11148; 16648

SegID: 1013C Unnamed Non-Tidal Tributary of Buffalo Bayou Tidal

Located approximately 1.8 miles upstream of the Buffalo Bayou/White Oak Bayou confluence between IH-10 and Memorial Drive west of IH-45 in Harris County

Segment Type Freshwater Stream

AU_ID: 1013C_01 Entire Segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 16675

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1014 Buffalo Bayou Above Tidal

From a point 440 meters (440 yards) upstream of Shepherd Drive in Harris County to SH 6 in Harris County

Segment Type Freshwater Stream

AU_ID: 1014_01 *From a point immediately upstream of Shepherd Drive upstream to SH 6*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Limited	TWQS-Appendix A

Station ID(s): 11353; 11354; 11356; 11357; 11358; 11359; 11360; 11361; 11362; 11363; 11364; 15844; 15845; 15846; 20212

SegID: 1014A Bear Creek

Perennial stream from the confluence with South Mayde Creek upstream to the confluence with an unnamed tributary 1.24 km north of Longenbaugh Road

Segment Type Freshwater Stream

AU_ID: 1014A_01 *Confluence with South Mayde Creek to a point upstream of an unnamed tributary north of Langenbaugh Road*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 11166; 17484

SegID: 1014B Buffalo Bayou/Barker Reservoir

Perennial stream from SH 6 in Harris County upstream to the confluence with Willow Fork Buffalo Bayou in Fort Bend County

Segment Type Freshwater Stream

AU_ID: 1014B_01 *From SH 6 to the confluence with Willow Fork Buffalo Bayou*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 11145; 16428; 17492; 18411

SegID: 1014C Horsepen Creek

From the Langham Creek confluence upstream to a point 0.1 km (0.06 mi) west of Barker Cypress Road

Segment Type Freshwater Stream

AU_ID: 1014C_01 *From the Langham Creek confluence upstream to where channelization begins, 0.62 km (0.39 mi) north of FM 529*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 11158; 20465

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1014E Langham Creek

From the Dinner Creek confluence upstream to FM 529

Segment Type Freshwater Stream

AU_ID: 1014E_01 *From the Bear Creek confluence upstream to the Dinner Creek confluence*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 17482

SegID: 1014H South Mayde Creek

Perennial stream in the Addicks Reservoir flood pool area from the confluence with Buffalo Bayou upstream to the confluence with an unnamed tributary 1.05 km south of Clay Road

Segment Type Freshwater Stream

AU_ID: 1014H_01 *Perennial stream in the Addicks Reservoir flood pool area from the confluence with Buffalo Bayou upstream to the confluence with an unnamed tributary 1.3 km west of Barker-Cypress Road*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 11163; 11165; 17493; 18412; 18413

AU_ID: 1014H_02 *Perennial stream from the confluence with an unnamed tributary 1.3 km west of Barker-Cypress Road upstream to an unnamed tributary 1.05 km south of Clay Road*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D

Station ID(s): No Stations

SegID: 1014K Turkey Creek

From the South Mayde Creek confluence upstream to a point 1.1 km (0.68 mi) directly east of FM 529 in Harris County

Segment Type Freshwater Stream

AU_ID: 1014K_01 *From the South Mayde Creek confluence upstream to 0.17 km (0.1 mi) south of Clay Road*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 11164; 15847

AU_ID: 1014K_02 *From 0.17 km (0.1 mi) south of Clay Road upstream to FM 529 1.1 km (0.68 mi) directly east of N. Eldridge Pkwy*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	Intermediate	Presumption from Flow Type

Station ID(s): 17330; 17483

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1014L Mason Creek

From the Buffalo Bayou confluence upstream to Mason Road upstream to 0.32 km (0.2 mi) east of Katyland Drive

Segment Type Freshwater Stream

AU_ID: 1014L_01 From the Buffalo Bayou confluence upstream to Mason Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 17494; 18410

SegID: 1014M Newman Branch (Neimans Bayou)

From the Buffalo Bayou Above Tidal confluence to 0.1 km (0.06 mi) upstream of Hammerly Blvd in Harris County

Segment Type Freshwater Stream

AU_ID: 1014M_01 From the Buffalo Bayou confluence to 0.1 km (0.06 mi) upstream of Hammerly Blvd

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	Intermediate	Presumption from Flow Type

Station ID(s): 16597; 20611

SegID: 1014N Rummel Creek

From the Buffalo Bayou Above Tidal confluence to 1.2 km (0.75 mi) upstream of IH-10 in Harris County

Segment Type Freshwater Stream

AU_ID: 1014N_01 From the Buffalo Bayou Above Tidal confluence to 1.2 km (0.75 mi) upstream of IH-10

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	WQS/Permits program	Intermediate	Presumption from Flow Type

Station ID(s): 11188

SegID: 1014O Spring Branch

From Buffalo Bayou Above Tidal confluence to 1.4 km (0.87 mi) upstream of Long Point Road in Harris County

Segment Type Freshwater Stream

AU_ID: 1014O_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	WQS/Permits program	Intermediate	Presumption from Flow Type

Station ID(s): 16591; 16592

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1015 Lake Creek

From the confluence with the West Fork San Jacinto River in Montgomery County to a point 4.0 km (2.5 miles) upstream of SH 30 in Grimes County

Segment Type Freshwater Stream

AU_ID: 1015_01 *From the West Fork of the San Jacinto River confluence upstream to the Landrum Creek confluence*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11367; 18191

AU_ID: 1015_02 *From the Landrum Creek confluence upstream to a point 4.0 km (2.5 mi) upstream of State Hwy 30*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 18192; 18194

SegID: 1015A Mound Creek

From the confluence with Lake Creek to a point 0.69 km east of FM 149 near Conroe

Segment Type Freshwater Stream

AU_ID: 1015A_01 *Perennial stream from the confluence with Lake Creek upstream to the confluence with an unnamed tributary approximately 0.75 km downstream of Rabon-Chapel Road*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 17936; 17937

SegID: 1016 Greens Bayou Above Tidal

From a point 0.7 km (0.4 miles) above the confluence of Halls Bayou in Harris County to a point 100 meters (110 yards) above FM 1960 in Harris County

Segment Type Freshwater Stream

AU_ID: 1016_01 *Upper segment boundary (FM 1960) to IH 45*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Limited	TWQS-Appendix A

Station ID(s): 11368; 11374; 11376; 17495

AU_ID: 1016_02 *IH 45 to US 59*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Limited	TWQS-Appendix A

Station ID(s): 11371; 13778

AU_ID: 1016_03 *From US 59 to the downstream boundary 0.7 km (0.4 miles) upstream of the Halls Bayou confluence*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Limited	TWQS-Appendix A

Station ID(s): 11369; 11370

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1016A Garners Bayou

From the confluence with Greens Bayou upstream to a point 0.89 km northeast of Will Clayton Parkway near Humble

Segment Type Freshwater Stream

AU_ID: 1016A_02 From the Williams Gully confluence upstream to 1.5km north of Atascocita Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D

Station ID(s):

AU_ID: 1016A_03 From the Greens Bayou confluence to the Williams Gully confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s):

SegID: 1016B Unnamed Tributary of Greens Bayou

From confluence with Greens Bayou to Hirsch Road in Harris County

Segment Type Freshwater Stream

AU_ID: 1016B_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s):

SegID: 1016C Unnamed Tributary of Greens Bayou

From the confluence with Greens Bayou, east of Aldine Westfield Road, to the Hardy Toll Road in Harris County

Segment Type Freshwater Stream

AU_ID: 1016C_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	Limited	Previous TCEQ Permit Decision

Station ID(s):

SegID: 1016D Unnamed Tributary of Greens Bayou

From the confluence with Greens Bayou, west of El Dorado Country Club to Lee Road, west of US Hwy 59 in Harris County

Segment Type Freshwater Stream

AU_ID: 1016D_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s):

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1017 Whiteoak Bayou Above Tidal

From a point immediately upstream of the confluence of Little White Oak Bayou in Harris County to a point 3.0 km (1.9 miles) upstream of FM 1960 in Harris County

Segment Type Freshwater Stream

AU_ID: 1017_01 Huffmeister Rd to the confluence with Vogel Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Limited	TWQS-Appendix A

Station ID(s): 11394; 11395; 11396

AU_ID: 1017_02 Vogel Creek to the Cole Creek confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Limited	TWQS-Appendix A

Station ID(s): 15831

AU_ID: 1017_03 Cole Creek confluence to the Brickhouse Gully confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Limited	TWQS-Appendix A

Station ID(s): 15829

AU_ID: 1017_04 From Brickhouse Gully confluence to a point immediately upstream of the confluence of Little White Oak Bayou in Harris Co. (lower segment boundary).

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Limited	TWQS-Appendix A

Station ID(s): 11387; 11389; 11390; 15826; 15827; 15828; 16637

SegID: 1017A Brickhouse Gully/Bayou

Perennial stream from the confluence with Whiteoak Bayou up to Gessner Road

Segment Type Freshwater Stream

AU_ID: 1017A_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D

Station ID(s): 16594

SegID: 1017B Cole Creek

Perennial stream from the confluence with White Oak Bayou up to south of Beltway 8

Segment Type Freshwater Stream

AU_ID: 1017B_02 From Flintlock Street to confluence with White Oak Bayou

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D

Station ID(s): 16593

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1017C Vogel Creek

From the White Oak Bayou Above Tidal confluence to a point 3.2 km (2.0 mi) upstream of the White Oak Bayou confluence to just south of State Hwy 249 in Harris County

Segment Type Freshwater Stream

AU_ID: 1017C_01 *From the White Oak Bayou confluence to a point 3.2 km (2.0 mi) upstream*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D

Station ID(s): 11155; 18640; 18641

SegID: 1017D Unnamed Tributary of Whiteoak Bayou

From the confluence with White Oak Bayou downstream of TC Jester, to Hempstead Hwy, north of US Hwy 290 in Harris County

Segment Type Freshwater Stream

AU_ID: 1017D_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	WQS/Permits program	Limited	Presumption from Flow Type

Station ID(s): 16595

SegID: 1017E Unnamed Tributary of White Oak Bayou

From the confluence with White Oak, near W 11th Street, to just upstream of W 26th Street, south of Loop 610 W in Harris County

Segment Type Freshwater Stream

AU_ID: 1017E_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	WQS/Permits program	Limited	Presumption from Flow Type

Station ID(s): 16596

SegID: 1017F Rolling Fork Creek

From the White Oak Bayou Above Tidal confluence to a point 3.9 km (2.4 mi) upstream

Segment Type Freshwater Stream

AU_ID: 1017F_01 *From the White Oak Bayou Above Tidal confluence to a point 3.9 km (2.4 mi) upstream*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	Intermediate	Presumption from Flow Type

Station ID(s): 11157

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1101 Clear Creek Tidal

From the Clear Lake confluence at a point 3.2 km (2.0 miles) downstream of El Camino Real in Galveston/Harris County to a point 100 m (110 yards) upstream of FM528 in Galveston/Harris County

Segment Type Tidal Stream

AU_ID: 1101_01 Upper segment boundary to Chigger Creek confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 11448

AU_ID: 1101_02 Chigger Creek confluence to IH 45

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 11447; 16576; 16577

AU_ID: 1101_03 IH 45 to Cow Bayou confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 11446; 15458; 16575

AU_ID: 1101_04 Cow Bayou confluence to confluence with Clear Lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 16572; 16573; 16985

SegID: 1101A Magnolia Creek

From the Clear Creek Tidal confluence upstream to 0.8 km (0.5 mi) upstream of the confluence with the second unnamed tributary

Segment Type Freshwater Stream

AU_ID: 1101A_01 From the Clear Creek Tidal confluence upstream 7.7 km (4.8 mi)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 16611

SegID: 1101B Chigger Creek

From the confluence with Clear Creek Tidal to the Brazos River Authority Canal near CR 143 in Galveston County

Segment Type Freshwater Stream

AU_ID: 1101B_01 From the headwaters to FM 528

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Water body description	Limited	Presumption from Flow Type

Station ID(s): 16493; 17072; 17078

AU_ID: 1101B_02 FM 528 to the confluence with Clear Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Water body description	Limited	Presumption from Flow Type

Station ID(s): 16472; 18817

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1101C Cow Bayou

From the Clear Creek Tidal confluence to SH 3 in Galveston County

Segment Type Tidal Stream

AU_ID: 1101C_01 From the Clear Creek Tidal confluence to SH3

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type

Station ID(s): 17928

SegID: 1101D Robinson Bayou

From confluence with Clear Creek 0.33 mile upstream of Webster Street in Galveston County

Segment Type Tidal Stream

AU_ID: 1101D_01 From Clear Creek Tidal confluence to 0.05 km (0.03 mi) upstream of Hewitt Street

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type

Station ID(s): 16475; 16486

SegID: 1101E Unnamed Trib of Clear Creek Tidal

From Clear Creek Tidal confluence to a point 3.2 km (2.0 mi) immediately downstream of I-45 in Galveston County

Segment Type Tidal Stream

AU_ID: 1101E_01 From the Clear Creek Tidal confluence to a point 3.0 km (1.9 mi) upstream

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type

Station ID(s): 18818

SegID: 1101F Unnamed Tributary of Clear Creek Tidal

From Clear Creek Tidal confluence to a point 7.8 km (4.8 mi) upstream (immediately downstream of I-45 in Galveston County)

Segment Type Tidal Stream

AU_ID: 1101F_01 From the Clear Creek Tidal confluence to a point 7.9 km (4.9 mi) upstream (immediately downstream of IH 45)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type

Station ID(s): 18591

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1102 Clear Creek Above Tidal

From a point 100 meters (110 yards) upstream of FM 528 in Galveston/Harris County to Rouen Road in Fort Bend County

Segment Type Freshwater Stream

AU_ID: 1102_01 Upper segment boundary (Rouen Road) to SH 288

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 17073; 18634; 20009

AU_ID: 1102_02 SH 288 to Hickory Slough confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11452; 11453; 17076; 17077; 17079; 18382; 18384

AU_ID: 1102_03 Hickory Slough confluence to Turkey Creek confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11451; 14229; 17074; 18386; 20010

AU_ID: 1102_04 Turkey Creek confluence to Mary's Creek confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11450

AU_ID: 1102_05 Mary's Creek confluence to lower segment boundary

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11449

SegID: 1102A Cowart Creek

From the Clear Creek Above Tidal confluence in Galveston County to SH 35 in Brazoria County

Segment Type Freshwater Stream

AU_ID: 1102A_01 Sunset Drive to SH 35

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	TWQS-Appendix D	Limited	TWQS-Appendix D

Station ID(s): 11426; 11427; 11429; 16477; 16678; 18381

AU_ID: 1102A_02 Confluence with Clear Creek to Sunset Drive

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	TWQS-Appendix D	Limited	TWQS-Appendix D

Station ID(s): 11425; 16478; 16677

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1102B Mary's Creek/ North Fork Mary's Creek

Perennial stream from the confl. With Clear Creek to confl. With N. and S. Fork Mary's Creek near FM 1128, approx. 5 km SW Pearland. Includes perennial portion of N. Fork Mary's Creek to confl. with unnamed trib approx. 3.2 km upstrm of FM 1128

Segment Type Freshwater Stream

AU_ID: 1102B_01 From the Clear Creek Above Tidal confluence upstream to the N. and S. Fork Mary's Creek near FM 1128

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 16473; 16803; 17914; 17915; 17916; 17918; 18635; 18637; 18638; 20210

SegID: 1102C Hickory Slough

From the Clear Creek Above Tidal confluence to a point 0.69 km (0.43 mi) upstream of Mykawa Road

Segment Type Freshwater Stream

AU_ID: 1102C_01 From the Clear Creek Above Tidal confluence to a point 0.69 km (0.43 mi) upstream of Mykawa Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 17068

SegID: 1102D Turkey Creek

From the Clear Creek Above Tidal confluence to a point 0.98 km (0.61 mi) upstream of Scarsdale Blvd

Segment Type Freshwater Stream

AU_ID: 1102D_01 From the Clear Creek Above Tidal confluence to a point 0.98 km (0.61 mi) upstream of Scarsdale Blvd

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 17069

SegID: 1102E Mud Gully

From the Clear Creek Above Tidal confluence to a point 0.80 km (0.49 mi) downstream of Hughes Road

Segment Type Freshwater Stream

AU_ID: 1102E_01 From the Clear Creek Above Tidal confluence to a point 0.80 km (0.49 mi) downstream of Hughes Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 17070; 17071

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1102F Mary's Creek Bypass

From the Mary's Creek confluence NE of FM 518 to a point 0.96 km (0.60 mi) upstream to the Mary's Creek confluence (NW of County Road 126)

Segment Type Freshwater Stream

AU_ID: 1102F_01 *From the Mary's Creek confluence NE of FM 518 to a point 0.96 km (0.60 mi) upstream to the Mary's Creek confluence (NW of County Road 126)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 17917; 18639

SegID: 1102G Unnamed Tributary of Mary's Creek

From the Mary's Creek confluence 1.3 km (0.84 mi) west of FM 1128 to a point 1.2 km (0.75 mi) upstream to the confluence of an unnamed tributary

Segment Type Freshwater Stream

AU_ID: 1102G_01 *From the Mary's Creek confluence 1.3 km (0.84 mi) west of FM 1128 to a point 1.2 km (0.75 mi) upstream to the confluence of an unnamed tributary*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 18636

SegID: 1103 Dickinson Bayou Tidal

From the Dickinson Bay confluence 2.1 km (1.3 miles) downstream of SH 146 in Galveston County to a point 4.0 km (2.5 miles) downstream of FM 517 in Galveston County

Segment Type Tidal Stream

AU_ID: 1103_01 *From the Dickinson Bay confluence (downstream of State Hwy 146) upstream to the Gum Bayou confluence*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 11455

AU_ID: 1103_02 *From the Gum Bayou confluence upstream to the Benson Bayou confluence*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 11457; 11460; 16679; 16979

AU_ID: 1103_03 *From the Benson Bayou confluence upstream to the Bordens Gully confluence*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 11461; 18650

AU_ID: 1103_04 *From the Bordens Gully confluence upstream to a point 4.0 km (2.5 mi) downstream of FM 517*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 11462; 11463; 11464; 18649; 18651

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1103A Bensons Bayou

From the Dickinson Bayou confluence to point 0.6 km (0.37 mi) upstream of FM 646 in Galveston County

Segment Type Tidal Stream

AU_ID: 1103A_01 From the Dickinson Bayou Tidal confluence to point 0.6 km (0.37 mi) upstream of FM 646

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type

Station ID(s): 16471; 20727

SegID: 1103B Bordens Gully

From the Dickinson Bayou Tidal confluence to a point 1.4 km (0.87 mi) upstream of FM 646 in Galveston County

Segment Type Tidal Stream

AU_ID: 1103B_01 From the Dickinson Bayou Tidal confluence to a point 1.4 km (0.87 mi) upstream of FM 646

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type

Station ID(s): 16469; 20724

SegID: 1103C Geisler Bayou

From the Dickinson Bayou Tidal confluence to a point 1.37 km (0.85 mi) upstream of FM 646 in Galveston County

Segment Type Tidal Stream

AU_ID: 1103C_01 From the Dickinson Bayou Tidal confluence to a point 1.37 km (0.85 mi) upstream of FM 646

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type

Station ID(s): 16470; 20726

SegID: 1103D Gum Bayou

From the Dickinson Bayou Tidal confluence to State Hwy 96 in Galveston County

Segment Type Tidal Stream

AU_ID: 1103D_01 From Dickinson Bayou Tidal confluence to State Hwy 96

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type

Station ID(s): 11436

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1103E Cedar Creek

From the Dickinson Bayou Tidal confluence to a point 0.63 km (0.39 mi) upstream FM 517 in Galveston County

Segment Type Freshwater Stream

AU_ID: 1103E_01 From the Dickinson Bayou Tidal confluence to a point 0.63 km (0.39 mi) upstream FM 517

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Water body description	High	Presumption from Flow Type

Station ID(s): 11434

SegID: 1103F Unnamed Tributary of Dickinson Bayou Tidal

From the Dickinson Bayou Tidal confluence to a point 0.36 km (0.22 mi) upstream of State Hwy 6

Segment Type Freshwater Stream

AU_ID: 1103F_01 From the Dickinson Bayou Tidal confluence to a point 0.36 km (0.22 mi) upstream of State Hwy 6

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type

Station ID(s): 20477

SegID: 1103G Unnamed Tributary of Gum Bayou

From the confluence with Gum Bayou to a point 0.39 miles south of the FM 646/FM 1266 intersection between League City and Dickinson

Segment Type Tidal Stream

AU_ID: 1103G_01 From the confluence with Gum Bayou to a point 0.39 miles south of the FM 646/FM 1266 intersection between League City and Dickinson

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type

Station ID(s): 20728

SegID: 1104 Dickinson Bayou Above Tidal

From a point 4.0 km (2.5 miles) downstream of FM 517 in Galveston County to FM 528 in Galveston County

Segment Type Freshwater Stream

AU_ID: 1104_01 From the lower segment boundary (a point 4.0 km [2.5 mi] downstream of FM 517) to FM 517

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 11465; 11466

AU_ID: 1104_02 From FM 517 upstream to FM 528

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 11467; 11472

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1104A Unnamed Tributary of Dickinson Bayou Above Tidal

From the Dickinson Bayou Above Tidal confluence to State Hwy 6

Segment Type Freshwater Stream

AU_ID: 1104A_01 From the Dickinson Bayou Above Tidal confluence to State Hwy 6

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 20475

SegID: 1105 Bastrop Bayou Tidal

From the confluence with Bastrop Bay 1.1 kilometers (0.7 mile) downstream of the Intracoastal Waterway in Brazoria County to a point 8.6km (5.3 miles) upstream of Business 288 at Lake Jackson in Brazoria County

Segment Type Tidal Stream

AU_ID: 1105_01 From the confluence with Bastrop Bay 1.1 kilometers (0.7 miles) downstream of the Intracoastal Waterway in Brazoria County to a point 8.6 km (5.3 miles) upstream of Business 288 at Lake Jackson in Brazoria County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 11475; 14652; 18049; 18502; 18503; 18504; 18505

SegID: 1105A Flores Bayou

From a point 2.6 km (1.6 mi) downstream of County Road 171 upstream to SH 35 in Brazoria County

Segment Type Freshwater Stream

AU_ID: 1105A_01 From a point 2.6 km (1.6 mi) downstream of County Road 171 upstream to SH 35

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 18508

SegID: 1105B Austin Bayou Tidal

From the Bastrop Bayou Tidal confluence to the FM 2004 bridge crossing in Brazoria County

Segment Type Tidal Stream

AU_ID: 1105B_01 From the Bastrop Bayou Tidal confluence to the FM 2004 bridge crossing

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type

Station ID(s): 18507; 18730

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1105C Austin Bayou Above Tidal

From FM 2004 upstream (Austin Bayou Tidal upper boundary) to 0.3 km (0.19 mi) upstream of SH 288 in Brazoria County

Segment Type Freshwater Stream

AU_ID: 1105C_01 *From FM 2004 upstream to 0.3 km (0.19 mi) upstream of SH 288*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 18048; 18506; 18731

SegID: 1105D Unnamed Tributary of Bastrop Creek

From the Bastrop Bayou Tidal confluence to 0.57 km (0.35 mi) upstream of SH 288 Bus in Brazoria County

Segment Type Freshwater Stream

AU_ID: 1105D_01 *From the Bastrop Bayou Tidal confluence to 057 km (0.35 mi) upstream of SH 288 Bus*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Water body description	High	Presumption from Flow Type

Station ID(s): 18509; 18732

SegID: 1105E Brushy Bayou

From the confluence with Austin Bayou Above Tidal (1105C) upstream to end of canal approximately 0.4 miles upstream of FM 210 crossing east of the City of Angleton in Brazoria County.

Segment Type Freshwater Stream

AU_ID: 1105E_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Water body description	High	Presumption from Flow Type

Station ID(s): 20783

SegID: 1107 Chocolate Bayou Tidal

From the Chocolate Bay confluence 1.4 km (0.9 miles) downstream of FM 2004 to a point 4.2 km (2.6 miles) downstream of SH 35 in Brazoria County

Segment Type Tidal Stream

AU_ID: 1107_01 *From the Chocolate Bay confluence 1.4 km (0.9 mi) downstream of FM 2004 to a point 4.2 km (2.6 mi) downstream of SH 35*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 11478; 11480; 21178

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1108 Chocolate Bayou Above Tidal

From a point 4.2 km (2.6 miles) downstream of SH 35 in Brazoria County to SH 6 in Brazoria County

Segment Type Freshwater Stream

AU_ID: 1108_01 From a point 4.2 km (2.6 mi) downstream of SH 35 to SH 6

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11484

SegID: 1109 Oyster Creek Tidal

From the Intercoastal Waterway confluence to a point 100 meters (110 yards) upstream of FM 2004 in Brazoria County

Segment Type Tidal Stream

AU_ID: 1109_01 From the Intracoastal Waterway confluence to a point 100 m (110 yds) upstream of FM 2004

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 11485; 11486

SegID: 1110 Oyster Creek Above Tidal

From a point 100 meters (110 yards) upstream of FM 2004 in Brazoria County to the Brazos River Authority diversion dam 1.8 km (1.1 miles) upstream of SH 6 in Fort Bend County

Segment Type Freshwater Stream

AU_ID: 1110_01 From the lower segment boundary immediately upstream of FM 2004 to the Styles Bayou confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11489

AU_ID: 1110_02 From Styles Bayou upstream to an unnamed tributary [2.9 km (1.8 mi) downstream of FM 1462]

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

AU_ID: 1110_03 From an unnamed tributary [2.9 km (1.8 mi) downstream of FM 1462] upstream to the Brazos River Diversion Dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11493; 18208

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1111 Old Brazos River Channel Tidal

From the Intercoastal Waterway confluence to SH 288 in Brazoria County

Segment Type Estuary

AU_ID: 1111_01 From the Intracoastal Waterway confluence State Hwy 288

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A

Station ID(s): 11498

SegID: 1113 Armand Bayou Tidal

From the Clear Lake confluence (at NASA Road 1 bridge) in Harris County to a point 0.8 km (0.5 miles) downstream of Genoa-Red Bluff Road in Pasadena in Harris County (includes Mud Lake/Pasadena Lake)

Segment Type Tidal Stream

AU_ID: 1113_01 From the Clear Lake confluence at Nasa Road 1 to the Horsepen Bayou confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 11499; 11500; 11501; 15455

AU_ID: 1113_02 From the Horsepen Bayou confluence to the Big Island Slough confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 11503; 17319; 17622

AU_ID: 1113_03 From the Big Island Slough confluence upstream to a point 0.8 km (0.5 mi) downstream of Genoa-Red Bluff Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 11505; 17623

SegID: 1113A Armand Bayou Above Tidal

From the upper segment boundary of Armand Bayou Tidal, 0.8 km (0.5 miles) downstream of Genoa-Red Bluff Road, upstream to Beltway 8 in Harris County

Segment Type Freshwater Stream

AU_ID: 1113A_01 From the upper segment boundary of Armand Bayou Tidal (point 0.8 km (0.5 miles) downstream of Genoa-Red Bluff Road) upstream to Beltway 8

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 11404; 11405; 17488

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1113B Horsepen Bayou Tidal

From the Armand Bayou confluence to the SH3

Segment Type Tidal Stream

AU_ID: 1113B_01 From the Armand Bayou confluence to the SH3

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type

Station ID(s): 11408; 11409; 17317; 17318; 17631

SegID: 1113C Unnamed Tributary to Horsepen Bayou

From the Horsepen Bayou confluence to Reseda Road

Segment Type Tidal Stream

AU_ID: 1113C_01 From the Horsepen Bayou confluence to Reseda Drive

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type

Station ID(s): 17485

SegID: 1113D Willow Springs Bayou

From the Armand Bayou confluence to a point 2.8 km (1.8 mi) upstream to an unnamed tributary

Segment Type Tidal Stream

AU_ID: 1113D_01 From the Armand Bayou confluence to a point 2.8 km (1.8 mi) upstream to an unnamed tributary

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type

Station ID(s): 17487; 20523

SegID: 1113E Big Island Slough

From the Armand Bayou confluence upstream to a point 2.4 km (1.5 mi) north of Spenser Hwy

Segment Type Tidal Stream

AU_ID: 1113E_01 From the Armand Bayou confluence upstream to a point 2.4 km (1.5 mi) north of Spenser Hwy

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type

Station ID(s): 11402; 17486

SegID: 1201 Brazos River Tidal

From the confluence with the Gulf of Mexico in Brazoria County to a point 100 meters (110 miles) upstream of SH 332 in Brazoria County

Segment Type Tidal Stream

AU_ID: 1201_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 11843; 16878

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1202 Brazos River Below Navasota River

From a point 100 meters (110 yards) upstream of SH 332 in Brazoria County to the confluence of the Navasota River in Grimes County

Segment Type Freshwater Stream

AU_ID: 1202_01 *Portion of the Brazos River from the confluence with the Brazos River Tidal in Brazoria County upstream to the confluence with Flat Bank Creek in Fort Bend County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 16355

AU_ID: 1202_02 *Portion of the Brazos River from the confluence with Flat Bank Creek upstream to the confluence with Bessie's Creek in Fort Bend County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11846

AU_ID: 1202_03 *Portion of the Brazos River from the confluence with Bessie's Creek in Fort Bend County upstream to confluence with Mill Creek in Austin County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11848; 16387

AU_ID: 1202_04 *Portion of Brazos River from the confluence with Mill Creek in Austin County upstream to confluence with Lewisville Creek in Waller County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 16386

AU_ID: 1202_05 *Portion of the Brazos River from confluence with Lewisville Creek in Waller County upstream to the confluence with the Navasota River in Grimes County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11850

SegID: 1202H Allen's Creek

From the confluence with the Brazos River, two miles northeast of Wallis, to the headwaters one mile north of IH 10 in Austin County.

Segment Type Freshwater Stream

AU_ID: 1202H_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 11577

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1202I Bessie's Creek

Bessie's Creek from the confluence of the Brazos River in Fort Bend County upstream to the headwater north of Pattison

Segment Type Freshwater Stream

AU_ID: 1202I_02 *Bessie's Creek Appendix D section from the confluence of Bessie's Bayou west of Brookshire upstream to the confluence of an unnamed tributary approximately 0.7 km upstream of FM 359 northwest of the City of Pattison*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	WQS/Permits program	Intermediate	Previous TCEQ Permit Decision

Station ID(s): 18589

SegID: 1202J Big Creek

Big Creek - from the confluence of the Brazos River upstream to the confluence of Cottonwood Creek and Coon Creek

Segment Type Freshwater Stream

AU_ID: 1202J_01 *Big Creek from the confluence of the Brazos River upstream to the confluence of an unnamed tributary 2.1 km downstream of FM 2977 south of Rosenberg*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Water body description	High	Presumption from Flow Type

Station ID(s): 11518; 16353; 16354; 17932

AU_ID: 1202J_02 *Big Creek Appendix D intermittent stream with perennial pools section from the confluence with an unnamed tributary 2.1 km downstream of FM 2977 upstream to the confluence of Cottonwood Creek and Coon Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type

Station ID(s): 17551; 18393

SegID: 1202K Mill Creek

From confluence of East and West Mill Creeks downstream to confluence with Brazos River

Segment Type Freshwater Stream

AU_ID: 1202K_01 *Portion of Mill Creek from confluence with Brazos River upstream to confluence with East/West Forks Mill Creek in Austin County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 11576

SegID: 1202P Pond Creek

From its confluence with Clear Creek upstream to its headwaters, 3 miles north of Prairie View in Waller County

Segment Type Freshwater Stream

AU_ID: 1202P_01 *entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 11579

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1203 Whitney Lake

From Whitney Dam in Bosque/Hill County to a point immediately upstream of the confluence of Camp Creek on the Brazos River Arm in Bosque/Johnson County and to a point immediately upstream of the confluence of Rock Creek on the Nolan River Arm in Hill Cou

Segment Type Reservoir

AU_ID: 1203_01 Portion near dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11851; 13987; 13988; 18443

AU_ID: 1203_02 Main Body of Lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11855; 13989; 13990; 13992; 13993; 18788; 18789

AU_ID: 1203_03 Steele Creek Arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 13991; 18654; 18790

AU_ID: 1203_04 Riverine portion east of Morgan

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 13994; 18791

AU_ID: 1203_05 Nolan River Arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11854

AU_ID: 1203_06 Brazos River Arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11853

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1204 Brazos River Below Lake Granbury

From a point immediately upstream of the confluence of Camp Creek in Bosque/Johnson County to DeCordova Bend Dam in Hood County

Segment Type Freshwater Stream

AU_ID: 1204_01 *Portion of Brazos River below Lake Granbury from the confluence with Camp Creek upstream to the confluence with the Paluxy River in Somervell County*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s):

AU_ID: 1204_02 *Portion of Brazos River below Lake Granbury from the confluence with the Paluxy River upstream to DeCordova Bend Dam in Hood County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s):

SegID: 1204A Camp Creek

From its confluence with the Brazos River downstream of Lake Granbury, upstream to its headwaters, 0.9 miles north of US Hwy 67 in Johnson County.

Segment Type Freshwater Stream

AU_ID: 1204A_01 *entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s):

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1205 Lake Granbury

From DeCordova Bend Dam in Hood County to a point 100 meters (110 yards) upstream of FM 2580 in Parker County, up to normal pool elevation of 693 feet (impounds Brazos River)

Segment Type Reservoir

AU_ID: *1205_01* *Upstream portion of lake*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 20230**AU_ID:** *1205_02* *Portion of lake adjacent to the City of Oak Trail Shores*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11862; 20307**AU_ID:** *1205_03* *Portion of lake adjacent to the City of Granbury*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11861**AU_ID:** *1205_04* *Portion of lake downstream of Granbury*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations**AU_ID:** *1205_05* *Downstream portion of lake*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11860; 18740**AU_ID:** *1205_SAI* *Unnamed inlets and canals adjacent to AU 1205_01*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 17930; 17931; 18004; 18005; 18851**AU_ID:** *1205_SA2* *Unnamed inlets and canals adjacent to 1205_02*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 18006; 18007; 18008; 18009; 18010; 18011; 18012; 18013; 18014; 18015; 20221**AU_ID:** *1205_SA3* *Unnamed inlets and canals adjacent to 1205_03*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 18017; 18018; 18019; 18020; 18021; 20214; 20219**AU_ID:** *1205_SA4* *Unnamed inlets and canals adjacent to 1205_04*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 18022; 18023; 18024; 18025; 18026; 18027; 18028; 18029; 18030; 18031; 18032; 18033; 18034; 18035; 18036; 18037; 18038; 18039; 18040; 18739; 20215; 20216; 20217; 20223; 20224; 20225; 20226; 20231

2014 Texas Integrated Report - Water Bodies Evaluated

AU_ID: 1205_SA5 Unnamed inlets and canals adjacent to AU 1205_05

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 18041; 18042; 18043; 18044; 18045; 18738; 18741; 18742

SegID: 1205B Bee Creek

Tributary to Lake Granbury, 2.2 miles north of Granbury in Hood County

Segment Type Freshwater Stream

AU_ID: 1205B_01 entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 18016

SegID: 1205C Walnut Creek

From the confluence with Lake Granbury upstream to its headwaters in Hood County

Segment Type Freshwater Stream

AU_ID: 1205C_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 20229

SegID: 1205D Contrary Creek

From the confluence with Lake Granbury near Indian Head Harbor, upstream to its headwaters in Hood County.

Segment Type Freshwater Stream

AU_ID: 1205D_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 20218

SegID: 1205E Rucker Creek

From the confluence with Lake Granbury, near west Granbury, upstream to its headwaters in Parker County.

Segment Type Freshwater Stream

AU_ID: 1205E_01 Portion of Rucker Creek from the confluence with Lake Granbury, upstream to the confluence with unnamed tributary (reach code 1206020100907) in Hood County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	WQS/Permits program	Minimal	Previous TCEQ Permit Decision

Station ID(s): 20222

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1205F Strouds Creek

From the confluence with Lake Granbury near the south Oak Trail Shores, upstream to its headwaters in Hood County.

Segment Type Freshwater Stream

AU_ID: 1205F_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 20228

SegID: 1205G Robinson Creek

From the confluence with Lake Granbury near north Oak Trail Shores, upstream to its headwaters in Hood County.

Segment Type Freshwater Stream

AU_ID: 1205G_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 20227

SegID: 1205H Long Creek

From the confluence with the north east portion of Lake Granbury in Hood County, upstream to its headwaters in Parker County.

Segment Type Freshwater Stream

AU_ID: 1205H_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 20220

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1206 Brazos River Below Possum Kingdom Lake

From a point 100 meters (110 yards) upstream of FM 2580 in Parker County to Morris Sheppard Dam in Palo Pinto County

Segment Type Freshwater Stream

AU_ID: 1206_01 *Portion of the Brazos River 100 meters (110 yards) upstream of FM 2580 in Parker County upstream to confluence with Rock Creek in Parker County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13543; 18743; 18744; 18749

AU_ID: 1206_02 *Portion of Brazos River from confluence with Rock Creek upstream to confluence with Elm Creek in Palo Pinto County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11863; 18745; 18746

AU_ID: 1206_03 *Portion of Brazos river from confluence with Elm Creek in Palo Pinto County upstream to Possum Kingdom Reservoir in Palo Pinto county.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11864; 13696; 18748

SegID: 1206D Palo Pinto Creek

'From the confluence with the Brazos River upstream to its headwaters within the City of Eastland, in Palo Pinto County.

Segment Type Freshwater Stream

AU_ID: 1206D_01 *Portion of Palo Pinto Creek from its confluence with the Brazos River upstream to Palo Pinto Reservoir Dam in Palo Pinto County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 11074; 16408; 18747

SegID: 1206E Lake Mineral Wells

Impounded Rock Creek within Mineral Wells city limits, Parker County

Segment Type Reservoir

AU_ID: 1206E_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 20160

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1207 Possum Kingdom Lake

From Morris Sheppard Dam in Palo Pinto County to a point immediately upstream of the confluence of Cove Creek at Salem Bend in Young County, up to the normal pool elevation of 1000 feet (impounds Brazos River)

Segment Type Reservoir

AU_ID: *1207_01 Rock Creek arm of lake*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 14029**AU_ID:** *1207_02 Deep Elm Creek arm*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11868**AU_ID:** *1207_03 Portion of segment west of SH 16*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 14028**AU_ID:** *1207_04 Portion of lake containing Costello Island*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 14027**AU_ID:** *1207_05 Elm Creek arm of segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11867**AU_ID:** *1207_06 Veale creek arm of segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 14025**AU_ID:** *1207_07 Portion of lake adjacent to northeast corner of state park*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations**AU_ID:** *1207_08 Caddo Creek arm of lake*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 14019**AU_ID:** *1207_09 Portion of lake south of FM 2951*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 14020

2014 Texas Integrated Report - Water Bodies Evaluated

AU_ID: 1207_10 Bluff Creek arm of lake

Flow Type
reservoir

Flow Type Source
TSWQS

ALU Designation
High

ALU Designation Source
TWQS-Appendix A

Station ID(s):

AU_ID: 1207_11 Jewell Creek arm of lake

Flow Type
reservoir

Flow Type Source
TSWQS

ALU Designation
High

ALU Designation Source
TWQS-Appendix A

Station ID(s):

AU_ID: 1207_12 Downstream portion of lake

Flow Type
reservoir

Flow Type Source
TSWQS

ALU Designation
High

ALU Designation Source
TWQS-Appendix A

Station ID(s):

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1208 Brazos River Above Possum Kingdom Lake

From a point immediately upstream of the confluence of Cove Creek at Salem Bend in Young County to the confluence of the Double Mountain Fork Brazos River and the Salt Fork Brazos River in Stonewall County

Segment Type Freshwater Stream

AU_ID: 1208_01 Portion of segment from confluence with Possum Kingdom Reservoir headwaters upstream to confluence with Spring Branch in Young County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11869

AU_ID: 1208_02 Portion of segment from confluence with Spring Branch upstream to confluence with Fish Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13641

AU_ID: 1208_03 From confluence with Fish Creek upstream to confluence with Boggy Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

AU_ID: 1208_04 From confluence with Boggy Creek upstream to confluence with Millers Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11870

AU_ID: 1208_05 From confluence with Millers Creek upstream to confluence with Lake Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11871

AU_ID: 1208_06 From confluence with Lake Creek upstream to the confluence with Salt and Double Mountain Forks of the Brazos River

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

SegID: 1208A Millers Creek Reservoir

Impoundment of Millers Creek, 12.5 miles southwest of Seymour in Baylor County

Segment Type Reservoir

AU_ID: 1208A_01 entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 11679

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1209 Navasota River Below Lake Limestone

From the confluence with the Brazos River in Grimes County to Sterling C. Robertson Dam in Leon/Robertson County

Segment Type Freshwater Stream

AU_ID: 1209_01 *Portion of Navasota River from confluence with Brazos River upstream to confluence with Rocky Creek in grimes County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11872; 11873

AU_ID: 1209_02 *Portion of Navasota River from confluence with Rocky Creek upstream to confluence with Sandy Branch in Grimes County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11875; 20528

AU_ID: 1209_03 *Portion of Navasota River from confluence with Sandy Branch upstream to confluence with Shepherd Branch in Madison County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 16398

AU_ID: 1209_04 *Portion of Navasota River from confluence with Shepherd Branch in Madison County upstream to confluence with Camp Creek in Robertson County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 18341

AU_ID: 1209_05 *Portion of Navasota River from confluence with Camp Creek upstream to Lake Limestone Dam in Robertson County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11877

SegID: 1209A Country Club Lake

From the Country Club Branch Dam up to normal pool elevation in Bryan in Brazos County

Segment Type Reservoir

AU_ID: 1209A_01 *Entire reservoir*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 11792; 11793; 11794; 20262; 20264; 20265; 20266; 20267; 20268; 20270

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1209B Fin Feather Lake

From Fin Feather Dam up to normal pool elevation in northwest Bryan in Brazos County

Segment Type Reservoir

AU_ID: 1209B_01 Entire reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 11798; 11799; 11800; 20253; 20254; 20255; 20256; 20257; 20258; 20259; 20260; 20261

SegID: 1209C Carters Creek

Perennial stream from the confluence with the Navasota River southeast of College Station in Brazos County upstream to the confluence of an unnamed tributary 0.5 km upstream of FM 158 in Brazos County

Segment Type Freshwater Stream

AU_ID: 1209C_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 11784; 11785; 21259

SegID: 1209D Country Club Branch

From the confluence with Country Club Lake in Bryan in Brazos County to the dam at Fin Feather Lake in Bryan

Segment Type Freshwater Stream

AU_ID: 1209D_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Intermediate	Presumption from Flow Type

Station ID(s): 11795

SegID: 1209E Wickson Creek

Perennial stream from the confluence with an unnamed first order tributary (approximately 1.3 km upstream of Reliance Road crossing) upstream to the confluence with an unnamed first order tributary approximately 15 meters upstream of Dilly Shaw Road

Segment Type Freshwater Stream

AU_ID: 1209E_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D

Station ID(s): 11789; 15033

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1209G Cedar Creek

From the confluence with the Navasota River in Brazos County to the confluence with Moores Branch and Rocky Branch in Robertson County

Segment Type Freshwater Stream

AU_ID: 1209G_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 11787; 20529

SegID: 1209H Duck Creek

From the confluence with the Navasota river in Robertson County to Twin Oak Reservoir dam in Robertson County

Segment Type Freshwater Stream

AU_ID: 1209H_01 Portion of Duck Creek from confluence with Navasota River upstream to confluence with Mineral Creek in Robertson County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 16389

AU_ID: 1209H_02 Portion of Duck Creek from confluence with Mineral Creek in Robertson County upstream to headwaters in Limestone County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 16390

SegID: 1209I Gibbons Creek

From confluence with Navasota River in Grimes County to SH 90 in Grimes County

Segment Type Freshwater Stream

AU_ID: 1209I_01 Portion of Gibbons Creek from confluence with Navasota River upstream to confluence with Dry Creek in Grimes County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 11756

AU_ID: 1209I_02 Portion of Gibbons Creek from confluence with Dry Creek upstream to Gibbons Creek Reservoir dam in Grimes County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 17904; 18800; 20719

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1209J Shepherd Creek

From the confluence with the Navasota River in Madison County to a point 0.7 miles upstream of FM 1452 in Madison County

Segment Type Freshwater Stream

AU_ID: 1209J_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 11790

SegID: 1209K Steele Creek

From confluence with Navasota River in Robertson County to a point 2.4 miles upstream of FM 147 in Limestone County

Segment Type Freshwater Stream

AU_ID: 1209K_02 Portion of Steele Creek from confluence with Willow Creek upstream to headwaters in Limestone County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type

Station ID(s): 16384

SegID: 1209L Burton Creek

Burton Creek - from the confluence of Carters Creek in College Station upstream to the headwater 0.7 km northeast of Finfeather lake in Bryan

Segment Type Freshwater Stream

AU_ID: 1209L_01 Burton Creek from the confluence of Carters Creek in College Station upstream to the headwater 0.7 km northeast of Finfeather Lake in Bryan

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Water body description	Limited	Presumption from Flow Type

Station ID(s): 11783

SegID: 1209O Normangee Lake

Impounded Running Creek, 7.5 km west of Normangee in Leon County.

Segment Type Reservoir

AU_ID: 1209O_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 20271; 20272; 20273; 20274; 20275; 20276; 20277; 20278; 20279

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1209P Clear Creek

From the confluence with Navasota River below Lake Limestone upstream to headwaters, 11 km southeast of Marquez in Leon County

Segment Type Freshwater Stream

AU_ID: 1209P_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 20019

SegID: 1210 Lake Mexia

From Bistone Dam in Limestone County up to the normal pool elevation of 448.3 feet (impounds Navasota River)

Segment Type Reservoir

AU_ID: 1210_01 Eastern end of reservoir, from dam to RR 2681 east of Washington Park

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11878; 14238; 17586; 17587

AU_ID: 1210_02 Western end, from point where reservoir begins to widen, to upper end

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 17588; 18444

SegID: 1210A Navasota River above Lake Mexia

From the confluence with the headwaters of Lake Mexia in Limestone County to a point 1.25 miles upstream of SH 31 in Hill County

Segment Type Freshwater Stream

AU_ID: 1210A_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 16391

SegID: 1211 Yegua Creek

From the confluence with the Brazos River in Burleson/Washington County to Somerville Dam in Burleson/Washington County

Segment Type Freshwater Stream

AU_ID: 1211_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11880

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1211A Davidson Creek

Intermittent stream with perennial pools from the confluence with Yegua Creek to 0.2 km above SH 21 near Caldwell in Burleson County

Segment Type Freshwater Stream

AU_ID: 1211A_02 *Portion of Davidson Creek from confluence with unnamed tributary (NHD RC 12070102001903) upstream to headwaters in Milam County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 11729

SegID: 1212 Somerville Lake

From Somerville Dam in Burleson/Washington County up to normal pool elevation of 238 feet (impounds Yegua Creek)

Segment Type Reservoir

AU_ID: 1212_01 *Eastern end of reservoir near dam*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11881

AU_ID: 1212_02 *Northern arm of reservoir near town of Somerville*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11883

AU_ID: 1212_03 *Middle of reservoir near Birch Creek State Park*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11885; 16879; 18445; 20532

AU_ID: 1212_04 *Western end of reservoir near upper segment boundary*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11882

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1212A Middle Yegua Creek

From the confluence with East Yegua and Yegua Creeks in Lee County to the Lee County/Williamson County line

Segment Type Freshwater Stream

AU_ID: 1212A_01 *From confluence with East Yegua Creek upstream to confluence with West Yegua Creek in Lee County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 11838; 11839; 11840

AU_ID: 1212A_02 *From confluence with West Yegua Creek upstream to headwaters of water body in Williamson County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 18750; 18751

SegID: 1212B East Yegua Creek

From the confluence with Middle Yegua and Yegua Creeks southeast of Dime Box in Lee County to the upstream portion of the stream, south of Alcoa Lake in Milam County

Segment Type Freshwater Stream

AU_ID: 1212B_01 *Portion of East Yegua Creek from confluence with Middle Yegua Creek in Burleson County upstream to confluence with Allen Creek in Lee County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 11594

AU_ID: 1212B_02 *Portion of East Yegua Creek from confluence with Allen Creek in Lee County upstream to headwaters in Milam County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 16887

SegID: 1212C Nail Creek

Nail Creek from the confluence of Yegua Creek upstream to the headwater 340 m north of US 290 west of Giddings

Segment Type Freshwater Stream

AU_ID: 1212C_01 *Nail Creek from the confluence of Yegua Creek upstream to the headwater 340 m north of US 290 west of Giddings*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow questionnaire	Limited	Presumption from Flow Type

Station ID(s): 20674

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1212D Cedar Creek

Cedar Creek from the confluence of Somerville Lake upstream to the headwater approximately 2 km north of US 290 west of Burton

Segment Type Freshwater Stream

AU_ID: 1212D_01 *Cedar Creek from the confluence of Somerville Lake upstream to the headwater approximately 2 km north of US 290 approximately 2.2 km west of Burton*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow questionnaire	Limited	Presumption from Flow Type

Station ID(s): 20675

SegID: 1212E McCain Creek

McCain Creek from the confluence of Somerville Lake upstream to the headwater near FM 390 W (La Bahia Trail W) approximately 3 km northeast of Burton

Segment Type Freshwater Stream

AU_ID: 1212E_01 *McCain Creek from the confluence of Somerville Lake upstream to the headwater near FM 390 W (La Bahia Trail W) approximately 3 km northeast of Burton*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Flow questionnaire	Minimal	Presumption from Flow Type

Station ID(s): 20676

SegID: 1212F Burns Creek

Burns Creek from the confluence of Somerville Lake upstream to the headwater approximately 1.4 km north of the intersection of FM 390 W (La Bahia Trail W) and FM 1948 northeast of Burton

Segment Type Freshwater Stream

AU_ID: 1212F_01 *Burns Creek from the confluence of Somerville Lake upstream to the headwater approximately 1.4 km north of the intersection of FM 390 W (La Bahia Trail W) and FM 1948 northeast of Burton*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow questionnaire	Limited	Presumption from Flow Type

Station ID(s): 20677

SegID: 1212G Jerdelle Creek

Jerdelle Creek from the confluence of Somerville Lake upstream to the headwater near FM 390 W (La Bahia Trail W) approximately 9 km northeast of Burton

Segment Type Freshwater Stream

AU_ID: 1212G_01 *Jerdelle Creek from the confluence of Somerville Lake upstream to the headwater near FM 390 W (La Bahia Trail W) approximately 9 km northeast of Burton*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow questionnaire	Limited	Presumption from Flow Type

Station ID(s): 20678

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1212H Sandy Branch

Sandy Branch from the confluence of Somerville Lake upstream to the headwater near Haack Lane approximately 4.7 km west of the intersection of FM 390 W (La Bahia Trail W) and SH 36

Segment Type Freshwater Stream

AU_ID: 1212H_01 *Sandy Branch from the confluence of Somerville Lake upstream to the headwater near Haack Lane approximately 4.7 km west of the intersection of FM 390 W (La Bahia Trail W) and SH 36*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Flow questionnaire	Minimal	Presumption from Flow Type

Station ID(s): 20679

SegID: 1212J Big Creek

Big Creek from the confluence of Somerville Lake upstream to the headwater at FM 976 (Frenstat Rd) approximately 12.8 km northwest of Somerville

Segment Type Freshwater Stream

AU_ID: 1212J_01 *Big Creek from the confluence of Somerville Lake upstream to the headwater at FM 976 (Frenstat Rd) approximately 12.8 km northwest of Somerville*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow questionnaire	Limited	Presumption from Flow Type

Station ID(s): 20681

SegID: 1212K Brushy Creek

Brushy Creek from the confluence of Somerville Lake upstream to the headwater near the intersection of Burlison CR 408 and CR 415 approximately 3 km northwest of Somerville

Segment Type Freshwater Stream

AU_ID: 1212K_01 *Brushy Creek from the confluence of Somerville Lake upstream to the headwater near the intersection of Burlison CR 408 and CR 415 approximately 3 km northwest of Somerville*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Flow questionnaire	Minimal	Presumption from Flow Type

Station ID(s): 20682

SegID: 1212L Yegua Creek

Yegua Creek from the confluence of Somerville Lake upstream to the confluence of East Yegua and Middle Yegua Creeks at the Burlison and Lee County Line

Segment Type Freshwater Stream

AU_ID: 1212L_01 *Yegua Creek from the confluence of Somerville Lake upstream to the confluence of East Yegua and Middle Yegua Creeks at the Burlison and Lee County Line*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow questionnaire	Limited	Presumption from Flow Type

Station ID(s): 20683; 20834

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1213 Little River

From the confluence with the Brazos River in Milam County to the confluence of the Leon River and the Lampasas River in Bell County

Segment Type Freshwater Stream

AU_ID: 1213_01 *From the confluence with Brazos River upstream to confluence with City of Cameron WWTP receiving water*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11888; 20526

AU_ID: 1213_02 *From the City of Cameron WWTP receiving water upstream to the confluence with the San Gabriel River*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 17499

AU_ID: 1213_03 *From confluence with San Gabriel River upstream to confl. with Boggy Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13544

AU_ID: 1213_04 *From confluence with Boggy Creek upstream to its confluence with Leon and Lampasas Rivers*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 16409

SegID: 1213A Big Elm Creek

From the confluence with Little River in Milam county, 4.5 km northeast of the City of Cameron , upstream to its headwaters in McLennan County, 0.7 km west of Moody.

Segment Type Freshwater Stream

AU_ID: 1213A_01 *Portion of Big Elm Creek from the confluence with the Little River upstream to confluence with Little Elm Creek.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	WQS/Permits program	High	Presumption from Flow Type

Station ID(s): 16385

AU_ID: 1213A_02 *Portion of Big Elm Creek from the confluence with Little Elm Creek upstream to its headwaters.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	presumption from Flow Type

Station ID(s): No Stations

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1213B Little Elm Creek

From the confluence with Big Elm Creek upstream to headwaters, 2.5 km north of Temple in Bell County

Segment Type Freshwater Stream

AU_ID: 1213B_01 From confluence with Big Elm Creek upstream to confluence with Williamson Branch

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 13537; 13538

SegID: 1213C Unnamed Tributary of Little Elm Creek

From confluence with Little Elm Creek upstream to headwaters in Temple, Bell County

Segment Type Freshwater Stream

AU_ID: 1213C_01 Entire Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 13536; 13539; 13540

SegID: 1214 San Gabriel River

From the confluence with the Little River in Milam County to Granger Lake Dam in Williamson County

Segment Type Freshwater Stream

AU_ID: 1214_01 From confluence with Little River upstream to confl. with Alligator Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11892

AU_ID: 1214_02 From confluence with Alligator Creek upstream to Lake Granger

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13648; 17652

SegID: 1215 Lampasas River Below Stillhouse Hollow Lake

From the confluence with the Leon River in Bell County to Stillhouse Hollow Lake Dam in Bell County

Segment Type Freshwater Stream

AU_ID: 1215_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11893; 13547

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1216 Stillhouse Hollow Lake

From Stillhouse Hollow Lake Dam in Bell County to a point immediately upstream of the confluence of Rock Creek in Bell County, up to normal pool elevation of 622 feet (impounds Lampasas River)

Segment Type Reservoir

AU_ID: 1216_01 Main Body of Lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 11894; 11895; 14058; 18752; 18753; 18756; 18757; 18758; 20049

AU_ID: 1216_02 Riverine portion of reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 20046; 20047; 20048

AU_ID: 1216_SAI Branch Cove associated with main body of lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 20051; 20052

SegID: 1216A Trimmier Creek

From confluence with Stillhouse Hollow Lake upstream to its headwaters, southwest of Killeen in Bell County.

Segment Type Freshwater Stream

AU_ID: 1216A_01 entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 18754; 20050

SegID: 1216B Onion Creek

From confluence with riverine portion of Stillhouse Hollow Lake, upstream to its headwaters, west of Killeen in Bell County.

Segment Type Freshwater Stream

AU_ID: 1216B_01 entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 18755

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1217 Lampasas River Above Stillhouse Hollow Lake

From a point immediately upstream of the confluence of Rock Creek in Bell County to FM 2005 in Hamilton County

Segment Type Freshwater Stream

AU_ID: 1217_01 *Portion of Lampasas River from confluence with Rock Creek in Bell County, upstream to confluence with Mesquite Creek, west of Kempner in Lampasas County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11896; 18761; 20018

AU_ID: 1217_02 *Portion of Lampasas River from confluence with Mesquite Creek upstream to confluence with Lucy Creek in Lampasas County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11897

AU_ID: 1217_03 *Portion of Lampasas River from confluence with Lucy Creek upstream to confluence with Sims Creek in Lampasas County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 16404

AU_ID: 1217_04 *Portion of Lampasas River from confluence with Simms Creek upstream to confluence with Bennett Creek in Lampasas County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 15770

AU_ID: 1217_05 *Portion of Lampasas River from confluence with Bennett Creek upstream to its headwaters in Mills County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 15762

SegID: 1217A Rocky Creek

From the confluence of the Lampasas River north of Oakalla in Burnet County to the confluences of the North and South Rocky Creeks south of Oakalla in Burnet County

Segment Type Freshwater Stream

AU_ID: 1217A_01 *Entire creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 11724; 18330; 18331; 18332

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1217B Sulphur Creek

From the confluence of the Lampasas River east of Lampasas in Lampasas County to the confluences of Donalson Creek and Espy Branch west of Lampasas in Lampasas County

Segment Type Freshwater Stream

AU_ID: 1217B_01 *Portion of Sulphur Creek from the confluence with the Lampasas River upstream to confluence with Burleson Creek in the City of Lampasas, Lampasas County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 15250; 15781; 15782; 16358

AU_ID: 1217B_02 *Portion of Sulphur Creek from the confluence with Burleson Creek upstream to the confluences with Donalson Creek and Espy Branch west of Lampasas in Lampasas County*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 15766; 15780; 18760; 18782; 18783; 18787

SegID: 1217C Simms Creek

From the confluence with the Lampasas River in Coryell County to a point 2.3 miles upstream of CR 59 in Mills County

Segment Type Freshwater Stream

AU_ID: 1217C_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 15763

SegID: 1217D North Rocky Creek

From its confluence with South Rocky Creek, upstream to its headwaters 7 miles west of US Hwy 183 in Burnet County

Segment Type Freshwater Stream

AU_ID: 1217D_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 18334; 18656

SegID: 1217E South Rocky Creek

From its confluence with North Rocky Creek, upstream to its headwaters 11 miles west of US Hwy 183 in Burnet County

Segment Type Freshwater Stream

AU_ID: 1217E_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 11725; 18333; 18657

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1217F Reese Creek

From its confluence with the Lampasas River Above Stillhouse Hollow Lake upstream to its headwaters, 6.7 km south west of Killeen in Bell County.

Segment Type Freshwater Stream

AU_ID: 1217F_01 *From confluence with Lampasas River above Stillhouse Hollow Lake upstream to confluence with un-named tributary (NHD reach code 12070203002555).*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 18759; 18850

SegID: 1217G Clear Creek

Clear Creek from the confluence of the Lampasas River upstream to the headwater in Copperas Cove

Segment Type Freshwater Stream

AU_ID: 1217G_01 *Clear Creek from the confluence of the Lampasas River upstream to the headwater in Copperas Cove*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 21016

SegID: 1218 Nolan Creek/ South Nolan Creek

From the confluence with the Leon River in Bell County to a point 100 meters (110 yards) upstream to the most upstream crossing of US 190 and Loop 172 in Bell County

Segment Type Freshwater Stream

AU_ID: 1218_01 *Portion of Nolan Creek from the confluence with the Leon River upstream to confluence with North Nolan/South Nolan Creek fork in Bell county*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 14237

AU_ID: 1218_02 *Portion of South Nolan Creek from confluence with North Nolan / Nolan Creek fork upstream to confluence with Liberty Ditch in city of Killeen in Bell County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11907; 11913; 18826; 18827; 18828

AU_ID: 1218_03 *Portion of South Nolan Creek from confluence with Liberty ditch in Killeen upstream to a point 100 meters (110 yards) upstream of the most upstream crossing of US 190 near the intersection of US 190 and Loop 172 in Bell County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 15271

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1218A Unnamed Tributary to Little Nolan Creek

From the confluence with Little Nolan Creek upstream to headwaters in the city of Killeen, Bell County.

Segment Type Freshwater Stream

AU_ID: 1218A_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 18833

SegID: 1218B South Nolan Creek

From 100 meters upstream of the most upstream crossing of US 190 near the intersection of US 190 and Loop 172 upstream to headwaters in the city of Killeen, Bell County.

Segment Type Freshwater Stream

AU_ID: 1218B_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 18829

SegID: 1218C Little Nolan Creek

From the confluence with Nolan Creek/South Nolan Creek upstream to headwaters in the city of Killeen, Bell County.

Segment Type Freshwater Stream

AU_ID: 1218C_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 18834

SegID: 1219 Leon River Below Belton Lake

From the confluence with the Lampasas River in Bell County to Belton Dam in Bell County

Segment Type Freshwater Stream

AU_ID: 1219_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11916

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1220 Belton Lake

From Belton Dam in Bell County to a point 100 meters (110 yards) upstream of FM 236 in Coryell County, up to the normal pool elevation of 594 feet (impounds Leon River)

Segment Type Reservoir

AU_ID: 1220_01 Portion of Lake near Dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s):

AU_ID: 1220_02 Cowhouse Creek Arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s):

AU_ID: 1220_03 Leon River Arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s):

SegID: 1220A Cowhouse Creek

From the confluence of Belton Lake in Bell County south of Gatesville in Coryell County to the upstream perennial portion of the stream north of Goldthwaite in Mills County

Segment Type Freshwater Stream

AU_ID: 1220A_02 Middle portion of water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s):

AU_ID: 1220A_03 Upstream portion of water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s):

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1221 Leon River Below Proctor Lake

From a point 100 meters (110 yards) upstream of FM 236 in Coryell County to Proctor Dam in Comanche County

Segment Type Freshwater Stream

AU_ID: 1221_01 *Portion of Leon River from confluence with Lake Belton upstream to confluence with unnamed tributary (NHD RC 12070201005989) in Coryell County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11925; 11926; 11927

AU_ID: 1221_02 *Portion of Leon River from confluence with unnamed tributary (NHD RC 12070201005989) upstream to confluence with Stillhouse Branch in Coryell County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11928; 17501

AU_ID: 1221_03 *From confluence with Stillhouse Creek, upstream to confluence with Plum Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 17545

AU_ID: 1221_04 *From the confluence with Plum Creek, upstream to the confluence with Pecan Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11929; 11930

AU_ID: 1221_05 *From confluence with Pecan Creek, upstream to confluence with South Leon Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11932; 15769; 18781; 20905

AU_ID: 1221_06 *From confluence with South Leon Creek upstream to confluence with Walnut Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 17591

AU_ID: 1221_07 *From the confluence with Walnut Creek upstream to Lake Proctor*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11934

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1221A Resley Creek

From the confluence of the Leon River east of Gustine in Comanche County to the upstream perennial portion of the stream north of Gustine in Comanche County

Segment Type Freshwater Stream

AU_ID: 1221A_01 *Portion of Resley Creek from confluence with Leon River upstream to conf. with unnamed tributary (NHD RC 12070201007823), approx. 1.0 mile N. of Comanche County Line*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type

Station ID(s): 11808; 17377; 17477

AU_ID: 1221A_02 *Portion of Resley Creek from confluence with unnamed tributary (NHD RC 12070201007823), upstream to headwaters in Erath County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type

Station ID(s): 17376

SegID: 1221B South Leon River

From the confluence of the Leon River south of Gustine in Comanche County to the upstream perennial portion of the stream south of Comanche in Comanche County

Segment Type Freshwater Stream

AU_ID: 1221B_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 11817; 20527

SegID: 1221C Pecan Creek

Perennial stream from the confluence with the Leon River upstream to the confluence with an unnamed tributary approximately 3.5 km upstream of SH 36 near the City of Hamilton

Segment Type Freshwater Stream

AU_ID: 1221C_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 11807; 17547

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1221D Indian Creek

Perennial stream from the confluence of the Leon River to the headwaters

Segment Type Freshwater Stream

AU_ID: 1221D_01 From confluence with Leon River, upstream to confluence with Armstrong Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 11818

AU_ID: 1221D_02 From confluence with Armstrong Creek upstream to headwaters of water body (includes the Appendix D portion of the WQS)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 17542

SegID: 1221E Plum Creek

From its confluence with the Leon River in Coryell county, upstream to its headwaters 2.4 miles east of US Hwy 281 in Hamilton County

Segment Type Freshwater Stream

AU_ID: 1221E_01 entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 18405

SegID: 1221F Walnut Creek

From its confluence with Leon River upstream to its headwaters 2.4 miles west of Dublin in Erath County

Segment Type Freshwater Stream

AU_ID: 1221F_01 entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 17379; 18406

SegID: 1221G Coryell Creek

Coryell Creek from the confluence of the Leon River west of Gatesville upstream to headwater at Coryell CR 219 north of Gatesville

Segment Type Freshwater Stream

AU_ID: 1221G_01 Coryell Creek from the confluence of the Leon River west of Gatesville upstream to headwater at Coryell CR 219 north of Gatesville

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 11804

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1222 Proctor Lake

From Proctor Dam in Comanche County to a point immediately upstream of the confluence of Mill Branch in Comanche County, up to the normal pool elevation of 1162 feet (impounds Leon River)

Segment Type Reservoir

AU_ID: 1222_01 Sabana River arm of lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11936; 14036; 14037; 14038

AU_ID: 1222_02 Copperas / Duncan Creeks arm of lake.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11937; 14034; 14035

AU_ID: 1222_03 Portion of water body near dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11935; 14032; 14033; 18434

SegID: 1222A Duncan Creek

From the confluence of Proctor Lake northeast of Comanche in Comanche County to the upstream perennial portion of the stream west of Comanche in Comanche County

Segment Type Freshwater Stream

AU_ID: 1222A_01 Entire creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 11825; 17544

SegID: 1222B Rush-Copperas Creek

From the confluence of Proctor Lake northeast of Comanche in Comanche County to the upstream perennial portion of the stream northwest of Comanche in Comanche County

Segment Type Freshwater Stream

AU_ID: 1222B_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 11824; 17538

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1222C Sabana River

From the confluence of Proctor Lake northeast of Comanche in Comanche County to the upstream perennial portion of the stream northwest of Rising Star in Eastland County

Segment Type Freshwater Stream

AU_ID: 1222C_01 Portion of Sabana River from confluence with Lake Belton in Comanche County upstream to confluence with Elm Creek in Eastland County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s):

AU_ID: 1222C_02 Portion of Sabana River from confluence with Elm Creek in Eastland upstream to headwaters in Callahan County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s):

SegID: 1222D Sowell's Creek

From its confluence with Lake Proctor, upstream to its headwaters 1.3 miles west of Dublin in Erath County

Segment Type Freshwater Stream

AU_ID: 1222D_01 entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s):

SegID: 1222E Sweetwater Creek

From its confluence with Copperas Creek, upstream to its headwaters, 6.3 miles west of Comanche in Comanche County

Segment Type Freshwater Stream

AU_ID: 1222E_01 entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s):

SegID: 1222F Hackberry Creek

From its confluence with Armstrong Creek, upstream to its headwaters approximately 9.8 miles west of Stephenville in Erath County

Segment Type Freshwater Stream

AU_ID: 1222F_01 entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s):

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1223 Leon River Below Leon Reservoir

From a point immediately upstream of the confluence of Mill Branch in Comanche County to Leon Dam in Eastland County

Segment Type Freshwater Stream

AU_ID: 1223_01 Entire Segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11938

SegID: 1223A Armstrong Creek

From its confluence with the Leon River downstream of Leon Reservoir, upstream to its headwaters in Erath County 6.2 miles east of State Hwy 16.

Segment Type Freshwater Stream

AU_ID: 1223A_01 entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 15765; 17539

SegID: 1223B Cow Creek

From the confluence with Armstrong Creek, upstream to its headwaters in Erath County, 5 miles north of Dublin

Segment Type Freshwater Stream

AU_ID: 1223B_01 entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 17540; 18046

SegID: 1224 Leon Reservoir

From Leon Dam in Eastland County up to the normal pool elevation of 1375 feet (impounds Leon River)

Segment Type Reservoir

AU_ID: 1224_01 Portion near dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11939

AU_ID: 1224_02 Headwater portion

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11941

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1225 Waco Lake

From Lake Waco Dam to a point 0.51 km (0.32 mi) downstream of Caldwell Crossing on the North Bosque River; and to a point on the Middle Bosque River 1.64 km (1.02 mi) and to a point on the South Bosque River 1.35 km (0.84 mi) upstream of the confluence o

Segment Type Reservoir

AU_ID: 1225_01 North Bosque River arm of lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11945; 11946; 11947; 11950; 16995; 17204; 17205; 17206; 18543; 18544

AU_ID: 1225_02 Portion of lake near dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11942; 11943; 11944; 16996; 17207; 17208; 17209; 18541; 18542

AU_ID: 1225_03 Middle/South Bosque River arm of lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11599; 11600; 11948; 12094; 16997; 17210; 17211; 18539; 18540

SegID: 1225A Hog Creek

From the creek mouth at Lake Waco in McLennan County to the upstream headwaters in northeast Coryell County

Segment Type Freshwater Stream

AU_ID: 1225A_01 From its confluence with Live Oak Creek downstream to Lake Waco

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 11601; 17212; 18849

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1226 North Bosque River

From a point 0.51 kilometers (0.32 miles) downstream of Caldwell Crossing in McLennan County to a point immediately upstream of the confluence of Indian Creek in Erath County

Segment Type Freshwater Stream

AU_ID: 1226_01 *Portion of North Bosque River from confluence with Lake Waco in McLennan County upstream to confluence with Neils Creek in Bosque County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11951; 11953; 11954; 17605

AU_ID: 1226_02 *Portion of North Bosque River from confluence with Neils Creek upstream to confluence with Meridian Creek in Bosque County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11956; 17500; 18379; 18380

AU_ID: 1226_03 *Portion of North Bosque River from confluence with Meridian Creek upstream to confluence with Duffau Creek in Bosque County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11958; 11960; 18003

AU_ID: 1226_04 *Portion of North Bosque River from confluence with Duffau Creek in Bosque County upstream to a point immediately upstream of Indian Creek confluence (end of segment) in Erath County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11961; 11962; 15123; 15694

SegID: 1226A Duffau Creek

From the confluence with the North Bosque River west of Iredell in Bosque County upstream to its headwaters, 0.4km west of US67 in Erath County.

Segment Type Freshwater Stream

AU_ID: 1226A_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 11810; 17607

SegID: 1226B Green Creek

From the confluence of the North Bosque River south of Clairette in Erath County upstream to its headwaters 10km west of Stephenville in Erath County

Segment Type Freshwater Stream

AU_ID: 1226B_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 13486; 17609; 20534

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1226C Meridian Creek

From the confluence of the North Bosque River northwest of Clifton in Bosque County to the upstream portion of the stream northeast of Hamilton in Hamilton County

Segment Type Freshwater Stream

AU_ID: 1226C_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 14908; 17243

SegID: 1226D Neils Creek

From the confluence of the North Bosque River south of Clifton in Bosque County to the confluence of the North and Middle Fork Neils Creeks west of Clifton in Bosque County

Segment Type Freshwater Stream

AU_ID: 1226D_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 11826

SegID: 1226E Indian Creek

From the confluence with the North Bosque River in Erath County to the headwaters 3.5 miles east of Stephenville in Erath County

Segment Type Freshwater Stream

AU_ID: 1226E_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type

Station ID(s): 17235

SegID: 1226F Sims Creek

From the confluence with the North Bosque River in Erath County to the headwaters 6 miles southeast of Stephenville in Erath County

Segment Type Freshwater Stream

AU_ID: 1226F_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 17240

SegID: 1226G Spring Creek

From the confluence with the North Bosque River in Hamilton County to the headwaters 8.5 miles west of Hico in Hamilton County

Segment Type Freshwater Stream

AU_ID: 1226G_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 17242

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1226H Alarm Creek

From its confluence with the North Bosque River, upstream to its headwaters 3 miles west of Stephenville in Erath County

Segment Type Freshwater Stream

AU_ID: 1226H_01 entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 17604

SegID: 1226I Gilmore Creek

From its confluence with the North Bosque River, upstream to its headwaters 11 miles west of Hico in Erath County

Segment Type Freshwater Stream

AU_ID: 1226I_01 entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 17610

SegID: 1226J Honey Creek

From its confluence with the North Bosque River, upstream to its headwaters 2.8 miles west of US 281 in Hamilton County

Segment Type Freshwater Stream

AU_ID: 1226J_01 entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 17611

SegID: 1226K Little Duffau Creek

From its confluence with Duffau Creek, upstream to its headwaters 2.4 miles south west of US 67 in Erath County

Segment Type Freshwater Stream

AU_ID: 1226K_01 entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 17608

SegID: 1226M Little Green Creek

From its confluence with Green Creek, upstream to its confluence with the North and South Forks of Little Green Creek, 2.4 miles south of SH 6 in Erath County.

Segment Type Freshwater Stream

AU_ID: 1226M_01 entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 17606

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1226N Indian Creek Reservoir

Impounded Indian Creek in Erath County, 5.6 miles southeast of Stephenville

Segment Type Reservoir

AU_ID: 1226N_01 entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 17234

SegID: 1226O Sims Creek Reservoir

Impounded Sims Creek in Erath County, 6.8 miles south east of Stephenville

Segment Type Reservoir

AU_ID: 1226O_01 entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 17239

SegID: 1226Q Walker Branch

From the confluence with the North Bosque River upstream to headwaters, north of Iredell in Bosque and Erath Counties.

Segment Type Freshwater Stream

AU_ID: 1226Q_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 20533

SegID: 1227 Nolan River

From a point immediately upstream of the confluence of Rock Creek in Hill County to Cleburne Dam in Johnson County

Segment Type Freshwater Stream

AU_ID: 1227_01 Portion of Nolan River from confluence with Whitney Lake upstream to confluence with Mustang Creek in Hill County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 11966; 11967

AU_ID: 1227_02 Portion of Nolan River from confluence with Mustang Creek in Hill County upstream to confluence with Lake Pat Cleburne Dam in Johnson County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 11968; 11970; 11971; 11972; 14450

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1227A Buffalo Creek

From the confluence with the Nolan River upstream to the confluence with East Buffalo Creek and West Buffalo Creek

Segment Type Freshwater Stream

AU_ID: 1227A_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	TWQS-Appendix D	Limited	TWQS-Appendix D

Station ID(s): 11780

SegID: 1228 Lake Pat Cleburne

From Cleburne Dam in Johnson County up to the normal pool elevation of 733.5 feet (impounds Nolan River)

Segment Type Reservoir

AU_ID: 1228_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11974; 11975; 14447

SegID: 1229 Paluxy River /North Paluxy River

From the confluence with the Brazos River in Somervell County to the confluence of Rough Creek in Erath County

Segment Type Freshwater Stream

AU_ID: 1229_01 Portion of Paluxy River from confluence with Brazos River near Glen Rose in Somervell county upstream to confluence with Richardson Creek in Hood County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11976; 20232

AU_ID: 1229_02 Portion of Paluxy River from confluence with Richardson Creek upstream to confluence with North/South Paluxy Fork in Erath County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 14481; 20343

AU_ID: 1229_03 Portion of North Paluxy River from the confluence with Paluxy / South Paluxy Fork upstream to confluence with Rough Creek in Erath County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 14245

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1229A Squaw Creek Reservoir

Impounded Squaw Creek in Hood and Somerville Counties, 2.4 miles north of Glen Rose.

Segment Type Reservoir

AU_ID: 1229A_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 17110

SegID: 1230 Lake Palo Pinto

From Palo Pinto Creek Dam in Palo Pinto County up to the normal pool elevation of 867.3 feet (impounds Palo Pinto Creek)

Segment Type Reservoir

AU_ID: 1230_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11977

SegID: 1231 Lake Graham

From Graham Dam and Eddleman Dam in Young County up to the normal pool elevation of 1075 feet (impounds Salt Creek and Flint Creek)

Segment Type Reservoir

AU_ID: 1231_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11979

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1232 Clear Fork Brazos River

From the confluence with the Brazos River in Young County to the most upstream crossing of US 180 in Fisher County

Segment Type Freshwater Stream

AU_ID: 1232_01 *From confluence with Brazos River, upstream to conf. With Hubbard Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11982

AU_ID: 1232_02 *From confluence with Hubbard Creek upstream to confluence with Deadman Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11985; 11990; 11991; 18765; 18766

AU_ID: 1232_03 *From confluence with Deadman Creek upstream to conf. With Bitter Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11992

AU_ID: 1232_04 *From confluence with Bitter Creek upstream to end of segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11999; 12001

SegID: 1232A California Creek

From the confluence of Paint Creek southeast of Haskell in Haskell County to the headwaters southwest of Stamford in Jones County

Segment Type Freshwater Stream

AU_ID: 1232A_01 *Portion of California Creek from confluence with Paint Creek in Haskell County upstream to confluence with Thompson Creek in Jones County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 11709

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1232B Deadman Creek

From the confluence of the Clear Fork Brazos River south of Lueders in Jones County to the headwaters north of Hamby in Jones County

Segment Type Freshwater Stream

AU_ID: 1232B_01 *From the confluence with Clear Fork Brazos, upstream to city of Abilene WWTP receiving water*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	WQS/Permits program	Intermediate	Previous TCEQ Permit Decision

Station ID(s): 11695; 11696; 11697; 11698

AU_ID: 1232B_02 *Upstream of WWTP outfall to headwaters*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 11705

SegID: 1232C Paint Creek

From the confluence with the Clear Fork Brazos River in Throckmorton County, upstream to its headwaters in Jones County, 2.7 km north of SH 92.

Segment Type Freshwater Stream

AU_ID: 1232C_01 *From confluence with Clear Fork Brazos River upstream to Lake Stamford*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 18764

SegID: 1233 Hubbard Creek Reservoir

From Hubbard Creek Dam in Stephens County up to the normal pool elevation of 1183 feet (impounds Hubbard Creek)

Segment Type Reservoir

AU_ID: 1233_01 *Main body of lake*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 12002; 13888; 13889; 20537

AU_ID: 1233_02 *Hubbard Creek Arm*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 13881; 13883; 13885; 13886

AU_ID: 1233_03 *Big Sandy Creek Arm*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 13879; 13880; 13882; 13884

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1233A Big Sandy Creek

From its confluence with Hubbard Creek Reservoir, upstream to its headwaters 4 miles west of US 183 in Stephens County.

Segment Type Freshwater Stream

AU_ID: 1233A_01 entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 13640

SegID: 1233B Hubbard Creek

Portion of Hubbard Creek from its confluence with Hubbard Creek Reservoir upstream to its headwaters in Callahan County, 15 miles east of Abilene.

Segment Type Freshwater Stream

AU_ID: 1233B_01 entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 13639

SegID: 1234 Lake Cisco

From Williamson Dam in Eastland County up to the normal pool elevation of 1496 feet (impounds Sandy Creek)

Segment Type Reservoir

AU_ID: 1234_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 12005; 18436; 18510

SegID: 1235 Lake Stamford

From Stamford Dam in Haskell County up to the normal pool elevation of 1416.8 feet (impounds Paint Creek)

Segment Type Reservoir

AU_ID: 1235_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 12006

SegID: 1236 Fort Phantom Hill Reservoir

From Fort Phantom Hill Dam in Jones County up to the normal pool elevation of 1635.9 feet (impounds Elm Creek)

Segment Type Reservoir

AU_ID: 1236_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 12010; 12013; 20183

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1238 Salt Fork Brazos River

From the confluence of the Double Mountain Fork Brazos River in Stonewall County to the most upstream crossing of SH 207 in Crosby County

Segment Type Freshwater Stream

AU_ID: 1238_01 *Portion of Salt Fork Brazos River from confluence with Double Mountain Fork Brazos River upstream to confluence with Croton Creek in Stonewall County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12022

AU_ID: 1238_02 *Portion of Salt Fork Brazos River from confluence with Croton Creek in Stonewall County upstream to confluence with Butte Creek in Kent County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13683

AU_ID: 1238_03 *Portion of Salt Fork Brazos River from confluence with Butte Creek in Kent County upstream to headwaters in Crosby County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12023

SegID: 1238A Croton Creek

From its confluence with the Salt Fork of the Brazos River, upstream to its headwaters 1.6 miles north of Dickens in Dickens County

Segment Type Freshwater Stream

AU_ID: 1238A_01 *entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 11553

SegID: 1240 White River Lake

From White River Dam in Crosby County up to the normal pool elevation of 2372.2 feet (impounds White River)

Segment Type Reservoir

AU_ID: 1240_01 *Entire segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 12027; 16880; 16881

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1241 Double Mountain Fork Brazos River

From the confluence with the Salt Fork Brazos River in Stonewall County to the confluence of the North Fork Double Mountain Fork Brazos River in Kent County

Segment Type Freshwater Stream

AU_ID: 1241_01 25 miles near Hwy 83

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12029

AU_ID: 1241_02 Remainder of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

SegID: 1241A North Fork Double Mountain Fork Brazos River

Perennial stream from the confluence with Double Mountain Fork Brazos River to the dam forming Lake Ransom Canyon

Segment Type Freshwater Stream

AU_ID: 1241A_01 From confluence with Double Mountain Fork of Brazos River to Lake Ransom Canyon

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D

Station ID(s): 11524; 11525; 11527

AU_ID: 1241A_02 Upstream portion, from confluence with Lake Buffalo Springs upstream to confluence with Yellow House Draw

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D

Station ID(s): 11534

SegID: 1241B Lake Alan Henry

Impounded Double Mountain Fork Brazos Rive, 20.0 miles south east of Post in Garza and Kent Counties.

Segment Type Reservoir

AU_ID: 1241B_01 entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 18414

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1241C Buffalo Springs Lake

Impounded North Fork Double Mountain Fork Brazos River within city limits of Buffalo Springs, Lubbock County.

Segment Type Reservoir

AU_ID: 1241C_01 entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 11529

SegID: 1241D South Fork Double Mountain Fork Brazos River upstream of confluence with North Fork Double Mountain Fork

From its confluence with the North Fork Double Mountain Fork Brazos River in Kent County upstream to its headwaters in Lynn County.

Segment Type Freshwater Stream

AU_ID: 1241D_01 entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	WQS/Permits program	Minimal	Presumption from Flow Type

Station ID(s): 11554

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1242 Brazos River Above Navasota River

From a point immediately upstream of the confluence of the Navasota River in Brazos/Grimes/Washington County to the low water dam forming Lake Brazos in McLennan County

Segment Type Freshwater Stream

AU_ID: 1242_01 *Portion of Brazos River from confluence with Navasota River upstream to confluence with Thompson's Creek in Brazos County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12030; 13666

AU_ID: 1242_02 *Portion of Brazos River from confluence with Thompson's Creek in Brazos County upstream to confluence with Little River in Milam County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12031; 15767; 20833

AU_ID: 1242_03 *Portion of Brazos River from confluence with Little River upstream to confluence with Pond Creek in Milam County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

AU_ID: 1242_04 *Portion of Brazos River from confluence with Pond Creek in Milam County upstream to confluence with Deer Creek in Falls county.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12032; 12033; 21041

AU_ID: 1242_05 *Portion of Brazos River from confluence with Deer Creek in Falls County upstream to confluence with Tehuacana Creek in McLennan County*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12034; 12035; 12036; 12037

AU_ID: 1242_06 *Portion of Brazos River from confluence with Tehuacana Creek in McLennan County upstream to Lake Brazos Dam in McLennan County*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12038

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1242A Marlin City Lake System

From New Marlin City Dam up to normal pool elevation northeast of Marlin in Falls County (impounds Big Sandy Creek)

Segment Type Reservoir

AU_ID: 1242A_01 Old Marlin City Lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 16783

AU_ID: 1242A_02 New Marlin City Lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 16781

SegID: 1242B Cottonwood Branch

Intermittent stream with perennial pools from the confluence with Still Creek upstream 0.95 km to the confluence with an unnamed tributary

Segment Type Freshwater Stream

AU_ID: 1242B_01 Portion of Cottonwood Branch from confluence with Still Creek upstream to unnamed tributary (NHD RC 12070101000835) in Brazos County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 17598

AU_ID: 1242B_02 Portion of Cottonwood Branch from confluence with unnamed tributary (NHD RC 12070101000835) upstream to headwaters in Brazos County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 17597

SegID: 1242C Still Creek

Perennial stream from the confluence with Thompson's Creek upstream to the confluence with Cottonwood Branch

Segment Type Freshwater Stream

AU_ID: 1242C_01 Portion of Still Creek from confluence with Thompsons Creek in Brazos County upstream to confluence with unnamed tributary (NHD RC 12070101006127).

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 16882

AU_ID: 1242C_02 Portion of Still Creek from confluence with unnamed tributary (NHD RC 12070101006127) upstream to headwaters in Brazos County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 17378

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1242D Thompsons Creek

Thompsons Creek - perennial stream from the confluence of the Brazos River upstream to the confluence of Thompson's Branch, north of FM 1687

Segment Type Freshwater Stream

AU_ID: 1242D_01 *Thompsons Creek an Appendix D perennial stream from the confluence of the Brazos River upstream to the confluence of Still Creek in Brazos County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 16396; 20530

AU_ID: 1242D_02 *Thompsons Creek an Appendix D intermittent stream with perennial pools section from the confluence of Still Creek upstream to the confluence of Thompson's Branch, north of FM 1687*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 16397; 20653

SegID: 1242E Little Brazos River

From confluence with the Brazos River in Brazos County upstream to headwaters in Limestone County.

Segment Type Freshwater Stream

AU_ID: 1242E_01 *Portion of Little Brazos River from confluence with Brazos River in Brazos County upstream to confluence with Walnut Creek in Robertson County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 11581; 11591

SegID: 1242F Pond Creek

Perennial stream from the confluence with the Brazos River in Milam County up to the confluence with Live Oak Creek in Falls County

Segment Type Freshwater Stream

AU_ID: 1242F_01 *From the Brazos confluence upstream to Live Oak Creek confluence*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D

Station ID(s): 16406

SegID: 1242H Tradinghouse Reservoir

Impounded Tradinghouse Creek, within the city of Hallsburg, McLennan County

Segment Type Reservoir

AU_ID: 1242H_01 *entire reservoir*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	TWQS-Appendix D

Station ID(s): 18457

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1242I Campbells Creek

From the confluence with the Little Brazos River upstream to the headwaters, one mile west of Old San Antonio Road

Segment Type Freshwater Stream

AU_ID: 1242I_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type

Station ID(s): 16395; 20561

SegID: 1242J Deer Creek

Deer Creek - perennial stream from the confluence of the Brazos River upstream to the confluence of Dog Branch northwest of Lott

Segment Type Freshwater Stream

AU_ID: 1242J_01 *Deer Creek an Appendix D perennial stream from the confluence of the Brazos River upstream to the confluence of Dog Branch northwest of Lott*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	WQS/Permits program	Intermediate	Previous TCEQ Permit Decision

Station ID(s): 11723; 16407; 18644

SegID: 1242K Mud Creek

From confluence with the Little Brazos River, upstream to the confluence with Touchstone Branch and Wolf Den Branch, in Robertson County

Segment Type Freshwater Stream

AU_ID: 1242K_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 16402; 20562

SegID: 1242L Pin Oak Creek

From the confluence with the Little Brazos River in Robertson County upstream to the headwaters, 2.07 miles south of Franklin

Segment Type Freshwater Stream

AU_ID: 1242L_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 16401; 20563

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1242M Spring Creek

From the confluence with the Little Brazos River in Robertson County, upstream to the headwaters, 1.5 miles north of FM 391

Segment Type Freshwater Stream

AU_ID: 1242M_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 16394; 20564

SegID: 1242N Tehuacana Creek

From the confluence with the Brazos River in McLennan county upstream to the headwaters 2 miles south of Penelope in Hill County

Segment Type Freshwater Stream

AU_ID: 1242N_01 Downstream portion of water body, from confluence with Brazos River upstream to confluence with Little Tehuacana Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	WQS/Permits program	High	Previous TCEQ Permit Decision

Station ID(s): 11609; 11610; 15771; 18812; 18870; 18871

SegID: 1242O Walnut Creek

From the confluence with the Little Brazos River in Robertson County, upstream to the headwaters, one mile south of White Rock

Segment Type Freshwater Stream

AU_ID: 1242O_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 16403; 20021; 20565

SegID: 1242P Big Creek

From the confluence with Little Brazos River in Falls County upstream to the confluence with unnamed creeks near Mart in the northeast corner of Falls County

Segment Type Freshwater Stream

AU_ID: 1242P_01 Downstream portion of water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type

Station ID(s): 16400

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1242Q Bull Hide Creek

From the confluence with the Brazos River in Falls County upstream to its headwaters, 1.5 km west of Waco in McLennan County.

Segment Type Freshwater Stream

AU_ID: 1242Q_01 *Portion of Bull Hide Creek from the confluence with the Brazos River in Falls county upstream to the confluence with unnamed tributary (NHD RC 12070101002570) in McLennan County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	WQS/Permits program	High	Previous TCEQ Permit Decision

Station ID(s): 11604; 20128

SegID: 1242R Cow Bayou

From the confluence with the Brazos River Above Navasota River upstream to the confluence with North / South Cow Bayou in Falls County.

Segment Type Freshwater Stream

AU_ID: 1242R_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	WQS/Permits program	High	Presumption from Flow Type

Station ID(s): 11717; 11718; 11719; 11720

SegID: 1243 Salado Creek

From the confluence with the Lampasas River in Bell County to the confluence of North Salado Creek and South Salado Creek in Williamson County

Segment Type Freshwater Stream

AU_ID: 1243_01 *Portion of Salado Creek from confluence with Lampasas River upstream to unnamed tributary (NHD RC 12070203003968) just downstream of Stagecoach outfall.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12045; 12047; 12049; 12050; 12051

AU_ID: 1243_02 *Portion of Salado Creek from confluence with unnamed tributary (NHD RC 12070203003968) upstream to confluence with North/South Forks Salado Creek in Williamson County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11760; 12052; 12053; 20306

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1244 Brushy Creek

From the confluence with the San Gabriel River in Milam County to the confluence of South Brushy Creek in Williamson County

Segment Type Freshwater Stream

AU_ID: 1244_01 *From the confluence of the San Gabriel River upstream to the confluence of Mustang Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12054; 12056

AU_ID: 1244_02 *From the confluence of Mustang Creek upstream to the confluence of Cottonwood Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12058

AU_ID: 1244_03 *From the confluence of Cottonwood Creek upstream to the confluence of Lake Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12060

AU_ID: 1244_04 *From the confluence of Lake Creek upstream to the confluence of South Brushy Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12067; 12068

SegID: 1244A Brushy Creek Above South Brushy Creek

Perennial stream from the confluence of South Brushy Creek to the confluence of North Fork Brushy Creek and South Fork Brushy Creek in Williamson County

Segment Type Freshwater Stream

AU_ID: 1244A_01 *Entire segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 11731; 17374; 18659

SegID: 1244B Lake Creek

From its confluence with Brushy Creek, upstream to its headwaters 1 mile west of US 183 in Cedar Park, Williamson County.

Segment Type Freshwater Stream

AU_ID: 1244B_01 *entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 17375

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1244D South Brushy Creek

From its confluence with Brushy Creek, upstream to its headwaters 1.5 miles west of US 183 in Cedar Park, Williamson County.

Segment Type Freshwater Stream

AU_ID: 1244D_01 entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	WQS/Permits program	High	Previous TCEQ Permit Decision

Station ID(s): 11735; 20652

SegID: 1245 Upper Oyster Creek

From Steep Bank Creek/Brazos River confluence in Fort Bend County to pumping station on Jones Creek confluence at Brazos River in Fort Bend County (includes portions of Steep Bank Creek, Flat Bank Creek, and Jones Creek)

Segment Type Freshwater Stream

AU_ID: 1245_01 From the confluence with the Brazos River upstream to Dam #3

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 12074; 12075; 12077; 17690; 18211

AU_ID: 1245_02 From Dam #3 upstream to Harmon St. crossing in Sugar Land

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 12079; 12082; 12083; 17373

AU_ID: 1245_03 From Harmon St. crossing in Sugar Land upstream to the end of the segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 12085; 12086; 12087; 12088; 12089; 12090; 12091; 17685

SegID: 1245A Red Gully

Perennial stream from the confluence with Oyster Creek up to 1.7 km upstream of Old Richmond Road

Segment Type Freshwater Stream

AU_ID: 1245A_01 entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 11516; 18212; 18214; 18297

SegID: 1245B Brown's Bayou

From US Hwy 59 downstream to its confluence with Bullhead Bayou in Fort Bend County

Segment Type Freshwater Stream

AU_ID: 1245B_01 entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 17380

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1245C Bullhead Bayou

From its confluence with Steep Bank Creek in Fort Colony, upstream to its headwaters in Pecan Grove in Fort Bend County

Segment Type Freshwater Stream

AU_ID: 1245C_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 17371; 17372

SegID: 1245D Unnamed Tributary of Bullhead Bayou

Tributary to Bullhead Bayou in Fort Bend County

Segment Type Freshwater Stream

AU_ID: 1245D_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 17382

SegID: 1245E Flewellen Creek

From the confluence with Oyster Creek upstream to the confluence with two unnamed tributaries, 0.3 km east of Fulshear in Fort Bend county.

Segment Type Freshwater Stream

AU_ID: 1245E_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 17686

SegID: 1245F Alcorn Bayou

From the confluence with Steep Bank Creek upstream to its headwaters 0.5km east of Pecan Grove in Fort Bend county

Segment Type Freshwater Stream

AU_ID: 1245F_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 17381

SegID: 1245I Steep Bank Creek

From confluence with Oyster Creek (Flat Bank Creek portion) upstream to end of water body, 0.2 km east of US 59 in city of First Colony, Fort Bend County.

Segment Type Freshwater Stream

AU_ID: 1245I_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	WQS/Permits program	Limited	Previous TCEQ Permit Decision

Station ID(s): 11507; 17689; 18206; 18207

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1245J Stafford Run

From the confluence with Upper Oyster Creek upstream to headwaters near Stafford, Fort Bend County.

Segment Type Freshwater Stream

AU_ID: 1245J_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 17688; 18209

SegID: 1246 Middle Bosque/South Bosque River

Middle Bosque River from a point 1.64 kilometers (1.02 miles) from the confluence with the South Bosque River to the confluence of Cave Creek and Middle Bosque Creek and for the South Bosque River from a point 1.35 kilometers (0.84 miles) from the confl*

Segment Type Freshwater Stream

AU_ID: 1246_01 Entire Middle Bosque River

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12093; 17612

AU_ID: 1246_02 Entire South Bosque River

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 17228; 17229; 20308

SegID: 1246D Tonk Creek

From the confluence with Middle Bosque River in Crawford (McLennan County), upstream to the headwaters in Coryell County, 1.0 mile west of FM 929

Segment Type Freshwater Stream

AU_ID: 1246D_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	WQS/Permits program	High	Previous TCEQ Permit Decision

Station ID(s): 17232

SegID: 1246E Wasp Creek

From the confluence with Tonk Creek in Crawford in McLennan County, upstream to the headwaters in Coryell County, 0.15 mile east of FM 185

Segment Type Freshwater Stream

AU_ID: 1246E_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Flow Questionnaire	Minimal	Previous TCEQ Permit Decision

Station ID(s): 17233; 18802

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1247 Granger Lake

From Granger Dam in Williamson County to a point 1.9 km (1.2 miles) downstream of SH 95 in Williamson County, up to normal pool elevation of 504 feet (impounds San Gabriel River)

Segment Type Reservoir

AU_ID: 1247_01 Eastern end of lake near the dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 12095; 13868

AU_ID: 1247_02 Willis Creek arm of lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 12097

AU_ID: 1247_03 Western end of lake on the San Gabriel River

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 12096; 13872

SegID: 1247A Willis Creek

From the confluence with the headwaters of Granger Lake in Williamson County to CR 313 in Williamson County

Segment Type Freshwater Stream

AU_ID: 1247A_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 11573; 20022; 20305

SegID: 1248 San Gabriel/North Fork San Gabriel River

From point 1.9 km (1.2 miles) downstream of SH 95 in Williamson County to North San Gabriel Dam in Williamson County

Segment Type Freshwater Stream

AU_ID: 1248_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12099; 12102; 12106; 12108; 13692

SegID: 1248A Berry Creek

Perennial stream from the confluence with the San Gabriel River northeast of Georgetown in Williamson County to the confluence with Stapp Branch southwest of Florence in Williamson County

Segment Type Freshwater Stream

AU_ID: 1248A_01 Entire creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 11572; 13496

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1248B Huddleston Branch

From the confluence with Mankins Branch in Williamson County to a point 1 km upstream of CR 105 in Williamson County

Segment Type Freshwater Stream

AU_ID: 1248B_01 Entire reach

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 17052

SegID: 1248C Mankins Branch

Perennial stream from the confluence with the San Gabriel River in Williamson County to the intersection of CR 105 and 104 in Williamson County

Segment Type Freshwater Stream

AU_ID: 1248C_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 13497; 17051

SegID: 1248D Middle Fork San Gabriel River

From its confluence with the North Fork San Gabriel River, upstream to its headwaters 2.6 miles north of SH 29 in Williamson County.

Segment Type Freshwater Stream

AU_ID: 1248D_01 entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 15754; 18734

SegID: 1249 Lake Georgetown

From North San Gabriel Dam in Williamson County to a point 6.6 km (4.1 miles) downstream of US 183 in Williamson County, up to normal pool elevation of 791 feet (impounds North Fork San Gabriel River)

Segment Type Reservoir

AU_ID: 1249_01 East end of reservoir near dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 12111

AU_ID: 1249_02 West end of reservoir near headwaters

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 12113

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1250 South Fork San Gabriel River

From the confluence with the North Fork San Gabriel River in Williamson County to the most upstream crossing of SH 29 in Burnet County

Segment Type Freshwater Stream

AU_ID: 1250_01 *From the confluence with the San Gabriel River upstream to confluence with unnamed tributary (NHD RC 12070205002995).*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12114; 12115; 20309

AU_ID: 1250_02 *From the confluence with unnamed tributary (NHD RC 12070205002995) upstream to unnamed tributary NHD RC 12070205002505)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12116

AU_ID: 1250_03 *From the confluence with unnamed tributary (NHD RC 12070205002505) upstream to headwaters of water body.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12117

SegID: 1251 North Fork San Gabriel River

From a point 6.6 km (4.1 miles) downstream of US 183 in Williamson County to the confluence of Allen Branch in Burnet County

Segment Type Freshwater Stream

AU_ID: 1251_01 *From confluence with Lake Georgetown in Williamson County upstream to confluence with Russell Fork San Gabriel River in Burnet County*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12120; 13676

AU_ID: 1251_02 *From confluence with Russell Fork San Gabriel River upstream to headwaters of water body in Burnet County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12122

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1252 Lake Limestone

From Sterling C. Robertson Dam in Leon/Robertson County to a point 2.3 km (1.4 miles) downstream of SH 164 in Limestone County, up to normal pool elevation of 363 feet (impounds Navasota River)

Segment Type Reservoir

AU_ID: *1252_01* *South end of lake near dam*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 12123

AU_ID: *1252_02* *Main body of lake*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 12125

AU_ID: *1252_03* *Lambs Creek arm on east side of lake*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 12124

AU_ID: *1252_04* *Big Creek Arm of Lake*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 13971

AU_ID: *1252_05* *Navasota River Arm near headwaters*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 13970

SegID: 1253 Navasota River Below Lake Mexia

From a point 2.3 km (1.4 miles) downstream of SH 164 in Limestone County to Bistone Dam in Limestone County

Segment Type Freshwater Stream

AU_ID: *1253_01* *From headwaters of Lake Limestone upstream to confluence with Plummer's Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12126

AU_ID: *1253_02* *From confluence with Plummer's Creek upstream to Springfield Lake*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13650; 16393

AU_ID: *1253_03* *From headwaters of Springfield Lake upstream to confluence with Lake Mexia*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 17039

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1253A Springfield Lake

Impoundment of Navasota River below Lake Mexia in Limestone County.

Segment Type Reservoir

AU_ID: 1253A_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 16247; 18799

SegID: 1254 Aquilla Reservoir

From Aquilla Dam in Hill County up to the normal pool elevation of 537.5 feet (impounds Aquilla Creek)

Segment Type Reservoir

AU_ID: 1254_01 *South end of reservoir near dam*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 12127; 13821; 13824

AU_ID: 1254_02 *Aquilla Creek arm on the west*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 12128; 13827

AU_ID: 1254_03 *Hackberry Creek arm on the east*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 12129; 13825; 17321

AU_ID: 1254_SA2 *Transition Zone areas associated with Aquilla Creek arm of the lake.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 13828; 18461; 18462; 18463; 18464

AU_ID: 1254_SA3 *Transition Zone areas associated with Hackberry Arm of lake.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 13826; 18466; 18467; 18468

SegID: 1254A Hackberry Creek

From its confluence with Aquilla Reservoir, upstream to its headwaters 1.3 miles west of Itasca in Hill County

Segment Type Freshwater Stream

AU_ID: 1254A_01 *Portion of Hackberry Creek from the confluence with Aquilla Reservoir upstream to the confluence with Little Hackberry Creek in Hill County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 13645

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1255 Upper North Bosque River

From a point immediately above the confluence of Indian Creek in Erath County to the confluence of the North Fork and South Fork of the Bosque River in Erath County

Segment Type Freshwater Stream

AU_ID: 1255_01 *Portion of Upper North Bosque River from confluence with Indian Creek upstream to confluence with Dry Branch in Erath County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 11963; 11964; 11965

AU_ID: 1255_02 *Portion of Upper North Bosque River from confluence with Dry Branch upstream to confluence with North/South Forks North Bosque River in Erath County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 17226

SegID: 1255A Goose Branch

From the confluence with the south fork of the North Bosque River 2.5 miles (4.0 km) west of Stephenville, upstream to the headwaters 0.5 miles (0.8 km) north of FM 8 in Erath County

Segment Type Freshwater Stream

AU_ID: 1255A_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type

Station ID(s): 17215

SegID: 1255B North Fork Upper North Bosque River

From the confluence with the South Fork of the Upper North Bosque River in Stephenville, upstream to the headwaters, 2.0 miles north of FM 219

Segment Type Freshwater Stream

AU_ID: 1255B_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 17413

SegID: 1255C Scarborough Creek

From the confluence with the North Fork of the upper North Bosque River, upstream to the headwaters 0.1 miles (0.2 km) southeast of FM 219 in Erath County

Segment Type Freshwater Stream

AU_ID: 1255C_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type

Station ID(s): 17221; 17222

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1255D South Fork North Bosque River

From the confluence with the North Fork of the upper North Bosque River in Stephenville, upstream to the headwaters 3 miles (4.8 km) north of FM 219 in Erath County

Segment Type Freshwater Stream

AU_ID: 1255D_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 17218; 17602

SegID: 1255E Unnamed Tributary of Goose Branch

From the confluence with Goose Branch in Erath County to its headwaters, 0.2 miles southeast of the intersection of FM 8 and Farm Road 1219

Segment Type Freshwater Stream

AU_ID: 1255E_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 17213; 17214

SegID: 1255F Unnamed Tributary of Scarborough Creek

From the confluence with Scarborough Creek, 1.0 mile west of SH 108 in Erath County, upstream to the headwaters, 0.3 mile north of FM 219

Segment Type Freshwater Stream

AU_ID: 1255F_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 17223

SegID: 1255G Woodhollow Branch

From the confluence with the South Fork of the North Bosque River, 6 miles northwest of Stephenville, upstream to the headwaters, 1.5 miles north of FM 219 in Erath County

Segment Type Freshwater Stream

AU_ID: 1255G_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 17217

SegID: 1255H South Fork Upper North Bosque River Reservoir

Impoundment of South Fork Upper North Bosque River, 8 miles north west of Stephenville in Erath County

Segment Type Reservoir

AU_ID: 1255H_01 entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 17219

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1255I Dry Branch

From its confluence with the Upper North Bosque River, upstream to its headwaters 2.3 miles east of SH 106 in Erath County

Segment Type Freshwater Stream

AU_ID: 1255I_01 entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 17603

SegID: 1255J Goose Branch Reservoir

Impoundment of Goose Branch, 5 miles west of Stephenville in Erath County.

Segment Type Reservoir

AU_ID: 1255J_01 entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 17216

SegID: 1255K Scarborough Creek Reservoir

Impoundment of Scarborough Creek, 5 miles north west of Stephenville in Erath County

Segment Type Reservoir

AU_ID: 1255K_01 entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 17224

SegID: 1256 Brazos River/Lake Brazos

From the low water dam forming Lake Brazos in McLennan County to a point immediately upstream of the confluence of Aquilla Creek in McLennan County (includes the Bosque River Arm to the Waco Lake Dam)

Segment Type Freshwater Stream

AU_ID: 1256_01 Brazos River portion of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12043

AU_ID: 1256_02 Lake Brazos portion of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12041; 14226

AU_ID: 1256_03 Bosque River portion of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11626; 14948; 18521

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1256A Aquilla Creek

From the confluence with the Brazos River 4 miles (6.4 km) west of Elm Mott, upstream to the Aquilla Lake Dam in McLennan County

Segment Type Freshwater Stream

AU_ID: 1256A_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 11592; 11593; 13646

SegID: 1257 Brazos River Below Lake Whitney

From a point immediately upstream of the confluence of Aquilla Creek in McLennan County to Whitney Dam in Bosque/Hill County

Segment Type Freshwater Stream

AU_ID: 1257_01 Downstream portion of segment from confluence with Aquilla Creek upstream to confluence with Coon Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12044; 16782

AU_ID: 1257_02 Upstream portion of segment from confluence with Coon Creek upstream to Lake Whitney Dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13642

SegID: 1301 San Bernard River Tidal

From the confluence with the Intracoastal Waterway in Brazoria County to a point 3.2 km (2.0 miles) upstream of SH 35 in Brazoria County

Segment Type Tidal Stream

AU_ID: 1301_01 Entire Segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 12146; 20460

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1302 San Bernard River Above Tidal

From a point 3.2 km (2.0 miles) upstream of SH 35 in Brazoria County to the county road southeast of New Ulm in Austin County

Segment Type Freshwater Stream

AU_ID: 1302_01 *From the confluence with the Intracoastal Waterway in Brazoria County to confluence with Peach Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12147; 15272

AU_ID: 1302_02 *From the confluence with Peach Creek to the unnamed tributary at NHD RC 12090401001535 at N-96.03, W29.51*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 17420; 18345

AU_ID: 1302_03 *From the confluence with unnamed tributary at NHD RC 12090401001535 at N-96.03, W29.51 to the confluence with Coushatta Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 16370; 16373; 17421

AU_ID: 1302_04 *From the confluence with Coushatta Creek to the upstream end of segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 17422

SegID: 1302A Gum Tree Branch

From the confluence with West Bernard Creek near Wharton CR 252 to the headwaters approximately 15 miles upstream near RR 102

Segment Type Freshwater Stream

AU_ID: 1302A_01 *Entire Water Body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 16371

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1302B West Bernard Creek

From the confluence with the San Bernard River Above Tidal downstream of US highway 59 to the headwaters approximately 40 miles upstream near FM 1093

Segment Type Freshwater Stream

AU_ID: 1302B_01 *From the confluence with the San Bernard River Above Tidal to the confluence with Clarks Branch*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 12131; 17419; 20721

AU_ID: 1302B_02 *From the confluence with Clarks Branch to the upper end of segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 16374

SegID: 1302D Peach Creek

From the confluence with the San Bernard River in Wharton Co. to the headwaters approximately 8 km upstream of FM-102 in Wharton Co.

Segment Type Freshwater Stream

AU_ID: 1302D_01 *From the confluence with the San Bernard River in Wharton Co. to the headwaters approximately 8 km upstream of FM-102 in Wharton Co.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow questionnaire	High	Presumption from Flow Type

Station ID(s): 20722

SegID: 1302E Mound Creek

From the confluence with the San Bernard River in Brazoria Co. to the headwaters approximately 400 m upstream of TX Hwy 36 in Ft. Bend Co.

Segment Type Freshwater Stream

AU_ID: 1302E_01 *From the confluence with the San Bernard River in Brazoria Co. to the headwaters approximately 400 m upstream of TX Hwy 36 in Ft. Bend Co.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow questionnaire	Limited	Presumption from Flow Type

Station ID(s): 20723

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1304 Caney Creek Tidal

From the confluence with the Intracoastal Waterway in Matagorda County to a point 1.9 km (1.2 miles) upstream of the confluence of Linville Bayou in Matagorda County

Segment Type Tidal Stream

AU_ID: 1304_01 From the downstream end of segment to the confluence with Dead Slough

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 12148; 12149; 12150; 16845; 17439

AU_ID: 1304_02 From the confluence with Dead Slough to the upstream end of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 12151

SegID: 1304A Linnville Bayou

Intermittent stream with perennial pools from a point 1.1 km above the confluence with Caney Creek in Matagorda County up to a point 0.1 km above SH 35 in Brazoria/Matagorda Counties

Segment Type Freshwater Stream

AU_ID: 1304A_01 Entire Water Body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	TWQS-Appendix D	Limited	TWQS-Appendix D

Station ID(s): 12141; 12145

SegID: 1305 Caney Creek Above Tidal

From a point 1.9 km (1.2 miles) upstream of the confluence of Linnville Bayou in Matagorda County to the confluence of Water Hole Creek in Matagorda County

Segment Type Freshwater Stream

AU_ID: 1305_01 From the downstream end of the segment to the confluence with Hardeman Slough

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12152; 15951

AU_ID: 1305_02 From the confluence with Hardeman Slough to the confluence with Snead Slough

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12154

AU_ID: 1305_03 From the confluence with Snead Slough in Matagorda Co. to the upper end of segment at the confluence with Water Hole Creek in Matagorda Co.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12155; 17498

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1305B Caney Creek Above Water Hole Creek

From the confluence with Water Hole Creek in Matagorda Co. (at the upper end of Segment 1305) to the headwaters approximately 43 miles at Old Caney Rd. in Wharton Co.

Segment Type Freshwater Stream

AU_ID: 1305B_01 *From the confluence with Water Hole Creek in Matagorda Co. (at the upper end of Segment 1305) to the headwaters approximately 43 miles at Old Caney Rd. in Wharton Co.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	WQS/Permits program	Limited	Presumption from Flow Type

Station ID(s): 20468

SegID: 1401 Colorado River Tidal

From the confluence with the Gulf of Mexico in Matagorda County to a point 2.1 km (1.3 miles) downstream of the Missouri-Pacific Railroad in Matagorda County

Segment Type Tidal Stream

AU_ID: 1401_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 12281

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1402 Colorado River Below La Grange

From a point 2.1 km (1.3 miles) downstream of the Missouri-Pacific Railroad in Matagorda County to a point 100 meters (110 yards) downstream of SH 71 at La Grange in Fayette County

Segment Type Freshwater Stream

AU_ID: 1402_01 *From a point 2.1 km (1.3 miles) downstream of the Missouri-Pacific Railroad in Matagorda County upstream to the confluence of Blue Creek in Matagorda County*

Flow Type perennial	Flow Type Source TSWQS	ALU Designation High	ALU Designation Source TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 12284

AU_ID: 1402_02 *From the confluence of Blue Creek in Matagorda County upstream to the confluence of Pierce Canal west of Wharton in Wharton County*

Flow Type perennial	Flow Type Source TSWQS	ALU Designation High	ALU Designation Source TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 12286

AU_ID: 1402_03 *From the confluence of Pierce Canal west of Wharton in Wharton County upstream to the confluence of Robb Slough in Wharton County*

Flow Type perennial	Flow Type Source TSWQS	ALU Designation High	ALU Designation Source TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 17362

AU_ID: 1402_04 *From the confluence of Robb Slough in Wharton County upstream to the confluence of Skull Creek in Colorado County*

Flow Type perennial	Flow Type Source TSWQS	ALU Designation High	ALU Designation Source TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 12287

AU_ID: 1402_05 *From the confluence of Skull Creek in Colorado County upstream to the confluence of Cummins Creek northeast of Columbus in Colorado County*

Flow Type perennial	Flow Type Source TSWQS	ALU Designation High	ALU Designation Source TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 12289; 18351

AU_ID: 1402_06 *From the confluence of Cummins Creek northeast of Columbus in Colorado County upstream to confluence of Williams Creek in Fayette County*

Flow Type perennial	Flow Type Source TSWQS	ALU Designation High	ALU Designation Source TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 12290

AU_ID: 1402_07 *From the confluence of Williams Creek in Fayette County upstream to a point 100 meters (110 yards) downstream of Business SH 71 at La Grange in Fayette County*

Flow Type perennial	Flow Type Source TSWQS	ALU Designation High	ALU Designation Source TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 12292

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1402A Cummins Creek

Perennial stream from the confluence with the Colorado River upstream to the headwaters east of Giddings in Lee County

Segment Type Freshwater Stream

AU_ID: 1402A_01 *From the confluence with the Colorado River northeast of the city of Columbus upstream to the confluence of Boggy Creek at FM 1291 in Colorado County*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Exceptional	TWQS-Appendix D

Station ID(s): 12249; 17015

SegID: 1402C Buckners Creek

Perennial stream from the confluence with the Colorado River upstream to the headwaters at Patterson Road southeast of the City of Rosanky in Bastrop County

Segment Type Freshwater Stream

AU_ID: 1402C_01 *Perennial stream from the confluence with the Colorado River upstream to the confluence with Chandler Branch 1.6 km upstream of FM 154 in Fayette County*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 16160; 16166; 17053

SegID: 1402G Cedar Creek Reservoir / Lake Fayette

Encompasses the entire reservoir up to the normal pool elevation of 390 feet

Segment Type Reservoir

AU_ID: 1402G_01 *Area near discharge canal*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	TWQS-Appendix D

Station ID(s): 17018

AU_ID: 1402G_02 *Area near intake canal*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	TWQS-Appendix D

Station ID(s): 17016

AU_ID: 1402G_03 *Mid-lake near dam*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	TWQS-Appendix D

Station ID(s): 17017

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1402H Skull Creek

From the confluence with the Colorado River west of Eagle Lake in Colorado County to the upstream perennial portion southwest of Columbus

Segment Type Freshwater Stream

AU_ID: 1402H_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 16805; 21177

SegID: 1403 Lake Austin

From Tom Miller Dam in Travis County to Mansfield Dam in Travis County, up to normal pool elevation of 492.8 feet (impounds Colorado River)

Segment Type Reservoir

AU_ID: 1403_01 From Tom Miller dam to Loop 360 bridge

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 12294; 12295; 13906; 13907; 13908; 13909; 13910

AU_ID: 1403_02 Loop 360 bridge to Quinlan Park

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 12297; 13911; 13912; 17497

AU_ID: 1403_03 Quinlan Park upstream to Mansfield Dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 12300; 13913; 17640

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1403A Bull Creek

From the confluence of Lake Austin in northwest Austin in Travis County to the upstream perennial portion of the stream north of Austin in Travis County

Segment Type Freshwater Stream

AU_ID: 1403A_01 From the confluence with Lake Austin to the confluence of West Bull Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 12215

AU_ID: 1403A_03 From the Loop 360 crossing near Lakewood Dr. upstream to the Spicewood Springs Rd crossing near Yaupon Dr.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 12216

AU_ID: 1403A_04 From Spicewood Springs Rd. crossing near Yaupon Dr. upstream to the Spicewood Springs Dr. crossing near Oak Grove cemetery

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 12218

AU_ID: 1403A_05 From the Spicewood Springs Rd. crossing near the Oak Grove cemetery upstream to the end of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 16322

SegID: 1403B West Bull Creek

From the confluence of Bull Creek at FM 2222 and Lakewood Drive in Austin in Travis County upstream to a point north of FM 2222 in Travis County

Segment Type Freshwater Stream

AU_ID: 1403B_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 16311; 17468

SegID: 1403D Barrow Preserve Tributary

From the confluence of Stillhouse Hollow south of Loop 360 in Austin in Travis County upstream to the headsprings in Barrow Nature Preserve

Segment Type Freshwater Stream

AU_ID: 1403D_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 16309

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1403E Stillhouse Hollow

From the confluence of Bull Creek south of Loop 360 in Austin in Travis County upstream to the headsprings in Stillhouse Hollow Nature Preserve

Segment Type Freshwater Stream

AU_ID: 1403E_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 16308

SegID: 1403H Bull Creek Tributary 6

From the confluence of Bull Creek Road west of Pickfair Drive in Austin in Travis County to a point east of Hwy 620 in Travis County

Segment Type Freshwater Stream

AU_ID: 1403H_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 16320; 17467

SegID: 1403I Bull Creek Tributary 5

From the confluence of an unnamed tributary to Bull Creek west of the intersection of Pickfair Drive and Brightling Lane in Austin in Travis County to a point east of Hwy 620 in Travis County

Segment Type Freshwater Stream

AU_ID: 1403I_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type

Station ID(s): 16321

SegID: 1403J Spicewood Tributary to Shoal Creek

From the confluence of an unnamed tributary west of the MoPac Expressway in north Austin in Travis County upstream to the head waters north of Williamsburg Circle in Travis County

Segment Type Freshwater Stream

AU_ID: 1403J_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 16316

SegID: 1403K Taylor Slough South

From the confluence of Lake Austin in Travis County to the headwaters near South Meadow Circle on the Texas Department of Aging and Disability Services campus in Austin in Travis County

Segment Type Freshwater Stream

AU_ID: 1403K_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 17294

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1403R Westlake-Davenport Tributary to Lake Austin

From the confluence of Lake Austin in Travis County upstream to the headwaters 150 ft. southeast of the intersection of Waymaker Way and Round Table road in Austin in Travis County

Segment Type Freshwater Stream

AU_ID: 1403R_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type
Station ID(s):	16310		

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1404 Lake Travis

From Mansfield Dam in Travis County to Max Starcke Dam on the Colorado River Arm in Burnet County and to a point immediately upstream of the confluence of Fall Creek on the Pedernales River Arm in Travis County, up to the normal pool elevation of 681 feet

Segment Type Reservoir

AU_ID: 1404_01 From Mansfield Dam upstream to the confluence with Big Sandy Creek Arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s):

AU_ID: 1404_02 Big Sandy Creek Arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s):

AU_ID: 1404_03 Arkansas Bend area, from Sandy Creek Arm upstream to Hurst Creek Arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s):

AU_ID: 1404_04 Lakeway area, from Hurst Creek arm upstream to the confluence with Cow Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s):

AU_ID: 1404_05 From the confluence with Cow Creek upstream to the confluence of the Pedernales River Arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s):

AU_ID: 1404_06 From the confluence with the Pedernales River Arm upstream to Muleshoe Bend

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s):

AU_ID: 1404_07 From Muleshoe Bend upstream to the confluence with Hickory Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s):

AU_ID: 1404_08 From Hickory Creek confluence upstream to the headwaters at Max Starcke Dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s):

2014 Texas Integrated Report - Water Bodies Evaluated

AU_ID: 1404_09 Pedernales River Arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 12301; 12314

AU_ID: 1404_10 Bee Creek Arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 20070

AU_ID: 1404_11 Hurst Creek Arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 12310; 15427; 15428

SegID: 1404A Hamilton Creek

From the confluence with Lake Travis upstream to the headwaters near the intersection of CR 110 and Threadgill Ranch Road northwest of Burnet in Burnet County

Segment Type Freshwater Stream

AU_ID: 1404A_01 From the confluence with Lake Travis upstream to the confluence of Delaware Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 16929

AU_ID: 1404A_03 From the confluence of Haynie Branch upstream to the headwaters near the intersection of CR 110 and Threadgill Ranch Road northwest of Burnet in Burnet County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 17050

SegID: 1404B Cow Creek

From the confluence with Lake Travis in Travis County upstream to the headwaters 3.2 km (2.0 miles) southwest of the intersection of CR 336 and CR 337 near the City of Oatmeal in Burnet County

Segment Type Freshwater Stream

AU_ID: 1404B_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 17054; 18660

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1405 Marble Falls Lake

From Max Starcke Dam in Burnet County to Alvin Wirtz Dam in Burnet County, up to normal pool elevation of 738 feet (impounds the Colorado River)

Segment Type Reservoir

AU_ID: *1405_01* *From Max Starcke Dam to Varnhagen Creek confluence*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s):

AU_ID: *1405_02* *From Varnhagen Creek confluence upstream to Alvin Wirtz Dam*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s):

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1406 Lake Lyndon B. Johnson

From Alvin Wirtz Dam in Burnet County to Roy Inks Dam on the Colorado River Arm in Burnet/Llano County and to a point immediately upstream of the confluence of Honey Creek on the Llano River Arm in Llano County, up to the normal pool elevation of 825.6 f

Segment Type Reservoir

AU_ID: 1406_01 From Alvin Wirtz Dam upstream to the Pecan Creek Arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 12324

AU_ID: 1406_02 From the Pecan Creek Arm upstream to the Station Creek/Dry Creek Arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 12327; 17329

AU_ID: 1406_03 From the Station Creek/Dry Creek Arm upstream to the Llano River Arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 12330

AU_ID: 1406_04 Llano River arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 12331

AU_ID: 1406_05 From the confluence with the Llano River Arm upstream to the Williams Creek confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 12333

AU_ID: 1406_06 From the Williams Creek confluence upstream to Roy Inks Dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 12335

SegID: 1406A Sandy Creek

From the confluence of Lake Lyndon B. Johnson southeast of Llano in Llano County to the upstream to the confluence of Crabapple Creek south of Llano in Llano County

Segment Type Freshwater Stream

AU_ID: 1406A_01 From the confluence of Lake LBJ upstream to the confluence of Crabapple Creek south of Llano in Llano County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type

Station ID(s): 12214; 17007

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1407 Inks Lake

From Roy Inks Dam on the Colorado River Arm in Burnet/Llano County to Buchanan Dam in Burnet/Llano County, up to normal pool elevation of 888 feet (impounds the Colorado River)

Segment Type Reservoir

AU_ID: 1407_01 From Roy Inks Dam upstream to the Clear Creek Arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s):

AU_ID: 1407_02 From Clear Creek Arm upstream to Buchanan Dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s):

SegID: 1407A Clear Creek

From the confluence with Inks Lake in Burnet County west of Burnet upstream to a point 2 miles (3.2 km) west of FM 2341 near Potato Hill northwest of Burnet

Segment Type Freshwater Stream

AU_ID: 1407A_01 From the confluence with Inks Lake upstream to FM 2341

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Intermediate	Presumption from Flow Type

Station ID(s):

AU_ID: 1407A_02 FM 2341 upstream to headwaters near Potato Hill

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type

Station ID(s):

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1408 Lake Buchanan

From Buchanan Dam in Burnet/Llano County to a point immediately upstream of the confluence of Yancey Creek, up to normal pool elevation of 1020.5 feet (impounds Colorado River)

Segment Type Reservoir

AU_ID: *1408_01* *Main pool near dam upstream to Flag Island area*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 12344

AU_ID: *1408_02* *Rocky Point area, from Flag Island upstream to Shaw Island Park area*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 12347

AU_ID: *1408_03* *From Shaw Island Park area upstream to Paradise Point Resort area*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 12350

AU_ID: *1408_04* *From Paradise Point Resort area upstream to Willow Slough area*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 12352

AU_ID: *1408_05* *From the Willow Slough area upstream to the headwaters near the Yancey Creek confluence*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 12353

AU_ID: *1408_06* *Council Creek and Morgan Creek Arm*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 12348; 12349; 20055; 20056; 20057

SegID: 1409 Colorado River Above Lake Buchanan

From a point immediately upstream of the confluence of Yancey Creek in Burnet/San Saba/Lampasas County to the confluence of the San Saba River in San Saba County

Segment Type Freshwater Stream

AU_ID: *1409_01* *From the Yancey Creek confluence upstream to the confluence with Cherokee Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 17358; 20641

AU_ID: *1409_02* *From the confluence with Cherokee Creek upstream to the confluence of the San Saba River*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12355

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1409A Cherokee Creek

From the confluence with the Colorado River in San Saba County to a point 1.5 km south of the Llano County line southwest of the City of Cherokee

Segment Type Freshwater Stream

AU_ID: 1409A_01 *From the confluence with the Colorado River in San Saba County upstream to the confluence of Buffalo Creek northeast of the City of Cherokee in San Saba County*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 12274

SegID: 1410 Colorado River Below O. H. Ivie Reservoir

From the confluence of the San Saba River in San Saba County to S. W. Freese Dam in Coleman/Concho County

Segment Type Freshwater Stream

AU_ID: 1410_01 *From the confluence of the San Saba River upstream to the confluence of Pecan Bayou*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 17359; 17361

AU_ID: 1410_02 *From the confluence of Pecan Bayou upstream to the confluence of Indian Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 17360

AU_ID: 1410_03 *From the confluence of Indian Creek upstream to the confluence of Bull Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12358

AU_ID: 1410_04 *From the confluence of Bull Creek upstream to O.H. Ivie Reservoir dam*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13667

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1411 E. V. Spence Reservoir

From Robert Lee Dam in Coke County to a point immediately upstream of the confluence of Little Silver Creek in Coke County, up to the normal pool elevation of 1898 feet (impounds Colorado River)

Segment Type Reservoir

AU_ID: 1411_01 Main pool from the dam upstream to the Rough Creek arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 12359; 13862; 13863

AU_ID: 1411_02 From the Rough Creek arm upstream to the confluence of Little Silver Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 12360

SegID: 1412 Colorado River Below Lake J. B. Thomas

From a point immediately upstream of the confluence of Little Silver Creek in Coke County to Colorado River Dam in Scurry County

Segment Type Freshwater Stream

AU_ID: 1412_01 From a point 275 m (300 yds) upstream of the confluence of Little Silver Creek in Coke County upstream to the confluence of Beals Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12362; 17002

AU_ID: 1412_02 From the confluence of Beals Creek upstream to the dam below Barber Reservoir pump station

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12363; 12364

AU_ID: 1412_03 From the dam below Barber Reservoir pump station upstream to the confluence of Deep Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12365

AU_ID: 1412_04 From the confluence of Deep Creek upstream to the Confluence of Willow Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 17003

AU_ID: 1412_05 From the confluence of Willow Creek upstream to Lake J.B. Thomas dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12366

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1412A Lake Colorado City

From Lake Colorado City Dam up to normal pool elevation of 2070.0 feet southwest of Colorado City in Mitchell County (impounds Morgans Creek)

Segment Type Reservoir

AU_ID: 1412A_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 12167

SegID: 1412B Beals Creek

From the confluence of the Colorado River south of Colorado City in Mitchell County to the confluence of Mustang Draw and Sulphur Springs Draw in Howard County

Segment Type Freshwater Stream

AU_ID: 1412B_01 From the confluence with the Colorado River upstream to the confluence of Bull Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	TWQS-Appendix D	Limited	TWQS-Appendix D

Station ID(s): 12156

AU_ID: 1412B_02 From the confluence of Bull Creek upstream to the confluence of Gutherie Draw

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	TWQS-Appendix D	Limited	TWQS-Appendix D

Station ID(s): 12157

AU_ID: 1412B_03 From the confluence of Gutherie Draw upstream to the confluence of Mustang Draw and Sulphur Springs Draw

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	TWQS-Appendix D	Limited	TWQS-Appendix D

Station ID(s): 12158; 12159; 12160

SegID: 1413 Lake J. B. Thomas

From Colorado River Dam in Scurry County up to normal pool elevation of 2258 feet (impounds Colorado River)

Segment Type Reservoir

AU_ID: 1413_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 12367

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1414 Pedernales River

From a point immediately upstream of the confluence of Fall Creek in Travis County to FM 385 in Kimble County

Segment Type Freshwater Stream

AU_ID: 1414_01 *End of segment to falls in Pedernales Falls State Park*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12369

AU_ID: 1414_02 *Pedernales Falls to Johnson City Dam*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12372

AU_ID: 1414_03 *Johnson City Dam to Gillespie County line*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12375

AU_ID: 1414_04 *Gillespie County line to Gellermann Lane*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12376; 15419

AU_ID: 1414_05 *Gellermann Lane to Live Oak Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12377; 17472

AU_ID: 1414_06 *Remainder of segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

SegID: 1414B Cypress Creek

From the confluence with the Pedernales River west of Austin to the upstream perennial portion west of Round Mountain in Blanco County

Segment Type Freshwater Stream

AU_ID: 1414B_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 12258

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1415 Llano River

From a point immediately upstream of the confluence of Honey Creek in Llano County to FM 864 on the North Llano River in Sutton County and to SH 55 on the South Llano River in Edwards County

Segment Type Freshwater Stream

AU_ID: 1415_01 *From the confluence of Honey Creek upstream to the dam in Llano*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12383; 12384; 12386; 17012

AU_ID: 1415_02 *From the dam in Llano upstream to US 87 in Mason County*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12388; 17011; 17013; 17363; 17470

AU_ID: 1415_03 *From US 87 upstream to Kimble County line*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

AU_ID: 1415_04 *From the Kimble County line upstream to the confluence of the North LLano River and the South LLano River in Junction*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 14231; 17010; 17471

AU_ID: 1415_05 *North Llano River from the confluence of the South Llano upstream to FM 864 in Sutton County*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 17008; 17425; 21263; 21264; 21266; 21267; 21268

AU_ID: 1415_06 *South Llano from the confluence with the North Llano River to SH 55 in Edwards County*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12391; 16701; 17009; 18197; 21269; 21270; 21271; 21272

SegID: 1415A Johnson Fork Creek

Perennial stream from the confluence with the Llano River to source springs (Rio Bonito Springs) south of Segovia

Segment Type Freshwater Stream

AU_ID: 1415A_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 12213; 13550

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1415C James River

From the confluence of the Llano River south of the City of Mason in Mason County upstream to 0.8 km (0.5 miles) southeast of the intersection of CR 4431 and Stapp Road in Kimble County (NHD RC 12090204006873).

Segment Type Freshwater Stream

AU_ID: 1415C_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s):

SegID: 1416 San Saba River

From the confluence with the Colorado River in San Saba County to the confluence of the North Valley Prong and the Middle Valley Prong in Schleicher County

Segment Type Freshwater Stream

AU_ID: 1416_01 From the confluence with the Colorado River in San Saba County upstream to the US 190

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s):

AU_ID: 1416_02 From US 190 upstream to McCulloch County line

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s):

AU_ID: 1416_03 McCulloch County/San Saba County line upstream to McCulloch County/Mason County line

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s):

AU_ID: 1416_04 Mason County to FM 2092

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s):

AU_ID: 1416_05 FM 2092 upstream to end of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s):

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1416A Brady Creek

From the confluence of the San Saba River southwest of San Saba in San Saba County to Brady Lake Dam west of Brady in McCulloch County

Segment Type Freshwater Stream

AU_ID: 1416A_01 *From the confluence of the San Saba River upstream to the confluence of an unnamed tributary*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 20411

AU_ID: 1416A_02 *From the confluence of an unnamed tributary approximately 5 km east of FM 2309 east of Brady upstream to FM 714*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 14232

AU_ID: 1416A_03 *From FM 714 upstream to Brady Lake dam*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 17005

SegID: 1416B Brady Creek Reservoir

From Brady Creek Reservoir dam up to pool elevation 1,743 ft.

Segment Type Reservoir

AU_ID: 1416B_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 12179; 20410

SegID: 1416C Brady Creek above Brady Creek Reservoir

From the confluence of an unnamed tributary 2.5 km (1.5 miles) downstream of the Cow Creek confluence in McCulloch County upstream the headwaters 22.5 km (14 miles) southwest of Eden in Concho County

Segment Type Freshwater Stream

AU_ID: 1416C_01 *From the confluence of an unnamed tributary 2.5 km (1.5 miles) downstream of the Cow Creek confluence in McCulloch County upstream to the confluence of Harden Branch in Concho County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 17347; 20409; 20661

AU_ID: 1416C_02 *From the confluence of Harden Branch in Concho County upstream to the headwaters 22.5 km (14 miles) southwest of Eden in Concho County*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 20406

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1417 Lower Pecan Bayou

From the confluence with the Colorado River in Mills County to a point immediately upstream of the confluence of Mackinally Creek in Brown County

Segment Type Freshwater Stream

AU_ID: 1417_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12394

SegID: 1418 Lake Brownwood

From Lake Brownwood Dam in Brown County to a point 100 meters (110 yards) upstream of FM 2559 in Brown County, up to normal pool elevation of 1425 feet (impounds Pecan Bayou)

Segment Type Reservoir

AU_ID: 1418_01 Mid-lake near dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 12395

AU_ID: 1418_02 West arm of lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 12396

AU_ID: 1418_03 North arm of lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 12397; 18435

SegID: 1418A Hords Creek

From the confluence of Jim Ned Creek east of Coleman in Coleman County Hords Creek Lake Dam west of Coleman in Coleman County

Segment Type Freshwater Stream

AU_ID: 1418A_02 From the confluence of Jim Ned Ck to a point 0.5 m downstream of Live Oak Rd

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 12177

AU_ID: 1418A_03 From 0.5 m downstream of Live Oak Rd. to the confluence of Bachelor Prong Ck

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 21134

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1418C Hords Creek Reservoir

From Hords Creek Dam 10 miles west of Coleman in Coleman County up to the normal pool elevation of 1900 ft. (impounds Hords Creek).

Segment Type Reservoir

AU_ID: 1418C_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 12178

SegID: 1419 Lake Coleman

From Coleman Dam in Coleman County up to the normal pool elevation of 1717.5 feet (impounds Jim Ned Creek)

Segment Type Reservoir

AU_ID: 1419_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 12398; 12399

SegID: 1420 Pecan Bayou Above Lake Brownwood

From a point 100 meter (110 yards) upstream of FM 2559 in Brown County to the confluence of the North Prong Pecan Bayou and the South Prong of Pecan Bayou in Callahan County

Segment Type Freshwater Stream

AU_ID: 1420_01 Lower 25 miles

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12400; 16732

AU_ID: 1420_02 Remainder of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1421 Concho River

From a point 2 km (1.2 miles) above the confluence of Fuzzy Creek in Concho County to San Angelo Dam on the North Concho River in Tom Green County and to Nasworthy Dam on the South Concho River in Tom Green County

Segment Type Freshwater Stream

AU_ID: 1421_01 Downstream end to Chandler Lake confluence

<u>Flow Type</u> perennial	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 12401

AU_ID: 1421_02 From Chandler Lake confluence upstream to confluence of Puddle Ck.

<u>Flow Type</u> perennial	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 12402

AU_ID: 1421_03 From the confluence of Puddle Creek upstream to the confluence of Willow Creek

<u>Flow Type</u> perennial	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 12403

AU_ID: 1421_04 From the confluence of Willow Creek upstream to the confluence of an unnamed tributary near Chandler Road

<u>Flow Type</u> perennial	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 12404

AU_ID: 1421_05 From the confluence of an unnamed tributary near Chandler Rd. upstream to the confluence of Red Ck.

<u>Flow Type</u> perennial	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 12405

AU_ID: 1421_06 From the confluence of Red Creek upstream to the dam near Vines Rd.

<u>Flow Type</u> perennial	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 12407

AU_ID: 1421_07 From the dam near Vines Road upstream to the confluence of the North Concho River and the South Concho River

<u>Flow Type</u> perennial	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 12408; 12409

AU_ID: 1421_08 North Concho River, from the confluence with the South Concho River upstream to O.C. Fisher dam

<u>Flow Type</u> perennial	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 12412; 12414; 15886; 20324

2014 Texas Integrated Report - Water Bodies Evaluated

AU_ID: 1421_09 *South Concho River, from the confluence with the North Concho upstream to Nasworthy Dam*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12416; 17348

SegID: 1421A **Dry Hollow Creek**

From the confluence with the Concho River west of Paint Rock in Concho County to the headwaters at US 87

Segment Type Freshwater Stream

AU_ID: 1421A_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 12257

SegID: 1421B **Kickapoo Creek**

From the confluence with the Concho River west of Paint Rock in Concho County to the headwaters northwest of Eden

Segment Type Freshwater Stream

AU_ID: 1421B_01 *Lower 25 miles of creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 12255

SegID: 1421C **Lipan Creek**

From the confluence with the Concho River west of Paint Rock in Concho County to the headwaters near RR 1223 in Tom Green County

Segment Type Freshwater Stream

AU_ID: 1421C_01 *Lower 25 miles of creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type

Station ID(s): 12254

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1422 Lake Nasworthy

From Nasworthy Dam in Tom Green County to Twin Buttes Dam in Tom Green County, up to the normal pool elevation of 1872.2 feet (impounds South Concho River)

Segment Type Reservoir

AU_ID: 1422_01 Lower half of lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 12418; 12421

AU_ID: 1422_02 Upper half of lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 12419

SegID: 1423 Twin Buttes Reservoir

From Twin Buttes Dam in Tom Green County to a point 100 meters (110 yards) upstream of US 67 on the Middle Concho River Arm in Tom Green County and to a point 4.0 km (2.5 miles) downstream of FM 2335 on the South Concho River Arm in Tom Green County, up

Segment Type Reservoir

AU_ID: 1423_01 North pool

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 12422

AU_ID: 1423_02 South pool

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 12425

SegID: 1423A Spring Creek

From the confluence of Twin Buttes Reservoir south of Tankersley in Tom Green County to the upstream perennial portion of the stream northeast of Ozona in Crockett County

Segment Type Freshwater Stream

AU_ID: 1423A_01 From the confluence of Twin Buttes Reservoir upstream to Duncan Avenue crossing in Mertzon

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 12161

AU_ID: 1423A_02 From Duncan Avenue crossing in Mertzon upstream to the upstream perennial portion of the stream northeast of Ozona in Crockett County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 17346

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1423B Dove Creek

From the confluence with Spring Creek above Twin Buttes Reservoir to the headwaters near FM 1828 in Schleicher County

Segment Type Freshwater Stream

AU_ID: 1423B_01 From the confluence of Spring Creek upstream to RR 915

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 12166

SegID: 1424 Middle Concho/South Concho River

From a point 4.0 km (2.5 miles) downstream of FM 2335 in Tom Green County to the confluence of Bois d' Arc Draw on the South Concho River in Tom Green County, and from a point 100 meters (110 yards) upstream of US 67 in Tom Green County to the confluence*

Segment Type Freshwater Stream

AU_ID: 1424_01 South Concho River from a point 4 km (2.5 miles) downstream of FM 2335 upstream to the confluence of Bois D'Arc Draw in Tom Green County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12427; 17349; 18712; 18869

AU_ID: 1424_02 Middle Concho River from a point 100 m upstream of US 67 in Tom Green County upstream to the confluence of Big Hollow Draw in Irion County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12428; 16903

AU_ID: 1424_03 From the confluence of Big Hollow Draw in Irion County upstream to the confluence of Three Bluff Draw and Indian Creek on the Middle Concho River in Reagan County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

SegID: 1424A West Rocky Creek

From the confluence of Middle Concho River to the upstream perennial portion of the stream north of Mertzon in Irion County

Segment Type Freshwater Stream

AU_ID: 1424A_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 12165

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1424B Cold Creek

From the confluence of the South Concho River 110 meters (360 ft.) southwest of Musik Lane south of Christoval in Tom Green County (upstream to the confluence of the South Concho River in Tom Green County (NHD Reach Code 12090102000009)).

Segment Type Freshwater Stream

AU_ID: 1424B_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 18711

SegID: 1425 O. C. Fisher Lake

From San Angelo Dam in Tom Green County up to normal pool elevation of 1908 feet (impounds North Concho River)

Segment Type Reservoir

AU_ID: 1425_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 12429

SegID: 1425A North Concho River

From the headwaters of OC Fisher Lake near San Angelo in Tom Green County upstream to the Glasscock/Howard County line

Segment Type Freshwater Stream

AU_ID: 1425A_01 Lower end of water body to Sterling County line

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 12170; 12171; 17245; 17350; 17351

AU_ID: 1425A_02 Sterling County line to SH 163

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 16779

AU_ID: 1425A_03 SH 163 to US 87

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 16780

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1426 Colorado River Below E. V. Spence Reservoir

From a point 3.7 km (2.3 miles) below the confluence of Mustang Creek in Runnels County to Robert Lee Dam in Coke County

Segment Type Freshwater Stream

AU_ID: 1426_01 Lower end of segment to Country Club Lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12430; 12431; 17244

AU_ID: 1426_02 Country Club Lake to Coke County line

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13651; 16901

AU_ID: 1426_03 Coke County line to SH 208

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12432; 16900

AU_ID: 1426_04 SH 208 to dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 15147; 17475; 18338

SegID: 1426A Oak Creek Reservoir

From Oak Creek Dam up to normal pool elevation of 2,000.0 feet north of Bronte in Coke County (impounds Oak Creek)

Segment Type Reservoir

AU_ID: 1426A_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 12180

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1426B Elm Creek

From the confluence with the Colorado River near Ballinger in Runnels County to the Lake Winters dam east of Winters in Runnels County

Segment Type Freshwater Stream

AU_ID: 1426B_01 From the confluence with the Colorado River upstream dam upstream of US 67 near Crosson Avenue in the city of Ballinger

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s):

AU_ID: 1426B_02 From the dam upstream of US 67 near Crosson Avenue in the city of Ballinger upstream to Lake Winters dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s):

SegID: 1426C Bluff Creek

From the confluence with Elm Creek in Runnels County upstream to a point 1 mile east of US Hwy 277 in Taylor County.

Segment Type Freshwater Stream

AU_ID: 1426C_01 From the confluence with Elm Creek upstream to the confluence of Mill Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s):

SegID: 1426D Coyote Creek

From the confluence with Elm Creek in Runnels County upstream to the confluence of Big Coyote Creek and Little Coyote Creek southwest of Winters in Runnels County.

Segment Type Freshwater Stream

AU_ID: 1426D_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s):

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1427 Onion Creek

From the confluence with the Colorado River in Travis County to the most upstream crossing of FM 165 in Blanco County

Segment Type Freshwater Stream

AU_ID: 1427_01 From the confluence with the Colorado River upstream to US 183

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12434; 12435; 12436

AU_ID: 1427_02 From US 183 upstream to FM 967

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12440; 12443; 12444; 12445; 12446; 12447; 12448; 17275

AU_ID: 1427_03 From FM 967 upstream to Jackson Branch confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12449; 12450; 12451; 12452

AU_ID: 1427_04 From Jackson Branch confluence to end of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12454; 12455; 17276; 17466

SegID: 1427A Slaughter Creek

Intermittent stream with perennial pools from the confluence with Onion Creek to above US 290 west of Austin

Segment Type Freshwater Stream

AU_ID: 1427A_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 12185; 12186; 17964

SegID: 1427B Williamson Creek

From the confluence of Onion Creek in southeast Austin in Travis County to the upstream perennial portion southwest of Austin in Travis County

Segment Type Freshwater Stream

AU_ID: 1427B_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 12181; 12183; 13653; 14417; 14772; 15697; 17963

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1427C Bear Creek

From the confluence of Onion Creek in south Austin in Travis County upstream to the headwaters at Trinity Hills Drive in southwest of Austin in Travis County

Segment Type Freshwater Stream

AU_ID: 1427C_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 12187; 12188; 12189; 17965; 21011

SegID: 1427G Granada Hills Tributary to Slaughter Creek

Unnamed tributary from the confluence of Slaughter Creek in Travis County upstream to La Fauna Path in Travis County

Segment Type Freshwater Stream

AU_ID: 1427G_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type

Station ID(s): 17293

SegID: 1428 Colorado River Below Lady Bird Lake (formerly Town Lake)

From a point 100 meters (110 yards) upstream of FM 969 near Utley in Bastrop County to Longhorn Dam in Travis County

Segment Type Freshwater Stream

AU_ID: 1428_01 Lower end of segment to Gilleland Creek confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 12466

AU_ID: 1428_02 From the confluence of Gilleland Creek upstream to the confluence of Walnut Ck.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 12469

AU_ID: 1428_03 Walnut Creek to Longhorn Dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 12474; 12475

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1428B Walnut Creek

From the confluence of the Colorado River in east Austin in Travis County to the upstream perennial portion of the stream in north Austin in Travis County

Segment Type Freshwater Stream

AU_ID: 1428B_01 From the Colorado River upstream to FM 969

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s):

AU_ID: 1428B_02 From FM 969 upstream to Old Manor Rd.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s):

AU_ID: 1428B_03 From old Manor Road upstream to Dessau Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s):

AU_ID: 1428B_04 From Dessau Rd. upstream to MoPac/Loop 1

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s):

AU_ID: 1428B_05 From MoPac/Loop 1 upstream to Union Pacific Railroad tracks south of McNeil Drive

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s):

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1428C Gilleland Creek

Perennial stream and intermittent stream with perennial pools from the confluence with the Colorado River up to the spring source (Ward Spring) northwest of Pflugerville, in Travis County

Segment Type Freshwater Stream

AU_ID: 1428C_01 From the Colorado River upstream to Taylor Lane

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 17257

AU_ID: 1428C_02 From Taylor Lane upstream to Old Highway 20

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 12235

AU_ID: 1428C_03 From Old Highway 20 to Cameron Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	High	TWQS-Appendix D

Station ID(s): 12236; 12237

AU_ID: 1428C_04 From Cameron Road to the spring source

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	TWQS-Appendix D

Station ID(s): 15954; 20474

SegID: 1428K Walter E. Long Lake

Walter E. Long Lake from Decker Creek dam up to pool elevation of 555 ft. msl (169 m)

Segment Type Reservoir

AU_ID: 1428K_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 20161; 21022; 21023

SegID: 1429 Lady Bird Lake (formerly Town Lake)

From Longhorn Dam in Travis County to Tom Miller Dam in Travis County, up to the normal pool elevation of 429 feet (impounds Colorado River)

Segment Type Reservoir

AU_ID: 1429_01 Longhorn Dam upstream to Lamar Street bridge

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 12476; 12481; 12483; 14061; 14062; 14065; 14066; 14067; 14068

AU_ID: 1429_02 From Lamar Street bridge upstream to Tom Miller Dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 12486; 14063; 14064; 14069; 14070; 14071; 14072

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1429B Eanes Creek

From the confluence of Town Lake in central Austin in Travis County to the upstream perennial portion of the stream in west Austin in Travis County

Segment Type Freshwater Stream

AU_ID: 1429B_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 15964

SegID: 1429C Waller Creek

From the confluence of Town Lake in central Austin in Travis County to the upstream portion of the stream in north Austin in Travis County

Segment Type Freshwater Stream

AU_ID: 1429C_01 From the confluence with Town Lake to East MLK Blvd.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 12222

AU_ID: 1429C_02 From East MLK Blvd. to East 41st Street

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 15962

AU_ID: 1429C_03 Upper portion of creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 12228; 16331

SegID: 1429D East Bouldin Creek

From the confluence of Town Lake in Austin in Travis County upstream to SH 71 in south Austin in Travis County

Segment Type Freshwater Stream

AU_ID: 1429D_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 15881; 16106; 16107; 17296; 17297

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1430 Barton Creek

From the confluence with Lady Bird Lake (formerly Town Lake) in Travis County to FM 12 in Hays County

Segment Type Freshwater Stream

AU_ID: 1430_01 *From confluence with Lady Bird Lake (formerly Town Lake) to downstream dam of Barton Springs Pool*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13693

AU_ID: 1430_02 *From Barton Springs Pool upstream dam to a point 2 miles upstream of Loop 1*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12488; 12489; 12490; 12491; 15958; 17960; 17978; 17979

AU_ID: 1430_03 *From a point 2 miles upstream of Loop 1 to SH 71*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12492; 12495; 13555; 14902; 15959; 18187

AU_ID: 1430_04 *SH 71 upstream to Hays County Line*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12496; 12497

AU_ID: 1430_05 *Hays County Line upstream to FM 12*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12498

SegID: 1430A Barton Springs

Barton Springs 0.4 mile upstream of Barton Springs Road in Austin in Travis County

Segment Type Freshwater Stream

AU_ID: 1430A_01 *Barton Springs Pool - entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	TWQS-Appendix A

Station ID(s): 15696

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1430B Tributaries to Barton Creek (unclassified water bodies)

Tributaries to Barton Creek in Travis County and Hays County

Segment Type Freshwater Stream

AU_ID: 1430B_01 *Tributaries entering Barton Cr from a point 2 mi upstream of Loop 1 upstream to Barton Creek Blvd.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 17277; 17278; 17279; 17280; 17284; 17286; 17289; 17316

AU_ID: 1430B_05 *Tributaries entering Barton Creek from the Hays County line upstream to CR 169*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 12500; 17295; 17306

SegID: 1431 Mid Pecan Bayou

From a point immediately upstream of the confluence of Mackinally Creek in Brown County to a point immediately upstream of Willis Creek in Brown County

Segment Type Freshwater Stream

AU_ID: 1431_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Minimal	TWQS-Appendix A

Station ID(s): 12503; 12504; 12505; 12507; 20799; 20800

SegID: 1432 Upper Pecan Bayou

From a point immediately upstream of the confluence of Willis Creek in Brown County to Lake Brownwood Dam in Brown County

Segment Type Freshwater Stream

AU_ID: 1432_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12508

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1433 O. H. Ivie Reservoir

From S. W. Freese Dam in Coleman/Concho County to a point 3.7 km (2.3 miles) below the confluence of Mustang Creek on the Colorado River Arm in Runnels County and to a point 2.0 km (1.2 miles) above the confluence of Fuzzy Creek on the Concho River Arm i

Segment Type Reservoir

AU_ID: 1433_01 Main pool near dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 12511

AU_ID: 1433_02 Concho River arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 12512

AU_ID: 1433_03 Colorado River arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 12513

AU_ID: 1433_04 Remainder of reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

SegID: 1434 Colorado River above La Grange

From a point 100 meters (110 yards) downstream of SH 71 at La Grange in Fayette County to a point 100 meters (110 yards) upstream of FM 969 near Utley in Bastrop County

Segment Type Freshwater Stream

AU_ID: 1434_01 From a point 100 m downstream of SH 71 upstream to the Southern Pacific Railroad crossing

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): No Stations

AU_ID: 1434_02 Southern-Pacific RR upstream to the confluence of Reeds Creek west of Smithville

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 12293; 12457

AU_ID: 1434_03 From the confluence of Reeds Creek west of Smithville upstream to the end of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 12461; 12462; 12463

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1434B Cedar Creek

Perennial stream from the confluence with the Colorado River upstream to the confluence of an unnamed tributary at FM 525 in Bastrop County

Segment Type Freshwater Stream

AU_ID: 1434B_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 16176

SegID: 1434C Lake Bastrop

From the Lake Bastrop dam to the normal pool elevation of 450 ft. (impounds Spicey Creek) in Bastrop County

Segment Type Reservoir

AU_ID: 1434C_01 South arm of lake near intake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 17021

AU_ID: 1434C_02 Mid-lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 17020

AU_ID: 1434C_03 North arm of lake near discharge

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 17019

SegID: 1434D Wilbarger Creek

Wilbarger Creek from the confluence of the Colorado River at Hemphill Bend in Bastrop County upstream to Schultz lane east of Pflugerville Heights in Travis County

Segment Type Freshwater Stream

AU_ID: 1434D_02 From the confluence with Cottonwood Creek upstream to Schultz lane east of Pflugerville Heights in Travis County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 16182; 20808; 20809

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1434E Big Sandy Creek

Big Sandy Creek from the confluence of the Colorado River in Bastrop County upstream to a point east of CR 302 near Sundbeck Ranch Airport in Lee County

Segment Type Freshwater Stream

AU_ID: 1434E_01 *From the confluence of the Colorado River in Bastrop County upstream to a point east of CR 302 near Sundbeck Ranch Airport in Lee County*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Intermediate	Presumption from Flow Type

Station ID(s): 17473

SegID: 1501 Tres Palacios Creek Tidal

From the confluence with Tres Palacios Bay in Matagorda County to a point 1.6 km (1.0 mile) upstream of the confluence of Wilson Creek in Matagorda County

Segment Type Tidal Stream

AU_ID: 1501_01 *From the confluence with Willow Dam Creek at Tres Palacios Bay/Turtle Bay upstream to a point 1.6 km (1.0 mile) upstream of the confluence of Wilson Creek in Matagorda County*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 12515; 15321; 17887; 20636

SegID: 1502 Tres Palacios Creek Above Tidal

From a point 1.6 km (1.0 mile) upstream of the confluence of Wilson Creek in Matagorda County to State Route 525 (Old US 59) in Wharton County

Segment Type Freshwater Stream

AU_ID: 1502_01 *Middle portion of segment from the confluence with Wallace Creek upstream to confluence with unnamed tributary with NHD RC 12100401013089 about 1.0 km SW of intersection of FM 418 and FM 422 NE of City of Danevang in Wharton County*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12517; 15325; 15326; 15327; 16910; 16911

AU_ID: 1502_02 *Upper portion of segment from the confluence with unnamed tributary about 1.0 km SW of intersection of 418 and 422 NE of City of Danevang in Wharton County upstream to US 59*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 15328; 15329; 15330; 15331; 15332; 16024; 16912

AU_ID: 1502_03 *Lower portion of segment from a point 1.6 km (1.0 mile) upstream of the confluence of Wilson Creek upstream to confluence with Wallace Creek Matagorda County*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12516; 15322; 15323; 16909

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1601 Lavaca River Tidal

From the confluence with Lavaca Bay in Calhoun/Jackson County to a point 8.6 km (5.3 miles) downstream of US 59 in Jackson County

Segment Type Tidal Stream

AU_ID: 1601_02 *From confluence of unnamed tributary NHD RC 12100101002580 upstream to confluence with Navidad River*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 12523; 15371; 15372

AU_ID: 1601_03 *From the confluence of Lavaca Bay upstream to unnamed tributary NHD RC 12100101002580*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 14135; 18336

SegID: 1601A Catfish Bayou

From the confluence of Lavaca Bay north of Point Comfort in Calhoun County to the confluence of the Lavaca River south of Edna in Jackson County

Segment Type Tidal Stream

AU_ID: 1601A_01 *Entire bayou*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type

Station ID(s): 15369

SegID: 1601B Redfish Bayou

From the confluence of the Lavaca River north of Point Comfort in Jackson County to the confluence of Redfish Lake south of Edna in Jackson County

Segment Type Tidal Stream

AU_ID: 1601B_01 *Entire bayou*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type

Station ID(s): 15370

SegID: 1601C Dry Creek

From the confluence of Lavaca River Tidal upstream to three miles north of the City of Edna

Segment Type Freshwater Stream

AU_ID: 1601C_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Water body description	Limited	Presumption from Flow Type

Station ID(s): 18329

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1602 Lavaca River Above Tidal

From a point 8.6 km (5.3 miles) downstream of US 59 in Jackson County to the confluence of Campbell Branch west of Hallettsville in Lavaca County

Segment Type Freshwater Stream

AU_ID: 1602_02 *From the confluence of Beard Branch upstream to the upper end of segment at the confluence of Campbell Branch in Hallettsville.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12525; 12527; 18700

AU_ID: 1602_03 *Lower portion of segment from confluence with NHD RC 12100101002463 south of Edna in Jackson County upstream to confluence with Beard Branch*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12524

SegID: 1602B Rocky Creek

Perennial stream from the confluence with the Lavaca River up to 1.0 km above FM 533 west of Shiner

Segment Type Freshwater Stream

AU_ID: 1602B_01 *From the confluence of Lavaca River upstream to confluence of Ponton Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 18190

SegID: 1602C Lavaca River Above Campbell Branch

From the confluence of Campbell Branch in Hallettsville to approximately 3.4 mi upstream of SH 95 in Lavaca Co.

Segment Type Freshwater Stream

AU_ID: 1602C_01 *From confluence of Campbell Branch in Hallettsville upstream to the confluence of West Prong Lavaca River*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 17341; 17594; 17595; 18699

AU_ID: 1602C_02 *From confluence of West Prong Lavaca River to the headwaters approximately 6.5 km upstream of TX Hwy 95 in the City of Moulton*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Water body description	High	TWQS-Appendix D

Station ID(s): 17141; 18698

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1603 Navidad River Tidal

From the confluence with the Lavaca River in Jackson County to Palmetto Bend Dam in Jackson County

Segment Type Tidal Stream

AU_ID: 1603_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 15374; 15375; 15376

SegID: 1604 Lake Texana

From Palmetto Bend Dam in Jackson County to a point 100 meters (110 yards) downstream of FM 530 in Jackson County, up to normal pool elevation of 44 feet (impounds Navidad River)

Segment Type Reservoir

AU_ID: 1604_01 Navidad River arm of Lake Texana

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 12530; 13985; 20038

AU_ID: 1604_02 East Mustang Creek arm of Lake Texana

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 13986; 20039; 20040

AU_ID: 1604_03 Upstream middle portion of Lake Texana

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 13984; 20041

AU_ID: 1604_04 Downstream middle portion of Lake Texana

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 13983; 15379

AU_ID: 1604_05 Downstream portion of Lake Texana

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 13981; 13982; 15377; 15381

SegID: 1604A East Mustang Creek

From the confluence of Lake Texana east of Ganado in Jackson County to the upstream perennial portion of the stream east of Louise in Wharton County

Segment Type Freshwater Stream

AU_ID: 1604A_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 15382; 15433

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1604B West Mustang Creek

From the confluence of Lake Texana east of Ganado in Jackson County to the upstream perennial portion of the stream north of El Campo in Wharton County

Segment Type Freshwater Stream

AU_ID: 1604B_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 12522; 13655

SegID: 1604C Sandy Creek

From the confluence of Lake Texana west of Ganado in Jackson County to the upstream perennial portion of the stream northwest of El Campo in Wharton County

Segment Type Freshwater Stream

AU_ID: 1604C_01 From the confluence of Goldenrod Creek upstream to the confluence of Middle Turkey Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 13654

AU_ID: 1604C_02 From the confluence of Lake Texana upstream to Goldenrod Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 20035; 20036; 20037

SegID: 1605 Navidad River Above Lake Texana

From a point 100 meters (110 yards) downstream of FM 530 in Jackson County to the confluence of the East Navidad River and the West Navidad River in Colorado/Lavaca County

Segment Type Freshwater Stream

AU_ID: 1605_01 Upper 14.5 miles of segment from confluence of Sandy Branch to confluence of East and West Navidad Rivers

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12532

AU_ID: 1605_02 Middle 16.5 miles of segment from confluence with Sandies Creek upstream to confluence of Sandy Branch

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 15698

AU_ID: 1605_03 Lower 31 miles of segment from confluence with Lake Texana upstream to confluence of Sandies Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 15380

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1701 Victoria Barge Canal

From the confluence with San Antonio Bay in Calhoun County to Victoria Turning Basin in Victoria County

Segment Type Estuary

AU_ID: 1701_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A

Station ID(s): 12535; 12536

SegID: 1801 Guadalupe River Tidal

From the confluence with Guadalupe Bay in Calhoun/Refugio County to the Guadalupe-Blanco River Authority Salt Water Barrier 0.7 km (0.4 miles) downstream of the confluence of the San Antonio River in Calhoun/Refugio County

Segment Type Tidal Stream

AU_ID: 1801_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 12577

SegID: 1802 Guadalupe River Below San Antonio River

From the Guadalupe-Blanco River Authority Salt Water Barrier 0.7 kilometer (0.4 mile) downstream of the confluence of the San Antonio River in Calhoun/Refugio County to a point immediately upstream of the confluence of the San Antonio River in Calhoun/R*

Segment Type Freshwater Stream

AU_ID: 1802_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12578

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1803 Guadalupe River Below San Marcos River

From the a point immediately upstream of the confluence of the San Antonio River in Calhoun/Refugio/Victoria County to a point immediately upstream to the confluence of the San Marcos River in Gonzales

Segment Type Freshwater Stream

AU_ID: 1803_01 Lower 25 miles of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s):

AU_ID: 1803_02 From confluence with Coletto Creek 25 miles upstream

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s):

AU_ID: 1803_03 From confluence with Sandies Creek 25 miles upstream

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s):

AU_ID: 1803_04 From 25 miles upstream of confluence. with Coletto Ck. to confluence. with Sandies Ck.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s):

AU_ID: 1803_05 From 25 miles upstream of confluence. with Sandies Ck. to upper end of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s):

SegID: 1803A Elm Creek

From the confluence of Sandies Creek east of Smiley in Gonzales County to the upstream perennial portion of the stream southwest of Smiley in Gonzales County

Segment Type Freshwater Stream

AU_ID: 1803A_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s):

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1803B Sandies Creek

From the confluence of the Guadalupe River west of Cuero in DeWitt County to the upstream perennial portion of the stream northwest of Smiley in Gonzales County

Segment Type Freshwater Stream

AU_ID: 1803B_01 From the confluence with the Guadalupe River to the confluence with Elm Ck.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 13657; 14935

AU_ID: 1803B_02 From the confluence with Elm Creek to upper end of water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 15998; 17895; 17901; 18854; 18857

SegID: 1803C Peach Creek

From the confluence of the Guadalupe River southeast of Gonzales in Gonzales County to the upstream perennial portion of the stream northeast of Waelder in Gonzales County

Segment Type Freshwater Stream

AU_ID: 1803C_01 Lower 25 miles of water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 14937; 17935; 18342

AU_ID: 1803C_03 From approx. 1.2 mi. downstream of FM 1680 in Gonzales Co. to confluence with Elm Cr. In Fayette Co.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 17933; 17934

SegID: 1803D Salty Creek

From the confluence with Five Mile Creek up to the confluence with Brushy and Buckhorn Creeks, in Gonzales County.

Segment Type Freshwater Stream

AU_ID: 1803D_01 Entire segment.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 18853

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1803E Little Elm Creek

From the confluence with Sandies Creek up to the upper end of the creek (NHD RC 12100202000444), northwest of Smiley in Gonzales County.

Segment Type Freshwater Stream

AU_ID: 1803E_01 *Entire segment.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 18855

SegID: 1804 Guadalupe River Below Comal River

From the confluence of the San Marcos River in Gonzales County to the confluence of the Comal River in Comal County

Segment Type Freshwater Stream

AU_ID: 1804_01 *From a point immediately upstream of the confluence with San Marcos River in Gonzales County, up to the confluence with Clemens Creek in Gonzales county, Texas.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 15110

AU_ID: 1804_02 *From the confluence with Mill Creek up to McQueeney Dam.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12595; 16249; 17134

AU_ID: 1804_03 *From McQueeney Dam up to TP-1 on Lake Dunlap (NHD RC 12100202000118)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 15149; 15273; 15516; 15517; 18213

AU_ID: 1804_04 *From TP-1 dam on Lake Dunlap (NHD RC 12100202000118) up to immediately upstream of Comal River confluence.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12596; 13506; 15435; 15480; 15481; 17943; 18835; 18836; 18837

AU_ID: 1804_05 *From confluence with Clemens Creek up to the confluence with Mill Creek.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 17944

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1804A Geronimo Creek

From the confluence of the Guadalupe River south of Seguin in Guadalupe County to the upstream perennial portion north of Seguin in Guadalupe County

Segment Type Freshwater Stream

AU_ID: 1804A_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 12575; 12576; 14932; 20742; 20745; 20746; 20747; 20751; 21260; 21261

SegID: 1804C Alligator Creek

From the confluence with Geronimo Creek up to the headwaters approximately 4 miles north of New Braunfels.

Segment Type Freshwater Stream

AU_ID: 1804C_01 *From the confluence with Geronimo Creek up to the headwaters approximately 4 miles north of New Braunfels.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	minimal	Presumption from Flow Type

Station ID(s): 20743

SegID: 1804D Bear Creek

From the confluence of Geronimo Creek up to the headwaters approximately 1 mile north of HWY 90, and 0.25 miles south of Ilka Switch Road in Seguin.

Segment Type Freshwater Stream

AU_ID: 1804D_01 *From the confluence of Geronimo Creek up to the headwaters approximately 1 mile north of HWY 90, and 0.25 miles south of Ilka Switch Road in Seguin.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 20744

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1805 Canyon Lake

From Canyon Dam in Comal County to a point 2.7 km (1.7 miles) downstream of Rebecca Creek Road in Comal County, up to normal pool elevation of 909 feet (impounds Guadalupe River)

Segment Type Reservoir

AU_ID: 1805_01 Cove around Jacob's Creek Park

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 12598; 17443

AU_ID: 1805_02 North end of Crane's Mill Park peninsula to south end of Canyon Park

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 12600; 13840; 15404; 20045

AU_ID: 1805_03 Upper end of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 12601; 13843; 18449; 20042; 20043

AU_ID: 1805_04 Lower end of reservoir from dam upstream to Canyon Park

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 12597; 13836

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1806 Guadalupe River Above Canyon Lake

From a point 2.7 km (1.7 miles) downstream of Rebecca Creek Road in Comal County to the confluence of North Fork Guadalupe River and the South Fork Guadalupe River in Kerr County

Segment Type Freshwater Stream

AU_ID: 1806_01 *Lower 25 miles of segment.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 13700; 14255

AU_ID: 1806_02 *From the confluence with Big Joshua Creek to Flat Rock Dam in Kerrville.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 12602; 12603; 12605; 12608; 12610; 15113; 16242

AU_ID: 1806_03 *From Flat Rock Dam in Kerrville to 1 mile upstream.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 12612

AU_ID: 1806_04 *From 1 mile upstream Flat Rock Dam to confluence with Camp Meeting Creek.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 12615

AU_ID: 1806_05 *From confluence with Camp Meeting Creek to 2 miles upstream.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 12616

AU_ID: 1806_06 *From RR 394 1 mile downstream.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 12617; 16243; 16244

AU_ID: 1806_07 *Upper 10 miles of segment.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 12618; 12619; 12620; 12621; 15111; 16241

AU_ID: 1806_08 *From 25 miles upstream of lower end to confluence with Big Joshua Creek.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 17404

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1806A Camp Meeting Creek

From the confluence with segment 1806 of the Guadalupe River up to the headwaters at Bearskin Road.

Segment Type Freshwater Stream

AU_ID: 1806A_01 Intermittent stream with perennial pools from the confluence with the Guadalupe River upstream to the dam on an unnamed impoundment, located downstream of Rancho Road in the City of Kerrville.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s):

AU_ID: 1806A_03 From the dam of an unnamed impoundment approximately 0.65 km upstream of Tree Lane in the City of Kerrville up to the headwaters at Bearskin Road.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	TSWQS	Limited	TWQS-Appendix D

Station ID(s):

SegID: 1806D Quinlan Creek

From the confluence of the Guadalupe River in Kerrville in Kerr County to the upstream perennial portion of the stream north of Kerrville in Kerr County

Segment Type Freshwater Stream

AU_ID: 1806D_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s):

SegID: 1806E Town Creek

From the confluence of the Guadalupe River in Kerrville in Kerr County to the upstream perennial portion of the stream north of Kerrville in Kerr County

Segment Type Freshwater Stream

AU_ID: 1806E_01 From the confluence with segment 1806 of the Guadalupe River in Kerrville, Kerr County Texas up to the upper end of the segment (NHD RC 12100201000572)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Water body description	High	Presumption from Flow Type

Station ID(s):

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1807 Coledo Creek

From the confluence with the Guadalupe River in Victoria County to the confluence of Fifteenmile Creek and Twelvemile Creek in Goliad/Victoria County, including Coledo Creek Reservoir

Segment Type Freshwater Stream

AU_ID: 1807_01 *From confluence with Guadalupe River to Coledo Ck. Reservoir Dam*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12622; 12623; 20827

AU_ID: 1807_02 *Remainder of segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 17942; 18594; 18694

SegID: 1807A Perdido Creek

From the confluence with Coledo Creek (1807) up to the upper end of the segment (NHD RC 12100204000174).

Segment Type Freshwater Stream

AU_ID: 1807A_01 *Entire segment.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 18595

SegID: 1808 Lower San Marcos River

From the confluence with the Guadalupe River in Gonzales County to a point 1.0 km (0.6 miles) upstream of the Blanco River in Hays County

Segment Type Freshwater Stream

AU_ID: 1808_01 *Lower 18 miles from confluence with Guadalupe R to confluence Mile Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 16578

AU_ID: 1808_02 *From confluence with Mile Creek to confluence with Plum Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12624

AU_ID: 1808_03 *From confluence with Plum Creek to Guadalupe CR 239/247*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12626

AU_ID: 1808_04 *From Guadalupe CR 239/247 to upper end of segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12628; 17429; 17430

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1809 Lower Blanco River

From the confluence with the San Marcos River in Hays County to a point 0.3 km (0.2 miles) upstream of Limekiln Road in Hays County

Segment Type Freshwater Stream

AU_ID: 1809_01 Lower 7 miles of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12631

AU_ID: 1809_02 Upper 8 miles of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12635; 12637; 15019

SegID: 1810 Plum Creek

From the confluence with the San Marcos River in Caldwell County to FM 2770 in Hays County

Segment Type Freshwater Stream

AU_ID: 1810_01 Confluence with San Marcos River to approx. 2.5 mi. upstream of the confluence with Clear Fork Plum Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12640; 12642

AU_ID: 1810_02 From approx. 2.5 mi. upstream of confluence with Clear Fork Plum Ck to approx. 0.5 mi upstream of SH21

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12643; 12645; 12647

AU_ID: 1810_03 From approx. 0.5 mi. upstream of SH 21 to upper end of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12648; 12649; 17406; 18343; 20480; 20484; 20503

SegID: 1810A Town Branch

Perennial stream from the confluence with Plum Creek upstream to US 183 in the City of Lockhart

Segment Type Freshwater Stream

AU_ID: 1810A_01 Entire segment.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 20509

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1811 Comal River

From the confluence with the Guadalupe River in Comal County to Klingemann Street in New Braunfels in Comal County

Segment Type Freshwater Stream

AU_ID: 1811_01 *From the confluence with segment 1804 of the Guadalupe River up to just upstream of the confluence with Dry Comal Creek in New Braunfels, Comal County, Texas.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12651; 12653

AU_ID: 1811_02 *From the confluence with Dry Comal Creek up to Klingemann Street in New Braunfels, Comal County, Texas.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12655; 15146

SegID: 1811A Dry Comal Creek

From the confluence of the Comal River in New Braunfels in Comal County to the upstream perennial portion of the stream southwest of New Braunfels in Comal County

Segment Type Freshwater Stream

AU_ID: 1811A_01 *Lower 25 miles of water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 12570

AU_ID: 1811A_02 *Remainder of water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): No Stations

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1812 Guadalupe River Below Canyon Dam

From the confluence of the Comal River in Comal County to Canyon Dam in Comal County

Segment Type Freshwater Stream

AU_ID: 1812_01 *From a point immediately upstream of the confluence of the Comal River in Comal County to immediately upstream of the confluence with Elm Creek, Comal County, Texas.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s):

AU_ID: 1812_02 *From immediately upstream of Elm Creek up to the confluence with Bear Creek, Comal County, Texas.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s):

AU_ID: 1812_03 *From immediately upstream of the confluence with Bear Creek in Comal County, Texas up to Canyon Dam.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s):

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1813 Upper Blanco River

From a point 0.3 km (0.2 miles) upstream of Limekiln Road in Hays County to the confluence of Meier Creek in Kendall County

Segment Type Freshwater Stream

AU_ID: 1813_01 *From a point 0.3 KM (0.2 miles) upstream of Limekiln Road in Hays County up to the confluence with Spoke Pile Creek.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 12660; 20926

AU_ID: 1813_02 *From the confluence with Spoke Pile Creek up to the confluence with Cypress Creek, in Wimberley, Hays County, Texas.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 12661

AU_ID: 1813_03 *From the confluence with Rogers Branch up to the confluence with Hinds Branch in Blanco, County, Texas.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 12667; 12668; 13514; 17528

AU_ID: 1813_04 *From the confluence with Hinds Branch in Blanco County, Texas up to the confluence with Meier Creek in Kendall County, Texas.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 17522; 17525; 18664

AU_ID: 1813_05 *From the confluence with Cypress Creek in Wimberley, Hays County, Texas up to the confluence with Rogers Branch in Blanco County, Texas.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 12663

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1814 Upper San Marcos River

From a point 1.0 km (0.6 miles) upstream of the confluence of the Blanco River in Hays County to a point 0.7 km (0.4 miles) upstream of Loop 82 in San Marcos in Hays County

Segment Type Freshwater Stream

AU_ID: 1814_01 Lower 1.5 miles of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 12629

AU_ID: 1814_02 From sub-segment 01 to IH 35 east frontage road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 12671

AU_ID: 1814_03 From IH 35 east frontage road to Spring Lake Dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 12672; 15498

AU_ID: 1814_04 Remainder of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): No Stations

SegID: 1815 Cypress Creek

From the confluence with the Blanco River in Hays County to a point 6.4 km (4.0 miles) upstream of the most upstream unnamed county road crossing Hays County

Segment Type Freshwater Stream

AU_ID: 1815_01 Lower 7 miles of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 12673; 12674; 12675; 12676; 12677

AU_ID: 1815_02 Upper 7 miles of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): No Stations

SegID: 1816 Johnson Creek

From the confluence with the Guadalupe River in Kerr County to a point 1.2 km (0.7 miles) upstream of the most upstream crossing of SH 41 in Kerr County

Segment Type Freshwater Stream

AU_ID: 1816_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 12678; 12680

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1817 North Fork Guadalupe River

From the confluence with the Guadalupe River in Kerr County to a point 18.2 km (11.3 miles) upstream of Boneyard Draw in Kerr County

Segment Type Freshwater Stream

AU_ID: 1817_01 *Entire segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 12681; 12682; 16245

SegID: 1818 South Fork Guadalupe River

From the confluence with the Guadalupe River in Kerr County to a point 4.8 km (3.0 miles) upstream of FM 187 in Kerr County

Segment Type Freshwater Stream

AU_ID: 1818_01 *Lower 1.5 miles of segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 12684

AU_ID: 1818_02 *From lower 1.5 mi to approx 0.5 mile upstream of Lange Ravine*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 12685

AU_ID: 1818_03 *From 0.5 mi upstream Lange Ravine to low water dam just below Camp Mystic*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 16246

AU_ID: 1818_04 *From low water dam below Camp Mystic to confluence with Cherry Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 12686

AU_ID: 1818_05 *Upper 18.5 miles of segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 12688

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1901 Lower San Antonio River

From the confluence with the Guadalupe River in Refugio/Victoria County to a point 600 meters (660 yards) downstream of FM 791 at Mays crossing near Falls City in Karnes County

Segment Type Freshwater Stream

AU_ID: 1901_01 25 miles downstream of the confluence with Manahuilla Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12790

AU_ID: 1901_02 25 miles upstream of Manahuilla Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12791; 17858

AU_ID: 1901_03 From 25 miles upstream of Manahuilla Cr to 9 mi downstream of Escondido Cr

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12793; 17859

AU_ID: 1901_04 9 miles downstream of Escondido Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12794

AU_ID: 1901_05 From upstream end of segment to Escondido Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12795; 12796; 16580; 17860; 17861; 17862

AU_ID: 1901_06 Lower 31 miles of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12789

SegID: 1901A Escondido Creek

From the confluence with segment 1901 up to the upper end of the water body (NHD RC 12100303002847).

Segment Type Freshwater Stream

AU_ID: 1901A_01 From the confluence with segment 1901 up to the confluence with Nichols Creek in Kennedy.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 17573; 18402

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1901B Cabeza Creek

From the confluence with segment 1901, west of Goliad, Goliad County, up to the upper end of the water body (NHD RC 12100303000882)

Segment Type Freshwater Stream

AU_ID: 1901B_01 Entire segment.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 16992

SegID: 1901C Hord Creek

From the confluence with segment 1901 up to the upper end of the water body (NHD RC 12100303000256).

Segment Type Freshwater Stream

AU_ID: 1901C_01 Entire segment.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 18319

SegID: 1901D Lost Creek

From the confluence with segment 1901 to the upper end of the water body (NHD RC

Segment Type Freshwater Stream

AU_ID: 1901D_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 18320

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1902 Lower Cibolo Creek

From the confluence with the San Antonio River in Karnes County to a point 100 meters (110 yards) downstream of IH 10 in Bexar/Guadalupe County

Segment Type Freshwater Stream

AU_ID: 1902_01 *Lower 5 miles of segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12797; 20777

AU_ID: 1902_02 *From 5 miles upstream of confluence with the San Antonio River to FM 541*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12798; 14211

AU_ID: 1902_03 *From FM 541 to confluence with Clifton Branch*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12803

AU_ID: 1902_04 *From confluence with Clifton Branch to the confluence with Elm Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12805

AU_ID: 1902_05 *Upper end of segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 14197

SegID: 1902A Martinez Creek

Perennial stream from the confluence with Escondido Creek upstream to Binz-Engleman Road

Segment Type Freshwater Stream

AU_ID: 1902A_01 *From confluence with Cibolo Creek to confluence with Salatrillo Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 12741

AU_ID: 1902A_03 *From confluence with Escondido Creek to about 1.9 miles downstream of IH 10*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 15306

AU_ID: 1902A_04 *From approximately 1.1 km downstream of FM 1516 to Binz-Engleman Road.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 15305

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1902B Salatrillo Creek

From the confluence with Martinez Creek to approximately 1.3 miles upstream of FM 1976.

Segment Type Freshwater Stream

AU_ID: 1902B_01 From the confluence with Martinez Creek to FM 78 in Converse

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 14201; 14923; 15303

SegID: 1902C Clifton Branch

From the confluence of Lower Cibolo Creek upstream to the headwater 0.6 miles upstream of Wilson CR 424 north of Stockdale

Segment Type Freshwater Stream

AU_ID: 1902C_01 From the confluence of Lower Cibolo Creek upstream to the headwater 0.6 miles upstream of Wilson CR 424 north of Stockdale

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow questionnaire	High	Presumption from Flow Type

Station ID(s): 20775; 20776

SegID: 1903 Medina River Below Medina Diversion Lake

From the confluence with the San Antonio River in Bexar County to Medina Diversion Dam in Medina County

Segment Type Freshwater Stream

AU_ID: 1903_01 Lower 5 miles of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12811

AU_ID: 1903_02 From 5 mi upstream of San Antonio River to 1.5 mi upstream of Leon Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12812; 12813

AU_ID: 1903_03 From 1.5 miles upstream of Leon Cr to confluence with Live Oak Slough

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12814; 12816

AU_ID: 1903_04 From confluence with Live Oak Slough to upstream 25 miles.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12817; 12818; 12819; 12821; 13699; 14200

AU_ID: 1903_05 Upper 32 miles of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12823; 12824

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1904 Medina Lake

From Medina Lake Dam in Medina County to a point immediately upstream of the confluence of Red Bluff Creek in Bandera County, up to the normal pool elevation of 1072 feet (impounds Medina River)

Segment Type Reservoir

AU_ID: 1904_01 Lower portion, from dam west to Masterson Point and east to Reuters Cove

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 12825

AU_ID: 1904_02 Part of lake extending upstream from Brushy Creek to upper end of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 12829

SegID: 1905 Medina River Above Medina Lake

From the confluence of Red Bluff Creek in Bandera County to the confluence of the North Prong Medina River and the West Prong Medina River in Bandera County

Segment Type Freshwater Stream

AU_ID: 1905_01 From lower end of segment to RR 470, upstream of Bandera

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 12830; 13638

AU_ID: 1905_02 Remainder of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 14213

SegID: 1905A North Prong Medina River

From the confluence with segment 1905 (Medina River) up to the confluence with Shephard Creek

Segment Type Freshwater Stream

AU_ID: 1905A_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 18447

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1906 Lower Leon Creek

From the confluence with the Medina River in Bexar County to a point 100 meters (110 yards) upstream of SH 16 northwest of San Antonio in Bexar County

Segment Type Freshwater Stream

AU_ID: 1906_01 *From the confluence of the Medina River upstream approximate 3.5 miles to the northside of Toyota plant*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 14198

AU_ID: 1906_02 *From the northside of the Toyota plant upstream to the confluence of Indian Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12835; 12836

AU_ID: 1906_03 *From confluence with Indian Creek to Hwy 353 (New Laredo Hwy)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12838

AU_ID: 1906_04 *From Hwy 353 (New Laredo Hwy) upstream approximately 2 miles to a point southeast of Pearsall Park*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12840

AU_ID: 1906_05 *From a point southeast of Pearsall Park upstream to US 90 on the westside of San Antonio*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12841; 12842; 18199

AU_ID: 1906_06 *From US 90 on the westside of San Antonio upstream to a point 100 meters upstream of SH 16 northwest of San Antonio*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12845; 12846; 14209

SegID: 1907 Upper Leon Creek

From a point 100 meters (110 yards) upstream of SH 16 northwest of San Antonio in Bexar County to a point 9.0 km (5.6 miles) upstream of Scenic Loop Road north of Helotes in Bexar County

Segment Type Freshwater Stream

AU_ID: 1907_01 *Entire segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12851; 14252; 17364; 17365

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1908 Upper Cibolo Creek

From the Missouri-Pacific Railroad Bridge west of Bracken in Comal County to a point 1.5 km (0.9 miles) upstream of the confluence of Champee Springs in Kendall County

Segment Type Freshwater Stream

AU_ID: 1908_01 *From confluence. with Balcones Ck. to approx. 2 mi. upstream of Hwy 87 in Boerne*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12853; 12854; 12855; 12856; 15126; 16702

AU_ID: 1908_02 *From approx. 2 mi. upstream of Hwy 87 in Boerne to upper end of segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12857; 12858

AU_ID: 1908_03 *Lower 43 miles of segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

SegID: 1909 Medina Diversion Lake

From Medina Diversion Dam in Medina County to Medina Lake Dam in Medina County, up to normal pool elevation of 926.5 feet (impounds Medina River)

Segment Type Reservoir

AU_ID: 1909_01 *Entire segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 12859; 18407

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1910 Salado Creek

From the confluence with the San Antonio River in Bexar County to the confluence of Beitel Creek in Bexar County

Segment Type Freshwater Stream

AU_ID: 1910_01 From confluence with San Antonio River to confluence with Rosillo Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12861; 12862

AU_ID: 1910_02 From the confluence with Rosillo Creek up to the confluence with Pershing Creek.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12864; 12868; 12870; 14929; 15645; 15646; 15647

AU_ID: 1910_03 From the confluence with Pershing Creek up to the confluence with Walzem Creek.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12871; 12872; 12874; 15642; 15644; 20327

AU_ID: 1910_04 From the confluence with Walzem Creek up to the confluence with Beitel Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12875; 12876

SegID: 1910A Walzem Creek

From the confluence with Salado Creek to approximately 1.5 miles upstream of Walzem Road in San Antonio

Segment Type Freshwater Stream

AU_ID: 1910A_01 Lower 1.5 miles of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 12698; 20356; 20359

SegID: 1910B Rosillo Creek

From the confluence with Salado Creek in Bexar County to approximately 0.5 miles upstream of FM 1976 in Bexar County

Segment Type Freshwater Stream

AU_ID: 1910B_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 12689; 12690; 12699; 12700

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1910C Salado Creek Tributary

From the confluence with segment 1910 to the upper end of the water body, NHD RC 12100301000902.

Segment Type Freshwater Stream

AU_ID: 1910C_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 12692

SegID: 1910D Menger Creek

From the confluence with segment 1910 to the upper end of the water body, NHD RC 12100301000147.

Segment Type Freshwater Stream

AU_ID: 1910D_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Water body description	High	Presumption from Flow Type

Station ID(s): 12693

SegID: 1910E Beitel Creek

From the confluence with segment 1910 to the upper end of the water body, NHD RC 12100301000662.

Segment Type Freshwater Stream

AU_ID: 1910E_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 12701; 12702; 16583; 20358

SegID: 1910F Upper Salado Creek

Upper Salado Creek from the confluence of Beitel Creek upstream to the headwater approximately 1.5 miles upstream of FM 3351 near Fair Oaks Ranch

Segment Type Freshwater Stream

AU_ID: 1910F_01 Upper Salado Creek an Appendix D section from the confluence with Beitel Creek upstream to Nacogdoches Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	WQS/Permits program	Limited	Presumption from Flow Type

Station ID(s): 12877

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1911 Upper San Antonio River

From a point 600 meters (660 yards) downstream of FM 791 at Mays Crossing near Falls City in Karnes County to a point 100 meters (110 yards) upstream of Hildebrand Avenue at San Antonio in Bexar County

Segment Type Freshwater Stream

AU_ID: 1911_01 *From the lower end of the segment up to just upstream of the confluence with Olmos Creek.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12879

AU_ID: 1911_02 *From the confluence with Olmos Creek up to just upstream of the confluence with Picoso Creek .*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12880

AU_ID: 1911_03 *From just upstream of the confluence with Picoso Creek up to just upstream of the confluence with Lodi Branch in Floresville, Wilson County, Texas.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12881

AU_ID: 1911_04 *From just upstream of the confluence with Lodi Branch in Floresville, Wilson County, Texas up to just upstream of the confluence with Calaveras Creek.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12882; 12883; 12884; 12885

AU_ID: 1911_05 *From just upstream of the confluence with Calaveras Creek up to just upstream of the confluence with the Medina River.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12886; 12889; 20355

AU_ID: 1911_06 *From just upstream of the confluence with the Medina River up to just upstream of the confluence with Salado Creek.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12894; 16731

AU_ID: 1911_07 *From just upstream of the confluence with Salado Creek up to just upstream of the confluence with Sixmile Creek.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12897; 20638

2014 Texas Integrated Report - Water Bodies Evaluated

AU_ID: 1911_08 *From just upstream of the confluence with Sixmile Creek to just upstream of the confluence with San Pedro Creek.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12899; 15308; 17066

AU_ID: 1911_09 *From just upstream of the confluence with San Pedro Creek up to the upper end of the segment.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12904; 12905; 12908; 12911; 12912; 14219; 14220; 14223; 14256; 15085; 18859; 18865; 20118; 20122; 20360; 20361

SegID: 1911B Apache Creek

From the confluence with San Pedro Creek up to the upper end of the segment at State Highway 421 (NHD RC 12100301001439).

Segment Type Freshwater Stream

AU_ID: 1911B_01 *From the confluence with San Pedro Creek up to just upstream of the confluence with Zarzamora Creek.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 12710; 12712; 15707; 18735; 18814; 20604; 20605; 20606

SegID: 1911C Alazan Creek

From the confluence with Apache Creek up to 0.4 KM (0.25 Mi.) upstream of St. Cloud Road (NHD RC 12100301000163) in San Antonio, Bexar County, Texas.

Segment Type Freshwater Stream

AU_ID: 1911C_01 *From the confluence with Apache Creek up to the confluence with Martinez Creek.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 12715; 18737; 20345

AU_ID: 1911C_02 *From just upstream of the confluence with Martinez Creek to the upper end of the segment.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 12716; 12718; 18813; 20344

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1911D San Pedro Creek

From the confluence with segment 1911 to the upper end of the water body, NHD RC 12100301000867

Segment Type Freshwater Stream

AU_ID: 1911D_01 From the confluence with segment 1911 up to the confluence with Apache Creek.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 12707; 18736; 20116

AU_ID: 1911D_02 From the confluence with Apache Creek to the upper end of the segment, NHD RC 12100301000867

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 12708; 20117; 20119; 20120; 20121

SegID: 1911E Sixmile Creek

From the confluence with 1911 to the upper end of the water body at NHD RC 12100301000061

Segment Type Freshwater Stream

AU_ID: 1911E_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	WQS/Permits program	Minimal	Previous TCEQ Permit Decision

Station ID(s): 12705

SegID: 1911H Picoosa Creek

From the confluence with segment 1911 to the upper end of the water body, NHD RC 12100303003001937.

Segment Type Freshwater Stream

AU_ID: 1911H_01 From the confluence with 1911 up to the confluence with Mariana Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 20350

SegID: 1911I Martinez Creek

Martinez Creek from the confluence of Alazan Creek in central San Antonio upstream to the terminus at Vance Jackson Rd in north San Antonio

Segment Type Freshwater Stream

AU_ID: 1911I_01 Martinez Creek from the confluence of Alazan Creek in central San Antonio upstream to the concrete channel portion at San Francisco St in north San Antonio

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 12751

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 1912 Medio Creek

From the confluence with the Medina River in Bexar County to a point 1.0 km (0.6 miles) upstream of IH 35 in San Antonio in Bexar County

Segment Type Freshwater Stream

AU_ID: 1912_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 12916; 12917

SegID: 1912A Upper Medio Creek

From approximately 1.0 kilometer (0.6 miles) upstream of IH 35 at San Antonio (Bexar County) to approximately 1.0 mile upstream of the Bexar/Medina County Line

Segment Type Freshwater Stream

AU_ID: 1912A_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 12728; 12730; 12735; 13659

SegID: 1913 Mid Cibolo Creek

From a point 100 meters (110 yards) downstream of IH 10 in Bexar/Guadalupe County to the Missouri-Pacific Railroad bridge west of Bracken in Comal County

Segment Type Freshwater Stream

AU_ID: 1913_01 From 100 M downstream of I10 up to unnamed tributary approximately 0.3 miles upstream of Weir Road, Bexar County, Texas.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Limited	TWQS-Appendix A

Station ID(s): 12919; 12921

AU_ID: 1913_02 From the confluence with unnamed tributary approximately 0.3 miles upstream of Weir Road, Bexar county, Texas up to 100 meters upstream of the Cibolo Creek Municipal WWTP.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Limited	TWQS-Appendix A

Station ID(s): 12924; 12925

AU_ID: 1913_03 From 100 meters upstream of Cibolo Creek Municipal WWTP up to the upper end of the segment.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Limited	TWQS-Appendix A

Station ID(s): 12927; 14212

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 2001 Mission River Tidal

From the confluence with Mission Bay in Refugio County to a point 7.4 kilometers (4.6 miles) downstream of US 77 in Refugio County

Segment Type Tidal Stream

AU_ID: 2001_01 Entire Water Body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 12943

SegID: 2002 Mission River Above Tidal

From a point 7.4 km (4.6 miles) downstream of US 77 in Refugio County to the confluence of Blanco Creek and Medio Creek in Refugio County

Segment Type Freshwater Stream

AU_ID: 2002_01 Entire Water Body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12944

SegID: 2003 Aransas River Tidal

From the confluence with Copano Bay in Aransas/Refugio County to a point 1.6 kilometers (1.0 mile) upstream of US 77 in Refugio/San Patricio County

Segment Type Tidal Stream

AU_ID: 2003_01 Entire Water Body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 12947; 12948

SegID: 2004 Aransas River Above Tidal

From a point 1.6 kilometers (1.0 mile) upstream of US 77 in Refugio/San Patricio County to the confluence of Poesta Creek and Aransas Creek in Bee County

Segment Type Freshwater Stream

AU_ID: 2004_01 From the downstream end of segment to the confluence with Papalote Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

AU_ID: 2004_02 From the confluence with Papalote Creek to the upstream end of segment at the confluence with Aransas Creek and Poesta Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12952

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 2004A Aransas Creek

From confluence with the Aransas River to the headwaters of the stream about 10 km upstream of US Highway 59.

Segment Type Freshwater Stream

AU_ID: 2004A_01 *Entire 20 miles of segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 12941

SegID: 2004B Poesta Creek

From the confluence with the Aransas River to the headwaters of the stream about 7.5 km upstream of FM 673.

Segment Type Freshwater Stream

AU_ID: 2004B_02 *From the confluence with Talpacate Creek to the headwaters of the stream approximately 7.5 km upstream of FM 673*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 12932

SegID: 2101 Nueces River Tidal

From the confluence with Nueces Bay in Nueces County to Calallen Dam 1.7 km (1.1 miles) upstream of US 77/IH 37 in Nueces/San Patricio County

Segment Type Tidal Stream

AU_ID: 2101_01 *Entire Water Body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 12960; 12961; 17645; 17646; 17647

SegID: 2102 Nueces River Below Lake Corpus Christi

From Calallen Dam 1.7 km (1.1 miles) upstream of US 77/IH 37 in Nueces/San Patricio County to Wesley E. Seale Dam in Jim Wells/San Patricio County

Segment Type Freshwater Stream

AU_ID: 2102_01 *From the downstream end of segment to the confluence with Javelin Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12964; 20927; 20936

AU_ID: 2102_02 *From the confluence with Javelin Creek to the upstream end of segment at Lake Corpus Christi*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12965

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 2103 Lake Corpus Christi

From Wesley E. Seale Dam in Jim Wells/San Patricio County to a point 100 meters (110 yards) upstream of US 59 in Live Oak County, up to normal pool elevation of 94 feet (impounds Nueces River)

Segment Type Reservoir

AU_ID: 2103_01 Mid-lake near dam

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s):

AU_ID: 2103_02 Area approx. 4 mi. SE of FM 3162 and FM 534 intersection near western shore

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s):

AU_ID: 2103_03 Western arm of lake near Lagarto Creek inlet

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s):

AU_ID: 2103_04 Upper portion of lake on opposite shore from Hideaway Hill

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s):

AU_ID: 2103_05 Upper arm of reservoir in more riverine section surrounding FM 534

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s):

AU_ID: 2103_06 Uppermost riverine part of reservoir upstream of FM 534 to upper end of segment to just upstream of US Highway 59.

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s):

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 2104 Nueces River Above Frio River

From the confluence of the Frio River in Live Oak County to Holland Dam in LaSalle County

Segment Type Freshwater Stream

AU_ID: 2104_01 From the downstream end of the segment to the confluence with Dragon Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12972

AU_ID: 2104_02 From the confluence with Dragon Creek to the confluence with Guadalupe Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12973; 17897

AU_ID: 2104_03 From the confluence with Guadalupe Creek to the upstream end of the segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12974

SegID: 2105 Nueces River Above Holland Dam

From Holland Dam in LaSalle County to a point 100 meters (110 yards) upstream of FM 1025 in Zavala County

Segment Type Freshwater Stream

AU_ID: 2105_01 From the downstream end of the segment at Holland Dam to the confluence of Sauz Mocho Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12975

AU_ID: 2105_02 From the confluence with Sauz Macho Creek to the confluence of Line Oak Slough

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12976; 20156

AU_ID: 2105_03 From the confluence of Line Oak Slough to the upstream end of the segment at Ranch Rd. 1025

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 2106 Nueces/Lower Frio River

From a point 100 meters (110 yards) upstream of US 59 in Live Oak County to Choke Canyon Dam in Live Oak County

Segment Type Freshwater Stream

AU_ID: 2106_01 *The Nueces river from the downstream end of segment to the confluence with the Frio River*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12978; 12979; 20701

AU_ID: 2106_02 *The Frio River from the confluence with the Nueces River to Choke Canyon Dam*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12977; 17437; 18357

SegID: 2107 Atascosa River

From the confluence with the Frio River in Live Oak County to the confluence of the West Prong Atascosa River and the North Prong Atascosa River in Atascosa County

Segment Type Freshwater Stream

AU_ID: 2107_01 *From the downstream end of the segment at the confluence with the Frio River to the confluence with Borrego Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12980; 20773

AU_ID: 2107_02 *From the confluence with Borrego Creek to the confluence with Galvan Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 17899; 17900; 18646; 20764

AU_ID: 2107_03 *From the confluence with Galvan Creek to the confluence with Palo Alto Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12982; 17436; 17898; 18645; 20761; 20762

AU_ID: 2107_04 *From the confluence with Palo Alto Creek to the upper end of the segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 17142; 20760

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 2108 San Miguel Creek

From a point immediately upstream of the confluence of Mustang Branch in McMullen County to the confluence of San Francisco Perez Creek and Chacon Creek in Frio County

Segment Type Freshwater Stream

AU_ID: 2108_01 From the downstream end of the segment to the confluence of Liveoak Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s):

AU_ID: 2108_02 From the confluence of Liveoak Creek to the upstream end of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s):

SegID: 2109 Leona River

From the confluence with the Frio River in Frio County to US 83 in Uvalde County

Segment Type Freshwater Stream

AU_ID: 2109_01 From the downstream end of segment to the confluence of Yoledigo Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s):

AU_ID: 2109_02 From the confluence of Yoledigo Creek to the confluence of Camp Lake Slough

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s):

AU_ID: 2109_03 From the confluence of Camp Lake Slough to the upper end of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s):

SegID: 2109C Live Oak Creek

From the confluence with the Leona River in Zavala Co. to the headwaters approximately 15.2 km upstream of US Hwy 57 in Uvalde Co.

Segment Type Freshwater Stream

AU_ID: 2109C_01 From the confluence with the Leona River in Zavala Co. to the headwaters approximately 15.2 km upstream of US Hwy 57 in Uvalde Co.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow questionnaire	Limited	Presumption from Flow Type

Station ID(s):

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 2109D Gallina Slough

From the confluence with the Leona River in Zavala Co. to the headwaters approximately 9 km upstream of US Hwy 57 in Zavala Co.

Segment Type Freshwater Stream

AU_ID: 2109D_01 From the confluence with the Leona River in Zavala Co. to the headwaters approximately 9 km upstream of US Hwy 57 in Zavala Co.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow questionnaire	Limited	Presumption from Flow Type

Station ID(s): 21063

SegID: 2110 Lower Sabinal River

From the confluence with the Frio River in Frio County to Uvalde County to a point 100 meters (110 yards) upstream of SH 127 in Uvalde County

Segment Type Freshwater Stream

AU_ID: 2110_01 Entire Water Body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12993

SegID: 2111 Upper Sabinal River

From a point 100 meters (110 yards) upstream of SH 127 in Uvalde County to the most upstream crossing of FM 187 in Bandera County

Segment Type Freshwater Stream

AU_ID: 2111_01 From the downstream end of segment to the confluence with the West Sabinal River

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12994

AU_ID: 2111_02 From the confluence with the West Sabinal River to the upstream end of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 2112 Upper Nueces River

From a point 100 meters (110 yards) upstream of FM 1025 in Zavala County to the confluence of the East Prong Nueces River and Hackberry Creek in Edwards County

Segment Type Freshwater Stream

AU_ID: 2112_01 *From the downstream end of the segment to the confluence with Sand Ridge Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12996; 17143

AU_ID: 2112_02 *From the confluence with Sand Ridge Creek to the confluence with unnamed tributary with NHD RC 12110103000444 at point N-99.91, W29.2 just downstream of US Highway 90.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12997; 12998; 17438

AU_ID: 2112_03 *From the confluence with unnamed tributary with NHD RC 12110103000444 at point N-99.91, W29.2 just downstream of US Highway 90 to the confluence with Miller Creek.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12999; 16704

AU_ID: 2112_04 *From the confluence with Miller Creek to the upper end of the segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13005

SegID: 2113 Upper Frio River

From a point 100 meters (110 yards) upstream of US 90 in Uvalde County to the confluence of the West Frio River and the East Frio River in Real County

Segment Type Freshwater Stream

AU_ID: 2113_01 *From the downstream end of the segment to the confluence with Bear Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 13006

AU_ID: 2113_02 *From the confluence with Bear Creek to the upstream end of segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 13007; 13008; 17892; 20904; 21131

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 2114 Hondo Creek

From the confluence with the Frio River in Frio County to FM 470 in Bandera County

Segment Type Freshwater Stream

AU_ID: 2114_01 *From the downstream end of the segment to the confluence with and unnamed tributary with NHD RC 12110107000245 at point N-99.12, W29.38 just upstream of FM 2676.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 18408**AU_ID: 2114_02** *From the confluence with and unnamed tributary with NHD RC 12110107000245 at point N-99.12, W29.38 just upstream of FM 2676 to the upstream end of the segment.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13010

SegID: 2115 Seco Creek

From the confluence with Hondo Creek in Frio County to West Seco Creek in Bandera County

Segment Type Freshwater Stream

AU_ID: 2115_01 *From the downstream end of the segment to the confluence with an unnamed tributary at NHD RC 1211010700385 at point N-99.28, W29.42*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations**AU_ID: 2115_02** *From the confluence with an unnamed tributary at NHD RC 1211010700385 at point N-99.28, W29.42 to the upstream end of the segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13013

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 2116 Choke Canyon Reservoir

From Choke Canyon Dam in Live Oak County to a point 4.2 km (2.6 miles) downstream of SH 16 on the Frio River Arm in McMullen County and to a point 100 meters (110 yards) upstream of the confluence of Mustang Branch on the San Miguel Creek Arm in McMullen

Segment Type Reservoir

AU_ID: 2116_01 5120 acres near dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 13019

AU_ID: 2116_02 Small north arm of lake near dam and Willow Hollow Tank

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 17393

AU_ID: 2116_03 5120 acres in middle of lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 13020; 17392

AU_ID: 2116_04 Large north arm near mid lake and Jacob Oil Field

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 17391

AU_ID: 2116_05 Southern arm near mid lake and Rec. Road 7 west of Calliham

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 17390; 17997

AU_ID: 2116_06 Western end of lake up to RR 99 bridge

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 17389; 20179

AU_ID: 2116_07 Remainder of lake from RR 99 bridge to upper end of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 13022

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 2117 Frio River Above Choke Canyon Reservoir

From a point 4.2 km (2.6 miles) downstream of SH 16 in McMullen County to a point 100 meters (110 yards) upstream of US 90 in Uvalde County

Segment Type Freshwater Stream

AU_ID: 2117_01 *From the downstream end of segment to the confluence with Esperanza Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s):

AU_ID: 2117_02 *From the confluence with Esperanza Creek to the confluence with Ruiz Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s):

AU_ID: 2117_03 *From the confluence with Ruiz Creek to the confluence with Live Oak Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s):

AU_ID: 2117_04 *From the confluence with Live Oak Creek to the confluence with Elm Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s):

AU_ID: 2117_05 *From the confluence with Elm to the confluence with Spring Branch*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s):

AU_ID: 2117_06 *From the confluence with Spring Branch to the upstream end of the segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s):

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 2201 Arroyo Colorado Tidal

From confluence with Laguna Madre in Cameron/Willacy County to a point 100 meters (110 yards) downstream of Cemetery Road south of Port Harlingen in Cameron County

Segment Type Tidal Stream

AU_ID: 2201_01 *From the downstream end of the segment to the confluence with San Vincente Drainage Ditch*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 13782; 15551

AU_ID: 2201_02 *From the confluence with San Vincente Drainage Ditch to the confluence with an unnamed drainage ditch with NHD RC 12110108005353 at point N-97.53, W 26.31*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 13071

AU_ID: 2201_03 *From the confluence with an unnamed drainage ditch with NHD RC 12110108005353 at point N-97.53, W 26.31 to the confluence with Harding Ranch Ditch tributary*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 13559

AU_ID: 2201_04 *From the confluence with Harding Ranch Ditch tributary to just upstream of the City of Hondo Wastewater Discharge at point N-97.58359, W26.247186*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 13073

AU_ID: 2201_05 *From just upstream of the City of Hondo Wastewater Discharge at point N-97.58359, W26.247186 to the upstream end of the segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 13072; 16142; 17650; 20200

SegID: 2201A Harding Ranch Drainage Ditch Tributary (A) to the Arroyo Colorado Tidal

From the confluence with the Arroyo Colorado in Cameron County downstream of Rio Hondo at - 97.584, 26.279 decimal degrees to a point 20.8 km upstream at the FM 508 crossing.

Segment Type Freshwater Stream

AU_ID: 2201A_01 *Entire Water Body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D

Station ID(s): 17113

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 2201B Unnamed Drainage Ditch Tributary (B) in Cameron County Drainage District #3

From the confluence with the Arroyo Colorado in Cameron County in the Rio Hondo turning basin at -97.6, 26.196 decimal degrees to a point 17.6 km upstream at the FM 510 crossing.

Segment Type Tidal Stream

AU_ID: 2201B_01 Entire Water Body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type

Station ID(s): 18196

SegID: 2202 Arroyo Colorado Above Tidal

From a point 100 meters (110 yards) downstream of Cemetery Road south of Port Harlingen in Cameron County to FM 2062 in Hidalgo County

Segment Type Freshwater Stream

AU_ID: 2202_01 From the downstream end of segment to the confluence with Little Creek just upstream of State Loop 499.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 13074

AU_ID: 2202_02 From the confluence with Little Creek to the confluence with La Feria Main Canal just upstream of Dukes Highway.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 13079; 13080; 16141; 16445

AU_ID: 2202_03 From the confluence with La Feria Main Canal just upstream of Dukes Highway to the confluence with La Cruz Resaca just downstream of FM 907

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 13081; 13082; 16137

AU_ID: 2202_04 From the confluence with La Cruz Resaca to the upper end of segment at FM 2062

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 13083; 13084; 13086; 17644

SegID: 2202A Donna Reservoir

Off-channel irrigation reservoir pumped from Rio Grande near the City of Donna in Hidalgo County

Segment Type Reservoir

AU_ID: 2202A_01 Entire reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 17416; 18486; 18487; 18488; 18490

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 2202B Unnamed Drainage Ditch Tributary (B) to S. Arroyo Colorado

Perennial drainage ditches that flow into the segment in Cameron and Hidalgo counties

Segment Type Freshwater Stream

AU_ID: 2202B_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D

Station ID(s): 13039

SegID: 2202C Unnamed Drainage Ditch Tributary (C) to S. Arroyo Colorado

From the confluence with S. Arroyo Colorado to a point 1.1 miles upstream near US Highway 281.

Segment Type Freshwater Stream

AU_ID: 2202C_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D

Station ID(s): 13056

SegID: 2203 Petronila Creek Tidal

From the confluence of Chiltipin Creek in Kleberg County to a point 1 km (0.6 miles) upstream of private road crossing near Laureles Ranch in Kleberg County

Segment Type Reservoir

AU_ID: 2203_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 13090

SegID: 2204 Petronila Creek Above Tidal

From a point 1 km (0.6 miles) upstream of private road crossing near Laureles Ranch in Kleberg County to the confluence of Agua Dulce and Banquete Creeks in Nueces County

Segment Type Freshwater Stream

AU_ID: 2204_01 From downstream end of segment to the confluence with 2204A, unnamed drainage ditch tributary to Petronila Creek at N-97.7, W27.65 approximately 32.5 km (20.2 mi) upstream

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 13093; 13094; 13095

AU_ID: 2204_02 From the confluence with 2204A, unnamed drainage ditch tributary of Petronila Creek at N-97.7, W27.65 to the upstream end of segment at the confluence with Agua Dulce and Banquete Creeks approximately 31.6 km (19.6 mi) upstream

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 13096; 13098; 13099; 20806

SegID: 2301 Rio Grande Tidal

From the confluence with the Gulf of Mexico in Cameron County to a point 10.8 km (6.7 miles) downstream of the International Bridge in Cameron County

Segment Type Tidal Stream

AU_ID: 2301_01 *From the mouth of the Rio Grande (lower segment boundary) to a point 71.7 km (44.6 mi) upstream*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s):

AU_ID: 2301_02 *From a point 71.7 km (44.6 mi) upstream of the mouth the Rio Grande to the upper segment boundary 10.8 km (6.7 mi) downstream of the International Bridge*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s):

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 2302 Rio Grande Below Falcon Reservoir

From a point 10.8 km (6.7 miles) downstream of the International Bridge in Cameron County to Falcon Dam in Starr County

Segment Type Freshwater Stream

AU_ID: 2302_01 *From the El Jardin Pump Station upstream to the Rancho Viejo Floodway*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13177; 13178; 13179

AU_ID: 2302_02 *From the Rancho Viejo Floodway upstream to the Progresso Int'l Bridge (FM 1015)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10249

AU_ID: 2302_03 *From the Progresso Int'l Bridge (FM 1015) upstream to the McAllen Int'l Bridge (US Hwy 281)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13180; 15808; 17247

AU_ID: 2302_04 *From the McAllen Int'l Bridge (US Hwy 281) upstream to Anzalduas Dam*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13181; 13664

AU_ID: 2302_05 *From Anzalduas Dam upstream to the Los Ebanos Ferry Crossing*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 21012

AU_ID: 2302_06 *From the Los Ebanos Ferry Crossing upstream to the Arroyo Los Olmos confluence*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13184

AU_ID: 2302_07 *From the Arroyo Los Olmos confluence upstream to the Falcon Dam*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13185; 13186; 13188

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 2302A Arroyo Los Olmos

From Rio Grande confluence at Rio Grande City to El Sauz in Starr County

Segment Type Freshwater Stream

AU_ID: 2302A_01 *From the Rio Grande confluence near Rio Grande City upstream to a point 39.4 km (24.5 mi) near El Sauz*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 13103

SegID: 2303 International Falcon Reservoir

From Falcon Dam in Starr County to the confluence of the Arroyo Salado (Mexico) in Zapata County, up to normal pool elevation of 301.1 feet (impounds Rio Grande)

Segment Type Reservoir

AU_ID: 2303_01 *Area around International Monument XIV*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

AU_ID: 2303_02 *Area around Zapata WTP intake*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 15818

AU_ID: 2303_03 *Area around International Monument I*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 13189

AU_ID: 2303_04 *Remainder of segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 15819

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 2304 Rio Grande Below Amistad Reservoir

From the confluence of the Arroyo Salado (Mexico) in Zapata County to Amistad Dam in Val Verde County

Segment Type Freshwater Stream

AU_ID: 2304_01 *From the Arroyo Salado confluence upstream to the San Idelfonso Creek confluence*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13196; 15816; 15817

AU_ID: 2304_02 *From the San Idelfonso Creek confluence upstream to International Bridge #2*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13200; 15815

AU_ID: 2304_03 *From the International Bridge #2 upstream to the City of Laredo water treatment plant intake*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13201; 15814

AU_ID: 2304_04 *From the City of Laredo water treatment plant intake upstream to the World Trade Center Bridge*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13202; 15813; 20650

AU_ID: 2304_05 *From the World Trade Center Bridge upstream to the Columbia Bridge*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13204; 17410

AU_ID: 2304_06 *From the Columbia Bridge upstream to El Indio*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 15274; 15839; 17596

AU_ID: 2304_07 *From El Indio upstream to downstream of US Hwy 277 (Eagle Pass)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 18792; 18795; 20999

AU_ID: 2304_08 *From downstream of US Hwy 277 (Eagle Pass) upstream to the Las Moras Creek confluence*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13205; 13206; 20997

2014 Texas Integrated Report - Water Bodies Evaluated

AU_ID: 2304_09 From the Las Moras Creek confluence upstream to the San Felipe Creek confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13560

AU_ID: 2304_10 From the San Felipe Creek confluence upstream to the Amistad Dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13208; 13209; 14092; 15340

SegID: 2304B Manadas Creek

From the Rio Grande confluence in Laredo to a point 1.3 km (0.81 mi) upstream of Bob Bullock Loop

Segment Type Freshwater Stream

AU_ID: 2304B_01 From the Rio Grande confluence in Laredo to a point 1.3 km (0.81 mi) upstream of Bob Bullock Loop

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Water body description	High	Presumption from Flow Type

Station ID(s): 13116

SegID: 2305 International Amistad Reservoir

From Amistad Dam in Val Verde County to a point 1.8 km (1.1 miles) downstream of the confluence of Ramsey Canyon on the Rio Grande Arm in Val Verde County and to a point 0.7 km (0.4 miles) downstream of the confluence of Painted Canyon on the Pecos Arm i

Segment Type Reservoir

AU_ID: 2305_01 Rio Grande Arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 13240; 15892; 16379; 20174; 20624; 20627; 20630

AU_ID: 2305_02 Devils River arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 15893

AU_ID: 2305_03 Area around International Boundary Buoy I (dam)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 13835

AU_ID: 2305_04 Remainder of reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 2306 Rio Grande Above Amistad Reservoir

From a point 1.8 km (1.1 miles) downstream of the confluence of Ramsey Canyon in Val Verde County to the confluence of the Rio Conchos (Mexico) in Presidio County

Segment Type Freshwater Stream

AU_ID: 2306_01 *From the lower segment boundary at Ramsey Canyon upstream to the confluence of Panther Gulch*

Flow Type perennial	Flow Type Source TSWQS	ALU Designation High	ALU Designation Source TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 13223; 20182; 20628; 20629; 20631; 20632

AU_ID: 2306_02 *From the confluence of Panther Gulch upstream to FM 2627*

Flow Type perennial	Flow Type Source TSWQS	ALU Designation High	ALU Designation Source TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 20623; 20625; 20626

AU_ID: 2306_03 *From FM 2627 upstream to Boquillas Canyon*

Flow Type perennial	Flow Type Source TSWQS	ALU Designation High	ALU Designation Source TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 13225

AU_ID: 2306_04 *From Boquillas Canyon upstream to Mariscal Canyon*

Flow Type perennial	Flow Type Source TSWQS	ALU Designation High	ALU Designation Source TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 16730; 18483; 18535; 20199; 20619

AU_ID: 2306_05 *From Mariscal Canyon to a point upstream of the IBWC gage at Johnson Ranch*

Flow Type perennial	Flow Type Source TSWQS	ALU Designation High	ALU Designation Source TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 13227; 20616

AU_ID: 2306_06 *From a point upstream of the IBWC gage at Johnson Ranch to the mouth of Santa Elena Canyon at the Terlingua Creek confluence*

Flow Type perennial	Flow Type Source TSWQS	ALU Designation High	ALU Designation Source TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 13228; 16274; 17621; 18482; 20617

AU_ID: 2306_07 *From the mouth of Santa Elena Canyon at the Terlingua Creek confluence upstream to the Alamito Creek confluence*

Flow Type perennial	Flow Type Source TSWQS	ALU Designation High	ALU Designation Source TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 16862; 18441; 20615

AU_ID: 2306_08 *From Alamito Creek confluence upstream to the Rio Conchos confluence*

Flow Type perennial	Flow Type Source TSWQS	ALU Designation High	ALU Designation Source TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 13229; 17000; 17001

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 2306A Alamito Creek

From Rio Grande confluence upstream to the confluence of the North and South Forks of Alamito Creek north of Marfa in Presidio County

Segment Type Freshwater Stream

AU_ID: 2306A_01 *From the confluence with the Rio Grande upstream to Ranch Road 169 crossing*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Water body description	High	Presumption from Flow Type

Station ID(s): 13108

SegID: 2307 Rio Grande Below Riverside Diversion Dam

From the confluence of the Rio Conchos (Mexico) in Presidio County to Riverside Diversion Dam in El Paso County

Segment Type Freshwater Stream

AU_ID: 2307_01 *From immediately upstream of the Rio Conchos confluence to a point 40.2 km (25 mi) upstream*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13230; 13231

AU_ID: 2307_02 *From a point 40.2 km (25 mi) upstream of the Rio Conchos confluence to Little Box Canyon*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 20648

AU_ID: 2307_03 *From Little Box Canyon upstream to the Alamo Grade Structure*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13232; 13233; 17408

AU_ID: 2307_04 *From the Alamo Grade Structure upstream to the Guadalupe Bridge*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 15795

AU_ID: 2307_05 *From the Guadalupe Bridge to downstream of the Riverside Diversion Dam*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 15704; 16272

SegID: 2308 Rio Grande Below International Dam

From the Riverside Diversion Dam in El Paso County to International Dam in El Paso County

Segment Type Freshwater Stream

AU_ID: 2308_01 *From the Riverside Diversion Dam to the International Dam in El Paso County*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Limited	TWQS-Appendix A

Station ID(s): 14465; 15528; 15529

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 2309 Devils River

From a point 0.6 km (0.4 miles) downstream of the confluence of Little Satan Creek in Val Verde County to the confluence of Dry Devils River in Sutton County

Segment Type Freshwater Stream

AU_ID: 2309_01 *From the Devils River Arm of Amistad Reservoir upstream to Falls Canyon just below the Dolan Creek confluence*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 13237

AU_ID: 2309_02 *From Falls Canyon just below the Dolan Creek confluence upstream to Wallace Canyon*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 13239; 18387

AU_ID: 2309_03 *From Wallace Canyon to the upper segment boundary at the Dry Devils River confluence*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): No Stations

SegID: 2309A Dolan Creek

From Devils River confluence to km 46.7 km (29 mi) south of Sonora and 4.8 km (3 mi) west of US 277 in Val Verde County

Segment Type Freshwater Stream

AU_ID: 2309A_01 *From the Rio Grande Arm of Amistad Reservoir upstream to Yellow Bluff (near the origin of Dolan Springs)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 14942

SegID: 2310 Lower Pecos River

From a point 0.7 km (0.4 miles) downstream of the confluence of Painted Canyon in Val Verde County to a point immediately upstream of the confluence of Independence Creek in Crockett/Terrell County

Segment Type Freshwater Stream

AU_ID: 2310_01 *From the Devils River Arm of Amistad Reservoir confluence upstream to FM 2083 near Pan Dale*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

AU_ID: 2310_02 *From FM 2083 near Pan Dale upstream to just upstream of the Independence Creek confluence*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13246; 18801

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 2310A Independence Creek

From the Pecos River confluence northeast of Sanderson in Terrell County to a point approximately 4.1 km (2.5 mi) east of US Hwy 285 in Pecos County

Segment Type Freshwater Stream

AU_ID: 2310A_01 *From the Pecos River confluence to the unnamed tributary 0.37 km (0.23 mi) upstream of State Hwy 349*

Flow Type
intermittent

Flow Type Source
Routine Flow Data

ALU Designation
High

ALU Designation Source
Presumption from Flow Type

Station ID(s):

13109

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 2311 Upper Pecos River

From a point immediately upstream of the confluence of Independence Creek in Crockett/Terrell County to Red Bluff Dam in Loving/Reeves County

Segment Type Freshwater Stream

AU_ID: 2311_01 *From just upstream of the Independence Creek confluence upstream to US Hwy 290*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

AU_ID: 2311_02 *From US Hwy 290 upstream to US Hwy 67*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13249; 13255; 15114

AU_ID: 2311_03 *From US Hwy 67 upstream to the Ward Two Irrigation Turnout*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13257; 13258; 20399

AU_ID: 2311_04 *From the Ward Two Irrigation Turnout upstream to US Hwy 80 (Bus 20)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13259; 13260

AU_ID: 2311_05 *From US Hwy 80 (Bus 20) upstream to the Barstow Dam*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13261

AU_ID: 2311_06 *From the Barstow Dam upstream to State Hwy 302*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

AU_ID: 2311_07 *From State Hwy 302 upstream to FM 652*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13264

AU_ID: 2311_08 *From FM 652 upstream to the Red Bluff Dam*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13265

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 2312 Red Bluff Reservoir

From Red Bluff Dam in Loving/Reeves County to New Mexico State Line in Loving/Reeves County, up to normal pool elevation 2842 feet (impounds Pecos River)

Segment Type Reservoir

AU_ID: 2312_01 From the Red Bluff Dam to mid-lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s):

AU_ID: 2312_02 From mid-lake to the Texas/New Mexico state line

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s):

SegID: 2313 San Felipe Creek

From the confluence with the Rio Grande in Val Verde County to a point 4.0 km (2.5 miles) upstream of US 90 in Val Verde County

Segment Type Freshwater Stream

AU_ID: 2313_01 From the Rio Grande confluence to the San Felipe Springs upstream of US Hwy 90

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s):

SegID: 2314 Rio Grande Above International Dam

From International Dam in El Paso County to the New Mexico State Line in El Paso County

Segment Type Freshwater Stream

AU_ID: 2314_01 From the International Dam upstream to the Anthony Drain confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s):

AU_ID: 2314_02 From the Anthony Drain confluence upstream to the New Mexico/Texas state line

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s):

SegID: 2411 Sabine Pass

From the end of jetties at the Gulf of Mexico to SH 82

Segment Type Estuary

AU_ID: 2411_01 From the end of jetties at the Gulf of Mexico to SH 82

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s):

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 2411OW Sabine Pass (Oyster Waters)

Sabine Pass (Oyster Waters)

Segment Type Oyster Water

AU_ID: 2411OW_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Water	Water body description	High	Presumption from Flow Type

Station ID(s): No Stations

SegID: 2412 Sabine Lake

Sabine Lake

Segment Type Estuary

AU_ID: 2412_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A

Station ID(s): 13300; 13301; 13302; 14514

SegID: 2412OW Sabine Lake (Oyster Waters)

Sabine Lake (Oyster Waters)

Segment Type Oyster Water

AU_ID: 2412OW_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Water	Water body description	High	Presumption from Flow Type

Station ID(s): No Stations

SegID: 2421 Upper Galveston Bay

From the Lower Galveston Bay confluence to SH 146

Segment Type Estuary

AU_ID: 2421_01 Red Bluff to Five Mile Cut to Houston Point to Morgans Point

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A

Station ID(s): 13308; 13309; 14561; 14580; 15244; 15904; 15907; 16201; 16203; 16503

AU_ID: 2421_02 Western portion of the bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A

Station ID(s): 13305; 14546; 14555; 14556; 14560; 14562; 14563; 14565; 14570; 14571; 14572; 14581; 14582; 14598; 15243; 15245; 15246; 15247; 15464; 15903; 15908; 15913; 16208; 16213; 16230; 16507; 16511; 16516

AU_ID: 2421_03 Eastern portion of the bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A

Station ID(s): 13303; 14554; 14557; 14566; 14569; 15242; 15906; 15909; 15910; 15911; 16207; 16209; 16215; 16510; 16512; 17091

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 2421A Clear Lake Channel

Clear Lake Channel

Segment Type Estuary

AU_ID: 2421A_01 From Lower Galveston Bay confluence to SH 146

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	Water body description	High	Presumption from Flow Type

Station ID(s): 16563

SegID: 2421B Little Cedar Bayou

From the confluence with Upper Galveston Bay to a point immediately upstream of Barbours Cut Blvd in La Porte

Segment Type Tidal Stream

AU_ID: 2421B_01 From the confluence with Galveston Bay to a point immediately upstream of Barbours Cut Blvd in La Porte

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type

Station ID(s): 20802

SegID: 2421OW Upper Galveston Bay (Oyster Waters)

Upper Galveston Bay (Oyster Waters)

Segment Type Oyster Water

AU_ID: 2421OW_01 Entire western portion of the bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Water	Water body description	High	Presumption from Flow Type

Station ID(s): No Stations

AU_ID: 2421OW_02 Eastern portion of the bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Water	Water body description	High	Presumption from Flow Type

Station ID(s): No Stations

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 2422 Trinity Bay

Trinity Bay

Segment Type Estuary

AU_ID: 2422_01 Upper half of bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A
Station ID(s):	13314; 13315; 14542; 14548; 14549; 15234; 15235; 15236; 15237; 15238; 15896; 15898; 15899; 15900; 15901; 16194; 16196; 16197; 16198; 16199; 16200; 16202; 16495; 16497; 16498; 16500; 16501; 16502; 16504; 17092		

AU_ID: 2422_02 Lower half of bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A
Station ID(s):	14398; 14538; 14539; 14540; 14541; 14543; 14544; 14545; 14547; 15239; 15240; 15241; 15902; 15905; 16204; 16206; 16210; 16505; 16506; 16509; 16838; 17093; 17094; 17973		

SegID: 2422B Double Bayou West Fork

From the Trinity Bay confluence to Belton Road in Chambers County

Segment Type Tidal Stream

AU_ID: 2422B_01 From the Trinity Bay confluence to Belton Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type
Station ID(s):	10657; 18361; 20016; 20288		

SegID: 2422D Double Bayou East Fork

From the Trinity Bay confluence to a point 2.6 km (1.6 mi) upstream of SH 65

Segment Type Tidal Stream

AU_ID: 2422D_01 From the Trinity Bay confluence to a point 2.6 km (1.6 mi) upstream of SH 65

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type
Station ID(s):	10658		

SegID: 2422OW Trinity Bay (Oyster Waters)

Trinity Bay (Oyster Waters)

Segment Type Oyster Water

AU_ID: 2422OW_01 Upper portion of the bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Water	Water body description	High	Presumption from Flow Type
Station ID(s):	No Stations		

AU_ID: 2422OW_02 Lower portion of the bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Water	Water body description	High	Presumption from Flow Type
Station ID(s):	No Stations		

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 2423 East Bay

East Bay

Segment Type Estuary

AU_ID: 2423_01 Area adjacent to the ICWW (Segment 0702)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A

Station ID(s): 14528; 14530; 15912; 16212; 16513

AU_ID: 2423_02 Remainder of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A

Station ID(s): 13320; 14522; 14523; 14524; 14525; 14526; 14527; 14529; 14531; 14532; 14535; 14536; 14559; 15229; 15230; 15231; 15914; 15916; 15917; 16211; 16214; 16216; 16514; 16515; 17081

SegID: 2423A Oyster Bayou

From the East Bay confluence to a point 2.2 km (1.4 mi) upstream from SH 65 in Chambers County

Segment Type Tidal Stream

AU_ID: 2423A_01 From the East Bay confluence to a point 2.2 km (1.4 mi) upstream from SH 65

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type

Station ID(s): 10655

SegID: 2423OW East Bay (Oyster Waters)

East Bay (Oyster Waters)

Segment Type Oyster Water

AU_ID: 2423OW_01 East end of bay adjacent to the ICWW and East Bay Bayou

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Water	Water body description	High	Presumption from Flow Type

Station ID(s): No Stations

AU_ID: 2423OW_02 Remainder of the bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Water	Water body description	High	Presumption from Flow Type

Station ID(s): No Stations

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 2424 West Bay

West Bay

Segment Type Estuary

AU_ID: 2424_01 *Main portion of water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A
Station ID(s):	13325; 14606; 14607; 14609; 14610; 14611; 14612; 14614; 14615; 14616; 14618; 14619; 15227; 15228; 15927; 15928; 15929; 15930; 16226; 16227; 16229; 16529; 16530; 16531; 16565; 16566; 16567; 16568; 16840; 16843		

AU_ID: 2424_02 *Area adjacent to Lower Galveston Island*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A
Station ID(s):	13321; 14608; 14617; 14620; 14621; 14622; 14623; 15226; 15456; 16569; 16670; 16839; 16841; 16842; 16844		

SegID: 2424A Highland Bayou

From Jones Bay confluence to Avenue Q 0.8 km (0.5 mi) north of SH 6 between Arcadia and Alta Loma in Galveston County

Segment Type Tidal Stream

AU_ID: 2424A_01 *From the Jones Bay confluence upstream to Bayou Lane*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Routine Flow Data	High	Presumption from Flow Type
Station ID(s):	16488; 20006		

AU_ID: 2424A_02 *From Bayou Lane upstream to Lake Road*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type
Station ID(s):	16562; 20005		

AU_ID: 2424A_03 *From Lake Road upstream to FM 519*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type
Station ID(s):	11415; 20004		

AU_ID: 2424A_04 *From FM 519 upstream to FM 2004*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type
Station ID(s):	15941; 20189		

AU_ID: 2424A_05 *From FM 2004 to the headwaters just west of FM 1764*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type
Station ID(s):	16491; 20873		

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 2424B Lake Madeline

Located between Jones Street, Stewart Street and Pine Street, north of the seawall on Galveston Island

Segment Type Estuary

AU_ID: 2424B_01 *Between Jones Street, Stewart Street and Pine Street, north of the seawall on Galveston Island*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	Water body description	High	Presumption from Flow Type

Station ID(s): 16564

SegID: 2424C Marchand Bayou

From Highland Bayou confluence to 0.72 km (0.45 mi) north of IH 45 in Galveston County

Segment Type Tidal Stream

AU_ID: 2424C_01 *From Highland Bayou confluence 0.72 km (0.45 mi) north of IH-45*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type

Station ID(s): 16490; 20007

SegID: 2424D Offatts Bayou

Located on the east end of Galveston Island, running parallel with the southern terminus of IH 45, and joins West Bay near Teichman Point

Segment Type Estuary

AU_ID: 2424D_01 *Upper area bordered by SH 342 and 71st Street*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	Water body description	High	Presumption from Flow Type

Station ID(s): 14641; 14645; 16494

AU_ID: 2424D_02 *Middle area bordered by 71st Street and Walsh Street*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	Water body description	High	Presumption from Flow Type

Station ID(s): 13322; 16560

AU_ID: 2424D_03 *Lower area bordered by Walsh Street and Techmann Point*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	Water body description	High	Presumption from Flow Type

Station ID(s): 16561

SegID: 2424E English Bayou

Between IH 45, Bayou Shore Drive, South Shore Rear and SH 342 on Galveston Island

Segment Type Estuary

AU_ID: 2424E_01 *Entire segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	Water body description	High	Presumption from Flow Type

Station ID(s): 16559; 18695

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 2424G Highland Bayou Diversion Canal

From the confluence with an unnamed tributary adjacent to Jones Bay upstream to the Highland Bayou confluence

Segment Type Tidal Stream

AU_ID: 2424G_01 From the confluence with an unnamed tributary adjacent to Jones Bay upstream to the Highland Bayou confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type

Station ID(s): 18593

SegID: 2424OW West Bay (Oyster Waters)

West Bay (Oyster Waters)

Segment Type Oyster Water

AU_ID: 2424OW_01 Main portion of bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Water	Water body description	High	Presumption from Flow Type

Station ID(s): No Stations

AU_ID: 2424OW_02 Area adjacent to Lower Galveston Bay and Galveston Island

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Water	Water body description	High	Presumption from Flow Type

Station ID(s): No Stations

SegID: 2424SP Galveston Island State Park (Recreational Beaches)

Galveston Island State Park (Recreational Beaches)

Segment Type Beach

AU_ID: 2424SP_01 Galveston Island State Park Backside (Beach ID TX226514)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Beach	Water body description	not available	not available

Station ID(s): No Stations

SegID: 2425 Clear Lake

Clear Lake

Segment Type Estuary

AU_ID: 2425_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A

Station ID(s): 13332; 13335; 16571; 16671; 20014

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 2425A Taylor Lake

From the Clear Lake confluence to the Taylor Bayou confluence near Red Bluff Road in Galveston County

Segment Type Estuary

AU_ID: 2425A_01 From the Clear Lake confluence to the Taylor Bayou confluence near Red Bluff Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 20015

SegID: 2425B Jarbo Bayou

From Clear Lake confluence with Clear Lake to 1.1 km (0.67 mi) upstream of FM 518 in Galveston County

Segment Type Tidal Stream

AU_ID: 2425B_01 From the Clear Lake confluence upstream to Lawrence Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type

Station ID(s): 16476

AU_ID: 2425B_02 From Lawrence Road to the headwaters 1.1 km (0.67 mi) upstream of FM 518

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type

Station ID(s): 16485

SegID: 2425D Taylor Bayou

From the Taylor Lake confluence to a point 4.6 km (2.8 mi) upstream of State Hwy 146

Segment Type Tidal Stream

AU_ID: 2425D_01 From the Taylor Lake confluence to a point 4.6 km (2.8 mi) upstream of State Hwy 146

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type

Station ID(s): 20013

SegID: 2425E Harris County Flood Control Ditch A

From the Taylor Bayou confluence to a point 0.28 km (0.17 mi) downstream of Fairmont Parkway

Segment Type Tidal Stream

AU_ID: 2425E_01 From the Taylor Bayou confluence to a point 0.28 km (0.17 mi) downstream of Fairmont Parkway

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type

Station ID(s): 20012

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 2426 Tabbs Bay

Tabbs Bay

Segment Type Estuary

AU_ID: 2426_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A

Station ID(s): 13336; 13337; 13338; 17926

SegID: 2426C Goose Creek Tidal

From the Tabbs Bay confluence upstream to the East Fork of Goose Creek confluence

Segment Type Tidal Stream

AU_ID: 2426C_01 From the Tabbs Bay confluence upstream to the East Fork of Goose Creek confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type

Station ID(s): 11092; 17927

SegID: 2427 San Jacinto Bay

San Jacinto Bay

Segment Type Estuary

AU_ID: 2427_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A

Station ID(s): 13339; 16499; 17923; 17924

SegID: 2428 Black Duck Bay

Black Duck Bay

Segment Type Estuary

AU_ID: 2428_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A

Station ID(s): 13340; 13341

SegID: 2429 Scott Bay

Scott Bay

Segment Type Estuary

AU_ID: 2429_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A

Station ID(s): 13342; 17922; 17971

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 2430 Burnett Bay

Burnett Bay

Segment Type Estuary

AU_ID: 2430_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A

Station ID(s): 13343; 13344; 16496; 17920

SegID: 2430A Crystal Bay

Crystal Bay, a side bay of Burnett Bay, located between Burnett and Scott (Segment 2429) Bays adjacent to the San Jacinto Monument and Houston Ship Channel (Segment 1005)

Segment Type Estuary

AU_ID: 2430A_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	Water body description	High	Presumption from Flow Type

Station ID(s): 17921

SegID: 2431 Moses Lake

Moses Lake

Segment Type Estuary

AU_ID: 2431_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A

Station ID(s): 13345; 16551; 16552

SegID: 2431A Moses Bayou

From Moses Lake confluence to 2.2 km (1.4 mi) upstream of SH 3 in Galveston County

Segment Type Tidal Stream

AU_ID: 2431A_01 From Moses Lake confluence to 2.2 km (1.4 mi) upstream of SH 3

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type

Station ID(s): 11400; 17910

SegID: 2431C Unnamed Tributary to the Southern Arm of Moses Lake (West)

From the confluence with the southern arm (west) of Moses Lake to a point 0.45 miles upstream of State Highway 3 near La Marque

Segment Type Tidal Stream

AU_ID: 2431C_01 From the confluence with the southern arm (west) of Moses Lake to a point 0.45 miles upstream of State Highway 3 near La Marque

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type

Station ID(s): 18592

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 2431D Unnamed Tributary to the Southern Arm of Moses Lake (East)

From the confluence with the southern arm (east) of Moses Lake to a point 0.6 miles upstream of State Highway 146 in Texas City

Segment Type Tidal Stream

AU_ID: 2431D_01 From the confluence with the southern arm (east) of Moses Lake to a point 0.6 miles upstream of State Highway 146 in Texas City

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type

Station ID(s): 20871

SegID: 2432 Chocolate Bay

Chocolate Bay

Segment Type Estuary

AU_ID: 2432_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A

Station ID(s): 13346; 13347; 15180; 16228; 17085; 17086

SegID: 2432A Mustang Bayou

From the New Bayou confluence upstream to an unnamed tributary 0.3 km (0.19 mi) upstream of State Hwy 35 to an unnamed tributary downstream of Cartwright Road

Segment Type Freshwater Stream

AU_ID: 2432A_01 From the New Bayou confluence upstream to County Road 166

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Water body description	High	Presumption from Flow Type

Station ID(s): 11423; 17959

AU_ID: 2432A_02 From County Road 166 upstream to an unnamed trib 0.3 km upstream of SH 35.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 18554

AU_ID: 2432A_03 From an unnamed trib 0.3 km upstream of State Hwy 35 upstream to an unnamed tributary downstream of Cartwright Road.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Water body description	High	Presumption from Flow Type

Station ID(s): 18551; 18552; 18553; 20011

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 2432B Willow Bayou

From the Halls Bayou confluence to a point 9.7 km (6 mi) upstream.

Segment Type Freshwater Stream

AU_ID: 2432B_01 From the Halls Bayou confluence to a point 9.7 km (6 mi) upstream.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 17912; 18668

SegID: 2432C Halls Bayou Tidal

From the Chocolate Bay confluence upstream to a point 31.5 km (19.6 mi) upstream

Segment Type Tidal Stream

AU_ID: 2432C_01 From the Chocolate Bay confluence upstream to a point 31.5 km (19.6 mi) upstream

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	WQS/Permits program	High	Presumption from Flow Type

Station ID(s): 11422; 17565; 17566; 17624; 17625; 17626; 17627

SegID: 2432D Persimmon Bayou

From the New Bayou confluence upstream to the Mustang Bayou confluence

Segment Type Freshwater Stream

AU_ID: 2432D_01 From the New Bayou confluence upstream to the confluence with Mustang Bayou

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 17913

SegID: 2432E New Bayou

From the Chocolate Bay confluence upstream 25.4 km (15.8 mi) to an unnamed tributary

Segment Type Freshwater Stream

AU_ID: 2432E_01 From the Chocolate Bay confluence upstream 25.4 km (15.8 mi) to an unnamed tributary

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 17911; 17958

SegID: 2432OW Chocolate Bay (Oyster Waters)

Chocolate Bay (Oyster Waters)

Segment Type Oyster Water

AU_ID: 2432OW_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Water	Water body description	High	Presumption from Flow Type

Station ID(s): No Stations

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 2433OW Bastrop Bay/Oyster Lake (Oyster Waters)

Bastrop Bay/Oyster Lake (Oyster Waters)

Segment Type Oyster Water

AU_ID: 2433OW_01 Bastrop Bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Water	Water body description	High	Presumption from Flow Type

Station ID(s): *AU_ID: 2433OW_02 Oyster Lake*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Water	Water body description	High	Presumption from Flow Type

Station ID(s):

SegID: 2434 Christmas Bay

Christmas Bay

Segment Type Estuary

AU_ID: 2434_02 Remainder of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A

Station ID(s):

SegID: 2434OW Christmas Bay (Oyster Waters)

Christmas Bay (Oyster Waters)

Segment Type Oyster Water

AU_ID: 2434OW_01 Area adjacent to West Bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Water	Water body description	High	Presumption from Flow Type

Station ID(s): *AU_ID: 2434OW_02 Remainder of Christmas Bay*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Water	Water body description	High	Presumption from Flow Type

Station ID(s):

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 2435OW Drum Bay (Oyster Waters)

Drum Bay (Oyster Waters)

Segment Type Oyster Water

AU_ID: 2435OW_01 Area adjacent to Christmas Bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Water	Water body description	High	Presumption from Flow Type

Station ID(s): No Stations

AU_ID: 2435OW_02 Remainder of Drum Bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Water	Water body description	High	Presumption from Flow Type

Station ID(s): No Stations

SegID: 2436 Barbours Cut

Barbours Cut

Segment Type Estuary

AU_ID: 2436_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A

Station ID(s): 13355; 17925; 17970

SegID: 2437 Texas City Ship Channel

Texas City Ship Channel

Segment Type Estuary

AU_ID: 2437_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A

Station ID(s): 13361; 14592; 16546; 16547; 16548; 16549; 16550; 17424

SegID: 2438 Bayport Channel

Bayport Channel

Segment Type Estuary

AU_ID: 2438_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A

Station ID(s): 13363; 13589; 16508

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 2439 Lower Galveston Bay

Lower Galveston Bay

Segment Type Estuary

AU_ID: 2439_01 Area adjacent to the Texas City Ship Channel and Moses Lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A
Station ID(s):	13366; 14568; 14573; 14574; 14576; 14577; 14578; 14584; 14587; 14588; 14593; 14884; 15219; 15224; 15225; 15919; 16218; 16220; 16519; 16525; 17969		

AU_ID: 2439_02 Main portion of the bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A
Station ID(s):	13364; 13367; 13369; 13372; 14533; 14534; 14558; 14564; 14567; 14575; 14591; 14594; 14595; 14596; 14597; 15215; 15216; 15217; 15218; 15220; 15221; 15222; 15223; 15232; 15915; 15918; 15920; 15921; 15922; 15923; 15924; 15925; 15926; 16217; 16219; 16221; 16222; 16223; 16224; 16225; 16517; 16518; 16520; 16521; 16522; 16523; 16524; 16526; 16527; 16528; 16545; 16553; 16554; 16555; 16556; 17080; 17972; 18626; 18627; 18628; 18629; 18630; 18631; 18632		

SegID: 2439OW Lower Galveston Bay (Oyster Waters)

Lower Galveston Bay (Oyster Waters)

Segment Type Oyster Water

AU_ID: 2439OW_01 Area adjacent to the Texas City Ship Channel and Moses Lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Water	Water body description	High	Presumption from Flow Type
Station ID(s):	No Stations		

AU_ID: 2439OW_02 Main portion of the bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Water	Water body description	High	Presumption from Flow Type
Station ID(s):	No Stations		

SegID: 2439TC Texas City Dike (Recreational Beaches)

Texas City Dike (Recreational Beaches)

Segment Type Beach

AU_ID: 2439TC_01 Texas City Dike (Beach ID TX164090)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Beach	Water body description	not available	not available
Station ID(s):	No Stations		

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 2441 East Matagorda Bay

East Matagorda Bay

Segment Type Estuary

AU_ID: 2441_02 Remainder of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 13375; 14660; 14661; 14662; 14663; 14664; 14665; 14666; 16846; 18378

SegID: 2441OW East Matagorda Bay (Oyster Waters)

East Matagorda Bay (Oyster Waters)

Segment Type Oyster Water

AU_ID: 2441OW_01 Caney Creek arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Water	Water body description	High	Presumption from Flow Type

Station ID(s): No Stations

AU_ID: 2441OW_02 Remainder of bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Water	Water body description	High	Presumption from Flow Type

Station ID(s): No Stations

SegID: 2442OW Cedar Lakes (Oyster Waters)

Cedar Lakes (Oyster Waters)

Segment Type Oyster Water

AU_ID: 2442OW_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Water	Water body description	High	Presumption from Flow Type

Station ID(s): No Stations

SegID: 2451 Matagorda Bay/Powderhorn Lake

Matagorda Bay/Powderhorn Lake

Segment Type Estuary

AU_ID: 2451_01 Northern end of Matagorda Bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 14953; 17354; 18395; 18397

AU_ID: 2451_02 Remainder of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 13377; 13378; 13379; 14670; 14671; 14672; 14673; 14674; 14675; 14678; 14679; 14725; 14726; 14727; 14728; 14729; 14730; 14743; 16847; 17096; 17098; 17974

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 2451OW Matagorda Bay/Powderhorn Lake (Oyster Waters)

Matagorda Bay/Powderhorn Lake (Oyster Waters)

Segment Type Oyster Water

AU_ID: 2451OW_01 Entire Bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Water	Water body description	High	Presumption from Flow Type

Station ID(s): **SegID: 2452 Tres Palacios Bay/Turtle Bay**

Tres Palacios Bay/Turtle Bay

Segment Type Estuary

AU_ID: 2452_01 Main portion of bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): *AU_ID: 2452_03 Tres Palacios Creek Arm*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): **SegID: 2452A Tres Palacios Harbor**

Tres Palacios Harbor

Segment Type Estuary

AU_ID: 2452A_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	Water body description	High	Presumption from Flow Type

Station ID(s): **SegID: 2452OW Tres Palacios Bay/Turtle Bay (Oyster Waters)**

Tres Palacios Bay/Turtle Bay (Oyster Waters)

Segment Type Oyster Water

AU_ID: 2452OW_01 Turtle Bay and Tres Palacios Creek Arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Water	Water body description	High	Presumption from Flow Type

Station ID(s): *AU_ID: 2452OW_02 Main portion of bay*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Water	Water body description	High	Presumption from Flow Type

Station ID(s):

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 2452TP Tres Palacios (Recreational Beaches)

Tres Palacios (Recreational Beaches)

Segment Type Beach*AU_ID: 2452TP_01 Palacios Pavilion (Beach ID TX784742)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Beach	Water body description	not available	not available

Station ID(s): No Stations

SegID: 2453 Lavaca Bay/Chocolate Bay

Lavaca Bay/Chocolate Bay

Segment Type Estuary*AU_ID: 2453_01 Center portion of bay*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 13383; 13384; 14133; 14134; 14704; 14705; 14711; 14714; 14717; 14718; 14721; 14885; 17418; 17554; 17555; 17557; 17559; 17560; 17562; 17563; 17853; 18633

AU_ID: 2453_02 North-northeastern portion of the bay near Point Comfort

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 13563; 14121; 14130; 14707; 14708; 14709; 14710; 14712; 14713; 14720; 17552; 17553; 17556

AU_ID: 2453_03 Chocolate Bay area

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 14701; 14702; 14724; 14886; 17558; 17561

SegID: 2453A Garcitas Creek Tidal

From the Lavaca Bayou confluence to a point 13.7 km (8.5 mi) upstream of FM 616 in Jackson County

Segment Type Tidal Stream*AU_ID: 2453A_01 From the Lavaca Bay confluence to a point 13.7 km (8.5 mi) upstream of FM 616*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	WQS/Permits program	High	Previous TCEQ Permit Decision

Station ID(s): 17883; 17884; 17885

SegID: 2453C Arenosa Creek

From Garcitas Creek confluence upstream to J-2 Ranch Road

Segment Type Tidal Stream*AU_ID: 2453C_01 From Garcitas Creek confluence upstream to J-2 Ranch Road*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type

Station ID(s): 13295

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 2453D Lavaca Bay Ship Channel Area

Lavaca Bay Ship Channel Area

Segment Type Estuary

AU_ID: 2453D_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	Water body description	High	Presumption from Flow Type

Station ID(s): 13385; 14394; 14703; 14706; 17857

SegID: 2453OW Lavaca Bay/Chocolate Bay (Oyster Waters)

Lavaca Bay/Chocolate Bay (Oyster Waters)

Segment Type Oyster Water

AU_ID: 2453OW_01 Center portion of bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Water	Water body description	High	Presumption from Flow Type

Station ID(s): No Stations

AU_ID: 2453OW_02 North-northeastern portion of the bay near Point Comfort

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Water	Water body description	High	Presumption from Flow Type

Station ID(s): No Stations

AU_ID: 2453OW_03 Chocolate Bay area

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Water	Water body description	High	Presumption from Flow Type

Station ID(s): No Stations

SegID: 2454 Cox Bay

Cox Bay

Segment Type Estuary

AU_ID: 2454_01 North end of bay near Cox Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): No Stations

AU_ID: 2454_02 Remainder of Cox Bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 13386; 14719; 17564

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 2454A Cox Lake

From the Cox Lake dam located 4.0 km (2.5 mi) southeast of Point Comfort in Calhoun County to the Calhoun/Jackson County line

Segment Type Estuary

AU_ID: 2454A_01 From the Cox Lake dam located 4.0 km (2.5 mi) southeast of Point Comfort to the Calhoun/Jackson County line

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 12514

SegID: 2454OW Cox Bay (Oyster Waters)

Cox Bay (Oyster Waters)

Segment Type Oyster Water

AU_ID: 2454OW_01 North end of bay near Cox Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Water	Water body description	High	Presumption from Flow Type

Station ID(s): No Stations

AU_ID: 2454OW_02 Remainder of Cox Bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Water	Water body description	High	Presumption from Flow Type

Station ID(s): No Stations

SegID: 2455 Keller Bay

Keller Bay

Segment Type Estuary

AU_ID: 2455_02 Remainder of Keller Bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 13387; 14722; 14723

SegID: 2455OW Keller Bay (Oyster Waters)

Keller Bay (Oyster Waters)

Segment Type Oyster Water

AU_ID: 2455OW_01 Upper arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Water	Water body description	High	Presumption from Flow Type

Station ID(s): No Stations

AU_ID: 2455OW_02 Remainder of Keller Bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Water	Water body description	High	Presumption from Flow Type

Station ID(s): No Stations

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 2456 Carancahua Bay

Carancahua Bay

Segment Type Estuary

AU_ID: 2456_02 Upper half of bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 13388; 13390; 14698; 14699; 14700; 17882

SegID: 2456A West Carancahua Creek Tidal

From the Carancahua Bay confluence to Jackson CR 440, 10.1 km (6.3 mi) upstream of FM 616 in Jackson County

Segment Type Tidal Stream

AU_ID: 2456A_01 From the Carancahua Bay confluence to Jackson CR 440, 10.1 km (6.3 mi) upstream of FM 616 in Jackson County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type

Station ID(s): 13293; 17873; 17876

SegID: 2456OW Carancahua Bay (Oyster Waters)

Carancahua Bay (Oyster Waters)

Segment Type Oyster Water

AU_ID: 2456OW_01 Lower portion of bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Water	Water body description	High	Presumption from Flow Type

Station ID(s): No Stations

AU_ID: 2456OW_02 Upper portion of bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Water	Water body description	High	Presumption from Flow Type

Station ID(s): No Stations

SegID: 2461 Espiritu Santo Bay

Espiritu Santo Bay

Segment Type Estuary

AU_ID: 2461_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 13396; 14731; 14732; 14733; 14735; 14951

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 2461OW Espiritu Santo Bay (Oyster Waters)

Espiritu Santo Bay (Oyster Waters)

Segment Type Oyster Water

AU_ID: 2461OW_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Water	Water body description	High	Presumption from Flow Type

Station ID(s): No Stations

SegID: 2462 San Antonio Bay/Hynes Bay/Guadalupe Bay

San Antonio Bay/Hynes Bay/Guadalupe Bay

Segment Type Estuary

AU_ID: 2462_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 13397; 14737; 14738; 14739; 14740; 14741; 14742; 14747; 14749; 14751; 14752; 14753; 14754; 14755; 14882; 14891; 14956; 18216; 18217; 18266

SegID: 2462OW San Antonio Bay/Hynes Bay/Guadalupe Bay (Oyster Waters)

San Antonio Bay/Hynes Bay/Guadalupe Bay (Oyster Waters)

Segment Type Oyster Water

AU_ID: 2462OW_01 Guadalupe Bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Water	Water body description	High	Presumption from Flow Type

Station ID(s): No Stations

AU_ID: 2462OW_02 Hynes Bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Water	Water body description	High	Presumption from Flow Type

Station ID(s): No Stations

AU_ID: 2462OW_03 San Antonio Bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Water	Water body description	High	Presumption from Flow Type

Station ID(s): No Stations

SegID: 2463 Mesquite Bay/Carlos Bay/Ayres Bay

Mesquite Bay/Carlos Bay/Ayres Bay

Segment Type Estuary

AU_ID: 2463_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 13400; 14756; 14757; 18220; 18224; 18225; 18227; 18296

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 2463OW Mesquite Bay/Carlos Bay/Ayres Bay (Oyster Waters)

Mesquite Bay/Carlos Bay/Ayres Bay (Oyster Waters)

Segment Type Oyster Water

AU_ID: 2463OW_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Water	Water body description	High	Presumption from Flow Type

Station ID(s): No Stations

SegID: 2471 Aransas Bay

Aransas Bay

Segment Type Estuary

AU_ID: 2471_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 13402; 14758; 14760; 14761; 14762; 14763; 14764; 14765; 14767; 14768; 14771; 14773; 14777; 16492; 16848; 18228; 18230; 18231; 18232; 18268; 18269; 18270; 18271; 18272; 18273; 18275

SegID: 2471A Little Bay

Located between Aransas Bay (Segment 2471) on the east side and Broadway Street in Rockport on the west side and Rockport Beach on the south side in Aransas County

Segment Type Estuary

AU_ID: 2471A_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	Water body description	High	Presumption from Flow Type

Station ID(s): 16232

SegID: 2471OW Aransas Bay (Oyster Waters)

Aransas Bay (Oyster Waters)

Segment Type Oyster Water

AU_ID: 2471OW_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Water	Water body description	High	Presumption from Flow Type

Station ID(s): No Stations

SegID: 2471RB Rockport (Recreational Beaches)

Rockport (Recreational Beaches)

Segment Type Beach

AU_ID: 2471RB_01 Rockport Beach Park (Beach ID TX748844)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Beach	Water body description	High	Presumption from Flow Type

Station ID(s): No Stations

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 2472 Copano Bay/Port Bay/Mission Bay

Copano Bay/Port Bay/Mission Bay

Segment Type Estuary

AU_ID: 2472_02 Copano Bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A
Station ID(s):	12945; 13404; 13405; 14779; 14780; 14781; 14782; 14783; 14784; 14785; 14786; 14787; 14788; 14790; 14792; 14793; 14797; 17701; 17702; 17703; 17714; 17715; 17716; 17717; 17718; 17719; 17720; 17721; 17722; 17723; 17724; 17725; 17726; 17727; 17728; 17739; 17740; 17741; 18221; 18223; 18226; 18229; 18267		

SegID: 2472OW Copano Bay/Port Bay/Mission Bay (Oyster Waters)

Copano Bay/Port Bay/Mission Bay (Oyster Waters)

Segment Type Oyster Water

AU_ID: 2472OW_01 Mission Bay, Aransas River arm, Port Bay, and eastern shoreline

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Water	Water body description	High	Presumption from Flow Type
Station ID(s):	No Stations		

AU_ID: 2472OW_02 Copano Bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Water	Water body description	High	Presumption from Flow Type
Station ID(s):	No Stations		

SegID: 2473 St. Charles Bay

St. Charles Bay

Segment Type Estuary

AU_ID: 2473_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A
Station ID(s):	13406; 14776; 15004; 17692; 18218; 18219; 18222		

SegID: 2473OW St. Charles Bay (Oyster Waters)

St. Charles Bay (Oyster Waters)

Segment Type Oyster Water

AU_ID: 2473OW_01 Remainder of Bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Water	Water body description	High	Presumption from Flow Type
Station ID(s):	No Stations		

AU_ID: 2473OW_02 Southwest corner of St Charles Bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Water	Water body description	High	Presumption from Flow Type
Station ID(s):	No Stations		

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 2481 Corpus Christi Bay

Corpus Christi Bay

Segment Type Estuary

AU_ID: 2481_01 *From the Corpus Christi Ship Channel east to Pelican Island, from Pelican Island south to Demit Island including the La Quinta Channel and the Corpus Christi Ship Channel adjacent to Redfish Bay*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A
Station ID(s):	13407; 13409; 13410; 13419; 14822; 14823; 14824; 14825; 14826; 14827; 14828; 14829; 14830; 14979; 16854; 17747; 17748; 17749; 17750; 17751; 17752; 17753; 17754; 17755; 17756; 17757; 17759; 17760; 17769; 17770; 17771; 17772; 17776; 17780; 17785; 17786; 17788; 17790; 17791; 18237; 18239; 18240; 18250; 18277; 18451		

AU_ID: 2481_02 *From the Corpus Christi Ship Channel east to Pelican Island, from Pelican Island south to Demit Island including the area from the Corpus Christi Ship Channel to Demit Island (Oso Bay and City of Corpus Christi area)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A
Station ID(s):	13411; 14818; 14819; 14820; 14821; 14955; 17758; 17762; 17763; 17764; 17765; 17766; 17767; 17768; 17773; 17774; 17775; 17777; 17778; 17779; 17781; 17782; 17783; 17784; 17787; 17789; 17792; 17793; 17794; 18241; 18242; 18243; 18246; 18280; 18281; 18282		

AU_ID: 2481_03 *From Pelican Island south to Demit Island, from Demit Island to Mustang Island and the area along Mustang Island State Park to the Corpus Christi Ship Channel*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A
Station ID(s):	14355; 14469; 16853; 17761; 18244; 18245; 18247		

AU_ID: 2481_04 *From the JFK Causeway to a line from Demit Island across to Mustang Island State Park*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A
Station ID(s):	16849; 16850; 16851; 16852; 17099; 18061; 18062; 18063; 18064; 18065; 18279; 18284		

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 2481CB Corpus Christi Bay (Recreational Beaches)

Corpus Christi Bay (Recreational Beaches)

Segment Type Beach

AU_ID: 2481CB_01 Corpus Christi Marina (Beach ID TX305317)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Beach	Water body description	not available	not available

Station ID(s): No Stations

AU_ID: 2481CB_02 Corpus Christi Beach - Main (Beach ID TX546628)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Beach	Water body description	not available	not available

Station ID(s): No Stations

AU_ID: 2481CB_03 Cole Park (Beach ID TX259473)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Beach	Water body description	not available	not available

Station ID(s): No Stations

AU_ID: 2481CB_04 Ropes Park (Beach ID TX821303)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Beach	Water body description	not available	not available

Station ID(s): No Stations

AU_ID: 2481CB_05 McGee Beach (Beach ID TX536781)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Beach	Water body description	not available	not available

Station ID(s): No Stations

AU_ID: 2481CB_06 Poenisch Park (Beach ID TX682648)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Beach	Water body description	not available	not available

Station ID(s): No Stations

AU_ID: 2481CB_07 Emerald Beach (TX199413)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Beach	Water body description	not available	not available

Station ID(s): No Stations

AU_ID: 2481CB_08 University Beach (Beach ID TX495569)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Beach	Water body description	not available	not available

Station ID(s): No Stations

AU_ID: 2481CB_09 Packery Channel Park (Beach ID TX227625)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Beach	Water body description	not available	not available

Station ID(s): No Stations

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 2481OW Corpus Christi Bay (Oyster Waters)

Corpus Christi Bay (Oyster Waters)

Segment Type Oyster Water

AU_ID: 2481OW_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Water	Water body description	High	Presumption from Flow Type

Station ID(s): No Stations

SegID: 2482 Nueces Bay

Nueces Bay

Segment Type Estuary

AU_ID: 2482_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 13420; 13421; 13422; 13423; 13424; 13425; 14831; 14832; 14833; 14834; 14835; 14836; 17729; 17730; 17731; 17732; 17733; 17734; 17736; 17737; 17738; 17813; 17815; 17817; 18234; 18235; 18238; 18276; 18278; 18365; 18866

SegID: 2482NB Nueces Bay (Recreational Beaches)

Nueces Bay (Recreational Beaches)

Segment Type Beach

AU_ID: 2482NB_01 Nueces Bay Causeway # 3 (Beach ID TX 139394)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Beach	Water body description	not available	not available

Station ID(s): No Stations

SegID: 2482OW Nueces Bay (Oyster Waters)

Nueces Bay (Oyster Waters)

Segment Type Oyster Water

AU_ID: 2482OW_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Water	Water body description	High	Presumption from Flow Type

Station ID(s): No Stations

SegID: 2483 Redfish Bay

Redfish Bay

Segment Type Estuary

AU_ID: 2483_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 13426; 14801; 14803; 14805; 14806; 14808; 14810; 14812; 14813; 14815; 14816; 14817; 16855; 17693; 17694; 17695; 17696; 17697; 17698; 17699; 18233; 18236; 18274

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 2483A Conn Brown Harbor

From the Aransas Channel confluence southeast of Aransas Pass in San Patricio County to a point 1.6 km (1 mi) northeast in Aransas County

Segment Type Estuary

AU_ID: 2483A_01 From the Aransas Channel confluence southeast of Aransas Pass to a point 1.6 km (1 mi) northeast

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	Water body description	High	Presumption from Flow Type

Station ID(s): 13287; 18848

SegID: 2483OW Redfish Bay (Oyster Waters)

Redfish Bay (Oyster Waters)

Segment Type Oyster Water

AU_ID: 2483OW_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Water	Water body description	High	Presumption from Flow Type

Station ID(s): No Stations

SegID: 2483RB Redfish Bay (Recreational Beaches)

Lighthouse Lake (Beach ID TX538780)

Segment Type Beach

AU_ID: 2483RB_01 Lighthouse Lake (Beach ID TX538780)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Beach	Water body description	not available	not available

Station ID(s): No Stations

SegID: 2484 Corpus Christi Inner Harbor

Corpus Christi Inner Harbor

Segment Type Estuary

AU_ID: 2484_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 13430; 13432; 13433; 13436; 13439

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 2485 **Oso Bay**

Oso Bay

Segment Type Estuary

AU_ID: 2485_01 *Upper bay (Holly Road to County Hwy 24)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 17120

AU_ID: 2485_02 *Middle bay (State Park Road 22 to Holly Road)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 13440; 15003; 17119; 18249

AU_ID: 2485_03 *Lower portion of bay (Ocean Drive to State Park Road 22)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 13441; 13442; 17118; 18248; 18283

SegID: 2485A **Oso Creek**

From the Oso Bay confluence in southern Corpus Christi to a point 4.8 km (3 mi) upstream of SH 44, west of Corpus Christi in Nueces County

Segment Type Tidal Stream

AU_ID: 2485A_01 *From the Oso Bay confluence in southern Corpus Christi to a point 4.8 km (3 mi) upstream of SH 44, west of Corpus Christi*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type

Station ID(s): 13026; 13027; 13028; 13029; 16712; 18499; 18500

SegID: 2485B **Unnamed trib of Oso Creek**

From the Oso Creek confluence upstream to a point 5.2 km (3.2 mi) west of State Hwy 286 in Nueces County

Segment Type Tidal Stream

AU_ID: 2485B_01 *From the Oso Creek confluence upstream to a point 5.2 km (3.2 mi) west of State Hwy 286*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type

Station ID(s): 20195

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 2485D West Oso Creek

From the Oso Creek confluence upstream to a point 0.49 km (0.3 mi) west of FM 1694 in Neuces County

Segment Type Tidal Stream

AU_ID: 2485D_01 From the Oso Creek confluence upstream to a point 0.49 km (0.3 mi) west of FM 1694

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type

Station ID(s): 18501; 20198

SegID: 2485OW Oso Bay (Oyster Waters)

Oso Bay (Oyster Waters)

Segment Type Oyster Water

AU_ID: 2485OW_01 Entire bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Water	Water body description	High	Presumption from Flow Type

Station ID(s): No Stations

SegID: 2491 Laguna Madre

Laguna Madre

Segment Type Estuary

AU_ID: 2491_01 Upper portion of bay north of the Arroyo Colorado confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 13443; 13444; 13445; 13448; 13449; 14843; 17117; 17121; 18066; 18067; 18068; 18069; 18070; 18071; 18072; 18073; 18074; 18075; 18076; 18078; 18079; 18080; 18081; 18082; 18083; 18084; 18085; 18086; 18087; 18088; 18089; 18090; 18091; 18092; 18093; 18094; 18095; 18096; 18097; 18098; 18099; 18100; 18101; 18102; 18103; 18104; 18160; 18161; 18162; 18163; 18164; 18165; 18166; 18167; 18168; 18169; 18170; 18171; 18172; 18173; 18174; 18175; 18176; 18177; 18178; 18179; 18180; 18181; 18182; 18183; 18184; 18188; 18251; 18252; 18253; 18254; 18255; 18259; 18261; 18262; 18263; 18264; 18265; 18285; 18286; 18287; 18293; 18294; 18295; 18452; 18605

AU_ID: 2491_02 Area adjacent to the Arroyo Colorado confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 13447

AU_ID: 2491_03 Lower portion of bay south of the Arroyo Colorado confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 13446; 14844; 14845; 14861; 14862; 14863; 14868; 14869; 14870; 14876; 14877; 14878; 14879; 17100; 17975

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 2491B North Floodway

From 0.04 miles north of Campacuas Lake and 0.32 miles west of FM 491 (Mercedes, TX) to the confluence with Lower Laguna Madre (tidal flats)

Segment Type Tidal Stream

AU_ID: 2491B_01 *From 0.04 miles north of Campacuas Lake and 0.32 miles west of FM 491 (Mercedes, TX) to the confluence with Lower Laguna Madre (tidal flats)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	Intermediate	Presumption from Flow Type

Station ID(s): 20930

SegID: 2491OW Laguna Madre (Oyster Waters)

Laguna Madre (Oyster Waters)

Segment Type Oyster Water

AU_ID: 2491OW_01 *Upper portion of the bay north of Port Mansfield Channel*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Water	Water body description	High	Presumption from Flow Type

Station ID(s): No Stations

AU_ID: 2491OW_02 *Area adjacent to the Arroyo Colorado confluence*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Water	Water body description	High	Presumption from Flow Type

Station ID(s): No Stations

AU_ID: 2491OW_03 *Lower portion of the bay south of the Port Mansfield Channel*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Water	Water body description	High	Presumption from Flow Type

Station ID(s): No Stations

AU_ID: 2491OW_04 *ICWW from Port Mansfield to Brownsville*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Water	Water body description	High	Presumption from Flow Type

Station ID(s): No Stations

SegID: 2491UL Upper Laguna Madre (Recreational Beaches)

Upper Laguna Madre (Recreational Beaches)

Segment Type Beach

AU_ID: 2491UL_01 *JFK Causeway - SW (Beach ID TX442541)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Beach	Water body description	not available	not available

Station ID(s): No Stations

AU_ID: 2491UL_02 *Laguna Shores (Beach ID TX937228)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Beach	Water body description	not available	not available

Station ID(s): No Stations

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 2492 Baffin Bay/Alazan Bay/Cayo del Grullo/Laguna Salada

Baffin Bay/Alazan Bay/Cayo del Grullo/Laguna Salada

Segment Type Estuary

AU_ID: 2492_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A
Station ID(s):	13450; 13452; 18105; 18106; 18107; 18108; 18109; 18110; 18111; 18112; 18113; 18114; 18115; 18116; 18117; 18118; 18119; 18120; 18121; 18122; 18123; 18124; 18125; 18126; 18127; 18128; 18129; 18130; 18131; 18132; 18133; 18134; 18135; 18136; 18137; 18138; 18139; 18140; 18141; 18142; 18143; 18144; 18145; 18146; 18147; 18148; 18149; 18150; 18151; 18152; 18153; 18154; 18155; 18156; 18157; 18158; 18159; 18256; 18257; 18258; 18260; 18288; 18289; 18290; 18291; 18292		

SegID: 2492A San Fernando Creek

From the Gayo Del Grullo confluence in Kleberg County to the Lake Alice Dam in Jim Wells County

Segment Type Tidal Stream

AU_ID: 2492A_01 From the Cayo Del Grullo confluence to the Lake Alice Dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type
Station ID(s):	13033; 15976		

SegID: 2492CG Cayo del Grullo Bay (Recreational Beaches)

Cayo del Grullo Bay (Recreational Beaches)

Segment Type Beach

AU_ID: 2492CG_01 Kauffer-Hubert #3 (Beach ID TX289381)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Beach	Water body description	not available	not available
Station ID(s):	No Stations		

AU_ID: 2492CG_02 Kauffer-Hubert #2 (Beach ID TX339922)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Beach	Water body description	not available	not available
Station ID(s):	No Stations		

AU_ID: 2492CG_03 Kauffer-Hubert #1 (Beach ID TX471201)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Beach	Water body description	not available	not available
Station ID(s):	No Stations		

AU_ID: 2492CG_04 Riviera Beach Pier (Beach ID TX948394)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Beach	Water body description	not available	not available
Station ID(s):	No Stations		

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 2492OW Baffin Bay/Alazan Bay/Cayo del Grullo/Laguna Salada (Oyster Waters)

Baffin Bay/Alazan Bay/Cayo del Grullo/Laguna Salada (Oyster Waters)

Segment Type Oyster Water

AU_ID: 2492OW_01 Entire water body north of the boundary with Lower Laguna Madre

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Water	Water body description	High	Presumption from Flow Type

Station ID(s): No Stations

AU_ID: 2492OW_02 Area adjacent to boundary with Lower Laguna Madre

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Water	Water body description	High	Presumption from Flow Type

Station ID(s): No Stations

SegID: 2493 South Bay

South Bay

Segment Type Estuary

AU_ID: 2493_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 13459; 14855; 14856; 14858; 14865; 14880; 17101

SegID: 2493OW South Bay (Oyster Waters)

South Bay (Oyster Waters)

Segment Type Oyster Water

AU_ID: 2493OW_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Water	Water body description	High	Presumption from Flow Type

Station ID(s): No Stations

SegID: 2494 Brownsville Ship Channel

From the Laguna Madre confluence upstream to the Port of Brownsville

Segment Type Estuary

AU_ID: 2494_01 From the Laguna Madre confluence upstream to the Port of Brownsville

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 13460; 14871; 14875; 17102

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 2494A Port Isabel Fishing Harbor

From the Laguna Madre confluence to 0.4 km (0.25 mi) south of SH 100 in Port Isabel in Cameron County

Segment Type Estuary

AU_ID: 2494A_01 *From the Laguna Madre confluence to 0.4 km (0.25 mi) south of SH 100 in Port Isabel*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	Water body description	High	Presumption from Flow Type
Station ID(s):	13285		

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 2501 Gulf of Mexico

From the Gulf shoreline to the limit of Texas' jurisdiction between Sabine Pass and the mouth of the Rio Grande

Segment Type Ocean

AU_ID: 2501_01 Sabine Pass to Sea Rim Park area

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
ocean	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 13461; 13462; 18820; 18821**AU_ID: 2501_02** Jefferson-Chambers County line area

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
ocean	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 13463**AU_ID: 2501_03** Bolivar Point to San Luis Pass area

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
ocean	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 13465; 16536; 16537; 16538; 16539; 16540; 16541; 16542; 16543; 16544; 16672**AU_ID: 2501_04** Freeport Area

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
ocean	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 17519**AU_ID: 2501_05** Area between Freeport and Port Aransas

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
ocean	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): No Stations**AU_ID: 2501_06** Port Aransas Area

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
ocean	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 13468**AU_ID: 2501_07** Area between Port Aransas and Port Mansfield

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
ocean	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): No Stations**AU_ID: 2501_08** Port Mansfield area

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
ocean	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 13469**AU_ID: 2501_09** Area between Port Mansfield and Port Isabel

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
ocean	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): No Stations

2014 Texas Integrated Report - Water Bodies Evaluated

AU_ID: 2501_10 Port Isabel area

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
ocean	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): No Stations

SegID: 2501BC Brazoria County Beaches (Recreational Beaches)

Brazoria County Beaches (Recreational Beaches)

Segment Type Beach

AU_ID: 2501BC_01 Follets Island (Beach ID TX646145)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Beach	Water body description	not available	not available

Station ID(s): No Stations

AU_ID: 2501BC_02 Quintana (Beach ID TX28060)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Beach	Water body description	not available	not available

Station ID(s): No Stations

AU_ID: 2501BC_03 Surfside (Beach ID TX647885)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Beach	Water body description	not available	not available

Station ID(s): No Stations

AU_ID: 2501BC_04 Bryan Beach (Beach ID TX384318)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Beach	Water body description	not available	not available

Station ID(s): No Stations

SegID: 2501BO Boca Chica State Park (Recreational Beaches)

Boca Chica State Park (Recreational Beaches)

Segment Type Beach

AU_ID: 2501BO_01 Boca Chica State Park (Beach ID TX14667)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Beach	Water body description	not available	not available

Station ID(s): No Stations

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 2501BP Bolivar Peninsula (Recreational Beaches)

Bolivar Peninsula (Recreational Beaches)

Segment Type Beach

AU_ID: 2501BP_01 *Seadrift (Beach ID TX236175)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Beach	Water body description	not available	not available

Station ID(s): No Stations

AU_ID: 2501BP_02 *Clara St. (Beach ID TX392019)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Beach	Water body description	not available	not available

Station ID(s): No Stations

AU_ID: 2501BP_04 *O'Neil Rd. (Beach ID TX669225)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Beach	Water body description	not available	not available

Station ID(s): No Stations

AU_ID: 2501BP_05 *Gulf Shores (Beach ID TX860495)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Beach	Water body description	not available	not available

Station ID(s): No Stations

AU_ID: 2501BP_07 *Rettilon Road (Beach ID TX832087)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Beach	Water body description	not available	not available

Station ID(s): No Stations

SegID: 2501GE Galveston Island East End (Recreational Beaches)

Galveston Island East End (Recreational Beaches)

Segment Type Beach

AU_ID: 2501GE_01 *Appfel Park (Beach ID TX327206)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Beach	Water body description	not available	not available

Station ID(s): No Stations

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 2501GU Galveston Island Urban (Recreational Beaches)

Galveston Island Urban (Recreational Beaches)

Segment Type Beach

AU_ID: 2501GU_01 45th St. (Beach ID TX241299)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Beach	Water body description	not available	not available

Station ID(s): *AU_ID: 2501GU_02 61st St. (Beach ID TX786021)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Beach	Water body description	not available	not available

Station ID(s): *AU_ID: 2501GU_03 25th St. (Beach ID TX710697)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Beach	Water body description	not available	not available

Station ID(s): *AU_ID: 2501GU_04 Stewart Beach (Beach ID TX451421)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Beach	Water body description	not available	not available

Station ID(s):

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 2501GW Galveston Island West End (Recreational Beaches)

Galveston Island West End (Recreational Beaches)

Segment Type Beach

AU_ID: 2501GW_01 Spanish Grant/Bermuda Beach (Beach ID TX163187)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Beach	Water body description	not available	not available

Station ID(s): No Stations

AU_ID: 2501GW_02 Galveston Island State Park (Beach ID TX334226)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Beach	Water body description	not available	not available

Station ID(s): No Stations

AU_ID: 2501GW_03 Dellanera Park (Beach ID TX393353)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Beach	Water body description	not available	not available

Station ID(s): No Stations

AU_ID: 2501GW_04 Pirates Beach (Beach ID TX751320)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Beach	Water body description	not available	not available

Station ID(s): No Stations

AU_ID: 2501GW_05 Sea Isle (Beach ID TX767833)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Beach	Water body description	not available	not available

Station ID(s): No Stations

AU_ID: 2501GW_06 San Luis Pass (Beach ID TX822495)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Beach	Water body description	not available	not available

Station ID(s): No Stations

AU_ID: 2501GW_07 Jamaica Beach (Beach ID TX974690)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Beach	Water body description	not available	not available

Station ID(s): No Stations

AU_ID: 2501GW_08 Indian Beach (Beach ID TX239942)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Beach	Water body description	not available	not available

Station ID(s): No Stations

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 2501MC Matagorda County (Recreational Beaches)

Matagorda County (Recreational Beaches)

Segment Type Beach

AU_ID: 2501MC_01 Jetty Park (Beach ID TX756029)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Beach	Water body description	not available	not available

Station ID(s): *AU_ID: 2501MC_02 Sargent Beach (Beach ID TX455545)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Beach	Water body description	not available	not available

Station ID(s):

SegID: 2501MF McFaddin National Wildlife Refuge (Recreational Beaches)

McFaddin National Wildlife Refuge (Recreational Beaches)

Segment Type Beach

AU_ID: 2501MF_01 McFaddin NWR (Beach ID TX831676)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Beach	Water body description	not available	not available

Station ID(s):

SegID: 2501MI Mustang Island (Recreational Beaches)

Mustang Island (Recreational Beaches)

Segment Type Beach

AU_ID: 2501MI_01 Mustang Island (Beach ID TX551380)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Beach	Water body description	not available	not available

Station ID(s): *AU_ID: 2501MI_02 Mustang Island (Beach ID TX396020)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Beach	Water body description	not available	not available

Station ID(s):

SegID: 2501NP North Padre Island (Recreational Beaches)

North Padre Island (Recreational Beaches)

Segment Type Beach

AU_ID: 2501NP_01 Padre Bali Park (Beach ID TX314643)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Beach	Water body description	not available	not available

Station ID(s):

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 2501PA Port Aransas (Recreational Beaches)

Port Aransas (Recreational Beaches)

Segment Type Beach

AU_ID: 2501PA_01 Port Aransas - South (Beach ID TX315916)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Beach	Water body description	not available	not available

Station ID(s): *AU_ID: 2501PA_02 Port Aransas Park (Beach ID TX722300)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Beach	Water body description	not available	not available

Station ID(s): **SegID: 2501PI Padre Island (Recreational Beaches)**

Padre Island (Recreational Beaches)

Segment Type Beach

AU_ID: 2501PI_01 JP Luby Park (Beach ID TX607336)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Beach	Water body description	not available	not available

Station ID(s): **SegID: 2501RP Rollover Pass (Recreational Beaches)**

Rollover Pass (Recreational Beaches)

Segment Type Beach

AU_ID: 2501RP_01 Rollover Pass East (Beach ID TX284256)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Beach	Water body description	not available	not available

Station ID(s): *AU_ID: 2501RP_02 Rollover Pass West (Beach ID TX341767)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Beach	Water body description	not available	not available

Station ID(s):

2014 Texas Integrated Report - Water Bodies Evaluated

SegID: 2501SP South Padre Island (Recreational Beaches)

South Padre Island (Recreational Beaches)

Segment Type Beach

AU_ID: 2501SP_01 *Town of South Padre Island (Beach ID TX868582)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Beach	Water body description	not available	not available

Station ID(s): **AU_ID: 2501SP_02** *Access Point #4 (Beach ID TX282282)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Beach	Water body description	not available	not available

Station ID(s): **AU_ID: 2501SP_03** *Access Point #6 (Beach ID TX810590)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Beach	Water body description	not available	not available

Station ID(s): **AU_ID: 2501SP_04** *Isla Blanca Park (Beach ID TX137781)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Beach	Water body description	not available	not available

Station ID(s): **AU_ID: 2501SP_05** *Atwood Park (Beach ID TX841900)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Beach	Water body description	not available	not available

Station ID(s): **AU_ID: 2501SP_07** *Park Road 100 Bay Access #2 (Beach ID TX229010)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Beach	Water body description	not available	not available

Station ID(s):

SegID: 2501SR Sea Rim State Park (Recreational Beaches)

Sea Rim State Park (Recreational Beaches)

Segment Type Beach

AU_ID: 2501SR_01 *Sea Rim State Park (Beach ID TX095025)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Beach	Water body description	not available	not available

Station ID(s):