

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

As required under Sections 303(d) and 305(b) of the federal Clean Water Act, this list identifies the water bodies in or bordering Texas for which effluent limitations are not stringent enough to implement water quality standards, and for which the associated pollutants are suitable for measurement by maximum daily load.

In addition, the TCEQ also develops a schedule identifying Total Maximum Daily Loads (TMDLs) that will be initiated in the next two years for priority impaired waters. Issuance of permits to discharge into 303(d)-listed water bodies is described in the TCEQ regulatory guidance document *Procedures to Implement the Texas Surface Water Quality Standards* (June 2010, RG-194).

Impairments are limited to the geographic area described by the Assessment Unit and identified with a six or seven-digit AU_ID. A management strategy will be assigned to each impairment. Specific strategies may include TMDL development, water quality standards evaluation, or additional monitoring.

Explanation of Column Headings

SegID and Name:	The unique identifier (SegID), segment name, and location of the water body. Items may be one of three types of numbers for SegID. The first type is a classified segment number (4 digits, e.g. 0218), as defined in the Texas Surface Water Quality Standards. The second type is an unclassified water body (e.g. 0218A), not defined in the Standards and associated with a classified water body because it is in the same watershed. The third type includes special Segments for Oyster Water Use (e.g. 2421OW) and Beach Watch Use (e.g. 2481CB) special areas. The segment name and description follow SegID.
AU_ID:	Identifies the assessment unit (AU_ID, six or seven digits, e.g., 0101A_01) and describes the location of the specific area within a classified or unclassified water body for which one or more water quality standards are not met.
Parameter(s):	Pollutants or water quality conditions that assessment procedures indicate do not meet assigned water quality standards.
Category:	One of three subcategories assigned to each impaired parameter to provide information about water quality status and management activities on that water body. The categories are defined below: <u>Category 5</u> : The water body does not meet applicable water quality standards or is threatened for one or more designated uses by one or more pollutants. <i>Category 5a</i> - TMDLs are underway, scheduled, or will be scheduled for one or more parameters. <i>Category 5b</i> - A review of the standards for one or more parameters will be conducted before a management strategy is selected, including the possible revision to the TSWQS. <i>Category 5c</i> - Additional data or information will be collected and/or evaluated for one or more parameters before a management strategy is selected.
Year Segment First Listed	The initial assessment year the pollutant or water quality condition in this water body (Segment, not specifically the year for each AU_ID) did not meet water quality standards.

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0101 Canadian River Below Lake Meredith
 From the Oklahoma State Line in Hemphill County to Sanford Dam in Hutchinson County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2012
0101_03 From the confluence with White Deer Creek upstream to the confluence with Dixon Creek east of Borger		

SegID: 0101A Dixon Creek
 Dixon Creek - intermittent stream with perennial pools from the confluence with the Canadian River in Hutchinson County upstream to the confluence with the Middle, West, and East Dixon creeks in Carson County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2000
0101A_01 Dixon Creek an Appendix D Intermittent stream with perennial pools from the confluence with the Canadian River upstream to the confluence with the permitted outfall receiving waters tributary		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2000
0101A_01 Dixon Creek an Appendix D Intermittent stream with perennial pools from the confluence with the Canadian River upstream to the confluence with the permitted outfall receiving waters tributary		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
selenium in water	5c	2010
0101A_01 Dixon Creek an Appendix D Intermittent stream with perennial pools from the confluence with the Canadian River upstream to the confluence with the permitted outfall receiving waters tributary		

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0102 Lake Meredith

Lake Meredith - from Sanford Dam in Hutchinson County to a point immediately upstream of the confluence of Camp Creek in Potter County, up to the normal pool elevation of 2936.5 feet (impounds Canadian River)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
chloride	5c	2006

0102_01	Lake Meredith downstream of a line from red starboard marker 14 at Blue West Campground to green port marker 11 north of Fritch Canyon
---------	--

0102_02	Lake Meredith upstream of a line from red starboard marker 14 at Blue West Campground to green port marker 11 north of Fritch Canyon
---------	--

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
mercury in edible tissue	5c	2002

0102_01	Lake Meredith downstream of a line from red starboard marker 14 at Blue West Campground to green port marker 11 north of Fritch Canyon
---------	--

0102_02	Lake Meredith upstream of a line from red starboard marker 14 at Blue West Campground to green port marker 11 north of Fritch Canyon
---------	--

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
sulfate	5c	2006

0102_01	Lake Meredith downstream of a line from red starboard marker 14 at Blue West Campground to green port marker 11 north of Fritch Canyon
---------	--

0102_02	Lake Meredith upstream of a line from red starboard marker 14 at Blue West Campground to green port marker 11 north of Fritch Canyon
---------	--

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
total dissolved solids	5c	2006

0102_01	Lake Meredith downstream of a line from red starboard marker 14 at Blue West Campground to green port marker 11 north of Fritch Canyon
---------	--

0102_02	Lake Meredith upstream of a line from red starboard marker 14 at Blue West Campground to green port marker 11 north of Fritch Canyon
---------	--

SegID: 0103 Canadian River Above Lake Meredith

From a point immediately upstream of the confluence of Camp Creek in Potter County to the New Mexico State Line in Oldham County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
chloride	5c	2006

0103_01	From the headwaters of Lake Meredith upstream to the confluence with Sand Creek
---------	---

0103_02	From the confluence with Sand Creek upstream to the confluence with Punta de Agua Creek
---------	---

0103_03	From the confluence with Punta de Agua Creek upstream to the New Mexico State Line
---------	--

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0105 Rita Blanca Lake
 Rita Blanca Lake - from Rita Blanca Dam in Hartley County up to the normal pool elevation of 3860 feet (impounds Rita Blanca Creek)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
chloride	5b	2014

0105_01 Rita Blanca Lake from Rita Blanca Dam up to the normal pool elevation of 3860 feet

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
pH	5b	2006

0105_01 Rita Blanca Lake from Rita Blanca Dam up to the normal pool elevation of 3860 feet

SegID: 0201A Mud Creek
 Mud Creek - from the confluence of the Red River upstream to the headwater near the intersection of US 82 and Bowie CR 3403

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2002

0201A_01 Mud Creek from the confluence of the Red River upstream to the headwater near the intersection of US 82 and Bowie CR 3403

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2006

0201A_01 Mud Creek from the confluence of the Red River upstream to the headwater near the intersection of US 82 and Bowie CR 3403

SegID: 0202E Post Oak Creek
 Post Oak Creek - from the confluence of Choctaw Creek upstream to the headwater east of Shadow St northwest of Sherman

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2016

0202E_01 Post Oak Creek from the confluence of Choctaw Creek upstream to the confluence of Sand Creek

SegID: 0202F Choctaw Creek
 From the confluence with the Red River east of Denison to the upstream perennial portion near the intersection of SH 56 and SH 289 in Grayson County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2010

0202F_01 From the confluence with the Red River upstream to the confluence with Post Oak Creek

SegID: 0202G Smith Creek
 Smith Creek - from the confluence of Pine Creek upstream to the confluence of two unnamed streams south of Loop 286 in Paris

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2006

0202G_01 Smith Creek from the confluence of Pine Creek upstream to the confluence of two unnamed streams south of Loop 286 in Paris

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0202I Little Pine Creek

Little Pine Creek - from the confluence of Big Pine Creek upstream to the headwater north of Detroit, TX

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2014
0202I_01 Little Pine Creek from the confluence of Big Pine Creek upstream to the headwater north of Detroit, TX		

SegID: 0202K Iron Ore Creek

Iron Ore Creek - from the confluence of Choctaw Creek upstream to the headwater south of FM 120 east of Denison

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2010
0202K_01 Iron Ore Creek from the confluence of Choctaw Creek upstream to the headwater south of FM 120 east of Denison		

SegID: 0202L Honey Grove Creek

Honey Grove Creek - from the confluence of Bois d'Arc Creek upstream to the headwater east of Honey Grove

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2016
0202L_01 Honey Grove Creek from the confluence of Bois d'Arc Creek upstream to the headwater east of Honey Grove		

SegID: 0206B South Groesbeck Creek

South Groesbeck Creek - from the confluence of Groesbeck Creek and North Groesbeck Creek upstream to the headwater 12.6 km southwest of Childress

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2006
0206B_01 South Groesbeck Creek from the confluence of Groesbeck Creek and North Groesbeck Creek upstream to the headwater 12.6 km southwest of Childress		

SegID: 0207 Lower Prairie Dog Town Fork Red River

Lower Prairie Dog Town Fork Red River - from a point immediately upstream of the confluence of Buck Creek in Hardeman County to a point 100 meters (110 yards) upstream of the confluence of Salt Fork Creek in Armstrong County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2006
0207_04 Lower Prairie Dog Town Fork Red River from the confluence of Battle Creek upstream to the confluence of Salt Fork Creek upstream of SH 207 south of Claude		

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0211 Little Wichita River
 From the confluence with the Red River in Clay County to Lake Arrowhead Dam in Clay County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	1996
0211_02 From the confluence with the East Fork Little Wichita River upstream to the Lake Arrowhead Dam		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
sulfate	5b	2010
0211_01 From the confluence with the Red River upstream to the confluence with the East Fork Little Wichita River		
0211_02 From the confluence with the East Fork Little Wichita River upstream to the Lake Arrowhead Dam		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
total dissolved solids	5b	2010
0211_01 From the confluence with the Red River upstream to the confluence with the East Fork Little Wichita River		
0211_02 From the confluence with the East Fork Little Wichita River upstream to the Lake Arrowhead Dam		

SegID: 0214 Wichita River Below Diversion Lake Dam
 From the confluence with the Red River in Clay County to Diversion Dam in Archer County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2006
0214_05 From the confluence with Beaver Creek upstream to the Diversion Lake Dam		

SegID: 0214A Beaver Creek
 From the confluence of the Wichita River west of Wichita Falls in Wichita County upstream to the headwaters west of Crowell in Foard County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2006
0214A_01 From the confluence with the Wichita River upstream to the confluence with Bull Creek		
0214A_02 From the confluence with Bull Creek upstream to the Santa Rosa Lake dam		

SegID: 0214B Buffalo Creek
 Buffalo Creek - from the confluence of the Wichita River upstream to the headwater east of Electra

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2010
0214B_01 Buffalo Creek from the confluence of the Wichita River upstream to the headwater east of Electra		

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0214F Unnamed tributary of Buffalo Creek

Unnamed tributary of Buffalo Creek - from the confluence of Buffalo Creek upstream to the headwater at eastbound frontage road of US 287 in Iowa Park

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2016
0214F_01	Unnamed tributary from the confluence of Buffalo Creek upstream to the headwater at eastbound frontage road of US 287 in Iowa Park	

SegID: 0215 Diversion Lake

Diversion Lake - from Diversion Dam in Archer County to a point 1.5 km (0.9 mi) downstream of the confluence of Cottonwood Creek in Baylor County, up to the normal pool elevation of 1052 feet (impounds Wichita River)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
chloride	5c	2016
0215_01	Diversion Lake from Diversion Dam to a point 1.5 km downstream of the confluence of Cottonwood Creek, to the normal pool elevation of 1052 feet	

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
sulfate	5c	2016
0215_01	Diversion Lake from Diversion Dam to a point 1.5 km downstream of the confluence of Cottonwood Creek, to the normal pool elevation of 1052 feet	

SegID: 0219 Lake Wichita

Lake Wichita - from Lake Wichita Dam in Wichita County up to the normal pool elevation of 980.5 feet (impounds Holliday Creek)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
chloride	5c	2014
0219_01	Lake Wichita from the dam up to the normal pool elevation of 980.5 feet	

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
sulfate	5c	2014
0219_01	Lake Wichita from the dam up to the normal pool elevation of 980.5 feet	

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
total dissolved solids	5c	2014
0219_01	Lake Wichita from the dam up to the normal pool elevation of 980.5 feet	

SegID: 0222 Salt Fork Red River

Salt Fork Red River - from the Oklahoma State Line in Collingsworth County to Greenbelt Dam in Donley County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2010
0222_01	Salt Fork Red River from the Oklahoma State Line upstream to the confluence of Lake Creek	

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0228 Mackenzie Reservoir

Mackenzie Reservoir - from Mackenzie Dam in Briscoe County up to the normal pool elevation of 3100 feet (impounds Tule Creek)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
sulfate	5c	2016
0228_01 Mackenzie Reservoir from the dam up to the normal pool elevation of 3100 feet		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
total dissolved solids	5c	2014
0228_01 Mackenzie Reservoir from the dam up to the normal pool elevation of 3100 feet		

SegID: 0230A Paradise Creek

Paradise Creek - from the confluence of the Pease River east of Vernon upstream to the headwater 500m west of the intersection of US 70 and Foard CR 233

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2006
0230A_01 Paradise Creek from the confluence of the Pease River east of Vernon upstream to a point 400m upstream of the intersection of FM 433 and Wilbarger CR 97		

SegID: 0302 Wright Patman Lake

From Wright Patman Lake Dam in Bowie/Cass County to a point 1.5 km (0.9 mi) downstream of Bassett Creek in Bowie/Cass County, up to the normal pool elevation of 226.4 feet (impounds the Sulphur River)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
pH	5b	2000
0302_11 2700 acres near dam		
0302_12 2000 acres in northern arms of reservoir		
0302_13 5600 acres in mid-reservoir		
0302_14 9000 acres in upper portion of reservoir		

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0303B White Oak Creek

From the confluence of the Sulphur River north of Naples in Morris County to Lake Sulphur Springs in Hopkins County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2006
0303B_01	Portion of White Oak Creek from the confluence with the South Sulphur River approximately 40 km (25 mi) upstream to the confluence with Lacy Creek; App D	
0303B_04	Portion of White Oak Creek from approximately 0.26 km upstream of FM 900 in northeast Hopkins County upstream to Lake Sulphur Springs.	

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2000
0303B_01	Portion of White Oak Creek from the confluence with the South Sulphur River approximately 40 km (25 mi) upstream to the confluence with Lacy Creek; App D	
0303B_02	Portion of White Oak Creek from the confluence with the Lacy Creek approximately 42 km (26 mi) upstream to the confluence with Ripley Creek; App D	
0303B_03	Portion of White Oak Creek from the confluence with the Ripley Creek to approximately 0.26 km upstream of FM 900 in northeast Hopkins County; App D	

SegID: 0304C Wagner Creek

Perennial stream from the confluence with Days Creek upstream to the headwaters 0.3 km west of Birdwell Davis Road

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2016
0304C_01	Perennial stream from the confluence with Days Creek upstream to a point 1.5 km upstream of IH 30; App D	

SegID: 0306 Upper South Sulphur River

From a point 1.0 km (0.6 mi) upstream of SH 71 in Delta/Hopkins County to SH 78 in Fannin County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
pH	5c	2008
0306_03	Portion of the Upper South Sulphur River from the confluence with Hickory Creek approximately 19 km (12 mi) to SH 71.	

SegID: 0307 Jim L. Chapman Lake (formerly Cooper Lake)

From Jim L. Chapman Dam to a point 1.0 km (0.7 mi) upstream of SH 71 on the South Sulphur River arm and 300 meters (275 yards) below the confluence of Barnett Creek on the Middle Sulphur River arm, up to a conservation pool elevation of 440 feet

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
pH	5c	2000
0307_03	Middle 5000 acres	
0307_04	Middle 2000 acre Johns Creek arm	

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0401 Caddo Lake

From the Louisiana State Line in Harrison/Marion County to a point 12.3 km (7.6 mi) downstream of SH 43 in Harrison/Marion County, up to pool elevation of 168.5 feet (impounds Big Cypress Creek)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2000
0401_02 Harrison Bayou arm		
0401_03 Goose Prairie arm		
0401_05 Clinton Lake		
0401_07 Mid-lake near Uncertain		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
mercury in edible tissue	5c	1998
0401_01 Lower 5000 acres		
0401_02 Harrison Bayou arm		
0401_03 Goose Prairie arm		
0401_05 Clinton Lake		
0401_07 Mid-lake near Uncertain		

SegID: 0401A Harrison Bayou

From the confluence of Caddo Lake east of Karnack in Harrison County to the upstream perennial portion of the stream east of Marshall in Harrison County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2000
0401A_01 Intermittent stream with perennial pools from the confluence with Caddo Lake within the Caddo Lake National Wildlife Refuge east of the City of Karnack upstream to FM 1998 east of the City of Marshall. App D		

SegID: 0402 Big Cypress Creek Below Lake O' the Pines

From a point 12.3 km (7.6 mi) downstream of SH 43 in Harrison/Marion County to Ferrell's Bridge Dam in Marion County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2010
0402_02 From the confluence with Haggerty Creek upstream 25 km (15.5 mi) to the confluence with Black Cypress Bayou.		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
mercury in edible tissue	5c	1998
0402_01 From the confluence with Caddo Lake upstream 15 km (9 mi) to Haggerty Creek		
0402_02 From the confluence with Haggerty Creek upstream 25 km (15.5 mi) to the confluence with Black Cypress Bayou.		
0402_03 From the confluence with Black Cypress Bayou upstream 23.8 km (14.7 mi) to French Creek.		
0402_04 From the confluence with French Creek upstream 13 km (8 mi) to Lake O' the Pines		

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0403 Lake O' the Pines
 From Ferrell's Bridge Dam in Marion County to a point 1.0 km (0.6 mi) downstream of US 259 in Morris/Upshur County, up to normal pool elevation of 228.5 feet (impounds Big Cypress Creek)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
pH	5c	2016
0403_02 Middle 5000 acres		

SegID: 0404 Big Cypress Creek Below Lake Bob Sandlin
 From a point 1.0 km (0.6 mi) downstream of US 259 in Morris/Upshur Counties to Fort Sherman Dam in Camp/Titus Counties

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2002
0404_02 From the confluence with an unnamed tributary NHD RC 11140305002717 upstream 37.2 km (23 mi) to Lake Bob Sandlin		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
sulfate	5c	2014
0404_01 From the confluence with Lake O' the Pines upstream 24 km (14.9 mi) to the confluence with an unnamed tributary NHD RC 11140305002717		
0404_02 From the confluence with an unnamed tributary NHD RC 11140305002717 upstream 37.2 km (23 mi) to Lake Bob Sandlin		

SegID: 0404A Ellison Creek Reservoir
 From the Morris County Dam up to normal pool elevation near Lone Star in Morris County (impounds Ellison Creek)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2016
0404A_01 From the Morris County Dam up to normal pool elevation near Lone Star in Morris County (impounds Ellison Creek)		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2006
0404A_01 From the Morris County Dam up to normal pool elevation near Lone Star in Morris County (impounds Ellison Creek)		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
toxicity in sediment	5c	2006
0404A_01 From the Morris County Dam up to normal pool elevation near Lone Star in Morris County (impounds Ellison Creek)		

SegID: 0404B Tankersley Creek
 Perennial stream from the confluence with Big Cypress Creek upstream to the confluence with an unnamed tributary 250 meters upstream of IH 30

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2000
0404B_01 From the confluence with Big Cypress Creek upstream 16.1 km (10 mi) to Tankersley Lake. WQS Appendix D portion of the creek.		

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0404C Hart Creek

Perennial stream from the confluence with Big Cypress Creek upstream to the headwaters
0.2 km south of CR 1635, Titus County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2006
0404C_01 Perennial stream from the confluence with Big Cypress Creek upstream to 0.2 km upstream of FM 1402; App D		

SegID: 0404N Lake Daingerfield

Southeast of the City of Daingerfield in Daingerfield State Park in Morris County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
mercury in edible tissue	5c	2002
0404N_01 Southeast of the City of Daingerfield in Daingerfield State Park in Morris County		

SegID: 0405 Lake Cypress Springs

From Franklin County Dam in Franklin County up to the normal pool elevation of 378 feet
(impounds Big Cypress Creek)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
excessive algal growth	5c	2016
0405_01 From the confluence with an unnamed tributary NHD RC 11140305002717 upstream 37.2 km (23 mi) to Lake Bob Sandlin		
0405_02 Upper 2600 acres		
0405_03 Panther Arm		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
pH	5c	2012
0405_01 From the confluence with an unnamed tributary NHD RC 11140305002717 upstream 37.2 km (23 mi) to Lake Bob Sandlin		
0405_02 Upper 2600 acres		
0405_03 Panther Arm		

SegID: 0405A Big Cypress Creek

From the confluence with Lake Cypress springs in Franklin County, to approximately 5 mi west of State HWY 37

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2016
0405A_01 From the confluence with Lake Cypress springs in Franklin County, to approximately 5 mi west of State HWY 37		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2014
0405A_01 From the confluence with Lake Cypress springs in Franklin County, to approximately 5 mi west of State HWY 37		

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0406 Black Bayou
 From the Louisiana State Line in Cass County to FM 96 in Cass County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2006
0406_02 From the confluence with Hurricane Creek upstream 28.6 km (17.7 mi) to NHD RC 11140304000881 near FM 96		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2002
0406_01 Black Bayou from the LA state line upstream 19.1 km (11.8 mi) to the confluence with Hurricane Creek		
0406_02 From the confluence with Hurricane Creek upstream 28.6 km (17.7 mi) to NHD RC 11140304000881 near FM 96		

SegID: 0407 James' Bayou
 From the Louisiana State Line in Marion County to Club Lake Road northwest of Linden in Cass County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2006
0407_02 From the confluence with Bear Creek upstream 29.8 km (18.5 mi) to approximately 2 km north of HWY 11		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2000
0407_02 From the confluence with Bear Creek upstream 29.8 km (18.5 mi) to approximately 2 km north of HWY 11		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
impaired fish community	5c	2014
0407_01 From the LA state line upstream 31.6 km (19.6 mi) to the confluence with Bear Creek.		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
impaired macrobenthic community	5c	2014
0407_01 From the LA state line upstream 31.6 km (19.6 mi) to the confluence with Bear Creek.		

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0409 Little Cypress Bayou (Creek)

From the confluence of Big Cypress Creek in Harrison/Marion County to a point 1.0 km (0.6 mi) upstream of FM 2088 in Wood County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2006
0409_02 From the confluence with Lawrence Creek upstream 29.2 km (18.1 mi) to the confluence with NHD RC 11140307000368		
0409_04 From the confluence with NHD RC 11140307001531 upstream 41.1 km (29.2 mi) to the headwaters at FM 2088		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2000
0409_01 From the confluence with Big Cypress Creek upstream 41 km (25.4 mi) to the confluence with Lawrence Creek		
0409_02 From the confluence with Lawrence Creek upstream 29.2 km (18.1 mi) to the confluence with NHD RC 11140307000368		

SegID: 0409A Lilly Creek

From the confluence with Little Cypress Creek to the Camp County line near Lawton in Upshur County.

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2016
0409A_01 From the confluence with Little Cypress Creek to the Camp County line near Lawton in Upshur County.		

SegID: 0409B South Lilly Creek

From the confluence of Lilly Creek to approximately 2 mi west of FM 1647

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2006
0409B_01 From the confluence of Lilly Creek to approximately 2 mi west of FM 1647		

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0410 Black Cypress Bayou (Creek)

From the confluence with Big Cypress Creek in Marion County to the confluence with Kelly Creek in Cass County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2016
0410_04 From Pruitt Lake 26.4 km (16.4 mi) upstream to the confluence with Kelly Creek in Cass County		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
copper in water	5c	2016
0410_01 From the confluence with Big Cypress Creek upstream 25 km (15.5 mi) to the confluence with White Oak Creek		
0410_03 Pruitt Lake beginning near HWY 155, extending upstream 1.8 km (1.1 mi)		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2016
0410_02 From the confluence with White Oak Creek upstream 31.3 km (19.4 mi) to Pruitt Lake		
0410_03 Pruitt Lake beginning near HWY 155, extending upstream 1.8 km (1.1 mi)		
0410_04 From Pruitt Lake 26.4 km (16.4 mi) upstream to the confluence with Kelly Creek in Cass County		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
mercury in edible tissue	5c	2016
0410_03 Pruitt Lake beginning near HWY 155, extending upstream 1.8 km (1.1 mi)		

SegID: 0410A Black Cypress Creek/Bayou

An Appendix D intermittent stream with perennial pools from the confluence with Kelly Creek upstream to FM 250 north of the City of Hughes Springs

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2016
0410A_01 Intermittent stream with perennial pools from the confluence with Kelly Creek upstream to FM 250 north of the City of Hughes Springs; App D		

SegID: 0501 Sabine River Tidal

Sabine River Tidal - from the confluence with Sabine Lake in Orange County to West Bluff in Orange County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2006
0501_01 Sabine River tidal from the confluence of Sabine Lake upstream to confluence of Adams Bayou Tidal		
0501_02 Sabine River tidal from the confluence of Adams Bayou Tidal upstream to the confluence of Little Cypress Bayou		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5c	2012
0501_01 Sabine River tidal from the confluence of Sabine Lake upstream to confluence of Adams Bayou Tidal		
0501_02 Sabine River tidal from the confluence of Adams Bayou Tidal upstream to the confluence of Little Cypress Bayou		
0501_03 Sabine River tidal from the confluence of Little Cypress Bayou upstream to the confluence of Old River at West Bluff		

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0501B Little Cypress Bayou

Little Cypress Bayou - from the confluence of the Sabine River upstream to the headwater near the intersection of S Teal Rd and Dunromin Rd north of Orange

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2006

0501B_01	Little Cypress Bayou from the confluence of the Sabine River upstream to a point 340m downstream of 16th St in Orange
----------	---

0501B_02	Little Cypress Bayou from a point 340m downstream of 16th St in Orange upstream to the confluence of an unnamed stream 100m downstream of Little Cypress Dr
----------	---

0501B_03	Little Cypress Bayou from the confluence of an unnamed stream 100m downstream of Little Cypress Dr upstream to the headwater near the intersection of S Teal Rd and Dunromin Rd north of Orange
----------	---

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2006

0501B_01	Little Cypress Bayou from the confluence of the Sabine River upstream to a point 340m downstream of 16th St in Orange
----------	---

0501B_02	Little Cypress Bayou from a point 340m downstream of 16th St in Orange upstream to the confluence of an unnamed stream 100m downstream of Little Cypress Dr
----------	---

0501B_03	Little Cypress Bayou from the confluence of an unnamed stream 100m downstream of Little Cypress Dr upstream to the headwater near the intersection of S Teal Rd and Dunromin Rd north of Orange
----------	---

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
toxicity in water	5c	2004

0501B_01	Little Cypress Bayou from the confluence of the Sabine River upstream to a point 340m downstream of 16th St in Orange
----------	---

0501B_02	Little Cypress Bayou from a point 340m downstream of 16th St in Orange upstream to the confluence of an unnamed stream 100m downstream of Little Cypress Dr
----------	---

0501B_03	Little Cypress Bayou from the confluence of an unnamed stream 100m downstream of Little Cypress Dr upstream to the headwater near the intersection of S Teal Rd and Dunromin Rd north of Orange
----------	---

SegID: 0502A Nichols Creek

Nichols Creek from the confluence of the Sabine River upstream to the headwater at FM 1013 northwest of Kirbyville

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2002

0502A_01	Nichols Creek from the confluence of the Sabine River upstream to the headwater at FM 1013 northwest of Kirbyville
----------	--

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2002

0502A_01	Nichols Creek from the confluence of the Sabine River upstream to the headwater at FM 1013 northwest of Kirbyville
----------	--

SegID: 0502B Caney Creek

Caney Creek - perennial stream from the Sabine River upstream to the confluence with Martin Branch

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2006

0502B_02	Caney Creek an Appendix D perennial stream from the Davison St crossing in Newton upstream to the confluence of Martin Branch
----------	---

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0502E Cypress Creek

Cypress Creek - from the confluence of the Sabine River up to the headwater 500m south of FM 82 east of Kirbyville

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	2010
0502E_01 Cypress Creek from the confluence of the Sabine River up to the headwater 500m south of FM 82 east of Kirbyville		

SegID: 0504 Toledo Bend Reservoir

Toledo Bend Reservoir - from Toledo Bend Dam in Newton County to a point immediately upstream of the confluence of Murvaul Creek in Panola County, up to the normal pool elevation of 172 feet (impounds Sabine River)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
mercury in edible tissue	5c	1998
0504_01 Toledo Bend Reservoir from the dam up to a line from Louisiana State Park #15 (LA) west to near Pleasure Bend Rd (TX)		
0504_02 Toledo Bend Reservoir Six Mile Bay, including Sandy Creek arm, from near Lakeview Rd on the northside peninsula to near Pleasure Bend Rd on the southside peninsula		
0504_03 Toledo Bend Reservoir Sunshine Bay arm, including Spring Hill Bay, from Alpine Marina on the northside peninsula to New Haven Rd on the southside peninsula		
0504_04 Toledo Bend Reservoir from a line from Cypress Bend Golf Resort (LA) west to Alpine Marina (TX) up to a line from North Toledo Bend State Park (LA) southwest to Carter's Ferry Rd north of Patroon Bayou (TX)		
0504_05 Toledo Bend Reservoir Patroon Bayou arm from Carter's Ferry Rd on northside peninsula to Elma Ln on southside peninsula		
0504_06 Toledo Bend Reservoir from a line from the confluence of Ten Acre Creek (LA) west to Shelby CR 2000 near Huxley, TX up to a line from the confluence of Pen Bayou (LA) west to the confluence of Tenaha Bayou (TX)		
0504_07 Toledo Bend Reservoir from a line from the confluence of Pen Bayou (LA) west to the confluence of Tenaha Bayou (TX) up to a point immediately upstream of the confluence of Murvaul Creek, up to the normal pool elevation of 172 feet		
0504_11 Toledo Bend Reservoir from a line from North Toledo Bend State Park (LA) southwest to Carter's Ferry Rd north of Patroon Bayou (TX) up to a line from the confluence of Ten Acre Creek (LA) west to Shelby CR 2000 near Huxley, TX		
0504_12 Toledo Bend Reservoir from a line from Louisiana State Park #15 (LA) west to Pleasure Bend Rd (TX) up to Cypress Bend Golf Resort (LA) west to Alpine Marina (TX)		

SegID: 0504E Clear Lake

Clear Lake - an oxbow lake 12 mi northwest of Logansport, LA

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
mercury in edible tissue	5c	2006
0504E_01 Clear Lake an oxbow lake 12 mi northwest of Logansport, LA		

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0505 Sabine River Above Toledo Bend Reservoir

Sabine River Above Toledo Bend Reservoir - from a point immediately upstream of the confluence of Murvaul Creek in Panola County to a point 100 meters (110 yards) downstream of US 271 in Gregg County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2002
0505_04	Sabine River from the confluence of Hatley Creek 7.7.km north of Tatum upstream to the confluence of Grace Creek near IH 20 west of Longview	

SegID: 0505B Grace Creek

Grace Creek - perennial stream from the confluence of the Sabine River upstream to the headwater at FM 1844

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2000
0505B_01	Grace Creek an Appendix D perennial stream from the confluence of the Sabine River upstream to an unnamed tributary from Longview WWTP south of Loop 281	
0505B_02	Grace Creek an Appendix D perennial stream from an unnamed tributary from Longview WWTP south of Loop 281 upstream to the headwater at FM 1844	

SegID: 0505G Wards Creek

Wards Creek - intermittent stream with perennial pools from the confluence of Sewell Creek upstream to the confluence of an unnamed second order tributary approximately 0.6 km upstream of US 80

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2000
0505G_01	Wards Creek an Appendix D intermittent stream with perennial pools from the confluence of Sewell Creek upstream to the confluence of an unnamed second order tributary approximately 0.6 km upstream of US 80	

SegID: 0505O Hills Lake

Hills Lake - an oxbow lake 13 mi east of Carthage

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
mercury in edible tissue	5c	2006
0505O_01	Hills Lake an oxbow lake 13 mi east of Carthage	

SegID: 0506A Harris Creek

Harris Creek - from the confluence of the Sabine River 5.7 km north of Winona upstream to the headwater near SH 64 east of Tyler

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2000
0506A_01	Harris Creek from the confluence of the Sabine River 5.7 km north of Winona upstream to the headwater near SH 64 east of Tyler	

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0507G South Fork of Sabine River

South Fork of Sabine River - from the confluence of Lake Tawakoni upstream to the confluence of Parker and Sabine Creeks

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2006
0507G_01 South Fork of Sabine River from the confluence of Lake Tawakoni upstream to the confluence of Parker and Sabine Creeks		

SegID: 0510 Lake Cherokee

Lake Cherokee - from Cherokee Dam in Gregg/Rusk County up to the normal pool elevation of 280 feet (impounds Cherokee Bayou)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
pH	5c	2014
0510_02 Lake Cherokee from a line at the East Texas Regional Airport runway up to the normal pool elevation of 280 feet		

SegID: 0512 Lake Fork Reservoir

Lake Fork Reservoir - from Lake Fork Dam in Wood County up to the normal pool elevation of 403 feet (impounds Lake Fork Creek)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
pH	5c	2016
0512_05 Upper Lake Fork Creek arm from the FM 2946 crossing up to the normal pool elevation of 403 feet		

SegID: 0512A Running Creek

Running Creek - from the confluence of Lake Fork at the Hopkins/Wood County line upstream to the headwater 400 m south of SH 11 southeast of Sulphur Springs

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2002
0512A_01 Running Creek from the confluence of Lake Fork at the Hopkins/Wood County line upstream to the headwater 400 m south of SH 11 southeast of Sulphur Springs		

SegID: 0512B Elm Creek

Elm Creek - from the confluence of Lake Fork 375 m downstream of FM 514 upstream to the headwater at Hopkins CR 1110 southwest of Sulphur Springs

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2002
0512B_01 Elm Creek from the confluence of Lake Fork 375 m downstream of FM 514 upstream to the headwater at Hopkins CR 1110 southwest of Sulphur Springs		

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0514 Big Sandy Creek
 Big Sandy Creek - from the confluence with the Sabine River in Upshur County to a point
 2.6 km (1.6 mi) upstream of SH 11 in Hopkins County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2006
0514_01 Big Sandy Creek from the confluence of the Sabine River southeast of Big Sandy upstream to the confluence of Mill Creek near FM 49 north of Hawkins		
0514_02 Big Sandy Creek from the confluence of Mill Creek near FM 49 north of Hawkins upstream to the headwater 2.6 km upstream of SH 11 northwest of Winnsboro		

SegID: 0601 Neches River Tidal
 From the confluence with Sabine Lake in Orange County to the Neches River Saltwater
 Barrier, which is at a point 0.8 km (0.5 mi) downstream of the confluence of Pine Island
 Bayou, in Orange County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2012
0601_01 Lower boundary to top of first oxbow, above Bird Island Bayou confluence at NHD RC 12020003000004		
0601_02 Top of first oxbow to top of U.S. Nat'l Defense Reserve Fleet Basin at top of NHD RC 12020003008459		
0601_03 Top of U.S. Nat'l Defense Reserve Fleet Basin to top of last oxbow below Kansas City Southern Railroad bridge 0.44km upstream of NHD RC 12020003000013		
0601_04 Top of last oxbow below Kansas City Southern Railroad bridge to saltwater barrier at NHD RC 12020003000017		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5c	2012
0601_01 Lower boundary to top of first oxbow, above Bird Island Bayou confluence at NHD RC 12020003000004		
0601_02 Top of first oxbow to top of U.S. Nat'l Defense Reserve Fleet Basin at top of NHD RC 12020003008459		
0601_03 Top of U.S. Nat'l Defense Reserve Fleet Basin to top of last oxbow below Kansas City Southern Railroad bridge 0.44km upstream of NHD RC 12020003000013		
0601_04 Top of last oxbow below Kansas City Southern Railroad bridge to saltwater barrier at NHD RC 12020003000017		

SegID: 0601A Star Lake Canal
 North of Groves in Jefferson County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2012
0601A_01 North of Groves in Jefferson County		

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0602 Neches River Below B. A. Steinhagen Lake
 From the Neches River Saltwater Barrier, which is at a point 0.8 km (0.5 mi) downstream of the confluence of Pine Island Bayou, in Orange County to Town Bluff Dam in Jasper/Tyler County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5c	2014
0602_02 From the confluence with Village Creek 0608 upstream to the confluence with Black Branch NHD RC 12020003000695		
0602_03 From the confluence with Black Branch upstream to confluence with unnamed tributary at NHD RC 12020003000058		
0602_04 From the confluence with unnamed tributary at NHD RC 12020003000058 upstream to Town Bluff Dam		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
mercury in edible tissue	5c	2010
0602_01 From the saltwater barrier upstream to confluence with Village Creek 0608 at NHD RC 12020003000025		
0602_02 From the confluence with Village Creek 0608 upstream to the confluence with Black Branch NHD RC 12020003000695		
0602_03 From the confluence with Black Branch upstream to confluence with unnamed tributary at NHD RC 12020003000058		
0602_04 From the confluence with unnamed tributary at NHD RC 12020003000058 upstream to Town Bluff Dam		

SegID: 0603 B. A. Steinhagen Lake
 From Town Bluff Dam to a point immediately upstream of the confluence of Hopson Mill Creek on the Neches River Arm and to a point immediately upstream of the confluence of Indian Creek on the Angelina River Arm, up to the normal pool elevation of 83 feet

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5c	2014
0603_01 Main pool by dam to include all the area below the US HWY 190 bridge		
0603_02 Area above the US HWY 190 bridge to the upper boundaries of the segment at points immediately upstream of confluences Hopson Mill Creek (Neches Arm) and Indian Creek (Angelina Arm)		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
mercury in edible tissue	5c	1998
0603_01 Main pool by dam to include all the area below the US HWY 190 bridge		
0603_02 Area above the US HWY 190 bridge to the upper boundaries of the segment at points immediately upstream of confluences Hopson Mill Creek (Neches Arm) and Indian Creek (Angelina Arm)		

SegID: 0603A Sandy Creek in Jasper County
 From the confluence of B.A. Steinhagen Lake southwest of City of Jasper in Jasper County to the confluence of Big and Little Sandy Creeks in City of Jasper in Jasper County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2000
0603A_01 From the confluence with B.A. Steinhagen Lake upstream to confluence with Little Sandy Creek about 0.5 km downstream of Hwy 776, per WQS App. D		

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0603B Wolf Creek

From the confluence of B. A. Steinhagen Lake southeast of Colmesneil in Tyler County to the upstream perennial portion of the stream south of Colmesneil in Tyler County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2006

0603B_01 From the confluence of B.A. Steinhagen Lake upstream to Lake Amanda Dam.

SegID: 0604 Neches River Below Lake Palestine

From a point immediately upstream of the confluence of Hopson Mill Creek in Jasper/Tyler County to Blackburn Crossing Dam in Anderson/Cherokee County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5c	2014

0604_01 Lower boundary to a point immediately upstream of confluence of Biloxi Creek 0604M at NHD RC 12020002001061

0604_02 From the confluence of Biloxi Creek (0604M) upstream to the upper confluence of Old River at NHD RC 12020002000037

0604_03 From the upper confluence of Old River upstream to the confluence with Cedar Creek in Cherokee County at NHD RC 12020002000085 near Hargrove Lake

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
mercury in edible tissue	5c	2010

0604_01 Lower boundary to a point immediately upstream of confluence of Biloxi Creek 0604M at NHD RC 12020002001061

0604_02 From the confluence of Biloxi Creek (0604M) upstream to the upper confluence of Old River at NHD RC 12020002000037

0604_03 From the upper confluence of Old River upstream to the confluence with Cedar Creek in Cherokee County at NHD RC 12020002000085 near Hargrove Lake

SegID: 0604A Cedar Creek

From the confluence of the Neches River southwest of Lufkin in Angelina County to the upstream perennial portion of the stream in Lufkin in Angelina County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2000

0604A_02 From the confluence with Jack Creek (0604C) upstream to confluence with unnamed tributary adjacent to State Loop 287, per App. D in WQS, at NHD RC 12020002000436

SegID: 0604B Hurricane Creek

From the confluence with Cedar Creek upstream to the headwaters near Groesbeck Ave in the City of Lufkin

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2000

0604B_01 From the confluence with Cedar Creek (0604A) upstream to confluence with unnamed tributary 100m above State Loop 287 in Lufkin, per WQS App. D, at NHD RC 12020002000043

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0604D Piney Creek

From the confluence of the Neches River at the Polk/Tyler/Angelina County lines east of Corrigan to the upstream perennial portion of the stream east of Crockett in Houston County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2004

0604D_01 Middle portion of the stream from the confluence with Bear Creek (0604L) in Polk County upstream to the confluence with Caney Creek (0604O) in Trinity County at NHD RC 12020002000163.

SegID: 0604M Biloxi Creek

From the confluence with the Neches River southeast of Diboll to FM 325 east of Lufkin in Angelina County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2004

0604M_03 From the confluence with One Eye Creek in Angelina County SE of Lufkin upstream to FM 325 east of Lufkin

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2006

0604M_03 From the confluence with One Eye Creek in Angelina County SE of Lufkin upstream to FM 325 east of Lufkin

SegID: 0604T Lake Ratcliff

Lake in Houston County 3.4 mi northeast of Kennard

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
mercury in edible tissue	5c	2002

0604T_01 Lake in Houston County 3.4 mi northeast of Kennard

SegID: 0605 Lake Palestine

From Blackburn Crossing Dam in Anderson/Cherokee County to a point 6.7km (4.2 mi) downstream of FM 279 in Henderson/Smith County, up to normal pool elevation of 345 feet (impounds Neches River)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
pH	5b	2006

0605_01 Lower portion of reservoir near dam to the first bend in reservoir

0605_03 Upper mid-lake including Tyler Public Water Supply intake

0605_09 Flat Creek Arm

0605_10 Upper Lake

0605_11 From the SH 155 Bridge crossing to the Flat Creek Arm and across the main portion of the lake at the Flat Creek Arm

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0605A Kickapoo Creek in Henderson County

From the confluence of Lake Palestine east of Brownsboro in Henderson County to the upstream perennial portion of the stream northeast of Murchison in Henderson County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2000

0605A_01 From the confluence with Lake Palestine (0605) east of Brownsboro in Henderson County to the confluence with Slater Creek (0605E).

0605A_02 From the confluence with Slater Creek (0605E) upstream to confluence with unnamed tributary about 1.62 km north of FM 858 in Van Zandt County at NHD RC 12020001000161.

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2006

0605A_01 From the confluence with Lake Palestine (0605) east of Brownsboro in Henderson County to the confluence with Slater Creek (0605E).

SegID: 0606 Neches River Above Lake Palestine

From a point 6.7 km (4.2 mi) downstream of FM 279 in Henderson/Smith County to Rhine Lake Dam in Van Zandt County before it was breached in 2001

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2008

0606_01 From a point approximately 0.06km (0.03 mi) south of St. Louis Southwestern Railroad upstream to the confluence with Prairie Creek (0606A).

0606_02 From the confluence with Prairie Creek (0606A) upstream to the Rhine Lake Dam

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	2004

0606_02 From the confluence with Prairie Creek (0606A) upstream to the Rhine Lake Dam

SegID: 0606A Prairie Creek

Perennial stream from the confluence with the Neches River to an unnamed tributary approximately 0.6km downstream of the US 69 bridge crossing.

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2002

0606A_01 From the confluence with Neches River (0606), per WQS App. D first entry for Prairie Creek at NHD RC 12020001000071 in Smith County upstream to the confluence with Black Fork Creek (0606D) at NHD RC 12020001000071 .

0606A_03 From the confluence with Caney Creek upstream to confluence with unnamed tributary appx. 0.6 km downstream of the US 69 bridge crossing, which is located appx. 0.6 km south of the City of Lindale, per App. D second line entry

SegID: 0606D Black Fork Creek

Perennial stream from the confluence with Prairie Creek to a point 0.4 km downstream of FM 14 in Tyler

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2012

0606D_02 From the confluence with unnamed tributary at NHD RC 12020001000072 upstream to a point 0.4km downstream of FM 14 in Tyler, at the confluence with unnamed tributary at NHD RC 12020001000073, per WQS App. D second entry for Black Fork Creek.

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0607 Pine Island Bayou

From the confluence with the Neches River in Hardin/Jefferson County to FM 787 in Hardin County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2008
0607_03 From the confluence with Black Creek upstream to the confluence with Willow Creek (0607C)		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	2000

0607_01	From the confluence with the Neches River upstream to unnamed tributary at NHD RC 12020007001215 that runs through Sherwood Drive in northern City of Beaumont.
0607_02	From the confluence with unnamed tributary that runs through Sherwood Drive in northern City of Beaumont upstream to the confluence with Black Creek
0607_03	From the confluence with Black Creek upstream to the confluence with Willow Creek (0607C)
0607_04	From the confluence with Willow Creek (0607C) upstream to the confluence with Mayhaw Slough near oil fields

SegID: 0607A Boggy Creek

From the confluence of Pine Island Bayou upstream to the confluence with an unnamed tributary 4 km downstream of the crossing of the Southern Pacific Railroad.

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	2000

0607A_02	From the confluence with unnamed tributary 0.39 km downstream of CR 421 upstream to confluence with unnamed tributary 4 km downstream of the crossing of the Southern Pacific Railroad, per WQS App. D, at NHD RC 12020007003034.
----------	---

SegID: 0607B Little Pine Island Bayou

From the confluence of Pine Island Bayou southwest of Lumberton in Hardin County to the upstream perennial portion of the stream west of Kountze in Hardin County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	2000

0607B_01	From the confluence with Pine Island Bayou (0607) at the Hardin/Jefferson Counties border upstream to unnamed tributary 1.1 km SE of intersection of FM 770 and FM 787 at NHD RC 12020007000021, same tributary as Big Thicket National Park boundary.
----------	--

SegID: 0607C Willow Creek

From the confluence of Pine Island Bayou north of Nome in Jefferson County to the upstream perennial portion of the stream east of Devers in Liberty County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	2000

0607C_01	From the confluence with Pine Island Bayou (0607) at the State Hwy 326 bridge at NHD RC 12020007000258 upstream to headwaters NE of Devers in Liberty County at NHD RC 12020007000200.
----------	--

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0608 Village Creek
 From the confluence with the Neches River in Hardin County to Lake Kimble Dam in Hardin County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
mercury in edible tissue	5c	2010
0608_01	From the confluence with Neches River (0602) upstream to confluence with Cypress Creek (0608C)	
0608_02	From the confluence with Cypress Creek (0608C) upstream to confluence with Beech Creek (0608A)	
0608_03	From the confluence with Beech Creek (0608A) upstream to confluence with Big Sandy Creek and Kimball Creek in Hardin County	

SegID: 0608A Beech Creek
 From the confluence of Village Creek northeast of Kountze in Hardin County to the upstream perennial portion of the stream southeast of Woodville in Tyler County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
copper in water	5c	2014
0608A_01	From the confluence with Village Creek (0608) at NHD RC 12020006000017 upstream to the confluence with Drakes Branch 0.35 km upstream of FM1943 RD E at NHD RC 12020006000025	

SegID: 0608B Big Sandy Creek
 From the confluence of Village and Kimball Creeks in Hardin County upstream to headwaters in Polk County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2000
0608B_04	From the confluence with Bear Creek in Polk County upstream to headwaters about 5 km SE of intersection of US Hwy 59 and FM 62 at NHD RC 12020006000133.	

SegID: 0608C Cypress Creek
 From the confluence of Village Creek (0608) east of Kountze in Hardin County to the confluence with Bad Luck Creek northwest of Kountze in Hardin County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	2000
0608C_01	Upper portion from the confluence with unnamed tributary upstream of Pea Monk Branch upstream to confluence with Bad Luck Creek, per WQS App. D, at NHD RC 12020006000148.	

SegID: 0608E Mill Creek in Hardin County
 From the confluence of Village Creek (0608) west of Silsbee in Hardin County upstream to headwaters northwest of Silsbee in Hardin County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2006
0608E_01	From the confluence of Village Creek (0608) west of Silsbee in Hardin County upstream to headwaters northwest of Silsbee in Hardin County	

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0608F Turkey Creek

Perennial stream from the confluence with Village Creek up to 1.6 km above U.S. 69 north of City of Woodville

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2000
0608F_02 From the confluence with Big Cypress Creek in Tyler County upstream to confluence with unnamed tributary about 1.6 km above U.S. 69 north of City of Woodville, per WQS App. D, at NHD RC 12020006000057		

SegID: 0608G Lake Kimball

From Kimble Creek Dam northwest of Kountze in Hardin County to normal pool elevation in Tyler County (impounds Kimble and Village Creeks)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
mercury in edible tissue	5c	2000
0608G_01 From Kimble Creek Dam northwest of Kountze in Hardin County to normal pool elevation in Tyler County (impounds Kimble and Village Creeks)		

SegID: 0609 Angelina River Below Sam Rayburn Reservoir

From a point immediately upstream of the confluence of Indian Creek in Jasper County to Sam Rayburn Dam in Jasper County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5c	2014
0609_01 From a point immediately upstream of the confluence of Indian Creek in Jasper County to Sam Rayburn Dam in Jasper County		
<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
mercury in edible tissue	5c	2014
0609_01 From a point immediately upstream of the confluence of Indian Creek in Jasper County to Sam Rayburn Dam in Jasper County		

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0610 Sam Rayburn Reservoir

From Sam Rayburn Dam to a point 5.6 km (3.5 mi) upstream of Marion's Ferry on the Angelina River Arm and to a point 3.9 km (2.4 mi) downstream of Curry Creek on the Attoyac Bayou Arm, up to the normal pool elevation of 164.4 feet (except on the Angelina R

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5c	2014
0610_01 Sam Rayburn main pool by the dam to the Bear Creek and Ayish Arms		
0610_02 Sam Rayburn lower Angelina River arm		
0610_03 Sam Rayburn mid-Angelina River arm (area around SH 147)		
0610_04 Sam Rayburn upper mid-Angelina River arm		
0610_05 Sam Rayburn lower Attoyac Bayou arm		
0610_06 Sam Rayburn upper Attoyac Bayou arm		
0610_07 Sam Rayburn upper Angelina arm		
0610_08 Sam Rayburn Bear Creek arm		
0610_09 Sam Rayburn lower Ayish Bayou arm		
0610_10 Sam Rayburn upper Ayish Bayou arm		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
mercury in edible tissue	5c	1996
0610_01 Sam Rayburn main pool by the dam to the Bear Creek and Ayish Arms		
0610_02 Sam Rayburn lower Angelina River arm		
0610_03 Sam Rayburn mid-Angelina River arm (area around SH 147)		
0610_04 Sam Rayburn upper mid-Angelina River arm		
0610_05 Sam Rayburn lower Attoyac Bayou arm		
0610_06 Sam Rayburn upper Attoyac Bayou arm		
0610_07 Sam Rayburn upper Angelina arm		
0610_08 Sam Rayburn Bear Creek arm		
0610_09 Sam Rayburn lower Ayish Bayou arm		
0610_10 Sam Rayburn upper Ayish Bayou arm		

SegID: 0610A Ayish Bayou

Perennial stream from the headwaters of Sam Rayburn Reservoir to the dam impounding Bland Lake approximately 0.1km upstream of FM 1279 near the City of San Augustine

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2000
0610A_01 From the headwaters of Sam Rayburn Reservoir, per WQS App. D, about 2.4 km north of FM 83 upstream to confluence with unnamed tributary about 0.4 km SW of intersection of SH 147 and AT and SF Railroad at NHD RC 12020005000036.		
0610A_02 From the confluence with unnamed tributary about 0.4 km SW of intersection of SH 147 and AT and SF Railroad in the City of San Augustine upstream to the Bland Lake dam, per WQS App. D.		

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0611 Angelina River Above Sam Rayburn Reservoir

From the aqueduct crossing 1.0 km (0.6 mi) upstream of the confluence of Paper Mill Creek in Angelina/Nacogdoches County to the confluence of Barnhardt Creek and Mill Creek at FM 225 in Rusk County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2000

0611_04 From a point immediately upstream of confluence with East Fork Angelina River (0611A) upstream to confluence with Barnhardt and Mill Creeks.

SegID: 0611A East Fork Angelina River

From the confluence of the Angelina River at the Rusk/Nacogdoches county line upstream to the confluence with Wooten Creek in Rusk County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2002

0611A_01 From the confluence with Angelina River (0611) at Rusk/Nacogdoches county line upstream to confluence with Beech Creek (0611J) in Rusk County

SegID: 0611B La Nana Bayou

From the confluence of the Angelina River south of Nacogdoches in Nacogdoches County to the upstream perennial portion of the stream north of Nacogdoches in Nacogdoches County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2000

0611B_01 From the confluence with Angelina River (0611), per WQS App. D, upstream to State Loop 224 in City of Nacogdoches

0611B_02 From the upstream side of State Loop 224 upstream to FM 1878 in City of Nacogdoches, per WQS App. D.

SegID: 0611C Mud Creek

Perennial stream from the confluence with the Angelina River upstream to a point immediately upstream of the confluence of Prairie Creek in Smith County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2010

0611C_01 From the confluence with Angelina River (0611), per WQS App. D, at the Cherokee and Nacogdoches county line south of City of Reklaw upstream to top of channelized/dredged portion about 2.3 km south of US hwy 79 at -95.150452N/31.956933W

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0611D West Mud Creek

Perennial stream from the confluence with Mud Creek in Cherokee County to the confluence of an unnamed tributary 300 meters upstream of the most northern crossing of US 69 (approximately 2.25 km south of the intersection of Loop 323) in the City of Tyler,

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2010
0611D_01	From the confluence with Mud Creek (0611C), per WQS App. D, upstream to confluence with unnamed tributary about 75 m north of WWTP in City of Tyler at NHD RC 12020004000212.	
0611D_02	From the confluence with unnamed tributary about 75 m north of WWTP in City of Tyler upstream to confluence of unnamed tributary about 300 meters upstream of the most northern crossing of US 69 in City of Tyler, per WQS App. D, at NHD RC 12020004000212.	

SegID: 0612 Attoyac Bayou

From a point 3.9 km (2.4 mi) downstream of Curry Creek in Nacogdoches/San Augustine County to FM 95 in Rusk County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2004
0612_02	From a point immediately upstream of Polly Branch confluence upstream to confluence with Bear Bayou	
0612_03	From a point immediately upstream of Bear Bayou upstream to upper boundary at FM 95.	

SegID: 0615 Angelina River/Sam Rayburn Reservoir

The riverine portion of Sam Rayburn Reservoir from a point 5.6 kilometers (3.5 mi) upstream of Marion's Ferry to the aqueduct crossing 1.0 km (0.6 mile) upstream of the confluence of Paper Mill Creek

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2002
0615_01	The riverine portion of Sam Rayburn Reservoir from a point 5.6 kilometers (3.5 miles) upstream of Marion's Ferry to the aqueduct crossing 1.0 kilometer (0.6 mile) upstream of the confluence of Paper Mill Creek	
dioxin in edible tissue	5c	2014
0615_01	The riverine portion of Sam Rayburn Reservoir from a point 5.6 kilometers (3.5 miles) upstream of Marion's Ferry to the aqueduct crossing 1.0 kilometer (0.6 mile) upstream of the confluence of Paper Mill Creek	
mercury in edible tissue	5c	2002
0615_01	The riverine portion of Sam Rayburn Reservoir from a point 5.6 kilometers (3.5 miles) upstream of Marion's Ferry to the aqueduct crossing 1.0 kilometer (0.6 mile) upstream of the confluence of Paper Mill Creek	

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0615A Paper Mill Creek

From the confluence with Angelina River/Sam Rayburn Reservoir (0615) upstream to confluence with Mill Creek (0615B)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2006
0615A_01 From the confluence of Angelina River/Sam Rayburn (0615) upstream to confluence with Mill Creek (0615B)		

SegID: 0701 Taylor Bayou/North Fork Taylor Bayou Above Tidal

From the saltwater lock 7.7 km (4.8 mi) downstream of SH 73 in Jefferson County to the Lower Neches Valley Authority Canal in Jefferson County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	1996
0701_01 From the saltwater lock 7.7 km (4.8 miles) downstream of SH 73 in Jefferson County, per WQS App. C, upstream to the confluence with Hillebrandt Bayou (0704).		
0701_02 From the confluence with Hillebrandt Bayou upstream to confluences with North Fork Taylor Bayou and South Fork Bayou.		

SegID: 0702 Intracoastal Waterway Tidal

From the confluence with Galveston Bay at Port Bolivar to the confluence with the Sabine-Neches/Port Arthur Canal (including Taylor Bayou Tidal from the confluence with the Intracoastal Waterway up to the saltwater lock 7.7 km (4.8 mi) downstream of SH 73

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2012
0702_01 From the confluence with Sabine-Neches Canal Tidal (0703) to eastern most boundary of East Bay		
0702_02 Taylor Bayou tidal from the confluence with the Intracoastal Waterway Tidal to the saltwater barriers.		
dioxin in edible tissue	5a	2010
0702_03 From the eastern most boundary of East Bay to Port Bolivar		
PCBs in edible tissue	5a	2010
0702_03 From the eastern most boundary of East Bay to Port Bolivar		

SegID: 0702A Alligator Bayou and Main Canals A, B, C, and D

All perennial canals in Jefferson County Drainage District No. 7 that eventually drain into the tidal portion of Taylor Bayou at the pump house gate, including Alligator Bayou.

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
toxicity in sediment	5c	1998
0702A_01 From Taylor Bayou Tidal (0702) to confluence with Main Canal D above SH 82.		
toxicity in water	5c	1998
0702A_03 Main Canal D from the confluence with Alligator Bayou at SH 82 upstream to about 0.35 km upstream of confluence with Canal A		

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0703 Sabine-Neches Canal Tidal

From the confluence with Sabine Pass at the southern tip of Pleasure Island in Jefferson County to the Sabine Lake seawall at the northern tip of Pleasure Island in Jefferson County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2014
0703_01	From the confluence with Sabine Pass at the southern tip of Pleasure Island in Jefferson County to the Sabine Lake seawall at the northern tip of Pleasure Island in Jefferson County	

SegID: 0704 Hillebrandt Bayou

From the confluence of Taylor Bayou in Jefferson County to a point 100 meters (110 yards) upstream of SH 124 in Jefferson County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2010
0704_02	From the confluence with Willow Marsh Bayou (0704A) upstream to a point 100 meters (110 yards) upstream of SH 124 in Jefferson County	

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	1998
0704_01	From the confluence with Taylor Bayou Above Tidal (0701) upstream to confluence with Willow Marsh Bayou (0704A)	

SegID: 0801C Cotton Bayou

From the confluence of Cotton Lake southeast of Mont Belvieu in Chambers County upstream to a point (NHD RC 12040203000496) approximately 1 mi north of IH 10 in Chambers County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2010
0801C_01	From the confluence of Cotton Lake southeast of Mont Belvieu in Chambers County upstream to a point (NHD RC 12040203000496) approximately 1 mi north of IH 10 in Chambers County	

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2006
0801C_01	From the confluence of Cotton Lake southeast of Mont Belvieu in Chambers County upstream to a point (NHD RC 12040203000496) approximately 1 mi north of IH 10 in Chambers County	

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0802 Trinity River Below Lake Livingston
 From a point 3.1 km (1.9 mi) downstream of US 90 in Liberty County to Livingston Dam in
 Polk/San Jacinto County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2016

0802_01	Lower 17 miles of segment
0802_02	Approx. 9 miles upstream to approx. 15 miles downstream of SH 105
0802_03	11 miles upstream to approx. 9 miles downstream of FM 787
0802_04	5 miles upstream to 11 miles downstream of US 59
0802_05	Upper 6 miles of segment

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2016

0802_01	Lower 17 miles of segment
0802_02	Approx. 9 miles upstream to approx. 15 miles downstream of SH 105
0802_03	11 miles upstream to approx. 9 miles downstream of FM 787
0802_04	5 miles upstream to 11 miles downstream of US 59
0802_05	Upper 6 miles of segment

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0803 Lake Livingston

From Livingston Dam in Polk/San Jacinto County to a point 1.8 km (1.1 mi) upstream of Bogy Creek in Houston/Leon County, up to normal pool elevation of 131 feet (impounds Trinity River)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2016
0803_01 Lowermost portion of reservoir, adjacent to dam		
0803_02 Lower portion of reservoir, East Wolf Creek		
0803_03 Lower portion of reservoir, East Willow Springs		
0803_04 Middle portion of reservoir, East Pointblank		
0803_05 Middle portion of reservoir, downstream of Kickapoo Creek		
0803_06 Middle portion of reservoir, centering on US 190		
0803_07 Upper portion of reservoir, west of Carlisle		
0803_08 Cove off upper portion of reservoir, East Trinity		
0803_09 West Carolina Creek cove, off upper portion of reservoir		
0803_10 Upper portion of reservoir, centering on SH 19		
0803_11 Riverine portion of reservoir, centering on SH 21		
0803_12 Remainder of reservoir		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2016
0803_01 Lowermost portion of reservoir, adjacent to dam		
0803_02 Lower portion of reservoir, East Wolf Creek		
0803_03 Lower portion of reservoir, East Willow Springs		
0803_04 Middle portion of reservoir, East Pointblank		
0803_05 Middle portion of reservoir, downstream of Kickapoo Creek		
0803_06 Middle portion of reservoir, centering on US 190		
0803_07 Upper portion of reservoir, west of Carlisle		
0803_08 Cove off upper portion of reservoir, East Trinity		
0803_09 West Carolina Creek cove, off upper portion of reservoir		
0803_10 Upper portion of reservoir, centering on SH 19		
0803_11 Riverine portion of reservoir, centering on SH 21		
0803_12 Remainder of reservoir		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
sulfate	5b	2006
0803_01 Lowermost portion of reservoir, adjacent to dam		
0803_02 Lower portion of reservoir, East Wolf Creek		
0803_03 Lower portion of reservoir, East Willow Springs		
0803_04 Middle portion of reservoir, East Pointblank		
0803_05 Middle portion of reservoir, downstream of Kickapoo Creek		
0803_06 Middle portion of reservoir, centering on US 190		
0803_07 Upper portion of reservoir, west of Carlisle		
0803_08 Cove off upper portion of reservoir, East Trinity		
0803_09 West Carolina Creek cove, off upper portion of reservoir		
0803_10 Upper portion of reservoir, centering on SH 19		

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0803 Lake Livingston

From Livingston Dam in Polk/San Jacinto County to a point 1.8 km (1.1 mi) upstream of Boggy Creek in Houston/Leon County, up to normal pool elevation of 131 feet (impounds Trinity River)

- 0803_11 Riverine portion of reservoir, centering on SH 21
- 0803_12 Remainder of reservoir

SegID: 0803G Lake Madisonville

From Lake Madisonville Dam in Madison County up to the normal pool elevation of 285 feet (impounds Town Branch)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
mercury in edible tissue	5c	2010
0803G_01 From Lake Madisonville Dam in Madison County up to the normal pool elevation of 285 feet (impounds Town Branch)		

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0804 Trinity River Above Lake Livingston

From a point 1.8 km (1.1 mi) upstream of Boggy Creek in Houston/Leon County to a point immediately upstream of the confluence of the Cedar Creek Reservoir discharge canal in Henderson/Navarro County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
0804_01	From the lower end of the segment up to just above the confluence with Hurricane Bayou in Houston County.	
0804_02	From just upstream of the confluence with Hurricane Bayou up to just above the confluence with Boons Creek.	
0804_03	From just upstream of the confluence with Boons Creek up to just above the confluence with Caney Creek.	
0804_04	From the confluence with Caney Creek up to just above the confluence with Indian Creek in Anderson County.	
0804_05	From just above the confluence with Indian Creek in Anderson County up to just above the confluence with Tehuacana Creek.	
0804_06	From just above the confluence with Tehuacana Creek to just above the confluence with Richland Creek.	
0804_07	From just above the confluence with Richland Creek in Henderson County, up to the upper end of the segment.	

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
0804_01	From the lower end of the segment up to just above the confluence with Hurricane Bayou in Houston County.	
0804_02	From just upstream of the confluence with Hurricane Bayou up to just above the confluence with Boons Creek.	
0804_03	From just upstream of the confluence with Boons Creek up to just above the confluence with Caney Creek.	
0804_04	From the confluence with Caney Creek up to just above the confluence with Indian Creek in Anderson County.	
0804_05	From just above the confluence with Indian Creek in Anderson County up to just above the confluence with Tehuacana Creek.	
0804_06	From just above the confluence with Tehuacana Creek to just above the confluence with Richland Creek.	
0804_07	From just above the confluence with Richland Creek in Henderson County, up to the upper end of the segment.	

SegID: 0804G Catfish Creek

Twenty mile stretch of Catfish Creek running upstream from US 287 in Anderson Co., to Catfish Creek Ranch Lake just upstream of SH 19 in Henderson Co.

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	2006
0804G_01	Twenty mile stretch of Catfish Creek running upstream from US 287 in Anderson Co., to Catfish Creek Ranch Lake just upstream of SH 19 in Henderson Co.	

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0804H Upper Keechi Creek

From confluence with segment 0804 Trinity River to the upper end of NHD stream Upper Keechi Creek (NHD RC 12030201001075)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	2010
0804H_01 From the confluence with segment 0804 Trinity River up to confluence with Twin Branch (NHD RC 12030201027099)		

SegID: 0805 Upper Trinity River

From a point immediately upstream of the confluence of the Cedar Creek Reservoir discharge canal in Henderson/Navarro County to a point immediately upstream of the confluence of Elm Fork Trinity River in Dallas County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
0805_01 From confluence of the Cedar Creek Reservoir discharge canal upstream to confluence of Smith Creek.		
0805_02 From confluence of Smith Creek upstream to confluence of Tenmile Creek.		
0805_03 From the confluence of Fivemile Creek upstream to the confluence of Cedar Creek.		
0805_04 From confluence of Cedar Creek upstream to confluence of Elm Fork Trinity River		
0805_06 From confluence of Tenmile Creek upstream to confluence of Fivemile Creek		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2002
0805_01 From confluence of the Cedar Creek Reservoir discharge canal upstream to confluence of Smith Creek.		
0805_02 From confluence of Smith Creek upstream to confluence of Tenmile Creek.		
0805_03 From the confluence of Fivemile Creek upstream to the confluence of Cedar Creek.		
0805_04 From confluence of Cedar Creek upstream to confluence of Elm Fork Trinity River		
0805_06 From confluence of Tenmile Creek upstream to confluence of Fivemile Creek		

SegID: 0806 West Fork Trinity River Below Lake Worth

From a point immediately upstream of the confluence of Village Creek in Tarrant County to Lake Worth Dam in Tarrant County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
0806_01 From confluence of Village Creek upstream to confluence of Clear Fork Trinity River		
0806_02 From confluence of Clear Fork Trinity River upstream to Lake Worth Dam		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	1996
0806_01 From confluence of Village Creek upstream to confluence of Clear Fork Trinity River		
0806_02 From confluence of Clear Fork Trinity River upstream to Lake Worth Dam		

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0806B Echo Lake
From Echo Lake Dam to the reservoirs headwaters in Tarrant County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dieldrin in edible tissue	5a	2016

0806B_01 From Echo Lake Dam to the reservoirs headwaters in Tarrant County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2016

0806B_01 From Echo Lake Dam to the reservoirs headwaters in Tarrant County

SegID: 0806E Sycamore Creek
Five mi stretch of Sycamore Creek running upstream from confluence with the W. Fork of Trinity River to confluence with Echo Lake Tributary in Fort Worth.

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5a	2006

0806E_01 Five mile stretch of Sycamore Creek running upstream from confluence with the W. Fork of Trinity River to confluence with Echo Lake Tributary in Fort Worth

SegID: 0809B Ash Creek
Intermittent stream with perennial pools from Eagle Mountain Lake in Tarrant County upstream to its confluence with Mill Branch in Parker County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2014

0809B_01 Intermittent stream with perennial pools from Eagle Mountain Lake in Tarrant County upstream to its confluence with Mill Branch in Parker County

SegID: 0810 West Fork Trinity River Below Bridgeport Reservoir
From a point 0.6 km (0.4 mi) downstream of the confluence of Oates Branch in Wise County to Bridgeport Dam in Wise County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	1998

0810_01 Lower 25 miles of segment

SegID: 0810A Big Sandy Creek
Fifteen mi stretch of Sycamore Creek running upstream from confluence with Waggoner Creek to FM 1810, west of Alvord, Wise County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2006

0810A_01 Fifteen mile stretch of Big Sandy Creek running from confluence with Waggoner Creek to FM 1810 West of Alvord, Wise Co.

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0810C Martin Branch

The eight mi stretch of Martin Branch running upstream from confluence with Center Creek to FM 730 south of Decatur, Wise County.

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2006
0810C_01	Eight mile stretch of Martin Branch running upstream from confluence with Center Creek to FM 730 south of Decatur, Wise County.	

SegID: 0812 West Fork Trinity River Above Bridgeport Reservoir

From a point immediately upstream of the confluence of Bear Hollow in Jack County to SH 79 in Archer County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2016
0812_01	Lower 25 mi of segment	
<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	1998
0812_01	Lower 25 mi of segment	

SegID: 0815 Bardwell Reservoir

From Bardwell Dam in Ellis County up to the normal pool elevation of 421 feet (impounds Waxahachie Creek)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
sulfate	5c	2016
0815_01	From Bardwell Dam in Ellis County up to the normal pool elevation of 421 feet (impounds Waxahachie Creek)	

SegID: 0818 Cedar Creek Reservoir

From Joe B. Hoggsett Dam in Henderson County up to normal pool elevation of 322 feet (impounds Cedar Creek)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
pH	5b	2002
0818_01	Lowermost portion of the reservoir, adjacent to the dam.	
0818_02	Caney Creek cove	
0818_03	Clear Creek cove	
0818_04	Lower portion of reservoir east of Key Ranch Estates	
0818_05	Cove off lower portion of reservoir adjacent to Clearview Estates	
0818_06	Middle portion of reservoir downstream of Twin Creeks cove	
0818_07	Twin Creeks cove	
0818_08	Prairie Creek cove	
0818_09	Upper portion of reservoir adjacent to Lacy Fork cove	
0818_11	Upper portion of reservoir east of Tolosa	
0818_12	Uppermost portion of reservoir downstream of Kings Creek	

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0819 East Fork Trinity River
 From the confluence with the Trinity River in Kaufman County to Rockwall-Forney Dam in Kaufman County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
sulfate	5c	2008
0819_01 From the confluence with the Trinity River in Kaufman County to Rockwall-Forney Dam in Kaufman County		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
total dissolved solids	5c	2008
0819_01 From the confluence with the Trinity River in Kaufman County to Rockwall-Forney Dam in Kaufman County		

SegID: 0820B Rowlett Creek
 Perennial stream from the normal pool elevation of Lake Ray Hubbard upstream to the Parker Road crossing

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2014
0820B_01 Perennial stream from the normal pool elevation of Lake Ray Hubbard upstream to the Parker Road crossing		

SegID: 0820C Muddy Creek
 From the confluence with Lake Ray Hubbard, in Dallas County, to the headwaters east of Allen, in Collin County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
copper in water	5c	2016
0820C_01 From the confluence with Lake Ray Hubbard, in Dallas County, to the headwaters east of Allen, in Collin County		

SegID: 0821C Wilson Creek
 From the confluence with Lake Lavon in Collin County up to West FM 455 (NHD RC 12030106000086), just east of Celina, Collin Co., TX.

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2010
0821C_01 From the confluence with Lake Lavon in Collin County up to West FM 455 (NHD RC 12030106000086), just east of Celina, Collin Co., TX.		

SegID: 0821D East Fork Trinity River above Lake Lavon
 A portion of the East Fork Trinity River extending from the confluence with Lake Lavon (segment 0821) to the upper end of the water body (NHD RC 12030106000074) in Grayson County, Texas.

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2010
0821D_01 A portion of the East Fork Trinity River extending from the confluence with Lake Lavon (segment 0821) to the upper end of the water body (NHD RC 12030106000074) in Grayson County, Texas.		

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0822 Elm Fork Trinity River Below Lewisville Lake
 From the confluence with the West Fork Trinity River in Dallas County to Lewisville Dam
 in Denton County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
sulfate	5c	2016
0822_01 Lower 11 miles of segment		
0822_02 4.5 miles upstream to 7.5 miles downstream DWU intake		
0822_03 1.0 mi upstream to 4.5 miles downstream SH 121		
0822_04 Upper 1.5 miles of segment		

SegID: 0824 Elm Fork Trinity River Above Ray Roberts Lake
 From a point 9.5 km (5.9 mi) downstream of the confluence of Pecan Creek in Cooke
 County to US 82 in Montague County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2016
0824_03 3.5 mile reach near SH 51		

SegID: 0826 Grapevine Lake
 From Grapevine Dam in Tarrant County up to normal pool elevation of 535 feet (impounds
 Denton Creek)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
pH	5c	2012
0826_07 Upper portion of reservoir east of Marshall Creek Park		

SegID: 0827A White Rock Creek above White Rock Lake
 Perennial stream from the headwaters of White Rock Lake upstream to the headwaters at
 Hilcrest Road in Frisco

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2016
0827A_01 Perennial stream from the headwaters of White Rock Lake upstream to the confluence with McKamy Branch east of the City of Addison		

SegID: 0828A Village Creek
 From the confluence with Lake Arlington in Tarrant County to the headwaters east of
 Joshua in Johnson County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2010
0828A_01 From Lake Arlington to the headwaters		

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0829 Clear Fork Trinity River Below Benbrook Lake
 From the confluence with the West Fork Trinity River in Tarrant County to Benbrook Dam in Tarrant County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010

0829_01	From the confluence with West Fork Trinity River to 1 mile upstream.
0829_02	From 1 mile upstream of the confluence with West Fork Trinity River up to the confluence with Mary's Creek.
0829_03	From the confluence with Mary's Creek up to Benbrook Dam in Tarrant County, TX.

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	1996

0829_01	From the confluence with West Fork Trinity River to 1 mile upstream.
0829_02	From 1 mile upstream of the confluence with West Fork Trinity River up to the confluence with Mary's Creek.
0829_03	From the confluence with Mary's Creek up to Benbrook Dam in Tarrant County, TX.

SegID: 0829A Lake Como
 From Lake Como Dam to the reservoir headwaters in Lake Como Park in Tarrant County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2016

0829A_01	From Lake Como Dam to the reservoir headwaters in Lake Como Park in Tarrant County
----------	--

SegID: 0831 Clear Fork Trinity River Below Lake Weatherford
 From a point 200 meters (220 yards) downstream of US 377 in Tarrant County to Weatherford Dam in Parker County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2016

0831_01	Lower 12.75 miles, downstream from South Fork Trinity River confluence
---------	--

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	1996

0831_04	2 mi upstream of South Fork Trinity River confluence to Squaw Ck. Confluence
0831_05	From the confluence of Squaw Ck. to Lake Weatherford Dam

SegID: 0833 Clear Fork Trinity River Above Lake Weatherford
 From a point 3.1 km (1.9 mi) upstream of FM 730 in Parker County, to the confluence with Strickland Creek approximately 8 km (5 mi) upstream of FM 51 in Parker County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	1998

0833_03	From the confluence of McKnight Branch to the confluence of Strickland Ck. approximately 8 km (5 mi) upstream of FM 51 in Parker County.
0833_04	From the confluence with Dobbs Branch to confluence with McKnight Branch
0833_05	From the confluence of Dobbs Branch to the lower end of segment

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0836B Cedar Creek

From the confluence with Richland Chambers Reservoir to the upper end of the creek (NHD RC 12030109012807)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	2010
0836B_01 From the confluence with Richland Chambers Reservoir to the upper end of the creek (NHD RC 12030109012807)		

SegID: 0838C Walnut Creek

From the confluence with Joe Pool Lake up to the headwaters at Spring Street in Burleson.

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2006
0838C_01 From the confluence with Joe Pool Lake up to the headwaters at Spring Street in Burleson.		

SegID: 0841 Lower West Fork Trinity River

From a point immediately upstream of the confluence of the Elm Fork Trinity River in Dallas County to a point immediately upstream of the confluence of Village Creek in Tarrant County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
0841_01 From confluence of the Elm Fork Trinity River to the confluence with Johnson Creek.		
0841_02 From the confluence with Johnson Creek upstream to the confluence of Village Creek.		
<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	1996
0841_01 From confluence of the Elm Fork Trinity River to the confluence with Johnson Creek.		
0841_02 From the confluence with Johnson Creek upstream to the confluence of Village Creek.		

SegID: 0841A Mountain Creek Lake

From Mountain Creek Lake Dam to the reservoir headwater at the confluence of Mountain and Fish Creeks, in Dallas County (impounds Mountain Creek)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2016
0841A_01 From Mountain Creek Lake Dam to the reservoir headwater at the confluence of Mountain and Fish Creeks, in Dallas County (impounds Mountain Creek)		

SegID: 0841Q North Fork Fish Creek

North Fork Fish Creek from confluence with Fish Creek in Dallas Co. upstream to SH 360 in Tarrant Co.

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2016
0841Q_01 North Fork Fish Creek from confluence with Fish Creek in Dallas Co. upstream to SH 360 in Tarrant Co.		

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0901 Cedar Bayou Tidal

From the confluence with Galveston Bay 1.0 km (0.6 mi) downstream of Tri-City Beach Road in Chambers County to a point 2.2 km (1.4 mi) upstream of IH 10 in Chambers/Harris County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2006

0901_01	From the confluence with Galveston Bay 1.0 km (0.6 mi) downstream of Tri-City Beach Road to a point 2.2 km (1.4 miles) upstream of IH 10
---------	--

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2002

0901_01	From the confluence with Galveston Bay 1.0 km (0.6 mi) downstream of Tri-City Beach Road to a point 2.2 km (1.4 miles) upstream of IH 10
---------	--

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2008

0901_01	From the confluence with Galveston Bay 1.0 km (0.6 mi) downstream of Tri-City Beach Road to a point 2.2 km (1.4 miles) upstream of IH 10
---------	--

SegID: 1001 San Jacinto River Tidal

From a point 100 meters (110yards) downstream of IH 10 in Harris County to Lake Houston Dam in Harris County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2000

1001_01	From Lake Houston Dam to US Hwy 90
---------	------------------------------------

1001_02	From US Hwy 90 to IH 10
---------	-------------------------

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2002

1001_01	From Lake Houston Dam to US Hwy 90
---------	------------------------------------

1001_02	From US Hwy 90 to IH 10
---------	-------------------------

SegID: 1002 Lake Houston

From Lake Houston Dam in Harris County to the confluence of Spring Creek on the West Fork San Jacinto Arm in Harris/Montgomery County and to the confluence of Caney Creek on the East Fork San Jacinto Arm in Harris County, up to normal pool elevation of 44

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
pH	5c	2016

1002_02	From West Lake Houston Parkway to FM 1960 West Pass
---------	---

1002_05	From Foley Road to the Lake Houston Dam
---------	---

SegID: 1002C Lake Isabell

Small lake located at the southern end of Lake Houston Park northeast of the Caney Creek (1010) and East Fork of the San Jacinto River (1003) confluence in Harris County.

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
mercury in edible tissue	5c	2010

1002C_01	Small lake located at the southern end of Lake Houston Park northeast of the Caney Creek (1010) and East Fork of the San Jacinto River (1003) confluence in Harris County.
----------	--

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1005 Houston Ship Channel/San Jacinto River Tidal
 From the confluence with Galveston Bay at Morgan's Point in Harris/Chambers County to a point 100 meters (110 yards) downstream of IH 10 in Harris County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	1996

1005_01	Downstream I-10 to Lynchburg Ferry Road
1005_02	Lynchburg Ferry Road to Goose Island
1005_03	Goose Island to SH 146
1005_04	SH 146 to Morgans Point

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2002

1005_01	Downstream I-10 to Lynchburg Ferry Road
1005_02	Lynchburg Ferry Road to Goose Island
1005_03	Goose Island to SH 146
1005_04	SH 146 to Morgans Point

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1006 Houston Ship Channel Tidal

From the confluence with the San Jacinto River in Harris County to a point immediately upstream of Greens Bayou in Harris County, including tidal portions of tributaries

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (General Use)	5c	2006

1006_05 Goodyear Creek-From confluence with Greens Bayou Tidal to Granada St. in Harris County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	1996

1006_01 Houston Ship Channel Tidal-From the Greens Bayou confluence to the Patrick Bayou confluence

1006_02 Houston Ship Channel Tidal- From the Patrick Bayou confluence to the Houston Ship Channel/San Jacinto River Tidal (1005) confluence

1006_03 Greens Bayou Tidal- From the Houston Ship Channel confluence to a point 0.7 km (0.4 miles) upstream of the Halls Bayou confluence

1006_04 Patrick Bayou Tidal - From the confluence with the Houston Ship Channel to 100 m (328 ft) upstream of the railroad bridge

1006_05 Goodyear Creek-From confluence with Greens Bayou Tidal to Granada St. in Harris County

1006_06 Tucker Bayou- From the Houston Ship Channel confluence to a point 2.7 km (1.7 mi) upstream

1006_07 Carpenters Bayou-From the Houston Ship Channel confluence to the lower boundary of 1006B (2.3 m/ 1.4 mi) upstream from the Houston Ship Channel confluence)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
mercury in water	5c	1998

1006_04 Patrick Bayou Tidal - From the confluence with the Houston Ship Channel to 100 m (328 ft) upstream of the railroad bridge

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2002

1006_01 Houston Ship Channel Tidal-From the Greens Bayou confluence to the Patrick Bayou confluence

1006_02 Houston Ship Channel Tidal- From the Patrick Bayou confluence to the Houston Ship Channel/San Jacinto River Tidal (1005) confluence

1006_03 Greens Bayou Tidal- From the Houston Ship Channel confluence to a point 0.7 km (0.4 miles) upstream of the Halls Bayou confluence

1006_04 Patrick Bayou Tidal - From the confluence with the Houston Ship Channel to 100 m (328 ft) upstream of the railroad bridge

1006_05 Goodyear Creek-From confluence with Greens Bayou Tidal to Granada St. in Harris County

1006_06 Tucker Bayou- From the Houston Ship Channel confluence to a point 2.7 km (1.7 mi) upstream

1006_07 Carpenters Bayou-From the Houston Ship Channel confluence to the lower boundary of 1006B (2.3 m/ 1.4 mi) upstream from the Houston Ship Channel confluence)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
toxicity in sediment	5c	2000

1006_04 Patrick Bayou Tidal - From the confluence with the Houston Ship Channel to 100 m (328 ft) upstream of the railroad bridge

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1007 Houston Ship Channel/Buffalo Bayou Tidal

From a point immediately upstream of Greens Bayou in Harris County to a point 100 meters (110 yards) upstream of US 59 in Harris County, including tidal portion of tributaries

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (General Use)	5c	2006

1007_05 Vince Bayou Tidal - From the Houston Ship Channel confluence to SH 225

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	1996

1007_01 Houston Ship Channel - From a point immediately upstream of Greens Bayou Tidal to immediately upstream of the 69th Street WWTP outfall

1007_02 Sims Bayou Tidal - From the Houston Ship Channel confluence to a point 11 km (6.8 mi) upstream

1007_03 Hunting Bayou Tidal - From the Houston Ship Channel confluence to IH-10

1007_04 Brays Bayou Tidal - From the Houston Ship Channel confluence to downstream of IH-45

1007_05 Vince Bayou Tidal - From the Houston Ship Channel confluence to SH 225

1007_06 Berry Bayou - From the Houston Ship Channel confluence to a point 2.4 km (1.5 mi) upstream of the Sims Bayou confluence

1007_07 Buffalo Bayou - From immediately upstream of 69th Street WWTP outfall to US 59

1007_08 Little Vince Bayou Tidal - From the Vince Bayou confluence to SH 225

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2002

1007_01 Houston Ship Channel - From a point immediately upstream of Greens Bayou Tidal to immediately upstream of the 69th Street WWTP outfall

1007_02 Sims Bayou Tidal - From the Houston Ship Channel confluence to a point 11 km (6.8 mi) upstream

1007_03 Hunting Bayou Tidal - From the Houston Ship Channel confluence to IH-10

1007_04 Brays Bayou Tidal - From the Houston Ship Channel confluence to downstream of IH-45

1007_05 Vince Bayou Tidal - From the Houston Ship Channel confluence to SH 225

1007_06 Berry Bayou - From the Houston Ship Channel confluence to a point 2.4 km (1.5 mi) upstream of the Sims Bayou confluence

1007_07 Buffalo Bayou - From immediately upstream of 69th Street WWTP outfall to US 59

1007_08 Little Vince Bayou Tidal - From the Vince Bayou confluence to SH 225

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
toxicity in sediment	5c	2000

1007_05 Vince Bayou Tidal - From the Houston Ship Channel confluence to SH 225

SegID: 1007H Pine Gully Above Tidal

From the Sims Bayou confluence to 0.11 km (0.07 mi) east of Broadway Street in Harris County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2010

1007H_01 From the Sims Bayou confluence to 0.11 km (0.07 mi) east of Broadway Street

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1007I Plum Creek Above Tidal
From the Sims Bayou confluence to Telephone Road in Harris County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2010

1007I_01 From the Sims Bayou confluence to Telephone Road in Harris County

SegID: 1007K Country Club Bayou Above Tidal
From just downstream of South Lockwood Drive to the confluence with Brays Bayou to approximately 0.5 mi upstream of North Wayside Drive in Harris County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2002

1007K_01 From just downstream of South Lockwood Drive to the confluence with Brays Bayou

SegID: 1007O Unnamed Tributary of Buffalo Bayou
From the confluence with Buffalo Bayou to IH-10 between Hirsch Road and Lockwood in Harris County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2002

1007O_01 From the confluence with Buffalo Bayou to IH-10 between Hirsch Road and Lockwood in Harris County

SegID: 1007R Hunting Bayou Above Tidal
From the confluence with Hunting Bayou Tidal at IH-10 to Maury Street on the north fork and Bain Street on the south fork

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2002

1007R_01 From Bain Street to Sayers Street (South Fork)

1007R_04 From Loop 610 East to IH 10

SegID: 1007W Harris County Flood Control Ditch D 138
From the confluence with Brays Bayou to a point immediately south of Beechnut Street in Houston

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2016

1007W_01 From the confluence with Brays Bayou to a point immediately south of Beechnut Street in Houston

SegID: 1008 Spring Creek
From the confluence with the West Fork of the San Jacinto River in Harris/Montgomery County to the confluence with Kickapoo Creek in Harris/Waller County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	1996

1008_02 Kickapoo Creek confluence to SH 249

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1008I Walnut Creek
 From the Spring Creek confluence to a point 41.1 km (25.5 mi) upstream

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2016

1008I_01 From the Spring Creek confluence to a point 41.1 km (25.5 mi) upstream

SegID: 1008J Brushy Creek
 From the Spring Creek confluence upstream to a point 5.6 km (3.5 mi) upstream of FM 1488

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2016

1008J_01 From the Spring Creek confluence upstream to a point 5.6 km (3.5 mi) upstream of FM 1488

SegID: 1010C Spring Branch
 From the Caney Creek confluence to a point 0.54 km (0.34 mi) upstream of SH 105

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2016

1010C_01 From the Caney Creek confluence to a point 0.54 km (0.34 mi) upstream of SH 105

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2014

1010C_01 From the Caney Creek confluence to a point 0.54 km (0.34 mi) upstream of SH 105

SegID: 1013A Little White Oak Bayou
 From the White Oak Bayou confluence to Yale Street in Harris County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2002

1013A_01 From the confluence of White Oak Bayou upstream to the RR Tracks north of IH 610

SegID: 1013C Unnamed Non-Tidal Tributary of Buffalo Bayou Tidal
 Located approximately 1.8 mi upstream of the Buffalo Bayou/White Oak Bayou confluence between IH-10 and Memorial Drive west of IH-45 in Harris County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2014

1013C_01 Located approximately 1.8 mi upstream of the Buffalo Bayou/White Oak Bayou confluence between IH-10 and Memorial Drive west of IH-45 in Harris County

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1014C Horsepen Creek

From the Langham Creek confluence upstream to a point 0.1 km (0.06 mi) west of Barker Cypress Road

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2016
1014C_01	From the Langham Creek confluence upstream to where channelization begins, 0.62 km (0.39 mi) north of FM 529	

SegID: 1014M Newman Branch (Neimans Bayou)

From the Buffalo Bayou Above Tidal confluence to 0.1 km (0.06 mi) upstream of Hammerly Blvd in Harris County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	2002

1014M_01 From the Buffalo Bayou confluence to 0.1 km (0.06 mi) upstream of Hammerly Blvd

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
impaired fish community	5c	2010

1014M_01 From the Buffalo Bayou confluence to 0.1 km (0.06 mi) upstream of Hammerly Blvd

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
impaired macrobenthic community	5c	2010

1014M_01 From the Buffalo Bayou confluence to 0.1 km (0.06 mi) upstream of Hammerly Blvd

SegID: 1015A Mound Creek

From the confluence with Lake Creek to a point 0.69 km east of FM 149 near Conroe

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5a	2014

1015A_01 Perennial stream from the confluence with Lake Creek upstream to the confluence with an unnamed tributary approximately 0.75 km downstream of Rabon-Chapel Road

SegID: 1016D Unnamed Tributary of Greens Bayou

From the confluence with Greens Bayou, west of El Dorado Country Club to Lee Road, west of US Hwy 59 in Harris County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2002

1016D_01 From the confluence with Greens Bayou, west of El Dorado Country Club to Lee Road, west of US Hwy 59 in Harris County

SegID: 1017D Unnamed Tributary of Whiteoak Bayou

From the confluence with White Oak Bayou downstream of TC Jester, to Hempstead Hwy, north of US Hwy 290 in Harris County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2002

1017D_01 From the confluence with White Oak Bayou downstream of TC Jester, to Hempstead Hwy, north of US Hwy 290 in Harris County

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1101 Clear Creek Tidal

From the Clear Lake confluence at a point 3.2 km (2.0 mi) downstream of El Camino Real in Galveston/Harris County to a point 100 m (110 yards) upstream of FM528 in Galveston/Harris County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010

- 1101_01 Upper segment boundary to Chigger Creek confluence
- 1101_02 Chigger Creek confluence to IH 45
- 1101_03 IH 45 to Cow Bayou confluence
- 1101_04 Cow Bayou confluence to confluence with Clear Lake

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010

- 1101_01 Upper segment boundary to Chigger Creek confluence
- 1101_02 Chigger Creek confluence to IH 45
- 1101_03 IH 45 to Cow Bayou confluence
- 1101_04 Cow Bayou confluence to confluence with Clear Lake

SegID: 1102 Clear Creek Above Tidal

From a point 100 meters (110 yards) upstream of FM 528 in Galveston/Harris County to Rouen Road in Fort Bend County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010

- 1102_01 Upper segment boundary (Rouen Road) to SH 288
- 1102_02 SH 288 to Hickory Slough confluence
- 1102_03 Hickory Slough confluence to Turkey Creek confluence
- 1102_04 Turkey Creek confluence to Mary's Creek confluence
- 1102_05 Mary's Creek confluence to lower segment boundary

SegID: 1102F Mary's Creek Bypass

From the Mary's Creek confluence NE of FM 518 to a point 0.96 km (0.60 mi) upstream to the Mary's Creek confluence (NW of County Road 126)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5a	2014

- 1102F_01 From the Mary's Creek confluence NE of FM 518 to a point 0.96 km (0.60 mi) upstream to the Mary's Creek confluence (NW of County Road 126)

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1103 Dickinson Bayou Tidal

From the Dickinson Bay confluence 2.1 km (1.3 mi) downstream of SH 146 in Galveston County to a point 4.0 km (2.5 mi) downstream of FM 517 in Galveston County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	1996

1103_02	From the Gum Bayou confluence upstream to the Benson Bayou confluence
1103_03	From the Benson Bayou confluence upstream to the Bordens Gully confluence
1103_04	From the Bordens Gully confluence upstream to a point 4.0 km (2.5 mi) downstream of FM 517

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010

1103_01	From the Dickinson Bay confluence (downstream of State Hwy 146) upstream to the Gum Bayou confluence
1103_02	From the Gum Bayou confluence upstream to the Benson Bayou confluence
1103_03	From the Benson Bayou confluence upstream to the Bordens Gully confluence
1103_04	From the Bordens Gully confluence upstream to a point 4.0 km (2.5 mi) downstream of FM 517

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010

1103_01	From the Dickinson Bay confluence (downstream of State Hwy 146) upstream to the Gum Bayou confluence
1103_02	From the Gum Bayou confluence upstream to the Benson Bayou confluence
1103_03	From the Benson Bayou confluence upstream to the Bordens Gully confluence
1103_04	From the Bordens Gully confluence upstream to a point 4.0 km (2.5 mi) downstream of FM 517

SegID: 1103A Bensons Bayou

From the Dickinson Bayou confluence to point 0.6 km (0.37 mi) upstream of FM 646 in Galveston County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	2016

1103A_01	From the Dickinson Bayou Tidal confluence to point 0.6 km (0.37 mi) upstream of FM 646
----------	--

SegID: 1103C Geisler Bayou

From the Dickinson Bayou Tidal confluence to a point 1.37 km (0.85 mi) upstream of FM 646 in Galveston County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	2010

1103C_01	From the Dickinson Bayou Tidal confluence to a point 1.37 km (0.85 mi) upstream of FM 646
----------	---

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1105 Bastrop Bayou Tidal

From the confluence with Bastrop Bay 1.1 km (0.7 mi) downstream of the Intracoastal Waterway in Brazoria County to a point 8.6km (5.3 mi) upstream of Business 288 at Lake Jackson in Brazoria County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2012

1105_01	From the confluence with Bastrop Bay 1.1 kilometers (0.7 miles) downstream of the Intracoastal Waterway in Brazoria County to a point 8.6 km (5.3 miles) upstream of Business 288 at Lake Jackson in Brazoria County
---------	--

SegID: 1105A Flores Bayou

From a point 2.6 km (1.6 mi) downstream of County Road 171 upstream to SH 35 in Brazoria County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2010

1105A_03	From the confluence with Austin Bayou Above Tidal upstream to the a point 2.6 km (1.6 mi) downstream of County Road 171
----------	---

SegID: 1105B Austin Bayou Tidal

From the Bastrop Bayou Tidal confluence to the FM 2004 bridge crossing in Brazoria County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2014

1105B_01	From the Bastrop Bayou Tidal confluence to the FM 2004 bridge crossing
----------	--

SegID: 1105C Austin Bayou Above Tidal

From FM 2004 upstream (Austin Bayou Tidal upper boundary) to 1.73 mi upstream from where the water body crosses county road 51.

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2014

1105C_01	From FM 2004 upstream (Austin Bayou Tidal upper boundary) to 1.73 mi upstream from where the water body crosses county road 51.
----------	---

SegID: 1105E Brushy Bayou

From the confluence with Austin Bayou Above Tidal (1105C) upstream to end of canal approximately 0.4 mi upstream of FM 210 crossing east of the City of Angleton in Brazoria County.

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2010

1105E_01	From the confluence with Austin Bayou Above Tidal (1105C) upstream to end of canal approximately 0.4 mi upstream of FM 210 crossing east of the City of Angleton in Brazoria County.
----------	--

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2010

1105E_01	From the confluence with Austin Bayou Above Tidal (1105C) upstream to end of canal approximately 0.4 mi upstream of FM 210 crossing east of the City of Angleton in Brazoria County.
----------	--

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1107 Chocolate Bayou Tidal

From the Chocolate Bay confluence 1.4 km (0.9 mi) downstream of FM 2004 to a point 4.2 km (2.6 mi) downstream of SH 35 in Brazoria County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2010
1107_01 From the Chocolate Bay confluence 1.4 km (0.9 mi) downstream of FM 2004 to a point 4.2 km (2.6 mi) downstream of SH 35		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
1107_01 From the Chocolate Bay confluence 1.4 km (0.9 mi) downstream of FM 2004 to a point 4.2 km (2.6 mi) downstream of SH 35		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
1107_01 From the Chocolate Bay confluence 1.4 km (0.9 mi) downstream of FM 2004 to a point 4.2 km (2.6 mi) downstream of SH 35		

SegID: 1108 Chocolate Bayou Above Tidal

From a point 4.2 km (2.6 mi) downstream of SH 35 in Brazoria County to SH 6 in Brazoria County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2014
1108_01 From a point 4.2 km (2.6 mi) downstream of SH 35 to SH 6		

SegID: 1109 Oyster Creek Tidal

From the Intercoastal Waterway confluence to a point 100 meters (110 yards) upstream of FM 2004 in Brazoria County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2012
1109_01 From the Intracoastal Waterway confluence to a point 100 m (110 yds) upstream of FM 2004		

SegID: 1110 Oyster Creek Above Tidal

From a point 100 meters (110 yards) upstream of FM 2004 in Brazoria County to a point 4.3 km (2.7 mi) upstream of Scanlan Road in Fort Bend County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2006
1110_01 From a point 100 meters (110 yards) upstream of FM 2004 in Brazoria County upstream to the Styles Bayou confluence		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	1996
1110_01 From a point 100 meters (110 yards) upstream of FM 2004 in Brazoria County upstream to the Styles Bayou confluence		
1110_03 From an unnamed tributary [2.9 km (1.8 mi) downstream of FM 1462] upstream to a point 4.3 km (2.7 mi) upstream of Scanlan Road in Fort Bend County		

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1113 Armand Bayou Tidal
 From the Clear Lake confluence (at NASA Road 1 bridge) in Harris County to a point 0.8 km (0.5 mi) downstream of Genoa-Red Bluff Road in Pasadena in Harris County (includes Mud Lake/Pasadena Lake)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5a	2006
1113_03 From the Big Island Slough confluence upstream to a point 0.8 km (0.5 mi) downstream of Genoa-Red Bluff Road		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	1996
1113_02 From the Horsepen Bayou confluence to the Big Island Slough confluence		
1113_03 From the Big Island Slough confluence upstream to a point 0.8 km (0.5 mi) downstream of Genoa-Red Bluff Road		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5c	2010
1113_01 From the Clear Lake confluence at Nasa Road 1 to the Horsepen Bayou confluence		
1113_02 From the Horsepen Bayou confluence to the Big Island Slough confluence		
1113_03 From the Big Island Slough confluence upstream to a point 0.8 km (0.5 mi) downstream of Genoa-Red Bluff Road		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5c	2010
1113_01 From the Clear Lake confluence at Nasa Road 1 to the Horsepen Bayou confluence		
1113_02 From the Horsepen Bayou confluence to the Big Island Slough confluence		
1113_03 From the Big Island Slough confluence upstream to a point 0.8 km (0.5 mi) downstream of Genoa-Red Bluff Road		

SegID: 1113A Armand Bayou Above Tidal
 From the upper segment boundary of Armand Bayou Tidal, 0.8 km (0.5 mi) downstream of Genoa-Red Bluff Road), upstream to Beltway 8 in Harris County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	1998
1113A_01 From the upper segment boundary of Armand Bayou Tidal (point 0.8 km (0.5 miles) downstream of Genoa-Red Bluff Road) upstream to Beltway 8		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
impaired fish community	5b	2014
1113A_01 From the upper segment boundary of Armand Bayou Tidal (point 0.8 km (0.5 miles) downstream of Genoa-Red Bluff Road) upstream to Beltway 8		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
impaired macrobenthic community	5b	2014
1113A_01 From the upper segment boundary of Armand Bayou Tidal (point 0.8 km (0.5 miles) downstream of Genoa-Red Bluff Road) upstream to Beltway 8		

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1202H Allen's Creek

From the confluence with the Brazos River, two miles northeast of Wallis, to the headwaters one mile north of IH 10 in Austin County.

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2002

1202H_01 From the confluence with the Brazos River, two miles northeast of Wallis, to the headwaters one mile north of IH 10 in Austin County.

SegID: 1202J Big Creek

Big Creek - from the confluence of the Brazos River upstream to the confluence of Cottonwood Creek and Coon Creek

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2002

1202J_01 Big Creek from the confluence of the Brazos River upstream to the confluence of an unnamed tributary 2.1 km downstream of FM 2977 south of Rosenberg

SegID: 1202K Mill Creek

From confluence of East and West Mill Creeks downstream to confluence with Brazos River

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2010

1202K_01 Portion of Mill Creek from confluence with Brazos River upstream to confluence with East/West Forks Mill Creek in Austin County.

SegID: 1204A Camp Creek

From its confluence with the Brazos River downstream of Lake Granbury, upstream to its headwaters, 0.9 miles north of US Hwy 67 in Johnson County.

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2010

1204A_01 From its confluence with the Brazos River downstream of Lake Granbury, upstream to its headwaters, 0.9 miles north of US Hwy 67 in Johnson County.

SegID: 1208 Brazos River Above Possum Kingdom Lake

From a point immediately upstream of the confluence of Cove Creek at Salem Bend in Young County to the confluence of the Double Mountain Fork Brazos River and the Salt Fork Brazos River in Stonewall County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2008

1208_01 Portion of segment from confluence with Possum Kingdom Reservoir headwaters upstream to confluence with Spring Branch in Young County.

1208_02 Portion of segment from confluence with Spring Branch upstream to confluence with Fish Creek

1208_04 From confluence with Boggy Creek upstream to confluence with Millers Creek

1208_05 From confluence with Millers Creek upstream to confluence with Lake Creek

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1209 Navasota River Below Lake Limestone
 From the confluence with the Brazos River in Grimes County to Sterling C. Robertson Dam
 in Leon/Robertson County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2002
1209_03 Portion of Navasota River from confluence with Sandy Branch upstream to confluence with Shepherd Branch in Madison County.		
1209_05 Portion of Navasota River from confluence with Camp Creek upstream to Lake Limestone Dam in Robertson County.		

SegID: 1209A Country Club Lake
 From the Country Club Branch Dam up to normal pool elevation in Bryan in Brazos
 County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
toxicity in sediment	5c	1999
1209A_01 From the Country Club Branch Dam up to normal pool elevation in Bryan in Brazos County		

SegID: 1209B Fin Feather Lake
 From Fin Feather Dam up to normal pool elevation in northwest Bryan in Brazos County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
toxicity in sediment	5c	2000
1209B_01 From Fin Feather Dam up to normal pool elevation in northwest Bryan in Brazos County		

SegID: 1209E Wickson Creek
 Perennial stream from the confluence with an unnamed first order tributary (approximately
 1.3 km upstream of Reliance Road crossing) upstream to the confluence with an unnamed
 first order tributary approximately 15 meters upstream of Dilly Shaw Road

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2006
1209E_01 Perennial stream from the confluence with an unnamed first order tributary (approximately 1.3 km upstream of Reliance Road crossing) upstream to the confluence with an unnamed first order tributary approximately 15 meters upstream of Dilly Shaw Road		

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1209H Duck Creek

From the confluence with the Navasota river in Robertson County to Twin Oak Reservoir dam in Robertson County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2006
1209H_01 Portion of Duck Creek from confluence with Navasota River upstream to confluence with Mineral Creek in Robertson County.		
1209H_02 Portion of Duck Creek from confluence with Mineral Creek in Robertson County upstream to Twin Oak Reservoir dam in Robertson County.		
<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2012
1209H_01 Portion of Duck Creek from confluence with Navasota River upstream to confluence with Mineral Creek in Robertson County.		
1209H_02 Portion of Duck Creek from confluence with Mineral Creek in Robertson County upstream to Twin Oak Reservoir dam in Robertson County.		

SegID: 1209I Gibbons Creek

From confluence with Navasota River in Grimes County to SH 90 in Grimes County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2002
1209I_01 Portion of Gibbons Creek from confluence with Navasota River upstream to confluence with Dry Creek in Grimes County.		
1209I_02 Portion of Gibbons Creek from confluence with Dry Creek upstream to Gibbons Creek Reservoir dam in Grimes County		
<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2016
1209I_01 Portion of Gibbons Creek from confluence with Navasota River upstream to confluence with Dry Creek in Grimes County.		

SegID: 1209J Shepherd Creek

From the confluence with the Navasota River in Madison County to a point 0.7 mi upstream of FM 1452 in Madison County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2002
1209J_01 From the confluence with the Navasota River in Madison County to a point 0.7 mi upstream of FM 1452 in Madison County		

SegID: 1209K Steele Creek

From confluence with Navasota River in Robertson County to a point 2.4 mi upstream of FM 147 in Limestone County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2002
1209K_02 Portion of Steele Creek from confluence with Willow Creek upstream to headwaters in Limestone County.		

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1210A Navasota River above Lake Mexia

From the confluence with the headwaters of Lake Mexia in Limestone County to a point 1.25 mi upstream of SH 31 in Hill County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2002
1210A_01	From the confluence with the headwaters of Lake Mexia in Limestone County to a point 1.25 mi upstream of SH 31 in Hill County	

SegID: 1211A Davidson Creek

Intermittent stream with perennial pools from the confluence with Yegua Creek to 1.7 km above CR 322, Milam County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2002
1211A_02	Intermittent stream with perennial pools from the confluence with Yegua Creek upstream to 0.2 km above SH 21 near the City of Caldwell; App D	
<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2010
1211A_02	Intermittent stream with perennial pools from the confluence with Yegua Creek upstream to 0.2 km above SH 21 near the City of Caldwell; App D	

SegID: 1212 Somerville Lake

From Somerville Dam in Burleson/Washington County up to normal pool elevation of 238 feet (impounds Yegua Creek)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
pH	5c	2002
1212_01	Eastern end of reservoir near dam	
1212_03	Middle of reservoir near Birch Creek State Park	
1212_04	Western end of reservoir near upper segment boundary	

SegID: 1212A Middle Yegua Creek

From the confluence with East Yegua and Yegua Creeks in Lee County to the Lee County/Williamson County line

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2010
1212A_02	From confluence with West Yegua Creek upstream to headwaters of water body in Williamson County.	

SegID: 1213 Little River

From the confluence with the Brazos River in Milam County to the confluence of the Leon River and the Lampasas River in Bell County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2006
1213_04	From confluence with Boggy Creek upstream to its confluence with Leon and Lampasas Rivers	

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1213A Big Elm Creek

From the confluence with Little River in Milam county, 4.5 km northeast of the City of Cameron , upstream to its headwaters in McLennan County, 0.7 km west of Moody.

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2010
1213A_01	Portion of Big Elm Creek from the confluence with the Little River upstream to confluence with Little Elm Creek.	

SegID: 1214 San Gabriel River

From the confluence with the Little River in Milam County to Granger Lake Dam in Williamson County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
chloride	5c	2008
1214_01	From confluence with Little River upstream to confl. with Alligator Creek	
1214_02	From confluence with Alligator Creek upstream to Lake Granger	

SegID: 1217B Sulphur Creek

From the confluence of the Lampasas River east of Lampasas in Lampasas County to the confluences of Bean Creek and East Fork Sulphur Creek west of Lampasas in Lampasas County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2016
1217B_02	From the spring source located in the City of Lampasas upstream to the confluences with Bean Creek and East Fork Sulphur Creek west of Lampasas in Lampasas County	

SegID: 1217D North Fork Rocky Creek

Intermittent stream with perennial pools from the confluence with South Rocky Creek upstream to its headwaters approximately 11 km west of US 183]

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2006
1217D_01	Intermittent stream with perennial pools from the confluence with South Rocky Creek upstream to its headwaters approximately 11 km west of US 183; App D	

SegID: 1218 Nolan Creek/ South Nolan Creek

From the confluence with the Leon River in Bell County to a point 100 meters (110 yards) upstream to the most upstream crossing of US 190 and Loop 172 in Bell County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	1996
1218_01	Portion of Nolan Creek from the confluence with the Leon River upstream to confluence with North Nolan/South Nolan Creek fork in Bell county	
1218_02	Portion of South Nolan Creek from confluence with North Nolan / Nolan Creek fork upstream to confluence with Liberty Ditch in city of Killeen in Bell County.	

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1218C Little Nolan Creek

From the confluence with Nolan Creek/South Nolan Creek upstream to headwaters in the city of Killeen, Bell County.

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2010
1218C_01 From the confluence with Nolan Creek/South Nolan Creek upstream to headwaters in the city of Killeen, Bell County.		

SegID: 1221 Leon River Below Proctor Lake

From a point immediately upstream of the confluence of Plum Creek in Coryell County to Proctor Dam in Comanche County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	1996
1221_06 From confluence with South Leon Creek upstream to confluence with Walnut Creek		

SegID: 1221A Resley Creek

From the confluence of the Leon River east of Gustine in Comanche County to the upstream perennial portion of the stream north of Gustine in Erath County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2004
1221A_01 Portion of Resley Creek from confluence with Leon River upstream to conf. with unnamed tributary (NHD RC 12070201007823), approx. 1.0 mi N. of Comanche County Line		
1221A_02 Portion of Resley Creek from confluence with unnamed tributary (NHD RC 12070201007823), upstream to headwaters in Erath County.		
<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	2006
1221A_01 Portion of Resley Creek from confluence with Leon River upstream to conf. with unnamed tributary (NHD RC 12070201007823), approx. 1.0 mi N. of Comanche County Line		

SegID: 1221D Indian Creek

Perennial stream from the confluence of the Leon River to the headwaters approximately 7.5 km west of Comanche in Comanche County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2006
1221D_01 From confluence with Leon River, upstream to confluence with Armstrong Creek		
1221D_02 Perennial stream from the confluence with Armstrong Creek approximately 1.5 km downstream of SH 36 upstream to the confluence with an unnamed tributary approximately 0.1 km upstream of US 377; App D		

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1222A Duncan Creek

From the confluence of Proctor Lake northeast of Comanche in Comanche County to the upstream perennial portion of the stream west of Comanche in Comanche County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	1999

1222A_01 From the confluence of Proctor Lake northeast of Comanche in Comanche County to the upstream perennial portion of the stream west of Comanche in Comanche County

SegID: 1222B Rush-Copperas Creek

From the confluence of Proctor Lake northeast of Comanche in Comanche County to the upstream perennial portion of the stream northwest of Comanche in Comanche County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2006

1222B_01 From the confluence of Proctor Lake northeast of Comanche in Comanche County to the upstream perennial portion of the stream northwest of Comanche in Comanche County

SegID: 1222C Sabana River

From the confluence of Proctor Lake northeast of Comanche in Comanche County to the upstream perennial portion of the stream northwest of Rising Star in Eastland County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2006

1222C_01 Portion of Sabana River from confluence with Proctor Lake in Comanche County upstream to confluence with Elm Creek in Eastland County.

SegID: 1222E Sweetwater Creek

From its confluence with Copperas Creek, upstream to its headwaters, 6.3 mi west of Comanche in Comanche County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2006

1222E_01 From its confluence with Copperas Creek, upstream to its headwaters, 6.3 mi west of Comanche in Comanche County

SegID: 1223 Leon River Below Leon Reservoir

From a point immediately upstream of the confluence of Mill Branch in Comanche County to Leon Dam in Eastland County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2006

1223_01 From a point immediately upstream of the confluence of Mill Branch in Comanche County to Leon Dam in Eastland County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2008

1223_01 From a point immediately upstream of the confluence of Mill Branch in Comanche County to Leon Dam in Eastland County

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1223A Armstrong Creek

From its confluence with the Leon River downstream of Leon Reservoir, upstream to its headwaters in Erath County 6.2 mi east of State Hwy 16.

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2006

1223A_01 From its confluence with the Leon River downstream of Leon Reservoir, upstream to its headwaters in Erath County 6.2 mi east of State Hwy 16.

SegID: 1226B Green Creek

From the confluence of the North Bosque River south of Clairette in Erath County upstream to its headwaters 10km west of Stephenville in Erath County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2006

1226B_01 From the confluence of the North Bosque River south of Clairette in Erath County upstream to its headwaters 10km west of Stephenville in Erath County

SegID: 1226F Sims Creek

From the confluence with the North Bosque River in Erath County to the headwaters 6 mi southeast of Stephenville in Erath County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2002

1226F_01 From the confluence with the North Bosque River in Erath County to the headwaters 6 mi southeast of Stephenville in Erath County

SegID: 1226H Alarm Creek

From its confluence with the North Bosque River, upstream to its headwaters 3 mi west of Stephenville in Erath County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2010

1226H_01 From its confluence with the North Bosque River, upstream to its headwaters 3 mi west of Stephenville in Erath County

SegID: 1226K Little Duffau Creek

From its confluence with Duffau Creek, upstream to its headwaters 2.4 mi south west of US 67 in Erath County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2006

1226K_01 From its confluence with Duffau Creek, upstream to its headwaters 2.4 mi south west of US 67 in Erath County

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1226M Little Green Creek

From its confluence with Green Creek, upstream to its confluence with the North and South Forks of Little Green Creek, 2.4 mi south of SH 6 in Erath County.

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2010
1226M_01 From its confluence with Green Creek, upstream to its confluence with the North and South Forks of Little Green Creek, 2.4 mi south of SH 6 in Erath County.		

SegID: 1227 Nolan River

From a point immediately upstream of the confluence of Rock Creek in Hill County to Cleburne Dam in Johnson County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
chloride	5c	2006

1227_01 Portion of Nolan River from confluence with Whitney Lake upstream to confluence with Mustang Creek in Hill County.

1227_02 Portion of Nolan River from confluence with Mustang Creek in Hill County upstream to confluence with Lake Pat Cleburne Dam in Johnson County.

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
sulfate	5b	2002

1227_01 Portion of Nolan River from confluence with Whitney Lake upstream to confluence with Mustang Creek in Hill County.

1227_02 Portion of Nolan River from confluence with Mustang Creek in Hill County upstream to confluence with Lake Pat Cleburne Dam in Johnson County.

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
total dissolved solids	5b	2006

1227_01 Portion of Nolan River from confluence with Whitney Lake upstream to confluence with Mustang Creek in Hill County.

1227_02 Portion of Nolan River from confluence with Mustang Creek in Hill County upstream to confluence with Lake Pat Cleburne Dam in Johnson County.

SegID: 1232 Clear Fork Brazos River

From the confluence with the Brazos River in Young County to the most upstream crossing of US 180 in Fisher County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
pH	5c	2016

1232_02 From confluence with Hubbard Creek upstream to confluence with Deadman Creek

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1232A California Creek

From the confluence of Paint Creek southeast of Haskell in Haskell County to the headwaters southwest of Stamford in Jones County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2010
1232A_01	Portion of California Creek from confluence with Paint Creek in Haskell County upstream to confluence with Thompson Creek in Jones County.	

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
impaired fish community	5c	2016
1232A_01	Portion of California Creek from confluence with Paint Creek in Haskell County upstream to confluence with Thompson Creek in Jones County.	

SegID: 1238 Salt Fork Brazos River

From the confluence of the Double Mountain Fork Brazos River in Stonewall County to the most upstream crossing of SH 207 in Crosby County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
chloride	5c	2002
1238_01	Portion of Salt Fork Brazos River from confluence with Double Mountain Fork Brazos River upstream to confluence with Croton Creek in Stonewall County.	
1238_02	Portion of Salt Fork Brazos River from confluence with Croton Creek in Stonewall County upstream to confluence with Butte Creek in Kent County.	
1238_03	Portion of Salt Fork Brazos River from confluence with Butte Creek in Kent County upstream to headwaters in Crosby County.	

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
total dissolved solids	5c	2016
1238_01	Portion of Salt Fork Brazos River from confluence with Double Mountain Fork Brazos River upstream to confluence with Croton Creek in Stonewall County.	
1238_02	Portion of Salt Fork Brazos River from confluence with Croton Creek in Stonewall County upstream to confluence with Butte Creek in Kent County.	
1238_03	Portion of Salt Fork Brazos River from confluence with Butte Creek in Kent County upstream to headwaters in Crosby County.	

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1240 White River Lake
 From White River Dam in Crosby County up to the normal pool elevation of 2372.2 feet
 (impounds White River)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
chloride	5b	2002
1240_01 From White River Dam in Crosby County up to the normal pool elevation of 2372.2 feet (impounds White River)		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
excessive algal growth	5c	2016
1240_01 From White River Dam in Crosby County up to the normal pool elevation of 2372.2 feet (impounds White River)		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
sulfate	5b	2010
1240_01 From White River Dam in Crosby County up to the normal pool elevation of 2372.2 feet (impounds White River)		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
total dissolved solids	5b	2006
1240_01 From White River Dam in Crosby County up to the normal pool elevation of 2372.2 feet (impounds White River)		

SegID: 1241 Double Mountain Fork Brazos River
 From the confluence with the Salt Fork Brazos River in Stonewall County to the confluence
 of the North Fork Double Mountain Fork Brazos River in Kent County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2010
1241_01 25 miles near Hwy 83		

SegID: 1241B Lake Alan Henry
 Impounded Double Mountain Fork Brazos Rive, 20.0 mi south east of Post in Garza and
 Kent Counties.

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
mercury in edible tissue	5c	2010
1241B_01 Impounded Double Mountain Fork Brazos Rive, 20.0 mi south east of Post in Garza and Kent Counties.		

SegID: 1242B Cottonwood Branch
 Intermittent stream with perennial pools from the confluence with Still Creek upstream 0.95
 km to the confluence with an unnamed tributary

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2006
1242B_01 Portion of Cottonwood Branch from confluence with Still Creek upstream to unnamed tributary (NHD RC 12070101000835) in Brazos County.		
1242B_02 Portion of Cottonwood Branch from confluence with unnamed tributary (NHD RC 12070101000835) upstream to headwaters in Brazos County.		

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1242C Still Creek

Perennial stream from the confluence with Thompson's Creek upstream to the headwaters in Brazos County near US 190

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2006
1242C_02 Portion of Still Creek from confluence with Cottonwood Branch upstream to headwaters in Brazos County near US 190.		

SegID: 1242D Thompsons Creek

Thompsons Creek - from the confluence of the Brazos River upstream to the confluence of Thompson's Branch, north of FM 1687

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2002
1242D_01 Thompsons Creek an Appendix D perennial stream from the confluence of the Brazos River upstream to the confluence of Still Creek in Brazos County.		
1242D_02 Thompsons Creek an Appendix D intermittent stream with perennial pools from the confluence of Still Creek upstream to the confluence of Thompson's Branch, north of FM 1687		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	2006
1242D_02 Thompsons Creek an Appendix D intermittent stream with perennial pools from the confluence of Still Creek upstream to the confluence of Thompson's Branch, north of FM 1687		

SegID: 1242F Pond Creek

Perennial stream from the confluence with the Brazos River in Milam County upstream to the headwaters 0.18 km north of FM 935 in Bell County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2010
1242F_01 From the Brazos confluence upstream to Live Oak Creek confluence		

SegID: 1242I Campbells Creek

From the confluence with the Little Brazos River upstream to the headwaters, one mi west of Old San Antonio Road

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2002
1242I_01 From the confluence with the Little Brazos River upstream to the headwaters, one mi west of Old San Antonio Road		

SegID: 1242J Deer Creek

Deer Creek - perennial stream from the confluence of the Brazos River upstream to the confluence of Dog Branch northwest of Lott

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2006
1242J_01 Deer Creek an Appendix D perennial stream from the confluence of the Brazos River upstream to the confluence of Dog Branch northwest of Lott		

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1242K Mud Creek

From confluence with the Little Brazos River, upstream to the confluence with Touchstone Branch and Wolf Den Branch, in Robertson County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2002
1242K_01 From confluence with the Little Brazos River, upstream to the confluence with Touchstone Branch and Wolf Den Branch, in Robertson County		

SegID: 1242L Pin Oak Creek

From the confluence with the Little Brazos River in Robertson County upstream to the headwaters, 2.07 mi south of Franklin

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2002
1242L_01 From the confluence with the Little Brazos River in Robertson County upstream to the headwaters, 2.07 mi south of Franklin		

SegID: 1242M Spring Creek

From the confluence with the Little Brazos River in Robertson County, upstream to the headwaters, 1.5 mi north of FM 391

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2002
1242M_01 From the confluence with the Little Brazos River in Robertson County, upstream to the headwaters, 1.5 mi north of FM 391		

SegID: 1242O Walnut Creek

From the confluence with the Little Brazos River in Robertson County, upstream to the headwaters, one mi south of White Rock

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2006
1242O_01 From the confluence with the Little Brazos River in Robertson County, upstream to the headwaters, one mi south of White Rock		

SegID: 1242P Big Creek

From the confluence with Little Brazos River in Falls County upstream to the confluence with unnamed creeks near Mart in the northeast corner of Falls County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2002
1242P_01 Downstream portion of water body		

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1244 Brushy Creek
 From the confluence with the San Gabriel River in Milam County to the confluence of South Brushy Creek in Williamson County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2006
1244_01 From the confluence of the San Gabriel River upstream to the confluence of Mustang Creek		
1244_03 From the confluence of Cottonwood Creek upstream to the confluence of Lake Creek		
1244_04 From the confluence of Lake Creek upstream to the confluence of South Brushy Creek		

SegID: 1245C Bullhead Bayou
 From its confluence with Steep Bank Creek in Fort Colony, upstream to its headwaters in Pecan Grove in Fort Bend County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2006
1245C_01 From its confluence with Steep Bank Creek in Fort Colony, upstream to its headwaters in Pecan Grove in Fort Bend County		

SegID: 1245D Unnamed Tributary of Bullhead Bayou
 Tributary to Bullhead Bayou in Fort Bend County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2006
1245D_01 Tributary to Bullhead Bayou in Fort Bend County		

SegID: 1245F Alcorn Bayou
 From the confluence with Steep Bank Creek upstream to its headwaters 0.5km east of Pecan Grove in Fort Bend county

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2010
1245F_01 From the confluence with Steep Bank Creek upstream to its headwaters 0.5km east of Pecan Grove in Fort Bend county		

SegID: 1245I Steep Bank Creek
 From confluence with Oyster Creek (Flat Bank Creek portion) upstream to end of water body, 0.2 km east of US 59 in city of First Colony, Fort Bend County.

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2010
1245I_01 From confluence with Oyster Creek (Flat Bank Creek portion) upstream to end of water body, 0.2 km east of US 59 in city of First Colony, Fort Bend County.		

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1246E Wasp Creek

From the confluence with Tonk Creek in Crawford in McLennan County, upstream to the headwaters in Coryell County, 0.15 mi east of FM 185

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2002

1246E_01 From the confluence with Tonk Creek in Crawford in McLennan County, upstream to the headwaters in Coryell County, 0.15 mi east of FM 185

SegID: 1247A Willis Creek

From the confluence with the headwaters of Granger Lake in Williamson County to CR 313 in Williamson County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2002

1247A_01 From the confluence with the headwaters of Granger Lake in Williamson County to CR 313 in Williamson County

SegID: 1248 San Gabriel/North Fork San Gabriel River

From point 1.9 km (1.2 mi) downstream of SH 95 in Williamson County to North San Gabriel Dam in Williamson County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
chloride	5c	2010

1248_01 From point 1.9 km (1.2 mi) downstream of SH 95 in Williamson County to North San Gabriel Dam in Williamson County

SegID: 1248C Mankins Branch

Perennial stream from the confluence with the San Gabriel River in Williamson County to the intersection of CR 105 and 104 in Williamson County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2004

1248C_01 Perennial stream from the confluence with the San Gabriel River in Williamson County to the intersection of CR 105 and 104 in Williamson County

SegID: 1252 Lake Limestone

From Sterling C. Robertson Dam in Leon/Robertson County to a point 2.3 km (1.4 mi) downstream of SH 164 in Limestone County, up to normal pool elevation of 363 feet (impounds Navasota River)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
pH	5c	2016

1252_03 Lambs Creek arm on east side of lake

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1255 Upper North Bosque River

From a point immediately above the confluence of Indian Creek in Erath County to the confluence of the North Fork and South Fork of the Bosque River in Erath County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	1996
1255_01	Portion of Upper North Bosque River from confluence with Indian Creek upstream to confluence with Dry Branch in Erath County.	
1255_02	Portion of Upper North Bosque River from confluence with Dry Branch upstream to confluence with North/South Forks North Bosque River in Erath County.	
<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2008
1255_02	Portion of Upper North Bosque River from confluence with Dry Branch upstream to confluence with North/South Forks North Bosque River in Erath County.	

SegID: 1255A Goose Branch

From the confluence with the south fork of the North Bosque River 2.5 mi (4.0 km) west of Stephenville, upstream to the headwaters 0.5 mi (0.8 km) north of FM 8 in Erath County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2002
1255A_01	From the confluence with the south fork of the North Bosque River 2.5 mi (4.0 km) west of Stephenville, upstream to the headwaters 0.5 mi (0.8 km) north of FM 8 in Erath County	

SegID: 1255B North Fork Upper North Bosque River

From the confluence with the South Fork of the Upper North Bosque River in Stephenville, upstream to the headwaters, 2.0 mi north of FM 219

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2002
1255B_01	From the confluence with the South Fork of the Upper North Bosque River in Stephenville, upstream to the headwaters, 2.0 mi north of FM 219	

SegID: 1255C Scarborough Creek

From the confluence with the North Fork of the upper North Bosque River, upstream to the headwaters 0.1 mi (0.2 km) southeast of FM 219 in Erath County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2002
1255C_01	From the confluence with the North Fork of the upper North Bosque River, upstream to the headwaters 0.1 mi (0.2 km) southeast of FM 219 in Erath County	

SegID: 1255D South Fork North Bosque River

From the confluence with the North Fork of the upper North Bosque River in Stephenville, upstream to the headwaters 3 mi (4.8 km) north of FM 219 in Erath County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2010
1255D_01	From the confluence with the North Fork of the upper North Bosque River in Stephenville, upstream to the headwaters 3 mi (4.8 km) north of FM 219 in Erath County	

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1255E Unnamed Tributary of Goose Branch

From the confluence with Goose Branch in Erath County to its headwaters, 0.2 mi southeast of the intersection of FM 8 and Farm Road 1219

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2002

1255E_01 From the confluence with Goose Branch in Erath County to its headwaters, 0.2 mi southeast of the intersection of FM 8 and Farm Road 1219

SegID: 1255F Unnamed Tributary of Scarborough Creek

From the confluence with Scarborough Creek, 1.0 mi west of SH 108 in Erath County, upstream to the headwaters, 0.3 mi north of FM 219

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2002

1255F_01 From the confluence with Scarborough Creek, 1.0 mi west of SH 108 in Erath County, upstream to the headwaters, 0.3 mi north of FM 219

SegID: 1255G Woodhollow Branch

From the confluence with the South Fork of the North Bosque River, 6 mi northwest of Stephenville, upstream to the headwaters, 1.5 mi north of FM 219 in Erath County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2002

1255G_01 From the confluence with the South Fork of the North Bosque River, 6 mi northwest of Stephenville, upstream to the headwaters, 1.5 mi north of FM 219 in Erath County

SegID: 1255I Dry Branch

From its confluence with the Upper North Bosque River, upstream to its headwaters 2.3 mi east of SH 106 in Erath County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2010

1255I_01 From its confluence with the Upper North Bosque River, upstream to its headwaters 2.3 mi east of SH 106 in Erath County

SegID: 1259 Leon River Above Belton Lake

From a point 100 meters (110 yards) upstream of FM 236 in Coryell County to the confluence with Plum Creek in Coryell County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2016

1259_03 From the confluence with Stillhouse Creek upstream to the confluence with Plum Creek

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1301 San Bernard River Tidal

From the confluence with the Intracoastal Waterway in Brazoria County to a point 3.2 km (2.0 mi) upstream of SH 35 in Brazoria County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2006
1301_01	From the confluence with the Intracoastal Waterway in Brazoria County to a point 3.2 km (2.0 mi) upstream of SH 35 in Brazoria County	

SegID: 1302 San Bernard River Above Tidal

From a point 3.2 km (2.0 mi) upstream of SH 35 in Brazoria County to the county road southeast of New Ulm in Austin County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2002
1302_01	From the confluence with the Intracoastal Waterway in Brazoria County to confluence with Peach Creek	
1302_02	From the confluence with Peach Creek to the unnamed tributary at NHD RC 12090401001535 at N-96.03, W29.51	
1302_03	From the confluence with unnamed tributary at NHD RC 12090401001535 at N-96.03, W29.51 to the confluence with Coughatta Creek	

SegID: 1302A Gum Tree Branch

From the confluence with West Bernard Creek near Wharton CR 252 to the headwaters approximately 15 mi upstream near RR 102

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2006
1302A_01	From the confluence with West Bernard Creek near Wharton CR 252 to the headwaters approximately 15 mi upstream near RR 102	

SegID: 1302B West Bernard Creek

From the confluence with the San Bernard River Above Tidal downstream of US highway 59 to the headwaters approximately 40 mi upstream near FM 1093

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2006
1302B_01	From the confluence with the San Bernard River Above Tidal to the confluence with Clarks Branch	
1302B_02	From the confluence with Clarks Branch to the upper end of segment	

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2006
1302B_01	From the confluence with the San Bernard River Above Tidal to the confluence with Clarks Branch	

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1302D Peach Creek

From the confluence with the San Bernard River in Wharton Co. to the headwaters approximately 8 km upstream of FM-102 in Wharton Co.

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2016

1302D_01 From the confluence with the San Bernard River in Wharton Co. to the headwaters approximately 8 km upstream of FM-102 in Wharton Co.

SegID: 1304 Caney Creek Tidal

From the confluence with the Intracoastal Waterway in Matagorda County to a point 1.9 km (1.2 mi) upstream of the confluence of Linville Bayou in Matagorda County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2006

1304_01 From the downstream end of segment to the confluence with Dead Slough

SegID: 1304A Linnville Bayou

From the confluence with Caney Creek in Matagorda County upstream to a point 0.7 km above SH 35 in Brazoria/Matagorda Counties

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2010

1304A_01 Intermittent stream with perennial pools from a point 1.1 km above the confluence with Caney Creek in Matagorda County upstream to a point 0.1 km above SH 35 in Brazoria/Matagorda counties; AppD

SegID: 1305 Caney Creek Above Tidal

From a point 1.9 km (1.2 mi) upstream of the confluence of Linnville Bayou in Matagorda County to the confluence of Water Hole Creek in Matagorda County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	1999

1305_03 From the confluence with Snead Slough in Matagorda Co. to the upper end of segment at the confluence with Water Hole Creek in Matagorda Co.

SegID: 1402 Colorado River below La Grange

From a point 2.1 km (1.3 mi) downstream of the Missouri-Pacific Railroad in Matagorda County to a point 100 meters (110 yards) downstream of SH 71 at La Grange in Fayette County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2014

1402_02 From the confluence of Blue Creek in Matagorda County upstream to the confluence of Pierce Canal west of Wharton in Wharton County

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1402C Buckners Creek

Perennial stream from the confluence with the Colorado River upstream to the headwaters at Patterson Road southeast of the City of Rosanky in Bastrop County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2010

1402C_01	Perennial stream from the confluence with the Colorado River upstream to the confluence with Chandler Branch 1.6 km upstream of FM 154 in Fayette County
----------	--

SegID: 1402H Skull Creek

From the confluence with the Colorado River west of Eagle Lake in Colorado County to the upstream perennial portion southwest of Columbus

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	2008

1402H_01	From the confluence with the Colorado River west of Eagle Lake in Colorado County to the upstream perennial portion southwest of Columbus
----------	---

SegID: 1403A Bull Creek

From the confluence of Lake Austin in northwest Austin in Travis County to the upstream perennial portion of the stream north of Austin in Travis County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2010

1403A_04	From Spicewood Springs Rd. crossing near Yaupon Dr. upstream to the Spicewood Springs Dr. crossing near Oak Grove cemetery
----------	--

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1407A Clear Creek

From the confluence with Inks Lake in Burnet County west of Burnet upstream to a point 2 miles (3.2 km) west of FM 2341 near Potato Hill northwest of Burnet

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
aluminum in water	5c	2010
1407A_01 From the confluence with Inks Lake upstream to FM 2341		
<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
nickel in water	5c	2014
1407A_01 From the confluence with Inks Lake upstream to FM 2341		
<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
pH	5c	2010
1407A_01 From the confluence with Inks Lake upstream to FM 2341		
<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
sulfate	5c	2010
1407A_01 From the confluence with Inks Lake upstream to FM 2341		
<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
total dissolved solids	5c	2010
1407A_01 From the confluence with Inks Lake upstream to FM 2341		
<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
zinc in water	5c	2014
1407A_01 From the confluence with Inks Lake upstream to FM 2341		

SegID: 1411 E. V. Spence Reservoir

From Robert Lee Dam in Coke County to a point immediately upstream of the confluence of Little Silver Creek in Coke County, up to the normal pool elevation of 1898 feet (impounds Colorado River)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
chloride	5c	2014
1411_01 Main pool from the dam upstream to the Rough Creek arm		
1411_02 From the Rough Creek arm upstream to the confluence of Little Silver Creek		

SegID: 1412 Colorado River Below Lake J. B. Thomas

From a point immediately upstream of the confluence of Little Silver Creek in Coke County to Colorado River Dam in Scurry County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2008
1412_02 From the confluence of Beals Creek upstream to the dam below Barber Reservoir pump station		

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1412B Beals Creek

From the confluence of the Colorado River south of Colorado City in Mitchell County to the confluence of Mustang Draw and Sulphur Springs Draw in Howard County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2010
1412B_03 From the confluence of Gutherie Draw upstream to the confluence of Mustang Draw and Sulphur Springs Draw		

SegID: 1413 Lake J. B. Thomas

From Colorado River Dam in Scurry County up to normal pool elevation of 2258 feet (impounds Colorado River)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
chloride	5b	2008
1413_01 From Colorado River Dam in Scurry County up to normal pool elevation of 2258 feet (impounds Colorado River)		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
sulfate	5b	2012
1413_01 From Colorado River Dam in Scurry County up to normal pool elevation of 2258 feet (impounds Colorado River)		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
total dissolved solids	5b	2010
1413_01 From Colorado River Dam in Scurry County up to normal pool elevation of 2258 feet (impounds Colorado River)		

SegID: 1416 San Saba River

From the confluence with the Colorado River in San Saba County to the confluence of the North Valley Prong and the Middle Valley Prong in Schleicher County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2008
1416_01 From the confluence with the Colorado River in San Saba County upstream to the US 190		

SegID: 1416A Brady Creek

From the confluence of the San Saba River southwest of San Saba in San Saba County to Brady Lake Dam west of Brady in McCulloch County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2004
1416A_03 From FM 714 upstream to Brady Lake dam		

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1421 Concho River

From a point 2 km (1.2 mi) above the confluence of Fuzzy Creek in Concho County to San Angelo Dam on the North Concho River in Tom Green County and to Nasworthy Dam on the South Concho River in Tom Green County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2008
1421_08	North Concho River, from the confluence with the South Concho River upstream to O.C. Fisher dam	

SegID: 1425 O. C. Fisher Lake

From San Angelo Dam in Tom Green County up to normal pool elevation of 1908 feet (impounds North Concho River)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
chloride	5c	2002
1425_01	From San Angelo Dam in Tom Green County up to normal pool elevation of 1908 feet (impounds North Concho River)	

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
total dissolved solids	5c	2014
1425_01	From San Angelo Dam in Tom Green County up to normal pool elevation of 1908 feet (impounds North Concho River)	

SegID: 1427A Slaughter Creek

Intermittent stream with perennial pools from the confluence with Onion Creek to above US 290 west of Austin

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
impaired macrobenthic community	5b	2002
1427A_01	Intermittent stream with perennial pools from the confluence with Onion Creek to above US 290 west of Austin	

SegID: 1429C Waller Creek

From the confluence of Town Lake in central Austin in Travis County to the upstream portion of the stream in north Austin in Travis County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5a	2004
1429C_01	From the confluence with Town Lake to East MLK Blvd.	

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
impaired macrobenthic community	5c	2002
1429C_01	From the confluence with Town Lake to East MLK Blvd.	

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1432 Upper Pecan Bayou

From a point immediately upstream of the confluence of Willis Creek in Brown County to Lake Brownwood Dam in Brown County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2014
1432_01 From a point immediately upstream of the confluence of Willis Creek in Brown County to Lake Brownwood Dam in Brown County		

SegID: 1501 Tres Palacios Creek Tidal

From the confluence with Tres Palacios Bay in Matagorda County to a point 1.6 km (1.0 mi) upstream of the confluence of Wilson Creek in Matagorda County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	1999
1501_01 From the confluence with Willow Dam Creek at Tres Palacios Bay/Turtle Bay upstream to a point 1.6 km (1.0 mile) upstream of the confluence of Wilson Creek in Matagorda County		

SegID: 1602 Lavaca River Above Tidal

From a point 8.6 km (5.3 mi) downstream of US 59 in Jackson County to the confluence of Campbell Branch west of Hallettsville in Lavaca County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5a	2008
1602_03 Lower portion of segment from confluence with NHD RC 12100101002463 south of Edna in Jackson County upstream to confluence with Beard Branch		

SegID: 1602B Rocky Creek

Perennial stream from the confluence with the Lavaca River upstream to 2.9 km upstream of County Rd 364 north west of the City of Shiner

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5a	2014
1602B_01 From the confluence of Lavaca River upstream to confluence of Ponton Creek		

SegID: 1602C Lavaca River Above Campbell Branch

From the confluence of Campbell Branch in Hallettsville to approximately 3.4 mi upstream of SH 95 in Lavaca Co.

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	2014
1602C_01 From confluence of Campbell Branch in Hallettsville upstream to the confluence of West Prong Lavaca River		
1602C_02 From confluence of West Prong Lavaca River to the headwaters approximately 6.5 km upstream of TX Hwy 95 in the City of Moulton		

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1803A Elm Creek

From the confluence of Sandies Creek east of Smiley in Gonzales County to the upstream perennial portion of the stream southwest of Smiley in Gonzales County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	1999
1803A_01	From the confluence of Sandies Creek east of Smiley in Gonzales County to the upstream perennial portion of the stream southwest of Smiley in Gonzales County	

SegID: 1803B Sandies Creek

From the confluence of the Guadalupe River west of Cuero in DeWitt County to the upstream perennial portion of the stream northwest of Smiley in Gonzales County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2002
1803B_01	From the confluence with the Guadalupe River to the confluence with Elm Ck.	
1803B_02	From the confluence with Elm Creek to upper end of water body	

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	1999
1803B_01	From the confluence with the Guadalupe River to the confluence with Elm Ck.	
1803B_02	From the confluence with Elm Creek to upper end of water body	

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
impaired fish community	5b	2010
1803B_01	From the confluence with the Guadalupe River to the confluence with Elm Ck.	

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
impaired macrobenthic community	5b	2010
1803B_01	From the confluence with the Guadalupe River to the confluence with Elm Ck.	

SegID: 1803C Peach Creek

From the confluence of the Guadalupe River southeast of Gonzales in Gonzales County to the upstream perennial portion of the stream northeast of Waelder in Gonzales County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2002
1803C_01	Lower 25 miles of water body	
1803C_03	From approx. 1.2 mi. downstream of FM 1680 in Gonzales Co. to confluence with Elm Cr. In Fayette Co.	

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	2006
1803C_01	Lower 25 miles of water body	
1803C_03	From approx. 1.2 mi. downstream of FM 1680 in Gonzales Co. to confluence with Elm Cr. In Fayette Co.	

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1804A Geronimo Creek

From the confluence of the Guadalupe River south of Seguin in Guadalupe County to the upstream perennial portion north of Seguin in Guadalupe County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2006
1804A_01 From the confluence of the Guadalupe River south of Seguin in Guadalupe County to the upstream perennial portion north of Seguin in Guadalupe County		

SegID: 1805 Canyon Lake

From Canyon Dam in Comal County to a point 2.7 km (1.7 mi) downstream of Rebecca Creek Road in Comal County, up to normal pool elevation of 909 feet (impounds Guadalupe River)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
mercury in edible tissue	5c	2006
1805_01 Cove around Jacob's Creek Park		
1805_02 North end of Crane's Mill Park peninsula to south end of Canyon Park		
1805_03 Upper end of segment		
1805_04 Lower end of reservoir from dam upstream to Canyon Park		

SegID: 1811 Comal River

From the confluence with the Guadalupe River in Comal County to Klingemann Street in New Braunfels in Comal County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2016
1811_01 From the confluence with segment 1804 of the Guadalupe River up to just upstream of the confluence with Dry Comal Creek in New Braunfels, Comal County, Texas.		

SegID: 1811A Dry Comal Creek

From the confluence of the Comal River in New Braunfels in Comal County to the upstream perennial portion of the stream southwest of New Braunfels in Comal County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2010
1811A_01 Lower 25 miles of water body		

SegID: 1901 Lower San Antonio River

From the confluence with the Guadalupe River in Refugio/Victoria County to a point 600 meters (660 yards) downstream of FM 791 at Mays crossing near Falls City in Karnes County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
impaired fish community	5c	2012
1901_02 25 miles upstream of Manahuilla Creek		

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1901A Escondido Creek

From the confluence with segment 1901 up to the upper end of the water body (NHD RC 12100303002847).

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2014

1901A_01 From the confluence with segment 1901 up to the confluence with Nichols Creek in Kennedy.

SegID: 1901B Cabeza Creek

From the confluence with segment 1901, west of Goliad, Goliad County, up to the upper end of the water body (NHD RC 12100303000882)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2014

1901B_01 From the confluence with segment 1901, west of Goliad, Goliad County, up to the upper end of the water body (NHD RC 12100303000882)

SegID: 1901F Ecletto Creek

From the confluence with the Lower San Antonio River upstream to the headwaters adjacent to SH 123 south of Seguin in Guadalupe County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2016

1901F_01 From the confluence with the Lower San Antonio River upstream to the headwaters adjacent to SH 123 south of Seguin in Guadalupe County

SegID: 1902 Lower Cibolo Creek

From the confluence with the San Antonio River in Karnes County to a point 100 meters (110 yards) downstream of IH 10 in Bexar/Guadalupe County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2004

1902_01 From the confluence with the Lower San Antonio River in Karnes County upstream to the confluence with Mulifest Creek

1902_02 From the confluence with Mulifest Creek upstream to the confluence with Pulaski Creek

1902_03 From the confluence with Pulaski Creek upstream to the confluence with Clifton Branch

SegID: 1902A Martinez Creek

Perennial stream from the confluence with Lower Cibolo Creek upstream to the headwaters in Bexar County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2016

1902A_01 From the confluence with Lower Cibolo Creek upstream to the confluence with Salatrillo Creek

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1902C Clifton Branch

From the confluence of Lower Cibolo Creek upstream to the headwater 0.6 mi upstream of Wilson CR 424 north of Stockdale

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2014
1902C_01	From the confluence of Lower Cibolo Creek upstream to the headwater 0.6 miles upstream of Wilson CR 424 north of Stockdale	

SegID: 1903 Medina River Below Medina Diversion Lake

From the confluence with the San Antonio River in Bexar County to Medina Diversion Dam in Medina County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2010
1903_02	From the confluence with Palo Blanco Creek approximately 2.0 km upstream of FM 1937 upstream to the confluence with Lower Leon Creek	

SegID: 1905 Medina River Above Medina Lake

From a point immediately upstream of the confluence of Red Bluff Creek in Bandera County to the confluence of the North Prong Medina River and the West Prong Medina River in Bandera County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
impaired fish community	5c	2012
1905_01	From a point immediately upstream of the confluence of Red Bluff Creek upstream to RM 470	

SegID: 1906 Lower Leon Creek

From the confluence with the Medina River in Bexar County to a point 100 meters (110 yards) upstream of SH 16 northwest of San Antonio in Bexar County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2004
1906_03	From confluence with Indian Creek to Hwy 353 (New Laredo Hwy)	
1906_04	From Hwy 353 (New Laredo Hwy) upstream approximately 2 miles to a point southeast of Pearsall Park	
1906_05	From a point southeast of Pearsall Park upstream to US 90 on the westside of San Antonio	
1906_06	From US 90 on the westside of San Antonio upstream to a point 100 meters upstream of SH 16 northwest of San Antonio	

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1908 Upper Cibolo Creek

From the Missouri-Pacific Railroad Bridge west of Bracken in Comal County to a point 1.5 km (0.9 mi) upstream of the confluence of Champee Springs in Kendall County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2006
1908_02	From approx. 2 mi. upstream of Hwy 87 in Boerne upstream to a point 1.5 km (0.9 mi) upstream of the confluence of Champee Springs in Kendall County	

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
chloride	5c	2012
1908_01	From confluence. with Balcones Creek to approx. 2 mi. upstream of Hwy 87 in Boerne	
1908_02	From approx. 2 mi. upstream of Hwy 87 in Boerne upstream to a point 1.5 km (0.9 mi) upstream of the confluence of Champee Springs in Kendall County	
1908_03	From the Missouri-Pacific Railroad bridge west of Bracken in Comal County upstream to the confluence of Balcones Creek	

SegID: 1911 Upper San Antonio River

From a point 600 meters (660 yards) downstream of FM 791 at Mays Crossing near Falls City in Karnes County to a point 100 meters (110 yards) upstream of Hildebrand Avenue at San Antonio in Bexar County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
impaired fish community	5c	2006
1911_09	From just upstream of the confluence with San Pedro Creek up to the upper end of the segment.	

SegID: 1911H Picoso Creek

From the confluence with segment 1911 to the upper end of the water body, NHD RC 12100303003001937.

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2012
1911H_01	From the confluence with 1911 up to the confluence with Mariana Creek	

SegID: 1911I Martinez Creek

Martinez Creek from the confluence of Alazan Creek in central San Antonio upstream to the terminus at Vance Jackson Rd in north San Antonio

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2014
1911I_01	Martinez Creek from the confluence of Alazan Creek in central San Antonio upstream to the concrete channel portion at San Francisco St in north San Antonio	

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2004A Aransas Creek

From confluence with the Aransas River to the headwaters of the stream about 10 km upstream of US Highway 59.

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2006
2004A_01 From confluence with the Aransas River to the headwaters of the stream about 10 km upstream of US Highway 59.		

SegID: 2102 Nueces River Below Lake Corpus Christi

From Calallen Dam 1.7 km (1.1 mi) upstream of US 77/IH 37 in Nueces/San Patricio County to Wesley E. Seale Dam in Jim Wells/San Patricio County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
total dissolved solids	5c	2012
2102_01 From the downstream end of segment to the confluence with Javelin Creek		
2102_02 From the confluence with Javelin Creek to the upstream end of segment at Lake Corpus Christi		

SegID: 2103 Lake Corpus Christi

From Wesley E. Seale Dam in Jim Wells/San Patricio County to a point 100 meters (110 yards) upstream of US 59 in Live Oak County, up to normal pool elevation of 94 feet (impounds Nueces River)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
total dissolved solids	5b	2010
2103_01 From the Wesley E. Seale Dam in Jim Wells/San Patricio County to a point 4.5 mi upstream to County Road 10F on the east side of the lake and the third arm on the west side of the lake		
2103_02 Area approx. 4 mi. SE of FM 3162 and FM 534 intersection near western shore		
2103_03 Western arm of lake near Lagarto Creek inlet		
2103_04 Upper portion of lake on opposite shore from Hideaway Hill		
2103_05 Upper arm of reservoir in more riverine section surrounding FM 534		
2103_06 Uppermost riverine part of reservoir upstream of FM 534 to upper end of segment to just upstream of US Highway 59.		

SegID: 2105 Nueces River Above Holland Dam

From Holland Dam in LaSalle County to a point 100 meters (110 yards) upstream of FM 1025 in Zavala County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2012
2105_02 From the confluence with Sauz Macho Creek to the confluence of Line Oak Slough		

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2106 Nueces/Lower Frio River
 From a point 100 meters (110 yards) upstream of US 59 in Live Oak County to Choke Canyon Dam in Live Oak County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2014
2106_02 The Frio River from the confluence with the Nueces River to Choke Canyon Dam		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
total dissolved solids	5b	2006
2106_01 The Nueces river from the downstream end of segment to the confluence with the Frio River		
2106_02 The Frio River from the confluence with the Nueces River to Choke Canyon Dam		

SegID: 2107 Atascosa River
 From the confluence with the Frio River in Live Oak County to the confluence of the West Prong Atascosa River and the North Prong Atascosa River in Atascosa County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	1996
2107_01 From the downstream end of the segment at the confluence with the Frio River to the confluence with Borrego Creek		
2107_02 From the confluence with Borrego Creek to the confluence with Galvan Creek		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	1996
2107_02 From the confluence with Borrego Creek to the confluence with Galvan Creek		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
impaired fish community	5b	2006
2107_02 From the confluence with Borrego Creek to the confluence with Galvan Creek		
2107_03 From the confluence with Galvan Creek to the confluence with Palo Alto Creek		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
impaired macrobenthic community	5b	2010
2107_02 From the confluence with Borrego Creek to the confluence with Galvan Creek		
2107_03 From the confluence with Galvan Creek to the confluence with Palo Alto Creek		

SegID: 2108 San Miguel Creek
 From a point immediately upstream of the confluence of Mustang Branch in McMullen County to the confluence of San Francisco Perez Creek and Chacon Creek in Frio County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2006
2108_01 From the downstream end of the segment to the confluence of Liveoak Creek		

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2109 Leona River
 From the confluence with the Frio River in Frio County to US 83 in Uvalde County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2006
2109_01 From the downstream end of segment to the confluence of Yoledigo Creek		
2109_02 From the confluence of Yoledigo Creek to the confluence of Camp Lake Slough		
2109_03 From the confluence of Camp Lake Slough to the upper end of segment		

SegID: 2113 Upper Frio River
 From a point 100 meters (110 yards) upstream of US 90 in Uvalde County to the confluence of the West Frio River and the East Frio River in Real County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
impaired fish community	5c	2006
2113_01 From the downstream end of the segment to the confluence with Bear Creek		
<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
impaired macrobenthic community	5c	2006
2113_01 From the downstream end of the segment to the confluence with Bear Creek		

SegID: 2114 Hondo Creek
 From the confluence with the Frio River in Frio County to FM 470 in Bandera County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
chloride	5c	2012
2114_01 From the downstream end of the segment to the confluence with and unnamed tributary with NHD RC 12110107000245 at point N-99.12, W29.38 just upstream of FM 2676.		
2114_02 From the confluence with and unnamed tributary with NHD RC 12110107000245 at point N-99.12, W29.38 just upstream of FM 2676 to the upstream end of the segment.		

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2117 Frio River Above Choke Canyon Reservoir
 From a point 4.2 km (2.6 mi) downstream of SH 16 in McMullen County to a point 100 meters (110 yards) upstream of US 90 in Uvalde County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2008

2117_01	From the downstream end of segment to the confluence with Esperanza Creek
2117_02	From the confluence with Esperanza Creek to the confluence with Ruiz Creek

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
chloride	5c	2016

2117_01	From the downstream end of segment to the confluence with Esperanza Creek
2117_02	From the confluence with Esperanza Creek to the confluence with Ruiz Creek
2117_03	From the confluence with Ruiz Creek to the confluence with Live Oak Creek
2117_04	From the confluence with Live Oak Creek to the confluence with Elm Creek
2117_05	From the confluence with Elm Creek to the confluence with Spring Branch
2117_06	From the confluence with Spring Branch to the upstream end of the segment

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
total dissolved solids	5c	2016

2117_01	From the downstream end of segment to the confluence with Esperanza Creek
2117_02	From the confluence with Esperanza Creek to the confluence with Ruiz Creek
2117_03	From the confluence with Ruiz Creek to the confluence with Live Oak Creek
2117_04	From the confluence with Live Oak Creek to the confluence with Elm Creek
2117_05	From the confluence with Elm Creek to the confluence with Spring Branch
2117_06	From the confluence with Spring Branch to the upstream end of the segment

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2201 Arroyo Colorado Tidal

From confluence with Laguna Madre in Cameron/Willacy County to a point 100 meters (110 yards) downstream of Cemetery Road south of Port Harlingen in Cameron County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2006
2201_01	From the downstream end of the segment to the confluence with San Vincente Drainage Ditch	
2201_02	From the confluence with San Vincente Drainage Ditch to the confluence with an unnamed drainage ditch with NHD RC 12110108005353 at point N-97.53, W 26.31	
2201_03	From the confluence with an unnamed drainage ditch with NHD RC 12110108005353 at point N-97.53, W 26.31 to the confluence with Harding Ranch Ditch tributary	
2201_04	From the confluence with Harding Ranch Ditch tributary to just upstream of the City of Hondo Wastewater Discharge at point N-97.58359, W26.247186	
2201_05	From just upstream of the City Rio of Hondo Wastewater Discharge at point N-97.58359, W26.247186 to the upstream end of the segment	

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	1996
2201_04	From the confluence with Harding Ranch Ditch tributary to just upstream of the City of Hondo Wastewater Discharge at point N-97.58359, W26.247186	
2201_05	From just upstream of the City Rio of Hondo Wastewater Discharge at point N-97.58359, W26.247186 to the upstream end of the segment	

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
mercury in edible tissue	5c	2008
2201_05	From just upstream of the City Rio of Hondo Wastewater Discharge at point N-97.58359, W26.247186 to the upstream end of the segment	

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2008
2201_05	From just upstream of the City Rio of Hondo Wastewater Discharge at point N-97.58359, W26.247186 to the upstream end of the segment	

SegID: 2201B Unnamed Drainage Ditch Tributary (B) in Cameron County Drainage District #3

From the confluence with the Arroyo Colorado in Cameron County in the Rio Hondo turning basin at -97.6, 26.196 decimal degrees to a point 17.6 km upstream at the FM 510 crossing.

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2010
2201B_01	From the confluence with the Arroyo Colorado in Cameron County in the Rio Hondo turning basin at -97.6, 26.196 decimal degrees to a point 17.6 km upstream at the FM 510 crossing.	

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2202 Arroyo Colorado Above Tidal

From a point 100 meters (110 yards) downstream of Cemetery Road south of Port Harlingen in Cameron County to FM 2062 in Hidalgo County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	1996
2202_01	From the downstream end of segment to the confluence with Little Creek just upstream of State Loop 499.	
2202_02	From the confluence with Little Creek to the confluence with La Feria Main Canal just upstream of Dukes Highway.	
2202_03	From the confluence with La Feria Main Canal just upstream of Dukes Highway to the confluence with La Cruz Resaca just downstream of FM 907	
2202_04	From the confluence with La Cruz Resaca to the upper end of segment at FM 2062	

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
mercury in edible tissue	5c	2008
2202_01	From the downstream end of segment to the confluence with Little Creek just upstream of State Loop 499.	
2202_02	From the confluence with Little Creek to the confluence with La Feria Main Canal just upstream of Dukes Highway.	
2202_03	From the confluence with La Feria Main Canal just upstream of Dukes Highway to the confluence with La Cruz Resaca just downstream of FM 907	
2202_04	From the confluence with La Cruz Resaca to the upper end of segment at FM 2062	

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2008
2202_01	From the downstream end of segment to the confluence with Little Creek just upstream of State Loop 499.	
2202_02	From the confluence with Little Creek to the confluence with La Feria Main Canal just upstream of Dukes Highway.	
2202_03	From the confluence with La Feria Main Canal just upstream of Dukes Highway to the confluence with La Cruz Resaca just downstream of FM 907	
2202_04	From the confluence with La Cruz Resaca to the upper end of segment at FM 2062	

SegID: 2203 Petronila Creek Tidal

From the confluence of Chiltipin Creek in Kleberg County to a point 1 km (0.6 mi) upstream of private road crossing near Laureles Ranch in Kleberg County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2010
2203_01	From the confluence with Tunas Creek and Alazan Bay to a point 11 mi upstream	

SegID: 2204 Petronila Creek Above Tidal

From a point 1 km (0.6 mi) upstream of private road crossing near Laureles Ranch in Kleberg County to the confluence of Agua Dulce and Banquete Creeks in Nueces County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2016
2204_01	From downstream end of segment to the confluence with 2204A, unnamed drainage ditch tributary to Petronila Creek at N-97.7, W27.65 approximately 32.5 km (20.2 mi) upstream	

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2302A Arroyo Los Olmos
 From Rio Grande confluence at Rio Grande City to El Sauz in Starr County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2004
2302A_01 From the Rio Grande confluence near Rio Grande City upstream to a point 39.4 km (24.5 mi) near El Sauz		

SegID: 2304 Rio Grande Below Amistad Reservoir
 From a point 0.66 km (0.41 mi) upstream of the confluence of the Arroyo El Lobo (Mexico) in Webb County to Amistad Dam in Val Verde County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	1996
2304_01 From a point 0.66 km (0.41 mi) upstream of the confluence of the Arroyo El Lobo (Mexico) in Webb County upstream to the San Idelfonso Creek confluence		
2304_02 From the San Idelfonso Creek confluence upstream to International Bridge #2		
2304_03 From the International Bridge #2 upstream to the City of Laredo water treatment plant intake		
2304_07 From El Indio upstream to downstream of US Hwy 277 (Eagle Pass)		
2304_09 From the Las Moras Creek confluence upstream to the San Felipe Creek confluence		

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2306 Rio Grande Above Amistad Reservoir

From a point 1.8 km (1.1 mi) downstream of the confluence of Ramsey Canyon in Val Verde County to the confluence of the Rio Conchos (Mexico) in Presidio County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
sulfate	5b	2010
2306_01		From the lower segment boundary at Ramsey Canyon upstream to the confluence of Panther Gulch
2306_02		From the confluence of Panther Gulch upstream to FM 2627
2306_03		From FM 2627 upstream to Boquillas Canyon
2306_04		From Boquillas Canyon upstream to Mariscal Canyon
2306_05		From Mariscal Canyon to a point upstream of the IBWC gage at Johnson Ranch
2306_06		From a point upstream of the IBWC gage at Johnson Ranch to the mouth of Santa Elena Canyon at the Terlingua Creek confluence
2306_07		From the mouth of Santa Elena Canyon at the Terlingua Creek confluence upstream to the Alamito Creek confluence
2306_08		From Alamito Creek confluence upstream to the Rio Conchos confluence

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
total dissolved solids	5b	2010
2306_01		From the lower segment boundary at Ramsey Canyon upstream to the confluence of Panther Gulch
2306_02		From the confluence of Panther Gulch upstream to FM 2627
2306_03		From FM 2627 upstream to Boquillas Canyon
2306_04		From Boquillas Canyon upstream to Mariscal Canyon
2306_05		From Mariscal Canyon to a point upstream of the IBWC gage at Johnson Ranch
2306_06		From a point upstream of the IBWC gage at Johnson Ranch to the mouth of Santa Elena Canyon at the Terlingua Creek confluence
2306_07		From the mouth of Santa Elena Canyon at the Terlingua Creek confluence upstream to the Alamito Creek confluence
2306_08		From Alamito Creek confluence upstream to the Rio Conchos confluence

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2307 Rio Grande Below Riverside Diversion Dam
 From the confluence of the Rio Conchos (Mexico) in Presidio County to Riverside Diversion Dam in El Paso County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2002
2307_03 From Little Box Canyon upstream to the Alamo Grade Structure		
2307_04 From the Alamo Grade Structure upstream to the Guadalupe Bridge		
2307_05 From the Guadalupe Bridge to downstream of the Riverside Diversion Dam		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
chloride	5b	1996
2307_01 From immediately upstream of the Rio Conchos confluence to a point 40.2 km (25 mi) upstream		
2307_02 From a point 40.2 km (25 mi) upstream of the Rio Conchos confluence to Little Box Canyon		
2307_03 From Little Box Canyon upstream to the Alamo Grade Structure		
2307_04 From the Alamo Grade Structure upstream to the Guadalupe Bridge		
2307_05 From the Guadalupe Bridge to downstream of the Riverside Diversion Dam		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
total dissolved solids	5b	1996
2307_01 From immediately upstream of the Rio Conchos confluence to a point 40.2 km (25 mi) upstream		
2307_02 From a point 40.2 km (25 mi) upstream of the Rio Conchos confluence to Little Box Canyon		
2307_03 From Little Box Canyon upstream to the Alamo Grade Structure		
2307_04 From the Alamo Grade Structure upstream to the Guadalupe Bridge		
2307_05 From the Guadalupe Bridge to downstream of the Riverside Diversion Dam		

SegID: 2308 Rio Grande Below International Dam
 From the Riverside Diversion Dam in El Paso County to International Dam in El Paso County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2014
2308_01 From the Riverside Diversion Dam to the International Dam in El Paso County		

SegID: 2311 Upper Pecos River
 From a point immediately upstream of the confluence of Independence Creek in Crockett/Terrell County to Red Bluff Dam in Loving/Reeves County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	2006
2311_03 From US Hwy 67 upstream to the Ward Two Irrigation Turnout		

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2312 Red Bluff Reservoir
 From Red Bluff Dam in Loving/Reeves County to New Mexico State Line in Loving/Reeves County, up to normal pool elevation 2842 feet (impounds Pecos River)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
chloride	5c	2016
2312_01 From the Red Bluff Dam to mid-lake		
2312_02 From mid-lake to the Texas/New Mexico state line		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
sulfate	5c	2016
2312_01 From the Red Bluff Dam to mid-lake		
2312_02 From mid-lake to the Texas/New Mexico state line		

SegID: 2313 San Felipe Creek
 From the confluence with the Rio Grande in Val Verde County to a point 4.0 km (2.5 mi) upstream of US 90 in Val Verde County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2014
2313_01 From the Rio Grande confluence to the San Felipe Springs upstream of US Hwy 90		

SegID: 2314 Rio Grande Above International Dam
 From International Dam in El Paso County to the New Mexico State Line in El Paso County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2002
2314_01 From the International Dam upstream to the Anthony Drain confluence		

SegID: 2411 Sabine Pass
 From the end of jetties at the Gulf of Mexico to SH 82

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2014
2411_01 From the end of jetties at the Gulf of Mexico to SH 82		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2012
2411_01 From the end of jetties at the Gulf of Mexico to SH 82		

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2412 Sabine Lake
Sabine Lake

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2016
2412_01 Sabine Lake		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2012
2412_01 Sabine Lake		

SegID: 2421 Upper Galveston Bay
Upper Galveston Bay

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	1996
2421_01 Red Bluff to Five mi Cut to Houston Point to Morgans Point		
2421_02 Western portion of the bay		
2421_03 Main portion of the bay		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2004
2421_01 Red Bluff to Five mi Cut to Houston Point to Morgans Point		
2421_02 Western portion of the bay		
2421_03 Main portion of the bay		

SegID: 2421A Clear Lake Channel
From the Lower Galveston Bay confluence to SH 146

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
2421A_01 From Lower Galveston Bay confluence to SH 146		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
2421A_01 From Lower Galveston Bay confluence to SH 146		

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2422 Trinity Bay
Trinity Bay

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
2422_01 Upper half of bay		
2422_02 Lower half of bay		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
2422_01 Upper half of bay		
2422_02 Lower half of bay		

SegID: 2422B Double Bayou West Fork
From the Trinity Bay confluence to Belton Road in Chambers County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2006
2422B_01 From the Trinity Bay confluence to Belton Road		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	2004
2422B_01 From the Trinity Bay confluence to Belton Road		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
2422B_01 From the Trinity Bay confluence to Belton Road		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
2422B_01 From the Trinity Bay confluence to Belton Road		

SegID: 2422D Double Bayou East Fork
From the Trinity Bay confluence to a point 2.6 km (1.6 mi) upstream of SH 65

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2014
2422D_01 From the Trinity Bay confluence to a point 2.6 km (1.6 mi) upstream of SH 65		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
2422D_01 From the Trinity Bay confluence to a point 2.6 km (1.6 mi) upstream of SH 65		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
2422D_01 From the Trinity Bay confluence to a point 2.6 km (1.6 mi) upstream of SH 65		

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2423 **East Bay**
East Bay

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
2423_01 Area adjacent to the ICWW (Segment 0702)		
2423_02 Remainder of segment		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
2423_01 Area adjacent to the ICWW (Segment 0702)		
2423_02 Remainder of segment		

SegID: 2423A **Oyster Bayou**
From the East Bay confluence to a point 2.2 km (1.4 mi) upstream from SH 65 in Chambers County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2014
2423A_01 From the East Bay confluence to a point 2.2 km (1.4 mi) upstream from SH 65		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
2423A_01 From the East Bay confluence to a point 2.2 km (1.4 mi) upstream from SH 65		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
2423A_01 From the East Bay confluence to a point 2.2 km (1.4 mi) upstream from SH 65		

SegID: 2424 **West Bay**
West Bay

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
2424_01 West Bay		
2424_02 Area adjacent to Lower Galveston Island		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
2424_01 West Bay		
2424_02 Area adjacent to Lower Galveston Island		

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2424A Highland Bayou

From Jones Bay confluence to Avenue Q 0.8 km (0.5 mi) north of SH 6 between Arcadia and Alta Loma in Galveston County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2002
2424A_02 From Bayou Lane upstream to Lake Road		
2424A_03 From Lake Road upstream to FM 519		
2424A_04 From FM 519 upstream to FM 2004		
2424A_05 From FM 2004 to the headwaters just west of FM 1764		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	2002
2424A_05 From FM 2004 to the headwaters just west of FM 1764		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
2424A_01 From the Jones Bay confluence upstream to Bayou Lane		
2424A_02 From Bayou Lane upstream to Lake Road		
2424A_03 From Lake Road upstream to FM 519		
2424A_04 From FM 519 upstream to FM 2004		
2424A_05 From FM 2004 to the headwaters just west of FM 1764		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
2424A_01 From the Jones Bay confluence upstream to Bayou Lane		
2424A_02 From Bayou Lane upstream to Lake Road		
2424A_03 From Lake Road upstream to FM 519		
2424A_04 From FM 519 upstream to FM 2004		
2424A_05 From FM 2004 to the headwaters just west of FM 1764		

SegID: 2424B Lake Madeline

Located between Jones Street, Stewart Street and Pine Street, north of the seawall on Galveston Island

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2014
2424B_01 Between Jones Street, Stewart Street and Pine Street, north of the seawall on Galveston Island		

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2424C Marchand Bayou

From Highland Bayou confluence to 0.72 km (0.45 mi) north of IH 45 in Galveston County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2002
2424C_01 From Highland Bayou confluence 0.72 km (0.45 mi) north of IH-45		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2002
2424C_01 From Highland Bayou confluence 0.72 km (0.45 mi) north of IH-45		

SegID: 2424D Offatts Bayou

Located on the east end of Galveston Island, running parallel with the southern terminus of IH 45, and joins West Bay near Teichman Point

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
2424D_01 Upper area bordered by SH 342 and 71st Street		
2424D_02 Middle area bordered by 71st Street and Walsh Street		
2424D_03 Lower area bordered by Walsh Street and Techmann Point		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
2424D_01 Upper area bordered by SH 342 and 71st Street		
2424D_02 Middle area bordered by 71st Street and Walsh Street		
2424D_03 Lower area bordered by Walsh Street and Techmann Point		

SegID: 2424G Highland Bayou Diversion Canal

From the confluence with an unnamed tributary adjacent to Jones Bay upstream to the Highland Bayou confluence

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2014
2424G_01 From the confluence with an unnamed tributary adjacent to Jones Bay upstream to the Highland Bayou confluence		

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2425 **Clear Lake**
Clear Lake

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
copper in water	5c	2016

2425_01 Clear Lake

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010

2425_01 Clear Lake

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010

2425_01 Clear Lake

SegID: 2425A **Taylor Lake**

Taylor Lake from the confluence with Clear Lake upstream to the terminus of Taylor Bayou south of Bay Forest Golf Club in LaPorte

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010

2425A_01 Taylor Lake from the confluence with Clear Lake to the confluence with Taylor Bayou at Red Bluff Rd in Seabrook

2425A_02 Taylor Bayou from the confluence with Taylor Lake at Red Bluff Rd in Seabrook upstream to the Southern Pacific railroad bridge parallel with SH 146 in Harris County

2425A_03 Taylor Bayou from the Southern Pacific railroad bridge parallel with SH 146 in Harris County upstream to the terminus south of Bay Forest Golf Club in LaPorte

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010

2425A_01 Taylor Lake from the confluence with Clear Lake to the confluence with Taylor Bayou at Red Bluff Rd in Seabrook

2425A_02 Taylor Bayou from the confluence with Taylor Lake at Red Bluff Rd in Seabrook upstream to the Southern Pacific railroad bridge parallel with SH 146 in Harris County

2425A_03 Taylor Bayou from the Southern Pacific railroad bridge parallel with SH 146 in Harris County upstream to the terminus south of Bay Forest Golf Club in LaPorte

SegID: 2425B **Jarbo Bayou**

From Clear Lake confluence with Clear Lake to 1.1 km (0.67 mi) upstream of FM 518 in Galveston County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010

2425B_01 From the Clear Lake confluence upstream to Lawrence Road

2425B_02 From Lawrence Road to the headwaters 1.1 km (0.67 mi) upstream of FM 518

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010

2425B_01 From the Clear Lake confluence upstream to Lawrence Road

2425B_02 From Lawrence Road to the headwaters 1.1 km (0.67 mi) upstream of FM 518

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2426 **Tabbs Bay**
 Tabbs Bay

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	1996

2426_01 Tabbs Bay

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2004

2426_01 Tabbs Bay

SegID: 2426C **Goose Creek Tidal**
 From the Tabbs Bay confluence upstream to the East Fork of Goose Creek confluence

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010

2426C_01 From the Tabbs Bay confluence upstream to the East Fork of Goose Creek confluence

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010

2426C_01 From the Tabbs Bay confluence upstream to the East Fork of Goose Creek confluence

SegID: 2427 **San Jacinto Bay**
 San Jacinto Bay

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	1996

2427_01 San Jacinto Bay

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2004

2427_01 San Jacinto Bay

SegID: 2428 **Black Duck Bay**
 Black Duck Bay

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	1998

2428_01 Black Duck Bay

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2004

2428_01 Black Duck Bay

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2429 **Scott Bay**
 Scott Bay

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	1998

2429_01 Scott Bay

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2004

2429_01 Scott Bay

SegID: 2430 **Burnet Bay**
 Burnet Bay

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	1998

2430_01 Burnet Bay

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2004

2430_01 Burnet Bay

SegID: 2430A **Crystal Bay**
 Crystal Bay, a side bay of Burnett Bay, located between Burnett and Scott (Segment 2429)
 Bays adjacent to the San Jacinto Monument and Houston Ship Channel (Segment 1005)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010

2430A_01 Crystal Bay, a side bay of Burnett Bay, located between Burnett and Scott (Segment 2429) Bays adjacent to the San Jacinto Monument and Houston Ship Channel (Segment 1005)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010

2430A_01 Crystal Bay, a side bay of Burnett Bay, located between Burnett and Scott (Segment 2429) Bays adjacent to the San Jacinto Monument and Houston Ship Channel (Segment 1005)

SegID: 2431 **Moses Lake**
 Moses Lake

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010

2431_01 Moses Lake

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010

2431_01 Moses Lake

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2431A Moses Bayou

From Moses Lake confluence to 2.2 km (1.4 mi) upstream of SH 3 in Galveston County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2014
2431A_01 From Moses Lake confluence to 2.2 km (1.4 mi) upstream of SH 3		
<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
2431A_01 From Moses Lake confluence to 2.2 km (1.4 mi) upstream of SH 3		
<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
2431A_01 From Moses Lake confluence to 2.2 km (1.4 mi) upstream of SH 3		

SegID: 2431C Unnamed Tributary to the Southern Arm of Moses Lake (West)

From the confluence with the southern arm (west) of Moses Lake to a point 0.45 mi upstream of State Highway 3 near La Marque

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2014
2431C_01 From the confluence with the southern arm (west) of Moses Lake to a point 0.45 mi upstream of State Highway 3 near La Marque		

SegID: 2432 Chocolate Bay

Chocolate Bay

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
2432_01 Chocolate Bay		
<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
2432_01 Chocolate Bay		

SegID: 2432C Halls Bayou Tidal

From the Chocolate Bay confluence upstream to a point 31.5 km (19.6 mi) upstream

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2012
2432C_01 From the Chocolate Bay confluence upstream to a point 31.5 km (19.6 mi) upstream		
<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
2432C_01 From the Chocolate Bay confluence upstream to a point 31.5 km (19.6 mi) upstream		
<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
2432C_01 From the Chocolate Bay confluence upstream to a point 31.5 km (19.6 mi) upstream		

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2433OW Bastrop Bay/Oyster Lake (Oyster Waters)
 Bastrop Bay/Oyster Lake (Oyster Waters)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (oyster waters)	5c	2006
2433OW_01 Bastrop Bay		

SegID: 2436 Barbours Cut
 Barbours Cut

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	1998
2436_01 Barbours Cut		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2004
2436_01 Barbours Cut		

SegID: 2437 Texas City Ship Channel
 Texas City Ship Channel

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
2437_01 Texas City Ship Channel		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
2437_01 Texas City Ship Channel		

SegID: 2438 Bayport Channel
 Bayport Channel

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2000
2438_01 Bayport Channel		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2004
2438_01 Bayport Channel		

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2439 Lower Galveston Bay
Lower Galveston Bay

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
2439_01 Area adjacent to the Texas City Ship Channel and Moses Lake		
2439_02 Eastern portion of the bay		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
2439_01 Area adjacent to the Texas City Ship Channel and Moses Lake		
2439_02 Eastern portion of the bay		

SegID: 2441OW East Matagorda Bay (Oyster Waters)
East Matagorda Bay (Oyster Waters)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (oyster waters)	5a	1998
2441OW_01 Caney Creek arm and western shoreline area		

SegID: 2452OW Tres Palacios Bay/Turtle Bay (Oyster Waters)
Tres Palacios Bay/Turtle Bay (Oyster Waters)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (oyster waters)	5a	1998
2452OW_01 Turtle Bay and Tres Palacios Creek Arm		

SegID: 2452TP Tres Palacios Bay (Recreational Beaches)
Tres Palacios Bay (Recreational Beaches)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreational Beaches)	5a	2014
2452TP_01 Palacios (Beach ID TX 784742)		

SegID: 2453A Garcitas Creek Tidal
From the Lavaca Bayou confluence to a point 13.7 km (8.5 mi) upstream of FM 616 in Jackson County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	1999
2453A_01 From the Lavaca Bay confluence to a point 13.7 km (8.5 mi) upstream of FM 616		

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2453C Arenosa Creek
From Garcitas Creek confluence upstream to J-2 Ranch Road

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5b	2010
2453C_01 From Garcitas Creek confluence upstream to J-2 Ranch Road		

SegID: 2453D Lavaca Bay Ship Channel Area
Lavaca Bay Ship Channel Area

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
copper in water	5c	2016

2453D_01 Lavaca Bay Ship Channel Area

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2006

2453D_01 Lavaca Bay Ship Channel Area

SegID: 2453OW Lavaca Bay/Chocolate Bay (Oyster Waters)
Lavaca Bay/Chocolate Bay (Oyster Waters)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (oyster waters)	5a	1996

2453OW_02 North-northeastern portion of the bay near Point Comfort

2453OW_03 Chocolate Bay area

SegID: 2454 Cox Bay
Cox Bay

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
copper in water	5c	2016

2454_02 Remainder of Cox Bay

SegID: 2455OW Keller Bay (Oyster Waters)
Keller Bay (Oyster Waters)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (oyster waters)	5a	2006

2455OW_01 Upper arm

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2456 Carancahua Bay
 Carancahua Bay

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5a	2006
2456_02 Upper half of bay		

SegID: 2456A West Carancahua Creek Tidal
 From the Carancahua Bay confluence to Jackson CR 440, 10.1 km (6.3 mi) upstream of FM 616 in Jackson County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2006
2456A_01 From the Carancahua Bay confluence to Jackson CR 440, 10.1 km (6.3 mi) upstream of FM 616 in Jackson County		

SegID: 2456OW Carancahua Bay (Oyster Waters)
 Carancahua Bay (Oyster Waters)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (oyster waters)	5a	1996
2456OW_02 Upper portion of bay and shoreline area		

SegID: 2462OW San Antonio Bay/Hynes Bay/Guadalupe Bay/Mission Lake (Oyster Waters)
 San Antonio Bay/Hynes Bay/Guadalupe Bay/Mission Lake (Oyster Waters)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (oyster waters)	5a	1996
2462OW_01 Guadalupe Bay		

SegID: 2472OW Copano Bay/Port Bay/Mission Bay (Oyster Waters)
 Copano Bay/Port Bay/Mission Bay (Oyster Waters)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (oyster waters)	5c	1998
2472OW_01 Mission Bay, Aransas River arm, Port Bay, and eastern shoreline		

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2481CB Corpus Christi Bay (Recreational Beaches)
Corpus Christi Bay (Recreational Beaches)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreational Beaches)	5a	2010
2481CB_03 Cole Park (Beach ID TX259473)		
2481CB_04 Ropes Park (Beach ID TX821303)		
2481CB_06 Poenisch Park (Beach ID TX682648)		

SegID: 2482 Nueces Bay
Nueces Bay

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
copper in water	5c	2016
2482_01 Nueces Bay		

SegID: 2484 Corpus Christi Inner Harbor
Corpus Christi Inner Harbor - from US 181 to Viola Turning Basin

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
copper in water	5c	2016
2484_01 Corpus Christi Inner Harbor - from US 181 to Viola Turning Basin		

SegID: 2485 Oso Bay
Oso Bay

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	1996
2485_02 Middle bay (State Park Road 22 to Holly Road)		

SegID: 2485A Oso Creek
From the Oso Bay confluence in southern Corpus Christi to a point 4.8 km (3 mi) upstream of SH 44, west of Corpus Christi in Nueces County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5a	2002
2485A_01 From the Oso Bay confluence in southern Corpus Christi to a point 4.8 km (3 mi) upstream of SH 44, west of Corpus Christi		

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2485OW **Oso Bay (Oyster Waters)**
Oso Bay (Oyster Waters)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (oyster waters)	5a	2006
2485OW_01 Oso Bay		

SegID: 2491 **Laguna Madre**
Laguna Madre

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2010
2491_02 Area adjacent to the Arroyo Colorado confluence		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	1999
2491_01 Upper portion of bay north of the Arroyo Colorado confluence		
2491_02 Area adjacent to the Arroyo Colorado confluence		

SegID: 2491OW **Laguna Madre (Oyster Waters)**
Laguna Madre (Oyster Waters)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (oyster waters)	5c	2006
2491OW_02 Area adjacent to the Arroyo Colorado confluence		

SegID: 2492A **San Fernando Creek**
From the Cayo Del Grullo confluence in Kleberg County upstream to the confluence with Chiltipin Creek and San Diego Creek in Jim Wells County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2006
2492A_01 From the Cayo Del Grullo confluence in Kleberg County upstream to the confluence with Chiltipin Creek and San Diego Creek in Jim Wells County		

SegID: 2494 **Brownsville Ship Channel**
Brownsville Ship Channel

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2010
2494_01 From the Laguna Madre confluence upstream to the Port of Brownsville		

2016 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2494A Port Isabel Fishing Harbor

From the Laguna Madre confluence to 0.4 km (0.25 mi) south of SH 100 in Port Isabel in Cameron County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2010
2494A_01 From the Laguna Madre confluence to 0.4 km (0.25 mi) south of SH 100 in Port Isabel		

SegID: 2501 Gulf of Mexico

From the Gulf shoreline to the limit of Texas' jurisdiction between Sabine Pass and the mouth of the Rio Grande

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (Recreation Use)	5c	2010
2501_01 Sabine Pass to Sea Rim Park area		
2501_02 Jefferson-Chambers County line area		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
mercury in edible tissue	5c	1998
2501_01 Sabine Pass to Sea Rim Park area		
2501_02 Jefferson-Chambers County line area		
2501_03 Bolivar Point to San Luis Pass area		
2501_04 Freeport Area		
2501_05 Area between Freeport and Port Aransas		
2501_06 Port Aransas Area		
2501_07 Area between Port Aransas and Port Mansfield		
2501_08 Port Mansfield area		
2501_09 Area between Port Mansfield and Port Isabel		
2501_10 Port Isabel area		