

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

SEGID: 1901

Lower San Antonio River

AUID: 1901_01

25 miles downstream of the confluence with Manahuilla Creek

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	3	80		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	5	80		1	4.20	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	80	109.04	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/07 - 11/30/14	180	626	129.17	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/07 - 11/30/14	140	626	105.80	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/07 - 11/30/14	750	685	691.77	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/07 - 11/30/14	9	80		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/07 - 11/30/14	6.50	80		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/07 - 11/30/14	0.33	41		2	0.53	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/07 - 11/30/14	14.10	80		21	45.27	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Nitrate	12/01/07 - 11/30/14	1.95	80		73	7.10	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Total Phosphorus	12/01/07 - 11/30/14	0.69	80		48	1.00	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Water Temperature	Water temperature	12/01/07 - 11/30/14	32.20	80		2	34.20	AD	FS	<input type="checkbox"/>	FS		

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead	12/01/07 - 11/30/14	3.83	8	0.16	0		LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Nickel	12/01/07 - 11/30/14	1,140	8	3.54	0		LD	NC	<input type="checkbox"/>	NC		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

AUID: 1901_02 25 miles upstream of Manahuilla Creek

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Aluminum	12/01/07 - 11/30/14	991	9		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Arsenic	12/01/07 - 11/30/14	340	9		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Cadmium	12/01/07 - 11/30/14	33.93	9		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Chromium	12/01/07 - 11/30/14	1,816.75	9		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Copper	12/01/07 - 11/30/14	53.91	9		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Lead	12/01/07 - 11/30/14	289.48	9		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Nickel	12/01/07 - 11/30/14	1,551.20	9		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Selenium	12/01/07 - 11/30/14	20	9		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Silver (ionic)	12/01/07 - 11/30/14	0.80	9		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Zinc	12/01/07 - 11/30/14	388.92	8		0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Arsenic	12/01/07 - 11/30/14	150	9	3.17	0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Cadmium	12/01/07 - 11/30/14	0.54	9	0.10	0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Chromium	12/01/07 - 11/30/14	188.20	9	1.29	0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Copper	12/01/07 - 11/30/14	25.03	9	1.76	0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Lead	12/01/07 - 11/30/14	8.47	9	0.15	0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Nickel	12/01/07 - 11/30/14	136.18	9	3.49	0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Selenium	12/01/07 - 11/30/14	5	9	1.14	0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Zinc	12/01/07 - 11/30/14	309.81	8	3.56	0		LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/01/07 - 11/30/14	5	3		0		ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/01/07 - 11/30/14	3	3		0		ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	3	94		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	5	94		0		AD	NC	<input type="checkbox"/>	NC		
Fish community (Regional)	Fish Community	12/01/07 - 11/30/14	42	6	35			TR	CN	<input checked="" type="checkbox"/>	NS	impaired fish community	5c
Habitat	Habitat	12/01/07 - 11/30/14	20	6	15			TR	CS	<input type="checkbox"/>	CS	impaired habitat	

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

AUID: 1901_02 25 miles upstream of Manahuilla Creek

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	367	172.29	1		AD	NS	<input type="checkbox"/>	NS	bacteria	4a

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/07 - 11/30/14	180	626	129.17	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/07 - 11/30/14	140	626	105.80	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/07 - 11/30/14	750	685	691.77	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/07 - 11/30/14	9	93		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/07 - 11/30/14	6.50	93		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/07 - 11/30/14	0.33	80		1	0.49	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/07 - 11/30/14	14.10	49		17	35.53	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Nitrate	12/01/07 - 11/30/14	1.95	80		77	7.60	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Total Phosphorus	12/01/07 - 11/30/14	0.69	80		47	1.08	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Water Temperature	Water temperature	12/01/07 - 11/30/14	32.20	94		2	32.50	AD	FS	<input type="checkbox"/>	FS		

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead	12/01/07 - 11/30/14	3.83	8	0.16	0		LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Nickel	12/01/07 - 11/30/14	1,140	8	3.54	0		LD	NC	<input type="checkbox"/>	NC		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

AUID: 1901_03 From 25 miles upstream of Manahuilla Cr to 9 mi downstream of Escondido Cr

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Aluminum	12/01/07 - 11/30/14	991	10		1	1,200.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/01/07 - 11/30/14	340	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/01/07 - 11/30/14	21.95	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/01/07 - 11/30/14	1,257.88	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/01/07 - 11/30/14	35.32	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/01/07 - 11/30/14	181.77	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/01/07 - 11/30/14	1,061.08	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/01/07 - 11/30/14	20	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Silver (ionic)	12/01/07 - 11/30/14	0.80	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/01/07 - 11/30/14	265.88	8		0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Arsenic	12/01/07 - 11/30/14	150	10	2.77	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/01/07 - 11/30/14	0.54	10	0.05	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/01/07 - 11/30/14	188.20	10	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/01/07 - 11/30/14	25.03	10	1.52	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/01/07 - 11/30/14	8.47	10	0.14	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/01/07 - 11/30/14	136.18	10	3.05	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/01/07 - 11/30/14	5	10	0.74	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/01/07 - 11/30/14	309.81	8	4.74	0		LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	3	159		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	5	159		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	150	133.47	1		AD	NS	<input type="checkbox"/>	NS	bacteria	4a

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

AUID: 1901_03 From 25 miles upstream of Manahuilla Cr to 9 mi downstream of Escondido Cr

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
				#	Value	#	Value						
Dissolved Solids	Chloride	12/01/07 - 11/30/14	180	626	129.17	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/07 - 11/30/14	140	626	105.80	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/07 - 11/30/14	750	685	691.77	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/07 - 11/30/14	9	163		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/07 - 11/30/14	6.50	163		1	6.30	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/07 - 11/30/14	0.33	151		2	0.56	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/07 - 11/30/14	14.10	77		13	26.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/07 - 11/30/14	1.95	151		149	7.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Total Phosphorus	12/01/07 - 11/30/14	0.69	149		97	1.07	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Water Temperature	Water temperature	12/01/07 - 11/30/14	32.20	163		1	33.00	AD	FS	<input type="checkbox"/>	FS		
Fish Consumption Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
				#	Value	#	Value						
HH Bioaccumulative Toxics in water	Lead	12/01/07 - 11/30/14	3.83	8	0.16	0		LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Nickel	12/01/07 - 11/30/14	1,140	8	3.54	0		LD	NC	<input type="checkbox"/>	NC		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

AUID: 1901_04 9 miles downstream of Escondido Creek

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Aluminum	12/01/07 - 11/30/14	991	9		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Arsenic	12/01/07 - 11/30/14	340	9		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Cadmium	12/01/07 - 11/30/14	31.05	9		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Chromium	12/01/07 - 11/30/14	1,685.67	9		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Copper	12/01/07 - 11/30/14	49.46	9		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Lead	12/01/07 - 11/30/14	263.55	9		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Nickel	12/01/07 - 11/30/14	1,435.73	9		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Selenium	12/01/07 - 11/30/14	20	9		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Silver (ionic)	12/01/07 - 11/30/14	0.80	9		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Zinc	12/01/07 - 11/30/14	359.92	8		0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Arsenic	12/01/07 - 11/30/14	150	9	2.80	0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Cadmium	12/01/07 - 11/30/14	0.54	9	0.10	0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Chromium	12/01/07 - 11/30/14	188.20	9	1.29	0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Copper	12/01/07 - 11/30/14	25.03	9	1.89	0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Lead	12/01/07 - 11/30/14	8.47	9	0.19	0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Nickel	12/01/07 - 11/30/14	136.18	9	3.58	0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Selenium	12/01/07 - 11/30/14	5	9	0.96	0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Zinc	12/01/07 - 11/30/14	309.81	8	4.35	0		LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	3	84		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	5	84		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	76	186.93	1		AD	NS	<input type="checkbox"/>	NS	bacteria	4a

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

AUID: 1901_04 9 miles downstream of Escondido Creek

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
				#	Value	#	Value						
Dissolved Solids	Chloride	12/01/07 - 11/30/14	180	626	129.17	0		AD	FS	☐	FS		
Dissolved Solids	Sulfate	12/01/07 - 11/30/14	140	626	105.80	0		AD	FS	☐	FS		
Dissolved Solids	Total Dissolved Solids	12/01/07 - 11/30/14	750	685	691.77	0		AD	FS	☐	FS		
High pH	pH	12/01/07 - 11/30/14	9	86		0		AD	FS	☐	FS		
Low pH	pH	12/01/07 - 11/30/14	6.50	86		0		AD	FS	☐	FS		
Nutrient Screening Levels	Ammonia	12/01/07 - 11/30/14	0.33	76		0		AD	NC	☐	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/07 - 11/30/14	14.10	49		4	29.75	AD	NC	☐	NC		
Nutrient Screening Levels	Nitrate	12/01/07 - 11/30/14	1.95	76		74	8.15	AD	CS	☐	CS	nitrate	
Nutrient Screening Levels	Total Phosphorus	12/01/07 - 11/30/14	0.69	75		50	1.06	AD	CS	☐	CS	total phosphorus	
Water Temperature	Water temperature	12/01/07 - 11/30/14	32.20	86		1	33.00	AD	FS	☐	FS		
Fish Consumption Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
				#	Value	#	Value						
HH Bioaccumulative Toxics in water	Lead	12/01/07 - 11/30/14	3.83	8	0.16	0		LD	NC	☐	NC		
HH Bioaccumulative Toxics in water	Nickel	12/01/07 - 11/30/14	1,140	8	3.54	0		LD	NC	☐	NC		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

AUID: 1901_05 From upstream end of segment to Escondido Creek

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Aluminum	12/01/07 - 11/30/14	991	29		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/01/07 - 11/30/14	340	29		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/01/07 - 11/30/14	29.93	29		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/01/07 - 11/30/14	1,634.09	29		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/01/07 - 11/30/14	47.73	29		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/01/07 - 11/30/14	253.44	29		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/01/07 - 11/30/14	1,390.38	29		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/01/07 - 11/30/14	20	29		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Silver (ionic)	12/01/07 - 11/30/14	0.80	29		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/01/07 - 11/30/14	348.54	26		0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/01/07 - 11/30/14	150	29	1.79	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/01/07 - 11/30/14	0.54	29	0.10	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/01/07 - 11/30/14	188.20	29	1.06	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/01/07 - 11/30/14	25.03	29	1.81	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/01/07 - 11/30/14	8.47	29	0.17	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/01/07 - 11/30/14	136.18	29	3.45	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/01/07 - 11/30/14	5	29	0.69	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/01/07 - 11/30/14	309.81	26	5.66	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/01/07 - 11/30/14	5	6		0		LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/01/07 - 11/30/14	3	6		0		LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	3	241		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	5	241		0		AD	NC	<input type="checkbox"/>	NC		
Fish community (Regional)	Fish Community	12/01/07 - 11/30/14	42	6	31			TR	CN	<input type="checkbox"/>	CN	impaired fish community	
Habitat	Habitat	12/01/07 - 11/30/14	20	6	20			TR	NC	<input type="checkbox"/>	NC		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

AUID: 1901_05 From upstream end of segment to Escondido Creek

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	222	96.24	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/07 - 11/30/14	180	626	129.17	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/07 - 11/30/14	140	626	105.80	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/07 - 11/30/14	750	685	691.77	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/07 - 11/30/14	9	245		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/07 - 11/30/14	6.50	245		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/07 - 11/30/14	0.33	223		4	0.47	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/07 - 11/30/14	14.10	122		8	42.13	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/07 - 11/30/14	1.95	223		221	9.76	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Total Phosphorus	12/01/07 - 11/30/14	0.69	221		166	1.14	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Water Temperature	Water temperature	12/01/07 - 11/30/14	32.20	247		0		AD	FS	<input type="checkbox"/>	FS		

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead	12/01/07 - 11/30/14	3.83	8	0.16	0		LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Nickel	12/01/07 - 11/30/14	1,140	8	3.54	0		LD	NC	<input type="checkbox"/>	NC		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

AUID: 1901_06 Lower 31 miles of segment

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	3	15		0		AD	FS	☐	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	5	15		0		AD	NC	☐	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	15	37.48	0		LD	NC	☐	NC		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/07 - 11/30/14	180	626	129.17	0		AD	FS	☐	FS		
Dissolved Solids	Sulfate	12/01/07 - 11/30/14	140	626	105.80	0		AD	FS	☐	FS		
Dissolved Solids	Total Dissolved Solids	12/01/07 - 11/30/14	750	685	691.77	0		AD	FS	☐	FS		
High pH	pH	12/01/07 - 11/30/14	9	16		0		AD	FS	☐	FS		
Low pH	pH	12/01/07 - 11/30/14	6.50	16		0		AD	FS	☐	FS		
Nutrient Screening Levels	Ammonia	12/01/07 - 11/30/14	0.33	16		0		AD	NC	☐	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/07 - 11/30/14	14.10	6		3	43.67	LD	CS	☐	CS	chlorophyll-a	
Nutrient Screening Levels	Nitrate	12/01/07 - 11/30/14	1.95	16		16	7.00	AD	CS	☐	CS	nitrate	
Nutrient Screening Levels	Total Phosphorus	12/01/07 - 11/30/14	0.69	14		9	0.94	AD	CS	☐	CS	total phosphorus	
Water Temperature	Water temperature	12/01/07 - 11/30/14	32.20	16		0		AD	FS	☐	FS		

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead	12/01/07 - 11/30/14	3.83	8	0.16	0		LD	NC	☐	NC		
HH Bioaccumulative Toxics in water	Nickel	12/01/07 - 11/30/14	1,140	8	3.54	0		LD	NC	☐	NC		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

SEGID: 1901A **Escondido Creek**

AUID: 1901A_01 From the confluence with segment 1901 up to the confluence with Nichols Creek in Kennedy.

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	3	47	0		AD	FS	<input type="checkbox"/>	FS				
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	5	47	2	4.35	AD	NC	<input type="checkbox"/>	NC				

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	49	887.31	1	AD	NS	<input type="checkbox"/>	NS	bacteria		5c	

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
Nutrient Screening Levels	Ammonia	12/01/07 - 11/30/14	0.33	43		6	1.73	AD	NC	<input type="checkbox"/>	NC			
Nutrient Screening Levels	Chlorophyll-a	12/01/07 - 11/30/14	14.10	25		2	15.50	AD	NC	<input type="checkbox"/>	NC			
Nutrient Screening Levels	Nitrate	12/01/07 - 11/30/14	1.95	43		32	11.31	AD	CS	<input type="checkbox"/>	CS	nitrate		
Nutrient Screening Levels	Total Phosphorus	12/01/07 - 11/30/14	0.69	43		43	2.34	AD	CS	<input type="checkbox"/>	CS	total phosphorus		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

SEGID: 1901B Cabeza Creek

AUID: 1901B_01 From the confluence with segment 1901, west of Goliad, Goliad County, up to the upper end of the water body (NHD RC 12100303000882)

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	2	16	0	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	3	16	1 2.70	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	16 328.17	1	LD	CN	<input checked="" type="checkbox"/>	NS	bacteria	5c

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/07 - 11/30/14	0.33	10	0	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/07 - 11/30/14	14.10	5	0	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/07 - 11/30/14	1.95	10	0	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/07 - 11/30/14	0.69	10	0	AD	NC	<input type="checkbox"/>	NC		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

SEGID: 1901C Hord Creek

AUID: 1901C_01 From the confluence with segment 1901 up to the upper end of the water body (NHD RC 12100303000256).

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int		TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS				
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	2	5		0		LD	NC	<input type="checkbox"/>	NC			
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	3	5		0		LD	NC	<input type="checkbox"/>	NC			

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int		TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS				
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	5	20.51	0		LD	NC	<input type="checkbox"/>	NC			

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int		TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS				
Nutrient Screening Levels	Ammonia	12/01/07 - 11/30/14	0.33	1		0		ID	NA	<input type="checkbox"/>	NA			
Nutrient Screening Levels	Chlorophyll-a	12/01/07 - 11/30/14	14.10	1		0		ID	NA	<input type="checkbox"/>	NA			
Nutrient Screening Levels	Nitrate	12/01/07 - 11/30/14	1.95	1		0		ID	NA	<input type="checkbox"/>	NA			
Nutrient Screening Levels	Total Phosphorus	12/01/07 - 11/30/14	0.69	1		0		ID	NA	<input type="checkbox"/>	NA			

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

SEGID: 1901D **Lost Creek**

AUID: 1901D_01 From the confluence with segment 1901 to the upper end of the water body (NHD RC)

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	2	5		0		LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	3	5		0		LD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	5	81.83	0		LD	NC	<input type="checkbox"/>	NC		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Nutrient Screening Levels	Ammonia	12/01/07 - 11/30/14	0.33	1		0		ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Chlorophyll-a	12/01/07 - 11/30/14	14.10	1		0		ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Nitrate	12/01/07 - 11/30/14	1.95	1		0		ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	12/01/07 - 11/30/14	0.69	1		0		ID	NA	<input type="checkbox"/>	NA		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

SEGID: 1901E **Manahuilla Creek**

AUID: 1901E_01 From the confluence with the Lower San Antonio River upstream to the headwaters southeast of Nordheim in DeWitt County

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	1.50	13		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	2	13		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	13	129.72	1		LD	CN	<input type="checkbox"/>	CN	bacteria	

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
Nutrient Screening Levels	Ammonia	12/01/07 - 11/30/14	0.33	8		0		LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/07 - 11/30/14	14.10	4		0		LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/07 - 11/30/14	1.95	8		0		LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/07 - 11/30/14	0.69	8		0		LD	NC	<input type="checkbox"/>	NC		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

SEGID: 1901F **Ecletto Creek**

AUID: 1901F_01 From the confluence with the Lower San Antonio River upstream to the headwaters adjacent to SH 123 south of Seguin in Guadalupe County

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	2	13	4	1.10	AD	NS	<input type="checkbox"/>	NS	depressed dissolved oxygen		5c	
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	3	13	9	1.98	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen			

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	13	112.34	0	LD	NC	<input type="checkbox"/>	NC				

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
Nutrient Screening Levels	Ammonia	12/01/07 - 11/30/14	0.33	13	2	1.41	AD	NC	<input type="checkbox"/>	NC				
Nutrient Screening Levels	Chlorophyll-a	12/01/07 - 11/30/14	14.10	13	11	38.18	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a			
Nutrient Screening Levels	Nitrate	12/01/07 - 11/30/14	1.95	13	0		AD	NC	<input type="checkbox"/>	NC				
Nutrient Screening Levels	Total Phosphorus	12/01/07 - 11/30/14	0.69	13	0		AD	NC	<input type="checkbox"/>	NC				

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

SEGID: 1902

Lower Cibolo Creek

AUID: 1902_01

From the confluence with the Lower San Antonio River in Karnes County upstream to the confluence with Mulifest Creek

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	3	67		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	5	67		2	4.75	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	66	166.17	1		AD	NS	<input type="checkbox"/>	NS	bacteria	5b

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/07 - 11/30/14	170	234	98.60	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/07 - 11/30/14	275	237	120.24	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/07 - 11/30/14	900	313	611.23	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/07 - 11/30/14	9	67		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/07 - 11/30/14	6.50	67		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/07 - 11/30/14	0.33	66		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/07 - 11/30/14	14.10	26		1	26.00	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/07 - 11/30/14	1.95	67		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/07 - 11/30/14	0.69	66		1	0.76	AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/07 - 11/30/14	32.20	67		0		AD	FS	<input type="checkbox"/>	FS		

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead	12/01/07 - 11/30/14	3.83	9	0.15	0		LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Nickel	12/01/07 - 11/30/14	1,140	9	4.30	0		LD	NC	<input type="checkbox"/>	NC		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

AUID: 1902_02 From the confluence with Mulifest Creek upstream to the confluence with Pulaski Creek

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Aluminum	12/01/07 - 11/30/14	991	9		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Arsenic	12/01/07 - 11/30/14	340	9		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Cadmium	12/01/07 - 11/30/14	28.81	9		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Chromium	12/01/07 - 11/30/14	1,582.15	9		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Copper	12/01/07 - 11/30/14	45.99	9		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Lead	12/01/07 - 11/30/14	243.33	9		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Nickel	12/01/07 - 11/30/14	1,344.75	9		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Selenium	12/01/07 - 11/30/14	20	9		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Silver (ionic)	12/01/07 - 11/30/14	0.80	9		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Zinc	12/01/07 - 11/30/14	337.08	8		0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Arsenic	12/01/07 - 11/30/14	150	9	2.37	0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Cadmium	12/01/07 - 11/30/14	0.47	9	0.09	0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Chromium	12/01/07 - 11/30/14	160.56	9	1.24	0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Copper	12/01/07 - 11/30/14	21.21	9	0.83	0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Lead	12/01/07 - 11/30/14	6.91	9	0.15	0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Nickel	12/01/07 - 11/30/14	115.57	9	4.30	0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Selenium	12/01/07 - 11/30/14	5	9	1.12	0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Zinc	12/01/07 - 11/30/14	262.86	8	2.25	0		LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/01/07 - 11/30/14	5	7		0		LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/01/07 - 11/30/14	3	7		0		LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	3	95		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	5	95		1	4.70	AD	NC	<input type="checkbox"/>	NC		
Fish community (Regional)	Fish Community	12/01/07 - 11/30/14	42	7	44			AD	FS	<input type="checkbox"/>	FS		
Habitat	Habitat	12/01/07 - 11/30/14	20	7	20			AD	NC	<input type="checkbox"/>	NC		
Macrobenthic community (Qualitative)	Macrobenthic Community	12/01/07 - 11/30/14	29	1	40			LD	NC	<input type="checkbox"/>	NC		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

AUID: 1902_02 From the confluence with Mulifest Creek upstream to the confluence with Pulaski Creek

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	315	164.11	1		AD	NS	<input type="checkbox"/>	NS	bacteria	5b

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/07 - 11/30/14	170	234	98.60	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/07 - 11/30/14	275	237	120.24	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/07 - 11/30/14	900	313	611.23	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/07 - 11/30/14	9	95		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/07 - 11/30/14	6.50	95		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/07 - 11/30/14	0.33	68		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/07 - 11/30/14	14.10	43		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/07 - 11/30/14	1.95	67		3	2.70	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/07 - 11/30/14	0.69	68		1	0.78	AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/07 - 11/30/14	32.20	96		0		AD	FS	<input type="checkbox"/>	FS		

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead	12/01/07 - 11/30/14	3.83	9	0.15	0		LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Nickel	12/01/07 - 11/30/14	1,140	9	4.30	0		LD	NC	<input type="checkbox"/>	NC		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

AUID: 1902_03 From the confluence with Pulaski Creek upstream to the confluence with Clifton Branch

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	3	60		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	5	60		1	3.70	AD	NC	<input type="checkbox"/>	NC		
Fish community (Regional)	Fish Community	12/01/07 - 11/30/14						ID	NA	<input checked="" type="checkbox"/>	CN	impaired fish community	

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	61	133.40	1		AD	NS	<input type="checkbox"/>	NS	bacteria	5c

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/07 - 11/30/14	170	234	98.60	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/07 - 11/30/14	275	237	120.24	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/07 - 11/30/14	900	313	611.23	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/07 - 11/30/14	9	62		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/07 - 11/30/14	6.50	62		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/07 - 11/30/14	0.33	27		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/07 - 11/30/14	14.10	26		2	18.85	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/07 - 11/30/14	1.95	27		7	2.50	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/07 - 11/30/14	0.69	23		1	0.69	AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/07 - 11/30/14	32.20	62		0		AD	FS	<input type="checkbox"/>	FS		

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead	12/01/07 - 11/30/14	3.83	9	0.15	0		LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Nickel	12/01/07 - 11/30/14	1,140	9	4.30	0		LD	NC	<input type="checkbox"/>	NC		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

AUID: 1902_04 From the confluence with Clifton Branch upstream to the confluence with Elm Creek

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	3	43		1	1.40	AD	FS	☐	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	5	43		2	2.95	AD	NC	☐	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	43	79.22	0		AD	FS	☐	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/07 - 11/30/14	170	234	98.60	0		AD	FS	☐	FS		
Dissolved Solids	Sulfate	12/01/07 - 11/30/14	275	237	120.24	0		AD	FS	☐	FS		
Dissolved Solids	Total Dissolved Solids	12/01/07 - 11/30/14	900	313	611.23	0		AD	FS	☐	FS		
High pH	pH	12/01/07 - 11/30/14	9	43		0		AD	FS	☐	FS		
Low pH	pH	12/01/07 - 11/30/14	6.50	43		0		AD	FS	☐	FS		
Nutrient Screening Levels	Ammonia	12/01/07 - 11/30/14	0.33	27		0		AD	NC	☐	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/07 - 11/30/14	14.10	26		4	65.73	AD	NC	☐	NC		
Nutrient Screening Levels	Nitrate	12/01/07 - 11/30/14	1.95	27		10	2.91	AD	CS	☐	CS	nitrate	
Nutrient Screening Levels	Total Phosphorus	12/01/07 - 11/30/14	0.69	23		6	0.77	AD	NC	☐	NC		
Water Temperature	Water temperature	12/01/07 - 11/30/14	32.20	44		0		AD	FS	☐	FS		

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead	12/01/07 - 11/30/14	3.83	9	0.15	0		LD	NC	☐	NC		
HH Bioaccumulative Toxics in water	Nickel	12/01/07 - 11/30/14	1,140	9	4.30	0		LD	NC	☐	NC		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

AUID: 1902_05 From the confluence with Elm Creek upstream to a point 100 meters (110 yards) downstream of IH 10 in Bexar/Guadalupe County

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/01/07 - 11/30/14	5	7	0		LD	NC	<input type="checkbox"/>	NC			
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/01/07 - 11/30/14	3	7	0		LD	NC	<input type="checkbox"/>	NC			
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	3	46	0		AD	FS	<input type="checkbox"/>	FS			
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	5	46	0		AD	NC	<input type="checkbox"/>	NC			
Fish community (Regional)	Fish Community	12/01/07 - 11/30/14	41	7	44		TR	NC	<input type="checkbox"/>	NC			
Habitat	Habitat	12/01/07 - 11/30/14	20	7	22		TR	NC	<input type="checkbox"/>	NC			

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	46	96.16	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Dissolved Solids	Chloride	12/01/07 - 11/30/14	170	234	98.60	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/07 - 11/30/14	275	237	120.24	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/07 - 11/30/14	900	313	611.23	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/07 - 11/30/14	9	46		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/07 - 11/30/14	6.50	46		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/07 - 11/30/14	0.33	46		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/07 - 11/30/14	14.10	42		4	32.50	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/07 - 11/30/14	1.95	46		19	3.34	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Total Phosphorus	12/01/07 - 11/30/14	0.69	46		31	1.04	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Water Temperature	Water temperature	12/01/07 - 11/30/14	32.20	46		0		AD	FS	<input type="checkbox"/>	FS		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

AUID: 1902_05 From the confluence with Elm Creek upstream to a point 100 meters (110 yards) downstream of IH 10 in Bexar/Guadalupe County

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
HH Bioaccumulative Toxics in water	Lead	12/01/07 - 11/30/14	3.83	9	0.15	0		LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Nickel	12/01/07 - 11/30/14	1,140	9	4.30	0		LD	NC	<input type="checkbox"/>	NC		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

SEGID: 1902A **Martinez Creek**

AUID: 1902A_01 From the confluence with Lower Cibolo Creek upstream to the confluence with Salatrillo Creek

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/01/07 - 11/30/14	5	3		0	ID	NA	<input type="checkbox"/>	NA			
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/01/07 - 11/30/14	3	3		0	ID	NA	<input type="checkbox"/>	NA			
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	3	25		0	AD	FS	<input type="checkbox"/>	FS			
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	5	25		0	AD	NC	<input type="checkbox"/>	NC			

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	25	350.70	1	AD	NS	<input type="checkbox"/>	NS	bacteria	5c	

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Nutrient Screening Levels	Ammonia	12/01/07 - 11/30/14	0.33	25		0	AD	NC	<input type="checkbox"/>	NC			
Nutrient Screening Levels	Nitrate	12/01/07 - 11/30/14	1.95	25		1	AD	NC	<input type="checkbox"/>	NC			
Nutrient Screening Levels	Total Phosphorus	12/01/07 - 11/30/14	0.69	25		23	AD	CS	<input type="checkbox"/>	CS	total phosphorus		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

AUID: 1902A_03 From the confluence with Escondido Creek upstream to the Martinez II WWTP outfall approximately 1.1 km downstream of FM 1516

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126			ID	NA	<input checked="" type="checkbox"/>	CN	bacteria	

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/01/07 - 11/30/14	1.95			ID	NA	<input checked="" type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Total Phosphorus	12/01/07 - 11/30/14	0.69			ID	NA	<input checked="" type="checkbox"/>	CS	total phosphorus	

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

AUID: 1902A_04 From the Martinez II WWTP outfall approximately 1.1 km downstream of FM 1516 upstream to Binz-Engleman Road

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126					ID	NA	<input checked="" type="checkbox"/>	CN	bacteria	

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/01/07 - 11/30/14	1.95					ID	NA	<input checked="" type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Total Phosphorus	12/01/07 - 11/30/14	0.69					ID	NA	<input checked="" type="checkbox"/>	CS	total phosphorus	

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

SEGID: 1902B **Salatrillo Creek**

AUID: 1902B_01 From the confluence with Martinez Creek to FM 78 in Converse

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	2	81	0	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	3	81	0	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	81 14.38	0	AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/07 - 11/30/14	0.33	81	25 0.99	AD	CS	<input type="checkbox"/>	CS	ammonia	
Nutrient Screening Levels	Chlorophyll-a	12/01/07 - 11/30/14	14.10	41	0	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/07 - 11/30/14	1.95	81	53 4.41	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Total Phosphorus	12/01/07 - 11/30/14	0.69	79	78 2.87	AD	CS	<input type="checkbox"/>	CS	total phosphorus	

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

SEGID: 1902C Clifton Branch

AUID: 1902C_01 From the confluence of Lower Cibolo Creek upstream to the headwater 0.6 miles upstream of Wilson CR 424 north of Stockdale

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	2	51	11 1.67	AD	NS	<input type="checkbox"/>	NS	depressed dissolved oxygen	5c
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	3	51	20 1.70	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	45 115.18	0	AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/07 - 11/30/14	0.33	51	9 0.81	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/07 - 11/30/14	1.95	51	1 2.01	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/07 - 11/30/14	0.69	51	18 1.15	AD	CS	<input type="checkbox"/>	CS	total phosphorus	

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

SEGID: 1902D Alum Creek

AUID: 1902D_01 From the confluence with Lower Cibolo Creek upstream to approximately 1.8 km upstream of Wilson CR 429 north of Stockdale

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	1.50	13		0		AD	FS	<input type="checkbox"/>	FS			
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	2	13		0		AD	NC	<input type="checkbox"/>	NC			

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	14	1.01	0		LD	NC	<input type="checkbox"/>	NC			

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

SEGID: 1903

Medina River Below Medina Diversion Lake

AUID: 1903_01

From the confluence with the San Antonio River upstream to the confluence with Palo Blanco Creek approximately 2.0 km upstream of FM 1937

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	3	45	0		AD	FS	<input type="checkbox"/>	FS			
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	5	45	0		AD	NC	<input type="checkbox"/>	NC			

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	44 113.13	0		AD	FS	<input type="checkbox"/>	FS			

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Dissolved Solids	Chloride	12/01/07 - 11/30/14	120	205 62.72	0		AD	FS	<input type="checkbox"/>	FS			
Dissolved Solids	Sulfate	12/01/07 - 11/30/14	120	210 77.56	0		AD	FS	<input type="checkbox"/>	FS			
Dissolved Solids	Total Dissolved Solids	12/01/07 - 11/30/14	700	232 501.87	0		AD	FS	<input type="checkbox"/>	FS			
High pH	pH	12/01/07 - 11/30/14	9	45	0		AD	FS	<input type="checkbox"/>	FS			
Low pH	pH	12/01/07 - 11/30/14	6.50	45	0		AD	FS	<input type="checkbox"/>	FS			
Nutrient Screening Levels	Ammonia	12/01/07 - 11/30/14	0.33	26	5 0.61		AD	NC	<input type="checkbox"/>	NC			
Nutrient Screening Levels	Chlorophyll-a	12/01/07 - 11/30/14	14.10	28	0		AD	NC	<input type="checkbox"/>	NC			
Nutrient Screening Levels	Nitrate	12/01/07 - 11/30/14	1.95	28	28 11.17		AD	CS	<input type="checkbox"/>	CS	nitrate		
Nutrient Screening Levels	Total Phosphorus	12/01/07 - 11/30/14	0.69	23	22 1.42		AD	CS	<input type="checkbox"/>	CS	total phosphorus		
Water Temperature	Water temperature	12/01/07 - 11/30/14	32.20	45	0		AD	FS	<input type="checkbox"/>	FS			

Public Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Surface Water HH criteria for PWS average	Fluoride	12/01/07 - 11/30/14	4	91 0.29	0		AD	FS	<input type="checkbox"/>	FS			
Surface Water HH criteria for PWS average	Nitrate	12/01/07 - 11/30/14	10	209 4.95	0		AD	FS	<input type="checkbox"/>	FS			

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

AUID: 1903_02 From the confluence with Palo Blanco Creek approximately 2.0 km upstream of FM 1937 upstream to the confluence with Lower Leon Creek

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/01/07 - 11/30/14	5	4		0		LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/01/07 - 11/30/14	3	4		0		LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	3	49		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	5	49		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	50	158.32	1		AD	NS	<input type="checkbox"/>	NS	bacteria	5c

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/07 - 11/30/14	120	205	62.72	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/07 - 11/30/14	120	210	77.56	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/07 - 11/30/14	700	232	501.87	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/07 - 11/30/14	9	50		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/07 - 11/30/14	6.50	50		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/07 - 11/30/14	0.33	50		15	1.12	AD	CS	<input type="checkbox"/>	CS	ammonia	
Nutrient Screening Levels	Chlorophyll-a	12/01/07 - 11/30/14	14.10	48		2	41.00	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/07 - 11/30/14	1.95	50		50	9.01	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Total Phosphorus	12/01/07 - 11/30/14	0.69	50		42	1.71	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Water Temperature	Water temperature	12/01/07 - 11/30/14	32.20	50		0		AD	FS	<input type="checkbox"/>	FS		

Public Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/01/07 - 11/30/14	4	91	0.29	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/01/07 - 11/30/14	10	209	4.95	0		AD	FS	<input type="checkbox"/>	FS		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

AUID: 1903_03 From the confluence with Lower Leon Creek upstream to the confluence with Medio Creek

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	3	28		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	5	28		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	27	128.60	1		AD	CN	<input type="checkbox"/>	CN	bacteria	

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/07 - 11/30/14	120	205	62.72	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/07 - 11/30/14	120	210	77.56	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/07 - 11/30/14	700	232	501.87	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/07 - 11/30/14	9	28		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/07 - 11/30/14	6.50	28		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/07 - 11/30/14	0.33	28		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/07 - 11/30/14	14.10	21		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/07 - 11/30/14	1.95	29		21	4.02	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Total Phosphorus	12/01/07 - 11/30/14	0.69	27		4	1.00	AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/07 - 11/30/14	32.20	28		0		AD	FS	<input type="checkbox"/>	FS		

Public Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/01/07 - 11/30/14	4	91	0.29	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/01/07 - 11/30/14	10	209	4.95	0		AD	FS	<input type="checkbox"/>	FS		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

AUID: 1903_04

From the confluence with Medio Creek upstream to the confluence with Polecat Creek approximately 125 m upstream of FM 1604

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	3	33		0		AD	FS	☐	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	5	33		1	4.20	AD	NC	☐	NC		
Fish community (Regional)	Fish Community	12/01/07 - 11/30/14	41	6	44			AD	FS	☐	FS		
Habitat	Habitat	12/01/07 - 11/30/14	20	6	20			AD	NC	☐	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	31	45.80	0		AD	FS	☐	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/07 - 11/30/14	120	205	62.72	0		AD	FS	☐	FS		
Dissolved Solids	Sulfate	12/01/07 - 11/30/14	120	210	77.56	0		AD	FS	☐	FS		
Dissolved Solids	Total Dissolved Solids	12/01/07 - 11/30/14	700	232	501.87	0		AD	FS	☐	FS		
High pH	pH	12/01/07 - 11/30/14	9	33		0		AD	FS	☐	FS		
Low pH	pH	12/01/07 - 11/30/14	6.50	33		0		AD	FS	☐	FS		
Nutrient Screening Levels	Ammonia	12/01/07 - 11/30/14	0.33	32		0		AD	NC	☐	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/07 - 11/30/14	14.10	30		1	18.50	AD	NC	☐	NC		
Nutrient Screening Levels	Nitrate	12/01/07 - 11/30/14	1.95	31		22	3.16	AD	CS	☐	CS	nitrate	
Nutrient Screening Levels	Total Phosphorus	12/01/07 - 11/30/14	0.69	30		0		AD	NC	☐	NC		
Water Temperature	Water temperature	12/01/07 - 11/30/14	32.20	33		0		AD	FS	☐	FS		

Public Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/01/07 - 11/30/14	4	91	0.29	0		AD	FS	☐	FS		
Surface Water HH criteria for PWS average	Nitrate	12/01/07 - 11/30/14	10	209	4.95	0		AD	FS	☐	FS		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

AUID: 1903_05 From the confluence with Polecat Creek approximately 125 m upstream of FM 1604 upstream to the Medina Diversion Dam

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/01/07 - 11/30/14	5	6		0		LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/01/07 - 11/30/14	3	6		0		LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	3	70		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	5	70		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	69	50.54	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/07 - 11/30/14	120	205	62.72	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/07 - 11/30/14	120	210	77.56	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/07 - 11/30/14	700	232	501.87	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/07 - 11/30/14	9	70		1	9.10	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/07 - 11/30/14	6.50	70		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/07 - 11/30/14	0.33	72		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/07 - 11/30/14	14.10	64		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/07 - 11/30/14	1.95	71		17	2.92	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/07 - 11/30/14	0.69	68		0		AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/07 - 11/30/14	32.20	70		0		AD	FS	<input type="checkbox"/>	FS		

Public Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/01/07 - 11/30/14	4	91	0.29	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/01/07 - 11/30/14	10	209	4.95	0		AD	FS	<input type="checkbox"/>	FS		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

SEGID: 1904

Medina Lake

AUID: 1904_01

Lower portion, from dam west to Masterson Point and east to Reuters Cove

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	5	17		0	AD	FS	<input type="checkbox"/>	FS			
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	3	17		0	AD	NC	<input type="checkbox"/>	NC			

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	17	2.61	0	LD	NC	<input type="checkbox"/>	NC			

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Dissolved Solids	Chloride	12/01/07 - 11/30/14	80	31	12.29	0	AD	FS	<input type="checkbox"/>	FS			
Dissolved Solids	Sulfate	12/01/07 - 11/30/14	75	32	57.50	0	AD	FS	<input type="checkbox"/>	FS			
Dissolved Solids	Total Dissolved Solids	12/01/07 - 11/30/14	350	33	272.35	0	AD	FS	<input type="checkbox"/>	FS			
High pH	pH	12/01/07 - 11/30/14	9	17		0	AD	FS	<input type="checkbox"/>	FS			
Low pH	pH	12/01/07 - 11/30/14	6.50	17		0	AD	FS	<input type="checkbox"/>	FS			
Nutrient Reservoir Criteria	Nutrients	12/01/07 - 11/30/14					AD	FS	<input type="checkbox"/>	FS			
Water Temperature	Water temperature	12/01/07 - 11/30/14	31.10	17		0	AD	FS	<input type="checkbox"/>	FS			

Public Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Surface Water HH criteria for PWS average	Fluoride	12/01/07 - 11/30/14	4	32	0.13	0	AD	FS	<input type="checkbox"/>	FS			
Surface Water HH criteria for PWS average	Nitrate	12/01/07 - 11/30/14	10	28	0.15	0	AD	FS	<input type="checkbox"/>	FS			

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

AUID: 1904_02 Part of lake extending upstream from Brushy Creek to upper end of segment

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	3	15		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	5	15		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	15	3.53	0		LD	NC	<input type="checkbox"/>	NC		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/07 - 11/30/14	80	31	12.29	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/07 - 11/30/14	75	32	57.50	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/07 - 11/30/14	350	33	272.35	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/07 - 11/30/14	9	15		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/07 - 11/30/14	6.50	15		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Criteria	Nutrients	12/01/07 - 11/30/14						AD	FS	<input type="checkbox"/>	FS		
Water Temperature	Water temperature	12/01/07 - 11/30/14	31.10	15		1	31.60	AD	FS	<input type="checkbox"/>	FS		

Public Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/01/07 - 11/30/14	4	32	0.13	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/01/07 - 11/30/14	10	28	0.15	0		AD	FS	<input type="checkbox"/>	FS		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

AUID: 1904_03 Remainder of segment

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
Dissolved Solids	Chloride	12/01/07 - 11/30/14	80	31	12.29	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/07 - 11/30/14	75	32	57.50	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/07 - 11/30/14	350	33	272.35	0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Criteria	Nutrients	12/01/07 - 11/30/14						AD	FS	<input type="checkbox"/>	FS		
Public Water Supply Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
Surface Water HH criteria for PWS average	Fluoride	12/01/07 - 11/30/14	4	32	0.13	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/01/07 - 11/30/14	10	28	0.15	0		AD	FS	<input type="checkbox"/>	FS		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

SEGID: 1905

Medina River Above Medina Lake

AUID: 1905_01

From a point immediately upstream of the confluence of Red Bluff Creek upstream to RM 470

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/01/07 - 11/30/14	6	7	0		LD	NC	<input type="checkbox"/>	NC			
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/01/07 - 11/30/14	4	7	0		LD	NC	<input type="checkbox"/>	NC			
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	4	49	0		AD	FS	<input type="checkbox"/>	FS			
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	6	49	2	5.70	AD	NC	<input type="checkbox"/>	NC			
Fish community (Regional)	Fish Community	12/01/07 - 11/30/14	52	7	46		TR	CN	<input checked="" type="checkbox"/>	NS	impaired fish community	5c	
Habitat	Habitat	12/01/07 - 11/30/14	26	7	18		TR	CS	<input type="checkbox"/>	CS	impaired habitat		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	50	78.83	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Dissolved Solids	Chloride	12/01/07 - 11/30/14	50	68	15.42	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/07 - 11/30/14	150	68	113.36	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/07 - 11/30/14	400	70	385.41	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/07 - 11/30/14	9	51		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/07 - 11/30/14	6.50	51		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/07 - 11/30/14	0.33	50		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/07 - 11/30/14	14.10	36		1	15.00	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/07 - 11/30/14	1.95	50		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/07 - 11/30/14	0.69	49		0		AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/07 - 11/30/14	31.10	51		0		AD	FS	<input type="checkbox"/>	FS		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

AUID: 1905_01 From a point immediately upstream of the confluence of Red Bluff Creek upstream to RM 470

Public Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
Surface Water HH criteria for PWS average	Nitrate	12/01/07 - 11/30/14	10	68	0.24	0		AD	FS	<input type="checkbox"/>	FS			

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

AUID: 1905_02 From RM 470 upstream to the confluence of the North Prong Medina River and the West Prong Medina River

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	4	16		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	6	16		0		AD	NC	<input type="checkbox"/>	NC		
Fish community (Regional)	Fish Community	12/01/07 - 11/30/14	52					ID	NA	<input checked="" type="checkbox"/>	CN	impaired fish community	

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	18	84.57	0		LD	NC	<input type="checkbox"/>	NC		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/07 - 11/30/14	50	68	15.42	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/07 - 11/30/14	150	68	113.36	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/07 - 11/30/14	400	70	385.41	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/07 - 11/30/14	9	19		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/07 - 11/30/14	6.50	19		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/07 - 11/30/14	0.33	18		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/07 - 11/30/14	1.95	18		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/07 - 11/30/14	0.69	18		0		AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/07 - 11/30/14	31.10	19		0		AD	FS	<input type="checkbox"/>	FS		

Public Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/01/07 - 11/30/14	10	68	0.24	0		AD	FS	<input type="checkbox"/>	FS		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

SEGID: 1905A **North Prong Medina River**

AUID: 1905A_01 From the confluence with the Medina River upstream to the headwaters approximately 3.5 km east of RM 187 in Bandera County

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/01/07 - 11/30/14	5	3		0		ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/01/07 - 11/30/14	3	3		0		ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	3	47		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	5	47		5	3.84	AD	NC	<input type="checkbox"/>	NC		
Fish community (Regional)	Fish Community	12/01/07 - 11/30/14	42	3	50			TR	NC	<input type="checkbox"/>	NC		
Habitat	Habitat	12/01/07 - 11/30/14	20	3	23			TR	NC	<input type="checkbox"/>	NC		
Macrobenthic community (Qualitative)	Macrobenthic Community	12/01/07 - 11/30/14	29	2	33			TR	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	50	31.25	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Nutrient Screening Levels	Ammonia	12/01/07 - 11/30/14	0.33	50		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/07 - 11/30/14	14.10	39		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/07 - 11/30/14	1.95	50		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/07 - 11/30/14	0.69	50		0		AD	NC	<input type="checkbox"/>	NC		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

SEGID: 1906

Lower Leon Creek

AUID: 1906_01

From the confluence of the Medina River upstream approximate 3.5 miles to the northside of Toyota plant

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/01/07 - 11/30/14	5	15	0		AD	FS	<input type="checkbox"/>	FS			
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/01/07 - 11/30/14	3	15	0		AD	FS	<input type="checkbox"/>	FS			
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	3	49	0		SM	FS	<input type="checkbox"/>	NA			
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	5	49	1	3.50	SM	NC	<input type="checkbox"/>	NA			
Fish community (Regional)	Fish Community	12/01/07 - 11/30/14	41	7	44		TR	NC	<input type="checkbox"/>	NC			
Habitat	Habitat	12/01/07 - 11/30/14	20	7	24		TR	NC	<input type="checkbox"/>	NC			

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	42	26.62	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Dissolved Solids	Chloride	12/01/07 - 11/30/14	120	104	50.15	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/07 - 11/30/14	120	107	73.26	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/07 - 11/30/14	700	220	474.12	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/07 - 11/30/14	9	50		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/07 - 11/30/14	6.50	50		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/07 - 11/30/14	0.33	42		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/07 - 11/30/14	14.10	23		4	52.75	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/07 - 11/30/14	1.95	42		1	2.04	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/07 - 11/30/14	0.69	42		0		AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/07 - 11/30/14	35	50		0		AD	FS	<input type="checkbox"/>	FS		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

AUID: 1906_01 From the confluence of the Medina River upstream approximate 3.5 miles to the northside of Toyota plant

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
HH Bioaccumulative Toxics in water	Lead	12/01/07 - 11/30/14	1.15	59	0.19	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/01/07 - 11/30/14	332	57	2.53	0		AD	FS	<input type="checkbox"/>	FS		

Public Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Surface Water HH criteria for PWS average	Arsenic	12/01/07 - 11/30/14	10	59	1.82	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/01/07 - 11/30/14	5	59	0.22	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Fluoride	12/01/07 - 11/30/14	4	67	0.18	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/01/07 - 11/30/14	1.15	59	0.19	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nickel	12/01/07 - 11/30/14	332	57	2.53	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/01/07 - 11/30/14	10	105	0.45	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Selenium	12/01/07 - 11/30/14	50	57	0.39	0		AD	FS	<input type="checkbox"/>	FS		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

AUID: 1906_02 From the northside of the Toyota plant upstream to the confluence of Indian Creek

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/01/07 - 11/30/14	5	10		1	4.70	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/01/07 - 11/30/14	3	10		1	0.60	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	3	24		0		SM	FS	<input type="checkbox"/>	NA		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	5	24		0		SM	NC	<input type="checkbox"/>	NA		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	23	67.17	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/07 - 11/30/14	120	104	50.15	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/07 - 11/30/14	120	107	73.26	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/07 - 11/30/14	700	220	474.12	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/07 - 11/30/14	9	24		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/07 - 11/30/14	6.50	24		0		AD	FS	<input type="checkbox"/>	FS		
Water Temperature	Water temperature	12/01/07 - 11/30/14	35	24		0		AD	FS	<input type="checkbox"/>	FS		

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Cadmium	12/01/07 - 11/30/14	5	31	0.23			AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/01/07 - 11/30/14	1.15	59	0.19	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/01/07 - 11/30/14	332	57	2.53	0		AD	FS	<input type="checkbox"/>	FS		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

AUID: 1906_02 From the northside of the Toyota plant upstream to the confluence of Indian Creek

Public Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Surface Water HH criteria for PWS average	Arsenic	12/01/07 - 11/30/14	10	59	1.82	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/01/07 - 11/30/14	5	59	0.22	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Fluoride	12/01/07 - 11/30/14	4	67	0.18	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/01/07 - 11/30/14	1.15	59	0.19	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nickel	12/01/07 - 11/30/14	332	57	2.53	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/01/07 - 11/30/14	10	105	0.45	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Selenium	12/01/07 - 11/30/14	50	57	0.39	0		AD	FS	<input type="checkbox"/>	FS		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

AUID: 1906_03 From confluence with Indian Creek to Hwy 353 (New Laredo Hwy)

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

AUID: 1906_03 From confluence with Indian Creek to Hwy 353 (New Laredo Hwy)

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Acute Toxic Substances in water	Aluminum	12/01/07 - 11/30/14	991	21		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/01/07 - 11/30/14	340	22		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/01/07 - 11/30/14	20.33	22		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/01/07 - 11/30/14	1,179.12	21		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/01/07 - 11/30/14	32.79	18		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/01/07 - 11/30/14	167.30	22		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/01/07 - 11/30/14	992.52	21		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/01/07 - 11/30/14	20	22		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Silver (ionic)	12/01/07 - 11/30/14	0.80	21		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/01/07 - 11/30/14	248.67	20		0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/01/07 - 11/30/14	150	22	2.89	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/01/07 - 11/30/14	0.47	22	0.14	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/01/07 - 11/30/14	158.51	21	1.93	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/01/07 - 11/30/14	20.93	18	1.05	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/01/07 - 11/30/14	6.80	22	0.21	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/01/07 - 11/30/14	114.05	21	2.45	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/01/07 - 11/30/14	5	22	0.33	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/01/07 - 11/30/14	259.39	20	2.16	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/01/07 - 11/30/14	5	6		2	3.80	LD	CN	<input type="checkbox"/>	CN	depressed dissolved oxygen	
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/01/07 - 11/30/14	3	6		2	2.25	LD	CN	<input type="checkbox"/>	CN	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	3	35		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	5	30		3	4.10	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Arsenic	12/01/07 - 11/30/14	33	12		0		AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Cadmium	12/01/07 - 11/30/14	4.98	12		0		AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chromium	12/01/07 - 11/30/14	111	12		1	112.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Copper	12/01/07 - 11/30/14	149	12		0		AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Iron	12/01/07 - 11/30/14	40,000	12		0		AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Lead	12/01/07 - 11/30/14	128	12		0		AD	NC	<input type="checkbox"/>	NC		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

AUID: 1906_03 From confluence with Indian Creek to Hwy 353 (New Laredo Hwy)

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Toxic Substances in sediment	Manganese	12/01/07 - 11/30/14	1,100	12		0		AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Mercury	12/01/07 - 11/30/14	1.06	9		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Nickel	12/01/07 - 11/30/14	48.60	12		0		AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Silver	12/01/07 - 11/30/14	2.20	12		2	2.52	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Zinc	12/01/07 - 11/30/14	459	12		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	26	129.98	1		AD	CN	<input type="checkbox"/>	CN	bacteria	

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/07 - 11/30/14	120	104	50.15	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/07 - 11/30/14	120	107	73.26	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/07 - 11/30/14	700	220	474.12	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/07 - 11/30/14	9	37		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/07 - 11/30/14	6.50	37		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/07 - 11/30/14	0.33	27		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/07 - 11/30/14	14.10	27		1	15.80	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/07 - 11/30/14	1.95	25		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/07 - 11/30/14	0.69	23		0		AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/07 - 11/30/14	35	37		0		AD	FS	<input type="checkbox"/>	FS		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

AUID: 1906_03 From confluence with Indian Creek to Hwy 353 (New Laredo Hwy)

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/01/07 - 11/30/14						OE	NA	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a
HH Bioaccumulative Toxics in water	Cadmium	12/01/07 - 11/30/14	5	31	0.23			AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/01/07 - 11/30/14	1.15	59	0.19	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/01/07 - 11/30/14	332	57	2.53	0		AD	FS	<input type="checkbox"/>	FS		

Public Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Surface Water HH criteria for PWS average	Arsenic	12/01/07 - 11/30/14	10	59	1.82	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/01/07 - 11/30/14	5	59	0.22	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Fluoride	12/01/07 - 11/30/14	4	67	0.18	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/01/07 - 11/30/14	1.15	59	0.19	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nickel	12/01/07 - 11/30/14	332	57	2.53	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/01/07 - 11/30/14	10	105	0.45	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Selenium	12/01/07 - 11/30/14	50	57	0.39	0		AD	FS	<input type="checkbox"/>	FS		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

AUID: 1906_04 From Hwy 353 (New Laredo Hwy) upstream approximately 2 miles to a point southeast of Pearsall Park

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/01/07 - 11/30/14	5	10		1	4.80	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/01/07 - 11/30/14	3	10		1	2.70	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	3	26		0		SM	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	5	22		0		SM	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	23	107.96	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/07 - 11/30/14	120	104	50.15	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/07 - 11/30/14	120	107	73.26	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/07 - 11/30/14	700	220	474.12	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/07 - 11/30/14	9	26		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/07 - 11/30/14	6.50	26		0		AD	FS	<input type="checkbox"/>	FS		
Water Temperature	Water temperature	12/01/07 - 11/30/14	35	26		0		AD	FS	<input type="checkbox"/>	FS		

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/01/07 - 11/30/14						OE	NA	<input checked="" type="checkbox"/>	NS	PCBs in fish tissue	5a
HH Bioaccumulative Toxics in water	Cadmium	12/01/07 - 11/30/14	5	31	0.23			AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/01/07 - 11/30/14	1.15	59	0.19	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/01/07 - 11/30/14	332	57	2.53	0		AD	FS	<input type="checkbox"/>	FS		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

AUID: 1906_04 From Hwy 353 (New Laredo Hwy) upstream approximately 2 miles to a point southeast of Pearsall Park

Public Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Surface Water HH criteria for PWS average	Arsenic	12/01/07 - 11/30/14	10	59	1.82	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/01/07 - 11/30/14	5	59	0.22	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Fluoride	12/01/07 - 11/30/14	4	67	0.18	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/01/07 - 11/30/14	1.15	59	0.19	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nickel	12/01/07 - 11/30/14	332	57	2.53	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/01/07 - 11/30/14	10	105	0.45	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Selenium	12/01/07 - 11/30/14	50	57	0.39	0		AD	FS	<input type="checkbox"/>	FS		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

AUID: 1906_05 From a point southeast of Pearsall Park upstream to US 90 on the westside of San Antonio

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

AUID: 1906_05 From a point southeast of Pearsall Park upstream to US 90 on the westside of San Antonio

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Aluminum	12/01/07 - 11/30/14	991	23		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/01/07 - 11/30/14	340	23		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/01/07 - 11/30/14	18.58	23		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/01/07 - 11/30/14	1,092.68	23		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/01/07 - 11/30/14	30.04	19		1	1.11	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/01/07 - 11/30/14	151.67	23		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/01/07 - 11/30/14	917.46	23		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/01/07 - 11/30/14	20	22		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Silver (ionic)	12/01/07 - 11/30/14	0.80	23		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/01/07 - 11/30/14	229.84	23		0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/01/07 - 11/30/14	150	23	2.26	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/01/07 - 11/30/14	0.47	23	0.15	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/01/07 - 11/30/14	158.51	23	1.84	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/01/07 - 11/30/14	20.93	19	0.89	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/01/07 - 11/30/14	6.80	23	0.20	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/01/07 - 11/30/14	114.05	23	2.69	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/01/07 - 11/30/14	5	22	0.35	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/01/07 - 11/30/14	259.39	23	2.23	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	3	28		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	5	28		1	4.50	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Arsenic	12/01/07 - 11/30/14	33	10		0		AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Cadmium	12/01/07 - 11/30/14	4.98	10		1	6.56	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chromium	12/01/07 - 11/30/14	111	10		1	141.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Copper	12/01/07 - 11/30/14	149	10		0		AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Iron	12/01/07 - 11/30/14	40,000	10		0		AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Lead	12/01/07 - 11/30/14	128	10		1	131.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Manganese	12/01/07 - 11/30/14	1,100	10		0		AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Mercury	12/01/07 - 11/30/14	1.06	9		0		LD	NC	<input type="checkbox"/>	NC		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

AUID: 1906_05 From a point southeast of Pearsall Park upstream to US 90 on the westside of San Antonio

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Toxic Substances in sediment	Nickel	12/01/07 - 11/30/14	48.60	10		1	49.60	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Silver	12/01/07 - 11/30/14	2.20	10		3	6.11	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Zinc	12/01/07 - 11/30/14	459	10		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	24	85.00	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/07 - 11/30/14	120	104	50.15	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/07 - 11/30/14	120	107	73.26	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/07 - 11/30/14	700	220	474.12	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/07 - 11/30/14	9	28		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/07 - 11/30/14	6.50	28		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/07 - 11/30/14	0.33	26		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/07 - 11/30/14	14.10	26		8	29.76	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Nitrate	12/01/07 - 11/30/14	1.95	24		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/07 - 11/30/14	0.69	21		0		AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/07 - 11/30/14	35	28		0		AD	FS	<input type="checkbox"/>	FS		

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/01/07 - 11/30/14						OE	NA	<input checked="" type="checkbox"/>	NS	PCBs in fish tissue	5a
HH Bioaccumulative Toxics in water	Cadmium	12/01/07 - 11/30/14	5	31	0.23			AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/01/07 - 11/30/14	1.15	59	0.19	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/01/07 - 11/30/14	332	57	2.53	0		AD	FS	<input type="checkbox"/>	FS		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

AUID: 1906_05 From a point southeast of Pearsall Park upstream to US 90 on the westside of San Antonio

Public Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Surface Water HH criteria for PWS average	Arsenic	12/01/07 - 11/30/14	10	59	1.82	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/01/07 - 11/30/14	5	59	0.22	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Fluoride	12/01/07 - 11/30/14	4	67	0.18	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/01/07 - 11/30/14	1.15	59	0.19	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nickel	12/01/07 - 11/30/14	332	57	2.53	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/01/07 - 11/30/14	10	105	0.45	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Selenium	12/01/07 - 11/30/14	50	57	0.39	0		AD	FS	<input type="checkbox"/>	FS		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

AUID: 1906_06 From US 90 on the westside of San Antonio upstream to a point 100 meters upstream of SH 16 northwest of San Antonio

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/01/07 - 11/30/14	5	2		1	4.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/01/07 - 11/30/14	3	2		1	0.29	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	3	33		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	5	33		2	4.60	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Silver	12/01/07 - 11/30/14						ID	NA	<input checked="" type="checkbox"/>	CS	silver in sediment	

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	27	79.39	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Dissolved Solids	Chloride	12/01/07 - 11/30/14	120	104	50.15	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/07 - 11/30/14	120	107	73.26	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/07 - 11/30/14	700	220	474.12	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/07 - 11/30/14	9	34		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/07 - 11/30/14	6.50	34		1	5.20	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/07 - 11/30/14	0.33	12		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/07 - 11/30/14	14.10	12		5	18.56	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Nitrate	12/01/07 - 11/30/14	1.95	11		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/07 - 11/30/14	0.69	11		0		AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/07 - 11/30/14	35	34		0		AD	FS	<input type="checkbox"/>	FS		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

AUID: 1906_06 From US 90 on the westside of San Antonio upstream to a point 100 meters upstream of SH 16 northwest of San Antonio

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/01/07 - 11/30/14						OE	NA	<input checked="" type="checkbox"/>	NS	PCBs in fish tissue	5a
HH Bioaccumulative Toxics in water	Cadmium	12/01/07 - 11/30/14	5	31	0.23			AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/01/07 - 11/30/14	1.15	59	0.19	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/01/07 - 11/30/14	332	57	2.53	0		AD	FS	<input type="checkbox"/>	FS		

Public Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Surface Water HH criteria for PWS average	Arsenic	12/01/07 - 11/30/14	10	59	1.82	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/01/07 - 11/30/14	5	59	0.22	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Fluoride	12/01/07 - 11/30/14	4	67	0.18	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/01/07 - 11/30/14	1.15	59	0.19	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nickel	12/01/07 - 11/30/14	332	57	2.53	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/01/07 - 11/30/14	10	105	0.45	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Selenium	12/01/07 - 11/30/14	50	57	0.39	0		AD	FS	<input type="checkbox"/>	FS		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

SEGID: 1907

Upper Leon Creek

AUID: 1907_01

From a point 100 meters (110 yards) upstream of SH 16 northwest of San Antonio in Bexar County to a point 9.0 km (5.6 mi) upstream of Scenic Loop Road north of He

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	3	4		0		LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	5	4		0		LD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	4	47.38	0		LD	NC	<input type="checkbox"/>	NC		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Dissolved Solids	Chloride	12/01/07 - 11/30/14	55	4	46.75	0		LD	NC	<input type="checkbox"/>	NC		
Dissolved Solids	Sulfate	12/01/07 - 11/30/14	240	4	57.75	0		LD	NC	<input type="checkbox"/>	NC		
Dissolved Solids	Total Dissolved Solids	12/01/07 - 11/30/14	550	4	532.09	0		LD	NC	<input type="checkbox"/>	NC		
High pH	pH	12/01/07 - 11/30/14	9	4		0		LD	NC	<input type="checkbox"/>	NC		
Low pH	pH	12/01/07 - 11/30/14	6.50	4		0		LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/01/07 - 11/30/14	0.33	4		0		LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/07 - 11/30/14	14.10	4		0		LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/07 - 11/30/14	1.95	4		2	2.27	LD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Total Phosphorus	12/01/07 - 11/30/14	0.69	4		0		LD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/07 - 11/30/14	35	4		0		LD	NC	<input type="checkbox"/>	NC		

Public Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Surface Water HH criteria for PWS average	Fluoride	12/01/07 - 11/30/14	4	4	0.13	0		LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for PWS average	Nitrate	12/01/07 - 11/30/14	10	4	1.59	0		LD	NC	<input type="checkbox"/>	NC		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

SEGID: 1908

Upper Cibolo Creek

AUID: 1908_01

From confluence. with Balcones Creek to approx. 2 mi. upstream of Hwy 87 in Boerne

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/01/07 - 11/30/14	5	1	0		ID	NA	<input type="checkbox"/>	NA			
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/01/07 - 11/30/14	3	1	0		ID	NA	<input type="checkbox"/>	NA			
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	3	65	2	2.45	AD	FS	<input type="checkbox"/>	FS			
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	5	65	15	4.20	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen		
Fish community (Regional)	Fish Community	12/01/07 - 11/30/14	42	3	52		TR	NC	<input type="checkbox"/>	NC			
Habitat	Habitat	12/01/07 - 11/30/14	20	3	24		TR	NC	<input type="checkbox"/>	NC			
Macroinvertebrate community (Qualitative)	Macroinvertebrate Community	12/01/07 - 11/30/14	29	3	39		TR	NC	<input type="checkbox"/>	NC			

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	24	78.30	0	AD	FS	<input type="checkbox"/>	FS			

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Dissolved Solids	Chloride	12/01/07 - 11/30/14	50	60	56.80	1	AD	NS	<input type="checkbox"/>	NS	chloride	5c	
Dissolved Solids	Sulfate	12/01/07 - 11/30/14	100	35	48.14	0	AD	FS	<input type="checkbox"/>	FS			
Dissolved Solids	Total Dissolved Solids	12/01/07 - 11/30/14	600	74	468.82	0	AD	FS	<input type="checkbox"/>	FS			
High pH	pH	12/01/07 - 11/30/14	9	62		0	AD	FS	<input type="checkbox"/>	FS			
Low pH	pH	12/01/07 - 11/30/14	6.50	62		0	AD	FS	<input type="checkbox"/>	FS			
Nutrient Screening Levels	Ammonia	12/01/07 - 11/30/14	0.33	64		1	AD	NC	<input type="checkbox"/>	NC			
Nutrient Screening Levels	Chlorophyll-a	12/01/07 - 11/30/14	14.10	62		4	AD	NC	<input type="checkbox"/>	NC			
Nutrient Screening Levels	Nitrate	12/01/07 - 11/30/14	1.95	61		8	AD	NC	<input type="checkbox"/>	NC			
Nutrient Screening Levels	Total Phosphorus	12/01/07 - 11/30/14	0.69	54		36	AD	CS	<input type="checkbox"/>	CS	total phosphorus		
Water Temperature	Water temperature	12/01/07 - 11/30/14	32.20	65		0	AD	FS	<input type="checkbox"/>	FS			

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

AUID: 1908_01 From confluence. with Balcones Creek to approx. 2 mi. upstream of Hwy 87 in Boerne

Public Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
Surface Water HH criteria for PWS average	Fluoride	12/01/07 - 11/30/14	4	35	0.24	0		AD	FS	<input type="checkbox"/>	FS			
Surface Water HH criteria for PWS average	Nitrate	12/01/07 - 11/30/14	10	70	1.32	0		AD	FS	<input type="checkbox"/>	FS			

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

AUID: 1908_02 From approx. 2 mi. upstream of Hwy 87 in Boerne upstream to a point 1.5 km (0.9 mi) upstream of the confluence of Champee Springs in Kendall County

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	3	9		0		LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	5	9		0		LD	NC	<input type="checkbox"/>	NC		
Habitat	Habitat	12/01/07 - 11/30/14	20					ID	NA	<input checked="" type="checkbox"/>	CS	impaired habitat	

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	8	104.00	0		LD	NC	<input checked="" type="checkbox"/>	NS	bacteria	5c

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/07 - 11/30/14	50	60	56.80	1		AD	NS	<input type="checkbox"/>	NS	chloride	5c
Dissolved Solids	Sulfate	12/01/07 - 11/30/14	100	35	48.14	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/07 - 11/30/14	600	74	468.82	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/07 - 11/30/14	9	9		0		LD	NC	<input type="checkbox"/>	NC		
Low pH	pH	12/01/07 - 11/30/14	6.50	9		0		LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/01/07 - 11/30/14	0.33	9		0		LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/07 - 11/30/14	14.10	9		0		LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/07 - 11/30/14	1.95	9		0		LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/07 - 11/30/14	0.69	8		0		LD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/07 - 11/30/14	32.20	9		0		LD	NC	<input type="checkbox"/>	NC		

Public Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/01/07 - 11/30/14	4	35	0.24	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/01/07 - 11/30/14	10	70	1.32	0		AD	FS	<input type="checkbox"/>	FS		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

AUID: 1908_03 From the Missouri-Pacific Railroad bridge west of Bracken in Comal County upstream to the confluence of Balcones Creek

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
Dissolved Solids	Chloride	12/01/07 - 11/30/14	50	60	56.80	1		AD	NS	<input type="checkbox"/>	NS	chloride	5c
Dissolved Solids	Sulfate	12/01/07 - 11/30/14	100	35	48.14	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/07 - 11/30/14	600	74	468.82	0		AD	FS	<input type="checkbox"/>	FS		

Public Water Supply Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
Surface Water HH criteria for PWS average	Fluoride	12/01/07 - 11/30/14	4	35	0.24	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/01/07 - 11/30/14	10	70	1.32	0		AD	FS	<input type="checkbox"/>	FS		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

SEGID: 1909

Medina Diversion Lake

AUID: 1909_01

From Medina Diversion Dam in Medina County to Medina Lake Dam in Medina County, up to normal pool elevation of 926.5 feet (impounds Medina River)

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	3	19			0	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	5	19			0	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	18	8.88		0	LD	NC	<input type="checkbox"/>	NC		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Dissolved Solids	Chloride	12/01/07 - 11/30/14	50	20	11.80		0	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/07 - 11/30/14	75	21	51.90		0	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/07 - 11/30/14	400	19	276.25		0	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/07 - 11/30/14	9	19			0	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/07 - 11/30/14	6.50	19			0	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/07 - 11/30/14	0.11	21			0	JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Chlorophyll-a	12/01/07 - 11/30/14	26.70	20			0	JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Nitrate	12/01/07 - 11/30/14	0.37	21			5	0.63	JQ	NA	<input type="checkbox"/>	NA	
Nutrient Screening Levels	Total Phosphorus	12/01/07 - 11/30/14	0.20	19			0	JQ	NA	<input type="checkbox"/>	NA		
Water Temperature	Water temperature	12/01/07 - 11/30/14	32.20	19			0	AD	FS	<input type="checkbox"/>	FS		

Public Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Surface Water HH criteria for PWS average	Fluoride	12/01/07 - 11/30/14	4	21	0.15		0	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/01/07 - 11/30/14	10	21	0.29		0	AD	FS	<input type="checkbox"/>	FS		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

SEGID: 1910

Salado Creek

AUID: 1910_01

From confluence with San Antonio River to confluence with Rosillo Creek

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/01/07 - 11/30/14	5	7	0		LD	NC	<input type="checkbox"/>	NC			
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/01/07 - 11/30/14	3	7	0		LD	NC	<input type="checkbox"/>	NC			
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	3	83	0		AD	FS	<input type="checkbox"/>	FS			
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	5	83	0		AD	NC	<input type="checkbox"/>	NC			
Fish community (Regional)	Fish Community	12/01/07 - 11/30/14	41	6	41		TR	NC	<input type="checkbox"/>	NC			
Habitat	Habitat	12/01/07 - 11/30/14	20	6	22		TR	NC	<input type="checkbox"/>	NC			

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	84	49.77	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Dissolved Solids	Chloride	12/01/07 - 11/30/14	140	203	52.01	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/07 - 11/30/14	200	206	64.09	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/07 - 11/30/14	600	499	478.62	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/07 - 11/30/14	9	84		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/07 - 11/30/14	6.50	84		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/07 - 11/30/14	0.33	47		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/07 - 11/30/14	14.10	41		3	26.67	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/07 - 11/30/14	1.95	47		2	12.32	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/07 - 11/30/14	0.69	46		0		AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/07 - 11/30/14	32.20	85		0		AD	FS	<input type="checkbox"/>	FS		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

AUID: 1910_01 From confluence with San Antonio River to confluence with Rosillo Creek

Public Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
Surface Water HH criteria for PWS average	Fluoride	12/01/07 - 11/30/14	4	19	0.31	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/01/07 - 11/30/14	10	207	1.06	0		AD	FS	<input type="checkbox"/>	FS		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

AUID: 1910_02 From the confluence with Rosillo Creek up to the confluence with Pershing Creek.

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/01/07 - 11/30/14	5	11		1	4.80	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/01/07 - 11/30/14	3	11		1	2.80	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	3	224		5	2.36	SM	FS	<input type="checkbox"/>	NA		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	5	224		46	3.98	SM	NC	<input type="checkbox"/>	NA		
Fish community (Regional)	Fish Community	12/01/07 - 11/30/14	41	13	42			TR	NC	<input type="checkbox"/>	NC		
Habitat	Habitat	12/01/07 - 11/30/14	20	13	21			TR	NC	<input type="checkbox"/>	NC		
Macrobenthic community (Qualitative)	Macrobenthic Community	12/01/07 - 11/30/14	29	6	26			AD	NS	<input type="checkbox"/>	CN	impaired macrobenthic community	

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	219	123.02	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/07 - 11/30/14	140	203	52.01	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/07 - 11/30/14	200	206	64.09	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/07 - 11/30/14	600	499	478.62	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/07 - 11/30/14	9	238		1	11.70	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/07 - 11/30/14	6.50	238		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/07 - 11/30/14	0.33	109		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/07 - 11/30/14	14.10	89		4	82.05	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/07 - 11/30/14	1.95	110		18	2.90	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/07 - 11/30/14	0.69	105		1	0.76	AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/07 - 11/30/14	32.20	240		0		AD	FS	<input type="checkbox"/>	FS		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

AUID: 1910_02 From the confluence with Rosillo Creek up to the confluence with Pershing Creek.

Public Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
Surface Water HH criteria for PWS average	Fluoride	12/01/07 - 11/30/14	4	19	0.31	0		AD	FS	<input type="checkbox"/>	FS			
Surface Water HH criteria for PWS average	Nitrate	12/01/07 - 11/30/14	10	207	1.06	0		AD	FS	<input type="checkbox"/>	FS			

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

AUID: 1910_03 From the confluence with Pershing Creek up to the confluence with Walzem Creek.

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/01/07 - 11/30/14	5	4		1	4.60	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/01/07 - 11/30/14	3	4		2	1.55	LD	CN	<input type="checkbox"/>	CN	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	3	112		1	0.80	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	5	108		3	3.20	AD	NC	<input type="checkbox"/>	NC		
Fish community (Regional)	Fish Community	12/01/07 - 11/30/14	41	4	40			TR	CN	<input type="checkbox"/>	CN	impaired fish community	
Habitat	Habitat	12/01/07 - 11/30/14	20	4	22			TR	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	110	133.90	1		AD	NS	<input type="checkbox"/>	NS	bacteria	4a

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/07 - 11/30/14	140	203	52.01	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/07 - 11/30/14	200	206	64.09	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/07 - 11/30/14	600	499	478.62	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/07 - 11/30/14	9	123		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/07 - 11/30/14	6.50	123		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/07 - 11/30/14	0.33	28		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/07 - 11/30/14	14.10	25		1	23.00	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/07 - 11/30/14	1.95	29		9	5.67	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Total Phosphorus	12/01/07 - 11/30/14	0.69	28		2	1.38	AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/07 - 11/30/14	32.20	124		0		AD	FS	<input type="checkbox"/>	FS		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

AUID: 1910_03 From the confluence with Pershing Creek up to the confluence with Walzem Creek.

Public Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
Surface Water HH criteria for PWS average	Fluoride	12/01/07 - 11/30/14	4	19	0.31	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/01/07 - 11/30/14	10	207	1.06	0		AD	FS	<input type="checkbox"/>	FS		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

AUID: 1910_04 From the confluence with Walzem Creek up to the confluence with Beitel Creek

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/01/07 - 11/30/14	5	2		0		ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/01/07 - 11/30/14	3	2		1	0.40	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	3	50				AD	FS	<input checked="" type="checkbox"/>	NS	depressed dissolved oxygen	4a
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	5	48		4	4.25	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	51	151.20	1		AD	NS	<input type="checkbox"/>	NS	bacteria	4a

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/07 - 11/30/14	140	203	52.01	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/07 - 11/30/14	200	206	64.09	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/07 - 11/30/14	600	499	478.62	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/07 - 11/30/14	9	56		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/07 - 11/30/14	6.50	56		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/07 - 11/30/14	0.33	20		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/07 - 11/30/14	14.10	13		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/07 - 11/30/14	1.95	20		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/07 - 11/30/14	0.69	20		0		AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/07 - 11/30/14	32.20	57		0		AD	FS	<input type="checkbox"/>	FS		

Public Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/01/07 - 11/30/14	4	19	0.31	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/01/07 - 11/30/14	10	207	1.06	0		AD	FS	<input type="checkbox"/>	FS		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

SEGID: 1910A **Walzem Creek**

AUID: 1910A_01 From the confluence with Salado Creek upstream to Lanark Dr in San Antonio

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	3	36	0	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	5	36	0	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	34 236.83	1	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

SEGID: 1910B Rosillo Creek

AUID: 1910B_01 From the confluence with Salado Creek in Bexar County upstream to the headwaters approximately 1.8 km upstream of FM 1976 in Windcrest

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int		TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS				
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	2	47	2	1.30	AD	FS	<input type="checkbox"/>	FS				
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	3	47	5	2.06	AD	NC	<input type="checkbox"/>	NC				

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int		TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS				
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	47	60.23	0	AD	FS	<input type="checkbox"/>	FS				

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

SEGID: 1910C **Salado Creek Tributary**

AUID: 1910C_01 From the confluence with segment 1910 to the upper end of the water body, NHD RC 12100301000902.

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	1.50	19		0		AD	FS	<input type="checkbox"/>	FS			
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	2	19		0		AD	NC	<input type="checkbox"/>	NC			

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	19	246.92	1		LD	CN	<input type="checkbox"/>	CN	bacteria		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

SEGID: 1910D **Menger Creek**

AUID: 1910D_01 From the confluence with segment 1910 to the upper end of the water body, NHD RC 12100301000147.

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/01/07 - 11/30/14	3	5	1 2.80	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/01/07 - 11/30/14	2	5	1 1.10	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	2	27	2 1.90	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	3	27	4 2.23	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	21 406.48	1	AD	NS	<input type="checkbox"/>	NS	bacteria	5c

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

SEGID: 1910E **Beitel Creek**

AUID: 1910E_01 From the confluence with segment 1910 to the upper end of the water body, NHD RC 12100301000662.

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	2	23	2 1.25	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	3	23	4 1.85	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	24 125.25	0	AD	FS	<input type="checkbox"/>	FS		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

SEGID: 1910F **Upper Salado Creek**

AUID: 1910F_01 Upper Salado Creek an Appendix D section from the confluence with Beitel Creek upstream to Nacogdoches Road

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int		TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS				
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	3	26	0		AD	FS	<input type="checkbox"/>	FS				
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	4	26	3	3.53	AD	NC	<input type="checkbox"/>	NC				

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int		TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS				
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	26	36.79	0	AD	FS	<input type="checkbox"/>	FS				

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int		TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS				
Nutrient Screening Levels	Ammonia	12/01/07 - 11/30/14	0.33	8	0		LD	NC	<input type="checkbox"/>	NC				
Nutrient Screening Levels	Chlorophyll-a	12/01/07 - 11/30/14	14.10	8	5	30.32	LD	CS	<input type="checkbox"/>	CS	chlorophyll-a			
Nutrient Screening Levels	Nitrate	12/01/07 - 11/30/14	1.95	8	0		LD	NC	<input type="checkbox"/>	NC				
Nutrient Screening Levels	Total Phosphorus	12/01/07 - 11/30/14	0.69	7	0		LD	NC	<input type="checkbox"/>	NC				

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

SEGID: 1911

Upper San Antonio River

AUID: 1911_01

From the lower end of the segment up to just upstream of the confluence with Olmos Creek.

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Aluminum	12/01/07 - 11/30/14	991	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/01/07 - 11/30/14	340	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/01/07 - 11/30/14	28.48	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/01/07 - 11/30/14	1,567.24	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/01/07 - 11/30/14	45.49	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/01/07 - 11/30/14	240.43	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/01/07 - 11/30/14	1,331.66	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/01/07 - 11/30/14	20	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Silver (ionic)	12/01/07 - 11/30/14	0.80	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/01/07 - 11/30/14	333.80	9		0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Arsenic	12/01/07 - 11/30/14	150	10	1.63	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/01/07 - 11/30/14	0.40	10	0.08	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/01/07 - 11/30/14	131.82	10	1.13	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/01/07 - 11/30/14	17.27	10	1.96	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/01/07 - 11/30/14	5.36	10	0.18	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/01/07 - 11/30/14	94.27	10	3.47	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/01/07 - 11/30/14	5	10	0.71	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/01/07 - 11/30/14	214.35	9	6.64	0		LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	3	109		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	5	109		2	4.00	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	378	74.25	0		AD	FS	<input type="checkbox"/>	FS		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

AUID: 1911_01 From the lower end of the segment up to just upstream of the confluence with Olmos Creek.

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
				#	Value	#	Value						
Dissolved Solids	Chloride	12/01/07 - 11/30/14	150	982	84.59	0		AD	FS	☐	FS		
Dissolved Solids	Sulfate	12/01/07 - 11/30/14	150	983	60.15	0		AD	FS	☐	FS		
Dissolved Solids	Total Dissolved Solids	12/01/07 - 11/30/14	750	1,685	520.52	0		AD	FS	☐	FS		
High pH	pH	12/01/07 - 11/30/14	9	107		0		AD	FS	☐	FS		
Low pH	pH	12/01/07 - 11/30/14	6.50	107		0		AD	FS	☐	FS		
Nutrient Screening Levels	Ammonia	12/01/07 - 11/30/14	0.33	79		4	0.56	AD	NC	☐	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/07 - 11/30/14	14.10	48		6	29.83	AD	NC	☐	NC		
Nutrient Screening Levels	Nitrate	12/01/07 - 11/30/14	1.95	79		78	10.54	AD	CS	☐	CS	nitrate	
Nutrient Screening Levels	Total Phosphorus	12/01/07 - 11/30/14	0.69	79		62	1.24	AD	CS	☐	CS	total phosphorus	
Water Temperature	Water temperature	12/01/07 - 11/30/14	32.20	109		5	32.58	AD	FS	☐	FS		
Fish Consumption Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
				#	Value	#	Value						
HH Bioaccumulative Toxics in water	Lead	12/01/07 - 11/30/14	3.83	50	0.16	0		AD	FS	☐	FS		
HH Bioaccumulative Toxics in water	Nickel	12/01/07 - 11/30/14	1,140	50	2.40	0		AD	FS	☐	FS		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

AUID: 1911_02 From the confluence with Olmos Creek up to just upstream of the confluence with Picoso Creek .

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	3	20		0		AD	FS	☐	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	5	20		0		AD	NC	☐	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	20	106.18	0		AD	FS	☐	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/07 - 11/30/14	150	982	84.59	0		AD	FS	☐	FS		
Dissolved Solids	Sulfate	12/01/07 - 11/30/14	150	983	60.15	0		AD	FS	☐	FS		
Dissolved Solids	Total Dissolved Solids	12/01/07 - 11/30/14	750	1,685	520.52	0		AD	FS	☐	FS		
High pH	pH	12/01/07 - 11/30/14	9	21		0		AD	FS	☐	FS		
Low pH	pH	12/01/07 - 11/30/14	6.50	21		0		AD	FS	☐	FS		
Nutrient Screening Levels	Ammonia	12/01/07 - 11/30/14	0.33	16		0		AD	NC	☐	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/07 - 11/30/14	14.10	6		0		LD	NC	☐	NC		
Nutrient Screening Levels	Nitrate	12/01/07 - 11/30/14	1.95	16		16	10.16	AD	CS	☐	CS	nitrate	
Nutrient Screening Levels	Total Phosphorus	12/01/07 - 11/30/14	0.69	15		14	1.19	AD	CS	☐	CS	total phosphorus	
Water Temperature	Water temperature	12/01/07 - 11/30/14	32.20	21		0		AD	FS	☐	FS		

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead	12/01/07 - 11/30/14	3.83	50	0.16	0		AD	FS	☐	FS		
HH Bioaccumulative Toxics in water	Nickel	12/01/07 - 11/30/14	1,140	50	2.40	0		AD	FS	☐	FS		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

AUID: 1911_03 From just upstream of the confluence with Picoso Creek up to just upstream of the confluence with Lodi Branch in Floresville, Wilson County, Texas.

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Aluminum	12/01/07 - 11/30/14	991	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/01/07 - 11/30/14	340	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/01/07 - 11/30/14	34.33	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/01/07 - 11/30/14	1,834.79	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/01/07 - 11/30/14	54.53	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/01/07 - 11/30/14	293.08	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/01/07 - 11/30/14	1,567.11	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/01/07 - 11/30/14	20	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Silver (ionic)	12/01/07 - 11/30/14	0.80	9		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Zinc	12/01/07 - 11/30/14	392.91	9		0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Arsenic	12/01/07 - 11/30/14	150	10	1.40	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/01/07 - 11/30/14	0.40	10	0.08	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/01/07 - 11/30/14	131.82	10	1.16	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/01/07 - 11/30/14	17.27	10	1.87	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/01/07 - 11/30/14	5.36	10	0.17	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/01/07 - 11/30/14	94.27	10	3	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/01/07 - 11/30/14	5	10	0.60	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/01/07 - 11/30/14	214.35	9	8.03	0		LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	3	105		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	5	105		1	4.60	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	379	122.72	0		AD	FS	<input type="checkbox"/>	FS		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

AUID: 1911_03 From just upstream of the confluence with Picoso Creek up to just upstream of the confluence with Lodi Branch in Floresville, Wilson County, Texas.

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
				#	Value	#	Value						
Dissolved Solids	Chloride	12/01/07 - 11/30/14	150	982	84.59	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/07 - 11/30/14	150	983	60.15	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/07 - 11/30/14	750	1,685	520.52	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/07 - 11/30/14	9	102		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/07 - 11/30/14	6.50	102		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/07 - 11/30/14	0.33	77		6	0.53	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/07 - 11/30/14	14.10	55		3	36.00	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/07 - 11/30/14	1.95	77		75	11.13	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Total Phosphorus	12/01/07 - 11/30/14	0.69	77		70	1.31	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Water Temperature	Water temperature	12/01/07 - 11/30/14	32.20	105		1	32.40	AD	FS	<input type="checkbox"/>	FS		
Fish Consumption Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
				#	Value	#	Value						
HH Bioaccumulative Toxics in water	Lead	12/01/07 - 11/30/14	3.83	50	0.16	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/01/07 - 11/30/14	1,140	50	2.40	0		AD	FS	<input type="checkbox"/>	FS		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

AUID: 1911_04 From just upstream of the confluence with Lodi Branch in Floresville, Wilson County, Texas up to just upstream of the confluence with Calaveras Creek.

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	3	79		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	5	79		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	78	66.85	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/07 - 11/30/14	150	982	84.59	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/07 - 11/30/14	150	983	60.15	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/07 - 11/30/14	750	1,685	520.52	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/07 - 11/30/14	9	79		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/07 - 11/30/14	6.50	79		1	4.80	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/07 - 11/30/14	0.33	3		0		ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Chlorophyll-a	12/01/07 - 11/30/14	14.10	2		0		ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Nitrate	12/01/07 - 11/30/14	1.95	3		3	15.73	ID	NA	<input checked="" type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Total Phosphorus	12/01/07 - 11/30/14	0.69	3		3	2.07	ID	NA	<input checked="" type="checkbox"/>	CS	total phosphorus	
Water Temperature	Water temperature	12/01/07 - 11/30/14	32.20	79		0		AD	FS	<input type="checkbox"/>	FS		

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead	12/01/07 - 11/30/14	3.83	50	0.16	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/01/07 - 11/30/14	1,140	50	2.40	0		AD	FS	<input type="checkbox"/>	FS		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

AUID: 1911_05 From just upstream of the confluence with Calaveras Creek up to just upstream of the confluence with the Medina River.

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Aluminum	12/01/07 - 11/30/14	991	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/01/07 - 11/30/14	340	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/01/07 - 11/30/14	24.22	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/01/07 - 11/30/14	1,366.54	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/01/07 - 11/30/14	38.85	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/01/07 - 11/30/14	202.06	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/01/07 - 11/30/14	1,155.89	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/01/07 - 11/30/14	20	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Silver (ionic)	12/01/07 - 11/30/14	0.80	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/01/07 - 11/30/14	289.68	9		0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Arsenic	12/01/07 - 11/30/14	150	10	0.91	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/01/07 - 11/30/14	0.40	10	0.08	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/01/07 - 11/30/14	131.82	10	1.12	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/01/07 - 11/30/14	17.27	10	1.67	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/01/07 - 11/30/14	5.36	10	0.15	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/01/07 - 11/30/14	94.27	10	2.74	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/01/07 - 11/30/14	5	10	0.60	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/01/07 - 11/30/14	214.35	9	11.29	0		LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/01/07 - 11/30/14	5	10		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/01/07 - 11/30/14	3	10		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	3	210		1	0.70	SM	FS	<input type="checkbox"/>	NA		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	5	210		1	0.70	SM	NC	<input type="checkbox"/>	NA		
Fish community (Regional)	Fish Community	12/01/07 - 11/30/14	41	6	38			TR	CN	<input type="checkbox"/>	CN	impaired fish community	
Habitat	Habitat	12/01/07 - 11/30/14	20	6	18			TR	CS	<input type="checkbox"/>	CS	impaired habitat	

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

AUID: 1911_05 From just upstream of the confluence with Calaveras Creek up to just upstream of the confluence with the Medina River.

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	195	103.48	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/07 - 11/30/14	150	982	84.59	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/07 - 11/30/14	150	983	60.15	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/07 - 11/30/14	750	1,685	520.52	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/07 - 11/30/14	9	209		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/07 - 11/30/14	6.50	209		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/07 - 11/30/14	0.33	136		34	0.91	AD	CS	<input type="checkbox"/>	CS	ammonia	
Nutrient Screening Levels	Chlorophyll-a	12/01/07 - 11/30/14	14.10	112		1	18.00	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/07 - 11/30/14	1.95	137		134	14.03	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Total Phosphorus	12/01/07 - 11/30/14	0.69	134		117	1.44	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Water Temperature	Water temperature	12/01/07 - 11/30/14	32.20	210		4	32.43	AD	FS	<input type="checkbox"/>	FS		

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead	12/01/07 - 11/30/14	3.83	50	0.16	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/01/07 - 11/30/14	1,140	50	2.40	0		AD	FS	<input type="checkbox"/>	FS		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

AUID: 1911_06 From just upstream of the confluence with the Medina River up to just upstream of the confluence with Salado Creek.

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Aluminum	12/01/07 - 11/30/14	991	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/01/07 - 11/30/14	340	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/01/07 - 11/30/14	17.07	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/01/07 - 11/30/14	1,017.50	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/01/07 - 11/30/14	27.67	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/01/07 - 11/30/14	138.31	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/01/07 - 11/30/14	852.33	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/01/07 - 11/30/14	20	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Silver (ionic)	12/01/07 - 11/30/14	0.80	9		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Zinc	12/01/07 - 11/30/14	213.50	10		0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/01/07 - 11/30/14	150	10	1.48	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/01/07 - 11/30/14	0.40	10	0.08	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/01/07 - 11/30/14	131.82	10	1.03	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/01/07 - 11/30/14	17.27	10	1.35	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/01/07 - 11/30/14	5.36	10	0.14	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/01/07 - 11/30/14	94.27	10	1.37	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/01/07 - 11/30/14	5	10	0.60	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/01/07 - 11/30/14	214.35	10	2.53	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/01/07 - 11/30/14	5	7		0		LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/01/07 - 11/30/14	3	7		0		LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	3	171		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	5	171		2	4.30	AD	NC	<input type="checkbox"/>	NC		
Fish community (Regional)	Fish Community	12/01/07 - 11/30/14	41	7	43			AD	FS	<input type="checkbox"/>	FS		
Habitat	Habitat	12/01/07 - 11/30/14	20	7	20			AD	NC	<input type="checkbox"/>	NC		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

AUID: 1911_06 From just upstream of the confluence with the Medina River up to just upstream of the confluence with Salado Creek.

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	162	96.81	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/07 - 11/30/14	150	982	84.59	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/07 - 11/30/14	150	983	60.15	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/07 - 11/30/14	750	1,685	520.52	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/07 - 11/30/14	9	171		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/07 - 11/30/14	6.50	171		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/07 - 11/30/14	0.33	122		1	0.42	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/07 - 11/30/14	14.10	83		11	24.09	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/07 - 11/30/14	1.95	122		39	2.94	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Total Phosphorus	12/01/07 - 11/30/14	0.69	120		1	0.88	AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/07 - 11/30/14	32.20	172		2	32.60	AD	FS	<input type="checkbox"/>	FS		

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead	12/01/07 - 11/30/14	3.83	50	0.16	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/01/07 - 11/30/14	1,140	50	2.40	0		AD	FS	<input type="checkbox"/>	FS		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

AUID: 1911_07 From just upstream of the confluence with Salado Creek up to just upstream of the confluence with Sixmile Creek.

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Aluminum	12/01/07 - 11/30/14	991	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/01/07 - 11/30/14	340	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/01/07 - 11/30/14	23.01	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/01/07 - 11/30/14	1,308.58	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/01/07 - 11/30/14	36.96	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/01/07 - 11/30/14	191.19	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/01/07 - 11/30/14	1,105.28	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/01/07 - 11/30/14	20	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Silver (ionic)	12/01/07 - 11/30/14	0.80	9		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Zinc	12/01/07 - 11/30/14	276.97	10		0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/01/07 - 11/30/14	150	10	1.26	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/01/07 - 11/30/14	0.40	10	0.08	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/01/07 - 11/30/14	131.82	10	1.17	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/01/07 - 11/30/14	17.27	10	1.63	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/01/07 - 11/30/14	5.36	10	0.19	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/01/07 - 11/30/14	94.27	10	1.40	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/01/07 - 11/30/14	5	10	0.60	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/01/07 - 11/30/14	214.35	10	3.10	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/01/07 - 11/30/14	5	3		0		ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/01/07 - 11/30/14	3	3		0		ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	3	97		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	5	97		0		AD	NC	<input type="checkbox"/>	NC		
Fish community (Regional)	Fish Community	12/01/07 - 11/30/14	41	5	46			TR	NC	<input type="checkbox"/>	NC		
Habitat	Habitat	12/01/07 - 11/30/14	20	5	19			TR	CS	<input type="checkbox"/>	CS	impaired habitat	

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

AUID: 1911_07 From just upstream of the confluence with Salado Creek up to just upstream of the confluence with Sixmile Creek.

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	290	139.78	1		AD	NS	<input type="checkbox"/>	NS	bacteria	4a

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/07 - 11/30/14	150	982	84.59	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/07 - 11/30/14	150	983	60.15	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/07 - 11/30/14	750	1,685	520.52	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/07 - 11/30/14	9	95		5	9.18	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/07 - 11/30/14	6.50	95		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/07 - 11/30/14	0.33	65		1	0.77	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/07 - 11/30/14	14.10	32		7	46.00	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/07 - 11/30/14	1.95	65		35	3.62	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Total Phosphorus	12/01/07 - 11/30/14	0.69	64		1	1.14	AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/07 - 11/30/14	32.20	97		6	33.53	AD	FS	<input type="checkbox"/>	FS		

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead	12/01/07 - 11/30/14	3.83	50	0.16	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/01/07 - 11/30/14	1,140	50	2.40	0		AD	FS	<input type="checkbox"/>	FS		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

AUID: 1911_08 From just upstream of the confluence with Sixmile Creek to just upstream of the confluence with San Pedro Creek.

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	3	96		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	5	96		2	4.30	AD	NC	<input type="checkbox"/>	NC		
Fish community (Regional)	Fish Community	12/01/07 - 11/30/14	41					ID	NA	<input checked="" type="checkbox"/>	CN	impaired fish community	
Habitat	Habitat	12/01/07 - 11/30/14	20					ID	NA	<input checked="" type="checkbox"/>	CS	impaired habitat	

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	205	192.49	1		AD	NS	<input type="checkbox"/>	NS	bacteria	4a

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/07 - 11/30/14	150	982	84.59	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/07 - 11/30/14	150	983	60.15	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/07 - 11/30/14	750	1,685	520.52	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/07 - 11/30/14	9	96		1	9.20	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/07 - 11/30/14	6.50	96		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/07 - 11/30/14	0.33	53		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/07 - 11/30/14	14.10	28		2	24.50	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/07 - 11/30/14	1.95	53		42	5.30	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Total Phosphorus	12/01/07 - 11/30/14	0.69	52		7	1.12	AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/07 - 11/30/14	32.20	96		1	33.10	AD	FS	<input type="checkbox"/>	FS		

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead	12/01/07 - 11/30/14	3.83	50	0.16	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/01/07 - 11/30/14	1,140	50	2.40	0		AD	FS	<input type="checkbox"/>	FS		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

AUID: 1911_09 From just upstream of the confluence with San Pedro Creek up to the upper end of the segment.

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/01/07 - 11/30/14	5	15		1	4.80	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/01/07 - 11/30/14	3	15		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	3	785		4	2.63	SM	FS	<input type="checkbox"/>	NA		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	5	785		47	4.08	SM	NC	<input type="checkbox"/>	NA		
Fish community (Regional)	Fish Community	12/01/07 - 11/30/14						ID	NA	<input checked="" type="checkbox"/>	NS	impaired fish community	5c
Habitat	Habitat	12/01/07 - 11/30/14	20					ID	NA	<input checked="" type="checkbox"/>	CS	impaired habitat	

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	835	431.50	1		AD	NS	<input type="checkbox"/>	NS	bacteria	4a

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/07 - 11/30/14	150	982	84.59	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/07 - 11/30/14	150	983	60.15	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/07 - 11/30/14	750	1,685	520.52	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/07 - 11/30/14	9	781		1	9.60	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/07 - 11/30/14	6.50	781		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/07 - 11/30/14	0.33	430		17	0.56	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/07 - 11/30/14	14.10	261		6	71.83	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/07 - 11/30/14	1.95	430		362	9.12	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Total Phosphorus	12/01/07 - 11/30/14	0.69	427		219	1.30	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Water Temperature	Water temperature	12/01/07 - 11/30/14	32.20	785		0		AD	FS	<input type="checkbox"/>	FS		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

AUID: 1911_09 From just upstream of the confluence with San Pedro Creek up to the upper end of the segment.

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
HH Bioaccumulative Toxics in water	Lead	12/01/07 - 11/30/14	3.83	50	0.16	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/01/07 - 11/30/14	1,140	50	2.40	0		AD	FS	<input type="checkbox"/>	FS		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

SEGID: 1911B **Apache Creek**

AUID: 1911B_01 From the confluence with San Pedro Creek upstream to the confluence with Zarzamora Creek.

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	3	92	8 2.31	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	5	92	14 2.95	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	91 561.39	1	AD	NS	<input type="checkbox"/>	NS	bacteria	5a

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/07 - 11/30/14	0.33	72	2 0.74	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/07 - 11/30/14	14.10	41	5 27.60	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/07 - 11/30/14	1.95	73	27 3.13	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Total Phosphorus	12/01/07 - 11/30/14	0.69	71	0	AD	NC	<input type="checkbox"/>	NC		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

SEGID: 1911C **Alazan Creek**

AUID: 1911C_01 From the confluence with Apache Creek up to the confluence with Martinez Creek.

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int		TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS				
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	2	76	0		AD	FS	<input type="checkbox"/>	FS				
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	3	76	2	2.80	AD	NC	<input type="checkbox"/>	NC				

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int		TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS				
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	76	386.89	1	AD	NS	<input type="checkbox"/>	NS	bacteria		5a	

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int		TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS				
Nutrient Screening Levels	Ammonia	12/01/07 - 11/30/14	0.33	54		2	0.47	AD	NC	<input type="checkbox"/>	NC			
Nutrient Screening Levels	Chlorophyll-a	12/01/07 - 11/30/14	14.10	48		6	17.83	AD	NC	<input type="checkbox"/>	NC			
Nutrient Screening Levels	Nitrate	12/01/07 - 11/30/14	1.95	54		0		AD	NC	<input type="checkbox"/>	NC			
Nutrient Screening Levels	Total Phosphorus	12/01/07 - 11/30/14	0.69	54		0		AD	NC	<input type="checkbox"/>	NC			

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

AUID: 1911C_02 From just upstream of the confluence with Martinez Creek to the upper end of the segment.

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	2	20		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	3	20		3	2.53	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	20	267.43	1		AD	NS	<input type="checkbox"/>	NS	bacteria	5c

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/07 - 11/30/14	0.33	18		3	0.76	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/07 - 11/30/14	14.10	12		7	36.86	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Nitrate	12/01/07 - 11/30/14	1.95	18		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/07 - 11/30/14	0.69	18		0		AD	NC	<input type="checkbox"/>	NC		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

SEGID: 1911D **San Pedro Creek**

AUID: 1911D_01 From the confluence with segment 1911 up to the confluence with Apache Creek.

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/01/07 - 11/30/14	5	8	0		LD	NC	<input type="checkbox"/>	NC			
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/01/07 - 11/30/14	3	8	0		LD	NC	<input type="checkbox"/>	NC			
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	3	83	0		AD	FS	<input type="checkbox"/>	FS			
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	5	83	0		AD	NC	<input type="checkbox"/>	NC			

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	96 245.43	1		AD	NS	<input type="checkbox"/>	NS	bacteria	5a	

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Nutrient Screening Levels	Ammonia	12/01/07 - 11/30/14	0.33	58	0		AD	NC	<input type="checkbox"/>	NC			
Nutrient Screening Levels	Chlorophyll-a	12/01/07 - 11/30/14	14.10	41	4	17.50	AD	NC	<input type="checkbox"/>	NC			
Nutrient Screening Levels	Nitrate	12/01/07 - 11/30/14	1.95	58	20	2.49	AD	CS	<input type="checkbox"/>	CS	nitrate		
Nutrient Screening Levels	Total Phosphorus	12/01/07 - 11/30/14	0.69	57	1	1.02	AD	NC	<input type="checkbox"/>	NC			

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

AUID: 1911D_02 From the confluence with Apache Creek to the upper end of the segment, NHD RC 12100301000867

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/01/07 - 11/30/14	5	1		0		ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/01/07 - 11/30/14	3	1		0		ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	3	58		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	5	58		2	4.20	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	57	569.74	1		AD	NS	<input type="checkbox"/>	NS	bacteria	5a

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Nutrient Screening Levels	Ammonia	12/01/07 - 11/30/14	0.33	16		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/07 - 11/30/14	1.95	16		8	2.02	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Total Phosphorus	12/01/07 - 11/30/14	0.69	16		0		AD	NC	<input type="checkbox"/>	NC		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

SEGID: 1911E **Sixmile Creek**

AUID: 1911E_01 From the confluence with 1911 to the upper end of the water body at NHD RC 12100301000061

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	1.50	21		0		AD	FS	<input type="checkbox"/>	FS			
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	2	21		0		AD	NC	<input type="checkbox"/>	NC			

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	21	397.94	1		AD	NS	<input type="checkbox"/>	NS	bacteria	5c	

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

SEGID: 1911H **Picosa Creek**

AUID: 1911H_01 From the confluence with 1911 up to the confluence with Mariana Creek

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Value	Exceedances #	Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/01/07 - 11/30/14	3	4		4	0.35	LD	NS	<input type="checkbox"/>	NS	depressed dissolved oxygen	5c
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/01/07 - 11/30/14	2	4		4	0.13	LD	NS	<input type="checkbox"/>	NS	depressed dissolved oxygen	5c
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	2	22		10	0.91	AD	NS	<input type="checkbox"/>	NS	depressed dissolved oxygen	5c
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	3	22		13	1.22	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Value	Exceedances #	Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	19	102.50	0		LD	NC	<input type="checkbox"/>	NC		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

SEGID: 1911I **Martinez Creek**

AUID: 1911I_01 Martinez Creek from the confluence of Alazan Creek in central San Antonio upstream to the concrete channel portion at San Francisco St in north San Antonio

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	2	50	2	1.45	AD	FS	<input type="checkbox"/>	FS	
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	3	50	9	2.21	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat	
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	50	237.75	1	AD	NS	<input type="checkbox"/>	NS	bacteria	5c

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/07 - 11/30/14	0.33	28	1	1.02	AD	NC	<input type="checkbox"/>	NC	
Nutrient Screening Levels	Chlorophyll-a	12/01/07 - 11/30/14	14.10	23	2	46.50	AD	NC	<input type="checkbox"/>	NC	
Nutrient Screening Levels	Nitrate	12/01/07 - 11/30/14	1.95	28	0		AD	NC	<input type="checkbox"/>	NC	
Nutrient Screening Levels	Total Phosphorus	12/01/07 - 11/30/14	0.69	28	0		AD	NC	<input type="checkbox"/>	NC	

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

SEGID: 1911J Pajarito Creek

AUID: 1911J_01 From the confluence with the Upper San Antonio River upstream to the headwaters at Wilson CR 403 northwest of Floresville

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	2	5		0		LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	3	5		0		LD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	5	297.90	1		LD	CN	<input type="checkbox"/>	CN	bacteria	

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

SEGID: 1911K Seguin Branch

AUID: 1911K_01 From the confluence with the Upper San Antonio River upstream to the headwaters approximately 2.2 km upstream of Wilson CR 331 north of Floresville

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int		TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS				
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	2	11	0		AD	FS	<input type="checkbox"/>	FS				
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	3	11	2	2.40	AD	NC	<input type="checkbox"/>	NC				

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int		TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS				
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	11	231.01	1	LD	CN	<input type="checkbox"/>	CN	bacteria			

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

SEGID: 1911L **Unnamed tributary of Upper San Antonio River**

AUID: 1911L_01 From the confluence with the Upper San Antonio River upstream to the confluence with an unnamed tributary 200 m upstream of FM 1303 in Wilson County

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	1.50	5		1	1.20	LD	NC	<input type="checkbox"/>	NC			
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	2	5		2	1.50	LD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	5	15.75	0		LD	NC	<input type="checkbox"/>	NC			

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

SEGID: 1911M **Calaveras Creek**

AUID: 1911M_01 From the confluence with the Upper San Antonio River upstream to the Calaveras Reservoir dam north of Elmendorf in Bexar County

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int		TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS				
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	3	19	0		AD	FS	<input type="checkbox"/>	FS				
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	5	19	1	4.90	AD	NC	<input type="checkbox"/>	NC				

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int		TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS				
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	20	101.34	0	AD	FS	<input type="checkbox"/>	FS				

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

SEGID: 1912

Medio Creek

AUID: 1912_01

From the confluence with the Medina River in Bexar County to a point 1.0 km (0.6 mi) upstream of IH 35 in San Antonio in Bexar County

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/01/07 - 11/30/14	4	7	0		LD	NC	<input type="checkbox"/>	NC			
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/01/07 - 11/30/14	3	7	0		LD	NC	<input type="checkbox"/>	NC			
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	3	47	0		AD	FS	<input type="checkbox"/>	FS			
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	4	47	0		AD	NC	<input type="checkbox"/>	NC			
Fish community (Regional)	Fish Community	12/01/07 - 11/30/14	35	7	45		AD	FS	<input type="checkbox"/>	FS			
Habitat	Habitat	12/01/07 - 11/30/14	14	7	21		AD	NC	<input type="checkbox"/>	NC			

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	47	113.54	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Dissolved Solids	Chloride	12/01/07 - 11/30/14	150	47	120.30	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/07 - 11/30/14	150	47	61.79	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/07 - 11/30/14	750	50	592.23	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/07 - 11/30/14	9	47		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/07 - 11/30/14	6.50	47		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/07 - 11/30/14	0.33	47		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/07 - 11/30/14	14.10	43		6	26.83	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/07 - 11/30/14	1.95	47		31	7.38	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Total Phosphorus	12/01/07 - 11/30/14	0.69	47		46	1.59	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Water Temperature	Water temperature	12/01/07 - 11/30/14	35	47		0		AD	FS	<input type="checkbox"/>	FS		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

SEGID: 1912A **Upper Medio Creek**

AUID: 1912A_01 From approximately 1.0 km (0.6 mi) upstream of IH 35 at San Antonio (Bexar County) to approximately 1.0 mi upstream of the Bexar/Medina County Line

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	1.50	30	1 1.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	2	30	1 1.00	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	30 69.78	0	AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/07 - 11/30/14	0.33	30	6 1.89	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/07 - 11/30/14	14.10	26	0	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/07 - 11/30/14	1.95	29	22 15.07	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Total Phosphorus	12/01/07 - 11/30/14	0.69	26	26 2.49	AD	CS	<input type="checkbox"/>	CS	total phosphorus	

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

SEGID: 1913

Mid Cibolo Creek

AUID: 1913_01

From 100 M downstream of I10 up to unnamed tributary approximately 0.3 miles upstream of Weir Road, Bexar County, Texas.

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	2	19		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	3	19		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	20	59.86	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/07 - 11/30/14	150	65	71.83	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/07 - 11/30/14	150	68	46.75	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/07 - 11/30/14	750	66	511.41	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/07 - 11/30/14	9	19		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/07 - 11/30/14	6.50	19		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/07 - 11/30/14	0.33	18		1	0.44	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/07 - 11/30/14	14.10	17		1	28.90	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/07 - 11/30/14	1.95	18		18	9.21	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Total Phosphorus	12/01/07 - 11/30/14	0.69	15		15	1.38	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Water Temperature	Water temperature	12/01/07 - 11/30/14	32.20	19		0		AD	FS	<input type="checkbox"/>	FS		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

AUID: 1913_02 From the confluence with unnamed tributary approximately 0.3 miles upstream of Weir Road, Bexar county, Texas up to 100 meters upstream of the Cibolo Creek Muni

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/01/07 - 11/30/14	3	2		0		ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/01/07 - 11/30/14	2	2		0		ID	NA	<input checked="" type="checkbox"/>	NS	depressed dissolved oxygen	4b
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	2	19		0		SM	FS	<input type="checkbox"/>	NA		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	3	19		0		SM	NC	<input type="checkbox"/>	NA		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	20	40.77	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Dissolved Solids	Chloride	12/01/07 - 11/30/14	150	65	71.83	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/07 - 11/30/14	150	68	46.75	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/07 - 11/30/14	750	66	511.41	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/07 - 11/30/14	9	20		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/07 - 11/30/14	6.50	20		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/07 - 11/30/14	0.33	21		4	3.63	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/07 - 11/30/14	14.10	21		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/07 - 11/30/14	1.95	19		18	11.49	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Total Phosphorus	12/01/07 - 11/30/14	0.69	17		17	2.16	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Water Temperature	Water temperature	12/01/07 - 11/30/14	32.20	20		0		AD	FS	<input type="checkbox"/>	FS		

Draft 2016 Texas Integrated Report - Assessment Results for Basin 19 - San Antonio River Basin

AUID: 1913_03 From 100 meters upstream of Cibolo Creek Municipal WWTP up to the upper end of the segment.

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/07 - 11/30/14	2	26		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/07 - 11/30/14	3	26		1	2.60	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/07 - 11/30/14	126	28	54.02	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/07 - 11/30/14	150	65	71.83	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/07 - 11/30/14	150	68	46.75	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/07 - 11/30/14	750	66	511.41	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/07 - 11/30/14	9	26		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/07 - 11/30/14	6.50	26		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/07 - 11/30/14	0.33	27		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/07 - 11/30/14	14.10	25		3	33.07	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/07 - 11/30/14	1.95	27		5	3.78	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/07 - 11/30/14	0.69	22		0		AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/07 - 11/30/14	32.20	27		0		AD	FS	<input type="checkbox"/>	FS		