

2018 Texas Integrated Report

Water Bodies with Concerns for Use Attainment and Screening Levels

Explanation of Column Headings

- SegID and Name:** The unique identifier (SegID), segment name, and location of the water body. Items may be one of three types of numbers for SegID. The first type is a classified segment number (4 digits, e.g. 0218), as defined in the Texas Surface Water Quality Standards (TSWQS). The second type is an unclassified water body (e.g. 0218A), not defined in the Standards and associated with a classified water body because it is in the same watershed. The third type includes special Segments for Oyster Water Use (e.g. 2421OW) and Beach Watch Use (e.g. 2481CB) special areas. The segment name and description follow SegID.
- AU_ID:** Identifies the assessment unit (AU_ID, six or seven digits, e.g., 0101A_01) and describes the location of the specific area within a classified or unclassified water body for which one or more water quality standards are not met.
- Parameter(s):** Pollutants or water quality conditions that assessment procedures indicate do not meet assigned water quality standards or screening levels
- Level of Concern:** **CN** - Concern for near-nonattainment of the TSWQS based on numeric criteria
CS - Concern for water quality based on screening levels

SEG ID: 0101 Canadian River Below Lake Meredith

From the Oklahoma State Line in Hemphill County to Sanford Dam in Hutchinson County

<u>Parameter(s)</u>	<u>Level of Concern</u>
ammonia	CS

0101_03	From the confluence with White Deer Creek upstream to the confluence with Dixon Creek east of Borger
---------	--

0101_04	From the confluence with Dixon Creek upstream to Sanford Dam in Hutchinson County
---------	---

<u>Parameter(s)</u>	<u>Level of Concern</u>
bacteria (Recreation Use)	CN

0101_04	From the confluence with Dixon Creek upstream to Sanford Dam in Hutchinson County
---------	---

<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS

0101_04	From the confluence with Dixon Creek upstream to Sanford Dam in Hutchinson County
---------	---

<u>Parameter(s)</u>	<u>Level of Concern</u>
depressed dissolved oxygen	CS

0101_04	From the confluence with Dixon Creek upstream to Sanford Dam in Hutchinson County
---------	---

2018 Texas Integrated Report - Water Bodies with Concerns for Use Attainment and Screening Levels

SEG ID:0101A Dixon Creek

Dixon Creek - intermittent stream with perennial pools from the confluence with the Canadian River in Hutchinson County upstream to the confluence with Middle and East Dixon creeks in Carson County

<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS
0101A_02	Dixon Creek an Appendix D Intermittent stream with perennial pools from the confluence with the permitted outfall receiving waters tributary upstream to the confluence with Middle and East Dixon creeks

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
0101A_01	Dixon Creek an Appendix D Intermittent stream with perennial pools from the confluence with the Canadian River upstream to the confluence with the permitted outfall receiving waters tributary

<u>Parameter(s)</u>	<u>Level of Concern</u>
Total Phosphorus in water	CS
0101A_01	Dixon Creek an Appendix D Intermittent stream with perennial pools from the confluence with the Canadian River upstream to the confluence with the permitted outfall receiving waters tributary

SEG ID:0101B Rock Creek

Perennial stream from the confluence with the Canadian River upstream to the headwaters in Carson County

<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS
0101B_01	Appendix D, Perennial stream from the confluence with the Canadian River up to SH 136 in the City of Borger

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
0101B_01	Appendix D, Perennial stream from the confluence with the Canadian River up to SH 136 in the City of Borger

SEG ID:0103A East Amarillo Creek

From the confluence of the Canadian River to the headwaters of Thompson Park Lake in Amarillo

<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS
0103A_01	From the confluence with the Canadian River upstream to the Thompson Park Lake spillway
0103A_02	From the Thompson Park Lake spillway upstream to the headwaters of the lake

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
0103A_01	From the confluence with the Canadian River upstream to the Thompson Park Lake spillway

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:0103C Unnamed Tributary of West Amarillo Creek

Unnamed tributary of West Amarillo Creek - from the confluence of West Amarillo Creek upstream to the confluence of two unnamed streams near Amarillo Blvd

Parameter(s)

chlorophyll-a

Level of Concern

CS

0103C_01 Unnamed tributary from the confluence of West Amarillo Creek upstream to the confluence of two unnamed streams near Amarillo Blvd

SEG ID: 0104 Wolf Creek

From the Oklahoma State Line in Lipscomb County to a point 2.0 km (1.2 mi) upstream of FM 3045 in Ochiltree County

Parameter(s)

chlorophyll-a

Level of Concern

CS

0104_03 From the Lake Fryer Dam to a point 2.0 km (1.2 mi) upstream of FM 3045 in Ochiltree County

SEG ID: 0105 Rita Blanca Lake

Rita Blanca Lake - from Rita Blanca Dam in Hartley County up to the normal pool elevation of 3860 feet (impounds Rita Blanca Creek)

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

0105_01 Rita Blanca Lake from Rita Blanca Dam up to the normal pool elevation of 3860 feet

SEG ID:0199B Kiowa Creek

Kiowa Creek - from the Oklahoma State Line upstream to the headwater 500m upstream of Ochiltree CR 23 east of Perryton

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

0199B_01 Kiowa Creek from the Oklahoma State Line upstream to the headwater 500m upstream of Ochiltree CR 23 east of Perryton

SEG ID: 0201 Lower Red River

From the Arkansas State Line in Bowie County to the Arkansas-Oklahoma State Line in Bowie County

Parameter(s)

chlorophyll-a

Level of Concern

CS

0201_01 From the Arkansas state line upstream to the confluence with Walnut Bayou (Oklahoma stream)

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:0201A Mud Creek

Mud Creek - from the confluence of the Red River upstream to the headwater near the intersection of US 82 and Bowie CR 3403

Parameter(s)

chlorophyll-a

Level of Concern

CS

0201A_01 Mud Creek from the confluence of the Red River upstream to the headwater near the intersection of US 82 and Bowie CR 3403

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

0201A_01 Mud Creek from the confluence of the Red River upstream to the headwater near the intersection of US 82 and Bowie CR 3403

SEG ID:0201D Barkman Creek

Barkman Creek - from the confluence of the Red River upstream to the headwater 1.3 km north of IH 30 east of Hooks

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

0201D_01 Barkman Creek from the confluence of the Red River upstream to the confluence of Jones Creek 5.0 km northeast of Texarkana

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

0201D_01 Barkman Creek from the confluence of the Red River upstream to the confluence of Jones Creek 5.0 km northeast of Texarkana

SEG ID: 0202 Red River Below Lake Texoma

From the Arkansas-Oklahoma State Line in Bowie County to Denison Dam in Grayson County

Parameter(s)

chlorophyll-a

Level of Concern

CS

0202_01 From the Oklahoma/Arkansas state line upstream to the confluence with Pecan Bayou

0202_02 From the confluence with Pecan Bayou upstream to the confluence with Pine Creek

0202_03 From the confluence with Pine Creek upstream to the confluence with Bois d'Arc Creek

0202_04 From the confluence with Bois d'Arc upstream to the confluence with Choctaw Creek

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

0202_05 From the confluence with Choctaw Creek upstream to Denison Dam

2018 Texas Integrated Report - Water Bodies with Concerns for Use Attainment and Screening Levels

SEG ID:0202A Bois D' Arc Creek

Bois D' Arc Creek - from the confluence of the Red River upstream to the headwater northwest of Whitewright

<u>Parameter(s)</u>	<u>Level of Concern</u>
bacteria (Recreation Use)	CN
0202A_01 Bois D' Arc Creek from the confluence of the Red River upstream to the confluence of Sandy Creek north of Dodd City	
chlorophyll-a	CS
0202A_01 Bois D' Arc Creek from the confluence of the Red River upstream to the confluence of Sandy Creek north of Dodd City	
0202A_02 Bois D' Arc Creek Appendix D section of Perennial stream from the confluence of Sandy Creek upstream to the confluence of Pace Creek	
nitrate	CS
0202A_03 Bois D' Arc Creek from the confluence of Pace Creek upstream to the headwater northwest of Whitewright	
total phosphorus	CS
0202A_03 Bois D' Arc Creek from the confluence of Pace Creek upstream to the headwater northwest of Whitewright	

SEG ID:0202D Pine Creek

Pine Creek - perennial and intermittent stream from the confluence of the Red River upstream to the dam forming Lake Crook

<u>Parameter(s)</u>	<u>Level of Concern</u>
Chlorophyll-a in water	CS
0202D_01 Pine Creek an Appendix D Perennial and intermittent stream from the confluence of the Red River upstream to the dam forming Lake Crook	
depressed dissolved oxygen	CS
0202D_01 Pine Creek an Appendix D Perennial and intermittent stream from the confluence of the Red River upstream to the dam forming Lake Crook	

2018 Texas Integrated Report - Water Bodies with Concerns for Use Attainment and Screening Levels

SEG ID:0202E Post Oak Creek

Post Oak Creek - from the confluence of Choctaw Creek upstream to the headwater east of Shadow St northwest of Sherman

<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS

0202E_02	Post Oak Creek from the confluence of Sand Creek upstream to the headwater east of Shadow St northwest of Sherman
----------	---

<u>Parameter(s)</u>	<u>Level of Concern</u>
depressed dissolved oxygen	CS

0202E_02	Post Oak Creek from the confluence of Sand Creek upstream to the headwater east of Shadow St northwest of Sherman
----------	---

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS

0202E_01	Post Oak Creek from the confluence of Choctaw Creek upstream to the confluence of Sand Creek
----------	--

<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS

0202E_01	Post Oak Creek from the confluence of Choctaw Creek upstream to the confluence of Sand Creek
----------	--

SEG ID:0202F Choctaw Creek

From the confluence with the Red River east of Denison to the upstream perennial portion near the intersection of SH 56 and SH 289 in Grayson County

<u>Parameter(s)</u>	<u>Level of Concern</u>
bacteria (Recreation Use)	CN

0202F_02	From the confluence with Post Oak Creek upstream to the headwaters near the intersection of SH 56 and SH 289 in Grayson County
----------	--

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS

0202F_01	From the confluence with the Red River upstream to the confluence with Post Oak Creek
----------	---

<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS

0202F_01	From the confluence with the Red River upstream to the confluence with Post Oak Creek
----------	---

SEG ID:0202G Smith Creek

Smith Creek - from the confluence of Pine Creek upstream to the confluence of two unnamed streams south of Loop 286 in Paris

<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS

0202G_01	Smith Creek from the confluence of Pine Creek upstream to the confluence of two unnamed streams south of Loop 286 in Paris
----------	--

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID: 0202I Little Pine Creek

Little Pine Creek - from the confluence of Big Pine Creek upstream to the headwater north of Detroit, TX

Parameter(s)

chlorophyll-a

Level of Concern

CS

0202I_01 Little Pine Creek from the confluence of Big Pine Creek upstream to the headwater north of Detroit, TX

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

0202I_01 Little Pine Creek from the confluence of Big Pine Creek upstream to the headwater north of Detroit, TX

SEG ID: 0202J Sand Creek

Sand Creek - from the confluence of Post Oak Creek upstream to the headwater north of US82 northwest of Sherman

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

0202J_01 Sand Creek from the confluence of Post Oak Creek upstream to the headwater north of US82 northwest of Sherman

SEG ID: 0202L Honey Grove Creek

Honey Grove Creek - from the confluence of Bois d'Arc Creek upstream to the headwater east of Honey Grove

Parameter(s)

chlorophyll-a

Level of Concern

CS

0202L_01 Honey Grove Creek from the confluence of Bois d'Arc Creek upstream to the headwater east of Honey Grove

Parameter(s)

total phosphorus

Level of Concern

CS

0202L_01 Honey Grove Creek from the confluence of Bois d'Arc Creek upstream to the headwater east of Honey Grove

2018 Texas Integrated Report - Water Bodies with Concerns for Use Attainment and Screening Levels

SEG ID:0202N Hicks Creek

Hicks Creek - from the confluence of Pine Creek upstream to the headwater 520 m south of Gate 2 Rd on Camp Maxey

<u>Parameter(s)</u>	<u>Level of Concern</u>
bacteria (Recreation Use)	CN

0202N_01	Hicks Creek from the confluence of Pine Creek upstream to the confluence of an unnamed tributary 135 m downstream of US 271 north of Paris
----------	--

0202N_02	Hicks Creek from the confluence of an unnamed tributary 135 m downstream of US 271 north of Paris upstream to the headwater 520 m south of Gate 2 Rd on Camp Maxey
----------	--

<u>Parameter(s)</u>	<u>Level of Concern</u>
depressed dissolved oxygen	CS

0202N_02	Hicks Creek from the confluence of an unnamed tributary 135 m downstream of US 271 north of Paris upstream to the headwater 520 m south of Gate 2 Rd on Camp Maxey
----------	--

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS

0202N_01	Hicks Creek from the confluence of Pine Creek upstream to the confluence of an unnamed tributary 135 m downstream of US 271 north of Paris
----------	--

<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS

0202N_01	Hicks Creek from the confluence of Pine Creek upstream to the confluence of an unnamed tributary 135 m downstream of US 271 north of Paris
----------	--

SEG ID:0202P Six Mile Creek

Six Mile Creek - from the confluence of Pine Creek northwest of Paris upstream to the headwaters near Mansfield Rd east of Paris

<u>Parameter(s)</u>	<u>Level of Concern</u>
bacteria (Recreation Use)	CN

0202P_01	Six mi Creek - from the confluence of Pine Creek northwest of Paris upstream to the headwaters near Mansfield Rd east of Paris
----------	--

<u>Parameter(s)</u>	<u>Level of Concern</u>
depressed dissolved oxygen	CS

0202P_01	Six mi Creek - from the confluence of Pine Creek northwest of Paris upstream to the headwaters near Mansfield Rd east of Paris
----------	--

<u>Parameter(s)</u>	<u>Level of Concern</u>
Nitrate in water	CS

0202P_01	Six mi Creek - from the confluence of Pine Creek northwest of Paris upstream to the headwaters near Mansfield Rd east of Paris
----------	--

<u>Parameter(s)</u>	<u>Level of Concern</u>
Total Phosphorus in water	CS

0202P_01	Six mi Creek - from the confluence of Pine Creek northwest of Paris upstream to the headwaters near Mansfield Rd east of Paris
----------	--

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:0202Q Pickens Lake

Pickens Lake - in Herman Baker Park in Sherman, TX

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

0202Q_01 Pickens Lake - in Herman Baker Park in Sherman, TX

SEG ID:0203A Big Mineral Creek

Big Mineral Creek -intermittent stream with perennial pools from the normal pool elevation of Lake Texoma upstream to the confluence of unnamed tributaries on the North and South Branch, 2.4 km and 1.1 km upstream of US 377, respectively

Parameter(s)

chlorophyll-a

Level of Concern

CS

0203A_01 Big Mineral Creek an Appendix D Intermittent stream with perennial pools from the normal pool elevation of Lake Texoma upstream to the confluence of unnamed tributaries on the North and South Branch, 2.4 km and 1.1 km upstream of US 377, respectively

Parameter(s)

nitrate

Level of Concern

CS

0203A_01 Big Mineral Creek an Appendix D Intermittent stream with perennial pools from the normal pool elevation of Lake Texoma upstream to the confluence of unnamed tributaries on the North and South Branch, 2.4 km and 1.1 km upstream of US 377, respectively

Parameter(s)

total phosphorus

Level of Concern

CS

0203A_01 Big Mineral Creek an Appendix D Intermittent stream with perennial pools from the normal pool elevation of Lake Texoma upstream to the confluence of unnamed tributaries on the North and South Branch, 2.4 km and 1.1 km upstream of US 377, respectively

SEG ID: 0204 Red River Above Lake Texoma

From a point immediately upstream of the confluence of Sycamore Creek in Cooke County to the confluence of the Wichita River in Clay County

Parameter(s)

chlorophyll-a

Level of Concern

CS

0204_01 From the normal pool elevation of Lake Texoma upstream to the confluence with Fish Creek
0204_02 From the confluence with Fish Creek upstream to the confluence with Farmers Creek
0204_03 From the confluence with Farmers Creek upstream to the confluence with the Little Wichita River

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID: 0205 Red River Below Pease River

From the confluence of the Wichita River in Clay County to the confluence of the Pease River in Wilbarger County

<u>Parameter(s)</u>	<u>Level of Concern</u>
bacteria (Recreation Use)	CN
0205_01	From the confluence with the Wichita River upstream to IH 44 in Burkburnett
0205_02	From IH 44 in Burkburnett upstream to the confluence with the Pease River
<hr/>	
chlorophyll-a	CS
0205_01	From the confluence with the Wichita River upstream to IH 44 in Burkburnett
0205_02	From IH 44 in Burkburnett upstream to the confluence with the Pease River

SEG ID:0205A Wildhorse Creek

Wildhorse Creek - from the confluence of Red River east of Burkburnett upstream to the headwater 1.9 km south of SH 240 and 11 km west of Burkburnett in Wichita County

<u>Parameter(s)</u>	<u>Level of Concern</u>
Chlorophyll-a in water	CS
0205A_01	Wildhorse Creek from the confluence of Red River east of Burkburnett upstream to the headwater 1.9 km south of SH 240 and 11 km west of Burkburnett in Wichita County
<hr/>	
nitrate	CS
0205A_01	Wildhorse Creek from the confluence of Red River east of Burkburnett upstream to the headwater 1.9 km south of SH 240 and 11 km west of Burkburnett in Wichita County
<hr/>	
total phosphorus	CS
0205A_01	Wildhorse Creek from the confluence of Red River east of Burkburnett upstream to the headwater 1.9 km south of SH 240 and 11 km west of Burkburnett in Wichita County

SEG ID: 0206 Red River Above Pease River

From the confluence of the Pease River in Wilbarger County to a point immediately upstream of the confluence of Buck Creek in Hardeman County

<u>Parameter(s)</u>	<u>Level of Concern</u>
bacteria (Recreation Use)	CN
0206_02	From the confluence with the Groesbeck Creek upstream to the confluence with Buck Creek
<hr/>	
Total Phosphorus in water	CS
0206_02	From the confluence with the Groesbeck Creek upstream to the confluence with Buck Creek

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:0206A Groesbeck Creek

Groesbeck Creek - from the confluence of the Red River upstream to the confluence of the North and South branches north of Quanah

Parameter(s)

Level of Concern

Chlorophyll-a in water

CS

0206A_01 Groesbeck Creek from the confluence of the Red River upstream to the confluence of the North and South branches north of Quanah

SEG ID:0206B South Groesbeck Creek

South Groesbeck Creek - from the confluence of Groesbeck Creek and North Groesbeck Creek upstream to the headwater 12.6 km southwest of Childress

Parameter(s)

Level of Concern

Chlorophyll-a in water

CS

0206B_01 South Groesbeck Creek from the confluence of Groesbeck Creek and North Groesbeck Creek upstream to the headwater 12.6 km southwest of Childress

Parameter(s)

Level of Concern

nitrate

CS

0206B_01 South Groesbeck Creek from the confluence of Groesbeck Creek and North Groesbeck Creek upstream to the headwater 12.6 km southwest of Childress

SEG ID:0206C North Groesbeck Creek

North Groesbeck Creek - from the confluence of Groesbeck Creek north of Quanah upstream to the headwater east of Childress

Parameter(s)

Level of Concern

bacteria (Recreation Use)

CN

0206C_01 North Groesbeck Creek from the confluence of Groesbeck Creek north of Quanah upstream to the headwater east of Childress

Parameter(s)

Level of Concern

Chlorophyll-a in water

CS

0206C_01 North Groesbeck Creek from the confluence of Groesbeck Creek north of Quanah upstream to the headwater east of Childress

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID: 0207 Lower Prairie Dog Town Fork Red River

Lower Prairie Dog Town Fork Red River - from a point immediately upstream of the confluence of Buck Creek in Hardeman County to a point 100 meters (110 yards) upstream of the confluence of Salt Fork Creek in Armstrong County

<u>Parameter(s)</u>	<u>Level of Concern</u>
bacteria (Recreation Use)	CN

0207_01	Lower Prairie Dog Town Fork Red River from a point immediately upstream of the confluence of Buck Creek upstream to the confluence of Grassy Creek north of Childress
---------	---

<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS

0207_04	Lower Prairie Dog Town Fork Red River from the confluence of Battle Creek upstream to the confluence of Salt Fork Creek upstream of SH 207 south of Claude
---------	--

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS

0207_04	Lower Prairie Dog Town Fork Red River from the confluence of Battle Creek upstream to the confluence of Salt Fork Creek upstream of SH 207 south of Claude
---------	--

SEG ID:0207A Buck Creek

Buck Creek - from Oklahoma State Line upstream to the headwater south of Hedley

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS

0207A_01	Buck Creek from Oklahoma State Line upstream to the confluence of House Log Creek
----------	---

SEG ID: 0209 Pat Mayse Lake

Pat Mayse Lake - from Pat Mayse Dam in Lamar County up to the normal pool elevation of 451 feet (impounds Sanders Creek)

<u>Parameter(s)</u>	<u>Level of Concern</u>
manganese in sediment	CS

0209_01	Pat Mayse Lake lower half from the dam upstream to the easternmost point of Pat Mayse West campground
---------	---

0209_02	Pat Mayse Lake upper half from the easternmost point of Pat Mayse West campground up to normal pool elevation of 451 feet
---------	---

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID: 0211 Little Wichita River

From the confluence with the Red River in Clay County to Lake Arrowhead Dam in Clay County

<u>Parameter(s)</u>	<u>Level of Concern</u>
bacteria (Recreation Use)	CN
0211_02	From the confluence with the East Fork Little Wichita River upstream to the Lake Arrowhead Dam

<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS
0211_01	From the confluence with the Red River upstream to the confluence with the East Fork Little Wichita River
0211_02	From the confluence with the East Fork Little Wichita River upstream to the Lake Arrowhead Dam

SEG ID:0211A East Fork Little Wichita River

East Fork Little Wichita River - from the confluence of Little Wichita River upstream to the headwater 2.7 km west of the intersection of SH 148 and FM 174 and east of Windthorst

<u>Parameter(s)</u>	<u>Level of Concern</u>
bacteria (Recreation Use)	CN
0211A_01	East Fork Little Wichita River from the confluence of Little Wichita River upstream to the headwater 2.7 km west of the intersection of SH 148 and FM 174 and east of Windthorst

<u>Parameter(s)</u>	<u>Level of Concern</u>
Chlorophyll-a in water	CS
0211A_01	East Fork Little Wichita River from the confluence of Little Wichita River upstream to the headwater 2.7 km west of the intersection of SH 148 and FM 174 and east of Windthorst

SEG ID:0212A Little Wichita River above Lake Arrowhead

Little Wichita River - from the headwater of Lake Arrowhead at normal pool elevation of 926 feet upstream to the confluence of the North and South Forks of Little Wichita River north of Archer City

<u>Parameter(s)</u>	<u>Level of Concern</u>
bacteria (Recreation Use)	CN
0212A_01	Little Wichita River from the headwater of Lake Arrowhead at normal pool elevation of 926 feet upstream to the confluence of the North and South Forks of Little Wichita River north of Archer City

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID: 0214 Wichita River Below Diversion Lake Dam

From the confluence with the Red River in Clay County to Diversion Dam in Archer County

<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS
0214_01	From the confluence with the Red River upstream to the confluence with an un-named tributary immediately upstream of FM 2393
0214_02	From an un-named tributary immediately upstream of FM 2393 upstream to the River Road WWTP
0214_03	From the River Road WWTP upstream to the confluence with Buffalo Creek
0214_04	From the confluence with Buffalo Creek upstream to the confluence with Beaver Creek
0214_05	From the confluence with Beaver Creek upstream to the Diversion Lake Dam

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
0214_01	From the confluence with the Red River upstream to the confluence with an un-named tributary immediately upstream of FM 2393
0214_02	From an un-named tributary immediately upstream of FM 2393 upstream to the River Road WWTP

<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS
0214_02	From an un-named tributary immediately upstream of FM 2393 upstream to the River Road WWTP

SEG ID:0214A Beaver Creek

From the confluence of the Wichita River west of Wichita Falls in Wichita County upstream to the headwaters west of Crowell in Foard County

<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS
0214A_02	From the confluence with Bull Creek upstream to the Santa Rosa Lake dam

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:0214B Buffalo Creek

Buffalo Creek - from the confluence of the Wichita River upstream to the headwater east of Electra

<u>Parameter(s)</u>	<u>Level of Concern</u>
ammonia	CS

0214B_01	Buffalo Creek from the confluence of the Wichita River upstream to the headwater east of Electra
----------	--

<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS

0214B_01	Buffalo Creek from the confluence of the Wichita River upstream to the headwater east of Electra
----------	--

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS

0214B_01	Buffalo Creek from the confluence of the Wichita River upstream to the headwater east of Electra
----------	--

<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS

0214B_01	Buffalo Creek from the confluence of the Wichita River upstream to the headwater east of Electra
----------	--

SEG ID:0214C Holliday Creek

Holliday Creek - from the confluence of the Wichita River in Wichita Falls upstream to the Lake Wichita dam

<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS

0214C_01	Holliday Creek from the confluence of the Wichita River in Wichita Falls upstream to the Lake Wichita dam
----------	---

SEG ID:0214E Wichita Valley Irrigation Project

From northeast of Wichita Falls (North Side Canal) and southwest of Wichita Falls (Call Field Canal) upstream to Lake Diversion Dam

<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS

0214E_01	South Side Canal
----------	------------------

2018 Texas Integrated Report - Water Bodies with Concerns for Use Attainment and Screening Levels

SEG ID: 0214F Unnamed tributary of Buffalo Creek

Unnamed tributary of Buffalo Creek - from the confluence of Buffalo Creek upstream to the headwater at eastbound frontage road of US 287 in Iowa Park

<u>Parameter(s)</u>	<u>Level of Concern</u>
ammonia	CS

0214F_01	Unnamed tributary from the confluence of Buffalo Creek upstream to the headwater at eastbound frontage road of US 287 in Iowa Park
----------	--

<u>Parameter(s)</u>	<u>Level of Concern</u>
depressed dissolved oxygen	CS

0214F_01	Unnamed tributary from the confluence of Buffalo Creek upstream to the headwater at eastbound frontage road of US 287 in Iowa Park
----------	--

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS

0214F_01	Unnamed tributary from the confluence of Buffalo Creek upstream to the headwater at eastbound frontage road of US 287 in Iowa Park
----------	--

<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS

0214F_01	Unnamed tributary from the confluence of Buffalo Creek upstream to the headwater at eastbound frontage road of US 287 in Iowa Park
----------	--

SEG ID: 0216 Wichita River Below Lake Kemp Dam

Wichita River Below Lake Kemp - from a point 1.5 km(0.9 mi) downstream of the confluence of Cottonwood Creek in Baylor County to Lake Kemp Dam in Baylor County

<u>Parameter(s)</u>	<u>Level of Concern</u>
bacteria (Recreation Use)	CN

0216_01	Wichita River from a point 1.5 km downstream of the confluence of Cottonwood Creek upstream to the Lake Kemp Dam
---------	--

SEG ID: 0218 Wichita/North Fork Wichita River

Wichita/North Fork Wichita River - from a point 9.4 km (5.8 mi) downstream of the confluence of Crooked Creek in Baylor County to a point 8.5 km (5.3 mi) downstream of the most upstream crossing of FM 193 in Dickens County

<u>Parameter(s)</u>	<u>Level of Concern</u>
bacteria (Recreation Use)	CN

0218_01	Wichita River from a point 9.4 km downstream of the confluence of Crooked Creek upstream to the confluence of the South Fork Wichita River
---------	--

0218_02	North Fork Wichita River from the confluence of the South Fork Wichita River upstream to the confluence of the Middle Fork Wichita River
---------	--

<u>Parameter(s)</u>	<u>Level of Concern</u>
selenium in water	CN

0218_03	North Fork Wichita River from the confluence of the Middle Fork Wichita River upstream to the confluence of Salt Creek
---------	--

0218_04	North Fork Wichita River from the confluence of Salt Creek upstream to a point 8.5 km downstream of the uppermost crossing of FM 193
---------	--

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:0218A Middle Fork Wichita River

Middle Fork Wichita River - from the confluence of the North Wichita River upstream to the headwater 15 km north of Guthrie in King County

Parameter(s)

selenium in water

Level of Concern

CN

0218A_01 Middle Fork Wichita River from the confluence of the North Wichita River upstream to the headwater 15 km north of Guthrie in King County

SEG ID: 0220 Upper Pease/North Fork Pease River

Upper Pease/North Fork Pease River - from the confluence with Canal Creek at the Hardeman-Foard county line to 6.0 km (3.7 mi) upstream of the confluence of Dick Moore Canyon in Floyd County

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

0220_01 Pease River from the confluence of Canal Creek upstream to the confluence of the Middle Fork Pease River

SEG ID: 0222 Salt Fork Red River

Salt Fork Red River - from the Oklahoma State Line in Collingsworth County to Greenbelt Dam in Donley County

Parameter(s)

nitrate

Level of Concern

CS

0222_01 Salt Fork Red River from the Oklahoma State Line upstream to the confluence of Lake Creek

SEG ID:0222A Lelia Lake Creek

Lelia Lake Creek - from the confluence of the Salt Fork Red River upstream to the confluence of East Lelia Lake Creek and West Lelia Lake Creek

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

0222A_01 Lelia Lake Creek from the confluence of the Salt Fork Red River upstream to the confluence of East Lelia Lake Creek and West Lelia Lake Creek

SEG ID: 0226 South Fork Wichita River

South Fork Wichita River - from the confluence with the North Fork Wichita River in Knox County to a point 15.0 km (9.3 mi) upstream of US 82 in Dickens County

Parameter(s)

ammonia

Level of Concern

CS

0226_02 South Fork Wichita River from SH 6 upstream to the confluence of Willow Creek

0226_03 South Fork Wichita River from confluence of Willow Creek upstream to the confluence of Long Canyon Creek

2018 Texas Integrated Report - Water Bodies with Concerns for Use Attainment and Screening Levels

SEG ID: 0229 Upper Prairie Dog Town Fork Red River

Upper Prairie Dog Town Fork Red River - from a point 100 meters (110 yards) upstream of the confluence of Salt Fork Creek in Armstrong County to Lake Tanglewood Dam in Randall County

<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS
0229_01	Upper Prairie Dog Town Fork Red River from a point 100 m (110 yds) upstream of the confluence of Salt Creek upstream to the Palo Duro Canyon State Park northern boundary
0229_02	Upper Prairie Dog Town Fork Red River from the Palo Duro Canyon State Park northern boundary upstream to Tanglewood Dam

<u>Parameter(s)</u>	<u>Level of Concern</u>
depressed dissolved oxygen	CS
0229_02	Upper Prairie Dog Town Fork Red River from the Palo Duro Canyon State Park northern boundary upstream to Tanglewood Dam

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
0229_01	Upper Prairie Dog Town Fork Red River from a point 100 m (110 yds) upstream of the confluence of Salt Creek upstream to the Palo Duro Canyon State Park northern boundary
0229_02	Upper Prairie Dog Town Fork Red River from the Palo Duro Canyon State Park northern boundary upstream to Tanglewood Dam

<u>Parameter(s)</u>	<u>Level of Concern</u>
pH	CN
0229_02	Upper Prairie Dog Town Fork Red River from the Palo Duro Canyon State Park northern boundary upstream to Tanglewood Dam

<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS
0229_01	Upper Prairie Dog Town Fork Red River from a point 100 m (110 yds) upstream of the confluence of Salt Creek upstream to the Palo Duro Canyon State Park northern boundary
0229_02	Upper Prairie Dog Town Fork Red River from the Palo Duro Canyon State Park northern boundary upstream to Tanglewood Dam

SEG ID: 0230 Pease River

Pease River - from the confluence with the Red River in Wilbarger County upstream to the confluence with Canal Creek at the Hardeman-Foard county line

<u>Parameter(s)</u>	<u>Level of Concern</u>
bacteria (Recreation Use)	CN
0230_02	Pease River from the confluence of Paradise Creek upstream to the confluence of Canal Creek

SEG ID:0230A Paradise Creek

Paradise Creek - from the confluence of the Pease River east of Vernon upstream to the headwater 500m west of the intersection of US 70 and Foard CR 233

<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS
0230A_01	Paradise Creek from the confluence of the Pease River east of Vernon upstream to a point 400m upstream of the intersection of FM 433 and Wilbarger CR 97

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID: 0301 Sulphur River Below Wright Patman Lake

From the Arkansas State Line in Bowie/Cass County to Wright Patman Lake Dam in Bowie/Cass County

Parameter(s)

chlorophyll-a

Level of Concern

CS

- 0301_01 From the Arkansas state line approximately 9 mi upstream to the unnamed creek at NHD RC 11140302004559
- 0301_02 From the unnamed creek at NHD RC 11140302004559 approximately 10 mi to Wright Patman Lake Dam

SEG ID:0301A Akin Creek

From the confluence with the Sulphur River in Bowie County below Lake Wright Patman to 1 km (.6 mi) south of US HWY 82

Parameter(s)

impaired fish community

Level of Concern

CN

- 0301A_01 From the confluence with the Sulphur River in Bowie County below Lake Wright Patman to 1 km (.6 mi) south of US HWY 82

SEG ID: 0302 Wright Patman Lake

From Wright Patman Lake Dam in Bowie/Cass County to a point 1.5 km (0.9 mi) downstream of Bassett Creek in Bowie/Cass County, up to the normal pool elevation of 226.4 feet (impounds the Sulphur River)

Parameter(s)

excessive algal growth

Level of Concern

CS

- 0302_11 2700 acres near dam
- 0302_12 2000 acres in northern arms of reservoir
- 0302_13 5600 acres in mid-reservoir
- 0302_14 9000 acres in upper portion of reservoir

SEG ID:0302A Big Creek

Intermittent stream with perennial pools from Wright Patman Lake upstream to I 30

Parameter(s)

total phosphorus

Level of Concern

CS

- 0302A_02 Intermittent stream with perennial pools from FM 2149 upstream to 1.3 km south of US 82 southeast of the City of New Boston; App D

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:0302C Anderson Creek

From Lake Wright Patman upstream 88.6 km (55 mi) to the headwaters near US HWY 82

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

0302C_01 From Wright Patman Lake upstream to confluence with unnamed tributary approximately 4.2 km downstream of SH 992

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

0302C_01 From Wright Patman Lake upstream to confluence with unnamed tributary approximately 4.2 km downstream of SH 992

Parameter(s)

total phosphorus

Level of Concern

CS

0302C_01 From Wright Patman Lake upstream to confluence with unnamed tributary approximately 4.2 km downstream of SH 992

SEG ID:0302E Rice Creek

From the confluence with Anderson Creek in Bowie County upstream to the dam of TP Lake west of New Boston

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

0302E_01 From the confluence with Anderson Creek in Bowie County upstream to the dam of TP Lake west of New Boston

SEG ID: 0303 Sulphur/South Sulphur River

From a point 1.5 km (0.9 mi) downstream of Bassett Creek in Bowie/Cass County to Jim L. Chapman Dam (formerly Cooper Lake dam) in Delta/Hopkins County

Parameter(s)

Chlorophyll-a in water

Level of Concern

CS

0303_01 Portion of the Sulphur/South Sulphur River from Lake Wright Patman upstream approximately 29 km (18 mi) to the confluence with White Oak Creek

SEG ID:0303B White Oak Creek

From the confluence of the Sulphur River north of Naples in Morris County to Lake Sulphur Springs in Hopkins County

Parameter(s)

impaired habitat

Level of Concern

CS

0303B_04 Portion of White Oak Creek from approximately 0.26 km upstream of FM 900 in northeast Hopkins County upstream to Lake Sulphur Springs.

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:0303D Rock Creek

From the confluence with White Oak Creek to the southwest corner of Sulphur Springs approximately 2 mi southeast of the intersection of I-30 and State Hwy 19

<u>Parameter(s)</u>	<u>Level of Concern</u>
bacteria (Recreation Use)	CN

0303D_01	From the confluence with White Oak Creek to the southwest corner of Sulphur Springs approximately 2 mi southeast of the intersection of I-30 and State Hwy 19
----------	---

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS

0303D_01	From the confluence with White Oak Creek to the southwest corner of Sulphur Springs approximately 2 mi southeast of the intersection of I-30 and State Hwy 19
----------	---

<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS

0303D_01	From the confluence with White Oak Creek to the southwest corner of Sulphur Springs approximately 2 mi southeast of the intersection of I-30 and State Hwy 19
----------	---

SEG ID:0303E East Caney Creek

From the confluence with White Oak Creek to just east of Como in southeastern Hopkins County

<u>Parameter(s)</u>	<u>Level of Concern</u>
ammonia	CS

0303E_01	From the confluence with White Oak Creek to just east of Como in southeastern Hopkins County
----------	--

<u>Parameter(s)</u>	<u>Level of Concern</u>
bacteria (Recreation Use)	CN

0303E_01	From the confluence with White Oak Creek to just east of Como in southeastern Hopkins County
----------	--

<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS

0303E_01	From the confluence with White Oak Creek to just east of Como in southeastern Hopkins County
----------	--

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:0303F Stouts Creek

From the confluence with White Oak Creek to approximately 7 mi due east of Como in Hopkins County

Parameter(s)

ammonia

Level of Concern

CS

0303F_01 From the confluence with White Oak Creek to approximately 7 mi due east of Como in Hopkins County

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

0303F_01 From the confluence with White Oak Creek to approximately 7 mi due east of Como in Hopkins County

Parameter(s)

total phosphorus

Level of Concern

CS

0303F_01 From the confluence with White Oak Creek to approximately 7 mi due east of Como in Hopkins County

SEG ID:0303L Kickapoo Creek

From the confluence with Cuthand Creek in Titus County to 1.6 km (1 mi) south of FM 114

Parameter(s)

impaired habitat

Level of Concern

CS

0303L_01 From the confluence with Cuthand Creek in Titus County to 1.6 km (1 mi) south of FM 114

SEG ID:0303MSmackover Creek

From the confluence of White Oak Creek upstream to the headwaters at an impoundment 1.8 km upstream of FM1001 in Titus County

Parameter(s)

impaired habitat

Level of Concern

CS

0303M_01 From the confluence of White Oak Creek upstream to the headwaters at an impoundment 1.8 km upstream of FM1001 in Titus County

SEG ID:0303N Horse Creek

From the confluence of White Oak Creek upstream to a small impoundment 0.2 km northeast of the intersection of Highway 67 and FM 1993 in Titus County

Parameter(s)

impaired macrobenthic community

Level of Concern

CN

0303N_01 From the confluence of White Oak Creek upstream to a small impoundment 0.2 km northeast of the intersection of Highway 67 and FM 1993 in Titus County

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID: 0304 Days Creek

From the Arkansas State Line in Bowie County to the confluence of Swampoodle Creek and Nix Creek in Bowie County.

Parameter(s)

Level of Concern

acenaphthene in sediment

CS

0304_01 From the Arkansas State Line in Bowie County to the confluence of Swampoodle Creek and Nix Creek in Bowie County.

Parameter(s)

Level of Concern

benz(a)anthracene in sediment

CS

0304_01 From the Arkansas State Line in Bowie County to the confluence of Swampoodle Creek and Nix Creek in Bowie County.

Parameter(s)

Level of Concern

benzo(a)pyrene in sediment

CS

0304_01 From the Arkansas State Line in Bowie County to the confluence of Swampoodle Creek and Nix Creek in Bowie County.

Parameter(s)

Level of Concern

chrysene in sediment

CS

0304_01 From the Arkansas State Line in Bowie County to the confluence of Swampoodle Creek and Nix Creek in Bowie County.

Parameter(s)

Level of Concern

fluoranthene in sediment

CS

0304_01 From the Arkansas State Line in Bowie County to the confluence of Swampoodle Creek and Nix Creek in Bowie County.

Parameter(s)

Level of Concern

naphthalene in sediment

CS

0304_01 From the Arkansas State Line in Bowie County to the confluence of Swampoodle Creek and Nix Creek in Bowie County.

Parameter(s)

Level of Concern

nitrate

CS

0304_01 From the Arkansas State Line in Bowie County to the confluence of Swampoodle Creek and Nix Creek in Bowie County.

Parameter(s)

Level of Concern

phenanthrene in sediment

CS

0304_01 From the Arkansas State Line in Bowie County to the confluence of Swampoodle Creek and Nix Creek in Bowie County.

Parameter(s)

Level of Concern

pyrene in sediment

CS

0304_01 From the Arkansas State Line in Bowie County to the confluence of Swampoodle Creek and Nix Creek in Bowie County.

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:0304A Swampoodle Creek

From the confluence of Days Creek in central Texarkana in Bowie County to the upstream perennial portion of the stream in northern Texarkana in Bowie County

<u>Parameter(s)</u>	<u>Level of Concern</u>
bacteria (Recreation Use)	CN

0304A_01	From the confluence of Days Creek in central Texarkana in Bowie County to the upstream perennial portion of the stream in northern Texarkana in Bowie County
----------	--

<u>Parameter(s)</u>	<u>Level of Concern</u>
depressed dissolved oxygen	CN

0304A_01	From the confluence of Days Creek in central Texarkana in Bowie County to the upstream perennial portion of the stream in northern Texarkana in Bowie County
----------	--

<u>Parameter(s)</u>	<u>Level of Concern</u>
impaired macrobenthic community	CN

0304A_01	From the confluence of Days Creek in central Texarkana in Bowie County to the upstream perennial portion of the stream in northern Texarkana in Bowie County
----------	--

SEG ID:0304B Cowhorn Creek

From the confluence of Wagner Creek in southern Texarkana in Bowie County to the upstream perennial portion of the stream in northern Texarkana in Bowie County

<u>Parameter(s)</u>	<u>Level of Concern</u>
impaired habitat	CS

0304B_01	From the confluence of Wagner Creek in southern Texarkana in Bowie County to the upstream perennial portion of the stream in northern Texarkana in Bowie County
----------	---

<u>Parameter(s)</u>	<u>Level of Concern</u>
impaired macrobenthic community	CN

0304B_01	From the confluence of Wagner Creek in southern Texarkana in Bowie County to the upstream perennial portion of the stream in northern Texarkana in Bowie County
----------	---

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:0304C Wagner Creek

Perennial stream from the confluence with Days Creek upstream to the headwaters 0.3 km west of Birdwell Davis Road

<u>Parameter(s)</u>	<u>Level of Concern</u>
ammonia	CS
0304C_01	Perennial stream from the confluence with Days Creek upstream to a point 1.5 km upstream of IH 30; App D

<u>Parameter(s)</u>	<u>Level of Concern</u>
depressed dissolved oxygen	CS
0304C_01	Perennial stream from the confluence with Days Creek upstream to a point 1.5 km upstream of IH 30; App D

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
0304C_01	Perennial stream from the confluence with Days Creek upstream to a point 1.5 km upstream of IH 30; App D

<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS
0304C_01	Perennial stream from the confluence with Days Creek upstream to a point 1.5 km upstream of IH 30; App D

SEG ID:0304D Nix Creek

From the confluence with Swampoodle Creek to 1.6 km (1 mi) directly east of the intersection of US HWY 271 and I30

<u>Parameter(s)</u>	<u>Level of Concern</u>
impaired habitat	CS
0304D_01	From the confluence with Swampoodle Creek to 1.6 km (1 mi) directly east of the intersection of US HWY 271 and I30

SEG ID:0305B Auds Creek

From the confluence with the North Sulphur River in Lamar County to 2 km (1.2 mi) south of US HWY 82

<u>Parameter(s)</u>	<u>Level of Concern</u>
impaired habitat	CS
0305B_01	From the confluence with the North Sulphur River in Lamar County to 2 km (1.2 mi) south of US HWY 82

<u>Parameter(s)</u>	<u>Level of Concern</u>
impaired macrobenthic community	CN
0305B_01	From the confluence with the North Sulphur River in Lamar County to 2 km (1.2 mi) south of US HWY 82

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:0305D Big Sandy Creek

From the confluence with the North Sulphur River in Lamar County to 0.4 km (.2 mi) 0f US HWY 82 Business in Paris

Parameter(s)

impaired habitat

Level of Concern

CS

0305D_01 From the confluence with the North Sulphur River in Lamar County to .4 km (.2 mi) 0f US HWY 82 Business in Paris

Parameter(s)

impaired macrobenthic community

Level of Concern

CN

0305D_01 From the confluence with the North Sulphur River in Lamar County to .4 km (.2 mi) 0f US HWY 82 Business in Paris

SEG ID: 0306 Upper South Sulphur River

From a point 1.0 km (0.6 mi) upstream of SH 71 in Delta/Hopkins County to SH 78 in Fannin County

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

0306_01 Portion of the Upper South Sulphur River from a point 1 km (.6 mi) upstream of SH 71 upstream approximately 10 km (6 mi) to Dunbar Creek.

Parameter(s)

chlorophyll-a

Level of Concern

CS

0306_01 Portion of the Upper South Sulphur River from a point 1 km (.6 mi) upstream of SH 71 upstream approximately 10 km (6 mi) to Dunbar Creek.

Parameter(s)

nitrate

Level of Concern

CS

0306_01 Portion of the Upper South Sulphur River from a point 1 km (.6 mi) upstream of SH 71 upstream approximately 10 km (6 mi) to Dunbar Creek.

Parameter(s)

total phosphorus

Level of Concern

CS

0306_01 Portion of the Upper South Sulphur River from a point 1 km (.6 mi) upstream of SH 71 upstream approximately 10 km (6 mi) to Dunbar Creek.

SEG ID:0307A Middle Sulphur River

From the confluence Cooper Lake in Hopkins County to the upstream perennial portion of the stream east of Wolfe City in Hunt County

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

0307A_01 From the confluence Cooper Lake in Hopkins County to the upstream perennial portion of the stream east of Wolfe City in Hunt County

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:0307D East Fork Jernigan Creek

Intermittent stream w/pools from the confluence with the West Fork Jernigan Creek upstream 15.6 km (9.7 mi) to the headwaters at FM 64

Parameter(s)

Level of Concern

bacteria (Recreation Use)

CN

0307D_01 From the confluence with the West Fork Jernigan Creek upstream 15.6 km (9.7 mi) to the headwaters at FM 64

SEG ID: 0401 Caddo Lake

From the Louisiana State Line in Harrison/Marion County to a point 12.3 km (7.6 mi) downstream of SH 43 in Harrison/Marion County, up to pool elevation of 168.5 feet (impounds Big Cypress Creek)

Parameter(s)

Level of Concern

depressed dissolved oxygen

CS

0401_03 Goose Prairie arm

Parameter(s)

Level of Concern

iron in sediment

CS

0401_01 Lower 5000 acres

Parameter(s)

Level of Concern

mercury in edible tissue

CS

0401_01 Lower 5000 acres

0401_02 Harrison Bayou arm

0401_03 Goose Prairie arm

0401_05 Clinton Lake

0401_07 Mid-lake near Uncertain

SEG ID:0401A Harrison Bayou

From the confluence of Caddo Lake east of Karnack in Harrison County to the upstream perennial portion of the stream east of Marshall in Harrison County

Parameter(s)

Level of Concern

bacteria (Recreation Use)

CN

0401A_01 Intermittent stream with perennial pools from the confluence with Caddo Lake within the Caddo Lake National Wildlife Refuge east of the City of Karnack upstream to FM 1998 east of the City of Marshall. App D

SEG ID: 0402 Big Cypress Creek Below Lake O' the Pines

From a point 12.3 km (7.6 mi) downstream of SH 43 in Harrison/Marion County to Ferrell's Bridge Dam in Marion County

Parameter(s)

Level of Concern

impaired macrobenthic community

CN

0402_03 From the confluence with Black Cypress Bayou upstream 23.8 km (14.7 mi) to French Creek.

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID: 0402B Hughes Creek

Perennial stream from the confluence with Black Cypress Creek upstream to the headwaters 0.2 km east of CR 2115

Parameter(s)

Level of Concern

depressed dissolved oxygen

CS

0402B_01 Perennial stream from the confluence with Black Cypress Creek upstream to the confluence with an unnamed first order tributary approximately 0.5 km downstream of FM 250; App D
Perennial stream from the confluence with Black Cypress Creek upstream to the confluence with an unnamed first order tributary approximately 0.5 km downstream of FM 250; App D

SEG ID: 0402E Kelly Creek

From the confluence with Black Cypress Creek in Cass County, north to approximately 2 mi southwest of where State HWY 338 and US HWY 259 merge

Parameter(s)

Level of Concern

depressed dissolved oxygen

CS

0402E_01 From the confluence with Black Cypress Creek in Cass County, north to approximately 2 mi southwest of where State HWY 338 and US HWY 259 merge

SEG ID: 0403 Lake O' the Pines

From Ferrell's Bridge Dam in Marion County to a point 1.0 km (0.6 mi) downstream of US 259 in Morris/Upshur County, up to normal pool elevation of 228.5 feet (impounds Big Cypress Creek)

Parameter(s)

Level of Concern

depressed dissolved oxygen

CS

0403_04 Upper 3700 acres

SEG ID: 0404 Big Cypress Creek Below Lake Bob Sandlin

From a point 1.0 km (0.6 mi) downstream of US 259 in Morris/Upshur Counties to Fort Sherman Dam in Camp/Titus Counties

Parameter(s)

Level of Concern

chlorophyll-a

CS

0404_01 From the confluence with Lake O' the Pines upstream 24 km (14.9 mi) to the confluence with an unnamed tributary NHD RC 11140305002717

Parameter(s)

Level of Concern

nitrate

CS

0404_01 From the confluence with Lake O' the Pines upstream 24 km (14.9 mi) to the confluence with an unnamed tributary NHD RC 11140305002717

0404_02 From the confluence with an unnamed tributary NHD RC 11140305002717 upstream 37.2 km (23 mi) to Lake Bob Sandlin

Parameter(s)

Level of Concern

total phosphorus

CS

0404_02 From the confluence with an unnamed tributary NHD RC 11140305002717 upstream 37.2 km (23 mi) to Lake Bob Sandlin

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:0404A Ellison Creek Reservoir

From the Morris County Dam up to normal pool elevation near Lone Star in Morris County
(impounds Ellison Creek)

<u>Parameter(s)</u>	<u>Level of Concern</u>
cadmium in sediment	CS

0404A_01	From the Morris County Dam up to normal pool elevation near Lone Star in Morris County (impounds Ellison Creek)
----------	--

<u>Parameter(s)</u>	<u>Level of Concern</u>
iron in sediment	CS

0404A_01	From the Morris County Dam up to normal pool elevation near Lone Star in Morris County (impounds Ellison Creek)
----------	--

<u>Parameter(s)</u>	<u>Level of Concern</u>
lead in sediment	CS

0404A_01	From the Morris County Dam up to normal pool elevation near Lone Star in Morris County (impounds Ellison Creek)
----------	--

<u>Parameter(s)</u>	<u>Level of Concern</u>
manganese in sediment	CS

0404A_01	From the Morris County Dam up to normal pool elevation near Lone Star in Morris County (impounds Ellison Creek)
----------	--

<u>Parameter(s)</u>	<u>Level of Concern</u>
nickel in sediment	CS

0404A_01	From the Morris County Dam up to normal pool elevation near Lone Star in Morris County (impounds Ellison Creek)
----------	--

<u>Parameter(s)</u>	<u>Level of Concern</u>
zinc in sediment	CS

0404A_01	From the Morris County Dam up to normal pool elevation near Lone Star in Morris County (impounds Ellison Creek)
----------	--

SEG ID:0404B Tankersley Creek

Perennial stream from the confluence with Big Cypress Creek upstream to the confluence
with an unnamed tributary 250 meters upstream of IH 30

<u>Parameter(s)</u>	<u>Level of Concern</u>
impaired habitat	CS

0404B_01	From the confluence with Big Cypress Creek upstream 16.1 km (10 mi) to Tankersley Lake. WQS Appendix D portion of the creek.
----------	---

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS

0404B_01	From the confluence with Big Cypress Creek upstream 16.1 km (10 mi) to Tankersley Lake. WQS Appendix D portion of the creek.
----------	---

<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS

0404B_01	From the confluence with Big Cypress Creek upstream 16.1 km (10 mi) to Tankersley Lake. WQS Appendix D portion of the creek.
----------	---

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:0404C Hart Creek

Perennial stream from the confluence with Big Cypress Creek upstream to the headwaters 0.2 km south of CR 1635, Titus County

Parameter(s)

nitrate

Level of Concern

CS

0404C_01 Perennial stream from the confluence with Big Cypress Creek upstream to 0.2 km upstream of FM 1402; App D

SEG ID:0404E Dry Creek

Perennial stream from the confluence with Big Cypress Creek upstream to the headwaters near the intersection of Texas and Fred roads, Camp County

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

0404E_01 Perennial stream from the confluence with Big Cypress Creek upstream to the confluence of Mile Branch and Little Creek; App D

Parameter(s)

nitrate

Level of Concern

CS

0404E_01 Perennial stream from the confluence with Big Cypress Creek upstream to the confluence of Mile Branch and Little Creek; App D

SEG ID: 0404J Prairie Creek

From the confluence with Big Cypress Creek to Bennett Lake, south of Pittsburg in Camp County

Parameter(s)

depressed dissolved oxygen

Level of Concern

CN

0404J_01 From the confluence with Big Cypress Creek to Bennett Lake, south of Pittsburg in Camp County

SEG ID:0404K Walkers Creek

From the confluence with Big Cypress Creek to approximately 2 mi west of Pittsburg in Camp County

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

0404K_01 From the confluence with Big Cypress Creek to approximately 2 mi west of Pittsburg in Camp County

SEG ID:0404N Lake Daingerfield

Southeast of the City of Daingerfield in Daingerfield State Park in Morris County

Parameter(s)

mercury in edible tissue

Level of Concern

CS

0404N_01 Southeast of the City of Daingerfield in Daingerfield State Park in Morris County

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:0404O Dragoo Creek

From the confluence with Tankersley Creek to the headwaters approximately 2 mi NW of US 67

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

0404O_01 From the confluence with Tankersley Creek to the headwaters approximately 2 mi NW of US 67

SEG ID:0404S Unnamed tributary to Big Cypress Creek

Unnamed tributary from the confluence with Big Cypress Creek extending to J H Milligan Estate Lake near the intersection of Highway 271 and D H Abernathy Blvd northeast of Pittsburg

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

0404S_01 Unnamed tributary from the confluence with Big Cypress Creek extending to J H Milligan Estate Lake near the intersection of Highway 271 and D H Abernathy Blvd northeast of Pittsburg

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

0404S_01 Unnamed tributary from the confluence with Big Cypress Creek extending to J H Milligan Estate Lake near the intersection of Highway 271 and D H Abernathy Blvd northeast of Pittsburg

SEG ID:0404T Prairie Branch

Intermittent stream with perennial pools extending from the confluence with Big Cypress Creek to a small impoundment 0.06 km north of County Road 4715 northeast of Pittsburg

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

0404T_01 Intermittent stream with perennial pools extending from the confluence with Big Cypress Creek to a small impoundment 0.06 km north of County Road 4715 northeast of Pittsburg

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

0404T_01 Intermittent stream with perennial pools extending from the confluence with Big Cypress Creek to a small impoundment 0.06 km north of County Road 4715 northeast of Pittsburg
Intermittent stream with perennial pools extending from the confluence with Big Cypress Creek to a small impoundment 0.06 km north of County Road 4715 northeast of Pittsburg

SEG ID:0404U Evans Creek

From the confluence with Hart Creek in Titus County to the small impoundment 0.4 km upstream of FM 1001

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

0404U_01 From the confluence with Hart Creek in Titus County to the small impoundment .40 km upstream of FM 1001

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:0404V Hayes Creek

From the confluence with Hart Creek in Titus County upstream to New City Lake

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

0404V_01 From the confluence with Hart Creek in Titus County upstream to New City Lake

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

0404V_01 From the confluence with Hart Creek in Titus County upstream to New City Lake

SEG ID:0405A Big Cypress Creek

From the confluence with Lake Cypress Springs in Franklin County, to approximately 5 mi west of State HWY 37

Parameter(s)

ammonia

Level of Concern

CS

0405A_01 From the confluence with Lake Cypress springs in Franklin County, to approximately 5 mi west of State HWY 37

Parameter(s)

chlorophyll-a

Level of Concern

CS

0405A_01 From the confluence with Lake Cypress springs in Franklin County, to approximately 5 mi west of State HWY 37

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

0405A_01 From the confluence with Lake Cypress springs in Franklin County, to approximately 5 mi west of State HWY 37

SEG ID:0405B Panther Creek

From the confluence with Lake Cypress Springs in Franklin County, to approximately 0.25 mi west of State HWY 37

Parameter(s)

impaired habitat

Level of Concern

CS

0405B_01 From the confluence with Lake Cypress springs in Franklin County, to approximately .25 mi west of State HWY 37

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID: 0406 Black Bayou

From the Louisiana State Line in Cass County to FM 96 in Cass County

<u>Parameter(s)</u>	<u>Level of Concern</u>
depressed dissolved oxygen	CS
0406_01	Black Bayou from the LA state line upstream 19.1 km (11.8 mi) to the confluence with Hurricane Creek
0406_02	From the confluence with Hurricane Creek upstream 28.6 km (17.7 mi) to NHD RC 11140304000881 near FM 96

<u>Parameter(s)</u>	<u>Level of Concern</u>
impaired fish community	CN
0406_01	Black Bayou from the LA state line upstream 19.1 km (11.8 mi) to the confluence with Hurricane Creek

<u>Parameter(s)</u>	<u>Level of Concern</u>
impaired habitat	CS
0406_01	Black Bayou from the LA state line upstream 19.1 km (11.8 mi) to the confluence with Hurricane Creek

<u>Parameter(s)</u>	<u>Level of Concern</u>
impaired macrobenthic community	CN
0406_01	Black Bayou from the LA state line upstream 19.1 km (11.8 mi) to the confluence with Hurricane Creek
0406_02	From the confluence with Hurricane Creek upstream 28.6 km (17.7 mi) to NHD RC 11140304000881 near FM 96

SEG ID: 0407 James' Bayou

From the Louisiana State Line in Marion County to Club Lake Road northwest of Linden in Cass County

<u>Parameter(s)</u>	<u>Level of Concern</u>
bacteria (Recreation Use)	CN
0407_01	From the LA state line upstream 31.6 km (19.6 mi) to the confluence with Bear Creek.

<u>Parameter(s)</u>	<u>Level of Concern</u>
impaired habitat	CS
0407_01	From the LA state line upstream 31.6 km (19.6 mi) to the confluence with Bear Creek.

<u>Parameter(s)</u>	<u>Level of Concern</u>
impaired macrobenthic community	CN
0407_01	From the LA state line upstream 31.6 km (19.6 mi) to the confluence with Bear Creek.
0407_02	From the confluence with Bear Creek upstream 29.8 km (18.5 mi) to approximately 2 km north of HWY 11

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:0408C Brushy Creek

From the confluence with Lake Bob Sandlin in Franklin County to Winnsboro at State HWY 37

Parameter(s)

impaired habitat

Level of Concern

CS

0408C_01 From the confluence with Lake Bob Sandlin in Franklin County to Winnsboro at State HWY 37

SEG ID: 0409 Little Cypress Bayou (Creek)

From the confluence of Big Cypress Creek in Harrison/Marion County to a point 1.0 km (0.6 mi) upstream of FM 2088 in Wood County

Parameter(s)

depressed dissolved oxygen

Level of Concern

CN

0409_02 From the confluence with Lawrence Creek upstream 29.2 km (18.1 mi) to the confluence with NHD RC 11140307000368

SEG ID:0409A Lilly Creek

From the confluence with Little Cypress Creek to the Camp County line near Lawton in Upshur County.

Parameter(s)

Chlorophyll-a in water

Level of Concern

CS

0409A_01 From the confluence with Little Cypress Creek to the Camp County line near Lawton in Upshur County.

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

0409A_01 From the confluence with Little Cypress Creek to the Camp County line near Lawton in Upshur County.

SEG ID:0409E Clear Creek

From the confluence with Little Cypress Creek in Upshur County to 1 km (0.6 mi) west of US HWY 271

Parameter(s)

impaired habitat

Level of Concern

CS

0409E_01 From the confluence with Little Cypress Creek in Upshur County to 1 km (.6 mi) west of US HWY 271

Parameter(s)

impaired macrobenthic community

Level of Concern

CN

0409E_01 From the confluence with Little Cypress Creek in Upshur County to 1 km (.6 mi) west of US HWY 271

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID: 0410 Black Cypress Bayou (Creek)

From the confluence with Big Cypress Creek in Marion County to the confluence with Kelly Creek in Cass County

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

0410_02 From the confluence with White Oak Creek upstream 31.3 km (19.4 mi) to Pruitt Lake

Parameter(s)

copper in water

Level of Concern

CN

0410_01 From the confluence with Big Cypress Creek upstream 25 km (15.5 mi) to the confluence with White Oak Creek

0410_03 Pruitt Lake beginning near HWY 155, extending upstream 1.8 km (1.1 mi)

SEG ID: 0502 Sabine River Above Tidal

Sabine River Above Tidal - from West Bluff in Orange County to the confluence with Caney Creek in Newton County

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

0502_01 Sabine River from the confluence of Old River at West Bluff upstream to the confluence of Indian Bayou

SEG ID:0502E Cypress Creek

Cypress Creek - from the confluence of the Sabine River up to the headwater 500m south of FM 82 east of Kirbyville

Parameter(s)

impaired habitat

Level of Concern

CS

0502E_01 Cypress Creek from the confluence of the Sabine River up to the headwater 500m south of FM 82 east of Kirbyville

Parameter(s)

impaired macrobenthic community

Level of Concern

CN

0502E_01 Cypress Creek from the confluence of the Sabine River up to the headwater 500m south of FM 82 east of Kirbyville

SEG ID:0505D Rabbit Creek

Rabbit Creek - perennial stream from the confluence of the Sabine River upstream to the headwater at Smith CR 246 5.7 km northwest of Overton

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

0505D_01 Rabbit Creek an Appendix D perennial stream from the confluence of the Sabine River upstream to the confluence of Bighead Creek on the north side of Kilgore

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:0505G Wards Creek

Wards Creek - intermittent stream with perennial pools from the confluence of Sewell Creek upstream to the confluence of an unnamed second order tributary approximately 0.6 km upstream of US 80

Parameter(s)

impaired habitat

Level of Concern

CS

0505G_01 Wards Creek an Appendix D intermittent stream with perennial pools from the confluence of Sewell Creek upstream to the confluence of an unnamed second order tributary approximately 0.6 km upstream of US 80

SEG ID:0506A Harris Creek

Harris Creek - from the confluence of the Sabine River 5.7 km north of Winona upstream to the headwater near SH 64 east of Tyler

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

0506A_01 Harris Creek from the confluence of the Sabine River 5.7 km north of Winona upstream to the headwater near SH 64 east of Tyler

SEG ID:0506C Wiggins Creek

Wiggins Creek - perennial stream from the confluence with Harris Creek upstream to the dam impounding an unnamed reservoir located approximately 3.8 km upstream of FM 2015 northeast of the City of Tyler

Parameter(s)

ammonia

Level of Concern

CS

0506C_01 Wiggins Creek an Appendix D perennial stream from the confluence with Harris Creek upstream to the dam impounding an unnamed reservoir located approximately 3.8 km upstream of FM 2015 northeast of the City of Tyler

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

0506C_01 Wiggins Creek an Appendix D perennial stream from the confluence with Harris Creek upstream to the dam impounding an unnamed reservoir located approximately 3.8 km upstream of FM 2015 northeast of the City of Tyler

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:0507A Cowleech Fork Sabine River

Cowleech Fork - from the confluence of Lake Tawakoni upstream to the headwater northwest of Celeste

Parameter(s)

chlorophyll-a

Level of Concern

CS

0507A_02 Cowleech Fork from the confluence of Long Branch east of Greenville upstream to the headwater northwest of Celeste

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

0507A_01 Cowleech Fork from the confluence of Lake Tawakoni upstream to the confluence of Long Branch east of Greenville

Parameter(s)

nitrate

Level of Concern

CS

0507A_01 Cowleech Fork from the confluence of Lake Tawakoni upstream to the confluence of Long Branch east of Greenville

SEG ID:0507B Long Branch

Long Branch - from the confluence with Cowleech Fork Sabine River east of Greenville upstream to the headwater northeast of Greenville

Parameter(s)

nitrate

Level of Concern

CS

0507B_01 Long Branch from the confluence with Cowleech Fork Sabine River east of Greenville upstream to the headwater northeast of Greenville

SEG ID:0507H Caddo Creek

Caddo Creek - from the confluence of Lake Tawakoni at Caddo Inlet upstream to the confluence of East Caddo and West Caddo Creeks

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

0507H_01 Caddo Creek from the confluence of Lake Tawakoni at Caddo Inlet upstream to the confluence of East Caddo and West Caddo Creeks

Caddo Creek from the confluence of Lake Tawakoni at Caddo Inlet upstream to the confluence of East Caddo and West Caddo Creeks

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID: 0508 Adams Bayou Tidal

From the confluence with the Sabine River in Orange County to a point 1.1 km (0.7 mi) upstream of IH 10 in Orange County

<u>Parameter(s)</u>	<u>Level of Concern</u>
depressed dissolved oxygen	CS
0508_01 Lower 3 miles of segment	
0508_02 2 mile reach near Western Avenue	
0508_03 1 mile reach near Green Avenue	
0508_04 Upper 2 miles of segment	

<u>Parameter(s)</u>	<u>Level of Concern</u>
pH	CN
0508_04 Upper 2 miles of segment	

SEG ID:0508C Hudson Gully

From the confluence with Adams Bayou to the headwaters near US 890 in Pinehurst in Orange County

<u>Parameter(s)</u>	<u>Level of Concern</u>
depressed dissolved oxygen	CS
0508C_01 From the confluence with Adams Bayou to the headwaters near US 890 in Pinehurst in Orange County	

SEG ID: 0510 Lake Cherokee

Lake Cherokee - from Cherokee Dam in Gregg/Rusk County up to the normal pool elevation of 280 feet (impounds Cherokee Bayou)

<u>Parameter(s)</u>	<u>Level of Concern</u>
depressed dissolved oxygen	CS
0510_02 Lake Cherokee from a line at the East Texas Regional Airport runway up to the normal pool elevation of 280 feet	

SEG ID: 0511 Cow Bayou Tidal

From the confluence with the Sabine River in Orange County to a point 4.8 km (3.0 mi) upstream of IH 10 in Orange County

<u>Parameter(s)</u>	<u>Level of Concern</u>
depressed dissolved oxygen	CS
0511_04 Upper 4 miles	

<u>Parameter(s)</u>	<u>Level of Concern</u>
pH	CN
0511_03 5 mile reach near FM 1442 (north crossing)	

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:0511A Cow Bayou Above Tidal

From a point 4.8 km (3.0 mi) upstream of IH 10 in Orange County to the upstream perennial portion of the stream northeast of Vidor in Orange County

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

0511A_02 Upper 5.3 miles of above-tidal reach

SEG ID:0511B Coon Bayou

From the confluence with Cow Bayou up to the extent of tidal limit in Orange County

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

0511B_01 From the confluence with Cow Bayou up to the extent of tidal limit in Orange County

SEG ID:0511C Cole Creek

From the confluence of Cow Bayou west of Orange in Orange County to the upstream perennial portion of the stream south of Mauriceville in Orange County

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

0511C_01 From the confluence of Cow Bayou west of Orange in Orange County to the upstream perennial portion of the stream south of Mauriceville in Orange County

SEG ID:0511E Terry Gully

From the confluence with Cow Bayou in Orange County to the headwaters northeast of Vidor in Orange County

Parameter(s)

depressed dissolved oxygen

Level of Concern

CN

0511E_01 From the confluence with Cow Bayou in Orange County to the headwaters northeast of Vidor in Orange County

From the confluence with Cow Bayou in Orange County to the headwaters northeast of Vidor in Orange County

2018 Texas Integrated Report - Water Bodies with Concerns for Use Attainment and Screening Levels

SEG ID:0512A Running Creek

Running Creek - from the confluence of Lake Fork at the Hopkins/Wood County line upstream to the headwater 400 m south of SH 11 southeast of Sulphur Springs

<u>Parameter(s)</u>	<u>Level of Concern</u>
ammonia	CS
0512A_01	Running Creek from the confluence of Lake Fork at the Hopkins/Wood County line upstream to the headwater 400 m south of SH 11 southeast of Sulphur Springs
<u>Parameter(s)</u>	<u>Level of Concern</u>
depressed dissolved oxygen	CS
0512A_01	Running Creek from the confluence of Lake Fork at the Hopkins/Wood County line upstream to the headwater 400 m south of SH 11 southeast of Sulphur Springs
<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
0512A_01	Running Creek from the confluence of Lake Fork at the Hopkins/Wood County line upstream to the headwater 400 m south of SH 11 southeast of Sulphur Springs

SEG ID:0512B Elm Creek

Elm Creek - from the confluence of Lake Fork 375 m downstream of FM 514 upstream to the headwater at Hopkins CR 1110 southwest of Sulphur Springs

<u>Parameter(s)</u>	<u>Level of Concern</u>
ammonia	CS
0512B_01	Elm Creek from the confluence of Lake Fork 375 m downstream of FM 514 upstream to the headwater at Hopkins CR 1110 southwest of Sulphur Springs
<u>Parameter(s)</u>	<u>Level of Concern</u>
depressed dissolved oxygen	CS
0512B_01	Elm Creek from the confluence of Lake Fork 375 m downstream of FM 514 upstream to the headwater at Hopkins CR 1110 southwest of Sulphur Springs
	Elm Creek from the confluence of Lake Fork 375 m downstream of FM 514 upstream to the headwater at Hopkins CR 1110 southwest of Sulphur Springs

SEG ID: 0513 Big Cow Creek

Big Cow Creek - from the confluence with the Sabine River in Newton County to a point 4.6 km (2.9 mi) upstream of Recreational Road 255 in Newton County

<u>Parameter(s)</u>	<u>Level of Concern</u>
lead in water	CN
0513_01	Big Cow Creek from the confluence with the Sabine River southeast of Kirbyville upstream to the confluence of White Oak Creek west of Kirbyville

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID: 0514 Big Sandy Creek

Big Sandy Creek - from the confluence with the Sabine River in Upshur County to a point 2.6 km (1.6 mi) upstream of SH 11 in Hopkins County

Parameter(s)

chlorophyll-a

Level of Concern

CS

0514_02 Big Sandy Creek from the Lake Winnsboro Dam (Wood County Dam No. 4) upstream to a point 2.6 km (1.6 mi) upstream of SH 11 in Hopkins County

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

0514_02 Big Sandy Creek from the Lake Winnsboro Dam (Wood County Dam No. 4) upstream to a point 2.6 km (1.6 mi) upstream of SH 11 in Hopkins County

SEG ID: 0601 Neches River Tidal

From the confluence with Sabine Lake in Orange County to the Neches River Saltwater Barrier, which is at a point 0.8 km (0.5 mi) downstream of the confluence of Pine Island Bayou, in Orange County

Parameter(s)

malathion in water

Level of Concern

CN

0601_01 Lower boundary to top of first oxbow, above Bird Island Bayou confluence at NHD RC 12020003000004

SEG ID: 0601A Star Lake Canal

North of Groves in Jefferson County

Parameter(s)

ammonia

Level of Concern

CS

0601A_01 North of Groves in Jefferson County

Parameter(s)

malathion in water

Level of Concern

CN

0601A_01 North of Groves in Jefferson County

SEG ID: 0602 Neches River Below B. A. Steinhagen Lake

From the Neches River Saltwater Barrier, which is at a point 0.8 km (0.5 mi) downstream of the confluence of Pine Island Bayou, in Orange County to Town Bluff Dam in Jasper/Tyler County

Parameter(s)

mercury in edible tissue

Level of Concern

CS

0602_01 From the saltwater barrier upstream to confluence with Village Creek 0608 at NHD RC 12020003000025

0602_02 From the confluence with Village Creek 0608 upstream to the confluence with Black Branch NHD RC 120200030000695

0602_03 From the confluence with Black Branch upstream to confluence with unnamed tributary at NHD RC 12020003000058

0602_04 From the confluence with unnamed tributary at NHD RC 12020003000058 upstream to Town Bluff Dam

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID: 0604 Neches River Below Lake Palestine

From a point immediately upstream of the confluence of Hopson Mill Creek in Jasper/Tyler County to Blackburn Crossing Dam in Anderson/Cherokee County

Parameter(s)

chlorophyll-a

Level of Concern

CS

0604_05 From the confluence with Beech Creek in Anderson County upstream to the Blackburn Crossing Dam

SEG ID:0604A Cedar Creek

From the confluence of the Neches River southwest of Lufkin in Angelina County to the upstream perennial portion of the stream in Lufkin in Angelina County

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

0604A_03 From the confluence with unnamed tributary adjacent to SH Loop 287 upstream to headwaters near Hoo Hoo Ave in the City of Lufkin

Parameter(s)

nitrate

Level of Concern

CS

0604A_02 From the confluence with Jack Creek (0604C) upstream to confluence with unnamed tributary adjacent to State Loop 287, per App. D in WQS, at NHD RC 12020002000436

Parameter(s)

total phosphorus

Level of Concern

CS

0604A_02 From the confluence with Jack Creek (0604C) upstream to confluence with unnamed tributary adjacent to State Loop 287, per App. D in WQS, at NHD RC 12020002000436

SEG ID:0604B Hurricane Creek

From the confluence with Cedar Creek upstream to the headwaters near Groesbeck Ave in the City of Lufkin

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

0604B_02 From the confluence with unnamed tributary 100 meters upstream of SH Loop 287 in the City of Lufkin upstream to headwaters near Groesbeck Ave in Lufkin

SEG ID:0604C Jack Creek

From the confluence of Cedar Creek southwest of Lufkin in Angelina County to the upstream perennial portion of the stream in northeast Lufkin in Angelina County

Parameter(s)

total phosphorus

Level of Concern

CS

0604C_01 From the confluence with Cedar Creek (0604A) upstream to confluence with unnamed tributary 1.6km SW of US Hwy 69 NW of Lufkin at NHD RC 12020002012470.

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:0604D Piney Creek

From the confluence of the Neches River at the Polk/Tyler/Angelina County lines east of Corrigan to the upstream perennial portion of the stream east of Crockett in Houston County

Parameter(s)

ammonia

Level of Concern

CS

0604D_01 Middle portion of the stream from the confluence with Bear Creek (0604L) in Polk County upstream to the confluence with Caney Creek (0604O) in Trinity County at NHD RC 12020002000163.

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

0604D_02 Upper portion of stream from the confluence with Caney Creek (0604O) in Trinity County upstream to confluence with unnamed tributary at NHD RC 12020002000181 in Houston County 0.75km west of FM 2781.

SEG ID:0604MBiloxi Creek

From the confluence with the Neches River southeast of Diboll to FM 325 east of Lufkin in Angelina County

Parameter(s)

ammonia

Level of Concern

CS

0604M_03 From the confluence with One Eye Creek in Angelina County SE of Lufkin upstream to FM 325 east of Lufkin

Parameter(s)

total phosphorus

Level of Concern

CS

0604M_03 From the confluence with One Eye Creek in Angelina County SE of Lufkin upstream to FM 325 east of Lufkin

SEG ID: 0605 Lake Palestine

From Blackburn Crossing Dam in Anderson/Cherokee County to a point 6.7km (4.2 mi) downstream of FM 279 in Henderson/Smith County, up to normal pool elevation of 345 feet (impounds Neches River)

Parameter(s)

manganese in sediment

Level of Concern

CS

0605_01 Lower portion of reservoir near dam to the first bend in reservoir

0605_02 From the first bend in lower portion of reservoir up to the SH 155 Bridge crossing.

0605_03 Upper mid-lake including Tyler Public Water Supply intake

0605_09 Flat Creek Arm

0605_10 Upper Lake

0605_11 From the SH 155 Bridge crossing to the Flat Creek Arm and across the main portion of the lake at the Flat Creek Arm

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID: 0606 Neches River Above Lake Palestine

From a point 6.7 km (4.2 mi) downstream of FM 279 in Henderson/Smith County to Rhine Lake Dam in Van Zandt County before it was breached in 2001

<u>Parameter(s)</u>	<u>Level of Concern</u>
depressed dissolved oxygen	CN

0606_02	From the confluence with Prairie Creek (0606A) upstream to the Rhine Lake Dam
---------	---

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS

0606_01	From a point approximately 0.06km (0.03 mi) south of St. Louis Southwestern Railroad upstream to the confluence with Prairie Creek (0606A).
---------	---

<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS

0606_01	From a point approximately 0.06km (0.03 mi) south of St. Louis Southwestern Railroad upstream to the confluence with Prairie Creek (0606A).
---------	---

<u>Parameter(s)</u>	<u>Level of Concern</u>
zinc in water	CN

0606_02	From the confluence with Prairie Creek (0606A) upstream to the Rhine Lake Dam
---------	---

SEG ID:0606A Prairie Creek

Perennial stream from the confluence with the Neches River to an unnamed tributary approximately 0.6km downstream of the US 69 bridge crossing.

<u>Parameter(s)</u>	<u>Level of Concern</u>
Ammonia in water	CS

0606A_01	From the confluence with Neches River (0606), per WQS App. D first entry for Prairie Creek at NHD RC 12020001000071 in Smith County upstream to the confluence with Black Fork Creek (0606D) at NHD RC 12020001000071 .
----------	---

<u>Parameter(s)</u>	<u>Level of Concern</u>
Nitrate in water	CS

0606A_01	From the confluence with Neches River (0606), per WQS App. D first entry for Prairie Creek at NHD RC 12020001000071 in Smith County upstream to the confluence with Black Fork Creek (0606D) at NHD RC 12020001000071 .
----------	---

SEG ID: 0607 Pine Island Bayou

From the confluence with the Neches River in Hardin/Jefferson County to FM 787 in Hardin County

<u>Parameter(s)</u>	<u>Level of Concern</u>
depressed dissolved oxygen	CS

0607_01	From the confluence with the Neches River upstream to unnamed tributary at NHD RC 12020007001215 that runs through Sherwood Drive in northern City of Beaumont.
---------	---

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:0607A Boggy Creek

From the confluence of Pine Island Bayou upstream to the confluence with an unnamed tributary 4 km downstream of the crossing of the Southern Pacific Railroad.

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

0607A_02 From the confluence with unnamed tributary 0.39 km downstream of CR 421 upstream to confluence with unnamed tributary 4 km downstream of the crossing of the Southern Pacific Railroad, per WQS App. D, at NHD RC 12020007003034.

Parameter(s)

impaired habitat

Level of Concern

CS

0607A_02 From the confluence with unnamed tributary 0.39 km downstream of CR 421 upstream to confluence with unnamed tributary 4 km downstream of the crossing of the Southern Pacific Railroad, per WQS App. D, at NHD RC 12020007003034.

SEG ID:0607B Little Pine Island Bayou

From the confluence of Pine Island Bayou southwest of Lumberton in Hardin County to the upstream perennial portion of the stream west of Kountze in Hardin County

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

0607B_02 From the confluence with unnamed tributary 1.1 km SE of intersection of FM 770 and 787 upstream to headwaters 5.5 km SE of City of Segno in Polk County at NHD RC 12020007000151.

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

0607B_02 From the confluence with unnamed tributary 1.1 km SE of intersection of FM 770 and 787 upstream to headwaters 5.5 km SE of City of Segno in Polk County at NHD RC 12020007000151.

From the confluence with unnamed tributary 1.1 km SE of intersection of FM 770 and 787 upstream to headwaters 5.5 km SE of City of Segno in Polk County at NHD RC 12020007000151.

SEG ID: 0608 Village Creek

From the confluence with the Neches River in Hardin County to Lake Kimble Dam in Hardin County

Parameter(s)

mercury in edible tissue

Level of Concern

CS

0608_01 From the confluence with Neches River (0602) upstream to confluence with Cypress Creek (0608C)

0608_02 From the confluence with Cypress Creek (0608C) upstream to confluence with Beech Creek (0608A)

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:0608A Beech Creek

From the confluence of Village Creek northeast of Kountze in Hardin County to the upstream perennial portion of the stream southeast of Woodville in Tyler County

Parameter(s)

Level of Concern

bacteria (Recreation Use)

CN

0608A_01 From the confluence with Village Creek (0608) at NHD RC 12020006000017 upstream to the confluence with Drakes Branch 0.35 km upstream of FM1943 RD E at NHD RC 12020006000025

0608A_02 From the confluence with Drakes Branch upstream to headwaters 0.62 km south of FM 1746 at NHD RC 12020006000035.

Parameter(s)

Level of Concern

impaired habitat

CS

0608A_02 From the confluence with Drakes Branch upstream to headwaters 0.62 km south of FM 1746 at NHD RC 12020006000035.

SEG ID:0608B Big Sandy Creek

From the confluence of Village and Kimball Creeks in Hardin County upstream to headwaters in Polk County

Parameter(s)

Level of Concern

depressed dissolved oxygen

CS

0608B_04 From the confluence with Bear Creek in Polk County upstream to headwaters about 5 km SE of intersection of US Hwy 59 and FM 62 at NHD RC 12020006000133.

SEG ID:0608C Cypress Creek

From the confluence of Village Creek (0608) east of Kountze in Hardin County to the confluence with Bad Luck Creek northwest of Kountze in Hardin County

Parameter(s)

Level of Concern

bacteria (Recreation Use)

CN

0608C_01 Upper portion from the confluence with unnamed tributary upstream of Pea Monk Branch upstream to confluence with Bad Luck Creek, per WQS App. D, at NHD RC 12020006000148.

Parameter(s)

Level of Concern

impaired habitat

CS

0608C_01 Upper portion from the confluence with unnamed tributary upstream of Pea Monk Branch upstream to confluence with Bad Luck Creek, per WQS App. D, at NHD RC 12020006000148.

2018 Texas Integrated Report - Water Bodies with Concerns for Use Attainment and Screening Levels

SEG ID: 0610 Sam Rayburn Reservoir

From Sam Rayburn Dam to a point 5.6 km (3.5 mi) upstream of Marion's Ferry on the Angelina River Arm and to a point 3.9 km (2.4 mi) downstream of Curry Creek on the Attoyac Bayou Arm, up to the normal pool elevation of 164.4 feet (except on the Angelina R

<u>Parameter(s)</u>	<u>Level of Concern</u>
depressed dissolved oxygen	CS
0610_10 Sam Rayburn upper Ayish Bayou arm	

<u>Parameter(s)</u>	<u>Level of Concern</u>
iron in sediment	CS
0610_01 Sam Rayburn main pool by the dam to the Bear Creek and Ayish Arms	
0610_02 Sam Rayburn lower Angelina River arm	
0610_03 Sam Rayburn mid-Angelina River arm (area around SH 147)	
0610_04 Sam Rayburn upper mid-Angelina River arm	
0610_05 Sam Rayburn lower Attoyac Bayou arm	
0610_06 Sam Rayburn upper Attoyac Bayou arm	
0610_07 Sam Rayburn upper Angelina arm	
0610_08 Sam Rayburn Bear Creek arm	
0610_09 Sam Rayburn lower Ayish Bayou arm	
0610_10 Sam Rayburn upper Ayish Bayou arm	

<u>Parameter(s)</u>	<u>Level of Concern</u>
manganese in sediment	CS
0610_01 Sam Rayburn main pool by the dam to the Bear Creek and Ayish Arms	
0610_02 Sam Rayburn lower Angelina River arm	
0610_03 Sam Rayburn mid-Angelina River arm (area around SH 147)	
0610_04 Sam Rayburn upper mid-Angelina River arm	
0610_05 Sam Rayburn lower Attoyac Bayou arm	
0610_06 Sam Rayburn upper Attoyac Bayou arm	
0610_07 Sam Rayburn upper Angelina arm	
0610_08 Sam Rayburn Bear Creek arm	
0610_09 Sam Rayburn lower Ayish Bayou arm	
0610_10 Sam Rayburn upper Ayish Bayou arm	

<u>Parameter(s)</u>	<u>Level of Concern</u>
mercury in edible tissue	CS
0610_01 Sam Rayburn main pool by the dam to the Bear Creek and Ayish Arms	
0610_02 Sam Rayburn lower Angelina River arm	
0610_03 Sam Rayburn mid-Angelina River arm (area around SH 147)	
0610_04 Sam Rayburn upper mid-Angelina River arm	
0610_05 Sam Rayburn lower Attoyac Bayou arm	
0610_06 Sam Rayburn upper Attoyac Bayou arm	
0610_07 Sam Rayburn upper Angelina arm	
0610_08 Sam Rayburn Bear Creek arm	
0610_09 Sam Rayburn lower Ayish Bayou arm	
0610_10 Sam Rayburn upper Ayish Bayou arm	

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:0610A Ayish Bayou

Perennial stream from the headwaters of Sam Rayburn Reservoir to the dam impounding Bland Lake approximately 0.1km upstream of FM 1279 near the City of San Augustine

Parameter(s)

Level of Concern

depressed dissolved oxygen

CS

0610A_01 From the headwaters of Sam Rayburn Reservoir, per WQS App. D, about 2.4 km north of FM 83 upstream to confluence with unnamed tributary about 0.4 km SW of intersection of SH 147 and AT and SF Railroad at NHD RC 12020005000036.

SEG ID:0610P Bayou Carrizo

From the confluence with Sam Rayburn Reservoir upstream to the headwaters near FM 941 in the City of Appleby

Parameter(s)

Level of Concern

bacteria (Recreation Use)

CN

0610P_01 From the confluence with Sam Rayburn Reservoir upstream to the headwaters near FM 941 in the City of Appleby

SEG ID: 0611 Angelina River Above Sam Rayburn Reservoir

From the aqueduct crossing 1.0 km (0.6 mi) upstream of the confluence of Paper Mill Creek in Angelina/Nacogdoches County to the confluence of Barnhardt Creek and Mill Creek at FM 225 in Rusk County

Parameter(s)

Level of Concern

Total Phosphorus in water

CS

0611_04 From a point immediately upstream of confluence with East Fork Angelina River (0611A) upstream to confluence with Barnhardt and Mill Creeks.

SEG ID:0611A East Fork Angelina River

From the confluence of the Angelina River at the Rusk/Nacogdoches county line upstream to the confluence with Wooten Creek in Rusk County

Parameter(s)

Level of Concern

bacteria (Recreation Use)

CN

0611A_02 From a point immediately upstream of confluence with Beech Creek (0611J) upstream to confluence with Wooten Creek (0611P)

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:0611B La Nana Bayou

From the confluence of the Angelina River south of Nacogdoches in Nacogdoches County to the upstream perennial portion of the stream north of Nacogdoches in Nacogdoches County

Parameter(s)

nitrate

Level of Concern

CS

0611B_01 From the confluence with Angelina River (0611), per WQS App. D, upstream to State Loop 224 in City of Nacogdoches

Parameter(s)

total phosphorus

Level of Concern

CS

0611B_01 From the confluence with Angelina River (0611), per WQS App. D, upstream to State Loop 224 in City of Nacogdoches

SEG ID:0611D West Mud Creek

Perennial stream from the confluence with Mud Creek in Cherokee County upstream to the confluence of an unnamed tributary 300 meters upstream of the most northern crossing of US 69 (approximately 2.25 km south of the intersection of Loop 323) in the City

Parameter(s)

Ammonia in water

Level of Concern

CS

0611D_01 From the confluence with Mud Creek (0611C), per WQS App. D, upstream to confluence with unnamed tributary about 75 m north of WWTP in City of Tyler at NHD RC 12020004000212.

Parameter(s)

nitrate

Level of Concern

CS

0611D_01 From the confluence with Mud Creek (0611C), per WQS App. D, upstream to confluence with unnamed tributary about 75 m north of WWTP in City of Tyler at NHD RC 12020004000212.

SEG ID:0611V Bowles Creek

From the confluence with Striker Creek in Cherokee County upstream to the headwaters in the City of Overton, 0.09 mi west of FM 2089

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

0611V_01 From the confluence with Striker Creek in Cherokee County upstream to the headwaters in the City of Overton, 0.09 mi west of FM 2089
From the confluence with Striker Creek in Cherokee County upstream to the headwaters in the City of Overton, 0.09 mi west of FM 2089

SEG ID: 0612 Attoyac Bayou

From a point 3.9 km (2.4 mi) downstream of Curry Creek in Nacogdoches/San Augustine County to FM 95 in Rusk County

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

0612_01 From the lower boundary approximately at confluence with Granberry Branch upstream to confluence with Polly Branch.

2018 Texas Integrated Report - Water Bodies with Concerns for Use Attainment and Screening Levels

SEG ID: 0612F West Creek

From the confluence with Attoyac Bayou in Shelby Co. to the headwaters approximately 2.2 km upstream of CR 4054 in Shelby Co.

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

0612F_01 From the confluence with Attoyac Bayou in Shelby Co. to the headwaters approximately 2.2 km upstream of CR 4054 in Shelby Co.

SEG ID: 0701 Taylor Bayou/North Fork Taylor Bayou Above Tidal

From the saltwater lock 7.7 km (4.8 mi) downstream of SH 73 in Jefferson County to the Lower Neches Valley Authority Canal crossing of North Fork Taylor Bayou in Jefferson County

Parameter(s)

chlorophyll-a

Level of Concern

CS

0701_01 From the saltwater lock 7.7 km (4.8 mi) downstream of SH 73 in Jefferson County, per WQS App. C, upstream to the confluence with Hillebrandt Bayou (0704)

0701_02 From the confluence with Hillebrandt Bayou upstream to confluences with North Fork Taylor Bayou and South Fork Bayou

0701_03 North Fork Taylor Bayou from the confluence with Taylor Bayou and South Fork Taylor Bayou upstream to the Lower Neches Valley Authority Canal, per WQS App. C, about 2.7 km SW of intersection of FM 1406 and FM 365 Road south of the City of Nome

SEG ID: 0701D Shallow Prong Lake

Widest upper portion of Big Hill Bayou about 2.0 km (1.26 mi) north of Blind Lake

Parameter(s)

arsenic in edible tissue

Level of Concern

CS

0701D_01 Portion of Big Hill Bayou, Shallow Prong portion of NHD RC 12040201006920

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

0701D_01 Portion of Big Hill Bayou, Shallow Prong portion of NHD RC 12040201006920

Portion of Big Hill Bayou, Shallow Prong portion of NHD RC 12040201006920

SEG ID: 0702 Intracoastal Waterway Tidal

From the confluence with Galveston Bay at Port Bolivar to the confluence with the Sabine-Neches/Port Arthur Canal (including Taylor Bayou Tidal from the confluence with the Intracoastal Waterway up to the saltwater lock 7.7 km (4.8 mi) downstream of SH 73

Parameter(s)

chlorophyll-a

Level of Concern

CS

0702_02 Taylor Bayou tidal from the confluence with the Intracoastal Waterway Tidal to the saltwater barriers.

2018 Texas Integrated Report - Water Bodies with Concerns for Use Attainment and Screening Levels

SEG ID:0702A Alligator Bayou and Main Canals A, B, C, and D

All perennial canals in Jefferson County Drainage District No. 7 that eventually drain into the tidal portion of Taylor Bayou at the pump house gate, including Alligator Bayou

<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS
0702A_01	From Taylor Bayou Tidal (0702) to confluence with Main Canal D above SH 82.
0702A_03	Main Canal D from the confluence with Alligator Bayou at SH 82 upstream to about 0.35 km upstream of confluence with Canal A

<u>Parameter(s)</u>	<u>Level of Concern</u>
lead in sediment	CS
0702A_01	From Taylor Bayou Tidal (0702) to confluence with Main Canal D above SH 82.

SEG ID: 0704 Hillebrandt Bayou

From the confluence of Taylor Bayou in Jefferson County to a point 100 meters (110 yards) upstream of SH 124 in Jefferson County

<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS
0704_01	From the confluence with Taylor Bayou Above Tidal (0701) upstream to confluence with Willow Marsh Bayou (0704A)
0704_02	From the confluence with Willow Marsh Bayou (0704A) upstream to a point 100 meters (110 yards) upstream of SH 124 in Jefferson County

<u>Parameter(s)</u>	<u>Level of Concern</u>
depressed dissolved oxygen	CS
0704_02	From the confluence with Willow Marsh Bayou (0704A) upstream to a point 100 meters (110 yards) upstream of SH 124 in Jefferson County

SEG ID:0704D Bayou Din

From the confluence with Hillebrandt Bayou upstream to headwaters in Jefferson County

<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS
0704D_01	From the confluence with Hillebrandt Bayou upstream to headwaters in Jefferson County

<u>Parameter(s)</u>	<u>Level of Concern</u>
depressed dissolved oxygen	CS
0704D_01	From the confluence with Hillebrandt Bayou upstream to headwaters in Jefferson County

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
0704D_01	From the confluence with Hillebrandt Bayou upstream to headwaters in Jefferson County

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID: 0801 Trinity River Tidal

Trinity River Tidal - from the saltwater barrier, which is 5.5 km (3.4 mi) downstream of IH 10, in Chambers County to a point 3.1 km (1.9 mi) downstream of US 90 in Liberty County

Parameter(s)

chlorophyll-a

Level of Concern

CS

0801_01 From the saltwater barrier, which is 5.5 km (3.4 mi) downstream of IH 10, in Chambers County upstream to the Lynchburg Canal in Liberty County

SEG ID:0801B Old River

From IH 10 in Chambers County upstream to the confluence with East Prong Old River and West Prong Old River approximately 4.4 mi (7.0 km) north of Mont Belvieu

Parameter(s)

chlorophyll-a

Level of Concern

CS

0801B_01 From IH 10 in Chambers County upstream to the confluence with East Prong Old River and West Prong Old River approximately 4.4 mi (7.0 km) north of Mont Belvieu

SEG ID:0801C Cotton Bayou

From the confluence of Cotton Lake southeast of Mont Belvieu in Chambers County upstream to a point (NHD RC 12040203000496) approximately 1 mi north of IH 10 in Chambers County

Parameter(s)

chlorophyll-a

Level of Concern

CS

0801C_01 From the confluence of Cotton Lake southeast of Mont Belvieu in Chambers County upstream to a point (NHD RC 12040203000496) approximately 1 mi north of IH 10 in Chambers County

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

0801C_01 From the confluence of Cotton Lake southeast of Mont Belvieu in Chambers County upstream to a point (NHD RC 12040203000496) approximately 1 mi north of IH 10 in Chambers County

Parameter(s)

nitrate

Level of Concern

CS

0801C_01 From the confluence of Cotton Lake southeast of Mont Belvieu in Chambers County upstream to a point (NHD RC 12040203000496) approximately 1 mi north of IH 10 in Chambers County

Parameter(s)

total phosphorus

Level of Concern

CS

0801C_01 From the confluence of Cotton Lake southeast of Mont Belvieu in Chambers County upstream to a point (NHD RC 12040203000496) approximately 1 mi north of IH 10 in Chambers County

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:0801D Lynchburg Canal

From confluence with Trinity River Tidal upstream to confluence with Big Caney Creek.

Parameter(s)

Chlorophyll-a in water

Level of Concern

CS

0801D_01 From confluence with Trinity River Tidal upstream to confluence with Big Caney Creek.

SEG ID: 0802 Trinity River Below Lake Livingston

From a point 3.1 km (1.9 mi) downstream of US 90 in Liberty County to Livingston Dam in Polk/San Jacinto County

Parameter(s)

chlorophyll-a

Level of Concern

CS

0802_01 Lower 17 mi of segment

0802_03 11 mi upstream to approximately 9 mi downstream of FM 787

0802_04 5 mi upstream to 11 mi downstream of US 59

0802_05 Upper 6 mi of segment

SEG ID:0802B Long King Creek

Perennial stream from the confluence with the Trinity River upstream to the confluence with an unnamed tributary approximately 1.2 km upstream of FM 350 near the City of Livingston

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

0802B_02 From just upstream of the confluence with unnamed tributary (NHD RC 12030202001817) up to the confluence with Mud Creek, in Polk County.

SEG ID:0802E Big Creek

Perennial stream from the confluence with the Trinity River in Liberty County upstream to the confluence of Double Lake Branch and Henry Lake Branch in San Jacinto County

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

0802E_01 Perennial stream from the confluence with the Trinity River in Liberty County upstream to the confluence of Double Lake Branch and Henry Lake Branch in San Jacinto County

2018 Texas Integrated Report - Water Bodies with Concerns for Use Attainment and Screening Levels

SEG ID: 0803 Lake Livingston

From Livingston Dam in Polk/San Jacinto County to a point 1.8 km (1.1 mi) upstream of Boggy Creek in Houston/Leon County, up to normal pool elevation of 131 feet (impounds Trinity River)

<u>Parameter(s)</u>	<u>Level of Concern</u>
depressed dissolved oxygen	CS
0803_09 West Carolina Creek cove, off upper portion of reservoir	

<u>Parameter(s)</u>	<u>Level of Concern</u>
Excessive algal growth in water	CS
0803_01 Lowermost portion of reservoir, adjacent to dam	
0803_02 Lower portion of reservoir, East Wolf Creek	
0803_03 Lower portion of reservoir, East Willow Springs	
0803_04 Middle portion of reservoir, East Pointblank	
0803_05 Middle portion of reservoir, downstream of Kickapoo Creek	
0803_06 Middle portion of reservoir, centering on US 190	
0803_07 Upper portion of reservoir, west of Carlisle	
0803_08 Cove off upper portion of reservoir, East Trinity	
0803_09 West Carolina Creek cove, off upper portion of reservoir	
0803_10 Upper portion of reservoir, centering on SH 19	
0803_11 Riverine portion of reservoir, centering on SH 21	
0803_12 Remainder of reservoir	

SEG ID:0803A Harmon Creek

From the confluence with Lake Livingston (normal pool elevation of 131 feet) to the confluence of East Fork Harmon Creek east of Huntsville in Walker County

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
0803A_01 A 16 mi (25.7 km) stretch of Harmon Creek extending from Lake Livingston (normal pool elevation of 131 feet) upstream to the confluence of East Fork Harmon Creek.	

<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS
0803A_01 A 16 mi (25.7 km) stretch of Harmon Creek extending from Lake Livingston (normal pool elevation of 131 feet) upstream to the confluence of East Fork Harmon Creek.	

SEG ID:0803B White Rock Creek

From the confluence of Lake Livingston northeast of Trinity in Trinity County to the upstream perennial portion of the stream east of Lovelady in Houston County

<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS
0803B_01 Lower 25 mi of segment	

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID: 0803F Bédias Creek

From the confluence with segment 0803 Trinity River, to upper end of Bédias Creek, NHD
RC 12030202000350

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

0803F_01 From the confluence with segment 0803 Trinity River up to confluence with Poole Creek
(NHD RC 12030202000572)

Parameter(s)

chlorophyll-a

Level of Concern

CS

0803F_01 From the confluence with segment 0803 Trinity River up to confluence with Poole Creek
(NHD RC 12030202000572)

Parameter(s)

zinc in water

Level of Concern

CN

0803F_02 From the confluence with Poole Creek (NHD RC 12030202000572) to upper end of NHD
RC Bédias Creek (NHD RC 12030202000350)

2018 Texas Integrated Report - Water Bodies with Concerns for Use Attainment and Screening Levels

SEG ID: 0804 Trinity River Above Lake Livingston

From a point 1.8 km (1.1 mi) upstream of Boggy Creek in Houston/Leon County to a point immediately upstream of the confluence of the Cedar Creek Reservoir discharge canal in Henderson/Navarro County

<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS
0804_01	From the lower end of the segment up to just above the confluence with Hurricane Bayou in Houston County.
0804_02	From just upstream of the confluence with Hurricane Bayou up to just above the confluence with Boons Creek.
0804_07	From just above the confluence with Richland Creek in Henderson County, up to the upper end of the segment.

<u>Parameter(s)</u>	<u>Level of Concern</u>
Chlorophyll-a in water	CS
0804_04	From the confluence with Caney Creek up to just above the confluence with Indian Creek in Anderson County.

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
0804_01	From the lower end of the segment up to just above the confluence with Hurricane Bayou in Houston County.
0804_02	From just upstream of the confluence with Hurricane Bayou up to just above the confluence with Boons Creek.
0804_03	From just upstream of the confluence with Boons Creek up to just above the confluence with Caney Creek.
0804_04	From the confluence with Caney Creek up to just above the confluence with Indian Creek in Anderson County.
0804_07	From just above the confluence with Richland Creek in Henderson County, up to the upper end of the segment.

<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS
0804_01	From the lower end of the segment up to just above the confluence with Hurricane Bayou in Houston County.
0804_02	From just upstream of the confluence with Hurricane Bayou up to just above the confluence with Boons Creek.
0804_04	From the confluence with Caney Creek up to just above the confluence with Indian Creek in Anderson County.
0804_07	From just above the confluence with Richland Creek in Henderson County, up to the upper end of the segment.

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:0804F Tehuacana Creek

From the confluence with the Trinity River northeast of Fairfield in Freestone County to the headwaters northwest of Mexia in Limestone County

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

0804F_02 A 28.4 mi (45.7 km) stretch of Tehuacana Creek extending from the confluence with Caney Creek to the upper end (NHD RC 120302010000225) of Tehuacana Creek.

Parameter(s)

chlorophyll-a

Level of Concern

CS

0804F_01 A 27 mi stretch of Tehuacana Creek extending from the confluence with 0804 of the Trinity River up to the confluence with Caney Creek (NHD RC 120302010000226).

SEG ID:0804G Catfish Creek

Twenty mile stretch of Catfish Creek running upstream from US 287 in Anderson Co., to Catfish Creek Ranch Lake just upstream of SH 19 in Henderson Co.

Parameter(s)

depressed dissolved oxygen

Level of Concern

CN

0804G_01 A 20 mi stretch of Catfish Creek running upstream from US 287 in Anderson Co., to Catfish Creek Ranch Lake just upstream of SH 19 in Henderson Co.

SEG ID:0804H Upper Keechi Creek

From confluence with segment 0804 Trinity River to the upper end of NHD stream Upper Keechi Creek (NHD RC 12030201001075)

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

0804H_01 From the confluence with segment 0804 Trinity River up to confluence with Twin Branch (NHD RC 12030201027099)

Parameter(s)

chlorophyll-a

Level of Concern

CS

0804H_01 From the confluence with segment 0804 Trinity River up to confluence with Twin Branch (NHD RC 12030201027099)

SEG ID: 0804J Fairfield Lake

Impounded Big Brown Creek in Freestone County

Parameter(s)

fish kill report

Level of Concern

CN

0804J_01 Impounded Big Brown Creek in Freestone County

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:0804K Lower Keechi Creek

Perennial stream from the confluence with the Trinity River in Leon County upstream to the headwaters in Jewett in Leon County

Parameter(s)

Level of Concern

depressed dissolved oxygen

CS

0804K_01 Perennial stream from the confluence with the Trinity River in Leon County upstream to the headwaters in Jewett in Leon County

SEG ID:0804L Town Creek

Perennial stream from the confluence with Keechi Creek upstream to SH 256 (Appendix D)

Parameter(s)

Level of Concern

bacteria (Recreation Use)

CN

0804L_01 Perennial stream from the confluence with Keechi Creek upstream to SH 256 (Appendix D)

Parameter(s)

Level of Concern

nitrate

CS

0804L_01 Perennial stream from the confluence with Keechi Creek upstream to SH 256 (Appendix D)

SEG ID:0804M Bassett Creek

Perennial stream from the confluence with Town Creek upstream to Blue Lake

Parameter(s)

Level of Concern

impaired fish community

CN

0804M_02 From approximately 15m upstream of the processing plant outfall upstream to Blue Lake

2018 Texas Integrated Report - Water Bodies with Concerns for Use Attainment and Screening Levels

SEG ID: 0805 Upper Trinity River

From a point immediately upstream of the confluence of the Cedar Creek Reservoir discharge canal in Henderson/Navarro County to a point immediately upstream of the confluence of Elm Fork Trinity River in Dallas County

<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS
0805_01	From confluence of the Cedar Creek Reservoir discharge canal upstream to confluence of Smith Creek.
0805_02	From confluence of Smith Creek upstream to confluence of Tenmile Creek.

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
0805_01	From confluence of the Cedar Creek Reservoir discharge canal upstream to confluence of Smith Creek.
0805_02	From confluence of Smith Creek upstream to confluence of Tenmile Creek.
0805_03	From the confluence of Fivemile Creek upstream to the confluence of Cedar Creek.
0805_04	From confluence of Cedar Creek upstream to confluence of Elm Fork Trinity River
0805_06	From confluence of Tenmile Creek upstream to confluence of Fivemile Creek

<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS
0805_01	From confluence of the Cedar Creek Reservoir discharge canal upstream to confluence of Smith Creek.
0805_02	From confluence of Smith Creek upstream to confluence of Tenmile Creek.
0805_03	From the confluence of Fivemile Creek upstream to the confluence of Cedar Creek.
0805_04	From confluence of Cedar Creek upstream to confluence of Elm Fork Trinity River
0805_06	From confluence of Tenmile Creek upstream to confluence of Fivemile Creek

SEG ID: 0806 West Fork Trinity River Below Lake Worth

From a point immediately upstream of the confluence of Village Creek in Tarrant County to Lake Worth Dam in Tarrant County

<u>Parameter(s)</u>	<u>Level of Concern</u>
bacteria (Recreation Use)	CN
0806_02	From confluence of Clear Fork Trinity River upstream to Lake Worth Dam

<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS
0806_01	From confluence of Village Creek upstream to confluence of Clear Fork Trinity River

SEG ID:0806A Fosdic Lake

From Fosdic Lake Dam to the reservoir headwaters in Oakland Lake Park in Tarrant County

<u>Parameter(s)</u>	<u>Level of Concern</u>
arsenic in edible tissue	CS
0806A_01	From Fosdic Lake Dam to the reservoir headwaters in Oakland Lake Park in Tarrant County

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID: 0806F Little Fossil Creek

A 13.7 mi stretch of Little Fossil Creek running upstream from confluence with segment 0806 W. Fork Trinity River upstream to upper end (NHD RC Reach Code of NHD RC stream Little Fossil Creek.

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

0806F_01 A 13.7 mi stretch of Little Fossil Creek running upstream from confluence with segment 0806 W. Fork Trinity River upstream to upper end (NHD RC Reach Code of NHD RC stream Little Fossil Creek.

SEG ID: 0809 Eagle Mountain Reservoir

From Eagle Mountain Dam in Tarrant County to a point 0.6 km (0.4 mi) downstream of the confluence of Oates Branch in Wise County up to normal pool elevation of 649.1 feet (impounds West Fork Trinity River)

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

0809_01 Lowermost portion of reservoir near east end of dam

SEG ID: 0809A Walnut Creek

From the normal pool elevation of Eagle Mountain Reservoir up to the headwaters approximately 2.1 mi upstream of State Highway 199 in Parker County.

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

0809A_01 From the normal pool elevation of Eagle Mountain Reservoir up to the headwaters approximately 2.1 mi upstream of State Highway 199 in Parker County.

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

0809A_01 From the normal pool elevation of Eagle Mountain Reservoir up to the headwaters approximately 2.1 mi upstream of State Highway 199 in Parker County.

SEG ID: 0809B Ash Creek

Intermittent stream with perennial pools from Eagle Mountain Lake in Tarrant County upstream to its confluence with Mill Branch in Parker County

Parameter(s)

nitrate

Level of Concern

CS

0809B_01 Intermittent stream with perennial pools from Eagle Mountain Lake in Tarrant County upstream to its confluence with Mill Branch in Parker County

Parameter(s)

total phosphorus

Level of Concern

CS

0809B_01 Intermittent stream with perennial pools from Eagle Mountain Lake in Tarrant County upstream to its confluence with Mill Branch in Parker County

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:0809C Dosier Creek

Perennial stream from the confluence of Dosier Slough cove upstream to the confluence with an intermittent stream 1 km upstream of Boat Club Road

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

0809C_01 Perennial stream from the confluence of Dosier Slough cove upstream to the confluence with an intermittent stream 1 km upstream of Boat Club Road

SEG ID:0809D Derrett Creek

Perennial stream from the confluence with Derrett Creek cove to 0.22 km upstream of FM 718 where the waterbody meets an intermittent stream

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

0809D_01 Perennial stream from the confluence with Derrett Creek cove to 0.22 km upstream of FM 718 where the waterbody meets an intermittent stream

SEG ID: 0810 West Fork Trinity River Below Bridgeport Reservoir

From a point 0.6 km (0.4 mi) downstream of the confluence of Oates Branch in Wise County to Bridgeport Dam in Wise County

Parameter(s)

Chlorophyll-a in water

Level of Concern

CS

0810_01 Lower 25 mi of segment

SEG ID:0811A Big Creek

From the confluence with Bridgeport Reservoir at normal pool elevation upstream to the headwaters adjacent to FM 2127 in Jack County

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

0811A_01 From the confluence with Bridgeport Reservoir at normal pool elevation upstream to the headwaters adjacent to FM 2127 in Jack County

SEG ID:0811B Beans Creek

Perennial stream from the confluence with Bridgeport Reservoir at normal pool elevation upstream to the headwaters approximately 4.4 km north of Perrin in Jack County

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

0811B_01 Perennial stream from the confluence with Bridgeport Reservoir at normal pool elevation upstream to the headwaters approximately 4.4 km north of Perrin in Jack County

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID: 0812 West Fork Trinity River Above Bridgeport Reservoir

From a point immediately upstream of the confluence of Bear Hollow in Jack County to SH 79 in Archer County

<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS
0812_01 Lower 25 mi of segment	

SEG ID: 0814 Chambers Creek Above Richland-Chambers Reservoir

From a point 4.0 km (2.5 mi) downstream of Tupelo Branch in Navarro County to the confluence of North Fork Chambers Creek and South Fork Chambers Creek

<u>Parameter(s)</u>	<u>Level of Concern</u>
bacteria (Recreation Use)	CN
0814_02 From just above the confluence with Cummins Creek up to just above the confluence with Waxahachie Creek.	

<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS
0814_01 From the lower end of the segment up to just above the confluence with Cummins Creek.	

<u>Parameter(s)</u>	<u>Level of Concern</u>
Nitrate in water	CS
0814_02 From just above the confluence with Cummins Creek up to just above the confluence with Waxahachie Creek.	

<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS
0814_01 From the lower end of the segment up to just above the confluence with Cummins Creek.	

SEG ID: 0815 Bardwell Reservoir

From Bardwell Dam in Ellis County up to the normal pool elevation of 421 feet (impounds Waxahachie Creek)

<u>Parameter(s)</u>	<u>Level of Concern</u>
depressed dissolved oxygen	CS
0815_01 From Bardwell Dam in Ellis County up to the normal pool elevation of 421 feet (impounds Waxahachie Creek)	

SEG ID:0815A Waxahachie Creek

Perennial stream from the confluence with the normal pool elevation of Bardwell Reservoir upstream to the confluence with North Prong Creek

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
0815A_01 Perennial stream from the confluence with the normal pool elevation of Bardwell Reservoir upstream to the confluence with North Prong Creek	

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID: 0817 Navarro Mills Lake

From Navarro Mills Dam in Navarro County up to normal pool elevation of 424.5 feet
(impounds Richland Creek)

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

0817_01 From Navarro Mills Dam in Navarro County up to normal pool elevation of 424.5 feet
(impounds Richland Creek)

SEG ID: 0818 Cedar Creek Reservoir

From Joe B. Hoggsett Dam in Henderson County up to normal pool elevation of 322 feet
(impounds Cedar Creek)

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

0818_06 Middle portion of reservoir downstream of Twin Creeks cove

0818_13 From Joe B. Hoggsett Dam in Henderson County up to normal pool elevation of 322 feet
(impounds Cedar Creek)

SEG ID:0818C Kings Creek

Intermittent stream with perennial pools from the confluence with Cedar Creek Reservoir at normal pool elevation upstream to the headwaters adjacent to FM 986 approximately 5 km north of Terrell in Kaufman County

Parameter(s)

nitrate

Level of Concern

CS

0818C_01 Intermittent stream with perennial pools from the confluence with Cedar Creek Reservoir at normal pool elevation upstream to the headwaters adjacent to FM 986 approximately 5 km north of Terrell in Kaufman County

SEG ID:0818D Lacy Fork

Intermittent stream with perennial pools from the confluence with Cedar Creek Reservoir at normal pool elevation upstream to the confluence of Dry Lacy Fork and Wet Lacy Fork in Van Zandt County

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

0818D_01 Intermittent stream with perennial pools from the confluence with Cedar Creek Reservoir at normal pool elevation upstream to the confluence of Dry Lacy Fork and Wet Lacy Fork in Van Zandt County

SEG ID:0818F Clear Creek

Perennial stream from the confluence with Clear Creek Cove upstream to the north edge of the highway 175.

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

0818F_01 Perennial stream from the confluence with Clear Creek Cove upstream to the north edge of the highway 175.

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:0818G North Twin Creek

Perennial stream from the confluence with Twin Creeks cove to 3 km northeast of the intersection of highway 175

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

0818G_01 Perennial stream from the confluence with Twin Creeks cove to 3 km northeast of the intersection of highway 175

SEG ID:0818H South Twin Creek

Perennial stream from the confluence with Twin Creeks cove upstream to 3.15 km northeast of where the waterbody intersects highway 175

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

0818H_01 Perennial stream from the confluence with Twin Creeks cove upstream to 3.15 km northeast of where the waterbody intersects highway 175

SEG ID: 0818I Caney Creek

Intermittent stream with perennial pools from the confluence with Cedar Creek Reservoir upstream to the dam on Third Caney Creek approximately 1.8 km north of the intersection of SH 7 and US 175 in Athens

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

0818I_01 Intermittent stream with perennial pools from the confluence with Cedar Creek Reservoir upstream to the dam on Third Caney Creek approximately 1.8 km north of the intersection of SH 7 and US 175 in Athens

SEG ID: 0819 East Fork Trinity River

From the confluence with the Trinity River in Kaufman County to Rockwall-Forney Dam in Kaufman County

Parameter(s)

chlorophyll-a

Level of Concern

CS

0819_01 From the confluence with the Trinity River in Kaufman County to Rockwall-Forney Dam in Kaufman County

Parameter(s)

nitrate

Level of Concern

CS

0819_01 From the confluence with the Trinity River in Kaufman County to Rockwall-Forney Dam in Kaufman County

Parameter(s)

total phosphorus

Level of Concern

CS

0819_01 From the confluence with the Trinity River in Kaufman County to Rockwall-Forney Dam in Kaufman County

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:0819B Buffalo Creek

Perennial stream from the confluence with the East Fork Trinity River up to 0.6 km above the confluence of Little Buffalo Creek

Parameter(s)

nitrate

Level of Concern

CS

0819B_01 Perennial stream from the confluence with the East Fork Trinity River up to 0.6 km above the confluence of Little Buffalo Creek

Parameter(s)

total phosphorus

Level of Concern

CS

0819B_01 Perennial stream from the confluence with the East Fork Trinity River up to 0.6 km above the confluence of Little Buffalo Creek

SEG ID:0820B Rowlett Creek

Perennial stream from the normal pool elevation of Lake Ray Hubbard upstream to the Parker Road crossing

Parameter(s)

nitrate

Level of Concern

CS

0820B_01 Perennial stream from the normal pool elevation of Lake Ray Hubbard upstream to the Parker Road crossing

SEG ID:0820C Muddy Creek

From the confluence with Lake Ray Hubbard, in Dallas County, to the headwaters east of Allen, in Collin County

Parameter(s)

nitrate

Level of Concern

CS

0820C_01 From the confluence with Lake Ray Hubbard, in Dallas County, to the headwaters east of Allen, in Collin County

SEG ID: 0822 Elm Fork Trinity River Below Lewisville Lake

From the confluence with the West Fork Trinity River in Dallas County to Lewisville Dam in Denton County

Parameter(s)

chlorophyll-a

Level of Concern

CS

0822_01 Lower 11 mi of segment

0822_04 Upper 1.5 mi of segment

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

0822_01 Lower 11 mi of segment

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:0822A Cottonwood Branch

A 6 mi stretch of Cottonwood Branch running upstream from confluence with Hackberry Creek, to Valley View Road in Dallas County.

Parameter(s)

chlorophyll-a

Level of Concern

CS

0822A_01 A 2.5 mi stretch of Cottonwood Branch running upstream from confluence with Hackberry Creek to approx. 0.5 mi downstream of N. Story Rd., Dallas Co.

SEG ID:0822B Grapevine Creek

From the confluence with Elm Fork Trinity River in Dallas County upstream to its headwaters west of International Parkway at DFW Airport in Tarrant County

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

0822B_01 From the confluence with Elm Fork Trinity River in Dallas County upstream to its headwaters west of International Parkway at DFW Airport in Tarrant County

SEG ID:0822C Hackberry Creek

A 5.5 mi stretch of Hackberry Creek running upstream from confluence with Cottonwood Branch, to approximately 2.4 mi upstream of SH 114, in Irving, Dallas County.

Parameter(s)

chlorophyll-a

Level of Concern

CS

0822C_01 A 5.5 mi stretch of Hackberry Creek running upstream from confluence with S. Fork Hackberry Creek to approximately 2.4 mi upstream of SH 114 in Irving, Dallas Co.

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

0822C_01 A 5.5 mi stretch of Hackberry Creek running upstream from confluence with S. Fork Hackberry Creek to approximately 2.4 mi upstream of SH 114 in Irving, Dallas Co.

SEG ID:0823B Stewart Creek

From the confluence with Lake Lewisville in Denton County to the headwaters near Frisco in Collin County.

Parameter(s)

nitrate

Level of Concern

CS

0823B_01 From the confluence with Lake Lewisville in Denton County to the headwaters near Frisco in Collin County.

Parameter(s)

total phosphorus

Level of Concern

CS

0823B_01 From the confluence with Lake Lewisville in Denton County to the headwaters near Frisco in Collin County.

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:0823C Clear Creek

From the confluence with Lake Lewisville in Denton County to the headwaters west of Montague in Montague County

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

0823C_01 Lower 25 mi of segment

SEG ID: 0824 Elm Fork Trinity River Above Ray Roberts Lake

From a point 9.5 km (5.9 mi) downstream of the confluence of Pecan Creek in Cooke County to US 82 in Montague County

Parameter(s)

chlorophyll-a

Level of Concern

CS

0824_01 Lower 7.5 mi of segment

0824_03 3.5 mi reach near SH 51

Parameter(s)

nitrate

Level of Concern

CS

0824_01 Lower 7.5 mi of segment

0824_02 2 mi reach near unmarked county road, 1.4 km downstream Gainesville WWTP

SEG ID: 0825 Denton Creek

From the confluence with the Elm Fork Trinity River in Dallas County to Grapevine Dam in Tarrant County

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

0825_01 From the confluence with the Elm Fork Trinity River in Dallas County to Grapevine Dam in Tarrant County

SEG ID:0826A Denton Creek

From the confluence with Grapevine Lake in Denton County upstream to 2.3 km upstream of TX-59

Parameter(s)

nitrate

Level of Concern

CS

0826A_01 Perennial stream from the headwaters of Grapevine Lake upstream to the confluence of Trail Creek near the City of Justin

SEG ID: 0829 Clear Fork Trinity River Below Benbrook Lake

From the confluence with the West Fork Trinity River in Tarrant County to Benbrook Dam in Tarrant County

Parameter(s)

chlorophyll-a

Level of Concern

CS

0829_02 From 1 mi upstream of the confluence with West Fork Trinity River up to the confluence with Mary's Creek

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:0829A Lake Como

From Lake Como Dam to the reservoir headwaters in Lake Como Park in Tarrant County

Parameter(s)

arsenic in edible tissue

Level of Concern

CS

0829A_01 From Lake Como Dam to the reservoir headwaters in Lake Como Park in Tarrant County

SEG ID: 0831 Clear Fork Trinity River Below Lake Weatherford

From a point 200 meters (220 yards) downstream of US 377 in Tarrant County to Weatherford Dam in Parker County

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

0831_05 From the confluence of Squaw Creek to Lake Weatherford Dam

Parameter(s)

nitrate

Level of Concern

CS

0831_01 Lower 12.75 mi, downstream from South Fork Trinity River confluence

Parameter(s)

total phosphorus

Level of Concern

CS

0831_01 Lower 12.75 mi, downstream from South Fork Trinity River confluence

SEG ID:0831A South Fork Trinity River

Eleven mi stretch of South Fork Trinity River running upstream from confluence with Clear Fork Trinity River to confluence with Willow Creek, Parker Co.

Parameter(s)

total phosphorus

Level of Concern

CS

0831A_01 Eleven mi stretch of South Fork Trinity River running upstream from confluence with Clear Fork Trinity River to confluence with Willow Creek, Parker Co.

SEG ID: 0833 Clear Fork Trinity River Above Lake Weatherford

From a point 3.1 km (1.9 mi) upstream of FM 730 in Parker County, to the confluence with Strickland Creek approximately 8 km (5 mi) upstream of FM 51 in Parker County

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

0833_03 From the confluence of McKnight Branch to the confluence of Strickland Ck. approximately 8 km (5 mi) upstream of FM 51 in Parker County.

0833_04 From the confluence with Dobbs Branch to confluence with McKnight Branch

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:0833A Clear Fork Trinity River Above Strickland Creek.

From the confluence with Strickland Creek up to Turpin Lake Road in Parker County.

Parameter(s)

chlorophyll-a

Level of Concern

CS

0833A_01 From the confluence with Strickland Creek up to Turpin Lake Road in Parker County.

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

0833A_01 From the confluence with Strickland Creek up to Turpin Lake Road in Parker County.

SEG ID:0836B Cedar Creek

From the confluence with Richland Chambers Reservoir to the upper end of the creek (NHD RC 12030109012807)

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

0836B_01 From the confluence with Richland Chambers Reservoir to the upper end of the creek (NHD RC 12030109012807)

SEG ID:0836C Grape Creek

From the confluence with Richland Chambers Reservoir to the upper end of the creek (NHD RC 12030108000107) southwest of Corsicana, Navarro County, TX.

Parameter(s)

depressed dissolved oxygen

Level of Concern

CN

0836C_01 From the confluence with Richland Chambers Reservoir to the upper end of the creek (NHD RC 12030108000107) southwest of Corsicana, Navarro County, TX.

From the confluence with Richland Chambers Reservoir to the upper end of the creek (NHD RC 12030108000107) southwest of Corsicana, Navarro County, TX.

SEG ID:0836D Post Oak Creek

From the confluence with Richland Chambers Reservoir to the upper end of the creek (NHD RC 12030109012706)

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

0836D_01 From the confluence with Richland Chambers Reservoir to the upper end of the creek (NHD RC 12030109012706)

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID: 0837 Richland Creek Above Richland-Chambers Reservoir

From the confluence of Pin Oak Creek in Navarro County to Navarro Mills Dam in Navarro County

<u>Parameter(s)</u>	<u>Level of Concern</u>
bacteria (Recreation Use)	CN

0837_01	From the confluence of Pin Oak Creek in Navarro County to Navarro Mills Dam in Navarro County
---------	---

<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS

0837_01	From the confluence of Pin Oak Creek in Navarro County to Navarro Mills Dam in Navarro County
---------	---

<u>Parameter(s)</u>	<u>Level of Concern</u>
depressed dissolved oxygen	CS

0837_01	From the confluence of Pin Oak Creek in Navarro County to Navarro Mills Dam in Navarro County
---------	---

SEG ID: 0840 Ray Roberts Lake

From Ray Roberts Dam in Denton County to a point 9.5 km (5.9 mi) upstream of the confluence of Pecan Creek in Cooke County, up to the normal pool elevation of 632.5 feet (impounds Elm Fork Trinity River)

<u>Parameter(s)</u>	<u>Level of Concern</u>
depressed dissolved oxygen	CS

0840_08	Remainder of reservoir
---------	------------------------

SEG ID: 0841 Lower West Fork Trinity River

From a point immediately upstream of the confluence of the Elm Fork Trinity River in Dallas County to a point immediately upstream of the confluence of Village Creek in Tarrant County

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS

0841_01	From confluence of the Elm Fork Trinity River to the confluence with Johnson Creek.
---------	---

0841_02	From the confluence with Johnson Creek upstream to the confluence of Village Creek.
---------	---

<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS

0841_01	From confluence of the Elm Fork Trinity River to the confluence with Johnson Creek.
---------	---

0841_02	From the confluence with Johnson Creek upstream to the confluence of Village Creek.
---------	---

SEG ID: 0841F Cottonwood Creek

A 6.5 mi stretch of Cottonwood Creek running upstream from approx. 0.1 mi upstream of Mountain Creek Reservoir in Dallas Co., to SH 360 in, Tarrant Co.

<u>Parameter(s)</u>	<u>Level of Concern</u>
depressed dissolved oxygen	CS

0841F_01	A 6.5 mi stretch of Cottonwood Creek running upstream from approx. 0.1 mi upstream of Mountain Creek Reservoir in Dallas Co., to SH 360 in, Tarrant Co.
----------	---

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:0841H Delaware Creek

An 8.5 mi stretch of Delaware Creek running upstream from confluence with Lower W. Fork Trinity to Finley Road in Irving.

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

0841H_01 An 8.5 mi stretch of Delaware Creek running upstream from confluence with Lower W. Fork Trinity to Finley Road in Irving.

SEG ID: 0841I Dry Branch Creek

An 1.5 mi stretch of Dry Branch Creek running upstream from confluence with Lower W. Fork Trinity to Rock Island Road in Irving, Dallas County.

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

0841I_01 An 1.5 mi stretch of Dry Branch Creek running upstream from confluence with Lower W. Fork Trinity to Rock Island Road in Irving, Dallas County.

SEG ID:0841K Fish Creek

A 15 mi stretch of Fish Creek running upstream from the confluence with Mountain Creek Reservoir in Grand Prairie, Dallas Co., to the upper end of the creek (NHD RC 12030102000107) in Arlington, Tarrant Co.

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

0841K_01 A 15 mi stretch of Fish Creek running upstream from the confluence with Mountain Creek Reservoir in Grand Prairie, Dallas Co., to the upper end of the creek (NHD RC 12030102000107) in Arlington, Tarrant Co.

SEG ID:0841L Johnson Creek

Four mi stretch of Johnson Creek running upstream from confluence with the Arbor Creek to just upstream of I30 in Grand Prairie, Tarrant Co.

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

0841L_01 From the confluence with the Lower West Fork Trinity River, upstream to just south of Mayfield Road in Arlington, Tarrant, Co..

SEG ID:0841M Kee Branch

Six mi stretch of Kee Branch running upstream from confluence with Rush Creek to upper end of the creek (NHD RC 12030102000165).

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

0841M_01 Six mi stretch of Kee Branch running upstream from confluence with Rush Creek to upper end of the creek (NHD RC 12030102000165).

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:0841N Kirby Creek

Four mi stretch of Kirby Creek running upstream from confluence with Fish Creek in Grand Prairie, Dallas Co., to just upstream of Great Southwest Parkway in Arlington, Tarrant Co.

Parameter(s)

Level of Concern

depressed dissolved oxygen

CS

0841N_01 Four mi stretch of Kirby Creek running upstream from confluence with Fish Creek in Grand Prairie, Dallas Co., to just upstream of Great Southwest Parkway in Arlington, Tarrant Co.

SEG ID:0841O Mountain Creek

Four mi stretch of Mountain Creek running upstream from confluence with West Fork Trinity, to approximately 0.3 mi downstream of Mountain Creek Lake in Grand Prairie, Dallas Co.

Parameter(s)

Level of Concern

Ammonia in water

CS

0841O_01 Four mi stretch of Mountain Creek running upstream from confluence with West Fork Trinity, to approximately 0.3 mi downstream of Mountain Creek Lake in Grand Prairie, Dallas Co.

Parameter(s)

Level of Concern

chlorophyll-a

CS

0841O_01 Four mi stretch of Mountain Creek running upstream from confluence with West Fork Trinity, to approximately 0.3 mi downstream of Mountain Creek Lake in Grand Prairie, Dallas Co.

Parameter(s)

Level of Concern

depressed dissolved oxygen

CS

0841O_01 Four mi stretch of Mountain Creek running upstream from confluence with West Fork Trinity, to approximately 0.3 mi downstream of Mountain Creek Lake in Grand Prairie, Dallas Co.

SEG ID:0841P North Fork Cottonwood Creek

A 4.4 mi stretch of North Fork Cottonwood Creek running upstream from confluence with the S. Fork Cottonwood Creek in Grand Prairie, Dallas Co., to approx. 0.3 mi upstream of Carter St. in Arlington, Tarrant Co.

Parameter(s)

Level of Concern

bacteria (Recreation Use)

CN

0841P_01 A 4.4 mi stretch of North Fork Cottonwood Creek running upstream from confluence with the S. Fork Cottonwood Creek in Grand Prairie, Dallas Co., to approx. 0.3 mi upstream of Carter St. in Arlington, Tarrant Co.

Parameter(s)

Level of Concern

depressed dissolved oxygen

CS

0841P_01 A 4.4 mi stretch of North Fork Cottonwood Creek running upstream from confluence with the S. Fork Cottonwood Creek in Grand Prairie, Dallas Co., to approx. 0.3 mi upstream of Carter St. in Arlington, Tarrant Co.

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:0841Q North Fork Fish Creek

North Fork Fish Creek from confluence with Fish Creek in Dallas Co. upstream to SH 360 in Tarrant Co.

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

0841Q_01 North Fork Fish Creek from confluence with Fish Creek in Dallas Co. upstream to SH 360 in Tarrant Co.

SEG ID:0841V Crockett Branch

A 1 mi (1.5 KM) stretch of Crockett Branch extending upstream from the confluence with Cottonwood Creek to the upper end of the creek (NHD RC 12030102044745)

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

0841V_01 A 1 mi (1.5 KM) stretch of Crockett Branch extending upstream from the confluence with Cottonwood Creek to the upper end of the creek (NHD RC 12030102044745)

SEG ID:0841W Mountain Creek above Mountain Creek Lake

From the confluence with Mountain Creek Lake upstream to the Joe Pool Lake dam

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

0841W_01 From the confluence with Mountain Creek Lake upstream to the Joe Pool Lake dam

SEG ID:0901A Cary Bayou

From the confluence with Cedar Bayou Tidal to 0.8 km upstream of East Archer Rd

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

0901A_01 From the confluence with Cedar Bayou Tidal to 0.8 km upstream of East Archer Rd

SEG ID:0902A Adlong Ditch

From the confluence of Cedar Bayou Above Tidal to the intersection of Stroker Rd and Ramsey Rd

Parameter(s)

Ammonia in water

Level of Concern

CS

0902A_01 From the confluence of Cedar Bayou Above Tidal to the intersection of Stroker Rd and Ramsey Rd

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:1002A Tarkington Bayou

From the Luce Bayou confluence upstream to a point just upstream of FM 2025 in Liberty County

<u>Parameter(s)</u>	<u>Level of Concern</u>
depressed dissolved oxygen	CS

1002A_01	From the Luce Bayou confluence upstream to the Little Tarkington Bayou confluence near the City of Cleveland
----------	--

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS

1002A_01	From the Luce Bayou confluence upstream to the Little Tarkington Bayou confluence near the City of Cleveland
----------	--

<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS

1002A_01	From the Luce Bayou confluence upstream to the Little Tarkington Bayou confluence near the City of Cleveland
----------	--

SEG ID:1003A Winters Bayou

From the confluence with East Fork San Jacinto River to 0.17 mi upstream of Dorrell Road at the confluence of Phelps creek.

<u>Parameter(s)</u>	<u>Level of Concern</u>
bacteria (Recreation Use)	CN

1003A_01	From the confluence with East Fork San Jacinto River to 0.17 mi upstream of Dorrell Road at the confluence of Phelps creek.
----------	---

SEG ID: 1004 West Fork San Jacinto River

From the confluence of Spring Creek in Harris/Montgomery County to Conroe Dam in Montgomery County

<u>Parameter(s)</u>	<u>Level of Concern</u>
impaired macrobenthic community	CN

1004_02	From the Stewart Creek confluence upstream to the Lake Conroe Dam
---------	---

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS

1004_01	From the Spring Creek confluence upstream to the Stewart Creek confluence
---------	---

<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS

1004_01	From the Spring Creek confluence upstream to the Stewart Creek confluence
---------	---

SEG ID: 1004J White Oak Creek

Perennial stream from the confluence with West Fork San Jacinto River upstream to the confluence with East Fork White Oak Creek and West Fork White Oak Creek in Conroe

<u>Parameter(s)</u>	<u>Level of Concern</u>
bacteria (Recreation Use)	CN

1004J_01	Perennial stream from the confluence with West Fork San Jacinto River upstream to the confluence with East Fork White Oak Creek and West Fork White Oak Creek in Conroe
----------	---

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID: 1005 Houston Ship Channel/San Jacinto River Tidal

From the confluence with Galveston Bay at Morgan's Point in Harris/Chambers County to a point 100 meters (110 yards) downstream of IH 10 in Harris County

Parameter(s)

Level of Concern

nitrate

CS

1005_01 Downstream I-10 to Lynchburg Ferry Road

1005_02 Lynchburg Ferry Road to Goose Island

1005_03 Goose Island to SH 146

2018 Texas Integrated Report - Water Bodies with Concerns for Use Attainment and Screening Levels

SEG ID: 1006 Houston Ship Channel Tidal

From the confluence with the San Jacinto River in Harris County to a point immediately upstream of Greens Bayou in Harris County, including tidal portions of tributaries

<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS
1006_04 Patrick Bayou Tidal - From the confluence with the Houston Ship Channel to 100 m (328 ft) upstream of the railroad bridge	
1006_07 Carpenters Bayou-From the Houston Ship Channel confluence to the lower boundary of 1006B (2.3 m/ 1.4 mi) upstream from the Houston Ship Channel confluence)	

<u>Parameter(s)</u>	<u>Level of Concern</u>
DDD in sediment	CS
1006_03 Greens Bayou Tidal- From the Houston Ship Channel confluence to a point 0.7 km (0.4 miles) upstream of the Halls Bayou confluence	

<u>Parameter(s)</u>	<u>Level of Concern</u>
DDT in sediment	CS
1006_03 Greens Bayou Tidal- From the Houston Ship Channel confluence to a point 0.7 km (0.4 miles) upstream of the Halls Bayou confluence	

<u>Parameter(s)</u>	<u>Level of Concern</u>
Hexachlorobutadiene (HCBD) in sediment	CS
1006_04 Patrick Bayou Tidal - From the confluence with the Houston Ship Channel to 100 m (328 ft) upstream of the railroad bridge	

<u>Parameter(s)</u>	<u>Level of Concern</u>
mercury in sediment	CS
1006_04 Patrick Bayou Tidal - From the confluence with the Houston Ship Channel to 100 m (328 ft) upstream of the railroad bridge	

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
1006_01 Houston Ship Channel Tidal-From the Greens Bayou confluence to the Patrick Bayou confluence	
1006_02 Houston Ship Channel Tidal- From the Patrick Bayou confluence to the Houston Ship Channel/San Jacinto River Tidal (1005) confluence	
1006_03 Greens Bayou Tidal- From the Houston Ship Channel confluence to a point 0.7 km (0.4 miles) upstream of the Halls Bayou confluence	
1006_04 Patrick Bayou Tidal - From the confluence with the Houston Ship Channel to 100 m (328 ft) upstream of the railroad bridge	
1006_05 Goodyear Creek-From confluence with Greens Bayou Tidal to Granada St. in Harris County	
1006_06 Tucker Bayou- From the Houston Ship Channel confluence to a point 2.7 km (1.7 mi) upstream	
1006_07 Carpenters Bayou-From the Houston Ship Channel confluence to the lower boundary of 1006B (2.3 m/ 1.4 mi) upstream from the Houston Ship Channel confluence)	

<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS
1006_03 Greens Bayou Tidal- From the Houston Ship Channel confluence to a point 0.7 km (0.4 miles) upstream of the Halls Bayou confluence	
1006_04 Patrick Bayou Tidal - From the confluence with the Houston Ship Channel to 100 m (328 ft) upstream of the railroad bridge	
1006_05 Goodyear Creek-From confluence with Greens Bayou Tidal to Granada St. in Harris County	

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID: 1006B Carpenters Bayou

Perennial stream from 9.0 km upstream of Houston Ship Channel up to Sheldon Reservoir

<u>Parameter(s)</u>	<u>Level of Concern</u>
ammonia	CS
1006B_01	Perennial stream from 9.0 km upstream of Houston Ship Channel up to 0.8 km upstream of Wallisville Road, per WQS App D first entry

<u>Parameter(s)</u>	<u>Level of Concern</u>
depressed dissolved oxygen	CS
1006B_01	Perennial stream from 9.0 km upstream of Houston Ship Channel up to 0.8 km upstream of Wallisville Road, per WQS App D first entry

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
1006B_01	Perennial stream from 9.0 km upstream of Houston Ship Channel up to 0.8 km upstream of Wallisville Road, per WQS App D first entry

<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS
1006B_01	Perennial stream from 9.0 km upstream of Houston Ship Channel up to 0.8 km upstream of Wallisville Road, per WQS App D first entry

SEG ID: 1006D Halls Bayou

From the Greens Bayou confluence upstream to Frick Road in Harris County

<u>Parameter(s)</u>	<u>Level of Concern</u>
ammonia	CS
1006D_02	From US 59 upstream to Frick Road

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
1006D_01	From the Greens Bayou confluence upstream to US 59
1006D_02	From US 59 upstream to Frick Road

<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS
1006D_01	From the Greens Bayou confluence upstream to US 59
1006D_02	From US 59 upstream to Frick Road

SEG ID: 1006F Big Gulch Above Tidal

From the confluence with Greens Bayou Tidal to Wallisville Road in Harris County

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
1006F_01	From the confluence with Greens Bayou Tidal to Wallisville Road in Harris County

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID: 1006I Unnamed Tributary of Halls Bayou

From the confluence with Halls Bayou to a point 0.13 mi upstream of Richland Drive in Harris County

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

1006I_01 From the confluence with Halls Bayou to a point 0.13 mi upstream of Richland Drive in Harris County

SEG ID: 1006J Unnamed Tributary of Halls Bayou

From the confluence with Halls Bayou (east of US 59 and south of Langley Road) to Mount Houston Road in Harris County

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

1006J_01 From the Halls Bayou confluence (east of US 59 and south of Langley Road) to Mount Houston Road

2018 Texas Integrated Report - Water Bodies with Concerns for Use Attainment and Screening Levels

SEG ID: 1007 Houston Ship Channel/Buffalo Bayou Tidal

From a point immediately upstream of Greens Bayou in Harris County to a point 100 meters (110 yards) upstream of US 59 in Harris County, including tidal portion of tributaries

<u>Parameter(s)</u>	<u>Level of Concern</u>
---------------------	-------------------------

ammonia

CS

1007_01	Houston Ship Channel - From a point immediately upstream of Greens Bayou Tidal to immediately upstream of the 69th Street WWTP outfall
1007_02	Sims Bayou Tidal - From the Houston Ship Channel confluence to a point 11 km (6.8 mi) upstream
1007_04	Brays Bayou Tidal - From the Houston Ship Channel confluence to downstream of IH-45
1007_05	Vince Bayou Tidal - From the Houston Ship Channel confluence to SH 225
1007_07	Buffalo Bayou - From immediately upstream of 69th Street WWTP outfall to US 59
1007_08	Little Vince Bayou Tidal - From the Vince Bayou confluence to SH 225

<u>Parameter(s)</u>	<u>Level of Concern</u>
---------------------	-------------------------

nitrate

CS

1007_01	Houston Ship Channel - From a point immediately upstream of Greens Bayou Tidal to immediately upstream of the 69th Street WWTP outfall
1007_02	Sims Bayou Tidal - From the Houston Ship Channel confluence to a point 11 km (6.8 mi) upstream
1007_03	Hunting Bayou Tidal - From the Houston Ship Channel confluence to IH-10
1007_04	Brays Bayou Tidal - From the Houston Ship Channel confluence to downstream of IH-45
1007_05	Vince Bayou Tidal - From the Houston Ship Channel confluence to SH 225
1007_06	Berry Bayou - From the Houston Ship Channel confluence to a point 2.4 km (1.5 mi) upstream of the Sims Bayou confluence
1007_07	Buffalo Bayou - From immediately upstream of 69th Street WWTP outfall to US 59
1007_08	Little Vince Bayou Tidal - From the Vince Bayou confluence to SH 225

<u>Parameter(s)</u>	<u>Level of Concern</u>
---------------------	-------------------------

total phosphorus

CS

1007_01	Houston Ship Channel - From a point immediately upstream of Greens Bayou Tidal to immediately upstream of the 69th Street WWTP outfall
1007_02	Sims Bayou Tidal - From the Houston Ship Channel confluence to a point 11 km (6.8 mi) upstream
1007_04	Brays Bayou Tidal - From the Houston Ship Channel confluence to downstream of IH-45
1007_05	Vince Bayou Tidal - From the Houston Ship Channel confluence to SH 225
1007_06	Berry Bayou - From the Houston Ship Channel confluence to a point 2.4 km (1.5 mi) upstream of the Sims Bayou confluence
1007_07	Buffalo Bayou - From immediately upstream of 69th Street WWTP outfall to US 59
1007_08	Little Vince Bayou Tidal - From the Vince Bayou confluence to SH 225

2018 Texas Integrated Report - Water Bodies with Concerns for Use Attainment and Screening Levels

SEG ID:1007A Canal C-147

From the confluence with Sims Bayou to a point 0.71 km east of Beltway 8 in Houston

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
1007A_01 From the confluence with Sims Bayou upstream to a point 0.71 km east of Beltway 8	
<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS
1007A_01 From the confluence with Sims Bayou upstream to a point 0.71 km east of Beltway 8	

SEG ID:1007B Brays Bayou Above Tidal

From a point 11.5 km (7.1 mi) upstream of confluence with Houston Ship Channel up to SH 6

<u>Parameter(s)</u>	<u>Level of Concern</u>
ammonia	CS
1007B_01 From a point 11.5 km (7.1 mi) upstream of confluence with Houston Ship Channel up to SH 6	
1007B_02 From State Highway 6 upstream to Clodine Road	
<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
1007B_01 From a point 11.5 km (7.1 mi) upstream of confluence with Houston Ship Channel up to SH 6	
1007B_02 From State Highway 6 upstream to Clodine Road	
<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS
1007B_01 From a point 11.5 km (7.1 mi) upstream of confluence with Houston Ship Channel up to SH 6	
1007B_02 From State Highway 6 upstream to Clodine Road	

SEG ID:1007C Keegans Bayou Above Tidal

From the Brays Bayou confluence upstream to Harris County line

<u>Parameter(s)</u>	<u>Level of Concern</u>
ammonia	CS
1007C_01 From the Brays Bayou confluence to the Harris County Line	
<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
1007C_01 From the Brays Bayou confluence to the Harris County Line	
<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS
1007C_01 From the Brays Bayou confluence to the Harris County Line	

2018 Texas Integrated Report - Water Bodies with Concerns for Use Attainment and Screening Levels

SEG ID:1007D Sims Bayou Above Tidal

Perennial stream from 11.0 km upstream of confluence with Houston Ship Channel upstream to Hiram Clark Drive

<u>Parameter(s)</u>	<u>Level of Concern</u>
ammonia	CS
1007D_02 From Hiram Clark to 11 miles upstream of the confluence with the Houston Ship Channel	
1007D_03 From 11 miles upstream of the Houston Ship Channel confluence to SH 35	
<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
1007D_01 From Fort Bend Parkway to Hiram Clarke	
1007D_02 From Hiram Clark to 11 miles upstream of the confluence with the Houston Ship Channel	
1007D_03 From 11 miles upstream of the Houston Ship Channel confluence to SH 35	
<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS
1007D_01 From Fort Bend Parkway to Hiram Clarke	
1007D_02 From Hiram Clark to 11 miles upstream of the confluence with the Houston Ship Channel	
1007D_03 From 11 miles upstream of the Houston Ship Channel confluence to SH 35	

SEG ID:1007F Berry Bayou Above Tidal

From a point 2.4 km (1.5 mi) upstream of the Sims Bayou confluence to the southern city limits of South Houston

<u>Parameter(s)</u>	<u>Level of Concern</u>
ammonia	CS
1007F_01 From a point 2.4 km (1.5 mi) upstream of the Sims Bayou confluence to SH 3	
<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
1007F_01 From a point 2.4 km (1.5 mi) upstream of the Sims Bayou confluence to SH 3	
<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS
1007F_01 From a point 2.4 km (1.5 mi) upstream of the Sims Bayou confluence to SH 3	

SEG ID:1007G Kuhlman Gully Above Tidal

From Brays Bayou confluence to Atchison, Topeka and Santa Fe Railroad tracks in Harris County

<u>Parameter(s)</u>	<u>Level of Concern</u>
depressed dissolved oxygen	CS
1007G_01 From Brays Bayou confluence to Atchison, Topeka and Santa Fe Railroad tracks	

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:1007H Pine Gully Above Tidal

From the Sims Bayou confluence to 0.11 km (0.07 mi) east of Broadway Street in Harris County

Parameter(s)

ammonia

Level of Concern

CS

1007H_01 From the Sims Bayou confluence to 0.11 km (0.07 mi) east of Broadway Street

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

1007H_01 From the Sims Bayou confluence to 0.11 km (0.07 mi) east of Broadway Street

SEG ID: 1007I Plum Creek Above Tidal

From the Sims Bayou confluence to Telephone Road in Harris County

Parameter(s)

ammonia

Level of Concern

CS

1007I_01 From the Sims Bayou confluence to Telephone Road in Harris County

SEG ID:1007K Country Club Bayou Above Tidal

From just downstream of South Lockwood Drive to the confluence with Brays Bayou to approximately 0.5 mi upstream of North Wayside Drive in Harris County

Parameter(s)

depressed dissolved oxygen

Level of Concern

CN

1007K_01 From just downstream of South Lockwood Drive to the confluence with Brays Bayou

SEG ID:1007L Unnamed Tributary of Brays Bayou

From the Brays Bayou confluence near Fondren Road to a point 0.97 km (0.60 mi) upstream in Harris County

Parameter(s)

nitrate

Level of Concern

CS

1007L_01 From the Brays Bayou confluence near Fondren Road to a point (0.37 km) 0.60 miles upstream in Harris County

SEG ID:1007N Unnamed Tributary of Sims Bayou

From the confluence with Sims Bayou, south of Airport Road, east of SH 288 in Harris County

Parameter(s)

ammonia

Level of Concern

CS

1007N_01 From the confluence with Sims Bayou, south of Airport Road, east of SH 288 in Harris County

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

1007N_01 From the confluence with Sims Bayou, south of Airport Road, east of SH 288 in Harris County

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:1007O Unnamed Tributary of Buffalo Bayou

From the confluence with Buffalo Bayou to IH-10 between Hirsch Road and Lockwood in Harris County

Parameter(s)

Ammonia in water

Level of Concern

CS

1007O_01 From the confluence with Buffalo Bayou to IH-10 between Hirsch Road and Lockwood in Harris County

SEG ID:1007R Hunting Bayou Above Tidal

From the confluence with Hunting Bayou Tidal at IH-10 to Maury Street on the north fork and Bain Street on the south fork

Parameter(s)

ammonia

Level of Concern

CS

1007R_01 From Bain Street to Sayers Street (South Fork)

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

1007R_01 From Bain Street to Sayers Street (South Fork)

1007R_02 From just east of Elysian Street to Falls Street (North Fork)

1007R_04 From Loop 610 East to IH 10

Parameter(s)

nitrate

Level of Concern

CS

1007R_03 From Falls Street to Loop 610

1007R_04 From Loop 610 East to IH 10

SEG ID: 1007S Poor Farm Ditch

From the Brays Bayou confluence upstream 3.6 km (2.3 mi) to the Bissonnet Road bridge crossing

Parameter(s)

nitrate

Level of Concern

CS

1007S_01 From the Brays Bayou confluence upstream 3.6 km (2.3 mi) to the Bissonnet Road bridge crossing

Parameter(s)

total phosphorus

Level of Concern

CS

1007S_01 From the Brays Bayou confluence upstream 3.6 km (2.3 mi) to the Bissonnet Road bridge crossing

SEG ID:1007U Mimosa Ditch

From the Brays Bayou confluence upstream 2.9 km (1.8 mi) to the Chimney Rock bridge crossing

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

1007U_01 From the Brays Bayou confluence upstream 2.9 km (1.8 mi) to the Chimney Rock bridge crossing

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:1007WHarris County Flood Control Ditch D 138

From the confluence with Brays Bayou to a point immediately south of Beechnut Street in Houston

<u>Parameter(s)</u>	<u>Level of Concern</u>
ammonia	CS
1007W_01	From the confluence with Brays Bayou to a point immediately south of Beechnut Street in Houston

<u>Parameter(s)</u>	<u>Level of Concern</u>
depressed dissolved oxygen	CS
1007W_01	From the confluence with Brays Bayou to a point immediately south of Beechnut Street in Houston

SEG ID: 1008 Spring Creek

From the confluence with the West Fork of the San Jacinto River in Harris/Montgomery County to the confluence with Kickapoo Creek in Harris/Waller County

<u>Parameter(s)</u>	<u>Level of Concern</u>
impaired fish community	CN
1008_02	Kickapoo Creek confluence to SH 249

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
1008_03	SH 249 to IH 45
1008_04	IH 45 to the confluence with Lake Houston

<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS
1008_03	SH 249 to IH 45
1008_04	IH 45 to the confluence with Lake Houston

SEG ID:1008B Upper Panther Branch

From the normal pool elevation of 125 feet of Lake Woodlands upstream to Old Conroe Road

<u>Parameter(s)</u>	<u>Level of Concern</u>
cadmium in water	CN
1008B_01	From Old Conroe Road to a point 0.22 miles (0.35 km) upstream of the Bear Branch confluence

<u>Parameter(s)</u>	<u>Level of Concern</u>
Nitrate in water	CS
1008B_01	From Old Conroe Road to a point 0.22 miles (0.35 km) upstream of the Bear Branch confluence

<u>Parameter(s)</u>	<u>Level of Concern</u>
Total Phosphorus in water	CS
1008B_01	From Old Conroe Road to a point 0.22 miles (0.35 km) upstream of the Bear Branch confluence

2018 Texas Integrated Report - Water Bodies with Concerns for Use Attainment and Screening Levels

SEG ID:1008C Lower Panther Branch

From the Spring Creek confluence upstream to the dam impounding Lake Woodlands in Montgomery County

<u>Parameter(s)</u>	<u>Level of Concern</u>
depressed dissolved oxygen	CS
1008C_02 From Saw Dust Road to the Lake Woodlands Dam	
<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
1008C_01 From Spring Creek confluence upstream to Saw Dust Road	
<u>Parameter(s)</u>	<u>Level of Concern</u>
Nitrate in water	CS
1008C_02 From Saw Dust Road to the Lake Woodlands Dam	
<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS
1008C_01 From Spring Creek confluence upstream to Saw Dust Road	
1008C_02 From Saw Dust Road to the Lake Woodlands Dam	

SEG ID:1008F Lake Woodlands

From Lake Woodlands Dam to confluence with Upper Panther Branch Creek in Montgomery County (impounds Upper Panther Branch)

<u>Parameter(s)</u>	<u>Level of Concern</u>
depressed dissolved oxygen	CS
1008F_01 Upper end of segment to Northshore Park/Woodlock Forest	

SEG ID:1008H Willow Creek

From the Spring Creek confluence to a point 0.48 km (0.3 mi) north of Juergen Rd

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
1008H_01 From the Spring Creek confluence to a point 0.48 km (0.3 mi) north of Juergen Rd	
<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS
1008H_01 From the Spring Creek confluence to a point 0.48 km (0.3 mi) north of Juergen Rd	

SEG ID: 1008I Walnut Creek

From the Spring Creek confluence to a point 41.1 km (25.5 mi) upstream

<u>Parameter(s)</u>	<u>Level of Concern</u>
depressed dissolved oxygen	CS
1008I_01 From the Spring Creek confluence to a point 41.1 km (25.5 mi) upstream	

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID: 1008J Brushy Creek

From the Spring Creek confluence upstream to a point 5.6 km (3.5 mi) upstream of FM 1488

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

1008J_01 From the Spring Creek confluence upstream to a point 5.6 km (3.5 mi) upstream of FM 1488

SEG ID: 1009 Cypress Creek

From the confluence with Spring Creek in Harris County to the confluence of Snake Creek and Mound Creek in Waller County

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

1009_01 Upper portion of segment to downstream of US 290

Parameter(s)

impaired habitat

Level of Concern

CS

1009_02 US 290 to SH 249

Parameter(s)

nitrate

Level of Concern

CS

1009_01 Upper portion of segment to downstream of US 290

1009_02 US 290 to SH 249

1009_03 SH 249 to IH 45

1009_04 IH 45 to confluence with Spring Creek

Parameter(s)

total phosphorus

Level of Concern

CS

1009_01 Upper portion of segment to downstream of US 290

1009_02 US 290 to SH 249

1009_03 SH 249 to IH 45

1009_04 IH 45 to confluence with Spring Creek

SEG ID:1009C Faulkey Gully

From Cypress Creek confluence with upstream 3.2 km (2.0 mi), which is approximately 1.0 km upstream of Louetta Road

Parameter(s)

nitrate

Level of Concern

CS

1009C_01 From the Cypress Creek confluence to a point 11.7 km (7.2 mi) upstream

Parameter(s)

total phosphorus

Level of Concern

CS

1009C_01 From the Cypress Creek confluence to a point 11.7 km (7.2 mi) upstream

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:1009D Spring Gully

From the Cypress Creek confluence upstream to near Spring Cypress Road

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
1009D_01 From the Cypress Creek confluence upstream to near Spring Cypress Road	
<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS
1009D_01 From the Cypress Creek confluence upstream to near Spring Cypress Road	

SEG ID:1009E Little Cypress Creek

From the Cypress Creek confluence to a point 11 km (6.8 mi) upstream in Harris County

<u>Parameter(s)</u>	<u>Level of Concern</u>
depressed dissolved oxygen	CS
1009E_01 From the Cypress Creek confluence to a point 11 km (6.8 mi) upstream	
<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
1009E_01 From the Cypress Creek confluence to a point 11 km (6.8 mi) upstream	
<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS
1009E_01 From the Cypress Creek confluence to a point 11 km (6.8 mi) upstream	

SEG ID:1010C Spring Branch

From the Caney Creek confluence to a point 0.54 km (0.34 mi) upstream of SH 105

<u>Parameter(s)</u>	<u>Level of Concern</u>
depressed dissolved oxygen	CS
1010C_01 From the Caney Creek confluence to a point 0.54 km (0.34 mi) upstream of SH 105	

SEG ID: 1012 Lake Conroe

From Conroe Dam in Montgomery County up to the normal pool elevation of 201 feet (impounds West Fork San Jacinto River)

<u>Parameter(s)</u>	<u>Level of Concern</u>
depressed dissolved oxygen	CS
1012_11 Walden Estates to dam	
<u>Parameter(s)</u>	<u>Level of Concern</u>
pH	CN
1012_03 Lewis Creek arm	

2018 Texas Integrated Report - Water Bodies with Concerns for Use Attainment and Screening Levels

SEG ID: 1013 Buffalo Bayou Tidal

From a point 100 meters (110 yards) upstream of US 59 in Harris County to a point 400 meters (440 yards) upstream of Shepherd Drive in Harris County

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
1013_01	From a point immediately upstream of US 59 to a point immediately upstream of Shepard Drive

<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS
1013_01	From a point immediately upstream of US 59 to a point immediately upstream of Shepard Drive

SEG ID:1013A Little White Oak Bayou

From the White Oak Bayou confluence to Yale Street in Harris County

<u>Parameter(s)</u>	<u>Level of Concern</u>
impaired macrobenthic community	CN
1013A_01	From the confluence of White Oak Bayou upstream to the RR Tracks north of IH 610

SEG ID:1013C Unnamed Non-Tidal Tributary of Buffalo Bayou Tidal

Located approximately 1.8 mi upstream of the Buffalo Bayou/White Oak Bayou confluence between IH-10 and Memorial Drive west of IH-45 in Harris County

<u>Parameter(s)</u>	<u>Level of Concern</u>
depressed dissolved oxygen	CS
1013C_01	Located approximately 1.8 mi upstream of the Buffalo Bayou/White Oak Bayou confluence between IH-10 and Memorial Drive west of IH-45 in Harris County

SEG ID: 1014 Buffalo Bayou Above Tidal

From a point 400 meters (440 yards) upstream of Shepherd Drive in Harris County to SH 6 in Harris County

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
1014_01	From a point immediately upstream of Shepherd Drive upstream to SH 6

<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS
1014_01	From a point immediately upstream of Shepherd Drive upstream to SH 6

2018 Texas Integrated Report - Water Bodies with Concerns for Use Attainment and Screening Levels

SEG ID:1014A Bear Creek

Perennial stream from the confluence with South Mayde Creek upstream to the confluence with an unnamed tributary 1.24 km north of Longenbaugh Road

<u>Parameter(s)</u>	<u>Level of Concern</u>
ammonia	CS

1014A_01	Confluence with South Mayde Creek to a point upstream of an unnamed tributary north of Langenbaugh Road	
----------	---	--

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS

1014A_01	Confluence with South Mayde Creek to a point upstream of an unnamed tributary north of Langenbaugh Road	
----------	---	--

<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS

1014A_01	Confluence with South Mayde Creek to a point upstream of an unnamed tributary north of Langenbaugh Road	
----------	---	--

SEG ID:1014B Buffalo Bayou/Barker Reservoir

Perennial stream from SH 6 in Harris County upstream to the confluence with Willow Fork Buffalo Bayou in Fort Bend County

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS

1014B_01	From SH 6 to the confluence with Willow Fork Buffalo Bayou	
----------	--	--

<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS

1014B_01	From SH 6 to the confluence with Willow Fork Buffalo Bayou	
----------	--	--

SEG ID:1014C Horsepen Creek

From the Langham Creek confluence upstream to a point 0.1 km (0.06 mi) west of Barker Cypress Road

<u>Parameter(s)</u>	<u>Level of Concern</u>
ammonia	CS

1014C_01	From the Langham Creek confluence upstream to where channelization begins, 0.62 km (0.39 mi) north of FM 529	
----------	--	--

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS

1014C_01	From the Langham Creek confluence upstream to where channelization begins, 0.62 km (0.39 mi) north of FM 529	
----------	--	--

<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS

1014C_01	From the Langham Creek confluence upstream to where channelization begins, 0.62 km (0.39 mi) north of FM 529	
----------	--	--

2018 Texas Integrated Report - Water Bodies with Concerns for Use Attainment and Screening Levels

SEG ID:1014E Langham Creek

From the Dinner Creek confluence upstream to FM 529

<u>Parameter(s)</u>	<u>Level of Concern</u>
ammonia	CS
1014E_01 From the Bear Creek confluence upstream to the Dinner Creek confluence	
<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
1014E_01 From the Bear Creek confluence upstream to the Dinner Creek confluence	
<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS
1014E_01 From the Bear Creek confluence upstream to the Dinner Creek confluence	

SEG ID:1014H South Mayde Creek

Perennial stream in the Addicks Reservoir flood pool area from the confluence with Buffalo Bayou upstream to the confluence with an unnamed tributary 1.05 km south of Clay Road

<u>Parameter(s)</u>	<u>Level of Concern</u>
ammonia	CS
1014H_01 Perennial stream in the Addicks Reservoir flood pool area from the confluence with Buffalo Bayou upstream to the confluence with an unnamed tributary 1.3 km (0.8 mi) west of Barker-Cypress Road	
<u>Parameter(s)</u>	<u>Level of Concern</u>
depressed dissolved oxygen	CS
1014H_01 Perennial stream in the Addicks Reservoir flood pool area from the confluence with Buffalo Bayou upstream to the confluence with an unnamed tributary 1.3 km (0.8 mi) west of Barker-Cypress Road	
<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
1014H_01 Perennial stream in the Addicks Reservoir flood pool area from the confluence with Buffalo Bayou upstream to the confluence with an unnamed tributary 1.3 km (0.8 mi) west of Barker-Cypress Road	
<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS
1014H_01 Perennial stream in the Addicks Reservoir flood pool area from the confluence with Buffalo Bayou upstream to the confluence with an unnamed tributary 1.3 km (0.8 mi) west of Barker-Cypress Road	

SEG ID:1014K Turkey Creek

From the South Mayde Creek confluence upstream to FM 529, 1.1 km (0.68 mi) directly east of N. Eldridge Pkwy in Harris County

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
1014K_01 Perennial stream from the confluence with South Mayde Creek upstream to a point 0.16 km (0.1 mi) south of Clay Road	

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:1014L Mason Creek

From the Buffalo Bayou confluence upstream to Mason Road upstream to 0.32 km (0.2 mi) east of Katyland Drive

Parameter(s)

nitrate

Level of Concern

CS

1014L_01 From the Buffalo Bayou confluence upstream to Mason Road

Parameter(s)

total phosphorus

Level of Concern

CS

1014L_01 From the Buffalo Bayou confluence upstream to Mason Road

SEG ID:1014N Rummel Creek

From the Buffalo Bayou Above Tidal confluence to 1.2 km (0.75 mi) upstream of IH-10 in Harris County

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

1014N_01 From the Buffalo Bayou Above Tidal confluence to 1.2 km (0.75 mi) upstream of IH-10

From the Buffalo Bayou Above Tidal confluence to 1.2 km (0.75 mi) upstream of IH-10

SEG ID:1014O Spring Branch

From Buffalo Bayou Above Tidal confluence to 1.4 km (0.87 mi) upstream of Long Point Road in Harris County

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

1014O_01 From Buffalo Bayou Above Tidal confluence to 1.4 km (0.87 mi) upstream of Long Point

Road in Harris County

SEG ID: 1015 Lake Creek

From the confluence with the West Fork San Jacinto River in Montgomery County to a point 4.0 km (2.5 mi) upstream of SH 30 in Grimes County

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

1015_01 From the West Fork of the San Jacinto River confluence upstream to the Landrum Creek confluence

1015_02 From the Landrum Creek confluence upstream to a point 4.0 km (2.5 mi) upstream of State Hwy 30

2018 Texas Integrated Report - Water Bodies with Concerns for Use Attainment and Screening Levels

SEG ID: 1016 Greens Bayou Above Tidal

From a point 0.7 km (0.4 mi) above the confluence of Halls Bayou in Harris County to a point 100 meters (110 yards) above FM 1960 in Harris County

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
1016_01	Upper segment boundary (FM 1960) to IH 45
1016_02	IH 45 to US 59
1016_03	From US 59 to the downstream boundary 0.7 km (0.4 miles) upstream of the Halls Bayou confluence

<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS
1016_01	Upper segment boundary (FM 1960) to IH 45
1016_02	IH 45 to US 59
1016_03	From US 59 to the downstream boundary 0.7 km (0.4 miles) upstream of the Halls Bayou confluence

SEG ID:1016A Garners Bayou

From the confluence with Greens Bayou upstream to a point 0.89 km northeast of Will Clayton Parkway near Humble

<u>Parameter(s)</u>	<u>Level of Concern</u>
bacteria (Recreation Use)	CN
1016A_02	From the Williams Gully confluence upstream to 1.5km north of Atascocita Road

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
1016A_02	From the Williams Gully confluence upstream to 1.5km north of Atascocita Road
1016A_03	From the Greens Bayou confluence to the Williams Gully confluence

<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS
1016A_02	From the Williams Gully confluence upstream to 1.5km north of Atascocita Road
1016A_03	From the Greens Bayou confluence to the Williams Gully confluence

SEG ID:1016C Unnamed Tributary of Greens Bayou

From the confluence with Greens Bayou, east of Aldine Westfield Road, to the Hardy Toll Road in Harris County

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
1016C_01	From the confluence with Greens Bayou, east of Aldine Westfield Road, to the Hardy Toll Road in Harris County

<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS
1016C_01	From the confluence with Greens Bayou, east of Aldine Westfield Road, to the Hardy Toll Road in Harris County

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:1016D Unnamed Tributary of Greens Bayou

From the confluence with Greens Bayou, west of El Dorado Country Club to Lee Road, west of US Hwy 59 in Harris County

Parameter(s)

ammonia

Level of Concern

CS

1016D_01 From the confluence with Greens Bayou, west of El Dorado Country Club to Lee Road, west of US Hwy 59 in Harris County

SEG ID: 1017 Whiteoak Bayou Above Tidal

From a point immediately upstream of the confluence of Little White Oak Bayou in Harris County to a point 3.0 km (1.9 mi) upstream of FM 1960 in Harris County

Parameter(s)

nitrate

Level of Concern

CS

1017_01 Huffmeister Rd to the confluence with Vogel Creek

1017_02 Vogel Creek to the Cole Creek confluence

1017_03 Cole Creek confluence to the Brickhouse Gully confluence

1017_04 From Brickhouse Gully confluence to a point immediately upstream of the confluence of Little White Oak Bayou in Harris Co. (lower segment boundary).

Parameter(s)

total phosphorus

Level of Concern

CS

1017_01 Huffmeister Rd to the confluence with Vogel Creek

1017_02 Vogel Creek to the Cole Creek confluence

1017_03 Cole Creek confluence to the Brickhouse Gully confluence

1017_04 From Brickhouse Gully confluence to a point immediately upstream of the confluence of Little White Oak Bayou in Harris Co. (lower segment boundary).

SEG ID:1017A Brickhouse Gully/Bayou

Perennial stream from the confluence with Whiteoak Bayou up to Gessner Road

Parameter(s)

nitrate

Level of Concern

CS

1017A_01 Perennial stream from the confluence with Whiteoak Bayou up to Gessner Road

Parameter(s)

total phosphorus

Level of Concern

CS

1017A_01 Perennial stream from the confluence with Whiteoak Bayou up to Gessner Road

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:1017B Cole Creek

Perennial stream from the confluence with White Oak Bayou up to south of Beltway 8

<u>Parameter(s)</u>	<u>Level of Concern</u>
depressed dissolved oxygen	CS
1017B_02 From Flintlock Street to confluence with White Oak Bayou	
<u>Parameter(s)</u>	<u>Level of Concern</u>
Nitrate in water	CS
1017B_02 From Flintlock Street to confluence with White Oak Bayou	
<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS
1017B_02 From Flintlock Street to confluence with White Oak Bayou	

SEG ID:1017C Vogel Creek

From the White Oak Bayou Above Tidal confluence to a point 3.2 km (2.0 mi) upstream of the White Oak Bayou confluence to just south of State Hwy 249 in Harris County

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
1017C_01 From the White Oak Bayou confluence to a point 3.2 km (2.0 mi) upstream	
<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS
1017C_01 From the White Oak Bayou confluence to a point 3.2 km (2.0 mi) upstream	

SEG ID:1017F Rolling Fork Creek

From the White Oak Bayou Above Tidal confluence to a point 3.9 km (2.4 mi) upstream

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
1017F_01 From the White Oak Bayou Above Tidal confluence to a point 3.9 km (2.4 mi) upstream	
<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS
1017F_01 From the White Oak Bayou Above Tidal confluence to a point 3.9 km (2.4 mi) upstream	

2018 Texas Integrated Report - Water Bodies with Concerns for Use Attainment and Screening Levels

SEG ID: 1101 Clear Creek Tidal

From the Clear Lake confluence at a point 3.2 km (2.0 mi) downstream of El Camino Real in Galveston/Harris County to a point 100 m (110 yards) upstream of FM528 in Galveston/Harris County

<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS
1101_04 Cow Bayou confluence to confluence with Clear Lake	
depressed dissolved oxygen	CS
1101_03 IH 45 to Cow Bayou confluence	
nitrate	CS
1101_02 Chigger Creek confluence to IH 45	
1101_03 IH 45 to Cow Bayou confluence	
1101_04 Cow Bayou confluence to confluence with Clear Lake	
total phosphorus	CS
1101_02 Chigger Creek confluence to IH 45	
1101_03 IH 45 to Cow Bayou confluence	
1101_04 Cow Bayou confluence to confluence with Clear Lake	

SEG ID: 1101A Magnolia Creek

From the Clear Creek Tidal confluence upstream to 0.8 km (0.5 mi) upstream of the confluence with the second unnamed tributary

<u>Parameter(s)</u>	<u>Level of Concern</u>
Nitrate in water	CS
1101A_01 From the Clear Creek Tidal confluence upstream 7.7 km (4.8 mi)	
Total Phosphorus in water	CS
1101A_01 From the Clear Creek Tidal confluence upstream 7.7 km (4.8 mi)	

SEG ID: 1101B Chigger Creek

From the confluence with Clear Creek Tidal to the Brazos River Authority Canal near CR 143 in Galveston County

<u>Parameter(s)</u>	<u>Level of Concern</u>
bacteria (Recreation Use)	CN
1101B_01 From the headwaters to FM 528	

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID: 1101C Cow Bayou

From the Clear Creek Tidal confluence to SH 3 in Galveston County

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

1101C_01 From the Clear Creek Tidal confluence to SH3

SEG ID: 1101D Robinson Bayou

From confluence with Clear Creek to 0.33 mile upstream of Webster Street in Galveston County

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

1101D_01 From headwater to Abilene St

1101D_02 From Abilene St. to confluence with Clear Creek Tidal

SEG ID: 1101F Unnamed Tributary of Clear Creek Tidal

From Clear Creek Tidal confluence to a point 7.8 km (4.8 mi) upstream (immediately downstream of I-45 in Galveston County)

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

1101F_01 From the Clear Creek Tidal confluence to a point 7.9 km (4.9 mi) upstream (immediately downstream of IH 45)

2018 Texas Integrated Report - Water Bodies with Concerns for Use Attainment and Screening Levels

SEG ID: 1102 Clear Creek Above Tidal

From a point 100 meters (110 yards) upstream of FM 528 in Galveston/Harris County to Rouen Road in Fort Bend County

<u>Parameter(s)</u>	<u>Level of Concern</u>
Ammonia in water	CS

1102_02 SH 288 to Hickory Slough confluence

1102_03 Hickory Slough confluence to Turkey Creek confluence

<u>Parameter(s)</u>	<u>Level of Concern</u>
depressed dissolved oxygen	CN

1102_02 SH 288 to Hickory Slough confluence

SH 288 to Hickory Slough confluence

1102_03 Hickory Slough confluence to Turkey Creek confluence

1102_04 Turkey Creek confluence to Mary's Creek confluence

1102_05 Mary's Creek confluence to lower segment boundary

<u>Parameter(s)</u>	<u>Level of Concern</u>
impaired habitat	CS

1102_02 SH 288 to Hickory Slough confluence

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS

1102_04 Turkey Creek confluence to Mary's Creek confluence

1102_05 Mary's Creek confluence to lower segment boundary

<u>Parameter(s)</u>	<u>Level of Concern</u>
Nitrate in water	CS

1102_03 Hickory Slough confluence to Turkey Creek confluence

<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS

1102_02 SH 288 to Hickory Slough confluence

1102_03 Hickory Slough confluence to Turkey Creek confluence

1102_04 Turkey Creek confluence to Mary's Creek confluence

SEG ID: 1102B Mary's Creek/ North Fork Mary's Creek

Perennial stream from the confl. with Clear Creek upstream to the confl. with N. and S. Fork Mary's Creek near FM 1128, approx. 5 km SW of Pearland. Includes perennial portions of N. Fork Mary's Creek from the confl. of Mary's Creek to the confl. with unn

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS

1102B_01 From the Clear Creek Above Tidal confluence upstream to the N. and S. Fork Mary's Creek near FM 1128

<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS

1102B_01 From the Clear Creek Above Tidal confluence upstream to the N. and S. Fork Mary's Creek near FM 1128

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID: 1102C Hickory Slough

From the Clear Creek Above Tidal confluence to a point 0.69 km (0.43 mi) upstream of Mykawa Road

Parameter(s)

Level of Concern

depressed dissolved oxygen

CS

1102C_01 From the Clear Creek Above Tidal confluence to a point 0.69 km (0.43 mi) upstream of Mykawa Road

SEG ID: 1102D Turkey Creek

From the Clear Creek Above Tidal confluence to a point 0.98 km (0.61 mi) upstream of Scarsdale Blvd

Parameter(s)

Level of Concern

ammonia

CS

1102D_01 From the Clear Creek Above Tidal confluence to a point 0.98 km (0.61 mi) upstream of Scarsdale Blvd

Parameter(s)

Level of Concern

depressed dissolved oxygen

CS

1102D_01 From the Clear Creek Above Tidal confluence to a point 0.98 km (0.61 mi) upstream of Scarsdale Blvd

Parameter(s)

Level of Concern

nitrate

CS

1102D_01 From the Clear Creek Above Tidal confluence to a point 0.98 km (0.61 mi) upstream of Scarsdale Blvd

Parameter(s)

Level of Concern

total phosphorus

CS

1102D_01 From the Clear Creek Above Tidal confluence to a point 0.98 km (0.61 mi) upstream of Scarsdale Blvd

SEG ID: 1102E Mud Gully

From the Clear Creek Above Tidal confluence to a point 0.80 km (0.49 mi) downstream of Hughes Road

Parameter(s)

Level of Concern

depressed dissolved oxygen

CS

1102E_01 From the Clear Creek Above Tidal confluence to a point 0.80 km (0.49 mi) downstream of Hughes Road

Parameter(s)

Level of Concern

nitrate

CS

1102E_01 From the Clear Creek Above Tidal confluence to a point 0.80 km (0.49 mi) downstream of Hughes Road

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID: 1102F Mary's Creek Bypass

From the Mary's Creek confluence NE of FM 518 to a point 0.96 km (0.60 mi) upstream to the Mary's Creek confluence (NW of County Road 126)

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

1102F_01 From the Mary's Creek confluence NE of FM 518 to a point 0.96 km (0.60 mi) upstream to the Mary's Creek confluence (NW of County Road 126)

Parameter(s)

total phosphorus

Level of Concern

CS

1102F_01 From the Mary's Creek confluence NE of FM 518 to a point 0.96 km (0.60 mi) upstream to the Mary's Creek confluence (NW of County Road 126)

SEG ID: 1103 Dickinson Bayou Tidal

From the Dickinson Bay confluence 2.1 km (1.3 mi) downstream of SH 146 in Galveston County to a point 4.0 km (2.5 mi) downstream of FM 517 in Galveston County

Parameter(s)

chlorophyll-a

Level of Concern

CS

1103_02 From the Gum Bayou confluence upstream to the Benson Bayou confluence

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

1103_04 From the Bordens Gully confluence upstream to a point 4.0 km (2.5 mi) downstream of FM 517

SEG ID: 1103A Bensons Bayou

From the Dickinson Bayou confluence to point 0.6 km (0.37 mi) upstream of FM 646 in Galveston County

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

1103A_01 From the Dickinson Bayou Tidal confluence to point 0.6 km (0.37 mi) upstream of FM 646

SEG ID: 1103B Bordens Gully

From the Dickinson Bayou Tidal confluence to a point 1.4 km (0.87 mi) upstream of FM 646 in Galveston County

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

1103B_01 From the Dickinson Bayou Tidal confluence to a point 1.4 km (0.87 mi) upstream of FM 646

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID: 1103C Geisler Bayou

From the Dickinson Bayou Tidal confluence to a point 1.37 km (0.85 mi) upstream of FM 646 in Galveston County

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

1103C_01 From the Dickinson Bayou Tidal confluence to a point 1.37 km (0.85 mi) upstream of FM 646

SEG ID: 1103E Cedar Creek

From the Dickinson Bayou Tidal confluence to a point 0.63 km (0.39 mi) upstream FM 517 in Galveston County

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

1103E_01 From the Dickinson Bayou Tidal confluence to a point 0.63 km (0.39 mi) upstream FM 517

SEG ID: 1103F Unnamed Tributary of Dickinson Bayou Tidal

From the Dickinson Bayou Tidal confluence to a point 0.36 km (0.22 mi) upstream of State Hwy 6

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

1103F_01 From the Dickinson Bayou Tidal confluence to a point 0.36 km (0.22 mi) upstream of State Hwy 6

Parameter(s)

depressed dissolved oxygen

Level of Concern

CN

1103F_01 From the Dickinson Bayou Tidal confluence to a point 0.36 km (0.22 mi) upstream of State Hwy 6

From the Dickinson Bayou Tidal confluence to a point 0.36 km (0.22 mi) upstream of State Hwy 6

SEG ID: 1103G Unnamed Tributary of Gum Bayou

From the confluence with Gum Bayou to a point 0.39 mi south of the FM 646/FM 1266 intersection between League City and Dickinson

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

1103G_01 From the confluence with Gum Bayou to a point 0.39 mi south of the FM 646/FM 1266 intersection between League City and Dickinson

SEG ID: 1104 Dickinson Bayou Above Tidal

From a point 4.0 km (2.5 mi) downstream of FM 517 in Galveston County to FM 528 in Galveston County

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

1104_02 From FM 517 upstream to FM 528

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID: 1105 Bastrop Bayou Tidal

From the confluence with Bastrop Bay 1.1 km (0.7 mi) downstream of the Intracoastal Waterway in Brazoria County to a point 8.6 km (5.3 mi) upstream of Business 288 at Lake Jackson in Brazoria County

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

1105_01 From the confluence with Bastrop Bay 1.1 km (0.7 mi) downstream of the Intracoastal Waterway in Brazoria County to a point 8.6 km (5.3 mi) upstream of Business 288 at Lake Jackson in Brazoria County

SEG ID: 1105D Unnamed Tributary of Bastrop Creek

From the Bastrop Bayou Tidal confluence to 0.57 km (0.35 mi) upstream of SH 288 Bus in Brazoria County

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

1105D_01 From the Bastrop Bayou Tidal confluence to 0.57 km (0.35 mi) upstream of SH 288 Bus in Brazoria County

SEG ID: 1105E Brushy Bayou

From the confluence with Austin Bayou Above Tidal (1105C) upstream to end of canal approximately 0.4 mi upstream of FM 210 crossing east of the City of Angleton in Brazoria County.

Parameter(s)

ammonia

Level of Concern

CS

1105E_01 From the confluence with Austin Bayou Above Tidal (1105C) upstream to end of canal approximately 0.4 mi upstream of FM 210 crossing east of the City of Angleton in Brazoria County.

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

1105E_01 From the confluence with Austin Bayou Above Tidal (1105C) upstream to end of canal approximately 0.4 mi upstream of FM 210 crossing east of the City of Angleton in Brazoria County.

SEG ID: 1109 Oyster Creek Tidal

From the Intercoastal Waterway confluence to a point 100 meters (110 yards) upstream of FM 2004 in Brazoria County

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

1109_01 From the Intracoastal Waterway confluence to a point 100 m (110 yds) upstream of FM 2004

2018 Texas Integrated Report - Water Bodies with Concerns for Use Attainment and Screening Levels

SEG ID: 1110 Oyster Creek Above Tidal

From a point 100 meters (110 yards) upstream of FM 2004 in Brazoria County to a point 4.3 km (2.7 mi) upstream of Scanlan Road in Fort Bend County

<u>Parameter(s)</u>	<u>Level of Concern</u>
impaired habitat	CS
1110_01	From a point 100 meters (110 yards) upstream of FM 2004 in Brazoria County upstream to the Styles Bayou confluence
1110_02	From Styles Bayou upstream to an unnamed tributary [2.9 km (1.8 mi) downstream of FM 1462]
1110_03	From an unnamed tributary [2.9 km (1.8 mi) downstream of FM 1462] upstream to a point 4.3 km (2.7 mi) upstream of Scanlan Road in Fort Bend County

<u>Parameter(s)</u>	<u>Level of Concern</u>
impaired macrobenthic community	CN
1110_02	From Styles Bayou upstream to an unnamed tributary [2.9 km (1.8 mi) downstream of FM 1462]

SEG ID: 1111 Old Brazos River Channel Tidal

From the Intercoastal Waterway confluence to SH 288 in Brazoria County

<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS
1111_01	From the Intercoastal Waterway confluence to SH 288 in Brazoria County

SEG ID: 1113 Armand Bayou Tidal

From the Clear Lake confluence (at NASA Road 1 bridge) in Harris County to a point 0.8 km (0.5 mi) downstream of Genoa-Red Bluff Road in Pasadena in Harris County (includes Mud Lake/Pasadena Lake)

<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS
1113_01	From the Clear Lake confluence at Nasa Road 1 to the Horsepen Bayou confluence
1113_02	From the Horsepen Bayou confluence to the Big Island Slough confluence
1113_03	From the Big Island Slough confluence upstream to a point 0.8 km (0.5 mi) downstream of Genoa-Red Bluff Road

2018 Texas Integrated Report - Water Bodies with Concerns for Use Attainment and Screening Levels

SEG ID: 1113B Horsepen Bayou Tidal

From the Armand Bayou confluence to the SH3

<u>Parameter(s)</u>	<u>Level of Concern</u>
ammonia	CS
1113B_01 From the Armand Bayou confluence to the SH3	
chlorophyll-a	CS
1113B_01 From the Armand Bayou confluence to the SH3	
depressed dissolved oxygen	CS
1113B_01 From the Armand Bayou confluence to the SH3	
nitrate	CS
1113B_01 From the Armand Bayou confluence to the SH3	
total phosphorus	CS
1113B_01 From the Armand Bayou confluence to the SH3	

SEG ID: 1113E Big Island Slough

From the Armand Bayou confluence upstream to a point 2.4 km (1.5 mi) north of Spencer Hwy

<u>Parameter(s)</u>	<u>Level of Concern</u>
depressed dissolved oxygen	CS
1113E_01 From the Armand Bayou confluence upstream to a point 2.4 km (1.5 mi) north of Spencer Hwy	

SEG ID: 1201 Brazos River Tidal

From the confluence with the Gulf of Mexico in Brazoria County to a point 100 meters (110 yards) upstream of SH 332 in Brazoria County

<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS
1201_01 From the confluence with the Gulf of Mexico in Brazoria County to a point 100 meters (110 yards) upstream of SH 332 in Brazoria County	

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID: 1202 Brazos River Below Navasota River

From a point 100 meters (110 yards) upstream of SH 332 in Brazoria County to the confluence of the Navasota River in Grimes County

Parameter(s)

chlorophyll-a

Level of Concern

CS

- | | |
|---------|---|
| 1202_01 | Portion of the Brazos River from the confluence with the Brazos River Tidal in Brazoria County upstream to the confluence with Flat Bank Creek in Fort Bend County. |
| 1202_02 | Portion of the Brazos River from the confluence with Flat Bank Creek upstream to the confluence with Bessie's Creek in Fort Bend County. |
| 1202_05 | Portion of the Brazos River from confluence with Lewisville Creek in Waller County upstream to the confluence with the Navasota River in Grimes County. |

SEG ID:1202H Allen's Creek

From the confluence with the Brazos River, two mi northeast of Wallis, to the headwaters one mi north of IH 10 in Austin County.

Parameter(s)

total phosphorus

Level of Concern

CS

- | | |
|----------|--|
| 1202H_01 | From the confluence with the Brazos River, two mi northeast of Wallis, to the headwaters one mi north of IH 10 in Austin County. |
|----------|--|

2018 Texas Integrated Report - Water Bodies with Concerns for Use Attainment and Screening Levels

SEG ID: 1202J Big Creek

Big Creek - from the confluence of the Brazos River upstream to the confluence of Cottonwood Creek and Coon Creek

<u>Parameter(s)</u>	<u>Level of Concern</u>
Chlorophyll-a in water	CS
1202J_01	Big Creek from the confluence of the Brazos River upstream to the confluence of an unnamed tributary 2.1 km downstream of FM 2977 south of Rosenberg

<u>Parameter(s)</u>	<u>Level of Concern</u>
depressed dissolved oxygen	CS
1202J_01	Big Creek from the confluence of the Brazos River upstream to the confluence of an unnamed tributary 2.1 km downstream of FM 2977 south of Rosenberg
1202J_02	Big Creek Appendix D intermittent stream with perennial pools section from the confluence with an unnamed tributary 2.1 km downstream of FM 2977 upstream to the confluence of Cottonwood Creek and Coon Creek

<u>Parameter(s)</u>	<u>Level of Concern</u>
impaired fish community	CN
1202J_01	Big Creek from the confluence of the Brazos River upstream to the confluence of an unnamed tributary 2.1 km downstream of FM 2977 south of Rosenberg

<u>Parameter(s)</u>	<u>Level of Concern</u>
impaired habitat	CS
1202J_01	Big Creek from the confluence of the Brazos River upstream to the confluence of an unnamed tributary 2.1 km downstream of FM 2977 south of Rosenberg

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
1202J_02	Big Creek Appendix D intermittent stream with perennial pools section from the confluence with an unnamed tributary 2.1 km downstream of FM 2977 upstream to the confluence of Cottonwood Creek and Coon Creek

<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS
1202J_02	Big Creek Appendix D intermittent stream with perennial pools section from the confluence with an unnamed tributary 2.1 km downstream of FM 2977 upstream to the confluence of Cottonwood Creek and Coon Creek

SEG ID:1202K Mill Creek

From confluence of East and West Mill Creeks downstream to confluence with Brazos River

<u>Parameter(s)</u>	<u>Level of Concern</u>
impaired habitat	CS
1202K_01	Portion of Mill Creek from confluence with Brazos River upstream to confluence with East/West Forks Mill Creek in Austin County.

2018 Texas Integrated Report - Water Bodies with Concerns for Use Attainment and Screening Levels

SEG ID: 1204 Brazos River Below Lake Granbury

From a point immediately upstream of the confluence of Camp Creek in Bosque/Johnson County to DeCordova Bend Dam in Hood County

<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS
1204_02	Portion of Brazos River below Lake Granbury from the confluence with the Paluxy River upstream to DeCordova Bend Dam in Hood County.

<u>Parameter(s)</u>	<u>Level of Concern</u>
impaired habitat	CS
1204_02	Portion of Brazos River below Lake Granbury from the confluence with the Paluxy River upstream to DeCordova Bend Dam in Hood County.

SEG ID: 1205 Lake Granbury

From DeCordova Bend Dam in Hood County to a point 100 meters (110 yards) upstream of FM 2580 in Parker County, up to normal pool elevation of 693 feet (impounds Brazos River)

<u>Parameter(s)</u>	<u>Level of Concern</u>
depressed dissolved oxygen	CS
1205_05	Downstream portion of lake

<u>Parameter(s)</u>	<u>Level of Concern</u>
Excessive algal growth in water	CS
1205_01	Upstream portion of lake
1205_02	Portion of lake adjacent to the City of Oak Trail Shores
1205_03	Portion of lake adjacent to the City of Granbury
1205_04	Portion of lake downstream of Granbury
1205_05	Downstream portion of lake
1205_SA1	Unnamed inlets and canals adjacent to AU 1205_01
1205_SA2	Unnamed inlets and canals adjacent to 1205_02
1205_SA3	Unnamed inlets and canals adjacent to 1205_03
1205_SA4	Unnamed inlets and canals adjacent to 1205_04
1205_SA5	Unnamed inlets and canals adjacent to AU 1205_05

SEG ID:1205C Walnut Creek

From the confluence with Lake Granbury upstream to its headwaters in Hood County

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
1205C_01	From the confluence with Lake Granbury upstream to its headwaters in Hood County

2018 Texas Integrated Report - Water Bodies with Concerns for Use Attainment and Screening Levels

SEG ID: 1206 Brazos River Below Possum Kingdom Lake

From a point 100 meters (110 yards) upstream of FM 2580 in Parker County to Morris Sheppard Dam in Palo Pinto County

<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS
1206_01	Portion of the Brazos River 100 meters (110 yards) upstream of FM 2580 in Parker County upstream to confluence with Rock Creek in Parker County.
1206_03	Portion of Brazos river from confluence with Elm Creek in Palo Pinto County upstream to Possum Kingdom Reservoir in Palo Pinto county.

<u>Parameter(s)</u>	<u>Level of Concern</u>
impaired habitat	CS
1206_01	Portion of the Brazos River 100 meters (110 yards) upstream of FM 2580 in Parker County upstream to confluence with Rock Creek in Parker County.
1206_02	Portion of Brazos River from confluence with Rock Creek upstream to confluence with Elm Creek in Palo Pinto County.

<u>Parameter(s)</u>	<u>Level of Concern</u>
impaired macrobenthic community	CN
1206_01	Portion of the Brazos River 100 meters (110 yards) upstream of FM 2580 in Parker County upstream to confluence with Rock Creek in Parker County.
1206_02	Portion of Brazos River from confluence with Rock Creek upstream to confluence with Elm Creek in Palo Pinto County.

SEG ID: 1208 Brazos River Above Possum Kingdom Lake

From a point immediately upstream of the confluence of Cove Creek at Salem Bend in Young County to the confluence of the Double Mountain Fork Brazos River and the Salt Fork Brazos River in Stonewall County

<u>Parameter(s)</u>	<u>Level of Concern</u>
bacteria (Recreation Use)	CN
1208_06	From confluence with Lake Creek upstream to the confluence with Salt and Double Mountain Forks of the Brazos River

<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS
1208_01	Portion of segment from confluence with Possum Kingdom Reservoir headwaters upstream to confluence with Spring Branch in Young County.
1208_05	From confluence with Millers Creek upstream to confluence with Lake Creek

<u>Parameter(s)</u>	<u>Level of Concern</u>
Chlorophyll-a in water	CS
1208_02	Portion of segment from confluence with Spring Branch upstream to confluence with Fish Creek
1208_04	From confluence with Boggy Creek upstream to confluence with Millers Creek

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:1208A Millers Creek Reservoir

Impoundment of Millers Creek, 12.5 mi southwest of Seymour in Baylor County

<u>Parameter(s)</u>	<u>Level of Concern</u>
bacteria (Recreation Use)	CN
1208A_01 Impoundment of Millers Creek, 12.5 mi southwest of Seymour in Baylor County	
<u>Parameter(s)</u>	<u>Level of Concern</u>
depressed dissolved oxygen	CS
1208A_01 Impoundment of Millers Creek, 12.5 mi southwest of Seymour in Baylor County	

SEG ID: 1209 Navasota River Below Lake Limestone

From the confluence with the Brazos River in Grimes County to Sterling C. Robertson Dam in Leon/Robertson County

<u>Parameter(s)</u>	<u>Level of Concern</u>
Chlorophyll-a in water	CS
1209_05 Portion of Navasota River from confluence with Camp Creek upstream to Lake Limestone Dam in Robertson County.	
<u>Parameter(s)</u>	<u>Level of Concern</u>
depressed dissolved oxygen	CS
1209_01 Portion of Navasota River from confluence with Brazos River upstream to confluence with Rocky Creek in grimes County.	
<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
1209_01 Portion of Navasota River from confluence with Brazos River upstream to confluence with Rocky Creek in grimes County.	
<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS
1209_01 Portion of Navasota River from confluence with Brazos River upstream to confluence with Rocky Creek in grimes County.	

SEG ID:1209A Country Club Lake

From the Country Club Branch Dam up to normal pool elevation in Bryan in Brazos County

<u>Parameter(s)</u>	<u>Level of Concern</u>
arsenic in sediment	CS
1209A_01 From the Country Club Branch Dam up to normal pool elevation in Bryan in Brazos County	

2018 Texas Integrated Report - Water Bodies with Concerns for Use Attainment and Screening Levels

SEG ID:1209B Fin Feather Lake

From Fin Feather Dam up to normal pool elevation in northwest Bryan in Brazos County

<u>Parameter(s)</u>	<u>Level of Concern</u>
arsenic in sediment	CS
1209B_01 From Fin Feather Dam up to normal pool elevation in northwest Bryan in Brazos County	
chromium in sediment	CS
1209B_01 From Fin Feather Dam up to normal pool elevation in northwest Bryan in Brazos County	
copper in sediment	CS
1209B_01 From Fin Feather Dam up to normal pool elevation in northwest Bryan in Brazos County	
DDD in sediment	CS
1209B_01 From Fin Feather Dam up to normal pool elevation in northwest Bryan in Brazos County	
DDE in sediment	CS
1209B_01 From Fin Feather Dam up to normal pool elevation in northwest Bryan in Brazos County	
zinc in sediment	CS
1209B_01 From Fin Feather Dam up to normal pool elevation in northwest Bryan in Brazos County	

SEG ID:1209C Carters Creek

Perennial stream from the confluence with the Navasota River southeast of College Station in Brazos County upstream to the headwaters 1.6 km upstream on US 190

<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS
1209C_01 Perennial stream from the confluence with the Navasota River upstream to the confluence of an unnamed tributary 0.5 km upstream of FM 158; App D	
nitrate	CS
1209C_01 Perennial stream from the confluence with the Navasota River upstream to the confluence of an unnamed tributary 0.5 km upstream of FM 158; App D	
total phosphorus	CS
1209C_01 Perennial stream from the confluence with the Navasota River upstream to the confluence of an unnamed tributary 0.5 km upstream of FM 158; App D	

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:1209G Cedar Creek

From the confluence with the Navasota River in Brazos County to the confluence with Moores Branch and Rocky Branch in Robertson County

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

1209G_01 From the confluence with the Navasota River in Brazos County to the confluence with Moores Branch and Rocky Branch in Robertson County

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

1209G_01 From the confluence with the Navasota River in Brazos County to the confluence with Moores Branch and Rocky Branch in Robertson County

SEG ID:1209H Duck Creek

From the confluence with the Navasota river in Robertson County to Twin Oak Reservoir dam in Robertson County

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

1209H_01 Portion of Duck Creek from confluence with Navasota River upstream to confluence with Mineral Creek in Robertson County.

1209H_02 Portion of Duck Creek from confluence with Mineral Creek in Robertson County upstream to Twin Oak Reservoir dam in Robertson County.

SEG ID: 1209I Gibbons Creek

From confluence with Navasota River in Grimes County to SH 90 in Grimes County

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

1209I_01 Portion of Gibbons Creek from confluence with Navasota River upstream to confluence with Dry Creek in Grimes County.

SEG ID:1209L Burton Creek

Burton Creek - from the confluence of Carters Creek in College Station upstream to the headwater 0.7 km northeast of Finfeather Lake in Bryan

Parameter(s)

nitrate

Level of Concern

CS

1209L_01 Burton Creek from the confluence of Carters Creek in College Station upstream to the headwater 0.7 km northeast of Finfeather Lake in Bryan

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:1209O Normangee Lake

Impounded Running Creek, 7.5 km west of Normangee in Leon County.

Parameter(s)

arsenic in sediment

Level of Concern

CS

1209O_01 Impounded Running Creek, 7.5 km west of Normangee in Leon County.

SEG ID: 1210 Lake Mexia

From Bistone Dam in Limestone County up to the normal pool elevation of 448.3 feet (impounds Navasota River)

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

1210_01 Eastern end of reservoir, from dam to RR 2681 east of Washington Park

1210_02 Western end, from point where reservoir begins to widen, to upper end

SEG ID: 1211 Yegua Creek

From the confluence with the Brazos River in Burleson/Washington County to Somerville Dam in Burleson/Washington County

Parameter(s)

chlorophyll-a

Level of Concern

CS

1211_01 From the confluence with the Brazos River in Burleson/Washington County to Somerville Dam in Burleson/Washington County

SEG ID:1212A Middle Yegua Creek

From the confluence with East Yegua and Yegua Creeks in Lee County to the Lee County/Williamson County line

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

1212A_02 From confluence with West Yegua Creek upstream to headwaters of water body in Williamson County.

Parameter(s)

impaired habitat

Level of Concern

CS

1212A_02 From confluence with West Yegua Creek upstream to headwaters of water body in Williamson County.

SEG ID:1212L Yegua Creek

Yegua Creek from the confluence of Somerville Lake upstream to the confluence of East Yegua and Middle Yegua Creeks at the Burleson and Lee County Line

Parameter(s)

chlorophyll-a

Level of Concern

CS

1212L_01 Yegua Creek from the confluence of Somerville Lake upstream to the confluence of East Yegua and Middle Yegua Creeks at the Burleson and Lee County Line

2018 Texas Integrated Report - Water Bodies with Concerns for Use Attainment and Screening Levels

SEG ID: 1213 Little River

From the confluence with the Brazos River in Milam County to the confluence of the Leon River and the Lampasas River in Bell County

<u>Parameter(s)</u>	<u>Level of Concern</u>
---------------------	-------------------------

bacteria (Recreation Use)

CN

1213_03 From confluence with San Gabriel River upstream to confl. with Boggy Creek

<u>Parameter(s)</u>	<u>Level of Concern</u>
---------------------	-------------------------

chlorophyll-a

CS

1213_01 From the confluence with Brazos River upstream to confluence with City of Cameron WWTP receiving water

<u>Parameter(s)</u>	<u>Level of Concern</u>
---------------------	-------------------------

nitrate

CS

1213_01 From the confluence with Brazos River upstream to confluence with City of Cameron WWTP receiving water

1213_02 From the City of Cameron WWTP receiving water upstream to the confluence with the San Gabriel River

1213_03 From confluence with San Gabriel River upstream to confl. with Boggy Creek

1213_04 From confluence with Boggy Creek upstream to its confluence with Leon and Lampasas Rivers

SEG ID:1213A Big Elm Creek

From the confluence with Little River in Milam county, 4.5 km northeast of the City of Cameron, upstream to its headwaters in McLennan County, 0.7 km west of Moody.

<u>Parameter(s)</u>	<u>Level of Concern</u>
---------------------	-------------------------

Nitrate in water

CS

1213A_01 Portion of Big Elm Creek from the confluence with the Little River upstream to confluence with Little Elm Creek.

SEG ID:1213B Little Elm Creek

From the confluence with Big Elm Creek upstream to headwaters, 2.5 km north of Temple in Bell County

<u>Parameter(s)</u>	<u>Level of Concern</u>
---------------------	-------------------------

depressed dissolved oxygen

CN

1213B_01 From confluence with Big Elm Creek upstream to confluence with Williamson Branch

<u>Parameter(s)</u>	<u>Level of Concern</u>
---------------------	-------------------------

nitrate

CS

1213B_01 From confluence with Big Elm Creek upstream to confluence with Williamson Branch

SEG ID:1213C Unnamed Tributary of Little Elm Creek

From confluence with Little Elm Creek upstream to headwaters in Temple, Bell County

<u>Parameter(s)</u>	<u>Level of Concern</u>
---------------------	-------------------------

nitrate

CS

1213C_01 From confluence with Little Elm Creek upstream to headwaters in Temple, Bell County

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID: 1214 San Gabriel River

From the confluence with the Little River in Milam County to Granger Lake Dam in Williamson County

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

1214_01 From confluence with Little River upstream to confl. with Alligator Creek

Parameter(s)

nitrate

Level of Concern

CS

1214_01 From confluence with Little River upstream to confl. with Alligator Creek

SEG ID: 1216 Stillhouse Hollow Lake

From Stillhouse Hollow Lake Dam in Bell County to a point immediately upstream of the confluence of Rock Creek in Bell County, up to normal pool elevation of 622 feet (impounds Lampasas River)

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

1216_01 Main Body of Lake

SEG ID: 1217 Lampasas River Above Stillhouse Hollow Lake

From a point immediately upstream of the confluence of Rock Creek in Bell County to FM 2005 in Hamilton County

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

1217_05 Portion of Lampasas River from confluence with Bennett Creek upstream to its headwaters in Mills County.

Parameter(s)

chlorophyll-a

Level of Concern

CS

1217_04 Portion of Lampasas River from confluence with Simms Creek upstream to confluence with Bennett Creek in Lampasas County.

2018 Texas Integrated Report - Water Bodies with Concerns for Use Attainment and Screening Levels

SEG ID: 1218 Nolan Creek/ South Nolan Creek

From the confluence with the Leon River in Bell County to a point 100 meters (110 yards) upstream to the most upstream crossing of US 190 and Loop 172 in Bell County

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
1218_01	Portion of Nolan Creek from the confluence with the Leon River upstream to confluence with North Nolan/South Nolan Creek fork in Bell county
1218_02	Portion of South Nolan Creek from confluence with North Nolan / Nolan Creek fork upstream to confluence with Liberty Ditch in city of Killeen in Bell County.

<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS
1218_01	Portion of Nolan Creek from the confluence with the Leon River upstream to confluence with North Nolan/South Nolan Creek fork in Bell county
1218_02	Portion of South Nolan Creek from confluence with North Nolan / Nolan Creek fork upstream to confluence with Liberty Ditch in city of Killeen in Bell County.

SEG ID:1218A Unnamed Tributary to Little Nolan Creek

From the confluence with Little Nolan Creek upstream to headwaters in the city of Killeen, Bell County.

<u>Parameter(s)</u>	<u>Level of Concern</u>
bacteria (Recreation Use)	CN
1218A_01	From the confluence with Little Nolan Creek upstream to headwaters in the city of Killeen, Bell County.

SEG ID: 1219 Leon River Below Belton Lake

From the confluence with the Lampasas River in Bell County to Belton Dam in Bell County

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
1219_01	From the confluence with the Lampasas River in Bell County to Belton Dam in Bell County

<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS
1219_01	From the confluence with the Lampasas River in Bell County to Belton Dam in Bell County

2018 Texas Integrated Report - Water Bodies with Concerns for Use Attainment and Screening Levels

SEG ID: 1221 Leon River Below Proctor Lake

From a point immediately upstream of the confluence of Plum Creek in Coryell County to Proctor Dam in Comanche County

<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS
1221_04	From a point immediately upstream of the confluence with Plum Creek, upstream to the confluence with Pecan Creek
1221_05	From confluence with Pecan Creek, upstream to confluence with South Leon Creek
1221_06	From confluence with South Leon Creek upstream to confluence with Walnut Creek
1221_07	From the confluence with Walnut Creek upstream to Lake Proctor

<u>Parameter(s)</u>	<u>Level of Concern</u>
depressed dissolved oxygen	CS
1221_04	From a point immediately upstream of the confluence with Plum Creek, upstream to the confluence with Pecan Creek
1221_05	From confluence with Pecan Creek, upstream to confluence with South Leon Creek
1221_07	From the confluence with Walnut Creek upstream to Lake Proctor

SEG ID:1221A Resley Creek

From the confluence of the Leon River east of Gustine in Comanche County to the upstream perennial portion of the stream north of Gustine in Erath County

<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS
1221A_01	Portion of Resley Creek from confluence with Leon River upstream to conf. with unnamed tributary (NHD RC 12070201007823), approx. 1.0 mi N. of Comanche County Line
1221A_02	Portion of Resley Creek from confluence with unnamed tributary (NHD RC 12070201007823), upstream to headwaters in Erath County.

SEG ID:1221B South Leon River

From the confluence of the Leon River south of Gustine in Comanche County to the upstream perennial portion of the stream south of Comanche in Comanche County

<u>Parameter(s)</u>	<u>Level of Concern</u>
bacteria (Recreation Use)	CN
1221B_01	From the confluence of the Leon River south of Gustine in Comanche County to the upstream perennial portion of the stream south of Comanche in Comanche County

<u>Parameter(s)</u>	<u>Level of Concern</u>
impaired habitat	CS
1221B_01	From the confluence of the Leon River south of Gustine in Comanche County to the upstream perennial portion of the stream south of Comanche in Comanche County

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:1221C Pecan Creek

Perennial stream from the confluence with the Leon River upstream to the headwaters approximately 3.1 km south of the City of Hamilton in Hamilton County

Parameter(s)

chlorophyll-a

Level of Concern

CS

1221C_01 Perennial stream from the confluence with the Leon River upstream to the confluence with an unnamed tributary approximately 3.5 km upstream of SH 36 near the City of Hamilton; App D

SEG ID:1221D Indian Creek

Perennial stream from the confluence of the Leon River to the headwaters approximately 7.5 km west of Comanche in Comanche County

Parameter(s)

chlorophyll-a

Level of Concern

CS

1221D_01 From confluence with Leon River, upstream to confluence with Armstrong Creek

1221D_02 Perennial stream from the confluence with Armstrong Creek approximately 1.5 km downstream of SH 36 upstream to the confluence with an unnamed tributary approximately 0.1 km upstream of US 377; App D

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

1221D_01 From confluence with Leon River, upstream to confluence with Armstrong Creek

Parameter(s)

nitrate

Level of Concern

CS

1221D_02 Perennial stream from the confluence with Armstrong Creek approximately 1.5 km downstream of SH 36 upstream to the confluence with an unnamed tributary approximately 0.1 km upstream of US 377; App D

Parameter(s)

Total Phosphorus in water

Level of Concern

CS

1221D_02 Perennial stream from the confluence with Armstrong Creek approximately 1.5 km downstream of SH 36 upstream to the confluence with an unnamed tributary approximately 0.1 km upstream of US 377; App D

SEG ID:1221F Walnut Creek

From its confluence with Leon River upstream to its headwaters 2.4 mi west of Dublin in Erath County

Parameter(s)

chlorophyll-a

Level of Concern

CS

1221F_01 From its confluence with Leon River upstream to its headwaters 2.4 mi west of Dublin in Erath County

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:1221G Coryell Creek

Coryell Creek from the confluence of the Leon River west of Gatesville upstream to headwater at Coryell CR 219 north of Gatesville

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

1221G_01 Coryell Creek from the confluence of the Leon River west of Gatesville upstream to headwater at Coryell CR 219 north of Gatesville

SEG ID:1222A Duncan Creek

From the confluence of Proctor Lake northeast of Comanche in Comanche County to the upstream perennial portion of the stream west of Comanche in Comanche County

Parameter(s)

chlorophyll-a

Level of Concern

CS

1222A_01 From the confluence of Proctor Lake northeast of Comanche in Comanche County to the upstream perennial portion of the stream west of Comanche in Comanche County

SEG ID:1222B Rush-Copperas Creek

From the confluence of Proctor Lake northeast of Comanche in Comanche County to the upstream perennial portion of the stream northwest of Comanche in Comanche County

Parameter(s)

chlorophyll-a

Level of Concern

CS

1222B_01 From the confluence of Proctor Lake northeast of Comanche in Comanche County to the upstream perennial portion of the stream northwest of Comanche in Comanche County

SEG ID:1222D Sowells Creek

From its confluence with Lake Proctor, upstream to its headwaters 1.3 mi west of Dublin in Erath County

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

1222D_01 From its confluence with Lake Proctor, upstream to its headwaters 1.3 mi west of Dublin in Erath County

SEG ID:1222F Hackberry Creek

From its confluence with Armstrong Creek, upstream to its headwaters approximately 9.8 mi west of Stephenville in Erath County

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

1222F_01 From its confluence with Armstrong Creek, upstream to its headwaters approximately 9.8 mi west of Stephenville in Erath County

Parameter(s)

depressed dissolved oxygen

Level of Concern

CN

1222F_01 From its confluence with Armstrong Creek, upstream to its headwaters approximately 9.8 mi west of Stephenville in Erath County

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID: 1223 Leon River Below Leon Reservoir

From a point immediately upstream of the confluence of Mill Branch in Comanche County to Leon Dam in Eastland County

Parameter(s)

chlorophyll-a

Level of Concern

CS

1223_01

From a point immediately upstream of the confluence of Mill Branch in Comanche County to Leon Dam in Eastland County

SEG ID:1223A Armstrong Creek

From its confluence with the Leon River downstream of Leon Reservoir, upstream to its headwaters in Erath County 6.2 mi east of State Hwy 16.

Parameter(s)

Nitrate in water

Level of Concern

CS

1223A_01

From its confluence with the Leon River downstream of Leon Reservoir, upstream to its headwaters in Erath County 6.2 mi east of State Hwy 16.

SEG ID:1223B Cow Creek

From the confluence with Armstrong Creek, upstream to its headwaters in Erath County, 5 mi north of Dublin

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

1223B_01

From the confluence with Armstrong Creek, upstream to its headwaters in Erath County, 5 mi north of Dublin

2018 Texas Integrated Report - Water Bodies with Concerns for Use Attainment and Screening Levels

SEG ID: 1226 North Bosque River

From a point immediately upstream of the confluence of Long Branch in McLennan County to a point immediately upstream of the confluence of Indian Creek in Erath County

<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS
1226_02	Portion of North Bosque River from confluence with Neils Creek upstream to confluence with Meridian Creek in Bosque County.
1226_03	Portion of North Bosque River from confluence with Meridian Creek upstream to confluence with Duffau Creek in Bosque County.
1226_04	Portion of North Bosque River from confluence with Duffau Creek in Bosque County upstream to a point immediately upstream of Indian Creek confluence (end of segment) in Erath County.

<u>Parameter(s)</u>	<u>Level of Concern</u>
Chlorophyll-a in water	CS
1226_01	Portion of North Bosque River from confluence with Waco Lake in McLennan County upstream to confluence with Neils Creek in Bosque County.

<u>Parameter(s)</u>	<u>Level of Concern</u>
depressed dissolved oxygen	CN
1226_02	Portion of North Bosque River from confluence with Neils Creek upstream to confluence with Meridian Creek in Bosque County.

<u>Parameter(s)</u>	<u>Level of Concern</u>
impaired macrobenthic community	CN
1226_01	Portion of North Bosque River from confluence with Waco Lake in McLennan County upstream to confluence with Neils Creek in Bosque County.
1226_04	Portion of North Bosque River from confluence with Duffau Creek in Bosque County upstream to a point immediately upstream of Indian Creek confluence (end of segment) in Erath County.

SEG ID: 1226E Indian Creek

From the confluence with the North Bosque River in Erath County to the headwaters 3.5 mi east of Stephenville in Erath County

<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS
1226E_01	From the confluence with the North Bosque River in Erath County to the headwaters 3.5 mi east of Stephenville in Erath County

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
1226E_01	From the confluence with the North Bosque River in Erath County to the headwaters 3.5 mi east of Stephenville in Erath County

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:1226H Alarm Creek

From its confluence with the North Bosque River, upstream to its headwaters 3 mi west of Stephenville in Erath County

Parameter(s)

chlorophyll-a

Level of Concern

CS

1226H_01 From its confluence with the North Bosque River, upstream to its headwaters 3 mi west of Stephenville in Erath County

SEG ID:1226K Little Duffau Creek

From its confluence with Duffau Creek, upstream to its headwaters 2.4 mi south west of US 67 in Erath County

Parameter(s)

nitrate

Level of Concern

CS

1226K_01 From its confluence with Duffau Creek, upstream to its headwaters 2.4 mi south west of US 67 in Erath County

Parameter(s)

total phosphorus

Level of Concern

CS

1226K_01 From its confluence with Duffau Creek, upstream to its headwaters 2.4 mi south west of US 67 in Erath County

SEG ID:1226O Sims Creek Reservoir

Impounded Sims Creek in Erath County, 6.8 mi south east of Stephenville

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

1226O_01 Impounded Sims Creek in Erath County, 6.8 mi south east of Stephenville

SEG ID: 1227 Nolan River

From a point immediately upstream of the confluence of Rock Creek in Hill County to Cleburne Dam in Johnson County

Parameter(s)

chlorophyll-a

Level of Concern

CS

1227_01 Portion of Nolan River from confluence with Whitney Lake upstream to confluence with Mustang Creek in Hill County.

1227_02 Portion of Nolan River from confluence with Mustang Creek in Hill County upstream to confluence with Lake Pat Cleburne Dam in Johnson County.

Parameter(s)

nitrate

Level of Concern

CS

1227_02 Portion of Nolan River from confluence with Mustang Creek in Hill County upstream to confluence with Lake Pat Cleburne Dam in Johnson County.

Parameter(s)

total phosphorus

Level of Concern

CS

1227_02 Portion of Nolan River from confluence with Mustang Creek in Hill County upstream to confluence with Lake Pat Cleburne Dam in Johnson County.

2018 Texas Integrated Report - Water Bodies with Concerns for Use Attainment and Screening Levels

SEG ID: 1227A Buffalo Creek

From the confluence with the Nolan River upstream to the confluence with East Buffalo Creek and West Buffalo Creek

<u>Parameter(s)</u>	<u>Level of Concern</u>
bacteria (Recreation Use)	CN
1227A_01 From the confluence with the Nolan River upstream to the confluence with East Buffalo Creek and West Buffalo Creek	
nitrate	CS
1227A_01 From the confluence with the Nolan River upstream to the confluence with East Buffalo Creek and West Buffalo Creek	
total phosphorus	CS
1227A_01 From the confluence with the Nolan River upstream to the confluence with East Buffalo Creek and West Buffalo Creek	

SEG ID: 1232 Clear Fork Brazos River

From the confluence with the Brazos River in Young County to the most upstream crossing of US 180 in Fisher County

<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS
1232_02 From confluence with Hubbard Creek upstream to confluence with Deadman Creek	
1232_03 From confluence with Deadman Creek upstream to conf. With Bitter Creek	
1232_04 From confluence with Bitter Creek upstream to end of segment	
depressed dissolved oxygen	CS
1232_03 From confluence with Deadman Creek upstream to conf. With Bitter Creek	
nitrate	CS
1232_04 From confluence with Bitter Creek upstream to end of segment	
total phosphorus	CS
1232_02 From confluence with Hubbard Creek upstream to confluence with Deadman Creek	

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:1232A California Creek

From the confluence of Paint Creek southeast of Haskell in Haskell County to the headwaters southwest of Stamford in Jones County

Parameter(s)

chlorophyll-a

Level of Concern

CS

1232A_01 Portion of California Creek from confluence with Paint Creek in Haskell County upstream to confluence with Thompson Creek in Jones County.

Parameter(s)

impaired macrobenthic community

Level of Concern

CN

1232A_01 Portion of California Creek from confluence with Paint Creek in Haskell County upstream to confluence with Thompson Creek in Jones County.

Parameter(s)

nitrate

Level of Concern

CS

1232A_01 Portion of California Creek from confluence with Paint Creek in Haskell County upstream to confluence with Thompson Creek in Jones County.

SEG ID:1232B Deadman Creek

From the confluence of the Clear Fork Brazos River south of Lueders in Jones County to the headwaters north of Hamby in Jones County

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

1232B_02 Upstream of WWTP outfall to headwaters

Parameter(s)

nitrate

Level of Concern

CS

1232B_01 From the confluence with Clear Fork Brazos, upstream to city of Abilene WWTP receiving water

Parameter(s)

total phosphorus

Level of Concern

CS

1232B_01 From the confluence with Clear Fork Brazos, upstream to city of Abilene WWTP receiving water

SEG ID:1233A Big Sandy Creek

From its confluence with Hubbard Creek Reservoir, upstream to its headwaters 4 mi west of US 183 in Stephens County.

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

1233A_01 From its confluence with Hubbard Creek Reservoir, upstream to its headwaters 4 mi west of US 183 in Stephens County.

Parameter(s)

chlorophyll-a

Level of Concern

CS

1233A_01 From its confluence with Hubbard Creek Reservoir, upstream to its headwaters 4 mi west of US 183 in Stephens County.

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID: 1236A Cedar Creek

From its confluence with Phantom Hill Reservoir, upstream to its headwaters 4 mi north east of Tuscola, in Taylor County

Parameter(s)

chlorophyll-a

Level of Concern

CS

1236A_01 From its confluence with Phantom Hill Reservoir, upstream to its headwaters 4 mi north east of Tuscola, in Taylor County

SEG ID: 1237 Lake Sweetwater

From Sweetwater Dam in Nolan County up to the normal pool elevation of 2116.5 feet (impounds Bitter Creek)

Parameter(s)

Chloride in water

Level of Concern

CN

1237_01 From Sweetwater Dam in Nolan County up to the normal pool elevation of 2116.5 feet (impounds Bitter Creek)

Parameter(s)

sulfate

Level of Concern

CN

1237_01 From Sweetwater Dam in Nolan County up to the normal pool elevation of 2116.5 feet (impounds Bitter Creek)

Parameter(s)

total dissolved solids

Level of Concern

CN

1237_01 From Sweetwater Dam in Nolan County up to the normal pool elevation of 2116.5 feet (impounds Bitter Creek)

SEG ID: 1238 Salt Fork Brazos River

From the confluence of the Double Mountain Fork Brazos River in Stonewall County to the most upstream crossing of SH 207 in Crosby County

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

1238_01 Portion of Salt Fork Brazos River from confluence with Double Mountain Fork Brazos River upstream to confluence with Croton Creek in Stonewall County.

1238_03 Portion of Salt Fork Brazos River from confluence with Butte Creek in Kent County upstream to the most upstream crossing of SH 207 in Crosby County

SEG ID: 1238A Croton Creek

From its confluence with the Salt Fork of the Brazos River, upstream to its headwaters 1.6 mi north of Dickens in Dickens County

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

1238A_01 From its confluence with the Salt Fork of the Brazos River, upstream to its headwaters 1.6 mi north of Dickens in Dickens County

2018 Texas Integrated Report - Water Bodies with Concerns for Use Attainment and Screening Levels

SEG ID: 1238B Duck Creek

Intermittent stream w/pools from the confluence with the Salt Fork of the Brazos River in Kent County upstream approximately 90 km (56 mi) to the headwaters approximately 12 km (7.5 mi) northeast of US Highway 82

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

1238B_01 From the confluence with the Salt Fork of the Brazos River in Kent County upstream approximately 90 km (56 mi) to the headwaters approximately 12 km (7.5 mi) northeast of US Highway 82

Parameter(s)

Chlorophyll-a in water

Level of Concern

CS

1238B_01 From the confluence with the Salt Fork of the Brazos River in Kent County upstream approximately 90 km (56 mi) to the headwaters approximately 12 km (7.5 mi) northeast of US Highway 82

SEG ID: 1241 Double Mountain Fork Brazos River

From the confluence with the Salt Fork Brazos River in Stonewall County to the confluence of the North Fork Double Mountain Fork Brazos River in Kent County

Parameter(s)

chlorophyll-a

Level of Concern

CS

1241_01 25 mi near Hwy 83

SEG ID: 1241A North Fork Double Mountain Fork Brazos River

Perennial stream from the confluence with Double Mountain Fork Brazos River upstream to the confluence with Yellow House Draw and Blackwater Draw, excluding Lake Ransom Canyon and Buffalo Springs Lake

Parameter(s)

chlorophyll-a

Level of Concern

CS

1241A_01 Appendix D, Perennial stream from the confluence with Double Mountain Fork Brazos River upstream to the dam forming Lake Ransom Canyon

1241A_02 From the confluence with Buffalo Springs Lake upstream to the confluence with Yellow House Draw and Blackwater Draw

Parameter(s)

nitrate

Level of Concern

CS

1241A_01 Appendix D, Perennial stream from the confluence with Double Mountain Fork Brazos River upstream to the dam forming Lake Ransom Canyon

1241A_02 From the confluence with Buffalo Springs Lake upstream to the confluence with Yellow House Draw and Blackwater Draw

2018 Texas Integrated Report - Water Bodies with Concerns for Use Attainment and Screening Levels

SEG ID: 1242 Brazos River Above Navasota River

From a point immediately upstream of the confluence of the Navasota River in Brazos/Grimes/Washington County to the low water dam forming Lake Brazos in McLennan County

<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS
1242_01	Portion of Brazos River from confluence with Navasota River upstream to confluence with Thompson's Creek in Brazos County
1242_02	Portion of Brazos River from confluence with Thompson's Creek in Brazos County upstream to confluence with Little River in Milam County
1242_04	Portion of Brazos River from confluence with Pond Creek in Milam County upstream to confluence with Deer Creek in Falls County
1242_05	Portion of Brazos River from confluence with Deer Creek in Falls County upstream to confluence with Tehuacana Creek in McLennan County
1242_06	Portion of Brazos River from confluence with Tehuacana Creek in McLennan County upstream to Lake Brazos Dam in McLennan County

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
1242_05	Portion of Brazos River from confluence with Deer Creek in Falls County upstream to confluence with Tehuacana Creek in McLennan County

SEG ID:1242B Cottonwood Branch

Intermittent stream with perennial pools from the confluence with Still Creek upstream 0.95 km to the confluence with an unnamed tributary

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
1242B_01	Portion of Cottonwood Branch from confluence with Still Creek upstream to unnamed tributary (NHD RC 12070101000835) in Brazos County

<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS
1242B_01	Portion of Cottonwood Branch from confluence with Still Creek upstream to unnamed tributary (NHD RC 12070101000835) in Brazos County

SEG ID:1242C Still Creek

Perennial stream from the confluence with Thompson's Creek upstream to the headwaters in Brazos County near US 190

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
1242C_02	Portion of Still Creek from confluence with Cottonwood Branch upstream to headwaters in Brazos County near US 190.

<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS
1242C_02	Portion of Still Creek from confluence with Cottonwood Branch upstream to headwaters in Brazos County near US 190.

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:1242D Thompsons Creek

Thompsons Creek - from the confluence of the Brazos River upstream to the confluence of Thompson's Branch, north of FM 1687

<u>Parameter(s)</u>	<u>Level of Concern</u>
ammonia	CS

1242D_02	Thompsons Creek an Appendix D intermittent stream with perennial pools from the confluence of Still Creek upstream to the confluence of Thompson's Branch, north of FM 1687
----------	---

<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS

1242D_02	Thompsons Creek an Appendix D intermittent stream with perennial pools from the confluence of Still Creek upstream to the confluence of Thompson's Branch, north of FM 1687
----------	---

<u>Parameter(s)</u>	<u>Level of Concern</u>
impaired fish community	CN

1242D_01	Thompsons Creek an Appendix D perennial stream from the confluence of the Brazos River upstream to the confluence of Still Creek in Brazos County.
----------	--

<u>Parameter(s)</u>	<u>Level of Concern</u>
impaired macrobenthic community	CN

1242D_02	Thompsons Creek an Appendix D intermittent stream with perennial pools from the confluence of Still Creek upstream to the confluence of Thompson's Branch, north of FM 1687
----------	---

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS

1242D_01	Thompsons Creek an Appendix D perennial stream from the confluence of the Brazos River upstream to the confluence of Still Creek in Brazos County.
----------	--

<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS

1242D_01	Thompsons Creek an Appendix D perennial stream from the confluence of the Brazos River upstream to the confluence of Still Creek in Brazos County.
----------	--

SEG ID:1242H Tradinghouse Reservoir

Impounded Tradinghouse Creek, within the city of Hallsburg, McLennan County

<u>Parameter(s)</u>	<u>Level of Concern</u>
harmful algal bloom/golden alga	CN

1242H_01	Impounded Tradinghouse Creek, within the city of Hallsburg, McLennan County
----------	---

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID: 1242I Campbells Creek

From the confluence with the Little Brazos River upstream to the headwaters, one mi west of Old San Antonio Road

Parameter(s)

depressed dissolved oxygen

Level of Concern

CN

1242I_01 From the confluence with the Little Brazos River upstream to the headwaters, one mi west of Old San Antonio Road

From the confluence with the Little Brazos River upstream to the headwaters, one mi west of Old San Antonio Road

SEG ID: 1242J Deer Creek

Deer Creek - perennial stream from the confluence of the Brazos River upstream to the confluence of Dog Branch northwest of Lott

Parameter(s)

impaired macrobenthic community

Level of Concern

CN

1242J_01 Deer Creek an Appendix D perennial stream from the confluence of the Brazos River upstream to the confluence of Dog Branch northwest of Lott

SEG ID:1242MSpring Creek

From the confluence with the Little Brazos River in Robertson County, upstream to the headwaters, 1.5 mi north of FM 391

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

1242M_01 From the confluence with the Little Brazos River in Robertson County, upstream to the headwaters, 1.5 mi north of FM 391

2018 Texas Integrated Report - Water Bodies with Concerns for Use Attainment and Screening Levels

SEG ID:1242N Tehuacana Creek

From the confluence with the Brazos River in McLennan county upstream to the headwaters 2 mi south of Penelope in Hill County

<u>Parameter(s)</u>	<u>Level of Concern</u>
bacteria (Recreation Use)	CN

1242N_01	Downstream portion of water body, from confluence with Brazos River upstream to confl. with Little Tehuacana Creek
----------	--

<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS

1242N_01	Downstream portion of water body, from confluence with Brazos River upstream to confl. with Little Tehuacana Creek
----------	--

<u>Parameter(s)</u>	<u>Level of Concern</u>
fish kill report	CN

1242N_01	Downstream portion of water body, from confluence with Brazos River upstream to confl. with Little Tehuacana Creek
----------	--

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS

1242N_01	Downstream portion of water body, from confluence with Brazos River upstream to confl. with Little Tehuacana Creek
----------	--

<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS

1242N_01	Downstream portion of water body, from confluence with Brazos River upstream to confl. with Little Tehuacana Creek
----------	--

SEG ID:1242Q Bull Hide Creek

From the confluence with the Brazos River in Falls County upstream to its headwaters, 1.5 km west of Waco in McLennan County.

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS

1242Q_01	Portion of Bull Hide Creek from the confluence with the Brazos River in Falls county upstream to the confluence with unnamed tributary (NHD RC 12070101002570) in McLennan County.
----------	--

SEG ID: 1243 Salado Creek

From the confluence with the Lampasas River in Bell County to the confluence of North Salado Creek and South Salado Creek in Williamson County

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS

1243_01	Portion of Salado Creek from confluence with Lampasas River upstream to unnamed tributary (NHD RC 12070203003968) just downstream of Stagecoach outfall.
---------	--

1243_02	Portion of Salado Creek from confluence with unnamed tributary (NHD RC 12070203003968) upstream to confluence with North/South Forks Salado Creek in Williamson County
---------	--

2018 Texas Integrated Report - Water Bodies with Concerns for Use Attainment and Screening Levels

SEG ID: 1244 Brushy Creek

From the confluence with the San Gabriel River in Milam County to the confluence of South Brushy Creek in Williamson County

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
1244_01	From the confluence of the San Gabriel River upstream to the confluence of Mustang Creek
1244_03	From the confluence of Cottonwood Creek upstream to the confluence of Lake Creek
<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS
1244_01	From the confluence of the San Gabriel River upstream to the confluence of Mustang Creek
1244_03	From the confluence of Cottonwood Creek upstream to the confluence of Lake Creek

SEG ID: 1245 Upper Oyster Creek

From Steep Bank Creek/Brazos River confluence in Fort Bend County to pumping station on Jones Creek confluence at Brazos River in Fort Bend County (includes portions of Steep Bank Creek, Flat Bank Creek, and Jones Creek)

<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS
1245_01	From the confluence with the Brazos River upstream to Dam #3
1245_02	From Dam #3 upstream to Harmon St. crossing in Sugar Land
1245_03	From Harmon St. crossing in Sugar Land upstream to the end of the segment
<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
1245_01	From the confluence with the Brazos River upstream to Dam #3
<u>Parameter(s)</u>	<u>Level of Concern</u>
Total Phosphorus in water	CS
1245_01	From the confluence with the Brazos River upstream to Dam #3

SEG ID:1245A Red Gully

Perennial stream from the confluence with Oyster Creek upstream to the confluence with two unnamed tributaries 0.1 km east of Clodine Road

<u>Parameter(s)</u>	<u>Level of Concern</u>
bacteria (Recreation Use)	CN
1245A_01	Perennial stream from the confluence with Oyster Creek upstream to 1.7 km upstream of Old Richmond Road; App D
<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
1245A_01	Perennial stream from the confluence with Oyster Creek upstream to 1.7 km upstream of Old Richmond Road; App D

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID: 1245E Flewellen Creek

From the confluence with Oyster Creek upstream to the confluence with two unnamed tributaries, 0.3 km east of Fulshear in Fort Bend county.

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

1245E_01 From the confluence with Oyster Creek upstream to the confluence with two unnamed tributaries, 0.3 km east of Fulshear in Fort Bend county.

SEG ID: 1245F Alcorn Bayou

From the confluence with Steep Bank Creek upstream to its headwaters 0.5km east of Pecan Grove in Fort Bend county

Parameter(s)

nitrate

Level of Concern

CS

1245F_01 From the confluence with Steep Bank Creek upstream to its headwaters 0.5km east of Pecan Grove in Fort Bend county

SEG ID: 1245I Steep Bank Creek

From confluence with Oyster Creek (Flat Bank Creek portion) upstream to end of water body, 0.2 km east of US 59 in city of First Colony, Fort Bend County.

Parameter(s)

nitrate

Level of Concern

CS

1245I_01 From confluence with Oyster Creek (Flat Bank Creek portion) upstream to end of water body, 0.2 km east of US 59 in city of First Colony, Fort Bend County.

SEG ID: 1245J Stafford Run

From the confluence with Upper Oyster Creek upstream to headwaters near Stafford, Fort Bend County.

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

1245J_01 From the confluence with Upper Oyster Creek upstream to headwaters near Stafford, Fort Bend County.

SEG ID: 1246 Middle Bosque/South Bosque River

Middle Bosque River from a point 1.64 km (1.02 mi) from the confluence with the South Bosque River to the confluence of Cave Creek and Middle Bosque Creek and for the South Bosque River from a point 1.35 km (0.84 mi) from the confluence of the Middle Bosq

Parameter(s)

nitrate

Level of Concern

CS

1246_01 Entire Middle Bosque River

1246_02 Entire South Bosque River

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:1246D Tonk Creek

From the confluence with Middle Bosque River in Crawford (McLennan County), upstream to the headwaters in Coryell County, 1.0 mi west of FM 929

Parameter(s)

nitrate

Level of Concern

CS

1246D_02 From the confluence of an unnamed tributary 1.0 km upstream of FM 185 near Tonkawa Falls Park upstream to the headwaters in Coryell County, 1.0 mi west of FM 929

SEG ID:1246E Wasp Creek

From the confluence with Tonk Creek in Crawford in McLennan County, upstream to the headwaters in Coryell County, 0.15 mi east of FM 185

Parameter(s)

nitrate

Level of Concern

CS

1246E_01 From the confluence with Tonk Creek in Crawford in McLennan County, upstream to the headwaters in Coryell County, 0.15 mi east of FM 185

SEG ID:1247A Willis Creek

From the confluence with the headwaters of Granger Lake in Williamson County to CR 313 in Williamson County

Parameter(s)

nitrate

Level of Concern

CS

1247A_01 From the confluence with the headwaters of Granger Lake in Williamson County to CR 313 in Williamson County

SEG ID:1248B Huddleston Branch

From the confluence with Mankins Branch in Williamson County to a point 1 km upstream of CR 105 in Williamson County

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

1248B_01 From the confluence with Mankins Branch in Williamson County to a point 1 km upstream of CR 105 in Williamson County

Parameter(s)

nitrate

Level of Concern

CS

1248B_01 From the confluence with Mankins Branch in Williamson County to a point 1 km upstream of CR 105 in Williamson County

2018 Texas Integrated Report - Water Bodies with Concerns for Use Attainment and Screening Levels

SEG ID: 1248C Mankins Branch

Perennial stream from the confluence with the San Gabriel River in Williamson County to the intersection of CR 105 and 104 in Williamson County

Parameter(s)

impaired habitat

Level of Concern

CS

1248C_01 Perennial stream from the confluence with the San Gabriel River in Williamson County to the intersection of CR 105 and 104 in Williamson County

Parameter(s)

nitrate

Level of Concern

CS

1248C_01 Perennial stream from the confluence with the San Gabriel River in Williamson County to the intersection of CR 105 and 104 in Williamson County

Parameter(s)

total phosphorus

Level of Concern

CS

1248C_01 Perennial stream from the confluence with the San Gabriel River in Williamson County to the intersection of CR 105 and 104 in Williamson County

SEG ID: 1250 South Fork San Gabriel River

From the confluence with the North Fork San Gabriel River in Williamson County to the most upstream crossing of SH 29 in Burnet County

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

1250_03 From the confluence with unnamed tributary (NHD RC 12070205002505) upstream to headwaters of water body.

SEG ID: 1252 Lake Limestone

From Sterling C. Robertson Dam in Leon/Robertson County to a point 2.3 km (1.4 mi) downstream of SH 164 in Limestone County, up to normal pool elevation of 363 feet (impounds Navasota River)

Parameter(s)

pH

Level of Concern

CN

1252_02 Main body of lake

SEG ID: 1253 Navasota River Below Lake Mexia

From a point 2.3 km (1.4 mi) downstream of SH 164 in Limestone County to Bistone Dam in Limestone County

Parameter(s)

chlorophyll-a

Level of Concern

CS

1253_01 From headwaters of Lake Limestone upstream to confluence with Plummer's Creek

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

1253_01 From headwaters of Lake Limestone upstream to confluence with Plummer's Creek

1253_02 From confluence with Plummer's Creek upstream to Springfield Lake

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:1253A Springfield Lake

Impoundment of Navasota River below Lake Mexia in Limestone County.

Parameter(s)

depressed dissolved oxygen

Level of Concern

CN

1253A_01 Impoundment of Navasota River below Lake Mexia in Limestone County.

SEG ID: 1254 Aquilla Reservoir

From Aquilla Dam in Hill County up to the normal pool elevation of 537.5 feet (impounds Aquilla Creek)

Parameter(s)

arsenic in sediment

Level of Concern

CS

1254_03 Hackberry Creek arm on the east

SEG ID:1254A Hackberry Creek

From its confluence with Aquilla Reservoir, upstream to its headwaters 1.3 mi west of Itasca in Hill County

Parameter(s)

ammonia

Level of Concern

CS

1254A_01 Portion of Hackberry Creek from the confluence with Aquilla Reservoir upstream to the confluence with Little Hackberry Creek in Hill County.

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

1254A_01 Portion of Hackberry Creek from the confluence with Aquilla Reservoir upstream to the confluence with Little Hackberry Creek in Hill County.

Parameter(s)

nitrate

Level of Concern

CS

1254A_01 Portion of Hackberry Creek from the confluence with Aquilla Reservoir upstream to the confluence with Little Hackberry Creek in Hill County.

2018 Texas Integrated Report - Water Bodies with Concerns for Use Attainment and Screening Levels

SEG ID: 1255 Upper North Bosque River

From a point immediately above the confluence of Indian Creek in Erath County to the confluence of the North Fork and South Fork of the Bosque River in Erath County

<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS
1255_01	Portion of Upper North Bosque River from confluence with Indian Creek upstream to confluence with Dry Branch in Erath County.
1255_02	Portion of Upper North Bosque River from confluence with Dry Branch upstream to confluence with North/South Forks North Bosque River in Erath County.
depressed dissolved oxygen	CN
1255_02	Portion of Upper North Bosque River from confluence with Dry Branch upstream to confluence with North/South Forks North Bosque River in Erath County.
nitrate	CS
1255_01	Portion of Upper North Bosque River from confluence with Indian Creek upstream to confluence with Dry Branch in Erath County.

SEG ID:1255A Goose Branch

From the confluence with the south fork of the North Bosque River 2.5 mi (4.0 km) west of Stephenville, upstream to the headwaters 0.5 mi (0.8 km) north of FM 8 in Erath County

ammonia	CS
1255A_01	From the confluence with the south fork of the North Bosque River 2.5 mi (4.0 km) west of Stephenville, upstream to the headwaters 0.5 mi (0.8 km) north of FM 8 in Erath County
chlorophyll-a	CS
1255A_01	From the confluence with the south fork of the North Bosque River 2.5 mi (4.0 km) west of Stephenville, upstream to the headwaters 0.5 mi (0.8 km) north of FM 8 in Erath County
nitrate	CS
1255A_01	From the confluence with the south fork of the North Bosque River 2.5 mi (4.0 km) west of Stephenville, upstream to the headwaters 0.5 mi (0.8 km) north of FM 8 in Erath County
total phosphorus	CS
1255A_01	From the confluence with the south fork of the North Bosque River 2.5 mi (4.0 km) west of Stephenville, upstream to the headwaters 0.5 mi (0.8 km) north of FM 8 in Erath County

SEG ID:1255B North Fork Upper North Bosque River

From the confluence with the South Fork of the Upper North Bosque River in Stephenville, upstream to the headwaters, 2.0 mi north of FM 219

chlorophyll-a	CS
1255B_01	From the confluence with the South Fork of the Upper North Bosque River in Stephenville, upstream to the headwaters, 2.0 mi north of FM 219

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:1255C Scarborough Creek

From the confluence with the North Fork of the upper North Bosque River, upstream to the headwaters 0.1 mi (0.2 km) southeast of FM 219 in Erath County

<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS
1255C_01	From the confluence with the North Fork of the upper North Bosque River, upstream to the headwaters 0.1 mi (0.2 km) southeast of FM 219 in Erath County

<u>Parameter(s)</u>	<u>Level of Concern</u>
Nitrate in water	CS
1255C_01	From the confluence with the North Fork of the upper North Bosque River, upstream to the headwaters 0.1 mi (0.2 km) southeast of FM 219 in Erath County

<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS
1255C_01	From the confluence with the North Fork of the upper North Bosque River, upstream to the headwaters 0.1 mi (0.2 km) southeast of FM 219 in Erath County

SEG ID:1255D South Fork North Bosque River

From the confluence with the North Fork of the upper North Bosque River in Stephenville, upstream to the headwaters 3 mi (4.8 km) north of FM 219 in Erath County

<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS
1255D_01	From the confluence with the North Fork of the upper North Bosque River in Stephenville, upstream to the headwaters 3 mi (4.8 km) north of FM 219 in Erath County

SEG ID:1255E Unnamed Tributary of Goose Branch

From the confluence with Goose Branch in Erath County to its headwaters, 0.2 mi southeast of the intersection of FM 8 and Farm Road 1219

<u>Parameter(s)</u>	<u>Level of Concern</u>
ammonia	CS
1255E_01	From the confluence with Goose Branch in Erath County to its headwaters, 0.2 mi southeast of the intersection of FM 8 and Farm Road 1219

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
1255E_01	From the confluence with Goose Branch in Erath County to its headwaters, 0.2 mi southeast of the intersection of FM 8 and Farm Road 1219

<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS
1255E_01	From the confluence with Goose Branch in Erath County to its headwaters, 0.2 mi southeast of the intersection of FM 8 and Farm Road 1219

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:1255H South Fork Upper North Bosque River Reservoir

Impoundment of South Fork Upper North Bosque River, 8 mi north west of Stephenville in Erath County

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

1255H_01 Impoundment of South Fork Upper North Bosque River, 8 mi north west of Stephenville in Erath County

SEG ID: 1255I Dry Branch

From its confluence with the Upper North Bosque River, upstream to its headwaters 2.3 mi east of SH 106 in Erath County

Parameter(s)

Nitrate in water

Level of Concern

CS

1255I_01 From its confluence with the Upper North Bosque River, upstream to its headwaters 2.3 mi east of SH 106 in Erath County

SEG ID: 1256 Brazos River/Lake Brazos

From the low water dam forming Lake Brazos in McLennan County to a point immediately upstream of the confluence of Aquilla Creek in McLennan County (includes the Bosque River Arm to the Waco Lake Dam)

Parameter(s)

chlorophyll-a

Level of Concern

CS

1256_02 Lake Brazos portion of segment

1256_03 Bosque River portion of segment

SEG ID: 1259 Leon River Above Belton Lake

From a point 100 meters (110 yards) upstream of FM 236 in Coryell County to a point immediately upstream of the confluence with Plum Creek in Coryell County

Parameter(s)

chlorophyll-a

Level of Concern

CS

1259_01 Portion of Leon River from confluence with Lake Belton upstream to confluence with Cottonwood Creek approximately 2.8 km south of Gatesville in Coryell County

1259_03 From the confluence with Stillhouse Creek upstream to a point immediately upstream of the confluence with Plum Creek

Parameter(s)

nitrate

Level of Concern

CS

1259_02 Portion of Leon River from confluence with Cottonwood Creek approximately 2.8 km south of Gatesville upstream to the confluence with Stillhouse Branch in Coryell County

2018 Texas Integrated Report - Water Bodies with Concerns for Use Attainment and Screening Levels

SEG ID: 1301 San Bernard River Tidal

From the confluence with the Intracoastal Waterway in Brazoria County to a point 3.2 km (2.0 mi) upstream of SH 35 in Brazoria County

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

1301_01 From the confluence with the Intracoastal Waterway in Brazoria County to a point 3.2 km (2.0 mi) upstream of SH 35 in Brazoria County

SEG ID: 1302 San Bernard River Above Tidal

From a point 3.2 km (2.0 mi) upstream of SH 35 in Brazoria County to the county road southeast of New Ulm in Austin County

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

1302_02 From the confluence with Peach Creek to the unnamed tributary at NHD RC 12090401001535 at N-96.03, W29.51

1302_03 From the confluence with unnamed tributary at NHD RC 12090401001535 at N-96.03, W29.51 to the confluence with Coughatta Creek

SEG ID:1302A Gum Tree Branch

From the confluence with West Bernard Creek near Wharton CR 252 to the headwaters approximately 15 mi upstream near RR 102

Parameter(s)

Ammonia in water

Level of Concern

CS

1302A_01 From the confluence with West Bernard Creek near Wharton CR 252 to the headwaters approximately 15 mi upstream near RR 102

SEG ID:1302B West Bernard Creek

From the confluence with the San Bernard River Above Tidal downstream of US highway 59 to the headwaters approximately 40 mi upstream near FM 1093

Parameter(s)

ammonia

Level of Concern

CS

1302B_02 From the confluence with Clarks Branch to the upper end of segment

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

1302B_02 From the confluence with Clarks Branch to the upper end of segment

Parameter(s)

impaired habitat

Level of Concern

CS

1302B_01 From the confluence with the San Bernard River Above Tidal to the confluence with Clarks Branch

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:1302D Peach Creek

From the confluence with the San Bernard River in Wharton Co. to the headwaters approximately 8 km upstream of FM-102 in Wharton Co.

Parameter(s)

Level of Concern

depressed dissolved oxygen

CS

1302D_01 From the confluence with the San Bernard River in Wharton Co. to the headwaters approximately 8 km upstream of FM-102 in Wharton Co.

SEG ID:1302E Mound Creek

From the confluence with the San Bernard River in Brazoria Co. to the headwaters approximately 400 m upstream of TX Hwy 36 in Ft. Bend Co.

Parameter(s)

Level of Concern

depressed dissolved oxygen

CN

1302E_01 From the confluence with the San Bernard River in Brazoria Co. to the headwaters approximately 400 m upstream of TX Hwy 36 in Ft. Bend Co.

From the confluence with the San Bernard River in Brazoria Co. to the headwaters approximately 400 m upstream of TX Hwy 36 in Ft. Bend Co.

SEG ID: 1304 Caney Creek Tidal

From the confluence with the Intracoastal Waterway in Matagorda County to a point 1.9 km (1.2 mi) upstream of the confluence of Linville Bayou in Matagorda County

Parameter(s)

Level of Concern

bacteria (Recreation Use)

CN

1304_02 From the confluence with Dead Slough to the upstream end of segment

Parameter(s)

Level of Concern

depressed dissolved oxygen

CS

1304_01 From the downstream end of segment to the confluence with Dead Slough

SEG ID:1304A Linnville Bayou

From the confluence with Caney Creek in Matagorda County upstream to a point 0.7 km above SH 35 in Brazoria/Matagorda Counties

Parameter(s)

Level of Concern

chlorophyll-a

CS

1304A_01 Intermittent stream with perennial pools from a point 1.1 km above the confluence with Caney Creek in Matagorda County upstream to a point 0.1 km above SH 35 in Brazoria/Matagorda counties; AppD

Parameter(s)

Level of Concern

Total Phosphorus in water

CS

1304A_01 Intermittent stream with perennial pools from a point 1.1 km above the confluence with Caney Creek in Matagorda County upstream to a point 0.1 km above SH 35 in Brazoria/Matagorda counties; AppD

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID: 1305 Caney Creek Above Tidal

From a point 1.9 km (1.2 mi) upstream of the confluence of Linnville Bayou in Matagorda County to the confluence of Water Hole Creek in Matagorda County

<u>Parameter(s)</u>	<u>Level of Concern</u>
---------------------	-------------------------

bacteria (Recreation Use)

CN

1305_02 From the confluence with Hardeman Slough to the confluence with Snead Slough

<u>Parameter(s)</u>	<u>Level of Concern</u>
---------------------	-------------------------

depressed dissolved oxygen

CN

1305_03 From the confluence with Snead Slough in Matagorda Co. to the upper end of segment at the confluence with Water Hole Creek in Matagorda Co.

<u>Parameter(s)</u>	<u>Level of Concern</u>
---------------------	-------------------------

impaired habitat

CS

1305_02 From the confluence with Hardeman Slough to the confluence with Snead Slough

<u>Parameter(s)</u>	<u>Level of Concern</u>
---------------------	-------------------------

total phosphorus

CS

1305_03 From the confluence with Snead Slough in Matagorda Co. to the upper end of segment at the confluence with Water Hole Creek in Matagorda Co.

SEG ID:1305A Hardeman Slough

From the confluence with Caney Creek to 0.3 km upstream of Matagorda County Rd 110

<u>Parameter(s)</u>	<u>Level of Concern</u>
---------------------	-------------------------

depressed dissolved oxygen

CS

1305A_01 Perennial stream from the confluence with Caney Creek upstream to the confluence with an unnamed tributary approximately 1.9 km downstream of FM 3156 near the City of Van Vleck; App D

SEG ID:1305B Caney Creek Above Water Hole Creek

From the confluence with Water Hole Creek in Matagorda Co. (at the upper end of Segment 1305) to the headwaters approximately 43 mi at Old Caney Rd. in Wharton Co.

<u>Parameter(s)</u>	<u>Level of Concern</u>
---------------------	-------------------------

bacteria (Recreation Use)

CN

1305B_01 From the confluence with Water Hole Creek in Matagorda Co. (at the upper end of Segment 1305) to the headwaters approximately 43 mi at Old Caney Rd. in Wharton Co.

<u>Parameter(s)</u>	<u>Level of Concern</u>
---------------------	-------------------------

total phosphorus

CS

1305B_01 From the confluence with Water Hole Creek in Matagorda Co. (at the upper end of Segment 1305) to the headwaters approximately 43 mi at Old Caney Rd. in Wharton Co.

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID: 1401 Colorado River Tidal

Colorado River Tidal - from the confluence with Matagorda Bay due to a diversion channel in Matagorda County to a point 2.1 km (1.3 mi) downstream of the Missouri-Pacific Railroad in Matagorda County

Parameter(s)

Level of Concern

Chlorophyll-a in water

CS

1401_01 Colorado River Tidal - from the confluence with Matagorda Bay due to a diversion channel in Matagorda County to a point 2.1 km (1.3 mi) downstream of the Missouri-Pacific Railroad in Matagorda County

Parameter(s)

Level of Concern

nitrate

CS

1401_01 Colorado River Tidal - from the confluence with Matagorda Bay due to a diversion channel in Matagorda County to a point 2.1 km (1.3 mi) downstream of the Missouri-Pacific Railroad in Matagorda County

SEG ID: 1402 Colorado River below La Grange

From a point 2.1 km (1.3 mi) downstream of the Missouri-Pacific Railroad in Matagorda County to a point 100 meters (110 yards) downstream of SH 71 at La Grange in Fayette County

Parameter(s)

Level of Concern

chlorophyll-a

CS

1402_01 From a point 2.1 km (1.3 mi) downstream of the Missouri-Pacific Railroad in Matagorda County upstream to the confluence of Blue Creek in Matagorda County

Parameter(s)

Level of Concern

nitrate

CS

1402_02 From the confluence of Blue Creek in Matagorda County upstream to the confluence of Pierce Canal west of Wharton in Wharton County

1402_05 From the confluence of Skull Creek in Colorado County upstream to the confluence of Cummins Creek northeast of Columbus in Colorado County

1402_06 From the confluence of Cummins Creek northeast of Columbus in Colorado County upstream to confluence of Williams Creek in Fayette County

1402_07 From the confluence of Williams Creek in Fayette County upstream to a point 100 meters (110 yards) downstream of Business SH 71 at La Grange in Fayette County

SEG ID: 1402A Cummins Creek

Perennial stream from the confluence with the Colorado River upstream to the headwaters east of Giddings in Lee County

Parameter(s)

Level of Concern

depressed dissolved oxygen

CS

1402A_01 From the confluence with the Colorado River northeast of the city of Columbus upstream to the confluence of Boggy Creek at FM 1291 in Colorado County

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:1402C Buckners Creek

Perennial stream from the confluence with the Colorado River upstream to the headwaters at Patterson Road southeast of the City of Rosanky in Bastrop County

Parameter(s)

chlorophyll-a

Level of Concern

CS

1402C_01 Perennial stream from the confluence with the Colorado River upstream to the confluence with Chandler Branch 1.6 km upstream of FM 154 in Fayette County

SEG ID:1402H Skull Creek

From the confluence with the Colorado River west of Eagle Lake in Colorado County to the upstream perennial portion southwest of Columbus

Parameter(s)

chlorophyll-a

Level of Concern

CS

1402H_01 From the confluence with the Colorado River west of Eagle Lake in Colorado County to the upstream perennial portion southwest of Columbus

SEG ID: 1403 Lake Austin

From Tom Miller Dam in Travis County to Mansfield Dam in Travis County, up to normal pool elevation of 492.8 feet (impounds Colorado River)

Parameter(s)

manganese in sediment

Level of Concern

CS

1403_01 From Tom Miller dam to Loop 360 bridge

SEG ID:1403A Bull Creek

From the confluence of Lake Austin in northwest Austin in Travis County to the upstream perennial portion of the stream north of Austin in Travis County

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

1403A_03 From the Loop 360 crossing near Lakewood Dr. upstream to the Spicewood Springs Rd crossing near Yaupon Dr.

SEG ID:1403B West Bull Creek

From the confluence of Bull Creek at FM 2222 and Lakewood Drive in Austin in Travis County upstream to a point north of FM 2222 in Travis County

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

1403B_01 From the confluence of Bull Creek at FM 2222 and Lakewood Drive in Austin in Travis County upstream to a point north of FM 2222 in Travis County

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:1403D Barrow Preserve Tributary

From the confluence of Stillhouse Hollow south of Loop 360 in Austin in Travis County upstream to the headsprings in Barrow Nature Preserve

Parameter(s)

nitrate

Level of Concern

CS

1403D_01 From the confluence of Stillhouse Hollow south of Loop 360 in Austin in Travis County upstream to the headsprings in Barrow Nature Preserve

SEG ID:1403E Stillhouse Hollow

From the confluence of Bull Creek south of Loop 360 in Austin in Travis County upstream to the headsprings in Stillhouse Hollow Nature Preserve

Parameter(s)

nitrate

Level of Concern

CS

1403E_01 From the confluence of Bull Creek south of Loop 360 in Austin in Travis County upstream to the headsprings in Stillhouse Hollow Nature Preserve

SEG ID: 1403J Spicewood Tributary to Shoal Creek

From the confluence of an unnamed tributary west of the MoPac Expressway in north Austin in Travis County upstream to the head waters north of Williamsburg Circle in Travis County

Parameter(s)

nitrate

Level of Concern

CS

1403J_01 From the confluence of an unnamed tributary west of the MoPac Expressway in north Austin in Travis County upstream to the head waters north of Williamsburg Circle in Travis County

SEG ID:1403K Taylor Slough South

From the confluence of Lake Austin in Travis County to the headwaters near South Meadow Circle on the Texas Department of Aging and Disability Services campus in Austin in Travis County

Parameter(s)

Nitrate in water

Level of Concern

CS

1403K_01 From the confluence of Lake Austin in Travis County to the headwaters near South Meadow Circle on the Texas Department of Aging and Disability Services campus in Austin in Travis County

SEG ID:1403R Westlake-Davenport Tributary to Lake Austin

From the confluence of Lake Austin in Travis County upstream to the headwaters 150 ft. southeast of the intersection of Waymaker Way and Round Table road in Austin in Travis County

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

1403R_01 From the confluence of Lake Austin in Travis County upstream to the headwaters 150 ft. southeast of the intersection of Waymaker Way and Round Table road in Austin in Travis County

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID: 1404 Lake Travis

From Mansfield Dam in Travis County to Max Starcke Dam on the Colorado River Arm in Burnet County and to a point immediately upstream of the confluence of Fall Creek on the Pedernales River Arm in Travis County, up to the normal pool elevation of 681.6 fe

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

1404_10 Bee Creek Arm

SEG ID:1404A Hamilton Creek

From the confluence with Lake Travis upstream to the headwaters near the intersection of CR 110 and Threadgill Ranch Road northwest of Burnet in Burnet County

Parameter(s)

chlorophyll-a

Level of Concern

CS

1404A_03 From the confluence of Haynie Branch upstream to the headwaters near the intersection of CR 110 and Threadgill Ranch Road northwest of Burnet in Burnet County

SEG ID: 1407 Inks Lake

From Roy Inks Dam on the Colorado River Arm in Burnet/Llano County to Buchanan Dam in Burnet/Llano County, up to normal pool elevation of 888 feet (impounds the Colorado River)

Parameter(s)

manganese in sediment

Level of Concern

CS

1407_01 From Roy Inks Dam upstream to the Clear Creek Arm

SEG ID:1407A Clear Creek

From the confluence with Inks Lake in Burnet County west of Burnet upstream to a point 2 mi (3.2 km) west of FM 2341 near Potato Hill northwest of Burnet

Parameter(s)

cadmium in water

Level of Concern

CN

1407A_01 From the confluence with Inks Lake upstream to FM 2341

SEG ID: 1409 Colorado River Above Lake Buchanan

From a point immediately upstream of the confluence of Yancey Creek in Burnet/San Saba/Lampasas County to the confluence of the San Saba River in San Saba County

Parameter(s)

chlorophyll-a

Level of Concern

CS

1409_02 From the confluence with Cherokee Creek upstream to the confluence of the San Saba River

2018 Texas Integrated Report - Water Bodies with Concerns for Use Attainment and Screening Levels

SEG ID: 1410 Colorado River Below O. H. Ivie Reservoir

From the confluence of the San Saba River in San Saba County to S. W. Freese Dam in Coleman/Concho County

<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS
1410_03	From the confluence of Indian Creek upstream to the confluence of Bull Creek
1410_04	From the confluence of Bull Creek upstream to O.H. Ivie Reservoir dam

SEG ID: 1411 E. V. Spence Reservoir

From Robert Lee Dam in Coke County to a point immediately upstream of the confluence of Little Silver Creek in Coke County, up to the normal pool elevation of 1898 feet (impounds Colorado River)

<u>Parameter(s)</u>	<u>Level of Concern</u>
depressed dissolved oxygen	CS
1411_01	Main pool from the dam upstream to the Rough Creek arm
<hr/>	
<u>Parameter(s)</u>	<u>Level of Concern</u>
harmful algal bloom/golden alga	CN
1411_01	Main pool from the dam upstream to the Rough Creek arm
1411_02	From the Rough Creek arm upstream to the confluence of Little Silver Creek

SEG ID: 1412 Colorado River Below Lake J. B. Thomas

From a point immediately upstream of the confluence of Little Silver Creek in Coke County to Colorado River Dam in Scurry County

<u>Parameter(s)</u>	<u>Level of Concern</u>
bacteria (Recreation Use)	CN
1412_03	From the dam below Barber Reservoir pump station upstream to the confluence of Deep Creek
<hr/>	
<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS
1412_01	From a point 275 m (300 yds) upstream of the confluence of Little Silver Creek in Coke County upstream to the confluence of Beals Creek
1412_02	From the confluence of Beals Creek upstream to the dam below Barber Reservoir pump station
1412_03	From the dam below Barber Reservoir pump station upstream to the confluence of Deep Creek
<hr/>	
<u>Parameter(s)</u>	<u>Level of Concern</u>
depressed dissolved oxygen	CS
1412_02	From the confluence of Beals Creek upstream to the dam below Barber Reservoir pump station

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:1412A Lake Colorado City

From Lake Colorado City Dam up to normal pool elevation of 2070.0 feet southwest of Colorado City in Mitchell County (impounds Morgans Creek)

Parameter(s)

Level of Concern

harmful algal bloom/golden alga

CN

1412A_01 From Lake Colorado City Dam up to normal pool elevation of 2070.0 feet southwest of Colorado City in Mitchell County (impounds Morgans Creek)

SEG ID:1412B Beals Creek

From the confluence of the Colorado River south of Colorado City in Mitchell County to the confluence of Mustang Draw and Sulphur Springs Draw in Howard County

Parameter(s)

Level of Concern

ammonia

CS

1412B_03 From the confluence of Gutherie Draw upstream to the confluence of Mustang Draw and Sulphur Springs Draw

Parameter(s)

Level of Concern

bacteria (Recreation Use)

CN

1412B_01 From the confluence with the Colorado River upstream to the confluence of Bull Creek

Parameter(s)

Level of Concern

chlorophyll-a

CS

1412B_01 From the confluence with the Colorado River upstream to the confluence of Bull Creek

1412B_03 From the confluence of Gutherie Draw upstream to the confluence of Mustang Draw and Sulphur Springs Draw

Parameter(s)

Level of Concern

nitrate

CS

1412B_03 From the confluence of Gutherie Draw upstream to the confluence of Mustang Draw and Sulphur Springs Draw

Parameter(s)

Level of Concern

total phosphorus

CS

1412B_03 From the confluence of Gutherie Draw upstream to the confluence of Mustang Draw and Sulphur Springs Draw

SEG ID:1414B Cypress Creek

From the confluence with the Pedernales River west of Austin to the upstream perennial portion west of Round Mountain in Blanco County

Parameter(s)

Level of Concern

bacteria (Recreation Use)

CN

1414B_01 From the confluence with the Pedernales River west of Austin to the upstream perennial portion west of Round Mountain in Blanco County

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID: 1416A Brady Creek

From the confluence of the San Saba River southwest of San Saba in San Saba County to Brady Lake Dam west of Brady in McCulloch County

Parameter(s)

chlorophyll-a

Level of Concern

CS

1416A_02 From the confluence of an unnamed tributary approximately 5 km east of FM 2309 east of Brady upstream to FM 714

1416A_03 From FM 714 upstream to Brady Lake dam

Parameter(s)

nitrate

Level of Concern

CS

1416A_02 From the confluence of an unnamed tributary approximately 5 km east of FM 2309 east of Brady upstream to FM 714

Parameter(s)

total phosphorus

Level of Concern

CS

1416A_02 From the confluence of an unnamed tributary approximately 5 km east of FM 2309 east of Brady upstream to FM 714

SEG ID: 1416C Brady Creek above Brady Creek Reservoir

From the confluence of an unnamed tributary 2.5 km (1.5 mi) downstream of the Cow Creek confluence in McCulloch County upstream the headwaters 22.5 km (14 mi) southwest of Eden in Concho County

Parameter(s)

nitrate

Level of Concern

CS

1416C_01 From the confluence of an unnamed tributary 2.5 km (1.5 mi) downstream of the Cow Creek confluence in McCulloch County upstream to the confluence of Harden Branch in Concho County

SEG ID: 1417 Lower Pecan Bayou

From the confluence with the Colorado River in Mills County to a point immediately upstream of the confluence of Mackinally Creek in Brown County

Parameter(s)

chlorophyll-a

Level of Concern

CS

1417_01 From the confluence with the Colorado River in Mills County to a point immediately upstream of the confluence of Mackinally Creek in Brown County

SEG ID: 1418 Lake Brownwood

From Lake Brownwood Dam in Brown County to a point 100 meters (110 yards) upstream of FM 2559 in Brown County, up to normal pool elevation of 1425 feet (impounds Pecan Bayou)

Parameter(s)

manganese in sediment

Level of Concern

CS

1418_01 Mid-lake near dam

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID: 1420 Pecan Bayou Above Lake Brownwood

From a point 100 meter (110 yards) upstream of FM 2559 in Brown County to the confluence of the North Prong Pecan Bayou and the South Prong of Pecan Bayou in Callahan County

<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS
1420_01 Lower 25 mi	

<u>Parameter(s)</u>	<u>Level of Concern</u>
depressed dissolved oxygen	CS
1420_01 Lower 25 mi	

SEG ID: 1421 Concho River

From a point 2 km (1.2 mi) above the confluence of Fuzzy Creek in Concho County to San Angelo Dam on the North Concho River in Tom Green County and to Nasworthy Dam on the South Concho River in Tom Green County

<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS
1421_01 Downstream end to Chandler Lake confluence	
1421_03 From the confluence of Puddle Creek upstream to the confluence of Willow Creek	
1421_04 From the confluence of Willow Creek upstream to the confluence of an unnamed tributary near Chandler Road	
1421_07 From the dam near Vines Road upstream to the confluence of the North Concho River and the South Concho River	
1421_08 North Concho River, from the confluence with the South Concho River upstream to O.C. Fisher dam	

<u>Parameter(s)</u>	<u>Level of Concern</u>
depressed dissolved oxygen	CS
1421_05 From the confluence of an unnamed tributary near Chandler Rd. upstream to the confluence of Red Ck.	
1421_06 From the confluence of Red Creek upstream to the dam near Vines Rd.	

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
1421_01 Downstream end to Chandler Lake confluence	
1421_02 From Chandler Lake confluence upstream to confluence of Puddle Ck.	
1421_03 From the confluence of Puddle Creek upstream to the confluence of Willow Creek	
1421_04 From the confluence of Willow Creek upstream to the confluence of an unnamed tributary near Chandler Road	

SEG ID:1421A Dry Hollow Creek

From the confluence with the Concho River west of Paint Rock in Concho County to the headwaters at US 87

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
1421A_01 From the confluence with the Concho River west of Paint Rock in Concho County to the headwaters at US 87	

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID: 1421C Lipan Creek

From the confluence with the Concho River west of Paint Rock in Concho County to the headwaters near RR 1223 in Tom Green County

Parameter(s)

chlorophyll-a

Level of Concern

CS

1421C_01 Lower 25 mi of creek

Parameter(s)

nitrate

Level of Concern

CS

1421C_01 Lower 25 mi of creek

SEG ID: 1424 Middle Concho/South Concho River

From a point 4.0 km (2.5 mi) downstream of FM 2335 to the confluence of Bois d' Arc Draw on the South Concho River, and from a point 100 meters (110 yards) upstream of US 67 to the confluence of Three Bluff Draw and Indian Creek on the Middle Concho River

Parameter(s)

nitrate

Level of Concern

CS

1424_01 South Concho River from a point 4 km (2.5 mi) downstream of FM 2335 upstream to the confluence of Bois D'Arc Draw in Tom Green County

SEG ID: 1425 O. C. Fisher Lake

From San Angelo Dam in Tom Green County up to normal pool elevation of 1908 feet (impounds North Concho River)

Parameter(s)

depressed dissolved oxygen

Level of Concern

CN

1425_01 From San Angelo Dam in Tom Green County up to normal pool elevation of 1908 feet (impounds North Concho River)

From San Angelo Dam in Tom Green County up to normal pool elevation of 1908 feet (impounds North Concho River)

SEG ID: 1425A North Concho River

From the headwaters of OC Fisher Lake near San Angelo in Tom Green County upstream to the Glasscock/Howard County line

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

1425A_02 Sterling County line to SH 163

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID: 1426 Colorado River Below E. V. Spence Reservoir

From a point 3.7 km (2.3 mi) below the confluence of Mustang Creek in Runnels County to Robert Lee Dam in Coke County

Parameter(s)

chlorophyll-a

Level of Concern

CS

1426_01 Lower end of segment to Country Club Lake

1426_02 Country Club Lake to Coke County line

1426_03 Coke County line to SH 208

1426_04 SH 208 to dam

Parameter(s)

harmful algal bloom/golden alga

Level of Concern

CN

1426_01 Lower end of segment to Country Club Lake

1426_02 Country Club Lake to Coke County line

SEG ID:1426B Elm Creek

From the confluence with the Colorado River near Ballinger in Runnels County to the Lake Winters dam east of Winters in Runnels County

Parameter(s)

chlorophyll-a

Level of Concern

CS

1426B_01 Perennial stream from the confluence with the Colorado River upstream to the dam approximately 300 meters downstream of US Highway 67

1426B_02 From the dam approximately 300 meters downstream of US Highway 67 upstream to the Lake Winters dam east of Winters in Runnels County

SEG ID:1426C Bluff Creek

From the confluence with Elm Creek in Runnels County upstream to a point 1 mi east of US Hwy 277 in Taylor County.

Parameter(s)

nitrate

Level of Concern

CS

1426C_01 From the confluence with Elm Creek upstream to the confluence of Mill Creek

SEG ID:1426D Coyote Creek

From the confluence with Elm Creek in Runnels County upstream to the confluence of Big Coyote Creek and Little Coyote Creek southwest of Winters in Runnels County

Parameter(s)

nitrate

Level of Concern

CS

1426D_01 From the confluence with Elm Creek in Runnels County upstream to the confluence of Big Coyote Creek and Little Coyote Creek southwest of Winters in Runnels County.

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:1427G Granada Hills Tributary to Slaughter Creek

Unnamed tributary from the confluence of Slaughter Creek in Travis County upstream to La Fauna Path in Travis County

Parameter(s)

Level of Concern

nitrate

CS

1427G_01 Unnamed tributary from the confluence of Slaughter Creek in Travis County upstream to La Fauna Path in Travis County

SEG ID: 1428 Colorado River Below Lady Bird Lake (formerly Town Lake)

From a point 100 meters (110 yards) upstream of FM 969 near Utley in Bastrop County to Longhorn Dam in Travis County

Parameter(s)

Level of Concern

impaired fish community

CN

1428_01 Lower end of segment to Gilleland Creek confluence

Parameter(s)

Level of Concern

impaired macrobenthic community

CN

1428_01 Lower end of segment to Gilleland Creek confluence

Parameter(s)

Level of Concern

nitrate

CS

1428_01 Lower end of segment to Gilleland Creek confluence

1428_02 From the confluence of Gilleland Creek upstream to the confluence of Walnut Ck.

Parameter(s)

Level of Concern

total phosphorus

CS

1428_01 Lower end of segment to Gilleland Creek confluence

1428_02 From the confluence of Gilleland Creek upstream to the confluence of Walnut Ck.

SEG ID:1428B Walnut Creek

From the confluence of the Colorado River in east Austin in Travis County to the upstream perennial portion of the stream in north Austin in Travis County

Parameter(s)

Level of Concern

bacteria (Recreation Use)

CN

1428B_02 From FM 969 upstream to Old Manor Rd.

Parameter(s)

Level of Concern

impaired habitat

CS

1428B_03 From old Manor Road upstream to Dessau Road

Parameter(s)

Level of Concern

impaired macrobenthic community

CN

1428B_04 From Dessau Rd. upstream to MoPac/Loop 1

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:1428C Gilleland Creek

Perennial stream and intermittent stream with perennial pools from the confluence with the Colorado River up to the spring source (Ward Spring) northwest of Pflugerville, in Travis County

Parameter(s)

Level of Concern

nitrate

CS

1428C_01 From the Colorado River upstream to Taylor Lane

1428C_02 From Taylor Lane upstream to Old Highway 20

1428C_03 From Old Highway 20 to Cameron Road

1428C_04 From Cameron Road to the spring source

SEG ID: 1429 Lady Bird Lake (formerly Town Lake)

From Longhorn Dam in Travis County to Tom Miller Dam in Travis County, up to the normal pool elevation of 429 feet (impounds Colorado River)

Parameter(s)

Level of Concern

dibenz(a,h)anthracene in sediment

CS

1429_01 Longhorn Dam upstream to Lamar Street bridge

2018 Texas Integrated Report - Water Bodies with Concerns for Use Attainment and Screening Levels

SEG ID:1429C Waller Creek

From the confluence of Town Lake in central Austin in Travis County to the upstream portion of the stream in north Austin in Travis County

<u>Parameter(s)</u>	<u>Level of Concern</u>
benz(a)anthracene in sediment	CS
1429C_02 From East MLK Blvd. to East 41st Street	
benzo(a)pyrene in sediment	CS
1429C_02 From East MLK Blvd. to East 41st Street	
chrysene in sediment	CS
1429C_02 From East MLK Blvd. to East 41st Street	
dibenz(a,h)anthracene in sediment	CS
1429C_02 From East MLK Blvd. to East 41st Street	
fluoranthene in sediment	CS
1429C_02 From East MLK Blvd. to East 41st Street	
lead in sediment	CS
1429C_02 From East MLK Blvd. to East 41st Street	
phenanthrene in sediment	CS
1429C_02 From East MLK Blvd. to East 41st Street	
pyrene in sediment	CS
1429C_02 From East MLK Blvd. to East 41st Street	

2018 Texas Integrated Report - Water Bodies with Concerns for Use Attainment and Screening Levels

SEG ID: 1429D East Bouldin Creek

From the confluence of Town Lake in Austin in Travis County upstream to SH 71 in south Austin in Travis County

<u>Parameter(s)</u>	<u>Level of Concern</u>
benz(a)anthracene in sediment	CS

1429D_01	From the confluence of Town Lake in Austin in Travis County upstream to SH 71 in south Austin in Travis County
----------	--

<u>Parameter(s)</u>	<u>Level of Concern</u>
cadmium in sediment	CS

1429D_01	From the confluence of Town Lake in Austin in Travis County upstream to SH 71 in south Austin in Travis County
----------	--

<u>Parameter(s)</u>	<u>Level of Concern</u>
chrysene in sediment	CS

1429D_01	From the confluence of Town Lake in Austin in Travis County upstream to SH 71 in south Austin in Travis County
----------	--

<u>Parameter(s)</u>	<u>Level of Concern</u>
dibenz(a,h)anthracene in sediment	CS

1429D_01	From the confluence of Town Lake in Austin in Travis County upstream to SH 71 in south Austin in Travis County
----------	--

<u>Parameter(s)</u>	<u>Level of Concern</u>
fluoranthene in sediment	CS

1429D_01	From the confluence of Town Lake in Austin in Travis County upstream to SH 71 in south Austin in Travis County
----------	--

<u>Parameter(s)</u>	<u>Level of Concern</u>
lead in sediment	CS

1429D_01	From the confluence of Town Lake in Austin in Travis County upstream to SH 71 in south Austin in Travis County
----------	--

<u>Parameter(s)</u>	<u>Level of Concern</u>
phenanthrene in sediment	CS

1429D_01	From the confluence of Town Lake in Austin in Travis County upstream to SH 71 in south Austin in Travis County
----------	--

<u>Parameter(s)</u>	<u>Level of Concern</u>
pyrene in sediment	CS

1429D_01	From the confluence of Town Lake in Austin in Travis County upstream to SH 71 in south Austin in Travis County
----------	--

SEG ID: 1430 Barton Creek

From the confluence with Lady Bird Lake (formerly Town Lake) in Travis County to FM 12 in Hays County

<u>Parameter(s)</u>	<u>Level of Concern</u>
depressed dissolved oxygen	CS

1430_02	From Barton Springs Pool upstream dam to a point 2 mi upstream of Loop 1
---------	--

1430_04	SH 71 upstream to Hays County Line
---------	------------------------------------

<u>Parameter(s)</u>	<u>Level of Concern</u>
toxicity in sediment	CN

1430_02	From Barton Springs Pool upstream dam to a point 2 mi upstream of Loop 1
---------	--

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID: 1430A Barton Springs

Barton Springs 0.4 mi upstream of Barton Springs Road in Austin in Travis County

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

1430A_01 Barton Springs Pool - entire water body

Parameter(s)

toxicity in sediment

Level of Concern

CN

1430A_01 Barton Springs Pool - entire water body

SEG ID: 1431 Mid Pecan Bayou

From a point immediately upstream of the confluence of Mackinally Creek in Brown County to a point immediately upstream of Willis Creek in Brown County

Parameter(s)

chlorophyll-a

Level of Concern

CS

1431_01 From a point immediately upstream of the confluence of Mackinally Creek in Brown County to a point immediately upstream of Willis Creek in Brown County

Parameter(s)

nitrate

Level of Concern

CS

1431_01 From a point immediately upstream of the confluence of Mackinally Creek in Brown County to a point immediately upstream of Willis Creek in Brown County

Parameter(s)

total phosphorus

Level of Concern

CS

1431_01 From a point immediately upstream of the confluence of Mackinally Creek in Brown County to a point immediately upstream of Willis Creek in Brown County

SEG ID: 1432 Upper Pecan Bayou

From a point immediately upstream of the confluence of Willis Creek in Brown County to Lake Brownwood Dam in Brown County

Parameter(s)

chlorophyll-a

Level of Concern

CS

1432_01 From a point immediately upstream of the confluence of Willis Creek in Brown County to Lake Brownwood Dam in Brown County

2018 Texas Integrated Report - Water Bodies with Concerns for Use Attainment and Screening Levels

SEG ID: 1434 Colorado River above La Grange

From a point 100 meters (110 yards) downstream of SH 71 at La Grange in Fayette County to a point 100 meters (110 yards) upstream of FM 969 near Utley in Bastrop County

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
1434_01	From a point 100 m downstream of SH 71 upstream to the Southern Pacific Railroad crossing
1434_02	Southern-Pacific RR upstream to the confluence of Reeds Creek west of Smithville
1434_03	From the confluence of Reeds Creek west of Smithville upstream to the end of segment
<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS
1434_02	Southern-Pacific RR upstream to the confluence of Reeds Creek west of Smithville
1434_03	From the confluence of Reeds Creek west of Smithville upstream to the end of segment

SEG ID: 1434B Cedar Creek

Perennial stream from the confluence with the Colorado River upstream to the confluence of an unnamed tributary at FM 525 in Bastrop County

<u>Parameter(s)</u>	<u>Level of Concern</u>
bacteria (Recreation Use)	CN
1434B_01	Perennial stream from the confluence with the Colorado River upstream to the confluence of an unnamed tributary at FM 525 in Bastrop County
<u>Parameter(s)</u>	<u>Level of Concern</u>
depressed dissolved oxygen	CS
1434B_01	Perennial stream from the confluence with the Colorado River upstream to the confluence of an unnamed tributary at FM 525 in Bastrop County

SEG ID: 1434D Wilbarger Creek

Wilbarger Creek from the confluence of the Colorado River at Hemphill Bend in Bastrop County upstream to Schultz lane east of Pflugerville Heights in Travis County

<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS
1434D_01	From the confluence with the Colorado River at Hemphill Bend in Bastrop County upstream to the confluence with Cottonwood Creek
<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
1434D_02	From the confluence with Cottonwood Creek upstream to Schultz lane east of Pflugerville Heights in Travis County

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID: 1434E Big Sandy Creek

Big Sandy Creek from the confluence of the Colorado River in Bastrop County upstream to a point east of CR 302 near Sundbeck Ranch Airport in Lee County

Parameter(s)

chlorophyll-a

Level of Concern

CS

1434E_01 From the confluence of the Colorado River in Bastrop County upstream to a point east of CR 302 near Sundbeck Ranch Airport in Lee County

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

1434E_01 From the confluence of the Colorado River in Bastrop County upstream to a point east of CR 302 near Sundbeck Ranch Airport in Lee County

SEG ID: 1434G Alum Creek

From the confluence with the Colorado River in Bastrop County upstream to the headwaters near US 290 approximately 3.5 km southwest of McDade in Bastrop County

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

1434G_01 From the confluence with the Colorado River in Bastrop County upstream to the headwaters near US 290 approximately 3.5 km southwest of McDade in Bastrop County

SEG ID: 1501 Tres Palacios Creek Tidal

From the confluence with Tres Palacios Bay in Matagorda County to a point 1.6 km (1.0 mi) upstream of the confluence of Wilson Creek in Matagorda County

Parameter(s)

chlorophyll-a

Level of Concern

CS

1501_01 From the confluence with Willow Dam Creek at Tres Palacios Bay/Turtle Bay upstream to a point 1.6 km (1.0 mi) upstream of the confluence of Wilson Creek in Matagorda County

SEG ID: 1502 Tres Palacios Creek Above Tidal

From a point 1.6 km (1.0 mi) upstream of the confluence of Wilson Creek in Matagorda County to State Route 525 (Old US 59) in Wharton County

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

1502_01 Middle portion of segment from the confluence with Wallace Creek upstream to confluence with unnamed tributary with NHD RC 12100401013089 about 1.0 km SW of intersection of FM 418 and FM 422 NE of City of Danevang in Wharton County

Parameter(s)

chlorophyll-a

Level of Concern

CS

1502_01 Middle portion of segment from the confluence with Wallace Creek upstream to confluence with unnamed tributary with NHD RC 12100401013089 about 1.0 km SW of intersection of FM 418 and FM 422 NE of City of Danevang in Wharton County

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

1502_03 Lower portion of segment from a point 1.6 km (1.0 mi) upstream of the confluence of Wilson Creek upstream to confluence with Wallace Creek Matagorda County

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID: 1601C Dry Creek

From the confluence of Lavaca River Tidal upstream to three mi north of the City of Edna

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

1601C_01 From the confluence of Lavaca River Tidal upstream to three mi north of the City of Edna

SEG ID: 1602 Lavaca River Above Tidal

From a point 8.6 km (5.3 mi) downstream of US 59 in Jackson County to the confluence of Campbell Branch west of Hallettsville in Lavaca County

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

1602_02 From the confluence of Beard Branch upstream to the upper end of segment at the confluence of Campbell Branch in Hallettsville.

SEG ID: 1602B Rocky Creek

Perennial stream from the confluence with the Lavaca River upstream to 2.9 km upstream of County Rd 364 north west of the City of Shiner

Parameter(s)

total phosphorus

Level of Concern

CS

1602B_01 From the confluence of Lavaca River upstream to confluence of Ponton Creek

SEG ID: 1701 Victoria Barge Canal

From the confluence with San Antonio Bay in Calhoun County to Victoria Turning Basin in Victoria County

Parameter(s)

chlorophyll-a

Level of Concern

CS

1701_01 From the confluence with San Antonio Bay in Calhoun County to Victoria Turning Basin in Victoria County

Parameter(s)

nitrate

Level of Concern

CS

1701_01 From the confluence with San Antonio Bay in Calhoun County to Victoria Turning Basin in Victoria County

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID: 1801 Guadalupe River Tidal

From the confluence with Guadalupe Bay in Calhoun/Refugio County to the Guadalupe-Blanco River Authority Salt Water Barrier 0.7 km (0.4 mi) downstream of the confluence of the San Antonio River in Calhoun/Refugio County

Parameter(s)

Level of Concern

bacteria (Recreation Use)

CN

1801_01 From the confluence with Guadalupe Bay in Calhoun/Refugio County to the Guadalupe-Blanco River Authority Salt Water Barrier 0.7 km (0.4 mi) downstream of the confluence of the San Antonio River in Calhoun/Refugio County

Parameter(s)

Level of Concern

nitrate

CS

1801_01 From the confluence with Guadalupe Bay in Calhoun/Refugio County to the Guadalupe-Blanco River Authority Salt Water Barrier 0.7 km (0.4 mi) downstream of the confluence of the San Antonio River in Calhoun/Refugio County

SEG ID: 1802 Guadalupe River Below San Antonio River

From the GBRA Salt Water Barrier 0.7 km (0.4 mi) downstream of the confluence of the San Antonio River in Calhoun/Refugio County to a point immediately upstream of the confluence of the San Antonio River in Calhoun/Refugio/Victoria County

Parameter(s)

Level of Concern

nitrate

CS

1802_01 From the GBRA Salt Water Barrier 0.7 km (0.4 mi) downstream of the confluence of the San Antonio River in Calhoun/Refugio County to a point immediately upstream of the confluence of the San Antonio River in Calhoun/Refugio/Victoria County

SEG ID: 1803 Guadalupe River Below San Marcos River

From the a point immediately upstream of the confluence of the San Antonio River in Calhoun/Refugio/Victoria County to a point immediately upstream to the confluence of the San Marcos River in Gonzales

Parameter(s)

Level of Concern

bacteria (Recreation Use)

CN

1803_04 From 25 mi upstream of confluence with Coeto Creek to confluence with Sandies Creek

Parameter(s)

Level of Concern

nitrate

CS

1803_01 Lower 25 mi of segment

2018 Texas Integrated Report - Water Bodies with Concerns for Use Attainment and Screening Levels

SEG ID:1803A Elm Creek

From the confluence of Sandies Creek east of Smiley in Gonzales County to the upstream perennial portion of the stream southwest of Smiley in Gonzales County

<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS
1803A_01	From the confluence of Sandies Creek east of Smiley in Gonzales County to the upstream perennial portion of the stream southwest of Smiley in Gonzales County

<u>Parameter(s)</u>	<u>Level of Concern</u>
depressed dissolved oxygen	CS
1803A_01	From the confluence of Sandies Creek east of Smiley in Gonzales County to the upstream perennial portion of the stream southwest of Smiley in Gonzales County

SEG ID:1803B Sandies Creek

From the confluence of the Guadalupe River west of Cuero in DeWitt County to the upstream perennial portion of the stream northwest of Smiley in Gonzales County

<u>Parameter(s)</u>	<u>Level of Concern</u>
depressed dissolved oxygen	CN
1803B_01	From the confluence with the Guadalupe River to the confluence with Elm Ck. From the confluence with the Guadalupe River to the confluence with Elm Ck.
1803B_02	From the confluence with Elm Creek to upper end of water body

<u>Parameter(s)</u>	<u>Level of Concern</u>
impaired habitat	CS
1803B_01	From the confluence with the Guadalupe River to the confluence with Elm Ck.

SEG ID:1803C Peach Creek

From the confluence of the Guadalupe River southeast of Gonzales in Gonzales County to the upstream perennial portion of the stream northeast of Waelder in Gonzales County

<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS
1803C_03	From approx. 1.2 mi downstream of FM 1680 in Gonzales County to confluence with Elm Creek In Fayette County

<u>Parameter(s)</u>	<u>Level of Concern</u>
impaired fish community	CN
1803C_03	From approx. 1.2 mi downstream of FM 1680 in Gonzales County to confluence with Elm Creek In Fayette County

<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS
1803C_03	From approx. 1.2 mi downstream of FM 1680 in Gonzales County to confluence with Elm Creek In Fayette County

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:1804A Geronimo Creek

From the confluence of the Guadalupe River south of Seguin in Guadalupe County to the upstream perennial portion north of Seguin in Guadalupe County

Parameter(s)

nitrate

Level of Concern

CS

1804A_01 From the confluence of the Guadalupe River south of Seguin in Guadalupe County to the upstream perennial portion north of Seguin in Guadalupe County

SEG ID:1804D Bear Creek

From the confluence of Geronimo Creek up to the headwaters approximately 1 mi north of HWY 90, and 0.25 mi south of Ilka Switch Road in Seguin.

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

1804D_01 From the confluence of Geronimo Creek up to the headwaters approximately 1 mi north of HWY 90, and 0.25 mi south of Ilka Switch Road in Seguin.

SEG ID: 1806 Guadalupe River Above Canyon Lake

From a point 2.7 km (1.7 mi) downstream of Rebecca Creek Road in Comal County to the confluence of the North Fork Guadalupe River and the South Fork Guadalupe River in Kerr County

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

1806_08 From the confluence of Honey Creek in Comal County upstream to the confluence of Big Joshua Creek in Kendall County

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

1806_11 From the confluence of Town Creek in Kerrville upstream to the confluence of Goat Creek in Kerrville

Parameter(s)

impaired fish community

Level of Concern

CN

1806_12 From the confluence of Goat Creek in Kerrville upstream to the confluence of the North Fork Guadalupe River and the South Fork Guadalupe River in Kerr County

Parameter(s)

impaired habitat

Level of Concern

CS

1806_02 From the confluence of Big Joshua Creek in Kendall County upstream to Flat Rock Dam in Kerrville

1806_12 From the confluence of Goat Creek in Kerrville upstream to the confluence of the North Fork Guadalupe River and the South Fork Guadalupe River in Kerr County

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:1806A Camp Meeting Creek

From the confluence with segment 1806 of the Guadalupe River up to the headwaters at Bearskin Road

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

1806A_01 Intermittent stream with perennial pools from the confluence with the Guadalupe River upstream to the dam on an unnamed impoundment, located downstream of Ranchero Road in the City of Kerrville.

SEG ID:1806E Town Creek

From the confluence of the Guadalupe River just upstream of FM 394 in Kerrville in Kerr County upstream to the headwaters in Gillespie County approximately 4.5 mi (7.4 km) north of Kerrville

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

1806E_01 From the confluence of the Guadalupe River just upstream of FM 394 in Kerrville in Kerr County upstream to the headwaters in Gillespie County approximately 4.5 mi (7.4 km) north of Kerrville

2018 Texas Integrated Report - Water Bodies with Concerns for Use Attainment and Screening Levels

SEG ID: 1810 Plum Creek

From the confluence with the San Marcos River in Caldwell County to FM 2770 in Hays County

<u>Parameter(s)</u>	<u>Level of Concern</u>
depressed dissolved oxygen	CN
1810_01 Confluence with San Marcos River to approximately 2.5 mi upstream of the confluence with Clear Fork Plum Creek	

<u>Parameter(s)</u>	<u>Level of Concern</u>
impaired fish community	CN
1810_01 Confluence with San Marcos River to approximately 2.5 mi upstream of the confluence with Clear Fork Plum Creek	

<u>Parameter(s)</u>	<u>Level of Concern</u>
impaired habitat	CS
1810_01 Confluence with San Marcos River to approximately 2.5 mi upstream of the confluence with Clear Fork Plum Creek	

<u>Parameter(s)</u>	<u>Level of Concern</u>
impaired macrobenthic community	CN
1810_03 From approximately 0.5 mi upstream of SH 21 to upper end of segment	

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
1810_01 Confluence with San Marcos River to approximately 2.5 mi upstream of the confluence with Clear Fork Plum Creek	
1810_02 From approximately 2.5 mi upstream of confluence with Clear Fork Plum Ck to approximately 0.5 mi upstream of SH21	
1810_03 From approximately 0.5 mi upstream of SH 21 to upper end of segment	

<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS
1810_01 Confluence with San Marcos River to approximately 2.5 mi upstream of the confluence with Clear Fork Plum Creek	
1810_02 From approximately 2.5 mi upstream of confluence with Clear Fork Plum Ck to approximately 0.5 mi upstream of SH21	
1810_03 From approximately 0.5 mi upstream of SH 21 to upper end of segment	

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID: 1810A Town Branch

Perennial stream from the confluence with Plum Creek upstream to the headwaters at SH 130 northwest of the City of Lockhart

Parameter(s)

Level of Concern

bacteria (Recreation Use)

CN

1810A_01 Perennial stream from the confluence of Plum Creek upstream to US 183 in the City of Lockhart (App D)

Parameter(s)

Level of Concern

depressed dissolved oxygen

CS

1810A_01 Perennial stream from the confluence of Plum Creek upstream to US 183 in the City of Lockhart (App D)

Parameter(s)

Level of Concern

nitrate

CS

1810A_01 Perennial stream from the confluence of Plum Creek upstream to US 183 in the City of Lockhart (App D)

SEG ID: 1815 Cypress Creek

From the confluence with the Blanco River in Hays County to a point 6.4 km (4.0 mi) upstream of the most upstream unnamed county road crossing Hays County

Parameter(s)

Level of Concern

depressed dissolved oxygen

CS

1815_01 Lower 7 mi of segment

SEG ID: 1816 Johnson Creek

From the confluence with the Guadalupe River in Kerr County to a point 1.2 km (0.7 mi) upstream of the most upstream crossing of SH 41 in Kerr County

Parameter(s)

Level of Concern

impaired habitat

CS

1816_01 From the confluence with the Guadalupe River in Kerr County to a point 1.2 km (0.7 mi) upstream of the most upstream crossing of SH 41 in Kerr County

SEG ID: 1818 South Fork Guadalupe River

From the confluence with the Guadalupe River in Kerr County to a point 4.8 km (3.0 mi) upstream of FM 187 in Kerr County

Parameter(s)

Level of Concern

depressed dissolved oxygen

CS

1818_01 Lower 1.5 mi of segment

2018 Texas Integrated Report - Water Bodies with Concerns for Use Attainment and Screening Levels

SEG ID: 1901 Lower San Antonio River

From the confluence with the Guadalupe River in Refugio/Victoria County to a point 600 meters (660 yards) downstream of FM 791 at Mays crossing near Falls City in Karnes County

<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS

1901_01	25 mi downstream of the confluence with Manahuilla Creek
---------	--

1901_02	25 mi upstream of Manahuilla Creek
---------	------------------------------------

1901_06	Lower 31 mi of segment
---------	------------------------

<u>Parameter(s)</u>	<u>Level of Concern</u>
impaired fish community	CN

1901_05	From upstream end of segment to Escondido Creek
---------	---

<u>Parameter(s)</u>	<u>Level of Concern</u>
impaired habitat	CS

1901_02	25 mi upstream of Manahuilla Creek
---------	------------------------------------

1901_05	From upstream end of segment to Escondido Creek
---------	---

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS

1901_01	25 mi downstream of the confluence with Manahuilla Creek
---------	--

1901_02	25 mi upstream of Manahuilla Creek
---------	------------------------------------

1901_03	From 25 mi upstream of Manahuilla Cr to 9 mi downstream of Escondido Cr
---------	---

1901_04	9 mi downstream of Escondido Creek
---------	------------------------------------

1901_05	From upstream end of segment to Escondido Creek
---------	---

1901_06	Lower 31 mi of segment
---------	------------------------

<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS

1901_01	25 mi downstream of the confluence with Manahuilla Creek
---------	--

1901_02	25 mi upstream of Manahuilla Creek
---------	------------------------------------

1901_03	From 25 mi upstream of Manahuilla Cr to 9 mi downstream of Escondido Cr
---------	---

1901_04	9 mi downstream of Escondido Creek
---------	------------------------------------

1901_05	From upstream end of segment to Escondido Creek
---------	---

1901_06	Lower 31 mi of segment
---------	------------------------

SEG ID:1901A Escondido Creek

From the confluence with Lower San Antonio River upstream to the headwaters near Karnes CR 210 and FM 99

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS

1901A_01	From the confluence with Lower San Antonio River upstream to the confluence with Nichols Creek in Kenedy
----------	--

<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS

1901A_01	From the confluence with Lower San Antonio River upstream to the confluence with Nichols Creek in Kenedy
----------	--

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID: 1901E Manahuilla Creek

From the confluence with the Lower San Antonio River upstream to the headwaters southeast of Nordheim in DeWitt County

Parameter(s)

Level of Concern

bacteria (Recreation Use)

CN

1901E_01 From the confluence with the Lower San Antonio River upstream to the headwaters southeast of Nordheim in DeWitt County

SEG ID: 1901F Ecletto Creek

From the confluence with the Lower San Antonio River upstream to the headwaters adjacent to SH 123 south of Seguin in Guadalupe County

Parameter(s)

Level of Concern

chlorophyll-a

CS

1901F_01 From the confluence with the Lower San Antonio River upstream to the headwaters adjacent to SH 123 south of Seguin in Guadalupe County

Parameter(s)

Level of Concern

depressed dissolved oxygen

CS

1901F_01 From the confluence with the Lower San Antonio River upstream to the headwaters adjacent to SH 123 south of Seguin in Guadalupe County

SEG ID: 1902 Lower Cibolo Creek

From the confluence with the San Antonio River in Karnes County to a point 100 meters (110 yards) downstream of IH 10 in Bexar/Guadalupe County

Parameter(s)

Level of Concern

nitrate

CS

1902_04 From the confluence with Clifton Branch upstream to the confluence with Elm Creek

1902_05 From the confluence with Elm Creek upstream to a point 100 meters (110 yards) downstream of IH 10 in Bexar/Guadalupe County

Parameter(s)

Level of Concern

total phosphorus

CS

1902_05 From the confluence with Elm Creek upstream to a point 100 meters (110 yards) downstream of IH 10 in Bexar/Guadalupe County

Parameter(s)

Level of Concern

Total Phosphorus in water

CS

1902_04 From the confluence with Clifton Branch upstream to the confluence with Elm Creek

2018 Texas Integrated Report - Water Bodies with Concerns for Use Attainment and Screening Levels

SEG ID:1902A Martinez Creek

Perennial stream from the confluence with Lower Cibolo Creek upstream to the headwaters in Bexar County

<u>Parameter(s)</u>	<u>Level of Concern</u>
bacteria (Recreation Use)	CN
1902A_03	From the confluence with Escondido Creek upstream to the Martinez II WWTP outfall approximately 1.1 km downstream of FM 1516
1902A_04	From the Martinez II WWTP outfall approximately 1.1 km downstream of FM 1516 upstream to Binz-Engleman Road

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
1902A_03	From the confluence with Escondido Creek upstream to the Martinez II WWTP outfall approximately 1.1 km downstream of FM 1516
1902A_04	From the Martinez II WWTP outfall approximately 1.1 km downstream of FM 1516 upstream to Binz-Engleman Road

<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS
1902A_01	From the confluence with Lower Cibolo Creek upstream to the confluence with Salitrillo Creek
1902A_03	From the confluence with Escondido Creek upstream to the Martinez II WWTP outfall approximately 1.1 km downstream of FM 1516
1902A_04	From the Martinez II WWTP outfall approximately 1.1 km downstream of FM 1516 upstream to Binz-Engleman Road

SEG ID:1902B Salitrillo Creek

From the confluence with Martinez Creek to approximately 1.3 mi (2.1 km) upstream of FM 1976

<u>Parameter(s)</u>	<u>Level of Concern</u>
ammonia	CS
1902B_01	From the confluence with Martinez Creek to FM 78 in Converse

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
1902B_01	From the confluence with Martinez Creek to FM 78 in Converse

<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS
1902B_01	From the confluence with Martinez Creek to FM 78 in Converse

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:1902C Clifton Branch

From the confluence of Lower Cibolo Creek upstream to the headwater 0.6 mi upstream of Wilson CR 424 north of Stockdale

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

1902C_01 From the confluence of Lower Cibolo Creek upstream to the headwater 0.6 mi upstream of Wilson CR 424 north of Stockdale

Parameter(s)

total phosphorus

Level of Concern

CS

1902C_01 From the confluence of Lower Cibolo Creek upstream to the headwater 0.6 mi upstream of Wilson CR 424 north of Stockdale

SEG ID: 1903 Medina River Below Medina Diversion Lake

From the confluence with the San Antonio River in Bexar County to Medina Diversion Dam in Medina County

Parameter(s)

ammonia

Level of Concern

CS

1903_02 From the confluence with Palo Blanco Creek approximately 2.0 km upstream of FM 1937 upstream to the confluence with Lower Leon Creek

Parameter(s)

nitrate

Level of Concern

CS

1903_01 From the confluence with the San Antonio River upstream to the confluence with Palo Blanco Creek approximately 2.0 km upstream of FM 1937

1903_02 From the confluence with Palo Blanco Creek approximately 2.0 km upstream of FM 1937 upstream to the confluence with Lower Leon Creek

1903_03 From the confluence with Lower Leon Creek upstream to the confluence with Medio Creek

1903_04 From the confluence with Medio Creek upstream to the confluence with Polecat Creek approximately 125 m upstream of FM 1604

Parameter(s)

total phosphorus

Level of Concern

CS

1903_01 From the confluence with the San Antonio River upstream to the confluence with Palo Blanco Creek approximately 2.0 km upstream of FM 1937

1903_02 From the confluence with Palo Blanco Creek approximately 2.0 km upstream of FM 1937 upstream to the confluence with Lower Leon Creek

2018 Texas Integrated Report - Water Bodies with Concerns for Use Attainment and Screening Levels

SEG ID: 1905 Medina River Above Medina Lake

From a point immediately upstream of the confluence of Red Bluff Creek in Bandera County to the confluence of the North Prong Medina River and the West Prong Medina River in Bandera County

<u>Parameter(s)</u>	<u>Level of Concern</u>
impaired fish community	CN
1905_02	From RM 470 upstream to the confluence of the North Prong Medina River and the West Prong Medina River

<u>Parameter(s)</u>	<u>Level of Concern</u>
impaired habitat	CS
1905_01	From a point immediately upstream of the confluence of Red Bluff Creek upstream to RM 470

SEG ID: 1906 Lower Leon Creek

From the confluence with the Medina River in Bexar County to a point 100 meters (110 yards) upstream of SH 16 northwest of San Antonio in Bexar County

<u>Parameter(s)</u>	<u>Level of Concern</u>
bacteria (Recreation Use)	CN
1906_02	From the northside of the Toyota plant upstream to the confluence of Indian Creek
1906_04	From Hwy 353 (New Laredo Hwy) upstream approximately 2 mi to a point southeast of Pearsall Park
1906_05	From a point southeast of Pearsall Park upstream to US 90 on the westside of San Antonio
1906_06	From US 90 on the westside of San Antonio upstream to a point 100 meters upstream of SH 16 northwest of San Antonio

<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS
1906_05	From a point southeast of Pearsall Park upstream to US 90 on the westside of San Antonio
1906_06	From US 90 on the westside of San Antonio upstream to a point 100 meters upstream of SH 16 northwest of San Antonio

<u>Parameter(s)</u>	<u>Level of Concern</u>
depressed dissolved oxygen	CN
1906_03	From confluence with Indian Creek to Hwy 353 (New Laredo Hwy) From confluence with Indian Creek to Hwy 353 (New Laredo Hwy)

<u>Parameter(s)</u>	<u>Level of Concern</u>
silver in sediment	CS
1906_05	From a point southeast of Pearsall Park upstream to US 90 on the westside of San Antonio
1906_06	From US 90 on the westside of San Antonio upstream to a point 100 meters upstream of SH 16 northwest of San Antonio

2018 Texas Integrated Report - Water Bodies with Concerns for Use Attainment and Screening Levels

SEG ID: 1908 Upper Cibolo Creek

From the Missouri-Pacific Railroad Bridge west of Bracken in Comal County to a point 1.5 km (0.9 mi) upstream of the confluence of Champee Springs in Kendall County

<u>Parameter(s)</u>	<u>Level of Concern</u>
Nitrate in water	CS
1908_01	From confluence. with Balcones Creek to approx. 2 mi upstream of Hwy 87 in Boerne

<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS
1908_01	From confluence. with Balcones Creek to approx. 2 mi upstream of Hwy 87 in Boerne

SEG ID: 1910 Salado Creek

From the confluence with the San Antonio River in Bexar County to the confluence of Beitel Creek in Bexar County

<u>Parameter(s)</u>	<u>Level of Concern</u>
depressed dissolved oxygen	CN
1910_02	From the confluence with Rosillo Creek up to the confluence with Pershing Creek. From the confluence with Rosillo Creek up to the confluence with Pershing Creek.
1910_03	From the confluence with Pershing Creek up to the confluence with Walzem Creek.

<u>Parameter(s)</u>	<u>Level of Concern</u>
impaired fish community	CN
1910_01	From confluence with San Antonio River to confluence with Rosillo Creek

<u>Parameter(s)</u>	<u>Level of Concern</u>
impaired macrobenthic community	CN
1910_02	From the confluence with Rosillo Creek up to the confluence with Pershing Creek.

SEG ID:1910C Salado Creek Tributary

From the confluence with segment 1910 to the upper end of the water body, NHD RC 12100301000902.

<u>Parameter(s)</u>	<u>Level of Concern</u>
bacteria (Recreation Use)	CN
1910C_01	From the confluence with segment 1910 to the upper end of the water body, NHD RC 12100301000902.

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID: 1910F Upper Salado Creek

Upper Salado Creek from the confluence of Beitel Creek upstream to the headwater
approximately 1.5 mi upstream of FM 3351 near Fair Oaks Ranch

Parameter(s)

chlorophyll-a

Level of Concern

CS

1910F_01 Upper Salado Creek an Appendix D section from the confluence with Beitel Creek upstream
to Nacogdoches Road

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

1910F_01 Upper Salado Creek an Appendix D section from the confluence with Beitel Creek upstream
to Nacogdoches Road

2018 Texas Integrated Report - Water Bodies with Concerns for Use Attainment and Screening Levels

SEG ID: 1911 Upper San Antonio River

From a point 600 meters (660 yards) downstream of FM 791 at Mays Crossing near Falls City in Karnes County to a point 100 meters (110 yards) upstream of Hildebrand Avenue at San Antonio in Bexar County

<u>Parameter(s)</u>	<u>Level of Concern</u>
ammonia	CS
1911_05	From just upstream of the confluence with Calaveras Creek up to just upstream of the confluence with the Medina River.
<u>Parameter(s)</u>	<u>Level of Concern</u>
impaired fish community	CN
1911_05	From just upstream of the confluence with Calaveras Creek up to just upstream of the confluence with the Medina River.
1911_08	From just upstream of the confluence with Sixmile Creek to just upstream of the confluence with San Pedro Creek.
<u>Parameter(s)</u>	<u>Level of Concern</u>
impaired habitat	CS
1911_05	From just upstream of the confluence with Calaveras Creek up to just upstream of the confluence with the Medina River.
1911_07	From just upstream of the confluence with Salado Creek up to just upstream of the confluence with Sixmile Creek.
<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
1911_01	From the lower end of the segment up to just upstream of the confluence with Olmos Creek.
1911_02	From the confluence with Olmos Creek up to just upstream of the confluence with Picos Creek .
1911_03	From just upstream of the confluence with Picos Creek up to just upstream of the confluence with Lodi Branch in Floresville, Wilson County, Texas.
1911_04	From just upstream of the confluence with Lodi Branch in Floresville, Wilson County, Texas up to just upstream of the confluence with Calaveras Creek.
1911_05	From just upstream of the confluence with Calaveras Creek up to just upstream of the confluence with the Medina River.
1911_06	From just upstream of the confluence with the Medina River up to just upstream of the confluence with Salado Creek.
1911_07	From just upstream of the confluence with Salado Creek up to just upstream of the confluence with Sixmile Creek.
1911_08	From just upstream of the confluence with Sixmile Creek to just upstream of the confluence with San Pedro Creek.
1911_09	From just upstream of the confluence with San Pedro Creek up to the upper end of the segment.
<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS
1911_01	From the lower end of the segment up to just upstream of the confluence with Olmos Creek.
1911_02	From the confluence with Olmos Creek up to just upstream of the confluence with Picos Creek .
1911_03	From just upstream of the confluence with Picos Creek up to just upstream of the confluence with Lodi Branch in Floresville, Wilson County, Texas.
1911_04	From just upstream of the confluence with Lodi Branch in Floresville, Wilson County, Texas up to just upstream of the confluence with Calaveras Creek.

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID: 1911 Upper San Antonio River

From a point 600 meters (660 yards) downstream of FM 791 at Mays Crossing near Falls City in Karnes County to a point 100 meters (110 yards) upstream of Hildebrand Avenue at San Antonio in Bexar County

1911_05 From just upstream of the confluence with Calaveras Creek up to just upstream of the confluence with the Medina River.

1911_09 From just upstream of the confluence with San Pedro Creek up to the upper end of the segment.

SEG ID: 1911B Apache Creek

From the confluence with San Pedro Creek upstream to the headwaters at SH 421 (Bandera Rd) in San Antonio

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

1911B_01 From the confluence with San Pedro Creek upstream to the confluence with Zarzamora Creek.

Parameter(s)

nitrate

Level of Concern

CS

1911B_01 From the confluence with San Pedro Creek upstream to the confluence with Zarzamora Creek.

SEG ID: 1911C Alazan Creek

From the confluence with Apache Creek up to 0.4 KM (0.25 mi) upstream of St. Cloud Road (NHD RC 12100301000163) in San Antonio, Bexar County, Texas

Parameter(s)

chlorophyll-a

Level of Concern

CS

1911C_02 From just upstream of the confluence with Martinez Creek to the upper end of the segment.

SEG ID: 1911D San Pedro Creek

From the confluence with segment 1911 to the upper end of the water body, NHD RC 12100301000867

Parameter(s)

nitrate

Level of Concern

CS

1911D_01 From the confluence with segment 1911 up to the confluence with Apache Creek.

1911D_02 From the confluence with Apache Creek to the upper end of the segment, NHD RC 12100301000867

SEG ID: 1911I Martinez Creek

Martinez Creek from the confluence of Alazan Creek in central San Antonio upstream to the terminus at Vance Jackson Rd in north San Antonio

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

1911I_01 Martinez Creek from the confluence of Alazan Creek in central San Antonio upstream to the concrete channel portion at San Francisco St in north San Antonio

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID: 1911J Pajarito Creek

From the confluence with the Upper San Antonio River upstream to the headwaters at Wilson CR 403 northwest of Floresville

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

1911J_01 From the confluence with the Upper San Antonio River upstream to the headwaters at Wilson CR 403 northwest of Floresville

SEG ID: 1911K Seguin Branch

From the confluence with the Upper San Antonio River upstream to the headwaters approximately 2.2 km upstream of Wilson CR 331 north of Floresville

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

1911K_01 From the confluence with the Upper San Antonio River upstream to the headwaters approximately 2.2 km upstream of Wilson CR 331 north of Floresville

SEG ID: 1911L Unnamed tributary of Upper San Antonio River

From the confluence with the Upper San Antonio River upstream to the confluence with an unnamed tributary 200 m upstream of FM 1303 in Wilson County

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

1911L_01 From the confluence with the Upper San Antonio River upstream to the confluence with an unnamed tributary 200 m upstream of FM 1303 in Wilson County

SEG ID: 1912 Medio Creek

From the confluence with the Medina River in Bexar County to a point 1.0 km (0.6 mi) upstream of IH 35 in San Antonio in Bexar County

Parameter(s)

nitrate

Level of Concern

CS

1912_01 From the confluence with the Medina River in Bexar County to a point 1.0 km (0.6 mi) upstream of IH 35 in San Antonio in Bexar County

Parameter(s)

total phosphorus

Level of Concern

CS

1912_01 From the confluence with the Medina River in Bexar County to a point 1.0 km (0.6 mi) upstream of IH 35 in San Antonio in Bexar County

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID: 1912A Upper Medio Creek

From approximately 1.0 km (0.6 mi) upstream of IH 35 at San Antonio (Bexar County) to approximately 1.0 mi upstream of the Bexar/Medina County Line

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS

1912A_01	From approximately 1.0 km (0.6 mi) upstream of IH 35 at San Antonio (Bexar County) to approximately 1.0 mi upstream of the Bexar/Medina County Line
----------	---

<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS

1912A_01	From approximately 1.0 km (0.6 mi) upstream of IH 35 at San Antonio (Bexar County) to approximately 1.0 mi upstream of the Bexar/Medina County Line
----------	---

SEG ID: 1913 Mid Cibolo Creek

From a point 100 meters (110 yards) downstream of IH 10 in Bexar/Guadalupe County to the Missouri-Pacific Railroad bridge west of Bracken in Comal County

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS

1913_01	From 100 meters downstream of I10 up to unnamed tributary approximately 0.3 mi upstream of Weir Road, Bexar County, Texas.
---------	--

1913_02	From the confluence with unnamed tributary approximately 0.3 mi upstream of Weir Road, Bexar county, Texas up to 100 meters upstream of the Cibolo Creek Municipal WWTP.
---------	--

<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS

1913_01	From 100 meters downstream of I10 up to unnamed tributary approximately 0.3 mi upstream of Weir Road, Bexar County, Texas.
---------	--

1913_02	From the confluence with unnamed tributary approximately 0.3 mi upstream of Weir Road, Bexar county, Texas up to 100 meters upstream of the Cibolo Creek Municipal WWTP.
---------	--

SEG ID: 2004 Aransas River Above Tidal

From a point 1.6 km (1.0 mi) upstream of US 77 in Refugio/San Patricio County to the confluence of Poesta Creek and Aransas Creek in Bee County

<u>Parameter(s)</u>	<u>Level of Concern</u>
depressed dissolved oxygen	CS

2004_02	From the confluence with Papalote Creek to the upstream end of segment at the confluence with Aransas Creek and Poesta Creek
---------	--

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS

2004_02	From the confluence with Papalote Creek to the upstream end of segment at the confluence with Aransas Creek and Poesta Creek
---------	--

<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS

2004_02	From the confluence with Papalote Creek to the upstream end of segment at the confluence with Aransas Creek and Poesta Creek
---------	--

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID: 2004B Poesta Creek

From the confluence with the Aransas River to the headwaters of the stream about 7.5 km upstream of FM 673.

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

2004B_01 From the confluence of the Aransas River to the confluence of Talpacate Creek

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

2004B_02 From the confluence with Talpacate Creek to the headwaters of the stream approximately 7.5 km upstream of FM 673

SEG ID: 2101 Nueces River Tidal

From the confluence with Nueces Bay in Nueces County to Calallen Dam 1.7 km (1.1 mi) upstream of US 77/IH 37 in Nueces/San Patricio County

Parameter(s)

chlorophyll-a

Level of Concern

CS

2101_01 From the confluence with Nueces Bay in Nueces County to Calallen Dam 1.7 km (1.1 mi) upstream of US 77/IH 37 in Nueces/San Patricio County

SEG ID: 2102 Nueces River Below Lake Corpus Christi

From Calallen Dam 1.7 km (1.1 mi) upstream of US 77/IH 37 in Nueces/San Patricio County to Wesley E. Seale Dam in Jim Wells/San Patricio County

Parameter(s)

chlorophyll-a

Level of Concern

CS

2102_02 From FM 666 to the upstream end of segment at Lake Corpus Christi

2018 Texas Integrated Report - Water Bodies with Concerns for Use Attainment and Screening Levels

SEG ID: 2104 Nueces River Above Frio River

From the confluence of the Frio River in Live Oak County to Holland Dam in LaSalle County

<u>Parameter(s)</u>	<u>Level of Concern</u>
depressed dissolved oxygen	CS
2104_02 From the confluence with Dragon Creek to the confluence with Guadalupe Creek	
2104_03 From the confluence with Guadalupe Creek to the upstream end of the segment	
impaired fish community	CN
2104_02 From the confluence with Dragon Creek to the confluence with Guadalupe Creek	
impaired macrobenthic community	CN
2104_01 From the downstream end of the segment to the confluence with Dragon Creek	
2104_02 From the confluence with Dragon Creek to the confluence with Guadalupe Creek	
nitrate	CS
2104_01 From the downstream end of the segment to the confluence with Dragon Creek	
total phosphorus	CS
2104_01 From the downstream end of the segment to the confluence with Dragon Creek	

SEG ID: 2105 Nueces River Above Holland Dam

From Holland Dam in LaSalle County to a point 100 meters (110 yards) upstream of FM 1025 in Zavala County

<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS
2105_01 From the downstream end of the segment at Holland Dam to the confluence of Sauz Mocho Creek	
2105_02 From the confluence with Sauz Macho Creek to the confluence of Line Oak Slough	
depressed dissolved oxygen	CS
2105_01 From the downstream end of the segment at Holland Dam to the confluence of Sauz Mocho Creek	
2105_02 From the confluence with Sauz Macho Creek to the confluence of Line Oak Slough	

SEG ID: 2106 Nueces/Lower Frio River

From a point 100 meters (110 yards) upstream of US 59 in Live Oak County to Choke Canyon Dam in Live Oak County

<u>Parameter(s)</u>	<u>Level of Concern</u>
bacteria (Recreation Use)	CN
2106_01 The Nueces river from the downstream end of segment to the confluence with the Frio River	
chlorophyll-a	CS
2106_02 The Frio River from the confluence with the Nueces River to Choke Canyon Dam	

2018 Texas Integrated Report - Water Bodies with Concerns for Use Attainment and Screening Levels

SEG ID: 2107 Atascosa River

From the confluence with the Frio River in Live Oak County to the confluence of the West Prong Atascosa River and the North Prong Atascosa River in Atascosa County

<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS
2107_01	From the downstream end of the segment at the confluence with the Frio River to the confluence with Borrego Creek
2107_03	From the confluence with Galvan Creek to the confluence with Palo Alto Creek
impaired habitat	CS
2107_02	From the confluence with Borrego Creek to the confluence with Galvan Creek
2107_03	From the confluence with Galvan Creek to the confluence with Palo Alto Creek
nitrate	CS
2107_02	From the confluence with Borrego Creek to the confluence with Galvan Creek
total phosphorus	CS
2107_02	From the confluence with Borrego Creek to the confluence with Galvan Creek

SEG ID: 2108 San Miguel Creek

From a point immediately upstream of the confluence of Mustang Branch in McMullen County to the confluence of San Francisco Perez Creek and Chacon Creek in Frio County

<u>Parameter(s)</u>	<u>Level of Concern</u>
depressed dissolved oxygen	CS
2108_01	From the downstream end of the segment to the confluence of Liveoak Creek

SEG ID: 2109 Leona River

From the confluence with the Frio River in Frio County to US 83 in Uvalde County

<u>Parameter(s)</u>	<u>Level of Concern</u>
depressed dissolved oxygen	CN
2109_03	From the confluence of Camp Lake Slough to the upper end of segment From the confluence of Camp Lake Slough to the upper end of segment
nitrate	CS
2109_01	From the downstream end of segment to the confluence of Yoledigo Creek

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID: 2109D Gallina Slough

From the confluence with the Leona River in Zavala Co. to the headwaters approximately 9 km upstream of US Hwy 57 in Zavala Co.

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

2109D_01 From the confluence with the Leona River in Zavala Co. to the headwaters approximately 9 km upstream of US Hwy 57 in Zavala Co.

Parameter(s)

nitrate

Level of Concern

CS

2109D_01 From the confluence with the Leona River in Zavala Co. to the headwaters approximately 9 km upstream of US Hwy 57 in Zavala Co.

SEG ID: 2110 Lower Sabinal River

From the confluence with the Frio River in Frio County to Uvalde County to a point 100 meters (110 yards) upstream of SH 127 in Uvalde County

Parameter(s)

nitrate

Level of Concern

CS

2110_01 From the confluence with the Frio River in Frio County to Uvalde County to a point 100 meters (110 yards) upstream of SH 127 in Uvalde County

SEG ID: 2112 Upper Nueces River

From a point 100 meters (110 yards) upstream of FM 1025 in Zavala County to the confluence of the East Prong Nueces River and Hackberry Creek in Edwards County

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

2112_01 From the downstream end of the segment to the confluence with Sand Ridge Creek

SEG ID: 2113 Upper Frio River

From a point 100 meters (110 yards) upstream of US 90 in Uvalde County to the confluence of the West Frio River and the East Frio River in Real County

Parameter(s)

impaired fish community

Level of Concern

CN

2113_02 From the confluence with Bear Creek to the upstream end of segment

Parameter(s)

impaired habitat

Level of Concern

CS

2113_01 From the downstream end of the segment to the confluence with Bear Creek

2113_02 From the confluence with Bear Creek to the upstream end of segment

2018 Texas Integrated Report - Water Bodies with Concerns for Use Attainment and Screening Levels

SEG ID: 2114 Hondo Creek

From the confluence with the Frio River in Frio County to FM 470 in Bandera County

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
2114_01	From the downstream end of the segment to the confluence with and unnamed tributary with NHD RC 12110107000245 at point N-99.12, W29.38 just upstream of FM 2676.

SEG ID: 2117 Frio River Above Choke Canyon Reservoir

From a point 4.2 km (2.6 mi) downstream of SH 16 in McMullen County to a point 100 meters (110 yards) upstream of US 90 in Uvalde County

<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS
2117_01	From the downstream end of segment to the confluence with Esperanza Creek
2117_02	From the confluence with Esperanza Creek to the confluence with Ruiz Creek
2117_03	From the confluence with Ruiz Creek to the confluence with Live Oak Creek

<u>Parameter(s)</u>	<u>Level of Concern</u>
depressed dissolved oxygen	CS
2117_01	From the downstream end of segment to the confluence with Esperanza Creek
2117_02	From the confluence with Esperanza Creek to the confluence with Ruiz Creek
2117_03	From the confluence with Ruiz Creek to the confluence with Live Oak Creek
	From the confluence with Ruiz Creek to the confluence with Live Oak Creek

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
2117_04	From the confluence with Live Oak Creek to the confluence with Elm Creek
2117_05	From the confluence with Elm Creek to the confluence with Spring Branch

2018 Texas Integrated Report - Water Bodies with Concerns for Use Attainment and Screening Levels

SEG ID: 2201 Arroyo Colorado Tidal

From confluence with Laguna Madre in Cameron/Willacy County to a point 100 meters (110 yards) downstream of Cemetery Road south of Port Harlingen in Cameron County

<u>Parameter(s)</u>	<u>Level of Concern</u>
Ammonia in water	CS

2201_03	From the confluence with an unnamed drainage ditch with NHD RC 12110108005353 at point N-97.53, W 26.31 to the confluence with Harding Ranch Ditch tributary
---------	--

<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS

2201_01	From the downstream end of the segment to the confluence with San Vicente Drainage Ditch
---------	--

2201_02	From the confluence with San Vicente Drainage Ditch to the confluence with an unnamed drainage ditch with NHD RC 12110108005353 at point N-97.53, W 26.31
---------	---

2201_03	From the confluence with an unnamed drainage ditch with NHD RC 12110108005353 at point N-97.53, W 26.31 to the confluence with Harding Ranch Ditch tributary
---------	--

2201_04	From the confluence with Harding Ranch Ditch tributary to just upstream of the City of Hondo Wastewater Discharge at point N-97.58359, W26.247186
---------	---

2201_05	From just upstream of the City Rio of Hondo Wastewater Discharge at point N-97.58359, W26.247186 to the upstream end of the segment
---------	---

<u>Parameter(s)</u>	<u>Level of Concern</u>
depressed dissolved oxygen	CN

2201_05	From just upstream of the City Rio of Hondo Wastewater Discharge at point N-97.58359, W26.247186 to the upstream end of the segment
---------	---

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS

2201_01	From the downstream end of the segment to the confluence with San Vicente Drainage Ditch
---------	--

2201_02	From the confluence with San Vicente Drainage Ditch to the confluence with an unnamed drainage ditch with NHD RC 12110108005353 at point N-97.53, W 26.31
---------	---

2201_03	From the confluence with an unnamed drainage ditch with NHD RC 12110108005353 at point N-97.53, W 26.31 to the confluence with Harding Ranch Ditch tributary
---------	--

2201_04	From the confluence with Harding Ranch Ditch tributary to just upstream of the City of Hondo Wastewater Discharge at point N-97.58359, W26.247186
---------	---

2201_05	From just upstream of the City Rio of Hondo Wastewater Discharge at point N-97.58359, W26.247186 to the upstream end of the segment
---------	---

SEG ID:2201B Unnamed Drainage Ditch Tributary (B) in Cameron County Drainage District #3

Perennial drainage ditches that flow into the segment in Cameron and Hidalgo counties

<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS

2201B_01	From the confluence with the Arroyo Colorado in Cameron County in the Rio Hondo turning basin at -97.6, 26.196 decimal degrees to a point 17.6 km upstream at the FM 510 crossing.
----------	--

2018 Texas Integrated Report - Water Bodies with Concerns for Use Attainment and Screening Levels

SEG ID: 2202 Arroyo Colorado Above Tidal

From a point 100 meters (110 yards) downstream of Cemetery Road south of Port Harlingen in Cameron County to FM 2062 in Hidalgo County

<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS
2202_01	From the downstream end of segment to the confluence with Little Creek just upstream of State Loop 499
2202_02	From the confluence with Little Creek to the confluence with La Feria Main Canal just upstream of Dukes Highway
2202_03	From the confluence with La Feria Main Canal just upstream of Dukes Highway to the confluence with La Cruz Resaca just downstream of FM 907
2202_04	From the confluence with La Cruz Resaca to the upper end of segment at FM 2062

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
2202_01	From the downstream end of segment to the confluence with Little Creek just upstream of State Loop 499
2202_02	From the confluence with Little Creek to the confluence with La Feria Main Canal just upstream of Dukes Highway
2202_03	From the confluence with La Feria Main Canal just upstream of Dukes Highway to the confluence with La Cruz Resaca just downstream of FM 907
2202_04	From the confluence with La Cruz Resaca to the upper end of segment at FM 2062

<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS
2202_01	From the downstream end of segment to the confluence with Little Creek just upstream of State Loop 499
2202_02	From the confluence with Little Creek to the confluence with La Feria Main Canal just upstream of Dukes Highway
2202_03	From the confluence with La Feria Main Canal just upstream of Dukes Highway to the confluence with La Cruz Resaca just downstream of FM 907
2202_04	From the confluence with La Cruz Resaca to the upper end of segment at FM 2062

SEG ID: 2202B Unnamed Drainage Ditch Tributary (B) to S. Arroyo Colorado

Perennial drainage ditches that flow into the segment in Cameron and Hidalgo counties

<u>Parameter(s)</u>	<u>Level of Concern</u>
ammonia	CS
2202B_01	Perennial drainage ditches that flow into the segment in Cameron and Hidalgo counties

<u>Parameter(s)</u>	<u>Level of Concern</u>
bacteria (Recreation Use)	CN
2202B_01	Perennial drainage ditches that flow into the segment in Cameron and Hidalgo counties

<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS
2202B_01	Perennial drainage ditches that flow into the segment in Cameron and Hidalgo counties

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID: 2202C Unnamed Drainage Ditch Tributary (C) to S. Arroyo Colorado

From the confluence with S. Arroyo Colorado to a point 1.1 mi upstream near US Highway 281

Parameter(s)

ammonia

Level of Concern

CS

2202C_01 From the confluence with S. Arroyo Colorado to a point 1.1 mi upstream near US Highway 281

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

2202C_01 From the confluence with S. Arroyo Colorado to a point 1.1 mi upstream near US Highway 281

SEG ID: 2203 Petronila Creek Tidal

From the confluence of Chiltipin Creek in Kleberg County to a point 1 km (0.6 mi) upstream of private road crossing near Laureles Ranch in Kleberg County

Parameter(s)

chlorophyll-a

Level of Concern

CS

2203_01 From the confluence with Tunas Creek and Alazan Bay to a point 11 mi upstream

SEG ID: 2204 Petronila Creek Above Tidal

From a point 1 km (0.6 mi) upstream of private road crossing near Laureles Ranch in Kleberg County to the confluence of Agua Dulce and Banquete Creeks in Nueces County

Parameter(s)

chlorophyll-a

Level of Concern

CS

2204_01 From downstream end of segment to the confluence with 2204A, unnamed drainage ditch tributary to Petronila Creek at N-97.7, W27.65 approximately 32.5 km (20.2 mi) upstream

2204_02 From the confluence with 2204A, unnamed drainage ditch tributary of Petronila Creek at N-97.7, W27.65 to the upstream end of segment at the confluence with Agua Dulce and Banquete Creeks approximately 31.6 km (19.6 mi) upstream

Parameter(s)

Total Phosphorus in water

Level of Concern

CS

2204_02 From the confluence with 2204A, unnamed drainage ditch tributary of Petronila Creek at N-97.7, W27.65 to the upstream end of segment at the confluence with Agua Dulce and Banquete Creeks approximately 31.6 km (19.6 mi) upstream

2018 Texas Integrated Report - Water Bodies with Concerns for Use Attainment and Screening Levels

SEG ID: 2301 Rio Grande Tidal

From the confluence with the Gulf of Mexico in Cameron County to a point 10.8 km (6.7 mi) downstream of the International Bridge in Cameron County

<u>Parameter(s)</u>	<u>Level of Concern</u>
bacteria (Recreation Use)	CN

2301_01	From the confluence with the Gulf of Mexico in Cameron County to a point 71.7 km (44.6 mi) upstream
---------	---

2301_02	From a point 71.7 km (44.6 mi) upstream of the mouth the Rio Grande to a point 10.8 km (6.7 mi) downstream of the International Bridge in Cameron County
---------	--

<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS

2301_01	From the confluence with the Gulf of Mexico in Cameron County to a point 71.7 km (44.6 mi) upstream
---------	---

2301_02	From a point 71.7 km (44.6 mi) upstream of the mouth the Rio Grande to a point 10.8 km (6.7 mi) downstream of the International Bridge in Cameron County
---------	--

<u>Parameter(s)</u>	<u>Level of Concern</u>
depressed dissolved oxygen	CS

2301_01	From the confluence with the Gulf of Mexico in Cameron County to a point 71.7 km (44.6 mi) upstream
---------	---

SEG ID: 2302 Rio Grande Below Falcon Reservoir

From a point 10.8 km (6.7 mi) downstream of the International Bridge in Cameron County to Falcon Dam in Starr County

<u>Parameter(s)</u>	<u>Level of Concern</u>
ammonia	CS

2302_07	From the confluence with Arroyo Los Olmos upstream to Falcon Reservoir Dam
---------	--

<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS

2302_01	From a point 10.8 km (6.7 mi) downstream of the International Bridge near the El Jardin Pump Station in Cameron County upstream to the west branch of the Rancho Viejo Floodway
---------	---

2302_02	From the west branch of the Rancho Viejo Floodway upstream to the Progreso International Bridge (FM 1015)
---------	---

2302_03	From the Progreso International Bridge (FM 1015) upstream to the McAllen International Bridge (US Hwy 281)
---------	--

2302_04	From the McAllen International Bridge (US Hwy 281) upstream to Anzalduas Dam
---------	--

2302_05	From Anzalduas Dam upstream to Los Ebanos Ferry Crossing
---------	--

2302_06	From the Los Ebanos Ferry Crossing upstream to the confluence with Arroyo Los Olmos
---------	---

<u>Parameter(s)</u>	<u>Level of Concern</u>
depressed dissolved oxygen	CS

2302_01	From a point 10.8 km (6.7 mi) downstream of the International Bridge near the El Jardin Pump Station in Cameron County upstream to the west branch of the Rancho Viejo Floodway
---------	---

2302_03	From the Progreso International Bridge (FM 1015) upstream to the McAllen International Bridge (US Hwy 281)
---------	--

2302_04	From the McAllen International Bridge (US Hwy 281) upstream to Anzalduas Dam
---------	--

2302_06	From the Los Ebanos Ferry Crossing upstream to the confluence with Arroyo Los Olmos
---------	---

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID: 2302A Arroyo Los Olmos

From Rio Grande confluence at Rio Grande City to El Sauz in Starr County

Parameter(s)

chlorophyll-a

Level of Concern

CS

2302A_01 From the Rio Grande confluence near Rio Grande City upstream to a point 39.4 km (24.5 mi) near El Sauz

SEG ID: 2303 International Falcon Reservoir

From Falcon Dam in Starr County to a point 0.66 km (0.41 mi) upstream of the confluence of the Arroyo El Lobo (Mexico) in Webb County, up to the normal pool elevation of 301.1 feet (impounds Rio Grande)

Parameter(s)

Fish kill in water

Level of Concern

CN

2303_04 Upper portion of reservoir

Parameter(s)

toxicity in water

Level of Concern

CN

2303_05 From the confluence of the Arroyo El Salado (Mexico) in Zapata County upstream to a point 0.66 km (0.41 mi) upstream of the confluence of the Arroyo El Lobo (Mexico) in Webb County

SEG ID: 2304 Rio Grande Below Amistad Reservoir

From a point 0.66 km (0.41 mi) upstream of the confluence of the Arroyo El Lobo (Mexico) in Webb County to Amistad Dam in Val Verde County

Parameter(s)

Ammonia in water

Level of Concern

CS

2304_01 From a point 0.66 km (0.41 mi) upstream of the confluence of the Arroyo El Lobo (Mexico) in Webb County upstream to the San Idelfonso Creek confluence

2304_07 From El Indio upstream to downstream of US Hwy 277 (Eagle Pass)

Parameter(s)

toxicity in water

Level of Concern

CN

2304_03 From the International Bridge #2 upstream to the City of Laredo water treatment plant intake

2304_04 From the City of Laredo water treatment plant intake upstream to the World Trade Center Bridge

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID: 2304B Manadas Creek

From the Rio Grande confluence in Laredo to a point 1.3 km (0.81 mi) upstream of Bob Bullock Loop

Parameter(s)

antimony in sediment

Level of Concern

CS

2304B_01 From the Rio Grande confluence in Laredo to a point 1.3 km (0.81 mi) upstream of Bob Bullock Loop

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

2304B_01 From the Rio Grande confluence in Laredo to a point 1.3 km (0.81 mi) upstream of Bob Bullock Loop

Parameter(s)

nitrate

Level of Concern

CS

2304B_01 From the Rio Grande confluence in Laredo to a point 1.3 km (0.81 mi) upstream of Bob Bullock Loop

Parameter(s)

total phosphorus

Level of Concern

CS

2304B_01 From the Rio Grande confluence in Laredo to a point 1.3 km (0.81 mi) upstream of Bob Bullock Loop

SEG ID: 2305 International Amistad Reservoir

From Amistad Dam to a point 1.8 km (1.1 mi) downstream of the confl of Ramsey Canyon on the Rio Grande Arm and to a point 0.7 km (0.4 miles) downstream of the confl of Painted Canyon on the Pecos Arm and to a point 0.6 km (0.4 mi) downstream of the confl

Parameter(s)

Fish kill in water

Level of Concern

CN

2305_01 Rio Grande Arm

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID: 2306 Rio Grande Above Amistad Reservoir

From a point 1.8 km (1.1 mi) downstream of the confluence of Ramsey Canyon in Val Verde County to the confluence of the Rio Conchos (Mexico) in Presidio County

<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS

2306_06	From a point upstream of the IBWC gage at Johnson Ranch to the mouth of Santa Elena Canyon at the Terlingua Creek confluence
---------	--

2306_07	From the mouth of Santa Elena Canyon at the Terlingua Creek confluence upstream to the Alamito Creek confluence
---------	---

2306_08	From Alamito Creek confluence upstream to the Rio Conchos confluence
---------	--

<u>Parameter(s)</u>	<u>Level of Concern</u>
fish kill report	CN

2306_04	From Boquillas Canyon upstream to Mariscal Canyon
---------	---

2306_05	From Mariscal Canyon to a point upstream of the IBWC gage at Johnson Ranch
---------	--

2306_06	From a point upstream of the IBWC gage at Johnson Ranch to the mouth of Santa Elena Canyon at the Terlingua Creek confluence
---------	--

2306_07	From the mouth of Santa Elena Canyon at the Terlingua Creek confluence upstream to the Alamito Creek confluence
---------	---

2306_08	From Alamito Creek confluence upstream to the Rio Conchos confluence
---------	--

2018 Texas Integrated Report - Water Bodies with Concerns for Use Attainment and Screening Levels

SEG ID: 2307 Rio Grande Below Riverside Diversion Dam

From the confluence of the Rio Conchos (Mexico) in Presidio County to Riverside Diversion Dam in El Paso County

<u>Parameter(s)</u>	<u>Level of Concern</u>
ammonia	CS
2307_02	From a point 40.2 km (25 mi) upstream of the Rio Conchos confluence to Little Box Canyon
2307_03	From Little Box Canyon upstream to the Alamo Grade Structure
2307_04	From the Alamo Grade Structure upstream to the Guadalupe Bridge
2307_05	From the Guadalupe Bridge to downstream of the Riverside Diversion Dam

<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS
2307_01	From immediately upstream of the Rio Conchos confluence to a point 40.2 km (25 mi) upstream
2307_03	From Little Box Canyon upstream to the Alamo Grade Structure
2307_04	From the Alamo Grade Structure upstream to the Guadalupe Bridge

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
2307_02	From a point 40.2 km (25 mi) upstream of the Rio Conchos confluence to Little Box Canyon
2307_04	From the Alamo Grade Structure upstream to the Guadalupe Bridge
2307_05	From the Guadalupe Bridge to downstream of the Riverside Diversion Dam

<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS
2307_02	From a point 40.2 km (25 mi) upstream of the Rio Conchos confluence to Little Box Canyon
2307_03	From Little Box Canyon upstream to the Alamo Grade Structure
2307_04	From the Alamo Grade Structure upstream to the Guadalupe Bridge
2307_05	From the Guadalupe Bridge to downstream of the Riverside Diversion Dam

SEG ID: 2308 Rio Grande Below International Dam

From the Riverside Diversion Dam in El Paso County to International Dam in El Paso County

<u>Parameter(s)</u>	<u>Level of Concern</u>
ammonia	CS
2308_01	From the Riverside Diversion Dam to the International Dam in El Paso County

<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS
2308_01	From the Riverside Diversion Dam to the International Dam in El Paso County

<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS
2308_01	From the Riverside Diversion Dam to the International Dam in El Paso County

2018 Texas Integrated Report - Water Bodies with Concerns for Use Attainment and Screening Levels

SEG ID: 2311 Upper Pecos River

From a point immediately upstream of the confluence of Independence Creek in Crockett/Terrell County to Red Bluff Dam in Loving/Reeves County

<u>Parameter(s)</u>	<u>Level of Concern</u>
bacteria (Recreation Use)	CN
2311_03 From US Hwy 67 upstream to the Ward Two Irrigation Turnout	
chlorophyll-a	CS
2311_03 From US Hwy 67 upstream to the Ward Two Irrigation Turnout	
2311_04 From the Ward Two Irrigation Turnout upstream to US Hwy 80 (Bus 20)	
2311_07 From State Hwy 302 upstream to FM 652	
2311_08 From FM 652 upstream to the Red Bluff Dam	

SEG ID: 2312 Red Bluff Reservoir

From Red Bluff Dam in Loving/Reeves County to New Mexico State Line in Loving/Reeves County, up to normal pool elevation 2842 feet (impounds Pecos River)

<u>Parameter(s)</u>	<u>Level of Concern</u>
depressed dissolved oxygen	CS
2312_01 From the Red Bluff Dam to mid-lake	

SEG ID: 2314 Rio Grande Above International Dam

From International Dam in El Paso County to the New Mexico State Line in El Paso County

<u>Parameter(s)</u>	<u>Level of Concern</u>
ammonia	CS
2314_01 From the International Dam upstream to the Anthony Drain confluence	
chlorophyll-a	CS
2314_01 From the International Dam upstream to the Anthony Drain confluence	
2314_02 From the Anthony Drain confluence upstream to the New Mexico/Texas state line	
nitrate	CS
2314_01 From the International Dam upstream to the Anthony Drain confluence	
Total Phosphorus in water	CS
2314_01 From the International Dam upstream to the Anthony Drain confluence	

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID: 2421 Upper Galveston Bay
Upper Galveston Bay

<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS
2421_01 Red Bluff to Five mi Cut to Houston Point to Morgans Point	
2421_02 Western portion of the bay	
2421_03 Main portion of the bay	
nitrate	CS
2421_01 Red Bluff to Five mi Cut to Houston Point to Morgans Point	
2421_02 Western portion of the bay	
2421_03 Main portion of the bay	
total phosphorus	CS
2421_01 Red Bluff to Five mi Cut to Houston Point to Morgans Point	
2421_02 Western portion of the bay	

SEG ID:2421A Clear Lake Channel
From the Lower Galveston Bay confluence to SH 146

<u>Parameter(s)</u>	<u>Level of Concern</u>
ammonia	CS
2421A_01 From Lower Galveston Bay confluence to SH 146	
total phosphorus	CS
2421A_01 From Lower Galveston Bay confluence to SH 146	

SEG ID:2421B Little Cedar Bayou
From the confluence with Upper Galveston Bay to a point immediately upstream of Barbours Cut Blvd in La Porte

<u>Parameter(s)</u>	<u>Level of Concern</u>
Chlorophyll-a in water	CS
2421B_01 From the confluence with Galveston Bay to a point immediately upstream of Barbours Cut Blvd in La Porte	
nitrate	CS
2421B_01 From the confluence with Galveston Bay to a point immediately upstream of Barbours Cut Blvd in La Porte	
total phosphorus	CS
2421B_01 From the confluence with Galveston Bay to a point immediately upstream of Barbours Cut Blvd in La Porte	

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:2421C Pine Gully

Pine Gully - from the confluence with Upper Galveston Bay upstream to the terminus approximately 875 m east of the intersection of Old Highway 146 and Red Bluff Rd in Seabrook

Parameter(s)

chlorophyll-a

Level of Concern

CS

2421C_01 Pine Gully - from the confluence with Upper Galveston Bay upstream to the terminus approximately 875 m east of the intersection of Old Highway 146 and Red Bluff Rd in Seabrook

SEG ID: 2422 Trinity Bay

Trinity Bay

Parameter(s)

chlorophyll-a

Level of Concern

CS

2422_01 Upper half of bay

2422_02 Lower half of bay

SEG ID:2422B Double Bayou West Fork

From the Trinity Bay confluence to Belton Road in Chambers County

Parameter(s)

chlorophyll-a

Level of Concern

CS

2422B_01 From the Trinity Bay confluence to Belton Road

SEG ID: 2423 East Bay

East Bay

Parameter(s)

chlorophyll-a

Level of Concern

CS

2423_01 Area adjacent to the ICWW (Segment 0702)

2423_02 Remainder of segment

SEG ID:2423A Oyster Bayou

From the East Bay confluence to a point 2.2 km (1.4 mi) upstream from SH 65 in Chambers County

Parameter(s)

chlorophyll-a

Level of Concern

CS

2423A_01 From the East Bay confluence to a point 2.2 km (1.4 mi) upstream from SH 65

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

2423A_01 From the East Bay confluence to a point 2.2 km (1.4 mi) upstream from SH 65

2018 Texas Integrated Report - Water Bodies with Concerns for Use Attainment and Screening Levels

SEG ID:2424A Highland Bayou

From the confluence of West Bay upstream to the confluence of Highland Bayou Diversion Canal 118 m (388 ft) downstream of Jack Brooks Rd in Galveston County

<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS
2424A_02 From Bayou Lane upstream to Lake Road	
2424A_03 From Lake Road upstream to FM 519	
2424A_05 From FM 2004 upstream to the confluence of Highland Bayou Diversion Canal 118 m (388 ft) downstream of Jack Brooks Rd in Galveston County	
<u>Parameter(s)</u>	<u>Level of Concern</u>
depressed dissolved oxygen	CN
2424A_02 From Bayou Lane upstream to Lake Road	
2424A_03 From Lake Road upstream to FM 519	
2424A_04 From FM 519 upstream to FM 2004	
From FM 519 upstream to FM 2004	
<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
2424A_03 From Lake Road upstream to FM 519	

SEG ID:2424B Lake Madeline

Located between Jones Street, Stewart Street and Pine Street, north of the seawall on Galveston Island

<u>Parameter(s)</u>	<u>Level of Concern</u>
Ammonia in water	CS
2424B_01 Between Jones Street, Stewart Street and Pine Street, north of the seawall on Galveston Island	
<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS
2424B_01 Between Jones Street, Stewart Street and Pine Street, north of the seawall on Galveston Island	
<u>Parameter(s)</u>	<u>Level of Concern</u>
depressed dissolved oxygen	CS
2424B_01 Between Jones Street, Stewart Street and Pine Street, north of the seawall on Galveston Island	
<u>Parameter(s)</u>	<u>Level of Concern</u>
Total Phosphorus in water	CS
2424B_01 Between Jones Street, Stewart Street and Pine Street, north of the seawall on Galveston Island	

SEG ID:2424C Marchand Bayou

From Highland Bayou confluence to 0.72 km (0.45 mi) north of IH 45 in Galveston County

<u>Parameter(s)</u>	<u>Level of Concern</u>
depressed dissolved oxygen	CN
2424C_01 From Highland Bayou confluence 0.72 km (0.45 mi) north of IH-45	

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:2424D Offatts Bayou

Located on the east end of Galveston Island, running parallel with the southern terminus of IH 45, and joins West Bay near Teichman Point

Parameter(s)

Ammonia in water

Level of Concern

CS

2424D_02 Middle area bordered by 71st Street and Walsh Street

SEG ID:2424E English Bayou

Between IH 45, Bayou Shore Drive, South Shore Rear and SH 342 on Galveston Island

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

2424E_01 Between IH 45, Bayou Shore Drive, South Shore Rear and SH 342 on Galveston Island

SEG ID:2424G Highland Bayou Diversion Canal

From the confluence with West Bay upstream to the headwaters near Avenue Q 1/2 upstream of FM 646 in Galveston County

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

2424G_01 From the confluence with West Bay upstream to the headwaters near Avenue Q 1/2 upstream of FM 646 in Galveston County

SEG ID: 2425 Clear Lake

Clear Lake

Parameter(s)

chlorophyll-a

Level of Concern

CS

2425_01 Clear Lake

Parameter(s)

nitrate

Level of Concern

CS

2425_01 Clear Lake

Parameter(s)

total phosphorus

Level of Concern

CS

2425_01 Clear Lake

2018 Texas Integrated Report - Water Bodies with Concerns for Use Attainment and Screening Levels

SEG ID:2425A Taylor Lake

Taylor Lake from the confluence with Clear Lake upstream to the terminus of Taylor Bayou south of Bay Forest Golf Club in LaPorte

<u>Parameter(s)</u>	<u>Level of Concern</u>
ammonia	CS
2425A_01	Taylor Lake from the confluence with Clear Lake to the confluence with Taylor Bayou at Red Bluff Rd in Seabrook

<u>Parameter(s)</u>	<u>Level of Concern</u>
Ammonia in water	CS
2425A_02	Taylor Bayou from the confluence with Taylor Lake at Red Bluff Rd in Seabrook upstream to the Southern Pacific railroad bridge parallel with SH 146 in Harris County

<u>Parameter(s)</u>	<u>Level of Concern</u>
Chlorophyll-a in water	CS
2425A_01	Taylor Lake from the confluence with Clear Lake to the confluence with Taylor Bayou at Red Bluff Rd in Seabrook

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
2425A_01	Taylor Lake from the confluence with Clear Lake to the confluence with Taylor Bayou at Red Bluff Rd in Seabrook

<u>Parameter(s)</u>	<u>Level of Concern</u>
Nitrate in water	CS
2425A_02	Taylor Bayou from the confluence with Taylor Lake at Red Bluff Rd in Seabrook upstream to the Southern Pacific railroad bridge parallel with SH 146 in Harris County

<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS
2425A_01	Taylor Lake from the confluence with Clear Lake to the confluence with Taylor Bayou at Red Bluff Rd in Seabrook

<u>Parameter(s)</u>	<u>Level of Concern</u>
Total Phosphorus in water	CS
2425A_02	Taylor Bayou from the confluence with Taylor Lake at Red Bluff Rd in Seabrook upstream to the Southern Pacific railroad bridge parallel with SH 146 in Harris County

SEG ID:2425B Jarbo Bayou

From Clear Lake confluence with Clear Lake to 1.1 km (0.67 mi) upstream of FM 518 in Galveston County

<u>Parameter(s)</u>	<u>Level of Concern</u>
bacteria (Recreation Use)	CN
2425B_02	From Lawrence Road to the headwaters 1.1 km (0.67 mi) upstream of FM 518

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID: 2426 Tabbs Bay
Tabbs Bay

<u>Parameter(s)</u>	<u>Level of Concern</u>
ammonia	CS
2426_01 Tabbs Bay	
<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
2426_01 Tabbs Bay	
<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS
2426_01 Tabbs Bay	

SEG ID: 2427 San Jacinto Bay
San Jacinto Bay

<u>Parameter(s)</u>	<u>Level of Concern</u>
ammonia	CS
2427_01 San Jacinto Bay	
<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
2427_01 San Jacinto Bay	
<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS
2427_01 San Jacinto Bay	

SEG ID: 2428 Black Duck Bay
Black Duck Bay

<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS
2428_01 Black Duck Bay	
<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
2428_01 Black Duck Bay	
<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS
2428_01 Black Duck Bay	

2018 Texas Integrated Report - Water Bodies with Concerns for Use Attainment and Screening Levels

SEG ID: 2429 Scott Bay Scott Bay

<u>Parameter(s)</u>	<u>Level of Concern</u>
ammonia	CS
2429_01 Scott Bay	
<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
2429_01 Scott Bay	
<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS
2429_01 Scott Bay	

SEG ID: 2430 Burnet Bay Burnet Bay

<u>Parameter(s)</u>	<u>Level of Concern</u>
ammonia	CS
2430_01 Burnet Bay	
<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS
2430_01 Burnet Bay	
<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
2430_01 Burnet Bay	
<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS
2430_01 Burnet Bay	

SEG ID:2430A Crystal Bay

Crystal Bay, a side bay of Burnet Bay, located between Burnet and Scott (Segment 2429)
Bays adjacent to the San Jacinto Monument and Houston Ship Channel (Segment 1005)

<u>Parameter(s)</u>	<u>Level of Concern</u>
ammonia	CS
2430A_01 Crystal Bay, a side bay of Burnet Bay, located between Burnet and Scott (Segment 2429) Bays adjacent to the San Jacinto Monument and Houston Ship Channel (Segment 1005)	
<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
2430A_01 Crystal Bay, a side bay of Burnet Bay, located between Burnet and Scott (Segment 2429) Bays adjacent to the San Jacinto Monument and Houston Ship Channel (Segment 1005)	
<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS
2430A_01 Crystal Bay, a side bay of Burnet Bay, located between Burnet and Scott (Segment 2429) Bays adjacent to the San Jacinto Monument and Houston Ship Channel (Segment 1005)	

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID: 2431 Moses Lake
Moses Lake

Parameter(s)

chlorophyll-a

2431_01 Moses Lake

Level of Concern

CS

SEG ID:2431D Unnamed Tributary to the Southern Arm of Moses Lake (East)

From the confluence with the southern arm (east) of Moses Lake to a point 0.6 mi upstream of State Highway 146 in Texas City

Parameter(s)

bacteria (Recreation Use)

2431D_01 From the confluence with the southern arm (east) of Moses Lake to a point 0.6 mi upstream of State Highway 146 in Texas City

Level of Concern

CN

SEG ID: 2432 Chocolate Bay
Chocolate Bay

Parameter(s)

Ammonia in water

2432_01 Chocolate Bay

Level of Concern

CS

SEG ID:2432A Mustang Bayou

From the New Bayou confluence upstream to an unnamed tributary 0.3 km (0.19 mi) upstream of State Hwy 35 to an unnamed tributary downstream of Cartwright Road

Parameter(s)

bacteria (Recreation Use)

2432A_01 From the New Bayou confluence upstream to County Road 166

2432A_03 From an unnamed tributary 0.3 km upstream of State Hwy 35 upstream to an unnamed tributary downstream of Cartwright Road.

Level of Concern

CN

Parameter(s)

depressed dissolved oxygen

2432A_01 From the New Bayou confluence upstream to County Road 166

Level of Concern

CS

SEG ID:2432B Willow Bayou

From the Halls Bayou confluence to a point 9.7 km (6 mi) upstream.

Parameter(s)

depressed dissolved oxygen

2432B_01 From the Halls Bayou confluence to a point 9.7 km (6 mi) upstream.

From the Halls Bayou confluence to a point 9.7 km (6 mi) upstream.

Level of Concern

CS

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:2432C Halls Bayou Tidal

From the Chocolate Bay confluence upstream to a point 31.5 km (19.6 mi) upstream

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

2432C_01 From the Chocolate Bay confluence upstream to a point 31.5 km (19.6 mi) upstream

SEG ID:2432D Persimmon Bayou

From the New Bayou confluence upstream to the Mustang Bayou confluence

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

2432D_01 From the New Bayou confluence upstream to the confluence with Mustang Bayou

SEG ID:2432E New Bayou

From the Chocolate Bay confluence upstream 25.4 km (15.8 mi) to an unnamed tributary

Parameter(s)

depressed dissolved oxygen

Level of Concern

CS

2432E_01 From the Chocolate Bay confluence upstream 25.4 km (15.8 mi) to an unnamed tributary

SEG ID: 2436 Barbours Cut

Barbours Cut

Parameter(s)

ammonia

Level of Concern

CS

2436_01 Barbours Cut

Parameter(s)

nitrate

Level of Concern

CS

2436_01 Barbours Cut

Parameter(s)

total phosphorus

Level of Concern

CS

2436_01 Barbours Cut

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID: 2437 Texas City Ship Channel
Texas City Ship Channel

<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS
2437_01 Texas City Ship Channel	
<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
2437_01 Texas City Ship Channel	

SEG ID: 2438 Bayport Channel
Bayport Channel

<u>Parameter(s)</u>	<u>Level of Concern</u>
ammonia	CS
2438_01 Bayport Channel	
<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS
2438_01 Bayport Channel	
<u>Parameter(s)</u>	<u>Level of Concern</u>
depressed dissolved oxygen	CS
2438_01 Bayport Channel	
<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
2438_01 Bayport Channel	
<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS
2438_01 Bayport Channel	

SEG ID: 2439 Lower Galveston Bay
Lower Galveston Bay

<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS
2439_01 Area adjacent to the Texas City Ship Channel and Moses Lake	
2439_02 Eastern portion of the bay	
<u>Parameter(s)</u>	<u>Level of Concern</u>
Nitrate in water	CS
2439_01 Area adjacent to the Texas City Ship Channel and Moses Lake	

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID: 2452 Tres Palacios Bay/Turtle Bay
Tres Palacios Bay/Turtle Bay

Parameter(s)

chlorophyll-a

2452_03 Tres Palacios Creek Arm

Level of Concern

CS

SEG ID:2452A Tres Palacios Harbor
Tres Palacios Harbor

Parameter(s)

chlorophyll-a

2452A_01 Tres Palacios Harbor

Level of Concern

CS

SEG ID:2453D Lavaca Bay Ship Channel Area
Lavaca Bay Ship Channel Area

Parameter(s)

Chlorophyll-a in water

2453D_01 Lavaca Bay Ship Channel Area

Level of Concern

CS

SEG ID:2454A Cox Lake

From the Cox Lake dam located 4.0 km (2.5 mi) southeast of Point Comfort in Calhoun County to the Calhoun/Jackson County line

Parameter(s)

depressed dissolved oxygen

2454A_01 From the Cox Lake dam located 4.0 km (2.5 mi) southeast of Point Comfort to the Calhoun/Jackson County line

Level of Concern

CS

Parameter(s)

Excessive algal growth in water

2454A_01 From the Cox Lake dam located 4.0 km (2.5 mi) southeast of Point Comfort to the Calhoun/Jackson County line

Level of Concern

CS

SEG ID: 2456 Carancahua Bay
Carancahua Bay

Parameter(s)

chlorophyll-a

2456_02 Upper half of bay

Level of Concern

CS

Parameter(s)

total phosphorus

2456_02 Upper half of bay

Level of Concern

CS

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID:2456A West Carancahua Creek Tidal

From the Carancahua Bay confluence to Jackson CR 440, 10.1 km (6.3 mi) upstream of FM 616 in Jackson County

Parameter(s)

chlorophyll-a

Level of Concern

CS

2456A_01 From the Carancahua Bay confluence to Jackson CR 440, 10.1 km (6.3 mi) upstream of FM 616 in Jackson County

SEG ID: 2462 San Antonio Bay/Hynes Bay/Guadalupe Bay/Mission Lake

San Antonio Bay/Hynes Bay/Guadalupe Bay/Mission Lake at the mean high tide line

Parameter(s)

chlorophyll-a

Level of Concern

CS

2462_01 San Antonio Bay/Hynes Bay/Guadalupe Bay/Mission Lake at the mean high tide line

SEG ID:2471A Little Bay

Located between Aransas Bay (Segment 2471) on the east side and Broadway Street in Rockport on the west side and Rockport Beach on the south side in Aransas County

Parameter(s)

chlorophyll-a

Level of Concern

CS

2471A_01 Located between Aransas Bay (Segment 2471) on the east side and Broadway Street in Rockport on the west side and Rockport Beach on the south side in Aransas County

SEG ID: 2482 Nueces Bay

Nueces Bay

Parameter(s)

chlorophyll-a

Level of Concern

CS

2482_01 Nueces Bay

SEG ID:2483A Conn Brown Harbor

From the Aransas Channel confluence southeast of Aransas Pass in San Patricio County to a point 1.6 km (1 mi) northeast in Aransas County

Parameter(s)

copper in water

Level of Concern

CN

2483A_01 From the Aransas Channel confluence southeast of Aransas Pass to a point 1.6 km (1 mi) northeast

2018 Texas Integrated Report - Water Bodies with Concerns for Use Attainment and Screening Levels

SEG ID: 2484 Corpus Christi Inner Harbor

Corpus Christi Inner Harbor - from US 181 to Viola Turning Basin

<u>Parameter(s)</u>	<u>Level of Concern</u>
ammonia	CS
2484_01 Corpus Christi Inner Harbor - from US 181 to Viola Turning Basin	
<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
2484_01 Corpus Christi Inner Harbor - from US 181 to Viola Turning Basin	

SEG ID: 2485 Oso Bay

Oso Bay

<u>Parameter(s)</u>	<u>Level of Concern</u>
bacteria (Recreation Use)	CN
2485_02 Middle bay (State Park Road 22 to Holly Road)	
<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS
2485_01 Upper bay (Holly Road to County Hwy 24)	
2485_02 Middle bay (State Park Road 22 to Holly Road)	
2485_03 Lower portion of bay (Ocean Drive to State Park Road 22)	
<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS
2485_03 Lower portion of bay (Ocean Drive to State Park Road 22)	

SEG ID:2485A Oso Creek

From the Oso Bay confluence in southern Corpus Christi to a point 4.8 km (3 mi) upstream of SH 44, west of Corpus Christi in Nueces County

<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS
2485A_01 From the Oso Bay confluence in southern Corpus Christi to a point 4.8 km (3 mi) upstream of SH 44, west of Corpus Christi	
<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
2485A_01 From the Oso Bay confluence in southern Corpus Christi to a point 4.8 km (3 mi) upstream of SH 44, west of Corpus Christi	
<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS
2485A_01 From the Oso Bay confluence in southern Corpus Christi to a point 4.8 km (3 mi) upstream of SH 44, west of Corpus Christi	

2018 Texas Integrated Report - Water Bodies with Concerns for Use Attainment and Screening Levels

SEG ID:2485B Unnamed trib of Oso Creek

From the Oso Creek confluence upstream to a point 5.2 km (3.2 mi) west of State Hwy 286 in Nueces County

<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS
2485B_01 From the Oso Creek confluence upstream to a point 5.2 km (3.2 mi) west of State Hwy 286	

SEG ID:2485D West Oso Creek

From the Oso Creek confluence upstream to a point 0.49 km (0.3 mi) west of FM 1694 in Nueces County

<u>Parameter(s)</u>	<u>Level of Concern</u>
total phosphorus	CS
2485D_01 From the Oso Creek confluence upstream to a point 0.49 km (0.3 mi) west of FM 1694	

SEG ID: 2491 Laguna Madre Laguna Madre

<u>Parameter(s)</u>	<u>Level of Concern</u>
Ammonia in water	CS
2491_02 Area adjacent to the Arroyo Colorado confluence	

<u>Parameter(s)</u>	<u>Level of Concern</u>
bacteria (Recreation Use)	CN
2491_03 Lower portion of bay south of the Arroyo Colorado confluence	

<u>Parameter(s)</u>	<u>Level of Concern</u>
chlorophyll-a	CS
2491_01 Upper portion of bay north of the Arroyo Colorado confluence	
2491_02 Area adjacent to the Arroyo Colorado confluence	

<u>Parameter(s)</u>	<u>Level of Concern</u>
depressed dissolved oxygen	CS
2491_03 Lower portion of bay south of the Arroyo Colorado confluence	

<u>Parameter(s)</u>	<u>Level of Concern</u>
nitrate	CS
2491_02 Area adjacent to the Arroyo Colorado confluence	

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID: 2491B North Floodway

From 0.04 mi north of Campacuas Lake and 0.32 mi west of FM 491 (Mercedes, TX) to the confluence with Lower Laguna Madre (tidal flats)

Parameter(s)

bacteria (Recreation Use)

Level of Concern

CN

2491B_01 From 0.04 mi north of Campacuas Lake and 0.32 mi west of FM 491 (Mercedes, TX) to the confluence with Lower Laguna Madre (tidal flats)

Parameter(s)

chlorophyll-a

Level of Concern

CS

2491B_01 From 0.04 mi north of Campacuas Lake and 0.32 mi west of FM 491 (Mercedes, TX) to the confluence with Lower Laguna Madre (tidal flats)

Parameter(s)

nitrate

Level of Concern

CS

2491B_01 From 0.04 mi north of Campacuas Lake and 0.32 mi west of FM 491 (Mercedes, TX) to the confluence with Lower Laguna Madre (tidal flats)

SEG ID: 2492 Baffin Bay/Alazan Bay/Cayo del Grullo/Laguna Salada

Baffin Bay/Alazan Bay/Cayo del Grullo/Laguna Salada

Parameter(s)

chlorophyll-a

Level of Concern

CS

2492_01 Baffin Bay/Alazan Bay/Cayo del Grullo/Laguna Salada

SEG ID: 2492A San Fernando Creek

From the Cayo Del Grullo confluence in Kleberg County upstream to the confluence with Chiltipin Creek and San Diego Creek in Jim Wells County

Parameter(s)

chlorophyll-a

Level of Concern

CS

2492A_01 From the Cayo Del Grullo confluence in Kleberg County upstream to the confluence with Chiltipin Creek and San Diego Creek in Jim Wells County

Parameter(s)

nitrate

Level of Concern

CS

2492A_01 From the Cayo Del Grullo confluence in Kleberg County upstream to the confluence with Chiltipin Creek and San Diego Creek in Jim Wells County

Parameter(s)

total phosphorus

Level of Concern

CS

2492A_01 From the Cayo Del Grullo confluence in Kleberg County upstream to the confluence with Chiltipin Creek and San Diego Creek in Jim Wells County

**2018 Texas Integrated Report -
Water Bodies with Concerns for Use Attainment and Screening Levels**

SEG ID: 2494 Brownsville Ship Channel
Brownsville Ship Channel

Parameter(s)

Level of Concern

depressed dissolved oxygen

CS

2494_01 From the Laguna Madre confluence upstream to the Port of Brownsville

From the Laguna Madre confluence upstream to the Port of Brownsville