

2018 Texas Integrated Report Index of Water Quality Impairments

General Information

This index identifies all water bodies with one or more impairments. The index is divided into two main categories:

- Category 4 Impairments that are not suitable for a TMDL or for which a TMDL has already been approved
- Category 5 Impairments which may be suitable for development of a TMDL (303d List)

Explanation of Column Headings

- SegID and Name: The unique identifier (SegID), segment name, and location of the water body. Items may be one of three types of numbers for SegID. The first type is a classified segment number (4 digits, e.g. 0218), as defined in the Texas Surface Water Quality Standards (TSWQS). The second type is an unclassified water body (e.g. 0218A), not defined in the Standards and associated with a classified water body because it is in the same watershed. The third type includes special Segments for Oyster Water Use (e.g. 2421OW) and Beach Watch Use (e.g. 2481CB) special areas. The segment name and description follow SegID.
- AU_ID: Identifies the assessment unit (AU_ID, six or seven digits, e.g., 0101A_01) and describes the location of the specific area within a classified or unclassified water body for which one or more water quality standards are not met.
- Parameter(s): Pollutants or water quality conditions that assessment procedures indicate do not meet assigned water quality standards.
- Category: One of two categories assigned to each impaired parameter to provide information about water quality status and management activities on that water body. Both Category 4 and Category 5 are each divided into three subcategories; when a water body has parameters in multiple subcategories, its overall category is the highest category. The category and its subcategories are defined below:
- Category 4: Standard is not supported for one or more designated uses but does not require the development of a TMDL.
 Category 4a - All TMDLs have been completed and approved by EPA.
 Category 4b - Other control requirements are reasonably expected to result in the attainment of all standards.
 Category 4c - Nonattainment is shown to be caused by pollution, not by pollutants and that the water quality conditions cannot be changed by the allocation and control of pollutants through the TMDL process.
- Category 5: The water body does not meet applicable water quality standards for one or more designated uses by one or more pollutants.
 Category 5a - TMDLs are underway, scheduled, or will be scheduled for one or more parameters.
 Category 5b - A review of the standards for one or more parameters will be conducted before a management strategy is selected, including a possible revision to the TSWQSs.
 Category 5c - Additional data or information will be collected and/or evaluated for one or more parameters before a management strategy is selected.
- Carryforward: Some previously listed impairments did not have adequate data to re-assess in 2018 and were carried forward from 2016 and remain impaired.

SegID: 0101 Canadian River Below Lake Meredith

From the Oklahoma State Line in Hemphill County to Sanford Dam in Hutchinson County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
0101_03	From the confluence with White Deer Creek upstream to the confluence with Dixon Creek east of Borger	5c	No

SegID: 0101A Dixon Creek

Dixon Creek - intermittent stream with perennial pools from the confluence with the Canadian River in Hutchinson County upstream to the confluence with Middle and East Dixon creeks in Carson County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen			
0101A_01	Dixon Creek an Appendix D Intermittent stream with perennial pools from the confluence with the Canadian River upstream to the confluence with the permitted outfall receiving waters tributary	5c	Yes

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
selenium in water			
0101A_01	Dixon Creek an Appendix D Intermittent stream with perennial pools from the confluence with the Canadian River upstream to the confluence with the permitted outfall receiving waters tributary	5c	No

SegID: 0101B Rock Creek

Perennial stream from the confluence with the Canadian River upstream to the headwaters in Carson County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
0101B_01	Appendix D, Perennial stream from the confluence with the Canadian River up to SH 136 in the City of Borger	5c	No

SegID: 0102 Lake Meredith

Lake Meredith - from Sanford Dam in Hutchinson County to a point immediately upstream of the confluence of Camp Creek in Potter County, up to the normal pool elevation of 2936.5 feet (impounds Canadian River)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
chloride		
0102_01 Lake Meredith downstream of a line from red starboard marker 14 at Blue West Campground to green port marker 11 north of Fritch Canyon	5c	No
0102_02 Lake Meredith upstream of a line from red starboard marker 14 at Blue West Campground to green port marker 11 north of Fritch Canyon	5c	No
mercury in edible tissue		
0102_01 Lake Meredith downstream of a line from red starboard marker 14 at Blue West Campground to green port marker 11 north of Fritch Canyon	5c	No
0102_02 Lake Meredith upstream of a line from red starboard marker 14 at Blue West Campground to green port marker 11 north of Fritch Canyon	5c	No
sulfate		
0102_01 Lake Meredith downstream of a line from red starboard marker 14 at Blue West Campground to green port marker 11 north of Fritch Canyon	5c	No
0102_02 Lake Meredith upstream of a line from red starboard marker 14 at Blue West Campground to green port marker 11 north of Fritch Canyon	5c	No
total dissolved solids		
0102_01 Lake Meredith downstream of a line from red starboard marker 14 at Blue West Campground to green port marker 11 north of Fritch Canyon	5c	No
0102_02 Lake Meredith upstream of a line from red starboard marker 14 at Blue West Campground to green port marker 11 north of Fritch Canyon	5c	No

SegID: 0103 Canadian River Above Lake Meredith

From a point immediately upstream of the confluence of Camp Creek in Potter County to the New Mexico State Line in Oldham County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
chloride		
0103_01 From the headwaters of Lake Meredith upstream to the confluence with Sand Creek	5c	No
0103_02 From the confluence with Sand Creek upstream to the confluence with Punta de Agua Creek	5c	No
0103_03 From the confluence with Punta de Agua Creek upstream to the New Mexico State Line	5c	No

SegID: 0103A East Amarillo Creek

From the confluence of the Canadian River to the headwaters of Thompson Park Lake in Amarillo

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
0103A_01 From the confluence with the Canadian River upstream to the Thompson Park Lake spillway	5c	No

SegID: 0104 Wolf Creek

From the Oklahoma State Line in Lipscomb County to a point 2.0 km (1.2 mi) upstream of FM 3045 in Ochiltree County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
temperature			
0104_01	From the Oklahoma State Line upstream to the confluence with Plum Creek	5c	No

SegID: 0105 Rita Blanca Lake

Rita Blanca Lake - from Rita Blanca Dam in Hartley County up to the normal pool elevation of 3860 feet (impounds Rita Blanca Creek)

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen			
0105_01	Rita Blanca Lake from Rita Blanca Dam up to the normal pool elevation of 3860 feet	5c	No

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
pH			
0105_01	Rita Blanca Lake from Rita Blanca Dam up to the normal pool elevation of 3860 feet	5c	No

SegID: 0201A Mud Creek

Mud Creek - from the confluence of the Red River upstream to the headwater near the intersection of US 82 and Bowie CR 3403

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
0201A_01	Mud Creek from the confluence of the Red River upstream to the headwater near the intersection of US 82 and Bowie CR 3403	5b	Yes

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen			
0201A_01	Mud Creek from the confluence of the Red River upstream to the headwater near the intersection of US 82 and Bowie CR 3403	5c	No

SegID: 0202A Bois D' Arc Creek

Bois D' Arc Creek - from the confluence of the Red River upstream to the headwater northwest of Whitewright

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
0202A_02	Bois D' Arc Creek Appendix D section of Perennial stream from the confluence of Sandy Creek upstream to the confluence of Pace Creek	5c	No
0202A_03	Bois D' Arc Creek from the confluence of Pace Creek upstream to the headwater northwest of Whitewright	5c	No

SegID: 0202C Pecan Bayou

Pecan Bayou - from the confluence of the Red River upstream to the headwater south of Red River CR 2242-S

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
0202C_01	Pecan Bayou from the confluence of the Red River upstream to the headwater south of Red River CR 2242-S	5c	No

SegID: 0202E Post Oak Creek

Post Oak Creek - from the confluence of Choctaw Creek upstream to the headwater east of Shadow St northwest of Sherman

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
0202E_01	Post Oak Creek from the confluence of Choctaw Creek upstream to the confluence of Sand Creek	5c	No

SegID: 0202F Choctaw Creek

From the confluence with the Red River east of Denison to the upstream perennial portion near the intersection of SH 56 and SH 289 in Grayson County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
0202F_01	From the confluence with the Red River upstream to the confluence with Post Oak Creek	5b	No

SegID: 0202G Smith Creek

Smith Creek - from the confluence of Pine Creek upstream to the confluence of two unnamed streams south of Loop 286 in Paris

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
0202G_01	Smith Creek from the confluence of Pine Creek upstream to the confluence of two unnamed streams south of Loop 286 in Paris	5b	No

SegID: 0202I Little Pine Creek

Little Pine Creek - from the confluence of Big Pine Creek upstream to the headwater north of Detroit, TX

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen			
0202I_01	Little Pine Creek from the confluence of Big Pine Creek upstream to the headwater north of Detroit, TX	5c	Yes

SegID: 0202L Honey Grove Creek

Honey Grove Creek - from the confluence of Bois d'Arc Creek upstream to the headwater east of Honey Grove

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
0202L_01	Honey Grove Creek from the confluence of Bois d'Arc Creek upstream to the headwater east of Honey Grove	5c	No

SegID: 0205A Wildhorse Creek

Wildhorse Creek - from the confluence of Red River east of Burkburnett upstream to the headwater 1.9 km south of SH 240 and 11 km west of Burkburnett in Wichita County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
0205A_01 Wildhorse Creek from the confluence of Red River east of Burkburnett upstream to the headwater 1.9 km south of SH 240 and 11 km west of Burkburnett in Wichita County	5c	No

SegID: 0206B South Groesbeck Creek

South Groesbeck Creek - from the confluence of Groesbeck Creek and North Groesbeck Creek upstream to the headwater 12.6 km southwest of Childress

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
0206B_01 South Groesbeck Creek from the confluence of Groesbeck Creek and North Groesbeck Creek upstream to the headwater 12.6 km southwest of Childress	5c	No

SegID: 0207 Lower Prairie Dog Town Fork Red River

Lower Prairie Dog Town Fork Red River - from a point immediately upstream of the confluence of Buck Creek in Hardeman County to a point 100 meters (110 yards) upstream of the confluence of Salt Fork Creek in Armstrong County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
0207_04 Lower Prairie Dog Town Fork Red River from the confluence of Battle Creek upstream to the confluence of Salt Fork Creek upstream of SH 207 south of Claude	5b	Yes

SegID: 0211 Little Wichita River

From the confluence with the Red River in Clay County to Lake Arrowhead Dam in Clay County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen		
0211_02 From the confluence with the East Fork Little Wichita River upstream to the Lake Arrowhead Dam	5c	Yes

SegID: 0214 Wichita River Below Diversion Lake Dam

From the confluence with the Red River in Clay County to Diversion Dam in Archer County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
0214_05 From the confluence with Beaver Creek upstream to the Diversion Lake Dam	5c	No

SegID: 0214A Beaver Creek

From the confluence of the Wichita River west of Wichita Falls in Wichita County upstream to the headwaters west of Crowell in Foard County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
0214A_01	From the confluence with the Wichita River upstream to the confluence with Bull Creek	5c	No
0214A_02	From the confluence with Bull Creek upstream to the Santa Rosa Lake dam	5c	No

SegID: 0214F Unnamed tributary of Buffalo Creek

Unnamed tributary of Buffalo Creek - from the confluence of Buffalo Creek upstream to the headwater at eastbound frontage road of US 287 in Iowa Park

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
0214F_01	Unnamed tributary from the confluence of Buffalo Creek upstream to the headwater at eastbound frontage road of US 287 in Iowa Park	5c	No

SegID: 0219 Lake Wichita

Lake Wichita - from Lake Wichita Dam in Wichita County up to the normal pool elevation of 980.5 feet (impounds Holliday Creek)

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
chloride			
0219_01	Lake Wichita from the dam up to the normal pool elevation of 980.5 feet	5c	No
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
sulfate			
0219_01	Lake Wichita from the dam up to the normal pool elevation of 980.5 feet	5c	No
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
total dissolved solids			
0219_01	Lake Wichita from the dam up to the normal pool elevation of 980.5 feet	5c	No

SegID: 0228 Mackenzie Reservoir

Mackenzie Reservoir - from Mackenzie Dam in Briscoe County up to the normal pool elevation of 3100 feet (impounds Tule Creek)

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
sulfate			
0228_01	Mackenzie Reservoir from the dam up to the normal pool elevation of 3100 feet	5c	No
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
total dissolved solids			
0228_01	Mackenzie Reservoir from the dam up to the normal pool elevation of 3100 feet	5c	No

SegID: 0229 Upper Prairie Dog Town Fork Red River

Upper Prairie Dog Town Fork Red River - from a point 100 meters (110 yards) upstream of the confluence of Salt Fork Creek in Armstrong County to Lake Tanglewood Dam in Randall County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
0229_01 Upper Prairie Dog Town Fork Red River from a point 100 m (110 yds) upstream of the confluence of Salt Creek upstream to the Palo Duro Canyon State Park northern boundary	5c	No
depressed dissolved oxygen		
0229_02 Upper Prairie Dog Town Fork Red River from the Palo Duro Canyon State Park northern boundary upstream to Tanglewood Dam	5c	No

SegID: 0299A Sweetwater Creek

Sweetwater Creek - from the Oklahoma State Line upstream to the headwaters SW of the intersection of Gray CR 1268 and CR 748

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
0299A_01 Sweetwater Creek from the Oklahoma State Line upstream to the confluence of Graham Creek south of Mobeetie	5c	No

SegID: 0302 Wright Patman Lake

From Wright Patman Lake Dam in Bowie/Cass County to a point 1.5 km (0.9 mi) downstream of Bassett Creek in Bowie/Cass County, up to the normal pool elevation of 226.4 feet (impounds the Sulphur River)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
pH		
0302_11 2700 acres near dam	5b	No
0302_12 2000 acres in northern arms of reservoir	5b	No
0302_13 5600 acres in mid-reservoir	5b	No
0302_14 9000 acres in upper portion of reservoir	5b	Yes

SegID: 0303B White Oak Creek

From the confluence of the Sulphur River north of Naples in Morris County to Lake Sulphur Springs in Hopkins County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
0303B_01 Portion of White Oak Creek from the confluence with the South Sulphur River approximately 40 km (25 mi) upstream to the confluence with Lacy Creek; App D	5b	Yes
0303B_03 Portion of White Oak Creek from the confluence with the Ripley Creek to approximately 0.26 km upstream of FM 900 in northeast Hopkins County; App D	5b	No
0303B_04 Portion of White Oak Creek from approximately 0.26 km upstream of FM 900 in northeast Hopkins County upstream to Lake Sulphur Springs.	5b	No
depressed dissolved oxygen		
0303B_03 Portion of White Oak Creek from the confluence with the Ripley Creek to approximately 0.26 km upstream of FM 900 in northeast Hopkins County; App D	5c	Yes

SegID: 0304 Days Creek

From the Arkansas State Line in Bowie County to the confluence of Swampoodle Creek and Nix Creek in Bowie County.

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
0304_01	From the Arkansas State Line in Bowie County to the confluence of Swampoodle Creek and Nix Creek in Bowie County.	5c	No

SegID: 0304C Wagner Creek

Perennial stream from the confluence with Days Creek upstream to the headwaters 0.3 km west of Birdwell Davis Road

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
0304C_01	Perennial stream from the confluence with Days Creek upstream to a point 1.5 km upstream of IH 30; App D	5c	No

SegID: 0306 Upper South Sulphur River

From a point 1.0 km (0.6 mi) upstream of SH 71 in Delta/Hopkins County to SH 78 in Fannin County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
pH			
0306_03	Portion of the Upper South Sulphur River from the confluence with Hickory Creek approximately 19 km (12 mi) to SH 71.	5c	Yes

SegID: 0307 Jim L. Chapman Lake (formerly Cooper Lake)

From Jim L. Chapman Dam to a point 1.0 km (0.7 mi) upstream of SH 71 on the South Sulphur River arm and 300 m (275 yds) below the confluence of Barnett Creek on the Middle Sulphur River arm, up to a conservation pool elevation of 440 feet (impounds the Mi

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
pH			
0307_04	Middle 2000 acre Johns Creek arm	5c	Yes

SegID: 0401 Caddo Lake

From the Louisiana State Line in Harrison/Marion County to a point 12.3 km (7.6 mi) downstream of SH 43 in Harrison/Marion County, up to pool elevation of 168.5 feet (impounds Big Cypress Creek)

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen			
0401_02	Harrison Bayou arm	5c	Yes
0401_03	Goose Prairie arm	5c	No
0401_05	Clinton Lake	5c	Yes
0401_07	Mid-lake near Uncertain	5c	Yes
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
mercury in edible tissue			
0401_01	Lower 5000 acres	5c	No
0401_02	Harrison Bayou arm	5c	No
0401_03	Goose Prairie arm	5c	No
0401_05	Clinton Lake	5c	No
0401_07	Mid-lake near Uncertain	5c	No

SegID: 0401A Harrison Bayou

From the confluence of Caddo Lake east of Karnack in Harrison County to the upstream perennial portion of the stream east of Marshall in Harrison County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen		
0401A_01 Intermittent stream with perennial pools from the confluence with Caddo Lake within the Caddo Lake National Wildlife Refuge east of the City of Karnack upstream to FM 1998 east of the City of Marshall. App D	5c	Yes

SegID: 0402 Big Cypress Creek Below Lake O' the Pines

From a point 12.3 km (7.6 mi) downstream of SH 43 in Harrison/Marion County to Ferrell's Bridge Dam in Marion County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen		
0402_02 From the confluence with Haggerty Creek upstream 25 km (15.5 mi) to the confluence with Black Cypress Bayou.	5c	Yes

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
mercury in edible tissue		
0402_01 From the confluence with Caddo Lake upstream 15 km (9 mi) to Haggerty Creek	5c	No
0402_02 From the confluence with Haggerty Creek upstream 25 km (15.5 mi) to the confluence with Black Cypress Bayou.	5c	No
0402_03 From the confluence with Black Cypress Bayou upstream 23.8 km (14.7 mi) to French Creek.	5c	No
0402_04 From the confluence with French Creek upstream 13 km (8 mi) to Lake O' the Pines	5c	No

SegID: 0403 Lake O' the Pines

From Ferrell's Bridge Dam in Marion County to a point 1.0 km (0.6 mi) downstream of US 259 in Morris/Upshur County, up to normal pool elevation of 228.5 feet (impounds Big Cypress Creek)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen		
0403_04 Upper 3700 acres	4a	Yes

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
pH		
0403_01 Lower 5000 acres	5c	No
0403_02 Middle 5000 acres	5c	No
0403_03 Middle 5000 acres below Hwy 155	5c	No

SegID: 0404 Big Cypress Creek Below Lake Bob Sandlin

From a point 1.0 km (0.6 mi) downstream of US 259 in Morris/Upshur Counties to Fort Sherman Dam in Camp/Titus Counties

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
0404_02	From the confluence with an unnamed tributary NHD RC 11140305002717 upstream 37.2 km (23 mi) to Lake Bob Sandlin	5b	No
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
sulfate			
0404_01	From the confluence with Lake O' the Pines upstream 24 km (14.9 mi) to the confluence with an unnamed tributary NHD RC 11140305002717	5c	No
0404_02	From the confluence with an unnamed tributary NHD RC 11140305002717 upstream 37.2 km (23 mi) to Lake Bob Sandlin	5c	No

SegID: 0404A Ellison Creek Reservoir

From the Morris County Dam up to normal pool elevation near Lone Star in Morris County (impounds Ellison Creek)

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
dioxin in edible tissue			
0404A_01	From the Morris County Dam up to normal pool elevation near Lone Star in Morris County (impounds Ellison Creek)	5a	No
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
PCBs in edible tissue			
0404A_01	From the Morris County Dam up to normal pool elevation near Lone Star in Morris County (impounds Ellison Creek)	5a	No
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
toxicity in sediment			
0404A_01	From the Morris County Dam up to normal pool elevation near Lone Star in Morris County (impounds Ellison Creek)	5c	Yes

SegID: 0404B Tankersley Creek

Perennial stream from the confluence with Big Cypress Creek upstream to the confluence with an unnamed tributary 250 meters upstream of IH 30

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
0404B_01	From the confluence with Big Cypress Creek upstream 16.1 km (10 mi) to Tankersley Lake. WQS Appendix D portion of the creek.	5b	No

SegID: 0404C Hart Creek

Perennial stream from the confluence with Big Cypress Creek upstream to the headwaters 0.2 km south of CR 1635, Titus County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
0404C_01	Perennial stream from the confluence with Big Cypress Creek upstream to 0.2 km upstream of FM 1402; App D	5b	No

SegID: 0404N Lake Daingerfield

Southeast of the City of Daingerfield in Daingerfield State Park in Morris County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
mercury in edible tissue			
0404N_01	Southeast of the City of Daingerfield in Daingerfield State Park in Morris County	5c	No

SegID: 0405 Lake Cypress Springs

From Franklin County Dam in Franklin County up to the normal pool elevation of 378 feet (impounds Big Cypress Creek)

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
excessive algal growth			
0405_01	From the confluence with an unnamed tributary NHD RC 11140305002717 upstream 37.2 km (23 mi) to Lake Bob Sandlin	5c	No
0405_02	Upper 2600 acres	5c	No
0405_03	Panther Arm	5c	No
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
pH			
0405_01	From the confluence with an unnamed tributary NHD RC 11140305002717 upstream 37.2 km (23 mi) to Lake Bob Sandlin	5c	No
0405_02	Upper 2600 acres	5c	No
0405_03	Panther Arm	5c	No

SegID: 0405A Big Cypress Creek

From the confluence with Lake Cypress Springs in Franklin County, to approximately 5 mi west of State HWY 37

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
0405A_01	From the confluence with Lake Cypress springs in Franklin County, to approximately 5 mi west of State HWY 37	5c	No
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen			
0405A_01	From the confluence with Lake Cypress springs in Franklin County, to approximately 5 mi west of State HWY 37	5c	No

SegID: 0406 Black Bayou

From the Louisiana State Line in Cass County to FM 96 in Cass County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
0406_02	From the confluence with Hurricane Creek upstream 28.6 km (17.7 mi) to NHD RC 11140304000881 near FM 96	5c	No
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen			
0406_01	Black Bayou from the LA state line upstream 19.1 km (11.8 mi) to the confluence with Hurricane Creek	5c	Yes
0406_02	From the confluence with Hurricane Creek upstream 28.6 km (17.7 mi) to NHD RC 11140304000881 near FM 96	5c	Yes

SegID: 0407 James' Bayou

From the Louisiana State Line in Marion County to Club Lake Road northwest of Linden in Cass County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
0407_02	From the confluence with Bear Creek upstream 29.8 km (18.5 mi) to approximately 2 km north of HWY 11	5c	Yes
depressed dissolved oxygen			
0407_02	From the confluence with Bear Creek upstream 29.8 km (18.5 mi) to approximately 2 km north of HWY 11	5c	Yes

SegID: 0409 Little Cypress Bayou (Creek)

From the confluence of Big Cypress Creek in Harrison/Marion County to a point 1.0 km (0.6 mi) upstream of FM 2088 in Wood County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
0409_02	From the confluence with Lawrence Creek upstream 29.2 km (18.1 mi) to the confluence with NHD RC 11140307000368	5c	Yes
0409_03	From the confluence with NHD RC 11140307000368 upstream 52.2 km (32.6 mi) to the confluence with Kelsey Creek	5c	No
0409_04	From the confluence with NHD RC 11140307001531 upstream 41.1 km (29.2 mi) to the headwaters at FM 2088	5c	No
depressed dissolved oxygen			
0409_01	From the confluence with Big Cypress Creek upstream 41 km (25.4 mi) to the confluence with Lawrence Creek	5c	Yes
0409_02	From the confluence with Lawrence Creek upstream 29.2 km (18.1 mi) to the confluence with NHD RC 11140307000368	5c	Yes

SegID: 0409A Lilly Creek

From the confluence with Little Cypress Creek to the Camp County line near Lawton in Upshur County.

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
0409A_01	From the confluence with Little Cypress Creek to the Camp County line near Lawton in Upshur County.	5c	No

SegID: 0409B South Lilly Creek

From the confluence of Lilly Creek to approximately 2 mi west of FM 1647

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
0409B_01	From the confluence of Lilly Creek to approximately 2 mi west of FM 1647	5b	No

SegID: 0410 Black Cypress Bayou (Creek)

From the confluence with Big Cypress Creek in Marion County to the confluence with Kelly Creek in Cass County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
0410_04 From Pruitt Lake 26.4 km (16.4 mi) upstream to the confluence with Kelly Creek in Cass County	5c	Yes
copper in water		
0410_01 From the confluence with Big Cypress Creek upstream 25 km (15.5 mi) to the confluence with White Oak Creek	5c	Yes
0410_03 Pruitt Lake beginning near HWY 155, extending upstream 1.8 km (1.1 mi)	5c	Yes
depressed dissolved oxygen		
0410_02 From the confluence with White Oak Creek upstream 31.3 km (19.4 mi) to Pruitt Lake	5c	Yes
0410_03 Pruitt Lake beginning near HWY 155, extending upstream 1.8 km (1.1 mi)	5c	Yes
0410_04 From Pruitt Lake 26.4 km (16.4 mi) upstream to the confluence with Kelly Creek in Cass County	5c	Yes
mercury in edible tissue		
0410_03 Pruitt Lake beginning near HWY 155, extending upstream 1.8 km (1.1 mi)	5c	No

SegID: 0410A Black Cypress Creek/Bayou

An Appendix D intermittent stream with perennial pools from the confluence with Kelly Creek upstream to FM 250 north of the City of Hughes Springs

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
0410A_01 Intermittent stream with perennial pools from the confluence with Kelly Creek upstream to FM 250 north of the City of Hughes Springs; App D	5c	No
depressed dissolved oxygen		
0410A_01 Intermittent stream with perennial pools from the confluence with Kelly Creek upstream to FM 250 north of the City of Hughes Springs; App D	5c	Yes

SegID: 0501 Sabine River Tidal

Sabine River Tidal - from the confluence with Sabine Lake in Orange County to West Bluff in Orange County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
0501_01 Sabine River tidal from the confluence of Sabine Lake upstream to confluence of Adams Bayou Tidal	5c	No
0501_02 Sabine River tidal from the confluence of Adams Bayou Tidal upstream to the confluence of Little Cypress Bayou	5c	No
PCBs in edible tissue		
0501_01 Sabine River tidal from the confluence of Sabine Lake upstream to confluence of Adams Bayou Tidal	5c	No
0501_02 Sabine River tidal from the confluence of Adams Bayou Tidal upstream to the confluence of Little Cypress Bayou	5c	No
0501_03 Sabine River tidal from the confluence of Little Cypress Bayou upstream to the confluence of Old River at West Bluff	5c	No

SegID: 0501B Little Cypress Bayou

Little Cypress Bayou - from the confluence of the Sabine River upstream to the headwater near the intersection of S Teal Rd and Dunromin Rd north of Orange

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
0501B_01 Little Cypress Bayou from the confluence of the Sabine River upstream to a point 340m downstream of 16th St in Orange	5b	No
0501B_02 Little Cypress Bayou from a point 340m downstream of 16th St in Orange upstream to the confluence of an unnamed stream 100m downstream of Little Cypress Dr	5b	No
0501B_03 Little Cypress Bayou from the confluence of an unnamed stream 100m downstream of Little Cypress Dr upstream to the headwater near the intersection of S Teal Rd and Dunromin Rd north of Orange	5b	No

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen		
0501B_01 Little Cypress Bayou from the confluence of the Sabine River upstream to a point 340m downstream of 16th St in Orange	5c	Yes
0501B_02 Little Cypress Bayou from a point 340m downstream of 16th St in Orange upstream to the confluence of an unnamed stream 100m downstream of Little Cypress Dr	5c	Yes
0501B_03 Little Cypress Bayou from the confluence of an unnamed stream 100m downstream of Little Cypress Dr upstream to the headwater near the intersection of S Teal Rd and Dunromin Rd north of Orange	5c	Yes

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
toxicity in water		
0501B_01 Little Cypress Bayou from the confluence of the Sabine River upstream to a point 340m downstream of 16th St in Orange	5c	Yes
0501B_02 Little Cypress Bayou from a point 340m downstream of 16th St in Orange upstream to the confluence of an unnamed stream 100m downstream of Little Cypress Dr	5c	Yes
0501B_03 Little Cypress Bayou from the confluence of an unnamed stream 100m downstream of Little Cypress Dr upstream to the headwater near the intersection of S Teal Rd and Dunromin Rd north of Orange	5c	Yes

SegID: 0502A Nichols Creek

Nichols Creek from the confluence of the Sabine River upstream to the headwater at FM 1013 northwest of Kirbyville

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
0502A_01 Nichols Creek from the confluence of the Sabine River upstream to the headwater at FM 1013 northwest of Kirbyville	5b	Yes

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen		
0502A_01 Nichols Creek from the confluence of the Sabine River upstream to the headwater at FM 1013 northwest of Kirbyville	5c	Yes

SegID: 0502B Caney Creek

Caney Creek - perennial stream from the Sabine River upstream to the confluence with Martin Branch

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
0502B_02 Caney Creek an Appendix D perennial stream from the Davison St crossing in Newton upstream to the confluence of Martin Branch	5b	Yes

SegID: 0502E Cypress Creek

Cypress Creek - from the confluence of the Sabine River up to the headwater 500m south of FM 82 east of Kirbyville

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen		
0502E_01 Cypress Creek from the confluence of the Sabine River up to the headwater 500m south of FM 82 east of Kirbyville	5b	Yes

SegID: 0504 Toledo Bend Reservoir

Toledo Bend Reservoir - from Toledo Bend Dam in Newton County to a point immediately upstream of the confluence of Murvaul Creek in Panola County, up to the normal pool elevation of 172 feet (impounds Sabine River)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
mercury in edible tissue		
0504_01 Toledo Bend Reservoir from the dam up to a line from Louisiana State Park #15 (LA) west to near Pleasure Bend Rd (TX)	5c	No
0504_02 Toledo Bend Reservoir Six Mile Bay, including Sandy Creek arm, from near Lakeview Rd on the northside peninsula to near Pleasure Bend Rd on the southside peninsula	5c	No
0504_03 Toledo Bend Reservoir Sunshine Bay arm, including Spring Hill Bay, from Alpine Marina on the northside peninsula to New Haven Rd on the southside peninsula	5c	No
0504_04 Toledo Bend Reservoir from a line from Cypress Bend Golf Resort (LA) west to Alpine Marina (TX) up to a line from North Toledo Bend State Park (LA) southwest to Carter's Ferry Rd north of Patroon Bayou (TX)	5c	No
0504_05 Toledo Bend Reservoir Patroon Bayou arm from Carter's Ferry Rd on northside peninsula to Elma Ln on southside peninsula	5c	No
0504_06 Toledo Bend Reservoir from a line from the confluence of Ten Acre Creek (LA) west to Shelby CR 2000 near Huxley, TX up to a line from the confluence of Pen Bayou (LA) west to the confluence of Tenaha Bayou (TX)	5c	No
0504_07 Toledo Bend Reservoir from a line from the confluence of Pen Bayou (LA) west to the confluence of Tenaha Bayou (TX) up to a point immediately upstream of the confluence of Murvaul Creek, up to the normal pool elevation of 172 feet	5c	No
0504_11 Toledo Bend Reservoir from a line from North Toledo Bend State Park (LA) southwest to Carter's Ferry Rd north of Patroon Bayou (TX) up to a line from the confluence of Ten Acre Creek (LA) west to Shelby CR 2000 near Huxley, TX	5c	No
0504_12 Toledo Bend Reservoir from a line from Louisiana State Park #15 (LA) west to Pleasure Bend Rd (TX) up to Cypress Bend Golf Resort (LA) west to Alpine Marina (TX)	5c	No

SegID: 0504E Clear Lake

Clear Lake - an oxbow lake 12 mi northwest of Logansport, LA

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
mercury in edible tissue		
0504E_01 Clear Lake an oxbow lake 12 mi northwest of Logansport, LA	5c	No

SegID: 0505 Sabine River Above Toledo Bend Reservoir

Sabine River Above Toledo Bend Reservoir - from a point immediately upstream of the confluence of Murvaul Creek in Panola County to a point 100 meters (110 yards) downstream of US 271 in Gregg County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
0505_04 Sabine River from the confluence of Hatley Creek 7.7.km north of Tatum upstream to the confluence of Grace Creek near IH 20 west of Longview	5c	No

SegID: 0505B Grace Creek

Grace Creek - perennial stream from the confluence of the Sabine River upstream to the headwater at FM 1844

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
0505B_01 Grace Creek an Appendix D perennial stream from the confluence of the Sabine River upstream to an unnamed tributary from Longview WWTP south of Loop 281	5c	No
0505B_02 Grace Creek an Appendix D perennial stream from an unnamed tributary from Longview WWTP south of Loop 281 upstream to the headwater at FM 1844	5b	No

SegID: 0505G Wards Creek

Wards Creek - intermittent stream with perennial pools from the confluence of Sewell Creek upstream to the confluence of an unnamed second order tributary approximately 0.6 km upstream of US 80

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen		
0505G_01 Wards Creek an Appendix D intermittent stream with perennial pools from the confluence of Sewell Creek upstream to the confluence of an unnamed second order tributary approximately 0.6 km upstream of US 80	5c	Yes

SegID: 0505O Hills Lake

Hills Lake - an oxbow lake 13 mi east of Carthage

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
mercury in edible tissue		
0505O_01 Hills Lake an oxbow lake 13 mi east of Carthage	5c	No

SegID: 0506A Harris Creek

Harris Creek - from the confluence of the Sabine River 5.7 km north of Winona upstream to the headwater near SH 64 east of Tyler

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen		
0506A_01 Harris Creek from the confluence of the Sabine River 5.7 km north of Winona upstream to the headwater near SH 64 east of Tyler	5c	No

SegID: 0507G South Fork of Sabine River

South Fork of Sabine River - from the confluence of Lake Tawakoni upstream to the confluence of Parker and Sabine Creeks

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
0507G_01 South Fork of Sabine River from the confluence of Lake Tawakoni upstream to the confluence of Parker and Sabine Creeks	5b	Yes

SegID: 0508 Adams Bayou Tidal

From the confluence with the Sabine River in Orange County to a point 1.1 km (0.7 mi) upstream of IH 10 in Orange County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
0508_01 Lower 3 miles of segment	4a	No
0508_02 2 mile reach near Western Avenue	4a	Yes
0508_03 1 mile reach near Green Avenue	4a	Yes
0508_04 Upper 2 miles of segment	4a	Yes
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen		
0508_01 Lower 3 miles of segment	4a	Yes
0508_02 2 mile reach near Western Avenue	4a	Yes
0508_03 1 mile reach near Green Avenue	4a	Yes
0508_04 Upper 2 miles of segment	4a	Yes

SegID: 0508A Adams Bayou Above Tidal

From a point 1.1 km (0.7 mi) upstream of IH 10 in Orange County upstream to the Orange County Line Relief Ditch east of Mauriceville

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen		
0508A_01 From a point 1.1 km (0.7 mi) upstream of IH 10 in Orange County upstream to the Orange County Line Relief Ditch east of Mauriceville	4a	Yes

SegID: 0508B Gum Gully

From the confluence of Adams Bayou to the upstream perennial portion of the stream northwest of Orange in Orange County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
0508B_01 From the confluence of Adams Bayou to the upstream perennial portion of the stream northwest of Orange in Orange County	4a	Yes
depressed dissolved oxygen		
0508B_01 From the confluence of Adams Bayou to the upstream perennial portion of the stream northwest of Orange in Orange County	4a	Yes

SegID: 0508C Hudson Gully

From the confluence with Adams Bayou to the headwaters near US 890 in Pinehurst in Orange County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
0508C_01 From the confluence with Adams Bayou to the headwaters near US 890 in Pinehurst in Orange County	4a	Yes
depressed dissolved oxygen		
0508C_01 From the confluence with Adams Bayou to the headwaters near US 890 in Pinehurst in Orange County	4a	Yes

SegID: 0510 Lake Cherokee

Lake Cherokee - from Cherokee Dam in Gregg/Rusk County up to the normal pool elevation of 280 feet (impounds Cherokee Bayou)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
pH		
0510_02 Lake Cherokee from a line at the East Texas Regional Airport runway up to the normal pool elevation of 280 feet	5c	No
sulfate		
0510_01 Lake Cherokee from the dam in Gregg/Rusk county up to a line at the East Texas Regional Airport runway	5c	No
0510_02 Lake Cherokee from a line at the East Texas Regional Airport runway up to the normal pool elevation of 280 feet	5c	No

SegID: 0511 Cow Bayou Tidal

From the confluence with the Sabine River in Orange County to a point 4.8 km (3.0 mi) upstream of IH 10 in Orange County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
0511_01 Lower 5 miles	4a	No
0511_03 5 mile reach near FM 1442 (north crossing)	4a	Yes
0511_04 Upper 4 miles	4a	Yes
depressed dissolved oxygen		
0511_02 6 mile reach near FM 105	4a	Yes
0511_03 5 mile reach near FM 1442 (north crossing)	4a	Yes
0511_04 Upper 4 miles	4a	Yes
pH		
0511_04 Upper 4 miles	4a	Yes

SegID: 0511A Cow Bayou Above Tidal

From a point 4.8 km (3.0 mi) upstream of IH 10 in Orange County to the upstream perennial portion of the stream northeast of Vidor in Orange County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen		
0511A_02 Upper 5.3 miles of above-tidal reach	4a	Yes

SegID: 0511B Coon Bayou

From the confluence with Cow Bayou up to the extent of tidal limit in Orange County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
0511B_01 From the confluence with Cow Bayou up to the extent of tidal limit in Orange County	4a	Yes
depressed dissolved oxygen		
0511B_01 From the confluence with Cow Bayou up to the extent of tidal limit in Orange County	4a	Yes

SegID: 0511C Cole Creek

From the confluence of Cow Bayou west of Orange in Orange County to the upstream perennial portion of the stream south of Mauriceville in Orange County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen		
0511C_01 From the confluence of Cow Bayou west of Orange in Orange County to the upstream perennial portion of the stream south of Mauriceville in Orange County	4a	Yes

SegID: 0511E Terry Gully

From the confluence with Cow Bayou in Orange County to the headwaters northeast of Vidor in Orange County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
0511E_01	From the confluence with Cow Bayou in Orange County to the headwaters northeast of Vidor in Orange County	4a	Yes

SegID: 0512 Lake Fork Reservoir

Lake Fork Reservoir - from Lake Fork Dam in Wood County up to the normal pool elevation of 403 feet (impounds Lake Fork Creek)

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
pH			
0512_05	Upper Lake Fork Creek arm from the FM 2946 crossing up to the normal pool elevation of 403 feet	5c	Yes

SegID: 0512A Running Creek

Running Creek - from the confluence of Lake Fork at the Hopkins/Wood County line upstream to the headwater 400 m south of SH 11 southeast of Sulphur Springs

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
0512A_01	Running Creek from the confluence of Lake Fork at the Hopkins/Wood County line upstream to the headwater 400 m south of SH 11 southeast of Sulphur Springs	5b	Yes

SegID: 0512B Elm Creek

Elm Creek - from the confluence of Lake Fork 375 m downstream of FM 514 upstream to the headwater at Hopkins CR 1110 southwest of Sulphur Springs

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
0512B_01	Elm Creek from the confluence of Lake Fork 375 m downstream of FM 514 upstream to the headwater at Hopkins CR 1110 southwest of Sulphur Springs	5b	Yes

SegID: 0513 Big Cow Creek

Big Cow Creek - from the confluence with the Sabine River in Newton County to a point 4.6 km (2.9 mi) upstream of Recreational Road 255 in Newton County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
0513_01	Big Cow Creek from the confluence with the Sabine River southeast of Kirbyville upstream to the confluence of White Oak Creek west of Kirbyville	5c	No

SegID: 0514 Big Sandy Creek

Big Sandy Creek - from the confluence with the Sabine River in Upshur County to a point 2.6 km (1.6 mi) upstream of SH 11 in Hopkins County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
0514_01 Big Sandy Creek from the confluence with the Sabine River in Upshur County upstream to the Lake Winnsboro Dam (Wood County Dam No. 4)	5c	No
0514_02 Big Sandy Creek from the Lake Winnsboro Dam (Wood County Dam No. 4) upstream to a point 2.6 km (1.6 mi) upstream of SH 11 in Hopkins County	5c	Yes
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
pH		
0514_02 Big Sandy Creek from the Lake Winnsboro Dam (Wood County Dam No. 4) upstream to a point 2.6 km (1.6 mi) upstream of SH 11 in Hopkins County	5c	No

SegID: 0601 Neches River Tidal

From the confluence with Sabine Lake in Orange County to the Neches River Saltwater Barrier, which is at a point 0.8 km (0.5 mi) downstream of the confluence of Pine Island Bayou, in Orange County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
0601_01 Lower boundary to top of first oxbow, above Bird Island Bayou confluence at NHD RC 12020003000004	5a	No
0601_02 Top of first oxbow to top of U.S. Nat'l Defense Reserve Fleet Basin at top of NHD RC 12020003008459	5a	No
0601_03 Top of U.S. Nat'l Defense Reserve Fleet Basin to top of last oxbow below Kansas City Southern Railroad bridge 0.44km upstream of NHD RC 12020003000013	5a	No
0601_04 Top of last oxbow below Kansas City Southern Railroad bridge to saltwater barrier at NHD RC 12020003000017	5a	No
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
PCBs in edible tissue		
0601_01 Lower boundary to top of first oxbow, above Bird Island Bayou confluence at NHD RC 12020003000004	5c	No
0601_02 Top of first oxbow to top of U.S. Nat'l Defense Reserve Fleet Basin at top of NHD RC 12020003008459	5c	No
0601_03 Top of U.S. Nat'l Defense Reserve Fleet Basin to top of last oxbow below Kansas City Southern Railroad bridge 0.44km upstream of NHD RC 12020003000013	5c	No
0601_04 Top of last oxbow below Kansas City Southern Railroad bridge to saltwater barrier at NHD RC 12020003000017	5c	No

SegID: 0601A Star Lake Canal

North of Groves in Jefferson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
0601A_01 North of Groves in Jefferson County	5c	No

SegID: 0602 Neches River Below B. A. Steinhagen Lake

From the Neches River Saltwater Barrier, which is at a point 0.8 km (0.5 mi) downstream of the confluence of Pine Island Bayou, in Orange County to Town Bluff Dam in Jasper/Tyler County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
dioxin in edible tissue		
0602_02 From the confluence with Village Creek 0608 upstream to the confluence with Black Branch NHD RC 12020003000695	5c	No
0602_03 From the confluence with Black Branch upstream to confluence with unnamed tributary at NHD RC 12020003000058	5c	No
0602_04 From the confluence with unnamed tributary at NHD RC 12020003000058 upstream to Town Bluff Dam	5c	No
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
mercury in edible tissue		
0602_01 From the saltwater barrier upstream to confluence with Village Creek 0608 at NHD RC 12020003000025	5c	No
0602_02 From the confluence with Village Creek 0608 upstream to the confluence with Black Branch NHD RC 12020003000695	5c	No
0602_03 From the confluence with Black Branch upstream to confluence with unnamed tributary at NHD RC 12020003000058	5c	No
0602_04 From the confluence with unnamed tributary at NHD RC 12020003000058 upstream to Town Bluff Dam	5c	No

SegID: 0603 B. A. Steinhagen Lake

From Town Bluff Dam to a point immediately upstream of the confluence of Hopson Mill Creek on the Neches River Arm and to a point immediately upstream of the confluence of Indian Creek on the Angelina River Arm, up to the normal pool elevation of 83 feet

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
dioxin in edible tissue		
0603_01 Main pool by dam to include all the area below the US HWY 190 bridge	5c	No
0603_02 Area above the US HWY 190 bridge to the upper boundaries of the segment at points immediately upstream of confluences Hopson Mill Creek (Neches Arm) and Indian Creek (Angelina Arm)	5c	No
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
mercury in edible tissue		
0603_01 Main pool by dam to include all the area below the US HWY 190 bridge	5c	No
0603_02 Area above the US HWY 190 bridge to the upper boundaries of the segment at points immediately upstream of confluences Hopson Mill Creek (Neches Arm) and Indian Creek (Angelina Arm)	5c	No

SegID: 0603A Sandy Creek

From the confluence with B. A. Steinhagen Lake southwest of the City of Jasper in Jasper County upstream to the headwaters at Recreational Road 255 north of Jasper in Jasper County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
0603A_01 From the confluence with B.A. Steinhagen Lake upstream to 0.5 km below FM 776 east of the City of Jasper, App. D	5c	No

SegID: 0603B Wolf Creek

From the confluence of B. A. Steinhagen Lake southeast of Colmesneil in Tyler County to the upstream perennial portion of the stream south of Colmesneil in Tyler County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
0603B_01 From the confluence of B.A. Steinhagen Lake upstream to Lake Amanda Dam.	5c	No

SegID: 0604 Neches River Below Lake Palestine

From a point immediately upstream of the confluence of Hopson Mill Creek in Jasper/Tyler County to Blackburn Crossing Dam in Anderson/Cherokee County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
dioxin in edible tissue		
0604_01 Lower boundary to a point immediately upstream of confluence of Biloxi Creek 0604M at NHD RC 12020002001061	5c	No
0604_02 From the confluence of Biloxi Creek (0604M) upstream to the upper confluence of Old River at NHD RC 12020002000037	5c	No
0604_03 From the upper confluence of Old River upstream to the confluence with Cedar Creek in Cherokee County at NHD RC 12020002000085 near Hargrove Lake	5c	No
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
mercury in edible tissue		
0604_01 Lower boundary to a point immediately upstream of confluence of Biloxi Creek 0604M at NHD RC 12020002001061	5c	No
0604_02 From the confluence of Biloxi Creek (0604M) upstream to the upper confluence of Old River at NHD RC 12020002000037	5c	No
0604_03 From the upper confluence of Old River upstream to the confluence with Cedar Creek in Cherokee County at NHD RC 12020002000085 near Hargrove Lake	5c	No

SegID: 0604A Cedar Creek

From the confluence of the Neches River southwest of Lufkin in Angelina County to the upstream perennial portion of the stream in Lufkin in Angelina County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
0604A_02 From the confluence with Jack Creek (0604C) upstream to confluence with unnamed tributary adjacent to State Loop 287, per App. D in WQS, at NHD RC 12020002000436	5c	No

SegID: 0604B Hurricane Creek

From the confluence with Cedar Creek upstream to the headwaters near Groesbeck Ave in the City of Lufkin

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
0604B_01 From the confluence with Cedar Creek (0604A) upstream to confluence with unnamed tributary 100m above State Loop 287 in Lufkin, per WQS App. D, at NHD RC 12020002000043	5c	No

SegID: 0604C Jack Creek

From the confluence of Cedar Creek southwest of Lufkin in Angelina County to the upstream perennial portion of the stream in northeast Lufkin in Angelina County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
0604C_01 From the confluence with Cedar Creek (0604A) upstream to confluence with unnamed tributary 1.6km SW of US Hwy 69 NW of Lufkin at NHD RC 12020002012470.	5c	No

SegID: 0604D Piney Creek

From the confluence of the Neches River at the Polk/Tyler/Angelina County lines east of Corrigan to the upstream perennial portion of the stream east of Crockett in Houston County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
0604D_02 Upper portion of stream from the confluence with Caney Creek (0604O) in Trinity County upstream to confluence with unnamed tributary at NHD RC 12020002000181 in Houston County 0.75km west of FM 2781.	5c	No

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen		
0604D_01 Middle portion of the stream from the confluence with Bear Creek (0604L) in Polk County upstream to the confluence with Caney Creek (0604O) in Trinity County at NHD RC 12020002000163.	5b	Yes

SegID: 0604M Biloxi Creek

From the confluence with the Neches River southeast of Diboll to FM 325 east of Lufkin in Angelina County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
0604M_03 From the confluence with One Eye Creek in Angelina County SE of Lufkin upstream to FM 325 east of Lufkin	5c	No

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen		
0604M_03 From the confluence with One Eye Creek in Angelina County SE of Lufkin upstream to FM 325 east of Lufkin	5c	Yes

SegID: 0604T Lake Ratcliff

Lake in Houston County 3.4 mi northeast of Kennard

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
mercury in edible tissue		
0604T_01 Lake in Houston County 3.4 mi northeast of Kennard	5c	No

SegID: 0605 Lake Palestine

From Blackburn Crossing Dam in Anderson/Cherokee County to a point 6.7km (4.2 mi) downstream of FM 279 in Henderson/Smith County, up to normal pool elevation of 345 feet (impounds Neches River)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
pH		
0605_01 Lower portion of reservoir near dam to the first bend in reservoir	5b	No
0605_02 From the first bend in lower portion of reservoir up to the SH 155 Bridge crossing.	5b	No
0605_03 Upper mid-lake including Tyler Public Water Supply intake	5b	No
0605_09 Flat Creek Arm	5b	No
0605_10 Upper Lake	5b	No
0605_11 From the SH 155 Bridge crossing to the Flat Creek Arm and across the main portion of the lake at the Flat Creek Arm	5b	No

SegID: 0605A Kickapoo Creek in Henderson County

From the confluence of Lake Palestine east of Brownsboro in Henderson County to the upstream perennial portion of the stream northeast of Murchison in Henderson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
0605A_01 From the confluence with Lake Palestine (0605) east of Brownsboro in Henderson County to the confluence with Slater Creek (0605E).	5c	Yes
0605A_02 From the confluence with Slater Creek (0605E) upstream to confluence with unnamed tributary about 1.62 km north of FM 858 in Van Zandt County at NHD RC 12020001000161.	5c	No

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen		
0605A_01 From the confluence with Lake Palestine (0605) east of Brownsboro in Henderson County to the confluence with Slater Creek (0605E).	5c	Yes

SegID: 0606 Neches River Above Lake Palestine

From a point 6.7 km (4.2 mi) downstream of FM 279 in Henderson/Smith County to Rhine Lake Dam in Van Zandt County before it was breached in 2001

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
0606_01 From a point approximately 0.06km (0.03 mi) south of St. Louis Southwestern Railroad upstream to the confluence with Prairie Creek (0606A).	5c	No
0606_02 From the confluence with Prairie Creek (0606A) upstream to the Rhine Lake Dam	5c	No

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen		
0606_02 From the confluence with Prairie Creek (0606A) upstream to the Rhine Lake Dam	5b	Yes

SegID: 0606A Prairie Creek

Perennial stream from the confluence with the Neches River to an unnamed tributary approximately 0.6km downstream of the US 69 bridge crossing.

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
0606A_01	From the confluence with Neches River (0606), per WQS App. D first entry for Prairie Creek at NHD RC 12020001000071 in Smith County upstream to the confluence with Black Fork Creek (0606D) at NHD RC 12020001000071 .	5b	Yes
0606A_03	From the confluence with Caney Creek upstream to confluence with unnamed tributary appx. 0.6 km downstream of the US 69 bridge crossing, which is located appx. 0.6 km south of the City of Lindale, per App. D second line entry	5b	No

SegID: 0606D Black Fork Creek

Perennial stream from the confluence with Prairie Creek to a point 0.4 km downstream of FM 14 in Tyler

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
0606D_02	From the confluence with unnamed tributary at NHD RC 12020001000072 upstream to a point 0.4km downstream of FM 14 in Tyler, at the confluence with unnamed tributary at NHD RC 12020001000073, per WQS App. D second entry for Black Fork Creek.	5c	Yes

SegID: 0607 Pine Island Bayou

From the confluence with the Neches River in Hardin/Jefferson County to FM 787 in Hardin County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen			
0607_01	From the confluence with the Neches River upstream to unnamed tributary at NHD RC 12020007001215 that runs through Sherwood Drive in northern City of Beaumont.	5b	Yes
0607_02	From the confluence with unnamed tributary that runs through Sherwood Drive in northern City of Beaumont upstream to the confluence with Black Creek	5b	Yes
0607_03	From the confluence with Black Creek upstream to the confluence with Willow Creek (0607C)	5b	Yes
0607_04	From the confluence with Willow Creek (0607C) upstream to the confluence with Mayhaw Slough near oil fields	5b	Yes

SegID: 0607A Boggy Creek

From the confluence of Pine Island Bayou upstream to the confluence with an unnamed tributary 4 km downstream of the crossing of the Southern Pacific Railroad.

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen			
0607A_02	From the confluence with unnamed tributary 0.39 km downstream of CR 421 upstream to confluence with unnamed tributary 4 km downstream of the crossing of the Southern Pacific Railroad, per WQS App. D, at NHD RC 12020007003034.	5b	Yes

SegID: 0607B Little Pine Island Bayou

From the confluence of Pine Island Bayou southwest of Lumberton in Hardin County to the upstream perennial portion of the stream west of Kountze in Hardin County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen			
0607B_01	From the confluence with Pine Island Bayou (0607) at the Hardin/Jefferson Counties border upstream to unnamed tributary 1.1 km SE of intersection of FM 770 and FM 787 at NHD RC 12020007000021, same tributary as Big Thicket National Park boundary.	5b	Yes

SegID: 0607C Willow Creek

From the confluence of Pine Island Bayou north of Nome in Jefferson County to the upstream perennial portion of the stream east of Devers in Liberty County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen			
0607C_01	From the confluence with Pine Island Bayou (0607) at the State Hwy 326 bridge at NHD RC 12020007000258 upstream to headwaters NE of Devers in Liberty County at NHD RC 12020007000200.	5b	Yes

SegID: 0608 Village Creek

From the confluence with the Neches River in Hardin County to Lake Kimble Dam in Hardin County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
mercury in edible tissue			
0608_01	From the confluence with Neches River (0602) upstream to confluence with Cypress Creek (0608C)	5c	No
0608_02	From the confluence with Cypress Creek (0608C) upstream to confluence with Beech Creek (0608A)	5c	No
0608_03	From the confluence with Beech Creek (0608A) upstream to confluence with Big Sandy Creek and Kimball Creek in Hardin County	5c	No

SegID: 0608A Beech Creek

From the confluence of Village Creek northeast of Kountze in Hardin County to the upstream perennial portion of the stream southeast of Woodville in Tyler County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
copper in water			
0608A_01	From the confluence with Village Creek (0608) at NHD RC 12020006000017 upstream to the confluence with Drakes Branch 0.35 km upstream of FM1943 RD E at NHD RC 12020006000025	5c	Yes

SegID: 0608C Cypress Creek

From the confluence of Village Creek (0608) east of Kountze in Hardin County to the confluence with Bad Luck Creek northwest of Kountze in Hardin County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen			
0608C_01	Upper portion from the confluence with unnamed tributary upstream of Pea Monk Branch upstream to confluence with Bad Luck Creek, per WQS App. D, at NHD RC 12020006000148.	5b	Yes

SegID: 0608E Mill Creek in Hardin County

From the confluence of Village Creek (0608) west of Silsbee in Hardin County upstream to headwaters northwest of Silsbee in Hardin County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen			
0608E_01	From the confluence of Village Creek (0608) west of Silsbee in Hardin County upstream to headwaters northwest of Silsbee in Hardin County	5c	Yes

SegID: 0608G Lake Kimball

From Kimble Creek Dam northwest of Kountze in Hardin County to normal pool elevation in Tyler County (impounds Kimble and Village Creeks)

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
mercury in edible tissue			
0608G_01	From Kimble Creek Dam northwest of Kountze in Hardin County to normal pool elevation in Tyler County (impounds Kimble and Village Creeks)	5c	No

SegID: 0609 Angelina River Below Sam Rayburn Reservoir

From a point immediately upstream of the confluence of Indian Creek in Jasper County to Sam Rayburn Dam in Jasper County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
dioxin in edible tissue			
0609_01	From a point immediately upstream of the confluence of Indian Creek in Jasper County to Sam Rayburn Dam in Jasper County	5c	No
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
mercury in edible tissue			
0609_01	From a point immediately upstream of the confluence of Indian Creek in Jasper County to Sam Rayburn Dam in Jasper County	5c	No

SegID: 0610 Sam Rayburn Reservoir

From Sam Rayburn Dam to a point 5.6 km (3.5 mi) upstream of Marion's Ferry on the Angelina River Arm and to a point 3.9 km (2.4 mi) downstream of Curry Creek on the Attoyac Bayou Arm, up to the normal pool elevation of 164.4 feet (except on the Angelina R

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
dioxin in edible tissue		
0610_01 Sam Rayburn main pool by the dam to the Bear Creek and Ayish Arms	5c	No
0610_02 Sam Rayburn lower Angelina River arm	5c	No
0610_03 Sam Rayburn mid-Angelina River arm (area around SH 147)	5c	No
0610_04 Sam Rayburn upper mid-Angelina River arm	5c	No
0610_05 Sam Rayburn lower Attoyac Bayou arm	5c	No
0610_06 Sam Rayburn upper Attoyac Bayou arm	5c	No
0610_07 Sam Rayburn upper Angelina arm	5c	No
0610_08 Sam Rayburn Bear Creek arm	5c	No
0610_09 Sam Rayburn lower Ayish Bayou arm	5c	No
0610_10 Sam Rayburn upper Ayish Bayou arm	5c	No

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
mercury in edible tissue		
0610_01 Sam Rayburn main pool by the dam to the Bear Creek and Ayish Arms	5c	No
0610_02 Sam Rayburn lower Angelina River arm	5c	No
0610_03 Sam Rayburn mid-Angelina River arm (area around SH 147)	5c	No
0610_04 Sam Rayburn upper mid-Angelina River arm	5c	No
0610_05 Sam Rayburn lower Attoyac Bayou arm	5c	No
0610_06 Sam Rayburn upper Attoyac Bayou arm	5c	No
0610_07 Sam Rayburn upper Angelina arm	5c	No
0610_08 Sam Rayburn Bear Creek arm	5c	No
0610_09 Sam Rayburn lower Ayish Bayou arm	5c	No
0610_10 Sam Rayburn upper Ayish Bayou arm	5c	No

SegID: 0610A Ayish Bayou

Perennial stream from the headwaters of Sam Rayburn Reservoir to the dam impounding Bland Lake approximately 0.1km upstream of FM 1279 near the City of San Augustine

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
0610A_01 From the headwaters of Sam Rayburn Reservoir, per WQS App. D, about 2.4 km north of FM 83 upstream to confluence with unnamed tributary about 0.4 km SW of intersection of SH 147 and AT and SF Railroad at NHD RC 12020005000036.	5c	No
0610A_02 From the confluence with unnamed tributary about 0.4 km SW of intersection of SH 147 and AT and SF Railroad in the City of San Augustine upstream to the Bland Lake dam, per WQS App. D.	5c	No

SegID: 0611 Angelina River Above Sam Rayburn Reservoir

From the aqueduct crossing 1.0 km (0.6 mi) upstream of the confluence of Paper Mill Creek in Angelina/Nacogdoches County to the confluence of Barnhardt Creek and Mill Creek at FM 225 in Rusk County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
0611_04 From a point immediately upstream of confluence with East Fork Angelina River (0611A) upstream to confluence with Barnhardt and Mill Creeks.	5c	No

SegID: 0611A East Fork Angelina River

From the confluence of the Angelina River at the Rusk/Nacogdoches county line upstream to the confluence with Wooten Creek in Rusk County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
0611A_01 From the confluence with Angelina River (0611) at Rusk/Nacogdoches county line upstream to confluence with Beech Creek (0611J) in Rusk County	5c	No

SegID: 0611B La Nana Bayou

From the confluence of the Angelina River south of Nacogdoches in Nacogdoches County to the upstream perennial portion of the stream north of Nacogdoches in Nacogdoches County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
0611B_01 From the confluence with Angelina River (0611), per WQS App. D, upstream to State Loop 224 in City of Nacogdoches	5b	No
0611B_02 From the upstream side of State Loop 224 upstream to FM 1878 in City of Nacogdoches, per WQS App. D.	5b	No
0611B_03 From the upstream side of FM 1878 in City of Nacogdoches upstream to confluence with Banita Creek.	5c	No

SegID: 0611C Mud Creek

Perennial stream from the confluence with the Angelina River upstream to a point immediately upstream of the confluence of Prairie Creek in Smith County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
0611C_01 From the confluence with Angelina River (0611), per WQS App. D, at the Cherokee and Nacogdoches county line south of City of Reklaw upstream to top of channelized/dredged portion about 2.3 km south of US hwy 79 at -95.150452N/31.956933W	5b	No

SegID: 0611D West Mud Creek

Perennial stream from the confluence with Mud Creek in Cherokee County upstream to the confluence of an unnamed tributary 300 meters upstream of the most northern crossing of US 69 (approximately 2.25 km south of the intersection of Loop 323) in the City

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
0611D_01 From the confluence with Mud Creek (0611C), per WQS App. D, upstream to confluence with unnamed tributary about 75 m north of WWTP in City of Tyler at NHD RC 12020004000212.	5c	Yes

SegID: 0612 Attoyac Bayou

From a point 3.9 km (2.4 mi) downstream of Curry Creek in Nacogdoches/San Augustine County to FM 95 in Rusk County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
0612_02 From a point immediately upstream of Polly Branch confluence upstream to confluence with Bear Bayou.	5c	No
0612_03 From a point immediately upstream of Bear Bayou upstream to upper boundary at FM 95.	5c	No

SegID: 0615 Angelina River/Sam Rayburn Reservoir

The riverine portion of Sam Rayburn Reservoir from a point 5.6 km (3.5 mi) upstream of Marion's Ferry to the aqueduct crossing 1.0 km (0.6 mi) upstream of the confluence of Paper Mill Creek

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen		
0615_01 The riverine portion of Sam Rayburn Reservoir from a point 5.6 km (3.5 mi) upstream of Marion's Ferry to the aqueduct crossing 1.0 km (0.6 mi) upstream of the confluence of Paper Mill Creek	5c	Yes
dioxin in edible tissue		
0615_01 The riverine portion of Sam Rayburn Reservoir from a point 5.6 km (3.5 mi) upstream of Marion's Ferry to the aqueduct crossing 1.0 km (0.6 mi) upstream of the confluence of Paper Mill Creek	5c	No
mercury in edible tissue		
0615_01 The riverine portion of Sam Rayburn Reservoir from a point 5.6 km (3.5 mi) upstream of Marion's Ferry to the aqueduct crossing 1.0 km (0.6 mi) upstream of the confluence of Paper Mill Creek	5c	No

SegID: 0615A Paper Mill Creek

From the confluence with Angelina River/Sam Rayburn Reservoir (0615) upstream to confluence with Mill Creek (0615B)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
0615A_01 From the confluence of Angelina River/Sam Rayburn (0615) upstream to confluence with Mill Creek (0615B)	5b	No

SegID: 0701 Taylor Bayou/North Fork Taylor Bayou Above Tidal

From the saltwater lock 7.7 km (4.8 mi) downstream of SH 73 in Jefferson County to the Lower Neches Valley Authority Canal crossing of North Fork Taylor Bayou in Jefferson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen		
0701_01 From the saltwater lock 7.7 km (4.8 mi) downstream of SH 73 in Jefferson County, per WQS App. C, upstream to the confluence with Hillebrandt Bayou (0704)	5b	Yes
0701_02 From the confluence with Hillebrandt Bayou upstream to confluences with North Fork Taylor Bayou and South Fork Bayou	5b	Yes

SegID: 0702 Intracoastal Waterway Tidal

From the confluence with Galveston Bay at Port Bolivar to the confluence with the Sabine-Neches/Port Arthur Canal (including Taylor Bayou Tidal from the confluence with the Intracoastal Waterway up to the saltwater lock 7.7 km (4.8 mi) downstream of SH 73

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
0702_01 From the confluence with Sabine-Neches Canal Tidal (0703) to eastern most boundary of East Bay	5c	No
0702_02 Taylor Bayou tidal from the confluence with the Intracoastal Waterway Tidal to the saltwater barriers.	5c	No
dioxin in edible tissue		
0702_03 From the eastern most boundary of East Bay to Port Bolivar	5a	No
PCBs in edible tissue		
0702_03 From the eastern most boundary of East Bay to Port Bolivar	5a	No

SegID: 0702A Alligator Bayou and Main Canals A, B, C, and D

All perennial canals in Jefferson County Drainage District No. 7 that eventually drain into the tidal portion of Taylor Bayou at the pump house gate, including Alligator Bayou

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
toxicity in sediment		
0702A_01 From Taylor Bayou Tidal (0702) to confluence with Main Canal D above SH 82.	5c	Yes
toxicity in water		
0702A_03 Main Canal D from the confluence with Alligator Bayou at SH 82 upstream to about 0.35 km upstream of confluence with Canal A	5c	Yes

SegID: 0703 Sabine-Neches Canal Tidal

From the confluence with Sabine Pass at the southern tip of Pleasure Island in Jefferson County to the Sabine Lake seawall at the northern tip of Pleasure Island in Jefferson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
0703_01 From the confluence with Sabine Pass at the southern tip of Pleasure Island in Jefferson County to the Sabine Lake seawall at the northern tip of Pleasure Island in Jefferson County	5c	No

SegID: 0704 Hillebrandt Bayou

From the confluence of Taylor Bayou in Jefferson County to a point 100 meters (110 yards) upstream of SH 124 in Jefferson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
0704_02 From the confluence with Willow Marsh Bayou (0704A) upstream to a point 100 meters (110 yards) upstream of SH 124 in Jefferson County	5a	No
depressed dissolved oxygen		
0704_01 From the confluence with Taylor Bayou Above Tidal (0701) upstream to confluence with Willow Marsh Bayou (0704A)	5b	Yes

SegID: 0801C Cotton Bayou

From the confluence of Cotton Lake southeast of Mont Belvieu in Chambers County upstream to a point (NHD RC 12040203000496) approximately 1 mi north of IH 10 in Chambers County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
0801C_01 From the confluence of Cotton Lake southeast of Mont Belvieu in Chambers County upstream to a point (NHD RC 12040203000496) approximately 1 mi north of IH 10 in Chambers County	5c	No
depressed dissolved oxygen		
0801C_01 From the confluence of Cotton Lake southeast of Mont Belvieu in Chambers County upstream to a point (NHD RC 12040203000496) approximately 1 mi north of IH 10 in Chambers County	5c	No

SegID: 0802 Trinity River Below Lake Livingston

From a point 3.1 km (1.9 mi) downstream of US 90 in Liberty County to Livingston Dam in Polk/San Jacinto County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
dioxin in edible tissue		
0802_01 Lower 17 mi of segment	5a	No
0802_02 Approximately 9 mi upstream to approximately 15 mi downstream of SH 105	5a	No
0802_03 11 mi upstream to approximately 9 mi downstream of FM 787	5a	No
0802_04 5 mi upstream to 11 mi downstream of US 59	5a	No
0802_05 Upper 6 mi of segment	5a	No
PCBs in edible tissue		
0802_01 Lower 17 mi of segment	5a	No
0802_02 Approximately 9 mi upstream to approximately 15 mi downstream of SH 105	5a	No
0802_03 11 mi upstream to approximately 9 mi downstream of FM 787	5a	No
0802_04 5 mi upstream to 11 mi downstream of US 59	5a	No
0802_05 Upper 6 mi of segment	5a	No

SegID: 0803 Lake Livingston

From Livingston Dam in Polk/San Jacinto County to a point 1.8 km (1.1 mi) upstream of Boggy Creek in Houston/Leon County, up to normal pool elevation of 131 feet (impounds Trinity River)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
dioxin in edible tissue		
0803_01 Lowermost portion of reservoir, adjacent to dam	5a	No
0803_02 Lower portion of reservoir, East Wolf Creek	5a	No
0803_03 Lower portion of reservoir, East Willow Springs	5a	No
0803_04 Middle portion of reservoir, East Pointblank	5a	No
0803_05 Middle portion of reservoir, downstream of Kickapoo Creek	5a	No
0803_06 Middle portion of reservoir, centering on US 190	5a	No
0803_07 Upper portion of reservoir, west of Carlisle	5a	No
0803_08 Cove off upper portion of reservoir, East Trinity	5a	No
0803_09 West Carolina Creek cove, off upper portion of reservoir	5a	No
0803_10 Upper portion of reservoir, centering on SH 19	5a	No
0803_11 Riverine portion of reservoir, centering on SH 21	5a	No
0803_12 Remainder of reservoir	5a	No

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
PCBs in edible tissue		
0803_01 Lowermost portion of reservoir, adjacent to dam	5a	No
0803_02 Lower portion of reservoir, East Wolf Creek	5a	No
0803_03 Lower portion of reservoir, East Willow Springs	5a	No
0803_04 Middle portion of reservoir, East Pointblank	5a	No
0803_05 Middle portion of reservoir, downstream of Kickapoo Creek	5a	No
0803_06 Middle portion of reservoir, centering on US 190	5a	No
0803_07 Upper portion of reservoir, west of Carlisle	5a	No
0803_08 Cove off upper portion of reservoir, East Trinity	5a	No
0803_09 West Carolina Creek cove, off upper portion of reservoir	5a	No
0803_10 Upper portion of reservoir, centering on SH 19	5a	No
0803_11 Riverine portion of reservoir, centering on SH 21	5a	No
0803_12 Remainder of reservoir	5a	No

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
sulfate		
0803_01 Lowermost portion of reservoir, adjacent to dam	5b	No
0803_02 Lower portion of reservoir, East Wolf Creek	5b	No
0803_03 Lower portion of reservoir, East Willow Springs	5b	No
0803_04 Middle portion of reservoir, East Pointblank	5b	No
0803_05 Middle portion of reservoir, downstream of Kickapoo Creek	5b	No
0803_06 Middle portion of reservoir, centering on US 190	5b	No
0803_07 Upper portion of reservoir, west of Carlisle	5b	No
0803_08 Cove off upper portion of reservoir, East Trinity	5b	No
0803_09 West Carolina Creek cove, off upper portion of reservoir	5b	No
0803_10 Upper portion of reservoir, centering on SH 19	5b	No
0803_11 Riverine portion of reservoir, centering on SH 21	5b	No
0803_12 Remainder of reservoir	5b	No

SegID: 0803G Lake Madisonville

From Lake Madisonville Dam in Madison County up to the normal pool elevation of 285 feet (impounds Town Branch)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
mercury in edible tissue		
0803G_01 From Lake Madisonville Dam in Madison County up to the normal pool elevation of 285 feet (impounds Town Branch)	5c	No

SegID: 0804 Trinity River Above Lake Livingston

From a point 1.8 km (1.1 mi) upstream of Boggy Creek in Houston/Leon County to a point immediately upstream of the confluence of the Cedar Creek Reservoir discharge canal in Henderson/Navarro County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
dioxin in edible tissue		
0804_01 From the lower end of the segment up to just above the confluence with Hurricane Bayou in Houston County.	5a	No
0804_02 From just upstream of the confluence with Hurricane Bayou up to just above the confluence with Boons Creek.	5a	No
0804_03 From just upstream of the confluence with Boons Creek up to just above the confluence with Caney Creek.	5a	No
0804_04 From the confluence with Caney Creek up to just above the confluence with Indian Creek in Anderson County.	5a	No
0804_05 From just above the confluence with Indian Creek in Anderson County up to just above the confluence with Tehuacana Creek.	5a	No
0804_06 From just above the confluence with Tehuacana Creek to just above the confluence with Richland Creek.	5a	No
0804_07 From just above the confluence with Richland Creek in Henderson County, up to the upper end of the segment.	5a	No

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
PCBs in edible tissue		
0804_01 From the lower end of the segment up to just above the confluence with Hurricane Bayou in Houston County.	5a	No
0804_02 From just upstream of the confluence with Hurricane Bayou up to just above the confluence with Boons Creek.	5a	No
0804_03 From just upstream of the confluence with Boons Creek up to just above the confluence with Caney Creek.	5a	No
0804_04 From the confluence with Caney Creek up to just above the confluence with Indian Creek in Anderson County.	5a	No
0804_05 From just above the confluence with Indian Creek in Anderson County up to just above the confluence with Tehuacana Creek.	5a	No
0804_06 From just above the confluence with Tehuacana Creek to just above the confluence with Richland Creek.	5a	No
0804_07 From just above the confluence with Richland Creek in Henderson County, up to the upper end of the segment.	5a	No

SegID: 0804G Catfish Creek

Twenty mile stretch of Catfish Creek running upstream from US 287 in Anderson Co., to Catfish Creek Ranch Lake just upstream of SH 19 in Henderson Co.

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
0804G_01 A 20 mi stretch of Catfish Creek running upstream from US 287 in Anderson Co., to Catfish Creek Ranch Lake just upstream of SH 19 in Henderson Co.	5c	No

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen		
0804G_01 A 20 mi stretch of Catfish Creek running upstream from US 287 in Anderson Co., to Catfish Creek Ranch Lake just upstream of SH 19 in Henderson Co.	5b	No

SegID: 0804H Upper Keechi Creek

From confluence with segment 0804 Trinity River to the upper end of NHD stream Upper Keechi Creek (NHD RC 12030201001075)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen		
0804H_01 From the confluence with segment 0804 Trinity River up to confluence with Twin Branch (NHD RC 12030201027099)	5b	Yes

SegID: 0804K Lower Keechi Creek

Perennial stream from the confluence with the Trinity River in Leon County upstream to the headwaters in Jewett in Leon County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
0804K_01 Perennial stream from the confluence with the Trinity River in Leon County upstream to the headwaters in Jewett in Leon County	5c	No

SegID: 0804M Bassett Creek

Perennial stream from the confluence with Town Creek upstream to Blue Lake

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
impaired fish community		
0804M_01 From the confluence with Town Creek upstream to approximately 15m upstream of the processing plant outfall	5c	No
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
impaired macrobenthic community		
0804M_01 From the confluence with Town Creek upstream to approximately 15m upstream of the processing plant outfall	5c	No

SegID: 0805 Upper Trinity River

From a point immediately upstream of the confluence of the Cedar Creek Reservoir discharge canal in Henderson/Navarro County to a point immediately upstream of the confluence of Elm Fork Trinity River in Dallas County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
0805_03 From the confluence of Fivemile Creek upstream to the confluence of Cedar Creek.	4a	No
0805_04 From confluence of Cedar Creek upstream to confluence of Elm Fork Trinity River	4a	No

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
dioxin in edible tissue		
0805_01 From confluence of the Cedar Creek Reservoir discharge canal upstream to confluence of Smith Creek.	5a	No
0805_02 From confluence of Smith Creek upstream to confluence of Tenmile Creek.	5a	No
0805_03 From the confluence of Fivemile Creek upstream to the confluence of Cedar Creek.	5a	No
0805_04 From confluence of Cedar Creek upstream to confluence of Elm Fork Trinity River	5a	No
0805_06 From confluence of Tenmile Creek upstream to confluence of Fivemile Creek	5a	No

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
PCBs in edible tissue		
0805_01 From confluence of the Cedar Creek Reservoir discharge canal upstream to confluence of Smith Creek.	5a	No
0805_02 From confluence of Smith Creek upstream to confluence of Tenmile Creek.	5a	No
0805_03 From the confluence of Fivemile Creek upstream to the confluence of Cedar Creek.	5a	No
0805_04 From confluence of Cedar Creek upstream to confluence of Elm Fork Trinity River	5a	No
0805_06 From confluence of Tenmile Creek upstream to confluence of Fivemile Creek	5a	No

SegID: 0806 West Fork Trinity River Below Lake Worth

From a point immediately upstream of the confluence of Village Creek in Tarrant County to Lake Worth Dam in Tarrant County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
dioxin in edible tissue		
0806_01 From confluence of Village Creek upstream to confluence of Clear Fork Trinity River	5a	No
0806_02 From confluence of Clear Fork Trinity River upstream to Lake Worth Dam	5a	No

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
PCBs in edible tissue		
0806_01 From confluence of Village Creek upstream to confluence of Clear Fork Trinity River	5a	No
0806_02 From confluence of Clear Fork Trinity River upstream to Lake Worth Dam	5a	No

SegID: 0806A Fosdic Lake

From Fosdic Lake Dam to the reservoir headwaters in Oakland Lake Park in Tarrant County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
PCBs in edible tissue		
0806A_01 From Fosdic Lake Dam to the reservoir headwaters in Oakland Lake Park in Tarrant County	4a	No

SegID: 0806B Echo Lake

From Echo Lake Dam to the reservoirs headwaters in Tarrant County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
dieldrin in edible tissue		
0806B_01 From Echo Lake Dam to the reservoirs headwaters in Tarrant County	5a	No
dioxin in edible tissue		
0806B_01 From Echo Lake Dam to the reservoirs headwaters in Tarrant County	5a	No
PCBs in edible tissue		
0806B_01 From Echo Lake Dam to the reservoirs headwaters in Tarrant County	4a	No

SegID: 0806D Marine Creek

Two mi stretch of Marine Creek running upstream from confluence with the W. Fork of Trinity River to Tenmile Bridge Road in Fort Worth.

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
0806D_01 Marine Creek from the confluence with W. Fork Trinity River 2 mi upstream to Tenmile Bridge Rd. in Ft. Worth	5c	No

SegID: 0806E Sycamore Creek

Five mi stretch of Sycamore Creek running upstream from confluence with the W. Fork of Trinity River to confluence with Echo Lake Tributary in Fort Worth.

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
0806E_01 Five mi stretch of Sycamore Creek running upstream from confluence with the W. Fork of Trinity River to confluence with Echo Lake Tributary in Fort Worth	4a	No

SegID: 0807 Lake Worth

From Lake Worth Dam in Tarrant County to a point 4.0 km (2.5 mi) downstream of Eagle Mountain Dam in Tarrant County, up to normal pool elevation of 594 feet (impounds West Fork Trinity River)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
dioxin in edible tissue		
0807_01 From Lake Worth Dam in Tarrant County to a point 4.0 km (2.5 mi) downstream of Eagle Mountain Dam in Tarrant County, up to normal pool elevation of 594 feet (impounds West Fork Trinity River)	5a	No
PCBs in edible tissue		
0807_01 From Lake Worth Dam in Tarrant County to a point 4.0 km (2.5 mi) downstream of Eagle Mountain Dam in Tarrant County, up to normal pool elevation of 594 feet (impounds West Fork Trinity River)	4a	No

SegID: 0808 West Fork Trinity River Below Eagle Mountain Reservoir

From a point 4.0 km (2.5 mi) downstream of Eagle Mountain Dam in Tarrant County to Eagle Mountain Dam in Tarrant County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
PCBs in edible tissue			
0808_01	From a point 4.0 km (2.5 mi) downstream of Eagle Mountain Dam in Tarrant County to Eagle Mountain Dam in Tarrant County	4a	No

SegID: 0809B Ash Creek

Intermittent stream with perennial pools from Eagle Mountain Lake in Tarrant County upstream to its confluence with Mill Branch in Parker County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
0809B_01	Intermittent stream with perennial pools from Eagle Mountain Lake in Tarrant County upstream to its confluence with Mill Branch in Parker County	5c	No

SegID: 0810 West Fork Trinity River Below Bridgeport Reservoir

From a point 0.6 km (0.4 mi) downstream of the confluence of Oates Branch in Wise County to Bridgeport Dam in Wise County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
0810_01	Lower 25 mi of segment	5c	No

SegID: 0810C Martin Branch

The eight mi stretch of Martin Branch running upstream from confluence with Center Creek to FM 730 south of Decatur, Wise County.

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
0810C_01	Eight mi stretch of Martin Branch running upstream from confluence with Center Creek to FM 730 south of Decatur, Wise County.	5c	No

SegID: 0812 West Fork Trinity River Above Bridgeport Reservoir

From a point immediately upstream of the confluence of Bear Hollow in Jack County to SH 79 in Archer County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
0812_01	Lower 25 mi of segment	5c	No
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen			
0812_01	Lower 25 mi of segment	5c	Yes

SegID: 0815 Bardwell Reservoir

From Bardwell Dam in Ellis County up to the normal pool elevation of 421 feet (impounds Waxahachie Creek)

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
sulfate			
0815_01	From Bardwell Dam in Ellis County up to the normal pool elevation of 421 feet (impounds Waxahachie Creek)	5c	No

SegID: 0818 Cedar Creek Reservoir

From Joe B. Hoggsett Dam in Henderson County up to normal pool elevation of 322 feet (impounds Cedar Creek)

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
pH			
0818_01	Lowermost portion of the reservoir, adjacent to the dam.	5b	No
0818_02	Caney Creek cove	5b	Yes
0818_03	Clear Creek cove	5b	Yes
0818_04	Lower portion of reservoir east of Key Ranch Estates	5b	No
0818_05	Cove off lower portion of reservoir adjacent to Clearview Estates	5b	Yes
0818_06	Middle portion of reservoir downstream of Twin Creeks cove	5b	No
0818_07	Twin Creeks cove	5b	Yes
0818_08	Prairie Creek cove	5b	Yes
0818_09	Upper portion of reservoir adjacent to Lacy Fork cove	5b	No
0818_11	Upper portion of reservoir east of Tolosa	5b	No
0818_12	Uppermost portion of reservoir downstream of Kings Creek	5b	Yes

SegID: 0818B Cedar Creek above Cedar Creek Reservoir

Perennial stream from the confluence with Cedar Creek Reservoir at normal pool elevation upstream to the confluence of Muddy Cedar Creek and Rocky Cedar Creek in Kaufman County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
0818B_01	Perennial stream from the confluence with Cedar Creek Reservoir at normal pool elevation upstream to the confluence of Muddy Cedar Creek and Rocky Cedar Creek in Kaufman County	5c	No

SegID: 0818C Kings Creek

Intermittent stream with perennial pools from the confluence with Cedar Creek Reservoir at normal pool elevation upstream to the headwaters adjacent to FM 986 approximately 5 km north of Terrell in Kaufman County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
0818C_01	Intermittent stream with perennial pools from the confluence with Cedar Creek Reservoir at normal pool elevation upstream to the headwaters adjacent to FM 986 approximately 5 km north of Terrell in Kaufman County	5c	No

SegID: 0819 East Fork Trinity River

From the confluence with the Trinity River in Kaufman County to Rockwall-Forney Dam in Kaufman County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
sulfate			
0819_01	From the confluence with the Trinity River in Kaufman County to Rockwall-Forney Dam in Kaufman County	5c	No

SegID: 0820B Rowlett Creek

Perennial stream from the normal pool elevation of Lake Ray Hubbard upstream to the Parker Road crossing

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
0820B_01	Perennial stream from the normal pool elevation of Lake Ray Hubbard upstream to the Parker Road crossing	5c	No

SegID: 0821C Wilson Creek

From the confluence with Lake Lavon in Collin County up to West FM 455 (NHD RC 12030106000086), just east of Celina, Collin Co., TX.

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
0821C_01	From the confluence with Lake Lavon in Collin County up to West FM 455 (NHD RC 12030106000086), just east of Celina, Collin Co., TX.	5c	No

SegID: 0821D East Fork Trinity River above Lake Lavon

A portion of the East Fork Trinity River extending from the confluence with Lake Lavon (segment 0821) to the upper end of the water body (NHD RC 12030106000074) in Grayson County, Texas.

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
0821D_01	A portion of the East Fork Trinity River extending from the confluence with Lake Lavon (segment 0821) to the upper end of the water body (NHD RC 12030106000074) in Grayson County, Texas.	5c	No

SegID: 0822A Cottonwood Branch

A 6 mi stretch of Cottonwood Branch running upstream from confluence with Hackberry Creek, to Valley View Road in Dallas County.

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
0822A_02	A 3.5 mi stretch of Cottonwood Branch running upstream from approximately 0.5 mi downstream of N. Story Rd. to Valley View Rd, Dallas, Co.	4a	No

SegID: 0824 Elm Fork Trinity River Above Ray Roberts Lake

From a point 9.5 km (5.9 mi) downstream of the confluence of Pecan Creek in Cooke County to US 82 in Montague County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
0824_03	3.5 mi reach near SH 51	5c	No

SegID: 0826 Grapevine Lake
From Grapevine Dam in Tarrant County up to normal pool elevation of 535 feet (impounds Denton Creek)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
pH		
0826_07 Upper portion of reservoir east of Marshall Creek Park	5c	Yes

SegID: 0827A White Rock Creek above White Rock Lake
Perennial stream from the headwaters of White Rock Lake upstream to the headwaters at Hilcrest Road in Frisco

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
0827A_01 Perennial stream from the headwaters of White Rock Lake upstream to the confluence with McKamy Branch east of the City of Addison	5c	No

SegID: 0828A Village Creek
From the confluence with Lake Arlington in Tarrant County to the headwaters east of Joshua in Johnson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
0828A_01 From Lake Arlington to the headwaters	5c	No

SegID: 0829 Clear Fork Trinity River Below Benbrook Lake
From the confluence with the West Fork Trinity River in Tarrant County to Benbrook Dam in Tarrant County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
0829_02 From 1 mi upstream of the confluence with West Fork Trinity River up to the confluence with Mary's Creek	5c	No

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
dioxin in edible tissue		
0829_01 From the confluence with West Fork Trinity River to 1 mi upstream	5a	No
0829_02 From 1 mi upstream of the confluence with West Fork Trinity River up to the confluence with Mary's Creek	5a	No
0829_03 From the confluence with Mary's Creek up to Benbrook Dam in Tarrant County, TX	5a	No

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
PCBs in edible tissue		
0829_01 From the confluence with West Fork Trinity River to 1 mi upstream	5a	No
0829_02 From 1 mi upstream of the confluence with West Fork Trinity River up to the confluence with Mary's Creek	5a	No
0829_03 From the confluence with Mary's Creek up to Benbrook Dam in Tarrant County, TX	5a	No

SegID: 0829A Lake Como

From Lake Como Dam to the reservoir headwaters in Lake Como Park in Tarrant County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
dieldrin in edible tissue		
0829A_01 From Lake Como Dam to the reservoir headwaters in Lake Como Park in Tarrant County	4a	No
dioxin in edible tissue		
0829A_01 From Lake Como Dam to the reservoir headwaters in Lake Como Park in Tarrant County	5a	No
PCBs in edible tissue		
0829A_01 From Lake Como Dam to the reservoir headwaters in Lake Como Park in Tarrant County	4a	No

SegID: 0831 Clear Fork Trinity River Below Lake Weatherford

From a point 200 meters (220 yards) downstream of US 377 in Tarrant County to Weatherford Dam in Parker County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
0831_01 Lower 12.75 mi, downstream from South Fork Trinity River confluence	5c	No
depressed dissolved oxygen		
0831_04 2 mi upstream of South Fork Trinity River confluence to Squaw Creek Confluence	5c	Yes

SegID: 0833 Clear Fork Trinity River Above Lake Weatherford

From a point 3.1 km (1.9 mi) upstream of FM 730 in Parker County, to the confluence with Strickland Creek approximately 8 km (5 mi) upstream of FM 51 in Parker County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen		
0833_03 From the confluence of McKnight Branch to the confluence of Strickland Ck. approximately 8 km (5 mi) upstream of FM 51 in Parker County.	5b	Yes
0833_04 From the confluence with Dobbs Branch to confluence with McKnight Branch	5b	Yes
0833_05 From the confluence of Dobbs Branch to the lower end of segment	5c	Yes

SegID: 0833A Clear Fork Trinity River Above Strickland Creek.

From the confluence with Strickland Creek up to Turpin Lake Road in Parker County.

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen		
0833A_01 From the confluence with Strickland Creek up to Turpin Lake Road in Parker County.	5c	Yes

SegID: 0836 Richland-Chambers Reservoir

From Richland-Chambers Dam to a point immediately upstream of the confluence of Pin Oak Creek on the Richland Creek Arm and to a point 4.0 km (2.5 mi) downstream of Tupelo Branch on the Chambers Creek Arm, up to the normal pool elevation of 315 ft (impound)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
0836_07 Remainder of reservoir	5c	No

SegID: 0836B Cedar Creek

From the confluence with Richland Chambers Reservoir to the upper end of the creek (NHD RC 12030109012807)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen		
0836B_01 From the confluence with Richland Chambers Reservoir to the upper end of the creek (NHD RC 12030109012807)	5b	Yes

SegID: 0841 Lower West Fork Trinity River

From a point immediately upstream of the confluence of the Elm Fork Trinity River in Dallas County to a point immediately upstream of the confluence of Village Creek in Tarrant County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
0841_01 From confluence of the Elm Fork Trinity River to the confluence with Johnson Creek.	4a	No
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
dioxin in edible tissue		
0841_01 From confluence of the Elm Fork Trinity River to the confluence with Johnson Creek.	5a	No
0841_02 From the confluence with Johnson Creek upstream to the confluence of Village Creek.	5a	No
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
PCBs in edible tissue		
0841_01 From confluence of the Elm Fork Trinity River to the confluence with Johnson Creek.	5a	No
0841_02 From the confluence with Johnson Creek upstream to the confluence of Village Creek.	5a	No

SegID: 0841A Mountain Creek Lake

From Mountain Creek Lake Dam to the reservoir headwater at the confluence of Mountain and Fish Creeks, in Dallas County (impounds Mountain Creek)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
dioxin in edible tissue		
0841A_01 From Mountain Creek Lake Dam to the reservoir headwater at the confluence of Mountain and Fish Creeks, in Dallas County (impounds Mountain Creek)	5a	No
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
PCBs in edible tissue		
0841A_01 From Mountain Creek Lake Dam to the reservoir headwater at the confluence of Mountain and Fish Creeks, in Dallas County (impounds Mountain Creek)	4a	No

SegID: 0841F Cottonwood Creek

A 6.5 mi stretch of Cottonwood Creek running upstream from approx. 0.1 mi upstream of Mountain Creek Reservoir in Dallas Co., to SH 360 in, Tarrant Co.

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
0841F_01	A 6.5 mi stretch of Cottonwood Creek running upstream from approx. 0.1 mi upstream of Mountain Creek Reservoir in Dallas Co., to SH 360 in, Tarrant Co.	4a	No

SegID: 0841G Dalworth Creek

A 2.2 mi stretch of Dalworth Creek running upstream from confluence with Lower W. Fork Trinity to County Line Road in Grand Prairie, Dallas Co.

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
0841G_01	A 2.2 mi stretch of Dalworth Creek running upstream from confluence with Lower W. Fork Trinity to County Line Road in Grand Prairie, Dallas Co.	4a	No

SegID: 0841K Fish Creek

A 15 mi stretch of Fish Creek running upstream from the confluence with Mountain Creek Reservoir in Grand Prairie, Dallas Co., to the upper end of the creek (NHD RC 12030102000107) in Arlington, Tarrant Co.

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
0841K_01	A 15 mi stretch of Fish Creek running upstream from the confluence with Mountain Creek Reservoir in Grand Prairie, Dallas Co., to the upper end of the creek (NHD RC 12030102000107) in Arlington, Tarrant Co.	4a	No

SegID: 0841L Johnson Creek

Four mi stretch of Johnson Creek running upstream from confluence with the Arbor Creek to just upstream of I30 in Grand Prairie, Tarrant Co.

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
0841L_01	From the confluence with the Lower West Fork Trinity River, upstream to just south of Mayfield Road in Arlington, Tarrant Co..	4a	No

SegID: 0841M Kee Branch

Six mi stretch of Kee Branch running upstream from confluence with Rush Creek to upper end of the creek (NHD RC 12030102000165).

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
0841M_01	Six mi stretch of Kee Branch running upstream from confluence with Rush Creek to upper end of the creek (NHD RC 12030102000165).	4a	No

SegID: 0841N Kirby Creek

Four mi stretch of Kirby Creek running upstream from confluence with Fish Creek in Grand Prairie, Dallas Co., to just upstream of Great Southwest Parkway in Arlington, Tarrant Co.

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
0841N_01 Four mi stretch of Kirby Creek running upstream from confluence with Fish Creek in Grand Prairie, Dallas Co., to just upstream of Great Southwest Parkway in Arlington, Tarrant Co.	4a	No

SegID: 0841Q North Fork Fish Creek

North Fork Fish Creek from confluence with Fish Creek in Dallas Co. upstream to SH 360 in Tarrant Co.

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
0841Q_01 North Fork Fish Creek from confluence with Fish Creek in Dallas Co. upstream to SH 360 in Tarrant Co.	5a	No

SegID: 0841U West Irving Creek

A 4 mi stretch of West Irving Branch running upstream from approx. 0.4 mi downstream of Oakdale Rd. to just south of Sowers Road in Irving, Dallas Co.

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
0841U_01 A 4 mi stretch of West Irving Branch running upstream from approx. 0.4 mi downstream of Oakdale Rd. to just south of Sowers Road in Irving, Dallas Co.	4a	No

SegID: 0841V Crockett Branch

A 1 mi (1.5 KM) stretch of Crockett Branch extending upstream from the confluence with Cottonwood Creek to the upper end of the creek (NHD RC 12030102044745)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
0841V_01 A 1 mi (1.5 KM) stretch of Crockett Branch extending upstream from the confluence with Cottonwood Creek to the upper end of the creek (NHD RC 12030102044745)	4a	No

SegID: 0901 Cedar Bayou Tidal

From the confluence with Galveston Bay 1.0 km (0.6 mi) downstream of Tri-City Beach Road in Chambers County to a point 2.2 km (1.4 mi) upstream of IH 10 in Chambers/Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
0901_01 From the confluence with Galveston Bay 1.0 km (0.6 mi) downstream of Tri-City Beach Road to a point 2.2 km (1.4 miles) upstream of IH 10	5c	No

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
dioxin in edible tissue		
0901_01 From the confluence with Galveston Bay 1.0 km (0.6 mi) downstream of Tri-City Beach Road to a point 2.2 km (1.4 miles) upstream of IH 10	5a	No

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
PCBs in edible tissue		
0901_01 From the confluence with Galveston Bay 1.0 km (0.6 mi) downstream of Tri-City Beach Road to a point 2.2 km (1.4 miles) upstream of IH 10	5a	No

SegID: 0901A Cary Bayou

From the confluence with Cedar Bayou Tidal to 0.8 km upstream of East Archer Rd

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
0901A_01 From the confluence with Cedar Bayou Tidal to 0.8 km upstream of East Archer Rd	5c	No
depressed dissolved oxygen		
0901A_01 From the confluence with Cedar Bayou Tidal to 0.8 km upstream of East Archer Rd	5c	No

SegID: 0902 Cedar Bayou Above Tidal

From a point 2.2 km (1.4 mi) upstream of IH 10 in Chambers/Harris County to a point 7.4 km (4.6 mi) upstream of FM 1960 in Liberty County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
0902_01 From a point 2.2 km (1.4 miles) upstream of IH 10 to a point 7.4 km (4.6 miles) upstream of FM 1960	5c	No
depressed dissolved oxygen		
0902_01 From a point 2.2 km (1.4 miles) upstream of IH 10 to a point 7.4 km (4.6 miles) upstream of FM 1960	5c	No

SegID: 1001 San Jacinto River Tidal

From a point 100 meters (110yards) downstream of IH 10 in Harris County to Lake Houston Dam in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
dioxin in edible tissue		
1001_01 From Lake Houston Dam to US Hwy 90	5a	No
1001_02 From US Hwy 90 to IH 10	5a	No
PCBs in edible tissue		
1001_01 From Lake Houston Dam to US Hwy 90	5a	No
1001_02 From US Hwy 90 to IH 10	5a	No

SegID: 1002 Lake Houston

From Lake Houston Dam in Harris County to the confluence of Spring Creek on the West Fork San Jacinto Arm in Harris/Montgomery County and to the confluence of Caney Creek on the East Fork San Jacinto Arm in Harris County, up to normal pool elevation of 44

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1002_06 From the confluence with Spring Creek to West Lake Houston Pkwy	4a	No
pH		
1002_02 From West Lake Houston Parkway to FM 1960 West Pass	5c	Yes

SegID: 1002C Lake Isabell

Small lake located at the southern end of Lake Houston Park northeast of the Caney Creek (1010) and East Fork of the San Jacinto River (1003) confluence in Harris County.

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
mercury in edible tissue		
1002C_01 Small lake located at the southern end of Lake Houston Park northeast of the Caney Creek (1010) and East Fork of the San Jacinto River (1003) confluence in Harris County.	5c	No

SegID: 1003 East Fork San Jacinto River

From the confluence of Caney Creek in Harris County to US 190 in Walker County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1003_01 From the Caney Creek confluence upstream to US 59	4a	No
1003_02 From US Hwy 59 to a point immediately downstream of State Hwy 150	4a	No
1003_03 From a point immediately downstream of State Hwy 150 to US 190 (upper segment boundary)	4a	No

SegID: 1004 West Fork San Jacinto River

From the confluence of Spring Creek in Harris/Montgomery County to Conroe Dam in Montgomery County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1004_02 From the Stewart Creek confluence upstream to the Lake Conroe Dam	4a	No

SegID: 1004E Stewarts Creek

From headwaters northwest of old Montgomery Rd to confluence with West Fork of the San Jacinto River

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1004E_02 From Airport Rd to confluence with West Fork San Jacinto River	4a	No

SegID: 1005 Houston Ship Channel/San Jacinto River Tidal

From the confluence with Galveston Bay at Morgan's Point in Harris/Chambers County to a point 100 meters (110 yards) downstream of IH 10 in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
dioxin in edible tissue		
1005_01 Downstream I-10 to Lynchburg Ferry Road	5a	No
1005_02 Lynchburg Ferry Road to Goose Island	5a	No
1005_03 Goose Island to SH 146	5a	No
1005_04 SH 146 to Morgans Point	5a	No
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
PCBs in edible tissue		
1005_01 Downstream I-10 to Lynchburg Ferry Road	5a	No
1005_02 Lynchburg Ferry Road to Goose Island	5a	No
1005_03 Goose Island to SH 146	5a	No
1005_04 SH 146 to Morgans Point	5a	No

SegID: 1006 Houston Ship Channel Tidal

From the confluence with the San Jacinto River in Harris County to a point immediately upstream of Greens Bayou in Harris County, including tidal portions of tributaries

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (General Use)		
1006_05 Goodyear Creek-From confluence with Greens Bayou Tidal to Granada St. in Harris County	5c	No
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
dioxin in edible tissue		
1006_01 Houston Ship Channel Tidal-From the Greens Bayou confluence to the Patrick Bayou confluence	5a	No
1006_02 Houston Ship Channel Tidal- From the Patrick Bayou confluence to the Houston Ship Channel/San Jacinto River Tidal (1005) confluence	5a	No
1006_03 Greens Bayou Tidal- From the Houston Ship Channel confluence to a point 0.7 km (0.4 miles) upstream of the Halls Bayou confluence	5a	No
1006_04 Patrick Bayou Tidal - From the confluence with the Houston Ship Channel to 100 m (328 ft) upstream of the railroad bridge	5a	No
1006_05 Goodyear Creek-From confluence with Greens Bayou Tidal to Granada St. in Harris County	5a	No
1006_06 Tucker Bayou- From the Houston Ship Channel confluence to a point 2.7 km (1.7 mi) upstream	5a	No
1006_07 Carpenters Bayou-From the Houston Ship Channel confluence to the lower boundary of 1006B (2.3 m/ 1.4 mi) upstream from the Houston Ship Channel confluence)	5a	No
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
mercury in water		
1006_04 Patrick Bayou Tidal - From the confluence with the Houston Ship Channel to 100 m (328 ft) upstream of the railroad bridge	5c	Yes
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
PCBs in edible tissue		
1006_01 Houston Ship Channel Tidal-From the Greens Bayou confluence to the Patrick Bayou confluence	5a	No
1006_02 Houston Ship Channel Tidal- From the Patrick Bayou confluence to the Houston Ship Channel/San Jacinto River Tidal (1005) confluence	5a	No
1006_03 Greens Bayou Tidal- From the Houston Ship Channel confluence to a point 0.7 km (0.4 miles) upstream of the Halls Bayou confluence	5a	No
1006_04 Patrick Bayou Tidal - From the confluence with the Houston Ship Channel to 100 m (328 ft) upstream of the railroad bridge	5a	No
1006_05 Goodyear Creek-From confluence with Greens Bayou Tidal to Granada St. in Harris County	5a	No
1006_06 Tucker Bayou- From the Houston Ship Channel confluence to a point 2.7 km (1.7 mi) upstream	5a	No
1006_07 Carpenters Bayou-From the Houston Ship Channel confluence to the lower boundary of 1006B (2.3 m/ 1.4 mi) upstream from the Houston Ship Channel confluence)	5a	No
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
toxicity in sediment		
1006_04 Patrick Bayou Tidal - From the confluence with the Houston Ship Channel to 100 m (328 ft) upstream of the railroad bridge	5c	Yes

SegID: 1006D Halls Bayou

From the Greens Bayou confluence upstream to Frick Road in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1006D_01 From the Greens Bayou confluence upstream to US 59	4a	No
1006D_02 From US 59 upstream to Frick Road	4a	No

SegID: 1006F Big Gulch Above Tidal

From the confluence with Greens Bayou Tidal to Wallisville Road in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1006F_01 From the confluence with Greens Bayou Tidal to Wallisville Road in Harris County	4a	No

SegID: 1006H Spring Gully Above Tidal

From confluence with Greens Bayou to US 90 in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1006H_01 From confluence with Greens Bayou to US 90 in Harris County	4a	No

SegID: 1006I Unnamed Tributary of Halls Bayou

From the confluence with Halls Bayou to a point 0.13 mi upstream of Richland Drive in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1006I_01 From the confluence with Halls Bayou to a point 0.13 mi upstream of Richland Drive in Harris County	4a	No

SegID: 1006J Unnamed Tributary of Halls Bayou

From the confluence with Halls Bayou (east of US 59 and south of Langley Road) to Mount Houston Road in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1006J_01 From the Halls Bayou confluence (east of US 59 and south of Langley Road) to Mount Houston Road	4a	No

SegID: 1007 Houston Ship Channel/Buffalo Bayou Tidal

From a point immediately upstream of Greens Bayou in Harris County to a point 100 meters (110 yards) upstream of US 59 in Harris County, including tidal portion of tributaries

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (General Use)		
1007_05 Vince Bayou Tidal - From the Houston Ship Channel confluence to SH 225	5c	No
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
dioxin in edible tissue		
1007_01 Houston Ship Channel - From a point immediately upstream of Greens Bayou Tidal to immediately upstream of the 69th Street WWTP outfall	5a	No
1007_02 Sims Bayou Tidal - From the Houston Ship Channel confluence to a point 11 km (6.8 mi) upstream	5a	No
1007_03 Hunting Bayou Tidal - From the Houston Ship Channel confluence to IH-10	5a	No
1007_04 Brays Bayou Tidal - From the Houston Ship Channel confluence to downstream of IH-45	5a	No
1007_05 Vince Bayou Tidal - From the Houston Ship Channel confluence to SH 225	5a	No
1007_06 Berry Bayou - From the Houston Ship Channel confluence to a point 2.4 km (1.5 mi) upstream of the Sims Bayou confluence	5a	No
1007_07 Buffalo Bayou - From immediately upstream of 69th Street WWTP outfall to US 59	5a	No
1007_08 Little Vince Bayou Tidal - From the Vince Bayou confluence to SH 225	5a	No
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
PCBs in edible tissue		
1007_01 Houston Ship Channel - From a point immediately upstream of Greens Bayou Tidal to immediately upstream of the 69th Street WWTP outfall	5a	No
1007_02 Sims Bayou Tidal - From the Houston Ship Channel confluence to a point 11 km (6.8 mi) upstream	5a	No
1007_03 Hunting Bayou Tidal - From the Houston Ship Channel confluence to IH-10	5a	No
1007_04 Brays Bayou Tidal - From the Houston Ship Channel confluence to downstream of IH-45	5a	No
1007_05 Vince Bayou Tidal - From the Houston Ship Channel confluence to SH 225	5a	No
1007_06 Berry Bayou - From the Houston Ship Channel confluence to a point 2.4 km (1.5 mi) upstream of the Sims Bayou confluence	5a	No
1007_07 Buffalo Bayou - From immediately upstream of 69th Street WWTP outfall to US 59	5a	No
1007_08 Little Vince Bayou Tidal - From the Vince Bayou confluence to SH 225	5a	No
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
toxicity in sediment		
1007_05 Vince Bayou Tidal - From the Houston Ship Channel confluence to SH 225	5c	Yes

SegID: 1007A Canal C-147

From the confluence with Sims Bayou to a point 0.71 km east of Beltway 8 in Houston

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1007A_01 From the confluence with Sims Bayou upstream to a point 0.71 km east of Beltway 8	4a	No

SegID: 1007B Brays Bayou Above Tidal

From a point 11.5 km (7.1 mi) upstream of confluence with Houston Ship Channel up to SH 6

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1007B_01 From a point 11.5 km (7.1 mi) upstream of confluence with Houston Ship Channel up to SH 6	4a	No
1007B_02 From State Highway 6 upstream to Clodine Road	4a	No

SegID: 1007C Keegans Bayou Above Tidal

From the Brays Bayou confluence upstream to Harris County line

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1007C_01 From the Brays Bayou confluence to the Harris County Line	4a	No

SegID: 1007D Sims Bayou Above Tidal

Perennial stream from 11.0 km upstream of confluence with Houston Ship Channel upstream to Hiram Clark Drive

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1007D_01 From Fort Bend Parkway to Hiram Clarke	4a	No
1007D_02 From Hiram Clark to 11 miles upstream of the confluence with the Houston Ship Channel	4a	No
1007D_03 From 11 miles upstream of the Houston Ship Channel confluence to SH 35	4a	No

SegID: 1007E Willow Waterhole Bayou Above Tidal

From the Brays Bayou confluence upstream to South Garden (in Missouri City)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1007E_01 From the Brays Bayou confluence upstream to South Garden Street	4a	No

SegID: 1007F Berry Bayou Above Tidal

From a point 2.4 km (1.5 mi) upstream of the Sims Bayou confluence to the southern city limits of South Houston

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1007F_01 From a point 2.4 km (1.5 mi) upstream of the Sims Bayou confluence to SH 3	4a	No

SegID: 1007G Kuhlman Gully Above Tidal

From Brays Bayou confluence to Atchison, Topeka and Santa Fe Railroad tracks in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1007G_01 From Brays Bayou confluence to Atchison, Topeka and Santa Fe Railroad tracks	4a	No

SegID: 1007H Pine Gully Above Tidal

From the Sims Bayou confluence to 0.11 km (0.07 mi) east of Broadway Street in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1007H_01 From the Sims Bayou confluence to 0.11 km (0.07 mi) east of Broadway Street	4a	No
depressed dissolved oxygen		
1007H_01 From the Sims Bayou confluence to 0.11 km (0.07 mi) east of Broadway Street	5c	No

SegID: 1007I Plum Creek Above Tidal

From the Sims Bayou confluence to Telephone Road in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1007I_01 From the Sims Bayou confluence to Telephone Road in Harris County	4a	No
depressed dissolved oxygen		
1007I_01 From the Sims Bayou confluence to Telephone Road in Harris County	5c	No

SegID: 1007K Country Club Bayou Above Tidal

From just downstream of South Lockwood Drive to the confluence with Brays Bayou to approximately 0.5 mi upstream of North Wayside Drive in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1007K_01 From just downstream of South Lockwood Drive to the confluence with Brays Bayou	4a	No
depressed dissolved oxygen		
1007K_01 From just downstream of South Lockwood Drive to the confluence with Brays Bayou	5c	No

SegID: 1007L Unnamed Tributary of Brays Bayou

From the Brays Bayou confluence near Fondren Road to a point 0.97 km (0.60 mi) upstream in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1007L_01 From the Brays Bayou confluence near Fondren Road to a point (0.37 km) 0.60 miles upstream in Harris County	4a	No

SegID: 1007M Unnamed Tributary of Hunting Bayou

From the confluence with Hunting Bayou to Mercury Road in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1007M_01 From the confluence with Hunting Bayou to Mercury Road in Harris County	4a	No

SegID: 1007N Unnamed Tributary of Sims Bayou

From the confluence with Sims Bayou, south of Airport Road, east of SH 288 in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1007N_01 From the confluence with Sims Bayou, south of Airport Road, east of SH 288 in Harris County	4a	No

SegID: 1007O Unnamed Tributary of Buffalo Bayou

From the confluence with Buffalo Bayou to IH-10 between Hirsch Road and Lockwood in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1007O_01 From the confluence with Buffalo Bayou to IH-10 between Hirsch Road and Lockwood in Harris County	4a	No
depressed dissolved oxygen		
1007O_01 From the confluence with Buffalo Bayou to IH-10 between Hirsch Road and Lockwood in Harris County	5c	No

SegID: 1007R Hunting Bayou Above Tidal

From the confluence with Hunting Bayou Tidal at IH-10 to Maury Street on the north fork and Bain Street on the south fork

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1007R_01 From Bain Street to Sayers Street (South Fork)	4a	No
1007R_02 From just east of Elysian Street to Falls Street (North Fork)	4a	No
1007R_03 From Falls Street to Loop 610	4a	No
1007R_04 From Loop 610 East to IH 10	4a	No
depressed dissolved oxygen		
1007R_01 From Bain Street to Sayers Street (South Fork)	5c	Yes
1007R_04 From Loop 610 East to IH 10	5c	Yes

SegID: 1007S Poor Farm Ditch

From the Brays Bayou confluence upstream 3.6 km (2.3 mi) to the Bissonnet Road bridge crossing

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1007S_01 From the Brays Bayou confluence upstream 3.6 km (2.3 mi) to the Bissonnet Road bridge crossing	4a	No

SegID: 1007T Bintliff Ditch

From the Brays Bayou confluence upstream 5.8 km (3.6 mi) to the Fondren Road bridge crossing

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1007T_01 From the Brays Bayou confluence to 0.57 km (0.35 mi) upstream of the Fondren Road bridge crossing	4a	No

SegID: 1007U Mimosa Ditch

From the Brays Bayou confluence upstream 2.9 km (1.8 mi) to the Chimney Rock bridge crossing

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1007U_01	From the Brays Bayou confluence upstream 2.9 km (1.8 mi) to the Chimney Rock bridge crossing	4a	No

SegID: 1007V Unnamed Tributary of Hunting Bayou

From the Hunting Bayou confluence to 1.7 km (1.1 mi) upstream of the confluence (0.3 km west of Collingsworth Street)

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1007V_01	From the Hunting Bayou confluence to 1.7 km (1.1 mi) upstream of the confluence (0.3 km west of Collingsworth Street)	4a	No

SegID: 1007W Harris County Flood Control Ditch D 138

From the confluence with Brays Bayou to a point immediately south of Beechnut Street in Houston

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1007W_01	From the confluence with Brays Bayou to a point immediately south of Beechnut Street in Houston	5a	No

SegID: 1008 Spring Creek

From the confluence with the West Fork of the San Jacinto River in Harris/Montgomery County to the confluence with Kickapoo Creek in Harris/Waller County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1008_02	Kickapoo Creek confluence to SH 249	4a	No
1008_03	SH 249 to IH 45	4a	No
1008_04	IH 45 to the confluence with Lake Houston	4a	No

SegID: 1008C Lower Panther Branch

From the Spring Creek confluence upstream to the dam impounding Lake Woodlands in Montgomery County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1008C_01	From Spring Creek confluence upstream to Saw Dust Road	4a	No
1008C_02	From Saw Dust Road to the Lake Woodlands Dam	4a	No

SegID: 1008H Willow Creek

From the Spring Creek confluence to a point 0.48 km (0.3 mi) north of Juergen Rd

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1008H_01 From the Spring Creek confluence to a point 0.48 km (0.3 mi) north of Juergen Rd	4a	No

SegID: 1008I Walnut Creek

From the Spring Creek confluence to a point 41.1 km (25.5 mi) upstream

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1008I_01 From the Spring Creek confluence to a point 41.1 km (25.5 mi) upstream	5a	No

SegID: 1008J Brushy Creek

From the Spring Creek confluence upstream to a point 5.6 km (3.5 mi) upstream of FM 1488

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1008J_01 From the Spring Creek confluence upstream to a point 5.6 km (3.5 mi) upstream of FM 1488	5a	No

SegID: 1009 Cypress Creek

From the confluence with Spring Creek in Harris County to the confluence of Snake Creek and Mound Creek in Waller County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1009_01 Upper portion of segment to downstream of US 290	4a	No
1009_02 US 290 to SH 249	4a	No
1009_03 SH 249 to IH 45	4a	No
1009_04 IH 45 to confluence with Spring Creek	4a	No

SegID: 1009C Faulkey Gully

From Cypress Creek confluence with upstream 3.2 km (2.0 mi), which is approximately 1.0 km upstream of Louetta Road

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1009C_01 From the Cypress Creek confluence to a point 11.7 km (7.2 mi) upstream	4a	No

SegID: 1009D Spring Gully

From the Cypress Creek confluence upstream to near Spring Cypress Road

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1009D_01 From the Cypress Creek confluence upstream to near Spring Cypress Road	4a	No

SegID: 1009E Little Cypress Creek

From the Cypress Creek confluence to a point 11 km (6.8 mi) upstream in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1009E_01 From the Cypress Creek confluence to a point 11 km (6.8 mi) upstream	4a	No

SegID: 1010 Caney Creek

From the confluence with the East Fork San Jacinto River in Harris County to SH 150 in Walker County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1010_02 FM 1097 to SH 105	4a	No
1010_03 SH 105 to FM 2090	5c	No
1010_04 FM 2090 to lower segment boundary	4a	No

SegID: 1010C Spring Branch

From the Caney Creek confluence to a point 0.54 km (0.34 mi) upstream of SH 105

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1010C_01 From the Caney Creek confluence to a point 0.54 km (0.34 mi) upstream of SH 105	5a	No
depressed dissolved oxygen		
1010C_01 From the Caney Creek confluence to a point 0.54 km (0.34 mi) upstream of SH 105	5c	Yes

SegID: 1011 Peach Creek

From the confluence with Caney Creek in Montgomery County to SH 150 in Walker County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1011_01 Upper segment boundary to US Hwy 59	4a	No
1011_02 US Hwy 59 to confluence with Caney Creek	4a	No

SegID: 1013 Buffalo Bayou Tidal

From a point 100 meters (110 yards) upstream of US 59 in Harris County to a point 400 meters (440 yards) upstream of Shepherd Drive in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1013_01 From a point immediately upstream of US 59 to a point immediately upstream of Shepard Drive	4a	No

SegID: 1013A Little White Oak Bayou

From the White Oak Bayou confluence to Yale Street in Harris County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1013A_01	From the confluence of White Oak Bayou upstream to the RR Tracks north of IH 610	4a	No
depressed dissolved oxygen			
1013A_01	From the confluence of White Oak Bayou upstream to the RR Tracks north of IH 610	5c	No

SegID: 1013C Unnamed Non-Tidal Tributary of Buffalo Bayou Tidal

Located approximately 1.8 mi upstream of the Buffalo Bayou/White Oak Bayou confluence between IH-10 and Memorial Drive west of IH-45 in Harris County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1013C_01	Located approximately 1.8 mi upstream of the Buffalo Bayou/White Oak Bayou confluence between IH-10 and Memorial Drive west of IH-45 in Harris County	4a	No
depressed dissolved oxygen			
1013C_01	Located approximately 1.8 mi upstream of the Buffalo Bayou/White Oak Bayou confluence between IH-10 and Memorial Drive west of IH-45 in Harris County	5c	No

SegID: 1014 Buffalo Bayou Above Tidal

From a point 400 meters (440 yards) upstream of Shepherd Drive in Harris County to SH 6 in Harris County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1014_01	From a point immediately upstream of Shepherd Drive upstream to SH 6	4a	No

SegID: 1014A Bear Creek

Perennial stream from the confluence with South Mayde Creek upstream to the confluence with an unnamed tributary 1.24 km north of Longenbaugh Road

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1014A_01	Confluence with South Mayde Creek to a point upstream of an unnamed tributary north of Langenbaugh Road	4a	No

SegID: 1014B Buffalo Bayou/Barker Reservoir

Perennial stream from SH 6 in Harris County upstream to the confluence with Willow Fork Buffalo Bayou in Fort Bend County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1014B_01	From SH 6 to the confluence with Willow Fork Buffalo Bayou	4a	No

SegID: 1014C Horsepen Creek

From the Langham Creek confluence upstream to a point 0.1 km (0.06 mi) west of Barker Cypress Road

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1014C_01 From the Langham Creek confluence upstream to where channelization begins, 0.62 km (0.39 mi) north of FM 529	5a	No

SegID: 1014E Langham Creek

From the Dinner Creek confluence upstream to FM 529

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1014E_01 From the Bear Creek confluence upstream to the Dinner Creek confluence	4a	No

SegID: 1014H South Mayde Creek

Perennial stream in the Addicks Reservoir flood pool area from the confluence with Buffalo Bayou upstream to the confluence with an unnamed tributary 1.05 km south of Clay Road

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1014H_01 Perennial stream in the Addicks Reservoir flood pool area from the confluence with Buffalo Bayou upstream to the confluence with an unnamed tributary 1.3 km (0.8 mi) west of Barker-Cypress Road	4a	No

SegID: 1014K Turkey Creek

From the South Mayde Creek confluence upstream to FM 529, 1.1 km (0.68 mi) directly east of N. Eldridge Pkwy in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1014K_01 Perennial stream from the confluence with South Mayde Creek upstream to a point 0.16 km (0.1 mi) south of Clay Road	4a	No
1014K_02 Perennial stream from a point 0.16 km (0.1 mi) south of Clay Road upstream to FM 529 1.1 km (0.68 mi) directly east of N. Eldridge Pkwy	4a	No

SegID: 1014L Mason Creek

From the Buffalo Bayou confluence upstream to Mason Road upstream to 0.32 km (0.2 mi) east of Katyland Drive

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1014L_01 From the Buffalo Bayou confluence upstream to Mason Road	4a	No

SegID: 1014M Newman Branch (Neimans Bayou)

From the Buffalo Bayou Above Tidal confluence to 0.1 km (0.06 mi) upstream of Hammerly Blvd in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1014M_01 From the Buffalo Bayou confluence to 0.1 km (0.06 mi) upstream of Hammerly Blvd	4a	No
depressed dissolved oxygen		
1014M_01 From the Buffalo Bayou confluence to 0.1 km (0.06 mi) upstream of Hammerly Blvd	5b	No
impaired fish community		
1014M_01 From the Buffalo Bayou confluence to 0.1 km (0.06 mi) upstream of Hammerly Blvd	5b	Yes
impaired macrobenthic community		
1014M_01 From the Buffalo Bayou confluence to 0.1 km (0.06 mi) upstream of Hammerly Blvd	5b	Yes

SegID: 1014N Rummel Creek

From the Buffalo Bayou Above Tidal confluence to 1.2 km (0.75 mi) upstream of IH-10 in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1014N_01 From the Buffalo Bayou Above Tidal confluence to 1.2 km (0.75 mi) upstream of IH-10	4a	No

SegID: 1014O Spring Branch

From Buffalo Bayou Above Tidal confluence to 1.4 km (0.87 mi) upstream of Long Point Road in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1014O_01 From Buffalo Bayou Above Tidal confluence to 1.4 km (0.87 mi) upstream of Long Point Road in Harris County	4a	No

SegID: 1015A Mound Creek

From the confluence with Lake Creek to a point 0.69 km east of FM 149 near Conroe

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1015A_01 Perennial stream from the confluence with Lake Creek upstream to the confluence with an unnamed tributary approximately 0.75 km downstream of Rabon-Chapel Road	4a	No

SegID: 1016 Greens Bayou Above Tidal

From a point 0.7 km (0.4 mi) above the confluence of Halls Bayou in Harris County to a point 100 meters (110 yards) above FM 1960 in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1016_01 Upper segment boundary (FM 1960) to IH 45	4a	No
1016_02 IH 45 to US 59	4a	No
1016_03 From US 59 to the downstream boundary 0.7 km (0.4 miles) upstream of the Halls Bayou confluence	4a	No

SegID: 1016A Garners Bayou

From the confluence with Greens Bayou upstream to a point 0.89 km northeast of Will Clayton Parkway near Humble

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1016A_03 From the Greens Bayou confluence to the Williams Gully confluence	4a	No

SegID: 1016B Unnamed Tributary of Greens Bayou

From confluence with Greens Bayou to Hirsch Road in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1016B_01 From confluence with Greens Bayou to Hirsch Road in Harris County	4a	No

SegID: 1016C Unnamed Tributary of Greens Bayou

From the confluence with Greens Bayou, east of Aldine Westfield Road, to the Hardy Toll Road in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1016C_01 From the confluence with Greens Bayou, east of Aldine Westfield Road, to the Hardy Toll Road in Harris County	4a	No

SegID: 1016D Unnamed Tributary of Greens Bayou

From the confluence with Greens Bayou, west of El Dorado Country Club to Lee Road, west of US Hwy 59 in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1016D_01 From the confluence with Greens Bayou, west of El Dorado Country Club to Lee Road, west of US Hwy 59 in Harris County	4a	No
depressed dissolved oxygen		
1016D_01 From the confluence with Greens Bayou, west of El Dorado Country Club to Lee Road, west of US Hwy 59 in Harris County	5c	Yes

SegID: 1017 Whiteoak Bayou Above Tidal

From a point immediately upstream of the confluence of Little White Oak Bayou in Harris County to a point 3.0 km (1.9 mi) upstream of FM 1960 in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1017_01 Huffmeister Rd to the confluence with Vogel Creek	4a	No
1017_02 Vogel Creek to the Cole Creek confluence	4a	No
1017_03 Cole Creek confluence to the Brickhouse Gully confluence	4a	No
1017_04 From Brickhouse Gully confluence to a point immediately upstream of the confluence of Little White Oak Bayou in Harris Co. (lower segment boundary).	4a	No

SegID: 1017A Brickhouse Gully/Bayou

Perennial stream from the confluence with Whiteoak Bayou up to Gessner Road

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1017A_01 Perennial stream from the confluence with Whiteoak Bayou up to Gessner Road	4a	No

SegID: 1017B Cole Creek

Perennial stream from the confluence with White Oak Bayou up to south of Beltway 8

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1017B_02 From Flintlock Street to confluence with White Oak Bayou	4a	No

SegID: 1017C Vogel Creek

From the White Oak Bayou Above Tidal confluence to a point 3.2 km (2.0 mi) upstream of the White Oak Bayou confluence to just south of State Hwy 249 in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1017C_01 From the White Oak Bayou confluence to a point 3.2 km (2.0 mi) upstream	4a	No

SegID: 1017D Unnamed Tributary of Whiteoak Bayou

From the confluence with White Oak Bayou downstream of TC Jester, to Hempstead Hwy, north of US Hwy 290 in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1017D_01 From the confluence with White Oak Bayou downstream of TC Jester, to Hempstead Hwy, north of US Hwy 290 in Harris County	4a	No
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen		
1017D_01 From the confluence with White Oak Bayou downstream of TC Jester, to Hempstead Hwy, north of US Hwy 290 in Harris County	5c	Yes

SegID: 1017E Unnamed Tributary of White Oak Bayou

From the confluence with White Oak, near W 11th Street, to just upstream of W 26th Street, south of Loop 610 W in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1017E_01 From the confluence with White Oak, near W 11th Street, to just upstream of W 26th Street, south of Loop 610 W in Harris County	4a	No

SegID: 1017F Rolling Fork Creek

From the White Oak Bayou Above Tidal confluence to a point 3.9 km (2.4 mi) upstream

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1017F_01 From the White Oak Bayou Above Tidal confluence to a point 3.9 km (2.4 mi) upstream	4a	No

SegID: 1101 Clear Creek Tidal

From the Clear Lake confluence at a point 3.2 km (2.0 mi) downstream of El Camino Real in Galveston/Harris County to a point 100 m (110 yards) upstream of FM528 in Galveston/Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1101_01 Upper segment boundary to Chigger Creek confluence	4a	Yes
1101_02 Chigger Creek confluence to IH 45	4a	Yes
1101_03 IH 45 to Cow Bayou confluence	4a	No
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
dioxin in edible tissue		
1101_01 Upper segment boundary to Chigger Creek confluence	5a	No
1101_02 Chigger Creek confluence to IH 45	5a	No
1101_03 IH 45 to Cow Bayou confluence	5a	No
1101_04 Cow Bayou confluence to confluence with Clear Lake	5a	No
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
PCBs in edible tissue		
1101_01 Upper segment boundary to Chigger Creek confluence	5a	No
1101_02 Chigger Creek confluence to IH 45	5a	No
1101_03 IH 45 to Cow Bayou confluence	5a	No
1101_04 Cow Bayou confluence to confluence with Clear Lake	5a	No

SegID: 1101A Magnolia Creek

From the Clear Creek Tidal confluence upstream to 0.8 km (0.5 mi) upstream of the confluence with the second unnamed tributary

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1101A_01 From the Clear Creek Tidal confluence upstream 7.7 km (4.8 mi)	4a	No

SegID: 1101C Cow Bayou

From the Clear Creek Tidal confluence to SH 3 in Galveston County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1101C_01 From the Clear Creek Tidal confluence to SH3	4a	No

SegID: 1101D Robinson Bayou

From confluence with Clear Creek to 0.33 mile upstream of Webster Street in Galveston County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1101D_01 From headwater to Abilene St	4a	No
1101D_02 From Abilene St. to confluence with Clear Creek Tidal	4a	Yes

SegID: 1101E Unnamed Trib of Clear Creek Tidal

From Clear Creek Tidal confluence to a point 3.2 km (2.0 mi) immediately downstream of I-45 in Galveston County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1101E_01 From the Clear Creek Tidal confluence to a point 3.0 km (1.9 mi) upstream	4a	Yes
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen		
1101E_01 From the Clear Creek Tidal confluence to a point 3.0 km (1.9 mi) upstream	5c	No

SegID: 1102 Clear Creek Above Tidal

From a point 100 meters (110 yards) upstream of FM 528 in Galveston/Harris County to Rouen Road in Fort Bend County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1102_04 Turkey Creek confluence to Mary's Creek confluence	4a	No
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
PCBs in edible tissue		
1102_01 Upper segment boundary (Rouen Road) to SH 288	5a	No
1102_02 SH 288 to Hickory Slough confluence	5a	No
1102_03 Hickory Slough confluence to Turkey Creek confluence	5a	No
1102_04 Turkey Creek confluence to Mary's Creek confluence	5a	No
1102_05 Mary's Creek confluence to lower segment boundary	5a	No

SegID: 1102A Cowart Creek

From the Clear Creek Above Tidal confluence in Galveston County to SH 35 in Brazoria County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1102A_01 Sunset Drive to SH 35	4a	Yes
1102A_02 Confluence with Clear Creek to Sunset Drive	4a	Yes

SegID: 1102B Mary's Creek/ North Fork Mary's Creek

Perennial stream from the confl. with Clear Creek upstream to the confl. with N. and S. Fork Mary's Creek near FM 1128, approx. 5 km SW of Pearland. Includes perennial portions of N. Fork Mary's Creek from the confl. of Mary's Creek to the confl. with unn

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1102B_01	From the Clear Creek Above Tidal confluence upstream to the N. and S. Fork Mary's Creek near FM 1128	4a	No

SegID: 1102D Turkey Creek

From the Clear Creek Above Tidal confluence to a point 0.98 km (0.61 mi) upstream of Scarsdale Blvd

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1102D_01	From the Clear Creek Above Tidal confluence to a point 0.98 km (0.61 mi) upstream of Scarsdale Blvd	4a	Yes

SegID: 1102F Mary's Creek Bypass

From the Mary's Creek confluence NE of FM 518 to a point 0.96 km (0.60 mi) upstream to the Mary's Creek confluence (NW of County Road 126)

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1102F_01	From the Mary's Creek confluence NE of FM 518 to a point 0.96 km (0.60 mi) upstream to the Mary's Creek confluence (NW of County Road 126)	4a	Yes

SegID: 1102G Unnamed Tributary of Mary's Creek

From the Mary's Creek confluence 1.3 km (0.84 mi) west of FM 1128 to a point 1.2 km (0.75 mi) upstream to the confluence of an unnamed tributary

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1102G_01	From the Mary's Creek confluence 1.3 km (0.84 mi) west of FM 1128 to a point 1.2 km (0.75 mi) upstream to the confluence of an unnamed tributary	4a	Yes

SegID: 1103 Dickinson Bayou Tidal

From the Dickinson Bay confluence 2.1 km (1.3 mi) downstream of SH 146 in Galveston County to a point 4.0 km (2.5 mi) downstream of FM 517 in Galveston County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1103_01 From the Dickinson Bay confluence (downstream of State Hwy 146) upstream to the Gum Bayou confluence	4a	No
1103_02 From the Gum Bayou confluence upstream to the Benson Bayou confluence	4a	No
1103_03 From the Benson Bayou confluence upstream to the Bordens Gully confluence	4a	Yes
1103_04 From the Bordens Gully confluence upstream to a point 4.0 km (2.5 mi) downstream of FM 517	4a	No
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen		
1103_01 From the Dickinson Bay confluence (downstream of State Hwy 146) upstream to the Gum Bayou confluence	5b	Yes
1103_02 From the Gum Bayou confluence upstream to the Benson Bayou confluence	5b	Yes
1103_03 From the Benson Bayou confluence upstream to the Bordens Gully confluence	5b	Yes
1103_04 From the Bordens Gully confluence upstream to a point 4.0 km (2.5 mi) downstream of FM 517	5b	No
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
dioxin in edible tissue		
1103_01 From the Dickinson Bay confluence (downstream of State Hwy 146) upstream to the Gum Bayou confluence	5a	No
1103_02 From the Gum Bayou confluence upstream to the Benson Bayou confluence	5a	No
1103_03 From the Benson Bayou confluence upstream to the Bordens Gully confluence	5a	No
1103_04 From the Bordens Gully confluence upstream to a point 4.0 km (2.5 mi) downstream of FM 517	5a	No
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
PCBs in edible tissue		
1103_01 From the Dickinson Bay confluence (downstream of State Hwy 146) upstream to the Gum Bayou confluence	5a	No
1103_02 From the Gum Bayou confluence upstream to the Benson Bayou confluence	5a	No
1103_03 From the Benson Bayou confluence upstream to the Bordens Gully confluence	5a	No
1103_04 From the Bordens Gully confluence upstream to a point 4.0 km (2.5 mi) downstream of FM 517	5a	No

SegID: 1103A Bensons Bayou

From the Dickinson Bayou confluence to point 0.6 km (0.37 mi) upstream of FM 646 in Galveston County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1103A_01 From the Dickinson Bayou Tidal confluence to point 0.6 km (0.37 mi) upstream of FM 646	4a	No
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen		
1103A_01 From the Dickinson Bayou Tidal confluence to point 0.6 km (0.37 mi) upstream of FM 646	5b	No

SegID: 1103B Bordens Gully

From the Dickinson Bayou Tidal confluence to a point 1.4 km (0.87 mi) upstream of FM 646 in Galveston County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1103B_01	From the Dickinson Bayou Tidal confluence to a point 1.4 km (0.87 mi) upstream of FM 646	4a	No
depressed dissolved oxygen			
1103B_01	From the Dickinson Bayou Tidal confluence to a point 1.4 km (0.87 mi) upstream of FM 646	5c	No

SegID: 1103C Geisler Bayou

From the Dickinson Bayou Tidal confluence to a point 1.37 km (0.85 mi) upstream of FM 646 in Galveston County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1103C_01	From the Dickinson Bayou Tidal confluence to a point 1.37 km (0.85 mi) upstream of FM 646	4a	No
depressed dissolved oxygen			
1103C_01	From the Dickinson Bayou Tidal confluence to a point 1.37 km (0.85 mi) upstream of FM 646	5b	No

SegID: 1103D Gum Bayou

From the Dickinson Bayou Tidal confluence to State Hwy 96 in Galveston County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1103D_01	From Dickinson Bayou Tidal confluence to State Hwy 96	4a	No

SegID: 1103E Cedar Creek

From the Dickinson Bayou Tidal confluence to a point 0.63 km (0.39 mi) upstream FM 517 in Galveston County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1103E_01	From the Dickinson Bayou Tidal confluence to a point 0.63 km (0.39 mi) upstream FM 517	4a	No

SegID: 1103G Unnamed Tributary of Gum Bayou

From the confluence with Gum Bayou to a point 0.39 mi south of the FM 646/FM 1266 intersection between League City and Dickinson

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1103G_01	From the confluence with Gum Bayou to a point 0.39 mi south of the FM 646/FM 1266 intersection between League City and Dickinson	5a	No

SegID: 1104 Dickinson Bayou Above Tidal

From a point 4.0 km (2.5 mi) downstream of FM 517 in Galveston County to FM 528 in Galveston County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1104_01	From the lower segment boundary (a point 4.0 km [2.5 mi] downstream of FM 517) to FM 517	4a	Yes
1104_02	From FM 517 upstream to FM 528	4a	No

SegID: 1105 Bastrop Bayou Tidal

From the confluence with Bastrop Bay 1.1 km (0.7 mi) downstream of the Intracoastal Waterway in Brazoria County to a point 8.6km (5.3 mi) upstream of Business 288 at Lake Jackson in Brazoria County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1105_01	From the confluence with Bastrop Bay 1.1 km (0.7 mi) downstream of the Intracoastal Waterway in Brazoria County to a point 8.6 km (5.3 mi) upstream of Business 288 at Lake Jackson in Brazoria County	5c	No

SegID: 1105A Flores Bayou

From the confluence with Austin Bayou Above Tidal upstream to SH 35 in Brazoria County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1105A_03	From the confluence with Austin Bayou Above Tidal upstream to the a point 2.6 km (1.6 mi) downstream of County Road 171	5c	No

SegID: 1105B Austin Bayou Tidal

From the Bastrop Bayou Tidal confluence to the confluence with Brushy Bayou in Brazoria County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1105B_01	From the Bastrop Bayou Tidal confluence to the confluence with Brushy Bayou in Brazoria County	5c	No

SegID: 1105C Austin Bayou Above Tidal

From the confluence of Bastrop Bayou upstream (Austin Bayou Tidal upper boundary) to 0.3 km (0.19 mi) upstream of SH 288 in Brazoria County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1105C_01	From the confluence of Bastrop Bayou upstream (Austin Bayou Tidal upper boundary) to 0.3 km (0.19 mi) upstream of SH 288 in Brazoria County	5c	No

SegID: 1105E Brushy Bayou

From the confluence with Austin Bayou Above Tidal (1105C) upstream to end of canal approximately 0.4 mi upstream of FM 210 crossing east of the City of Angleton in Brazoria County.

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1105E_01 From the confluence with Austin Bayou Above Tidal (1105C) upstream to end of canal approximately 0.4 mi upstream of FM 210 crossing east of the City of Angleton in Brazoria County.	5c	Yes
depressed dissolved oxygen		
1105E_01 From the confluence with Austin Bayou Above Tidal (1105C) upstream to end of canal approximately 0.4 mi upstream of FM 210 crossing east of the City of Angleton in Brazoria County.	5c	Yes

SegID: 1107 Chocolate Bayou Tidal

From the Chocolate Bay confluence 1.4 km (0.9 mi) downstream of FM 2004 to a point 4.2 km (2.6 mi) downstream of SH 35 in Brazoria County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1107_01 From the Chocolate Bay confluence 1.4 km (0.9 mi) downstream of FM 2004 to a point 4.2 km (2.6 mi) downstream of SH 35	5a	No
dioxin in edible tissue		
1107_01 From the Chocolate Bay confluence 1.4 km (0.9 mi) downstream of FM 2004 to a point 4.2 km (2.6 mi) downstream of SH 35	5a	No
PCBs in edible tissue		
1107_01 From the Chocolate Bay confluence 1.4 km (0.9 mi) downstream of FM 2004 to a point 4.2 km (2.6 mi) downstream of SH 35	5a	No

SegID: 1108 Chocolate Bayou Above Tidal

From a point 4.2 km (2.6 mi) downstream of SH 35 in Brazoria County to SH 6 in Brazoria County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1108_01 From a point 4.2 km (2.6 mi) downstream of SH 35 to SH 6	5a	No

SegID: 1109 Oyster Creek Tidal

From the Intercoastal Waterway confluence to a point 100 meters (110 yards) upstream of FM 2004 in Brazoria County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1109_01 From the Intracoastal Waterway confluence to a point 100 m (110 yds) upstream of FM 2004	5a	No

SegID: 1110 Oyster Creek Above Tidal

From a point 100 meters (110 yards) upstream of FM 2004 in Brazoria County to a point 4.3 km (2.7 mi) upstream of Scanlan Road in Fort Bend County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1110_01 From a point 100 meters (110 yards) upstream of FM 2004 in Brazoria County upstream to the Styles Bayou confluence	5a	No
depressed dissolved oxygen		
1110_01 From a point 100 meters (110 yards) upstream of FM 2004 in Brazoria County upstream to the Styles Bayou confluence	5c	Yes
1110_03 From an unnamed tributary [2.9 km (1.8 mi) downstream of FM 1462] upstream to a point 4.3 km (2.7 mi) upstream of Scanlan Road in Fort Bend County	5c	Yes

SegID: 1113 Armand Bayou Tidal

From the Clear Lake confluence (at NASA Road 1 bridge) in Harris County to a point 0.8 km (0.5 mi) downstream of Genoa-Red Bluff Road in Pasadena in Harris County (includes Mud Lake/Pasadena Lake)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1113_02 From the Horsepen Bayou confluence to the Big Island Slough confluence	4a	No
1113_03 From the Big Island Slough confluence upstream to a point 0.8 km (0.5 mi) downstream of Genoa-Red Bluff Road	4a	No
depressed dissolved oxygen		
1113_02 From the Horsepen Bayou confluence to the Big Island Slough confluence	5b	Yes
1113_03 From the Big Island Slough confluence upstream to a point 0.8 km (0.5 mi) downstream of Genoa-Red Bluff Road	5b	Yes
dioxin in edible tissue		
1113_01 From the Clear Lake confluence at Nasa Road 1 to the Horsepen Bayou confluence	5c	No
1113_02 From the Horsepen Bayou confluence to the Big Island Slough confluence	5c	No
1113_03 From the Big Island Slough confluence upstream to a point 0.8 km (0.5 mi) downstream of Genoa-Red Bluff Road	5c	No
PCBs in edible tissue		
1113_01 From the Clear Lake confluence at Nasa Road 1 to the Horsepen Bayou confluence	5c	No
1113_02 From the Horsepen Bayou confluence to the Big Island Slough confluence	5c	No
1113_03 From the Big Island Slough confluence upstream to a point 0.8 km (0.5 mi) downstream of Genoa-Red Bluff Road	5c	No

SegID: 1113A Armand Bayou Above Tidal

From the upper segment boundary of Armand Bayou Tidal, 0.8 km (0.5 mi) downstream of Genoa-Red Bluff Road), upstream to Beltway 8 in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1113A_01 From the upper segment boundary of Armand Bayou Tidal 0.8 km (0.5 mi) downstream of Genoa-Red Bluff Road) upstream to Beltway 8	4a	No
depressed dissolved oxygen		
1113A_01 From the upper segment boundary of Armand Bayou Tidal 0.8 km (0.5 mi) downstream of Genoa-Red Bluff Road) upstream to Beltway 8	5b	Yes
impaired fish community		
1113A_01 From the upper segment boundary of Armand Bayou Tidal 0.8 km (0.5 mi) downstream of Genoa-Red Bluff Road) upstream to Beltway 8	5b	Yes
impaired macrobenthic community		
1113A_01 From the upper segment boundary of Armand Bayou Tidal 0.8 km (0.5 mi) downstream of Genoa-Red Bluff Road) upstream to Beltway 8	5b	Yes

SegID: 1113B Horsepen Bayou Tidal

From the Armand Bayou confluence to the SH3

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1113B_01 From the Armand Bayou confluence to the SH3	4a	No

SegID: 1113C Unnamed Tributary to Horsepen Bayou

From the Horsepen Bayou confluence to Reseda Road

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1113C_01 From the Horsepen Bayou confluence to Reseda Drive	4a	No

SegID: 1113D Willow Springs Bayou

From the Armand Bayou confluence to a point 2.8 km (1.8 mi) upstream to an unnamed tributary

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1113D_01 From the Armand Bayou confluence to a point 2.8 km (1.8 mi) upstream to an unnamed tributary	4a	No

SegID: 1113E Big Island Slough

From the Armand Bayou confluence upstream to a point 2.4 km (1.5 mi) north of Spenser Hwy

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1113E_01	From the Armand Bayou confluence upstream to a point 2.4 km (1.5 mi) north of Spenser Hwy	4a	No

SegID: 1202 Brazos River Below Navasota River

From a point 100 meters (110 yards) upstream of SH 332 in Brazoria County to the confluence of the Navasota River in Grimes County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1202_01	Portion of the Brazos River from the confluence with the Brazos River Tidal in Brazoria County upstream to the confluence with Flat Bank Creek in Fort Bend County.	5c	No

SegID: 1202J Big Creek

Big Creek - from the confluence of the Brazos River upstream to the confluence of Cottonwood Creek and Coon Creek

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1202J_01	Big Creek from the confluence of the Brazos River upstream to the confluence of an unnamed tributary 2.1 km downstream of FM 2977 south of Rosenberg	5c	No
1202J_02	Big Creek Appendix D intermittent stream with perennial pools section from the confluence with an unnamed tributary 2.1 km downstream of FM 2977 upstream to the confluence of Cottonwood Creek and Coon Creek	5c	No

SegID: 1202K Mill Creek

From confluence of East and West Mill Creeks downstream to confluence with Brazos River

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1202K_01	Portion of Mill Creek from confluence with Brazos River upstream to confluence with East/West Forks Mill Creek in Austin County.	5c	No

SegID: 1204A Camp Creek

From its confluence with the Brazos River downstream of Lake Granbury, upstream to its headwaters, 0.9 mi north of US Hwy 67 in Johnson County.

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1204A_01	From its confluence with the Brazos River downstream of Lake Granbury, upstream to its headwaters, 0.9 mi north of US Hwy 67 in Johnson County.	5b	Yes

SegID: 1208 Brazos River Above Possum Kingdom Lake

From a point immediately upstream of the confluence of Cove Creek at Salem Bend in Young County to the confluence of the Double Mountain Fork Brazos River and the Salt Fork Brazos River in Stonewall County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1208_01 Portion of segment from confluence with Possum Kingdom Reservoir headwaters upstream to confluence with Spring Branch in Young County.	5c	Yes
1208_02 Portion of segment from confluence with Spring Branch upstream to confluence with Fish Creek	5c	No
1208_04 From confluence with Boggy Creek upstream to confluence with Millers Creek	5c	Yes
1208_05 From confluence with Millers Creek upstream to confluence with Lake Creek	5c	No

SegID: 1209 Navasota River Below Lake Limestone

From the confluence with the Brazos River in Grimes County to Sterling C. Robertson Dam in Leon/Robertson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1209_05 Portion of Navasota River from confluence with Camp Creek upstream to Lake Limestone Dam in Robertson County.	5a	No

SegID: 1209A Country Club Lake

From the Country Club Branch Dam up to normal pool elevation in Bryan in Brazos County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
toxicity in sediment		
1209A_01 From the Country Club Branch Dam up to normal pool elevation in Bryan in Brazos County	5c	Yes

SegID: 1209B Fin Feather Lake

From Fin Feather Dam up to normal pool elevation in northwest Bryan in Brazos County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
toxicity in sediment		
1209B_01 From Fin Feather Dam up to normal pool elevation in northwest Bryan in Brazos County	5c	Yes

SegID: 1209C Carters Creek

Perennial stream from the confluence with the Navasota River southeast of College Station in Brazos County upstream to the headwaters 1.6 km upstream on US 190

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1209C_01 Perennial stream from the confluence with the Navasota River upstream to the confluence of an unnamed tributary 0.5 km upstream of FM 158; App D	4a	No

SegID: 1209D Country Club Branch

From the confluence with Country Club Lake in Bryan in Brazos County to the dam at Fin Feather Lake in Bryan

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1209D_01 From the confluence with Country Club Lake in Bryan in Brazos County to the dam at Fin Feather Lake in Bryan	4a	Yes

SegID: 1209E Wickson Creek

Perennial stream from the confluence with an unnamed first order tributary (approximately 1.3 km upstream of Reliance Road crossing) upstream to the confluence with an unnamed first order tributary approximately 15 meters upstream of Dilly Shaw Road

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1209E_01 Perennial stream from the confluence with an unnamed first order tributary (approximately 1.3 km upstream of Reliance Road crossing) upstream to the confluence with an unnamed first order tributary approximately 15 meters upstream of Dilly Shaw Road	5b	Yes

SegID: 1209H Duck Creek

From the confluence with the Navasota river in Robertson County to Twin Oak Reservoir dam in Robertson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1209H_02 Portion of Duck Creek from confluence with Mineral Creek in Robertson County upstream to Twin Oak Reservoir dam in Robertson County.	5b	Yes
depressed dissolved oxygen		
1209H_01 Portion of Duck Creek from confluence with Navasota River upstream to confluence with Mineral Creek in Robertson County.	5b	Yes
1209H_02 Portion of Duck Creek from confluence with Mineral Creek in Robertson County upstream to Twin Oak Reservoir dam in Robertson County.	5c	Yes

SegID: 1209I Gibbons Creek

From confluence with Navasota River in Grimes County to SH 90 in Grimes County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1209I_01 Portion of Gibbons Creek from confluence with Navasota River upstream to confluence with Dry Creek in Grimes County.	5b	No
1209I_02 Portion of Gibbons Creek from confluence with Dry Creek upstream to Gibbons Creek Reservoir dam in Grimes County	5b	No
depressed dissolved oxygen		
1209I_01 Portion of Gibbons Creek from confluence with Navasota River upstream to confluence with Dry Creek in Grimes County.	5c	No

SegID: 1209J Shepherd Creek

From the confluence with the Navasota River in Madison County to a point 0.7 mi upstream of FM 1452 in Madison County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1209J_01 From the confluence with the Navasota River in Madison County to a point 0.7 mi upstream of FM 1452 in Madison County	5b	Yes

SegID: 1209K Steele Creek

From confluence with Navasota River in Robertson County to a point 2.4 mi upstream of FM 147 in Limestone County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1209K_02 Portion of Steele Creek from confluence with Willow Creek upstream to headwaters in Limestone County.	5b	No

SegID: 1209L Burton Creek

Burton Creek - from the confluence of Carters Creek in College Station upstream to the headwater 0.7 km northeast of Finfeather Lake in Bryan

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1209L_01 Burton Creek from the confluence of Carters Creek in College Station upstream to the headwater 0.7 km northeast of Finfeather Lake in Bryan	4a	No

SegID: 1210A Navasota River Above Lake Mexia

From the confluence with the headwaters of Lake Mexia in Limestone County to a point 1.25 mi upstream of SH 31 in Hill County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1210A_01 From the confluence with the headwaters of Lake Mexia in Limestone County to a point 1.25 mi upstream of SH 31 in Hill County	5c	Yes

SegID: 1211A Davidson Creek

Intermittent stream with perennial pools from the confluence with Yegua Creek to 1.7 km above CR 322, Milam County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1211A_02 Intermittent stream with perennial pools from the confluence with Yegua Creek upstream to 0.2 km above SH 21 near the City of Caldwell; App D	5c	Yes
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen		
1211A_02 Intermittent stream with perennial pools from the confluence with Yegua Creek upstream to 0.2 km above SH 21 near the City of Caldwell; App D	5c	Yes

SegID: 1212 Somerville Lake

From Somerville Dam in Burleson/Washington County up to normal pool elevation of 238 feet (impounds Yegua Creek)

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
pH			
1212_01	Eastern end of reservoir near dam	5c	Yes
1212_03	Middle of reservoir near Birch Creek State Park	5c	Yes
1212_04	Western end of reservoir near upper segment boundary	5c	Yes

SegID: 1212A Middle Yegua Creek

From the confluence with East Yegua and Yegua Creeks in Lee County to the Lee County/Williamson County line

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1212A_02	From confluence with West Yegua Creek upstream to headwaters of water body in Williamson County.	5c	Yes

SegID: 1213 Little River

From the confluence with the Brazos River in Milam County to the confluence of the Leon River and the Lampasas River in Bell County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1213_04	From confluence with Boggy Creek upstream to its confluence with Leon and Lampasas Rivers	5c	Yes

SegID: 1213A Big Elm Creek

From the confluence with Little River in Milam county, 4.5 km northeast of the City of Cameron , upstream to its headwaters in McLennan County, 0.7 km west of Moody.

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1213A_01	Portion of Big Elm Creek from the confluence with the Little River upstream to confluence with Little Elm Creek.	5c	No

SegID: 1217B Sulphur Creek

From the confluence of the Lampasas River east of Lampasas in Lampasas County to the confluences of Bean Creek and East Fork Sulphur Creek west of Lampasas in Lampasas County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1217B_02	From the spring source located in the City of Lampasas upstream to the confluences with Bean Creek and East Fork Sulphur Creek west of Lampasas in Lampasas County	5c	No

SegID: 1217D North Fork Rocky Creek

Intermittent stream with perennial pools from the confluence with South Rocky Creek upstream to its headwaters approximately 11 km west of US 183]

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen		
1217D_01 Intermittent stream with perennial pools from the confluence with South Rocky Creek upstream to its headwaters approximately 11 km west of US 183; App D	5c	Yes

SegID: 1218 Nolan Creek/ South Nolan Creek

From the confluence with the Leon River in Bell County to a point 100 meters (110 yards) upstream to the most upstream crossing of US 190 and Loop 172 in Bell County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1218_01 Portion of Nolan Creek from the confluence with the Leon River upstream to confluence with North Nolan/South Nolan Creek fork in Bell county	5c	No
1218_02 Portion of South Nolan Creek from confluence with North Nolan / Nolan Creek fork upstream to confluence with Liberty Ditch in city of Killeen in Bell County.	5b	No

SegID: 1218C Little Nolan Creek

From the confluence with Nolan Creek/South Nolan Creek upstream to headwaters in the city of Killeen, Bell County.

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1218C_01 From the confluence with Nolan Creek/South Nolan Creek upstream to headwaters in the city of Killeen, Bell County.	5b	No

SegID: 1221 Leon River Below Proctor Lake

From a point immediately upstream of the confluence of Plum Creek in Coryell County to Proctor Dam in Comanche County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1221_06 From confluence with South Leon Creek upstream to confluence with Walnut Creek	5c	Yes

SegID: 1221A Resley Creek

From the confluence of the Leon River east of Gustine in Comanche County to the upstream perennial portion of the stream north of Gustine in Erath County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1221A_01 Portion of Resley Creek from confluence with Leon River upstream to conf. with unnamed tributary (NHD RC 12070201007823), approx. 1.0 mi N. of Comanche County Line	5b	No
1221A_02 Portion of Resley Creek from confluence with unnamed tributary (NHD RC 12070201007823), upstream to headwaters in Erath County.	5b	Yes
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen		
1221A_01 Portion of Resley Creek from confluence with Leon River upstream to conf. with unnamed tributary (NHD RC 12070201007823), approx. 1.0 mi N. of Comanche County Line	5b	Yes

SegID: 1221D Indian Creek

Perennial stream from the confluence of the Leon River to the headwaters approximately 7.5 km west of Comanche in Comanche County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1221D_01	From confluence with Leon River, upstream to confluence with Armstrong Creek	5b	No
1221D_02	Perennial stream from the confluence with Armstrong Creek approximately 1.5 km downstream of SH 36 upstream to the confluence with an unnamed tributary approximately 0.1 km upstream of US 377; App D	5b	No

SegID: 1222A Duncan Creek

From the confluence of Proctor Lake northeast of Comanche in Comanche County to the upstream perennial portion of the stream west of Comanche in Comanche County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1222A_01	From the confluence of Proctor Lake northeast of Comanche in Comanche County to the upstream perennial portion of the stream west of Comanche in Comanche County	5b	Yes

SegID: 1222B Rush-Copperas Creek

From the confluence of Proctor Lake northeast of Comanche in Comanche County to the upstream perennial portion of the stream northwest of Comanche in Comanche County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1222B_01	From the confluence of Proctor Lake northeast of Comanche in Comanche County to the upstream perennial portion of the stream northwest of Comanche in Comanche County	5b	Yes

SegID: 1222C Sabana River

From the confluence of Proctor Lake northeast of Comanche in Comanche County to the upstream perennial portion of the stream northwest of Rising Star in Eastland County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1222C_01	Portion of Sabana River from confluence with Proctor Lake in Comanche County upstream to confluence with Elm Creek in Eastland County.	5b	No

SegID: 1222E Sweetwater Creek

From its confluence with Copperas Creek, upstream to its headwaters, 6.3 mi west of Comanche in Comanche County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1222E_01	From its confluence with Copperas Creek, upstream to its headwaters, 6.3 mi west of Comanche in Comanche County	5b	Yes

SegID: 1223 Leon River Below Leon Reservoir

From a point immediately upstream of the confluence of Mill Branch in Comanche County to Leon Dam in Eastland County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1223_01	From a point immediately upstream of the confluence of Mill Branch in Comanche County to Leon Dam in Eastland County	5b	No
depressed dissolved oxygen			
1223_01	From a point immediately upstream of the confluence of Mill Branch in Comanche County to Leon Dam in Eastland County	5c	No

SegID: 1226 North Bosque River

From a point immediately upstream of the confluence of Long Branch in McLennan County to a point immediately upstream of the confluence of Indian Creek in Erath County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
excessive algal growth			
1226_02	Portion of North Bosque River from confluence with Neils Creek upstream to confluence with Meridian Creek in Bosque County.	4a	No
1226_03	Portion of North Bosque River from confluence with Meridian Creek upstream to confluence with Duffau Creek in Bosque County.	4a	No
1226_04	Portion of North Bosque River from confluence with Duffau Creek in Bosque County upstream to a point immediately upstream of Indian Creek confluence (end of segment) in Erath County.	4a	No

SegID: 1226B Green Creek

From the confluence of the North Bosque River south of Clairette in Erath County upstream to its headwaters 10km west of Stephenville in Erath County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen			
1226B_01	From the confluence of the North Bosque River south of Clairette in Erath County upstream to its headwaters 10km west of Stephenville in Erath County	5c	Yes

SegID: 1226G Spring Creek

From the confluence with the North Bosque River in Hamilton County to the headwaters 8.5 mi west of Hico in Hamilton County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1226G_01	From the confluence with the North Bosque River in Hamilton County to the headwaters 8.5 mi west of Hico in Hamilton County	5c	No

SegID: 1226K Little Duffau Creek

From its confluence with Duffau Creek, upstream to its headwaters 2.4 mi south west of US 67 in Erath County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1226K_01	From its confluence with Duffau Creek, upstream to its headwaters 2.4 mi south west of US 67 in Erath County	5b	No

SegID: 1227 Nolan River

From a point immediately upstream of the confluence of Rock Creek in Hill County to Cleburne Dam in Johnson County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1227_02	Portion of Nolan River from confluence with Mustang Creek in Hill County upstream to confluence with Lake Pat Cleburne Dam in Johnson County.	5c	No
sulfate			
1227_01	Portion of Nolan River from confluence with Whitney Lake upstream to confluence with Mustang Creek in Hill County.	5b	No
1227_02	Portion of Nolan River from confluence with Mustang Creek in Hill County upstream to confluence with Lake Pat Cleburne Dam in Johnson County.	5b	No
total dissolved solids			
1227_01	Portion of Nolan River from confluence with Whitney Lake upstream to confluence with Mustang Creek in Hill County.	5b	No
1227_02	Portion of Nolan River from confluence with Mustang Creek in Hill County upstream to confluence with Lake Pat Cleburne Dam in Johnson County.	5b	No

SegID: 1232 Clear Fork Brazos River

From the confluence with the Brazos River in Young County to the most upstream crossing of US 180 in Fisher County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1232_04	From confluence with Bitter Creek upstream to end of segment	5c	No
pH			
1232_02	From confluence with Hubbard Creek upstream to confluence with Deadman Creek	5c	No

SegID: 1232A California Creek

From the confluence of Paint Creek southeast of Haskell in Haskell County to the headwaters southwest of Stamford in Jones County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1232A_01	Portion of California Creek from confluence with Paint Creek in Haskell County upstream to confluence with Thompson Creek in Jones County.	5b	No
impaired fish community			
1232A_01	Portion of California Creek from confluence with Paint Creek in Haskell County upstream to confluence with Thompson Creek in Jones County.	5c	Yes

SegID: 1238 Salt Fork Brazos River

From the confluence of the Double Mountain Fork Brazos River in Stonewall County to the most upstream crossing of SH 207 in Crosby County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
chloride			
1238_01	Portion of Salt Fork Brazos River from confluence with Double Mountain Fork Brazos River upstream to confluence with Croton Creek in Stonewall County.	5c	No
1238_02	Portion of Salt Fork Brazos River from confluence with Croton Creek in Stonewall County upstream to confluence with Butte Creek in Kent County.	5c	No
1238_03	Portion of Salt Fork Brazos River from confluence with Butte Creek in Kent County upstream to the most upstream crossing of SH 207 in Crosby County	5c	No

SegID: 1240 White River Lake

From White River Dam in Crosby County up to the normal pool elevation of 2372.2 feet (impounds White River)

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
chloride			
1240_01	From White River Dam in Crosby County up to the normal pool elevation of 2372.2 feet (impounds White River)	5b	No
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
total dissolved solids			
1240_01	From White River Dam in Crosby County up to the normal pool elevation of 2372.2 feet (impounds White River)	5b	No

SegID: 1241 Double Mountain Fork Brazos River

From the confluence with the Salt Fork Brazos River in Stonewall County to the confluence of the North Fork Double Mountain Fork Brazos River in Kent County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1241_01	25 mi near Hwy 83	5b	No

SegID: 1241B Lake Alan Henry

Impounded Double Mountain Fork Brazos River, 20.0 mi south east of Post in Garza and Kent Counties.

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
mercury in edible tissue			
1241B_01	Impounded Double Mountain Fork Brazos River, 20.0 mi south east of Post in Garza and Kent Counties.	5c	No

SegID: 1242B Cottonwood Branch

Intermittent stream with perennial pools from the confluence with Still Creek upstream 0.95 km to the confluence with an unnamed tributary

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1242B_01	Portion of Cottonwood Branch from confluence with Still Creek upstream to unnamed tributary (NHD RC 12070101000835) in Brazos County	5c	Yes
1242B_02	Portion of Cottonwood Branch from confluence with unnamed tributary (NHD RC 12070101000835) upstream to headwaters in Brazos County.	5c	Yes

SegID: 1242C Still Creek

Perennial stream from the confluence with Thompson's Creek upstream to the headwaters in Brazos County near US 190

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1242C_02	Portion of Still Creek from confluence with Cottonwood Branch upstream to headwaters in Brazos County near US 190.	5c	Yes

SegID: 1242D Thompsons Creek

Thompsons Creek - from the confluence of the Brazos River upstream to the confluence of Thompson's Branch, north of FM 1687

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1242D_01	Thompsons Creek an Appendix D perennial stream from the confluence of the Brazos River upstream to the confluence of Still Creek in Brazos County.	5b	No
1242D_02	Thompsons Creek an Appendix D intermittent stream with perennial pools from the confluence of Still Creek upstream to the confluence of Thompson's Branch, north of FM 1687	5b	Yes
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen			
1242D_02	Thompsons Creek an Appendix D intermittent stream with perennial pools from the confluence of Still Creek upstream to the confluence of Thompson's Branch, north of FM 1687	5b	Yes

SegID: 1242F Pond Creek

Perennial stream from the confluence with the Brazos River in Milam County upstream to the headwaters 0.18 km north of FM 935 in Bell County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1242F_01	From the Brazos confluence upstream to Live Oak Creek confluence	5c	Yes

SegID: 1242I Campbells Creek

From the confluence with the Little Brazos River upstream to the headwaters, one mi west of Old San Antonio Road

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1242I_01	From the confluence with the Little Brazos River upstream to the headwaters, one mi west of Old San Antonio Road	5c	Yes

SegID: 1242J Deer Creek

Deer Creek - perennial stream from the confluence of the Brazos River upstream to the confluence of Dog Branch northwest of Lott

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1242J_01	Deer Creek an Appendix D perennial stream from the confluence of the Brazos River upstream to the confluence of Dog Branch northwest of Lott	5c	No

SegID: 1242K Mud Creek

From confluence with the Little Brazos River, upstream to the confluence with Touchstone Branch and Wolf Den Branch, in Robertson County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1242K_01	From confluence with the Little Brazos River, upstream to the confluence with Touchstone Branch and Wolf Den Branch, in Robertson County	5b	Yes

SegID: 1242L Pin Oak Creek

From the confluence with the Little Brazos River in Robertson County upstream to the headwaters, 2.07 mi south of Franklin

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1242L_01	From the confluence with the Little Brazos River in Robertson County upstream to the headwaters, 2.07 mi south of Franklin	5b	Yes

SegID: 1242M Spring Creek

From the confluence with the Little Brazos River in Robertson County, upstream to the headwaters, 1.5 mi north of FM 391

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1242M_01	From the confluence with the Little Brazos River in Robertson County, upstream to the headwaters, 1.5 mi north of FM 391	5b	Yes

SegID: 1242O Walnut Creek

From the confluence with the Little Brazos River in Robertson County, upstream to the headwaters, one mi south of White Rock

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1242O_01	From the confluence with the Little Brazos River in Robertson County, upstream to the headwaters, one mi south of White Rock	5b	Yes

SegID: 1242P Big Creek

From the confluence with Little Brazos River in Falls County upstream to the confluence with unnamed creeks near Mart in the northeast corner of Falls County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1242P_01	Downstream portion of water body	5b	Yes

SegID: 1244 Brushy Creek

From the confluence with the San Gabriel River in Milam County to the confluence of South Brushy Creek in Williamson County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1244_01	From the confluence of the San Gabriel River upstream to the confluence of Mustang Creek	5c	No
1244_03	From the confluence of Cottonwood Creek upstream to the confluence of Lake Creek	5c	No

SegID: 1245 Upper Oyster Creek

From Steep Bank Creek/Brazos River confluence in Fort Bend County to pumping station on Jones Creek confluence at Brazos River in Fort Bend County (includes portions of Steep Bank Creek, Flat Bank Creek, and Jones Creek)

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1245_02	From Dam #3 upstream to Harmon St. crossing in Sugar Land	4a	No
1245_03	From Harmon St. crossing in Sugar Land upstream to the end of the segment	4a	No
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen			
1245_02	From Dam #3 upstream to Harmon St. crossing in Sugar Land	4a	Yes

SegID: 1245C Bullhead Bayou

From its confluence with Steep Bank Creek in Fort Colony, upstream to its headwaters in Pecan Grove in Fort Bend County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1245C_01	From its confluence with Steep Bank Creek in Fort Colony, upstream to its headwaters in Pecan Grove in Fort Bend County	5c	Yes

SegID: 1245D Unnamed Tributary of Bullhead Bayou

Tributary to Bullhead Bayou in Fort Bend County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1245D_01	Tributary to Bullhead Bayou in Fort Bend County	5c	Yes

SegID: 1245F Alcorn Bayou

From the confluence with Steep Bank Creek upstream to its headwaters 0.5km east of Pecan Grove in Fort Bend county

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1245F_01	From the confluence with Steep Bank Creek upstream to its headwaters 0.5km east of Pecan Grove in Fort Bend county	5b	Yes

SegID: 1245I Steep Bank Creek

From confluence with Oyster Creek (Flat Bank Creek portion) upstream to end of water body, 0.2 km east of US 59 in city of First Colony, Fort Bend County.

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1245I_01	From confluence with Oyster Creek (Flat Bank Creek portion) upstream to end of water body, 0.2 km east of US 59 in city of First Colony, Fort Bend County.	5c	No

SegID: 1246E Wasp Creek

From the confluence with Tonk Creek in Crawford in McLennan County, upstream to the headwaters in Coryell County, 0.15 mi east of FM 185

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1246E_01	From the confluence with Tonk Creek in Crawford in McLennan County, upstream to the headwaters in Coryell County, 0.15 mi east of FM 185	5b	No

SegID: 1247A Willis Creek

From the confluence with the headwaters of Granger Lake in Williamson County to CR 313 in Williamson County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1247A_01	From the confluence with the headwaters of Granger Lake in Williamson County to CR 313 in Williamson County	5c	No

SegID: 1248C Mankins Branch

Perennial stream from the confluence with the San Gabriel River in Williamson County to the intersection of CR 105 and 104 in Williamson County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1248C_01	Perennial stream from the confluence with the San Gabriel River in Williamson County to the intersection of CR 105 and 104 in Williamson County	5c	No

SegID: 1252 Lake Limestone

From Sterling C. Robertson Dam in Leon/Robertson County to a point 2.3 km (1.4 mi) downstream of SH 164 in Limestone County, up to normal pool elevation of 363 feet (impounds Navasota River)

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
pH			
1252_03	Lambs Creek arm on east side of lake	5c	No

SegID: 1255 Upper North Bosque River

From a point immediately above the confluence of Indian Creek in Erath County to the confluence of the North Fork and South Fork of the Bosque River in Erath County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1255_01 Portion of Upper North Bosque River from confluence with Indian Creek upstream to confluence with Dry Branch in Erath County.	5b	No
1255_02 Portion of Upper North Bosque River from confluence with Dry Branch upstream to confluence with North/South Forks North Bosque River in Erath County.	5b	No
depressed dissolved oxygen		
1255_02 Portion of Upper North Bosque River from confluence with Dry Branch upstream to confluence with North/South Forks North Bosque River in Erath County.	5c	Yes
excessive algal growth		
1255_01 Portion of Upper North Bosque River from confluence with Indian Creek upstream to confluence with Dry Branch in Erath County.	4a	No
1255_02 Portion of Upper North Bosque River from confluence with Dry Branch upstream to confluence with North/South Forks North Bosque River in Erath County.	4a	No

SegID: 1255A Goose Branch

From the confluence with the south fork of the North Bosque River 2.5 mi (4.0 km) west of Stephenville, upstream to the headwaters 0.5 mi (0.8 km) north of FM 8 in Erath County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1255A_01 From the confluence with the south fork of the North Bosque River 2.5 mi (4.0 km) west of Stephenville, upstream to the headwaters 0.5 mi (0.8 km) north of FM 8 in Erath County	5b	Yes

SegID: 1255C Scarborough Creek

From the confluence with the North Fork of the upper North Bosque River, upstream to the headwaters 0.1 mi (0.2 km) southeast of FM 219 in Erath County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1255C_01 From the confluence with the North Fork of the upper North Bosque River, upstream to the headwaters 0.1 mi (0.2 km) southeast of FM 219 in Erath County	5b	Yes

SegID: 1255D South Fork North Bosque River

From the confluence with the North Fork of the upper North Bosque River in Stephenville, upstream to the headwaters 3 mi (4.8 km) north of FM 219 in Erath County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1255D_01 From the confluence with the North Fork of the upper North Bosque River in Stephenville, upstream to the headwaters 3 mi (4.8 km) north of FM 219 in Erath County	5b	No

SegID: 1255E Unnamed Tributary of Goose Branch

From the confluence with Goose Branch in Erath County to its headwaters, 0.2 mi southeast of the intersection of FM 8 and Farm Road 1219

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1255E_01	From the confluence with Goose Branch in Erath County to its headwaters, 0.2 mi southeast of the intersection of FM 8 and Farm Road 1219	5b	Yes

SegID: 1255G Woodhollow Branch

From the confluence with the South Fork of the North Bosque River, 6 mi northwest of Stephenville, upstream to the headwaters, 1.5 mi north of FM 219 in Erath County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1255G_01	From the confluence with the South Fork of the North Bosque River, 6 mi northwest of Stephenville, upstream to the headwaters, 1.5 mi north of FM 219 in Erath County	5b	Yes

SegID: 1259 Leon River Above Belton Lake

From a point 100 meters (110 yards) upstream of FM 236 in Coryell County to a point immediately upstream of the confluence with Plum Creek in Coryell County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1259_03	From the confluence with Stillhouse Creek upstream to a point immediately upstream of the confluence with Plum Creek	5c	Yes

SegID: 1301 San Bernard River Tidal

From the confluence with the Intracoastal Waterway in Brazoria County to a point 3.2 km (2.0 mi) upstream of SH 35 in Brazoria County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1301_01	From the confluence with the Intracoastal Waterway in Brazoria County to a point 3.2 km (2.0 mi) upstream of SH 35 in Brazoria County	5c	No

SegID: 1302 San Bernard River Above Tidal

From a point 3.2 km (2.0 mi) upstream of SH 35 in Brazoria County to the county road southeast of New Ulm in Austin County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1302_01	From the confluence with the Intracoastal Waterway in Brazoria County to confluence with Peach Creek	5c	No
1302_02	From the confluence with Peach Creek to the unnamed tributary at NHD RC 12090401001535 at N-96.03, W29.51	5c	Yes
1302_03	From the confluence with unnamed tributary at NHD RC 12090401001535 at N-96.03, W29.51 to the confluence with Coughatta Creek	5c	No

SegID: 1302A Gum Tree Branch

From the confluence with West Bernard Creek near Wharton CR 252 to the headwaters approximately 15 mi upstream near RR 102

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1302A_01	From the confluence with West Bernard Creek near Wharton CR 252 to the headwaters approximately 15 mi upstream near RR 102	5b	Yes

SegID: 1302B West Bernard Creek

From the confluence with the San Bernard River Above Tidal downstream of US highway 59 to the headwaters approximately 40 mi upstream near FM 1093

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1302B_01	From the confluence with the San Bernard River Above Tidal to the confluence with Clarks Branch	5b	No
1302B_02	From the confluence with Clarks Branch to the upper end of segment	5b	Yes
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen			
1302B_01	From the confluence with the San Bernard River Above Tidal to the confluence with Clarks Branch	5c	No

SegID: 1302D Peach Creek

From the confluence with the San Bernard River in Wharton Co. to the headwaters approximately 8 km upstream of FM-102 in Wharton Co.

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1302D_01	From the confluence with the San Bernard River in Wharton Co. to the headwaters approximately 8 km upstream of FM-102 in Wharton Co.	5b	No

SegID: 1304 Caney Creek Tidal

From the confluence with the Intracoastal Waterway in Matagorda County to a point 1.9 km (1.2 mi) upstream of the confluence of Linville Bayou in Matagorda County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1304_01	From the downstream end of segment to the confluence with Dead Slough	5a	No

SegID: 1304A Linnville Bayou

From the confluence with Caney Creek in Matagorda County upstream to a point 0.7 km above SH 35 in Brazoria/Matagorda Counties

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1304A_01	Intermittent stream with perennial pools from a point 1.1 km above the confluence with Caney Creek in Matagorda County upstream to a point 0.1 km above SH 35 in Brazoria/Matagorda counties; AppD	5a	No

SegID: 1305 Caney Creek Above Tidal

From a point 1.9 km (1.2 mi) upstream of the confluence of Linnville Bayou in Matagorda County to the confluence of Water Hole Creek in Matagorda County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen			
1305_03	From the confluence with Snead Slough in Matagorda Co. to the upper end of segment at the confluence with Water Hole Creek in Matagorda Co.	5c	Yes

SegID: 1402C Buckners Creek

Perennial stream from the confluence with the Colorado River upstream to the headwaters at Patterson Road southeast of the City of Rosanky in Bastrop County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen			
1402C_01	Perennial stream from the confluence with the Colorado River upstream to the confluence with Chandler Branch 1.6 km upstream of FM 154 in Fayette County	5c	Yes

SegID: 1402H Skull Creek

From the confluence with the Colorado River west of Eagle Lake in Colorado County to the upstream perennial portion southwest of Columbus

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen			
1402H_01	From the confluence with the Colorado River west of Eagle Lake in Colorado County to the upstream perennial portion southwest of Columbus	5b	Yes

SegID: 1403A Bull Creek

From the confluence of Lake Austin in northwest Austin in Travis County to the upstream perennial portion of the stream north of Austin in Travis County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen			
1403A_04	From Spicewood Springs Rd. crossing near Yaupon Dr. upstream to the Spicewood Springs Dr. crossing near Oak Grove cemetery	5c	Yes

SegID: 1403J Spicewood Tributary to Shoal Creek

From the confluence of an unnamed tributary west of the MoPac Expressway in north Austin in Travis County upstream to the head waters north of Williamsburg Circle in Travis County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1403J_01	From the confluence of an unnamed tributary west of the MoPac Expressway in north Austin in Travis County upstream to the head waters north of Williamsburg Circle in Travis County	4a	No

SegID: 1403K Taylor Slough South

From the confluence of Lake Austin in Travis County to the headwaters near South Meadow Circle on the Texas Department of Aging and Disability Services campus in Austin in Travis County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1403K_01 From the confluence of Lake Austin in Travis County to the headwaters near South Meadow Circle on the Texas Department of Aging and Disability Services campus in Austin in Travis County	4a	Yes

SegID: 1407A Clear Creek

From the confluence with Inks Lake in Burnet County west of Burnet upstream to a point 2 mi (3.2 km) west of FM 2341 near Potato Hill northwest of Burnet

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
aluminum in water		
1407A_01 From the confluence with Inks Lake upstream to FM 2341	5c	No
copper in water		
1407A_01 From the confluence with Inks Lake upstream to FM 2341	5c	No
nickel in water		
1407A_01 From the confluence with Inks Lake upstream to FM 2341	5c	No
pH		
1407A_01 From the confluence with Inks Lake upstream to FM 2341	5c	No
sulfate		
1407A_01 From the confluence with Inks Lake upstream to FM 2341	5c	No
total dissolved solids		
1407A_01 From the confluence with Inks Lake upstream to FM 2341	5c	No
zinc in water		
1407A_01 From the confluence with Inks Lake upstream to FM 2341	5c	No

SegID: 1411 E. V. Spence Reservoir

From Robert Lee Dam in Coke County to a point immediately upstream of the confluence of Little Silver Creek in Coke County, up to the normal pool elevation of 1898 feet (impounds Colorado River)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
chloride		
1411_01 Main pool from the dam upstream to the Rough Creek arm	5c	No
1411_02 From the Rough Creek arm upstream to the confluence of Little Silver Creek	5c	No
sulfate		
1411_01 Main pool from the dam upstream to the Rough Creek arm	4a	No
1411_02 From the Rough Creek arm upstream to the confluence of Little Silver Creek	4a	No
total dissolved solids		
1411_01 Main pool from the dam upstream to the Rough Creek arm	4a	No
1411_02 From the Rough Creek arm upstream to the confluence of Little Silver Creek	4a	No

SegID: 1412 Colorado River Below Lake J. B. Thomas

From a point immediately upstream of the confluence of Little Silver Creek in Coke County to Colorado River Dam in Scurry County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1412_02 From the confluence of Beals Creek upstream to the dam below Barber Reservoir pump station	5b	Yes

SegID: 1412B Beals Creek

From the confluence of the Colorado River south of Colorado City in Mitchell County to the confluence of Mustang Draw and Sulphur Springs Draw in Howard County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1412B_03 From the confluence of Gutherie Draw upstream to the confluence of Mustang Draw and Sulphur Springs Draw	5b	Yes

SegID: 1413 Lake J. B. Thomas

From Colorado River Dam in Scurry County up to normal pool elevation of 2258 feet (impounds Colorado River)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
chloride		
1413_01 From Colorado River Dam in Scurry County up to normal pool elevation of 2258 feet (impounds Colorado River)	5b	No
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
sulfate		
1413_01 From Colorado River Dam in Scurry County up to normal pool elevation of 2258 feet (impounds Colorado River)	5b	No
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
total dissolved solids		
1413_01 From Colorado River Dam in Scurry County up to normal pool elevation of 2258 feet (impounds Colorado River)	5b	No

SegID: 1416 San Saba River

From the confluence with the Colorado River in San Saba County to the confluence of the North Valley Prong and the Middle Valley Prong in Schleicher County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1416_01 From the confluence with the Colorado River in San Saba County upstream to the US 190	5c	No

SegID: 1416A Brady Creek

From the confluence of the San Saba River southwest of San Saba in San Saba County to Brady Lake Dam west of Brady in McCulloch County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen		
1416A_03 From FM 714 upstream to Brady Lake dam	5c	Yes

SegID: 1421 Concho River

From a point 2 km (1.2 mi) above the confluence of Fuzzy Creek in Concho County to San Angelo Dam on the North Concho River in Tom Green County and to Nasworthy Dam on the South Concho River in Tom Green County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen			
1421_08	North Concho River, from the confluence with the South Concho River upstream to O.C. Fisher dam	5c	No

SegID: 1425 O. C. Fisher Lake

From San Angelo Dam in Tom Green County up to normal pool elevation of 1908 feet (impounds North Concho River)

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
chloride			
1425_01	From San Angelo Dam in Tom Green County up to normal pool elevation of 1908 feet (impounds North Concho River)	5c	No

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
total dissolved solids			
1425_01	From San Angelo Dam in Tom Green County up to normal pool elevation of 1908 feet (impounds North Concho River)	5c	No

SegID: 1426 Colorado River Below E. V. Spence Reservoir

From a point 3.7 km (2.3 mi) below the confluence of Mustang Creek in Runnels County to Robert Lee Dam in Coke County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
total dissolved solids			
1426_01	Lower end of segment to Country Club Lake	4a	No
1426_02	Country Club Lake to Coke County line	4a	No
1426_03	Coke County line to SH 208	4a	No
1426_04	SH 208 to dam	4a	No

SegID: 1427 Onion Creek

From the confluence with the Colorado River in Travis County to the most upstream crossing of FM 165 in Blanco County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
sulfate			
1427_03	From FM 967 upstream to Jackson Branch confluence	5c	No
1427_04	From Jackson Branch confluence to end of segment	5c	No

SegID: 1427A Slaughter Creek

Intermittent stream with perennial pools from the confluence with Onion Creek to above US 290 west of Austin

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
impaired macrobenthic community			
1427A_01	Intermittent stream with perennial pools from the confluence with Onion Creek to above US 290 west of Austin	5b	Yes

SegID: 1428B Walnut Creek

From the confluence of the Colorado River in east Austin in Travis County to the upstream perennial portion of the stream in north Austin in Travis County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1428B_05 From MoPac/Loop 1 upstream to Union Pacific Railroad tracks south of McNeil Drive	4a	No

SegID: 1428C Gilleland Creek

Perennial stream and intermittent stream with perennial pools from the confluence with the Colorado River up to the spring source (Ward Spring) northwest of Pflugerville, in Travis County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1428C_01 From the Colorado River upstream to Taylor Lane	4a	No
1428C_03 From Old Highway 20 to Cameron Road	4a	No
1428C_04 From Cameron Road to the spring source	4a	No

SegID: 1429C Waller Creek

From the confluence of Town Lake in central Austin in Travis County to the upstream portion of the stream in north Austin in Travis County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1429C_01 From the confluence with Town Lake to East MLK Blvd.	5a	No
1429C_02 From East MLK Blvd. to East 41st Street	4a	No
impaired macrobenthic community		
1429C_01 From the confluence with Town Lake to East MLK Blvd.	5c	Yes

SegID: 1432 Upper Pecan Bayou

From a point immediately upstream of the confluence of Willis Creek in Brown County to Lake Brownwood Dam in Brown County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1432_01 From a point immediately upstream of the confluence of Willis Creek in Brown County to Lake Brownwood Dam in Brown County	5c	No

SegID: 1501 Tres Palacios Creek Tidal

From the confluence with Tres Palacios Bay in Matagorda County to a point 1.6 km (1.0 mi) upstream of the confluence of Wilson Creek in Matagorda County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1501_01 From the confluence with Willow Dam Creek at Tres Palacios Bay/Turtle Bay upstream to a point 1.6 km (1.0 mi) upstream of the confluence of Wilson Creek in Matagorda County	4a	No
depressed dissolved oxygen		
1501_01 From the confluence with Willow Dam Creek at Tres Palacios Bay/Turtle Bay upstream to a point 1.6 km (1.0 mi) upstream of the confluence of Wilson Creek in Matagorda County	5b	Yes

SegID: 1602 Lavaca River Above Tidal

From a point 8.6 km (5.3 mi) downstream of US 59 in Jackson County to the confluence of Campbell Branch west of Hallettsville in Lavaca County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1602_03	Lower portion of segment from confluence with NHD RC 12100101002463 south of Edna in Jackson County upstream to confluence with Beard Branch	5a	No

SegID: 1602B Rocky Creek

Perennial stream from the confluence with the Lavaca River upstream to 2.9 km upstream of County Rd 364 north west of the City of Shiner

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1602B_01	From the confluence of Lavaca River upstream to confluence of Ponton Creek	5a	No

SegID: 1602C Lavaca River Above Campbell Branch

From the confluence of Campbell Branch in Hallettsville to approximately 3.4 mi upstream of SH 95 in Lavaca Co.

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen			
1602C_01	From confluence of Campbell Branch in Hallettsville upstream to the confluence of West Prong Lavaca River	5b	Yes
1602C_02	From confluence of West Prong Lavaca River to the headwaters approximately 6.5 km upstream of TX Hwy 95 in the City of Moulton	5b	Yes

SegID: 1803A Elm Creek

From the confluence of Sandies Creek east of Smiley in Gonzales County to the upstream perennial portion of the stream southwest of Smiley in Gonzales County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen			
1803A_01	From the confluence of Sandies Creek east of Smiley in Gonzales County to the upstream perennial portion of the stream southwest of Smiley in Gonzales County	5b	Yes

SegID: 1803B Sandies Creek

From the confluence of the Guadalupe River west of Cuero in DeWitt County to the upstream perennial portion of the stream northwest of Smiley in Gonzales County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1803B_01 From the confluence with the Guadalupe River to the confluence with Elm Ck.	5b	No
1803B_02 From the confluence with Elm Creek to upper end of water body	5b	Yes
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen		
1803B_01 From the confluence with the Guadalupe River to the confluence with Elm Ck.	5b	Yes
1803B_02 From the confluence with Elm Creek to upper end of water body	5b	Yes
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
impaired fish community		
1803B_01 From the confluence with the Guadalupe River to the confluence with Elm Ck.	5b	Yes
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
impaired macrobenthic community		
1803B_01 From the confluence with the Guadalupe River to the confluence with Elm Ck.	5b	Yes

SegID: 1803C Peach Creek

From the confluence of the Guadalupe River southeast of Gonzales in Gonzales County to the upstream perennial portion of the stream northeast of Waelder in Gonzales County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1803C_01 Lower 25 mi of water body	5b	No
1803C_03 From approx. 1.2 mi downstream of FM 1680 in Gonzales County to confluence with Elm Creek In Fayette County	5b	Yes
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen		
1803C_01 Lower 25 mi of water body	5b	Yes
1803C_03 From approx. 1.2 mi downstream of FM 1680 in Gonzales County to confluence with Elm Creek In Fayette County	5b	Yes

SegID: 1804A Geronimo Creek

From the confluence of the Guadalupe River south of Seguin in Guadalupe County to the upstream perennial portion north of Seguin in Guadalupe County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1804A_01 From the confluence of the Guadalupe River south of Seguin in Guadalupe County to the upstream perennial portion north of Seguin in Guadalupe County	5c	No

SegID: 1805 Canyon Lake

From Canyon Dam in Comal County to a point 2.7 km (1.7 mi) downstream of Rebecca Creek Road in Comal County, up to normal pool elevation of 909 feet (impounds Guadalupe River)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
mercury in edible tissue		
1805_01 Cove around Jacob's Creek Park	5c	No
1805_02 North end of Crane's Mill Park peninsula to south end of Canyon Park	5c	No
1805_03 Upper end of segment	5c	No
1805_04 Lower end of reservoir from dam upstream to Canyon Park	5c	No

SegID: 1806A Camp Meeting Creek

From the confluence with segment 1806 of the Guadalupe River up to the headwaters at Bearskin Road

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1806A_01	Intermittent stream with perennial pools from the confluence with the Guadalupe River upstream to the dam on an unnamed impoundment, located downstream of Ranchero Road in the City of Kerrville.	5c	No

SegID: 1806D Quinlan Creek

From the confluence of the Guadalupe River in Kerrville in Kerr County to the upstream perennial portion of the stream north of Kerrville in Kerr County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1806D_01	From the confluence of the Guadalupe River in Kerrville in Kerr County to the upstream perennial portion of the stream north of Kerrville in Kerr County	4a	No

SegID: 1806E Town Creek

From the confluence of the Guadalupe River just upstream of FM 394 in Kerrville in Kerr County upstream to the headwaters in Gillespie County approximately 4.5 mi (7.4 km) north of Kerrville

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1806E_01	From the confluence of the Guadalupe River just upstream of FM 394 in Kerrville in Kerr County upstream to the headwaters in Gillespie County approximately 4.5 mi (7.4 km) north of Kerrville	4a	No

SegID: 1810 Plum Creek

From the confluence with the San Marcos River in Caldwell County to FM 2770 in Hays County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1810_01	Confluence with San Marcos River to approximately 2.5 mi upstream of the confluence with Clear Fork Plum Creek	4b	No
1810_02	From approximately 2.5 mi upstream of confluence with Clear Fork Plum Ck to approximately 0.5 mi upstream of SH21	4b	No
1810_03	From approximately 0.5 mi upstream of SH 21 to upper end of segment	4b	No

SegID: 1811 Comal River

From the confluence with the Guadalupe River in Comal County to Klingemann Street in New Braunfels in Comal County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1811_01	From the confluence with segment 1804 of the Guadalupe River up to just upstream of the confluence with Dry Comal Creek in New Braunfels, Comal County, Texas.	5c	No

SegID: 1811A Dry Comal Creek

From the confluence of the Comal River in New Braunfels in Comal County to the upstream perennial portion of the stream southwest of New Braunfels in Comal County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1811A_01 Lower 25 mi of water body	5c	No

SegID: 1901 Lower San Antonio River

From the confluence with the Guadalupe River in Refugio/Victoria County to a point 600 meters (660 yards) downstream of FM 791 at Mays crossing near Falls City in Karnes County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1901_02 25 mi upstream of Manahuilla Creek	4a	No
1901_04 9 mi downstream of Escondido Creek	4a	No
impaired fish community		
1901_02 25 mi upstream of Manahuilla Creek	5c	Yes

SegID: 1901A Escondido Creek

From the confluence with Lower San Antonio River upstream to the headwaters near Karnes CR 210 and FM 99

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1901A_01 From the confluence with Lower San Antonio River upstream to the confluence with Nichols Creek in Kenedy	5c	No

SegID: 1901B Cabeza Creek

From the confluence with segment 1901, west of Goliad, Goliad County, up to the upper end of the water body (NHD RC 12100303000882)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1901B_01 From the confluence with segment 1901, west of Goliad, Goliad County, up to the upper end of the water body (NHD RC 12100303000882)	5c	No

SegID: 1901F Ecletto Creek

From the confluence with the Lower San Antonio River upstream to the headwaters adjacent to SH 123 south of Seguin in Guadalupe County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen		
1901F_01 From the confluence with the Lower San Antonio River upstream to the headwaters adjacent to SH 123 south of Seguin in Guadalupe County	5c	No

SegID: 1902 Lower Cibolo Creek

From the confluence with the San Antonio River in Karnes County to a point 100 meters (110 yards) downstream of IH 10 in Bexar/Guadalupe County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1902_01 From the confluence with the Lower San Antonio River in Karnes County upstream to the confluence with Mulifest Creek	5b	No
1902_02 From the confluence with Mulifest Creek upstream to the confluence with Pulaski Creek	5b	No
1902_03 From the confluence with Pulaski Creek upstream to the confluence with Clifton Branch	5c	No
impaired fish community		
1902_03 From the confluence with Pulaski Creek upstream to the confluence with Clifton Branch	5c	No

SegID: 1902A Martinez Creek

Perennial stream from the confluence with Lower Cibolo Creek upstream to the headwaters in Bexar County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1902A_01 From the confluence with Lower Cibolo Creek upstream to the confluence with Salitrillo Creek	5c	No

SegID: 1902C Clifton Branch

From the confluence of Lower Cibolo Creek upstream to the headwater 0.6 mi upstream of Wilson CR 424 north of Stockdale

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1902C_01 From the confluence of Lower Cibolo Creek upstream to the headwater 0.6 mi upstream of Wilson CR 424 north of Stockdale	5c	No
depressed dissolved oxygen		
1902C_01 From the confluence of Lower Cibolo Creek upstream to the headwater 0.6 mi upstream of Wilson CR 424 north of Stockdale	5c	No

SegID: 1903 Medina River Below Medina Diversion Lake

From the confluence with the San Antonio River in Bexar County to Medina Diversion Dam in Medina County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1903_01 From the confluence with the San Antonio River upstream to the confluence with Palo Blanco Creek approximately 2.0 km upstream of FM 1937	5c	No
1903_02 From the confluence with Palo Blanco Creek approximately 2.0 km upstream of FM 1937 upstream to the confluence with Lower Leon Creek	5c	No
1903_03 From the confluence with Lower Leon Creek upstream to the confluence with Medio Creek	5c	No

SegID: 1905 Medina River Above Medina Lake

From a point immediately upstream of the confluence of Red Bluff Creek in Bandera County to the confluence of the North Prong Medina River and the West Prong Medina River in Bandera County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
impaired fish community		
1905_01 From a point immediately upstream of the confluence of Red Bluff Creek upstream to RM 470	5c	Yes

SegID: 1906 Lower Leon Creek

From the confluence with the Medina River in Bexar County to a point 100 meters (110 yards) upstream of SH 16 northwest of San Antonio in Bexar County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1906_03 From confluence with Indian Creek to Hwy 353 (New Laredo Hwy)	5c	No
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
PCBs in edible tissue		
1906_03 From confluence with Indian Creek to Hwy 353 (New Laredo Hwy)	5a	No
1906_04 From Hwy 353 (New Laredo Hwy) upstream approximately 2 mi to a point southeast of Pearsall Park	5a	No
1906_05 From a point southeast of Pearsall Park upstream to US 90 on the westside of San Antonio	5a	No
1906_06 From US 90 on the westside of San Antonio upstream to a point 100 meters upstream of SH 16 northwest of San Antonio	5a	No

SegID: 1908 Upper Cibolo Creek

From the Missouri-Pacific Railroad Bridge west of Bracken in Comal County to a point 1.5 km (0.9 mi) upstream of the confluence of Champee Springs in Kendall County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1908_01 From confluence. with Balcones Creek to approx. 2 mi upstream of Hwy 87 in Boerne	5c	No

SegID: 1910 Salado Creek

From the confluence with the San Antonio River in Bexar County to the confluence of Beitel Creek in Bexar County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1910_02 From the confluence with Rosillo Creek up to the confluence with Pershing Creek.	4a	No
1910_03 From the confluence with Pershing Creek up to the confluence with Walzem Creek.	4a	No
1910_04 From the confluence with Walzem Creek up to the confluence with Beitel Creek	4a	No
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen		
1910_04 From the confluence with Walzem Creek up to the confluence with Beitel Creek	4a	Yes

SegID: 1910A Walzem Creek

From the confluence with Salado Creek to approximately 1.5 mi upstream of Walzem Road in San Antonio

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1910A_01	From the confluence with Salado Creek upstream to Lanark Dr in San Antonio	4a	No

SegID: 1910D Menger Creek

From the confluence with segment 1910 to the upper end of the water body, NHD RC 12100301000147.

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1910D_01	From the confluence with segment 1910 to the upper end of the water body, NHD RC 12100301000147.	4a	Yes

SegID: 1911 Upper San Antonio River

From a point 600 meters (660 yards) downstream of FM 791 at Mays Crossing near Falls City in Karnes County to a point 100 meters (110 yards) upstream of Hildebrand Avenue at San Antonio in Bexar County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1911_08	From just upstream of the confluence with Sixmile Creek to just upstream of the confluence with San Pedro Creek.	4a	No
1911_09	From just upstream of the confluence with San Pedro Creek up to the upper end of the segment.	4a	No
impaired fish community			
1911_09	From just upstream of the confluence with San Pedro Creek up to the upper end of the segment.	5c	No

SegID: 1911B Apache Creek

From the confluence with San Pedro Creek upstream to the headwaters at SH 421 (Bandera Rd) in San Antonio

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1911B_01	From the confluence with San Pedro Creek upstream to the confluence with Zarzamora Creek.	4a	No

SegID: 1911C Alazan Creek

From the confluence with Apache Creek up to 0.4 KM (0.25 mi) upstream of St. Cloud Road (NHD RC 12100301000163) in San Antonio, Bexar County, Texas

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1911C_01	From the confluence with Apache Creek up to the confluence with Martinez Creek.	4a	No
1911C_02	From just upstream of the confluence with Martinez Creek to the upper end of the segment.	4a	No

SegID: 1911D San Pedro Creek

From the confluence with segment 1911 to the upper end of the water body, NHD RC 12100301000867

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1911D_01	From the confluence with segment 1911 up to the confluence with Apache Creek.	4a	No
1911D_02	From the confluence with Apache Creek to the upper end of the segment, NHD RC 12100301000867	4a	No

SegID: 1911E Sixmile Creek

From the confluence with 1911 to the upper end of the water body at NHD RC 12100301000061

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1911E_01	From the confluence with 1911 to the upper end of the water body at NHD RC 12100301000061	4a	Yes

SegID: 1911H Picoso Creek

From the confluence with segment 1911 to the upper end of the water body, NHD RC 12100303003001937

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen			
1911H_01	From the confluence with 1911 up to the confluence with Mariana Creek	5c	No

SegID: 1911I Martinez Creek

Martinez Creek from the confluence of Alazan Creek in central San Antonio upstream to the terminus at Vance Jackson Rd in north San Antonio

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1911I_01	Martinez Creek from the confluence of Alazan Creek in central San Antonio upstream to the concrete channel portion at San Francisco St in north San Antonio	5a	No

SegID: 1912 Medio Creek

From the confluence with the Medina River in Bexar County to a point 1.0 km (0.6 mi) upstream of IH 35 in San Antonio in Bexar County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1912_01	From the confluence with the Medina River in Bexar County to a point 1.0 km (0.6 mi) upstream of IH 35 in San Antonio in Bexar County	5c	No

SegID: 2001 Mission River Tidal

From the confluence with Mission Bay in Refugio County to a point 7.4 km (4.6 mi) downstream of US 77 in Refugio County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
2001_01	From the confluence with Mission Bay in Refugio County to a point 7.4 km (4.6 mi) downstream of US 77 in Refugio County	4a	No

SegID: 2002 Mission River Above Tidal

From a point 7.4 km (4.6 mi) downstream of US 77 in Refugio County to the confluence of Blanco Creek and Medio Creek in Refugio County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
2002_01	From a point 7.4 km (4.6 mi) downstream of US 77 in Refugio County to the confluence of Blanco Creek and Medio Creek in Refugio County	5c	No

SegID: 2003 Aransas River Tidal

From the confluence with Copano Bay in Aransas/Refugio County to a point 1.6 km (1.0 mi) upstream of US 77 in Refugio/San Patricio County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
2003_01	From the confluence with Copano Bay in Aransas/Refugio County to a point 1.6 km (1.0 mi) upstream of US 77 in Refugio/San Patricio County	4a	No

SegID: 2004 Aransas River Above Tidal

From a point 1.6 km (1.0 mi) upstream of US 77 in Refugio/San Patricio County to the confluence of Poesta Creek and Aransas Creek in Bee County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
2004_02	From the confluence with Papalote Creek to the upstream end of segment at the confluence with Aransas Creek and Poesta Creek	4a	No

SegID: 2004A Aransas Creek

From confluence with the Aransas River to the headwaters of the stream about 10 km upstream of US Highway 59

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
2004A_01	From confluence with the Aransas River to the headwaters of the stream about 10 km upstream of US Highway 59.	5c	Yes

SegID: 2004B Poesta Creek

From the confluence with the Aransas River to the headwaters of the stream about 7.5 km upstream of FM 673.

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
2004B_02	From the confluence with Talpacate Creek to the headwaters of the stream approximately 7.5 km upstream of FM 673	4a	No

SegID: 2102 Nueces River Below Lake Corpus Christi

From Calallen Dam 1.7 km (1.1 mi) upstream of US 77/IH 37 in Nueces/San Patricio County to Wesley E. Seale Dam in Jim Wells/San Patricio County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
total dissolved solids			
2102_01	From the downstream end of segment upstream to FM 666	5c	No
2102_02	From FM 666 to the upstream end of segment at Lake Corpus Christi	5c	No

SegID: 2103 Lake Corpus Christi

From Wesley E. Seale Dam in Jim Wells/San Patricio County to a point 100 meters (110 yards) upstream of US 59 in Live Oak County, up to normal pool elevation of 94 feet (impounds Nueces River)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
total dissolved solids		
2103_01 From the Wesley E. Seale Dam in Jim Wells/San Patricio County to a point 4.5 mi upstream to County Road 10F on the east side of the lake and the third arm on the west side of the lake	5b	No
2103_02 Area approx. 4 mi. SE of FM 3162 and FM 534 intersection near western shore	5b	No
2103_03 Western arm of lake near Lagarto Creek inlet	5b	No
2103_04 Upper portion of lake on opposite shore from Hideaway Hill	5b	No
2103_05 Upper arm of reservoir in more riverine section surrounding FM 534	5b	No
2103_06 Uppermost riverine part of reservoir upstream of FM 534 to upper end of segment to just upstream of US Highway 59.	5b	No

SegID: 2104 Nueces River Above Frio River

From the confluence of the Frio River in Live Oak County to Holland Dam in LaSalle County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
2104_01 From the downstream end of the segment to the confluence with Dragon Creek	5c	No

SegID: 2105 Nueces River Above Holland Dam

From Holland Dam in LaSalle County to a point 100 meters (110 yards) upstream of FM 1025 in Zavala County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen		
2105_02 From the confluence with Sauz Macho Creek to the confluence of Line Oak Slough	5c	No

SegID: 2106 Nueces/Lower Frio River

From a point 100 meters (110 yards) upstream of US 59 in Live Oak County to Choke Canyon Dam in Live Oak County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
2106_02 The Frio River from the confluence with the Nueces River to Choke Canyon Dam	5c	No
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
total dissolved solids		
2106_01 The Nueces river from the downstream end of segment to the confluence with the Frio River	5b	No
2106_02 The Frio River from the confluence with the Nueces River to Choke Canyon Dam	5b	No

SegID: 2107 Atascosa River

From the confluence with the Frio River in Live Oak County to the confluence of the West Prong Atascosa River and the North Prong Atascosa River in Atascosa County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
2107_01	From the downstream end of the segment at the confluence with the Frio River to the confluence with Borrego Creek	5b	No
2107_02	From the confluence with Borrego Creek to the confluence with Galvan Creek	5b	Yes
depressed dissolved oxygen			
2107_02	From the confluence with Borrego Creek to the confluence with Galvan Creek	5b	Yes
impaired fish community			
2107_02	From the confluence with Borrego Creek to the confluence with Galvan Creek	5b	Yes
2107_03	From the confluence with Galvan Creek to the confluence with Palo Alto Creek	5b	Yes
impaired macrobenthic community			
2107_02	From the confluence with Borrego Creek to the confluence with Galvan Creek	5b	Yes
2107_03	From the confluence with Galvan Creek to the confluence with Palo Alto Creek	5b	Yes

SegID: 2108 San Miguel Creek

From a point immediately upstream of the confluence of Mustang Branch in McMullen County to the confluence of San Francisco Perez Creek and Chacon Creek in Frio County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
2108_01	From the downstream end of the segment to the confluence of Liveoak Creek	5b	No

SegID: 2109 Leona River

From the confluence with the Frio River in Frio County to US 83 in Uvalde County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
2109_01	From the downstream end of segment to the confluence of Yoledigo Creek	5c	Yes
2109_02	From the confluence of Yoledigo Creek to the confluence of Camp Lake Slough	5c	Yes
2109_03	From the confluence of Camp Lake Slough to the upper end of segment	5c	No

SegID: 2113 Upper Frio River

From a point 100 meters (110 yards) upstream of US 90 in Uvalde County to the confluence of the West Frio River and the East Frio River in Real County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
impaired fish community			
2113_01	From the downstream end of the segment to the confluence with Bear Creek	5c	Yes
impaired macrobenthic community			
2113_01	From the downstream end of the segment to the confluence with Bear Creek	5c	Yes

SegID: 2117 Frio River Above Choke Canyon Reservoir

From a point 4.2 km (2.6 mi) downstream of SH 16 in McMullen County to a point 100 meters (110 yards) upstream of US 90 in Uvalde County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
2117_01 From the downstream end of segment to the confluence with Esperanza Creek	5c	No
2117_02 From the confluence with Esperanza Creek to the confluence with Ruiz Creek	5c	No
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
chloride		
2117_01 From the downstream end of segment to the confluence with Esperanza Creek	5c	No
2117_02 From the confluence with Esperanza Creek to the confluence with Ruiz Creek	5c	No
2117_03 From the confluence with Ruiz Creek to the confluence with Live Oak Creek	5c	No
2117_04 From the confluence with Live Oak Creek to the confluence with Elm Creek	5c	No
2117_05 From the confluence with Elm Creek to the confluence with Spring Branch	5c	No
2117_06 From the confluence with Spring Branch to the upstream end of the segment	5c	No
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
total dissolved solids		
2117_01 From the downstream end of segment to the confluence with Esperanza Creek	5c	No
2117_02 From the confluence with Esperanza Creek to the confluence with Ruiz Creek	5c	No
2117_03 From the confluence with Ruiz Creek to the confluence with Live Oak Creek	5c	No
2117_04 From the confluence with Live Oak Creek to the confluence with Elm Creek	5c	No
2117_05 From the confluence with Elm Creek to the confluence with Spring Branch	5c	No
2117_06 From the confluence with Spring Branch to the upstream end of the segment	5c	No

SegID: 2201 Arroyo Colorado Tidal

From confluence with Laguna Madre in Cameron/Willacy County to a point 100 meters (110 yards) downstream of Cemetery Road south of Port Harlingen in Cameron County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
2201_01 From the downstream end of the segment to the confluence with San Vincente Drainage Ditch	5c	Yes
2201_02 From the confluence with San Vincente Drainage Ditch to the confluence with an unnamed drainage ditch with NHD RC 12110108005353 at point N-97.53, W 26.31	5c	Yes
2201_03 From the confluence with an unnamed drainage ditch with NHD RC 12110108005353 at point N-97.53, W 26.31 to the confluence with Harding Ranch Ditch tributary	5c	Yes
2201_04 From the confluence with Harding Ranch Ditch tributary to just upstream of the City of Hondo Wastewater Discharge at point N-97.58359, W26.247186	5c	Yes
2201_05 From just upstream of the City Rio of Hondo Wastewater Discharge at point N-97.58359, W26.247186 to the upstream end of the segment	5c	Yes
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen		
2201_04 From the confluence with Harding Ranch Ditch tributary to just upstream of the City of Hondo Wastewater Discharge at point N-97.58359, W26.247186	5a	Yes
2201_05 From just upstream of the City Rio of Hondo Wastewater Discharge at point N-97.58359, W26.247186 to the upstream end of the segment	5a	Yes
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
mercury in edible tissue		
2201_05 From just upstream of the City Rio of Hondo Wastewater Discharge at point N-97.58359, W26.247186 to the upstream end of the segment	5c	No
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
PCBs in edible tissue		
2201_05 From just upstream of the City Rio of Hondo Wastewater Discharge at point N-97.58359, W26.247186 to the upstream end of the segment	5a	No

SegID: 2201B Unnamed Drainage Ditch Tributary (B) in Cameron County Drainage District #3

Perennial drainage ditches that flow into the segment in Cameron and Hidalgo counties

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
2201B_01 From the confluence with the Arroyo Colorado in Cameron County in the Rio Hondo turning basin at -97.6, 26.196 decimal degrees to a point 17.6 km upstream at the FM 510 crossing.	5b	Yes

SegID: 2202 Arroyo Colorado Above Tidal

From a point 100 meters (110 yards) downstream of Cemetery Road south of Port Harlingen in Cameron County to FM 2062 in Hidalgo County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
2202_01 From the downstream end of segment to the confluence with Little Creek just upstream of State Loop 499	5c	No
2202_02 From the confluence with Little Creek to the confluence with La Feria Main Canal just upstream of Dukes Highway	5c	No
2202_03 From the confluence with La Feria Main Canal just upstream of Dukes Highway to the confluence with La Cruz Resaca just downstream of FM 907	5c	No
2202_04 From the confluence with La Cruz Resaca to the upper end of segment at FM 2062	5c	No
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
mercury in edible tissue		
2202_01 From the downstream end of segment to the confluence with Little Creek just upstream of State Loop 499	5c	No
2202_02 From the confluence with Little Creek to the confluence with La Feria Main Canal just upstream of Dukes Highway	5c	No
2202_03 From the confluence with La Feria Main Canal just upstream of Dukes Highway to the confluence with La Cruz Resaca just downstream of FM 907	5c	No
2202_04 From the confluence with La Cruz Resaca to the upper end of segment at FM 2062	5c	No
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
PCBs in edible tissue		
2202_01 From the downstream end of segment to the confluence with Little Creek just upstream of State Loop 499	5a	No
2202_02 From the confluence with Little Creek to the confluence with La Feria Main Canal just upstream of Dukes Highway	5a	No
2202_03 From the confluence with La Feria Main Canal just upstream of Dukes Highway to the confluence with La Cruz Resaca just downstream of FM 907	5a	No
2202_04 From the confluence with La Cruz Resaca to the upper end of segment at FM 2062	5a	No

SegID: 2202A Donna Reservoir

Off-channel irrigation reservoir pumped from Rio Grande near the City of Donna in Hidalgo County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
PCBs in edible tissue		
2202A_01 Off-channel irrigation reservoir pumped from Rio Grande near the City of Donna in Hidalgo County	4a	No

SegID: 2203 Petronila Creek Tidal

From the confluence of Chiltipin Creek in Kleberg County to a point 1 km (0.6 mi) upstream of private road crossing near Laureles Ranch in Kleberg County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
2203_01 From the confluence with Tunas Creek and Alazan Bay to a point 11 mi upstream	5c	No
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
pH		
2203_01 From the confluence with Tunas Creek and Alazan Bay to a point 11 mi upstream	5c	No

SegID: 2204 Petronila Creek Above Tidal

From a point 1 km (0.6 mi) upstream of private road crossing near Laureles Ranch in Kleberg County to the confluence of Agua Dulce and Banquete Creeks in Nueces County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
2204_01 From downstream end of segment to the confluence with 2204A, unnamed drainage ditch tributary to Petronila Creek at N-97.7, W27.65 approximately 32.5 km (20.2 mi) upstream	5b	No
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
chloride		
2204_01 From downstream end of segment to the confluence with 2204A, unnamed drainage ditch tributary to Petronila Creek at N-97.7, W27.65 approximately 32.5 km (20.2 mi) upstream	4a	No
2204_02 From the confluence with 2204A, unnamed drainage ditch tributary of Petronila Creek at N-97.7, W27.65 to the upstream end of segment at the confluence with Agua Dulce and Banquete Creeks approximately 31.6 km (19.6 mi) upstream	4a	No
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
sulfate		
2204_01 From downstream end of segment to the confluence with 2204A, unnamed drainage ditch tributary to Petronila Creek at N-97.7, W27.65 approximately 32.5 km (20.2 mi) upstream	4a	No
2204_02 From the confluence with 2204A, unnamed drainage ditch tributary of Petronila Creek at N-97.7, W27.65 to the upstream end of segment at the confluence with Agua Dulce and Banquete Creeks approximately 31.6 km (19.6 mi) upstream	4a	No
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
total dissolved solids		
2204_01 From downstream end of segment to the confluence with 2204A, unnamed drainage ditch tributary to Petronila Creek at N-97.7, W27.65 approximately 32.5 km (20.2 mi) upstream	4a	No
2204_02 From the confluence with 2204A, unnamed drainage ditch tributary of Petronila Creek at N-97.7, W27.65 to the upstream end of segment at the confluence with Agua Dulce and Banquete Creeks approximately 31.6 km (19.6 mi) upstream	4a	No

SegID: 2302 Rio Grande Below Falcon Reservoir

From a point 10.8 km (6.7 mi) downstream of the International Bridge in Cameron County to Falcon Dam in Starr County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
2302_03 From the Progresso International Bridge (FM 1015) upstream to the McAllen International Bridge (US Hwy 281)	5c	No

SegID: 2302A Arroyo Los Olmos

From Rio Grande confluence at Rio Grande City to El Sauz in Starr County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
2302A_01 From the Rio Grande confluence near Rio Grande City upstream to a point 39.4 km (24.5 mi) near El Sauz	5b	Yes

SegID: 2304 Rio Grande Below Amistad Reservoir

From a point 0.66 km (0.41 mi) upstream of the confluence of the Arroyo El Lobo (Mexico) in Webb County to Amistad Dam in Val Verde County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
2304_01 From a point 0.66 km (0.41 mi) upstream of the confluence of the Arroyo El Lobo (Mexico) in Webb County upstream to the San Idelfonso Creek confluence	5c	No
2304_02 From the San Idelfonso Creek confluence upstream to International Bridge #2	5c	No
2304_03 From the International Bridge #2 upstream to the City of Laredo water treatment plant intake	5c	No
2304_07 From El Indio upstream to downstream of US Hwy 277 (Eagle Pass)	5c	No
2304_09 From the Las Moras Creek confluence upstream to the San Felipe Creek confluence	5c	No

SegID: 2306 Rio Grande Above Amistad Reservoir

From a point 1.8 km (1.1 mi) downstream of the confluence of Ramsey Canyon in Val Verde County to the confluence of the Rio Conchos (Mexico) in Presidio County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
sulfate		
2306_01 From the lower segment boundary at Ramsey Canyon upstream to the confluence of Panther Gulch	5b	No
2306_02 From the confluence of Panther Gulch upstream to FM 2627	5b	No
2306_03 From FM 2627 upstream to Boquillas Canyon	5b	No
2306_04 From Boquillas Canyon upstream to Mariscal Canyon	5b	No
2306_05 From Mariscal Canyon to a point upstream of the IBWC gage at Johnson Ranch	5b	No
2306_06 From a point upstream of the IBWC gage at Johnson Ranch to the mouth of Santa Elena Canyon at the Terlingua Creek confluence	5b	No
2306_07 From the mouth of Santa Elena Canyon at the Terlingua Creek confluence upstream to the Alamito Creek confluence	5b	No
2306_08 From Alamito Creek confluence upstream to the Rio Conchos confluence	5b	No

SegID: 2307 Rio Grande Below Riverside Diversion Dam

From the confluence of the Rio Conchos (Mexico) in Presidio County to Riverside Diversion Dam in El Paso County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
2307_03 From Little Box Canyon upstream to the Alamo Grade Structure	5c	Yes
2307_04 From the Alamo Grade Structure upstream to the Guadalupe Bridge	5c	No
2307_05 From the Guadalupe Bridge to downstream of the Riverside Diversion Dam	5c	No
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
chloride		
2307_01 From immediately upstream of the Rio Conchos confluence to a point 40.2 km (25 mi) upstream	5b	No
2307_02 From a point 40.2 km (25 mi) upstream of the Rio Conchos confluence to Little Box Canyon	5b	No
2307_03 From Little Box Canyon upstream to the Alamo Grade Structure	5b	No
2307_04 From the Alamo Grade Structure upstream to the Guadalupe Bridge	5b	No
2307_05 From the Guadalupe Bridge to downstream of the Riverside Diversion Dam	5b	No
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
total dissolved solids		
2307_01 From immediately upstream of the Rio Conchos confluence to a point 40.2 km (25 mi) upstream	5b	No
2307_02 From a point 40.2 km (25 mi) upstream of the Rio Conchos confluence to Little Box Canyon	5b	No
2307_03 From Little Box Canyon upstream to the Alamo Grade Structure	5b	No
2307_04 From the Alamo Grade Structure upstream to the Guadalupe Bridge	5b	No
2307_05 From the Guadalupe Bridge to downstream of the Riverside Diversion Dam	5b	No

SegID: 2308 Rio Grande Below International Dam

From the Riverside Diversion Dam in El Paso County to International Dam in El Paso County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
2308_01 From the Riverside Diversion Dam to the International Dam in El Paso County	5c	Yes

SegID: 2311 Upper Pecos River

From a point immediately upstream of the confluence of Independence Creek in Crockett/Terrell County to Red Bluff Dam in Loving/Reeves County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen		
2311_03 From US Hwy 67 upstream to the Ward Two Irrigation Turnout	5b	No

SegID: 2313 San Felipe Creek

From the confluence with the Rio Grande in Val Verde County to a point 4.0 km (2.5 mi) upstream of US 90 in Val Verde County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
2313_01 From the Rio Grande confluence to the San Felipe Springs upstream of US Hwy 90	5c	No

SegID: 2314 Rio Grande Above International Dam

From International Dam in El Paso County to the New Mexico State Line in El Paso County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
2314_01 From the International Dam upstream to the Anthony Drain confluence	5c	No

SegID: 2411 Sabine Pass

From the end of jetties at the Gulf of Mexico to SH 82

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
2411_01 From the end of jetties at the Gulf of Mexico to SH 82	5c	No
PCBs in edible tissue		
2411_01 From the end of jetties at the Gulf of Mexico to SH 82	5a	No

SegID: 2412 Sabine Lake

Sabine Lake

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
2412_01 Sabine Lake	5c	No
PCBs in edible tissue		
2412_01 Sabine Lake	5a	No

SegID: 2421 Upper Galveston Bay

Upper Galveston Bay

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
dioxin in edible tissue		
2421_01 Red Bluff to Five mi Cut to Houston Point to Morgans Point	5a	No
2421_02 Western portion of the bay	5a	No
2421_03 Main portion of the bay	5a	No
PCBs in edible tissue		
2421_01 Red Bluff to Five mi Cut to Houston Point to Morgans Point	5a	No
2421_02 Western portion of the bay	5a	No
2421_03 Main portion of the bay	5a	No

SegID: 2421A Clear Lake Channel

From the Lower Galveston Bay confluence to SH 146

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
dioxin in edible tissue		
2421A_01 From Lower Galveston Bay confluence to SH 146	5a	No
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
PCBs in edible tissue		
2421A_01 From Lower Galveston Bay confluence to SH 146	5a	No

SegID: 2421B Little Cedar Bayou

From the confluence with Upper Galveston Bay to a point immediately upstream of Barbours Cut Blvd in La Porte

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
2421B_01 From the confluence with Galveston Bay to a point immediately upstream of Barbours Cut Blvd in La Porte	5c	No

SegID: 2421C Pine Gully

Pine Gully - from the confluence with Upper Galveston Bay upstream to the terminus approximately 875 m east of the intersection of Old Highway 146 and Red Bluff Rd in Seabrook

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
2421C_01 Pine Gully - from the confluence with Upper Galveston Bay upstream to the terminus approximately 875 m east of the intersection of Old Highway 146 and Red Bluff Rd in Seabrook	5c	No

SegID: 2421OW Upper Galveston Bay (Oyster Waters)

Upper Galveston Bay (Oyster Waters)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (oyster waters)		
2421OW_01 Entire western portion of the bay (Oyster Waters)	4a	No

SegID: 2422 Trinity Bay

Trinity Bay

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
dioxin in edible tissue		
2422_01 Upper half of bay	5a	No
2422_02 Lower half of bay	5a	No
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
PCBs in edible tissue		
2422_01 Upper half of bay	5a	No
2422_02 Lower half of bay	5a	No

SegID: 2422B Double Bayou West Fork

From the Trinity Bay confluence to Belton Road in Chambers County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
2422B_01 From the Trinity Bay confluence to Belton Road	5c	No
depressed dissolved oxygen		
2422B_01 From the Trinity Bay confluence to Belton Road	5b	Yes
dioxin in edible tissue		
2422B_01 From the Trinity Bay confluence to Belton Road	5a	No
PCBs in edible tissue		
2422B_01 From the Trinity Bay confluence to Belton Road	5a	No

SegID: 2422D Double Bayou East Fork

From the Trinity Bay confluence to a point 2.6 km (1.6 mi) upstream of SH 65

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
2422D_01 From the Trinity Bay confluence to a point 2.6 km (1.6 mi) upstream of SH 65	5c	No
dioxin in edible tissue		
2422D_01 From the Trinity Bay confluence to a point 2.6 km (1.6 mi) upstream of SH 65	5a	No
PCBs in edible tissue		
2422D_01 From the Trinity Bay confluence to a point 2.6 km (1.6 mi) upstream of SH 65	5a	No

SegID: 2422OVTrinity Bay (Oyster Waters)

Trinity Bay (Oyster Waters)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (oyster waters)		
2422OW_01 Upper portion of the bay (Oyster Waters)	4a	No

SegID: 2423 East Bay

East Bay

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
dioxin in edible tissue		
2423_01 Area adjacent to the ICWW (Segment 0702)	5a	No
2423_02 Remainder of segment	5a	No
PCBs in edible tissue		
2423_01 Area adjacent to the ICWW (Segment 0702)	5a	No
2423_02 Remainder of segment	5a	No

SegID: 2423A Oyster Bayou

From the East Bay confluence to a point 2.2 km (1.4 mi) upstream from SH 65 in Chambers County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
dioxin in edible tissue		
2423A_01 From the East Bay confluence to a point 2.2 km (1.4 mi) upstream from SH 65	5a	No
PCBs in edible tissue		
2423A_01 From the East Bay confluence to a point 2.2 km (1.4 mi) upstream from SH 65	5a	No

SegID: 2423O East Bay (Oyster Waters)

East Bay (Oyster Waters)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (oyster waters)		
2423OW_01 East end of bay adjacent to the ICWW and East Bay Bayou (Oyster Waters)	4a	No

SegID: 2424 West Bay

West Bay

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
dioxin in edible tissue		
2424_01 West Bay	5a	No
2424_02 Area adjacent to Lower Galveston Island	5a	No
PCBs in edible tissue		
2424_01 West Bay	5a	No
2424_02 Area adjacent to Lower Galveston Island	5a	No

SegID: 2424A Highland Bayou

From the confluence of West Bay upstream to the confluence of Highland Bayou Diversion Canal 118 m (388 ft) downstream of Jack Brooks Rd in Galveston County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
2424A_02 From Bayou Lane upstream to Lake Road	5c	Yes
2424A_03 From Lake Road upstream to FM 519	5c	No
2424A_04 From FM 519 upstream to FM 2004	5c	Yes
2424A_05 From FM 2004 upstream to the confluence of Highland Bayou Diversion Canal 118 m (388 ft) downstream of Jack Brooks Rd in Galveston County	5c	No
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen		
2424A_05 From FM 2004 upstream to the confluence of Highland Bayou Diversion Canal 118 m (388 ft) downstream of Jack Brooks Rd in Galveston County	5b	Yes
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
dioxin in edible tissue		
2424A_01 From the confluence of West Bay upstream to Bayou Lane	5a	No
2424A_02 From Bayou Lane upstream to Lake Road	5a	No
2424A_03 From Lake Road upstream to FM 519	5a	No
2424A_04 From FM 519 upstream to FM 2004	5a	No
2424A_05 From FM 2004 upstream to the confluence of Highland Bayou Diversion Canal 118 m (388 ft) downstream of Jack Brooks Rd in Galveston County	5a	No
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
PCBs in edible tissue		
2424A_01 From the confluence of West Bay upstream to Bayou Lane	5a	No
2424A_02 From Bayou Lane upstream to Lake Road	5a	No
2424A_03 From Lake Road upstream to FM 519	5a	No
2424A_04 From FM 519 upstream to FM 2004	5a	No
2424A_05 From FM 2004 upstream to the confluence of Highland Bayou Diversion Canal 118 m (388 ft) downstream of Jack Brooks Rd in Galveston County	5a	No

SegID: 2424B Lake Madeline

Located between Jones Street, Stewart Street and Pine Street, north of the seawall on Galveston Island

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen		
2424B_01 Between Jones Street, Stewart Street and Pine Street, north of the seawall on Galveston Island	5c	No

SegID: 2424C Marchand Bayou

From Highland Bayou confluence to 0.72 km (0.45 mi) north of IH 45 in Galveston County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
2424C_01 From Highland Bayou confluence 0.72 km (0.45 mi) north of IH-45	5c	No
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen		
2424C_01 From Highland Bayou confluence 0.72 km (0.45 mi) north of IH-45	5c	Yes

SegID: 2424D Offatts Bayou

Located on the east end of Galveston Island, running parallel with the southern terminus of IH 45, and joins West Bay near Teichman Point

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
dioxin in edible tissue		
2424D_01 Upper area bordered by SH 342 and 71st Street	5a	No
2424D_02 Middle area bordered by 71st Street and Walsh Street	5a	No
2424D_03 Lower area bordered by Walsh Street and Techmann Point	5a	No
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
PCBs in edible tissue		
2424D_01 Upper area bordered by SH 342 and 71st Street	5a	No
2424D_02 Middle area bordered by 71st Street and Walsh Street	5a	No
2424D_03 Lower area bordered by Walsh Street and Techmann Point	5a	No

SegID: 2424G Highland Bayou Diversion Canal

From the confluence with West Bay upstream to the headwaters near Avenue Q 1/2 upstream of FM 646 in Galveston County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
2424G_01 From the confluence with West Bay upstream to the headwaters near Avenue Q 1/2 upstream of FM 646 in Galveston County	5c	No

SegID: 2424OVWest Bay (Oyster Waters)

West Bay (Oyster Waters)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (oyster waters)		
2424OW_02 Area adjacent to Lower Galveston Bay and Galveston Island (Oyster Waters)	4a	No

SegID: 2425 Clear Lake

Clear Lake

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
copper in water		
2425_01 Clear Lake	5c	Yes
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
dioxin in edible tissue		
2425_01 Clear Lake	5a	No
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
PCBs in edible tissue		
2425_01 Clear Lake	5a	No

SegID: 2425A Taylor Lake

Taylor Lake from the confluence with Clear Lake upstream to the terminus of Taylor Bayou south of Bay Forest Golf Club in LaPorte

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
dioxin in edible tissue		
2425A_01 Taylor Lake from the confluence with Clear Lake to the confluence with Taylor Bayou at Red Bluff Rd in Seabrook	5a	No
2425A_02 Taylor Bayou from the confluence with Taylor Lake at Red Bluff Rd in Seabrook upstream to the Southern Pacific railroad bridge parallel with SH 146 in Harris County	5a	No
2425A_03 Taylor Bayou from the Southern Pacific railroad bridge parallel with SH 146 in Harris County upstream to the terminus south of Bay Forest Golf Club in LaPorte	5a	No
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
PCBs in edible tissue		
2425A_01 Taylor Lake from the confluence with Clear Lake to the confluence with Taylor Bayou at Red Bluff Rd in Seabrook	5a	No
2425A_02 Taylor Bayou from the confluence with Taylor Lake at Red Bluff Rd in Seabrook upstream to the Southern Pacific railroad bridge parallel with SH 146 in Harris County	5a	No
2425A_03 Taylor Bayou from the Southern Pacific railroad bridge parallel with SH 146 in Harris County upstream to the terminus south of Bay Forest Golf Club in LaPorte	5a	No

SegID: 2425B Jarbo Bayou

From Clear Lake confluence with Clear Lake to 1.1 km (0.67 mi) upstream of FM 518 in Galveston County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
2425B_01 From the Clear Lake confluence upstream to Lawrence Road	4a	No
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
dioxin in edible tissue		
2425B_01 From the Clear Lake confluence upstream to Lawrence Road	5a	No
2425B_02 From Lawrence Road to the headwaters 1.1 km (0.67 mi) upstream of FM 518	5a	No
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
PCBs in edible tissue		
2425B_01 From the Clear Lake confluence upstream to Lawrence Road	5a	No
2425B_02 From Lawrence Road to the headwaters 1.1 km (0.67 mi) upstream of FM 518	5a	No

SegID: 2426 Tabbs Bay

Tabbs Bay

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
dioxin in edible tissue		
2426_01 Tabbs Bay	5a	No
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
PCBs in edible tissue		
2426_01 Tabbs Bay	5a	No

SegID: 2426C Goose Creek Tidal

From the Tabbs Bay confluence upstream to the East Fork of Goose Creek confluence

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
dioxin in edible tissue			
2426C_01	From the Tabbs Bay confluence upstream to the East Fork of Goose Creek confluence	5a	No
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
PCBs in edible tissue			
2426C_01	From the Tabbs Bay confluence upstream to the East Fork of Goose Creek confluence	5a	No

SegID: 2427 San Jacinto Bay

San Jacinto Bay

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
dioxin in edible tissue			
2427_01	San Jacinto Bay	5a	No
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
PCBs in edible tissue			
2427_01	San Jacinto Bay	5a	No

SegID: 2428 Black Duck Bay

Black Duck Bay

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
dioxin in edible tissue			
2428_01	Black Duck Bay	5a	No
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
PCBs in edible tissue			
2428_01	Black Duck Bay	5a	No

SegID: 2429 Scott Bay

Scott Bay

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
dioxin in edible tissue			
2429_01	Scott Bay	5a	No
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
PCBs in edible tissue			
2429_01	Scott Bay	5a	No

SegID: 2430 Burnet Bay
 Burnet Bay

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
dioxin in edible tissue		
2430_01 Burnet Bay	5a	No
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
PCBs in edible tissue		
2430_01 Burnet Bay	5a	No

SegID: 2430A Crystal Bay

Crystal Bay, a side bay of Burnet Bay, located between Burnet and Scott (Segment 2429) Bays adjacent to the San Jacinto Monument and Houston Ship Channel (Segment 1005)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
dioxin in edible tissue		
2430A_01 Crystal Bay, a side bay of Burnet Bay, located between Burnet and Scott (Segment 2429) Bays adjacent to the San Jacinto Monument and Houston Ship Channel (Segment 1005)	5a	No
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
PCBs in edible tissue		
2430A_01 Crystal Bay, a side bay of Burnet Bay, located between Burnet and Scott (Segment 2429) Bays adjacent to the San Jacinto Monument and Houston Ship Channel (Segment 1005)	5a	No

SegID: 2431 Moses Lake
 Moses Lake

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
dioxin in edible tissue		
2431_01 Moses Lake	5a	No
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
PCBs in edible tissue		
2431_01 Moses Lake	5a	No

SegID: 2431A Moses Bayou

From Moses Lake confluence to 2.2 km (1.4 mi) upstream of SH 3 in Galveston County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
2431A_01 From Moses Lake confluence to 2.2 km (1.4 mi) upstream of SH 3	5c	No
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
dioxin in edible tissue		
2431A_01 From Moses Lake confluence to 2.2 km (1.4 mi) upstream of SH 3	5a	No
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
PCBs in edible tissue		
2431A_01 From Moses Lake confluence to 2.2 km (1.4 mi) upstream of SH 3	5a	No

SegID: 2431C Unnamed Tributary to the Southern Arm of Moses Lake (West)

From the confluence with the southern arm (west) of Moses Lake to a point 0.45 mi upstream of State Highway 3 near La Marque

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
2431C_01 From the confluence with the southern arm (west) of Moses Lake to a point 0.45 mi upstream of State Highway 3 near La Marque	5c	No

SegID: 2432 Chocolate Bay
Chocolate Bay

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
dioxin in edible tissue		
2432_01 Chocolate Bay	5a	No
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
PCBs in edible tissue		
2432_01 Chocolate Bay	5a	No

SegID: 2432A Mustang Bayou

From the New Bayou confluence upstream to an unnamed tributary 0.3 km (0.19 mi) upstream of State Hwy 35 to an unnamed tributary downstream of Cartwright Road

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
2432A_02 From County Road 166 upstream to an unnamed tributary 0.3 km upstream of SH 35.	5c	No

SegID: 2432B Willow Bayou

From the Halls Bayou confluence to a point 9.7 km (6 mi) upstream.

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
2432B_01 From the Halls Bayou confluence to a point 9.7 km (6 mi) upstream.	5c	No

SegID: 2432C Halls Bayou Tidal

From the Chocolate Bay confluence upstream to a point 31.5 km (19.6 mi) upstream

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
2432C_01 From the Chocolate Bay confluence upstream to a point 31.5 km (19.6 mi) upstream	5c	No
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
dioxin in edible tissue		
2432C_01 From the Chocolate Bay confluence upstream to a point 31.5 km (19.6 mi) upstream	5a	No
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
PCBs in edible tissue		
2432C_01 From the Chocolate Bay confluence upstream to a point 31.5 km (19.6 mi) upstream	5a	No

SegID: 2432OVChocolate Bay (Oyster Waters)

Chocolate Bay (Oyster Waters)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (oyster waters)		
2432OW_01 Chocolate Bay (Oyster Waters)	4a	No

SegID: 2433OVBastrop Bay/Oyster Lake (Oyster Waters)

Bastrop Bay/Oyster Lake (Oyster Waters)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (oyster waters)		
2433OW_01 Bastrop Bay (Oyster Waters)	4a	No
2433OW_02 Oyster Lake (Oyster Waters)	4a	No

SegID: 2434OVChristmas Bay (Oyster Waters)

Christmas Bay (Oyster Waters)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (oyster waters)		
2434OW_01 Area adjacent to West Bay (Oyster Waters)	4a	No

SegID: 2435OVDrum Bay (Oyster Waters)

Drum Bay (Oyster Waters)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (oyster waters)		
2435OW_01 Area adjacent to Christmas Bay (Oyster Waters)	4a	No
2435OW_02 Remainder of Drum Bay (Oyster Waters)	4a	No

SegID: 2436 Barbours Cut

Barbours Cut

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
dioxin in edible tissue		
2436_01 Barbours Cut	5a	No
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
PCBs in edible tissue		
2436_01 Barbours Cut	5a	No

SegID: 2437 Texas City Ship Channel
Texas City Ship Channel

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
dioxin in edible tissue		
2437_01 Texas City Ship Channel	5a	No
PCBs in edible tissue		
2437_01 Texas City Ship Channel	5a	No

SegID: 2438 Bayport Channel
Bayport Channel

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
copper in water		
2438_01 Bayport Channel	5c	No
dioxin in edible tissue		
2438_01 Bayport Channel	5a	No
PCBs in edible tissue		
2438_01 Bayport Channel	5a	No

SegID: 2439 Lower Galveston Bay
Lower Galveston Bay

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
dioxin in edible tissue		
2439_01 Area adjacent to the Texas City Ship Channel and Moses Lake	5a	No
2439_02 Eastern portion of the bay	5a	No
PCBs in edible tissue		
2439_01 Area adjacent to the Texas City Ship Channel and Moses Lake	5a	No
2439_02 Eastern portion of the bay	5a	No

SegID: 2439OVLLower Galveston Bay (Oyster Waters)
Lower Galveston Bay (Oyster Waters)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (oyster waters)		
2439OW_01 Area adjacent to the Texas City Ship Channel and Moses Lake (Oyster Waters)	4a	No

SegID: 2441OVLEast Matagorda Bay (Oyster Waters)
East Matagorda Bay (Oyster Waters)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (oyster waters)		
2441OW_01 Caney Creek arm and western shoreline area (Oyster Waters)	5a	No

SegID: 2452OVTres Palacios Bay/Turtle Bay (Oyster Waters)

Tres Palacios Bay/Turtle Bay (Oyster Waters)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (oyster waters)		
2452OW_01 Turtle Bay and Tres Palacios Creek Arm (Oyster Waters)	5a	No

SegID: 2452TP Tres Palacios Bay (Recreational Beaches)

Tres Palacios Bay (Recreational Beaches)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreational Beaches)		
2452TP_01 Palacios (Beach ID TX 784742)	5a	No

SegID: 2453A Garcitas Creek Tidal

From the confluence with Lavaca Bay upstream to the confluence with Arenosa Creek at the Jackson/Victoria County line

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen		
2453A_01 From the confluence with Lavaca Bay upstream to the confluence with Arenosa Creek at the Jackson/Victoria County line	5b	Yes

SegID: 2453C Arenosa Creek

From Garcitas Creek confluence upstream to J-2 Ranch Road

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
2453C_01 From Garcitas Creek confluence upstream to J-2 Ranch Road	5a	Yes

SegID: 2453D Lavaca Bay Ship Channel Area

Lavaca Bay Ship Channel Area

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
copper in water		
2453D_01 Lavaca Bay Ship Channel Area	5c	No
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen		
2453D_01 Lavaca Bay Ship Channel Area	5c	Yes
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
mercury in edible tissue		
2453D_01 Lavaca Bay Ship Channel Area	4b	No

SegID: 2453OVLavaca Bay/Chocolate Bay (Oyster Waters)

Lavaca Bay/Chocolate Bay (Oyster Waters)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (oyster waters)		
2453OW_02 North-northeastern portion of the bay near Point Comfort (Oyster Waters)	5a	No
2453OW_03 Chocolate Bay area (Oyster Waters)	5a	No

SegID: 2454 Cox Bay

Cox Bay

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
copper in water		
2454_02 Remainder of Cox Bay	5c	No

SegID: 2455OVKeller Bay (Oyster Waters)

Keller Bay (Oyster Waters)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (oyster waters)		
2455OW_01 Upper arm (Oyster Waters)	5a	No

SegID: 2456 Carancahua Bay

Carancahua Bay

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
2456_02 Upper half of bay	5a	No

SegID: 2456A West Carancahua Creek Tidal

From the Carancahua Bay confluence to Jackson CR 440, 10.1 km (6.3 mi) upstream of FM 616 in Jackson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen		
2456A_01 From the Carancahua Bay confluence to Jackson CR 440, 10.1 km (6.3 mi) upstream of FM 616 in Jackson County	5c	Yes

SegID: 2456OVCarancahua Bay (Oyster Waters)

Carancahua Bay (Oyster Waters)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (oyster waters)		
2456OW_02 Upper portion of bay and shoreline area (Oyster Waters)	5a	No

SegID: 2462OVSan Antonio Bay/Hynes Bay/Guadalupe Bay/Mission Lake (Oyster Waters)

San Antonio Bay/Hynes Bay/Guadalupe Bay/Mission Lake (Oyster Waters)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (oyster waters)		
2462OW_01 Guadalupe Bay (Oyster Waters)	5a	No

SegID: 2472OVCopano Bay/Port Bay/Mission Bay (Oyster Waters)

Copano Bay/Port Bay/Mission Bay (Oyster Waters)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (oyster waters)		
2472OW_01 Mission Bay, Aransas River arm, Port Bay, and eastern shoreline (Oyster Waters)	5c	No

SegID: 2481CBCorpus Christi Bay (Recreational Beaches)

Corpus Christi Bay (Recreational Beaches)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreational Beaches)		
2481CB_03 Cole Park (Beach ID TX259473)	5a	No
2481CB_04 Ropes Park (Beach ID TX821303)	5a	No
2481CB_06 Poenisch Park (Beach ID TX682648)	5a	No

SegID: 2482 Nueces Bay

Nueces Bay

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
copper in water		
2482_01 Nueces Bay	5c	No

SegID: 2482OVNueces Bay (Oyster Waters)

Nueces Bay (Oyster Waters)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
zinc in edible tissue		
2482OW_01 Nueces Bay (Oyster Waters)	4a	No

SegID: 2484 Corpus Christi Inner Harbor

Corpus Christi Inner Harbor - from US 181 to Viola Turning Basin

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
copper in water		
2484_01 Corpus Christi Inner Harbor - from US 181 to Viola Turning Basin	5c	No

SegID: 2485 Oso Bay
Oso Bay

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
2485_03 Lower portion of bay (Ocean Drive to State Park Road 22)	4a	Yes
depressed dissolved oxygen		
2485_02 Middle bay (State Park Road 22 to Holly Road)	5b	Yes

SegID: 2485A Oso Creek

From the Oso Bay confluence in southern Corpus Christi to a point 4.8 km (3 mi) upstream of SH 44, west of Corpus Christi in Nueces County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
2485A_01 From the Oso Bay confluence in southern Corpus Christi to a point 4.8 km (3 mi) upstream of SH 44, west of Corpus Christi	5a	No

SegID: 2485OW Oso Bay (Oyster Waters)
Oso Bay (Oyster Waters)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (oyster waters)		
2485OW_01 Oso Bay (Oyster Waters)	5a	No

SegID: 2491 Laguna Madre
Laguna Madre

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
2491_02 Area adjacent to the Arroyo Colorado confluence	5c	Yes
depressed dissolved oxygen		
2491_01 Upper portion of bay north of the Arroyo Colorado confluence	5b	Yes
2491_02 Area adjacent to the Arroyo Colorado confluence	5b	Yes

SegID: 2491OVLaguna Madre (Oyster Waters)
Laguna Madre (Oyster Waters)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (oyster waters)		
2491OW_02 Area adjacent to the Arroyo Colorado confluence (Oyster Waters)	5c	No

SegID: 2492A San Fernando Creek

From the Cayo Del Grullo confluence in Kleberg County upstream to the confluence with Chiltipin Creek and San Diego Creek in Jim Wells County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
2492A_01 From the Cayo Del Grullo confluence in Kleberg County upstream to the confluence with Chiltipin Creek and San Diego Creek in Jim Wells County	5c	No

SegID: 2494 Brownsville Ship Channel

Brownsville Ship Channel

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
2494_01 From the Laguna Madre confluence upstream to the Port of Brownsville	5c	Yes

SegID: 2494A Port Isabel Fishing Harbor

From the Laguna Madre confluence to 0.4 km (0.25 mi) south of SH 100 in Port Isabel in Cameron County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
2494A_01 From the Laguna Madre confluence to 0.4 km (0.25 mi) south of SH 100 in Port Isabel	5c	Yes

SegID: 2501 Gulf of Mexico

From the Gulf shoreline to the limit of Texas' jurisdiction between Sabine Pass and the mouth of the Rio Grande

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
2501_01 Sabine Pass to Sea Rim Park area	5c	No
2501_02 Jefferson-Chambers County line area	5c	No
mercury in edible tissue		
2501_01 Sabine Pass to Sea Rim Park area	5c	No
2501_02 Jefferson-Chambers County line area	5c	No
2501_03 Bolivar Point to San Luis Pass area	5c	No
2501_04 Freeport Area	5c	No
2501_05 Area between Freeport and Port Aransas	5c	No
2501_06 Port Aransas Area	5c	No
2501_07 Area between Port Aransas and Port Mansfield	5c	No
2501_08 Port Mansfield area	5c	No
2501_09 Area between Port Mansfield and Port Isabel	5c	No
2501_10 Port Isabel area	5c	No