

## 2018 Texas Integrated Report - Water Bodies Evaluated

---

### Explanation of Report Headings

SegID and Name:	The unique identifier (SegID), segment name, and location of the water body. The SegID may be one of three types of numbers. The first type is a classified segment number (4 digits, e.g. 0218), as defined in the Texas Surface Water Quality Standards (TSWQS). The second type is a water body described in Appendix D of the TSWQS, or an unclassified water body, not defined in the TSWQS, though associated with a classified water body in the same watershed. The third type include special Segments for Oyster Water Use (e.g. 2421OW) and Beach Watch Use (e.g. 2481CB) special areas. The segment name and description follow SegID.
Segment Type:	The type of water body (e.g. Reservoir, Estuary, Freshwater Stream, Tidal Stream, etc.)
AU_ID:	Identifies the assessment unit (AU_ID, six or seven digits, e.g., 0101A_01) and describes a specific area within a classified or unclassified water body. The AU descriptions immediately follow the AU_ID. This report includes all AUs identified for each Segment, including those without assessments.
Flow Type:	Type of flow regime (perennial, intermittent, intermittent with perennial pools) for streams. For non-stream water bodies, Flow type and Segment Type are typically the same.
Flow Type Source:	This is the reference source used to determine the flow type of an AU.
ALU Designation:	This is the designated Aquatic Life Use associated with the AU (exceptional, high, intermediate, limited, and minimal).
ALU Designation Source:	This is the reference source of the ALU designation.
Station ID(s):	Station IDs are the numbers that identify specific monitoring sites associated an AUID, but do not necessarily indicate data were available from that station for the period of record. Some assessment units do not have monitoring stations; other information may have been evaluated to determine support status for those AUs.

**SegID: 0101 Canadian River Below Lake Meredith**

From the Oklahoma State Line in Hemphill County to Sanford Dam in Hutchinson County

Segment Type Freshwater Stream

**AU\_ID: 0101\_01** From the Oklahoma state line upstream to the confluence with Red Deer Creek east of Canadian

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10032

**AU\_ID: 0101\_02** From the confluence with Red Deer Creek upstream to the confluence with White Deer Creek in Hutchinson County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10033

**AU\_ID: 0101\_03** From the confluence with White Deer Creek upstream to the confluence with Dixon Creek east of Borger

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 20702

**AU\_ID: 0101\_04** From the confluence with Dixon Creek upstream to Sanford Dam in Hutchinson County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10034; 10035

**SegID: 0101A Dixon Creek**

Dixon Creek - intermittent stream with perennial pools from the confluence with the Canadian River in Hutchinson County upstream to the confluence with Middle and East Dixon creeks in Carson County

Segment Type Freshwater Stream

**AU\_ID: 0101A\_01** Dixon Creek an Appendix D Intermittent stream with perennial pools from the confluence with the Canadian River upstream to the confluence with the permitted outfall receiving waters tributary

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** 10016

**AU\_ID: 0101A\_02** Dixon Creek an Appendix D Intermittent stream with perennial pools from the confluence with the permitted outfall receiving waters tributary upstream to the confluence with Middle and East Dixon creeks

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** 17045

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0101B Rock Creek

Perennial stream from the confluence with the Canadian River upstream to the headwaters in Carson County

Segment Type Freshwater Stream

**AU\_ID: 0101B\_01** Appendix D, Perennial stream from the confluence with the Canadian River up to SH 136 in the City of Borger

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix D

ALU Designation  
Limited

ALU Designation Source  
TSWQS Appendix D

Station ID(s): 10024

**AU\_ID: 0101B\_02** From SH 136 in the City of Borger upstream to the headwaters in Carson County

Flow Type  
Intermittent

Flow Type Source  
Routine Flow Data

ALU Designation  
Minimal

ALU Designation Source  
Presumption from flow type

Station ID(s): No Stations

### SegID: 0101C White Deer Creek

White Deer Creek - from the confluence of the Canadian River upstream to the headwater near Ranch Road 294 north of White Deer

Segment Type Freshwater Stream

**AU\_ID: 0101C\_01** White Deer Creek from the confluence of the Canadian River upstream to the headwater near Ranch Road 294 north of White Deer

Flow Type  
Intermittent w/pools

Flow Type Source  
Flow Questionnaire

ALU Designation  
Limited

ALU Designation Source  
Presumption from flow type

Station ID(s): 21174

### SegID: 0102 Lake Meredith

Lake Meredith - from Sanford Dam in Hutchinson County to a point immediately upstream of the confluence of Camp Creek in Potter County, up to the normal pool elevation of 2936.5 feet (impounds Canadian River)

Segment Type Reservoir

**AU\_ID: 0102\_01** Lake Meredith downstream of a line from red starboard marker 14 at Blue West Campground to green port marker 11 north of Fritch Canyon

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
Exceptional

ALU Designation Source  
TSWQS Appendix A

Station ID(s): 10036

**AU\_ID: 0102\_02** Lake Meredith upstream of a line from red starboard marker 14 at Blue West Campground to green port marker 11 north of Fritch Canyon

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
Exceptional

ALU Designation Source  
TSWQS Appendix A

Station ID(s): No Stations

**SegID: 0102A Big Blue Creek**

Big Blue Creek - from the confluence of Lake Meredith upstream to the headwater 500m upstream of Moore CR 2202

Segment Type Freshwater Stream

**AU\_ID: 0102A\_01** Big Blue Creek from the confluence of Lake Meredith upstream to the headwater 500m upstream of Moore CR 2202

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Flow Questionnaire	Minimal	Presumption from flow type

**Station ID(s):** 15270

**SegID: 0103 Canadian River Above Lake Meredith**

From a point immediately upstream of the confluence of Camp Creek in Potter County to the New Mexico State Line in Oldham County

Segment Type Freshwater Stream

**AU\_ID: 0103\_01** From the headwaters of Lake Meredith upstream to the confluence with Sand Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10054

**AU\_ID: 0103\_02** From the confluence with Sand Creek upstream to the confluence with Punta de Agua Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10056

**AU\_ID: 0103\_03** From the confluence with Punta de Agua Creek upstream to the New Mexico State Line

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 16344

**SegID: 0103A East Amarillo Creek**

From the confluence of the Canadian River to the headwaters of Thompson Park Lake in Amarillo

Segment Type Freshwater Stream

**AU\_ID: 0103A\_01** From the confluence with the Canadian River upstream to the Thompson Park Lake spillway

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Flow Questionnaire	Minimal	Presumption from flow type

**Station ID(s):** 10017; 10018; 21024

**AU\_ID: 0103A\_02** From the Thompson Park Lake spillway upstream to the headwaters of the lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Flow Questionnaire	Minimal	Presumption from flow type

**Station ID(s):** 15775

**SegID: 0103B Punta De Agua Creek**

From the confluence of the Canadian River to the New Mexico State Line in Hartley County

Segment Type Freshwater Stream

**AU\_ID: 0103B\_01** From the confluence with Canadian River upstream to the confluence with Rita Blanca Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Intermediate	Presumption from flow type

**Station ID(s):** No Stations

**AU\_ID: 0103B\_02** From the confluence with Rita Blanca Creek upstream to the New Mexico state line

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0103C Unnamed Tributary of West Amarillo Creek**

Unnamed tributary of West Amarillo Creek - from the confluence of West Amarillo Creek upstream to the confluence of two unnamed streams near Amarillo Blvd

Segment Type Freshwater Stream

**AU\_ID: 0103C\_01** Unnamed tributary from the confluence of West Amarillo Creek upstream to the confluence of two unnamed streams near Amarillo Blvd

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** 10021; 17056

**SegID: 0104 Wolf Creek**

From the Oklahoma State Line in Lipscomb County to a point 2.0 km (1.2 mi) upstream of FM 3045 in Ochiltree County

Segment Type Freshwater Stream

**AU\_ID: 0104\_01** From the Oklahoma State Line upstream to the confluence with Plum Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10059

**AU\_ID: 0104\_02** From the confluence with Plum Creek upstream to Lake Fryer Dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10058

**AU\_ID: 0104\_03** From the Lake Fryer Dam to a point 2.0 km (1.2 mi) upstream of FM 3045 in Ochiltree County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 17465

**SegID: 0105 Rita Blanca Lake**

Rita Blanca Lake - from Rita Blanca Dam in Hartley County up to the normal pool elevation of 3860 feet (impounds Rita Blanca Creek)

Segment Type Reservoir

**AU\_ID: 0105\_01** Rita Blanca Lake from Rita Blanca Dam up to the normal pool elevation of 3860 feet

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	Limited	TSWQS Appendix A

**Station ID(s):** 10060

**SegID: 0199A Palo Duro Reservoir**

Palo Duro Reservoir - from Palo Duro dam up to the normal pool elevation of 2892 feet north of Spearman

Segment Type Reservoir

**AU\_ID: 0199A\_01** Palo Duro Reservoir from Palo Duro dam up to the normal pool elevation of 2892 feet north of Spearman

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	Water body description	High	Presumption from Flow Type

**Station ID(s):** 10005

**SegID: 0199B Kiowa Creek**

Kiowa Creek - from the Oklahoma State Line upstream to the headwater 500m upstream of Ochiltree CR 23 east of Perryton

Segment Type Freshwater Stream

**AU\_ID: 0199B\_01** Kiowa Creek from the Oklahoma State Line upstream to the headwater 500m upstream of Ochiltree CR 23 east of Perryton

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** 10009

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0201 Lower Red River

From the Arkansas State Line in Bowie County to the Arkansas-Oklahoma State Line in Bowie County

Segment Type Freshwater Stream

**AU\_ID: 0201\_01** From the Arkansas state line upstream to the confluence with Walnut Bayou (Oklahoma stream)

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 10123

**AU\_ID: 0201\_02** From the confluence with Walnut Bayou (Oklahoma stream) upstream to the Arkansas-Oklahoma state line

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** No Stations

### SegID: 0201A Mud Creek

Mud Creek - from the confluence of the Red River upstream to the headwater near the intersection of US 82 and Bowie CR 3403

Segment Type Freshwater Stream

**AU\_ID: 0201A\_01** Mud Creek from the confluence of the Red River upstream to the headwater near the intersection of US 82 and Bowie CR 3403

Flow Type  
Intermittent w/pools

Flow Type Source  
Flow Questionnaire

ALU Designation  
Limited

ALU Designation Source  
Presumption from flow type

**Station ID(s):** 15319

### SegID: 0201B Jones Creek

Jones Creek - intermittent stream with perennial pools from the confluence with Barkman Creek up to the western most crossing of FM 1398 near the City of Hooks

Segment Type Freshwater Stream

**AU\_ID: 0201B\_01** Jones Creek an Appendix D intermittent stream with perennial pools from the confluence with Barkman Creek up to the western most crossing of FM 1398 near the City of Hooks

Flow Type  
Intermittent w/pools

Flow Type Source  
TSWQS Appendix D

ALU Designation  
Intermediate

ALU Designation Source  
TSWQS Appendix D

**Station ID(s):** No Stations

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0201C Panther Creek

Panther Creek - from the confluence of Barkman Creek upstream to the headwater 500 m upstream of US 82 west of Hooks

Segment Type Freshwater Stream

**AU\_ID: 0201C\_01** Panther Creek from the confluence of Barkman Creek upstream to the confluence of an unnamed tributary 1.4 km north of IH 30 northwest of Hooks

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** No Stations

**AU\_ID: 0201C\_02** Panther Creek from the confluence of an unnamed tributary 1.4 km north of IH 30 northwest of Hooks upstream to the headwater 500 m upstream of US 82 west of Hooks

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** 10106

### SegID: 0201D Barkman Creek

Barkman Creek - from the confluence of the Red River upstream to the headwater 1.3 km north of IH 30 east of Hooks

Segment Type Freshwater Stream

**AU\_ID: 0201D\_01** Barkman Creek from the confluence of the Red River upstream to the confluence of Jones Creek 5.0 km northeast of Texarkana

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Flow Questionnaire	High	Presumption from flow type

**Station ID(s):** 15059

**AU\_ID: 0201D\_02** Barkman Creek from the confluence of Jones Creek 5.0 km northeast of Texarkana upstream to the headwater 1.3 km north of IH 30 east of Hooks

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Flow Questionnaire	High	Presumption from flow type

**Station ID(s):** No Stations



## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0202 Red River Below Lake Texoma

From the Arkansas-Oklahoma State Line in Bowie County to Denison Dam in Grayson County

Segment Type Freshwater Stream

**AU\_ID: 0202\_01** From the Oklahoma/Arkansas state line upstream to the confluence with Pecan Bayou

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10125

**AU\_ID: 0202\_02** From the confluence with Pecan Bayou upstream to the confluence with Pine Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 15779

**AU\_ID: 0202\_03** From the confluence with Pine Creek upstream to the confluence with Bois d'Arc Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10126

**AU\_ID: 0202\_04** From the confluence with Bois d'Arc upstream to the confluence with Choctaw Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10127

**AU\_ID: 0202\_05** From the confluence with Choctaw Creek upstream to Denison Dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 21031

**SegID: 0202A Bois D' Arc Creek**

Bois D' Arc Creek - from the confluence of the Red River upstream to the headwater northwest of Whitewright

Segment Type Freshwater Stream

**AU\_ID: 0202A\_01** Bois D' Arc Creek from the confluence of the Red River upstream to the confluence of Sandy Creek north of Dodd City

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Flow Questionnaire	High	Presumption from flow type

**Station ID(s):** 20167; 21029

**AU\_ID: 0202A\_02** Bois D' Arc Creek Appendix D section of Perennial stream from the confluence of Sandy Creek upstream to the confluence of Pace Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** 18652; 21028; 21706

**AU\_ID: 0202A\_03** Bois D' Arc Creek from the confluence of Pace Creek upstream to the headwater northwest of Whitewright

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	WQS/Permits program	Minimal	Previous TCEQ permit decision

**Station ID(s):** 15036

**SegID: 0202B Corneliason Creek**

Corneliason Creek - intermittent stream with perennial pools from the confluence of Mill Creek upstream to FM 1897 in the City of Bells

Segment Type Freshwater Stream

**AU\_ID: 0202B\_01** Corneliason Creek an Appendix D Intermittent stream with perennial pools from the confluence of Mill Creek upstream to FM 1897 in the City of Bells

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	TSWQS Appendix D	Limited	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 0202C Pecan Bayou**

Pecan Bayou - from the confluence of the Red River upstream to the headwater south of Red River CR 2242-S

Segment Type Freshwater Stream

**AU\_ID: 0202C\_01** Pecan Bayou from the confluence of the Red River upstream to the headwater south of Red River CR 2242-S

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Flow Questionnaire	High	Presumption from flow type

**Station ID(s):** 14472; 16001

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0202D Pine Creek

Pine Creek - perennial and intermittent stream from the confluence of the Red River upstream to the dam forming Lake Crook

Segment Type Freshwater Stream

**AU\_ID: 0202D\_01** Pine Creek an Appendix D Perennial and intermittent stream from the confluence of the Red River upstream to the dam forming Lake Crook

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix D

ALU Designation  
Intermediate

ALU Designation Source  
TSWQS Appendix D

**Station ID(s):** 10120

### SegID: 0202E Post Oak Creek

Post Oak Creek - from the confluence of Choctaw Creek upstream to the headwater east of Shadow St northwest of Sherman

Segment Type Freshwater Stream

**AU\_ID: 0202E\_01** Post Oak Creek from the confluence of Choctaw Creek upstream to the confluence of Sand Creek

Flow Type  
Perennial

Flow Type Source  
Flow Questionnaire

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

**Station ID(s):** 10114; 10115

**AU\_ID: 0202E\_02** Post Oak Creek from the confluence of Sand Creek upstream to the headwater east of Shadow St northwest of Sherman

Flow Type  
Perennial

Flow Type Source  
Flow Questionnaire

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

**Station ID(s):** 17599; 21130

### SegID: 0202F Choctaw Creek

From the confluence with the Red River east of Denison to the upstream perennial portion near the intersection of SH 56 and SH 289 in Grayson County

Segment Type Freshwater Stream

**AU\_ID: 0202F\_01** From the confluence with the Red River upstream to the confluence with Post Oak Creek

Flow Type  
Perennial

Flow Type Source  
Flow Questionnaire

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

**Station ID(s):** 10111; 18370

**AU\_ID: 0202F\_02** From the confluence with Post Oak Creek upstream to the headwaters near the intersection of SH 56 and SH 289 in Grayson County

Flow Type  
Intermittent w/pools

Flow Type Source  
Flow Questionnaire

ALU Designation  
Limited

ALU Designation Source  
Presumption from flow type

**Station ID(s):** 10112

**SegID: 0202G Smith Creek**

Smith Creek - from the confluence of Pine Creek upstream to the confluence of two unnamed streams south of Loop 286 in Paris

Segment Type Freshwater Stream

**AU\_ID: 0202G\_01** Smith Creek from the confluence of Pine Creek upstream to the confluence of two unnamed streams south of Loop 286 in Paris

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	WQS/Permits program	Minimal	Previous TCEQ permit decision

**Station ID(s):** 17044; 21026; 21027

**SegID: 0202H Big Pine Creek**

Big Pine Creek - from the confluence of the Red River upstream to the confluence of Little Pine Creek and an unnamed stream

Segment Type Freshwater Stream

**AU\_ID: 0202H\_01** Big Pine Creek from the confluence of the Red River upstream to the confluence of Little Pine Creek and an unnamed stream

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** 18513

**SegID: 0202I Little Pine Creek**

Little Pine Creek - from the confluence of Big Pine Creek upstream to the headwater north of Detroit, TX

Segment Type Freshwater Stream

**AU\_ID: 0202I\_01** Little Pine Creek from the confluence of Big Pine Creek upstream to the headwater north of Detroit, TX

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** 18514

**SegID: 0202J Sand Creek**

Sand Creek - from the confluence of Post Oak Creek upstream to the headwater north of US82 northwest of Sherman

Segment Type Freshwater Stream

**AU\_ID: 0202J\_01** Sand Creek from the confluence of Post Oak Creek upstream to the headwater north of US82 northwest of Sherman

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** 15446

**SegID: 0202K Iron Ore Creek**

Iron Ore Creek - from the confluence of Choctaw Creek upstream to the headwater south of FM 120 east of Denison

Segment Type Freshwater Stream

**AU\_ID: 0202K\_01** Iron Ore Creek from the confluence of Choctaw Creek upstream to the headwater south of FM 120 east of Denison

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Routine Flow Data	Minimal	Presumption from flow type

**Station ID(s):** 18653

**SegID: 0202L Honey Grove Creek**

Honey Grove Creek - from the confluence of Bois d'Arc Creek upstream to the headwater east of Honey Grove

Segment Type Freshwater Stream

**AU\_ID: 0202L\_01** Honey Grove Creek from the confluence of Bois d'Arc Creek upstream to the headwater east of Honey Grove

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Flow Questionnaire	Minimal	Presumption from flow type

**Station ID(s):** 21030

**SegID: 0202M Lake Bonham (Bonham City Lake)**

Lake Bonham - from the dam up to the normal pool elevation of 565 feet

Segment Type Reservoir

**AU\_ID: 0202M\_01** Lake Bonham from the dam up to the normal pool elevation of 565 feet

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	Water body description	High	Presumption from Flow Type

**Station ID(s):** 21032

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0202N Hicks Creek

Hicks Creek - from the confluence of Pine Creek upstream to the headwater 520 m south of Gate 2 Rd on Camp Maxey

Segment Type Freshwater Stream

**AU\_ID: 0202N\_01** Hicks Creek from the confluence of Pine Creek upstream to the confluence of an unnamed tributary 135 m downstream of US 271 north of Paris

Flow Type  
Perennial

Flow Type Source  
Flow Questionnaire

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

Station ID(s): 10121

**AU\_ID: 0202N\_02** Hicks Creek from the confluence of an unnamed tributary 135 m downstream of US 271 north of Paris upstream to the headwater 520 m south of Gate 2 Rd on Camp Maxey

Flow Type  
Perennial

Flow Type Source  
Flow Questionnaire

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

Station ID(s): 10122

### SegID: 0202O Unnamed tributary of Sand Creek

Unnamed tributary of Sand Creek - from the confluence of Sand Creek upstream to the dam forming Pickens Lake at Herman Baker Park in Sherman, TX

Segment Type Freshwater Stream

**AU\_ID: 0202O\_01** Unnamed tributary of Sand Creek - from the confluence of Sand Creek upstream to the dam forming Pickens Lake at Herman Baker Park in Sherman, TX

Flow Type  
Perennial

Flow Type Source  
Water body description

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

Station ID(s): 16945

### SegID: 0202P Six Mile Creek

Six Mile Creek - from the confluence of Pine Creek northwest of Paris upstream to the headwaters near Mansfield Rd east of Paris

Segment Type Freshwater Stream

**AU\_ID: 0202P\_01** Six mi Creek - from the confluence of Pine Creek northwest of Paris upstream to the headwaters near Mansfield Rd east of Paris

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

Station ID(s): 21298

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 02020 Pickens Lake

Pickens Lake - in Herman Baker Park in Sherman, TX

Segment Type Reservoir

**AU\_ID: 0202Q\_01** Pickens Lake - in Herman Baker Park in Sherman, TX

Flow Type

Reservoir

Flow Type Source

Water body description

ALU Designation

High

ALU Designation Source

Presumption from Flow Type

**Station ID(s):** 16945

### SegID: 0203 Lake Texoma

Lake Texoma - from Denison Dam in Grayson County to a point immediately upstream of the confluence of Sycamore Creek in Cooke County, up to the normal pool elevation of 617 feet (impounds Red River)

Segment Type Reservoir

**AU\_ID: 0203\_01** Lake Texoma lower lake from Denison Dam upstream to a line from Rock Point (TX) to Burns West Recreational Area (OK)

Flow Type

Reservoir

Flow Type Source

TSWQS Appendix A

ALU Designation

High

ALU Designation Source

TSWQS Appendix A

**Station ID(s):** 15388; 15440; 20545

**AU\_ID: 0203\_02** Lake Texoma Little Mineral Arm from a line from Rocky point to the Episcopal Recreation Center on Preston peninsula

Flow Type

Reservoir

Flow Type Source

TSWQS Appendix A

ALU Designation

High

ALU Designation Source

TSWQS Appendix A

**Station ID(s):** 17480

**AU\_ID: 0203\_03** Lake Texoma mid-lake area bounded upstream by a line from East Juniper Point to Cardinal Cove (OK) and downstream by a line from Treasure Island to Mill Creek picnic area

Flow Type

Reservoir

Flow Type Source

TSWQS Appendix A

ALU Designation

High

ALU Designation Source

TSWQS Appendix A

**Station ID(s):** 10130

**AU\_ID: 0203\_04** Lake Texoma upper-lake area bounded downstream by a line from East Juniper Point to Cardinal Cove (OK) upstream to headwaters

Flow Type

Reservoir

Flow Type Source

TSWQS Appendix A

ALU Designation

High

ALU Designation Source

TSWQS Appendix A

**Station ID(s):** 10131

**AU\_ID: 0203\_05** Remainder of Lake Texoma not assessed

Flow Type

Reservoir

Flow Type Source

TSWQS Appendix A

ALU Designation

High

ALU Designation Source

TSWQS Appendix A

**Station ID(s):** No Stations

**SegID: 0203A Big Mineral Creek**

Big Mineral Creek -intermittent stream with perennial pools from the normal pool elevation of Lake Texoma upstream to the confluence of unnamed tributaries on the North and South Branch, 2.4 km and 1.1 km upstream of US 377, respectively

Segment Type Freshwater Stream

**AU\_ID: 0203A\_01** Big Mineral Creek an Appendix D Intermittent stream with perennial pools from the normal pool elevation of Lake Texoma upstream to the confluence of unnamed tributaries on the North and South Branch, 2.4 km and 1.1 km upstream of US 377, respectively

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	TSWQS Appendix D	Intermediate	TSWQS Appendix D

Station ID(s): 17505

**SegID: 0203B Little Mineral Creek**

Little Mineral Creek -intermittent stream with perennial pools from the normal pool elevation of Lake Texoma upstream to the confluence of an unnamed tributary approximately 0.7 km upstream of Reeves Road

Segment Type Freshwater Stream

**AU\_ID: 0203B\_01** Little Mineral Creek an Appendix D Intermittent stream with perennial pools from the normal pool elevation of Lake Texoma upstream to the confluence of an unnamed tributary approximately 0.7 km upstream of Reeves Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	TSWQS Appendix D	Intermediate	TSWQS Appendix D

Station ID(s): No Stations

**SegID: 0203C Mustang Creek**

Mustang Creek - from the confluence of Big Mineral Creek upstream to the headwater near Old Sandborn Ranch Rd southeast of Whitesboro

Segment Type Freshwater Stream

**AU\_ID: 0203C\_01** Mustang Creek from the confluence of Big Mineral Creek upstream to the headwater near Old Sandborn Ranch Rd southeast of Whitesboro

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Routine Flow Data	Minimal	Presumption from flow type

Station ID(s): No Stations



**SegID: 0203D Deaver Creek**

Deaver Creek - from the confluence with Big Mineral Creek upstream to headwater in Southmayd

Segment Type Freshwater Stream

**AU\_ID: 0203D\_01** Deaver Creek from the confluence with Big Mineral Creek upstream to headwater in Southmayd

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Routine Flow Data	Minimal	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0204 Red River Above Lake Texoma**

From a point immediately upstream of the confluence of Sycamore Creek in Cooke County to the confluence of the Wichita River in Clay County

Segment Type Freshwater Stream

**AU\_ID: 0204\_01** From the normal pool elevation of Lake Texoma upstream to the confluence with Fish Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10132

**AU\_ID: 0204\_02** From the confluence with Fish Creek upstream to the confluence with Farmers Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 20168

**AU\_ID: 0204\_03** From the confluence with Farmers Creek upstream to the confluence with the Little Wichita River

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10133

**AU\_ID: 0204\_04** From the confluence with the Little Wichita River upstream to the confluence with the Wichita River

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**SegID: 0204A Ritchie Creek**

Ritchie Creek - intermittent stream with perennial pools from the confluence with Salt Creek up to SH 59 east of the City of Montague

Segment Type Freshwater Stream

**AU\_ID: 0204A\_01** Ritchie Creek an Appendix D intermittent stream with perennial pools from the confluence with Salt Creek up to SH 59 east of the City of Montague

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	TSWQS Appendix D	Limited	TSWQS Appendix D

**Station ID(s):** No Stations

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0204B Moss Lake

Moss Lake - from Fish Creek Dam up to spillway elevation of 715 feet

Segment Type Reservoir

**AU\_ID: 0204B\_01** Moss Lake from Fish Creek Dam up to spillway elevation of 715 feet

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 15447

### SegID: 0205 Red River Below Pease River

From the confluence of the Wichita River in Clay County to the confluence of the Pease River in Wilbarger County

Segment Type Freshwater Stream

**AU\_ID: 0205\_01** From the confluence with the Wichita River upstream to IH 44 in Burkburnett

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

Station ID(s): 10134

**AU\_ID: 0205\_02** From IH 44 in Burkburnett upstream to the confluence with the Pease River

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

Station ID(s): 16733

### SegID: 0205A Wildhorse Creek

Wildhorse Creek - from the confluence of Red River east of Burkburnett upstream to the headwater 1.9 km south of SH 240 and 11 km west of Burkburnett in Wichita County

Segment Type Freshwater Stream

**AU\_ID: 0205A\_01** Wildhorse Creek from the confluence of Red River east of Burkburnett upstream to the headwater 1.9 km south of SH 240 and 11 km west of Burkburnett in Wichita County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Flow Questionnaire	High	Presumption from flow type

Station ID(s): 10096

**SegID: 0206 Red River Above Pease River**

From the confluence of the Pease River in Wilbarger County to a point immediately upstream of the confluence of Buck Creek in Hardeman County

Segment Type Freshwater Stream

**AU\_ID: 0206\_01** From the confluence with the Pease River upstream to the confluence with Groesbeck Creek

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 0206\_02** From the confluence with the Groesbeck Creek upstream to the confluence with Buck Creek

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 10135

**SegID: 0206A Groesbeck Creek**

Groesbeck Creek - from the confluence of the Red River upstream to the confluence of the North and South branches north of Quanah

Segment Type Freshwater Stream

**AU\_ID: 0206A\_01** Groesbeck Creek from the confluence of the Red River upstream to the confluence of the North and South branches north of Quanah

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

**Station ID(s):** 20166

**SegID: 0206B South Groesbeck Creek**

South Groesbeck Creek - from the confluence of Groesbeck Creek and North Groesbeck Creek upstream to the headwater 12.6 km southwest of Childress

Segment Type Freshwater Stream

**AU\_ID: 0206B\_01** South Groesbeck Creek from the confluence of Groesbeck Creek and North Groesbeck Creek upstream to the headwater 12.6 km southwest of Childress

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

**Station ID(s):** 16000

**SegID: 0206C North Groesbeck Creek**

North Groesbeck Creek - from the confluence of Groesbeck Creek north of Quanah upstream to the headwater east of Childress

Segment Type Freshwater Stream

**AU\_ID: 0206C\_01** North Groesbeck Creek from the confluence of Groesbeck Creek north of Quanah upstream to the headwater east of Childress

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** 21297

**SegID: 0207 Lower Prairie Dog Town Fork Red River**

Lower Prairie Dog Town Fork Red River - from a point immediately upstream of the confluence of Buck Creek in Hardeman County to a point 100 meters (110 yards) upstream of the confluence of Salt Fork Creek in Armstrong County

Segment Type Freshwater Stream

**AU\_ID: 0207\_01** Lower Prairie Dog Town Fork Red River from a point immediately upstream of the confluence of Buck Creek upstream to the confluence of Grassy Creek north of Childress

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10136

**AU\_ID: 0207\_02** Lower Prairie Dog Town Fork Red River from the confluence of Grassy Creek upstream to the confluence of Parker Creek northwest of Estelline

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 0207\_03** Lower Prairie Dog Town Fork Red River from the confluence of Parker Creek upstream to the confluence of Battle Creek near SH 70 north of Turkey

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 16037

**AU\_ID: 0207\_04** Lower Prairie Dog Town Fork Red River from the confluence of Battle Creek upstream to the confluence of Salt Fork Creek upstream of SH 207 south of Claude

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 13637

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0207A Buck Creek

Buck Creek - from Oklahoma State Line upstream to the headwater south of Hedley

Segment Type Freshwater Stream

**AU\_ID: 0207A\_01** Buck Creek from Oklahoma State Line upstream to the confluence of House Log Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	High	Presumption from flow type

**Station ID(s):** 15811

**AU\_ID: 0207A\_02** Buck Creek from the confluence of House Log Creek upstream to the headwater south of Hedley

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** 20366

### SegID: 0208 Lake Crook

Lake Crook - from Lake Crook Dam in Lamar County up to the normal pool elevation of 476 feet (impounds Pine Creek)

Segment Type Reservoir

**AU\_ID: 0208\_01** Lake Crook from the dam in Lamar County up to the normal pool elevation of 476 feet

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10137

### SegID: 0209 Pat Mayse Lake

Pat Mayse Lake - from Pat Mayse Dam in Lamar County up to the normal pool elevation of 451 feet (impounds Sanders Creek)

Segment Type Reservoir

**AU\_ID: 0209\_01** Pat Mayse Lake lower half from the dam upstream to the easternmost point of Pat Mayse West campground

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 16343

**AU\_ID: 0209\_02** Pat Mayse Lake upper half from the easternmost point of Pat Mayse West campground up to normal pool elevation of 451 feet

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 16342

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0210 Farmers Creek Reservoir

Farmers Creek Reservoir (also known as Lake Nocona) - from Farmers Creek Dam in Montague County up to the normal pool elevation of 827.5 feet (impounds Farmers Creek)

Segment Type Reservoir

**AU\_ID: 0210\_01** Farmers Creek Reservoir from the dam up to the normal pool elevation of 827.5 feet

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 10139

### SegID: 0211 Little Wichita River

From the confluence with the Red River in Clay County to Lake Arrowhead Dam in Clay County

Segment Type Freshwater Stream

**AU\_ID: 0211\_01** From the confluence with the Red River upstream to the confluence with the East Fork Little Wichita River

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 10140

**AU\_ID: 0211\_02** From the confluence with the East Fork Little Wichita River upstream to the Lake Arrowhead Dam

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 13633

### SegID: 0211A East Fork Little Wichita River

East Fork Little Wichita River - from the confluence of Little Wichita River upstream to the headwater 2.7 km west of the intersection of SH 148 and FM 174 and east of Windthorst

Segment Type Freshwater Stream

**AU\_ID: 0211A\_01** East Fork Little Wichita River from the confluence of Little Wichita River upstream to the headwater 2.7 km west of the intersection of SH 148 and FM 174 and east of Windthorst

Flow Type  
Intermittent w/pools

Flow Type Source  
Flow Questionnaire

ALU Designation  
Limited

ALU Designation Source  
Presumption from flow type

**Station ID(s):** 10105

**SegID: 0212 Lake Arrowhead**

Lake Arrowhead - from Lake Arrowhead Dam in Clay County up to the normal pool elevation of 926 feet (impounds the Little Wichita River)

Segment Type Reservoir

**AU\_ID: 0212\_01** Lake Arrowhead from Lake Arrowhead Dam in Clay County up to normal pool elevation of 926 feet

Flow Type

Reservoir

Flow Type Source

TSWQS Appendix A

ALU Designation

High

ALU Designation Source

TSWQS Appendix A

**Station ID(s):** 10142

**SegID: 0212A Little Wichita River above Lake Arrowhead**

Little Wichita River - from the headwater of Lake Arrowhead at normal pool elevation of 926 feet upstream to the confluence of the North and South Forks of Little Wichita River north of Archer City

Segment Type Freshwater Stream

**AU\_ID: 0212A\_01** Little Wichita River from the headwater of Lake Arrowhead at normal pool elevation of 926 feet upstream to the confluence of the North and South Forks of Little Wichita River north of Archer City

Flow Type

Intermittent w/pools

Flow Type Source

Routine Flow Data

ALU Designation

Limited

ALU Designation Source

Presumption from flow type

**Station ID(s):** 16038

**SegID: 0213 Lake Kickapoo**

Lake Kickapoo - from Kickapoo Dam in Archer County up to the normal pool elevation of 1045 feet (impounds North Fork Little Wichita River)

Segment Type Reservoir

**AU\_ID: 0213\_01** Lake Kickapoo from the dam in Archer County up to normal pool elevation of 1045 feet

Flow Type

Reservoir

Flow Type Source

TSWQS Appendix A

ALU Designation

High

ALU Designation Source

TSWQS Appendix A

**Station ID(s):** 10143

**SegID: 0214     Wichita River Below Diversion Lake Dam**

From the confluence with the Red River in Clay County to Diversion Dam in Archer County

Segment Type     Freshwater Stream

**AU\_ID: 0214\_01**     From the confluence with the Red River upstream to the confluence with an un-named tributary immediately upstream of FM 2393

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):**     10145

**AU\_ID: 0214\_02**     From an un-named tributary immediately upstream of FM 2393 upstream to the River Road WWTP

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):**     10148

**AU\_ID: 0214\_03**     From the River Road WWTP upstream to the confluence with Buffalo Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):**     10150; 10151; 10152; 20321

**AU\_ID: 0214\_04**     From the confluence with Buffalo Creek upstream to the confluence with Beaver Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):**     10154

**AU\_ID: 0214\_05**     From the confluence with Beaver Creek upstream to the Diversion Lake Dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):**     10155



**SegID: 0214A Beaver Creek**

From the confluence of the Wichita River west of Wichita Falls in Wichita County upstream to the headwaters west of Crowell in Foard County

Segment Type Freshwater Stream

**AU\_ID: 0214A\_01** From the confluence with the Wichita River upstream to the confluence with Bull Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Flow Questionnaire	High	Presumption from flow type

**Station ID(s):** 15120

**AU\_ID: 0214A\_02** From the confluence with Bull Creek upstream to the Santa Rosa Lake dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Flow Questionnaire	High	Presumption from flow type

**Station ID(s):** 15121

**AU\_ID: 0214A\_03** From the Santa Rosa Lake dam upstream to the headwaters west of Crowell in Foard County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Flow Questionnaire	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0214B Buffalo Creek**

Buffalo Creek - from the confluence of the Wichita River upstream to the headwater east of Electra

Segment Type Freshwater Stream

**AU\_ID: 0214B\_01** Buffalo Creek from the confluence of the Wichita River upstream to the headwater east of Electra

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Intermediate	Presumption from flow type

**Station ID(s):** 10097; 16036

**SegID: 0214C Holliday Creek**

Holliday Creek - from the confluence of the Wichita River in Wichita Falls upstream to the Lake Wichita dam

Segment Type Freshwater Stream

**AU\_ID: 0214C\_01** Holliday Creek from the confluence of the Wichita River in Wichita Falls upstream to the Lake Wichita dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 10095; 21025

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0214D Gordon Lake

Gordon Lake - from the dam upstream to the US 287 frontage road

Segment Type Reservoir

**AU\_ID: 0214D\_01** Gordon Lake from the dam upstream to the US 287 frontage road

Flow Type

Reservoir

Flow Type Source

Water body description

ALU Designation

High

ALU Designation Source

Presumption from Flow Type

Station ID(s): No Stations

### SegID: 0214E Wichita Valley Irrigation Project

From northeast of Wichita Falls (North Side Canal) and southwest of Wichita Falls (Call Field Canal) upstream to Lake Diversion Dam

Segment Type Freshwater Stream

**AU\_ID: 0214E\_01** South Side Canal

Flow Type

Perennial

Flow Type Source

Routine Flow Data

ALU Designation

High

ALU Designation Source

Presumption from flow type

Station ID(s): 18831

**AU\_ID: 0214E\_02** Call Field Canal

Flow Type

Intermittent

Flow Type Source

Routine Flow Data

ALU Designation

Minimal

ALU Designation Source

Presumption from flow type

Station ID(s): No Stations

**AU\_ID: 0214E\_03** North Side Canal

Flow Type

Intermittent

Flow Type Source

Routine Flow Data

ALU Designation

Minimal

ALU Designation Source

Presumption from flow type

Station ID(s): No Stations

### SegID: 0214F Unnamed tributary of Buffalo Creek

Unnamed tributary of Buffalo Creek - from the confluence of Buffalo Creek upstream to the headwater at eastbound frontage road of US 287 in Iowa Park

Segment Type Freshwater Stream

**AU\_ID: 0214F\_01** Unnamed tributary from the confluence of Buffalo Creek upstream to the headwater at eastbound frontage road of US 287 in Iowa Park

Flow Type

Perennial

Flow Type Source

Flow Questionnaire

ALU Designation

High

ALU Designation Source

Presumption from flow type

Station ID(s): 21172

**SegID: 0214G Lake Iowa Park**

Lake Iowa Park - community lake in northwest Iowa Park

Segment Type Reservoir

**AU\_ID: 0214G\_01** Lake Iowa Park - community lake in northwest Iowa Park

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

**SegID: 0214H North Fork Buffalo Creek Reservoir**

North Fork Buffalo Creek Reservoir - water supply reservoir northwest of Iowa Park

Segment Type Reservoir

**AU\_ID: 0214H\_01** North Fork Buffalo Creek Reservoir - water supply reservoir northwest of Iowa Park

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

**SegID: 0215 Diversion Lake**

Diversion Lake - from Diversion Dam in Archer County to a point 1.5 km (0.9 mi) downstream of the confluence of Cottonwood Creek in Baylor County, up to the normal pool elevation of 1052 feet (impounds Wichita River)

Segment Type Reservoir

**AU\_ID: 0215\_01** Diversion Lake from Diversion Dam to a point 1.5 km downstream of the confluence of Cottonwood Creek, to the normal pool elevation of 1052 feet

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10157

**SegID: 0216 Wichita River Below Lake Kemp Dam**

Wichita River Below Lake Kemp - from a point 1.5 km(0.9 mi) downstream of the confluence of Cottonwood Creek in Baylor County to Lake Kemp Dam in Baylor County

Segment Type Freshwater Stream

**AU\_ID: 0216\_01** Wichita River from a point 1.5 km downstream of the confluence of Cottonwood Creek upstream to the Lake Kemp Dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10158

**SegID: 0217 Lake Kemp**

Lake Kemp - from Lake Kemp Dam in Baylor County to a point 9.4 km (5.8 mi) downstream of the confluence of Crooked Creek in Baylor County, up to the normal pool elevation of 1144 feet (impounds Wichita River)

Segment Type Reservoir

**AU\_ID: 0217\_01** Lake Kemp from the dam upstream to Cattle Island

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10159

**AU\_ID: 0217\_02** Lake Kemp from Cattle Island up to a point 9.4 km downstream of the confluence of Crooked Creek, up to the normal pool elevation of 1144 feet

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10160

**SegID: 0218 Wichita/North Fork Wichita River**

Wichita/North Fork Wichita River - from a point 9.4 km (5.8 mi) downstream of the confluence of Crooked Creek in Baylor County to a point 8.5 km (5.3 mi) downstream of the most upstream crossing of FM 193 in Dickens County

Segment Type Freshwater Stream

**AU\_ID: 0218\_01** Wichita River from a point 9.4 km downstream of the confluence of Crooked Creek upstream to the confluence of the South Fork Wichita River

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10161

**AU\_ID: 0218\_02** North Fork Wichita River from the confluence of the South Fork Wichita River upstream to the confluence of the Middle Fork Wichita River

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10162

**AU\_ID: 0218\_03** North Fork Wichita River from the confluence of the Middle Fork Wichita River upstream to the confluence of Salt Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 15119

**AU\_ID: 0218\_04** North Fork Wichita River from the confluence of Salt Creek upstream to a point 8.5 km downstream of the uppermost crossing of FM 193

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**SegID: 0218A Middle Fork Wichita River**

Middle Fork Wichita River - from the confluence of the North Wichita River upstream to the headwater 15 km north of Guthrie in King County

Segment Type Freshwater Stream

**AU\_ID: 0218A\_01** Middle Fork Wichita River from the confluence of the North Wichita River upstream to the headwater 15 km north of Guthrie in King County

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

**Station ID(s):** 14900

**SegID: 0219 Lake Wichita**

Lake Wichita - from Lake Wichita Dam in Wichita County up to the normal pool elevation of 980.5 feet (impounds Holliday Creek)

Segment Type Reservoir

**AU\_ID: 0219\_01** Lake Wichita from the dam up to the normal pool elevation of 980.5 feet

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 10163

**SegID: 0219A Holliday Creek above Lake Wichita**

Holliday Creek - from the headwaters of Lake Wichita upstream to the headwater near the intersection of US 277 and an unnamed Rd southwest of Dundee

Segment Type Freshwater Stream

**AU\_ID: 0219A\_01** Holliday Creek from the headwaters of Lake Wichita upstream to the headwater near the intersection of US 277 and an unnamed Rd southwest of Dundee

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0220 Upper Pease/North Fork Pease River**

Upper Pease/North Fork Pease River - from the confluence with Canal Creek at the Hardeman-Foard county line to 6.0 km (3.7 mi) upstream of the confluence of Dick Moore Canyon in Floyd County

Segment Type Freshwater Stream

**AU\_ID: 0220\_01** Pease River from the confluence of Canal Creek upstream to the confluence of the Middle Fork Pease River

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 10167

**AU\_ID: 0220\_02** North Fork Pease River from the confluence of the Middle Fork Pease River upstream to a point 6.0 km upstream of Dick Moore Canyon

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 10168

**SegID: 0221 Middle Fork Pease River**

Middle Fork Pease River - from the confluence with the North Fork Pease River in Cottle County to the confluence of Boggy Creek and Mott Creek in Motley County

Segment Type Freshwater Stream

**AU\_ID: 0221\_01** Middle Fork Pease River from the confluence of the North Fork Pease River upstream to the confluence of the South Fork Pease River

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 10169; 10170

**AU\_ID: 0221\_02** Middle Fork Pease River from the confluence of the South Fork Pease River upstream to the confluence of Boggy Creek and Mott Creek

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** No Stations

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0222 Salt Fork Red River

Salt Fork Red River - from the Oklahoma State Line in Collingsworth County to Greenbelt Dam in Donley County

Segment Type Freshwater Stream

**AU\_ID: 0222\_01** Salt Fork Red River from the Oklahoma State Line upstream to the confluence of Lake Creek

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 10171

**AU\_ID: 0222\_02** Salt Fork Red River from the confluence of Lake Creek upstream to Greenbelt Dam

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 10172

### SegID: 0222A Lelia Lake Creek

Lelia Lake Creek - from the confluence of the Salt Fork Red River upstream to the confluence of East Lelia Lake Creek and West Lelia Lake Creek

Segment Type Freshwater Stream

**AU\_ID: 0222A\_01** Lelia Lake Creek from the confluence of the Salt Fork Red River upstream to the confluence of East Lelia Lake Creek and West Lelia Lake Creek

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

**Station ID(s):** 10076

### SegID: 0223 Greenbelt Lake

Greenbelt Lake - from Greenbelt Dam in Donley County up to the normal pool elevation of 2664 feet (impounds Salt Fork Red River)

Segment Type Reservoir

**AU\_ID: 0223\_01** Greenbelt Lake from the dam up to normal pool elevation of 2664 feet

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 10173

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0224 North Fork Red River

North Fork Red River - from the Oklahoma State Line in Wheeler County to a point 4.0 km (2.5 mi) upstream of FM 2300 in Gray County

Segment Type Freshwater Stream

**AU\_ID: 0224\_01** North Fork Red River from the Oklahoma State Line upstream to the confluence of McClellan Creek

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 10178; 10179

**AU\_ID: 0224\_02** North Fork Red River from the confluence of McClellan Creek upstream to a point 4.0 km upstream of FM 2300

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** No Stations

### SegID: 0224A McClellan Creek

McClellan Creek - from the confluence of the North Fork Red River upstream to the headwater near Carson CR I, 12.4 km southwest of Panhandle

Segment Type Freshwater Stream

**AU\_ID: 0224A\_01** McClellan Creek from the confluence of the North Fork Red River upstream to the Lake McClellan dam

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

**Station ID(s):** 10064

**AU\_ID: 0224A\_02** McClellan Creek from the Lake McClellan dam upstream to the headwaters southwest of Panhandle in Carson County

Flow Type  
Intermittent w/pools

Flow Type Source  
Flow Questionnaire

ALU Designation  
Limited

ALU Designation Source  
Presumption from flow type

**Station ID(s):** No Stations

### SegID: 0225 McKinney Bayou

McKinney Bayou - from the Arkansas State Line in Bowie County to a point 100 meters (110 yards) upstream of the most upstream crossing of FM 1397 near King Lake in Bowie County

Segment Type Freshwater Stream

**AU\_ID: 0225\_01** McKinney Bayou from the Arkansas State Line upstream to a point 100m upstream of the uppermost crossing of FM 1397

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
Limited

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** No Stations



## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0226 South Fork Wichita River

South Fork Wichita River - from the confluence with the North Fork Wichita River in Knox County to a point 15.0 km (9.3 mi) upstream of US 82 in Dickens County

Segment Type Freshwater Stream

**AU\_ID: 0226\_01** South Fork Wichita River from the confluence of the North Fork Wichita River upstream to SH 6

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 10185

**AU\_ID: 0226\_02** South Fork Wichita River from SH 6 upstream to the confluence of Willow Creek

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 0226\_03** South Fork Wichita River from confluence of Willow Creek upstream to the confluence of Long Canyon Creek

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 13636

**AU\_ID: 0226\_04** South Fork Wichita River from the confluence of Long Canyon Creek upstream to a point 15.0 km upstream of US 82

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** No Stations

### SegID: 0227 South Fork Pease River

South Fork Pease River - from the confluence with the Middle Fork Pease River in Cottle County to the confluence of Wolf Creek and Rustler Creek in Motley County

Segment Type Freshwater Stream

**AU\_ID: 0227\_01** South Fork Pease River from the confluence of the Middle Fork Pease River upstream to the confluence of Wolf Creek and Rustler Creek

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** No Stations

**SegID: 0228 Mackenzie Reservoir**

Mackenzie Reservoir - from Mackenzie Dam in Briscoe County up to the normal pool elevation of 3100 feet (impounds Tule Creek)

Segment Type Reservoir

**AU\_ID: 0228\_01** Mackenzie Reservoir from the dam up to the normal pool elevation of 3100 feet

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10188

**SegID: 0229 Upper Prairie Dog Town Fork Red River**

Upper Prairie Dog Town Fork Red River - from a point 100 meters (110 yards) upstream of the confluence of Salt Fork Creek in Armstrong County to Lake Tanglewood Dam in Randall County

Segment Type Freshwater Stream

**AU\_ID: 0229\_01** Upper Prairie Dog Town Fork Red River from a point 100 m (110 yds) upstream of the confluence of Salt Creek upstream to the Palo Duro Canyon State Park northern boundary

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10191

**AU\_ID: 0229\_02** Upper Prairie Dog Town Fork Red River from the Palo Duro Canyon State Park northern boundary upstream to Tanglewood Dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 18317; 20801

**SegID: 0229A Lake Tanglewood**

Lake Tanglewood - from the dam up to the Palisades neighborhood

Segment Type Reservoir

**AU\_ID: 0229A\_01** Lake Tanglewood from the dam up to the Palisades neighborhood

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	Water body description	High	Presumption from Flow Type

**Station ID(s):** 10192

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0229B Tierra Blanca Creek

Tierra Blanca Creek - from the confluence of Palo Duro Creek east of Canyon upstream to the New Mexico State Line

Segment Type Freshwater Stream

**AU\_ID: 0229B\_01** Tierra Blanca Creek from the confluence of Palo Duro Creek east of Canyon upstream to the New Mexico State Line

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** No Stations

### SegID: 0230 Pease River

Pease River - from the confluence with the Red River in Wilbarger County upstream to the confluence with Canal Creek at the Hardeman-Foard county line

Segment Type Freshwater Stream

**AU\_ID: 0230\_01** Pease River from the confluence of the Red River upstream to the confluence of Paradise Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	Intermediate	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 0230\_02** Pease River from the confluence of Paradise Creek upstream to the confluence of Canal Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	Intermediate	TSWQS Appendix A

**Station ID(s):** 10165; 10166

### SegID: 0230A Paradise Creek

Paradise Creek - from the confluence of the Pease River east of Vernon upstream to the headwater 500m west of the intersection of US 70 and Foard CR 233

Segment Type Freshwater Stream

**AU\_ID: 0230A\_01** Paradise Creek from the confluence of the Pease River east of Vernon upstream to a point 400m upstream of the intersection of FM 433 and Wilbarger CR 97

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** 10094

**AU\_ID: 0230A\_02** Paradise Creek from a point 400m upstream of the intersection of FM 433 and Wilbarger CR 97 upstream to the headwater 500m west of the intersection of US 70 and Foard CR 233

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** No Stations

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0299A Sweetwater Creek

Sweetwater Creek - from the Oklahoma State Line upstream to the headwaters SW of the intersection of Gray CR 1268 and CR 748

Segment Type Freshwater Stream

**AU\_ID: 0299A\_01** Sweetwater Creek from the Oklahoma State Line upstream to the confluence of Graham Creek south of Mobeetie

Flow Type

Perennial

Flow Type Source

Routine Flow Data

ALU Designation

High

ALU Designation Source

Presumption from flow type

**Station ID(s):** 10070; 10072; 10074

**AU\_ID: 0299A\_02** Sweetwater Creek from the confluence of Graham Creek south of Mobeetie upstream to the headwaters SW of the intersection of Gray CR 1268 and CR 748

Flow Type

Perennial

Flow Type Source

Routine Flow Data

ALU Designation

High

ALU Designation Source

Presumption from flow type

**Station ID(s):** No Stations

### SegID: 0299B Washita River

Washita River - from the Texas/Oklahoma state line upstream to the headwaters 7.5 km (4.6 mi) southeast of Miami in Roberts County

Segment Type Freshwater Stream

**AU\_ID: 0299B\_01** Washita River - from the Texas/Oklahoma state line upstream to the headwaters 7.5 km (4.6 mi) southeast of Miami in Roberts County

Flow Type

Perennial

Flow Type Source

Flow Questionnaire

ALU Designation

High

ALU Designation Source

Presumption from flow type

**Station ID(s):** No Stations

### SegID: 0301 Sulphur River Below Wright Patman Lake

From the Arkansas State Line in Bowie/Cass County to Wright Patman Lake Dam in Bowie/Cass County

Segment Type Freshwater Stream

**AU\_ID: 0301\_01** From the Arkansas state line approximately 9 mi upstream to the unnamed creek at NHD RC 11140302004559

Flow Type

Perennial

Flow Type Source

TSWQS Appendix A

ALU Designation

High

ALU Designation Source

TSWQS Appendix A

**Station ID(s):** 13783

**AU\_ID: 0301\_02** From the unnamed creek at NHD RC 11140302004559 approximately 10 mi to Wright Patman Lake Dam

Flow Type

Perennial

Flow Type Source

TSWQS Appendix A

ALU Designation

High

ALU Designation Source

TSWQS Appendix A

**Station ID(s):** 10212

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0301A Akin Creek

From the confluence with the Sulphur River in Bowie County below Lake Wright Patman to 1 km (.6 mi) south of US HWY 82

Segment Type Freshwater Stream

**AU\_ID: 0301A\_01** From the confluence with the Sulphur River in Bowie County below Lake Wright Patman to 1 km (.6 mi) south of US HWY 82

Flow Type

Intermittent w/pools

Flow Type Source

Flow Questionnaire

ALU Designation

Limited

ALU Designation Source

Presumption from flow type

**Station ID(s):** 18356

**SegID: 0302     Wright Patman Lake**

From Wright Patman Lake Dam in Bowie/Cass County to a point 1.5 km (0.9 mi) downstream of Bassett Creek in Bowie/Cass County, up to the normal pool elevation of 226.4 feet (impounds the Sulphur River)

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0302 Wright Patman Lake

From Wright Patman Lake Dam in Bowie/Cass County to a point 1.5 km (0.9 mi) downstream of Bassett Creek in Bowie/Cass County, up to the normal pool elevation of 226.4 feet (impounds the Sulphur River)

Segment Type Reservoir

**AU\_ID: 0302\_01** 800 acres near dam

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 0302\_02** 300 acres at International Paper intake

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 0302\_03** 1600 acres southwest of dam

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 0302\_04** 500 acres in the northeast corner of lake

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 0302\_05** 200 acres in the northwestern tip of lake

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 0302\_06** Big Creek arm

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 0302\_07** 4000 acres mid-lake

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 0302\_08** 1600 acres in upper mid-lake

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** No Stations

**SegID: 0302 Wright Patman Lake**

From Wright Patman Lake Dam in Bowie/Cass County to a point 1.5 km (0.9 mi) downstream of Bassett Creek in Bowie/Cass County, up to the normal pool elevation of 226.4 feet (impounds the Sulphur River)

Segment Type Reservoir

**AU\_ID: 0302\_09** 5000 acres mid-lake, below Hwy 8

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 0302\_10** 4000 acres in upper portion of lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 0302\_11** 2700 acres near dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10213; 14097; 16859

**AU\_ID: 0302\_12** 2000 acres in northern arms of reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 14099; 15061; 16860

**AU\_ID: 0302\_13** 5600 acres in mid-reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 14103

**AU\_ID: 0302\_14** 9000 acres in upper portion of reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10214; 16205; 16857



## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0302A Big Creek

Intermittent stream with perennial pools from Wright Patman Lake upstream to I 30

Segment Type Freshwater Stream

**AU\_ID: 0302A\_01** From Wright Patman Lake upstream to FM 2149

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** No Stations

**AU\_ID: 0302A\_02** Intermittent stream with perennial pools from FM 2149 upstream to 1.3 km south of US 82 southeast of the City of New Boston; App D

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** No Stations

**AU\_ID: 0302A\_03** From 1.3 km south of US 82 southeast of the City of New Boston upstream to the headwaters near I30

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

### SegID: 0302B Boone Creek

From the confluence with Wright Patman Lake upstream to approximately 3.5 mi north of highway 67 in Bowie County

Segment Type Freshwater Stream

**AU\_ID: 0302B\_01** From the confluence with Wright Patman Lake upstream to approximately 3.5 mi north of highway 67 in Bowie County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0302C Anderson Creek**

From Lake Wright Patman upstream 88.6 km (55 mi) to the headwaters near US HWY 82

Segment Type Freshwater Stream

**AU\_ID: 0302C\_01** From Wright Patman Lake upstream to confluence with unnamed tributary approximately 4.2 km downstream of SH 992

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** 16863; 20765; 20935; 21175

**AU\_ID: 0302C\_02** Intermittent stream with perennial pools from confluence with unnamed tributary approximately 4.2 km downstream of SH 992 upstream to the confluence with an unnamed tributary approximately 2.2 km upstream of CR 4320; App D

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** No Stations

**AU\_ID: 0302C\_03** From confluence with an unnamed tributary approximately 2.2 km upstream of CR 4320 to headwaters 0.2 km south of US 82

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0302D Caney Creek**

From the confluence with Big Creek in Bowie County to approximately 1.5 km south of US HWY 82

Segment Type Freshwater Stream

**AU\_ID: 0302D\_01** From the confluence with Big Creek in Bowie County to approximately 1.5 km south of US HWY 82

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0302E Rice Creek**

From the confluence with Anderson Creek in Bowie County upstream to the dam of TP Lake west of New Boston

Segment Type Freshwater Stream

**AU\_ID: 0302E\_01** From the confluence with Anderson Creek in Bowie County upstream to the dam of TP Lake west of New Boston

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** 15947; 21726; 21727

**SegID: 0302G TP Lake**

Impounds the portion of Rice Creek 0.02 km south of US 82 in Bowie County extending to the dam

Segment Type Reservoir

**AU\_ID: 0302G\_01** Impounds the portion of Rice Creek 0.02 km south of US 82 in Bowie County extending to the dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	Water body description	High	Presumption from Flow Type

**Station ID(s):** 20813

**SegID: 0303 Sulphur/South Sulphur River**

From a point 1.5 km (0.9 mi) downstream of Bassett Creek in Bowie/Cass County to Jim L. Chapman Dam (formerly Cooper Lake dam) in Delta/Hopkins County

Segment Type Freshwater Stream

**AU\_ID: 0303\_01** Portion of the Sulphur/South Sulphur River from Lake Wright Patman upstream approximately 29 km (18 mi) to the confluence with White Oak Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10215

**AU\_ID: 0303\_02** Portion of the Sulphur/South Sulphur River from the confluence of White Oak Creek approximately 44 km (27 mi) upstream to the confluence with the Roden Creek.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10216

**AU\_ID: 0303\_03** Portion of the Sulphur/South Sulphur River from the confluence with Roden Creek approximately 44 km (27 mi) upstream to the confluence with the Cottonwood Slough .

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 0303\_04** Portion of the Sulphur/South Sulphur River from the confluence with Cottonwood Slough approximately 41.5 km (26 mi) upstream to the confluence with the North Sulphur River.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10218

**AU\_ID: 0303\_05** Portion of the Sulphur/South Sulphur River from the confluence with the North Sulphur River approximately 43 km (26.5 mi) upstream to Jim L. Chapman Dam (formerly Cooper Lake dam)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10222

**SegID: 0303A Big Creek Lake**

From Big Creek Dam up to normal pool elevation of 458 feet north of Cooper (impounds Big Creek)

Segment Type Reservoir

**AU\_ID: 0303A\_01** From Big Creek Dam up to normal pool elevation of 458 feet north of Cooper (impounds Big Creek)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	Water body description	High	Presumption from Flow Type

**Station ID(s):** 16856

**SegID: 0303B White Oak Creek**

From the confluence of the Sulphur River north of Naples in Morris County to Lake Sulphur Springs in Hopkins County

Segment Type Freshwater Stream

**AU\_ID: 0303B\_01** Portion of White Oak Creek from the confluence with the South Sulphur River approximately 40 km (25 mi) upstream to the confluence with Lacy Creek; App D

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** 10198

**AU\_ID: 0303B\_02** Portion of White Oak Creek from the confluence with the Lacy Creek approximately 42 km (26 mi) upstream to the confluence with Ripley Creek; App D

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** 21412

**AU\_ID: 0303B\_03** Portion of White Oak Creek from the confluence with the Ripley Creek to approximately 0.26 km upstream of FM 900 in northeast Hopkins County; App D

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** 10199

**AU\_ID: 0303B\_04** Portion of White Oak Creek from approximately 0.26 km upstream of FM 900 in northeast Hopkins County upstream to Lake Sulphur Springs.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Flow Questionnaire	High	Presumption from flow type

**Station ID(s):** 10201; 20099

**AU\_ID: 0303B\_05** Portion of White Oak Creek from the confluence with the Midget Creek approximately 42 km (26 mi) upstream to the headwaters.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Flow Questionnaire	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0303C Morrison Branch**

Intermittent stream with perennial pools from the confluence with Little Mustang Creek upstream to headwaters approximately 0.2 km west of TX 37 and northeast of

Segment Type Freshwater Stream

**AU\_ID: 0303C\_01** Intermittent stream with perennial pools from the confluence with Little Mustang Creek upstream to approximately 0.7 km south of FM 909 southeast of the City of Bogata; App D

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** No Stations

**AU\_ID: 0303C\_02** From approximately 0.7 km south of FM 909 southeast of the City of Bogata to the headwaters 0.2 km east of TX 37

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0303D Rock Creek**

From the confluence with White Oak Creek to the southwest corner of Sulphur Springs approximately 2 mi southeast of the intersection of I-30 and State Hwy 19

Segment Type Freshwater Stream

**AU\_ID: 0303D\_01** From the confluence with White Oak Creek to the southwest corner of Sulphur Springs approximately 2 mi southeast of the intersection of I-30 and State Hwy 19

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	WQS/Permits program	Intermediate	Previous TCEQ permit decision

**Station ID(s):** 10200

**SegID: 0303E East Caney Creek**

From the confluence with White Oak Creek to just east of Como in southeastern Hopkins County

Segment Type Freshwater Stream

**AU\_ID: 0303E\_01** From the confluence with White Oak Creek to just east of Como in southeastern Hopkins County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** 17909

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0303F Stouts Creek

From the confluence with White Oak Creek to approximately 7 mi due east of Como in Hopkins County

Segment Type Freshwater Stream

**AU\_ID: 0303F\_01** From the confluence with White Oak Creek to approximately 7 mi due east of Como in Hopkins County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** 18189

### SegID: 0303G North Caney Creek

From the confluence with White Oak Creek in Hopkins County to Farm Road 71

Segment Type Freshwater Stream

**AU\_ID: 0303G\_01** From the confluence with White Oak Creek in Hopkins County to Farm Road 71

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** No Stations

### SegID: 0303H Big Creek

From the confluence with Sulphur/South Sulphur River in Delta County northwest to just south of FM 128

Segment Type Freshwater Stream

**AU\_ID: 0303H\_01** From the confluence with Sulphur/South Sulphur River in Delta County northwest to just south of FM 128

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** No Stations

### SegID: 0303I Big Creek

From the confluence with White Oak Creek south to approximately 0.5 mi north of FM 900 in Hopkins County

Segment Type Freshwater Stream

**AU\_ID: 0303I\_01** From the confluence with White Oak Creek south to approximately .5 mi north of FM 900 in Hopkins County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0303J Cuthand Creek**

From the confluence with the Sulphur River in Titus County to 2.5 km (1.7 mi) north of the intersection of Farm Road 196 and US HWY 82

Segment Type Freshwater Stream

**AU\_ID: 0303J\_01** From the confluence with the Sulphur River in Titus County to 2.5 km (1.7 mi) north of the intersection of Farm Road 196 and US HWY 82

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0303K Little Mustang Creek**

From the confluence with the Sulphur River in Red River County to 1.3 km (0.8 mi) north of the intersection of US HWY 271 and HW 37

Segment Type Freshwater Stream

**AU\_ID: 0303K\_01** From the confluence with the Sulphur River in Red River County to 1.3 km (.8 mi) north of the intersection of US HWY 271 and HW 37

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0303L Kickapoo Creek**

From the confluence with Cuthand Creek in Titus County to 1.6 km (1 mi) south of FM 114

Segment Type Freshwater Stream

**AU\_ID: 0303L\_01** From the confluence with Cuthand Creek in Titus County to 1.6 km (1 mi) south of FM 114

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0303M Smackover Creek**

From the confluence of White Oak Creek upstream to the headwaters at an impoundment 1.8 km upstream of FM1001 in Titus County

Segment Type Freshwater Stream

**AU\_ID: 0303M\_01** From the confluence of White Oak Creek upstream to the headwaters at an impoundment 1.8 km upstream of FM1001 in Titus County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0303N Horse Creek**

From the confluence of White Oak Creek upstream to a small impoundment 0.2 km northeast of the intersection of Highway 67 and FM 1993 in Titus County

Segment Type Freshwater Stream

**AU\_ID: 0303N\_01** From the confluence of White Oak Creek upstream to a small impoundment 0.2 km northeast of the intersection of Highway 67 and FM 1993 in Titus County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

Station ID(s): No Stations

**SegID: 0304 Days Creek**

From the Arkansas State Line in Bowie County to the confluence of Swampoodle Creek and Nix Creek in Bowie County.

Segment Type Freshwater Stream

**AU\_ID: 0304\_01** From the Arkansas State Line in Bowie County to the confluence of Swampoodle Creek and Nix Creek in Bowie County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	Intermediate	TSWQS Appendix A

Station ID(s): 10226

**SegID: 0304A Swampoodle Creek**

From the confluence of Days Creek in central Texarkana in Bowie County to the upstream perennial portion of the stream in northern Texarkana in Bowie County

Segment Type Freshwater Stream

**AU\_ID: 0304A\_01** From the confluence of Days Creek in central Texarkana in Bowie County to the upstream perennial portion of the stream in northern Texarkana in Bowie County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Flow Questionnaire	High	Presumption from flow type

Station ID(s): 15342

**SegID: 0304B Cowhorn Creek**

From the confluence of Wagner Creek in southern Texarkana in Bowie County to the upstream perennial portion of the stream in northern Texarkana in Bowie County

Segment Type Freshwater Stream

**AU\_ID: 0304B\_01** From the confluence of Wagner Creek in southern Texarkana in Bowie County to the upstream perennial portion of the stream in northern Texarkana in Bowie County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Flow Questionnaire	High	Presumption from flow type

Station ID(s): 15254; 17324



## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0304C Wagner Creek

Perennial stream from the confluence with Days Creek upstream to the headwaters 0.3 km west of Birdwell Davis Road

Segment Type Freshwater Stream

**AU\_ID: 0304C\_01** Perennial stream from the confluence with Days Creek upstream to a point 1.5 km upstream of IH 30; App D

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix D

ALU Designation  
Intermediate

ALU Designation Source  
TSWQS Appendix D

**Station ID(s):** 14475; 18355; 21176

**AU\_ID: 0304C\_02** From a point 1.5 km upstream of IH 30 to the headwaters 0.3 km west of Birdwell Davis Road

Flow Type  
Perennial

Flow Type Source  
Flow Questionnaire

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

**Station ID(s):** No Stations

### SegID: 0304D Nix Creek

From the confluence with Swampoodle Creek to 1.6 km (1 mi) directly east of the intersection of US HWY 271 and I30

Segment Type Freshwater Stream

**AU\_ID: 0304D\_01** From the confluence with Swampoodle Creek to 1.6 km (1 mi) directly east of the intersection of US HWY 271 and I30

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

**Station ID(s):** 10210

### SegID: 0305 North Sulphur River

From the confluence with the South Sulphur River in Lamar County to a point 6.7 km (4.2 mi) upstream of FM 68 in Fannin County

Segment Type Freshwater Stream

**AU\_ID: 0305\_01** Portion of the North Sulphur River from the confluence with the Sulphur/South Sulphur upstream approximately 41 km (25 mi) to Morrison Creek

Flow Type  
Intermittent w/pools

Flow Type Source  
TSWQS Appendix A

ALU Designation  
Intermediate

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 10230; 10231

**AU\_ID: 0305\_02** Portion of the North Sulphur River from the confluence with Morrison Creek upstream approximately 37 km (23 mi) to the headwaters.

Flow Type  
Intermittent w/pools

Flow Type Source  
TSWQS Appendix A

ALU Designation  
Intermediate

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** No Stations

**SegID: 0305A Rowdy Creek**

From the confluence with the North Sulphur River in Lamar county, northwest to US HWY 82

Segment Type Freshwater Stream

**AU\_ID: 0305A\_01** From the confluence with the North Sulphur River in Lamar county, northwest to US HWY 82

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0305B Auds Creek**

From the confluence with the North Sulphur River in Lamar County to 2 km (1.2 mi) south of US HWY 82

Segment Type Freshwater Stream

**AU\_ID: 0305B\_01** From the confluence with the North Sulphur River in Lamar County to 2 km (1.2 mi) south of US HWY 82

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0305C Hickory Creek**

From the confluence with the North Sulphur River in Lamar County to 0.4 km (.2 mi) east of FM 1497

Segment Type Freshwater Stream

**AU\_ID: 0305C\_01** From the confluence with the North Sulphur River in Lamar County to .4 km (.2 mi) east of FM 1497

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0305D Big Sandy Creek**

From the confluence with the North Sulphur River in Lamar County to 0.4 km (.2 mi) of US HWY 82 Business in Paris

Segment Type Freshwater Stream

**AU\_ID: 0305D\_01** From the confluence with the North Sulphur River in Lamar County to .4 km (.2 mi) of US HWY 82 Business in Paris

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0306 Upper South Sulphur River

From a point 1.0 km (0.6 mi) upstream of SH 71 in Delta/Hopkins County to SH 78 in Fannin County

Segment Type Freshwater Stream

**AU\_ID: 0306\_01** Portion of the Upper South Sulphur River from a point 1 km (.6 mi) upstream of SH 71 upstream approximately 10 km (6 mi) to Dunbar Creek.

Flow Type

Perennial

Flow Type Source

TSWQS Appendix A

ALU Designation

Intermediate

ALU Designation Source

TSWQS Appendix A

**Station ID(s):** 10238

**AU\_ID: 0306\_02** Portion of the Upper South Sulphur River from the confluence with Dunbar Creek approximately 42 km (26 mi) to Hickory Creek..

Flow Type

Perennial

Flow Type Source

TSWQS Appendix A

ALU Designation

Intermediate

ALU Designation Source

TSWQS Appendix A

**Station ID(s):** 17510

**AU\_ID: 0306\_03** Portion of the Upper South Sulphur River from the confluence with Hickory Creek approximately 19 km (12 mi) to SH 71.

Flow Type

Perennial

Flow Type Source

TSWQS Appendix A

ALU Designation

Intermediate

ALU Designation Source

TSWQS Appendix A

**Station ID(s):** No Stations

**SegID: 0307 Jim L. Chapman Lake (formerly Cooper Lake)**

From Jim L. Chapman Dam to a point 1.0 km (0.7 mi) upstream of SH 71 on the South Sulphur River arm and 300 m (275 yds) below the confluence of Barnett Creek on the Middle Sulphur River arm, up to a conservation pool elevation of 440 feet (impounds the Mi

Segment Type Reservoir

**AU\_ID: 0307\_01** Lower 5000 acres near dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 13855; 21712; 21714; 21715

**AU\_ID: 0307\_02** Lower 3000 acre Doctors Creek arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 17075

**AU\_ID: 0307\_03** Middle 5000 acres

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 21713

**AU\_ID: 0307\_04** Middle 2000 acre Johns Creek arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 0307\_05** Middle 1000 acres near Finley Branch

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 15211

**AU\_ID: 0307\_06** Upper 3305 Acres in the headwaters

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**SegID: 0307A Middle Sulphur River**

From the confluence Cooper Lake in Hopkins County to the upstream perennial portion of the stream east of Wolfe City in Hunt County

Segment Type Freshwater Stream

**AU\_ID: 0307A\_01** From the confluence Cooper Lake in Hopkins County to the upstream perennial portion of the stream east of Wolfe City in Hunt County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** 17616

**SegID: 0307B Jernigan Creek**

From the confluence with Cooper Lake to the confluence with the east and west forks of Jernigan Creek in Delta County

Segment Type Freshwater Stream

**AU\_ID: 0307B\_01** From the confluence with Cooper Lake to the confluence with the east and west forks of Jernigan Creek in Delta County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0307C Pecan Creek**

From the confluence with the Middle Sulphur River to 2.5 mi below Ladonia discharge in Hunt County

Segment Type Freshwater Stream

**AU\_ID: 0307C\_01** From the confluence with the Middle Sulphur River to 2.5 mi below Ladonia discharge in Hunt County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0307D East Fork Jernigan Creek**

Intermittent stream w/pools from the confluence with the West Fork Jernigan Creek upstream 15.6 km (9.7 mi) to the headwaters at FM 64

Segment Type Freshwater Stream

**AU\_ID: 0307D\_01** From the confluence with the West Fork Jernigan Creek upstream 15.6 km (9.7 mi) to the headwaters at FM 64

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** 21711

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0401 Caddo Lake

From the Louisiana State Line in Harrison/Marion County to a point 12.3 km (7.6 mi) downstream of SH 43 in Harrison/Marion County, up to pool elevation of 168.5 feet (impounds Big Cypress Creek)

Segment Type Reservoir

**AU\_ID: 0401\_01** Lower 5000 acres

Flow Type

Reservoir

Flow Type Source

TSWQS Appendix A

ALU Designation

High

ALU Designation Source

TSWQS Appendix A

**Station ID(s):** 10283

**AU\_ID: 0401\_02** Harrison Bayou arm

Flow Type

Reservoir

Flow Type Source

TSWQS Appendix A

ALU Designation

High

ALU Designation Source

TSWQS Appendix A

**Station ID(s):** 10286

**AU\_ID: 0401\_03** Goose Prairie arm

Flow Type

Reservoir

Flow Type Source

TSWQS Appendix A

ALU Designation

High

ALU Designation Source

TSWQS Appendix A

**Station ID(s):** 10288

**AU\_ID: 0401\_05** Clinton Lake

Flow Type

Reservoir

Flow Type Source

TSWQS Appendix A

ALU Designation

High

ALU Designation Source

TSWQS Appendix A

**Station ID(s):** 14236

**AU\_ID: 0401\_07** Mid-lake near Uncertain

Flow Type

Reservoir

Flow Type Source

TSWQS Appendix A

ALU Designation

High

ALU Designation Source

TSWQS Appendix A

**Station ID(s):** 15249; 17867

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0401A Harrison Bayou

From the confluence of Caddo Lake east of Karnack in Harrison County to the upstream perennial portion of the stream east of Marshall in Harrison County

Segment Type Freshwater Stream

**AU\_ID: 0401A\_01** Intermittent stream with perennial pools from the confluence with Caddo Lake within the Caddo Lake National Wildlife Refuge east of the City of Karnack upstream to FM 1998 east of the City of Marshall. App D

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** 15508

**AU\_ID: 0401A\_02** FM 1998 east of the City of Marshall to near the headwaters 0.4 km south of US 80

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** No Stations

### SegID: 0401B Kitchen Creek

From the confluence with Clinton Lake to near Payne in Marion County

Segment Type Freshwater Stream

**AU\_ID: 0401B\_01** From the confluence with Clinton Lake to near Payne in Marion County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** 14998

**SegID: 0402 Big Cypress Creek Below Lake O' the Pines**

From a point 12.3 km (7.6 mi) downstream of SH 43 in Harrison/Marion County to Ferrell's Bridge Dam in Marion County

Segment Type Freshwater Stream

**AU\_ID: 0402\_01** From the confluence with Caddo Lake upstream 15 km (9 mi) to Haggerty Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 15022

**AU\_ID: 0402\_02** From the confluence with Haggerty Creek upstream 25 km (15.5 mi) to the confluence with Black Cypress Bayou.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 20635

**AU\_ID: 0402\_03** From the confluence with Black Cypress Bayou upstream 23.8 km (14.7 mi) to French Creek.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 15511

**AU\_ID: 0402\_04** From the confluence with French Creek upstream 13 km (8 mi) to Lake O' the Pines

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 13630

**SegID: 0402B Hughes Creek**

Perennial stream from the confluence with Black Cypress Creek upstream to the headwaters 0.2 km east of CR 2115

Segment Type Freshwater Stream

**AU\_ID: 0402B\_01** Perennial stream from the confluence with Black Cypress Creek upstream to the confluence with an unnamed first order tributary approximately 0.5 km downstream of FM 250; App D

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** 16936

**AU\_ID: 0402B\_02** From the confluence with an unnamed first order tributary approximately 0.5 km downstream of FM 250 to the headwaters 0.2 km east of CR 2115

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations



**SegID: 0402C Haggerty Creek**

From the confluence with Big Cypress Bayou to approximately 6 mi east of Marshall in Harrison County

Segment Type Freshwater Stream

**AU\_ID: 0402C\_01** From the confluence with Big Cypress Bayou to approximately 6 mi east of Marshall in Harrison County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0402D Flat Creek**

From the confluence with Black Cypress Creek in Cass County, north to approximately 2 mi south of State HWY 77

Segment Type Freshwater Stream

**AU\_ID: 0402D\_01** From the confluence with Black Cypress Creek in Cass County, north to approximately 2 mi south of State HWY 77

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0402E Kelly Creek**

From the confluence with Black Cypress Creek in Cass County, north to approximately 2 mi southwest of where State HWY 338 and US HWY 259 merge

Segment Type Freshwater Stream

**AU\_ID: 0402E\_01** From the confluence with Black Cypress Creek in Cass County, north to approximately 2 mi southwest of where State HWY 338 and US HWY 259 merge

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Flow Questionnaire	High	Presumption from flow type

**Station ID(s):** 16934

**SegID: 0403 Lake O' the Pines**

From Ferrell's Bridge Dam in Marion County to a point 1.0 km (0.6 mi) downstream of US 259 in Morris/Upshur County, up to normal pool elevation of 228.5 feet (impounds Big Cypress Creek)

Segment Type Reservoir

**AU\_ID: 0403\_01** Lower 5000 acres

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10296; 17967

**AU\_ID: 0403\_02** Middle 5000 acres

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 16156

**AU\_ID: 0403\_03** Middle 5000 acres below Hwy 155

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10297

**AU\_ID: 0403\_04** Upper 3700 acres

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10300; 17087

**SegID: 0404 Big Cypress Creek Below Lake Bob Sandlin**

From a point 1.0 km (0.6 mi) downstream of US 259 in Morris/Upshur Counties to Fort Sherman Dam in Camp/Titus Counties

Segment Type Freshwater Stream

**AU\_ID: 0404\_01** From the confluence with Lake O' the Pines upstream 24 km (14.9 mi) to the confluence with an unnamed tributary NHD RC 11140305002717

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	Intermediate	TSWQS Appendix A

**Station ID(s):** 13631

**AU\_ID: 0404\_02** From the confluence with an unnamed tributary NHD RC 11140305002717 upstream 37.2 km (23 mi) to Lake Bob Sandlin

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	Intermediate	TSWQS Appendix A

**Station ID(s):** 10308; 10310

**SegID: 0404A Ellison Creek Reservoir**

From the Morris County Dam up to normal pool elevation near Lone Star in Morris County (impounds Ellison Creek)

Segment Type Reservoir

**AU\_ID: 0404A\_01** From the Morris County Dam up to normal pool elevation near Lone Star in Morris County (impounds Ellison Creek)

Flow Type

Reservoir

Flow Type Source

Water body description

ALU Designation

High

ALU Designation Source

Presumption from Flow Type

**Station ID(s):** 14473; 14994; 18767; 18768; 18769; 18770; 18771; 18772; 18773; 18774; 18775; 18776; 18777; 18778; 18779; 18780

**SegID: 0404B Tankersley Creek**

Perennial stream from the confluence with Big Cypress Creek upstream to the confluence with an unnamed tributary 250 meters upstream of IH 30

Segment Type Freshwater Stream

**AU\_ID: 0404B\_01** From the confluence with Big Cypress Creek upstream 16.1 km (10 mi) to Tankersley Lake. WQS Appendix D portion of the creek.

Flow Type

Perennial

Flow Type Source

TSWQS Appendix D

ALU Designation

High

ALU Designation Source

TSWQS Appendix D

**Station ID(s):** 10261; 10263; 10264; 15513

**AU\_ID: 0404B\_02** Impounded 4.9 km (3 mi) in length portion of Tankersley Creek

Flow Type

Perennial

Flow Type Source

TSWQS Appendix D

ALU Designation

High

ALU Designation Source

TSWQS Appendix D

**Station ID(s):** 18327; 18328

**AU\_ID: 0404B\_03** From the confluence with Tankersley Lake upstream 5.9 km (3.7 mi) to the headwaters

Flow Type

Perennial

Flow Type Source

TSWQS Appendix D

ALU Designation

High

ALU Designation Source

TSWQS Appendix D

**Station ID(s):** 15494; 15512

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0404C Hart Creek

Perennial stream from the confluence with Big Cypress Creek upstream to the headwaters 0.2 km south of CR 1635, Titus County

Segment Type Freshwater Stream

**AU\_ID: 0404C\_01** Perennial stream from the confluence with Big Cypress Creek upstream to 0.2 km upstream of FM 1402; App D

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix D

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix D

**Station ID(s):** 10266; 10272; 10273

**AU\_ID: 0404C\_02** From 0.2 km upstream of FM 1402 to the headwaters 0.2 km south of CR 1635

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

**Station ID(s):** No Stations

### SegID: 0404D Welsh Reservoir

From Titus County Dam up to normal pool level located between Mt. Pleasant and Daingerfield in Titus County (impounds Swauano and Justiss Creeks)

Segment Type Reservoir

**AU\_ID: 0404D\_01** From Titus County Dam up to normal pool level located between Mt. Pleasant and Daingerfield in Titus County (impounds Swauano and Justiss Creeks)

Flow Type  
Reservoir

Flow Type Source  
Water body description

ALU Designation  
High

ALU Designation Source  
Presumption from Flow Type

**Station ID(s):** No Stations

### SegID: 0404E Dry Creek

Perennial stream from the confluence with Big Cypress Creek upstream to the headwaters near the intersection of Texas and Fred roads, Camp County

Segment Type Freshwater Stream

**AU\_ID: 0404E\_01** Perennial stream from the confluence with Big Cypress Creek upstream to the confluence of Mile Branch and Little Creek; App D

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix D

ALU Designation  
Intermediate

ALU Designation Source  
TSWQS Appendix D

**Station ID(s):** 10274; 10275

**AU\_ID: 0404E\_02** From the confluence of mi Branch and Little Creek to the headwaters near the intersection of Texas and Fred roads, Camp County

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0404F Sparks Branch**

Perennial stream from the confluence with Dry Creek upstream to the headwaters 0.4 km west of the intersection of Texas Street and Park Road (CR 2106)

Segment Type Freshwater Stream

**AU\_ID: 0404F\_01** Perennial stream from the confluence with Dry Creek upstream to US 271; App D

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** 10277

**AU\_ID: 0404F\_02** From US 271 upstream to the headwaters 0.4 km west of the intersection of Texas Street and Park Road (CR 2106)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0404G Brutons Creek**

Perennial stream from the headwaters of Ellison Reservoir to the headwaters 0.9 km northwest of CR 4103, Morris County

Segment Type Freshwater Stream

**AU\_ID: 0404G\_01** Perennial stream from the headwaters of Ellison Reservoir upstream to SH 49 near the City of Daingerfield; App D

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** No Stations

**AU\_ID: 0404G\_02** From SH 49 near the City of Daingerfield to the headwaters 0.9 km northwest of CR 4103, Morris County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0404H Unnamed Tributary of Okry Creek**

Perennial stream from the confluence with Okry Creek upstream to a point 0.26 km upstream of US 259 south of the City of Omaha

Segment Type Freshwater Stream

**AU\_ID: 0404H\_01** Perennial stream from the confluence with Okry Creek upstream to a point 0.26 km upstream of US 259 south of the City of Omaha

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** No Stations

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0404I Boggy Creek

From the confluence with Big Cypress Creek in Morris County to a point near SH 67 west of Omaha.

Segment Type Freshwater Stream

**AU\_ID: 0404I\_01** From the confluence with Big Cypress Creek in Morris County to a point near SH 67 west of Omaha.

Flow Type  
Intermittent w/pools

Flow Type Source  
Flow Questionnaire

ALU Designation  
Limited

ALU Designation Source  
Presumption from flow type

Station ID(s): No Stations

### SegID: 0404J Prairie Creek

From the confluence with Big Cypress Creek to Bennett Lake, south of Pittsburg in Camp County

Segment Type Freshwater Stream

**AU\_ID: 0404J\_01** From the confluence with Big Cypress Creek to Bennett Lake, south of Pittsburg in Camp County

Flow Type  
Intermittent w/pools

Flow Type Source  
Flow Questionnaire

ALU Designation  
Limited

ALU Designation Source  
Presumption from flow type

Station ID(s): No Stations

### SegID: 0404K Walkers Creek

From the confluence with Big Cypress Creek to approximately 2 mi west of Pittsburg in Camp County

Segment Type Freshwater Stream

**AU\_ID: 0404K\_01** From the confluence with Big Cypress Creek to approximately 2 mi west of Pittsburg in Camp County

Flow Type  
Intermittent

Flow Type Source  
Flow Questionnaire

ALU Designation  
Minimal

ALU Designation Source  
Presumption from flow type

Station ID(s): 16454

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0404L Swauano Creek

From the confluence of Big Cypress Creek below Lake Bob Sandlin to approximately 6 mi north of SH 49.

Segment Type Freshwater Stream

**AU\_ID: 0404L\_01** From the confluence with Big Cypress Creek upstream 9.8 km (6.1 mi) to Welsh Reservoir.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** No Stations

**AU\_ID: 0404L\_02** From Welsh Reservoir upstream 23.2 km (14.4 mi) to the headwaters.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** No Stations

### SegID: 0404M Greasy Creek

From the confluence of Big Cypress Creek below Lake Bob Sandlin to approximately 4 mi SW of FM 557.

Segment Type Freshwater Stream

**AU\_ID: 0404M\_01** From the confluence of Big Cypress Creek below Lake Bob Sandlin to approximately 4 mi SW of FM 557.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** No Stations

### SegID: 0404N Lake Daingerfield

Southeast of the City of Daingerfield in Daingerfield State Park in Morris County

Segment Type Reservoir

**AU\_ID: 0404N\_01** Southeast of the City of Daingerfield in Daingerfield State Park in Morris County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

**SegID: 0404O Dragoo Creek**

From the confluence with Tankersley Creek to the headwaters approximately 2 mi NW of US 67

Segment Type Freshwater Stream

**AU\_ID: 0404O\_01** From the confluence with Tankersley Creek to the headwaters approximately 2 mi NW of US 67

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** 18326

**SegID: 0404P Unnamed Tributary to Tankersley Creek**

From the confluence with Tankersley Creek approximately 2 mi upstream to NHD RC 11140305001088

Segment Type Freshwater Stream

**AU\_ID: 0404P\_01** From the confluence with Tankersley Creek approximately 2 mi upstream to NHD RC 11140305001088

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 18324

**SegID: 0404O Unnamed Tributary to Tankersley Creek**

From the confluence with Tankersley Creek upstream approximately 4 mi upstream to the headwaters near the end of 26th Street in Mt. Pleasant.

Segment Type Freshwater Stream

**AU\_ID: 0404Q\_01** From the confluence with Tankersley Creek upstream approximately 4 mi upstream to the headwaters near the end of 26th Street in Mt. Pleasant.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** 18325

**SegID: 0404R Unnamed Tributary to Dragoo Creek**

From the confluence with Dragoo Creek upstream approximately 1.4 km (0.8 mi) southwest to the headwaters

Segment Type Freshwater Stream

**AU\_ID: 0404R\_01** From the confluence with Dragoo Creek upstream approximately 1.4 km (.8 mi) southwest to the headwaters

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** 18323



**SegID: 0404S Unnamed tributary to Big Cypress Creek**

Unnamed tributary from the confluence with Big Cypress Creek extending to J H Milligan Estate Lake near the intersection of Highway 271 and D H Abernathy Blvd northeast of Pittsburg

Segment Type Freshwater Stream

**AU\_ID: 0404S\_01** Unnamed tributary from the confluence with Big Cypress Creek extending to J H Milligan Estate Lake near the intersection of Highway 271 and D H Abernathy Blvd northeast of Pittsburg

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** 20706

**SegID: 0404T Prairie Branch**

Intermittent stream with perennial pools extending from the confluence with Big Cypress Creek to a small impoundment 0.06 km north of County Road 4715 northeast of Pittsburg

Segment Type Freshwater Stream

**AU\_ID: 0404T\_01** Intermittent stream with perennial pools extending from the confluence with Big Cypress Creek to a small impoundment 0.06 km north of County Road 4715 northeast of Pittsburg

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** 20707

**SegID: 0404U Evans Creek**

From the confluence with Hart Creek in Titus County to the small impoundment 0.4 km upstream of FM 1001

Segment Type Freshwater Stream

**AU\_ID: 0404U\_01** From the confluence with Hart Creek in Titus County to the small impoundment .40 km upstream of FM 1001

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Flow Questionnaire	High	Presumption from flow type

**Station ID(s):** 20704

**SegID: 0404V Hayes Creek**

From the confluence with Hart Creek in Titus County upstream to New City Lake

Segment Type Freshwater Stream

**AU\_ID: 0404V\_01** From the confluence with Hart Creek in Titus County upstream to New City Lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Flow Questionnaire	High	Presumption from flow type

**Station ID(s):** 20705

**SegID: 0405 Lake Cypress Springs**

From Franklin County Dam in Franklin County up to the normal pool elevation of 378 feet (impounds Big Cypress Creek)

Segment Type Reservoir

**AU\_ID: 0405\_01** From the confluence with an unnamed tributary NHD RC 11140305002717 upstream 37.2 km (23 mi) to Lake Bob Sandlin

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10312

**AU\_ID: 0405\_02** Upper 2600 acres

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10313; 20346

**AU\_ID: 0405\_03** Panther Arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 17518; 17548

**SegID: 0405A Big Cypress Creek**

From the confluence with Lake Cypress Springs in Franklin County, to approximately 5 mi west of State HWY 37

Segment Type Freshwater Stream

**AU\_ID: 0405A\_01** From the confluence with Lake Cypress springs in Franklin County, to approximately 5 mi west of State HWY 37

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** 15260

**SegID: 0405B Panther Creek**

From the confluence with Lake Cypress Springs in Franklin County, to approximately 0.25 mi west of State HWY 37

Segment Type Freshwater Stream

**AU\_ID: 0405B\_01** From the confluence with Lake Cypress springs in Franklin County, to approximately .25 mi west of State HWY 37

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Flow Questionnaire	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0405C Blair Creek**

From the confluence with Lake Cypress Springs in Franklin County, to approximately 0.5 mi south of FM 900

Segment Type Freshwater Stream

**AU\_ID: 0405C\_01** From the confluence with Lake Cypress springs in Franklin County, to approximately .5 mi south of FM 900

Flow Type  
Perennial

Flow Type Source  
Flow Questionnaire

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

Station ID(s): No Stations

**SegID: 0406 Black Bayou**

From the Louisiana State Line in Cass County to FM 96 in Cass County

Segment Type Freshwater Stream

**AU\_ID: 0406\_01** Black Bayou from the LA state line upstream 19.1 km (11.8 mi) to the confluence with Hurricane Creek

Flow Type  
Intermittent w/pools

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

Station ID(s): 10314

**AU\_ID: 0406\_02** From the confluence with Hurricane Creek upstream 28.6 km (17.7 mi) to NHD RC 11140304000881 near FM 96

Flow Type  
Intermittent w/pools

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

Station ID(s): 10318

**SegID: 0407 James' Bayou**

From the Louisiana State Line in Marion County to Club Lake Road northwest of Linden in Cass County

Segment Type Freshwater Stream

**AU\_ID: 0407\_01** From the LA state line upstream 31.6 km (19.6 mi) to the confluence with Bear Creek.

Flow Type  
Intermittent w/pools

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

Station ID(s): 10319; 14976

**AU\_ID: 0407\_02** From the confluence with Bear Creek upstream 29.8 km (18.5 mi) to approximately 2 km north of HWY 11

Flow Type  
Intermittent w/pools

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

Station ID(s): 10321; 10322; 18200

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0407A Beach Creek

Perennial stream from Iron Ore Lake upstream to the confluence with an unnamed tributary  
0.48 km upstream of Hwy 59

Segment Type Freshwater Stream

**AU\_ID: 0407A\_01** From the confluence with James' Bayou upstream 8.4 km (5.2 mi) to NHD RC 11140306011985 .48 km (.28 mi) upstream of HWY 59. WQS Appendix D portion of the creek.

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix D

ALU Designation  
Intermediate

ALU Designation Source  
TSWQS Appendix D

**Station ID(s):** No Stations

**AU\_ID: 0407A\_02** From the confluence with NHD RC 11140306011985 (.48 km (.28 mi) upstream of HWY 59) upstream 15.2 km (9.4 mi) to the headwaters

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

**Station ID(s):** No Stations

### SegID: 0407B Frazier Creek

From the confluence with James Bayou to approximately 4 mi northwest of SH 8 near Red Hil  
in Cass County

Segment Type Freshwater Stream

**AU\_ID: 0407B\_01** From the confluence with James' Bayou upstream 38.6 km (23.9 mi) to the confluence with NHD RC 11140306000019 near HWY 59

Flow Type  
Intermittent w/pools

Flow Type Source  
Flow Questionnaire

ALU Designation  
Limited

ALU Designation Source  
Presumption from flow type

**Station ID(s):** 21078

**AU\_ID: 0407B\_02** From the confluence with the confluence with NHD RC 11140306000019 near HWY 59 upstream 24.7 km (15.3 mi) to the headwaters

Flow Type  
Intermittent w/pools

Flow Type Source  
Flow Questionnaire

ALU Designation  
Limited

ALU Designation Source  
Presumption from flow type

**Station ID(s):** 10259; 18201

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0408 Lake Bob Sandlin

From Fort Sherman Dam in Camp/Titus County to Franklin County Dam in Franklin County up to normal pool elevation of 337.5 feet (impounds Big Cypress Creek)

Segment Type Reservoir

**AU\_ID: 0408\_01** Lower 2000 acres near dam

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 17059; 17060

**AU\_ID: 0408\_02** Middle 4460 acres

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 0408\_03** Upper 3000 acres

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 16158

### SegID: 0408A Lake Monticello

Reservoir southwest of Mt. Pleasant in Titus County

Segment Type Reservoir

**AU\_ID: 0408A\_01** Reservoir southwest of Mt. Pleasant in Titus County

Flow Type  
Reservoir

Flow Type Source  
Water body description

ALU Designation  
High

ALU Designation Source  
Presumption from Flow Type

**Station ID(s):** No Stations

### SegID: 0408B Andy's Creek

From the confluence with Lake Bob Sandlin in Titus County to the headwaters in Franklin County approximately 0.4 mi south of Farm Road 21

Segment Type Freshwater Stream

**AU\_ID: 0408B\_01** From the confluence with Lake Bob Sandlin in Titus County to the headwaters in Franklin County approximately .4 mi south of Farm Road 21

Flow Type  
Intermittent w/pools

Flow Type Source  
Flow Questionnaire

ALU Designation  
Limited

ALU Designation Source  
Presumption from flow type

**Station ID(s):** No Stations

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0408C Brushy Creek

From the confluence with Lake Bob Sandlin in Franklin County to Winnsboro at State HWY 37

Segment Type Freshwater Stream

**AU\_ID: 0408C\_01** From the confluence with Lake Bob Sandlin in Franklin County to Winnsboro at State HWY 37

Flow Type  
Perennial

Flow Type Source  
Flow Questionnaire

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

**Station ID(s):** No Stations

### SegID: 0408D Blundell Creek

From the confluence with Lake Bob Sandlin in Titus County to the headwaters in Franklin County approximately 0.75 mi south of Farm Road 21

Segment Type Freshwater Stream

**AU\_ID: 0408D\_01** From the confluence with Lake Bob Sandlin in Titus County to the headwaters in Franklin County approximately .75 mi south of Farm Road 21

Flow Type  
Intermittent w/pools

Flow Type Source  
Flow Questionnaire

ALU Designation  
Limited

ALU Designation Source  
Presumption from flow type

**Station ID(s):** No Stations

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0409 Little Cypress Bayou (Creek)

From the confluence of Big Cypress Creek in Harrison/Marion County to a point 1.0 km (0.6 mi) upstream of FM 2088 in Wood County

Segment Type Freshwater Stream

**AU\_ID: 0409\_01** From the confluence with Big Cypress Creek upstream 41 km (25.4 mi) to the confluence with Lawrence Creek

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 10332

**AU\_ID: 0409\_02** From the confluence with Lawrence Creek upstream 29.2 km (18.1 mi) to the confluence with NHD RC 11140307000368

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 15773

**AU\_ID: 0409\_03** From the confluence with NHD RC 11140307000368 upstream 52.2 km (32.6 mi) to the confluence with Kelsey Creek

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 10334; 10335; 16861

**AU\_ID: 0409\_04** From the confluence with NHD RC 11140307001531 upstream 41.1 km (29.2 mi) to the headwaters at FM 2088

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 14975; 16017

### SegID: 0409A Lilly Creek

From the confluence with Little Cypress Creek to the Camp County line near Lawton in Upshur County.

Segment Type Freshwater Stream

**AU\_ID: 0409A\_01** From the confluence with Little Cypress Creek to the Camp County line near Lawton in Upshur County.

Flow Type  
Intermittent w/pools

Flow Type Source  
Flow Questionnaire

ALU Designation  
Limited

ALU Designation Source  
Presumption from flow type

**Station ID(s):** 20153

**SegID: 0409B South Lilly Creek**

From the confluence of Lilly Creek to approximately 2 mi west of FM 1647

Segment Type Freshwater Stream

**AU\_ID: 0409B\_01** From the confluence of Lilly Creek to approximately 2 mi west of FM 1647

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** 17953; 17954

**SegID: 0409C Kelsey Creek**

From the confluence of Little Cypress Creek to the headwaters near SH 154 west of Gilmer.

Segment Type Freshwater Stream

**AU\_ID: 0409C\_01** From the confluence with Little Cypress Bayou to the dam at Lake Gilmer

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** No Stations

**AU\_ID: 0409C\_02** From Lake Gilmer upstream to the headwaters 0.2 km south of TX 154

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0409D Lake Gilmer**

Unclassified reservoir bisecting Kelsey Creek, approximately 2 mi west of US Hwy 271 and 1 mi south of Little Cypress Bayou.

Segment Type Reservoir

**AU\_ID: 0409D\_01** Unclassified reservoir bisecting Kelsey Creek, approximately 2 mi west of US Hwy 271 and 1 mi south of Little Cypress Bayou.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	Water body description	High	Presumption from Flow Type

**Station ID(s):** 17478; 18825



## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0409E Clear Creek

From the confluence with Little Cypress Creek in Upshur County to 1 km (0.6 mi) west of US HWY 271

Segment Type Freshwater Stream

**AU\_ID: 0409E\_01** From the confluence with Little Cypress Creek in Upshur County to 1 km (.6 mi) west of US HWY 271

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

Station ID(s): No Stations

### SegID: 0410 Black Cypress Bayou (Creek)

From the confluence with Big Cypress Creek in Marion County to the confluence with Kelly Creek in Cass County

Segment Type Freshwater Stream

**AU\_ID: 0410\_01** From the confluence with Big Cypress Creek upstream 25 km (15.5 mi) to the confluence with White Oak Creek

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

Station ID(s): 10243; 10245

**AU\_ID: 0410\_02** From the confluence with White Oak Creek upstream 31.3 km ( 19.4 mi) to Pruitt Lake

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

Station ID(s): 10244; 16705

**AU\_ID: 0410\_03** Pruitt Lake beginning near HWY 155, extending upstream 1.8 km (1.1 mi)

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

Station ID(s): 10246

**AU\_ID: 0410\_04** From Pruitt Lake 26.4 km (16.4 mi) upstream to the confluence with Kelly Creek in Cass County

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

Station ID(s): 10247

**SegID: 0410A Black Cypress Creek/Bayou**

An Appendix D intermittent stream with perennial pools from the confluence with Kelly Creek upstream to FM 250 north of the City of Hughes Springs

Segment Type Freshwater Stream

**AU\_ID: 0410A\_01** Intermittent stream with perennial pools from the confluence with Kelly Creek upstream to FM 250 north of the City of Hughes Springs; App D

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** 10248; 21729

**SegID: 0499A Cross Bayou**

Perennial stream from the Texas/Louisiana border upstream to headwaters approximately 0.2 km south of the cemetery at Stricklen Springs

Segment Type Freshwater Stream

**AU\_ID: 0499A\_01** Perennial stream from the Texas/Louisiana border upstream to headwaters approximately 0.2 km south of the cemetery at Stricklen Springs; App D

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 0501 Sabine River Tidal**

Sabine River Tidal - from the confluence with Sabine Lake in Orange County to West Bluff in Orange County

Segment Type Tidal Stream

**AU\_ID: 0501\_01** Sabine River tidal from the confluence of Sabine Lake upstream to confluence of Adams Bayou Tidal

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10391

**AU\_ID: 0501\_02** Sabine River tidal from the confluence of Adams Bayou Tidal upstream to the confluence of Little Cypress Bayou

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10394; 18056

**AU\_ID: 0501\_03** Sabine River tidal from the confluence of Little Cypress Bayou upstream to the confluence of Old River at West Bluff

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**SegID: 0501B Little Cypress Bayou**

Little Cypress Bayou - from the confluence of the Sabine River upstream to the headwater near the intersection of S Teal Rd and Dunromin Rd north of Orange

Segment Type Tidal Stream

**AU\_ID: 0501B\_01** Little Cypress Bayou from the confluence of the Sabine River upstream to a point 340m downstream of 16th St in Orange

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	Flow Questionnaire	High	Presumption from flow type

**Station ID(s):** 14503

**AU\_ID: 0501B\_02** Little Cypress Bayou from a point 340m downstream of 16th St in Orange upstream to the confluence of an unnamed stream 100m downstream of Little Cypress Dr

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	Flow Questionnaire	High	Presumption from flow type

**Station ID(s):** 15520

**AU\_ID: 0501B\_03** Little Cypress Bayou from the confluence of an unnamed stream 100m downstream of Little Cypress Dr upstream to the headwater near the intersection of S Teal Rd and Dunromin Rd north of Orange

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	Flow Questionnaire	High	Presumption from flow type

**Station ID(s):** 16690

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0502 Sabine River Above Tidal

Sabine River Above Tidal - from West Bluff in Orange County to the confluence with Caney Creek in Newton County

Segment Type Freshwater Stream

**AU\_ID: 0502\_01** Sabine River from the confluence of Old River at West Bluff upstream to the confluence of Indian Bayou

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 10395

**AU\_ID: 0502\_02** Sabine River from the confluence of Indian Bayou upstream to the confluence of Cypress Creek

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 10397

**AU\_ID: 0502\_03** Sabine River from the confluence of Cypress Creek upstream to the confluence of Nichols Creek

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 0502\_04** Sabine River from the confluence of Nichols Creek upstream to the confluence of Big Cow Creek

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 0502\_05** Sabine River from the confluence of Big Cow Creek upstream to the confluence of Caney Creek

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** No Stations

### SegID: 0502A Nichols Creek

Nichols Creek from the confluence of the Sabine River upstream to the headwater at FM 1013 northwest of Kirbyville

Segment Type Freshwater Stream

**AU\_ID: 0502A\_01** Nichols Creek from the confluence of the Sabine River upstream to the headwater at FM 1013 northwest of Kirbyville

Flow Type  
Intermittent w/pools

Flow Type Source  
Routine Flow Data

ALU Designation  
Limited

ALU Designation Source  
Presumption from flow type

**Station ID(s):** 15652

**SegID: 0502B Caney Creek**

Caney Creek - perennial stream from the Sabine River upstream to the confluence with Martin Branch

Segment Type Freshwater Stream

**AU\_ID: 0502B\_01** Caney Creek an Appendix D perennial stream from the confluence of the Sabine River upstream to the Davison St crossing in Newton

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** No Stations

**AU\_ID: 0502B\_02** Caney Creek an Appendix D perennial stream from the Davison St crossing in Newton upstream to the confluence of Martin Branch

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 0502C Sabine River Authority Canal**

Sabine River Authority Canal - from the confluence of the Sabine River upstream to the terminus 650m west of US87 south of Deweyville

Segment Type Freshwater Stream

**AU\_ID: 0502C\_01** Sabine River Authority Canal from the confluence of the Sabine River upstream to the terminus 650m west of US87 south of Deweyville

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0502D Dempsey Creek**

Dempsey Creek - from the confluence of the Sabine River up to the headwater near FM 363 southeast of Newton

Segment Type Freshwater Stream

**AU\_ID: 0502D\_01** Dempsey Creek from the confluence of the Sabine River up to the headwater near FM 363 southeast of Newton

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0502E Cypress Creek**

Cypress Creek - from the confluence of the Sabine River up to the headwater 500m south of FM 82 east of Kirbyville

Segment Type Freshwater Stream

**AU\_ID: 0502E\_01** Cypress Creek from the confluence of the Sabine River up to the headwater 500m south of FM 82 east of Kirbyville

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0502F County Relief Ditch**

County relief ditch - perennial ditch from the confluence of the Sabine River upstream to SH 87

Segment Type Freshwater Stream

**AU\_ID: 0502F\_01** County relief ditch an Appendix D perennial ditch from the confluence of the Sabine River upstream to SH 87

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix D

ALU Designation  
Limited

ALU Designation Source  
TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 0502G Unnamed Tributary of Dempsey Creek**

Unnamed tributary of Dempsey Creek - perennial stream from the confluence of Dempsey Creek to a headwater swamp near the City of Bon Weir

Segment Type Freshwater Stream

**AU\_ID: 0502G\_01** Unnamed tributary an Appendix D perennial stream from the confluence of Dempsey Creek to a headwater swamp near the City of Bon Weir

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix D

ALU Designation  
Intermediate

ALU Designation Source  
TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 0503 Sabine River Above Caney Creek**

Sabine River Above Caney Creek - from a point immediately upstream of the confluence with Caney Creek in Newton County up to Toledo Bend Dam in Newton County

Segment Type Freshwater Stream

**AU\_ID: 0503\_01** Sabine River from the confluence of Caney Creek upstream to the confluence of Anacoco Bayou

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 10398

**AU\_ID: 0503\_02** Sabine River from the confluence of Anacoco Bayou upstream to the confluence of Little Cow Creek

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 0503\_03** Sabine River from the confluence of Little Cow Creek upstream to the Toledo Bend Dam

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 10399; 10401

**SegID: 0503D Little Cow Creek**

Little Cow Creek - from the confluence of the Sabine River upstream to the headwater 4.4 km upstream of SH 255 crossing

Segment Type Freshwater Stream

**AU\_ID: 0503D\_01** Little Cow Creek from the confluence of the Sabine River upstream to the confluence of McGraw Creek

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

**Station ID(s):** 14969

**AU\_ID: 0503D\_02** Little Cow Creek from the confluence of McGraw Creek upstream to the headwater 4.4 km upstream of SH 255 crossing

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0504    Toledo Bend Reservoir**

Toledo Bend Reservoir - from Toledo Bend Dam in Newton County to a point immediately upstream of the confluence of Murvaul Creek in Panola County, up to the normal pool elevation of 172 feet (impounds Sabine River)



**SegID: 0504 Toledo Bend Reservoir**

Toledo Bend Reservoir - from Toledo Bend Dam in Newton County to a point immediately upstream of the confluence of Murvaul Creek in Panola County, up to the normal pool elevation of 172 feet (impounds Sabine River)

Segment Type Reservoir

**AU\_ID: 0504\_01** Toledo Bend Reservoir from the dam up to a line from Louisiana State Park #15 (LA) west to near Pleasure Bend Rd (TX)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10404

**AU\_ID: 0504\_02** Toledo Bend Reservoir Six Mile Bay, including Sandy Creek arm, from near Lakeview Rd on the northside peninsula to near Pleasure Bend Rd on the southside peninsula

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10406; 10407

**AU\_ID: 0504\_03** Toledo Bend Reservoir Sunshine Bay arm, including Spring Hill Bay, from Alpine Marina on the northside peninsula to New Haven Rd on the southside peninsula

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10411

**AU\_ID: 0504\_04** Toledo Bend Reservoir from a line from Cypress Bend Golf Resort (LA) west to Alpine Marina (TX) up to a line from North Toledo Bend State Park (LA) southwest to Carter's Ferry Rd north of Patroon Bayou (TX)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10402

**AU\_ID: 0504\_05** Toledo Bend Reservoir Patroon Bayou arm from Carter's Ferry Rd on northside peninsula to Elma Ln on southside peninsula

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 15655

**AU\_ID: 0504\_06** Toledo Bend Reservoir from a line from the confluence of Ten Acre Creek (LA) west to Shelby CR 2000 near Huxley, TX up to a line from the confluence of Pen Bayou (LA) west to the confluence of Tenaha Bayou (TX)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 0504\_07** Toledo Bend Reservoir from a line from the confluence of Pen Bayou (LA) west to the confluence of Tenaha Bayou (TX) up to a point immediately upstream of the confluence of Murvaul Creek, up to the normal pool elevation of 172 feet

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**SegID: 0504 Toledo Bend Reservoir**

Toledo Bend Reservoir - from Toledo Bend Dam in Newton County to a point immediately upstream of the confluence of Murvaul Creek in Panola County, up to the normal pool elevation of 172 feet (impounds Sabine River)

Segment Type Reservoir

**AU\_ID: 0504\_08** Toledo Bend Reservoir Bayou Negreet (Louisiana) from Lake Vista Dr on the northside peninsula to Laura Ln on the southside peninsula

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 0504\_09** Toledo Bend Reservoir Bayou San Miguel (Louisiana) from North Toledo Bend State Park Rd on northside peninsula to Aspen St on southside peninsula

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 0504\_10** Toledo Bend Reservoir Bayou San Patricio (Louisiana)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 0504\_11** Toledo Bend Reservoir from a line from North Toledo Bend State Park (LA) southwest to Carter's Ferry Rd north of Patroon Bayou (TX) up to a line from the confluence of Ten Acre Creek (LA) west to Shelby CR 2000 near Huxley, TX

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 18052

**AU\_ID: 0504\_12** Toledo Bend Reservoir from a line from Louisiana State Park #15 (LA) west to Pleasure Bend Rd (TX) up to Cypress Bend Golf Resort (LA) west to Alpine Marina (TX)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 0504\_13** Toledo Bend reservoir Bayou La Nana (Louisiana) from Aspen St on the northside peninsula to Jamie Ln near Merritt Mountain on the southside peninsula

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**SegID: 0504A Unnamed Tributary of Flat Fork Creek**

Unnamed tributary of Flat Fork Creek - intermittent stream with perennial pools from the confluence of an unnamed tributary 1.0 km upstream of FM 1645 upstream to 0.4 km upstream of SH 87

Segment Type Freshwater Stream

**AU\_ID: 0504A\_01** Unnamed tributary an Appendix D intermittent stream with perennial pools from the confluence of an unnamed tributary 1.0 km upstream of FM 1645 upstream to 0.4 km upstream of SH 87

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	TSWQS Appendix D	Limited	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 0504C Palo Gaucho Bayou**

Palo Gaucho Bayou - from the confluence of Toledo Bend Reservoir upstream to the headwater 300 m south of FM 353 northeast of San Augustine

Segment Type Freshwater Stream

**AU\_ID: 0504C\_01** Palo Gaucho Bayou from the confluence of Toledo Bend Reservoir upstream to the headwater 300 m south of FM 353 northeast of San Augustine

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0504D Tenaha Creek**

Tenaha Creek - from the confluence of Flat Fork Creek northwest of Huxley upstream to the confluence of Porter and Huana Creeks 5.5 km southeast of Center, TX

Segment Type Freshwater Stream

**AU\_ID: 0504D\_01** Tenaha Creek from the confluence of Flat Fork Creek northwest of Huxley upstream to the confluence of Porter and Huana Creeks 5.5 km southeast of Center, TX

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0504E Clear Lake**

Clear Lake - an oxbow lake 12 mi northwest of Logansport, LA

Segment Type Reservoir

**AU\_ID: 0504E\_01** Clear Lake an oxbow lake 12 mi northwest of Logansport, LA

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

**SegID: 0504F Prairie Creek**

Prairie Creek - perennial stream from the confluence of Cedar Creek upstream to SH 7

Segment Type Freshwater Stream

**AU\_ID: 0504F\_01** Prairie Creek an Appendix D perennial stream from the confluence of Cedar Creek upstream to SH 7

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 0505 Sabine River Above Toledo Bend Reservoir**

Sabine River Above Toledo Bend Reservoir - from a point immediately upstream of the confluence of Murvaul Creek in Panola County to a point 100 meters (110 yards) downstream of US 271 in Gregg County

Segment Type Freshwater Stream

**AU\_ID: 0505\_01** Sabine River from a point immediately upstream of the confluence of Murvaul Creek in Panola County upstream to the confluence of Hoggs Bayou 9 km east of Carthage

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10415

**AU\_ID: 0505\_02** Sabine River from the confluence of Hoggs Bayou 9 km east of Carthage upstream to the confluence of Irons Bayou 5.9 km north of Carthage

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 0505\_03** Sabine River from the confluence of Irons Bayou 5.9 km north of Carthage upstream to the confluence of Hatley Creek 7.7 km north of Tatum

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 13628

**AU\_ID: 0505\_04** Sabine River from the confluence of Hatley Creek 7.7 km north of Tatum upstream to the confluence of Grace Creek near IH 20 west of Longview

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10423; 10424

**AU\_ID: 0505\_05** Sabine River from the confluence of Grace Creek near IH 20 west of Longview upstream to a point 100 m downstream of US 271 in Gladewater

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10426; 10427; 21282

**SegID: 0505A Bighead Creek**

Bighead Creek - from the confluence of Rabbit Creek on the northside of Kilgore upstream to the headwater 1.2 km northeast of New London

Segment Type Freshwater Stream

**AU\_ID: 0505A\_01** Bighead Creek from the confluence of Rabbit Creek on the northside of Kilgore upstream to the headwater 1.2 km northeast of New London

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0505B Grace Creek**

Grace Creek - perennial stream from the confluence of the Sabine River upstream to the headwater at FM 1844

Segment Type Freshwater Stream

**AU\_ID: 0505B\_01** Grace Creek an Appendix D perennial stream from the confluence of the Sabine River upstream to an unnamed tributary from Longview WWTP south of Loop 281

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** 15011

**AU\_ID: 0505B\_02** Grace Creek an Appendix D perennial stream from an unnamed tributary from Longview WWTP south of Loop 281 upstream to the headwater at FM 1844

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** 14499; 16689; 21590

**SegID: 0505C Hawkins Creek**

Hawkins Creek - perennial stream from the confluence of the Sabine River upstream to the headwater at SH 300 in East Mountain

Segment Type Freshwater Stream

**AU\_ID: 0505C\_01** Hawkins Creek an Appendix D perennial stream from the confluence of the Sabine River upstream to FM 2605 (Tenneryville Rd) at White Oak and Longview city limits

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D

**Station ID(s):** No Stations

**AU\_ID: 0505C\_02** Hawkins Creek from FM 2605 (Tenneryville Rd) at White Oak and Longview city limits upstream to the headwater at SH 300 in East Mountain

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0505D Rabbit Creek**

Rabbit Creek - perennial stream from the confluence of the Sabine River upstream to the headwater at Smith CR 246 5.7 km northwest of Overton

Segment Type Freshwater Stream

**AU\_ID: 0505D\_01** Rabbit Creek an Appendix D perennial stream from the confluence of the Sabine River upstream to the confluence of Bighead Creek on the north side of Kilgore

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** No Stations

**AU\_ID: 0505D\_02** Rabbit Creek an Appendix D perennial stream from the confluence of Bighead Creek on the north side of Kilgore upstream to the confluence of Little Rabbit Creek 6.5 km southwest of Kilgore

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** No Stations

**AU\_ID: 0505D\_03** Rabbit Creek from the confluence of Little Rabbit Creek 6.5 km southwest of Kilgore upstream to the headwater at Smith CR 246 5.7 km northwest of Overton

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0505E Brandy Branch Reservoir**

Brandy Branch Reservoir - from the Harrison County Dam up to normal pool elevation of 340 feet southwest of Marshall

Segment Type Reservoir

**AU\_ID: 0505E\_01** Brandy Branch Reservoir from the Harrison County Dam up to normal pool elevation of 340 feet southwest of Marshall

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	Water body description	High	Presumption from Flow Type

**Station ID(s):** 13703

**SegID: 0505F Martin Creek Reservoir**

Martin Creek Reservoir - from Rusk County Dam up to normal pool elevation of 306 feet northeast of Henderson

Segment Type Reservoir

**AU\_ID: 0505F\_01** Martin Creek Reservoir from Rusk County Dam up to normal pool elevation of 306 feet northeast of Henderson

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	Water body description	High	Presumption from Flow Type

**Station ID(s):** 13601

**SegID: 0505G Wards Creek**

Wards Creek - intermittent stream with perennial pools from the confluence of Sewell Creek upstream to the confluence of an unnamed second order tributary approximately 0.6 km upstream of US 80

Segment Type Freshwater Stream

**AU\_ID: 0505G\_01** Wards Creek an Appendix D intermittent stream with perennial pools from the confluence of Sewell Creek upstream to the confluence of an unnamed second order tributary approximately 0.6 km upstream of US 80

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 0505H Hatley Creek**

Hatley Creek - from the confluence of the Sabine River upstream to the confluence of Sewell Creek and Wards Creek 3.3 km southeast of Hallsville

Segment Type Freshwater Stream

**AU\_ID: 0505H\_01** Hatley Creek from the confluence of the Sabine River upstream to the confluence of Sewell Creek and Wards Creek 3.3 km southeast of Hallsville

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Water body description	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0505I Eightmile Creek**

Eightmile Creek - perennial stream from the confluence of the Sabine River upstream to FM 31 south of Marshall

Segment Type Freshwater Stream

**AU\_ID: 0505I\_01** Eightmile Creek an Appendix D perennial stream from the confluence of the Sabine River upstream to FM 31 south of Marshall

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 0505J Mason Creek**

Mason Creek - intermittent stream with perennial pools from the confluence of a swamp 3.1 km downstream of IH 20 upstream to 0.2 km above IH 20 near the intersection with FM 968

Segment Type Freshwater Stream

**AU\_ID: 0505J\_01** Mason Creek an Appendix D intermittent stream with perennial pools from the confluence of a swamp 3.1 km downstream of IH 20 upstream to 0.2 km above IH 20 near the intersection with FM 968

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	TSWQS Appendix D	Limited	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 0505K Little Rabbit Creek**

Little Rabbit Creek - perennial stream from the confluence with Rabbit Creek upstream to the confluence with an unnamed tributary 0.15 km upstream of FM 850 east of the City of Overton

Segment Type Freshwater Stream

**AU\_ID: 0505K\_01** Little Rabbit Creek an Appendix D perennial stream from the confluence with Rabbit Creek upstream to the confluence with an unnamed tributary 0.15 km upstream of FM 850 east of the City of Overton

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

Station ID(s): No Stations

**SegID: 0505L Rocky Creek**

Rocky Creek - intermittent stream with perennial pools from the confluence of Prairie Creek upstream to the confluence of an unnamed first order tributary 0.6 km west of SH 135

Segment Type Freshwater Stream

**AU\_ID: 0505L\_01** Rocky Creek an Appendix D intermittent stream with perennial pools from the confluence of Prairie Creek upstream to the confluence of an unnamed first order tributary 0.6 km west of SH 135

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	TSWQS Appendix D	High	TSWQS Appendix D

Station ID(s): No Stations

**SegID: 0505M Wall Branch**

Wall Branch - perennial stream from the confluence with Irons Bayou upstream to the confluence with an unnamed tributary 400 m upstream of the City of Beckville wastewater treatment plant

Segment Type Freshwater Stream

**AU\_ID: 0505M\_01** Wall Branch an Appendix D perennial stream from the confluence with Irons Bayou upstream to the confluence with an unnamed tributary 400 m upstream of the City of Beckville wastewater treatment plant

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

Station ID(s): No Stations

**SegID: 0505N Unnamed Tributary of Sabine River**

Unnamed tributary of the Sabine River - perennial stream from the confluence of the Sabine River upstream 0.7 km above the Santa Fe Railroad crossing in the City of Easton

Segment Type Freshwater Stream

**AU\_ID: 0505N\_01** Unnamed tributary an Appendix D perennial stream from the confluence of the Sabine River upstream 0.7 km above the Santa Fe Railroad crossing in the City of Easton

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

Station ID(s): No Stations



**SegID: 0505O Hills Lake**

Hills Lake - an oxbow lake 13 mi east of Carthage

Segment Type Reservoir

**AU\_ID: 0505O\_01** Hills Lake an oxbow lake 13 mi east of Carthage

Flow Type  
Reservoir

Flow Type Source  
Water body description

ALU Designation  
High

ALU Designation Source  
Presumption from Flow Type

**Station ID(s):** No Stations

**SegID: 0505P Irons Bayou**

Irons Bayou - from the confluence of the Sabine River upstream to the headwater 12 km southeast of Henderson

Segment Type Freshwater Stream

**AU\_ID: 0505P\_01** Irons Bayou from the confluence of the Sabine River upstream to the headwater 12 km southeast of Henderson

Flow Type  
Intermittent

Flow Type Source  
Water body description

ALU Designation  
Minimal

ALU Designation Source  
Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0505O Campbells Creek**

Campbells Creek - intermittent stream with perennial pools from the confluence of Moody Creek upstream to the dam forming Lake Devernia

Segment Type Freshwater Stream

**AU\_ID: 0505Q\_01** Campbells Creek an Appendix D intermittent stream with perennial pools from the confluence of Moody Creek upstream to the dam forming Lake Devernia

Flow Type  
Intermittent w/pools

Flow Type Source  
TSWQS Appendix D

ALU Designation  
Intermediate

ALU Designation Source  
TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 0506 Sabine River Below Lake Tawakoni**

Sabine River Below Lake Tawakoni - from a point 100 meters (110 yards) downstream of US 271 in Gregg County to Iron Bridge Dam in Rains County

Segment Type Freshwater Stream

**AU\_ID: 0506\_01** Sabine River from a point 100 m downstream of US 271 in Gladewater upstream to the confluence of Big Sandy Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10428

**AU\_ID: 0506\_02** Sabine River from the confluence of Big Sandy Creek upstream to the confluence of Lake Fork Creek 12 km southeast of Mineola

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10429

**AU\_ID: 0506\_03** Sabine River from the confluence of Lake Fork Creek 12 km southeast of Mineola upstream to the confluence of Grand Saline Creek 7 km west of Mineola

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10430

**AU\_ID: 0506\_04** Sabine River from the confluence of Grand Saline Creek 7 km west of Mineola upstream to the confluence of Mill Creek 9 km northwest of Grand Saline

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 0506\_05** Sabine River from the confluence of Mill Creek 9 km northwest of Grand saline upstream to the Iron Bridge Dam on Lake Tawakoni

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**SegID: 0506A Harris Creek**

Harris Creek - from the confluence of the Sabine River 5.7 km north of Winona upstream to the headwater near SH 64 east of Tyler

Segment Type Freshwater Stream

**AU\_ID: 0506A\_01** Harris Creek from the confluence of the Sabine River 5.7 km north of Winona upstream to the headwater near SH 64 east of Tyler

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 14500

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0506B Sandy Creek

Sandy Creek - perennial stream from the confluence of Glade Creek upstream to the confluence of an unnamed tributary 0.3 km below SH 19

Segment Type Freshwater Stream

**AU\_ID: 0506B\_01** Sandy Creek an Appendix D perennial stream from the confluence of Glade Creek upstream to the confluence of an unnamed tributary 0.3 km below SH 19

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix D

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix D

Station ID(s): No Stations

### SegID: 0506C Wiggins Creek

Wiggins Creek - perennial stream from the confluence with Harris Creek upstream to the dam impounding an unnamed reservoir located approximately 3.8 km upstream of FM 2015 northeast of the City of Tyler

Segment Type Freshwater Stream

**AU\_ID: 0506C\_01** Wiggins Creek an Appendix D perennial stream from the confluence with Harris Creek upstream to the dam impounding an unnamed reservoir located approximately 3.8 km upstream of FM 2015 northeast of the City of Tyler

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix D

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix D

Station ID(s): No Stations

### SegID: 0506D Giladon Creek

Giladon Creek - perennial stream from the confluence of Mill Creek upstream to the confluence of an unnamed tributary approximately 0.4 km upstream of FM 859 near the City of Edgewood

Segment Type Freshwater Stream

**AU\_ID: 0506D\_01** Giladon Creek an Appendix D perennial stream from the confluence of Mill Creek upstream to the confluence of an unnamed tributary approximately 0.4 km upstream of FM 859 near the City of Edgewood

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix D

ALU Designation  
Intermediate

ALU Designation Source  
TSWQS Appendix D

Station ID(s): No Stations

**SegID: 0506E Unnamed Tributary of Grand Saline Creek**

Unnamed tributary of Grand Saline Creek - perennial stream from the confluence of Grand Saline Creek upstream to the confluence of an unnamed tributary approximately 0.2 km downstream of US 80

Segment Type Freshwater Stream

**AU\_ID: 0506E\_01** Unnamed tributary an Appendix D perennial stream from the confluence of Grand Saline Creek upstream to the confluence of an unnamed tributary approximately 0.2 km downstream of US 80

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 0506F Ninemile Creek**

Ninemile Creek - perennial stream from the confluence of the Sabine River upstream to the confluence of an unnamed tributary immediately upstream of US 80 southeast of the City of Mineola

Segment Type Freshwater Stream

**AU\_ID: 0506F\_01** Ninemile Creek an Appendix D perennial stream from the confluence of the Sabine River upstream to the confluence of an unnamed tributary immediately upstream of US 80 southeast of the City of Mineola

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 0506G Little White Oak Creek**

Little White Oak Creek - from the confluence of the Sabine River upstream to the headwater upstream of SH 155 and southwest of Gilmer

Segment Type Freshwater Stream

**AU\_ID: 0506G\_01** Little White Oak Creek from the confluence of the Sabine River upstream to the headwater upstream of SH 155 and southwest of Gilmer

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0506H Lake Gladewater**

Lake Gladewater - from the dam up to the normal pool elevation of 300.2 feet in north Gladewater

Segment Type Reservoir

**AU\_ID: 0506H\_01** Lake Gladewater from the dam up to the normal pool elevation of 300.2 feet in north Gladewater

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	Water body description	High	Presumption from Flow Type

**Station ID(s):** 17062; 17585

**SegID: 0506I Lake Hawkins**

Lake Hawkins - from the dam upstream to the normal pool elevation of approximately 346 feet northwest of Hawkins

Segment Type Reservoir

**AU\_ID: 0506I\_01** Lake Hawkins from the dam upstream to the normal pool elevation of approximately 346 feet northwest of Hawkins

Flow Type  
Reservoir

Flow Type Source  
Water body description

ALU Designation  
High

ALU Designation Source  
Presumption from Flow Type

**Station ID(s):** 14422; 18512

**SegID: 0506J Mill Creek**

Mill Creek - spring-fed perennial stream from the confluence of the Old Sabine River Channel upstream to the spring source at or above FM 2710

Segment Type Freshwater Stream

**AU\_ID: 0506J\_01** Mill Creek an Appendix D spring-fed perennial stream from the confluence of the Old Sabine River Channel upstream to the spring source at or above FM 2710

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix D

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 0506K No. 5 Branch**

No. 5 Branch - intermittent stream with perennial pools from the confluence of Simpkins Creek upstream to US 69

Segment Type Freshwater Stream

**AU\_ID: 0506K\_01** No. 5 Branch an Appendix D intermittent stream with perennial pools from the confluence of Simpkins Creek upstream to US 69

Flow Type  
Intermittent w/pools

Flow Type Source  
TSWQS Appendix D

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 0506L Lake Holbrook**

Lake Holbrook - from the dam up to the normal pool elevation of 370 feet

Segment Type Reservoir

**AU\_ID: 0506L\_01** Lake Holbrook - from the dam up to the normal pool elevation of 370 feet

Flow Type  
Reservoir

Flow Type Source  
Water body description

ALU Designation  
High

ALU Designation Source  
Presumption from Flow Type

**Station ID(s):** 16956; 18847

**SegID: 0506M Tyler State Park Lake**

Tyler State Park Lake - on Park Road 16 approximately 5.8 mi (9.4 km) north of Tyler

Segment Type      Reservoir

**AU\_ID: 0506M\_01** Tyler State Park Lake - on Park Road 16 approximately 5.8 mi (9.4 km) north of Tyler

Flow Type

Reservoir

Flow Type Source

Water body description

ALU Designation

High

ALU Designation Source

Presumption from Flow Type

**Station ID(s):**      No Stations

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0507 Lake Tawakoni

Lake Tawakoni - from Iron Bridge Dam in Rains County up to the normal pool elevation of 437.5 feet (impounds Sabine River)

Segment Type Reservoir

**AU\_ID: 0507\_01** Lake Tawakoni lowermost area of reservoir, including Cedar Cove, from Iron Bridge Dam up to a line from Sun Point near East Tawakoni to Autumn Point near the Hunt/Van Zandt County Line on the west side

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 10434

**AU\_ID: 0507\_02** Lake Tawakoni from a line from Sun Point in East Tawakoni to Autumn Point near the Hunt/Van Zandt County Line on the west side up to a line from Cloud Point in East Tawakoni to Arm Point near West Tawakoni, including Oak Cove

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 0507\_03** Lake Tawakoni from a line from Cloud Point in East Tawakoni to Arm Point near West Tawakoni up to a line from Thunder Point on the east side to Ice point on the west side, including Wichita Bay

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 10437

**AU\_ID: 0507\_04** Lake Tawakoni Cowleech Fork of Sabine River arm, including Pawnee Inlet, from a line from Thunder Point on the east side to Ice Point on the west side up to the confluence of the Cowleech Fork of the Sabine River at the normal pool elevation of 437.5 ft

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 17836

**AU\_ID: 0507\_05** Lake Tawakoni South Fork Sabine arm, including Kitsee Inlet and Waco Bay, to a line from Finger Point on the north side to Spring Point in Tawakoni State Park on the south side

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 10435; 21173

**AU\_ID: 0507\_06** Lake Tawakoni Caddo Creek arm, including Caddo Inlet and Hickory Cove, to a line from Ice point on the north side to Rainbow Point near West Tawakoni on the south side

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** No Stations

**SegID: 0507A Cowleech Fork Sabine River**

Cowleech Fork - from the confluence of Lake Tawakoni upstream to the headwater northwest of Celeste

Segment Type Freshwater Stream

**AU\_ID: 0507A\_01** Cowleech Fork from the confluence of Lake Tawakoni upstream to the confluence of Long Branch east of Greenville

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	WQS/Permits program	Minimal	Presumption from flow type

**Station ID(s):** No Stations

**AU\_ID: 0507A\_02** Cowleech Fork from the confluence of Long Branch east of Greenville upstream to the headwater northwest of Celeste

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	WQS/Permits program	Minimal	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0507B Long Branch**

Long Branch - from the confluence with Cowleech Fork Sabine River east of Greenville upstream to the headwater northeast of Greenville

Segment Type Freshwater Stream

**AU\_ID: 0507B\_01** Long Branch from the confluence with Cowleech Fork Sabine River east of Greenville upstream to the headwater northeast of Greenville

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Flow Questionnaire	Minimal	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0507C West Caddo Creek**

West Caddo Creek - intermittent stream with perennial pools from the confluence of Brushy Creek upstream to the confluence of Middle Caddo Creek northwest of Caddo Mills

Segment Type Freshwater Stream

**AU\_ID: 0507C\_01** West Caddo Creek an Appendix D intermittent stream with perennial pools from the confluence of Brushy Creek upstream to the confluence of Middle Caddo Creek northwest of Caddo Mills

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	TSWQS Appendix D	Limited	TSWQS Appendix D

**Station ID(s):** No Stations



**SegID: 0507D Hickory Creek**

Hickory Creek - from the confluence of the Cowleech Fork Sabine River upstream to the headwater upstream of FM 272 north of Celeste

Segment Type Freshwater Stream

**AU\_ID: 0507D\_01** Hickory Creek from the confluence of the Cowleech Fork Sabine River upstream to the headwater upstream of FM 272 north of Celeste

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Routine Flow Data	Minimal	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0507E Horse Creek**

Horse Creek - from the confluence of Cowleech Fork Sabine River upstream to the headwater to 0.95 km upstream of SH 34 north of Greenville

Segment Type Freshwater Stream

**AU\_ID: 0507E\_01** Horse Creek from the confluence of Cowleech Fork Sabine River upstream to the headwater to 0.95 km upstream of SH 34 north of Greenville

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0507F Tidwell Creek**

Tidwell Creek - from the confluence of Cowleech Fork Sabine River upstream to the headwater 0.8 km (0.5 mi) upstream of FM 1566 east of Celeste

Segment Type Freshwater Stream

**AU\_ID: 0507F\_01** Tidwell Creek from the confluence of Cowleech Fork Sabine River upstream to the headwater 0.8 km (0.5 mi) upstream of FM 1566 east of Celeste

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Routine Flow Data	Minimal	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0507G South Fork of Sabine River**

South Fork of Sabine River - from the confluence of Lake Tawakoni upstream to the confluence of Parker and Sabine Creeks

Segment Type Freshwater Stream

**AU\_ID: 0507G\_01** South Fork of Sabine River from the confluence of Lake Tawakoni upstream to the confluence of Parker and Sabine Creeks

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0507H Caddo Creek**

Caddo Creek - from the confluence of Lake Tawakoni at Caddo Inlet upstream to the confluence of East Caddo and West Caddo Creeks

Segment Type Freshwater Stream

**AU\_ID: 0507H\_01** Caddo Creek from the confluence of Lake Tawakoni at Caddo Inlet upstream to the confluence of East Caddo and West Caddo Creeks

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Routine Flow Data	Minimal	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0508 Adams Bayou Tidal**

From the confluence with the Sabine River in Orange County to a point 1.1 km (0.7 mi) upstream of IH 10 in Orange County

Segment Type Tidal Stream

**AU\_ID: 0508\_01** Lower 3 miles of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10441

**AU\_ID: 0508\_02** 2 mile reach near Western Avenue

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 0508\_03** 1 mile reach near Green Avenue

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 0508\_04** Upper 2 miles of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**SegID: 0508A Adams Bayou Above Tidal**

From a point 1.1 km (0.7 mi) upstream of IH 10 in Orange County upstream to the Orange County Line Relief Ditch east of Mauriceville

Segment Type Freshwater Stream

**AU\_ID: 0508A\_01** From a point 1.1 km (0.7 mi) upstream of IH 10 in Orange County upstream to the Orange County Line Relief Ditch east of Mauriceville

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0508B Gum Gully**

From the confluence of Adams Bayou to the upstream perennial portion of the stream northwest of Orange in Orange County

Segment Type Freshwater Stream

**AU\_ID: 0508B\_01** From the confluence of Adams Bayou to the upstream perennial portion of the stream northwest of Orange in Orange County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0508C Hudson Gully**

From the confluence with Adams Bayou to the headwaters near US 890 in Pinehurst in Orange County

Segment Type Tidal Stream

**AU\_ID: 0508C\_01** From the confluence with Adams Bayou to the headwaters near US 890 in Pinehurst in Orange County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	Water body description	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0509 Murvaul Lake**

Murvaul Lake - from Murvaul Dam in Panola County up to the normal pool elevation of 265.3 feet (impounds Murvaul Bayou)

Segment Type Reservoir

**AU\_ID: 0509\_01** Murvaul Lake from the dam up to the normal pool elevation of 265.3 feet

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10444; 16954

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0510 Lake Cherokee

Lake Cherokee - from Cherokee Dam in Gregg/Rusk County up to the normal pool elevation of 280 feet (impounds Cherokee Bayou)

Segment Type Reservoir

**AU\_ID: 0510\_01** Lake Cherokee from the dam in Gregg/Rusk county up to a line at the East Texas Regional Airport runway

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 15514

**AU\_ID: 0510\_02** Lake Cherokee from a line at the East Texas Regional Airport runway up to the normal pool elevation of 280 feet

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 15195

### SegID: 0510A Mill Creek

Mill Creek - perennial stream from the confluence of Beaver Run upstream to the confluence of an unnamed tributary 50 m upstream of FM 2276 north of the City of Henderson

Segment Type Freshwater Stream

**AU\_ID: 0510A\_01** Mill Creek an Appendix D perennial stream from the confluence of Beaver Run upstream to the confluence of an unnamed tributary 50 m upstream of FM 2276 north of the City of Henderson

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix D

ALU Designation  
Intermediate

ALU Designation Source  
TSWQS Appendix D

**Station ID(s):** No Stations

### SegID: 0510B Adaway Creek

Adaway Creek - intermittent stream with perennial pools from the confluence of Mill Creek upstream to the confluence of an unnamed tributary 0.36 km upstream of FM 782 north of the City of Henderson

Segment Type Freshwater Stream

**AU\_ID: 0510B\_01** Adaway Creek an Appendix D intermittent stream with perennial pools from the confluence of Mill Creek upstream to the confluence of an unnamed tributary 0.36 km upstream of FM 782 north of the City of Henderson

Flow Type  
Intermittent w/pools

Flow Type Source  
TSWQS Appendix D

ALU Designation  
Intermediate

ALU Designation Source  
TSWQS Appendix D

**Station ID(s):** No Stations

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0511 Cow Bayou Tidal

From the confluence with the Sabine River in Orange County to a point 4.8 km (3.0 mi) upstream of IH 10 in Orange County

Segment Type Tidal Stream

**AU\_ID: 0511\_01** Lower 5 miles

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10449

**AU\_ID: 0511\_02** 6 mile reach near FM 105

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 0511\_03** 5 mile reach near FM 1442 (north crossing)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 0511\_04** Upper 4 miles

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

### SegID: 0511A Cow Bayou Above Tidal

From a point 4.8 km (3.0 mi) upstream of IH 10 in Orange County to the upstream perennial portion of the stream northeast of Vidor in Orange County

Segment Type Freshwater Stream

**AU\_ID: 0511A\_01** Lower 5.3 miles of above-tidal reach

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** No Stations

**AU\_ID: 0511A\_02** Upper 5.3 miles of above-tidal reach

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0511B Coon Bayou**

From the confluence with Cow Bayou up to the extent of tidal limit in Orange County

Segment Type Tidal Stream

**AU\_ID: 0511B\_01** From the confluence with Cow Bayou up to the extent of tidal limit in Orange County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 0511C Cole Creek**

From the confluence of Cow Bayou west of Orange in Orange County to the upstream perennial portion of the stream south of Mauriceville in Orange County

Segment Type Tidal Stream

**AU\_ID: 0511C\_01** From the confluence of Cow Bayou west of Orange in Orange County to the upstream perennial portion of the stream south of Mauriceville in Orange County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	Water body description	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0511D Unnamed Tributary of Cow Bayou**

Unnamed tributary of Cow Bayou - from the confluence with Cow Bayou (north bank approximately 1.6 km from the Sabine River confluence) up to the extent of tidal limits

Segment Type Tidal Stream

**AU\_ID: 0511D\_01** Unnamed tributary of Cow Bayou - from the confluence with Cow Bayou (north bank approximately 1.6 km from the Sabine River confluence) up to the extent of tidal limits

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 0511E Terry Gully**

From the confluence with Cow Bayou in Orange County to the headwaters northeast of Vidor in Orange County

Segment Type Freshwater Stream

**AU\_ID: 0511E\_01** From the confluence with Cow Bayou in Orange County to the headwaters northeast of Vidor in Orange County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** No Stations

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0512 Lake Fork Reservoir

Lake Fork Reservoir - from Lake Fork Dam in Wood County up to the normal pool elevation of 403 feet (impounds Lake Fork Creek)

Segment Type Reservoir

**AU\_ID: 0512\_01** Lake Fork from the dam up to the Wood County Electric Cooperative transmission lines on the Lake Fork Creek arm and up to the SH 154 crossing on the Caney Creek arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10458

**AU\_ID: 0512\_02** Lake Fork from the SH 154 crossing on the Caney Creek arm up to the normal pool elevation of 403 feet

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10461

**AU\_ID: 0512\_03** Lake Fork Running Creek arm west of Yantis

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 0512\_04** Lower Lake Fork Creek arm from the Wood County Electric Cooperative transmission lines up to the FM 2946 crossing

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10462

**AU\_ID: 0512\_05** Upper Lake Fork Creek arm from the FM 2946 crossing up to the normal pool elevation of 403 feet

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 16691

**AU\_ID: 0512\_06** Lake Fork Little Caney Creek arm south of Yantis

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 0512\_07** Lake Fork Birch Creek arm east of Yantis

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**SegID: 0512A Running Creek**

Running Creek - from the confluence of Lake Fork at the Hopkins/Wood County line upstream to the headwater 400 m south of SH 11 southeast of Sulphur Springs

Segment Type Freshwater Stream

**AU\_ID: 0512A\_01** Running Creek from the confluence of Lake Fork at the Hopkins/Wood County line upstream to the headwater 400 m south of SH 11 southeast of Sulphur Springs

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0512B Elm Creek**

Elm Creek - from the confluence of Lake Fork 375 m downstream of FM 514 upstream to the headwater at Hopkins CR 1110 southwest of Sulphur Springs

Segment Type Freshwater Stream

**AU\_ID: 0512B\_01** Elm Creek from the confluence of Lake Fork 375 m downstream of FM 514 upstream to the headwater at Hopkins CR 1110 southwest of Sulphur Springs

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0512C Dry Creek**

Dry Creek - from the confluence of Running Creek 450 m upstream of FM 1567 E upstream to the headwater 250 m south of SH 11 southeast of Sulphur Springs

Segment Type Freshwater Stream

**AU\_ID: 0512C\_01** Dry Creek from the confluence of Running Creek 450 m upstream of FM 1567 E upstream to the headwater 250 m south of SH 11 southeast of Sulphur Springs

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Routine Flow Data	Minimal	Presumption from flow type

**Station ID(s):** No Stations



## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0513 Big Cow Creek

Big Cow Creek - from the confluence with the Sabine River in Newton County to a point 4.6 km (2.9 mi) upstream of Recreational Road 255 in Newton County

Segment Type Freshwater Stream

**AU\_ID: 0513\_01** Big Cow Creek from the confluence with the Sabine River southeast of Kirbyville upstream to the confluence of White Oak Creek west of Kirbyville

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 10465

**AU\_ID: 0513\_02** Big Cow Creek from the confluence of White Oak Creek west of Kirbyville upstream to the headwater 4.6 km (2.9 mi) upstream of Recreational Road 255 in Newton County

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** No Stations

### SegID: 0513A Trout Creek

Trout Creek - perennial stream from the confluence of Big Cow Creek in Newton County upstream to the confluence of Boggy Creek and Davis Creek in Jasper County

Segment Type Freshwater Stream

**AU\_ID: 0513A\_01** Trout Creek an Appendix D perennial stream from the confluence of Big Cow Creek in Newton County upstream to the confluence of Boggy Creek and Davis Creek in Jasper County

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix D

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix D

**Station ID(s):** No Stations

### SegID: 0514 Big Sandy Creek

Big Sandy Creek - from the confluence with the Sabine River in Upshur County to a point 2.6 km (1.6 mi) upstream of SH 11 in Hopkins County

Segment Type Freshwater Stream

**AU\_ID: 0514\_01** Big Sandy Creek from the confluence with the Sabine River in Upshur County upstream to the Lake Winnsboro Dam (Wood County Dam No. 4)

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 10468; 16011

**AU\_ID: 0514\_02** Big Sandy Creek from the Lake Winnsboro Dam (Wood County Dam No. 4) upstream to a point 2.6 km (1.6 mi) upstream of SH 11 in Hopkins County

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 17950

## SegID: 0515 Lake Fork Creek

Lake Fork Creek - from the confluence with the Sabine River in Wood County to Lake Fork Dam in Wood County

Segment Type Freshwater Stream

**AU\_ID: 0515\_01** Lake Fork Creek from the confluence of the Sabine River in Wood County upstream to Lake Fork Dam in Wood County east of Quitman

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 10469

## SegID: 0515A Lake Quitman

Lake Quitman - from the dam up to the normal pool elevation of 400 feet

Segment Type Reservoir

**AU\_ID: 0515A\_01** Lake Quitman - from the dam up to the normal pool elevation of 400 feet

Flow Type  
Reservoir

Flow Type Source  
Water body description

ALU Designation  
High

ALU Designation Source  
Presumption from Flow Type

**Station ID(s):** 17948

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0601 Neches River Tidal

From the confluence with Sabine Lake in Orange County to the Neches River Saltwater Barrier, which is at a point 0.8 km (0.5 mi) downstream of the confluence of Pine Island Bayou, in Orange County

Segment Type Tidal Stream

**AU\_ID: 0601\_01** Lower boundary to top of first oxbow, above Bird Island Bayou confluence at NHD RC 12020003000004

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	Intermediate	TSWQS Appendix A

**Station ID(s):** 10563

**AU\_ID: 0601\_02** Top of first oxbow to top of U.S. Nat'l Defense Reserve Fleet Basin at top of NHD RC 12020003008459

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	Intermediate	TSWQS Appendix A

**Station ID(s):** 10566

**AU\_ID: 0601\_03** Top of U.S. Nat'l Defense Reserve Fleet Basin to top of last oxbow below Kansas City Southern Railroad bridge 0.44km upstream of NHD RC 12020003000013

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	Intermediate	TSWQS Appendix A

**Station ID(s):** 10570

**AU\_ID: 0601\_04** Top of last oxbow below Kansas City Southern Railroad bridge to saltwater barrier at NHD RC 12020003000017

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	Intermediate	TSWQS Appendix A

**Station ID(s):** 10575; 20774

### SegID: 0601A Star Lake Canal

North of Groves in Jefferson County

Segment Type Tidal Stream

**AU\_ID: 0601A\_01** North of Groves in Jefferson County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	WQS/Permits program	High	Presumption from flow type

**Station ID(s):** 10485

**SegID: 0601B Tiger Creek**

Perennial stream from the confluence with Meyer Bayou to the confluence of Caney Creek near the City Vidor

Segment Type Freshwater Stream

**AU\_ID: 0601B\_01** Perennial stream from the confluence with Meyer Bayou to the confluence of Caney Creek near the City Vidor

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 0602 Neches River Below B. A. Steinhagen Lake**

From the Neches River Saltwater Barrier, which is at a point 0.8 km (0.5 mi) downstream of the confluence of Pine Island Bayou, in Orange County to Town Bluff Dam in Jasper/Tyler County

Segment Type Freshwater Stream

**AU\_ID: 0602\_01** From the saltwater barrier upstream to confluence with Village Creek 0608 at NHD RC 12020003000025

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10579; 15343

**AU\_ID: 0602\_02** From the confluence with Village Creek 0608 upstream to the confluence with Black Branch NHD RC 120200030000695

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10580

**AU\_ID: 0602\_03** From the confluence with Black Branch upstream to confluence with unnamed tributary at NHD RC 12020003000058

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10581

**AU\_ID: 0602\_04** From the confluence with unnamed tributary at NHD RC 12020003000058 upstream to Town Bluff Dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**SegID: 0602A Booger Branch**

From the confluence of Massey Lake Slough south of Silsbee to a point 0.6 mi (1.0 km) upstream of US 96 in Hardin County

Segment Type Freshwater Stream

**AU\_ID: 0602A\_01** Unnamed tributary southeast of City of Silsbee from the confluence with Massey Lake Slough, per WQS App. D, upstream to the Santa Fe railroad crossing in south City of Silsbee, WQS App. D.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D

**Station ID(s):** No Stations

**AU\_ID: 0602A\_02** From a point immediately upstream of the Santa Fe railroad crossing upstream to the Maxwell Drive crossing in City of Silsbee.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Routine Flow Data	Minimal	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0602B Big Walnut Run**

From the confluence with Walnut Creek southwest of City of Jasper in Jasper County upstream to confluence with unnamed tributary about 0.40 km (0.25 mi) north of Dorgan Road east of the City of Jasper.

Segment Type Freshwater Stream

**AU\_ID: 0602B\_01** From the confluence with Walnut Creek southwest of City of Jasper in Jasper County upstream to confluence with unnamed tributary about 0.40 km (0.25 mi) north of Dorgan Road east of the City of Jasper.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0603 B. A. Steinhagen Lake**

From Town Bluff Dam to a point immediately upstream of the confluence of Hopson Mill Creek on the Neches River Arm and to a point immediately upstream of the confluence of Indian Creek on the Angelina River Arm, up to the normal pool elevation of 83 feet

Segment Type Reservoir

**AU\_ID: 0603\_01** Main pool by dam to include all the area below the US HWY 190 bridge

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10582

**AU\_ID: 0603\_02** Area above the US HWY 190 bridge to the upper boundaries of the segment at points immediately upstream of confluences Hopson Mill Creek (Neches Arm) and Indian Creek (Angelina Arm)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0603A Sandy Creek

From the confluence with B. A. Steinhagen Lake southwest of the City of Jasper in Jasper County upstream to the headwaters at Recreational Road 255 north of Jasper in Jasper County

Segment Type Freshwater Stream

**AU\_ID: 0603A\_01** From the confluence with B.A. Steinhagen Lake upstream to 0.5 km below FM 776 east of the City of Jasper, App. D

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** 10484

**AU\_ID: 0603A\_02** From 0.5 km below FM 776 east of the City of Jasper upstream to the headwaters at Recreational Road 255 north of the City of Jasper

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

### SegID: 0603B Wolf Creek

From the confluence of B. A. Steinhagen Lake southeast of Colmesneil in Tyler County to the upstream perennial portion of the stream south of Colmesneil in Tyler County

Segment Type Freshwater Stream

**AU\_ID: 0603B\_01** From the confluence of B.A. Steinhagen Lake upstream to Lake Amanda Dam.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 15344

**AU\_ID: 0603B\_02** From the confluence with Lake Amanda upstream to the headwaters

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0604 Neches River Below Lake Palestine

From a point immediately upstream of the confluence of Hopson Mill Creek in Jasper/Tyler County to Blackburn Crossing Dam in Anderson/Cherokee County

Segment Type Freshwater Stream

**AU\_ID: 0604\_01** Lower boundary to a point immediately upstream of confluence of Biloxi Creek 0604M at NHD RC 12020002001061

Flow Type

Perennial

Flow Type Source

TSWQS Appendix A

ALU Designation

High

ALU Designation Source

TSWQS Appendix A

**Station ID(s):** 10585

**AU\_ID: 0604\_02** From the confluence of Biloxi Creek (0604M) upstream to the upper confluence of Old River at NHD RC 12020002000037

Flow Type

Perennial

Flow Type Source

TSWQS Appendix A

ALU Designation

High

ALU Designation Source

TSWQS Appendix A

**Station ID(s):** 10586

**AU\_ID: 0604\_03** From the upper confluence of Old River upstream to the confluence with Cedar Creek in Cherokee County at NHD RC 12020002000085 near Hargrove Lake

Flow Type

Perennial

Flow Type Source

TSWQS Appendix A

ALU Designation

High

ALU Designation Source

TSWQS Appendix A

**Station ID(s):** 17067

**AU\_ID: 0604\_04** From the confluence with Cedar Creek in Cherokee County near Hargrove lake upstream to the confluence with Beech Creek in Anderson County at NHD RC 12020001006717

Flow Type

Perennial

Flow Type Source

TSWQS Appendix A

ALU Designation

High

ALU Designation Source

TSWQS Appendix A

**Station ID(s):** 14794

**AU\_ID: 0604\_05** From the confluence with Beech Creek in Anderson County upstream to the Blackburn Crossing Dam

Flow Type

Perennial

Flow Type Source

TSWQS Appendix A

ALU Designation

High

ALU Designation Source

TSWQS Appendix A

**Station ID(s):** 10591; 13627

**SegID: 0604A Cedar Creek**

From the confluence of the Neches River southwest of Lufkin in Angelina County to the upstream perennial portion of the stream in Lufkin in Angelina County

Segment Type Freshwater Stream

**AU\_ID: 0604A\_01** From the confluence with the Neches River upstream to the confluence with Jack Creek (0604C)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**AU\_ID: 0604A\_02** From the confluence with Jack Creek (0604C) upstream to confluence with unnamed tributary adjacent to State Loop 287, per App. D in WQS, at NHD RC 12020002000436

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** 10478; 13528

**AU\_ID: 0604A\_03** From the confluence with unnamed tributary adjacent to SH Loop 287 upstream to headwaters near Hoo Hoo Ave in the City of Lufkin

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 10479; 21434

**SegID: 0604B Hurricane Creek**

From the confluence with Cedar Creek upstream to the headwaters near Groesbeck Ave in the City of Lufkin

Segment Type Freshwater Stream

**AU\_ID: 0604B\_01** From the confluence with Cedar Creek (0604A) upstream to confluence with unnamed tributary 100m above State Loop 287 in Lufkin, per WQS App. D, at NHD RC 12020002000043

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** 10487; 13529

**AU\_ID: 0604B\_02** From the confluence with unnamed tributary 100 meters upstream of SH Loop 287 in the City of Lufkin upstream to headwaters near Groesbeck Ave in Lufkin

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 21433



**SegID: 0604C Jack Creek**

From the confluence of Cedar Creek southwest of Lufkin in Angelina County to the upstream perennial portion of the stream in northeast Lufkin in Angelina County

Segment Type Freshwater Stream

**AU\_ID: 0604C\_01** From the confluence with Cedar Creek (0604A) upstream to confluence with unnamed tributary 1.6km SW of US Hwy 69 NW of Lufkin at NHD RC 12020002012470.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

Station ID(s): 10492; 10493; 10494

**SegID: 0604D Piney Creek**

From the confluence of the Neches River at the Polk/Tyler/Angelina County lines east of Corrigan to the upstream perennial portion of the stream east of Crockett in Houston County

Segment Type Freshwater Stream

**AU\_ID: 0604D\_01** Middle portion of the stream from the confluence with Bear Creek (0604L) in Polk County upstream to the confluence with Caney Creek (0604O) in Trinity County at NHD RC 12020002000163.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

Station ID(s): 16081

**AU\_ID: 0604D\_02** Upper portion of stream from the confluence with Caney Creek (0604O) in Trinity County upstream to confluence with unnamed tributary at NHD RC 12020002000181 in Houston County 0.75km west of FM 2781.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

Station ID(s): 16096

**AU\_ID: 0604D\_03** Lower portion of stream from the confluence with the Neches River (0604) upstream to the confluence with Bear Creek (0604L) in Polk County at NHD RC 12020002000145.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

Station ID(s): No Stations

**SegID: 0604E Graham Creek**

Perennial stream from the confluence with the Neches River in Jasper County upstream to the confluence with Mill Creek in Angelina County

Segment Type Freshwater Stream

**AU\_ID: 0604E\_01** From the confluence with Neches River (0604) upstream to confluence with Mill Creek, per WQS App. D, at NHD RC 12020003000159.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	High	TSWQS Appendix D

Station ID(s): No Stations

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0604F Alto Branch

Perennial stream from the confluence of Larrison Creek up to FM 851 north of Alto

Segment Type Freshwater Stream

**AU\_ID: 0604F\_01** From the confluence with Larrison Creek (0604G), per WQS App. D, upstream to confluence with unnamed tributary 35m south of State Hwy 21 in City of Alto at NHD RC 12020002000336.

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix D

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix D

Station ID(s): No Stations

**AU\_ID: 0604F\_02** From the confluence with unnamed tributary 35m south of State Hwy 21 in City of Alto upstream to FM 851 crossing, per WQS App. D.

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix D

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix D

Station ID(s): No Stations

### SegID: 0604G Larrison Creek

From the confluence with the Neches River (0604) upstream to unnamed tributary 1.0 km above SH 21 east of City of Alto.

Segment Type Freshwater Stream

**AU\_ID: 0604G\_01** From the confluence with Neches River (0604) upstream to US Hwy 69 bridge at NHD RC 12020002000334.

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

Station ID(s): No Stations

**AU\_ID: 0604G\_02** From the crossing of US Hwy 69, per WQS App. D, upstream to unnamed tributary 1.0km above SH 21 east of City of Alto, per WQS App. D, at NHD RC 12020002000457.

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix D

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix D

Station ID(s): No Stations

**SegID: 0604H One Eye Creek in Cherokee County**

Perennial stream from the confluence with Beans Creek upstream to confluence with College Creek in City of Rusk in Cherokee County.

Segment Type Freshwater Stream

**AU\_ID: 0604H\_01** From the confluence with Beans Creek at NHD RC 12020001001103 upstream to confluence with McCann Creek at NHD RC 12020001000454.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** No Stations

**AU\_ID: 0604H\_02** From the confluence with McCann Creek, per WQS App. D, at NHD RC 12020001000455 upstream to the confluence with College Creek, per WQS App. D, at NHD RC 12020001000458.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 0604I Dabbs Creek**

Perennial stream from the confluence of Caney Creek up to the confluence of Dabbs Branch approximately 4.5 km above FM 942 in Polk County

Segment Type Freshwater Stream

**AU\_ID: 0604I\_01** From the confluence with Caney Creek in Polk County 35m south of US Hwy 287 west of City of Chester, per WQS App. D, upstream to confluence with unnamed tributary that originates in Camden (0604U) at NHD RC 12020002000256.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** No Stations

**AU\_ID: 0604I\_02** From the confluence with unnamed tributary that originates in Camden (0604U) upstream to the confluence with Dabbs Branch, per WQS App. D, at NHD RC 12020002012459

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 0604J Caddo Creek**

Perennial stream from the confluence with the Neches River below Lake Palestine upstream to the dam of Caddo Creek Lake in Henderson County

Segment Type Freshwater Stream

**AU\_ID: 0604J\_01** From the confluence with Neches River (0604), per WQS App. D, upstream to confluence with unnamed tributary (that originates in east Frankston) at NHD RC 12020001000818, about 90m east of Kickapoo Street.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** No Stations

**AU\_ID: 0604J\_02** From the confluence with unnamed tributary about 90m east of Kickapoo Street, upstream to dam of Caddo Creek, per WQS App. D, at NHD RC 12020001001880.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 0604K Unnamed Tributary of Caddo Creek**

Perennial stream from the confluence with Caddo Creek approximately 1.0 km south of SH 175 upstream to its headwaters 0.6 km north of SH 175

Segment Type Freshwater Stream

**AU\_ID: 0604K\_01** From confluence with Caddo Creek at NHD RC 12020001003011 upstream to headwaters, per App. D, about 0.75km upstream of US Hwy 175 at NHD RC 12020001008982.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 0604L Bear Creek**

From the confluence with Piney Creek (0604D) upstream through City of Corrigan with headwaters southwest of City of Corrigan in Polk County

Segment Type Freshwater Stream

**AU\_ID: 0604L\_01** From confluence with Piney Creek (0604D) upstream to confluence with Dry Creek at NHD RC 12020002000691.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Routine Flow Data	Minimal	Presumption from flow type

**Station ID(s):** No Stations

**AU\_ID: 0604L\_02** From the confluence with Dry creek to headwaters 6.4km SW of intersection of US Hwys 287 and 59 in City of Corrigan, at NHD RC 12020002005019.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Routine Flow Data	Minimal	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0604M Biloxi Creek**

From the confluence with the Neches River southeast of Diboll to FM 325 east of Lufkin in Angelina County

Segment Type Freshwater Stream

**AU\_ID: 0604M\_02** From the confluence with Neches River (0604) upstream to confluence with One Eye Creek in Angelina County SE of Lufkin.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** 16097

**AU\_ID: 0604M\_03** From the confluence with One Eye Creek in Angelina County SE of Lufkin upstream to FM 325 east of Lufkin

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** 10499

**SegID: 0604N Buck Creek**

From its confluence with Biloxi Creek south of Huntington to a point 2.1 mi upstream of FM 1475, northwest of Huntington in Angelina County

Segment Type Freshwater Stream

**AU\_ID: 0604N\_01** From the confluence with Biloxi Creek (0604M) upstream to the confluence with Graham Creek (0604E) SW of City of Huntington at NHD RC 12020002000417.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** 16098

**AU\_ID: 0604N\_02** From the confluence with Graham Creek (0604E) SW of City of Huntington upstream to 0.23km south of Old Ewing Rd east of Lufkin at NHD RC 12020002000418.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0604O Caney Creek in Trinity County**

From the confluence with Piney Creek (0604D) in Trinity County upstream to the headwaters about 0.75km south of FM 358

Segment Type Freshwater Stream

**AU\_ID: 0604O\_01** From the confluence with Piney Creek (0604D) in Trinity County at NHD RC 12020002000185 upstream to headwaters about 0.75km south of FM 358 at NHD RC 12020002000194.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Routine Flow Data	Minimal	Presumption from flow type

**Station ID(s):** No Stations

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0604P McManus Creek

From the confluence with Piney Creek (0604D) in Polk County upstream to headwaters 1.19km south of FM 62 N

Segment Type Freshwater Stream

**AU\_ID: 0604P\_01** From the confluence with Piney Creek (0604D) in Polk County upstream to headwaters 1.19km south of FM 62 N at NHD RC 12020002000282.

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

Station ID(s): No Stations

### SegID: 0604O Mossy Creek

From the confluence with Piney Creek (0604D) in Trinity County upstream to the headwaters about 0.40km NE of intersection with Hoggs Rd and Bill Adams Fork.

Segment Type Freshwater Stream

**AU\_ID: 0604Q\_01** From the confluence with Piney Creek (0604D) in Trinity County at NHD RC 12020002000283 upstream to the headwaters about 0.40km NE of intersection with Hogg Rd and Bill Adams Fork at NHD RC 12020002000285.

Flow Type  
Intermittent w/pools

Flow Type Source  
Routine Flow Data

ALU Designation  
Limited

ALU Designation Source  
Presumption from flow type

Station ID(s): No Stations

### SegID: 0604R Paces Creek

From the confluence with Piney Creek (0604D) in Polk County upstream to the dam at Paces Pond, SW of City of Corrigan

Segment Type Freshwater Stream

**AU\_ID: 0604R\_01** From the confluence with Piney Creek (0604D) in Polk County at NHD RC 12020002000686 upstream to Paces Pond Dam at NHD RC 12020002000687.

Flow Type  
Intermittent w/pools

Flow Type Source  
Routine Flow Data

ALU Designation  
Limited

ALU Designation Source  
Presumption from flow type

Station ID(s): No Stations

**SegID: 0604S White Oak Creek**

From the confluence with Fiberboard Lake in Angelina County south of City of Diboll upstream to headwaters 100m east of Hwy 59 north of city of Burke.

Segment Type Freshwater Stream

**AU\_ID: 0604S\_01** From the confluence with Fiberboard Lake in Angelina County at NHD RC 12020002000321 upstream to confluence with unnamed tributary above City of Diboll WWTP at NHD RC 12020002000321.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**AU\_ID: 0604S\_02** From the confluence with unnamed tributary above City of Diboll WWTP upstream to headwaters 100m east of Hwy 59 north of City of Burke at NHD RC 12020002002440.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0604T Lake Ratcliff**

Lake in Houston County 3.4 mi northeast of Kennard

Segment Type Reservoir

**AU\_ID: 0604T\_01** Lake in Houston County 3.4 mi northeast of Kennard

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	Water body description	High	Presumption from Flow Type

**Station ID(s):** 17339

**SegID: 0604U Unnamed Tributary of Dabbs Creek**

From the confluence with Dabbs Creek (0604I) upstream to confluence with unnamed tributary 0.13km south of FM 942 in west Camden.

Segment Type Freshwater Stream

**AU\_ID: 0604U\_01** From the confluence with Dabbs Creek (0604I) in Polk County upstream to Moscow Camden San Augustine RR crossing about 90 meters SW of intersection FM 492 and FM 62N.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	WQS/Permits program	High	Previous TCEQ permit decision

**Station ID(s):** No Stations

**AU\_ID: 0604U\_02** From the Moscow Camden San Augustine RR crossing about 90 meters SW of intersection FM 492 and FM 62N upstream to confluence with unnamed tributary 0.13km south of FM 942 in west Camden at NHD RC 12020002001654.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	WQS/Permits program	High	Previous TCEQ permit decision

**Station ID(s):** No Stations

**SegID: 0604V One Eye Creek in Angelina County**

From the confluence with Beloxi Creek (0604M) upstream to the headwaters in City of Lufkin in Angelina County.

Segment Type Freshwater Stream

**AU\_ID: 0604V\_01** From the confluence with Biloxi Creek (0604M) upstream to the headwaters about 0.43 km north of intersection of Bartmess St and Oak Shadow St in Lufkin in Angelina County at NHD RC 12020002000294.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0604W Bodan Creek**

From the confluence with the Neches River (0604) west of City of Lufkin upstream to headwaters in Angelina County

Segment Type Freshwater Stream

**AU\_ID: 0604W\_01** From the confluence with Neches River (0604) upstream to the downstream side of US Hwy 69

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** No Stations

**AU\_ID: 0604W\_02** From the upstream side of US Hwy 69 upstream to headwaters northwest of Lufkin at NHD RC 12020002000444.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Routine Flow Data	Minimal	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0604X Shawnee Creek**

Intermittent stream with perennial pools from the confluence with Dry Creek upstream to the headwaters just downstream of the railroad line southeast of the City of Huntington

Segment Type Freshwater Stream

**AU\_ID: 0604X\_01** From the confluence with the Neches River in Jasper Co. to the confluence with Dry Creek in Angelina Co.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** No Stations

**AU\_ID: 0604X\_02** From the confluence with Dry Creek in Angelina Co. to the headwaters just downstream of the railroad line southeast of the City of Huntington

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** No Stations



## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0604Y Sandy Creek (Angelina Co.)

Perennial stream from the confluence with Shawnee Creek upstream to the confluence with an unnamed tributary approximately 0.5 km upstream of US 69

Segment Type Freshwater Stream

**AU\_ID: 0604Y\_01** From the confluence with Shawnee Creek in Angelina Co. upstream to the confluence with an unnamed tributary approximately 0.5 km upstream of US 69 in Angelina Co.

Flow Type

Perennial

Flow Type Source

TSWQS Appendix D

ALU Designation

High

ALU Designation Source

TSWQS Appendix D

**Station ID(s):** No Stations

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0605 Lake Palestine

From Blackburn Crossing Dam in Anderson/Cherokee County to a point 6.7km (4.2 mi) downstream of FM 279 in Henderson/Smith County, up to normal pool elevation of 345 feet (impounds Neches River)

Segment Type Reservoir

**AU\_ID: 0605\_01** Lower portion of reservoir near dam to the first bend in reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 16159; 17966

**AU\_ID: 0605\_02** From the first bend in lower portion of reservoir up to the SH 155 Bridge crossing.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 20318

**AU\_ID: 0605\_03** Upper mid-lake including Tyler Public Water Supply intake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 16346

**AU\_ID: 0605\_09** Flat Creek Arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 18557

**AU\_ID: 0605\_10** Upper Lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 17550; 18643

**AU\_ID: 0605\_11** From the SH 155 Bridge crossing to the Flat Creek Arm and across the main portion of the lake at the Flat Creek Arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10593; 20319

**SegID: 0605A Kickapoo Creek in Henderson County**

From the confluence of Lake Palestine east of Brownsboro in Henderson County to the upstream perennial portion of the stream northeast of Murchison in Henderson County

Segment Type Freshwater Stream

**AU\_ID: 0605A\_01** From the confluence with Lake Palestine (0605) east of Brownsboro in Henderson County to the confluence with Slater Creek (0605E).

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** 10517; 21618

**AU\_ID: 0605A\_02** From the confluence with Slater Creek (0605E) upstream to confluence with unnamed tributary about 1.62 km north of FM 858 in Van Zandt County at NHD RC 12020001000161.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** 16796; 16797

**SegID: 0605B Little Duncan Branch**

Perennial stream from the confluence with Big Duncan Branch upstream to the dam impounding Jackson Lake

Segment Type Freshwater Stream

**AU\_ID: 0605B\_01** From the confluence with Big Duncan Branch, per WQS App. D, upstream to dam of Jackson Lake, per WQS App. D.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 0605C Cream Level Creek**

From the confluence with Kickapoo Creek (0605A) in Henderson County to the headwaters at intersection of State Hwy 64 and County Hwy 1411 in Van Zandt County.

Segment Type Freshwater Stream

**AU\_ID: 0605C\_01** From the confluence with Kickapoo Creek (0605A) in Henderson County at NHD RC 12020001000147 upstream to headwaters at intersection of State Hwy 64 and County Hwy 1411 in Van Zandt County at NHD RC 12020001000150.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** No Stations

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0605D Murchison Creek

From the confluence with Kickapoo Creek (0605A) in Henderson County to the headwaters 0.40km NE of intersection with FM 279 and PR 8079 in Van Zandt County.

Segment Type Freshwater Stream

**AU\_ID: 0605D\_01** From the confluence with Kickapoo Creek (0605A) in Henderson County at NHD RC 12020001022334 to the headwaters 0.40km NE of intersection with FM 279 and PR 8079 at NHD RC 12020001002800 in Van Zandt County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** No Stations

### SegID: 0605E Slater Creek

From the confluence with Kickapoo Creek (0605A) in Henderson County to the headwaters 0.38km east of FM 4702 in Van Zandt County.

Segment Type Freshwater Stream

**AU\_ID: 0605E\_01** From the confluence with Kickapoo Creek (0605A) in Henderson County at NHD RC 12020001000384 to the dam at Callender Lake at the county border.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** No Stations

**AU\_ID: 0605E\_02** From the confluence with Lake Callender at NHD RC 12020001008950 upstream to the headwaters 0.38km east of FM 4702 in Van Zandt County at NHD RC 12020001002766.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** No Stations

### SegID: 0605F Lake Athens

From the dam 5.5 mi east of Athens, 1.8 mi south of FM 317 on Flat Creek, to a point one mi west of FM 2495 in Henderson County

Segment Type Reservoir

**AU\_ID: 0605F\_01** From the dam 5.5 mi east of Athens, 1.8 mi south of FM 317 on Flat Creek, to a point one mi west of FM 2495 in Henderson County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	Water body description	High	Presumption from Flow Type

**Station ID(s):** 15288; 17575

**SegID: 0605G Callender Lake**

From the dam at FM 2339 at the Henderson/Van Zandt counties border upstream to confluence with Slater Creek 70m NW of Dogwood Drive in Van Zandt County

Segment Type Reservoir

**AU\_ID: 0605G\_01** From the dam at FM 2339 at the Henderson/Van Zandt counties border upstream to confluence with Slater Creek 70m NW of Dogwood Drive in Van Zandt County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

**SegID: 0606 Neches River Above Lake Palestine**

From a point 6.7 km (4.2 mi) downstream of FM 279 in Henderson/Smith County to Rhine Lake Dam in Van Zandt County before it was breached in 2001

Segment Type Freshwater Stream

**AU\_ID: 0606\_01** From a point approximately 0.06km (0.03 mi) south of St. Louis Southwestern Railroad upstream to the confluence with Prairie Creek (0606A).

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	Intermediate	TSWQS Appendix A

**Station ID(s):** 10595; 10596

**AU\_ID: 0606\_02** From the confluence with Prairie Creek (0606A) upstream to the Rhine Lake Dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	Intermediate	TSWQS Appendix A

**Station ID(s):** 10597; 10598; 20282

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0606A Prairie Creek

Perennial stream from the confluence with the Neches River to an unnamed tributary approximately 0.6km downstream of the US 69 bridge crossing.

Segment Type Freshwater Stream

**AU\_ID: 0606A\_01** From the confluence with Neches River (0606), per WQS App. D first entry for Prairie Creek at NHD RC 12020001000071 in Smith County upstream to the confluence with Black Fork Creek (0606D) at NHD RC 12020001000071 .

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** 10518

**AU\_ID: 0606A\_02** From the confluence with Black Fork Creek (0606D) upstream to a point immediately upstream of confluence with Caney Creek in Smith County at NHD RC 12020001000074, per WQS App. D first entry for Prairie Creek.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** No Stations

**AU\_ID: 0606A\_03** From the confluence with Caney Creek upstream to confluence with unnamed tributary appx. 0.6 km downstream of the US 69 bridge crossing, which is located appx. 0.6 km south of the City of Lindale, per App. D second line entry

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** 18301

### SegID: 0606C Black Fork Creek

Intermittent stream with perennial pools from a point 0.4 km downstream of FM 14 to a point 0.2 km upstream of SH 31 in Tyler

Segment Type Freshwater Stream

**AU\_ID: 0606C\_01** Intermittent stream from a point immediately upstream of confluence with unnamed tributary 0.4 km downstream of FM 14 in Tyler, per WQS App. D first entry for Black Fork Creek, upstream to the downstream side of the Commerce Street bridge in Tyler.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	TSWQS Appendix D	Limited	TSWQS Appendix D

**Station ID(s):** No Stations

**AU\_ID: 0606C\_02** From the upstream side of the Commerce Street bridge in Tyler upstream to a point 0.2 km upstream of SH 31 in Tyler, per WQS App. D first entry for Black Fork Creek, at confluence with unnamed tributary at NHD RC 12020001000073.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	TSWQS Appendix D	Limited	TSWQS Appendix D

**Station ID(s):** No Stations

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0606D Black Fork Creek

Perennial stream from the confluence with Prairie Creek to a point 0.4 km downstream of FM 14 in Tyler

Segment Type Freshwater Stream

**AU\_ID: 0606D\_01** Perennial stream from the confluence with Prairie Creek (0606A), per WQS App. D second entry for Black Fork Creek, upstream to the confluence with unnamed tributary (receiving waters for WWTP) at NHD RC 12020001000072.

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix D

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix D

**Station ID(s):** No Stations

**AU\_ID: 0606D\_02** From the confluence with unnamed tributary at NHD RC 12020001000072 upstream to a point 0.4km downstream of FM 14 in Tyler, at the confluence with unnamed tributary at NHD RC 12020001000073, per WQS App. D second entry for Black Fork Creek.

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix D

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix D

**Station ID(s):** 10522

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0607 Pine Island Bayou

From the confluence with the Neches River in Hardin/Jefferson County to FM 787 in Hardin County

Segment Type Freshwater Stream

**AU\_ID: 0607\_01** From the confluence with the Neches River upstream to unnamed tributary at NHD RC 12020007001215 that runs through Sherwood Drive in northern City of Beaumont.

Flow Type

Perennial

Flow Type Source

TSWQS Appendix A

ALU Designation

High

ALU Designation Source

TSWQS Appendix A

**Station ID(s):** 10599

**AU\_ID: 0607\_02** From the confluence with unnamed tributary that runs through Sherwood Drive in northern City of Beaumont upstream to the confluence with Black Creek

Flow Type

Perennial

Flow Type Source

TSWQS Appendix A

ALU Designation

High

ALU Designation Source

TSWQS Appendix A

**Station ID(s):** 10602

**AU\_ID: 0607\_03** From the confluence with Black Creek upstream to the confluence with Willow Creek (0607C)

Flow Type

Perennial

Flow Type Source

TSWQS Appendix A

ALU Designation

High

ALU Designation Source

TSWQS Appendix A

**Station ID(s):** 10607

**AU\_ID: 0607\_04** From the confluence with Willow Creek (0607C) upstream to the confluence with Mayhaw Slough near oil fields

Flow Type

Perennial

Flow Type Source

TSWQS Appendix A

ALU Designation

High

ALU Designation Source

TSWQS Appendix A

**Station ID(s):** 15367

**AU\_ID: 0607\_05** From the confluence with Mayhaw Slough near oil fields upstream to the headwaters

Flow Type

Perennial

Flow Type Source

TSWQS Appendix A

ALU Designation

High

ALU Designation Source

TSWQS Appendix A

**Station ID(s):** No Stations



**SegID: 0607A Boggy Creek**

From the confluence of Pine Island Bayou upstream to the confluence with an unnamed tributary 4 km downstream of the crossing of the Southern Pacific Railroad.

Segment Type Freshwater Stream

**AU\_ID: 0607A\_01** From the confluence of Pine Island Bayou (0607), per WQS App. D, upstream to the confluence of unnamed tributary 0.39 km downstream of CR 421 west of Lumberton at NHD RC 12020007000006.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** No Stations

**AU\_ID: 0607A\_02** From the confluence with unnamed tributary 0.39 km downstream of CR 421 upstream to confluence with unnamed tributary 4 km downstream of the crossing of the Southern Pacific Railroad, per WQS App. D, at NHD RC 12020007003034.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** 16127

**SegID: 0607B Little Pine Island Bayou**

From the confluence of Pine Island Bayou southwest of Lumberton in Hardin County to the upstream perennial portion of the stream west of Kountze in Hardin County

Segment Type Freshwater Stream

**AU\_ID: 0607B\_01** From the confluence with Pine Island Bayou (0607) at the Hardin/Jefferson Counties border upstream to unnamed tributary 1.1 km SE of intersection of FM 770 and FM 787 at NHD RC 12020007000021, same tributary as Big Thicket National Park boundary.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 15346

**AU\_ID: 0607B\_02** From the confluence with unnamed tributary 1.1 km SE of intersection of FM 770 and 787 upstream to headwaters 5.5 km SE of City of Segno in Polk County at NHD RC 12020007000151.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 15347

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0607C Willow Creek

From the confluence of Pine Island Bayou north of Nome in Jefferson County to the upstream perennial portion of the stream east of Devers in Liberty County

Segment Type Freshwater Stream

**AU\_ID: 0607C\_01** From the confluence with Pine Island Bayou (0607) at the State Hwy 326 bridge at NHD RC 12020007000258 upstream to headwaters NE of Devers in Liberty County at NHD RC 12020007000200.

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

Station ID(s): 15345

### SegID: 0607D Cotton Creek

Intermittent stream with perennial pools from the confluence with Pine Island Bayou upstream to the confluence of an unnamed tributary 1.2 km south of the Southern Pacific Railroad

Segment Type Freshwater Stream

**AU\_ID: 0607D\_01** From the confluence with Pine Island Bayou (0607) at NHD RC 12020007000068, per WQS App. D, upstream to confluence with unnamed tributary 0.13 km east of Old Grayburg Rd at NHD RC crossing 12020007000113.

Flow Type  
Intermittent w/pools

Flow Type Source  
TSWQS Appendix D

ALU Designation  
Intermediate

ALU Designation Source  
TSWQS Appendix D

Station ID(s): No Stations

**AU\_ID: 0607D\_02** From the confluence with unnamed tributary at NHD RC crossing 12020007000113 upstream to confluence with unnamed tributary 1.2 km south of the Southern Pacific Railroad at NHD RC 12020007000265.

Flow Type  
Intermittent w/pools

Flow Type Source  
TSWQS Appendix D

ALU Designation  
Intermediate

ALU Designation Source  
TSWQS Appendix D

Station ID(s): No Stations

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0608 Village Creek

From the confluence with the Neches River in Hardin County to Lake Kimble Dam in Hardin County

Segment Type Freshwater Stream

**AU\_ID: 0608\_01** From the confluence with Neches River (0602) upstream to confluence with Cypress Creek (0608C)

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 10609; 20315

**AU\_ID: 0608\_02** From the confluence with Cypress Creek (0608C) upstream to confluence with Beech Creek (0608A)

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 13625

**AU\_ID: 0608\_03** From the confluence with Beech Creek (0608A) upstream to confluence with Big Sandy Creek and Kimball Creek in Hardin County

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 20314

### SegID: 0608A Beech Creek

From the confluence of Village Creek northeast of Kountze in Hardin County to the upstream perennial portion of the stream southeast of Woodville in Tyler County

Segment Type Freshwater Stream

**AU\_ID: 0608A\_01** From the confluence with Village Creek (0608) at NHD RC 12020006000017 upstream to the confluence with Drakes Branch 0.35 km upstream of FM1943 RD E at NHD RC 12020006000025

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

**Station ID(s):** 15355

**AU\_ID: 0608A\_02** From the confluence with Drakes Branch upstream to headwaters 0.62 km south of FM 1746 at NHD RC 12020006000035.

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

**Station ID(s):** 10529

**SegID: 0608B Big Sandy Creek**

From the confluence of Village and Kimball Creeks in Hardin County upstream to headwaters in Polk County

Segment Type Freshwater Stream

**AU\_ID: 0608B\_03** From the confluence of Village Creek (0608) and Kimball Creek in Hardin County at NHD RC 12020006000109 upstream to the confluence with Bear Creek in Polk County at NHD RC 12020006000119.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 20316

**AU\_ID: 0608B\_04** From the confluence with Bear Creek in Polk County upstream to headwaters about 5 km SE of intersection of US Hwy 59 and FM 62 at NHD RC 12020006000133.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 15353; 15354

**SegID: 0608C Cypress Creek**

From the confluence of Village Creek (0608) east of Kountze in Hardin County to the confluence with Bad Luck Creek northwest of Kountze in Hardin County

Segment Type Freshwater Stream

**AU\_ID: 0608C\_01** Upper portion from the confluence with unnamed tributary upstream of Pea Monk Branch upstream to confluence with Bad Luck Creek, per WQS App. D, at NHD RC 12020006000148.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** 15352

**AU\_ID: 0608C\_02** Lower portion from the confluence with Village Creek (0608), per WQS App. D, upstream to confluence with unnamed tributary upstream of Pea Monk Branch at NHD RC 12020006000135.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 0608D Hickory Creek**

From the confluence of Village Creek north of Kountze in Hardin County upstream through Tyler County to the confluence with Little Hickory Creek and Woods Creek (0608I) in Polk County.

Segment Type Freshwater Stream

**AU\_ID: 0608D\_01** From the confluence of Village Creek north of Kountze in Hardin County upstream through Tyler County to the confluence with Little Hickory Creek and Woods Creek (0608I) in Polk County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 15349

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0608E Mill Creek in Hardin County

From the confluence of Village Creek (0608) west of Silsbee in Hardin County upstream to headwaters northwest of Silsbee in Hardin County

Segment Type Freshwater Stream

**AU\_ID: 0608E\_01** From the confluence of Village Creek (0608) west of Silsbee in Hardin County upstream to headwaters northwest of Silsbee in Hardin County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Routine Flow Data	Minimal	Presumption from flow type

Station ID(s): No Stations

### SegID: 0608F Turkey Creek

Perennial stream from the confluence with Village Creek up to 1.6 km above U.S. 69 north of City of Woodville

Segment Type Freshwater Stream

**AU\_ID: 0608F\_01** From the confluence with Village Creek (0608) in Hardin County, per WQS App. D, upstream to confluence with Big Cypress Creek in Tyler County about 0.88 km north of FM 1943 RD E at NHD RC 12020006000052.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	High	TSWQS Appendix D

Station ID(s): 15350

**AU\_ID: 0608F\_02** From the confluence with Big Cypress Creek in Tyler County upstream to confluence with unnamed tributary about 1.6 km above U.S. 69 north of City of Woodville, per WQS App. D, at NHD RC 12020006000057

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	High	TSWQS Appendix D

Station ID(s): 15356

### SegID: 0608G Lake Kimball

From Kimble Creek Dam northwest of Kountze in Hardin County to normal pool elevation in Tyler County (impounds Kimble and Village Creeks)

Segment Type Reservoir

**AU\_ID: 0608G\_01** From Kimble Creek Dam northwest of Kountze in Hardin County to normal pool elevation in Tyler County (impounds Kimble and Village Creeks)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): No Stations

**SegID: 0608H Horsepen Creek**

From the confluence with Hickory Creek to the headwaters 7.10 mi upstream of US190 in Tyler County.

Segment Type Freshwater Stream

**AU\_ID: 0608H\_01** From the confluence with Hickory Creek to the headwaters 7.10 mi upstream of US190 in Tyler County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0608I Woods Creek**

From the confluence with Hickory Creek to 8.9 mi upstream of US190 in Polk County.

Segment Type Freshwater Stream

**AU\_ID: 0608I\_01** From the confluence with Hickory Creek to 8.9 mi upstream of US190 in Polk County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0608J Unnamed Tributary of Cypress Creek**

From the confluence with Cypress Creek (0608C) to headwaters in City of Kountz in Hardin County

Segment Type Freshwater Stream

**AU\_ID: 0608J\_01** From the confluence with Cypress Creek (0608C) to headwaters in City of Kountz in Hardin County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0608K Big Cypress Creek in Tyler County**

From the confluence with Turkey Creek (0608F) upstream to dam at CR 2162 (Pipeline Road) northwest of City of Woodville in Tyler County.

Segment Type Freshwater Stream

**AU\_ID: 0608K\_01** From the confluence with Turkey Creek (0608F) upstream to dam at CR 2162 (Pipeline Road) northwest of City of Woodville in Tyler County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0609 Angelina River Below Sam Rayburn Reservoir

From a point immediately upstream of the confluence of Indian Creek in Jasper County to Sam Rayburn Dam in Jasper County

Segment Type Freshwater Stream

**AU\_ID: 0609\_01** From a point immediately upstream of the confluence of Indian Creek in Jasper County to Sam Rayburn Dam in Jasper County

Flow Type

Perennial

Flow Type Source

TSWQS Appendix A

ALU Designation

High

ALU Designation Source

TSWQS Appendix A

**Station ID(s):** 10610

**SegID: 0610     Sam Rayburn Reservoir**

From Sam Rayburn Dam to a point 5.6 km (3.5 mi) upstream of Marion's Ferry on the Angelina River Arm and to a point 3.9 km (2.4 mi) downstream of Curry Creek on the Attoyac Bayou Arm, up to the normal pool elevation of 164.4 feet (except on the Angelina R



**SegID: 0610 Sam Rayburn Reservoir**

From Sam Rayburn Dam to a point 5.6 km (3.5 mi) upstream of Marion's Ferry on the Angelina River Arm and to a point 3.9 km (2.4 mi) downstream of Curry Creek on the Attoyac Bayou Arm, up to the normal pool elevation of 164.4 feet (except on the Angelina R

Segment Type Reservoir

**AU\_ID: 0610\_01** Sam Rayburn main pool by the dam to the Bear Creek and Ayish Arms

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 14906; 15672

**AU\_ID: 0610\_02** Sam Rayburn lower Angelina River arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 15522; 15670; 15671

**AU\_ID: 0610\_03** Sam Rayburn mid-Angelina River arm (area around SH 147)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10612

**AU\_ID: 0610\_04** Sam Rayburn upper mid-Angelina River arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 15524

**AU\_ID: 0610\_05** Sam Rayburn lower Attoyac Bayou arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 15523

**AU\_ID: 0610\_06** Sam Rayburn upper Attoyac Bayou arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10614

**AU\_ID: 0610\_07** Sam Rayburn upper Angelina arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10613; 10615; 21100

**AU\_ID: 0610\_08** Sam Rayburn Bear Creek arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 15527; 15674

**SegID: 0610 Sam Rayburn Reservoir**

From Sam Rayburn Dam to a point 5.6 km (3.5 mi) upstream of Marion's Ferry on the Angelina River Arm and to a point 3.9 km (2.4 mi) downstream of Curry Creek on the Attoyac Bayou Arm, up to the normal pool elevation of 164.4 feet (except on the Angelina R

Segment Type Reservoir

**AU\_ID: 0610\_09** Sam Rayburn lower Ayish Bayou arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 15526; 15673; 15675

**AU\_ID: 0610\_10** Sam Rayburn upper Ayish Bayou arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 14907

**SegID: 0610A Ayish Bayou**

Perennial stream from the headwaters of Sam Rayburn Reservoir to the dam impounding Bland Lake approximately 0.1km upstream of FM 1279 near the City of San Augustine

Segment Type Freshwater Stream

**AU\_ID: 0610A\_01** From the headwaters of Sam Rayburn Reservoir, per WQS App. D, about 2.4 km north of FM 83 upstream to confluence with unnamed tributary about 0.4 km SW of intersection of SH 147 and AT and SF Railroad at NHD RC 12020005000036.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** 15361

**AU\_ID: 0610A\_02** From the confluence with unnamed tributary about 0.4 km SW of intersection of SH 147 and AT and SF Railroad in the City of San Augustine upstream to the Bland Lake dam, per WQS App. D.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** 15364; 21431

**SegID: 0610C Little Sandy Creek in Sabine County**

Intermittent stream with perennial pools from the confluence with Pomponaugh Creek up to 0.5 km above FM 83 north of Pineland

Segment Type Freshwater Stream

**AU\_ID: 0610C\_01** From the confluence with Pomponaugh Creek, per WQS App. D, upstream to the confluence with unnamed tributary at NHD RC 12020005000518 about 0.5 km above FM 83 north of City of Pineland, per WQS App. D.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 0610G Caney Creek in San Augustine County**

From the confluence with Ayish Bayou (0610A) in San Augustine County upstream to headwaters.

Segment Type Freshwater Stream

**AU\_ID: 0610G\_01** From the confluence with Ayish Bayou (0610A) in San Augustine County upstream to headwaters.

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0610H Carrizo Creek**

From the confluence with Ayish Bayou (0610A) in San Augustine County upstream San Augustine City Lake dam.

Segment Type Freshwater Stream

**AU\_ID: 0610H\_01** From the confluence with Ayish Bayou (0610A) in San Augustine County upstream San Augustine City Lake dam.

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0610I Chiamon Creek**

From the confluence with Ayish Bayou (0610A) in San Augustine County upstream to headwaters in Sabine County.

Segment Type Freshwater Stream

**AU\_ID: 0610I\_01** From the confluence with Ayish Bayou (0610A) in San Augustine County upstream to headwaters in Sabine County.

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0610J Chinquapin Creek**

From the confluence with Ayish Bayou (0610A) upstream to headwaters in San Augustine County.

Segment Type Freshwater Stream

**AU\_ID: 0610J\_01** From the confluence with Ayish Bayou (0610A) upstream to headwaters in San Augustine County.

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0610K Sandy Creek in San Augustine County**

From the confluence with Ayish Bayou (0610A) upstream to headwaters in San Augustine County.

Segment Type Freshwater Stream

**AU\_ID: 0610K\_01** From the confluence with Ayish Bayou (0610A) upstream to headwaters in San Augustine County.

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

Station ID(s): No Stations

**SegID: 0610L Turkey Creek in San Augustine County**

From the confluence with Ayish Bayou (0610A) upstream to headwaters in San Augustine County.

Segment Type Freshwater Stream

**AU\_ID: 0610L\_01** From the confluence with Ayish Bayou (0610A) upstream to headwaters in San Augustine County.

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

Station ID(s): No Stations

**SegID: 0610M Venado Creek**

From the confluence with Ayish Bayou (0610A) upstream to headwaters in San Augustine County.

Segment Type Freshwater Stream

**AU\_ID: 0610M\_01** From the confluence with Ayish Bayou (0610A) upstream to headwaters in San Augustine County.

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

Station ID(s): No Stations

**SegID: 0610N Kelly Lake**

Southeast of City of Nacogdoches in Nacogdoches County about 3.5 km southeast of intersection of SH 21 and FM 226

Segment Type Reservoir

**AU\_ID: 0610N\_01** Entire water body at NHD RC 12020005001068

Flow Type  
Reservoir

Flow Type Source  
Water body description

ALU Designation  
High

ALU Designation Source  
Presumption from Flow Type

Station ID(s): No Stations

**SegID: 06100 City Lake**

San Augustine City Lake in southern San Augustine City in San Augustine County from the Carrizo Creek (0610H) dam to top of lake

Segment Type Reservoir

**AU\_ID: 06100\_01** Entire lake from dam of Carrizo Creek south of City of San Augustine at NHD RC 12020005001075

Flow Type  
Reservoir

Flow Type Source  
Water body description

ALU Designation  
High

ALU Designation Source  
Presumption from Flow Type

**Station ID(s):** No Stations

**SegID: 0610P Bayou Carrizo**

From the confluence with Sam Rayburn Reservoir upstream to the headwaters near FM 941 in the City of Appleby

Segment Type Freshwater Stream

**AU\_ID: 0610P\_01** From the confluence with Sam Rayburn Reservoir upstream to the headwaters near FM 941 in the City of Appleby

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

**Station ID(s):** 21432

**SegID: 0611 Angelina River Above Sam Rayburn Reservoir**

From the aqueduct crossing 1.0 km (0.6 mi) upstream of the confluence of Paper Mill Creek in Angelina/Nacogdoches County to the confluence of Barnhardt Creek and Mill Creek at FM 225 in Rusk County

Segment Type Freshwater Stream

**AU\_ID: 0611\_01** From the aqueduct crossing upstream to the confluence with Old River Channel in Nacogdoches County about 2.8 km downstream of County Hwy 2625 at NHD RC 12020004000039.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10627

**AU\_ID: 0611\_02** From a point immediately upstream of the confluence with Old River channel about 2.8 km downstream of County Hwy 2625 upstream to the confluence with Mud Creek (0611C)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10630; 10631

**AU\_ID: 0611\_03** From a point immediately upstream of the confluence with Mud Creek (0611C) upstream to the confluence with East Fork Angelina River (0611A)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10633

**AU\_ID: 0611\_04** From a point immediately upstream of confluence with East Fork Angelina River (0611A) upstream to confluence with Barnhardt and Mill Creeks.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10635

**SegID: 0611A East Fork Angelina River**

From the confluence of the Angelina River at the Rusk/Nacogdoches county line upstream to the confluence with Wooten Creek in Rusk County

Segment Type Freshwater Stream

**AU\_ID: 0611A\_01** From the confluence with Angelina River (0611) at Rusk/Nacogdoches county line upstream to confluence with Beech Creek (0611J) in Rusk County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 10551; 10552

**AU\_ID: 0611A\_02** From a point immediately upstream of confluence with Beech Creek (0611J) upstream to confluence with Wooten Creek (0611P)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 13788

**SegID: 0611B La Nana Bayou**

From the confluence of the Angelina River south of Nacogdoches in Nacogdoches County to the upstream perennial portion of the stream north of Nacogdoches in Nacogdoches County

Segment Type Freshwater Stream

**AU\_ID: 0611B\_01** From the confluence with Angelina River (0611), per WQS App. D, upstream to State Loop 224 in City of Nacogdoches

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** 10474

**AU\_ID: 0611B\_02** From the upstream side of State Loop 224 upstream to FM 1878 in City of Nacogdoches, per WQS App. D.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** 10475; 20792

**AU\_ID: 0611B\_03** From the upstream side of FM 1878 in City of Nacogdoches upstream to confluence with Banita Creek.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** 16301

**SegID: 0611C Mud Creek**

Perennial stream from the confluence with the Angelina River upstream to a point immediately upstream of the confluence of Prairie Creek in Smith County

Segment Type Freshwater Stream

**AU\_ID: 0611C\_01** From the confluence with Angelina River (0611), per WQS App. D, at the Cherokee and Nacogdoches county line south of City of Reklaw upstream to top of channelized/dredged portion about 2.3 km south of US hwy 79 at -95.150452N/31.956933W

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 10532

**AU\_ID: 0611C\_02** From a point immediately upstream of channelized/dredged portion about 2.3 km south of US hwy 79 at -95.150452N/31.956933W upstream to confluence with Prairie Creek in Smith County, per WQS App. D

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 14477

**SegID: 0611D West Mud Creek**

Perennial stream from the confluence with Mud Creek in Cherokee County upstream to the confluence of an unnamed tributary 300 meters upstream of the most northern crossing of US 69 (approximately 2.25 km south of the intersection of Loop 323) in the City

Segment Type Freshwater Stream

**AU\_ID: 0611D\_01** From the confluence with Mud Creek (0611C), per WQS App. D, upstream to confluence with unnamed tributary about 75 m north of WWTP in City of Tyler at NHD RC 12020004000212.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D

**Station ID(s):** 10540; 10542; 18302

**AU\_ID: 0611D\_02** From the confluence with unnamed tributary about 75 m north of WWTP in City of Tyler upstream to confluence of unnamed tributary about 300 meters upstream of the most northern crossing of US 69 in City of Tyler, per WQS App. D, at NHD RC 12020004000212.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 0611E Keys Creek**

Perennial stream from the confluence with Mud Creek upstream to the confluence of Barber Branch east of the City of Jacksonville

Segment Type Freshwater Stream

**AU\_ID: 0611E\_01** From the confluence with Mud Creek (0611C) upstream to the confluence of Barber Branch east of the City of Jacksonville

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 0611F Henshaw Creek**

Perennial stream from the confluence with West Mud Creek upstream to FM 2813

Segment Type Freshwater Stream

**AU\_ID: 0611F\_01** From the confluence with West Mud Creek (0611D), per WQS App. D, upstream to FM 2813, per WQS App. D.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** No Stations



**SegID: 0611G Blackhawk Creek**

Perennial stream from the confluence with Mud Creek to the confluence of an unnamed tributary 120 meters upstream of SH 110 south of the City of Whitehouse

Segment Type Freshwater Stream

**AU\_ID: 0611G\_01** From the confluence with Mud Creek (0611C), per WQS App. D, upstream to confluence with unnamed tributary about 80 m SE of Shande Street in City of Whitehouse at NHD RC 12020004016727.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** No Stations

**AU\_ID: 0611G\_02** From the confluence with unnamed tributary about 80 m SE of Shande Street in City of Whitehouse upstream to confluence of unnamed tributary about 120 m upstream of SH 110 south of the City of Whitehouse at NHD RC 12020004016727.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 0611H Ragsdale Creek**

Perennial stream from the confluence with Keys Creek to the confluence of an unnamed tributary 250 meters upstream of Canada Street in the City of Jacksonville

Segment Type Freshwater Stream

**AU\_ID: 0611H\_01** From the confluence with Keys Creek (0611E), per WQS App. D, upstream to confluence with unnamed tributary south of Jacksonville High School

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** No Stations

**AU\_ID: 0611H\_02** From the confluence with unnamed tributary south of Jacksonville High School upstream to confluence of an unnamed tributary 250 meters upstream of Canada Street in the City of Jacksonville, per WQS App. D

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 0611I Unnamed Tributary of Johnson Creek**

Perennial stream from the confluence with Johnson Creek up to 2.4 km upstream of the confluence, which is 0.8 km south of SH 64 west of the City of Joinerville

Segment Type Freshwater Stream

**AU\_ID: 0611I\_01** Perennial stream from the confluence with Johnson Creek up to 2.4 km upstream of the confluence, which is 0.8 km south of SH 64 west of the City of Joinerville

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 0611J Beech Creek in Nacogdoches/Rusk Counties**

From the confluence with East Fork Angelina River (0611A) upstream to confluence with Morrow Branch in Nacogdoches/Rusk Counties

Segment Type Freshwater Stream

**AU\_ID: 0611J\_01** From the confluence with East Fork Angelina River (0611A) upstream to confluence with Morrow Branch in Nacogdoches/Rusk Counties

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0611K Dill Creek**

From unimproved road south of East Fork Angelina (0611A) 0.25 km south of intersection of FM 225 and CR 4261 in Rusk County upstream to headwaters

Segment Type Freshwater Stream

**AU\_ID: 0611K\_01** From unimproved road south of East Fork Angelina (0611A) 0.25 km south of intersection of FM 225 and CR 4261 in Rusk County upstream to headwaters

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0611L Everett Branch**

From the confluence with East Fork Angelina River (0611A) upstream to headwaters west of City of Mount Enterprise in Rusk County

Segment Type Freshwater Stream

**AU\_ID: 0611L\_01** From the confluence with East Fork Angelina River (0611A) upstream to headwaters west of City of Mount Enterprise in Rusk County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0611M Ham Creek**

From the confluence with Double Spring Branch upstream to headwaters north of City of Mount Enterprise in Rusk County

Segment Type Freshwater Stream

**AU\_ID: 0611M\_01** From the confluence with Double Spring Branch upstream to headwaters north of City of Mount Enterprise in Rusk County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0611N Jones Creek**

From the confluence with Beech Creek (0611J) in Rusk County upstream to headwaters east of City of Cushing in Nacogdoches County

Segment Type Freshwater Stream

**AU\_ID: 0611N\_01** From the confluence with Beech Creek (0611J) in Rusk County upstream to headwaters east of City of Cushing in Nacogdoches County

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0611O Sulphur Springs Branch**

From the confluence with East Fork Angelina (0611A) upstream to headwaters west of City of Mount Enterprise in Rusk County

Segment Type Freshwater Stream

**AU\_ID: 0611O\_01** From the confluence with East Fork Angelina (0611A) upstream to headwaters west of City of Mount Enterprise in Rusk County

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0611P Wooten Creek**

From the confluence with East Fork Angelina (0611A) upstream to confluence with Dry Creek and Loco Bayou in the City of Mount Enterprise in Rusk County

Segment Type Freshwater Stream

**AU\_ID: 0611P\_01** From the confluence with East Fork Angelina (0611A) upstream to confluence with Dry Creek and Loco Bayou in the City of Mount Enterprise in Rusk County

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0611Q Lake Nacogdoches**

Located approximately 10 mi west of Nacogdoches in Nacogdoches County

Segment Type Reservoir

**AU\_ID: 0611Q\_01** Located approximately 10 mi west of Nacogdoches in Nacogdoches County

Flow Type  
Reservoir

Flow Type Source  
Water body description

ALU Designation  
High

ALU Designation Source  
Presumption from Flow Type

**Station ID(s):** 15801; 21021

**SegID: 0611R Lake Striker**

From the dam approximately 0.5 mi west of CR2430 to the north end of the lake south of US HWY 79 in Rusk County north of Reklaw

Segment Type Reservoir

**AU\_ID: 0611R\_01** From the dam approximately 0.5 mi west of CR2430 to the north end of the lake south of US HWY 79 in Rusk County north of Reklaw

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	Water body description	High	Presumption from Flow Type

**Station ID(s):** 17822; 17824

**SegID: 0611S Kickapoo Creek in Smith County**

From the confluence with Mud Creek (0611C) NW of City of Troup upstream to the confluence with unnamed tributary south of City of Arp.

Segment Type Freshwater Stream

**AU\_ID: 0611S\_01** From the confluence with Mud Creek (0611C) NW of City of Troup upstream to the confluence with unnamed tributary south of City of Arp.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0611T Lake Kurth**

Located south of the Angelina River (0611) about 8 km north of City of Lufkin intersection of State Loop 287 and US Hwy 59 in Angelina County

Segment Type Reservoir

**AU\_ID: 0611T\_01** Located south of the Angelina River (0611) about 8 km north of City of Lufkin intersection of State Loop 287 and US Hwy 59 in Angelina County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

**SegID: 0611U Bromley Creek**

From the confluence with Shawnee Creek upstream to confluence with Flanigan Branch in Rusk County

Segment Type Freshwater Stream

**AU\_ID: 0611U\_01** From the confluence with Shawnee Creek upstream to confluence with Flanigan Branch in Rusk County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0611V Bowles Creek**

From the confluence with Striker Creek in Cherokee County upstream to the headwaters in the City of Overton, 0.09 mi west of FM 2089

Segment Type Freshwater Stream

**AU\_ID: 0611V\_01** From the confluence with Striker Creek in Cherokee County upstream to the headwaters in the City of Overton, 0.09 mi west of FM 2089

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 21429

**SegID: 0611W Johnson Creek**

From the confluence with Striker Creek in Cherokee County upstream to the headwaters in the City of New London, 0.02 mi north of County Road 112

Segment Type Freshwater Stream

**AU\_ID: 0611W\_01** From the confluence with Striker Creek in Cherokee County upstream to the headwaters in the City of New London, 0.02 mi north of County Road 112

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 21430

**SegID: 0612 Attoyac Bayou**

From a point 3.9 km (2.4 mi) downstream of Curry Creek in Nacogdoches/San Augustine County to FM 95 in Rusk County

Segment Type Freshwater Stream

**AU\_ID: 0612\_01** From the lower boundary approximately at confluence with Granberry Branch upstream to confluence with Polly Branch.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10636

**AU\_ID: 0612\_02** From a point immediately upstream of Polly Branch confluence upstream to confluence with Bear Bayou.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 15253

**AU\_ID: 0612\_03** From a point immediately upstream of Bear Bayou upstream to upper boundary at FM 95.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 16076

**SegID: 0612A Terrapin Creek**

From the confluence of Attoyac Bayou east of Martinsville in Nacogdoches County to the upstream perennial portion of the stream northwest of Martinsville in Nacogdoches County

Segment Type Freshwater Stream

**AU\_ID: 0612A\_01** From the confluence of Attoyac Bayou east of Martinsville in Nacogdoches County to the upstream perennial portion of the stream northwest of Martinsville in Nacogdoches County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0612B Waffelow Creek**

From the confluence of Naconiche Creek north of Martinsville in Nacogdoches County upstream to headwaters east of Appleby in Nacogdoches County

Segment Type Freshwater Stream

**AU\_ID: 0612B\_01** From the confluence of Naconiche Creek north of Martinsville in Nacogdoches County upstream to confluence with unnamed tributary about 0.27 km west of CR 234 at NHD RC 12020005000207

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**AU\_ID: 0612B\_02** From a point immediately upstream of confluence with unnamed tributary about 0.27 km west of CR 234 upstream to headwaters

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0612C Pinkston Reservoir**

Located approximately 12 mi southwest of Center in Shelby County (impounds Sandy Creek)

Segment Type Reservoir

**AU\_ID: 0612C\_01** Located approximately 12 mi southwest of Center in Shelby County (impounds Sandy Creek)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

**SegID: 0612D Naconiche Creek**

From the confluence with the Attoyac Bayou in Nacogdoches Co. to Lake Naconiche Dam in Nacogdoches County

Segment Type Freshwater Stream

**AU\_ID: 0612D\_01** From the confluence with the Attoyac Bayou in Nacogdoches Co. to Lake Naconiche Dam in Nacogdoches County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Flow Questionnaire	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0612E Big Iron Ore Creek**

From the confluence with the Attoyac Bayou in San Augustine Co. to the headwaters approximately 4.3 km upstream of US Hwy 96 in San Augustine Co.

Segment Type Freshwater Stream

**AU\_ID: 0612E\_01** From the confluence with the Attoyac Bayou in San Augustine Co. to the headwaters approximately 4.3 km upstream of US Hwy 96 in San Augustine Co.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Flow Questionnaire	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0612F West Creek**

From the confluence with Attoyac Bayou in Shelby Co. to the headwaters approximately 2.2 km upstream of CR 4054 in Shelby Co.

Segment Type Freshwater Stream

**AU\_ID: 0612F\_01** From the confluence with Attoyac Bayou in Shelby Co. to the headwaters approximately 2.2 km upstream of CR 4054 in Shelby Co.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** 20845

**SegID: 0612G Lake Naconiche**

Impounded Naconiche Creek in Nacogdoches County, 2.5 mi northeast of Appleby

Segment Type Reservoir

**AU\_ID: 0612G\_01** Impounded Naconiche Creek in Nacogdoches County, 2.5 mi northeast of Appleby

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	Water body description	High	Presumption from Flow Type

**Station ID(s):** 21435

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0613 Lake Tyler/Lake Tyler East

From Whitehouse Dam and Mud Creek Dam in Smith County up to the normal pool elevation of 375.38 feet (impounds Prairie Creek and Mud Creek)

Segment Type Reservoir

**AU\_ID: 0613\_01** Lake Tyler lower reservoir

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 10637

**AU\_ID: 0613\_02** Lake Tyler upper reservoir

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 15210

**AU\_ID: 0613\_03** Lake Tyler East lower reservoir

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 10638

**AU\_ID: 0613\_04** Lake Tyler East upper reservoir

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 17929

### SegID: 0614 Lake Jacksonville

From Buckner Dam in Cherokee County up to the normal pool elevation of 422 feet (impounds Gum Creek)

Segment Type Reservoir

**AU\_ID: 0614\_01** Lower reservoir

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 10639

**AU\_ID: 0614\_02** Upper reservoir

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 16535



**SegID: 0615 Angelina River/Sam Rayburn Reservoir**

The riverine portion of Sam Rayburn Reservoir from a point 5.6 km (3.5 mi) upstream of Marion's Ferry to the aqueduct crossing 1.0 km (0.6 mi) upstream of the confluence of Paper Mill Creek

Segment Type Reservoir

**AU\_ID: 0615\_01** The riverine portion of Sam Rayburn Reservoir from a point 5.6 km (3.5 mi) upstream of Marion's Ferry to the aqueduct crossing 1.0 km (0.6 mi) upstream of the confluence of Paper Mill Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10621; 10623

**SegID: 0615A Paper Mill Creek**

From the confluence with Angelina River/Sam Rayburn Reservoir (0615) upstream to confluence with Mill Creek (0615B)

Segment Type Freshwater Stream

**AU\_ID: 0615A\_01** From the confluence of Angelina River/Sam Rayburn (0615) upstream to confluence with Mill Creek (0615B)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	TSWQS Appendix D	Minimal	TSWQS Appendix D

**Station ID(s):** 10502

**SegID: 0615B Mill Creek in Angelina County**

Perennial stream from the confluence with Paper Mill Creek up to 1.0 km upstream of FM 2251 north of the City of Lufkin

Segment Type Freshwater Stream

**AU\_ID: 0615B\_01** From the confluence with Paper Mill Creek (0615A), per WQS App. D, upstream to confluence with unnamed tributary about 1.0 km upstream of FM 2251, per WQS App. D, at NHD RC 12020005000088.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 0615C Unnamed Tributary of Mill Creek**

Intermittent stream with perennial pools from the confluence with Mill Creek up to 1.0 km above FM 2251 north of City of Lufkin

Segment Type Freshwater Stream

**AU\_ID: 0615C\_01** From the confluence with Mill Creek (0615B) up to about 1.0 km above FM 2251 north of City of Lufkin, per WQS App. D

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	TSWQS Appendix D	Limited	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 0701 Taylor Bayou/North Fork Taylor Bayou Above Tidal**

From the saltwater lock 7.7 km (4.8 mi) downstream of SH 73 in Jefferson County to the Lower Neches Valley Authority Canal crossing of North Fork Taylor Bayou in Jefferson County

Segment Type Freshwater Stream

**AU\_ID: 0701\_01** From the saltwater lock 7.7 km (4.8 mi) downstream of SH 73 in Jefferson County, per WQS App. C, upstream to the confluence with Hillebrandt Bayou (0704)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	Intermediate	TSWQS Appendix A

**Station ID(s):** 10668

**AU\_ID: 0701\_02** From the confluence with Hillebrandt Bayou upstream to confluences with North Fork Taylor Bayou and South Fork Bayou

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	Intermediate	TSWQS Appendix A

**Station ID(s):** 10669

**AU\_ID: 0701\_03** North Fork Taylor Bayou from the confluence with Taylor Bayou and South Fork Taylor Bayou upstream to the Lower Neches Valley Authority Canal, per WQS App. C, about 2.7 km SW of intersection of FM 1406 and FM 365 Road south of the City of Nome

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	Intermediate	TSWQS Appendix A

**Station ID(s):** 10674

**SegID: 0701A Green Pond Gully**

Perennial stream from the confluence with North Fork Taylor Bayou upstream to the confluence with an unnamed tributary approximately 2.4 km downstream of US 90 near the city of China

Segment Type Freshwater Stream

**AU\_ID: 0701A\_01** From the confluence with North Fork Taylor Bayou, per WQS App. D, upstream to confluence with Mayhaw Gully

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** No Stations

**AU\_ID: 0701A\_02** From a point immediately upstream of Mayhaw Gully upstream to confluence with unnamed tributary about 2.4 km downstream of US 90 near the City of China, per WQS App. D, in Jefferson County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 0701B Mayhan Gully**

Perennial stream from the confluence with Green Pond Gully upstream 6 km to the confluence with an unnamed tributary near the City of China

Segment Type Freshwater Stream

**AU\_ID: 0701B\_01** Perennial stream from the confluence with Green Pond Gully upstream 6 km to the confluence with an unnamed tributary near the City of China

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 0701C Rhodair Gully**

Perennial stream from the confluence with Taylor Bayou up to US 69 near Nederland

Segment Type Freshwater Stream

**AU\_ID: 0701C\_01** Perennial stream from the confluence with Taylor Bayou up to US 69 near Nederland

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 0701D Shallow Prong Lake**

Widest upper portion of Big Hill Bayou about 2.0 km (1.26 mi) north of Blind Lake

Segment Type Freshwater Wetland

**AU\_ID: 0701D\_01** Portion of Big Hill Bayou, Shallow Prong portion of NHD RC 12040201006920

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Freshwater Wetland	Water body description	High	Presumption from Flow Type

**Station ID(s):** 10642

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0701E South Fork Taylor Bayou

From the confluences with Taylor Bayou and North Fork Taylor Bayou (0701) upstream to headwaters.

Segment Type Freshwater Stream

**AU\_ID: 0701E\_01** From the confluence with Taylor Bayou and North Fork Taylor Bayou (0701) upstream to confluence with Mayhaw Bayou

Flow Type  
Perennial

Flow Type Source  
WQS/Permits program

ALU Designation  
High

ALU Designation Source  
Previous TCEQ permit decision

**Station ID(s):** No Stations

**AU\_ID: 0701E\_02** From the confluence with Mayhaw Bayou upstream to headwaters.

Flow Type  
Intermittent

Flow Type Source  
WQS/Permits program

ALU Designation  
Minimal

ALU Designation Source  
Previous TCEQ permit decision

**Station ID(s):** No Stations

### SegID: 0702 Intracoastal Waterway Tidal

From the confluence with Galveston Bay at Port Bolivar to the confluence with the Sabine-Neches/Port Arthur Canal (including Taylor Bayou Tidal from the confluence with the Intracoastal Waterway up to the saltwater lock 7.7 km (4.8 mi) downstream of SH 73

Segment Type Tidal Stream

**AU\_ID: 0702\_01** From the confluence with Sabine-Neches Canal Tidal (0703) to eastern most boundary of East Bay

Flow Type  
Tidal Stream

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 17426

**AU\_ID: 0702\_02** Taylor Bayou tidal from the confluence with the Intracoastal Waterway Tidal to the saltwater barriers.

Flow Type  
Tidal Stream

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 10640

**AU\_ID: 0702\_03** From the eastern most boundary of East Bay to Port Bolivar

Flow Type  
Tidal Stream

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 15233

**SegID: 0702A Alligator Bayou and Main Canals A, B, C, and D**

All perennial canals in Jefferson County Drainage District No. 7 that eventually drain into the tidal portion of Taylor Bayou at the pump house gate, including Alligator Bayou

Segment Type Freshwater Stream

**AU\_ID: 0702A\_01** From Taylor Bayou Tidal (0702) to confluence with Main Canal D above SH 82.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** 10643

**AU\_ID: 0702A\_02** Alligator Bayou from confluence with Main Canal D upstream to include small canals that drain into Alligator Bayou

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** No Stations

**AU\_ID: 0702A\_03** Main Canal D from the confluence with Alligator Bayou at SH 82 upstream to about 0.35 km upstream of confluence with Canal A

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** 14411

**AU\_ID: 0702A\_04** Main Canal A from the confluence with Main Canal D upstream to top of Canal A

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** No Stations

**AU\_ID: 0702A\_05** Main Canal B from the confluence with Main Canal D upstream to top of Canal B

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** No Stations

**AU\_ID: 0702A\_06** Main Canal C from the confluence with Main Canal B upstream to top of Canal C

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 0703 Sabine-Neches Canal Tidal**

From the confluence with Sabine Pass at the southern tip of Pleasure Island in Jefferson County to the Sabine Lake seawall at the northern tip of Pleasure Island in Jefferson County

Segment Type Tidal Stream

**AU\_ID: 0703\_01** From the confluence with Sabine Pass at the southern tip of Pleasure Island in Jefferson County to the Sabine Lake seawall at the northern tip of Pleasure Island in Jefferson County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10652; 10683

**SegID: 0704 Hillebrandt Bayou**

From the confluence of Taylor Bayou in Jefferson County to a point 100 meters (110 yards) upstream of SH 124 in Jefferson County

Segment Type Freshwater Stream

**AU\_ID: 0704\_01** From the confluence with Taylor Bayou Above Tidal (0701) upstream to confluence with Willow Marsh Bayou (0704A)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	Intermediate	TSWQS Appendix A

**Station ID(s):** 10685; 10686

**AU\_ID: 0704\_02** From the confluence with Willow Marsh Bayou (0704A) upstream to a point 100 meters (110 yards) upstream of SH 124 in Jefferson County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	Intermediate	TSWQS Appendix A

**Station ID(s):** 10687

**SegID: 0704A Willow Marsh Bayou**

Perennial stream from the confluence with Hillebrandt Bayou upstream to the confluence with an unnamed tributary immediately upstream of Old Sour Lake Road

Segment Type Freshwater Stream

**AU\_ID: 0704A\_01** From the confluence with Hillebrandt Bayou (0704) upstream to confluence with unnamed tributary just upstream of Old Sour Lake Road crossing in Jefferson County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 0704B Kidd Gully**

From the confluence with Pevitot Bayou to approximately 3.5 mi upstream of IH 10 in Jefferson County.

Segment Type Freshwater Stream

**AU\_ID: 0704B\_01** From the confluence with Pevitot Bayou to approximately 3.5 mi upstream of IH 10 in Jefferson County.

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

Station ID(s): No Stations

**SegID: 0704C Pevitot Gully**

From the confluence with Hillebrandt Bayou to approximately 1.8 mi upstream of IH-10 in Jefferson County

Segment Type Freshwater Stream

**AU\_ID: 0704C\_01** From the confluence with Hillebrandt Bayou to approximately 1.8 mi upstream of IH-10 in Jefferson County

Flow Type  
Intermittent w/pools

Flow Type Source  
Routine Flow Data

ALU Designation  
Limited

ALU Designation Source  
Presumption from flow type

Station ID(s): No Stations

**SegID: 0704D Bayou Din**

From the confluence with Hillebrandt Bayou upstream to headwaters in Jefferson County

Segment Type Freshwater Stream

**AU\_ID: 0704D\_01** From the confluence with Hillebrandt Bayou upstream to headwaters in Jefferson County

Flow Type  
Perennial

Flow Type Source  
WQS/Permits program

ALU Designation  
High

ALU Designation Source  
Previous TCEQ permit decision

Station ID(s): 10660

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0801 Trinity River Tidal

Trinity River Tidal - from the saltwater barrier, which is 5.5 km (3.4 mi) downstream of IH 10, in Chambers County to a point 3.1 km (1.9 mi) downstream of US 90 in Liberty County

Segment Type Tidal Stream

**AU\_ID: 0801\_01** From the saltwater barrier, which is 5.5 km (3.4 mi) downstream of IH 10, in Chambers County upstream to the Lynchburg Canal in Liberty County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10892; 20839

**AU\_ID: 0801\_02** From the Lynchburg Canal in Liberty County upstream to a point 3.1 km (1.9 mi) downstream of US 90 in Liberty County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

### SegID: 0801A Lost River

From IH 10 in Chambers County to approximately 6 KM upstream of confluence with John Wiggins Bayou.

Segment Type Tidal Stream

**AU\_ID: 0801A\_01** From IH 10 in Chambers County to approximately 6 KM upstream of confluence with John Wiggins Bayou.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	Water body description	High	Presumption from flow type

**Station ID(s):** No Stations

### SegID: 0801B Old River

From IH 10 in Chambers County upstream to the confluence with East Prong Old River and West Prong Old River approximately 4.4 mi (7.0 km) north of Mont Belvieu

Segment Type Freshwater Stream

**AU\_ID: 0801B\_01** From IH 10 in Chambers County upstream to the confluence with East Prong Old River and West Prong Old River approximately 4.4 mi (7.0 km) north of Mont Belvieu

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Water body description	High	Presumption from flow type

**Station ID(s):** 18360



**SegID: 0801C Cotton Bayou**

From the confluence of Cotton Lake southeast of Mont Belvieu in Chambers County upstream to a point (NHD RC 12040203000496) approximately 1 mi north of IH 10 in Chambers County

Segment Type Tidal Stream

**AU\_ID: 0801C\_01** From the confluence of Cotton Lake southeast of Mont Belvieu in Chambers County upstream to a point (NHD RC 12040203000496) approximately 1 mi north of IH 10 in Chambers County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	Water body description	High	Presumption from flow type

**Station ID(s):** 17629; 18696; 18697; 20003

**SegID: 0801D Lynchburg Canal**

From confluence with Trinity River Tidal upstream to confluence with Big Caney Creek.

Segment Type Freshwater Stream

**AU\_ID: 0801D\_01** From confluence with Trinity River Tidal upstream to confluence with Big Caney Creek.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Water body description	High	Presumption from flow type

**Station ID(s):** 16148

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0802 Trinity River Below Lake Livingston

From a point 3.1 km (1.9 mi) downstream of US 90 in Liberty County to Livingston Dam in Polk/San Jacinto County

Segment Type Freshwater Stream

**AU\_ID: 0802\_01** Lower 17 mi of segment

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 10894

**AU\_ID: 0802\_02** Approximately 9 mi upstream to approximately 15 mi downstream of SH 105

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 10895

**AU\_ID: 0802\_03** 11 mi upstream to approximately 9 mi downstream of FM 787

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 10896

**AU\_ID: 0802\_04** 5 mi upstream to 11 mi downstream of US 59

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 10897

**AU\_ID: 0802\_05** Upper 6 mi of segment

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 16998

### SegID: 0802A Choates Creek

Perennial stream from the confluence with Long King Creek upstream to the confluence with an unnamed tributary approximately 3.0 km upstream of SH 146 near the City of Livingston

Segment Type Freshwater Stream

**AU\_ID: 0802A\_01** Perennial stream from the confluence with Long King Creek upstream to the confluence with an unnamed tributary approximately 3.0 km upstream of SH 146 near the City of Livingston

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix D

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 0802B Long King Creek**

Perennial stream from the confluence with the Trinity River upstream to the confluence with an unnamed tributary approximately 1.2 km upstream of FM 350 near the City of Livingston

Segment Type Freshwater Stream

**AU\_ID: 0802B\_01** From the confluence with segment 0802 of the Trinity River to just upstream of confluence with unknown tributary (NHD RC 12030202001817)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	High	TSWQS Appendix D

Station ID(s): No Stations

**AU\_ID: 0802B\_02** From just upstream of the confluence with unnamed tributary (NHD RC 12030202001817) up to the confluence with Mud Creek, in Polk County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	High	TSWQS Appendix D

Station ID(s): 10689

**SegID: 0802C Unnamed Tributary of Coley Creek**

Perennial stream from the confluence with Coley Creek upstream to its origin at the culvert leading from Lake Run-Amuck at Wright Road

Segment Type Freshwater Stream

**AU\_ID: 0802C\_01** Perennial stream from the confluence with Coley Creek upstream to its origin at the culvert leading from Lake Run-Amuck at Wright Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	High	TSWQS Appendix D

Station ID(s): No Stations

**SegID: 0802D Menard Creek**

From the confluence with segment 0802 of the Trinity River up to the confluence with Meetinghouse Creek.

Segment Type Freshwater Stream

**AU\_ID: 0802D\_01** From the confluence with segment 0802 of the Trinity River up to the confluence with Meetinghouse Creek.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

Station ID(s): 10688

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0802E Big Creek

Perennial stream from the confluence with the Trinity River in Liberty County upstream to the confluence of Double Lake Branch and Henry Lake Branch in San Jacinto County

Segment Type Freshwater Stream

**AU\_ID: 0802E\_01** Perennial stream from the confluence with the Trinity River in Liberty County upstream to the confluence of Double Lake Branch and Henry Lake Branch in San Jacinto County

Flow Type

Perennial

Flow Type Source

Routine Flow Data

ALU Designation

High

ALU Designation Source

Presumption from flow type

**Station ID(s):** 13685

**SegID: 0803      Lake Livingston**

From Livingston Dam in Polk/San Jacinto County to a point 1.8 km (1.1 mi) upstream of Boggy Creek in Houston/Leon County, up to normal pool elevation of 131 feet (impounds Trinity River)

**SegID: 0803 Lake Livingston**

From Livingston Dam in Polk/San Jacinto County to a point 1.8 km (1.1 mi) upstream of Boggy Creek in Houston/Leon County, up to normal pool elevation of 131 feet (impounds Trinity River)

Segment Type Reservoir

**AU\_ID: 0803\_01** Lowermost portion of reservoir, adjacent to dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10899; 14003; 14004

**AU\_ID: 0803\_02** Lower portion of reservoir, East Wolf Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 14005

**AU\_ID: 0803\_03** Lower portion of reservoir, East Willow Springs

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 14006

**AU\_ID: 0803\_04** Middle portion of reservoir, East Pointblank

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10911; 14007; 14008

**AU\_ID: 0803\_05** Middle portion of reservoir, downstream of Kickapoo Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10909; 14009; 21562

**AU\_ID: 0803\_06** Middle portion of reservoir, centering on US 190

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 14010; 21563

**AU\_ID: 0803\_07** Upper portion of reservoir, west of Carlisle

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10913; 14013

**AU\_ID: 0803\_08** Cove off upper portion of reservoir, East Trinity

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 14014

**SegID: 0803 Lake Livingston**

From Livingston Dam in Polk/San Jacinto County to a point 1.8 km (1.1 mi) upstream of Boggy Creek in Houston/Leon County, up to normal pool elevation of 131 feet (impounds Trinity River)

Segment Type Reservoir

**AU\_ID: 0803\_09** West Carolina Creek cove, off upper portion of reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 0803\_10** Upper portion of reservoir, centering on SH 19

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10914

**AU\_ID: 0803\_11** Riverine portion of reservoir, centering on SH 21

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10917

**AU\_ID: 0803\_12** Remainder of reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**SegID: 0803A Harmon Creek**

From the confluence with Lake Livingston (normal pool elevation of 131 feet) to the confluence of East Fork Harmon Creek east of Huntsville in Walker County

Segment Type Freshwater Stream

**AU\_ID: 0803A\_01** A 16 mi (25.7 km) stretch of Harmon Creek extending from Lake Livingston (normal pool elevation of 131 feet) upstream to the confluence of East Fork Harmon Creek.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** 10698

**SegID: 0803B White Rock Creek**

From the confluence of Lake Livingston northeast of Trinity in Trinity County to the upstream perennial portion of the stream east of Lovelady in Houston County

Segment Type Freshwater Stream

**AU\_ID: 0803B\_01** Lower 25 mi of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 10696

**AU\_ID: 0803B\_02** Upper 13 mi of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0803C Turkey Creek**

Perennial stream from the normal pool elevation of Lake Livingston upstream to the confluence with an unnamed tributary 2.85 km downstream of FM 980

Segment Type Freshwater Stream

**AU\_ID: 0803C\_01** Perennial stream from the normal pool elevation of Lake Livingston upstream to the confluence with an unnamed tributary 2.85 km downstream of FM 980

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 0803D Parker Creek**

Perennial stream from the confluence with Harmon Creek upstream to the confluence with Town Branch

Segment Type Freshwater Stream

**AU\_ID: 0803D\_01** Perennial stream from the confluence with Harmon Creek upstream to the confluence with Town Branch

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** No Stations



## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0803E Nelson Creek

From the confluence with segment 0803 Trinity River, to upper end of Nelson Creek NHD RC  
12030202005424

Segment Type Freshwater Stream

**AU\_ID: 0803E\_01** From the confluence with segment 0803 Trinity River, to upper end of Nelson Creek NHD RC  
12030202005424

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** 10700; 10701

### SegID: 0803F Bedias Creek

From the confluence with segment 0803 Trinity River, to upper end of Bedias Creek, NHD RC  
12030202000350

Segment Type Freshwater Stream

**AU\_ID: 0803F\_01** From the confluence with segment 0803 Trinity River up to confluence with Poole Creek (NHD RC  
12030202000572)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 10702

**AU\_ID: 0803F\_02** From the confluence with Poole Creek (NHD RC 12030202000572) to upper end of NHD RC Bedias  
Creek (NHD RC 12030202000350)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 10703

### SegID: 0803G Lake Madisonville

From Lake Madisonville Dam in Madison County up to the normal pool elevation of 285 feet  
(impounds Town Branch)

Segment Type Reservoir

**AU\_ID: 0803G\_01** From Lake Madisonville Dam in Madison County up to the normal pool elevation of 285 feet  
(impounds Town Branch)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	Water body description	High	Presumption from Flow Type

**Station ID(s):** 16953

**SegID: 0804 Trinity River Above Lake Livingston**

From a point 1.8 km (1.1 mi) upstream of Boggy Creek in Houston/Leon County to a point immediately upstream of the confluence of the Cedar Creek Reservoir discharge canal in Henderson/Navarro County

Segment Type Freshwater Stream

**AU\_ID: 0804\_01** From the lower end of the segment up to just above the confluence with Hurricane Bayou in Houston County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 13690

**AU\_ID: 0804\_02** From just upstream of the confluence with Hurricane Bayou up to just above the confluence with Boons Creek.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 0804\_03** From just upstream of the confluence with Boons Creek up to just above the confluence with Caney Creek.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 0804\_04** From the confluence with Caney Creek up to just above the confluence with Indian Creek in Anderson County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10919

**AU\_ID: 0804\_05** From just above the confluence with Indian Creek in Anderson County up to just above the confluence with Tehuacana Creek.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 0804\_06** From just above the confluence with Tehuacana Creek to just above the confluence with Richland Creek.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 0804\_07** From just above the confluence with Richland Creek in Henderson County, up to the upper end of the segment.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10922

**SegID: 0804A Box Creek**

Perennial stream from the confluence of Elkhart Creek upstream to the Elkhart Lake dam northeast of the City of Elkhart

Segment Type Freshwater Stream

**AU\_ID: 0804A\_01** Perennial stream from the confluence of Elkhart Creek upstream to the Elkhart Lake dam northeast of the City of Elkhart

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 0804B Keechi Creek**

Perennial stream from the confluence with the Trinity River to a point 0.05 km upstream of FM 645

Segment Type Freshwater Stream

**AU\_ID: 0804B\_01** Perennial stream from the confluence with the Trinity River to a point 0.05 km upstream of FM 645

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 0804C Mims Creek**

Perennial stream from the confluence with Upper Keechi Creek upstream to the confluence of an unnamed tributary approximately 2.1 km upstream of FM 1580 near the City of Fairfield

Segment Type Freshwater Stream

**AU\_ID: 0804C\_01** Perennial stream from the confluence with Upper Keechi Creek upstream to the confluence of an unnamed tributary approximately 2.1 km upstream of FM 1580 near the City of Fairfield

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 0804D Toms Creek**

Perennial stream from the confluence with the Trinity River to the Missouri-Pacific Railroad crossing near Oakwood

Segment Type Freshwater Stream

**AU\_ID: 0804D\_01** Perennial stream from the confluence with the Trinity River to the Missouri-Pacific Railroad crossing near Oakwood

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 0804E Northwest Branch**

Perennial stream from the confluence with Toms Creek to a point 0.3 km upstream of FM 831

Segment Type Freshwater Stream

**AU\_ID: 0804E\_01** Perennial stream from the confluence with Toms Creek to a point 0.3 km upstream of FM 831

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	High	TSWQS Appendix D

Station ID(s): No Stations

**SegID: 0804F Tehuacana Creek**

From the confluence with the Trinity River northeast of Fairfield in Freestone County to the headwaters northwest of Mexia in Limestone County

Segment Type Freshwater Stream

**AU\_ID: 0804F\_01** A 27 mi stretch of Tehuacana Creek extending from the confluence with 0804 of the Trinity River up to the confluence with Caney Creek (NHD RC 120302010000226).

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Water body description	Limited	Presumption from flow type

Station ID(s): 20770

**AU\_ID: 0804F\_02** A 28.4 mi (45.7 km) stretch of Tehuacana Creek extending from the confluence with Caney Creek to the upper end (NHD RC 120302010000225) of Tehuacana Creek.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Water body description	Limited	Presumption from flow type

Station ID(s): 10705; 18572

**SegID: 0804G Catfish Creek**

Twenty mile stretch of Catfish Creek running upstream from US 287 in Anderson Co., to Catfish Creek Ranch Lake just upstream of SH 19 in Henderson Co.

Segment Type Freshwater Stream

**AU\_ID: 0804G\_01** A 20 mi stretch of Catfish Creek running upstream from US 287 in Anderson Co., to Catfish Creek Ranch Lake just upstream of SH 19 in Henderson Co.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

Station ID(s): 10717; 18596; 18597

**SegID: 0804H Upper Keechi Creek**

From confluence with segment 0804 Trinity River to the upper end of NHD stream Upper Keechi Creek (NHD RC 12030201001075)

Segment Type Freshwater Stream

**AU\_ID: 0804H\_01** From the confluence with segment 0804 Trinity River up to confluence with Twin Branch (NHD RC 12030201027099)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 18401; 20771

**AU\_ID: 0804H\_02** From the confluence with Twin Branch (NHD RC 12030201027099) to the upper end (NHD RC 12030201001075) of NHD RC stream Upper Keechi Creek.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0804I Big Brown Creek**

From the confluence with segment 0804 of the Trinity River upstream to the end of segment (NHD RC Reach Code 112030201000928).

Segment Type Freshwater Stream

**AU\_ID: 0804I\_01** From the confluence with the Trinity River (0804) upstream to the Fairfield Lake Dam in Freestone County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** No Stations

**AU\_ID: 0804I\_02** From the upper end of Fairfield Lake upstream to headwaters (NHD RC 112030201000928)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Routine Flow Data	Minimal	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0804J Fairfield Lake**

Impounded Big Brown Creek in Freestone County

Segment Type Reservoir

**AU\_ID: 0804J\_01** Impounded Big Brown Creek in Freestone County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	Water body description	High	Presumption from Flow Type

**Station ID(s):** 17951

**SegID: 0804K Lower Keechi Creek**

Perennial stream from the confluence with the Trinity River in Leon County upstream to the headwaters in Jewett in Leon County

Segment Type Freshwater Stream

**AU\_ID: 0804K\_01** Perennial stream from the confluence with the Trinity River in Leon County upstream to the headwaters in Jewett in Leon County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Flow Questionnaire	High	Presumption from flow type

**Station ID(s):** 20382

**SegID: 0804L Town Creek**

Perennial stream from the confluence with Keechi Creek upstream to SH 256 (Appendix D)

Segment Type Freshwater Stream

**AU\_ID: 0804L\_01** Perennial stream from the confluence with Keechi Creek upstream to SH 256 (Appendix D)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** 10706

**SegID: 0804M Bassett Creek**

Perennial stream from the confluence with Town Creek upstream to Blue Lake

Segment Type Freshwater Stream

**AU\_ID: 0804M\_01** From the confluence with Town Creek upstream to approximately 15m upstream of the processing plant outfall

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** No Stations

**AU\_ID: 0804M\_02** From approximately 15m upstream of the processing plant outfall upstream to Blue Lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 0805 Upper Trinity River**

From a point immediately upstream of the confluence of the Cedar Creek Reservoir discharge canal in Henderson/Navarro County to a point immediately upstream of the confluence of Elm Fork Trinity River in Dallas County

Segment Type Freshwater Stream

**AU\_ID: 0805\_01** From confluence of the Cedar Creek Reservoir discharge canal upstream to confluence of Smith Creek.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10924

**AU\_ID: 0805\_02** From confluence of Smith Creek upstream to confluence of Tenmile Creek.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10925

**AU\_ID: 0805\_03** From the confluence of Fivemile Creek upstream to the confluence of Cedar Creek.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10934; 10935; 20444; 20567

**AU\_ID: 0805\_04** From confluence of Cedar Creek upstream to confluence of Elm Fork Trinity River

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10936; 10937; 20933; 20934

**AU\_ID: 0805\_06** From confluence of Tenmile Creek upstream to confluence of Fivemile Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10930; 10932; 20566

**SegID: 0805A Red Oak Creek**

From confluence with segment 0805 Trinity River 12 mi upstream to I 45.

Segment Type Freshwater Stream

**AU\_ID: 0805A\_01** From confluence with segment 0805 Trinity River 12 mi upstream to I 45.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 17506

**SegID: 0805B Parsons Slough**

From confluence with segment 0805 Trinity River in Kaufman County, 11 mi upstream to Malloy Bridge Road in Dallas Co.

Segment Type Freshwater Stream

**AU\_ID: 0805B\_01** From confluence with segment 0805 Trinity River in Kaufman County, 11 mi upstream to Malloy Bridge Road in Dallas Co.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** 10839

**SegID: 0805C White Rock Creek below White Rock Lake**

From the confluence with segment 0805 of the Trinity River up to the confluence with 0827 White Rock Lake.

Segment Type Freshwater Stream

**AU\_ID: 0805C\_01** From the confluence with segment 0805 of the Trinity River up to the confluence with 0827 White Rock Lake.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 10816; 18458

**SegID: 0805D Fivemile Creek**

A 17 mi stretch of Fivemile Creek extending from confluence with segment 0805 Trinity River upstream to upper end of NHD stream Fivemile Creek (NHD RC 12030105000066).

Segment Type Freshwater Stream

**AU\_ID: 0805D\_01** A 17 mi stretch of Fivemile Creek extending from confluence with segment 0805 Trinity River upstream to upper end of NHD stream Fivemile Creek (NHD RC 12030105000066).

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 18575



**SegID: 0806 West Fork Trinity River Below Lake Worth**

From a point immediately upstream of the confluence of Village Creek in Tarrant County to Lake Worth Dam in Tarrant County

Segment Type Freshwater Stream

**AU\_ID: 0806\_01** From confluence of Village Creek upstream to confluence of Clear Fork Trinity River

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10938; 11085; 16120; 17368; 17662; 17863; 18459; 20292; 20336; 20422

**AU\_ID: 0806\_02** From confluence of Clear Fork Trinity River upstream to Lake Worth Dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 18460; 20424; 20425; 21558

**SegID: 0806A Fosdic Lake**

From Fosdic Lake Dam to the reservoir headwaters in Oakland Lake Park in Tarrant County

Segment Type Reservoir

**AU\_ID: 0806A\_01** From Fosdic Lake Dam to the reservoir headwaters in Oakland Lake Park in Tarrant County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	Water body description	High	Presumption from Flow Type

**Station ID(s):** 16818

**SegID: 0806B Echo Lake**

From Echo Lake Dam to the reservoirs headwaters in Tarrant County

Segment Type Reservoir

**AU\_ID: 0806B\_01** From Echo Lake Dam to the reservoirs headwaters in Tarrant County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	Water body description	High	Presumption from Flow Type

**Station ID(s):** 16813

**SegID: 0806C Big Fossil Creek**

From confluence with Little Fossil Creek in Haltom City, to HWY 183 in Tarrant Co.

Segment Type Freshwater Stream

**AU\_ID: 0806C\_01** From confluence with Little Fossil Creek in Haltom City, to HWY 183 in Tarrant Co.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 10814; 17133

**SegID: 0806D Marine Creek**

Two mi stretch of Marine Creek running upstream from confluence with the W. Fork of Trinity River to Tenmile Bridge Road in Fort Worth.

Segment Type Freshwater Stream

**AU\_ID: 0806D\_01** Marine Creek from the confluence with W. Fork Trinity River 2 mi upstream to Tenmile Bridge Rd. in Ft. Worth

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

Station ID(s): 17370; 20428

**SegID: 0806E Sycamore Creek**

Five mi stretch of Sycamore Creek running upstream from confluence with the W. Fork of Trinity River to confluence with Echo Lake Tributary in Fort Worth.

Segment Type Freshwater Stream

**AU\_ID: 0806E\_01** Five mi stretch of Sycamore Creek running upstream from confluence with the W. Fork of Trinity River to confluence with Echo Lake Tributary in Fort Worth

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

Station ID(s): 17131; 17369; 20431

**SegID: 0806F Little Fossil Creek**

A 13.7 mi stretch of Little Fossil Creek running upstream from confluence with segment 0806 W. Fork Trinity River upstream to upper end (NHD RC Reach Code of NHD RC stream Little Fossil Creek.

Segment Type Freshwater Stream

**AU\_ID: 0806F\_01** A 13.7 mi stretch of Little Fossil Creek running upstream from confluence with segment 0806 W. Fork Trinity River upstream to upper end (NHD RC Reach Code of NHD RC stream Little Fossil Creek.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

Station ID(s): 17129; 20433; 21425

**SegID: 0807 Lake Worth**

From Lake Worth Dam in Tarrant County to a point 4.0 km (2.5 mi) downstream of Eagle Mountain Dam in Tarrant County, up to normal pool elevation of 594 feet (impounds West Fork Trinity River)

Segment Type Reservoir

**AU\_ID: 0807\_01** From Lake Worth Dam in Tarrant County to a point 4.0 km (2.5 mi) downstream of Eagle Mountain Dam in Tarrant County, up to normal pool elevation of 594 feet (impounds West Fork Trinity River)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

Station ID(s): 10942; 15163; 15166; 15167

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0808 West Fork Trinity River Below Eagle Mountain Reservoir

From a point 4.0 km (2.5 mi) downstream of Eagle Mountain Dam in Tarrant County to Eagle Mountain Dam in Tarrant County

Segment Type Freshwater Stream

**AU\_ID: 0808\_01** From a point 4.0 km (2.5 mi) downstream of Eagle Mountain Dam in Tarrant County to Eagle Mountain Dam in Tarrant County

Flow Type

Perennial

Flow Type Source

TSWQS Appendix A

ALU Designation

High

ALU Designation Source

TSWQS Appendix A

**Station ID(s):** No Stations

**SegID: 0809      Eagle Mountain Reservoir**

From Eagle Mountain Dam in Tarrant County to a point 0.6 km (0.4 mi) downstream of the confluence of Oates Branch in Wise County up to normal pool elevation of 649.1 feet (impounds West Fork Trinity River)

**SegID: 0809 Eagle Mountain Reservoir**

From Eagle Mountain Dam in Tarrant County to a point 0.6 km (0.4 mi) downstream of the confluence of Oates Branch in Wise County up to normal pool elevation of 649.1 feet (impounds West Fork Trinity River)

Segment Type Reservoir

**AU\_ID: 0809\_01** Lowermost portion of reservoir near east end of dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10944

**AU\_ID: 0809\_02** Dosier Slough cove

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10947

**AU\_ID: 0809\_03** Ash Creek cove

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10950

**AU\_ID: 0809\_04** Lowermost portion of reservoir near west end of dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 0809\_05** Lower portion of reservoir east of Walnut Creek cove

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10952

**AU\_ID: 0809\_06** Walnut Creek cove

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10954

**AU\_ID: 0809\_07** Old Ranch cove

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 0809\_08** Middle portion of reservoir near Cole subdivision

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10956

**SegID: 0809 Eagle Mountain Reservoir**

From Eagle Mountain Dam in Tarrant County to a point 0.6 km (0.4 mi) downstream of the confluence of Oates Branch in Wise County up to normal pool elevation of 649.1 feet (impounds West Fork Trinity River)

Segment Type Reservoir

**AU\_ID: 0809\_09** Indian Creek cove

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10962

**AU\_ID: 0809\_10** Upper portion of reservoir near Indian Creek cove

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10960

**AU\_ID: 0809\_11** Darrett Creek cove

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 0809\_12** Upper portion of reservoir near Newark Beach

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10964

**AU\_ID: 0809\_14** Mid-Lake, from just above Walnut Cr. Cove to Oakwood Rd. peninsula

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 17667

**SegID: 0809A Walnut Creek**

From the normal pool elevation of Eagle Mountain Reservoir up to the headwaters approximately 2.1 mi upstream of State Highway 199 in Parker County.

Segment Type Freshwater Stream

**AU\_ID: 0809A\_01** From the normal pool elevation of Eagle Mountain Reservoir up to the headwaters approximately 2.1 mi upstream of State Highway 199 in Parker County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 10853

**SegID: 0809B Ash Creek**

Intermittent stream with perennial pools from Eagle Mountain Lake in Tarrant County upstream to its confluence with Mill Branch in Parker County

Segment Type Freshwater Stream

**AU\_ID: 0809B\_01** Intermittent stream with perennial pools from Eagle Mountain Lake in Tarrant County upstream to its confluence with Mill Branch in Parker County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** 10854

**SegID: 0809C Dosier Creek**

Perennial stream from the confluence of Dosier Slough cove upstream to the confluence with an intermittent stream 1 km upstream of Boat Club Road

Segment Type Freshwater Stream

**AU\_ID: 0809C\_01** Perennial stream from the confluence of Dosier Slough cove upstream to the confluence with an intermittent stream 1 km upstream of Boat Club Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 10855

**SegID: 0809D Derrett Creek**

Perennial stream from the confluence with Derrett Creek cove to 0.22 km upstream of FM 718 where the waterbody meets an intermittent stream

Segment Type Freshwater Stream

**AU\_ID: 0809D\_01** Perennial stream from the confluence with Derrett Creek cove to 0.22 km upstream of FM 718 where the waterbody meets an intermittent stream

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 10858

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0810 West Fork Trinity River Below Bridgeport Reservoir

From a point 0.6 km (0.4 mi) downstream of the confluence of Oates Branch in Wise County to Bridgeport Dam in Wise County

Segment Type Freshwater Stream

**AU\_ID: 0810\_01** Lower 25 mi of segment

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 10967; 10969; 14246; 17844

**AU\_ID: 0810\_02** Upper 11 mi of segment

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 14904; 20840

### SegID: 0810A Big Sandy Creek

Big Sandy Creek from the confluence with Waggoner Branch upstream to FM 1810 west of Decatur

Segment Type Freshwater Stream

**AU\_ID: 0810A\_01** Big Sandy Creek from the confluence with Waggoner Branch upstream to FM 1810 west of Decatur

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

**Station ID(s):** 15688

### SegID: 0810B Garrett Creek

Eighteen mi stretch of Garrett Creek running upstream from confluence with Salt Creek to Wise County Road approximately 14 mi upstream of SH114, Wise County

Segment Type Freshwater Stream

**AU\_ID: 0810B\_01** Eighteen mi stretch of Garrett Creek running upstream from confluence with Salt Creek to Wise County Road approximately 14 mi upstream of SH114, Wise Co.

Flow Type  
Intermittent w/pools

Flow Type Source  
Routine Flow Data

ALU Designation  
Limited

ALU Designation Source  
Presumption from flow type

**Station ID(s):** 16767



**SegID: 0810C Martin Branch**

The eight mi stretch of Martin Branch running upstream from confluence with Center Creek to FM 730 south of Decatur, Wise County.

Segment Type Freshwater Stream

**AU\_ID: 0810C\_01** Eight mi stretch of Martin Branch running upstream from confluence with Center Creek to FM 730 south of Decatur, Wise County.

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

**Station ID(s):** 17848

**SegID: 0810D Salt Creek**

Eleven mi stretch of Salt Creek running upstream from confluence with Garrett Creek, Wise County.

Segment Type Freshwater Stream

**AU\_ID: 0810D\_01** Eleven mi stretch of Salt Creek running upstream from confluence with Garrett Creek, Wise County.

Flow Type  
Intermittent w/pools

Flow Type Source  
Routine Flow Data

ALU Designation  
Limited

ALU Designation Source  
Presumption from flow type

**Station ID(s):** 16766

**SegID: 0811 Bridgeport Reservoir**

From Bridgeport Dam in Wise County to a point immediately upstream of the confluence of Bear Hollow in Jack County, up to normal pool elevation of 836 feet (impounds West Fork Trinity River)

Segment Type Reservoir

**AU\_ID: 0811\_01** Southeast portion of main body of reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 16762; 16764

**AU\_ID: 0811\_02** Southwest portion of main body of reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 15165; 16763

**AU\_ID: 0811\_03** Central portion of main body of reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10970

**AU\_ID: 0811\_04** Northern portion of main body of reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 15164

**AU\_ID: 0811\_05** Remainder of reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 16736; 16759; 16760; 16761; 16765

**SegID: 0811A Big Creek**

From the confluence with Bridgeport Reservoir at normal pool elevation upstream to the headwaters adjacent to FM 2127 in Jack County

Segment Type Freshwater Stream

**AU\_ID: 0811A\_01** From the confluence with Bridgeport Reservoir at normal pool elevation upstream to the headwaters adjacent to FM 2127 in Jack County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 16768

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0811B Beans Creek

Perennial stream from the confluence with Bridgeport Reservoir at normal pool elevation upstream to the headwaters approximately 4.4 km north of Perrin in Jack County

Segment Type Freshwater Stream

**AU\_ID: 0811B\_01** Perennial stream from the confluence with Bridgeport Reservoir at normal pool elevation upstream to the headwaters approximately 4.4 km north of Perrin in Jack County

Flow Type

Perennial

Flow Type Source

Routine Flow Data

ALU Designation

High

ALU Designation Source

Presumption from flow type

**Station ID(s):** 16737

### SegID: 0812 West Fork Trinity River Above Bridgeport Reservoir

From a point immediately upstream of the confluence of Bear Hollow in Jack County to SH 79 in Archer County

Segment Type Freshwater Stream

**AU\_ID: 0812\_01** Lower 25 mi of segment

Flow Type

Intermittent w/pools

Flow Type Source

TSWQS Appendix A

ALU Designation

Intermediate

ALU Designation Source

TSWQS Appendix A

**Station ID(s):** 10972; 18058; 18059

**AU\_ID: 0812\_02** Upper 60 mi of segment

Flow Type

Intermittent w/pools

Flow Type Source

TSWQS Appendix A

ALU Designation

Intermediate

ALU Designation Source

TSWQS Appendix A

**Station ID(s):** No Stations

### SegID: 0813 Houston County Lake

From Houston County Dam in Houston County up to the normal pool elevation of 260 feet (impounds Little Elkhart Creek)

Segment Type Reservoir

**AU\_ID: 0813\_01** From Houston County Dam in Houston County up to the normal pool elevation of 260 feet (impounds Little Elkhart Creek)

Flow Type

Reservoir

Flow Type Source

TSWQS Appendix A

ALU Designation

High

ALU Designation Source

TSWQS Appendix A

**Station ID(s):** 10973

**SegID: 0814 Chambers Creek Above Richland-Chambers Reservoir**

From a point 4.0 km (2.5 mi) downstream of Tupelo Branch in Navarro County to the confluence of North Fork Chambers Creek and South Fork Chambers Creek

Segment Type Freshwater Stream

**AU\_ID: 0814\_01** From the lower end of the segment up to just above the confluence with Cummins Creek.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10975

**AU\_ID: 0814\_02** From just above the confluence with Cummins Creek up to just above the confluence with Waxahachie Creek.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10977; 20000

**AU\_ID: 0814\_03** From just above the confluence with Waxahachie Creek up to just above the confluence with Mill Branch.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 0814\_04** From just above the confluence with Mill Branch to the upper end of the segment.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**SegID: 0814A Mill Creek**

Twenty-five mi stretch of Mill Creek running upstream from confluence with Chambers Creek in Navarro Co., to Union Pacific RR in Milford, Ellis Co.

Segment Type Freshwater Stream

**AU\_ID: 0814A\_01** Twenty-five mi stretch of Mill Creek running upstream from confluence with Chambers Creek in Navarro Co. to Union Pacific RR in Milford, Ellis Co.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0814B South Fork Chambers Creek**

A Twenty-nine mi stretch of the South Fork of Chambers creek stretching from the confluence with Chambers Creek (Segment 0814) to the upper end of South Fork Chambers Creek (NHD RC Reach Code 12030109000299)

Segment Type Freshwater Stream

**AU\_ID: 0814B\_01** A Twenty-nine mi stretch of the South Fork of Chambers creek stretching from the confluence with Chambers Creek (Segment 0814) to the upper end of South Fork Chambers Creek (NHD RC Reach Code 12030109000299)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

Station ID(s): No Stations

**SegID: 0815 Bardwell Reservoir**

From Bardwell Dam in Ellis County up to the normal pool elevation of 421 feet (impounds Waxahachie Creek)

Segment Type Reservoir

**AU\_ID: 0815\_01** From Bardwell Dam in Ellis County up to the normal pool elevation of 421 feet (impounds Waxahachie Creek)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

Station ID(s): 10979; 18549

**SegID: 0815A Waxahachie Creek**

Perennial stream from the confluence with the normal pool elevation of Bardwell Reservoir upstream to the confluence with North Prong Creek

Segment Type Freshwater Stream

**AU\_ID: 0815A\_01** Perennial stream from the confluence with the normal pool elevation of Bardwell Reservoir upstream to the confluence with North Prong Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

Station ID(s): No Stations

**SegID: 0816 Lake Waxahachie**

From South Prong Dam in Ellis County up to normal pool elevation of 531.5 feet (impounds South Prong Creek)

Segment Type Reservoir

**AU\_ID: 0816\_01** From South Prong Dam in Ellis County up to normal pool elevation of 531.5 feet (impounds South Prong Creek)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

Station ID(s): 10980

**SegID: 0816A South Prong Creek**

A 12.2 mi stretch of South Prong Creek running upstream from the confluence with Segment 0816 (Lake Waxahachie) to the upper end of the creek (NHD RC 12030109000044), in Midlothian, Ellis County, TX.

Segment Type Freshwater Stream

**AU\_ID: 0816A\_01** A 12.2 mi stretch of South Prong Creek running upstream from the confluence with Segment 0816 (Lake Waxahachie) to the upper end of the creek (NHD RC 12030109000044), in Midlothian, Ellis County, TX.

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

Station ID(s): No Stations

**SegID: 0817 Navarro Mills Lake**

From Navarro Mills Dam in Navarro County up to normal pool elevation of 424.5 feet (impounds Richland Creek)

Segment Type Reservoir

**AU\_ID: 0817\_01** From Navarro Mills Dam in Navarro County up to normal pool elevation of 424.5 feet (impounds Richland Creek)

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

Station ID(s): 10981; 18546

**SegID: 0817A Richland Creek**

Ten mi stretch of Richland Creek running upstream from 0.5 mi downstream of FM 744 in Navarro Co., to FM 308 south of Mertens, Hill Co.

Segment Type Freshwater Stream

**AU\_ID: 0817A\_01** Ten mi stretch of Richland Creek running upstream from 0.5 mi downstream of FM 744 in Navarro Co., to FM 308 South of Mertens, Hill Co.

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

Station ID(s): No Stations

**SegID: 0818     Cedar Creek Reservoir**

From Joe B. Hoggsett Dam in Henderson County up to normal pool elevation of 322 feet  
(impounds Cedar Creek)

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0818 Cedar Creek Reservoir

From Joe B. Hoggsett Dam in Henderson County up to normal pool elevation of 322 feet (impounds Cedar Creek)

Segment Type Reservoir

**AU\_ID: 0818\_01** Lowermost portion of the reservoir, adjacent to the dam.

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 13845; 16745; 16748

**AU\_ID: 0818\_02** Caney Creek cove

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 0818\_03** Clear Creek cove

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 0818\_04** Lower portion of reservoir east of Key Ranch Estates

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 16749

**AU\_ID: 0818\_05** Cove off lower portion of reservoir adjacent to Clearview Estates

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 0818\_06** Middle portion of reservoir downstream of Twin Creeks cove

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 16741; 16747; 16750; 17090; 18472; 18473

**AU\_ID: 0818\_07** Twin Creeks cove

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 0818\_08** Prairie Creek cove

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** No Stations



## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0818 Cedar Creek Reservoir

From Joe B. Hoggsett Dam in Henderson County up to normal pool elevation of 322 feet (impounds Cedar Creek)

Segment Type Reservoir

**AU\_ID: 0818\_09** Upper portion of reservoir adjacent to Lacy Fork cove

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 16753

**AU\_ID: 0818\_10** Lacy Fork cove

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 0818\_11** Upper portion of reservoir east of Tolosa

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 16772; 18471

**AU\_ID: 0818\_12** Uppermost portion of reservoir downstream of Kings Creek

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 16774; 18469; 18470

**AU\_ID: 0818\_13** From Joe B. Hoggsett Dam in Henderson County up to normal pool elevation of 322 feet (impounds Cedar Creek)

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 0818\_14** Remainder of reservoir

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** No Stations

**SegID: 0818A One Mile Creek**

Perennial stream from the confluence with Valley View Reservoir upstream to the confluence with an unnamed tributary 0.8 km upstream of SH 19  
Reservoir upstream to the confluence with an unnamed tributary  
0.8 km upstream of SH 19

Segment Type Freshwater Stream

**AU\_ID: 0818A\_01** Perennial stream from the confluence with Valley View Reservoir upstream to the confluence with an unnamed tributary 0.8 km upstream of SH 19

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

Station ID(s): 21001

**SegID: 0818B Cedar Creek above Cedar Creek Reservoir**

Perennial stream from the confluence with Cedar Creek Reservoir at normal pool elevation upstream to the confluence of Muddy Cedar Creek and Rocky Cedar Creek in Kaufman County

Segment Type Freshwater Stream

**AU\_ID: 0818B\_01** Perennial stream from the confluence with Cedar Creek Reservoir at normal pool elevation upstream to the confluence of Muddy Cedar Creek and Rocky Cedar Creek in Kaufman County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

Station ID(s): 17842; 21559

**SegID: 0818C Kings Creek**

Intermittent stream with perennial pools from the confluence with Cedar Creek Reservoir at normal pool elevation upstream to the headwaters adjacent to FM 986 approximately 5 km north of Terrell in Kaufman County

Segment Type Freshwater Stream

**AU\_ID: 0818C\_01** Intermittent stream with perennial pools from the confluence with Cedar Creek Reservoir at normal pool elevation upstream to the headwaters adjacent to FM 986 approximately 5 km north of Terrell in Kaufman County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

Station ID(s): 16778; 21000

**SegID: 0818D Lacy Fork**

Intermittent stream with perennial pools from the confluence with Cedar Creek Reservoir at normal pool elevation upstream to the confluence of Dry Lacy Fork and Wet Lacy Fork in Van Zandt County

Segment Type Freshwater Stream

**AU\_ID: 0818D\_01** Intermittent stream with perennial pools from the confluence with Cedar Creek Reservoir at normal pool elevation upstream to the confluence of Dry Lacy Fork and Wet Lacy Fork in Van Zandt County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** 16777

**SegID: 0818E Prairie Creek**

Intermittent stream with perennial pools from the confluence with Cedar Creek Reservoir at normal pool elevation upstream to the headwaters adjacent to SH 198 in Van Zandt County

Segment Type Freshwater Stream

**AU\_ID: 0818E\_01** Intermittent stream with perennial pools from the confluence with Cedar Creek Reservoir at normal pool elevation upstream to the headwaters adjacent to SH 198 in Van Zandt County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** 16775

**SegID: 0818F Clear Creek**

Perennial stream from the confluence with Clear Creek Cove upstream to the north edge of the highway 175.

Segment Type Freshwater Stream

**AU\_ID: 0818F\_01** Perennial stream from the confluence with Clear Creek Cove upstream to the north edge of the highway 175.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 16755

**SegID: 0818G North Twin Creek**

Perennial stream from the confluence with Twin Creeks cove to 3 km northeast of the intersection of highway 175

Segment Type Freshwater Stream

**AU\_ID: 0818G\_01** Perennial stream from the confluence with Twin Creeks cove to 3 km northeast of the intersection of highway 175

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 16756

**SegID: 0818H South Twin Creek**

Perennial stream from the confluence with Twin Creeks cove upstream to 3.15 km northeast of where the waterbody intersects highway 175

Segment Type Freshwater Stream

**AU\_ID: 0818H\_01** Perennial stream from the confluence with Twin Creeks cove upstream to 3.15 km northeast of where the waterbody intersects highway 175

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

Station ID(s): 16757

**SegID: 0818I Caney Creek**

Intermittent stream with perennial pools from the confluence with Cedar Creek Reservoir upstream to the dam on Third Caney Creek approximately 1.8 km north of the intersection of SH 7 and US 175 in Athens

Segment Type Freshwater Stream

**AU\_ID: 0818I\_01** Intermittent stream with perennial pools from the confluence with Cedar Creek Reservoir upstream to the dam on Third Caney Creek approximately 1.8 km north of the intersection of SH 7 and US 175 in Athens

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

Station ID(s): 16758

**SegID: 0819 East Fork Trinity River**

From the confluence with the Trinity River in Kaufman County to Rockwall-Forney Dam in Kaufman County

Segment Type Freshwater Stream

**AU\_ID: 0819\_01** From the confluence with the Trinity River in Kaufman County to Rockwall-Forney Dam in Kaufman County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	Intermediate	TSWQS Appendix A

Station ID(s): 10989; 10990; 10991; 10993; 10996; 20284; 20285; 20286

## SegID: 0819A Duck Creek

Perennial stream from the confluence with the East Fork Trinity River in Kaufman County upstream to the confluence of an unnamed tributary 0.6 km upstream of Jupiter Road in Dallas County

Segment Type Freshwater Stream

**AU\_ID: 0819A\_01** Perennial stream from the confluence with the East Fork Trinity River in Kaufman County upstream to the confluence of an unnamed tributary 0.6 km upstream of Jupiter Road in Dallas County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** No Stations

## SegID: 0819B Buffalo Creek

Perennial stream from the confluence with the East Fork Trinity River up to 0.6 km above the confluence of Little Buffalo Creek

Segment Type Freshwater Stream

**AU\_ID: 0819B\_01** Perennial stream from the confluence with the East Fork Trinity River up to 0.6 km above the confluence of Little Buffalo Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D

**Station ID(s):** No Stations

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0820 Lake Ray Hubbard

From Rockwall-Forney Dam in Kaufman County to Lavon Dam in Collin County, up to normal pool elevation of 435.5 feet (impounds East Fork Trinity River)

Segment Type Reservoir

**AU\_ID: 0820\_01** Lower portion of East Fork arm, centering on IH 30

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 16809

**AU\_ID: 0820\_02** Middle portion of East Fork arm, centering on SH 66

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11001; 16829

**AU\_ID: 0820\_04** Lower portion of main body of reservoir extending up from dam to Yankee Creek Arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10998; 20194

**AU\_ID: 0820\_05** Mid-reservoir, I30 crossing Rowlett Creek Arm to Yankee Creek Arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 17829

**AU\_ID: 0820\_06** Outfall canal from Lake Lavon Dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 17846

### SegID: 0820A Cottonwood Creek

Perennial stream from the confluence with Rowlett Creek up to SH 5 (near Greenville Road)

Segment Type Freshwater Stream

**AU\_ID: 0820A\_01** Perennial stream from the confluence with Rowlett Creek upstream to SH 5 (near Greenville Road)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D

**Station ID(s):** No Stations

### SegID: 0820B Rowlett Creek

Perennial stream from the normal pool elevation of Lake Ray Hubbard upstream to the Parker Road crossing

Segment Type Freshwater Stream

**AU\_ID: 0820B\_01** Perennial stream from the normal pool elevation of Lake Ray Hubbard upstream to the Parker Road crossing

Flow Type

Perennial

Flow Type Source

TSWQS Appendix D

ALU Designation

Intermediate

ALU Designation Source

TSWQS Appendix D

**Station ID(s):** 10753; 10765; 17845; 21478

### SegID: 0820C Muddy Creek

From the confluence with Lake Ray Hubbard, in Dallas County, to the headwaters east of Allen, in Collin County

Segment Type Freshwater Stream

**AU\_ID: 0820C\_01** From the confluence with Lake Ray Hubbard, in Dallas County, to the headwaters east of Allen, in Collin County

Flow Type

Perennial

Flow Type Source

Routine Flow Data

ALU Designation

High

ALU Designation Source

Presumption from flow type

**Station ID(s):** 16828; 20110

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0821 Lake Lavon

From Lavon Dam in Collin County, up to normal pool elevation of 492 feet (impounds East Fork Trinity River)

Segment Type Reservoir

**AU\_ID: 0821\_01** Lowermost portion of reservoir

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 0821\_02** East Fork arm

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 0821\_03** Middle portion of Sister Grove Creek arm

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 0821\_04** Remainder of segment

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** No Stations

### SegID: 0821A Pilot Grove Creek

Perennial stream from confluence of Desert Creek up to FM 121 near Blue Ridge

Segment Type Freshwater Stream

**AU\_ID: 0821A\_01** From confluence of Desert Creek up to FM 121 near Blue Ridge

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix D

ALU Designation  
Limited

ALU Designation Source  
TSWQS Appendix D

**Station ID(s):** No Stations

### SegID: 0821B Sister Grove Creek

From the confluence with Lake Lavon in Collin County to the confluence of West Prong Sister Grove Creek/East Prong Sister Grove Creek, east of Van Alstyne in Grayson County

Segment Type Freshwater Stream

**AU\_ID: 0821B\_01** From the confluence with Lake Lavon in Collin County to the confluence of West Prong Sister Grove Creek/East Prong Sister Grove Creek, east of Van Alstyne in Grayson County

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

**Station ID(s):** No Stations



## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0821C Wilson Creek

From the confluence with Lake Lavon in Collin County up to West FM 455 (NHD RC 12030106000086), just east of Celina, Collin Co., TX.

Segment Type Freshwater Stream

**AU\_ID: 0821C\_01** From the confluence with Lake Lavon in Collin County up to West FM 455 (NHD RC 12030106000086), just east of Celina, Collin Co., TX.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	WQS/Permits program	Intermediate	Previous TCEQ permit decision

**Station ID(s):** 10777

### SegID: 0821D East Fork Trinity River above Lake Lavon

A portion of the East Fork Trinity River extending from the confluence with Lake Lavon (segment 0821) to the upper end of the water body (NHD RC 12030106000074) in Grayson County, Texas.

Segment Type Freshwater Stream

**AU\_ID: 0821D\_01** A portion of the East Fork Trinity River extending from the confluence with Lake Lavon (segment 0821) to the upper end of the water body (NHD RC 12030106000074) in Grayson County, Texas.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	WQS/Permits program	Intermediate	Previous TCEQ permit decision

**Station ID(s):** 13740

**SegID: 0822 Elm Fork Trinity River Below Lewisville Lake**

From the confluence with the West Fork Trinity River in Dallas County to Lewisville Dam in Denton County

Segment Type Freshwater Stream

**AU\_ID: 0822\_01** Lower 11 mi of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 17163; 18310; 18648; 20287

**AU\_ID: 0822\_02** 4.5 mi upstream to 7.5 mi downstream DWU intake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11024; 16438; 17162

**AU\_ID: 0822\_03** 1.0 mi upstream to 4.5 mi downstream SH 121

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 18358

**AU\_ID: 0822\_04** Upper 1.5 mi of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 15252

**SegID: 0822A Cottonwood Branch**

A 6 mi stretch of Cottonwood Branch running upstream from confluence with Hackberry Creek, to Valley View Road in Dallas County.

Segment Type Freshwater Stream

**AU\_ID: 0822A\_01** A 2.5 mi stretch of Cottonwood Branch running upstream from confluence with Hackberry Creek to approx. 0.5 mi downstream of N. Story Rd., Dallas Co.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** 17167; 17168

**AU\_ID: 0822A\_02** A 3.5 mi stretch of Cottonwood Branch running upstream from approximately 0.5 mi downstream of N. Story Rd. to Valley View Rd, Dallas, Co.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** 17165; 17166

**SegID: 0822B Grapevine Creek**

From the confluence with Elm Fork Trinity River in Dallas County upstream to its headwaters west of International Parkway at DFW Airport in Tarrant County

Segment Type Freshwater Stream

**AU\_ID: 0822B\_01** From the confluence with Elm Fork Trinity River in Dallas County upstream to its headwaters west of International Parkway at DFW Airport in Tarrant County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Routine Flow Data	Minimal	Presumption from flow type

**Station ID(s):** 17531; 17939; 20311; 21188

**SegID: 0822C Hackberry Creek**

A 5.5 mi stretch of Hackberry Creek running upstream from confluence with Cottonwood Branch, to approximately 2.4 mi upstream of SH 114, in Irving, Dallas County.

Segment Type Freshwater Stream

**AU\_ID: 0822C\_01** A 5.5 mi stretch of Hackberry Creek running upstream from confluence with S. Fork Hackberry Creek to approximately 2.4 mi upstream of SH 114 in Irving, Dallas Co.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 17170; 17532

**SegID: 0822D Ski Lake**

A 65 acre reservoir locate just south of the intersection of US 35E and spur 482 in Irving.

Segment Type Reservoir

**AU\_ID: 0822D\_01** A 65 acre reservoir locate just south of the intersection of US 35E and spur 482 in Irving

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	Water body description	High	Presumption from Flow Type

**Station ID(s):** 17849

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0823      Lewisville Lake

From Lewisville Dam in Denton County to a point 100 meters (110 yards) upstream of US 380 in Denton County, up to normal pool elevation of 515 feet (impounds Elm Fork Trinity River)

Segment Type      Reservoir

**AU\_ID: 0823\_01**      Lowermost portion of reservoir

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):**      13995; 13996

**AU\_ID: 0823\_02**      Stewart Creek arm

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):**      16808

**AU\_ID: 0823\_03**      Hickory Creek arm

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):**      11027; 18475; 18476; 18477; 18478; 18479; 20893

**AU\_ID: 0823\_04**      Little Elm Creek arm

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):**      17830

**AU\_ID: 0823\_05**      Middle portion of reservoir east of Lake Dallas

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):**      11026

**AU\_ID: 0823\_06**      Remainder of reservoir

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):**      18480; 18481

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0823A Little Elm Creek

From confluence with Lake Lewisville in Denton Co., up to 1.4 km above FM 453 in Collin Co.

Segment Type Freshwater Stream

**AU\_ID: 0823A\_01** From the confluence with Lake Lewisville in Denton Co., up to FM 455 in Collin Co. (Lower 12 mi of segment).

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix D

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix D

**Station ID(s):** 16826

**AU\_ID: 0823A\_02** From FM 455 in Collin Co., up to 1.4 km above FM 121 in Grayson, Co. near Guenther. (Upper 15 mi of segment).

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix D

ALU Designation  
Intermediate

ALU Designation Source  
TSWQS Appendix D

**Station ID(s):** No Stations

### SegID: 0823B Stewart Creek

From the confluence with Lake Lewisville in Denton County to the headwaters near Frisco in Collin County.

Segment Type Freshwater Stream

**AU\_ID: 0823B\_01** From the confluence with Lake Lewisville in Denton County to the headwaters near Frisco in Collin County.

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

**Station ID(s):** 10860

### SegID: 0823C Clear Creek

From the confluence with Lake Lewisville in Denton County to the headwaters west of Montague in Montague County

Segment Type Freshwater Stream

**AU\_ID: 0823C\_01** Lower 25 mi of segment

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

**Station ID(s):** 10859; 13618; 16827

**AU\_ID: 0823C\_02** Upper 40 mi of segment

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0823D Doe Branch**

From the confluence (NHD RC 12030103023518) with Lake Lewisville/Elm Fork Trinity in Denton County to the headwaters (NHD RC 12030103005935) northeast of Celina, Collin Co., TX.

Segment Type Freshwater Stream

**AU\_ID: 0823D\_01** From the confluence (NHD RC 12030103023518) with Lake Lewisville/Elm Fork Trinity in Denton County to the headwaters (NHD RC 12030103005935) northeast of Celina, Collin Co., TX.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	WQS/Permits program	Minimal	Previous TCEQ permit decision

**Station ID(s):** 20291

**SegID: 0824 Elm Fork Trinity River Above Ray Roberts Lake**

From a point 9.5 km (5.9 mi) downstream of the confluence of Pecan Creek in Cooke County to US 82 in Montague County

Segment Type Freshwater Stream

**AU\_ID: 0824\_01** Lower 7.5 mi of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11031

**AU\_ID: 0824\_02** 2 mi reach near unmarked county road, 1.4 km downstream Gainesville WWTP

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 0824\_03** 3.5 mi reach near SH 51

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 15635

**AU\_ID: 0824\_04** 25 mi reach near FM 3108

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 0824\_05** Upper 48 mi of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0825    Denton Creek

From the confluence with the Elm Fork Trinity River in Dallas County to Grapevine Dam in Tarrant County

Segment Type      Freshwater Stream

**AU\_ID: 0825\_01**      From the confluence with the Elm Fork Trinity River in Dallas County to Grapevine Dam in Tarrant County

Flow Type

Perennial

Flow Type Source

TSWQS Appendix A

ALU Designation

High

ALU Designation Source

TSWQS Appendix A

**Station ID(s):**    14244

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0826 Grapevine Lake

From Grapevine Dam in Tarrant County up to normal pool elevation of 535 feet (impounds Denton Creek)

Segment Type Reservoir

**AU\_ID: 0826\_01** Lowermost portion of reservoir

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 11035; 13874; 16113; 17827; 20889; 20890; 20891

**AU\_ID: 0826\_02** Morehead Creek cove

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 11037; 20886

**AU\_ID: 0826\_03** Lower portion of reservoir north of Oak Grove Park

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 0826\_04** North Main Slough cove

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 20887; 20888

**AU\_ID: 0826\_05** Middle portion of reservoir east of Meadowmere Park

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 13875; 16115

**AU\_ID: 0826\_06** Middle portion of reservoir southeast of Walnut Grove Park

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 16112; 17828

**AU\_ID: 0826\_07** Upper portion of reservoir east of Marshall Creek Park

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 20882

**AU\_ID: 0826\_08** Remainder of reservoir

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 20880; 20881; 20883; 20884



**SegID: 0826A Denton Creek**

From the confluence with Grapevine Lake in Denton County upstream to 2.3 km upstream of TX-59

Segment Type Freshwater Stream

**AU\_ID: 0826A\_01** Perennial stream from the headwaters of Grapevine Lake upstream to the confluence of Trail Creek near the City of Justin

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** 14485

**AU\_ID: 0826A\_02** From the confluence of Trail Creek near the City of Justin to the confluence with an unnamed tributary 6.3 km upstream of FM-2449

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 14483

**AU\_ID: 0826A\_03** From the confluence with an unnamed tributary 6.3 km upstream of FM-2449 to 1.7 km upstream of County Road 2675

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**AU\_ID: 0826A\_04** From 1.7 km upstream of County Road 2675 to 2.3 km upstream of TX-59

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0826B Trail Creek**

Perennial stream from the confluence with Denton Creek up to 2.1 km upstream of SH 156 in Justin

Segment Type Freshwater Stream

**AU\_ID: 0826B\_01** Perennial stream from the confluence with Denton Creek up to 2.1 km upstream of SH 156 in Justin

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 0826C Henrietta Creek**

A 3 km stretch of Henrietta Creek, running upstream from the confluence with Denton Creek to confluence with Elizabeth Creek.

Segment Type Freshwater Stream

**AU\_ID: 0826C\_01** A 3 km stretch of Henrietta Creek, running upstream from the confluence with Denton Creek to confluence with Elizabeth Creek.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0827 White Rock Lake**

From White Rock Dam in Dallas County up to the normal pool elevation of 458 feet (impounds White Rock Creek)

Segment Type Reservoir

**AU\_ID: 0827\_01** From White Rock Dam in Dallas County up to the normal pool elevation of 458 feet (impounds White Rock Creek)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11038

**SegID: 0827A White Rock Creek above White Rock Lake**

Perennial stream from the headwaters of White Rock Lake upstream to the headwaters at Hillcrest Road in Frisco

Segment Type Freshwater Stream

**AU\_ID: 0827A\_01** Perennial stream from the headwaters of White Rock Lake upstream to the confluence with McKamy Branch east of the City of Addison

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** 15280; 18517; 20289; 21556

**AU\_ID: 0827A\_02** From the confluence with McKamy Branch east of the City of Addison upstream to the headwaters at Hillcrest Road in Frisco

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0827B Cottonwood Creek**

Perennial stream from the confluence with White Rock Creek upstream to the confluence with an unnamed tributary approximately 0.25 km upstream of Campbell road in the City of Richardson

Segment Type      Freshwater Stream

**AU\_ID: 0827B\_01**      Perennial stream from the confluence with White Rock Creek upstream to the confluence with an unnamed tributary approximately 0.25 km upstream of Campbell road in the City of Richardson

Flow Type

Perennial

Flow Type Source

TSWQS Appendix D

ALU Designation

Intermediate

ALU Designation Source

TSWQS Appendix D

**Station ID(s):**      No Stations

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0828 Lake Arlington

From Arlington Dam in Tarrant County up to the normal pool elevation of 550 feet (impounds Village Creek)

Segment Type Reservoir

**AU\_ID: 0828\_01** Lowermost portion of lake along western half of dam

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 11040

**AU\_ID: 0828\_02** Lowermost portion of lake along eastern half of dam

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 13904

**AU\_ID: 0828\_03** Western half of lower portion of lake

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 0828\_04** Eastern half of lower portion of lake

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 13901

**AU\_ID: 0828\_05** Western half of upper portion of lake

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 13899

**AU\_ID: 0828\_06** Eastern half of upper portion of lake

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 11042

**AU\_ID: 0828\_07** Uppermost portion of lake

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 13897

**AU\_ID: 0828\_08** Remainder of lake

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** No Stations

**SegID: 0828A Village Creek**

From the confluence with Lake Arlington in Tarrant County to the headwaters east of Joshua in Johnson County

Segment Type Freshwater Stream

**AU\_ID: 0828A\_01** From Lake Arlington to the headwaters

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** 10780; 10786

**SegID: 0829 Clear Fork Trinity River Below Benbrook Lake**

From the confluence with the West Fork Trinity River in Tarrant County to Benbrook Dam in Tarrant County

Segment Type Freshwater Stream

**AU\_ID: 0829\_01** From the confluence with West Fork Trinity River to 1 mi upstream

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 16119; 20427

**AU\_ID: 0829\_02** From 1 mi upstream of the confluence with West Fork Trinity River up to the confluence with Mary's Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11044; 11045; 16122; 18456

**AU\_ID: 0829\_03** From the confluence with Mary's Creek up to Benbrook Dam in Tarrant County, TX

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**SegID: 0829A Lake Como**

From Lake Como Dam to the reservoir headwaters in Lake Como Park in Tarrant County

Segment Type Reservoir

**AU\_ID: 0829A\_01** From Lake Como Dam to the reservoir headwaters in Lake Como Park in Tarrant County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	Water body description	High	Presumption from Flow Type

**Station ID(s):** 16814

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 0830 Benbrook Lake

From Benbrook Dam in Tarrant County to a point 200 meters (220 yards) downstream of US 377 in Tarrant County, up to normal pool elevation of 694 feet (impounds Clear Fork Trinity River)

Segment Type Reservoir

**AU\_ID: 0830\_01** Lower portion of reservoir

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 13830; 15151; 15161

**AU\_ID: 0830\_02** Middle portion of reservoir

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 13831; 15156

**AU\_ID: 0830\_03** Upper portion of reservoir

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 15158

**AU\_ID: 0830\_05** Rock/Mustang Creek arm of Benbrook Lake.

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 13832

### SegID: 0830A Rock Creek

Intermittent stream with perennial pools from the confluence with Benbrook Lake at normal pool elevation upstream to the headwaters near FM 917 approximately 2.8 km west of Burleson in Johnson County

Segment Type Freshwater Stream

**AU\_ID: 0830A\_01** Intermittent stream with perennial pools from the confluence with Benbrook Lake at normal pool elevation upstream to the headwaters near FM 917 approximately 2.8 km west of Burleson in Johnson County

Flow Type  
Intermittent w/pools

Flow Type Source  
Routine Flow Data

ALU Designation  
Limited

ALU Designation Source  
Presumption from flow type

**Station ID(s):** 16725

**SegID: 0830B Bear Creek**

Intermittent stream with perennial pools from the confluence with Benbrook Lake at normal pool elevation upstream to the headwaters adjacent to SH 171 approximately 7.8 km southeast of Weatherford in Parker County

Segment Type Freshwater Stream

**AU\_ID: 0830B\_01** Intermittent stream with perennial pools from the confluence with Benbrook Lake at normal pool elevation upstream to the headwaters adjacent to SH 171 approximately 7.8 km southeast of Weatherford in Parker County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** 13624

**SegID: 0831 Clear Fork Trinity River Below Lake Weatherford**

From a point 200 meters (220 yards) downstream of US 377 in Tarrant County to Weatherford Dam in Parker County

Segment Type Freshwater Stream

**AU\_ID: 0831\_01** Lower 12.75 mi, downstream from South Fork Trinity River confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 13691; 16414; 17444

**AU\_ID: 0831\_03** From the confluence with South Fork of Trinity River to a point 2 mi upstream

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 17445

**AU\_ID: 0831\_04** 2 mi upstream of South Fork Trinity River confluence to Squaw Creek Confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11060

**AU\_ID: 0831\_05** From the confluence of Squaw Creek to Lake Weatherford Dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**SegID: 0831A South Fork Trinity River**

Eleven mi stretch of South Fork Trinity River running upstream from confluence with Clear Fork Trinity River to confluence with Willow Creek, Parker Co.

Segment Type Freshwater Stream

**AU\_ID: 0831A\_01** Eleven mi stretch of South Fork Trinity River running upstream from confluence with Clear Fork Trinity River to confluence with Willow Creek, Parker Co.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

Station ID(s): No Stations

**SegID: 0831B Unnamed Tributary of South Fork Trinity River**

A 4.4 mi (7.1 KM) stretch of unnamed tributary to South Fork Trinity River stretching from the confluence to the upper end of the creek (NHD RC 12030102000351)

Segment Type Freshwater Stream

**AU\_ID: 0831B\_01** A 4.4 mi (7.1 km) stretch of unnamed tributary to South Fork Trinity River stretching from the confluence to the upper end of the creek (NHD RC 12030102000351)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

Station ID(s): No Stations

**SegID: 0831C Town Creek**

A 19.5 mi (31.4 KM) stretch of Town Creek extending from the confluence with the South Fork of the Trinity River up to the upper end of the creek (NHD RC 12030102000062)

Segment Type Freshwater Stream

**AU\_ID: 0831C\_01** A 12.3 mi (19.8 km) stretch of Town Creek extending from the confluence with the South Fork Trinity River up to the confluence with Pogue Branch in Weatherford, Parker County, TX.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

Station ID(s): No Stations

**SegID: 0832 Lake Weatherford**

From Weatherford Dam in Parker County to a point 3.1 km (1.9 mi) upstream of FM 730 in Parker County, up to the normal pool elevation of 896 feet (impounds Clear Fork Trinity River)

Segment Type Reservoir

**AU\_ID: 0832\_01** From Weatherford Dam in Parker County to a point 3.1 km (1.9 mi) upstream of FM 730 in Parker County, up to the normal pool elevation of 896 feet (impounds Clear Fork Trinity River)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

Station ID(s): 11061



**SegID: 0833 Clear Fork Trinity River Above Lake Weatherford**

From a point 3.1 km (1.9 mi) upstream of FM 730 in Parker County, to the confluence with Strickland Creek approximately 8 km (5 mi) upstream of FM 51 in Parker County

Segment Type Freshwater Stream

**AU\_ID: 0833\_03** From the confluence of McKnight Branch to the confluence of Strickland Ck. approximately 8 km (5 mi) upstream of FM 51 in Parker County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	TSWQS Appendix A	Intermediate	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 0833\_04** From the confluence with Dobbs Branch to confluence with McKnight Branch

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	TSWQS Appendix A	Intermediate	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 0833\_05** From the confluence of Dobbs Branch to the lower end of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	TSWQS Appendix A	Intermediate	TSWQS Appendix A

**Station ID(s):** No Stations

**SegID: 0833A Clear Fork Trinity River Above Strickland Creek.**

From the confluence with Strickland Creek up to Turpin Lake Road in Parker County.

Segment Type Freshwater Stream

**AU\_ID: 0833A\_01** From the confluence with Strickland Creek up to Turpin Lake Road in Parker County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0834 Lake Amon G. Carter**

From Amon G. Carter Dam in Montague County up to the normal pool elevation of 920 feet (impounds Big Sandy Creek)

Segment Type Reservoir

**AU\_ID: 0834\_01** From Amon G. Carter Dam in Montague County up to the normal pool elevation of 920 feet (impounds Big Sandy Creek)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11063

**SegID: 0835     Richland Creek Below Richland-Chambers Reservoir**

From the confluence with the Trinity River in Freestone County to Richland-Chambers Dam in Freestone County

Segment Type     Freshwater Stream

**AU\_ID: 0835\_01**     From the confluence with the Trinity River in Freestone County to Richland-Chambers Dam in Freestone County

Flow Type

Perennial

Flow Type Source

TSWQS Appendix A

ALU Designation

High

ALU Designation Source

TSWQS Appendix A

**Station ID(s):**     No Stations

**SegID: 0836 Richland-Chambers Reservoir**

From Richland-Chambers Dam to a point immediately upstream of the confluence of Pin Oak Creek on the Richland Creek Arm and to a point 4.0 km (2.5 mi) downstream of Tupelo Branch on the Chambers Creek Arm, up to the normal pool elevation of 315 ft (impoun

Segment Type Reservoir

**AU\_ID: 0836\_01** Lowermost portion of reservoir, adjacent to dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11065; 15168

**AU\_ID: 0836\_02** Confluence of Richland and Chambers Creek arms

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 15169

**AU\_ID: 0836\_03** Lower portion of Chambers Creek arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 15170

**AU\_ID: 0836\_04** Upper portion of Chambers Creek arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 15199

**AU\_ID: 0836\_05** Lower portion of Richland Creek arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11068

**AU\_ID: 0836\_06** Upper portion of Richland Creek arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 15172

**AU\_ID: 0836\_07** Remainder of reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 16721

**AU\_ID: 0836\_08** Post Oak Creek Arm off of Chambers Creek Arm of Richland Chambers Reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**SegID: 0836A Pin Oak Creek**

Perennial stream from the confluence with the North Fork of Pin Oak Creek in Limestone County upstream to the confluence with Pin Oak Creek and an unnamed tributary flowing from the west approximately 2.8 km downstream of SH 171 near the City of Hubbard

Segment Type Freshwater Stream

**AU\_ID: 0836A\_01** Perennial stream from the confluence with the North Fork of Pin Oak Creek in Limestone County upstream to the confluence with Pin Oak Creek and an unnamed tributary flowing from the west approximately 2.8 km downstream of SH 171 near the City of Hubbard

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

Station ID(s): No Stations

**SegID: 0836B Cedar Creek**

From the confluence with Richland Chambers Reservoir to the upper end of the creek (NHD RC 12030109012807)

Segment Type Freshwater Stream

**AU\_ID: 0836B\_01** From the confluence with Richland Chambers Reservoir to the upper end of the creek (NHD RC 12030109012807)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

Station ID(s): No Stations

**SegID: 0836C Grape Creek**

From the confluence with Richland Chambers Reservoir to the upper end of the creek (NHD RC 12030108000107) southwest of Corsicana, Navarro County, TX.

Segment Type Freshwater Stream

**AU\_ID: 0836C\_01** From the confluence with Richland Chambers Reservoir to the upper end of the creek (NHD RC 12030108000107) southwest of Corsicana, Navarro County, TX.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	WQS/Permits program	Limited	Previous TCEQ permit decision

Station ID(s): No Stations

**SegID: 0836D Post Oak Creek**

From the confluence with Richland Chambers Reservoir to the upper end of the creek (NHD RC 12030109012706)

Segment Type Freshwater Stream

**AU\_ID: 0836D\_01** From the confluence with Richland Chambers Reservoir to the upper end of the creek (NHD RC 12030109012706)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	WQS/Permits program	Minimal	Previous TCEQ permit decision

Station ID(s): 17847

**SegID: 0837 Richland Creek Above Richland-Chambers Reservoir**

From the confluence of Pin Oak Creek in Navarro County to Navarro Mills Dam in Navarro County

Segment Type Freshwater Stream

**AU\_ID: 0837\_01** From the confluence of Pin Oak Creek in Navarro County to Navarro Mills Dam in Navarro County

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

Station ID(s): 11070

**SegID: 0838 Joe Pool Lake**

From Joe Pool Dam in Dallas County up to the normal pool elevation of 522 feet (impounds Mountain Creek)

Segment Type Reservoir

**AU\_ID: 0838\_01** Lowermost portion of reservoir adjacent to the dam

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

Station ID(s): 13890; 13891; 13893; 13894

**AU\_ID: 0838\_02** Mountain Creek arm

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

Station ID(s): 11071; 13896; 17684

**AU\_ID: 0838\_03** Walnut Creek arm

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

Station ID(s): 13892

**SegID: 0838A Mountain Creek**

Ten mi stretch of Mountain Creek running upstream from US 287 in Ellis Co., to confluence with Fish Spring Branch in Johnson County.

Segment Type Freshwater Stream

**AU\_ID: 0838A\_01** Ten mi stretch of Mountain Creek running upstream from US 287 in Ellis Co., to confluence with Fish Spring Branch in Johnson County.

Flow Type  
Intermittent w/pools

Flow Type Source  
Routine Flow Data

ALU Designation  
Limited

ALU Designation Source  
Presumption from flow type

Station ID(s): 13622

**SegID: 0838B Sugar Creek**

A 1.6 mi stretch of Sugar Creek running upstream from Tarrant/Dallas County line, to just upstream of Britton Road in Mansfield, Tarrant County.

Segment Type Freshwater Stream

**AU\_ID: 0838B\_01** A 1.6 mi stretch of Sugar Creek running upstream from Tarrant/Dallas County line, to just upstream of Britton Road in Mansfield, Tarrant County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** 17680

**SegID: 0838C Walnut Creek**

From the confluence with Joe Pool Lake up to the headwaters at Spring Street in Burleson.

Segment Type Freshwater Stream

**AU\_ID: 0838C\_01** From the confluence with Joe Pool Lake up to the headwaters at Spring Street in Burleson.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** 13621; 20790

**SegID: 0838D Hollings Branch**

Hollings Branch from the confluence of the Mountain Creek arm of Joe Pool Lake upstream to the headwater 500 m downstream of US 67 in Midlothian

Segment Type Freshwater Stream

**AU\_ID: 0838D\_01** Hollings Branch from the confluence of the Mountain Creek arm of Joe Pool Lake upstream to the headwater 500 m downstream of US 67 in Midlothian

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Flow Questionnaire	Minimal	Presumption from flow type

**Station ID(s):** 16433

**SegID: 0838E Soap Creek**

Soap Creek from the confluence of the Mountain Creek arm of Joe Pool Lake upstream to the headwater 6.6 km (3.98 mi) upstream of US 67 in Midlothian

Segment Type Freshwater Stream

**AU\_ID: 0838E\_01** Soap Creek from the confluence of the Mountain Creek arm of Joe Pool Lake upstream to the headwater 6.6 km (3.98 mi) upstream of US 67 in Midlothian

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Flow Questionnaire	Minimal	Presumption from flow type

**Station ID(s):** 16435

**SegID: 0838F Unnamed tributary of Mountain Creek**

Intermittent stream from the confluence with Mountain Creek south of Mansfield upstream to the headwaters approximately 2.0 km upstream of FM 157 in Mansfield

Segment Type Freshwater Stream

**AU\_ID: 0838F\_01** Intermittent stream from the confluence with Mountain Creek south of Mansfield upstream to the headwaters approximately 2.0 km upstream of FM 157 in Mansfield

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Routine Flow Data	Minimal	Presumption from flow type

**Station ID(s):** 21123

**SegID: 0839 Elm Fork Trinity River Below Ray Roberts Lake**

From a point 100 meters (110 yards) upstream of US 380 in Denton County to Ray Roberts Dam in Denton County

Segment Type Freshwater Stream

**AU\_ID: 0839\_01** From a point 100 meters (110 yards) upstream of US 380 in Denton County to Ray Roberts Dam in Denton County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 13619

**SegID: 0840 Ray Roberts Lake**

From Ray Roberts Dam in Denton County to a point 9.5 km (5.9 mi) upstream of the confluence of Pecan Creek in Cooke County, up to the normal pool elevation of 632.5 feet (impounds Elm Fork Trinity River)

Segment Type Reservoir

**AU\_ID: 0840\_01** Lowermost portion of reservoir adjacent to dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 14039; 17834

**AU\_ID: 0840\_02** Lower portion of Jordan Creek arm west of Pilot Point

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11076; 14044

**AU\_ID: 0840\_03** Upper portion of Jordan Creek arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 16823

**AU\_ID: 0840\_04** Buck Creek cove

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 16822

**AU\_ID: 0840\_05** Lower portion of Elm Fork arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 0840\_06** Middle portion of Elm Fork arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 14043

**AU\_ID: 0840\_07** Upper portion of Elm Fork arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 16824

**AU\_ID: 0840\_08** Remainder of reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 20894; 20895; 20896; 20897; 20898; 20899



**SegID: 0840A Unnamed Tributary of Jordan Creek**

From the confluence with Jordan Creek south of CR 226 to the headwaters near South Neathery Street in Collinsville in Grayson County

Segment Type Freshwater Stream

**AU\_ID: 0840A\_01** From the confluence with Jordan Creek south of CR 226 to the headwaters near South Neathery Street in Collinsville in Grayson County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 0841 Lower West Fork Trinity River**

From a point immediately upstream of the confluence of the Elm Fork Trinity River in Dallas County to a point immediately upstream of the confluence of Village Creek in Tarrant County

Segment Type Freshwater Stream

**AU\_ID: 0841\_01** From confluence of the Elm Fork Trinity River to the confluence with Johnson Creek.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	Intermediate	TSWQS Appendix A

**Station ID(s):** 11081; 11089

**AU\_ID: 0841\_02** From the confluence with Johnson Creek upstream to the confluence of Village Creek.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	Intermediate	TSWQS Appendix A

**Station ID(s):** 11084; 11087; 17160; 17669

**SegID: 0841A Mountain Creek Lake**

From Mountain Creek Lake Dam to the reservoir headwater at the confluence of Mountain and Fish Creeks, in Dallas County (impounds Mountain Creek)

Segment Type Reservoir

**AU\_ID: 0841A\_01** From Mountain Creek Lake Dam to the reservoir headwater at the confluence of Mountain and Fish Creeks, in Dallas County (impounds Mountain Creek)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

**SegID: 0841B Bear Creek**

A 12 mi stretch of Bear Creek running upstream from confluence with West Fork Trinity River, to the confluence with Little Bear Creek just upstream of HWY 183 in Euless, Tarrant County, TX.

Segment Type Freshwater Stream

**AU\_ID: 0841B\_01** A 12 mi stretch of Bear Creek running upstream from confluence with West Fork Trinity River, to the confluence with Little Bear Creek just upstream of HWY 183 in Euless, Tarrant County, TX.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** 10864; 10865; 10867; 10868; 10869; 17663; 20610

**SegID: 0841C Arbor Creek**

A 2.2 mi stretch of Arbor Creek running upstream from confluence with Johnson Creek, to approx. 0.5 mi upstream of Tarrant/Dallas county line.

Segment Type Freshwater Stream

**AU\_ID: 0841C\_01** A 2.2 mi stretch of Arbor Creek running upstream from confluence with Johnson Creek, to approx. 0.5 mi upstream of Tarrant/Dallas county line.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 17666

**SegID: 0841D Big Bear Creek**

An 8 mi stretch of Big Bear Creek running upstream from confluence with Little Bear Creek to SH 26, Tarrant Co.

Segment Type Freshwater Stream

**AU\_ID: 0841D\_01** From the confluence with Little Bear Creek to SH 26, Tarrant County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** 17089

**SegID: 0841E Copart Branch Mountain Creek**

A 2.8 mi stretch of Copart Branch running upstream from confluence with Mountain Creek to approximately 0.3 miles upstream of Camden Road on Dallas Naval Academy, Dallas County.

Segment Type Freshwater Stream

**AU\_ID: 0841E\_01** A 2.8 mi stretch of Copart Branch running upstream from confluence with Mountain Creek to approximately 0.3 miles upstream of Camden Road on Dallas Naval Academy, Dallas County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** 17672

**SegID: 0841F Cottonwood Creek**

A 6.5 mi stretch of Cottonwood Creek running upstream from approx. 0.1 mi upstream of Mountain Creek Reservoir in Dallas Co., to SH 360 in, Tarrant Co.

Segment Type Freshwater Stream

**AU\_ID: 0841F\_01** A 6.5 mi stretch of Cottonwood Creek running upstream from approx. 0.1 mi upstream of Mountain Creek Reservoir in Dallas Co., to SH 360 in, Tarrant Co.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 10723; 17674; 17676; 20837

**SegID: 0841G Dalworth Creek**

A 2.2 mi stretch of Dalworth Creek running upstream from confluence with Lower W. Fork Trinity to County Line Road in Grand Prairie, Dallas Co.

Segment Type Freshwater Stream

**AU\_ID: 0841G\_01** A 2.2 mi stretch of Dalworth Creek running upstream from confluence with Lower W. Fork Trinity to County Line Road in Grand Prairie, Dallas Co.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 17671; 21557

**SegID: 0841H Delaware Creek**

An 8.5 mi stretch of Delaware Creek running upstream from confluence with Lower W. Fork Trinity to Finley Road in Irving.

Segment Type Freshwater Stream

**AU\_ID: 0841H\_01** An 8.5 mi stretch of Delaware Creek running upstream from confluence with Lower W. Fork Trinity to Finley Road in Irving.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** 15617; 17178

**SegID: 0841I Dry Branch Creek**

An 1.5 mi stretch of Dry Branch Creek running upstream from confluence with Lower W. Fork Trinity to Rock Island Road in Irving, Dallas County.

Segment Type Freshwater Stream

**AU\_ID: 0841I\_01** An 1.5 mi stretch of Dry Branch Creek running upstream from confluence with Lower W. Fork Trinity to Rock Island Road in Irving, Dallas County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Routine Flow Data	Minimal	Presumption from flow type

**Station ID(s):** 17173

**SegID: 0841J Estelle Creek**

A 4 mi stretch of Estelle Creek running upstream from confluence with Bear Creek to Valley View Lane in Irving, Dallas County.

Segment Type Freshwater Stream

**AU\_ID: 0841J\_01** A 4 mi stretch of Estelle Creek running upstream from confluence with Bear Creek to Valley View Lane in Irving, Dallas County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Routine Flow Data	Minimal	Presumption from flow type

**Station ID(s):** 17174

**SegID: 0841K Fish Creek**

A 15 mi stretch of Fish Creek running upstream from the confluence with Mountain Creek Reservoir in Grand Prairie, Dallas Co., to the upper end of the creek (NHD RC 12030102000107) in Arlington, Tarrant Co.

Segment Type Freshwater Stream

**AU\_ID: 0841K\_01** A 15 mi stretch of Fish Creek running upstream from the confluence with Mountain Creek Reservoir in Grand Prairie, Dallas Co., to the upper end of the creek (NHD RC 12030102000107) in Arlington, Tarrant Co.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 10725; 15294; 17677; 17679; 20342; 21530

**SegID: 0841L Johnson Creek**

Four mi stretch of Johnson Creek running upstream from confluence with the Arbor Creek to just upstream of I30 in Grand Prairie, Tarrant Co.

Segment Type Freshwater Stream

**AU\_ID: 0841L\_01** From the confluence with the Lower West Fork Trinity River, upstream to just south of Mayfield Road in Arlington, Tarrant, Co..

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 10718; 10719; 10721; 17664; 17665; 18311

**SegID: 0841M Kee Branch**

Six mi stretch of Kee Branch running upstream from confluence with Rush Creek to upper end of the creek (NHD RC 12030102000165).

Segment Type Freshwater Stream

**AU\_ID: 0841M\_01** Six mi stretch of Kee Branch running upstream from confluence with Rush Creek to upper end of the creek (NHD RC 12030102000165).

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 10792; 15103; 16896

**SegID: 0841N Kirby Creek**

Four mi stretch of Kirby Creek running upstream from confluence with Fish Creek in Grand Prairie, Dallas Co., to just upstream of Great Southwest Parkway in Arlington, Tarrant Co.

Segment Type Freshwater Stream

**AU\_ID: 0841N\_01** Four mi stretch of Kirby Creek running upstream from confluence with Fish Creek in Grand Prairie, Dallas Co., to just upstream of Great Southwest Parkway in Arlington, Tarrant Co.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

Station ID(s): 17675

**SegID: 0841O Mountain Creek**

Four mi stretch of Mountain Creek running upstream from confluence with West Fork Trinity, to approximately 0.3 mi downstream of Mountain Creek Lake in Grand Prairie, Dallas Co.

Segment Type Freshwater Stream

**AU\_ID: 0841O\_01** Four mi stretch of Mountain Creek running upstream from confluence with West Fork Trinity, to approximately 0.3 mi downstream of Mountain Creek Lake in Grand Prairie, Dallas Co.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

Station ID(s): 10815; 17682

**SegID: 0841P North Fork Cottonwood Creek**

A 4.4 mi stretch of North Fork Cottonwood Creek running upstream from confluence with the S. Fork Cottonwood Creek in Grand Prairie, Dallas Co., to approx. 0.3 mi upstream of Carter St. in Arlington, Tarrant Co.

Segment Type Freshwater Stream

**AU\_ID: 0841P\_01** A 4.4 mi stretch of North Fork Cottonwood Creek running upstream from confluence with the S. Fork Cottonwood Creek in Grand Prairie, Dallas Co., to approx. 0.3 mi upstream of Carter St. in Arlington, Tarrant Co.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

Station ID(s): 10722; 17673; 20836

**SegID: 0841Q North Fork Fish Creek**

North Fork Fish Creek from confluence with Fish Creek in Dallas Co. upstream to SH 360 in Tarrant Co.

Segment Type Freshwater Stream

**AU\_ID: 0841Q\_01** North Fork Fish Creek from confluence with Fish Creek in Dallas Co. upstream to SH 360 in Tarrant Co.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

Station ID(s): 10724; 17678; 20838

**SegID: 0841R Rush Creek**

A 5 mi stretch of Rush Creek running upstream from confluence with Village Creek to confluence with Kee Branch in Arlington, Tarrant Co.

Segment Type Freshwater Stream

**AU\_ID: 0841R\_01** A 5 mi stretch of Rush Creek running upstream from confluence with Village Creek to confluence with Kee Branch in Arlington, Tarrant Co.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** 10791; 17190; 17191

**SegID: 0841S Vilbig Lakes**

A 5 acre area in NW corner of Vilbig Lakes, near confluence with unnamed creek, approx. 100 m south of intersection of Rusdell Rd./Marvel Dr. in Irving, Dallas, Co.

Segment Type Reservoir

**AU\_ID: 0841S\_01** A 5 acre area in NW corner of Vilbig Lakes, near confluence with unnamed creek, approx. 100 m south of intersection of Rusdell Rd./Marvel Dr. in Irving, Dallas, Co.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	Water body description	High	Presumption from Flow Type

**Station ID(s):** 20793; 20794; 20795; 20796

**SegID: 0841T Village Creek**

A 7 mi stretch of Village Creek running upstream from confluence with West Fork Trinity River to SH 303 approx. 0.75 mi downstream of Lake Arlington.

Segment Type Freshwater Stream

**AU\_ID: 0841T\_01** A 7 mi stretch of Village Creek running upstream from confluence with West Fork Trinity River to SH 303 approx. 0.75 mi downstream of Lake Arlington.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** 10778; 17189

**SegID: 0841U West Irving Creek**

A 4 mi stretch of West Irving Branch running upstream from approx. 0.4 mi downstream of Oakdale Rd. to just south of Sowers Road in Irving, Dallas Co.

Segment Type Freshwater Stream

**AU\_ID: 0841U\_01** A 4 mi stretch of West Irving Branch running upstream from approx. 0.4 mi downstream of Oakdale Rd. to just south of Sowers Road in Irving, Dallas Co.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Routine Flow Data	Minimal	Presumption from flow type

**Station ID(s):** 17179

**SegID: 0841V Crockett Branch**

A 1 mi (1.5 KM) stretch of Crockett Branch extending upstream from the confluence with Cottonwood Creek to the upper end of the creek (NHD RC 12030102044745)

Segment Type Freshwater Stream

**AU\_ID: 0841V\_01** A 1 mi (1.5 KM) stretch of Crockett Branch extending upstream from the confluence with Cottonwood Creek to the upper end of the creek (NHD RC 12030102044745)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 15295; 17683

**SegID: 0841W Mountain Creek above Mountain Creek Lake**

From the confluence with Mountain Creek Lake upstream to the Joe Pool Lake dam

Segment Type Freshwater Stream

**AU\_ID: 0841W\_01** From the confluence with Mountain Creek Lake upstream to the Joe Pool Lake dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 17681

**SegID: 0901 Cedar Bayou Tidal**

From the confluence with Galveston Bay 1.0 km (0.6 mi) downstream of Tri-City Beach Road in Chambers County to a point 2.2 km (1.4 mi) upstream of IH 10 in Chambers/Harris County

Segment Type Tidal Stream

**AU\_ID: 0901\_01** From the confluence with Galveston Bay 1.0 km (0.6 mi) downstream of Tri-City Beach Road to a point 2.2 km (1.4 miles) upstream of IH 10

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11109; 11111; 11115; 11117

**SegID: 0901A Cary Bayou**

From the confluence with Cedar Bayou Tidal to 0.8 km upstream of East Archer Rd

Segment Type Tidal Stream

**AU\_ID: 0901A\_01** From the confluence with Cedar Bayou Tidal to 0.8 km upstream of East Archer Rd

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	Water body description	High	Presumption from flow type

**Station ID(s):** 21079

**SegID: 0902 Cedar Bayou Above Tidal**

From a point 2.2 km (1.4 mi) upstream of IH 10 in Chambers/Harris County to a point 7.4 km (4.6 mi) upstream of FM 1960 in Liberty County

Segment Type Freshwater Stream

**AU\_ID: 0902\_01** From a point 2.2 km (1.4 miles) upstream of IH 10 to a point 7.4 km (4.6 miles) upstream of FM 1960

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11118; 11120; 11123; 21081

**SegID: 0902A Adlong Ditch**

From the confluence of Cedar Bayou Above Tidal to the intersection of Stroker Rd and Ramsey Rd

Segment Type Freshwater Stream

**AU\_ID: 0902A\_01** From the confluence of Cedar Bayou Above Tidal to the intersection of Stroker Rd and Ramsey Rd

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D

**Station ID(s):** 21080

**SegID: 1001 San Jacinto River Tidal**

From a point 100 meters (110yards) downstream of IH 10 in Harris County to Lake Houston Dam in Harris County

Segment Type Tidal Stream

**AU\_ID: 1001\_01** From Lake Houston Dam to US Hwy 90

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11200; 11201

**AU\_ID: 1001\_02** From US Hwy 90 to IH 10

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11193; 11198; 16622; 17919



**SegID: 1001A Jackson Bayou**

Perennial stream from a point immediately upstream of the tidal portion of the San Jacinto River upstream to Ramsey Road.

Segment Type Freshwater Stream

**AU\_ID: 1001A\_01** Perennial stream from a point immediately upstream of the tidal portion of the San Jacinto River upstream to Ramsey Road.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 1001C Gum Gully**

Perennial stream from the confluence with Jackson Bayou upstream to Miller Wilson Road.

Segment Type Freshwater Stream

**AU\_ID: 1001C\_01** Perennial stream from the confluence with Jackson Bayou upstream to Miller Wilson Road.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 1001D Bear Lake**

Encompasses the entire tidal portion of the bay (tributary bay of San Jacinto Tidal)

Segment Type Estuary

**AU\_ID: 1001D\_01** Encompasses the entire tidal portion of the bay (tributary bay of San Jacinto Tidal)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Estuary	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 1002 Lake Houston**

From Lake Houston Dam in Harris County to the confluence of Spring Creek on the West Fork San Jacinto Arm in Harris/Montgomery County and to the confluence of Caney Creek on the East Fork San Jacinto Arm in Harris County, up to normal pool elevation of 44

Segment Type Reservoir

**AU\_ID: 1002\_01** From the Red Gully confluence to FM 1960 East Pass

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11212; 18670

**AU\_ID: 1002\_02** From West Lake Houston Parkway to FM 1960 West Pass

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11211; 18667

**AU\_ID: 1002\_03** From the downstream side of FM 1960 (includes East and West Passes) to the Missouri Pacific Railroad Tracks

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11208

**AU\_ID: 1002\_04** From the Missouri Pacific Railroad Tracks to Foley Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 16668; 20184; 20185; 20929

**AU\_ID: 1002\_05** From Foley Road to the Lake Houston Dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11204; 20928; 20931

**AU\_ID: 1002\_06** From the confluence with Spring Creek to West Lake Houston Pkwy

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11213; 18669; 20782

**AU\_ID: 1002\_07** From the East Fork San Jacinto River confluence to the Red Gully confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 16623

**SegID: 1002A Tarkington Bayou**

From the Luce Bayou confluence upstream to a point just upstream of FM 2025 in Liberty County

Segment Type Freshwater Stream

**AU\_ID: 1002A\_01** From the Luce Bayou confluence upstream to the Little Tarkington Bayou confluence near the City of Cleveland

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** 20466

**AU\_ID: 1002A\_02** From the Little Tarkington Bayou confluence to just upstream of FM 2025

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Water body description	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1002B Luce Bayou**

From confluence with Lake Houston (Harris County) to FM 1008 (Liberty County)

Segment Type Freshwater Stream

**AU\_ID: 1002B\_01** From the Lake Houston confluence upstream to the Key Gully confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Routine Flow Data	Intermediate	Presumption from flow type

**Station ID(s):** 11187

**AU\_ID: 1002B\_02** From the Key Gully confluence upstream to the Tarkington Bayou confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**AU\_ID: 1002B\_03** From the Tarkington Bayou confluence upstream to FM 1008

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1002C Lake Isabell**

Small lake located at the southern end of Lake Houston Park northeast of the Caney Creek (1010) and East Fork of the San Jacinto River (1003) confluence in Harris County.

Segment Type Reservoir

**AU\_ID: 1002C\_01** Small lake located at the southern end of Lake Houston Park northeast of the Caney Creek (1010) and East Fork of the San Jacinto River (1003) confluence in Harris County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

**SegID: 1003 East Fork San Jacinto River**

From the confluence of Caney Creek in Harris County to US 190 in Walker County

Segment Type Freshwater Stream

**AU\_ID: 1003\_01** From the Caney Creek confluence upstream to US 59

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11235

**AU\_ID: 1003\_02** From US Hwy 59 to a point immediately downstream of State Hwy 150

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11238; 14242

**AU\_ID: 1003\_03** From a point immediately downstream of State Hwy 150 to US 190 (upper segment boundary)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11237; 17431

**SegID: 1003A Winters Bayou**

From the confluence with East Fork San Jacinto River to 0.17 mi upstream of Dorrell Road at the confluence of Phelps creek.

Segment Type Freshwater Stream

**AU\_ID: 1003A\_01** From the confluence with East Fork San Jacinto River to 0.17 mi upstream of Dorrell Road at the confluence of Phelps creek.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 21417

**SegID: 1004 West Fork San Jacinto River**

From the confluence of Spring Creek in Harris/Montgomery County to Conroe Dam in Montgomery County

Segment Type Freshwater Stream

**AU\_ID: 1004\_01** From the Spring Creek confluence upstream to the Stewart Creek confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

Station ID(s): 11243

**AU\_ID: 1004\_02** From the Stewart Creek confluence upstream to the Lake Conroe Dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

Station ID(s): 11245; 11250; 11251

**SegID: 1004A East Fork White Oak Creek**

Perennial stream from the confluence with White Oak Creek upstream to the confluence of an unnamed tributary approximately 0.4 km upstream of League Line road in the City of Panorama Village

Segment Type Freshwater Stream

**AU\_ID: 1004A\_01** Perennial stream from the confluence with White Oak Creek upstream to the confluence of an unnamed tributary approximately 0.4 km upstream of League Line road in the City of Panorama Village

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

Station ID(s): No Stations

**SegID: 1004B West Fork White Oak Creek**

Perennial stream from the confluence with White Oak Creek upstream to an on-channel impoundment on West Fork White Oak Creek 1.2 km upstream of League Line Road

Segment Type Freshwater Stream

**AU\_ID: 1004B\_01** Perennial stream from the confluence with White Oak Creek upstream to an on-channel impoundment on West Fork White Oak Creek 1.2 km upstream of League Line Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	High	TSWQS Appendix D

Station ID(s): No Stations

**SegID: 1004C Unnamed Tributary**

Perennial stream from the confluence of the West Fork San Jacinto River upstream to the Missouri-Pacific Railroad bridge crossing located east of IH 45 and north of Needham Road approximately 10 km south of the City of Conroe

Segment Type Freshwater Stream

**AU\_ID: 1004C\_01** Perennial stream from the confluence of the West Fork San Jacinto River upstream to the Missouri-Pacific Railroad bridge crossing located east of IH 45 and north of Needham Road approximately 10 km south of the City of Conroe

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 1004D Crystal Creek**

From the West Fork of the San Jacinto River confluence to the confluence of the east and west forks of Crystal Creek

Segment Type Freshwater Stream

**AU\_ID: 1004D\_01** From the Confluence with West Fork San Jacinto River upstream to confluence of the East and West Forks of Crystal Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 11181; 16635

**SegID: 1004E Stewarts Creek**

From headwaters northwest of old Montgomery Rd to confluence with West Fork of the San Jacinto River

Segment Type Freshwater Stream

**AU\_ID: 1004E\_01** From headwaters NW of Old Montgomery Road to an unnamed impoundment at Airport Rd N of SH 105

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**AU\_ID: 1004E\_02** From Airport Rd to confluence with West Fork San Jacinto River

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 16626

**SegID: 1004F Woodsons Gully**

Perennial stream from the confluence with West Fork San Jacinto River upstream to the confluence with an unnamed tributary approximately 1.9 km upstream from Riley-Fussel Road

Segment Type Freshwater Stream

**AU\_ID: 1004F\_01** Perennial stream from the confluence with the West Fork San Jacinto River upstream to the confluence with an unnamed tributary approximately 1.9 km upstream of Riley-Fussel Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	High	TSWQS Appendix D

Station ID(s): No Stations

**SegID: 1004G West Fork of Crystal Creek**

From the Crystal Creek confluence upstream of a point 0.30 km (0.19 mi) northeast of the FM 3083 and Loop 336 intersection

Segment Type Freshwater Stream

**AU\_ID: 1004G\_01** From the Crystal Creek confluence upstream of a point 0.30 km (0.19 mi) northeast of the FM 3083 and Loop 336 intersection

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

Station ID(s): No Stations

**SegID: 1004H Unnamed tributary of Woodsons Gully**

Perennial stream from the confluence with Woodsons Gully upstream to the headwaters

Segment Type Freshwater Stream

**AU\_ID: 1004H\_01** Perennial stream from the confluence with Woodsons Gully upstream to the headwaters

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	High	TSWQS Appendix D

Station ID(s): No Stations

**SegID: 1004I Alligator Creek**

From the confluence of the West Fork of the San Jacinto River to 0.43 mi upstream of where the water body crosses Sgt Ed Holcomb Blvd.

Segment Type Freshwater Stream

**AU\_ID: 1004I\_01** From the confluence of the West Fork of the San Jacinto River to 0.43 mi upstream of where the water body crosses Sgt Ed Holcomb Blvd.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

Station ID(s): 20732

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1004J White Oak Creek

Perennial stream from the confluence with West Fork San Jacinto River upstream to the confluence with East Fork White Oak Creek and West Fork White Oak Creek in Conroe

Segment Type Freshwater Stream

**AU\_ID: 1004J\_01** Perennial stream from the confluence with West Fork San Jacinto River upstream to the confluence with East Fork White Oak Creek and West Fork White Oak Creek in Conroe

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 20731

### SegID: 1005 Houston Ship Channel/San Jacinto River Tidal

From the confluence with Galveston Bay at Morgan's Point in Harris/Chambers County to a point 100 meters (110 yards) downstream of IH 10 in Harris County

Segment Type Tidal Stream

**AU\_ID: 1005\_01** Downstream I-10 to Lynchburg Ferry Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11261; 11262; 15301; 16619; 16621

**AU\_ID: 1005\_02** Lynchburg Ferry Road to Goose Island

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11258; 15897

**AU\_ID: 1005\_03** Goose Island to SH 146

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11254; 16618

**AU\_ID: 1005\_04** SH 146 to Morgans Point

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11252



## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1006 Houston Ship Channel Tidal

From the confluence with the San Jacinto River in Harris County to a point immediately upstream of Greens Bayou in Harris County, including tidal portions of tributaries

Segment Type Tidal Stream

**AU\_ID: 1006\_01** Houston Ship Channel Tidal-From the Greens Bayou confluence to the Patrick Bayou confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	Minimal	TSWQS Appendix A

**Station ID(s):** 11270; 11271; 15979; 16617

**AU\_ID: 1006\_02** Houston Ship Channel Tidal- From the Patrick Bayou confluence to the Houston Ship Channel/San Jacinto River Tidal (1005) confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	Minimal	TSWQS Appendix A

**Station ID(s):** 11264; 11265; 15936

**AU\_ID: 1006\_03** Greens Bayou Tidal- From the Houston Ship Channel confluence to a point 0.7 km (0.4 miles) upstream of the Halls Bayou confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	Minimal	TSWQS Appendix A

**Station ID(s):** 11274; 11277; 11279; 16981; 18363; 21008

**AU\_ID: 1006\_04** Patrick Bayou Tidal - From the confluence with the Houston Ship Channel to 100 m (328 ft) upstream of the railroad bridge

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	Minimal	TSWQS Appendix A

**Station ID(s):** 11273; 16872; 16877; 17149; 17151; 17152; 17154

**AU\_ID: 1006\_05** Goodyear Creek-From confluence with Greens Bayou Tidal to Granada St. in Harris County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	Minimal	TSWQS Appendix A

**Station ID(s):** 16664

**AU\_ID: 1006\_06** Tucker Bayou- From the Houston Ship Channel confluence to a point 2.7 km (1.7 mi) upstream

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	Minimal	TSWQS Appendix A

**Station ID(s):** 18322

**AU\_ID: 1006\_07** Carpenters Bayou-From the Houston Ship Channel confluence to the lower boundary of 1006B (2.3 m/ 1.4 mi) upstream from the Houston Ship Channel confluence)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	Minimal	TSWQS Appendix A

**Station ID(s):** 11272; 20797

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1006B Carpenters Bayou

Perennial stream from 9.0 km upstream of Houston Ship Channel up to Sheldon Reservoir

Segment Type Freshwater Stream

**AU\_ID: 1006B\_01** Perennial stream from 9.0 km upstream of Houston Ship Channel up to 0.8 km upstream of Wallisville Road, per WQS App D first entry

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix D

ALU Designation  
Intermediate

ALU Designation Source  
TSWQS Appendix D

Station ID(s): 11175; 20575

**AU\_ID: 1006B\_02** Perennial stream from 0.8 km upstream of Wallisville Road up to Sheldon Reservoir, per WQS App D second entry

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix D

ALU Designation  
Limited

ALU Designation Source  
TSWQS Appendix D

Station ID(s): No Stations

### SegID: 1006D Halls Bayou

From the Greens Bayou confluence upstream to Frick Road in Harris County

Segment Type Freshwater Stream

**AU\_ID: 1006D\_01** From the Greens Bayou confluence upstream to US 59

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix D

ALU Designation  
Intermediate

ALU Designation Source  
TSWQS Appendix D

Station ID(s): 11127; 15862; 15863; 15864; 20535

**AU\_ID: 1006D\_02** From US 59 upstream to Frick Road

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix D

ALU Designation  
Limited

ALU Designation Source  
TSWQS Appendix D

Station ID(s): 11126; 17490; 17491; 20455; 20553

### SegID: 1006F Big Gulch Above Tidal

From the confluence with Greens Bayou Tidal to Wallisville Road in Harris County

Segment Type Freshwater Stream

**AU\_ID: 1006F\_01** From the confluence with Greens Bayou Tidal to Wallisville Road in Harris County

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
Intermediate

ALU Designation Source  
Previous TCEQ permit decision

Station ID(s): 16662

**SegID: 1006H Spring Gully Above Tidal**

From confluence with Greens Bayou to US 90 in Harris County

Segment Type Freshwater Stream

**AU\_ID: 1006H\_01** From confluence with Greens Bayou to US 90 in Harris County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	Intermediate	Presumption from flow type

Station ID(s): 16663

**SegID: 1006I Unnamed Tributary of Halls Bayou**

From the confluence with Halls Bayou to a point 0.13 mi upstream of Richland Drive in Harris County

Segment Type Freshwater Stream

**AU\_ID: 1006I\_01** From the confluence with Halls Bayou to a point 0.13 mi upstream of Richland Drive in Harris County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	Limited	Previous TCEQ permit decision

Station ID(s): 16666; 16667

**SegID: 1006J Unnamed Tributary of Halls Bayou**

From the confluence with Halls Bayou (east of US 59 and south of Langley Road) to Mount Houston Road in Harris County

Segment Type Freshwater Stream

**AU\_ID: 1006J\_01** From the Halls Bayou confluence (east of US 59 and south of Langley Road) to Mount Houston Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	Limited	Presumption from flow type

Station ID(s): 16665

**SegID: 1006K Unnamed Tributary of Halls Bayou**

From the Halls Bayou confluence to Jensen Drive in Harris County

Segment Type Freshwater Stream

**AU\_ID: 1006K\_01** From the Halls Bayou confluence to Jensen Drive

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

Station ID(s): No Stations

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1007 Houston Ship Channel/Buffalo Bayou Tidal

From a point immediately upstream of Greens Bayou in Harris County to a point 100 meters (110 yards) upstream of US 59 in Harris County, including tidal portion of tributaries

Segment Type Tidal Stream

**AU\_ID: 1007\_01** Houston Ship Channel - From a point immediately upstream of Greens Bayou Tidal to immediately upstream of the 69th Street WWTP outfall

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	Minimal	TSWQS Appendix A

**Station ID(s):** 11280; 11283; 11284; 11287; 16620

**AU\_ID: 1007\_02** Sims Bayou Tidal - From the Houston Ship Channel confluence to a point 11 km (6.8 mi) upstream

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	Minimal	TSWQS Appendix A

**Station ID(s):** 11302; 20736

**AU\_ID: 1007\_03** Hunting Bayou Tidal - From the Houston Ship Channel confluence to IH-10

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	Minimal	TSWQS Appendix A

**Station ID(s):** 11298; 18362

**AU\_ID: 1007\_04** Brays Bayou Tidal - From the Houston Ship Channel confluence to downstream of IH-45

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	Minimal	TSWQS Appendix A

**Station ID(s):** 11306; 11309; 16479; 18561; 20196; 20735

**AU\_ID: 1007\_05** Vince Bayou Tidal - From the Houston Ship Channel confluence to SH 225

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	Minimal	TSWQS Appendix A

**Station ID(s):** 11285; 11299; 11300; 20654

**AU\_ID: 1007\_06** Berry Bayou - From the Houston Ship Channel confluence to a point 2.4 km (1.5 mi) upstream of the Sims Bayou confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	Minimal	TSWQS Appendix A

**Station ID(s):** 16660

**AU\_ID: 1007\_07** Buffalo Bayou - From immediately upstream of 69th Street WWTP outfall to US 59

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	Minimal	TSWQS Appendix A

**Station ID(s):** 11288; 11292; 11294; 11296; 15841

**AU\_ID: 1007\_08** Little Vince Bayou Tidal - From the Vince Bayou confluence to SH 225

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	Minimal	TSWQS Appendix A

**Station ID(s):** 11172

**SegID: 1007A Canal C-147**

From the confluence with Sims Bayou to a point 0.71 km east of Beltway 8 in Houston

Segment Type Freshwater Stream

**AU\_ID: 1007A\_01** From the confluence with Sims Bayou upstream to a point 0.71 km east of Beltway 8

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	WQS/Permits program	Limited	Previous TCEQ permit decision

**Station ID(s):** 16656

**SegID: 1007B Brays Bayou Above Tidal**

From a point 11.5 km (7.1 mi) upstream of confluence with Houston Ship Channel up to SH 6

Segment Type Freshwater Stream

**AU\_ID: 1007B\_01** From a point 11.5 km (7.1 mi) upstream of confluence with Houston Ship Channel up to SH 6

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D

**Station ID(s):** 11138; 11139; 11140; 15849; 15850; 15851; 15852; 15853; 15854; 15855; 15859

**AU\_ID: 1007B\_02** From State Highway 6 upstream to Clodine Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	WQS/Permits program	Limited	Presumption from flow type

**Station ID(s):** 15848

**SegID: 1007C Keegans Bayou Above Tidal**

From the Brays Bayou confluence upstream to Harris County line

Segment Type Freshwater Stream

**AU\_ID: 1007C\_01** From the Brays Bayou confluence to the Harris County Line

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D

**Station ID(s):** 11169; 20211

**SegID: 1007D Sims Bayou Above Tidal**

Perennial stream from 11.0 km upstream of confluence with Houston Ship Channel upstream to Hiram Clark Drive

Segment Type Freshwater Stream

**AU\_ID: 1007D\_01** From Fort Bend Parkway to Hiram Clarke

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	WQS/Permits program	Intermediate	Presumption from flow type

**Station ID(s):** 11135; 17976

**AU\_ID: 1007D\_02** From Hiram Clark to 11 miles upstream of the confluence with the Houston Ship Channel

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D

**Station ID(s):** 11133; 15876

**AU\_ID: 1007D\_03** From 11 miles upstream of the Houston Ship Channel confluence to SH 35

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	WQS/Permits program	Limited	Presumption from flow type

**Station ID(s):** 11132; 15877; 15878

**SegID: 1007E Willow Waterhole Bayou Above Tidal**

From the Brays Bayou confluence upstream to South Garden (in Missouri City)

Segment Type Freshwater Stream

**AU\_ID: 1007E\_01** From the Brays Bayou confluence upstream to South Garden Street

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D

**Station ID(s):** 16652

**SegID: 1007F Berry Bayou Above Tidal**

From a point 2.4 km (1.5 mi) upstream of the Sims Bayou confluence to the southern city limits of South Houston

Segment Type Freshwater Stream

**AU\_ID: 1007F\_01** From a point 2.4 km (1.5 mi) upstream of the Sims Bayou confluence to SH 3

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D

**Station ID(s):** 16661

**SegID: 1007G Kuhlman Gully Above Tidal**

From Brays Bayou confluence to Atchison, Topeka and Santa Fe Railroad tracks in Harris County

Segment Type Freshwater Stream

**AU\_ID: 1007G\_01** From Brays Bayou confluence to Atchison, Topeka and Santa Fe Railroad tracks

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 16653

**SegID: 1007H Pine Gully Above Tidal**

From the Sims Bayou confluence to 0.11 km (0.07 mi) east of Broadway Street in Harris County

Segment Type Freshwater Stream

**AU\_ID: 1007H\_01** From the Sims Bayou confluence to 0.11 km (0.07 mi) east of Broadway Street

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	WQS/Permits program	Intermediate	Presumption from flow type

**Station ID(s):** 16659

**SegID: 1007I Plum Creek Above Tidal**

From the Sims Bayou confluence to Telephone Road in Harris County

Segment Type Freshwater Stream

**AU\_ID: 1007I\_01** From the Sims Bayou confluence to Telephone Road in Harris County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	WQS/Permits program	Intermediate	Presumption from flow type

**Station ID(s):** 16658

**SegID: 1007K Country Club Bayou Above Tidal**

From just downstream of South Lockwood Drive to the confluence with Brays Bayou to approximately 0.5 mi upstream of North Wayside Drive in Harris County

Segment Type Freshwater Stream

**AU\_ID: 1007K\_01** From just downstream of South Lockwood Drive to the confluence with Brays Bayou

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	Intermediate	Presumption from flow type

**Station ID(s):** 16650; 16651

**SegID: 1007L Unnamed Tributary of Brays Bayou**

From the Brays Bayou confluence near Fondren Road to a point 0.97 km (0.60 mi) upstream in Harris County

Segment Type Freshwater Stream

**AU\_ID: 1007L\_01** From the Brays Bayou confluence near Fondren Road to a point (0.37 km) 0.60 miles upstream in Harris County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Water body description	Intermediate	Presumption from flow type

**Station ID(s):** 16654

**SegID: 1007M Unnamed Tributary of Hunting Bayou**

From the confluence with Hunting Bayou to Mercury Road in Harris County

Segment Type Freshwater Stream

**AU\_ID: 1007M\_01** From the confluence with Hunting Bayou to Mercury Road in Harris County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	Intermediate	Previous TCEQ permit decision

**Station ID(s):** 16657

**SegID: 1007N Unnamed Tributary of Sims Bayou**

From the confluence with Sims Bayou, south of Airport Road, east of SH 288 in Harris County

Segment Type Freshwater Stream

**AU\_ID: 1007N\_01** From the confluence with Sims Bayou, south of Airport Road, east of SH 288 in Harris County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	Intermediate	Presumption from flow type

**Station ID(s):** 16655

**SegID: 1007O Unnamed Tributary of Buffalo Bayou**

From the confluence with Buffalo Bayou to IH-10 between Hirsch Road and Lockwood in Harris County

Segment Type Freshwater Stream

**AU\_ID: 1007O\_01** From the confluence with Buffalo Bayou to IH-10 between Hirsch Road and Lockwood in Harris County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	Intermediate	Presumption from flow type

**Station ID(s):** 16649



**SegID: 1007R Hunting Bayou Above Tidal**

From the confluence with Hunting Bayou Tidal at IH-10 to Maury Street on the north fork and Bain Street on the south fork

Segment Type Freshwater Stream

**AU\_ID: 1007R\_01** From Bain Street to Sayers Street (South Fork)

<u>Flow Type</u> Perennial	<u>Flow Type Source</u> WQS/Permits program	<u>ALU Designation</u> Intermediate	<u>ALU Designation Source</u> Presumption from flow type
-------------------------------	--	--	---

**Station ID(s):** 15869

**AU\_ID: 1007R\_02** From just east of Elysian Street to Falls Street (North Fork)

<u>Flow Type</u> Perennial	<u>Flow Type Source</u> WQS/Permits program	<u>ALU Designation</u> Intermediate	<u>ALU Designation Source</u> Presumption from flow type
-------------------------------	--	--	---

**Station ID(s):** 15867

**AU\_ID: 1007R\_03** From Falls Street to Loop 610

<u>Flow Type</u> Perennial	<u>Flow Type Source</u> WQS/Permits program	<u>ALU Designation</u> Intermediate	<u>ALU Designation Source</u> Presumption from flow type
-------------------------------	--	--	---

**Station ID(s):** 11129; 15873

**AU\_ID: 1007R\_04** From Loop 610 East to IH 10

<u>Flow Type</u> Perennial	<u>Flow Type Source</u> WQS/Permits program	<u>ALU Designation</u> Intermediate	<u>ALU Designation Source</u> Presumption from flow type
-------------------------------	--	--	---

**Station ID(s):** 11128; 20574

**SegID: 1007S Poor Farm Ditch**

From the Brays Bayou confluence upstream 3.6 km (2.3 mi) to the Bissonnet Road bridge crossing

Segment Type Freshwater Stream

**AU\_ID: 1007S\_01** From the Brays Bayou confluence upstream 3.6 km (2.3 mi) to the Bissonnet Road bridge crossing

<u>Flow Type</u> Perennial	<u>Flow Type Source</u> TSWQS Appendix D	<u>ALU Designation</u> Intermediate	<u>ALU Designation Source</u> TSWQS Appendix D
-------------------------------	---	--	---

**Station ID(s):** 18692

**SegID: 1007T Bintliff Ditch**

From the Brays Bayou confluence upstream 5.8 km (3.6 mi) to the Fondren Road bridge crossing

Segment Type Freshwater Stream

**AU\_ID: 1007T\_01** From the Brays Bayou confluence to 0.57 km (0.35 mi) upstream of the Fondren Road bridge crossing

<u>Flow Type</u> Perennial	<u>Flow Type Source</u> TSWQS Appendix D	<u>ALU Designation</u> Intermediate	<u>ALU Designation Source</u> TSWQS Appendix D
-------------------------------	---	--	---

**Station ID(s):** 18690

**SegID: 1007U Mimosa Ditch**

From the Brays Bayou confluence upstream 2.9 km (1.8 mi) to the Chimney Rock bridge crossing

Segment Type Freshwater Stream

**AU\_ID: 1007U\_01** From the Brays Bayou confluence upstream 2.9 km (1.8 mi) to the Chimney Rock bridge crossing

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix D

ALU Designation  
Intermediate

ALU Designation Source  
TSWQS Appendix D

**Station ID(s):** 18691

**SegID: 1007V Unnamed Tributary of Hunting Bayou**

From the Hunting Bayou confluence to 1.7 km (1.1 mi) upstream of the confluence (0.3 km west of Collingsworth Street)

Segment Type Freshwater Stream

**AU\_ID: 1007V\_01** From the Hunting Bayou confluence to 1.7 km (1.1 mi) upstream of the confluence (0.3 km west of Collingsworth Street)

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix D

ALU Designation  
Intermediate

ALU Designation Source  
TSWQS Appendix D

**Station ID(s):** 18689

**SegID: 1007W Harris County Flood Control Ditch D 138**

From the confluence with Brays Bayou to a point immediately south of Beechnut Street in Houston

Segment Type Freshwater Stream

**AU\_ID: 1007W\_01** From the confluence with Brays Bayou to a point immediately south of Beechnut Street in Houston

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix D

ALU Designation  
Limited

ALU Designation Source  
TSWQS Appendix D

**Station ID(s):** 21180

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1008 Spring Creek

From the confluence with the West Fork of the San Jacinto River in Harris/Montgomery County to the confluence with Kickapoo Creek in Harris/Waller County

Segment Type Freshwater Stream

**AU\_ID: 1008\_02** Kickapoo Creek confluence to SH 249

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 11314; 11315; 11323; 18868

**AU\_ID: 1008\_03** SH 249 to IH 45

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 11313; 17489; 18198

**AU\_ID: 1008\_04** IH 45 to the confluence with Lake Houston

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 11312

### SegID: 1008A Mill Creek

From the confluence of Spring Creek upstream to where the creek splits between Hurricane creek and Kickapoo creek.

Segment Type Freshwater Stream

**AU\_ID: 1008A\_01** From the confluence of Spring Creek upstream to where the creek splits between Hurricane creek and Kickapoo creek.

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix D

ALU Designation  
Intermediate

ALU Designation Source  
TSWQS Appendix D

**Station ID(s):** 20461

**SegID: 1008B Upper Panther Branch**

From the normal pool elevation of 125 feet of Lake Woodlands upstream to Old Conroe Road

Segment Type Freshwater Stream

**AU\_ID: 1008B\_01** From Old Conroe Road to a point 0.22 miles (0.35 km) upstream of the Bear Branch confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** 16630

**AU\_ID: 1008B\_02** From a point 0.22 miles (0.35 km) upstream of the Bear Branch confluence to the confluence of Lake Woodlands

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	TSWQS Appendix D	Limited	TSWQS Appendix D

**Station ID(s):** 16629

**SegID: 1008C Lower Panther Branch**

From the Spring Creek confluence upstream to the dam impounding Lake Woodlands in Montgomery County

Segment Type Freshwater Stream

**AU\_ID: 1008C\_01** From Spring Creek confluence upstream to Saw Dust Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** 16422; 16628

**AU\_ID: 1008C\_02** From Saw Dust Road to the Lake Woodlands Dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** 16627

**SegID: 1008D Metzler Creek**

Intermittent stream with perennial pools from the confluence of Cannon Gully up to 0.2 km below Kuykendahl Road

Segment Type Freshwater Stream

**AU\_ID: 1008D\_01** Intermittent stream with perennial pools from the confluence of Cannon Gully up to 0.2 km below Kuykendahl Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	TSWQS Appendix D	Limited	TSWQS Appendix D

**Station ID(s):** No Stations

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1008E Bear Branch

From the Upper Panther Branch confluence to south of FM 1488 in Montgomery County

Segment Type Freshwater Stream

**AU\_ID: 1008E\_01** From Upper Panther Branch confluence to south of FM 1488

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** 16631

### SegID: 1008F Lake Woodlands

From Lake Woodlands Dam to confluence with Upper Panther Branch Creek in Montgomery County (impounds Upper Panther Branch)

Segment Type Reservoir

**AU\_ID: 1008F\_01** Upper end of segment to Northshore Park/Woodlock Forest

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	Water body description	High	Presumption from Flow Type

**Station ID(s):** 16484; 20568

**AU\_ID: 1008F\_02** Northshore Park/Woodlock Forest to inflow from unnamed tributary

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	Water body description	High	Presumption from Flow Type

**Station ID(s):** 16483

**AU\_ID: 1008F\_03** From inflow of unnamed tributary to dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	Water body description	High	Presumption from Flow Type

**Station ID(s):** 16482

**AU\_ID: 1008F\_04** Arm near dam adjacent to West Isle Drive and Pleasure Cove Drive

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	Water body description	High	Presumption from Flow Type

**Station ID(s):** 16481

### SegID: 1008H Willow Creek

From the Spring Creek confluence to a point 0.48 km (0.3 mi) north of Juergen Rd

Segment Type Freshwater Stream

**AU\_ID: 1008H\_01** From the Spring Creek confluence to a point 0.48 km (0.3 mi) north of Juergen Rd

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 11185; 20730

**SegID: 1008I Walnut Creek**

From the Spring Creek confluence to a point 41.1 km (25.5 mi) upstream

Segment Type Freshwater Stream

**AU\_ID: 1008I\_01** From the Spring Creek confluence to a point 41.1 km (25.5 mi) upstream

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 20462

**SegID: 1008J Brushy Creek**

From the Spring Creek confluence upstream to a point 5.6 km (3.5 mi) upstream of FM 1488

Segment Type Freshwater Stream

**AU\_ID: 1008J\_01** From the Spring Creek confluence upstream to a point 5.6 km (3.5 mi) upstream of FM 1488

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 20463

**SegID: 1008K Arnold Branch**

Intermittent stream with perennial pools from the confluence with Mink Branch upstream to the headwaters just upstream of FM 1774

Segment Type Freshwater Stream

**AU\_ID: 1008K\_01** Intermittent stream with perennial pools from the confluence with Mink Branch upstream to the headwaters just upstream of FM 1774

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 1008L Mink Branch**

Perennial stream from the confluence with Walnut Creek upstream to the confluence with an unnamed tributary approximately 1.0 km upstream of Nichols-Sawmill Road

Segment Type Freshwater Stream

**AU\_ID: 1008L\_01** Perennial stream from the confluence with Walnut Creek upstream to the confluence with an unnamed tributary approximately 1.0 km upstream of Nichols-Sawmill Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 1008M Sulphur Branch**

Intermittent stream with perennial pools from an unnamed reservoir, known locally as Lake Apache, upstream to FM 1774. The unnamed reservoir impounds Sulphur Branch approximately 0.8 km upstream of the confluence with Walnut Creek

Segment Type Freshwater Stream

**AU\_ID: 1008M\_01** Intermittent stream with perennial pools from an unnamed reservoir, known locally as Lake Apache, upstream to FM 1774

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 1009 Cypress Creek**

From the confluence with Spring Creek in Harris County to the confluence of Snake Creek and Mound Creek in Waller County

Segment Type Freshwater Stream

**AU\_ID: 1009\_01** Upper portion of segment to downstream of US 290

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11333; 20457

**AU\_ID: 1009\_02** US 290 to SH 249

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11331; 11332

**AU\_ID: 1009\_03** SH 249 to IH 45

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11328; 11330

**AU\_ID: 1009\_04** IH 45 to confluence with Spring Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11324

**SegID: 1009A Dry Creek**

Perennial stream from the confluence with Cypress Creek upstream to the Harris County Flood Control District ditch K-145-01-00, 0.29 km upstream of Spring Cypress Road north of US 290

Segment Type Freshwater Stream

**AU\_ID: 1009A\_01** Perennial stream from the confluence with Cypress Creek upstream to the beginning of channelization at Jarvis Rd, 0.6km upstream from the confluence with Cypress Creek north of US 290

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

Station ID(s): No Stations

**AU\_ID: 1009A\_02** Perennial stream from the point where channelization begins at Jarvis Road, 0.6 km upstream of the confluence with Cypress Creek, upstream to Harris County Flood Control District ditch K-145-01-00, 0.29 km upstream of Spring Cypress Rd north of US 290

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D

Station ID(s): No Stations

**SegID: 1009C Faulkey Gully**

From Cypress Creek confluence with upstream 3.2 km (2.0 mi), which is approximately 1.0 km upstream of Louetta Road

Segment Type Freshwater Stream

**AU\_ID: 1009C\_01** From the Cypress Creek confluence to a point 11.7 km (7.2 mi) upstream

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Flow Questionnaire	Minimal	Presumption from flow type

Station ID(s): 17496

**SegID: 1009D Spring Gully**

From the Cypress Creek confluence upstream to near Spring Cypress Road

Segment Type Freshwater Stream

**AU\_ID: 1009D\_01** From the Cypress Creek confluence upstream to near Spring Cypress Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

Station ID(s): 17481



**SegID: 1009E Little Cypress Creek**

From the Cypress Creek confluence to a point 11 km (6.8 mi) upstream in Harris County

Segment Type Freshwater Stream

**AU\_ID: 1009E\_01** From the Cypress Creek confluence to a point 11 km (6.8 mi) upstream

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Flow Questionnaire	High	Presumption from flow type

**Station ID(s):** 14159; 20456

**SegID: 1009F Mound Creek**

Perennial stream from the confluence with Snake Creek, which together from Cypress Creek, upstream to an unnamed tributary 1.95 km upstream of FM 362

Segment Type Freshwater Stream

**AU\_ID: 1009F\_01** Perennial stream from the confluence with Snake Creek, which together form Cypress Creek, upstream to an unnamed tributary 1.95 km upstream of FM 362

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	WQS/Permits program	High	Previous TCEQ permit decision

**Station ID(s):** No Stations

**SegID: 1009G Dry Gully**

Perennial stream from its confluence with Cypress Creek upstream to Spring Cypress Road

Segment Type Freshwater Stream

**AU\_ID: 1009G\_01** Perennial stream from its confluence with Cypress Creek upstream 3.2 km, which is approximately 1 km upstream of Louetta Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** No Stations

**AU\_ID: 1009G\_02** Perennial stream from a point 1 km upstream of Louetta Road upstream to Spring Cypress Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D

**Station ID(s):** No Stations

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1010 Caney Creek

From the confluence with the East Fork San Jacinto River in Harris County to SH 150 in Walker County

Segment Type Freshwater Stream

**AU\_ID: 1010\_01** Remaining upper portion of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 1010\_02** FM 1097 to SH 105

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 14241; 20453; 21465

**AU\_ID: 1010\_03** SH 105 to FM 2090

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11335

**AU\_ID: 1010\_04** FM 2090 to lower segment boundary

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11334; 20452

### SegID: 1010A Dry Creek

Intermittent stream with perennial pools from Caney Creek upstream to the confluence with and unnamed tributary approximately 3.6 km upstream of SH 242

Segment Type Freshwater Stream

**AU\_ID: 1010A\_01** Intermittent stream with perennial pools from Caney Creek upstream to the confluence with an unnamed tributary approximately 3.6 km upstream of SH 242

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 1010B White Oak Creek**

Perennial stream from the confluence with Caney Creek upstream to the confluence with an unnamed tributary approximately 2.08 km upstream of US 59

Segment Type Freshwater Stream

**AU\_ID: 1010B\_01** Perennial stream from the confluence with Caney Creek upstream to the confluence with an unnamed tributary approximately 2.08 km upstream of US 59

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	WQS/Permits program	High	Previous TCEQ permit decision

**Station ID(s):** No Stations

**SegID: 1010C Spring Branch**

From the Caney Creek confluence to a point 0.54 km (0.34 mi) upstream of SH 105

Segment Type Freshwater Stream

**AU\_ID: 1010C\_01** From the Caney Creek confluence to a point 0.54 km (0.34 mi) upstream of SH 105

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 20451

**SegID: 1011 Peach Creek**

From the confluence with Caney Creek in Montgomery County to SH 150 in Walker County

Segment Type Freshwater Stream

**AU\_ID: 1011\_01** Upper segment boundary to US Hwy 59

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11337; 16625; 20454

**AU\_ID: 1011\_02** US Hwy 59 to confluence with Caney Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11336; 17746

**SegID: 1012     Lake Conroe**

From Conroe Dam in Montgomery County up to the normal pool elevation of 201 feet  
(impounds West Fork San Jacinto River)

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1012 Lake Conroe

From Conroe Dam in Montgomery County up to the normal pool elevation of 201 feet (impounds West Fork San Jacinto River)

Segment Type Reservoir

**AU\_ID: 1012\_01** West Fork San Jacinto River arm to FM1375

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11344

**AU\_ID: 1012\_02** FM 1375 to Johnson Bluff

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 16645

**AU\_ID: 1012\_03** Lewis Creek arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 16644; 18497

**AU\_ID: 1012\_04** Caney Creek arm to Hunters Point

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 13921; 16643

**AU\_ID: 1012\_05** Johnson Bluff to FM 1097

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 13920; 16642

**AU\_ID: 1012\_06** Little Lake Creek arm to Walden Estates

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 13919; 16640

**AU\_ID: 1012\_07** Lewis Creek arm to Bowsprit Point

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 16641

**AU\_ID: 1012\_08** Atkins Creek/Stewart Creek arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 13916; 16638

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1012 Lake Conroe

From Conroe Dam in Montgomery County up to the normal pool elevation of 201 feet (impounds West Fork San Jacinto River)

Segment Type Reservoir

**AU\_ID: 1012\_09** Live Branch Creek arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 1012\_10** FM 1097 to Walden Estates (main lake)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 1012\_11** Walden Estates to dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11342; 13915; 13917; 13918; 16639

### SegID: 1012A Town Creek

Perennial stream from the confluence with Atkins Creek upstream to the confluence with Carwile Creek

Segment Type Freshwater Stream

**AU\_ID: 1012A\_01** Perennial stream from the confluence with Atkins Creek upstream to the confluence with Carwile Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** No Stations

### SegID: 1012B Robinson Creek

Perennial stream from the confluence with the West Fork San Jacinto River upstream to the confluence with an unnamed second order tributary approximately 0.1 km upstream of Bethel Road

Segment Type Freshwater Stream

**AU\_ID: 1012B\_01** Perennial stream from the confluence with the West Fork San Jacinto River upstream to the confluence with an unnamed second order tributary approximately 0.1 km upstream of Bethel Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 1012C Lake Raven**

Adjacent to Park Road 40 within the boundaries of Huntsville State Park in Walker County

Segment Type Reservoir

**AU\_ID: 1012C\_01** Adjacent to Park Road 40 within the boundaries of Huntsville State Park in Walker County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

**SegID: 1013 Buffalo Bayou Tidal**

From a point 100 meters (110 yards) upstream of US 59 in Harris County to a point 400 meters (440 yards) upstream of Shepherd Drive in Harris County

Segment Type Tidal Stream

**AU\_ID: 1013\_01** From a point immediately upstream of US 59 to a point immediately upstream of Shepard Drive

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	Intermediate	TSWQS Appendix A

**Station ID(s):** 11345; 11347; 11351; 15843; 20570

**SegID: 1013A Little White Oak Bayou**

From the White Oak Bayou confluence to Yale Street in Harris County

Segment Type Freshwater Stream

**AU\_ID: 1013A\_01** From the confluence of White Oak Bayou upstream to the RR Tracks north of IH 610

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** 11148; 16648

**AU\_ID: 1013A\_02** From RR Tracks north of IH 610 upstream to Yale Street

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 1013C Unnamed Non-Tidal Tributary of Buffalo Bayou Tidal**

Located approximately 1.8 mi upstream of the Buffalo Bayou/White Oak Bayou confluence between IH-10 and Memorial Drive west of IH-45 in Harris County

Segment Type Freshwater Stream

**AU\_ID: 1013C\_01** Located approximately 1.8 mi upstream of the Buffalo Bayou/White Oak Bayou confluence between IH-10 and Memorial Drive west of IH-45 in Harris County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 16675

**SegID: 1014 Buffalo Bayou Above Tidal**

From a point 400 meters (440 yards) upstream of Shepherd Drive in Harris County to SH 6 in Harris County

Segment Type Freshwater Stream

**AU\_ID: 1014\_01** From a point immediately upstream of Shepherd Drive upstream to SH 6

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	Limited	TSWQS Appendix A

**Station ID(s):** 11353; 11354; 11356; 11360; 11361; 11362; 11363; 11364; 15845; 15846; 20212

**SegID: 1014A Bear Creek**

Perennial stream from the confluence with South Mayde Creek upstream to the confluence with an unnamed tributary 1.24 km north of Longenbaugh Road

Segment Type Freshwater Stream

**AU\_ID: 1014A\_01** Confluence with South Mayde Creek to a point upstream of an unnamed tributary north of Langenbaugh Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** 17484

**SegID: 1014B Buffalo Bayou/Barker Reservoir**

Perennial stream from SH 6 in Harris County upstream to the confluence with Willow Fork Buffalo Bayou in Fort Bend County

Segment Type Freshwater Stream

**AU\_ID: 1014B\_01** From SH 6 to the confluence with Willow Fork Buffalo Bayou

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** 11145; 17492



**SegID: 1014C Horsepen Creek**

From the Langham Creek confluence upstream to a point 0.1 km (0.06 mi) west of Barker Cypress Road

Segment Type Freshwater Stream

**AU\_ID: 1014C\_01** From the Langham Creek confluence upstream to where channelization begins, 0.62 km (0.39 mi) north of FM 529

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** 20465

**AU\_ID: 1014C\_02** From 0.62 (0.39 mi) km north of FM 529 upstream to a point 2.4 km (1.5 mi) upstream of SH 6

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D

**Station ID(s):** No Stations

**AU\_ID: 1014C\_03** From a point 2.4 km (1.5 mi) upstream of SH 6 to 0.1 km (0.06 mi) west of Barker Cypress Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1014E Langham Creek**

From the Dinner Creek confluence upstream to FM 529

Segment Type Freshwater Stream

**AU\_ID: 1014E\_01** From the Bear Creek confluence upstream to the Dinner Creek confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** 17482

**AU\_ID: 1014E\_02** From the Dinner Creek confluence upstream to FM 529

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 1014H South Mayde Creek**

Perennial stream in the Addicks Reservoir flood pool area from the confluence with Buffalo Bayou upstream to the confluence with an unnamed tributary 1.05 km south of Clay Road

Segment Type Freshwater Stream

**AU\_ID: 1014H\_01** Perennial stream in the Addicks Reservoir flood pool area from the confluence with Buffalo Bayou upstream to the confluence with an unnamed tributary 1.3 km (0.8 mi) west of Barker-Cypress Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** 11163; 17493

**AU\_ID: 1014H\_02** Perennial stream from the confluence with an unnamed tributary 1.3 km west of Barker-Cypress Road upstream to an unnamed tributary 1.05 km south of Clay Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 1014I Willow Fork Buffalo Bayou**

Intermittent stream with perennial pools from the confluence with Buffalo Bayou in Fort Bend County up to 1.0 km above US 90 in Waller County

Segment Type Freshwater Stream

**AU\_ID: 1014I\_01** Intermittent stream with perennial pools from the confluence with Buffalo Bayou in Fort Bend County up to 1.0 km above US 90 in Waller County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 1014J Dinner Creek**

Perennial stream from the confluence with Langham Creek upstream to Frey Road

Segment Type Freshwater Stream

**AU\_ID: 1014J\_01** Perennial stream from the confluence with Langham Creek upstream to Frey Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D

**Station ID(s):** No Stations

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1014K Turkey Creek

From the South Mayde Creek confluence upstream to FM 529, 1.1 km (0.68 mi) directly east of N. Eldridge Pkwy in Harris County

Segment Type Freshwater Stream

**AU\_ID: 1014K\_01** Perennial stream from the confluence with South Mayde Creek upstream to a point 0.16 km (0.1 mi) south of Clay Road

Flow Type

Perennial

Flow Type Source

TSWQS Appendix D

ALU Designation

Intermediate

ALU Designation Source

TSWQS Appendix D

**Station ID(s):** 15847

**AU\_ID: 1014K\_02** Perennial stream from a point 0.16 km (0.1 mi) south of Clay Road upstream to FM 529 1.1 km (0.68 mi) directly east of N. Eldridge Pkwy

Flow Type

Perennial

Flow Type Source

Routine Flow Data

ALU Designation

Intermediate

ALU Designation Source

Presumption from flow type

**Station ID(s):** 17483

### SegID: 1014L Mason Creek

From the Buffalo Bayou confluence upstream to Mason Road upstream to 0.32 km (0.2 mi) east of Katyland Drive

Segment Type Freshwater Stream

**AU\_ID: 1014L\_01** From the Buffalo Bayou confluence upstream to Mason Road

Flow Type

Perennial

Flow Type Source

TSWQS Appendix D

ALU Designation

Intermediate

ALU Designation Source

TSWQS Appendix D

**Station ID(s):** 17494

**AU\_ID: 1014L\_02** From Mason Road upstream to 0.32 km (0.2 mi) east of Katyland Drive

Flow Type

Intermittent w/pools

Flow Type Source

Flow Questionnaire

ALU Designation

Limited

ALU Designation Source

Presumption from flow type

**Station ID(s):** No Stations

### SegID: 1014M Newman Branch (Neimans Bayou)

From the Buffalo Bayou Above Tidal confluence to 0.1 km (0.06 mi) upstream of Hammerly Blvd in Harris County

Segment Type Freshwater Stream

**AU\_ID: 1014M\_01** From the Buffalo Bayou confluence to 0.1 km (0.06 mi) upstream of Hammerly Blvd

Flow Type

Perennial

Flow Type Source

Routine Flow Data

ALU Designation

Intermediate

ALU Designation Source

Presumption from flow type

**Station ID(s):** 16597

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1014N Rummel Creek

From the Buffalo Bayou Above Tidal confluence to 1.2 km (0.75 mi) upstream of IH-10 in Harris County

Segment Type Freshwater Stream

**AU\_ID: 1014N\_01** From the Buffalo Bayou Above Tidal confluence to 1.2 km (0.75 mi) upstream of IH-10

Flow Type  
Perennial

Flow Type Source  
WQS/Permits program

ALU Designation  
Intermediate

ALU Designation Source  
Presumption from flow type

Station ID(s): 11188

### SegID: 1014O Spring Branch

From Buffalo Bayou Above Tidal confluence to 1.4 km (0.87 mi) upstream of Long Point Road in Harris County

Segment Type Freshwater Stream

**AU\_ID: 1014O\_01** From Buffalo Bayou Above Tidal confluence to 1.4 km (0.87 mi) upstream of Long Point Road in Harris County

Flow Type  
Perennial

Flow Type Source  
WQS/Permits program

ALU Designation  
Intermediate

ALU Designation Source  
Presumption from flow type

Station ID(s): 16592

### SegID: 1015 Lake Creek

From the confluence with the West Fork San Jacinto River in Montgomery County to a point 4.0 km (2.5 mi) upstream of SH 30 in Grimes County

Segment Type Freshwater Stream

**AU\_ID: 1015\_01** From the West Fork of the San Jacinto River confluence upstream to the Landrum Creek confluence

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

Station ID(s): 11367; 17331; 18191

**AU\_ID: 1015\_02** From the Landrum Creek confluence upstream to a point 4.0 km (2.5 mi) upstream of State Hwy 30

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

Station ID(s): No Stations

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1015A Mound Creek

From the confluence with Lake Creek to a point 0.69 km east of FM 149 near Conroe

Segment Type Freshwater Stream

**AU\_ID: 1015A\_01** Perennial stream from the confluence with Lake Creek upstream to the confluence with an unnamed tributary approximately 0.75 km downstream of Rabon-Chapel Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** 17936; 17937

**AU\_ID: 1015A\_02** From the confluence with an unnamed tributary approximately 0.75 km downstream of Rabon-Chapel Road to a point approximately 0.69 km east of FM 149

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

### SegID: 1015B Caney Creek

From the Lake Creek confluence upstream to a point 0.55 km south east of FM 1774 and CR 209

Segment Type Freshwater Stream

**AU\_ID: 1015B\_01** From the Lake Creek confluence upstream to a point 2.4 km (1.5 mi) south of FM 1774

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1016 Greens Bayou Above Tidal

From a point 0.7 km (0.4 mi) above the confluence of Halls Bayou in Harris County to a point 100 meters (110 yards) above FM 1960 in Harris County

Segment Type Freshwater Stream

**AU\_ID: 1016\_01** Upper segment boundary (FM 1960) to IH 45

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
Limited

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 11376; 17495

**AU\_ID: 1016\_02** IH 45 to US 59

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
Limited

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 11371; 13778

**AU\_ID: 1016\_03** From US 59 to the downstream boundary 0.7 km (0.4 miles) upstream of the Halls Bayou confluence

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
Limited

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 11368; 11369; 11370

### SegID: 1016A Garners Bayou

From the confluence with Greens Bayou upstream to a point 0.89 km northeast of Will Clayton Parkway near Humble

Segment Type Freshwater Stream

**AU\_ID: 1016A\_01** From 1.5 km north of Atascocita Road to 0.89 km northeast of Will Clayton Parkway

Flow Type  
Intermittent w/pools

Flow Type Source  
Flow Questionnaire

ALU Designation  
Limited

ALU Designation Source  
Presumption from flow type

**Station ID(s):** No Stations

**AU\_ID: 1016A\_02** From the Williams Gully confluence upstream to 1.5km north of Atascocita Road

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix D

ALU Designation  
Limited

ALU Designation Source  
TSWQS Appendix D

**Station ID(s):** 16589

**AU\_ID: 1016A\_03** From the Greens Bayou confluence to the Williams Gully confluence

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

**Station ID(s):** 11125

**SegID: 1016B Unnamed Tributary of Greens Bayou**

From confluence with Greens Bayou to Hirsch Road in Harris County

Segment Type Freshwater Stream

**AU\_ID: 1016B\_01** From confluence with Greens Bayou to Hirsch Road in Harris County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** 16590

**SegID: 1016C Unnamed Tributary of Greens Bayou**

From the confluence with Greens Bayou, east of Aldine Westfield Road, to the Hardy Toll Road in Harris County

Segment Type Freshwater Stream

**AU\_ID: 1016C\_01** From the confluence with Greens Bayou, east of Aldine Westfield Road, to the Hardy Toll Road in Harris County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	Limited	Previous TCEQ permit decision

**Station ID(s):** 11124

**SegID: 1016D Unnamed Tributary of Greens Bayou**

From the confluence with Greens Bayou, west of El Dorado Country Club to Lee Road, west of US Hwy 59 in Harris County

Segment Type Freshwater Stream

**AU\_ID: 1016D\_01** From the confluence with Greens Bayou, west of El Dorado Country Club to Lee Road, west of US Hwy 59 in Harris County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Flow Questionnaire	High	Presumption from flow type

**Station ID(s):** 16676

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1017 Whiteoak Bayou Above Tidal

From a point immediately upstream of the confluence of Little White Oak Bayou in Harris County to a point 3.0 km (1.9 mi) upstream of FM 1960 in Harris County

Segment Type Freshwater Stream

**AU\_ID: 1017\_01** Huffmeister Rd to the confluence with Vogel Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	Limited	TSWQS Appendix A

**Station ID(s):** 11394; 11396

**AU\_ID: 1017\_02** Vogel Creek to the Cole Creek confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	Limited	TSWQS Appendix A

**Station ID(s):** 15831

**AU\_ID: 1017\_03** Cole Creek confluence to the Brickhouse Gully confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	Limited	TSWQS Appendix A

**Station ID(s):** 15829

**AU\_ID: 1017\_04** From Brickhouse Gully confluence to a point immediately upstream of the confluence of Little White Oak Bayou in Harris Co. (lower segment boundary).

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	Limited	TSWQS Appendix A

**Station ID(s):** 11387; 11389; 11390; 15826; 15828; 16637

### SegID: 1017A Brickhouse Gully/Bayou

Perennial stream from the confluence with Whiteoak Bayou up to Gessner Road

Segment Type Freshwater Stream

**AU\_ID: 1017A\_01** Perennial stream from the confluence with Whiteoak Bayou up to Gessner Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D

**Station ID(s):** 16594



## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1017B Cole Creek

Perennial stream from the confluence with White Oak Bayou up to south of Beltway 8

Segment Type Freshwater Stream

**AU\_ID: 1017B\_01** From south of Beltway 8 to Flintlock Street

Flow Type  
Intermittent

Flow Type Source  
Routine Flow Data

ALU Designation  
Minimal

ALU Designation Source  
Presumption from flow type

**Station ID(s):** No Stations

**AU\_ID: 1017B\_02** From Flintlock Street to confluence with White Oak Bayou

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix D

ALU Designation  
Limited

ALU Designation Source  
TSWQS Appendix D

**Station ID(s):** 16593

### SegID: 1017C Vogel Creek

From the White Oak Bayou Above Tidal confluence to a point 3.2 km (2.0 mi) upstream of the White Oak Bayou confluence to just south of State Hwy 249 in Harris County

Segment Type Freshwater Stream

**AU\_ID: 1017C\_01** From the White Oak Bayou confluence to a point 3.2 km (2.0 mi) upstream

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix D

ALU Designation  
Limited

ALU Designation Source  
TSWQS Appendix D

**Station ID(s):** 11155

**AU\_ID: 1017C\_02** From a point 3.2 km (2.0 mi) upstream of the White Oak Bayou confluence to just south of State Hwy 249

Flow Type  
Perennial

Flow Type Source  
Water body description

ALU Designation  
Limited

ALU Designation Source  
Presumption from flow type

**Station ID(s):** No Stations

### SegID: 1017D Unnamed Tributary of Whiteoak Bayou

From the confluence with White Oak Bayou downstream of TC Jester, to Hempstead Hwy, north of US Hwy 290 in Harris County

Segment Type Freshwater Stream

**AU\_ID: 1017D\_01** From the confluence with White Oak Bayou downstream of TC Jester, to Hempstead Hwy, north of US Hwy 290 in Harris County

Flow Type  
Perennial

Flow Type Source  
WQS/Permits program

ALU Designation  
Limited

ALU Designation Source  
Presumption from flow type

**Station ID(s):** 16595

**SegID: 1017E Unnamed Tributary of White Oak Bayou**

From the confluence with White Oak, near W 11th Street, to just upstream of W 26th Street, south of Loop 610 W in Harris County

Segment Type Freshwater Stream

**AU\_ID: 1017E\_01** From the confluence with White Oak, near W 11th Street, to just upstream of W 26th Street, south of Loop 610 W in Harris County

Flow Type  
Perennial

Flow Type Source  
WQS/Permits program

ALU Designation  
Limited

ALU Designation Source  
Presumption from flow type

**Station ID(s):** 16596

**SegID: 1017F Rolling Fork Creek**

From the White Oak Bayou Above Tidal confluence to a point 3.9 km (2.4 mi) upstream

Segment Type Freshwater Stream

**AU\_ID: 1017F\_01** From the White Oak Bayou Above Tidal confluence to a point 3.9 km (2.4 mi) upstream

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
Intermediate

ALU Designation Source  
Presumption from flow type

**Station ID(s):** 11157

**SegID: 1101 Clear Creek Tidal**

From the Clear Lake confluence at a point 3.2 km (2.0 mi) downstream of El Camino Real in Galveston/Harris County to a point 100 m (110 yards) upstream of FM528 in Galveston/Harris County

Segment Type Tidal Stream

**AU\_ID: 1101\_01** Upper segment boundary to Chigger Creek confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 1101\_02** Chigger Creek confluence to IH 45

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 1101\_03** IH 45 to Cow Bayou confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11446; 16575

**AU\_ID: 1101\_04** Cow Bayou confluence to confluence with Clear Lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 16572; 16573

**SegID: 1101A Magnolia Creek**

From the Clear Creek Tidal confluence upstream to 0.8 km (0.5 mi) upstream of the confluence with the second unnamed tributary

Segment Type Freshwater Stream

**AU\_ID: 1101A\_01** From the Clear Creek Tidal confluence upstream 7.7 km (4.8 mi)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** 16611

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1101B Chigger Creek

From the confluence with Clear Creek Tidal to the Brazos River Authority Canal near CR 143 in Galveston County

Segment Type Freshwater Stream

**AU\_ID: 1101B\_01** From the headwaters to FM 528

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Water body description	Limited	Presumption from flow type

**Station ID(s):** 16493; 17072

**AU\_ID: 1101B\_02** FM 528 to the confluence with Clear Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Water body description	Limited	Presumption from flow type

**Station ID(s):** No Stations

### SegID: 1101C Cow Bayou

From the Clear Creek Tidal confluence to SH 3 in Galveston County

Segment Type Tidal Stream

**AU\_ID: 1101C\_01** From the Clear Creek Tidal confluence to SH3

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	Water body description	High	Presumption from flow type

**Station ID(s):** 17928

### SegID: 1101D Robinson Bayou

From confluence with Clear Creek to 0.33 mile upstream of Webster Street in Galveston County

Segment Type Tidal Stream

**AU\_ID: 1101D\_01** From headwater to Abilene St

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	Water body description	High	Presumption from flow type

**Station ID(s):** 16475

**AU\_ID: 1101D\_02** From Abilene St. to confluence with Clear Creek Tidal

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	Water body description	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1101E Unnamed Trib of Clear Creek Tidal**

From Clear Creek Tidal confluence to a point 3.2 km (2.0 mi) immediately downstream of I-45 in Galveston County

Segment Type Tidal Stream

**AU\_ID: 1101E\_01** From the Clear Creek Tidal confluence to a point 3.0 km (1.9 mi) upstream

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	Water body description	High	Presumption from flow type

**Station ID(s):** 18818

**SegID: 1101F Unnamed Tributary of Clear Creek Tidal**

From Clear Creek Tidal confluence to a point 7.8 km (4.8 mi) upstream (immediately downstream of I-45 in Galveston County)

Segment Type Tidal Stream

**AU\_ID: 1101F\_01** From the Clear Creek Tidal confluence to a point 7.9 km (4.9 mi) upstream (immediately downstream of IH 45)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	Water body description	High	Presumption from flow type

**Station ID(s):** 18591

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1102 Clear Creek Above Tidal

From a point 100 meters (110 yards) upstream of FM 528 in Galveston/Harris County to Rouen Road in Fort Bend County

Segment Type Freshwater Stream

**AU\_ID: 1102\_01** Upper segment boundary (Rouen Road) to SH 288

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 20009

**AU\_ID: 1102\_02** SH 288 to Hickory Slough confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11452; 17076; 17077; 17079

**AU\_ID: 1102\_03** Hickory Slough confluence to Turkey Creek confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11451; 14229; 17074; 18386; 20010

**AU\_ID: 1102\_04** Turkey Creek confluence to Mary's Creek confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11450

**AU\_ID: 1102\_05** Mary's Creek confluence to lower segment boundary

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

### SegID: 1102A Cowart Creek

From the Clear Creek Above Tidal confluence in Galveston County to SH 35 in Brazoria County

Segment Type Freshwater Stream

**AU\_ID: 1102A\_01** Sunset Drive to SH 35

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	TSWQS Appendix D	Limited	TSWQS Appendix D

**Station ID(s):** 11426

**AU\_ID: 1102A\_02** Confluence with Clear Creek to Sunset Drive

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	TSWQS Appendix D	Limited	TSWQS Appendix D

**Station ID(s):** 11425

**SegID: 1102B Mary's Creek/ North Fork Mary's Creek**

Perennial stream from the confl. with Clear Creek upstream to the confl. with N. and S. Fork Mary's Creek near FM 1128, approx. 5 km SW of Pearland. Includes perennial portions of N. Fork Mary's Creek from the confl. of Mary's Creek to the confl. with unn

Segment Type Freshwater Stream

**AU\_ID: 1102B\_01** From the Clear Creek Above Tidal confluence upstream to the N. and S. Fork Mary's Creek near FM 1128

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** 16473; 17915; 17916; 17918; 18635; 18637; 18638; 20210

**SegID: 1102C Hickory Slough**

From the Clear Creek Above Tidal confluence to a point 0.69 km (0.43 mi) upstream of Mykawa Road

Segment Type Freshwater Stream

**AU\_ID: 1102C\_01** From the Clear Creek Above Tidal confluence to a point 0.69 km (0.43 mi) upstream of Mykawa Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 17068

**SegID: 1102D Turkey Creek**

From the Clear Creek Above Tidal confluence to a point 0.98 km (0.61 mi) upstream of Scarsdale Blvd

Segment Type Freshwater Stream

**AU\_ID: 1102D\_01** From the Clear Creek Above Tidal confluence to a point 0.98 km (0.61 mi) upstream of Scarsdale Blvd

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1102E Mud Gully**

From the Clear Creek Above Tidal confluence to a point 0.80 km (0.49 mi) downstream of Hughes Road

Segment Type Freshwater Stream

**AU\_ID: 1102E\_01** From the Clear Creek Above Tidal confluence to a point 0.80 km (0.49 mi) downstream of Hughes Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1102F Mary's Creek Bypass**

From the Mary's Creek confluence NE of FM 518 to a point 0.96 km (0.60 mi) upstream to the Mary's Creek confluence (NW of County Road 126)

Segment Type Freshwater Stream

**AU\_ID: 1102F\_01** From the Mary's Creek confluence NE of FM 518 to a point 0.96 km (0.60 mi) upstream to the Mary's Creek confluence (NW of County Road 126)

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

**Station ID(s):** 17917; 18639

**SegID: 1102G Unnamed Tributary of Mary's Creek**

From the Mary's Creek confluence 1.3 km (0.84 mi) west of FM 1128 to a point 1.2 km (0.75 mi) upstream to the confluence of an unnamed tributary

Segment Type Freshwater Stream

**AU\_ID: 1102G\_01** From the Mary's Creek confluence 1.3 km (0.84 mi) west of FM 1128 to a point 1.2 km (0.75 mi) upstream to the confluence of an unnamed tributary

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

**Station ID(s):** 16803; 18636



## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1103 Dickinson Bayou Tidal

From the Dickinson Bay confluence 2.1 km (1.3 mi) downstream of SH 146 in Galveston County to a point 4.0 km (2.5 mi) downstream of FM 517 in Galveston County

Segment Type Tidal Stream

**AU\_ID: 1103\_01** From the Dickinson Bay confluence (downstream of State Hwy 146) upstream to the Gum Bayou confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11455

**AU\_ID: 1103\_02** From the Gum Bayou confluence upstream to the Benson Bayou confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11460

**AU\_ID: 1103\_03** From the Benson Bayou confluence upstream to the Bordens Gully confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 18650

**AU\_ID: 1103\_04** From the Bordens Gully confluence upstream to a point 4.0 km (2.5 mi) downstream of FM 517

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11462; 11464

### SegID: 1103A Bensons Bayou

From the Dickinson Bayou confluence to point 0.6 km (0.37 mi) upstream of FM 646 in Galveston County

Segment Type Tidal Stream

**AU\_ID: 1103A\_01** From the Dickinson Bayou Tidal confluence to point 0.6 km (0.37 mi) upstream of FM 646

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	Water body description	High	Presumption from flow type

**Station ID(s):** 16471; 20727

### SegID: 1103B Bordens Gully

From the Dickinson Bayou Tidal confluence to a point 1.4 km (0.87 mi) upstream of FM 646 in Galveston County

Segment Type Tidal Stream

**AU\_ID: 1103B\_01** From the Dickinson Bayou Tidal confluence to a point 1.4 km (0.87 mi) upstream of FM 646

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	Water body description	High	Presumption from flow type

**Station ID(s):** 16469; 20724

**SegID: 1103C Geisler Bayou**

From the Dickinson Bayou Tidal confluence to a point 1.37 km (0.85 mi) upstream of FM 646 in Galveston County

Segment Type Tidal Stream

**AU\_ID: 1103C\_01** From the Dickinson Bayou Tidal confluence to a point 1.37 km (0.85 mi) upstream of FM 646

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	Water body description	High	Presumption from flow type

**Station ID(s):** 16470; 20726

**SegID: 1103D Gum Bayou**

From the Dickinson Bayou Tidal confluence to State Hwy 96 in Galveston County

Segment Type Tidal Stream

**AU\_ID: 1103D\_01** From Dickinson Bayou Tidal confluence to State Hwy 96

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	Water body description	High	Presumption from flow type

**Station ID(s):** 11436

**SegID: 1103E Cedar Creek**

From the Dickinson Bayou Tidal confluence to a point 0.63 km (0.39 mi) upstream FM 517 in Galveston County

Segment Type Freshwater Stream

**AU\_ID: 1103E\_01** From the Dickinson Bayou Tidal confluence to a point 0.63 km (0.39 mi) upstream FM 517

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Water body description	High	Presumption from flow type

**Station ID(s):** 11434

**SegID: 1103F Unnamed Tributary of Dickinson Bayou Tidal**

From the Dickinson Bayou Tidal confluence to a point 0.36 km (0.22 mi) upstream of State Hwy 6

Segment Type Tidal Stream

**AU\_ID: 1103F\_01** From the Dickinson Bayou Tidal confluence to a point 0.36 km (0.22 mi) upstream of State Hwy 6

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	Water body description	High	Presumption from flow type

**Station ID(s):** 20477

**SegID: 1103G Unnamed Tributary of Gum Bayou**

From the confluence with Gum Bayou to a point 0.39 mi south of the FM 646/FM 1266 intersection between League City and Dickinson

Segment Type Tidal Stream

**AU\_ID: 1103G\_01** From the confluence with Gum Bayou to a point 0.39 mi south of the FM 646/FM 1266 intersection between League City and Dickinson

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	Water body description	High	Presumption from flow type

**Station ID(s):** 20728

**SegID: 1104 Dickinson Bayou Above Tidal**

From a point 4.0 km (2.5 mi) downstream of FM 517 in Galveston County to FM 528 in Galveston County

Segment Type Freshwater Stream

**AU\_ID: 1104\_01** From the lower segment boundary (a point 4.0 km [2.5 mi] downstream of FM 517) to FM 517

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	Intermediate	TSWQS Appendix A

**Station ID(s):** 11466

**AU\_ID: 1104\_02** From FM 517 upstream to FM 528

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	Intermediate	TSWQS Appendix A

**Station ID(s):** 11467

**SegID: 1104A Unnamed Tributary of Dickinson Bayou Above Tidal**

From the Dickinson Bayou Above Tidal confluence to State Hwy 6

Segment Type Freshwater Stream

**AU\_ID: 1104A\_01** From the Dickinson Bayou Above Tidal confluence to State Hwy 6

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 20475

**SegID: 1104B Unnamed Tributary of Dickinson Bayou Above Tidal**

From the Dickinson Bayou Above Tidal confluence to a point 0.46 km (0.73 mi) upstream of State Hwy 6

Segment Type Freshwater Stream

**AU\_ID: 1104B\_01** From the Dickinson Bayou Above Tidal confluence to a point 0.46 km (0.73 mi) upstream of State Hwy 6

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

Station ID(s): No Stations

**SegID: 1105 Bastrop Bayou Tidal**

From the confluence with Bastrop Bay 1.1 km (0.7 mi) downstream of the Intracoastal Waterway in Brazoria County to a point 8.6km (5.3 mi) upstream of Business 288 at Lake Jackson in Brazoria County

Segment Type Tidal Stream

**AU\_ID: 1105\_01** From the confluence with Bastrop Bay 1.1 km (0.7 mi) downstream of the Intracoastal Waterway in Brazoria County to a point 8.6 km (5.3 mi) upstream of Business 288 at Lake Jackson in Brazoria County

Flow Type  
Tidal Stream

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

Station ID(s): 11475; 18502; 18503; 18504; 18505

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1105A Flores Bayou

From the confluence with Austin Bayou Above Tidal upstream to SH 35 in Brazoria County

Segment Type Freshwater Stream

**AU\_ID: 1105A\_01** From a point 2.6 km (1.6 mi) downstream of County Road 171 upstream to SH 35

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** No Stations

**AU\_ID: 1105A\_02** From SH 35 to a point 10.1 km (6.3 mi) upstream

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	Minimal	Presumption from flow type

**Station ID(s):** No Stations

**AU\_ID: 1105A\_03** From the confluence with Austin Bayou Above Tidal upstream to the a point 2.6 km (1.6 mi) downstream of County Road 171

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 18508

**AU\_ID: 1105A\_04** From a point 2.6 km (1.6 mi) downstream of County Road 171 upstream to SH 35

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** No Stations

### SegID: 1105B Austin Bayou Tidal

From the Bastrop Bayou Tidal confluence to the confluence with Brushy Bayou in Brazoria County

Segment Type Tidal Stream

**AU\_ID: 1105B\_01** From the Bastrop Bayou Tidal confluence to the confluence with Brushy Bayou in Brazoria County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	Water body description	High	Presumption from flow type

**Station ID(s):** 18048; 18507

**SegID: 1105C Austin Bayou Above Tidal**

From the confluence of Bastrop Bayou upstream (Austin Bayou Tidal upper boundary) to 0.3 km (0.19 mi) upstream of SH 288 in Brazoria County

Segment Type Freshwater Stream

**AU\_ID: 1105C\_01** From the confluence of Bastrop Bayou upstream (Austin Bayou Tidal upper boundary) to 0.3 km (0.19 mi) upstream of SH 288 in Brazoria County

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from Flow Type

Station ID(s): 18506

**SegID: 1105D Unnamed Tributary of Bastrop Creek**

From the Bastrop Bayou Tidal confluence to 0.57 km (0.35 mi) upstream of SH 288 Bus in Brazoria County

Segment Type Freshwater Stream

**AU\_ID: 1105D\_01** From the Bastrop Bayou Tidal confluence to 0.57 km (0.35 mi) upstream of SH 288 Bus in Brazoria County

Flow Type  
Perennial

Flow Type Source  
Water body description

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

Station ID(s): 18509; 21735

**SegID: 1105E Brushy Bayou**

From the confluence with Austin Bayou Above Tidal (1105C) upstream to end of canal approximately 0.4 mi upstream of FM 210 crossing east of the City of Angleton in Brazoria County.

Segment Type Freshwater Stream

**AU\_ID: 1105E\_01** From the confluence with Austin Bayou Above Tidal (1105C) upstream to end of canal approximately 0.4 mi upstream of FM 210 crossing east of the City of Angleton in Brazoria County.

Flow Type  
Perennial

Flow Type Source  
Water body description

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

Station ID(s): 20783; 21734

**SegID: 1107 Chocolate Bayou Tidal**

From the Chocolate Bay confluence 1.4 km (0.9 mi) downstream of FM 2004 to a point 4.2 km (2.6 mi) downstream of SH 35 in Brazoria County

Segment Type Tidal Stream

**AU\_ID: 1107\_01** From the Chocolate Bay confluence 1.4 km (0.9 mi) downstream of FM 2004 to a point 4.2 km (2.6 mi) downstream of SH 35

Flow Type  
Tidal Stream

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

Station ID(s): 11478; 21178

**SegID: 1108 Chocolate Bayou Above Tidal**

From a point 4.2 km (2.6 mi) downstream of SH 35 in Brazoria County to SH 6 in Brazoria County

Segment Type Freshwater Stream

**AU\_ID: 1108\_01** From a point 4.2 km (2.6 mi) downstream of SH 35 to SH 6

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

Station ID(s): 11484

**SegID: 1109 Oyster Creek Tidal**

From the Intercoastal Waterway confluence to a point 100 meters (110 yards) upstream of FM 2004 in Brazoria County

Segment Type Tidal Stream

**AU\_ID: 1109\_01** From the Intracoastal Waterway confluence to a point 100 m (110 yds) upstream of FM 2004

Flow Type  
Tidal Stream

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

Station ID(s): 11485; 11486

**SegID: 1110 Oyster Creek Above Tidal**

From a point 100 meters (110 yards) upstream of FM 2004 in Brazoria County to a point 4.3 km (2.7 mi) upstream of Scanlan Road in Fort Bend County

Segment Type Freshwater Stream

**AU\_ID: 1110\_01** From a point 100 meters (110 yards) upstream of FM 2004 in Brazoria County upstream to the Styles Bayou confluence

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

Station ID(s): 11489

**AU\_ID: 1110\_02** From Styles Bayou upstream to an unnamed tributary [2.9 km (1.8 mi) downstream of FM 1462]

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

Station ID(s): No Stations

**AU\_ID: 1110\_03** From an unnamed tributary [2.9 km (1.8 mi) downstream of FM 1462] upstream to a point 4.3 km (2.7 mi) upstream of Scanlan Road in Fort Bend County

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

Station ID(s): 11493

**SegID: 1110A Upper Oyster Creek Above Tidal**

From a point 4.3 km (2.7 mi) upstream of Scanlan Road in Fort Bend County upstream to the confluence with Middle Oyster Creek approximately 325 m south of McKeever Road in Fort Bend County

Segment Type Freshwater Stream

**AU\_ID: 1110A\_01** From a point 4.3 km (2.7 mi) upstream of Scanlan Road in Fort Bend County upstream to the confluence with Middle Oyster Creek approximately 325 m south of McKeever Road in Fort Bend County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1111 Old Brazos River Channel Tidal**

From the Intercoastal Waterway confluence to SH 288 in Brazoria County

Segment Type Tidal Stream

**AU\_ID: 1111\_01** From the Intercoastal Waterway confluence to SH 288 in Brazoria County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11498

**SegID: 1113 Armand Bayou Tidal**

From the Clear Lake confluence (at NASA Road 1 bridge) in Harris County to a point 0.8 km (0.5 mi) downstream of Genoa-Red Bluff Road in Pasadena in Harris County (includes Mud Lake/Pasadena Lake)

Segment Type Tidal Stream

**AU\_ID: 1113\_01** From the Clear Lake confluence at Nasa Road 1 to the Horsepen Bayou confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11499; 15455

**AU\_ID: 1113\_02** From the Horsepen Bayou confluence to the Big Island Slough confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11503

**AU\_ID: 1113\_03** From the Big Island Slough confluence upstream to a point 0.8 km (0.5 mi) downstream of Genoa-Red Bluff Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11505



**SegID: 1113A Armand Bayou Above Tidal**

From the upper segment boundary of Armand Bayou Tidal, 0.8 km (0.5 mi) downstream of Genoa-Red Bluff Road), upstream to Beltway 8 in Harris County

Segment Type Freshwater Stream

**AU\_ID: 1113A\_01** From the upper segment boundary of Armand Bayou Tidal 0.8 km (0.5 mi) downstream of Genoa-Red Bluff Road) upstream to Beltway 8

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

**Station ID(s):** 11404; 11405; 17488

**SegID: 1113B Horsepen Bayou Tidal**

From the Armand Bayou confluence to the SH3

Segment Type Tidal Stream

**AU\_ID: 1113B\_01** From the Armand Bayou confluence to the SH3

Flow Type  
Tidal Stream

Flow Type Source  
Water body description

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

**Station ID(s):** 11409; 17317

**SegID: 1113C Unnamed Tributary to Horsepen Bayou**

From the Horsepen Bayou confluence to Reseda Road

Segment Type Tidal Stream

**AU\_ID: 1113C\_01** From the Horsepen Bayou confluence to Reseda Drive

Flow Type  
Tidal Stream

Flow Type Source  
Water body description

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

**Station ID(s):** 17485

**SegID: 1113D Willow Springs Bayou**

From the Armand Bayou confluence to a point 2.8 km (1.8 mi) upstream to an unnamed tributary

Segment Type Tidal Stream

**AU\_ID: 1113D\_01** From the Armand Bayou confluence to a point 2.8 km (1.8 mi) upstream to an unnamed tributary

Flow Type  
Tidal Stream

Flow Type Source  
Water body description

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

**Station ID(s):** 17487

**SegID: 1113E Big Island Slough**

From the Armand Bayou confluence upstream to a point 2.4 km (1.5 mi) north of Spencer Hwy

Segment Type Tidal Stream

**AU\_ID: 1113E\_01** From the Armand Bayou confluence upstream to a point 2.4 km (1.5 mi) north of Spencer Hwy

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	Water body description	High	Presumption from flow type

**Station ID(s):** 17486

**SegID: 1113F Unnamed Tributary of Armand Bayou Above Tidal**

From the Armand Bayou Above Tidal confluence upstream to an unnamed tributary 0.48 km (0.3 mi) upstream of Beltway 8

Segment Type Freshwater Stream

**AU\_ID: 1113F\_01** From the Armand Bayou Above Tidal confluence upstream to an unnamed tributary 0.48 km (0.3 mi) upstream of Beltway 8

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Routine Flow Data	Minimal	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1113G Unnamed Tributary of Armand Bayou Above Tidal**

From the Armand Bayou Above Tidal confluence upstream to an unnamed tributary 1.4 km (0.86 mi) upstream of Red Bluff Road

Segment Type Freshwater Stream

**AU\_ID: 1113G\_01** From the Armand Bayou Above Tidal confluence upstream to an unnamed tributary 1.4 km (0.86 mi) upstream of Red Bluff Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Routine Flow Data	Minimal	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1113H Unnamed Tributary of Armand Bayou Above Tidal**

From the Armand Bayou Above Tidal to the confluence of an unnamed tributary 3.4 km (2.1 mi) upstream and south of Genoa-Red Bluff Road

Segment Type Freshwater Stream

**AU\_ID: 1113H\_01** From the Armand Bayou Above Tidal to the confluence of an unnamed tributary 3.4 km (2.1 mi) upstream and south of Genoa-Red Bluff Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Routine Flow Data	Minimal	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1113I    Unnamed Tributary of Willow Springs Bayou**

From the Willow Springs Bayou confluence upstream to a point 0.37 km (0.23 mi) east of Center Street

Segment Type      Freshwater Stream

**AU\_ID: 1113I\_01**    From the Willow Springs Bayou confluence upstream to a point 0.37 km (0.23 mi) east of Center Street

Flow Type  
Intermittent

Flow Type Source  
Routine Flow Data

ALU Designation  
Minimal

ALU Designation Source  
Presumption from flow type

**Station ID(s):**    No Stations

**SegID: 1201    Brazos River Tidal**

From the confluence with the Gulf of Mexico in Brazoria County to a point 100 meters (110 yards) upstream of SH 332 in Brazoria County

Segment Type      Tidal Stream

**AU\_ID: 1201\_01**    From the confluence with the Gulf of Mexico in Brazoria County to a point 100 meters (110 yards) upstream of SH 332 in Brazoria County

Flow Type  
Tidal Stream

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):**    11843

**SegID: 1202      Brazos River Below Navasota River**

From a point 100 meters (110 yards) upstream of SH 332 in Brazoria County to the confluence of the Navasota River in Grimes County

Segment Type      Freshwater Stream

**AU\_ID: 1202\_01**      Portion of the Brazos River from the confluence with the Brazos River Tidal in Brazoria County upstream to the confluence with Flat Bank Creek in Fort Bend County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):**      16355

**AU\_ID: 1202\_02**      Portion of the Brazos River from the confluence with Flat Bank Creek upstream to the confluence with Bessie's Creek in Fort Bend County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):**      11846

**AU\_ID: 1202\_03**      Portion of the Brazos River from the confluence with Bessie's Creek in Fort Bend County upstream to confluence with Mill Creek in Austin County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):**      11848

**AU\_ID: 1202\_04**      Portion of Brazos River from the confluence with Mill Creek in Austin County upstream to confluence with Lewisville Creek in Waller County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):**      No Stations

**AU\_ID: 1202\_05**      Portion of the Brazos River from confluence with Lewisville Creek in Waller County upstream to the confluence with the Navasota River in Grimes County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):**      11850

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1202A Beason Creek

Perennial stream from the confluence with the Brazos River upstream to CR 306

Segment Type Freshwater Stream

**AU\_ID: 1202A\_01** Perennial stream from the confluence with the Brazos River upstream to the confluence with an unnamed tributary 2.8 km upstream of FM 362; App D

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix D

ALU Designation  
Intermediate

ALU Designation Source  
TSWQS Appendix D

Station ID(s): No Stations

**AU\_ID: 1202A\_02** From the confluence with an unnamed tributary 2.8 km upstream of FM 362 to CR 306

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

Station ID(s): No Stations

### SegID: 1202B Rabbs Bayou

Rabbs Bayou - perennial stream section from Smithers Lake upstream to the confluence of an unnamed tributary below US 59

Segment Type Freshwater Stream

**AU\_ID: 1202B\_01** Rabbs Bayou Appendix D perennial stream section from Smithers Lake upstream to the confluence of an unnamed tributary below US 59

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix D

ALU Designation  
Limited

ALU Designation Source  
TSWQS Appendix D

Station ID(s): No Stations

### SegID: 1202C Hog Branch

Perennial stream from the confluence with Little Sandy Creek upstream to Loop 318 in the City of Brenham

Segment Type Freshwater Stream

**AU\_ID: 1202C\_01** Perennial stream from the confluence with Little Sandy Creek upstream to Loop 318 in the City of Brenham

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix D

ALU Designation  
Intermediate

ALU Designation Source  
TSWQS Appendix D

Station ID(s): 20651

**SegID: 1202D New Year Creek**

New Year Creek - perennial stream from the confluence of Woodward Creek upstream to the confluence of Big Sandy Creek

Segment Type Freshwater Stream

**AU\_ID: 1202D\_01** New Year Creek an Appendix D perennial stream from the confluence of Woodward Creek upstream to the confluence of Big Sandy Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 1202E Little Sandy Creek**

Perennial stream from the confluence with New Year Creek to the headwaters at CR 46A

Segment Type Freshwater Stream

**AU\_ID: 1202E\_01** Perennial stream from the confluence with New Year Creek to a point 100 m upstream of SH 36

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**AU\_ID: 1202E\_02** Perennial stream from a point 100 m upstream of SH 36 upstream to the headwaters at CR 46A

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1202F Unnamed Oxbow Slough**

An unnamed oxbow slough immediately north of the intersection of US 90A and SH 6 at the head of Ditch H

Segment Type Freshwater Stream

**AU\_ID: 1202F\_01** An unnamed oxbow slough immediately north of the intersection of US 90A and SH 6 at the head of Ditch H

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 1202G Brookshire Creek**

Brookshire Creek - perennial stream from the confluence of an unnamed tributary located 0.2 km downstream of SH 359 upstream to 500 m upstream of US 90

Segment Type Freshwater Stream

**AU\_ID: 1202G\_01** Brookshire Creek an Appendix D perennial stream from the confluence of an unnamed tributary located 0.2 km downstream of SH 359 upstream to 500 m upstream of US 90

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 1202H Allen's Creek**

From the confluence with the Brazos River, two mi northeast of Wallis, to the headwaters one mi north of IH 10 in Austin County.

Segment Type Freshwater Stream

**AU\_ID: 1202H\_01** From the confluence with the Brazos River, two mi northeast of Wallis, to the headwaters one mi north of IH 10 in Austin County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** 11577

**SegID: 1202I Bessie's Creek**

Bessie's Creek from the confluence of the Brazos River in Fort Bend County upstream to the headwater north of Pattison

Segment Type Freshwater Stream

**AU\_ID: 1202I\_01** Bessie's Creek from the confluence of the Brazos River in Fort Bend County upstream to confluence of Bessie's Bayou west of Brookshire

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**AU\_ID: 1202I\_02** Bessie's Creek Appendix D section from the confluence of Bessie's Bayou west of Brookshire upstream to the confluence of an unnamed tributary approximately 0.7 km upstream of FM 359 northwest of the City of Pattison

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** No Stations

**AU\_ID: 1202I\_03** Bessie's Creek from the confluence of an unnamed tributary approximately 0.7 km upstream of FM 359 northwest of the City of Pattison upstream to the headwater north of Pattison

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1202J Big Creek

Big Creek - from the confluence of the Brazos River upstream to the confluence of Cottonwood Creek and Coon Creek

Segment Type Freshwater Stream

**AU\_ID: 1202J\_01** Big Creek from the confluence of the Brazos River upstream to the confluence of an unnamed tributary 2.1 km downstream of FM 2977 south of Rosenberg

Flow Type  
Perennial

Flow Type Source  
Water body description

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

**Station ID(s):** 16353

**AU\_ID: 1202J\_02** Big Creek Appendix D intermittent stream with perennial pools section from the confluence with an unnamed tributary 2.1 km downstream of FM 2977 upstream to the confluence of Cottonwood Creek and Coon Creek

Flow Type  
Intermittent w/pools

Flow Type Source  
TSWQS Appendix D

ALU Designation  
Intermediate

ALU Designation Source  
TSWQS Appendix D

**Station ID(s):** 17551

### SegID: 1202K Mill Creek

From confluence of East and West Mill Creeks downstream to confluence with Brazos River

Segment Type Freshwater Stream

**AU\_ID: 1202K\_01** Portion of Mill Creek from confluence with Brazos River upstream to confluence with East/West Forks Mill Creek in Austin County.

Flow Type  
Perennial

Flow Type Source  
Flow Questionnaire

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

**Station ID(s):** 11576; 21577; 21579

### SegID: 1202P Pond Creek

From its confluence with Clear Creek upstream to its headwaters, 3 mi north of Prairie View in Waller County

Segment Type Freshwater Stream

**AU\_ID: 1202P\_01** From its confluence with Clear Creek upstream to its headwaters, 3 mi north of Prairie View in Waller County

Flow Type  
Intermittent w/pools

Flow Type Source  
Routine Flow Data

ALU Designation  
Limited

ALU Designation Source  
Presumption from flow type

**Station ID(s):** 11579



### SegID: 1202O Clear Creek

Clear Creek - perennial stream from the confluence of the Brazos River upstream to the confluence of an unnamed tributary approximately 0.2 km upstream of FM 1488 east of Hempstead

Segment Type Freshwater Stream

**AU\_ID: 1202Q\_01** Clear Creek an Appendix D perennial stream from the confluence of the Brazos River upstream to the confluence of an unnamed tributary approximately 0.2 km upstream of FM 1488 east of Hempstead

Flow Type

Perennial

Flow Type Source

TSWQS Appendix D

ALU Designation

High

ALU Designation Source

TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 1203 Whitney Lake**

From Whitney Dam to a point immediately upstream of the confluence of Camp Creek on the Brazos River Arm and to a point immediately upstream of the confluence of Rock Creek on the Nolan River Arm, up to the normal pool elevation of 533 feet (impounds Braz

Segment Type Reservoir

**AU\_ID: 1203\_01** Portion near dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11851

**AU\_ID: 1203\_02** Main Body of Lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11855

**AU\_ID: 1203\_03** Steele Creek Arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 18654

**AU\_ID: 1203\_04** Riverine portion east of Morgan

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 1203\_05** Nolan River Arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11854

**AU\_ID: 1203\_06** Brazos River Arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11853

**SegID: 1203A Steele Creek**

Perennial stream from the confluence with Whitney Lake up to 2.4 km above the confluence of Cox Branch

Segment Type Freshwater Stream

**AU\_ID: 1203A\_01** Perennial stream from the confluence with Whitney Lake up to 2.4 km above the confluence of Cox Branch

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 1204 Brazos River Below Lake Granbury**

From a point immediately upstream of the confluence of Camp Creek in Bosque/Johnson County to DeCordova Bend Dam in Hood County

Segment Type Freshwater Stream

**AU\_ID: 1204\_01** Portion of Brazos River below Lake Granbury from the confluence with Camp Creek upstream to the confluence with the Paluxy River in Somervell County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 1204\_02** Portion of Brazos River below Lake Granbury from the confluence with the Paluxy River upstream to DeCordova Bend Dam in Hood County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 20213

**SegID: 1204A Camp Creek**

From its confluence with the Brazos River downstream of Lake Granbury, upstream to its headwaters, 0.9 mi north of US Hwy 67 in Johnson County.

Segment Type Freshwater Stream

**AU\_ID: 1204A\_01** From its confluence with the Brazos River downstream of Lake Granbury, upstream to its headwaters, 0.9 mi north of US Hwy 67 in Johnson County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1205    Lake Granbury**

From DeCordova Bend Dam in Hood County to a point 100 meters (110 yards) upstream of  
FM 2580 in Parker County, up to normal pool elevation of 693 feet (impounds Brazos River)

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1205 Lake Granbury

From DeCordova Bend Dam in Hood County to a point 100 meters (110 yards) upstream of FM 2580 in Parker County, up to normal pool elevation of 693 feet (impounds Brazos River)

Segment Type Reservoir

**AU\_ID: 1205\_01** Upstream portion of lake

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 20230

**AU\_ID: 1205\_02** Portion of lake adjacent to the City of Oak Trail Shores

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 11862

**AU\_ID: 1205\_03** Portion of lake adjacent to the City of Granbury

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 20307

**AU\_ID: 1205\_04** Portion of lake downstream of Granbury

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 1205\_05** Downstream portion of lake

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 11860; 18740

**AU\_ID: 1205\_SA1** Unnamed inlets and canals adjacent to AU 1205\_01

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 18004

**AU\_ID: 1205\_SA2** Unnamed inlets and canals adjacent to 1205\_02

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 18007; 18008; 18009; 18010; 18013; 18014; 18015; 20221

**AU\_ID: 1205\_SA3** Unnamed inlets and canals adjacent to 1205\_03

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 18018; 20214; 20219

**SegID: 1205 Lake Granbury**

From DeCordova Bend Dam in Hood County to a point 100 meters (110 yards) upstream of FM 2580 in Parker County, up to normal pool elevation of 693 feet (impounds Brazos River)

Segment Type Reservoir

**AU\_ID: 1205\_SA4** Unnamed inlets and canals adjacent to 1205\_04

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 18024; 18025; 18029; 18031; 18033; 18034; 18035; 18037; 18038; 18039; 18739; 20215; 20216; 20217; 20223; 20224; 20225; 20226; 20231

**AU\_ID: 1205\_SA5** Unnamed inlets and canals adjacent to AU 1205\_05

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 18043; 18044; 18738; 18741

**SegID: 1205A McCarthy Branch**

Intermittent stream with perennial pools from the confluence with Lake Granbury up to the headwaters terminating at a pond 0.6 km southeast of US 377

Segment Type Freshwater Stream

**AU\_ID: 1205A\_01** Intermittent stream with perennial pools from the confluence with Lake Granbury upstream to FM 208 (FM 4); App D

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	TSWQS Appendix D	Limited	TSWQS Appendix D

**Station ID(s):** No Stations

**AU\_ID: 1205A\_02** From FM 208 (FM 4) upstream to the headwaters terminating at a pond 0.6 km southeast of US 377

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1205B Bee Creek**

Tributary to Lake Granbury, 2.2 mi north of Granbury in Hood County

Segment Type Freshwater Stream

**AU\_ID: 1205B\_01** Tributary to Lake Granbury, 2.2 mi north of Granbury in Hood County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** 18016

**SegID: 1205C Walnut Creek**

From the confluence with Lake Granbury upstream to its headwaters in Hood County

Segment Type Freshwater Stream

**AU\_ID: 1205C\_01** From the confluence with Lake Granbury upstream to its headwaters in Hood County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** 20229

**SegID: 1205D Contrary Creek**

From the confluence with Lake Granbury near Indian Head Harbor, upstream to its headwaters in Hood County.

Segment Type Freshwater Stream

**AU\_ID: 1205D\_01** From the confluence with Lake Granbury near Indian Head Harbor, upstream to its headwaters in Hood County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** 20218

**SegID: 1205E Rucker Creek**

From the confluence with Lake Granbury, near west Granbury, upstream to its headwaters in Parker County.

Segment Type Freshwater Stream

**AU\_ID: 1205E\_01** Portion of Rucker Creek from the confluence with Lake Granbury, upstream to the confluence with unnamed tributary (reach code 1206020100907) in Hood County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	WQS/Permits program	Minimal	Previous TCEQ permit decision

**Station ID(s):** 20222

**AU\_ID: 1205E\_02** Portion of Rucker Creek from the confluence with unnamed tributary in Hood County upstream to its headwaters in Parker County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Routine Flow Data	Minimal	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1205F Strouds Creek**

From the confluence with Lake Granbury near the south Oak Trail Shores, upstream to its headwaters in Hood County.

Segment Type Freshwater Stream

**AU\_ID: 1205F\_01** From the confluence with Lake Granbury near the south Oak Trail Shores, upstream to its headwaters in Hood County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** 20228

**SegID: 1205G Robinson Creek**

From the confluence with Lake Granbury near north Oak Trail Shores, upstream to its headwaters in Hood County.

Segment Type Freshwater Stream

**AU\_ID: 1205G\_01** From the confluence with Lake Granbury near north Oak Trail Shores, upstream to its headwaters in Hood County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** 20227

**SegID: 1205H Long Creek**

From the confluence with the north east portion of Lake Granbury in Hood County, upstream to its headwaters in Parker County.

Segment Type Freshwater Stream

**AU\_ID: 1205H\_01** From the confluence with the north east portion of Lake Granbury in Hood County, upstream to its headwaters in Parker County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** 20220



**SegID: 1206 Brazos River Below Possum Kingdom Lake**

From a point 100 meters (110 yards) upstream of FM 2580 in Parker County to Morris Sheppard Dam in Palo Pinto County

Segment Type Freshwater Stream

**AU\_ID: 1206\_01** Portion of the Brazos River 100 meters (110 yards) upstream of FM 2580 in Parker County upstream to confluence with Rock Creek in Parker County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 13543; 18743

**AU\_ID: 1206\_02** Portion of Brazos River from confluence with Rock Creek upstream to confluence with Elm Creek in Palo Pinto County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11863; 18745

**AU\_ID: 1206\_03** Portion of Brazos river from confluence with Elm Creek in Palo Pinto County upstream to Possum Kingdom Reservoir in Palo Pinto county.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11864; 18748

**SegID: 1206A Kickapoo Creek**

Intermittent stream with perennial pools from the confluence with the Brazos River in Parker County upstream to the headwaters 0.7 km west of US 281

Segment Type Freshwater Stream

**AU\_ID: 1206A\_01** Intermittent stream with perennial pools from the confluence with the Brazos River in Parker County upstream to Bailey's Lake at the Hood-Erath county line near the City of Lipan; App D

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** No Stations

**AU\_ID: 1206A\_02** From Bailey's Lake at the Hood-Erath county line near the City of Lipan to the headwaters 0.7 km west of US 281

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1206B Rock Creek**

From the confluence with the Brazos River to an unnamed second order tributary approximately 0.7 km downstream of Lake Mineral Wells

Segment Type Freshwater Stream

**AU\_ID: 1206B\_01** From the confluence with the Brazos River to the confluence with Dry Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

Station ID(s): No Stations

**AU\_ID: 1206B\_02** Intermittent stream with perennial pools from the confluence with Dry Creek upstream to the confluence with an unnamed second order tributary approximately 0.7 km downstream of Lake Mineral Wells; App D

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	TSWQS Appendix D	Intermediate	TSWQS Appendix D

Station ID(s): No Stations

**SegID: 1206C Unnamed Tributary of Rock Creek**

Intermittent stream with perennial pools from the confluence with Rock Creek upstream to the confluence with an unnamed first order tributary approximately 0.2 km upstream of Hood road, west of Lake Mineral Wells

Segment Type Freshwater Stream

**AU\_ID: 1206C\_01** Intermittent stream with perennial pools from the confluence with Rock Creek upstream to the confluence with an unnamed first order tributary approximately 0.2 km upstream of Hood road, west of Lake Mineral Wells; App D

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	TSWQS Appendix D	Intermediate	TSWQS Appendix D

Station ID(s): No Stations

**SegID: 1206D Palo Pinto Creek**

'From the confluence with the Brazos River upstream to its headwaters within the City of Eastland, in in Palo Pinto County.

Segment Type Freshwater Stream

**AU\_ID: 1206D\_01** Portion of Palo Pinto Creek from its confluence with the Brazos River upstream to Palo Pinto Reservoir Dam in Palo Pinto County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	High	TSWQS Appendix D

Station ID(s): 11074; 16408

**SegID: 1206E Lake Mineral Wells**

Impounded Rock Creek within Mineral Wells city limits, Parker County

Segment Type      Reservoir

**AU\_ID: 1206E\_01**    Impounded Rock Creek within Mineral Wells city limits, Parker County

Flow Type

Reservoir

Flow Type Source

Water body description

ALU Designation

High

ALU Designation Source

Presumption from Flow Type

**Station ID(s):**    No Stations

**SegID: 1207      Possum Kingdom Lake**

From Morris Sheppard Dam in Palo Pinto County to a point immediately upstream of the confluence of Cove Creek at Salem Bend in Young County, up to the normal pool elevation of 1000 feet (impounds Brazos River)

**SegID: 1207 Possum Kingdom Lake**

From Morris Sheppard Dam in Palo Pinto County to a point immediately upstream of the confluence of Cove Creek at Salem Bend in Young County, up to the normal pool elevation of 1000 feet (impounds Brazos River)

Segment Type Reservoir

**AU\_ID: 1207\_01** Rock Creek arm of lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 1207\_02** Deep Elm Creek arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11868

**AU\_ID: 1207\_03** Portion of segment west of SH 16

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 1207\_04** Portion of lake containing Costello Island

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 1207\_05** Elm Creek arm of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11867

**AU\_ID: 1207\_06** Veale creek arm of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 1207\_07** Portion of lake adjacent to northeast corner of state park

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 1207\_08** Caddo Creek arm of lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**SegID: 1207      Possum Kingdom Lake**

From Morris Sheppard Dam in Palo Pinto County to a point immediately upstream of the confluence of Cove Creek at Salem Bend in Young County, up to the normal pool elevation of 1000 feet (impounds Brazos River)

Segment Type      Reservoir

**AU\_ID: 1207\_09**      Portion of lake south of FM 2951

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):**      No Stations

**AU\_ID: 1207\_10**      Bluff Creek arm of lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):**      11866

**AU\_ID: 1207\_11**      Jewell Creek arm of lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):**      No Stations

**AU\_ID: 1207\_12**      Downstream portion of lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):**      11865

**SegID: 1208 Brazos River Above Possum Kingdom Lake**

From a point immediately upstream of the confluence of Cove Creek at Salem Bend in Young County to the confluence of the Double Mountain Fork Brazos River and the Salt Fork Brazos River in Stonewall County

Segment Type Freshwater Stream

**AU\_ID: 1208\_01** Portion of segment from confluence with Possum Kingdom Reservoir headwaters upstream to confluence with Spring Branch in Young County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11869

**AU\_ID: 1208\_02** Portion of segment from confluence with Spring Branch upstream to confluence with Fish Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 13641

**AU\_ID: 1208\_03** From confluence with Fish Creek upstream to confluence with Boggy Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 1208\_04** From confluence with Boggy Creek upstream to confluence with Millers Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11870

**AU\_ID: 1208\_05** From confluence with Millers Creek upstream to confluence with Lake Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11871

**AU\_ID: 1208\_06** From confluence with Lake Creek upstream to the confluence with Salt and Double Mountain Forks of the Brazos River

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 21531

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1208A Millers Creek Reservoir

Impoundment of Millers Creek, 12.5 mi southwest of Seymour in Baylor County

Segment Type Reservoir

**AU\_ID: 1208A\_01** Impoundment of Millers Creek, 12.5 mi southwest of Seymour in Baylor County

Flow Type  
Reservoir

Flow Type Source  
Water body description

ALU Designation  
High

ALU Designation Source  
Presumption from Flow Type

**Station ID(s):** No Stations

### SegID: 1209 Navasota River Below Lake Limestone

From the confluence with the Brazos River in Grimes County to Sterling C. Robertson Dam in Leon/Robertson County

Segment Type Freshwater Stream

**AU\_ID: 1209\_01** Portion of Navasota River from confluence with Brazos River upstream to confluence with Rocky Creek in grimes County.

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 11872; 11873

**AU\_ID: 1209\_02** Portion of Navasota River from confluence with Rocky Creek upstream to confluence with Sandy Branch in Grimes County.

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 11875; 20528

**AU\_ID: 1209\_03** Portion of Navasota River from confluence with Sandy Branch upstream to confluence with Shepherd Branch in Madison County.

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 1209\_04** Portion of Navasota River from confluence with Shepherd Branch in Madison County upstream to confluence with Camp Creek in Robertson County.

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 1209\_05** Portion of Navasota River from confluence with Camp Creek upstream to Lake Limestone Dam in Robertson County.

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 11877



**SegID: 1209A Country Club Lake**

From the Country Club Branch Dam up to normal pool elevation in Bryan in Brazos County

Segment Type Reservoir

**AU\_ID: 1209A\_01** From the Country Club Branch Dam up to normal pool elevation in Bryan in Brazos County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

**SegID: 1209B Fin Feather Lake**

From Fin Feather Dam up to normal pool elevation in northwest Bryan in Brazos County

Segment Type Reservoir

**AU\_ID: 1209B\_01** From Fin Feather Dam up to normal pool elevation in northwest Bryan in Brazos County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	Water body description	High	Presumption from Flow Type

**Station ID(s):** 11798

**SegID: 1209C Carters Creek**

Perennial stream from the confluence with the Navasota River southeast of College Station in Brazos County upstream to the headwaters 1.6 km upstream on US 190

Segment Type Freshwater Stream

**AU\_ID: 1209C\_01** Perennial stream from the confluence with the Navasota River upstream to the confluence of an unnamed tributary 0.5 km upstream of FM 158; App D

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** 11782; 11784; 11785; 21259

**AU\_ID: 1209C\_02** From an unnamed tributary 0.5 km upstream of FM 158 to the headwaters 1.6 km upstream on US 190

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1209D Country Club Branch**

From the confluence with Country Club Lake in Bryan in Brazos County to the dam at Fin Feather Lake in Bryan

Segment Type Freshwater Stream

**AU\_ID: 1209D\_01** From the confluence with Country Club Lake in Bryan in Brazos County to the dam at Fin Feather Lake in Bryan

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Intermediate	Presumption from flow type

Station ID(s): 11795

**SegID: 1209E Wickson Creek**

Perennial stream from the confluence with an unnamed first order tributary (approximately 1.3 km upstream of Reliance Road crossing) upstream to the confluence with an unnamed first order tributary approximately 15 meters upstream of Dilly Shaw Road

Segment Type Freshwater Stream

**AU\_ID: 1209E\_01** Perennial stream from the confluence with an unnamed first order tributary (approximately 1.3 km upstream of Reliance Road crossing) upstream to the confluence with an unnamed first order tributary approximately 15 meters upstream of Dilly Shaw Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D

Station ID(s): No Stations

**SegID: 1209F Wolfpen Creek**

Intermittent stream with perennial pools from the confluence with Carter Creek to near Bizzell Street in College Station

Segment Type Freshwater Stream

**AU\_ID: 1209F\_01** Intermittent stream with perennial pools from the confluence with Carter Creek to near Bizzell Street in College Station

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	TSWQS Appendix D	Limited	TSWQS Appendix D

Station ID(s): No Stations

**SegID: 1209G Cedar Creek**

From the confluence with the Navasota River in Brazos County to the confluence with Moores Branch and Rocky Branch in Robertson County

Segment Type Freshwater Stream

**AU\_ID: 1209G\_01** From the confluence with the Navasota River in Brazos County to the confluence with Moores Branch and Rocky Branch in Robertson County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Flow Questionnaire	High	Presumption from flow type

Station ID(s): 11787

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1209H Duck Creek

From the confluence with the Navasota river in Robertson County to Twin Oak Reservoir dam in Robertson County

Segment Type Freshwater Stream

**AU\_ID: 1209H\_01** Portion of Duck Creek from confluence with Navasota River upstream to confluence with Mineral Creek in Robertson County.

Flow Type  
Perennial

Flow Type Source  
Flow Questionnaire

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

**Station ID(s):** 16389

**AU\_ID: 1209H\_02** Portion of Duck Creek from confluence with Mineral Creek in Robertson County upstream to Twin Oak Reservoir dam in Robertson County.

Flow Type  
Perennial

Flow Type Source  
Flow Questionnaire

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

**Station ID(s):** No Stations

### SegID: 1209I Gibbons Creek

From confluence with Navasota River in Grimes County to SH 90 in Grimes County

Segment Type Freshwater Stream

**AU\_ID: 1209I\_01** Portion of Gibbons Creek from confluence with Navasota River upstream to confluence with Dry Creek in Grimes County.

Flow Type  
Intermittent w/pools

Flow Type Source  
Flow Questionnaire

ALU Designation  
Limited

ALU Designation Source  
Presumption from flow type

**Station ID(s):** 11756

**AU\_ID: 1209I\_02** Portion of Gibbons Creek from confluence with Dry Creek upstream to Gibbons Creek Reservoir dam in Grimes County

Flow Type  
Intermittent w/pools

Flow Type Source  
Flow Questionnaire

ALU Designation  
Limited

ALU Designation Source  
Presumption from flow type

**Station ID(s):** 18800; 20719

**AU\_ID: 1209I\_03** Portion of Gibbons Creek from confluence with Gibbons Creek Reservoir headwaters, upstream to headwaters of water body, in Grimes County

Flow Type  
Intermittent w/pools

Flow Type Source  
Flow Questionnaire

ALU Designation  
Limited

ALU Designation Source  
Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1209J Shepherd Creek**

From the confluence with the Navasota River in Madison County to a point 0.7 mi upstream of FM 1452 in Madison County

Segment Type Freshwater Stream

**AU\_ID: 1209J\_01** From the confluence with the Navasota River in Madison County to a point 0.7 mi upstream of FM 1452 in Madison County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Routine Flow Data	Minimal	Presumption from flow type

**Station ID(s):** 11790

**SegID: 1209K Steele Creek**

From confluence with Navasota River in Robertson County to a point 2.4 mi upstream of FM 147 in Limestone County

Segment Type Freshwater Stream

**AU\_ID: 1209K\_01** Portion of Steele Creek from confluence with Navasota River upstream to confluence with Willow Creek in Robertson County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Routine Flow Data	Minimal	Presumption from flow type

**Station ID(s):** No Stations

**AU\_ID: 1209K\_02** Portion of Steele Creek from confluence with Willow Creek upstream to headwaters in Limestone County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Flow Questionnaire	Minimal	Presumption from flow type

**Station ID(s):** 16384

**SegID: 1209L Burton Creek**

Burton Creek - from the confluence of Carters Creek in College Station upstream to the headwater 0.7 km northeast of Finfeather Lake in Bryan

Segment Type Freshwater Stream

**AU\_ID: 1209L\_01** Burton Creek from the confluence of Carters Creek in College Station upstream to the headwater 0.7 km northeast of Finfeather Lake in Bryan

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Water body description	Limited	Presumption from flow type

**Station ID(s):** 11783

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1209N Gibbons Creek Reservoir

Impounded Gibbons Creek , 18.2 km east of College Station in Grimes County.

Segment Type Reservoir

**AU\_ID: 1209N\_01** Gibbons Creek Arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

**AU\_ID: 1209N\_02** Main Body of Lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

**AU\_ID: 1209N\_03** Hog Creek Arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

**AU\_ID: 1209N\_04** Sulphur Creek Arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

### SegID: 1209O Normangee Lake

Impounded Running Creek, 7.5 km west of Normangee in Leon County.

Segment Type Reservoir

**AU\_ID: 1209O\_01** Impounded Running Creek, 7.5 km west of Normangee in Leon County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

### SegID: 1209P Clear Creek

From the confluence with Navasota River below Lake Limestone upstream to headwaters, 11 km southeast of Marquez in Leon County

Segment Type Freshwater Stream

**AU\_ID: 1209P\_01** From the confluence with Navasota River below Lake Limestone upstream to headwaters, 11 km southeast of Marquez in Leon County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1210 Lake Mexia**

From Bistone Dam in Limestone County up to the normal pool elevation of 448.3 feet (impounds Navasota River)

Segment Type Reservoir

**AU\_ID: 1210\_01** Eastern end of reservoir, from dam to RR 2681 east of Washington Park

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 17588

**AU\_ID: 1210\_02** Western end, from point where reservoir begins to widen, to upper end

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 17586; 17587

**SegID: 1210A Navasota River Above Lake Mexia**

From the confluence with the headwaters of Lake Mexia in Limestone County to a point 1.25 mi upstream of SH 31 in Hill County

Segment Type Freshwater Stream

**AU\_ID: 1210A\_01** From the confluence with the headwaters of Lake Mexia in Limestone County to a point 1.25 mi upstream of SH 31 in Hill County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Routine Flow Data	Minimal	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1211 Yegua Creek**

From the confluence with the Brazos River in Burleson/Washington County to Somerville Dam in Burleson/Washington County

Segment Type Freshwater Stream

**AU\_ID: 1211\_01** From the confluence with the Brazos River in Burleson/Washington County to Somerville Dam in Burleson/Washington County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11880

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1211A Davidson Creek

Intermittent stream with perennial pools from the confluence with Yegua Creek to 1.7 km above CR 322, Milam County

Segment Type Freshwater Stream

**AU\_ID: 1211A\_01** From 0.2 km above SH 21 near the City of Caldwell upstream to the headwaters 1.7 km above CR 322; App D

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

**Station ID(s):** No Stations

**AU\_ID: 1211A\_02** Intermittent stream with perennial pools from the confluence with Yegua Creek upstream to 0.2 km above SH 21 near the City of Caldwell; App D

Flow Type  
Intermittent w/pools

Flow Type Source  
TSWQS Appendix D

ALU Designation  
Intermediate

ALU Designation Source  
TSWQS Appendix D

**Station ID(s):** No Stations

### SegID: 1212 Somerville Lake

From Somerville Dam in Burleson/Washington County up to normal pool elevation of 238 feet (impounds Yegua Creek)

Segment Type Reservoir

**AU\_ID: 1212\_01** Eastern end of reservoir near dam

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 11881

**AU\_ID: 1212\_02** Northern arm of reservoir near town of Somerville

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 1212\_03** Middle of reservoir near Birch Creek State Park

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 16879; 20532

**AU\_ID: 1212\_04** Western end of reservoir near upper segment boundary

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 11882

**SegID: 1212A Middle Yegua Creek**

From the confluence with East Yegua and Yegua Creeks in Lee County to the Lee County/Williamson County line

Segment Type Freshwater Stream

**AU\_ID: 1212A\_01** From confluence with East Yegua Creek upstream to confluence with West Yegua Creek in Lee County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Flow Questionnaire	High	Presumption from flow type

**Station ID(s):** No Stations

**AU\_ID: 1212A\_02** From confluence with West Yegua Creek upstream to headwaters of water body in Williamson County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Flow Questionnaire	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1212B East Yegua Creek**

From the confluence with Middle Yegua and Yegua Creeks southeast of Dime Box in Lee County to the upstream portion of the stream, south of Alcoa Lake in Milam County

Segment Type Freshwater Stream

**AU\_ID: 1212B\_01** Portion of East Yegua Creek from confluence with Middle Yegua Creek in Burleson County upstream to confluence with Allen Creek in Lee County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Flow Questionnaire	High	Presumption from flow type

**Station ID(s):** 11594

**AU\_ID: 1212B\_02** Portion of East Yegua Creek from confluence with Allen Creek in Lee County upstream to headwaters in Milam County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Flow Questionnaire	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1212C Nail Creek**

Nail Creek from the confluence of Yegua Creek upstream to the headwater 340 m north of US 290 west of Giddings

Segment Type Freshwater Stream

**AU\_ID: 1212C\_01** Nail Creek from the confluence of Yegua Creek upstream to the headwater 340 m north of US 290 west of Giddings

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** 20674



**SegID: 1212D Cedar Creek**

Cedar Creek from the confluence of Somerville Lake upstream to the headwater approximately 2 km north of US 290 west of Burton

Segment Type Freshwater Stream

**AU\_ID: 1212D\_01** Cedar Creek from the confluence of Somerville Lake upstream to the headwater approximately 2 km north of US 290 approximately 2.2 km west of Burton

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** 20675

**SegID: 1212E McCain Creek**

McCain Creek from the confluence of Somerville Lake upstream to the headwater near FM 390 W (La Bahia Trail W) approximately 3 km northeast of Burton

Segment Type Freshwater Stream

**AU\_ID: 1212E\_01** McCain Creek from the confluence of Somerville Lake upstream to the headwater near FM 390 W (La Bahia Trail W) approximately 3 km northeast of Burton

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Flow Questionnaire	Minimal	Presumption from flow type

**Station ID(s):** 20676

**SegID: 1212F Burns Creek**

Burns Creek from the confluence of Somerville Lake upstream to the headwater approximately 1.4 km north of the intersection of FM 390 W (La Bahia Trail W) and FM 1948 northeast of Burton

Segment Type Freshwater Stream

**AU\_ID: 1212F\_01** Burns Creek from the confluence of Somerville Lake upstream to the headwater approximately 1.4 km north of the intersection of FM 390 W (La Bahia Trail W) and FM 1948 northeast of Burton

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** 20677

**SegID: 1212G Jerdelle Creek**

Jerdelle Creek from the confluence of Somerville Lake upstream to the headwater near FM 390 W (La Bahia Trail W) approximately 9 km northeast of Burton

Segment Type Freshwater Stream

**AU\_ID: 1212G\_01** Jerdelle Creek from the confluence of Somerville Lake upstream to the headwater near FM 390 W (La Bahia Trail W) approximately 9 km northeast of Burton

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** 20678

**SegID: 1212H Sandy Branch**

Sandy Branch from the confluence of Somerville Lake upstream to the headwater near Haack Lane approximately 4.7 km west of the intersection of FM 390 W (La Bahia Trail W) and SH 36

Segment Type Freshwater Stream

**AU\_ID: 1212H\_01** Sandy Branch from the confluence of Somerville Lake upstream to the headwater near Haack Lane approximately 4.7 km west of the intersection of FM 390 W (La Bahia Trail W) and SH 36

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Flow Questionnaire	Minimal	Presumption from flow type

**Station ID(s):** 20679

**SegID: 1212I Birch Creek**

Birch Creek from the confluence of Somerville Lake upstream to the headwater at FM 60 approximately 11 km south of Caldwell

Segment Type Freshwater Stream

**AU\_ID: 1212I\_01** Birch Creek from the confluence of Somerville Lake upstream to the headwater at FM 60 approximately 11 km south of Caldwell

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** 20680

**SegID: 1212J Big Creek**

Big Creek from the confluence of Somerville Lake upstream to the headwater at FM 976 (Frenstat Rd) approximately 12.8 km northwest of Somerville

Segment Type Freshwater Stream

**AU\_ID: 1212J\_01** Big Creek from the confluence of Somerville Lake upstream to the headwater at FM 976 (Frenstat Rd) approximately 12.8 km northwest of Somerville

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** 20681

**SegID: 1212K Brushy Creek**

Brushy Creek from the confluence of Somerville Lake upstream to the headwater near the intersection of Burleson CR 408 and CR 415 approximately 3 km northwest of Somerville

Segment Type Freshwater Stream

**AU\_ID: 1212K\_01** Brushy Creek from the confluence of Somerville Lake upstream to the headwater near the intersection of Burleson CR 408 and CR 415 approximately 3 km northwest of Somerville

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Flow Questionnaire	Minimal	Presumption from flow type

**Station ID(s):** 20682

**SegID: 1212L Yegua Creek**

Yegua Creek from the confluence of Somerville Lake upstream to the confluence of East Yegua and Middle Yegua Creeks at the Burleson and Lee County Line

Segment Type Freshwater Stream

**AU\_ID: 1212L\_01** Yegua Creek from the confluence of Somerville Lake upstream to the confluence of East Yegua and Middle Yegua Creeks at the Burleson and Lee County Line

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** 20683; 20834

**SegID: 1213 Little River**

From the confluence with the Brazos River in Milam County to the confluence of the Leon River and the Lampasas River in Bell County

Segment Type Freshwater Stream

**AU\_ID: 1213\_01** From the confluence with Brazos River upstream to confluence with City of Cameron WWTP receiving water

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11888

**AU\_ID: 1213\_02** From the City of Cameron WWTP receiving water upstream to the confluence with the San Gabriel River

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 17499

**AU\_ID: 1213\_03** From confluence with San Gabriel River upstream to confl. with Boggy Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 13544; 16409

**AU\_ID: 1213\_04** From confluence with Boggy Creek upstream to its confluence with Leon and Lampasas Rivers

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 13546

**SegID: 1213A Big Elm Creek**

From the confluence with Little River in Milam county, 4.5 km northeast of the City of Cameron, upstream to its headwaters in McLennan County, 0.7 km west of Moody.

Segment Type Freshwater Stream

**AU\_ID: 1213A\_01** Portion of Big Elm Creek from the confluence with the Little River upstream to confluence with Little Elm Creek.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	WQS/Permits program	High	Presumption from flow type

**Station ID(s):** 16385

**AU\_ID: 1213A\_02** Portion of Big Elm Creek from the confluence with Little Elm Creek upstream to its headwaters.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1213B Little Elm Creek**

From the confluence with Big Elm Creek upstream to headwaters, 2.5 km north of Temple in Bell County

Segment Type Freshwater Stream

**AU\_ID: 1213B\_01** From confluence with Big Elm Creek upstream to confluence with Williamson Branch

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** No Stations

**AU\_ID: 1213B\_02** From confluence with Williamson Branch upstream to headwaters

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1213C Unnamed Tributary of Little Elm Creek**

From confluence with Little Elm Creek upstream to headwaters in Temple, Bell County

Segment Type Freshwater Stream

**AU\_ID: 1213C\_01** From confluence with Little Elm Creek upstream to headwaters in Temple, Bell County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1214 San Gabriel River

From the confluence with the Little River in Milam County to Granger Lake Dam in Williamson County

Segment Type Freshwater Stream

**AU\_ID: 1214\_01** From confluence with Little River upstream to confl. with Alligator Creek

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 11892; 17651

**AU\_ID: 1214\_02** From confluence with Alligator Creek upstream to Lake Granger

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 13648

### SegID: 1215 Lampasas River Below Stillhouse Hollow Lake

From the confluence with the Leon River in Bell County to Stillhouse Hollow Lake Dam in Bell County

Segment Type Freshwater Stream

**AU\_ID: 1215\_01** From the confluence with the Leon River in Bell County to Stillhouse Hollow Lake Dam in Bell County

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 13547

**SegID: 1216 Stillhouse Hollow Lake**

From Stillhouse Hollow Lake Dam in Bell County to a point immediately upstream of the confluence of Rock Creek in Bell County, up to normal pool elevation of 622 feet (impounds Lampasas River)

Segment Type Reservoir

**AU\_ID: 1216\_01** Main Body of Lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	Exceptional	TSWQS Appendix A

**Station ID(s):** 11894; 11895; 18753

**AU\_ID: 1216\_02** Riverine portion of reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	Exceptional	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 1216\_SA1** Branch Cove associated with main body of lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	Exceptional	TSWQS Appendix A

**Station ID(s):** 20051

**SegID: 1216A Trimmier Creek**

From confluence with Stillhouse Hollow Lake upstream to its headwaters, southwest of Killeen in Bell County.

Segment Type Freshwater Stream

**AU\_ID: 1216A\_01** From confluence with Stillhouse Hollow Lake upstream to its headwaters, southwest of Killeen in Bell County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 18754

**SegID: 1216B Onion Creek**

From confluence with riverine portion of Stillhouse Hollow Lake, upstream to its headwaters, west of Killeen in Bell County.

Segment Type Freshwater Stream

**AU\_ID: 1216B\_01** From confluence with riverine portion of Stillhouse Hollow Lake, upstream to its headwaters, west of Killeen in Bell County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Routine Flow Data	Minimal	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1217 Lampasas River Above Stillhouse Hollow Lake**

From a point immediately upstream of the confluence of Rock Creek in Bell County to FM 2005 in Hamilton County

Segment Type Freshwater Stream

**AU\_ID: 1217\_01** Portion of Lampasas River from confluence with Rock Creek in Bell County, upstream to confluence with Mesquite Creek, west of Kempner in Lampasas County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11896

**AU\_ID: 1217\_02** Portion of Lampasas River from confluence with Mesquite Creek upstream to confluence with Lucy Creek in Lampasas County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11897

**AU\_ID: 1217\_03** Portion of Lampasas River from confluence with Lucy Creek upstream to confluence with Sims Creek in Lampasas County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 16404

**AU\_ID: 1217\_04** Portion of Lampasas River from confluence with Simms Creek upstream to confluence with Bennett Creek in Lampasas County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 15770

**AU\_ID: 1217\_05** Portion of Lampasas River from confluence with Bennett Creek upstream to its headwaters in Mills County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 15762

**SegID: 1217A Rocky Creek**

From the confluence of the Lampasas River north of Oakalla in Burnet County to the confluences of the North and South Rocky Creeks south of Oakalla in Burnet County

Segment Type Freshwater Stream

**AU\_ID: 1217A\_01** From the confluence of the Lampasas River north of Oakalla in Burnet County to the confluences of the North and South Rocky Creeks south of Oakalla in Burnet County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** 11724

**SegID: 1217B Sulphur Creek**

From the confluence of the Lampasas River east of Lampasas in Lampasas County to the confluences of Bean Creek and East Fork Sulphur Creek west of Lampasas in Lampasas County

Segment Type Freshwater Stream

**AU\_ID: 1217B\_01** Perennial stream from the confluence with the Lampasas River upstream to the spring source located in the City of Lampasas; App D

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** 15250; 15781; 15782

**AU\_ID: 1217B\_02** From the spring source located in the City of Lampasas upstream to the confluences with Bean Creek and East Fork Sulphur Creek west of Lampasas in Lampasas County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 18760; 18782; 18783

**SegID: 1217C Simms Creek**

From the confluence with the Lampasas River in Coryell County to a point 2.3 mi upstream of CR 59 in Mills County

Segment Type Freshwater Stream

**AU\_ID: 1217C\_01** From the confluence with the Lampasas River in Coryell County to a point 2.3 mi upstream of CR 59 in Mills County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 15763

**SegID: 1217D North Fork Rocky Creek**

Intermittent stream with perennial pools from the confluence with South Rocky Creek upstream to its headwaters approximately 11 km west of US 183]

Segment Type Freshwater Stream

**AU\_ID: 1217D\_01** Intermittent stream with perennial pools from the confluence with South Rocky Creek upstream to its headwaters approximately 11 km west of US 183; App D

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** No Stations



**SegID: 1217E South Rocky Creek**

From its confluence with North Rocky Creek, upstream to its headwaters 11 mi west of US Hwy 183 in Burnet County

Segment Type Freshwater Stream

**AU\_ID: 1217E\_01** From its confluence with North Rocky Creek, upstream to its headwaters 11 mi west of US Hwy 183 in Burnet County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** 18657

**SegID: 1217F Reese Creek**

From its confluence with the Lampasas River Above Stillhouse Hollow Lake upstream to its headwaters, 6.7 km south west of Killeen in Bell County.

Segment Type Freshwater Stream

**AU\_ID: 1217F\_01** From confluence with Lampasas River above Stillhouse Hollow Lake upstream to confluence with un-named tributary (NHD reach code 12070203002555).

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 18759

**AU\_ID: 1217F\_02** From confluence with un-named tributary (NHD reach code 12070203002555) upstream to headwaters in Bell county.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Flow Questionnaire	Minimal	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1217G Clear Creek**

Clear Creek from the confluence of the Lampasas River upstream to the headwater in Copperas Cove

Segment Type Freshwater Stream

**AU\_ID: 1217G\_01** Clear Creek from the confluence of the Lampasas River upstream to the headwater in Copperas Cove

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Flow Questionnaire	High	Presumption from flow type

**Station ID(s):** 21016

**SegID: 1218 Nolan Creek/ South Nolan Creek**

From the confluence with the Leon River in Bell County to a point 100 meters (110 yards) upstream to the most upstream crossing of US 190 and Loop 172 in Bell County

Segment Type Freshwater Stream

**AU\_ID: 1218\_01** Portion of Nolan Creek from the confluence with the Leon River upstream to confluence with North Nolan/South Nolan Creek fork in Bell county

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11908; 14237; 15048

**AU\_ID: 1218\_02** Portion of South Nolan Creek from confluence with North Nolan / Nolan Creek fork upstream to confluence with Liberty Ditch in city of Killeen in Bell County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11905; 11907; 11910; 11911; 11913; 11915; 18827; 18828; 21436

**AU\_ID: 1218\_03** Portion of South Nolan Creek from confluence with Liberty ditch in Killeen upstream to a point 100 meters (110 yards) upstream of the most upstream crossing of US 190 near the intersection of US 190 and Loop 172 in Bell County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**SegID: 1218A Unnamed Tributary to Little Nolan Creek**

From the confluence with Little Nolan Creek upstream to headwaters in the city of Killeen, Bell County.

Segment Type Freshwater Stream

**AU\_ID: 1218A\_01** From the confluence with Little Nolan Creek upstream to headwaters in the city of Killeen, Bell County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1218B South Nolan Creek**

From 100 meters upstream of the most upstream crossing of US 190 near the intersection of US 190 and Loop 172 upstream to headwaters in the city of Killeen, Bell County.

Segment Type Freshwater Stream

**AU\_ID: 1218B\_01** From 100 meters upstream of the most upstream crossing of US 190 near the intersection of US 190 and Loop 172 upstream to headwaters in the city of Killeen, Bell County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1218C Little Nolan Creek**

From the confluence with Nolan Creek/South Nolan Creek upstream to headwaters in the city of Killeen, Bell County.

Segment Type Freshwater Stream

**AU\_ID: 1218C\_01** From the confluence with Nolan Creek/South Nolan Creek upstream to headwaters in the city of Killeen, Bell County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** 21437

**SegID: 1219 Leon River Below Belton Lake**

From the confluence with the Lampasas River in Bell County to Belton Dam in Bell County

Segment Type Freshwater Stream

**AU\_ID: 1219\_01** From the confluence with the Lampasas River in Bell County to Belton Dam in Bell County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11916

**SegID: 1220 Belton Lake**

From Belton Dam in Bell County to a point 100 meters (110 yards) upstream of FM 236 in Coryell County, up to the normal pool elevation of 594 feet (impounds Leon River)

Segment Type Reservoir

**AU\_ID: 1220\_01** Portion of Lake near Dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11921; 20835

**AU\_ID: 1220\_02** Cowhouse Creek Arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11922; 15678

**AU\_ID: 1220\_03** Leon River Arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11923; 15679; 18798

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1220A Cowhouse Creek

From the confluence of Belton Lake in Bell County south of Gatesville in Coryell County to the upstream perennial portion of the stream north of Goldthwaite in Mills County

Segment Type      Freshwater Stream

**AU\_ID: 1220A\_01**    Downstream portion of water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):**    No Stations

**AU\_ID: 1220A\_02**    Middle portion of water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):**    11805

**AU\_ID: 1220A\_03**    Upstream portion of water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):**    17546

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1221 Leon River Below Proctor Lake

From a point immediately upstream of the confluence of Plum Creek in Coryell County to Proctor Dam in Comanche County

Segment Type Freshwater Stream

**AU\_ID: 1221\_01** Portion of Leon River from confluence with Lake Belton upstream to confluence with unnamed tributary (NHD RC 12070201005989) in Coryell County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 1221\_02** Portion of Leon River from confluence with unnamed tributary (NHD RC 12070201005989) upstream to confluence with Stillhouse Branch in Coryell County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 1221\_03** From confluence with Stillhouse Creek, upstream to confluence with Plum Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 1221\_04** From a point immediately upstream of the confluence with Plum Creek, upstream to the confluence with Pecan Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11929; 11930

**AU\_ID: 1221\_05** From confluence with Pecan Creek, upstream to confluence with South Leon Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11932; 11933; 15769; 18781; 20905

**AU\_ID: 1221\_06** From confluence with South Leon Creek upstream to confluence with Walnut Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 17591

**AU\_ID: 1221\_07** From the confluence with Walnut Creek upstream to Lake Proctor

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11934

**SegID: 1221A Resley Creek**

From the confluence of the Leon River east of Gustine in Comanche County to the upstream perennial portion of the stream north of Gustine in Erath County

Segment Type Freshwater Stream

**AU\_ID: 1221A\_01** Portion of Resley Creek from confluence with Leon River upstream to conf. with unnamed tributary (NHD RC 12070201007823), approx. 1.0 mi N. of Comanche County Line

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Flow Questionnaire	Minimal	Presumption from flow type

**Station ID(s):** 11808; 17377

**AU\_ID: 1221A\_02** Portion of Resley Creek from confluence with unnamed tributary (NHD RC 12070201007823), upstream to headwaters in Erath County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Flow Questionnaire	Minimal	Presumption from flow type

**Station ID(s):** 17376

**SegID: 1221B South Leon River**

From the confluence of the Leon River south of Gustine in Comanche County to the upstream perennial portion of the stream south of Comanche in Comanche County

Segment Type Freshwater Stream

**AU\_ID: 1221B\_01** From the confluence of the Leon River south of Gustine in Comanche County to the upstream perennial portion of the stream south of Comanche in Comanche County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Flow Questionnaire	High	Presumption from flow type

**Station ID(s):** 11817; 20527

**SegID: 1221C Pecan Creek**

Perennial stream from the confluence with the Leon River upstream to the headwaters approximately 3.1 km south of the City of Hamilton in Hamilton County

Segment Type Freshwater Stream

**AU\_ID: 1221C\_01** Perennial stream from the confluence with the Leon River upstream to the confluence with an unnamed tributary approximately 3.5 km upstream of SH 36 near the City of Hamilton; App D

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** 17547

**AU\_ID: 1221C\_02** From an unnamed tributary approximately 3.5 km upstream of SH 36 near the City of Hamilton to the headwaters approximately 1.5 km further upstream

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1221D Indian Creek**

Perennial stream from the confluence of the Leon River to the headwaters approximately 7.5 km west of Comanche in Comanche County

Segment Type Freshwater Stream

**AU\_ID: 1221D\_01** From confluence with Leon River, upstream to confluence with Armstrong Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 11818

**AU\_ID: 1221D\_02** Perennial stream from the confluence with Armstrong Creek approximately 1.5 km downstream of SH 36 upstream to the confluence with an unnamed tributary approximately 0.1 km upstream of US 377; App D

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** 17542

**AU\_ID: 1221D\_03** From an unnamed tributary approximately 0.1 km upstream of US 377 upstream approximately 9.0 km to headwaters

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1221E Plum Creek**

From its confluence with the Leon River in Coryell county, upstream to its headwaters 2.4 mi east of US Hwy 281 in Hamilton County

Segment Type Freshwater Stream

**AU\_ID: 1221E\_01** From its confluence with the Leon River in Coryell county, upstream to its headwaters 2.4 mi east of US Hwy 281 in Hamilton County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 18405

**SegID: 1221F Walnut Creek**

From its confluence with Leon River upstream to its headwaters 2.4 mi west of Dublin in Erath County

Segment Type Freshwater Stream

**AU\_ID: 1221F\_01** From its confluence with Leon River upstream to its headwaters 2.4 mi west of Dublin in Erath County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** 17379

**SegID: 1221G Coryell Creek**

Coryell Creek from the confluence of the Leon River west of Gatesville upstream to headwater at Coryell CR 219 north of Gatesville

Segment Type Freshwater Stream

**AU\_ID: 1221G\_01** Coryell Creek from the confluence of the Leon River west of Gatesville upstream to headwater at Coryell CR 219 north of Gatesville

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Flow Questionnaire	High	Presumption from flow type

**Station ID(s):** 11804

**SegID: 1222 Proctor Lake**

From Proctor Dam in Comanche County to a point immediately upstream of the confluence of Mill Branch in Comanche County, up to the normal pool elevation of 1162 feet (impounds Leon River)

Segment Type Reservoir

**AU\_ID: 1222\_01** Sabana River arm of lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11936

**AU\_ID: 1222\_02** Copperas / Duncan Creeks arm of lake.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11937

**AU\_ID: 1222\_03** Portion of water body near dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11935

**SegID: 1222A Duncan Creek**

From the confluence of Proctor Lake northeast of Comanche in Comanche County to the upstream perennial portion of the stream west of Comanche in Comanche County

Segment Type Freshwater Stream

**AU\_ID: 1222A\_01** From the confluence of Proctor Lake northeast of Comanche in Comanche County to the upstream perennial portion of the stream west of Comanche in Comanche County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Routine Flow Data	Minimal	Presumption from flow type

**Station ID(s):** 17544



**SegID: 1222B Rush-Copperas Creek**

From the confluence of Proctor Lake northeast of Comanche in Comanche County to the upstream perennial portion of the stream northwest of Comanche in Comanche County

Segment Type Freshwater Stream

**AU\_ID: 1222B\_01** From the confluence of Proctor Lake northeast of Comanche in Comanche County to the upstream perennial portion of the stream northwest of Comanche in Comanche County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** 17538

**SegID: 1222C Sabana River**

From the confluence of Proctor Lake northeast of Comanche in Comanche County to the upstream perennial portion of the stream northwest of Rising Star in Eastland County

Segment Type Freshwater Stream

**AU\_ID: 1222C\_01** Portion of Sabana River from confluence with Proctor Lake in Comanche County upstream to confluence with Elm Creek in Eastland County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Routine Flow Data	Minimal	Presumption from flow type

**Station ID(s):** 13647

**AU\_ID: 1222C\_02** Portion of Sabana River from confluence with Elm Creek in Eastland upstream to headwaters in Callahan County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Routine Flow Data	Minimal	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1222D Sowell's Creek**

From its confluence with Lake Proctor, upstream to its headwaters 1.3 mi west of Dublin in Erath County

Segment Type Freshwater Stream

**AU\_ID: 1222D\_01** From its confluence with Lake Proctor, upstream to its headwaters 1.3 mi west of Dublin in Erath County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Routine Flow Data	Minimal	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1222E Sweetwater Creek**

From its confluence with Copperas Creek, upstream to its headwaters, 6.3 mi west of Comanche in Comanche County

Segment Type Freshwater Stream

**AU\_ID: 1222E\_01** From its confluence with Copperas Creek, upstream to its headwaters, 6.3 mi west of Comanche in Comanche County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Routine Flow Data	Minimal	Presumption from flow type

**Station ID(s):** 17541

**SegID: 1222F Hackberry Creek**

From its confluence with Armstrong Creek, upstream to its headwaters approximately 9.8 mi west of Stephenville in Erath County

Segment Type Freshwater Stream

**AU\_ID: 1222F\_01** From its confluence with Armstrong Creek, upstream to its headwaters approximately 9.8 mi west of Stephenville in Erath County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Routine Flow Data	Minimal	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1223 Leon River Below Leon Reservoir**

From a point immediately upstream of the confluence of Mill Branch in Comanche County to Leon Dam in Eastland County

Segment Type Freshwater Stream

**AU\_ID: 1223\_01** From a point immediately upstream of the confluence of Mill Branch in Comanche County to Leon Dam in Eastland County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11938

**SegID: 1223A Armstrong Creek**

From its confluence with the Leon River downstream of Leon Reservoir, upstream to its headwaters in Erath County 6.2 mi east of State Hwy 16.

Segment Type Freshwater Stream

**AU\_ID: 1223A\_01** From its confluence with the Leon River downstream of Leon Reservoir, upstream to its headwaters in Erath County 6.2 mi east of State Hwy 16.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Routine Flow Data	Minimal	Presumption from flow type

**Station ID(s):** 15065; 15765

**SegID: 1223B Cow Creek**

From the confluence with Armstrong Creek, upstream to its headwaters in Erath County, 5 mi north of Dublin

Segment Type Freshwater Stream

**AU\_ID: 1223B\_01** From the confluence with Armstrong Creek, upstream to its headwaters in Erath County, 5 mi north of Dublin

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Routine Flow Data	Minimal	Presumption from flow type

**Station ID(s):** 17540

**SegID: 1224 Leon Reservoir**

From Leon Dam in Eastland County up to the normal pool elevation of 1375 feet (impounds Leon River)

Segment Type Reservoir

**AU\_ID: 1224\_01** Portion near dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11939

**AU\_ID: 1224\_02** Headwater portion

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11941

**SegID: 1224A Leon River Above Leon Reservoir**

From the headwaters of Leon Reservoir up to the confluence of the North Fork Leon River and the South Fork Leon River (includes Lake Olden)

Segment Type Freshwater Stream

**AU\_ID: 1224A\_01** From the headwaters of Leon Reservoir up to the confluence of the North Fork Leon River and the South Fork Leon River (includes Lake Olden)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 1224C South Fork Leon River**

From the confluence of the North Fork Leon River up to the confluence of the Middle Fork Leon River

Segment Type Freshwater Stream

**AU\_ID: 1224C\_01** From the confluence of the North Fork Leon River up to the confluence of the Middle Fork Leon River

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix D

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 1225 Waco Lake**

From Waco Lake Dam to a point immediately upstream of the confluence of Long Branch on the North Bosque River; and to a point on the Middle Bosque River 1.64 km (1.02 mi) and to a point on the South Bosque River 1.35 km (0.84 mi) upstream of the confluence

Segment Type Reservoir

**AU\_ID: 1225\_01** North Bosque River arm of lake

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 17204

**AU\_ID: 1225\_02** Portion of lake near dam

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 11942

**AU\_ID: 1225\_03** Middle/South Bosque River arm of lake

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 11948

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1225A Hog Creek

From the creek mouth at Lake Waco in McLennan County to the upstream headwaters in northeast Coryell County

Segment Type Freshwater Stream

**AU\_ID: 1225A\_01** From its confluence with Live Oak Creek downstream to Lake Waco

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** 17212

**AU\_ID: 1225A\_02** From its confluence with Live Oak Creek upstream to its headwaters

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** No Stations

### SegID: 1226 North Bosque River

From a point immediately upstream of the confluence of Long Branch in McLennan County to a point immediately upstream of the confluence of Indian Creek in Erath County

Segment Type Freshwater Stream

**AU\_ID: 1226\_01** Portion of North Bosque River from confluence with Waco Lake in McLennan County upstream to confluence with Neils Creek in Bosque County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11951; 11954

**AU\_ID: 1226\_02** Portion of North Bosque River from confluence with Neils Creek upstream to confluence with Meridian Creek in Bosque County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11956; 17500

**AU\_ID: 1226\_03** Portion of North Bosque River from confluence with Meridian Creek upstream to confluence with Duffau Creek in Bosque County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11960; 18003

**AU\_ID: 1226\_04** Portion of North Bosque River from confluence with Duffau Creek in Bosque County upstream to a point immediately upstream of Indian Creek confluence (end of segment) in Erath County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11961; 11962

**SegID: 1226A Duffau Creek**

From the confluence with the North Bosque River west of Iredell in Bosque County upstream to its headwaters, 0.4km west of US67 in Erath County.

Segment Type Freshwater Stream

**AU\_ID: 1226A\_01** From the confluence with the North Bosque River west of Iredell in Bosque County upstream to its headwaters, 0.4km west of US67 in Erath County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 17607

**SegID: 1226B Green Creek**

From the confluence of the North Bosque River south of Clairette in Erath County upstream to its headwaters 10km west of Stephenville in Erath County

Segment Type Freshwater Stream

**AU\_ID: 1226B\_01** From the confluence of the North Bosque River south of Clairette in Erath County upstream to its headwaters 10km west of Stephenville in Erath County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** 13486; 17609; 20534

**SegID: 1226C Meridian Creek**

From the confluence of the North Bosque River northwest of Clifton in Bosque County to the upstream portion of the stream northeast of Hamilton in Hamilton County

Segment Type Freshwater Stream

**AU\_ID: 1226C\_01** From the confluence of the North Bosque River northwest of Clifton in Bosque County to the upstream portion of the stream northeast of Hamilton in Hamilton County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** 14908

**SegID: 1226D Neils Creek**

From the confluence of the North Bosque River south of Clifton in Bosque County to the confluence of the North and Middle Fork Neils Creeks west of Clifton in Bosque County

Segment Type Freshwater Stream

**AU\_ID: 1226D\_01** From the confluence of the North Bosque River south of Clifton in Bosque County to the confluence of the North and Middle Fork Neils Creeks west of Clifton in Bosque County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** 11826

**SegID: 1226E Indian Creek**

From the confluence with the North Bosque River in Erath County to the headwaters 3.5 mi east of Stephenville in Erath County

Segment Type Freshwater Stream

**AU\_ID: 1226E\_01** From the confluence with the North Bosque River in Erath County to the headwaters 3.5 mi east of Stephenville in Erath County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Flow Questionnaire	Minimal	Presumption from flow type

**Station ID(s):** 17235

**SegID: 1226F Sims Creek**

From the confluence with the North Bosque River in Erath County to the headwaters 6 mi southeast of Stephenville in Erath County

Segment Type Freshwater Stream

**AU\_ID: 1226F\_01** From the confluence with the North Bosque River in Erath County to the headwaters 6 mi southeast of Stephenville in Erath County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Routine Flow Data	Minimal	Presumption from flow type

**Station ID(s):** 17240

**SegID: 1226G Spring Creek**

From the confluence with the North Bosque River in Hamilton County to the headwaters 8.5 mi west of Hico in Hamilton County

Segment Type Freshwater Stream

**AU\_ID: 1226G\_01** From the confluence with the North Bosque River in Hamilton County to the headwaters 8.5 mi west of Hico in Hamilton County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Routine Flow Data	Minimal	Presumption from flow type

**Station ID(s):** 17242

**SegID: 1226H Alarm Creek**

From its confluence with the North Bosque River, upstream to its headwaters 3 mi west of Stephenville in Erath County

Segment Type Freshwater Stream

**AU\_ID: 1226H\_01** From its confluence with the North Bosque River, upstream to its headwaters 3 mi west of Stephenville in Erath County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Routine Flow Data	Minimal	Presumption from flow type

**Station ID(s):** 17604

**SegID: 1226I Gilmore Creek**

From its confluence with the North Bosque River, upstream to its headwaters 11 mi west of Hico in Erath County

Segment Type Freshwater Stream

**AU\_ID: 1226I\_01** From its confluence with the North Bosque River, upstream to its headwaters 11 mi west of Hico in Erath County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Routine Flow Data	Minimal	Presumption from flow type

**Station ID(s):** 17610

**SegID: 1226J Honey Creek**

From its confluence with the North Bosque River, upstream to its headwaters 2.8 mi west of US 281 in Hamilton County

Segment Type Freshwater Stream

**AU\_ID: 1226J\_01** From its confluence with the North Bosque River, upstream to its headwaters 2.8 mi west of US 281 in Hamilton County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Routine Flow Data	Minimal	Presumption from flow type

**Station ID(s):** 17611

**SegID: 1226K Little Duffau Creek**

From its confluence with Duffau Creek, upstream to its headwaters 2.4 mi south west of US 67 in Erath County

Segment Type Freshwater Stream

**AU\_ID: 1226K\_01** From its confluence with Duffau Creek, upstream to its headwaters 2.4 mi south west of US 67 in Erath County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Routine Flow Data	Minimal	Presumption from flow type

**Station ID(s):** 17608

**SegID: 1226L South Fork Little Green Creek**

From its confluence with Little Green Creek, upstream to its headwaters 3.5 mi south east of Dublin in Erath County

Segment Type Freshwater Stream

**AU\_ID: 1226L\_01** From its confluence with Little Green Creek, upstream to its headwaters 3.5 mi south east of Dublin in Erath County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Routine Flow Data	Minimal	Presumption from flow type

**Station ID(s):** No Stations



**SegID: 1226M Little Green Creek**

From its confluence with Green Creek, upstream to its confluence with the North and South Forks of Little Green Creek, 2.4 mi south of SH 6 in Erath County.

Segment Type Freshwater Stream

**AU\_ID: 1226M\_01** From its confluence with Green Creek, upstream to its confluence with the North and South Forks of Little Green Creek, 2.4 mi south of SH 6 in Erath County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Routine Flow Data	Minimal	Presumption from flow type

**Station ID(s):** 17606

**SegID: 1226N Indian Creek Reservoir**

Impounded Indian Creek in Erath County, 5.6 mi southeast of Stephenville

Segment Type Reservoir

**AU\_ID: 1226N\_01** Impounded Indian Creek in Erath County, 5.6 mi southeast of Stephenville

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

**SegID: 1226O Sims Creek Reservoir**

Impounded Sims Creek in Erath County, 6.8 mi south east of Stephenville

Segment Type Reservoir

**AU\_ID: 1226O\_01** Impounded Sims Creek in Erath County, 6.8 mi south east of Stephenville

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

**SegID: 1226P Spring Creek Reservoir**

Impounded Spring Creek in Erath County, 3.4 mi northwest of Hico

Segment Type Reservoir

**AU\_ID: 1226P\_01** Impounded Spring Creek in Erath County, 3.4 mi northwest of Hico

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

**SegID: 1226O Walker Branch**

From the confluence with the North Bosque River upstream to headwaters, north of Iredell in Bosque and Erath Counties.

Segment Type Freshwater Stream

**AU\_ID: 1226Q\_01** From the confluence with the North Bosque River upstream to headwaters, north of Iredell in Bosque and Erath Counties.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1227 Nolan River**

From a point immediately upstream of the confluence of Rock Creek in Hill County to Cleburne Dam in Johnson County

Segment Type Freshwater Stream

**AU\_ID: 1227\_01** Portion of Nolan River from confluence with Whitney Lake upstream to confluence with Mustang Creek in Hill County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	Intermediate	TSWQS Appendix A

**Station ID(s):** 11967

**AU\_ID: 1227\_02** Portion of Nolan River from confluence with Mustang Creek in Hill County upstream to confluence with Lake Pat Cleburne Dam in Johnson County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	Intermediate	TSWQS Appendix A

**Station ID(s):** 11971

**SegID: 1227A Buffalo Creek**

From the confluence with the Nolan River upstream to the confluence with East Buffalo Creek and West Buffalo Creek

Segment Type Freshwater Stream

**AU\_ID: 1227A\_01** From the confluence with the Nolan River upstream to the confluence with East Buffalo Creek and West Buffalo Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	TSWQS Appendix D	Limited	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 1227B Mustang Creek**

Intermittent stream with perennial pools from the confluence with Nolan River to FM 916 near Rio Vista

Segment Type Freshwater Stream

**AU\_ID: 1227B\_01** Intermittent stream with perennial pools from the confluence with Nolan River to FM 916 near Rio Vista

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 1228 Lake Pat Cleburne**

From Cleburne Dam in Johnson County up to the normal pool elevation of 733.5 feet (impounds Nolan River)

Segment Type Reservoir

**AU\_ID: 1228\_01** From Cleburne Dam in Johnson County up to the normal pool elevation of 733.5 feet (impounds Nolan River)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11974; 11975; 14447

**SegID: 1229 Paluxy River /North Paluxy River**

From the confluence with the Brazos River in Somervell County to the confluence of Rough Creek in Erath County

Segment Type Freshwater Stream

**AU\_ID: 1229\_01** Portion of Paluxy River from confluence with Brazos River near Glen Rose in Somervell county upstream to confluence with Richardson Creek in Hood County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 20232

**AU\_ID: 1229\_02** Portion of Paluxy River from confluence with Richardson Creek upstream to confluence with North/South Paluxy Fork in Erath County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 20343

**AU\_ID: 1229\_03** Portion of North Paluxy River from the confluence with Paluxy / South Paluxy Fork upstream to confluence with Rough Creek in Erath County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**SegID: 1229A Squaw Creek Reservoir**

Impounded Squaw Creek in Hood and Somerville Counties, 2.4 mi north of Glen Rose.

Segment Type Reservoir

**AU\_ID: 1229A\_01** Impounded Squaw Creek in Hood and Somerville Counties, 2.4 mi north of Glen Rose.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

**SegID: 1230 Lake Palo Pinto**

From Palo Pinto Creek Dam in Palo Pinto County up to the normal pool elevation of 867.3 feet (impounds Palo Pinto Creek)

Segment Type Reservoir

**AU\_ID: 1230\_01** From Palo Pinto Creek Dam in Palo Pinto County up to the normal pool elevation of 867.3 feet (impounds Palo Pinto Creek)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**SegID: 1230A Palo Pinto Creek above Lake Palo Pinto**

Perennial stream from the confluence with the normal pool elevation of Lake Palo Pinto which is near the confluence with an unnamed tributary at the Texas and Pacific Railroad crossing upstream to the dam forming Hagaman Lake

Segment Type Freshwater Stream

**AU\_ID: 1230A\_01** Perennial stream from the confluence with the normal pool elevation of Lake Palo Pinto which is near the confluence with an unnamed tributary at the Texas and Pacific Railroad crossing upstream to the dam forming Hagaman Lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 1231 Lake Graham**

From Graham Dam and Eddleman Dam in Young County up to the normal pool elevation of 1075 feet (impounds Salt Creek and Flint Creek)

Segment Type Reservoir

**AU\_ID: 1231\_01** From Graham Dam and Eddleman Dam in Young County up to the normal pool elevation of 1075 feet (impounds Salt Creek and Flint Creek)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11979

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1232 Clear Fork Brazos River

From the confluence with the Brazos River in Young County to the most upstream crossing of US 180 in Fisher County

Segment Type Freshwater Stream

**AU\_ID: 1232\_01** From confluence with Brazos River, upstream to conf. With Hubbard Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 1232\_02** From confluence with Hubbard Creek upstream to confluence with Deadman Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11985; 11990; 18765; 18766

**AU\_ID: 1232\_03** From confluence with Deadman Creek upstream to conf. With Bitter Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11992; 11996

**AU\_ID: 1232\_04** From confluence with Bitter Creek upstream to end of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11999; 12000; 12001

### SegID: 1232A California Creek

From the confluence of Paint Creek southeast of Haskell in Haskell County to the headwaters southwest of Stamford in Jones County

Segment Type Freshwater Stream

**AU\_ID: 1232A\_01** Portion of California Creek from confluence with Paint Creek in Haskell County upstream to confluence with Thompson Creek in Jones County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 11709

**AU\_ID: 1232A\_02** Portion of California Creek from confluence with Thompson Creek upstream to headwaters in Fisher County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** No Stations

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1232B Deadman Creek

From the confluence of the Clear Fork Brazos River south of Lueders in Jones County to the headwaters north of Hamby in Jones County

Segment Type Freshwater Stream

**AU\_ID: 1232B\_01** From the confluence with Clear Fork Brazos, upstream to city of Abilene WWTP receiving water

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	WQS/Permits program	Intermediate	Previous TCEQ permit decision

**Station ID(s):** 11696; 11697

**AU\_ID: 1232B\_02** Upstream of WWTP outfall to headwaters

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Routine Flow Data	Minimal	Presumption from flow type

**Station ID(s):** No Stations

### SegID: 1232C Paint Creek

From the confluence with the Clear Fork Brazos River in Throckmorton County, upstream to its headwaters in Jones County, 2.7 km north of SH 92.

Segment Type Freshwater Stream

**AU\_ID: 1232C\_01** From confluence with Clear Fork Brazos River upstream to Lake Stamford

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 18764

**AU\_ID: 1232C\_02** From headwaters of Lake Stamford upstream to confluence with Stink Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** No Stations

**AU\_ID: 1232C\_03** From confluence with Stink Creek upstream to headwaters in Jones County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** 21489

### SegID: 1232D Lake Daniel

From Lake Daniel Dam in Stephens County south of the City of Breckinridge upstream to Gonzales Creek (impounds Gonzales Creek)

Segment Type Reservoir

**AU\_ID: 1232D\_01** From Lake Daniel Dam in Stephens County south of the City of Breckinridge upstream to Gonzales Creek (impounds Gonzales Creek)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	Water body description	High	Presumption from Flow Type

**Station ID(s):** 17941

**SegID: 1233 Hubbard Creek Reservoir**

From Hubbard Creek Dam in Stephens County up to the normal pool elevation of 1183 feet (impounds Hubbard Creek)

Segment Type Reservoir

**AU\_ID: 1233\_01** Main body of lake

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12002; 13888; 13889

**AU\_ID: 1233\_02** Hubbard Creek Arm

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 13881; 13883; 13885; 13886

**AU\_ID: 1233\_03** Big Sandy Creek Arm

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 13879; 13880; 13882; 13884

**SegID: 1233A Big Sandy Creek**

From its confluence with Hubbard Creek Reservoir, upstream to its headwaters 4 mi west of US 183 in Stephens County.

Segment Type Freshwater Stream

**AU\_ID: 1233A\_01** From its confluence with Hubbard Creek Reservoir, upstream to its headwaters 4 mi west of US 183 in Stephens County.

Flow Type  
Intermittent w/pools

Flow Type Source  
Routine Flow Data

ALU Designation  
Limited

ALU Designation Source  
Presumption from flow type

**Station ID(s):** 13640

**SegID: 1233B Hubbard Creek**

Portion of Hubbard Creek from its confluence with Hubbard Creek Reservoir upstream to its headwaters in Callahan County, 15 mi east of Abilene.

Segment Type Freshwater Stream

**AU\_ID: 1233B\_01** Portion of Hubbard Creek from its confluence with Hubbard Creek Reservoir upstream to its headwaters in Callahan County, 15 mi east of Abilene.

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1234 Lake Cisco**

From Williamson Dam in Eastland County up to the normal pool elevation of 1496 feet (impounds Sandy Creek)

Segment Type Reservoir

**AU\_ID: 1234\_01** From Williamson Dam in Eastland County up to the normal pool elevation of 1496 feet (impounds Sandy Creek)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12005

**SegID: 1235 Lake Stamford**

From Stamford Dam in Haskell County up to the normal pool elevation of 1416.8 feet (impounds Paint Creek)

Segment Type Reservoir

**AU\_ID: 1235\_01** From Stamford Dam in Haskell County up to the normal pool elevation of 1416.8 feet (impounds Paint Creek)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12006

**SegID: 1236 Fort Phantom Hill Reservoir**

From Fort Phantom Hill Dam in Jones County up to the normal pool elevation of 1635.9 feet (impounds Elm Creek)

Segment Type Reservoir

**AU\_ID: 1236\_01** From Fort Phantom Hill Dam in Jones County up to the normal pool elevation of 1635.9 feet (impounds Elm Creek)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12010

**SegID: 1236A Cedar Creek**

From its confluence with Phantom Hill Reservoir, upstream to its headwaters 4 mi north east of Tuscola, in Taylor County

Segment Type Freshwater Stream

**AU\_ID: 1236A\_01** From its confluence with Phantom Hill Reservoir, upstream to its headwaters 4 mi north east of Tuscola in Taylor County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 11521



**SegID: 1237 Lake Sweetwater**

From Sweetwater Dam in Nolan County up to the normal pool elevation of 2116.5 feet (impounds Bitter Creek)

Segment Type Reservoir

**AU\_ID: 1237\_01** From Sweetwater Dam in Nolan County up to the normal pool elevation of 2116.5 feet (impounds Bitter Creek)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12021

**SegID: 1238 Salt Fork Brazos River**

From the confluence of the Double Mountain Fork Brazos River in Stonewall County to the most upstream crossing of SH 207 in Crosby County

Segment Type Freshwater Stream

**AU\_ID: 1238\_01** Portion of Salt Fork Brazos River from confluence with Double Mountain Fork Brazos River upstream to confluence with Croton Creek in Stonewall County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12022

**AU\_ID: 1238\_02** Portion of Salt Fork Brazos River from confluence with Croton Creek in Stonewall County upstream to confluence with Butte Creek in Kent County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 1238\_03** Portion of Salt Fork Brazos River from confluence with Butte Creek in Kent County upstream to the most upstream crossing of SH 207 in Crosby County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12023

**SegID: 1238A Croton Creek**

From its confluence with the Salt Fork of the Brazos River, upstream to its headwaters 1.6 mi north of Dickens in Dickens County

Segment Type Freshwater Stream

**AU\_ID: 1238A\_01** From its confluence with the Salt Fork of the Brazos River, upstream to its headwaters 1.6 mi north of Dickens in Dickens County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Routine Flow Data	Minimal	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1238B Duck Creek**

Intermittent stream w/pools from the confluence with the Salt Fork of the Brazos River in Kent County upstream approximately 90 km (56 mi) to the headwaters approximately 12 km (7.5 mi) northeast of US Highway 82

Segment Type Freshwater Stream

**AU\_ID: 1238B\_01** From the confluence with the Salt Fork of the Brazos River in Kent County upstream approximately 90 km (56 mi) to the headwaters approximately 12 km (7.5 mi) northeast of US Highway 82

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** 21560

**SegID: 1239 White River**

From the confluence of the Salt Fork Brazos River in Kent County to White River Dam in Crosby County

Segment Type Freshwater Stream

**AU\_ID: 1239\_01** From the confluence of the Salt Fork Brazos River in Kent County to White River Dam in Crosby County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**SegID: 1240 White River Lake**

From White River Dam in Crosby County up to the normal pool elevation of 2372.2 feet (impounds White River)

Segment Type Reservoir

**AU\_ID: 1240\_01** From White River Dam in Crosby County up to the normal pool elevation of 2372.2 feet (impounds White River)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12027

**SegID: 1240A White River above White River Reservoir**

From White River Reservoir, north to confluence with Running Water Draw in Crosby County

Segment Type Freshwater Stream

**AU\_ID: 1240A\_01** Lower 25 mi

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Flow Questionnaire	Minimal	Presumption from flow type

**Station ID(s):** No Stations

**AU\_ID: 1240A\_02** Remainder of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Flow Questionnaire	Minimal	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1241 Double Mountain Fork Brazos River**

From the confluence with the Salt Fork Brazos River in Stonewall County to the confluence of the North Fork Double Mountain Fork Brazos River in Kent County

Segment Type Freshwater Stream

**AU\_ID: 1241\_01** 25 mi near Hwy 83

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12029

**AU\_ID: 1241\_02** Remainder of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**SegID: 1241A North Fork Double Mountain Fork Brazos River**

Perennial stream from the confluence with Double Mountain Fork Brazos River upstream to the confluence with Yellow House Draw and Blackwater Draw, excluding Lake Ransom Canyon and Buffalo Springs Lake

Segment Type Freshwater Stream

**AU\_ID: 1241A\_01** Appendix D, Perennial stream from the confluence with Double Mountain Fork Brazos River upstream to the dam forming Lake Ransom Canyon

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D

**Station ID(s):** 11523; 11525; 11527

**AU\_ID: 1241A\_02** From the confluence with Buffalo Springs Lake upstream to the confluence with Yellow House Draw and Blackwater Draw

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 11534

**SegID: 1241B Lake Alan Henry**

Impounded Double Mountain Fork Brazos Rive, 20.0 mi south east of Post in Garza and Kent Counties.

Segment Type Reservoir

**AU\_ID: 1241B\_01** Impounded Double Mountain Fork Brazos Rive, 20.0 mi south east of Post in Garza and Kent Counties.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	Water body description	High	Presumption from Flow Type

**Station ID(s):** 18414

**SegID: 1241C Buffalo Springs Lake**

Impounded North Fork Double Mountain Fork Brazos River within city limits of Buffalo Springs, Lubbock County.

Segment Type Reservoir

**AU\_ID: 1241C\_01** Impounded North Fork Double Mountain Fork Brazos River within city limits of Buffalo Springs, Lubbock County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	Water body description	High	Presumption from Flow Type

**Station ID(s):** 11529

**SegID: 1241D South Fork Double Mountain Fork Brazos River upstream of confluence with North Fork Double Mountain Fork Brazos River**

From its confluence with the North Fork Double Mountain Fork Brazos River in Kent County upstream to its headwaters in Lynn County

Segment Type Freshwater Stream

**AU\_ID: 1241D\_01** From its confluence with the North Fork Double Mountain Fork Brazos River in Kent County upstream to its headwaters in Lynn County

Flow Type

Intermittent

Flow Type Source

WQS/Permits program

ALU Designation

Minimal

ALU Designation Source

Presumption from flow type

**Station ID(s):** 11554

**SegID: 1241E Lake Ransom Canyon**

From Lake Ransom Canyon Dam up to the Buffalo Springs Dam in Lubbock County (impounds North Fork Double Mountain Brazos River)

Segment Type Reservoir

**AU\_ID: 1241E\_01** From Lake Ransom Canyon Dam up to the Buffalo Springs Dam in Lubbock County (impounds North Fork Double Mountain Brazos River)

Flow Type

Reservoir

Flow Type Source

Water body description

ALU Designation

ALU Designation Source

Presumption from Flow Type

**Station ID(s):** No Stations

**SegID: 1242      Brazos River Above Navasota River**

From a point immediately upstream of the confluence of the Navasota River in Brazos/Grimes/Washington County to the low water dam forming Lake Brazos in McLennan County

Segment Type      Freshwater Stream

**AU\_ID: 1242\_01**      Portion of Brazos River from confluence with Navasota River upstream to confluence with Thompson's Creek in Brazos County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):**      12030

**AU\_ID: 1242\_02**      Portion of Brazos River from confluence with Thompson's Creek in Brazos County upstream to confluence with Little River in Milam County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):**      15767; 20833

**AU\_ID: 1242\_03**      Portion of Brazos River from confluence with Little River upstream to confluence with Pond Creek in Milam County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):**      No Stations

**AU\_ID: 1242\_04**      Portion of Brazos River from confluence with Pond Creek in Milam County upstream to confluence with Deer Creek in Falls County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):**      12032

**AU\_ID: 1242\_05**      Portion of Brazos River from confluence with Deer Creek in Falls County upstream to confluence with Tehuacana Creek in McLennan County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):**      12037

**AU\_ID: 1242\_06**      Portion of Brazos River from confluence with Tehuacana Creek in McLennan County upstream to Lake Brazos Dam in McLennan County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):**      12038

**SegID: 1242A Marlin City Lake System**

From New Marlin City Dam up to normal pool elevation northeast of Marlin in Falls County (impounds Big Sandy Creek)

Segment Type Reservoir

**AU\_ID: 1242A\_01** Old Marlin City Lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

**AU\_ID: 1242A\_02** New Marlin City Lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	Water body description	High	Presumption from Flow Type

**Station ID(s):** 16781

**SegID: 1242B Cottonwood Branch**

Intermittent stream with perennial pools from the confluence with Still Creek upstream 0.95 km to the confluence with an unnamed tributary

Segment Type Freshwater Stream

**AU\_ID: 1242B\_01** Portion of Cottonwood Branch from confluence with Still Creek upstream to unnamed tributary (NHD RC 12070101000835) in Brazos County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** No Stations

**AU\_ID: 1242B\_02** Portion of Cottonwood Branch from confluence with unnamed tributary (NHD RC 12070101000835) upstream to headwaters in Brazos County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** No Stations

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1242C Still Creek

Perennial stream from the confluence with Thompson's Creek upstream to the headwaters in Brazos County near US 190

Segment Type Freshwater Stream

**AU\_ID: 1242C\_01** Perennial stream from the confluence with Thompsons Creek upstream to the confluence with Cottonwood Branch; App D

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix D

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix D

**Station ID(s):** No Stations

**AU\_ID: 1242C\_02** Portion of Still Creek from confluence with Cottonwood Branch upstream to headwaters in Brazos County near US 190.

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

**Station ID(s):** No Stations

### SegID: 1242D Thompsons Creek

Thompsons Creek - from the confluence of the Brazos River upstream to the confluence of Thompson's Branch, north of FM 1687

Segment Type Freshwater Stream

**AU\_ID: 1242D\_01** Thompsons Creek an Appendix D perennial stream from the confluence of the Brazos River upstream to the confluence of Still Creek in Brazos County.

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix D

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix D

**Station ID(s):** 16396

**AU\_ID: 1242D\_02** Thompsons Creek an Appendix D intermittent stream with perennial pools from the confluence of Still Creek upstream to the confluence of Thompson's Branch, north of FM 1687

Flow Type  
Intermittent w/pools

Flow Type Source  
TSWQS Appendix D

ALU Designation  
Intermediate

ALU Designation Source  
TSWQS Appendix D

**Station ID(s):** No Stations



## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1242E Little Brazos River

From confluence with the Brazos River in Brazos County upstream to headwaters in Limestone County.

Segment Type Freshwater Stream

**AU\_ID: 1242E\_01** Portion of Little Brazos River from confluence with Brazos River in Brazos County upstream to confluence with Walnut Creek in Robertson County.

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix D

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix D

**Station ID(s):** 11591

**AU\_ID: 1242E\_02** Portion of Little Brazos River from confluence with Walnut Creek in Robertson County upstream to confluence with Fish Creek in Falls County.

Flow Type  
Intermittent w/pools

Flow Type Source  
Routine Flow Data

ALU Designation  
Limited

ALU Designation Source  
Presumption from flow type

**Station ID(s):** No Stations

**AU\_ID: 1242E\_03** Portion of Little Brazos River from confluence with Fish Creek in Falls county upstream to headwaters in Limestone County.

Flow Type  
Intermittent w/pools

Flow Type Source  
Routine Flow Data

ALU Designation  
Limited

ALU Designation Source  
Presumption from flow type

**Station ID(s):** No Stations

### SegID: 1242F Pond Creek

Perennial stream from the confluence with the Brazos River in Milam County upstream to the headwaters 0.18 km north of FM 935 in Bell County

Segment Type Freshwater Stream

**AU\_ID: 1242F\_01** From the Brazos confluence upstream to Live Oak Creek confluence

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix D

ALU Designation  
Limited

ALU Designation Source  
TSWQS Appendix D

**Station ID(s):** No Stations

**AU\_ID: 1242F\_02** From the Live Oak Creek confluence to the headwaters 0.18 km north of FM 935 in Bell County.

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1242G Unnamed Tributary of Cottonwood Branch**

Intermittent stream with perennial pools from the confluence with Cottonwood Branch upstream to the headwaters

Segment Type Freshwater Stream

**AU\_ID: 1242G\_01** Intermittent stream with perennial pools from the confluence with Cottonwood Branch upstream to the headwaters

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 1242H Tradinghouse Reservoir**

Impounded Tradinghouse Creek, within the city of Hallsburg, McLennan County

Segment Type Reservoir

**AU\_ID: 1242H\_01** Impounded Tradinghouse Creek, within the city of Hallsburg, McLennan County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** 18457

**SegID: 1242I Campbells Creek**

From the confluence with the Little Brazos River upstream to the headwaters, one mi west of Old San Antonio Road

Segment Type Freshwater Stream

**AU\_ID: 1242I\_01** From the confluence with the Little Brazos River upstream to the headwaters, one mi west of Old San Antonio Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Flow Questionnaire	Minimal	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1242J Deer Creek**

Deer Creek - perennial stream from the confluence of the Brazos River upstream to the confluence of Dog Branch northwest of Lott

Segment Type Freshwater Stream

**AU\_ID: 1242J\_01** Deer Creek an Appendix D perennial stream from the confluence of the Brazos River upstream to the confluence of Dog Branch northwest of Lott

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** 11723

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1242K Mud Creek

From confluence with the Little Brazos River, upstream to the confluence with Touchstone Branch and Wolf Den Branch, in Robertson County

Segment Type Freshwater Stream

**AU\_ID: 1242K\_01** From confluence with the Little Brazos River, upstream to the confluence with Touchstone Branch and Wolf Den Branch, in Robertson County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** No Stations

### SegID: 1242L Pin Oak Creek

From the confluence with the Little Brazos River in Robertson County upstream to the headwaters, 2.07 mi south of Franklin

Segment Type Freshwater Stream

**AU\_ID: 1242L\_01** From the confluence with the Little Brazos River in Robertson County upstream to the headwaters, 2.07 mi south of Franklin

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** 16401

### SegID: 1242M Spring Creek

From the confluence with the Little Brazos River in Robertson County, upstream to the headwaters, 1.5 mi north of FM 391

Segment Type Freshwater Stream

**AU\_ID: 1242M\_01** From the confluence with the Little Brazos River in Robertson County, upstream to the headwaters, 1.5 mi north of FM 391

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** 16394

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1242N Tehuacana Creek

From the confluence with the Brazos River in McLennan county upstream to the headwaters 2 mi south of Penelope in Hill County

Segment Type Freshwater Stream

**AU\_ID: 1242N\_01** Downstream portion of water body, from confluence with Brazos River upstream to confl. with Little Tehuacana Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	WQS/Permits program	High	Previous TCEQ permit decision

**Station ID(s):** 11609; 11610; 15771; 18870; 18871

**AU\_ID: 1242N\_02** Upstream portion, from confluence with Little Tehuacana Creek upstream to headwaters

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	WQS/Permits program	High	Previous TCEQ permit decision

**Station ID(s):** No Stations

### SegID: 1242O Walnut Creek

From the confluence with the Little Brazos River in Robertson County, upstream to the headwaters, one mi south of White Rock

Segment Type Freshwater Stream

**AU\_ID: 1242O\_01** From the confluence with the Little Brazos River in Robertson County, upstream to the headwaters, one mi south of White Rock

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 16403

### SegID: 1242P Big Creek

From the confluence with Little Brazos River in Falls County upstream to the confluence with unnamed creeks near Mart in the northeast corner of Falls County

Segment Type Freshwater Stream

**AU\_ID: 1242P\_01** Downstream portion of water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Flow Questionnaire	Minimal	Presumption from flow type

**Station ID(s):** No Stations

**AU\_ID: 1242P\_02** Upstream portion, including confluence with City of Mart WWTP rec. water

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Flow Questionnaire	Minimal	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1242O Bull Hide Creek**

From the confluence with the Brazos River in Falls County upstream to its headwaters, 1.5 km west of Waco in McLennan County.

Segment Type Freshwater Stream

**AU\_ID: 1242Q\_01** Portion of Bull Hide Creek from the confluence with the Brazos River in Falls county upstream to the confluence with unnamed tributary (NHD RC 12070101002570) in McLennan County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	WQS/Permits program	High	Previous TCEQ permit decision

**Station ID(s):** 20128

**AU\_ID: 1242Q\_02** Portion of Bull Hide Creek from the confluence with unnamed tributary (NHD RC 12070101002570) upstream to the headwaters.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1242R Cow Bayou**

From the confluence with the Brazos River Above Navasota River upstream to the confluence with North / South Cow Bayou in Falls County.

Segment Type Freshwater Stream

**AU\_ID: 1242R\_01** From the confluence with the Brazos River Above Navasota River upstream to the confluence with North / South Cow Bayou in Falls County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	WQS/Permits program	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1243 Salado Creek**

From the confluence with the Lampasas River in Bell County to the confluence of North Salado Creek and South Salado Creek in Williamson County

Segment Type Freshwater Stream

**AU\_ID: 1243\_01** Portion of Salado Creek from confluence with Lampasas River upstream to unnamed tributary (NHD RC 12070203003968) just downstream of Stagecoach outfall.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11760; 12051

**AU\_ID: 1243\_02** Portion of Salado Creek from confluence with unnamed tributary (NHD RC 12070203003968) upstream to confluence with North/South Forks Salado Creek in Williamson County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12052

**SegID: 1244 Brushy Creek**

From the confluence with the San Gabriel River in Milam County to the confluence of South Brushy Creek in Williamson County

Segment Type Freshwater Stream

**AU\_ID: 1244\_01** From the confluence of the San Gabriel River upstream to the confluence of Mustang Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12054

**AU\_ID: 1244\_02** From the confluence of Mustang Creek upstream to the confluence of Cottonwood Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 1244\_03** From the confluence of Cottonwood Creek upstream to the confluence of Lake Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12060

**AU\_ID: 1244\_04** From the confluence of Lake Creek upstream to the confluence of South Brushy Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12068

**SegID: 1244A Brushy Creek Above South Brushy Creek**

Perennial stream from the confluence of South Brushy Creek to the confluence of North Fork Brushy Creek and South Fork Brushy Creek in Williamson County

Segment Type Freshwater Stream

**AU\_ID: 1244A\_01** Perennial stream from the confluence of South Brushy Creek to the confluence of North Fork Brushy Creek and South Fork Brushy Creek in Williamson County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** 17374; 18659

**SegID: 1244B Lake Creek**

From its confluence with Brushy Creek, upstream to its headwaters 1 mile west of US 183 in Cedar Park, Williamson County

Segment Type Freshwater Stream

**AU\_ID: 1244B\_01** From its confluence with Brushy Creek, upstream to its headwaters 1 mi west of US 183 in Cedar Park, Williamson County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1244C Mustang Creek**

Perennial stream from the confluence with Brushy Creek upstream to the headwaters 2.5 km east of TX 130

Segment Type Freshwater Stream

**AU\_ID: 1244C\_01** Perennial stream from the confluence with Brushy Creek upstream to the confluence of North Fork Mustang Creek; App D

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** No Stations

**AU\_ID: 1244C\_02** From the confluence of North Fork Mustang Creek upstream to the headwaters 2.5 km east of TX 130

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1244D South Brushy Creek**

From its confluence with Brushy Creek, upstream to its headwaters 1.5 mi west of US 183 in Cedar Park, Williamson County

Segment Type Freshwater Stream

**AU\_ID: 1244D\_01** From its confluence with Brushy Creek, upstream to its headwaters 1.5 mi west of US 183 in Cedar Park, Williamson County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	WQS/Permits program	High	Previous TCEQ permit decision

**Station ID(s):** 11735; 20652

**SegID: 1245 Upper Oyster Creek**

From Steep Bank Creek/Brazos River confluence in Fort Bend County to pumping station on Jones Creek confluence at Brazos River in Fort Bend County (includes portions of Steep Bank Creek, Flat Bank Creek, and Jones Creek)

Segment Type Freshwater Stream

**AU\_ID: 1245\_01** From the confluence with the Brazos River upstream to Dam #3

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	Intermediate	TSWQS Appendix A

**Station ID(s):** 12074; 18211

**AU\_ID: 1245\_02** From Dam #3 upstream to Harmon St. crossing in Sugar Land

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	Intermediate	TSWQS Appendix A

**Station ID(s):** 12082; 12083; 17373

**AU\_ID: 1245\_03** From Harmon St. crossing in Sugar Land upstream to the end of the segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	Intermediate	TSWQS Appendix A

**Station ID(s):** 12086; 12087; 12090; 21748

**SegID: 1245A Red Gully**

Perennial stream from the confluence with Oyster Creek upstream to the confluence with two unnamed tributaries 0.1 km east of Clodine Road

Segment Type Freshwater Stream

**AU\_ID: 1245A\_01** Perennial stream from the confluence with Oyster Creek upstream to 1.7 km upstream of Old Richmond Road; App D

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** No Stations

**AU\_ID: 1245A\_02** From 1.7 km upstream of Old Richmond Road upstream to the confluence with two unnamed tributaries 0.1 km east of Clodine Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations



**SegID: 1245B Brown's Bayou**

From US Hwy 59 downstream to its confluence with Bullhead Bayou in Fort Bend County

Segment Type Freshwater Stream

**AU\_ID: 1245B\_01** From US Hwy 59 downstream to its confluence with Bullhead Bayou in Fort Bend County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1245C Bullhead Bayou**

From its confluence with Steep Bank Creek in Fort Colony, upstream to its headwaters in Pecan Grove in Fort Bend County

Segment Type Freshwater Stream

**AU\_ID: 1245C\_01** From its confluence with Steep Bank Creek in Fort Colony, upstream to its headwaters in Pecan Grove in Fort Bend County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1245D Unnamed Tributary of Bullhead Bayou**

Tributary to Bullhead Bayou in Fort Bend County

Segment Type Freshwater Stream

**AU\_ID: 1245D\_01** Tributary to Bullhead Bayou in Fort Bend County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1245E Flewellen Creek**

From the confluence with Oyster Creek upstream to the confluence with two unnamed tributaries, 0.3 km east of Fulshear in Fort Bend county.

Segment Type Freshwater Stream

**AU\_ID: 1245E\_01** From the confluence with Oyster Creek upstream to the confluence with two unnamed tributaries, 0.3 km east of Fulshear in Fort Bend county.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Routine Flow Data	Minimal	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1245F Alcorn Bayou**

From the confluence with Steep Bank Creek upstream to its headwaters 0.5km east of Pecan Grove in Fort Bend county

Segment Type Freshwater Stream

**AU\_ID: 1245F\_01** From the confluence with Steep Bank Creek upstream to its headwaters 0.5km east of Pecan Grove in Fort Bend county

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1245G Brooks Lake**

Impounded Oyster Creek (Dam #2) in south Sugar Land, Fort Bend County.

Segment Type Reservoir

**AU\_ID: 1245G\_01** Impounded Oyster Creek (Dam #2) in south Sugar Land, Fort Bend County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

**SegID: 1245H Alkire Lake**

Amenity lake in south-central Sugar Land, Fort Bend County.

Segment Type Reservoir

**AU\_ID: 1245H\_01** Amenity lake in south-central Sugar Land, Fort Bend County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

**SegID: 1245I Steep Bank Creek**

From confluence with Oyster Creek (Flat Bank Creek portion) upstream to end of water body, 0.2 km east of US 59 in city of First Colony, Fort Bend County.

Segment Type Freshwater Stream

**AU\_ID: 1245I\_01** From confluence with Oyster Creek (Flat Bank Creek portion) upstream to end of water body, 0.2 km east of US 59 in city of First Colony, Fort Bend County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	WQS/Permits program	Limited	Previous TCEQ permit decision

**Station ID(s):** 11507

**SegID: 1245J Stafford Run**

From the confluence with Upper Oyster Creek upstream to headwaters near Stafford, Fort Bend County.

Segment Type Freshwater Stream

**AU\_ID: 1245J\_01** From the confluence with Upper Oyster Creek upstream to headwaters near Stafford, Fort Bend County.

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1246 Middle Bosque/South Bosque River**

Middle Bosque River from a point 1.64 km (1.02 mi) from the confluence with the South Bosque River to the confluence of Cave Creek and Middle Bosque Creek and for the South Bosque River from a point 1.35 km (0.84 mi) from the confluence of the Middle Bosque

Segment Type Freshwater Stream

**AU\_ID: 1246\_01** Entire Middle Bosque River

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 17612

**AU\_ID: 1246\_02** Entire South Bosque River

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 20308

**SegID: 1246A Harris Creek**

Spring-fed intermittent stream with perennial pools from the confluence with South Bosque River upstream to the headwaters

Segment Type Freshwater Stream

**AU\_ID: 1246A\_01** Spring-fed intermittent stream with perennial pools from the confluence with South Bosque River upstream to the confluence with an unnamed tributary approximately 1.19 km upstream of US 84 west of the City of McGregor; App D

Flow Type  
Intermittent w/pools

Flow Type Source  
TSWQS Appendix D

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix D

**Station ID(s):** No Stations

**AU\_ID: 1246A\_02** From the confluence with an unnamed tributary approximately 1.19 km upstream of US 84 west of the City of McGregor upstream 4.2 km to the headwaters

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1246B Comanche Springs Spring Brook**

Spring-fed intermittent stream with perennial pools from the confluence with South Bosque River upstream to and including Comanche Springs approximately 2.1 km upstream of US 84 west of the City of McGregor

Segment Type Freshwater Stream

**AU\_ID: 1246B\_01** Spring-fed intermittent stream with perennial pools from the confluence with South Bosque River upstream to and including Comanche Springs approximately 2.1 km upstream of US 84 west of the City of McGregor

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 1246C Unnamed Tributary of South Bosque River**

Perennial stream form the confluence with the South Bosque River to 1.0 km above SH 317 south of McGregor (locally known as Sheep Creek)

Segment Type Freshwater Stream

**AU\_ID: 1246C\_01** From the confluence with the South Bosque River to 1.0 km above SH 317 south of McGregor (locally known as Sheep Creek)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** 11617

**AU\_ID: 1246C\_02** From 1.0 km above SH 317 upstream to headwaters in McLennan County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Flow Questionnaire	Minimal	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1246D Tonk Creek**

From the confluence with Middle Bosque River in Crawford (McLennan County), upstream to the headwaters in Coryell County, 1.0 mi west of FM 929

Segment Type Freshwater Stream

**AU\_ID: 1246D\_01** Intermittent stream with perennial pools from the confluence with Middle Bosque/South Bosque River upstream to the confluence with an unnamed tributary 1.0 km upstream of FM 185 near Tonkawa Falls Park; App D

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** No Stations

**AU\_ID: 1246D\_02** From the confluence of an unnamed tributary 1.0 km upstream of FM 185 near Tonkawa Falls Park upstream to the headwaters in Coryell County, 1.0 mi west of FM 929

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 17232

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1246E Wasp Creek

From the confluence with Tonk Creek in Crawford in McLennan County, upstream to the headwaters in Coryell County, 0.15 mi east of FM 185

Segment Type Freshwater Stream

**AU\_ID: 1246E\_01** From the confluence with Tonk Creek in Crawford in McLennan County, upstream to the headwaters in Coryell County, 0.15 mi east of FM 185

Flow Type

Intermittent

Flow Type Source

Flow Questionnaire

ALU Designation

Minimal

ALU Designation Source

Previous TCEQ permit decision

**Station ID(s):** 17233; 18802

### SegID: 1247 Granger Lake

From Granger Dam in Williamson County to a point 1.9 km (1.2 mi) downstream of SH 95 in Williamson County, up to normal pool elevation of 504 feet (impounds San Gabriel River)

Segment Type Reservoir

**AU\_ID: 1247\_01** Eastern end of lake near the dam

Flow Type

Reservoir

Flow Type Source

TSWQS Appendix A

ALU Designation

High

ALU Designation Source

TSWQS Appendix A

**Station ID(s):** 12095

**AU\_ID: 1247\_02** Willis Creek arm of lake

Flow Type

Reservoir

Flow Type Source

TSWQS Appendix A

ALU Designation

High

ALU Designation Source

TSWQS Appendix A

**Station ID(s):** 12097

**AU\_ID: 1247\_03** Western end of lake on the San Gabriel River

Flow Type

Reservoir

Flow Type Source

TSWQS Appendix A

ALU Designation

High

ALU Designation Source

TSWQS Appendix A

**Station ID(s):** 12096

### SegID: 1247A Willis Creek

From the confluence with the headwaters of Granger Lake in Williamson County to CR 313 in Williamson County

Segment Type Freshwater Stream

**AU\_ID: 1247A\_01** From the confluence with the headwaters of Granger Lake in Williamson County to CR 313 in Williamson County

Flow Type

Perennial

Flow Type Source

Flow Questionnaire

ALU Designation

High

ALU Designation Source

Presumption from flow type

**Station ID(s):** 11573; 20022; 20305

**SegID: 1248 San Gabriel/North Fork San Gabriel River**

From point 1.9 km (1.2 mi) downstream of SH 95 in Williamson County to North San Gabriel Dam in Williamson County

Segment Type Freshwater Stream

**AU\_ID: 1248\_01** From point 1.9 km (1.2 mi) downstream of SH 95 in Williamson County to North San Gabriel Dam in Williamson County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12099; 12102; 12108

**SegID: 1248A Berry Creek**

Perennial stream from the confluence with the San Gabriel River northeast of Georgetown in Williamson County to the headwaters at County Road 211, Burnet County

Segment Type Freshwater Stream

**AU\_ID: 1248A\_01** Perennial stream from the confluence with the San Gabriel River upstream to the confluence of Stapp Branch southwest of the City of Florence; App D

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** 13496

**AU\_ID: 1248A\_02** From the confluence of Stapp Branch southwest of the City of Florence to the headwaters at County Road 211, Burnet County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1248B Huddleston Branch**

From the confluence with Mankins Branch in Williamson County to a point 1 km upstream of CR 105 in Williamson County

Segment Type Freshwater Stream

**AU\_ID: 1248B\_01** From the confluence with Mankins Branch in Williamson County to a point 1 km upstream of CR 105 in Williamson County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1248C Mankins Branch**

Perennial stream from the confluence with the San Gabriel River in Williamson County to the intersection of CR 105 and 104 in Williamson County

Segment Type Freshwater Stream

**AU\_ID: 1248C\_01** Perennial stream from the confluence with the San Gabriel River in Williamson County to the intersection of CR 105 and 104 in Williamson County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 13497

**SegID: 1248D Middle Fork San Gabriel River**

From its confluence with the North Fork San Gabriel River, upstream to its headwaters 2.6 mi north of SH 29 in Williamson County.

Segment Type Freshwater Stream

**AU\_ID: 1248D\_01** From its confluence with the North Fork San Gabriel River, upstream to its headwaters 2.6 mi north of SH 29 in Williamson County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** 15754; 18734

**SegID: 1249 Lake Georgetown**

From North San Gabriel Dam in Williamson County to a point 6.6 km (4.1 mi) downstream of US 183 in Williamson County, up to normal pool elevation of 791 feet (impounds North Fork San Gabriel River)

Segment Type Reservoir

**AU\_ID: 1249\_01** East end of reservoir near dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12111; 13924

**AU\_ID: 1249\_02** West end of reservoir near headwaters

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12113

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1250 South Fork San Gabriel River

From the confluence with the North Fork San Gabriel River in Williamson County to the most upstream crossing of SH 29 in Burnet County

Segment Type Freshwater Stream

**AU\_ID: 1250\_01** From the confluence with the San Gabriel River upstream to confluence with unnamed tributary (NHD RC 12070205002995).

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12115; 20309; 21739

**AU\_ID: 1250\_02** From the confluence with unnamed tributary (NHD RC 12070205002995) upstream to unnamed tributary NHD RC 12070205002505)

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12116

**AU\_ID: 1250\_03** From the confluence with unnamed tributary ( NHD RC 12070205002505) upstream to headwaters of water body.

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** No Stations

### SegID: 1251 North Fork San Gabriel River

From a point 6.6 km (4.1 mi) downstream of US 183 in Williamson County to the confluence of Allen Branch in Burnet County

Segment Type Freshwater Stream

**AU\_ID: 1251\_01** From confluence with Lake Georgetown in Williamson County upstream to confluence with Russell Fork San Gabriel River in Burnet County

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12120; 13676

**AU\_ID: 1251\_02** From confluence with Russell Fork San Gabriel River upstream to headwaters of water body in Burnet County.

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** No Stations



## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1252 Lake Limestone

From Sterling C. Robertson Dam in Leon/Robertson County to a point 2.3 km (1.4 mi) downstream of SH 164 in Limestone County, up to normal pool elevation of 363 feet (impounds Navasota River)

Segment Type Reservoir

**AU\_ID: 1252\_01** South end of lake near dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12123

**AU\_ID: 1252\_02** Main body of lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12125

**AU\_ID: 1252\_03** Lambs Creek arm on east side of lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12124

**AU\_ID: 1252\_04** Big Creek Arm of Lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 1252\_05** Navasota River Arm near headwaters

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 13970

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1253 Navasota River Below Lake Mexia

From a point 2.3 km (1.4 mi) downstream of SH 164 in Limestone County to Bistone Dam in Limestone County

Segment Type Freshwater Stream

**AU\_ID: 1253\_01** From headwaters of Lake Limestone upstream to confluence with Plummer's Creek

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12126

**AU\_ID: 1253\_02** From confluence with Plummer's Creek upstream to Springfield Lake

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 1253\_03** From headwaters of Springfield Lake upstream to confluence with Lake Mexia

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** No Stations

### SegID: 1253A Springfield Lake

Impoundment of Navasota River below Lake Mexia in Limestone County.

Segment Type Reservoir

**AU\_ID: 1253A\_01** Impoundment of Navasota River below Lake Mexia in Limestone County.

Flow Type  
Reservoir

Flow Type Source  
Water body description

ALU Designation  
High

ALU Designation Source  
Presumption from Flow Type

**Station ID(s):** 16247; 18799

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1254 Aquilla Reservoir

From Aquilla Dam in Hill County up to the normal pool elevation of 537.5 feet (impounds Aquilla Creek)

Segment Type Reservoir

**AU\_ID: 1254\_01** South end of reservoir near dam

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12127; 13821; 13824

**AU\_ID: 1254\_02** Aquilla Creek arm on the west

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12128; 13827

**AU\_ID: 1254\_03** Hackberry Creek arm on the east

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12129; 13825; 17321

**AU\_ID: 1254\_SA2** Transition Zone areas associated with Aquilla Creek arm of the lake.

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 13828

**AU\_ID: 1254\_SA3** Transition Zone areas associated with Hackberry Arm of lake.

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** No Stations

### SegID: 1254A Hackberry Creek

From its confluence with Aquilla Reservoir, upstream to its headwaters 1.3 mi west of Itasca in Hill County

Segment Type Freshwater Stream

**AU\_ID: 1254A\_01** Portion of Hackberry Creek from the confluence with Aquilla Reservoir upstream to the confluence with Little Hackberry Creek in Hill County.

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

**Station ID(s):** 13645

**AU\_ID: 1254A\_02** Portion of Hackberry Creek from the confluence with Little Hackberry Creek upstream to headwaters in Hill County.

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1254B Aquilla Creek upstream of Aquilla Reservoir**

From its confluence with Aquilla Creek Reservoir, upstream to its headwaters 5.3 mi east of Rio Vista in Johnson County.

Segment Type Freshwater Stream

**AU\_ID: 1254B\_01** From its confluence with Aquilla Creek Reservoir, upstream to its headwaters 5.3 mi east of Rio Vista in Johnson County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 13643

**SegID: 1255 Upper North Bosque River**

From a point immediately above the confluence of Indian Creek in Erath County to the confluence of the North Fork and South Fork of the Bosque River in Erath County

Segment Type Freshwater Stream

**AU\_ID: 1255\_01** Portion of Upper North Bosque River from confluence with Indian Creek upstream to confluence with Dry Branch in Erath County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	Intermediate	TSWQS Appendix A

**Station ID(s):** 11963; 11964

**AU\_ID: 1255\_02** Portion of Upper North Bosque River from confluence with Dry Branch upstream to confluence with North/South Forks North Bosque River in Erath County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	Intermediate	TSWQS Appendix A

**Station ID(s):** 17226

**SegID: 1255A Goose Branch**

From the confluence with the south fork of the North Bosque River 2.5 mi (4.0 km) west of Stephenville, upstream to the headwaters 0.5 mi (0.8 km) north of FM 8 in Erath County

Segment Type Freshwater Stream

**AU\_ID: 1255A\_01** From the confluence with the south fork of the North Bosque River 2.5 mi (4.0 km) west of Stephenville, upstream to the headwaters 0.5 mi (0.8 km) north of FM 8 in Erath County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Flow Questionnaire	Minimal	Presumption from flow type

**Station ID(s):** 17215

**SegID: 1255B North Fork Upper North Bosque River**

From the confluence with the South Fork of the Upper North Bosque River in Stephenville, upstream to the headwaters, 2.0 mi north of FM 219

Segment Type Freshwater Stream

**AU\_ID: 1255B\_01** From the confluence with the South Fork of the Upper North Bosque River in Stephenville, upstream to the headwaters, 2.0 mi north of FM 219

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Routine Flow Data	Minimal	Presumption from flow type

**Station ID(s):** 17413

**SegID: 1255C Scarborough Creek**

From the confluence with the North Fork of the upper North Bosque River, upstream to the headwaters 0.1 mi (0.2 km) southeast of FM 219 in Erath County

Segment Type Freshwater Stream

**AU\_ID: 1255C\_01** From the confluence with the North Fork of the upper North Bosque River, upstream to the headwaters 0.1 mi (0.2 km) southeast of FM 219 in Erath County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Flow Questionnaire	Minimal	Presumption from flow type

**Station ID(s):** 17222

**SegID: 1255D South Fork North Bosque River**

From the confluence with the North Fork of the upper North Bosque River in Stephenville, upstream to the headwaters 3 mi (4.8 km) north of FM 219 in Erath County

Segment Type Freshwater Stream

**AU\_ID: 1255D\_01** From the confluence with the North Fork of the upper North Bosque River in Stephenville, upstream to the headwaters 3 mi (4.8 km) north of FM 219 in Erath County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Routine Flow Data	Minimal	Presumption from flow type

**Station ID(s):** 17602

**SegID: 1255E Unnamed Tributary of Goose Branch**

From the confluence with Goose Branch in Erath County to its headwaters, 0.2 mi southeast of the intersection of FM 8 and Farm Road 1219

Segment Type Freshwater Stream

**AU\_ID: 1255E\_01** From the confluence with Goose Branch in Erath County to its headwaters, 0.2 mi southeast of the intersection of FM 8 and Farm Road 1219

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Routine Flow Data	Minimal	Presumption from flow type

**Station ID(s):** 17214

**SegID: 1255F Unnamed Tributary of Scarborough Creek**

From the confluence with Scarborough Creek, 1.0 mi west of SH 108 in Erath County, upstream to the headwaters, 0.3 mi north of FM 219

Segment Type Freshwater Stream

**AU\_ID: 1255F\_01** From the confluence with Scarborough Creek, 1.0 mi west of SH 108 in Erath County, upstream to the headwaters, 0.3 mi north of FM 219

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Routine Flow Data	Minimal	Presumption from flow type

Station ID(s): 17223

**SegID: 1255G Woodhollow Branch**

From the confluence with the South Fork of the North Bosque River, 6 mi northwest of Stephenville, upstream to the headwaters, 1.5 mi north of FM 219 in Erath County

Segment Type Freshwater Stream

**AU\_ID: 1255G\_01** From the confluence with the South Fork of the North Bosque River, 6 mi northwest of Stephenville, upstream to the headwaters, 1.5 mi north of FM 219 in Erath County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Routine Flow Data	Minimal	Presumption from flow type

Station ID(s): No Stations

**SegID: 1255H South Fork Upper North Bosque River Reservoir**

Impoundment of South Fork Upper North Bosque River, 8 mi north west of Stephenville in Erath County

Segment Type Reservoir

**AU\_ID: 1255H\_01** Impoundment of South Fork Upper North Bosque River, 8 mi north west of Stephenville in Erath County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): No Stations

**SegID: 1255I Dry Branch**

From its confluence with the Upper North Bosque River, upstream to its headwaters 2.3 mi east of SH 106 in Erath County

Segment Type Freshwater Stream

**AU\_ID: 1255I\_01** From its confluence with the Upper North Bosque River, upstream to its headwaters 2.3 mi east of SH 106 in Erath County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Routine Flow Data	Minimal	Presumption from flow type

Station ID(s): 17603

**SegID: 1255J Goose Branch Reservoir**

Impoundment of Goose Branch, 5 mi west of Stephenville in Erath County.

Segment Type Reservoir

**AU\_ID: 1255J\_01** Impoundment of Goose Branch, 5 mi west of Stephenville in Erath County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

**SegID: 1255K Scarborough Creek Reservoir**

Impoundment of Scarborough Creek, 5 mi north west of Stephenville in Erath County

Segment Type Reservoir

**AU\_ID: 1255K\_01** Impoundment of Scarborough Creek, 5 mi north west of Stephenville in Erath County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

**SegID: 1256 Brazos River/Lake Brazos**

From the low water dam forming Lake Brazos in McLennan County to a point immediately upstream of the confluence of Aquilla Creek in McLennan County (includes the Bosque River Arm to the Waco Lake Dam)

Segment Type Freshwater Stream

**AU\_ID: 1256\_01** Brazos River portion of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 1256\_02** Lake Brazos portion of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 14226

**AU\_ID: 1256\_03** Bosque River portion of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11626

**SegID: 1256A Aquilla Creek**

From the confluence with the Brazos River 4 mi (6.4 km) west of Elm Mott, upstream to the Aquilla Lake Dam in McLennan County

Segment Type Freshwater Stream

**AU\_ID: 1256A\_01** From the confluence with the Brazos River 4 mi (6.4 km) west of Elm Mott, upstream to the Aquilla Lake Dam in McLennan County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** 11592; 11593; 13646

**SegID: 1257 Brazos River Below Lake Whitney**

From a point immediately upstream of the confluence of Aquilla Creek in McLennan County to Whitney Dam in Bosque/Hill County

Segment Type Freshwater Stream

**AU\_ID: 1257\_01** Downstream portion of segment from confluence with Aquilla Creek upstream to confluence with Coon Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12044; 16782

**AU\_ID: 1257\_02** Upstream portion of segment from confluence with Coon Creek upstream to Lake Whitney Dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**SegID: 1258 Middle Oyster Creek**

From the confluence with the Brazos River to the Flat Bank diversion channel in Fort Bend County

Segment Type Freshwater Stream

**AU\_ID: 1258\_01** From the confluence with the Brazos River through the Brazos River Authority Canal to the confluence with Upper Oyster Creek above Tidal and upstream to the confluence with the Flat Creek Diversion Channel in Fort Bend County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations



**SegID: 1259 Leon River Above Belton Lake**

From a point 100 meters (110 yards) upstream of FM 236 in Coryell County to a point immediately upstream of the confluence with Plum Creek in Coryell County

Segment Type Freshwater Stream

**AU\_ID: 1259\_01** Portion of Leon River from confluence with Lake Belton upstream to confluence with Cottonwood Creek approximately 2.8 km south of Gatesville in Coryell County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 11925; 11926

**AU\_ID: 1259\_02** Portion of Leon River from confluence with Cottonwood Creek approximately 2.8 km south of Gatesville upstream to the confluence with Stillhouse Branch in Coryell County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 17501

**AU\_ID: 1259\_03** From the confluence with Stillhouse Creek upstream to a point immediately upstream of the confluence with Plum Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 17545

**SegID: 1301 San Bernard River Tidal**

From the confluence with the Intracoastal Waterway in Brazoria County to a point 3.2 km (2.0 mi) upstream of SH 35 in Brazoria County

Segment Type Tidal Stream

**AU\_ID: 1301\_01** From the confluence with the Intracoastal Waterway in Brazoria County to a point 3.2 km (2.0 mi) upstream of SH 35 in Brazoria County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12146; 20460

**SegID: 1302 San Bernard River Above Tidal**

From a point 3.2 km (2.0 mi) upstream of SH 35 in Brazoria County to the county road southeast of New Ulm in Austin County

Segment Type Freshwater Stream

**AU\_ID: 1302\_01** From the confluence with the Intracoastal Waterway in Brazoria County to confluence with Peach Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12147

**AU\_ID: 1302\_02** From the confluence with Peach Creek to the unnamed tributary at NHD RC 12090401001535 at N-96.03, W29.51

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 1302\_03** From the confluence with unnamed tributary at NHD RC 12090401001535 at N-96.03, W29.51 to the confluence with Coushatta Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 16370; 16373

**AU\_ID: 1302\_04** From the confluence with Coushatta Creek to the upstream end of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**SegID: 1302A Gum Tree Branch**

From the confluence with West Bernard Creek near Wharton CR 252 to the headwaters approximately 15 mi upstream near RR 102

Segment Type Freshwater Stream

**AU\_ID: 1302A\_01** From the confluence with West Bernard Creek near Wharton CR 252 to the headwaters approximately 15 mi upstream near RR 102

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 16371

**SegID: 1302B West Bernard Creek**

From the confluence with the San Bernard River Above Tidal downstream of US highway 59 to the headwaters approximately 40 mi upstream near FM 1093

Segment Type Freshwater Stream

**AU\_ID: 1302B\_01** From the confluence with the San Bernard River Above Tidal to the confluence with Clarks Branch

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Flow Questionnaire	High	Presumption from flow type

**Station ID(s):** 12131; 20721

**AU\_ID: 1302B\_02** From the confluence with Clarks Branch to the upper end of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Flow Questionnaire	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1302C Coushatta Creek**

From the confluence with the San Bernard River Above Tidal upstream to a point 4.6 km upstream of I-10

Segment Type Freshwater Stream

**AU\_ID: 1302C\_01** From the confluence with the San Bernard River Above Tidal upstream to a point 4.6 km upstream of I-10

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1302D Peach Creek**

From the confluence with the San Bernard River in Wharton Co. to the headwaters approximately 8 km upstream of FM-102 in Wharton Co.

Segment Type Freshwater Stream

**AU\_ID: 1302D\_01** From the confluence with the San Bernard River in Wharton Co. to the headwaters approximately 8 km upstream of FM-102 in Wharton Co.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Flow Questionnaire	High	Presumption from flow type

**Station ID(s):** 20722

**SegID: 1302E Mound Creek**

From the confluence with the San Bernard River in Brazoria Co. to the headwaters approximately 400 m upstream of TX Hwy 36 in Ft. Bend Co.

Segment Type Freshwater Stream

**AU\_ID: 1302E\_01** From the confluence with the San Bernard River in Brazoria Co. to the headwaters approximately 400 m upstream of TX Hwy 36 in Ft. Bend Co.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** 20723

**SegID: 1304 Caney Creek Tidal**

From the confluence with the Intracoastal Waterway in Matagorda County to a point 1.9 km (1.2 mi) upstream of the confluence of Linville Bayou in Matagorda County

Segment Type Tidal Stream

**AU\_ID: 1304\_01** From the downstream end of segment to the confluence with Dead Slough

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12148; 12149; 16845

**AU\_ID: 1304\_02** From the confluence with Dead Slough to the upstream end of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12151; 15951

**SegID: 1304A Linnville Bayou**

From the confluence with Caney Creek in Matagorda County upstream to a point 0.7 km above SH 35 in Brazoria/Matagorda Counties

Segment Type Freshwater Stream

**AU\_ID: 1304A\_01** Intermittent stream with perennial pools from a point 1.1 km above the confluence with Caney Creek in Matagorda County upstream to a point 0.1 km above SH 35 in Brazoria/Matagorda counties; AppD

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	TSWQS Appendix D	Limited	TSWQS Appendix D

**Station ID(s):** 12138; 12141

**AU\_ID: 1304A\_02** From the confluence with Caney Creek to a point 1.1 km above the confluence with Caney Creek in Matagorda County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**AU\_ID: 1304A\_03** From a point 0.1 km above SH 35 to a point 0.7 km above SH 35 in Brazoria/Matagorda Counties

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1305 Caney Creek Above Tidal**

From a point 1.9 km (1.2 mi) upstream of the confluence of Linnville Bayou in Matagorda County to the confluence of Water Hole Creek in Matagorda County

Segment Type Freshwater Stream

**AU\_ID: 1305\_01** From the downstream end of the segment to the confluence with Hardeman Slough

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 1305\_02** From the confluence with Hardeman Slough to the confluence with Snead Slough

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12154

**AU\_ID: 1305\_03** From the confluence with Snead Slough in Matagorda Co. to the upper end of segment at the confluence with Water Hole Creek in Matagorda Co.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12155; 17498

**SegID: 1305A Hardeman Slough**

From the confluence with Caney Creek to 0.3 km upstream of Matagorda County Rd 110

Segment Type Freshwater Stream

**AU\_ID: 1305A\_01** Perennial stream from the confluence with Caney Creek upstream to the confluence with an unnamed tributary approximately 1.9 km downstream of FM 3156 near the City of Van Vleck; App D

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** 12135

**AU\_ID: 1305A\_02** From approximately 1.9 km downstream of FM 3156 near the City of Van Vleck to 0.3 km upstream of County Rd 10

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1305B Caney Creek Above Water Hole Creek**

From the confluence with Water Hole Creek in Matagorda Co. (at the upper end of Segment 1305) to the headwaters approximately 43 mi at Old Caney Rd. in Wharton Co.

Segment Type Freshwater Stream

**AU\_ID: 1305B\_01** From the confluence with Water Hole Creek in Matagorda Co. (at the upper end of Segment 1305) to the headwaters approximately 43 mi at Old Caney Rd. in Wharton Co.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	WQS/Permits program	Limited	Presumption from flow type

**Station ID(s):** 20468

**SegID: 1401 Colorado River Tidal**

Colorado River Tidal - from the confluence with Matagorda Bay due to a diversion channel in Matagorda County to a point 2.1 km (1.3 mi) downstream of the Missouri-Pacific Railroad in Matagorda County

Segment Type Tidal Stream

**AU\_ID: 1401\_01** Colorado River Tidal - from the confluence with Matagorda Bay due to a diversion channel in Matagorda County to a point 2.1 km (1.3 mi) downstream of the Missouri-Pacific Railroad in Matagorda County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12281

**SegID: 1402 Colorado River below La Grange**

From a point 2.1 km (1.3 mi) downstream of the Missouri-Pacific Railroad in Matagorda County to a point 100 meters (110 yards) downstream of SH 71 at La Grange in Fayette County

Segment Type Freshwater Stream

**AU\_ID: 1402\_01** From a point 2.1 km (1.3 mi) downstream of the Missouri-Pacific Railroad in Matagorda County upstream to the confluence of Blue Creek in Matagorda County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12284

**AU\_ID: 1402\_02** From the confluence of Blue Creek in Matagorda County upstream to the confluence of Pierce Canal west of Wharton in Wharton County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12286

**AU\_ID: 1402\_03** From the confluence of Pierce Canal west of Wharton in Wharton County upstream to the confluence of Robb Slough in Wharton County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 1402\_04** From the confluence of Robb Slough in Wharton County upstream to the confluence of Skull Creek in Colorado County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12287

**AU\_ID: 1402\_05** From the confluence of Skull Creek in Colorado County upstream to the confluence of Cummins Creek northeast of Columbus in Colorado County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 18351

**AU\_ID: 1402\_06** From the confluence of Cummins Creek northeast of Columbus in Colorado County upstream to confluence of Williams Creek in Fayette County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12290

**AU\_ID: 1402\_07** From the confluence of Williams Creek in Fayette County upstream to a point 100 meters (110 yards) downstream of Business SH 71 at La Grange in Fayette County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**SegID: 1402A Cummins Creek**

Perennial stream from the confluence with the Colorado River upstream to the headwaters east of Giddings in Lee County

Segment Type Freshwater Stream

**AU\_ID: 1402A\_01** From the confluence with the Colorado River northeast of the city of Columbus upstream to the confluence of Boggy Creek at FM 1291 in Colorado County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Exceptional	TSWQS Appendix D

**Station ID(s):** 12249; 17015

**AU\_ID: 1402A\_02** From the confluence of Boggy Creek at FM 1291 in Colorado County upstream to the confluence of Shaw Creek west of Round Top in Fayette County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Water body description	High	Presumption from flow type

**Station ID(s):** No Stations

**AU\_ID: 1402A\_03** From the confluence of Shaw Creek west of Round Top in Fayette County upstream to the headwaters east of Giddings in Lee County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1402B Allen Creek**

Intermittent stream with perennial pools from the confluence of Pool Branch upstream to its headwaters south of the City of Fayetteville

Segment Type Freshwater Stream

**AU\_ID: 1402B\_01** Intermittent stream with perennial pools from the confluence of Pool Branch upstream to its headwaters south of the City of Fayetteville

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** No Stations



**SegID: 1402C Buckners Creek**

Perennial stream from the confluence with the Colorado River upstream to the headwaters at Patterson Road southeast of the City of Rosanky in Bastrop County

Segment Type Freshwater Stream

**AU\_ID: 1402C\_01** Perennial stream from the confluence with the Colorado River upstream to the confluence with Chandler Branch 1.6 km upstream of FM 154 in Fayette County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** 16160

**AU\_ID: 1402C\_02** From the confluence with Chandler Branch near FM 154 in Fayette County upstream to the headwaters at Patterson Road southeast of the City of Rosanky in Bastrop County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1402D Cedar Creek**

Perennial stream from the confluence with the Colorado River up to the dam forming Cedar Creek Reservoir/Lake Fayette

Segment Type Freshwater Stream

**AU\_ID: 1402D\_01** Perennial stream from the confluence with the Colorado River up to the dam forming Cedar Creek Reservoir/Lake Fayette

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 1402F Blue Creek**

From the confluence with the Colorado River near Bay City in Matagorda County to the headwaters near El Campo in Wharton County

Segment Type Freshwater Stream

**AU\_ID: 1402F\_01** From the confluence with the Colorado River near Bay City in Matagorda County to the headwaters near El Campo in Wharton County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Routine Flow Data	Minimal	Presumption from flow type

**Station ID(s):** No Stations

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1402G Cedar Creek Reservoir / Lake Fayette

Encompasses the entire reservoir up to the normal pool elevation of 390 feet

Segment Type Reservoir

**AU\_ID: 1402G\_01** Area near discharge canal

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix D

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix D

**Station ID(s):** 17018

**AU\_ID: 1402G\_02** Area near intake canal

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix D

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix D

**Station ID(s):** 17016

**AU\_ID: 1402G\_03** Mid-lake near dam

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix D

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix D

**Station ID(s):** 17017

### SegID: 1402H Skull Creek

From the confluence with the Colorado River west of Eagle Lake in Colorado County to the upstream perennial portion southwest of Columbus

Segment Type Freshwater Stream

**AU\_ID: 1402H\_01** From the confluence with the Colorado River west of Eagle Lake in Colorado County to the upstream perennial portion southwest of Columbus

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

**Station ID(s):** 16805; 21177

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1403 Lake Austin

From Tom Miller Dam in Travis County to Mansfield Dam in Travis County, up to normal pool elevation of 492.8 feet (impounds Colorado River)

Segment Type Reservoir

**AU\_ID: 1403\_01** From Tom Miller dam to Loop 360 bridge

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12294; 12295; 13906

**AU\_ID: 1403\_02** Loop 360 bridge to Quinlan Park

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12297; 13912; 17497

**AU\_ID: 1403\_03** Quinlan Park upstream to Mansfield Dam

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12300; 17640

**SegID: 1403A Bull Creek**

From the confluence of Lake Austin in northwest Austin in Travis County to the upstream perennial portion of the stream north of Austin in Travis County

Segment Type Freshwater Stream

**AU\_ID: 1403A\_01** From the confluence with Lake Austin to the confluence of West Bull Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Flow Questionnaire	High	Presumption from flow type

**Station ID(s):** 12215

**AU\_ID: 1403A\_02** From the confluence of W Bull Creek upstream to the Loop 360 crossing near Lakewood Dr.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 16312

**AU\_ID: 1403A\_03** From the Loop 360 crossing near Lakewood Dr. upstream to the Spicewood Springs Rd crossing near Yaupon Dr.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Flow Questionnaire	High	Presumption from flow type

**Station ID(s):** 12216

**AU\_ID: 1403A\_04** From Spicewood Springs Rd. crossing near Yaupon Dr. upstream to the Spicewood Springs Dr. crossing near Oak Grove cemetery

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Flow Questionnaire	High	Presumption from flow type

**Station ID(s):** 12218

**AU\_ID: 1403A\_05** From the Spicewood Springs Rd. crossing near the Oak Grove cemetery upstream to the end of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Flow Questionnaire	High	Presumption from flow type

**Station ID(s):** 16322

**SegID: 1403B West Bull Creek**

From the confluence of Bull Creek at FM 2222 and Lakewood Drive in Austin in Travis County upstream to a point north of FM 2222 in Travis County

Segment Type Freshwater Stream

**AU\_ID: 1403B\_01** From the confluence of Bull Creek at FM 2222 and Lakewood Drive in Austin in Travis County upstream to a point north of FM 2222 in Travis County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 16311; 17468

**SegID: 1403C Cow Fork Bull Creek**

From the confluence of West Bull Creek south of FM 2222 in Austin in Travis County to the headwaters northeast of Milky Way Drive in Travis County

Segment Type Freshwater Stream

**AU\_ID: 1403C\_01** From the confluence of West Bull Creek south of FM 2222 in Austin in Travis County to the headwaters northeast of Milky Way Drive in Travis County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

Station ID(s): No Stations

**SegID: 1403D Barrow Preserve Tributary**

From the confluence of Stillhouse Hollow south of Loop 360 in Austin in Travis County upstream to the headsprings in Barrow Nature Preserve

Segment Type Freshwater Stream

**AU\_ID: 1403D\_01** From the confluence of Stillhouse Hollow south of Loop 360 in Austin in Travis County upstream to the headsprings in Barrow Nature Preserve

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Routine Flow Data	Minimal	Presumption from flow type

Station ID(s): 16309

**SegID: 1403E Stillhouse Hollow**

From the confluence of Bull Creek south of Loop 360 in Austin in Travis County upstream to the headsprings in Stillhouse Hollow Nature Preserve

Segment Type Freshwater Stream

**AU\_ID: 1403E\_01** From the confluence of Bull Creek south of Loop 360 in Austin in Travis County upstream to the headsprings in Stillhouse Hollow Nature Preserve

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Flow Questionnaire	High	Presumption from flow type

Station ID(s): 16308

**SegID: 1403F Bull Creek Tributary 3**

From the confluence of Bull Creek east of Spicewood Springs Road in the city of Austin in Travis County upstream to the headwaters east of Cassia Drive in Travis County

Segment Type Freshwater Stream

**AU\_ID: 1403F\_01** From the confluence of Bull Creek east of Spicewood Springs Road in the city of Austin in Travis County upstream to the headwaters east of Cassia Drive in Travis County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Flow Questionnaire	Minimal	Presumption from flow type

Station ID(s): No Stations

**SegID: 1403G Tanglewood Tributary to Bull Creek**

From the confluence of an unnamed creek west of Spicewood Springs Road in Austin in Travis County to the Williamson County Line

Segment Type Freshwater Stream

**AU\_ID: 1403G\_01** From the confluence of an unnamed creek west of Spicewood Springs Road in Austin in Travis County to the Williamson County Line

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Flow Questionnaire	Minimal	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1403H Bull Creek Tributary 6**

From the confluence of Bull Creek Road west of Pickfair Drive in Austin in Travis County to a point east of Hwy 620 in Travis County

Segment Type Freshwater Stream

**AU\_ID: 1403H\_01** From the confluence of Bull Creek Road west of Pickfair Drive in Austin in Travis County to a point east of Hwy 620 in Travis County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 16320

**SegID: 1403I Bull Creek Tributary 5**

From the confluence of an unnamed tributary to Bull Creek west of the intersection of Pickfair Drive and Brightling Lane in Austin in Travis County to a point east of Hwy 620 in Travis County

Segment Type Freshwater Stream

**AU\_ID: 1403I\_01** From the confluence of an unnamed tributary to Bull Creek west of the intersection of Pickfair Drive and Brightling Lane in Austin in Travis County to a point east of Hwy 620 in Travis County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Flow Questionnaire	Minimal	Presumption from flow type

**Station ID(s):** 16321; 17467

**SegID: 1403J Spicewood Tributary to Shoal Creek**

From the confluence of an unnamed tributary west of the MoPac Expressway in north Austin in Travis County upstream to the head waters north of Williamsburg Circle in Travis County

Segment Type Freshwater Stream

**AU\_ID: 1403J\_01** From the confluence of an unnamed tributary west of the MoPac Expressway in north Austin in Travis County upstream to the head waters north of Williamsburg Circle in Travis County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Routine Flow Data	Minimal	Presumption from flow type

**Station ID(s):** 16316

**SegID: 1403K Taylor Slough South**

From the confluence of Lake Austin in Travis County to the headwaters near South Meadow Circle on the Texas Department of Aging and Disability Services campus in Austin in Travis County

Segment Type Freshwater Stream

**AU\_ID: 1403K\_01** From the confluence of Lake Austin in Travis County to the headwaters near South Meadow Circle on the Texas Department of Aging and Disability Services campus in Austin in Travis County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 17294

**SegID: 1403L Running Deer Creek**

From the confluence of Lake Austin in Travis County upstream to the headwaters east of Pyramid Drive in Austin in Travis County

Segment Type Freshwater Stream

**AU\_ID: 1403L\_01** From the confluence of Lake Austin in Travis County upstream to the headwaters east of Pyramid Drive in Austin in Travis County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1403M Turkey Creek**

From the confluence of Lake Austin in Travis County upstream to the headwaters east of China Garden Drive in Austin in Travis County

Segment Type Freshwater Stream

**AU\_ID: 1403M\_01** From the confluence of Lake Austin in Travis County upstream to the headwaters east of China Garden Drive in Austin in Travis County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Routine Flow Data	Minimal	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1403N Panther Hollow Creek**

From the confluence of Lake Austin in Travis County to the headwaters south of the intersection of FM 2222 and FM 620 in Travis County

Segment Type Freshwater Stream

**AU\_ID: 1403N\_01** From the confluence of Lake Austin in Travis County to the headwaters south of the intersection of FM 2222 and FM 620 in Travis County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Flow Questionnaire	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1403O Cuernavaca Creek**

From the confluence of Lake Austin in Travis County upstream to the headwaters 0.4 km (0.3 mi) west of Cuernavaca Drive in Austin in Travis County

Segment Type Freshwater Stream

**AU\_ID: 1403O\_01** From the confluence of Lake Austin in Travis County upstream to the headwaters 0.4 km (0.3 mi) west of Cuernavaca Drive in Austin in Travis County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Routine Flow Data	Minimal	Presumption from flow type

Station ID(s): No Stations

**SegID: 1403P Bee Creek**

From the confluence of Lake Austin in Travis County upstream to the headwaters west of the Muir Lane cul-de-sac in Austin in Travis County

Segment Type Freshwater Stream

**AU\_ID: 1403P\_01** From the confluence of Lake Austin in Travis County upstream to the headwaters west of the Muir Lane cul-de-sac in Austin in Travis County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

Station ID(s): No Stations

**SegID: 1403O Bear Creek**

From the confluence of Lake Austin in Travis County upstream to the headwaters 0.4 km (0.3 mi) southwest of the intersection of RR 620 and Comanche Trail in Austin in Travis County

Segment Type Freshwater Stream

**AU\_ID: 1403Q\_01** From the confluence of Lake Austin in Travis County upstream to the headwaters 0.4 km (0.3 mi) southwest of the intersection of RR 620 and Comanche Trail in Austin in Travis County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Routine Flow Data	Minimal	Presumption from flow type

Station ID(s): No Stations

**SegID: 1403R Westlake-Davenport Tributary to Lake Austin**

From the confluence of Lake Austin in Travis County upstream to the headwaters 150 ft. southeast of the intersection of Waymaker Way and Round Table road in Austin in Travis County

Segment Type Freshwater Stream

**AU\_ID: 1403R\_01** From the confluence of Lake Austin in Travis County upstream to the headwaters 150 ft. southeast of the intersection of Waymaker Way and Round Table road in Austin in Travis County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

Station ID(s): 16310



**SegID: 1404    Lake Travis**

From Mansfield Dam in Travis County to Max Starcke Dam on the Colorado River Arm in Burnet County and to a point immediately upstream of the confluence of Fall Creek on the Pedernales River Arm in Travis County, up to the normal pool elevation of 681.6 fe

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1404 Lake Travis

From Mansfield Dam in Travis County to Max Starcke Dam on the Colorado River Arm in Burnet County and to a point immediately upstream of the confluence of Fall Creek on the Pedernales River Arm in Travis County, up to the normal pool elevation of 681.6 fe

Segment Type Reservoir

**AU\_ID: 1404\_01** From Mansfield Dam upstream to the confluence with Big Sandy Creek Arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	Exceptional	TSWQS Appendix A

**Station ID(s):** 12302

**AU\_ID: 1404\_02** Big Sandy Creek Arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	Exceptional	TSWQS Appendix A

**Station ID(s):** 12307

**AU\_ID: 1404\_03** Arkansas Bend area, from Sandy Creek Arm upstream to Hurst Creek Arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	Exceptional	TSWQS Appendix A

**Station ID(s):** 12309

**AU\_ID: 1404\_04** Lakeway area, from Hurst Creek arm upstream to the confluence with Cow Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	Exceptional	TSWQS Appendix A

**Station ID(s):** 12311

**AU\_ID: 1404\_05** From the confluence with Cow Creek upstream to the confluence of the Pedernales River Arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	Exceptional	TSWQS Appendix A

**Station ID(s):** 12313

**AU\_ID: 1404\_06** From the confluence with the Pedernales River Arm upstream to Muleshoe Bend

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	Exceptional	TSWQS Appendix A

**Station ID(s):** 12315; 12316

**AU\_ID: 1404\_07** From Muleshoe Bend upstream to the confluence with Hickory Creed

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	Exceptional	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 1404\_08** From Hickory Creek confluence upstream to the headwaters at Max Starcke Dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	Exceptional	TSWQS Appendix A

**Station ID(s):** 12318

**SegID: 1404 Lake Travis**

From Mansfield Dam in Travis County to Max Starcke Dam on the Colorado River Arm in Burnet County and to a point immediately upstream of the confluence of Fall Creek on the Pedernales River Arm in Travis County, up to the normal pool elevation of 681.6 fe

Segment Type Reservoir

**AU\_ID: 1404\_09** Pedernales River Arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	Exceptional	TSWQS Appendix A

**Station ID(s):** 12314

**AU\_ID: 1404\_10** Bee Creek Arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	Exceptional	TSWQS Appendix A

**Station ID(s):** 20070

**AU\_ID: 1404\_11** Hurst Creek Arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	Exceptional	TSWQS Appendix A

**Station ID(s):** 15428

**SegID: 1404A Hamilton Creek**

From the confluence with Lake Travis upstream to the headwaters near the intersection of CR 110 and Threadgill Ranch Road northwest of Burnet in Burnet County

Segment Type Freshwater Stream

**AU\_ID: 1404A\_01** From the confluence with Lake Travis upstream to the confluence of Delaware Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 16929

**AU\_ID: 1404A\_02** From the confluence of the Delaware Creek upstream to the confluence of an unnamed tributary (Haynie Branch) in the City of Burnet 1.1 km upstream of the Southern Pacific Railroad

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** No Stations

**AU\_ID: 1404A\_03** From the confluence of Haynie Branch upstream to the headwaters near the intersection of CR 110 and Threadgill Ranch Road northwest of Burnet in Burnet County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** 17050

**SegID: 1404B Cow Creek**

From the confluence with Lake Travis in Travis County upstream to the headwaters 3.2 km (2.0 mi) southwest of the intersection of CR 336 and CR 337 near the City of Oatmeal in Burnet County

Segment Type Freshwater Stream

**AU\_ID: 1404B\_01** From the confluence with Lake Travis in Travis County upstream to the headwaters 3.2 km (2.0 mi) southwest of the intersection of CR 336 and CR 337 near the City of Oatmeal in Burnet County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 17054; 18660

**SegID: 1404C Long Hollow Creek**

From the confluence of the Cypress Creek arm of Lake Travis upstream to the headwaters 1 mi southeast of the intersection of Lime Creek Road and Fisher Hollow Trail in Travis County

Segment Type Freshwater Stream

**AU\_ID: 1404C\_01** From the confluence of the Cypress Creek arm of Lake Travis upstream to the headwaters 1 mi southeast of the intersection of Lime Creek Road and Fisher Hollow Trail in Travis County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Routine Flow Data	Minimal	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1404D Lick Creek**

From the confluence with the Pedernales River arm of Lake Travis upstream to the headwaters 1.0 km (0.75 mi) northeast of the intersection of Reimers-Peacock Road and Hamilton Pool Road in Travis county

Segment Type Freshwater Stream

**AU\_ID: 1404D\_01** From the confluence with the Pedernales River arm of Lake Travis upstream to the headwaters 1.0 km (0.75 mi) northeast of the intersection of Reimers-Peacock Road and Hamilton Pool Road in Travis county

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Flow Questionnaire	High	Presumption from flow type

**Station ID(s):** 18661

**SegID: 1404E Hicks Hollow Creek**

From the confluence with Long Hollow Creek in Travis County upstream to the headwaters near the Travis/Williamson county line west of Leander

Segment Type Freshwater Stream

**AU\_ID: 1404E\_01** From the confluence with Long Hollow Creek in Travis County upstream to the headwaters near the Travis/Williamson county line west of Leander

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1405 Marble Falls Lake**

From Max Starcke Dam in Burnet County to Alvin Wirtz Dam in Burnet County, up to normal pool elevation of 738 feet (impounds the Colorado River)

Segment Type Reservoir

**AU\_ID: 1405\_01** From Max Starcke Dam to Varnhagen Creek confluence

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12319

**AU\_ID: 1405\_02** From Varnhagen Creek confluence upstream to Alvin Wirtz Dam

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12323

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1406 Lake Lyndon B. Johnson

From Alvin Wirtz Dam in Burnet County to Roy Inks Dam on the Colorado River Arm in Burnet/Llano County and to a point immediately upstream of the confluence of Honey Creek on the Llano River Arm in Llano County, up to the normal pool elevation of 825.6 feet

Segment Type Reservoir

**AU\_ID: 1406\_01** From Alvin Wirtz Dam upstream to the Pecan Creek Arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12324

**AU\_ID: 1406\_02** From the Pecan Creek Arm upstream to the Station Creek/Dry Creek Arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12327

**AU\_ID: 1406\_03** From the Station Creek/Dry Creek Arm upstream to the Llano River Arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12330

**AU\_ID: 1406\_04** Llano River arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12331

**AU\_ID: 1406\_05** From the confluence with the Llano River Arm upstream to the Williams Creek confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12333

**AU\_ID: 1406\_06** From the Williams Creek confluence upstream to Roy Inks Dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12335

**SegID: 1406A Sandy Creek**

From the confluence of Lake Lyndon B. Johnson southeast of Llano in Llano County to the upstream to the confluence of Crabapple Creek south of Llano in Llano County

Segment Type Freshwater Stream

**AU\_ID: 1406A\_01** From the confluence of Lake LBJ upstream to the confluence of Crabapple Creek south of Llano in Llano County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Flow Questionnaire	Minimal	Presumption from flow type

**Station ID(s):** 12214

**AU\_ID: 1406A\_02** From the confluence of Crabapple Creek south of Llano in Llano County upstream to the headwaters 1.6 km (1.0 mi) northwest of the intersection of Schneider-Moellering Road and Pecan Springs Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1407 Inks Lake**

From Roy Inks Dam on the Colorado River Arm in Burnet/Llano County to Buchanan Dam in Burnet/Llano County, up to normal pool elevation of 888 feet (impounds the Colorado River)

Segment Type Reservoir

**AU\_ID: 1407\_01** From Roy Inks Dam upstream to the Clear Creek Arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12336

**AU\_ID: 1407\_02** From Clear Creek Arm upstream to Buchanan Dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12343

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1407A Clear Creek

From the confluence with Inks Lake in Burnet County west of Burnet upstream to a point 2 mi (3.2 km) west of FM 2341 near Potato Hill northwest of Burnet

Segment Type Freshwater Stream

**AU\_ID: 1407A\_01** From the confluence with Inks Lake upstream to FM 2341

Flow Type

Intermittent w/pools

Flow Type Source

Routine Flow Data

ALU Designation

Intermediate

ALU Designation Source

Presumption from flow type

**Station ID(s):** 18710

**AU\_ID: 1407A\_02** FM 2341 upstream to headwaters near Potato Hill

Flow Type

Intermittent

Flow Type Source

Flow Questionnaire

ALU Designation

Minimal

ALU Designation Source

Presumption from flow type

**Station ID(s):** No Stations



**SegID: 1408 Lake Buchanan**

From Buchanan Dam in Burnet/Llano County to a point immediately upstream of the confluence of Yancey Creek, up to normal pool elevation of 1020.5 feet (impounds Colorado River)

Segment Type Reservoir

**AU\_ID: 1408\_01** Main pool near dam upstream to Flag Island area

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12344

**AU\_ID: 1408\_02** Rocky Point area, from Flag Island upstream to Shaw Island Park area

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12347

**AU\_ID: 1408\_03** From Shaw Island Park area upstream to Paradise Point Resort area

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12350

**AU\_ID: 1408\_04** From Paradise Point Resort area upstream to Willow Slough area

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12352

**AU\_ID: 1408\_05** From the Willow Slough area upstream to the headwaters near the Yancey Creek confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12353

**AU\_ID: 1408\_06** Council Creek and Morgan Creek Arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12348; 12349; 20055; 20056; 20057

**SegID: 1409 Colorado River Above Lake Buchanan**

From a point immediately upstream of the confluence of Yancey Creek in Burnet/San Saba/Lampasas County to the confluence of the San Saba River in San Saba County

Segment Type Freshwater Stream

**AU\_ID: 1409\_01** From the Yancey Creek confluence upstream to the confluence with Cherokee Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 20641

**AU\_ID: 1409\_02** From the confluence with Cherokee Creek upstream to the confluence of the San Saba River

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12355

**SegID: 1409A Cherokee Creek**

From the confluence with the Colorado River in San Saba County to a point 1.5 km south of the Llano County line southwest of the City of Cherokee

Segment Type Freshwater Stream

**AU\_ID: 1409A\_01** From the confluence with the Colorado River in San Saba County upstream to the confluence of Buffalo Creek northeast of the City of Cherokee in San Saba County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 12274

**AU\_ID: 1409A\_02** From the confluence of Buffalo Creek northeast of the City of Cherokee in San Saba County upstream to the headwaters 1.5 km (1.0 mi) south of the Llano County line southwest of the City of Cherokee

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1410 Colorado River Below O. H. Ivie Reservoir

From the confluence of the San Saba River in San Saba County to S. W. Freese Dam in Coleman/Concho County

Segment Type Freshwater Stream

**AU\_ID: 1410\_01** From the confluence of the San Saba River upstream to the confluence of Pecan Bayou

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 1410\_02** From the confluence of Pecan Bayou upstream to the confluence of Indian Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 1410\_03** From the confluence of Indian Creek upstream to the confluence of Bull Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12358

**AU\_ID: 1410\_04** From the confluence of Bull Creek upstream to O.H. Ivie Reservoir dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 13667

### SegID: 1411 E. V. Spence Reservoir

From Robert Lee Dam in Coke County to a point immediately upstream of the confluence of Little Silver Creek in Coke County, up to the normal pool elevation of 1898 feet (impounds Colorado River)

Segment Type Reservoir

**AU\_ID: 1411\_01** Main pool from the dam upstream to the Rough Creek arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12359; 13862; 13863

**AU\_ID: 1411\_02** From the Rough Creek arm upstream to the confluence of Little Silver Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12360

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1412 Colorado River Below Lake J. B. Thomas

From a point immediately upstream of the confluence of Little Silver Creek in Coke County to Colorado River Dam in Scurry County

Segment Type Freshwater Stream

**AU\_ID: 1412\_01** From a point 275 m (300 yds) upstream of the confluence of Little Silver Creek in Coke County upstream to the confluence of Beals Creek

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12362; 17002

**AU\_ID: 1412\_02** From the confluence of Beals Creek upstream to the dam below Barber Reservoir pump station

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12363

**AU\_ID: 1412\_03** From the dam below Barber Reservoir pump station upstream to the confluence of Deep Creek

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12365

**AU\_ID: 1412\_04** From the confluence of Deep Creek upstream to the Confluence of Willow Creek

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 17003

**AU\_ID: 1412\_05** From the confluence of Willow Creek upstream to Lake J.B. Thomas dam

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12366

### SegID: 1412A Lake Colorado City

From Lake Colorado City Dam up to normal pool elevation of 2070.0 feet southwest of Colorado City in Mitchell County (impounds Morgans Creek)

Segment Type Reservoir

**AU\_ID: 1412A\_01** From Lake Colorado City Dam up to normal pool elevation of 2070.0 feet southwest of Colorado City in Mitchell County (impounds Morgans Creek)

Flow Type  
Reservoir

Flow Type Source  
Water body description

ALU Designation  
High

ALU Designation Source  
Presumption from Flow Type

**Station ID(s):** 12167; 21614

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1412B Beals Creek

From the confluence of the Colorado River south of Colorado City in Mitchell County to the confluence of Mustang Draw and Sulphur Springs Draw in Howard County

Segment Type Freshwater Stream

**AU\_ID: 1412B\_01** From the confluence with the Colorado River upstream to the confluence of Bull Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	TSWQS Appendix D	Limited	TSWQS Appendix D

**Station ID(s):** 12156

**AU\_ID: 1412B\_02** From the confluence of Bull Creek upstream to the confluence of Guthrie Draw

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	TSWQS Appendix D	Limited	TSWQS Appendix D

**Station ID(s):** 12157

**AU\_ID: 1412B\_03** From the confluence of Guthrie Draw upstream to the confluence of Mustang Draw and Sulphur Springs Draw

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	TSWQS Appendix D	Limited	TSWQS Appendix D

**Station ID(s):** 12158; 12159; 12160

### SegID: 1412C Deep Creek

From the confluence of Big Sulphur Creek south of Snyder in Scurry County to the upstream perennial portion of the stream northwest of Snyder in Scurry County

Segment Type Freshwater Stream

**AU\_ID: 1412C\_01** From the confluence with the Colorado River upstream to the confluence with Hell Roaring Hollow Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**AU\_ID: 1412C\_02** From the confluence with Hell Roaring Hollow Creek upstream to the confluence with an unnamed first order tributary approx. 0.07 km downstream of RR 1605

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** No Stations

**AU\_ID: 1412C\_03** From the confluence with an unnamed first order tributary approx. 0.07 km downstream of RR 1605 upstream to the headwaters northeast of Fluvanna in Scurry County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1412D North Fork Champion Creek**

Intermittent stream with perennial pools from the confluence with an unnamed tributary approximately 2.3 km upstream of IH 20 to its headwaters north of the City of Loraine

Segment Type Freshwater Stream

**AU\_ID: 1412D\_01** Intermittent stream with perennial pools from the confluence with an unnamed tributary approximately 2.3 km upstream of IH 20 to its headwaters north of the City of Loraine

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	TSWQS Appendix D	Limited	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 1413 Lake J. B. Thomas**

From Colorado River Dam in Scurry County up to normal pool elevation of 2258 feet (impounds Colorado River)

Segment Type Reservoir

**AU\_ID: 1413\_01** From Colorado River Dam in Scurry County up to normal pool elevation of 2258 feet (impounds Colorado River)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1414 Pedernales River

From a point immediately upstream of the confluence of Fall Creek in Travis County to FM 385 in Kimble County

Segment Type Freshwater Stream

**AU\_ID: 1414\_01** End of segment to falls in Pedernales Falls State Park

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12369

**AU\_ID: 1414\_02** Pedernales Falls to Johnson City Dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12372; 21398

**AU\_ID: 1414\_03** Johnson City Dam to Gillespie County line

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12375

**AU\_ID: 1414\_04** Gillespie County line to Gellermann Lane

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 1414\_05** Gellermann Lane to Live Oak Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12377; 17472

**AU\_ID: 1414\_06** Remainder of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

### SegID: 1414A Barons Creek

Perennial stream from the confluence with the Pedernales River upstream to the most northern crossing of US 87 northwest of Fredericksburg

Segment Type Freshwater Stream

**AU\_ID: 1414A\_01** Perennial stream from the confluence with the Pedernales River upstream to the most northern crossing of US 87 northwest of Fredericksburg

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** 12269

**SegID: 1414B Cypress Creek**

From the confluence with the Pedernales River west of Austin to the upstream perennial portion west of Round Mountain in Blanco County

Segment Type Freshwater Stream

**AU\_ID: 1414B\_01** From the confluence with the Pedernales River west of Austin to the upstream perennial portion west of Round Mountain in Blanco County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Flow Questionnaire	High	Presumption from flow type

**Station ID(s):** 12258

**SegID: 1414C Live Oak Creek**

From the confluence with the Pedernales River near Fredericksburg to the upstream perennial portion northwest of Fredericksburg in Gillespie County

Segment Type Freshwater Stream

**AU\_ID: 1414C\_01** From the confluence with the Pedernales River near Fredericksburg to the upstream perennial portion northwest of Fredericksburg in Gillespie County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Flow Questionnaire	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1414D Miller Creek**

From the confluence with the Pedernales River near Pedernales Falls State Park to the headwaters, southwest of Johnson City in Blanco County

Segment Type Freshwater Stream

**AU\_ID: 1414D\_01** From the confluence with the Pedernales River near Pedernales Falls State Park to the headwaters, southwest of Johnson City in Blanco County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1414E Heinz Creek**

From the confluence with the Pedernales River in Travis County upstream to CR 962 in Blanco County

Segment Type Freshwater Stream

**AU\_ID: 1414E\_01** From the confluence with the Pedernales River in Travis County upstream to CR 962 in Blanco County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Flow Questionnaire	High	Presumption from flow type

**Station ID(s):** No Stations



**SegID: 1415 Llano River**

From a point immediately upstream of the confluence of Honey Creek in Llano County to FM 864 on the North Llano River in Sutton County and to SH 55 on the South Llano River in Edwards County

Segment Type Freshwater Stream

**AU\_ID: 1415\_01** From the confluence of Honey Creek upstream to the dam in Llano

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12383; 12386

**AU\_ID: 1415\_02** From the dam in Llano upstream to the confluence of Beaver Creek in Mason County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12388; 17363

**AU\_ID: 1415\_03** From the confluence of Beaver Creek in Mason County upstream to the confluence of Big Saline Creek in Kimble County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 17470

**AU\_ID: 1415\_04** From the confluence of Big Saline Creek in Kimble County upstream to the confluence of the North Llano River and the South Llano River in Junction

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 14231; 17471

**AU\_ID: 1415\_05** North Llano River from the confluence of the South Llano upstream to FM 864 in Sutton County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 17425; 21263; 21264; 21266; 21267; 21268; 21283

**AU\_ID: 1415\_06** South Llano from the confluence with the North Llano River to SH 55 in Edwards County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 16701; 17009; 18197; 21269; 21270; 21271; 21272

**SegID: 1415A Johnson Fork Creek**

Perennial stream from the confluence with the Llano River to source springs (Rio Bonito Springs) south of Segovia

Segment Type Freshwater Stream

**AU\_ID: 1415A\_01** Perennial stream from the confluence with the Llano River to source springs (Rio Bonito Springs) south of Segovia

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	High	TSWQS Appendix D

Station ID(s): 13550

**SegID: 1415B Comanche Creek**

Intermittent stream with perennial pools from the confluence with the Llano River up to the confluence of West Comanche Creek near Mason

Segment Type Freshwater Stream

**AU\_ID: 1415B\_01** Intermittent stream with perennial pools from the confluence with the Llano River up to the confluence of West Comanche Creek near Mason

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	TSWQS Appendix D	Limited	TSWQS Appendix D

Station ID(s): No Stations

**SegID: 1415C James River**

From the confluence of the Llano River south of the City of Mason in Mason County upstream to 0.8 km (0.5 mi) southeast of the intersection of CR 4431 and Stapp Road in Kimble County (NHD RC 12090204006873)

Segment Type Freshwater Stream

**AU\_ID: 1415C\_01** From the confluence of the Llano River south of the City of Mason in Mason County upstream to 0.8 km (0.5 mi) southeast of the intersection of CR 4431 and Stapp Road in Kimble County (NHD RC 12090204006873).

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

Station ID(s): 12210

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1416 San Saba River

From the confluence with the Colorado River in San Saba County to the confluence of the North Valley Prong and the Middle Valley Prong in Schleicher County

Segment Type Freshwater Stream

**AU\_ID: 1416\_01** From the confluence with the Colorado River in San Saba County upstream to the US 190

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12392

**AU\_ID: 1416\_02** From US 190 upstream to McCulloch County line

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 20662

**AU\_ID: 1416\_03** McCulloch County/San Saba County line upstream to McCulloch County/Mason County line

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 17004

**AU\_ID: 1416\_04** Mason County to FM 2092

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 1416\_05** FM 2092 upstream to end of segment

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** No Stations

**SegID: 1416A Brady Creek**

From the confluence of the San Saba River southwest of San Saba in San Saba County to Brady Lake Dam west of Brady in McCulloch County

Segment Type Freshwater Stream

**AU\_ID: 1416A\_01** From the confluence of the San Saba River upstream to the confluence of an unnamed tributary

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 20411

**AU\_ID: 1416A\_02** From the confluence of an unnamed tributary approximately 5 km east of FM 2309 east of Brady upstream to FM 714

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** 14232

**AU\_ID: 1416A\_03** From FM 714 upstream to Brady Lake dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** 17005

**SegID: 1416B Brady Creek Reservoir**

From Brady Creek Reservoir dam up to pool elevation 1,743 feet

Segment Type Reservoir

**AU\_ID: 1416B\_01** From Brady Creek Reservoir dam up to pool elevation 1,743 feet

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	Water body description	High	Presumption from Flow Type

**Station ID(s):** 12179; 20410

**SegID: 1416C Brady Creek above Brady Creek Reservoir**

From the confluence of an unnamed tributary 2.5 km (1.5 mi) downstream of the Cow Creek confluence in McCulloch County upstream the headwaters 22.5 km (14 mi) southwest of Eden in Concho County

Segment Type Freshwater Stream

**AU\_ID: 1416C\_01** From the confluence of an unnamed tributary 2.5 km (1.5 mi) downstream of the Cow Creek confluence in McCulloch County upstream to the confluence of Harden Branch in Concho County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** 17347; 20409; 20661

**AU\_ID: 1416C\_02** From the confluence of Harden Branch in Concho County upstream to the headwaters 22.5 km (14 mi) southwest of Eden in Concho County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 20406

**SegID: 1417 Lower Pecan Bayou**

From the confluence with the Colorado River in Mills County to a point immediately upstream of the confluence of Mackinally Creek in Brown County

Segment Type Freshwater Stream

**AU\_ID: 1417\_01** From the confluence with the Colorado River in Mills County to a point immediately upstream of the confluence of Mackinally Creek in Brown County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12394

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1418 Lake Brownwood

From Lake Brownwood Dam in Brown County to a point 100 meters (110 yards) upstream of FM 2559 in Brown County, up to normal pool elevation of 1425 feet (impounds Pecan Bayou)

Segment Type Reservoir

**AU\_ID: 1418\_01** Mid-lake near dam

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12395

**AU\_ID: 1418\_02** West arm of lake

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12396

**AU\_ID: 1418\_03** North arm of lake

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12397

### SegID: 1418A Hords Creek

From the confluence of Jim Ned Creek east of Coleman in Coleman County Hords Creek Lake Dam west of Coleman in Coleman County

Segment Type Freshwater Stream

**AU\_ID: 1418A\_02** From the confluence of Jim Ned Creek to a point 0.5 mi downstream of Live Oak Rd

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

**Station ID(s):** 12177

**AU\_ID: 1418A\_03** From 0.5 mi downstream of Live Oak Rd. to the confluence of Bachelor Prong Ck

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix D

ALU Designation  
Intermediate

ALU Designation Source  
TSWQS Appendix D

**Station ID(s):** 21134

**AU\_ID: 1418A\_04** From the confluence of Bachelor Prong Creek to Hords Creek Reservoir dam

Flow Type  
Intermittent w/pools

Flow Type Source  
Routine Flow Data

ALU Designation  
Limited

ALU Designation Source  
Presumption from flow type

**Station ID(s):** No Stations

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1418B Jim Ned Creek

From the confluence with Lake Brownwood in Brown County to Coleman Dam in Coleman County

Segment Type Freshwater Stream

**AU\_ID: 1418B\_01** From the confluence of Lake Brownwood in Brown County upstream to the confluence of Indian Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** No Stations

**AU\_ID: 1418B\_02** From the confluence of Indian Creek upstream to Coleman Dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

### SegID: 1418C Hords Creek Reservoir

From Hords Creek Dam 10 mi west of Coleman in Coleman County up to the normal pool elevation of 1900 feet (impounds Hords Creek).

Segment Type Reservoir

**AU\_ID: 1418C\_01** From Hords Creek Dam 10 mi west of Coleman in Coleman County up to the normal pool elevation of 1900 feet (impounds Hords Creek).

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	Water body description	High	Presumption from Flow Type

**Station ID(s):** 12178

### SegID: 1419 Lake Coleman

From Coleman Dam in Coleman County up to the normal pool elevation of 1717.5 feet (impounds Jim Ned Creek)

Segment Type Reservoir

**AU\_ID: 1419\_01** From Coleman Dam in Coleman County up to the normal pool elevation of 1717.5 feet (impounds Jim Ned Creek)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12398

**SegID: 1420 Pecan Bayou Above Lake Brownwood**

From a point 100 meter (110 yards) upstream of FM 2559 in Brown County to the confluence of the North Prong Pecan Bayou and the South Prong of Pecan Bayou in Callahan County

Segment Type Freshwater Stream

**AU\_ID: 1420\_01** Lower 25 mi

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12400; 16732

**AU\_ID: 1420\_02** Remainder of segment

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** No Stations

**SegID: 1420A Kaiser Creek**

Intermittent stream with perennial pools from the confluence with North Prong Pecan Bayou up to 0.5 km upstream of FM 2700 south of Clyde

Segment Type Freshwater Stream

**AU\_ID: 1420A\_01** Intermittent stream with perennial pools from the confluence with North Prong Pecan Bayou up to 0.5 km upstream of FM 2700 south of Clyde

Flow Type  
Intermittent w/pools

Flow Type Source  
TSWQS Appendix D

ALU Designation  
Limited

ALU Designation Source  
TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 1420B Turkey Creek**

From the confluence with Pecan Bayou in Brown County up to SH 36 in Callahan County

Segment Type Freshwater Stream

**AU\_ID: 1420B\_01** From the confluence with Pecan Bayou in Brown County up to SH 36 in Callahan County

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix D

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix D

**Station ID(s):** No Stations



**SegID: 1421      Concho River**

From a point 2 km (1.2 mi) above the confluence of Fuzzy Creek in Concho County to San Angelo Dam on the North Concho River in Tom Green County and to Nasworthy Dam on the South Concho River in Tom Green County

**SegID: 1421 Concho River**

From a point 2 km (1.2 mi) above the confluence of Fuzzy Creek in Concho County to San Angelo Dam on the North Concho River in Tom Green County and to Nasworthy Dam on the South Concho River in Tom Green County

Segment Type Freshwater Stream

**AU\_ID: 1421\_01** Downstream end to Chandler Lake confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12401

**AU\_ID: 1421\_02** From Chandler Lake confluence upstream to confluence of Puddle Ck.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12402

**AU\_ID: 1421\_03** From the confluence of Puddle Creek upstream to the confluence of Willow Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12403

**AU\_ID: 1421\_04** From the confluence of Willow Creek upstream to the confluence of an unnamed tributary near Chandler Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12404

**AU\_ID: 1421\_05** From the confluence of an unnamed tributary near Chandler Rd. upstream to the confluence of Red Ck.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12405

**AU\_ID: 1421\_06** From the confluence of Red Creek upstream to the dam near Vines Rd.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12407

**AU\_ID: 1421\_07** From the dam near Vines Road upstream to the confluence of the North Concho River and the South Concho River

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12408; 12409

**AU\_ID: 1421\_08** North Concho River, from the confluence with the South Concho River upstream to O.C. Fisher dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12412; 12414; 15886; 20324

**SegID: 1421 Concho River**

From a point 2 km (1.2 mi) above the confluence of Fuzzy Creek in Concho County to San Angelo Dam on the North Concho River in Tom Green County and to Nasworthy Dam on the South Concho River in Tom Green County

Segment Type Freshwater Stream

**AU\_ID: 1421\_09** South Concho River, from the confluence with the North Concho upstream to Nasworthy Dam

Flow Type

Perennial

Flow Type Source

TSWQS Appendix A

ALU Designation

High

ALU Designation Source

TSWQS Appendix A

**Station ID(s):** 12416; 17348

**SegID: 1421A Dry Hollow Creek**

From the confluence with the Concho River west of Paint Rock in Concho County to the headwaters at US 87

Segment Type Freshwater Stream

**AU\_ID: 1421A\_01** From the confluence with the Concho River west of Paint Rock in Concho County to the headwaters at US 87

Flow Type

Perennial

Flow Type Source

Flow Questionnaire

ALU Designation

High

ALU Designation Source

Presumption from flow type

**Station ID(s):** 12257

**SegID: 1421B Kickapoo Creek**

From the confluence with the Concho River west of Paint Rock in Concho County to the headwaters northwest of Eden

Segment Type Freshwater Stream

**AU\_ID: 1421B\_01** Lower 25 mi of creek

Flow Type

Intermittent w/pools

Flow Type Source

Flow Questionnaire

ALU Designation

Limited

ALU Designation Source

Presumption from flow type

**Station ID(s):** 12255

**AU\_ID: 1421B\_02** Remainder of water body

Flow Type

Intermittent w/pools

Flow Type Source

Flow Questionnaire

ALU Designation

Limited

ALU Designation Source

Presumption from flow type

**Station ID(s):** No Stations

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1421C Lipan Creek

From the confluence with the Concho River west of Paint Rock in Concho County to the headwaters near RR 1223 in Tom Green County

Segment Type Freshwater Stream

**AU\_ID: 1421C\_01** Lower 25 mi of creek

Flow Type  
Intermittent

Flow Type Source  
Flow Questionnaire

ALU Designation  
Minimal

ALU Designation Source  
Presumption from flow type

**Station ID(s):** 12254

**AU\_ID: 1421C\_02** Remainder of creek

Flow Type  
Intermittent

Flow Type Source  
Flow Questionnaire

ALU Designation  
Minimal

ALU Designation Source  
Presumption from flow type

**Station ID(s):** No Stations

### SegID: 1421D Little Concho River

From the confluence with the Concho River west of Paint Rock in Concho County to the headwaters near RR 2333 in Runnels County

Segment Type Freshwater Stream

**AU\_ID: 1421D\_01** From the confluence with the Concho River west of Paint Rock in Concho County to the headwaters near RR 2333 in Runnels County

Flow Type  
Intermittent

Flow Type Source  
Flow Questionnaire

ALU Designation  
Minimal

ALU Designation Source  
Presumption from flow type

**Station ID(s):** No Stations

### SegID: 1422 Lake Nasworthy

From Nasworthy Dam in Tom Green County to Twin Buttes Dam in Tom Green County, up to the normal pool elevation of 1872.2 feet (impounds South Concho River)

Segment Type Reservoir

**AU\_ID: 1422\_01** Lower half of lake

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12418; 12421

**AU\_ID: 1422\_02** Upper half of lake

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12419

**SegID: 1423 Twin Buttes Reservoir**

From Twin Buttes Dam to a point 100 meters (110 yards) upstream of US 67 on the Middle Concho River Arm and to a point 4.0 km (2.5 miles) downstream of FM 2335 on the South Concho River Arm, up to the normal pool elevation of 1940.2 feet (impounds Middle

Segment Type Reservoir

**AU\_ID: 1423\_01** North pool

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12422

**AU\_ID: 1423\_02** South pool

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12425

**SegID: 1423A Spring Creek**

From the confluence of Twin Buttes Reservoir south of Tankersley in Tom Green County to the upstream perennial portion of the stream northeast of Ozona in Crockett County

Segment Type Freshwater Stream

**AU\_ID: 1423A\_01** From the confluence of Twin Buttes Reservoir upstream to Duncan Avenue crossing in Mertzon

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** 12161

**AU\_ID: 1423A\_02** From Duncan Avenue crossing in Mertzon upstream to the upstream perennial portion of the stream northeast of Ozona in Crockett County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** 17346

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1423B Dove Creek

From the confluence with Spring Creek above Twin Buttes Reservoir to the headwaters near FM 1828 in Schleicher County

Segment Type Freshwater Stream

**AU\_ID: 1423B\_01** From the confluence of Spring Creek upstream to RR 915

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Flow Questionnaire	High	Presumption from flow type

**Station ID(s):** 12166

**AU\_ID: 1423B\_02** Remainder of water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Flow Questionnaire	High	Presumption from flow type

**Station ID(s):** No Stations

### SegID: 1424 Middle Concho/South Concho River

From a point 4.0 km (2.5 mi) downstream of FM 2335 to the confluence of Bois d' Arc Draw on the South Concho River, and from a point 100 meters (110 yards) upstream of US 67 to the confluence of Three Bluff Draw and Indian Creek on the Middle Concho River

Segment Type Freshwater Stream

**AU\_ID: 1424\_01** South Concho River from a point 4 km (2.5 mi) downstream of FM 2335 upstream to the confluence of Bois D'Arc Draw in Tom Green County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12427; 17349; 18712; 18869

**AU\_ID: 1424\_02** Middle Concho River from a point 100 m upstream of US 67 in Tom Green County upstream to the confluence of Big Hollow Draw in Irion County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 16903

**AU\_ID: 1424\_03** From the confluence of Big Hollow Draw in Irion County upstream to the confluence of Three Bluff Draw and Indian Creek on the Middle Concho River in Reagan County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**SegID: 1424A West Rocky Creek**

From the confluence of Middle Concho River to the upstream perennial portion of the stream north of Mertzon in Irion County

Segment Type Freshwater Stream

**AU\_ID: 1424A\_01** From the confluence of Middle Concho River to the upstream perennial portion of the stream north of Mertzon in Irion County

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

Station ID(s): 12165

**SegID: 1424B Cold Creek**

From the confluence of the South Concho River 110 meters (360 ft.) southwest of Musik Lane south of Christoval in Tom Green County (upstream to the confluence of the South Concho River in Tom Green County (NHD Reach Code 12090102000009)

Segment Type Freshwater Stream

**AU\_ID: 1424B\_01** From the confluence of the South Concho River 110 meters (360 ft.) southwest of Musik Lane south of Christoval in Tom Green County (upstream to the confluence of the South Concho River in Tom Green County (NHD Reach Code 12090102000009).

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

Station ID(s): 18711

**SegID: 1425 O. C. Fisher Lake**

From San Angelo Dam in Tom Green County up to normal pool elevation of 1908 feet (impounds North Concho River)

Segment Type Reservoir

**AU\_ID: 1425\_01** From San Angelo Dam in Tom Green County up to normal pool elevation of 1908 feet (impounds North Concho River)

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

Station ID(s): 12170; 12429

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1425A North Concho River

From the headwaters of OC Fisher Lake near San Angelo in Tom Green County upstream to the Glasscock/Howard County line

Segment Type Freshwater Stream

**AU\_ID: 1425A\_01** Lower end of water body to Sterling County line

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** 12171; 17245; 17350; 17351

**AU\_ID: 1425A\_02** Sterling County line to SH 163

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** 16779

**AU\_ID: 1425A\_03** SH 163 to US 87

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** 16780

**AU\_ID: 1425A\_04** Remainder of water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** No Stations



## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1426 Colorado River Below E. V. Spence Reservoir

From a point 3.7 km (2.3 mi) below the confluence of Mustang Creek in Runnels County to Robert Lee Dam in Coke County

Segment Type Freshwater Stream

**AU\_ID: 1426\_01** Lower end of segment to Country Club Lake

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12430; 17244

**AU\_ID: 1426\_02** Country Club Lake to Coke County line

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 13651; 16901

**AU\_ID: 1426\_03** Coke County line to SH 208

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12432; 16900

**AU\_ID: 1426\_04** SH 208 to dam

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 17475; 18338

### SegID: 1426A Oak Creek Reservoir

From Oak Creek Dam up to normal pool elevation of 2,000.0 feet north of Bronte in Coke County (impounds Oak Creek)

Segment Type Reservoir

**AU\_ID: 1426A\_01** From Oak Creek Dam up to normal pool elevation of 2,000.0 feet north of Bronte in Coke County (impounds Oak Creek)

Flow Type  
Reservoir

Flow Type Source  
Water body description

ALU Designation  
High

ALU Designation Source  
Presumption from Flow Type

**Station ID(s):** 12180

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1426B Elm Creek

From the confluence with the Colorado River near Ballinger in Runnels County to the Lake Winters dam east of Winters in Runnels County

Segment Type Freshwater Stream

**AU\_ID: 1426B\_01** Perennial stream from the confluence with the Colorado River upstream to the dam approximately 300 meters downstream of US Highway 67

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix D

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix D

Station ID(s): 15536

**AU\_ID: 1426B\_02** From the dam approximately 300 meters downstream of US Highway 67 upstream to the Lake Winters dam east of Winters in Runnels County

Flow Type  
Intermittent w/pools

Flow Type Source  
Routine Flow Data

ALU Designation  
Limited

ALU Designation Source  
Presumption from flow type

Station ID(s): 12169; 12207

### SegID: 1426C Bluff Creek

From the confluence with Elm Creek in Runnels County upstream to a point 1 mi east of US Hwy 277 in Taylor County.

Segment Type Freshwater Stream

**AU\_ID: 1426C\_01** From the confluence with Elm Creek upstream to the confluence of Mill Creek

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

Station ID(s): 17474

**AU\_ID: 1426C\_02** From the confluence of Mill Creek upstream to the end of segment

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

Station ID(s): No Stations

### SegID: 1426D Coyote Creek

From the confluence with Elm Creek in Runnels County upstream to the confluence of Big Coyote Creek and Little Coyote Creek southwest of Winters in Runnels County

Segment Type Freshwater Stream

**AU\_ID: 1426D\_01** From the confluence with Elm Creek in Runnels County upstream to the confluence of Big Coyote Creek and Little Coyote Creek southwest of Winters in Runnels County.

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

Station ID(s): 16899

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1427 Onion Creek

From the confluence with the Colorado River in Travis County to the most upstream crossing of FM 165 in Blanco County

Segment Type Freshwater Stream

**AU\_ID: 1427\_01** From the confluence with the Colorado River upstream to US 183

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12434; 12435; 12436

**AU\_ID: 1427\_02** From US 183 upstream to FM 967

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12440; 12447; 12448; 17275

**AU\_ID: 1427\_03** From FM 967 upstream to Jackson Branch confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12449; 12451

**AU\_ID: 1427\_04** From Jackson Branch confluence to end of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12454; 12455; 12456

### SegID: 1427A Slaughter Creek

Intermittent stream with perennial pools from the confluence with Onion Creek to above US 290 west of Austin

Segment Type Freshwater Stream

**AU\_ID: 1427A\_01** Intermittent stream with perennial pools from the confluence with Onion Creek to above US 290 west of Austin

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** 12185; 12186; 17964

**SegID: 1427B Williamson Creek**

From the confluence of Onion Creek in southeast Austin in Travis County to the upstream perennial portion southwest of Austin in Travis County

Segment Type Freshwater Stream

**AU\_ID: 1427B\_01** From the confluence of Onion Creek in southeast Austin in Travis County to the upstream perennial portion southwest of Austin in Travis County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Flow Questionnaire	High	Presumption from flow type

**Station ID(s):** 13653

**SegID: 1427C Bear Creek**

From the confluence of Onion Creek in south Austin in Travis County upstream to the headwaters at Trinity Hills Drive in southwest of Austin in Travis County

Segment Type Freshwater Stream

**AU\_ID: 1427C\_01** From the confluence of Onion Creek in south Austin in Travis County upstream to the headwaters at Trinity Hills Drive in southwest of Austin in Travis County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** 12189; 21011

**SegID: 1427D Boggy Creek**

Intermittent Stream from the confluence of Onion Creek upstream to a point north of West Dittmar Road in Austin in Travis County

Segment Type Freshwater Stream

**AU\_ID: 1427D\_01** Intermittent Stream from the confluence of Onion Creek upstream to a point north of West Dittmar Road in Austin in Travis County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Flow Questionnaire	Minimal	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1427E Marble Creek**

From the confluence of Onion Creek in Travis County upstream to a point 0.25 mi south of Old Lockhart Road in Travis County

Segment Type Freshwater Stream

**AU\_ID: 1427E\_01** From the confluence of Onion Creek in Travis County upstream to a point 0.25 mi south of Old Lockhart Road in Travis County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** No Stations

## SegID: 1427F Rinard Creek

From the confluence of Onion Creek in Travis County upstream to a point 0.4 mi south of Turnersville Road in Travis County

Segment Type Freshwater Stream

**AU\_ID: 1427F\_01** From the confluence of Onion Creek in Travis County upstream to a point 0.4 mi south of Turnersville Road in Travis County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** No Stations

## SegID: 1427G Granada Hills Tributary to Slaughter Creek

Unnamed tributary from the confluence of Slaughter Creek in Travis County upstream to La Fauna Path in Travis County

Segment Type Freshwater Stream

**AU\_ID: 1427G\_01** Unnamed tributary from the confluence of Slaughter Creek in Travis County upstream to La Fauna Path in Travis County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Flow Questionnaire	Minimal	Presumption from flow type

**Station ID(s):** No Stations

## SegID: 1427H Pier Branch

From the confluence with Onion Creek upstream to US Hwy 290 in southwest Travis County

Segment Type Freshwater Stream

**AU\_ID: 1427H\_01** From the confluence with Onion Creek upstream to US Hwy 290 in southwest Travis County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1428 Colorado River Below Lady Bird Lake (formerly Town Lake)

From a point 100 meters (110 yards) upstream of FM 969 near Utley in Bastrop County to Longhorn Dam in Travis County

Segment Type Freshwater Stream

**AU\_ID: 1428\_01** Lower end of segment to Gilleland Creek confluence

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
Exceptional

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12466

**AU\_ID: 1428\_02** From the confluence of Gilleland Creek upstream to the confluence of Walnut Ck.

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
Exceptional

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12469

**AU\_ID: 1428\_03** Walnut Creek to Longhorn Dam

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
Exceptional

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12474; 12475

### SegID: 1428A Boggy Creek

From the confluence of the Colorado River east of Austin in Travis County to the upstream perennial portion of the stream in north Austin in Travis County

Segment Type Freshwater Stream

**AU\_ID: 1428A\_01** From the confluence of the Colorado River east of Austin in Travis County to the upstream perennial portion of the stream in north Austin in Travis County

Flow Type  
Intermittent w/pools

Flow Type Source  
Flow Questionnaire

ALU Designation  
Limited

ALU Designation Source  
Presumption from flow type

**Station ID(s):** No Stations

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1428B Walnut Creek

From the confluence of the Colorado River in east Austin in Travis County to the upstream perennial portion of the stream in north Austin in Travis County

Segment Type Freshwater Stream

**AU\_ID: 1428B\_01** From the Colorado River upstream to FM 969

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 12231

**AU\_ID: 1428B\_02** From FM 969 upstream to Old Manor Rd.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 12232

**AU\_ID: 1428B\_03** From old Manor Road upstream to Dessau Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 17469

**AU\_ID: 1428B\_04** From Dessau Rd. upstream to MoPac/Loop 1

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 15743

**AU\_ID: 1428B\_05** From MoPac/Loop 1 upstream to Union Pacific Railroad tracks south of McNeil Drive

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** 17251

**SegID: 1428C Gilleland Creek**

Perennial stream and intermittent stream with perennial pools from the confluence with the Colorado River up to the spring source (Ward Spring) northwest of Pflugerville, in Travis County

Segment Type Freshwater Stream

**AU\_ID: 1428C\_01** From the Colorado River upstream to Taylor Lane

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** 17257

**AU\_ID: 1428C\_02** From Taylor Lane upstream to Old Highway 20

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** 12235

**AU\_ID: 1428C\_03** From Old Highway 20 to Cameron Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** 12236; 12237

**AU\_ID: 1428C\_04** From Cameron Road to the spring source

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** 15954; 20474

**SegID: 1428D Little Walnut Creek**

From the confluence with the Colorado River in Austin in Travis County upstream to a point west of Lamar Blvd. in Austin in Travis County

Segment Type Freshwater Stream

**AU\_ID: 1428D\_01** From the confluence with the Colorado River in Austin in Travis County upstream to a point west of Lamar Blvd. in Austin in Travis County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations



**SegID: 1428E Fort Branch Creek**

From the confluence of Boggy Creek in Austin in Travis County upstream to Springdale Park in Austin in Travis County

Segment Type Freshwater Stream

**AU\_ID: 1428E\_01** From the confluence of Boggy Creek in Austin in Travis County upstream to Springdale Park in Austin in Travis County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1428F Tannehill Branch Creek**

From the confluence of Boggy Creek in Austin in Travis County upstream to Bartholomew Park in Austin in Travis County

Segment Type Freshwater Stream

**AU\_ID: 1428F\_01** From the confluence of Boggy Creek in Austin in Travis County upstream to Bartholomew Park in Austin in Travis County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1428G Wells Branch**

From the confluence of Walnut Creek in Austin in Travis County upstream to Bratton Lane Park in Austin in Travis County

Segment Type Freshwater Stream

**AU\_ID: 1428G\_01** From Walnut Creek upstream to Howard Lane

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** No Stations

**AU\_ID: 1428G\_02** From Howard Lane to Bratton Lane Park

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Routine Flow Data	Minimal	Presumption from flow type

**Station ID(s):** No Stations

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1428H Carson Creek

From the confluence of the Colorado River to a point near the intersection of Montopolis Drive and SH 71 in Austin in Travis County

Segment Type Freshwater Stream

**AU\_ID: 1428H\_01** From the confluence of the Colorado River to a point near the intersection of Montopolis Drive and SH 71 in Austin in Travis County

Flow Type

Intermittent

Flow Type Source

Routine Flow Data

ALU Designation

Minimal

ALU Designation Source

Presumption from flow type

**Station ID(s):** No Stations

### SegID: 1428I Decker Creek

From the confluence of Gilleland Creek to Walter E. Long Lake in Austin in Travis County

Segment Type Freshwater Stream

**AU\_ID: 1428I\_01** From the confluence of Gilleland Creek to Walter E. Long Lake in Austin in Travis County

Flow Type

Intermittent

Flow Type Source

Routine Flow Data

ALU Designation

Minimal

ALU Designation Source

Presumption from flow type

**Station ID(s):** No Stations

### SegID: 1428J Harris Branch

From the confluence of Gilliland Creek to the confluence of an unnamed tributary west of Gregg Cemetery in Travis County

Segment Type Freshwater Stream

**AU\_ID: 1428J\_01** Perennial stream from the confluence with Gilleland Creek upstream to the confluence with an unnamed tributary approximately 2.6 km downstream of Gregg Lane

Flow Type

Perennial

Flow Type Source

TSWQS Appendix D

ALU Designation

High

ALU Designation Source

TSWQS Appendix D

**Station ID(s):** No Stations

**AU\_ID: 1428J\_02** From the confluence with an unnamed tributary approximately 2.6 km downstream of Gregg Lane to the confluence of an unnamed tributary west of Gregg Cemetery in Travis County

Flow Type

Perennial

Flow Type Source

Flow Questionnaire

ALU Designation

High

ALU Designation Source

Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1428K Walter E. Long Lake**

Walter E. Long Lake from Decker Creek dam up to pool elevation of 555 feet msl (169 m)

Segment Type Reservoir

**AU\_ID: 1428K\_01** Walter E. Long Lake from Decker Creek dam up to pool elevation of 555 feet msl (169 m)

Flow Type

Reservoir

Flow Type Source

Water body description

ALU Designation

High

ALU Designation Source

Presumption from Flow Type

Station ID(s): 20161; 21022; 21023

**SegID: 1428L Dry Creek**

From the confluence with the Colorado River upstream to US 183 south of Pilot Knob in Travis County

Segment Type Freshwater Stream

**AU\_ID: 1428L\_01** Perennial stream from the mouth of the Colorado River upstream to 150 m upstream of the confluence with Cottonwood Creek

Flow Type

Perennial

Flow Type Source

TSWQS Appendix D

ALU Designation

High

ALU Designation Source

TSWQS Appendix D

Station ID(s): No Stations

**AU\_ID: 1428L\_02** Intermittent stream with perennial pools from 150 m upstream of the confluence with Cottonwood Creek in Bastrop County upstream to just below the confluence with an unnamed tributary located approximately 2.73 km upstream of Wolf Lane in Travis County

Flow Type

Intermittent w/pools

Flow Type Source

TSWQS Appendix D

ALU Designation

Limited

ALU Designation Source

TSWQS Appendix D

Station ID(s): No Stations

**AU\_ID: 1428L\_03** Perennial stream from just below the confluence with an unnamed tributary located approximately 2.73 km upstream of Wolf Lane upstream to the confluence of North Fork Dry Creek and Dry Creek

Flow Type

Perennial

Flow Type Source

TSWQS Appendix D

ALU Designation

Exceptional

ALU Designation Source

TSWQS Appendix D

Station ID(s): No Stations

**AU\_ID: 1428L\_04** Intermittent stream with perennial pools from the confluence with North Fork Dry Creek upstream to US 183 south of Pilot Knob

Flow Type

Intermittent w/pools

Flow Type Source

TSWQS Appendix D

ALU Designation

Limited

ALU Designation Source

TSWQS Appendix D

Station ID(s): No Stations

**SegID: 1429 Lady Bird Lake (formerly Town Lake)**

From Longhorn Dam in Travis County to Tom Miller Dam in Travis County, up to the normal pool elevation of 429 feet (impounds Colorado River)

Segment Type Reservoir

**AU\_ID: 1429\_01** Longhorn Dam upstream to Lamar Street bridge

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12476; 14061; 14067

**AU\_ID: 1429\_02** From Lamar Street bridge upstream to Tom Miller Dam

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12486; 14071

**SegID: 1429A Shoal Creek**

From the confluence of Town Lake in Austin in Travis County to the upstream perennial portion of the Creek in north Austin in Travis County

Segment Type Freshwater Stream

**AU\_ID: 1429A\_01** From the confluence of Town Lake in Austin in Travis County to the upstream perennial portion of the Creek in north Austin in Travis County

Flow Type  
Intermittent

Flow Type Source  
Routine Flow Data

ALU Designation  
Minimal

ALU Designation Source  
Presumption from flow type

**Station ID(s):** 13652

**SegID: 1429B Eanes Creek**

From the confluence of Town Lake in central Austin in Travis County to the upstream perennial portion of the stream in west Austin in Travis County

Segment Type Freshwater Stream

**AU\_ID: 1429B\_01** From the confluence of Town Lake in central Austin in Travis County to the upstream perennial portion of the stream in west Austin in Travis County

Flow Type  
Intermittent

Flow Type Source  
Routine Flow Data

ALU Designation  
Minimal

ALU Designation Source  
Presumption from flow type

**Station ID(s):** 15964

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1429C Waller Creek

From the confluence of Town Lake in central Austin in Travis County to the upstream portion of the stream in north Austin in Travis County

Segment Type Freshwater Stream

**AU\_ID: 1429C\_01** From the confluence with Town Lake to East MLK Blvd.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 12222

**AU\_ID: 1429C\_02** From East MLK Blvd. to East 41st Street

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** 15962

**AU\_ID: 1429C\_03** Upper portion of creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Routine Flow Data	Minimal	Presumption from flow type

**Station ID(s):** 12228; 16331

### SegID: 1429D East Bouldin Creek

From the confluence of Town Lake in Austin in Travis County upstream to SH 71 in south Austin in Travis County

Segment Type Freshwater Stream

**AU\_ID: 1429D\_01** From the confluence of Town Lake in Austin in Travis County upstream to SH 71 in south Austin in Travis County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** 17296

### SegID: 1429E West Bouldin Creek

From the confluence of Town Lake in Austin in Travis County upstream to SH 71 in Travis County

Segment Type Freshwater Stream

**AU\_ID: 1429E\_01** From the confluence of Town Lake in Austin in Travis County upstream to SH 71 in Travis County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Routine Flow Data	Minimal	Presumption from flow type

**Station ID(s):** No Stations

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1429F Blunn Creek

From the confluence of Town Lake in Austin in Travis County upstream to SH 71 in south Austin in Travis County

Segment Type Freshwater Stream

**AU\_ID: 1429F\_01** From the confluence with Town Lake upstream to East Mary Street

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** No Stations

**AU\_ID: 1429F\_02** From East Mary Street to SH 71

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Routine Flow Data	Minimal	Presumption from flow type

**Station ID(s):** No Stations

### SegID: 1429G Harper's Branch

From the confluence with Town Lake upstream to Woodland Avenue in Austin in Travis County

Segment Type Freshwater Stream

**AU\_ID: 1429G\_01** From the confluence with Town Lake upstream to Woodland Avenue in Austin in Travis County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Routine Flow Data	Minimal	Presumption from flow type

**Station ID(s):** No Stations

### SegID: 1429H Johnson Creek

From the confluence with Town Lake to a point south of Windsor Road in Austin in Travis County

Segment Type Freshwater Stream

**AU\_ID: 1429H\_01** From the confluence with Town Lake to a point south of Windsor Road in Austin in Travis County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Routine Flow Data	Minimal	Presumption from flow type

**Station ID(s):** No Stations

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1430 Barton Creek

From the confluence with Lady Bird Lake (formerly Town Lake) in Travis County to FM 12 in Hays County

Segment Type Freshwater Stream

**AU\_ID: 1430\_01** From confluence with Lady Bird Lake (formerly Town Lake) to downstream dam of Barton Springs Pool

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 13693

**AU\_ID: 1430\_02** From Barton Springs Pool upstream dam to a point 2 mi upstream of Loop 1

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12488; 12489; 12490; 17960; 17978; 17979

**AU\_ID: 1430\_03** From a point 2 mi upstream of Loop 1 to SH 71

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12492; 12495; 13555; 15959; 18187

**AU\_ID: 1430\_04** SH 71 upstream to Hays County Line

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12496; 12497

**AU\_ID: 1430\_05** Hays County Line upstream to FM 12

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12498

### SegID: 1430A Barton Springs

Barton Springs 0.4 mi upstream of Barton Springs Road in Austin in Travis County

Segment Type Freshwater Stream

**AU\_ID: 1430A\_01** Barton Springs Pool - entire water body

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

**Station ID(s):** 15696

**SegID: 1430B Tributaries to Barton Creek (unclassified water bodies)**

Tributaries to Barton Creek in Travis County and Hays County

Segment Type Freshwater Stream

**AU\_ID: 1430B\_01** Tributaries entering Barton Cr from a point 2 mi upstream of Loop 1 upstream to Barton Creek Blvd.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Routine Flow Data	Minimal	Presumption from flow type

**Station ID(s):** No Stations

**AU\_ID: 1430B\_02** From Barton Creek Blvd. crossing upstream to SH 71

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Flow Questionnaire	High	Presumption from flow type

**Station ID(s):** No Stations

**AU\_ID: 1430B\_03** Little Barton Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Flow Questionnaire	High	Presumption from flow type

**Station ID(s):** No Stations

**AU\_ID: 1430B\_04** Tributaries entering Barton Cr from SH 71 upstream to the Hays County line

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** No Stations

**AU\_ID: 1430B\_05** Tributaries entering Barton Creek from the Hays County line upstream to CR 169

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** 12500

**SegID: 1431 Mid Pecan Bayou**

From a point immediately upstream of the confluence of Mackinally Creek in Brown County to a point immediately upstream of Willis Creek in Brown County

Segment Type Freshwater Stream

**AU\_ID: 1431\_01** From a point immediately upstream of the confluence of Mackinally Creek in Brown County to a point immediately upstream of Willis Creek in Brown County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	Minimal	TSWQS Appendix A

**Station ID(s):** 12504; 12507; 20799; 20800



**SegID: 1432 Upper Pecan Bayou**

From a point immediately upstream of the confluence of Willis Creek in Brown County to Lake Brownwood Dam in Brown County

Segment Type Freshwater Stream

**AU\_ID: 1432\_01** From a point immediately upstream of the confluence of Willis Creek in Brown County to Lake Brownwood Dam in Brown County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12508

**SegID: 1433 O. H. Ivie Reservoir**

From S. W. Freese Dam to a point 3.7 km (2.3 mi) downstream of the confluence of Mustang Creek on the Colorado River Arm and to a point 2.0 km (1.2 mi) upstream of the confluence of Fuzzy Creek on the Concho River Arm, up to the conservation pool level of

Segment Type Reservoir

**AU\_ID: 1433\_01** Main pool near dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12511

**AU\_ID: 1433\_02** Concho River arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12512

**AU\_ID: 1433\_03** Colorado River arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12513

**AU\_ID: 1433\_04** Remainder of reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**SegID: 1434 Colorado River above La Grange**

From a point 100 meters (110 yards) downstream of SH 71 at La Grange in Fayette County to a point 100 meters (110 yards) upstream of FM 969 near Utley in Bastrop County

Segment Type Freshwater Stream

**AU\_ID: 1434\_01** From a point 100 m downstream of SH 71 upstream to the Southern Pacific Railroad crossing

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	Exceptional	TSWQS Appendix A

**Station ID(s):** 12292

**AU\_ID: 1434\_02** Southern-Pacific RR upstream to the confluence of Reeds Creek west of Smithville

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	Exceptional	TSWQS Appendix A

**Station ID(s):** 12293

**AU\_ID: 1434\_03** From the confluence of Reeds Creek west of Smithville upstream to the end of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	Exceptional	TSWQS Appendix A

**Station ID(s):** 12462; 12463

**SegID: 1434A Gazley Creek**

Perennial stream from the confluence with the Colorado River above La Grange upstream to the confluence with an unnamed tributary approximately 3.25 km upstream of the southern-most crossing of the Missouri-Kansas-Texas railroad south of Smithville

Segment Type Freshwater Stream

**AU\_ID: 1434A\_01** Perennial stream from the confluence with the Colorado River above La Grange upstream to the confluence with an unnamed tributary approximately 3.25 km upstream of the southern-most crossing of the Missouri-Kansas-Texas railroad south of Smithville

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 1434B Cedar Creek**

Perennial stream from the confluence with the Colorado River upstream to the confluence of an unnamed tributary at FM 525 in Bastrop County

Segment Type Freshwater Stream

**AU\_ID: 1434B\_01** Perennial stream from the confluence with the Colorado River upstream to the confluence of an unnamed tributary at FM 525 in Bastrop County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** 16176

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1434C Lake Bastrop

From the Lake Bastrop dam to the normal pool elevation of 450 feet (impounds Spicey Creek) in Bastrop County

Segment Type Reservoir

**AU\_ID: 1434C\_01** South arm of lake near intake

Flow Type  
Reservoir

Flow Type Source  
Water body description

ALU Designation  
High

ALU Designation Source  
Presumption from Flow Type

**Station ID(s):** 17021

**AU\_ID: 1434C\_02** Mid-lake

Flow Type  
Reservoir

Flow Type Source  
Water body description

ALU Designation  
High

ALU Designation Source  
Presumption from Flow Type

**Station ID(s):** 17020

**AU\_ID: 1434C\_03** North arm of lake near discharge

Flow Type  
Reservoir

Flow Type Source  
Water body description

ALU Designation  
High

ALU Designation Source  
Presumption from Flow Type

**Station ID(s):** 17019

### SegID: 1434D Wilbarger Creek

Wilbarger Creek from the confluence of the Colorado River at Hemphill Bend in Bastrop County upstream to Schultz lane east of Pflugerville Heights in Travis County

Segment Type Freshwater Stream

**AU\_ID: 1434D\_01** From the confluence with the Colorado River at Hemphill Bend in Bastrop County upstream to the confluence with Cottonwood Creek

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

**Station ID(s):** 16178

**AU\_ID: 1434D\_02** From the confluence with Cottonwood Creek upstream to Schultz lane east of Pflugerville Heights in Travis County

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

**Station ID(s):** 16182; 20809

**SegID: 1434E Big Sandy Creek**

Big Sandy Creek from the confluence of the Colorado River in Bastrop County upstream to a point east of CR 302 near Sundbeck Ranch Airport in Lee County

Segment Type Freshwater Stream

**AU\_ID: 1434E\_01** From the confluence of the Colorado River in Bastrop County upstream to a point east of CR 302 near Sundbeck Ranch Airport in Lee County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** 17473

**SegID: 1434F Maha Creek**

From the confluence with Cedar Creek upstream a point 1.8 km south of the Turnersville Rd. crossing

Segment Type Freshwater Stream

**AU\_ID: 1434F\_01** Intermittent stream with perennial pools from the confluence with Cedar Creek upstream to the confluence with an unnamed tributary approximately 0.25 km upstream of US 183 in Travis County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** No Stations

**AU\_ID: 1434F\_02** From an unnamed tributary approximately 0.25 km upstream of US 183 in Travis County upstream to a point 1.8 km south of the Turnersville Rd. crossing

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1434G Alum Creek**

From the confluence with the Colorado River in Bastrop County upstream to the headwaters near US 290 approximately 3.5 km southwest of McDade in Bastrop County

Segment Type Freshwater Stream

**AU\_ID: 1434G\_01** From the confluence with the Colorado River in Bastrop County upstream to the headwaters near US 290 approximately 3.5 km southwest of McDade in Bastrop County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** 16188

**SegID: 1501 Tres Palacios Creek Tidal**

From the confluence with Tres Palacios Bay in Matagorda County to a point 1.6 km (1.0 mi) upstream of the confluence of Wilson Creek in Matagorda County

Segment Type Tidal Stream

**AU\_ID: 1501\_01** From the confluence with Willow Dam Creek at Tres Palacios Bay/Turtle Bay upstream to a point 1.6 km (1.0 mi) upstream of the confluence of Wilson Creek in Matagorda County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	Exceptional	TSWQS Appendix A

**Station ID(s):** 12515; 20636

**SegID: 1501A Wilson Creek**

Perennial stream from the confluence with the Tres Palacios River upstream to the confluence with the first tributary south of SH 35

Segment Type Freshwater Stream

**AU\_ID: 1501A\_01** Perennial stream from the confluence with the Tres Palacios River upstream to the confluence with the first tributary south of SH 35

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 1502 Tres Palacios Creek Above Tidal**

From a point 1.6 km (1.0 mi) upstream of the confluence of Wilson Creek in Matagorda County to State Route 525 (Old US 59) in Wharton County

Segment Type Freshwater Stream

**AU\_ID: 1502\_01** Middle portion of segment from the confluence with Wallace Creek upstream to confluence with unnamed tributary with NHD RC 12100401013089 about 1.0 km SW of intersection of FM 418 and FM 422 NE of City of Danevang in Wharton County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12517

**AU\_ID: 1502\_02** Upper portion of segment from the confluence with unnamed tributary about 1.0 km SW of intersection of 418 and 422 NE of City of Danevang in Wharton County upstream to US 59

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 1502\_03** Lower portion of segment from a point 1.6 km (1.0 mi) upstream of the confluence of Wilson Creek upstream to confluence with Wallace Creek Matagorda County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**SegID: 1601 Lavaca River Tidal**

From the confluence with Lavaca Bay in Calhoun/Jackson County to a point 8.6 km (5.3 mi) downstream of US 59 in Jackson County

Segment Type Tidal Stream

**AU\_ID: 1601\_01** From the confluence of Navidad River upstream to NHD RC 12100101002463 and upper end of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 1601\_02** From confluence of unnamed tributary NHD RC 12100101002580 upstream to confluence with Navidad River

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 15371; 15372

**AU\_ID: 1601\_03** From the confluence of Lavaca Bay upstream to unnamed tributary NHD RC 12100101002580

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 18336

**SegID: 1601A Catfish Bayou**

From the confluence of Lavaca Bay north of Point Comfort in Calhoun County to the confluence of the Lavaca River south of Edna in Jackson County

Segment Type Tidal Stream

**AU\_ID: 1601A\_01** From the confluence of Lavaca Bay north of Point Comfort in Calhoun County to the confluence of the Lavaca River south of Edna in Jackson County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	Water body description	High	Presumption from flow type

**Station ID(s):** 15369

**SegID: 1601B Redfish Bayou**

From the confluence of the Lavaca River north of Point Comfort in Jackson County to the confluence of Redfish Lake south of Edna in Jackson County

Segment Type Tidal Stream

**AU\_ID: 1601B\_01** From the confluence of the Lavaca River north of Point Comfort in Jackson County to the confluence of Redfish Lake south of Edna in Jackson County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	Water body description	High	Presumption from flow type

**Station ID(s):** 15370

**SegID: 1601C Dry Creek**

From the confluence of Lavaca River Tidal upstream to three mi north of the City of Edna

Segment Type Freshwater Stream

**AU\_ID: 1601C\_01** From the confluence of Lavaca River Tidal upstream to three mi north of the City of Edna

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Water body description	Limited	Presumption from flow type

**Station ID(s):** 18329

**SegID: 1602 Lavaca River Above Tidal**

From a point 8.6 km (5.3 mi) downstream of US 59 in Jackson County to the confluence of Campbell Branch west of Hallettsville in Lavaca County

Segment Type Freshwater Stream

**AU\_ID: 1602\_02** From the confluence of Beard Branch upstream to the upper end of segment at the confluence of Campbell Branch in Hallettsville.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12525; 12527

**AU\_ID: 1602\_03** Lower portion of segment from confluence with NHD RC 12100101002463 south of Edna in Jackson County upstream to confluence with Beard Branch

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12524

**SegID: 1602A Big Brushy Creek**

Perennial stream from the confluence with Clarks Creek in Lavaca County upstream to the confluence with an unnamed tributary just downstream of the Loop 51 (US B77) bridge crossing south of the City of Yoakum

Segment Type Freshwater Stream

**AU\_ID: 1602A\_01** Perennial stream from the confluence with Clarks Creek in Lavaca County upstream to the confluence with an unnamed tributary just downstream of the Loop 51 (US B77) bridge crossing south of the City of Yoakum

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** No Stations

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1602B Rocky Creek

Perennial stream from the confluence with the Lavaca River upstream to 2.9 km upstream of County Rd 364 north west of the City of Shiner

Segment Type Freshwater Stream

**AU\_ID: 1602B\_01** From the confluence of Lavaca River upstream to confluence of Ponton Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** 18190

**AU\_ID: 1602B\_02** Perennial stream from the confluence of Ponton Creek upstream to 1.0 km above FM 533 west of the City of Shiner. App d portion

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** No Stations

**AU\_ID: 1602B\_03** From 1.0 km above FM 533 west of the City of Shiner to 2.9 km upstream of County Rd 364 north west of the City of Shiner

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

### SegID: 1602C Lavaca River Above Campbell Branch

From the confluence of Campbell Branch in Hallettsville to approximately 3.4 mi upstream of SH 95 in Lavaca Co.

Segment Type Freshwater Stream

**AU\_ID: 1602C\_01** From confluence of Campbell Branch in Hallettsville upstream to the confluence of West Prong Lavaca River

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** No Stations

**AU\_ID: 1602C\_02** From confluence of West Prong Lavaca River to the headwaters approximately 6.5 km upstream of TX Hwy 95 in the City of Moulton

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Water body description	Limited	Presumption from flow type

**Station ID(s):** 18698



**SegID: 1603    Navidad River Tidal**

From the confluence with the Lavaca River in Jackson County to Palmetto Bend Dam in Jackson County

Segment Type      Tidal Stream

**AU\_ID: 1603\_01**      From the confluence with the Lavaca River in Jackson County to Palmetto Bend Dam in Jackson County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):**    15374

**SegID: 1604    Lake Texana**

From Palmetto Bend Dam in Jackson County to a point 100 meters (110 yards) downstream of FM 530 in Jackson County, up to normal pool elevation of 44 feet (impounds Navidad River)

Segment Type      Reservoir

**AU\_ID: 1604\_01**      Navidad River arm of Lake Texana

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):**    13985

**AU\_ID: 1604\_02**      East Mustang Creek arm of Lake Texana

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):**    13986

**AU\_ID: 1604\_03**      Upstream middle portion of Lake Texana

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):**    13984

**AU\_ID: 1604\_04**      Downstream middle portion of Lake Texana

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):**    15379

**AU\_ID: 1604\_05**      Downstream portion of Lake Texana

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):**    13981; 15377; 15381

**SegID: 1604A East Mustang Creek**

From the confluence with Lake Texana upstream to 3.9 km upstream of TX-71 north of the City of El Campo

Segment Type Freshwater Stream

**AU\_ID: 1604A\_01** Intermittent stream with perennial pools from the confluence with Middle Mustang Creek upstream to the confluence with an unnamed tributary approximately 4.2 km upstream of US 59 northeast of the City of Louise

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** 15382

**AU\_ID: 1604A\_02** From the confluence with an unnamed tributary approximately 4.2 km upstream of US 59 northeast of the City of Louise to 3.9 km upstream of TX-71

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**AU\_ID: 1604A\_03** From the confluence with Lake Texoma to the confluence with Middle Mustang Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1604B West Mustang Creek**

From the confluence of Lake Texana east of Ganado in Jackson County to the upstream perennial portion of the stream north of El Campo in Wharton County

Segment Type Freshwater Stream

**AU\_ID: 1604B\_01** From the confluence of Lake Texana east of Ganado in Jackson County to the upstream perennial portion of the stream north of El Campo in Wharton County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 12522; 13655

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1604C Sandy Creek

From the confluence of Lake Texana west of Ganado in Jackson County to the upstream perennial portion of the stream northwest of El Campo in Wharton County

Segment Type Freshwater Stream

**AU\_ID: 1604C\_01** From the confluence of Goldenrod Creek upstream to the confluence of Middle Turkey Creek

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

**Station ID(s):** 13654

**AU\_ID: 1604C\_02** From the confluence of Lake Texana upstream to Goldenrod Creek

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

**Station ID(s):** No Stations

### SegID: 1605 Navidad River Above Lake Texana

From a point 100 meters (110 yards) downstream of FM 530 in Jackson County to the confluence of the East Navidad River and the West Navidad River in Colorado/Lavaca County

Segment Type Freshwater Stream

**AU\_ID: 1605\_01** Upper 14.5 mi of segment from confluence of Sandy Branch to confluence of East and West Navidad Rivers

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 1605\_02** Middle 16.5 mi of segment from confluence with Sandies Creek upstream to confluence of Sandy Branch

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 15698

**AU\_ID: 1605\_03** Lower 31 mi of segment from confluence with Lake Texana upstream to confluence of Sandies Creek

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 15380

**SegID: 1605A West Navidad River**

Intermittent stream with perennial pools from the confluence with the Navidad River above Lake Texana in Lavaca County upstream to the confluence with Walker Branch approximately 0.5 km upstream of IH 10

Segment Type Freshwater Stream

**AU\_ID: 1605A\_01** Intermittent stream with perennial pools from the confluence with the Navidad River above Lake Texana in Lavaca County upstream to the confluence with Walker Branch approximately 0.5 km upstream of IH 10

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	TSWQS Appendix D	High	TSWQS Appendix D

Station ID(s): No Stations

**SegID: 1701 Victoria Barge Canal**

From the confluence with San Antonio Bay in Calhoun County to Victoria Turning Basin in Victoria County

Segment Type Tidal Stream

**AU\_ID: 1701\_01** From the confluence with San Antonio Bay in Calhoun County to Victoria Turning Basin in Victoria County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A

Station ID(s): 12536

**SegID: 1801 Guadalupe River Tidal**

From the confluence with Guadalupe Bay in Calhoun/Refugio County to the Guadalupe-Blanco River Authority Salt Water Barrier 0.7 km (0.4 mi) downstream of the confluence of the San Antonio River in Calhoun/Refugio County

Segment Type Tidal Stream

**AU\_ID: 1801\_01** From the confluence with Guadalupe Bay in Calhoun/Refugio County to the Guadalupe-Blanco River Authority Salt Water Barrier 0.7 km (0.4 mi) downstream of the confluence of the San Antonio River in Calhoun/Refugio County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	Exceptional	TSWQS Appendix A

Station ID(s): 12577

**SegID: 1802      Guadalupe River Below San Antonio River**

From the GBRA Salt Water Barrier 0.7 km (0.4 mi) downstream of the confluence of the San Antonio River in Calhoun/Refugio County to a point immediately upstream of the confluence of the San Antonio River in Calhoun/Refugio/Victoria County

Segment Type      Freshwater Stream

**AU\_ID: 1802\_01**      From the GBRA Salt Water Barrier 0.7 km (0.4 mi) downstream of the confluence of the San Antonio River in Calhoun/Refugio County to a point immediately upstream of the confluence of the San Antonio River in Calhoun/Refugio/Victoria County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):**      12578

**SegID: 1803      Guadalupe River Below San Marcos River**

From the a point immediately upstream of the confluence of the San Antonio River in Calhoun/Refugio/Victoria County to a point immediately upstream to the confluence of the San Marcos River in Gonzales

Segment Type      Freshwater Stream

**AU\_ID: 1803\_01**      Lower 25 mi of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):**      16579

**AU\_ID: 1803\_02**      From confluence with Coletto Creek 25 mi upstream

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):**      No Stations

**AU\_ID: 1803\_03**      From confluence with Sandies Creek 25 mi upstream

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):**      12592; 20470

**AU\_ID: 1803\_04**      From 25 mi upstream of confluence with Coletto Creek to confluence with Sandies Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):**      12590

**AU\_ID: 1803\_05**      From 25 mi upstream of confluence with Sandies Creek to upper end of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):**      No Stations

## SegID: 1803A Elm Creek

From the confluence of Sandies Creek east of Smiley in Gonzales County to the upstream perennial portion of the stream southwest of Smiley in Gonzales County

Segment Type Freshwater Stream

**AU\_ID: 1803A\_01** From the confluence of Sandies Creek east of Smiley in Gonzales County to the upstream perennial portion of the stream southwest of Smiley in Gonzales County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Flow Questionnaire	High	Presumption from flow type

**Station ID(s):** 15996; 15997; 17894

## SegID: 1803B Sandies Creek

From the confluence of the Guadalupe River west of Cuero in DeWitt County to the upstream perennial portion of the stream northwest of Smiley in Gonzales County

Segment Type Freshwater Stream

**AU\_ID: 1803B\_01** From the confluence with the Guadalupe River to the confluence with Elm Ck.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Flow Questionnaire	High	Presumption from flow type

**Station ID(s):** 13657; 14935

**AU\_ID: 1803B\_02** From the confluence with Elm Creek to upper end of water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Flow Questionnaire	High	Presumption from flow type

**Station ID(s):** 15998; 18854; 18857

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1803C Peach Creek

From the confluence of the Guadalupe River southeast of Gonzales in Gonzales County to the upstream perennial portion of the stream northeast of Waelder in Gonzales County

Segment Type Freshwater Stream

**AU\_ID: 1803C\_01** Lower 25 mi of water body

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

**Station ID(s):** 14937; 17935

**AU\_ID: 1803C\_02** Remainder of water body

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

**Station ID(s):** No Stations

**AU\_ID: 1803C\_03** From approx. 1.2 mi downstream of FM 1680 in Gonzales County to confluence with Elm Creek In Fayette County

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

**Station ID(s):** 17934

### SegID: 1803D Salty Creek

From the confluence with Five Mile Creek up to the confluence with Brushy and Buckhorn Creeks, in Gonzales County.

Segment Type Freshwater Stream

**AU\_ID: 1803D\_01** From the confluence with Five Mile Creek up to the confluence with Brushy and Buckhorn Creeks, in Gonzales County.

Flow Type  
Intermittent w/pools

Flow Type Source  
Routine Flow Data

ALU Designation  
Limited

ALU Designation Source  
Presumption from flow type

**Station ID(s):** 18853

### SegID: 1803E Little Elm Creek

From the confluence with Sandies Creek up to the upper end of the creek (NHD RC 12100202000444), northwest of Smiley in Gonzales County.

Segment Type Freshwater Stream

**AU\_ID: 1803E\_01** From the confluence with Sandies Creek up to the upper end of the creek (NHD RC 12100202000444), northwest of Smiley in Gonzales County.

Flow Type  
Intermittent w/pools

Flow Type Source  
Routine Flow Data

ALU Designation  
Limited

ALU Designation Source  
Presumption from flow type

**Station ID(s):** 18855

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1803F Denton Creek

From the confluence with Peach Creek (1803C) up to the upper end of the creek (NHD RC 12100202000370) E/NE of Gonzales, Gonzales County.

Segment Type Freshwater Stream

**AU\_ID: 1803F\_01** From the confluence with Peach Creek (1803C) up to the upper end of the creek (NHD RC 12100202000370) E/NE of Gonzales, Gonzales County.

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

**Station ID(s):** No Stations

### SegID: 1803G Sandy Fork

From the confluence with Peach Creek (1803C) up to the upper end of the creek (NHD RC 12100202021868)

Segment Type Freshwater Stream

**AU\_ID: 1803G\_01** From the confluence with Sandy Creek up to the confluence with Scruggs Creek.

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

**Station ID(s):** No Stations

**AU\_ID: 1803G\_02** From the confluence with Scruggs Creek to the upper end of the creek.

Flow Type  
Intermittent w/pools

Flow Type Source  
Routine Flow Data

ALU Designation  
Limited

ALU Designation Source  
Presumption from flow type

**Station ID(s):** No Stations



**SegID: 1804 Guadalupe River Below Comal River**

From the confluence of the San Marcos River in Gonzales County to the confluence of the Comal River in Comal County

Segment Type Freshwater Stream

**AU\_ID: 1804\_01** From a point immediately upstream of the confluence with San Marcos River in Gonzales County, up the confluence with Clemens Creek in Gonzales county, Texas.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 15110; 17943

**AU\_ID: 1804\_02** From the confluence with Mill Creek up to McQueeney Dam.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12595; 16249; 17134

**AU\_ID: 1804\_03** From McQueeney Dam up to TP-1 on Lake Dunlap (NHD RC 12100202000118)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 15149; 15273; 15516; 15517; 18213

**AU\_ID: 1804\_04** From TP-1 dam on Lake Dunlap (NHD RC 12100202000118) up to immediately upstream of Comal River confluence.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12596; 13506; 15435; 15480; 15481; 18835; 18836; 18837

**AU\_ID: 1804\_05** From confluence with Clemens Creek up to the confluence with Mill Creek.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 17944

**SegID: 1804A Geronimo Creek**

From the confluence of the Guadalupe River south of Seguin in Guadalupe County to the upstream perennial portion north of Seguin in Guadalupe County

Segment Type Freshwater Stream

**AU\_ID: 1804A\_01** From the confluence of the Guadalupe River south of Seguin in Guadalupe County to the upstream perennial portion north of Seguin in Guadalupe County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 12575; 12576; 14932; 20742; 20745; 20746; 20747; 20751; 21260; 21261; 21262

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1804C Alligator Creek

From the confluence with Geronimo Creek up to the headwaters approximately 4 mi north of New Braunfels

Segment Type Freshwater Stream

**AU\_ID: 1804C\_01** From the confluence with Geronimo Creek up to the headwaters approximately 4 mi north of New Braunfels.

Flow Type

Intermittent

Flow Type Source

Routine Flow Data

ALU Designation

Minimal

ALU Designation Source

Presumption from flow type

**Station ID(s):** 20743

### SegID: 1804D Bear Creek

From the confluence of Geronimo Creek up to the headwaters approximately 1 mi north of HWY 90, and 0.25 mi south of Ilka Switch Road in Seguin.

Segment Type Freshwater Stream

**AU\_ID: 1804D\_01** From the confluence of Geronimo Creek up to the headwaters approximately 1 mi north of HWY 90, and 0.25 mi south of Ilka Switch Road in Seguin.

Flow Type

Intermittent w/pools

Flow Type Source

Routine Flow Data

ALU Designation

Limited

ALU Designation Source

Presumption from flow type

**Station ID(s):** 20744

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1805 Canyon Lake

From Canyon Dam in Comal County to a point 2.7 km (1.7 mi) downstream of Rebecca Creek Road in Comal County, up to normal pool elevation of 909 feet (impounds Guadalupe River)

Segment Type Reservoir

**AU\_ID: 1805\_01** Cove around Jacob's Creek Park

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
Exceptional

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12598; 17443

**AU\_ID: 1805\_02** North end of Crane's Mill Park peninsula to south end of Canyon Park

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
Exceptional

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12600; 13840; 15404; 20044; 20045

**AU\_ID: 1805\_03** Upper end of segment

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
Exceptional

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12601; 13843; 20042; 20043

**AU\_ID: 1805\_04** Lower end of reservoir from dam upstream to Canyon Park

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
Exceptional

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12597; 13836

**SegID: 1806      Guadalupe River Above Canyon Lake**

From a point 2.7 km (1.7 mi) downstream of Rebecca Creek Road in Comal County to the confluence of the North Fork Guadalupe River and the South Fork Guadalupe River in Kerr County

**SegID: 1806 Guadalupe River Above Canyon Lake**

From a point 2.7 km (1.7 mi) downstream of Rebecca Creek Road in Comal County to the confluence of the North Fork Guadalupe River and the South Fork Guadalupe River in Kerr County

Segment Type Freshwater Stream

**AU\_ID: 1806\_01** From a point 2.7 km (1.7 mi) downstream of Rebecca Creek Road in Comal County upstream to the confluence of Honey Creek in Comal County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	Exceptional	TSWQS Appendix A

**Station ID(s):** 13700

**AU\_ID: 1806\_02** From the confluence of Big Joshua Creek in Kendall County upstream to Flat Rock Dam in Kerrville

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	Exceptional	TSWQS Appendix A

**Station ID(s):** 12602; 12603; 12605; 12608; 15113

**AU\_ID: 1806\_03** From Flat Rock Dam in Kerrville to 1 mi upstream

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	Exceptional	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 1806\_04** From 1 mi upstream Flat Rock Dam to confluence with Camp Meeting Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	Exceptional	TSWQS Appendix A

**Station ID(s):** 12615

**AU\_ID: 1806\_05** From confluence with Camp Meeting Creek to 2 mi upstream

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	Exceptional	TSWQS Appendix A

**Station ID(s):** 12616

**AU\_ID: 1806\_06** From RR 394 1 mi downstream

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	Exceptional	TSWQS Appendix A

**Station ID(s):** 12617; 16243; 16244

**AU\_ID: 1806\_07** Upper 10 mi of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	Exceptional	TSWQS Appendix A

**Station ID(s):** 12618; 12619; 12620; 12621; 15111; 16241

**AU\_ID: 1806\_08** From the confluence of Honey Creek in Comal County upstream to the confluence of Big Joshua Creek in Kendall County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	Exceptional	TSWQS Appendix A

**Station ID(s):** 17404

**SegID: 1806      Guadalupe River Above Canyon Lake**

From a point 2.7 km (1.7 mi) downstream of Rebecca Creek Road in Comal County to the confluence of the North Fork Guadalupe River and the South Fork Guadalupe River in Kerr County

Segment Type      Freshwater Stream

**AU\_ID: 1806\_09**      From Flat Rock Dam in Kerrville upstream to the confluence of Camp Meeting Creek in Kerrville

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	Exceptional	TSWQS Appendix A

**Station ID(s):**      No Stations

**AU\_ID: 1806\_10**      From the confluence of Camp Meeting Creek in Kerrville upstream to the confluence of Town Creek in Kerrville

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	Exceptional	TSWQS Appendix A

**Station ID(s):**      No Stations

**AU\_ID: 1806\_11**      From the confluence of Town Creek in Kerrville upstream to the confluence of Goat Creek in Kerrville

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	Exceptional	TSWQS Appendix A

**Station ID(s):**      No Stations

**AU\_ID: 1806\_12**      From the confluence of Goat Creek in Kerrville upstream to the confluence of the North Fork Guadalupe River and the South Fork Guadalupe River in Kerr County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	Exceptional	TSWQS Appendix A

**Station ID(s):**      No Stations

**SegID: 1806A Camp Meeting Creek**

From the confluence with segment 1806 of the Guadalupe River up to the headwaters at Bearskin Road

Segment Type Freshwater Stream

**AU\_ID: 1806A\_01** Intermittent stream with perennial pools from the confluence with the Guadalupe River upstream to the dam on an unnamed impoundment, located downstream of Ranchero Road in the City of Kerrville.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** 12546

**AU\_ID: 1806A\_02** From the dam on the unnamed impoundment located downstream of Ranchero Road in the City of Kerrville, upstream to the dam on an unnamed impoundment approximately 0.65 km upstream of Tree Lane in the City of Kerrville.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** No Stations

**AU\_ID: 1806A\_03** From the dam of an unnamed impoundment approximately 0.65 km upstream of Tree Lane in the City of Kerrville up to the headwaters at Bearskin Road.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1806B Cypress Creek**

From the confluence of the Guadalupe River in Comfort in Kendall County to the upstream perennial portion of the stream east of Kerrville in Kerr County

Segment Type Freshwater Stream

**AU\_ID: 1806B\_01** From the confluence of the Guadalupe River in Comfort in Kendall County to the upstream perennial portion of the stream east of Kerrville in Kerr County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1806C Goat Creek**

From the confluence of the Guadalupe River in Kerrville in Kerr County upstream to the confluence of Spring Branch approximately 5 mi (8.5 km) north of Kerrville

Segment Type Freshwater Stream

**AU\_ID: 1806C\_01** From the confluence of the Guadalupe River in Kerrville in Kerr County upstream to the confluence of Spring Branch approximately 5 mi (8.5 km) north of Kerrville

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1806D Quinlan Creek**

From the confluence of the Guadalupe River in Kerrville in Kerr County to the upstream perennial portion of the stream north of Kerrville in Kerr County

Segment Type Freshwater Stream

**AU\_ID: 1806D\_01** From the confluence of the Guadalupe River in Kerrville in Kerr County to the upstream perennial portion of the stream north of Kerrville in Kerr County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

Station ID(s): 12541

**SegID: 1806E Town Creek**

From the confluence of the Guadalupe River just upstream of FM 394 in Kerrville in Kerr County upstream to the headwaters in Gillespie County approximately 4.5 mi (7.4 km) north of Kerrville

Segment Type Freshwater Stream

**AU\_ID: 1806E\_01** From the confluence of the Guadalupe River just upstream of FM 394 in Kerrville in Kerr County upstream to the headwaters in Gillespie County approximately 4.5 mi (7.4 km) north of Kerrville

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Water body description	High	Presumption from flow type

Station ID(s): 12549; 12550

**SegID: 1806F Turtle Creek**

From the confluence of the Guadalupe in Center Point in Kerr County to the upstream perennial portion of the stream southwest of Kerrville in Kerr County

Segment Type Freshwater Stream

**AU\_ID: 1806F\_01** From the confluence of the Guadalupe in Center Point in Kerr County to the upstream perennial portion of the stream southwest of Kerrville in Kerr County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

Station ID(s): No Stations

**SegID: 1806G Verde Creek**

From the confluence of the Guadalupe River east of Center Point in Kerr County to the upstream perennial portion of the stream northwest of Bandera in Bandera County

Segment Type Freshwater Stream

**AU\_ID: 1806G\_01** From the confluence (NHD RC12100201001482) with segment 1806 of the Guadalupe River up to the upper end of the segment (NHD RC 12100201000169)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Water body description	High	Presumption from flow type

Station ID(s): No Stations



## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1806H Big Joshua Creek

From the confluence with segment 1806 of the Guadalupe River in Kendall County up to the upper end of the segment (NHD RC 12100201004037).

Segment Type Freshwater Stream

**AU\_ID: 1806H\_01** From the confluence with segment 1806 of the Guadalupe River in Kendall County up to the upper end of the segment (NHD RC 12100201004037).

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

**Station ID(s):** 18665

### SegID: 1807 Coletto Creek

From the confluence with the Guadalupe River in Victoria County to the confluence of Fifteenmile Creek and Twelvemile Creek in Goliad/Victoria County, including Coletto Creek Reservoir

Segment Type Freshwater Stream

**AU\_ID: 1807\_01** From confluence with Guadalupe River to Coletto Creek Reservoir Dam

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12622; 12623; 20827

**AU\_ID: 1807\_02** Remainder of segment

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 17942; 18594; 18694

### SegID: 1807A Perdido Creek

From the confluence with Coletto Creek (1807) up to the upper end of the segment (NHD RC 12100204000174)

Segment Type Freshwater Stream

**AU\_ID: 1807A\_01** From the confluence with Coletto Creek (1807) up to the upper end of the segment (NHD RC 12100204000174).

Flow Type  
Intermittent w/pools

Flow Type Source  
Routine Flow Data

ALU Designation  
Limited

ALU Designation Source  
Presumption from flow type

**Station ID(s):** 18595

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1808 Lower San Marcos River

From the confluence with the Guadalupe River in Gonzales County to a point 1.0 km (0.6 mi) upstream of the Blanco River in Hays County

Segment Type Freshwater Stream

**AU\_ID: 1808\_01** Lower 18 mi from confluence with Guadalupe River to confluence with Mile Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 16578

**AU\_ID: 1808\_02** From confluence with Mile Creek to confluence with Plum Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 1808\_03** From confluence with Plum Creek to Guadalupe CR 239/247

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12626

**AU\_ID: 1808\_04** From Guadalupe CR 239/247 to upper end of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12628

### SegID: 1809 Lower Blanco River

From the confluence with the San Marcos River in Hays County to a point 0.3 km (0.2 mi) upstream of Limekiln Road in Hays County

Segment Type Freshwater Stream

**AU\_ID: 1809\_01** Lower 7 mi of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12631

**AU\_ID: 1809\_02** Upper 8 mi of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12635; 12637

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1810 Plum Creek

From the confluence with the San Marcos River in Caldwell County to FM 2770 in Hays County

Segment Type Freshwater Stream

**AU\_ID: 1810\_01** Confluence with San Marcos River to approximately 2.5 mi upstream of the confluence with Clear Fork Plum Creek

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12640; 12642

**AU\_ID: 1810\_02** From approximately 2.5 mi upstream of confluence with Clear Fork Plum Ck to approximately 0.5 mi upstream of SH21

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12643; 12645; 12647

**AU\_ID: 1810\_03** From approximately 0.5 mi upstream of SH 21 to upper end of segment

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12648; 12649; 17406; 18343; 20480; 20484; 20503

### SegID: 1810A Town Branch

Perennial stream from the confluence with Plum Creek upstream to the headwaters at SH 130 northwest of the City of Lockhart

Segment Type Freshwater Stream

**AU\_ID: 1810A\_01** Perennial stream from the confluence of Plum Creek upstream to US 183 in the City of Lockhart (App D)

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix D

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix D

**Station ID(s):** 20509

**AU\_ID: 1810A\_02** Perennial stream from US 183 in the City of Lockhart upstream to the headwaters at SH 130 northwest of the City of Lockhart

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

**Station ID(s):** No Stations

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1811 Comal River

From the confluence with the Guadalupe River in Comal County to Klingemann Street in New Braunfels in Comal County

Segment Type Freshwater Stream

**AU\_ID: 1811\_01** From the confluence with segment 1804 of the Guadalupe River up to just upstream of the confluence with Dry Comal Creek in New Braunfels, Comal County, Texas.

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12651; 12653

**AU\_ID: 1811\_02** From the confluence with Dry Comal Creek up to Klingemann Street in New Braunfels, Comal County, Texas.

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 15082

### SegID: 1811A Dry Comal Creek

From the confluence of the Comal River in New Braunfels in Comal County to the upstream perennial portion of the stream southwest of New Braunfels in Comal County

Segment Type Freshwater Stream

**AU\_ID: 1811A\_01** Lower 25 mi of water body

Flow Type  
Intermittent w/pools

Flow Type Source  
Routine Flow Data

ALU Designation  
Limited

ALU Designation Source  
Presumption from flow type

**Station ID(s):** 12570

**AU\_ID: 1811A\_02** Remainder of water body

Flow Type  
Intermittent w/pools

Flow Type Source  
Routine Flow Data

ALU Designation  
Limited

ALU Designation Source  
Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1812      Guadalupe River Below Canyon Dam**

From the confluence of the Comal River in Comal County to Canyon Dam in Comal County

Segment Type      Freshwater Stream

**AU\_ID: 1812\_01**      From a point immediately upstream of the confluence of the Comal River in Comal County to immediately upstream of the confluence with Elm Creek, Comal County, Texas.

Flow Type

Perennial

Flow Type Source

TSWQS Appendix A

ALU Designation

Exceptional

ALU Designation Source

TSWQS Appendix A

**Station ID(s):**      12656; 13511; 18841; 18842

**AU\_ID: 1812\_02**      From immediately upstream of Elm Creek up to the confluence with Bear Creek, Comal County, Texas.

Flow Type

Perennial

Flow Type Source

TSWQS Appendix A

ALU Designation

Exceptional

ALU Designation Source

TSWQS Appendix A

**Station ID(s):**      12658; 15406

**AU\_ID: 1812\_03**      From immediately upstream of the confluence with Bear Creek in Comal County, Texas up to Canyon Dam.

Flow Type

Perennial

Flow Type Source

TSWQS Appendix A

ALU Designation

Exceptional

ALU Designation Source

TSWQS Appendix A

**Station ID(s):**      16703

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1813 Upper Blanco River

From a point 0.3 km (0.2 mi) upstream of Limekiln Road in Hays County to the confluence of Meier Creek in Kendall County

Segment Type Freshwater Stream

**AU\_ID: 1813\_01** From a point 0.3 km (0.2 mi) upstream of Limekiln Road in Hays County up to the confluence with Spoke Pile Creek.

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
Exceptional

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12660; 20926

**AU\_ID: 1813\_02** From the confluence with Spoke Pile Creek up to the confluence with Cypress Creek, in Wimberley, Hays County, Texas.

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
Exceptional

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12661

**AU\_ID: 1813\_03** From the confluence with Rogers Branch up to the confluence with Hinds Branch in Blanco, County, Texas.

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
Exceptional

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12668

**AU\_ID: 1813\_04** From the confluence with Hinds Branch in Blanco County, Texas up to the confluence with Meier Creek in Kendall County, Texas.

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
Exceptional

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 18664

**AU\_ID: 1813\_05** From the confluence with Cypress Creek in Wimberley, Hays County, Texas up to the confluence with Rogers Branch in Blanco County, Texas.

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
Exceptional

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12663; 12665

### SegID: 1813A West Prong Big Creek

From the confluence with East Prong Big Creek in Blanco County to the upper end of the segment (NHD RC 12100203000861)

Segment Type Freshwater Stream

**AU\_ID: 1813A\_01** From the confluence with East Prong Big Creek in Blanco County to the upper end of the segment (NHD RC 12100203000861)

Flow Type  
Intermittent w/pools

Flow Type Source  
Routine Flow Data

ALU Designation  
Limited

ALU Designation Source  
Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1813B Koch Creek**

From the confluence with segment 1813, upper Blanco River, up to the upper end of the water body (NHD RC 12100203001359)

Segment Type Freshwater Stream

**AU\_ID: 1813B\_01** From the confluence with segment 1813, upper Blanco River, up to the upper end of the water body (NHD RC 12100203001359)..

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1813C McKinney Creek**

From the confluence with segment 1813, upper Blanco River, up to the upper end of the water body (NHD RC 12100203000880)

Segment Type Freshwater Stream

**AU\_ID: 1813C\_01** From the confluence with segment 1813, upper Blanco River, up to the upper end of the water body (NHD RC 12100203000880)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1813D Big Creek**

From the confluence with segment 1813, upper Blanco River, up to the confluence with West Fork Big Creek and East Fork Big Creek

Segment Type Freshwater Stream

**AU\_ID: 1813D\_01** From the confluence with segment 1813, upper Blanco River, up to the confluence with West Fork Big Creek and East Fork Big Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1813E Falls Creek**

From the confluences with segment 1813, upper Blanco River, up to the upper end of segment

Segment Type Freshwater Stream

**AU\_ID: 1813E\_01** From the confluences with segment 1813, upper Blanco River, up to the upper end of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1813F Cottonwood Creek**

From the confluences with segment 1813, upper Blanco River, up to the upper end of segment

Segment Type Freshwater Stream

**AU\_ID: 1813F\_01** From the confluences with segment 1813, upper Blanco River, up to the upper end of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1813G Crabapple Creek**

From the confluence with segment 1813, upper Blanco River, up to the upper end of the segment

Segment Type Freshwater Stream

**AU\_ID: 1813G\_01** From the confluence with segment 1813, upper Blanco River, up to the upper end of the segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1813H East Prong Big Creek**

From the confluence with segment 1813, upper Blanco River, up to the upper end of the segment

Segment Type Freshwater Stream

**AU\_ID: 1813H\_01** From the confluence with segment 1813, upper Blanco River, up to the upper end of the segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1813I Unnamed Tributary to West Prong Big Creek**

From the confluence with the West Fork Big Creek in Blanco County, west of Blanco, up to the upper end of the segment (NHD RC 12100203000878)

Segment Type Freshwater Stream

**AU\_ID: 1813I\_01** From the confluence with the West Fork Big Creek in Blanco County, west of Blanco, up to the upper end of the segment (NHD RC 12100203000878)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** No Stations



**SegID: 1814 Upper San Marcos River**

From a point 1.0 km (0.6 mi) upstream of the confluence of the Blanco River in Hays County to a point 0.7 km (0.4 mi) upstream of Loop 82 in San Marcos in Hays County (includes Spring Lake)

Segment Type Freshwater Stream

**AU\_ID: 1814\_01** From a point 1.0 km (0.6 mi) upstream of the confluence of the Blanco River upstream to the discharge canal from A. E. Woods Fish Hatchery in San Marcos

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	Exceptional	TSWQS Appendix A

**Station ID(s):** 12671

**AU\_ID: 1814\_02** From the discharge canal from A. E. Woods Fish Hatchery in San Marcos upstream to the northbound lanes of IH 35 in San Marcos

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	Exceptional	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 1814\_03** From the northbound lanes of IH 35 in San Marcos upstream to the Spring Lake dam in San Marcos

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	Exceptional	TSWQS Appendix A

**Station ID(s):** 12672; 15500; 20923; 21466

**AU\_ID: 1814\_04** From the Spring Lake dam upstream to a point 0.7 km (0.4 mi) upstream of Loop 82, including Spring Lake, in San Marcos

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	Exceptional	TSWQS Appendix A

**Station ID(s):** 15496; 20910; 20911; 20912; 20913; 20914

**SegID: 1815 Cypress Creek**

From the confluence with the Blanco River in Hays County to a point 6.4 km (4.0 mi) upstream of the most upstream unnamed county road crossing Hays County

Segment Type Freshwater Stream

**AU\_ID: 1815\_01** Lower 7 mi of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	Exceptional	TSWQS Appendix A

**Station ID(s):** 12673; 12674; 12675; 12676; 12677

**AU\_ID: 1815\_02** Upper 7 mi of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	Exceptional	TSWQS Appendix A

**Station ID(s):** No Stations

**SegID: 1816 Johnson Creek**

From the confluence with the Guadalupe River in Kerr County to a point 1.2 km (0.7 mi) upstream of the most upstream crossing of SH 41 in Kerr County

Segment Type Freshwater Stream

**AU\_ID: 1816\_01** From the confluence with the Guadalupe River in Kerr County to a point 1.2 km (0.7 mi) upstream of the most upstream crossing of SH 41 in Kerr County

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
Exceptional

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12678; 12680

**SegID: 1817 North Fork Guadalupe River**

From the confluence with the Guadalupe River in Kerr County to a point 18.2 km (11.3 mi) upstream of Boneyard Draw in Kerr County

Segment Type Freshwater Stream

**AU\_ID: 1817\_01** From the confluence with the Guadalupe River in Kerr County to a point 18.2 km (11.3 mi) upstream of Boneyard Draw in Kerr County

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
Exceptional

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12681; 12682; 16245

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1818 South Fork Guadalupe River

From the confluence with the Guadalupe River in Kerr County to a point 4.8 km (3.0 mi) upstream of FM 187 in Kerr County

Segment Type Freshwater Stream

**AU\_ID: 1818\_01** Lower 1.5 mi of segment

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
Exceptional

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12684

**AU\_ID: 1818\_02** From lower 1.5 mi to approx 0.5 mi upstream of Lange Ravine

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
Exceptional

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12685

**AU\_ID: 1818\_03** From 0.5 mi upstream Lange Ravine to low water dam just below Camp Mystic

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
Exceptional

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 16246

**AU\_ID: 1818\_04** From low water dam below Camp Mystic to confluence with Cherry Creek

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
Exceptional

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12686

**AU\_ID: 1818\_05** Upper 18.5 mi of segment

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
Exceptional

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12688

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1901 Lower San Antonio River

From the confluence with the Guadalupe River in Refugio/Victoria County to a point 600 meters (660 yards) downstream of FM 791 at Mays crossing near Falls City in Karnes County

Segment Type Freshwater Stream

**AU\_ID: 1901\_01** 25 mi downstream of the confluence with Manahuilla Creek

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12790

**AU\_ID: 1901\_02** 25 mi upstream of Manahuilla Creek

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12791; 12792

**AU\_ID: 1901\_03** From 25 mi upstream of Manahuilla Cr to 9 mi downstream of Escondido Cr

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12793; 17859

**AU\_ID: 1901\_04** 9 mi downstream of Escondido Creek

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12794

**AU\_ID: 1901\_05** From upstream end of segment to Escondido Creek

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12795; 12796; 16580; 17861; 17862

**AU\_ID: 1901\_06** Lower 31 mi of segment

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12789

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1901A Escondido Creek

From the confluence with Lower San Antonio River upstream to the headwaters near Karnes CR 210 and FM 99

Segment Type Freshwater Stream

**AU\_ID: 1901A\_01** From the confluence with Lower San Antonio River upstream to the confluence with Nichols Creek in Kenedy

Flow Type

Perennial

Flow Type Source

Routine Flow Data

ALU Designation

High

ALU Designation Source

Presumption from flow type

Station ID(s): 18402

**AU\_ID: 1901A\_02** From the confluence with Nichols Creek in Kenedy upstream to the headwaters near Karnes CR 210 and FM 99 approximately 15 km (9.5 mi) west of Kenedy

Flow Type

Intermittent w/pools

Flow Type Source

Routine Flow Data

ALU Designation

Limited

ALU Designation Source

Presumption from flow type

Station ID(s): No Stations

### SegID: 1901B Cabeza Creek

From the confluence with segment 1901, west of Goliad, Goliad County, up to the upper end of the water body (NHD RC 12100303000882)

Segment Type Freshwater Stream

**AU\_ID: 1901B\_01** From the confluence with segment 1901, west of Goliad, Goliad County, up to the upper end of the water body (NHD RC 12100303000882)

Flow Type

Intermittent w/pools

Flow Type Source

Flow Questionnaire

ALU Designation

Limited

ALU Designation Source

Presumption from flow type

Station ID(s): 16992

### SegID: 1901C Hord Creek

From the confluence with segment 1901 up to the upper end of the water body (NHD RC 12100303000256)

Segment Type Freshwater Stream

**AU\_ID: 1901C\_01** From the confluence with segment 1901 up to the upper end of the water body (NHD RC 12100303000256).

Flow Type

Intermittent w/pools

Flow Type Source

Routine Flow Data

ALU Designation

Limited

ALU Designation Source

Presumption from flow type

Station ID(s): 18319

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1901D Lost Creek

From the confluence with segment 1901 to the upper end of the water body (NHD RC 12100303000834)

Segment Type Freshwater Stream

**AU\_ID: 1901D\_01** From the confluence with segment 1901 to the upper end of the water body (NHD RC

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** 18320

### SegID: 1901E Manahuilla Creek

From the confluence with the Lower San Antonio River upstream to the headwaters southeast of Nordheim in DeWitt County

Segment Type Freshwater Stream

**AU\_ID: 1901E\_01** From the confluence with the Lower San Antonio River upstream to the headwaters southeast of Nordheim in DeWitt County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Flow Questionnaire	Minimal	Presumption from flow type

**Station ID(s):** 12783

### SegID: 1901F Ecletto Creek

From the confluence with the Lower San Antonio River upstream to the headwaters adjacent to SH 123 south of Seguin in Guadalupe County

Segment Type Freshwater Stream

**AU\_ID: 1901F\_01** From the confluence with the Lower San Antonio River upstream to the headwaters adjacent to SH 123 south of Seguin in Guadalupe County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** 20539

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1902 Lower Cibolo Creek

From the confluence with the San Antonio River in Karnes County to a point 100 meters (110 yards) downstream of IH 10 in Bexar/Guadalupe County

Segment Type Freshwater Stream

**AU\_ID: 1902\_01** From the confluence with the Lower San Antonio River in Karnes County upstream to the confluence with Mulifest Creek

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12797; 20777

**AU\_ID: 1902\_02** From the confluence with Mulifest Creek upstream to the confluence with Pulaski Creek

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12798; 12800; 14211

**AU\_ID: 1902\_03** From the confluence with Pulaski Creek upstream to the confluence with Clifton Branch

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12801; 12802; 12803

**AU\_ID: 1902\_04** From the confluence with Clifton Branch upstream to the confluence with Elm Creek

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12804; 12805

**AU\_ID: 1902\_05** From the confluence with Elm Creek upstream to a point 100 meters (110 yards) downstream of IH 10 in Bexar/Guadalupe County

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 14197

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1902A Martinez Creek

Perennial stream from the confluence with Lower Cibolo Creek upstream to the headwaters in Bexar County

Segment Type Freshwater Stream

**AU\_ID: 1902A\_01** From the confluence with Lower Cibolo Creek upstream to the confluence with Salitrillo Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 12741

**AU\_ID: 1902A\_02** From the confluence with Salitrillo Creek upstream to the confluence with Escondido Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**AU\_ID: 1902A\_03** From the confluence with Escondido Creek upstream to the Martinez II WWTP outfall approximately 1.1 km downstream of FM 1516

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** 15306

**AU\_ID: 1902A\_04** From the Martinez II WWTP outfall approximately 1.1 km downstream of FM 1516 upstream to Binz-Engleman Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** 15305

**AU\_ID: 1902A\_05** From Binz-Engleman Road upstream to the headwaters near the intersection of O'Connor Road and New World Drive

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 12749



**SegID: 1902B Salitrillo Creek**

From the confluence with Martinez Creek to approximately 1.3 mi (2.1 km) upstream of FM 1976

Segment Type Freshwater Stream

**AU\_ID: 1902B\_01** From the confluence with Martinez Creek to FM 78 in Converse

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** 14201; 14202; 14923; 15303

**AU\_ID: 1902B\_02** From FM 78 to approximately 1.3 mi (2.1 km) upstream of FM 1976 in Converse

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1902C Clifton Branch**

From the confluence of Lower Cibolo Creek upstream to the headwater 0.6 mi upstream of Wilson CR 424 north of Stockdale

Segment Type Freshwater Stream

**AU\_ID: 1902C\_01** From the confluence of Lower Cibolo Creek upstream to the headwater 0.6 mi upstream of Wilson CR 424 north of Stockdale

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** 20775; 20776

**SegID: 1902D Alum Creek**

From the confluence with Lower Cibolo Creek upstream to the headwaters approximately 1.8 km upstream of Wilson CR 429 north of Stockdale

Segment Type Freshwater Stream

**AU\_ID: 1902D\_01** From the confluence with Lower Cibolo Creek upstream to approximately 1.8 km upstream of Wilson CR 429 north of Stockdale

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Flow Questionnaire	Minimal	Presumption from flow type

**Station ID(s):** 12786

**SegID: 1903 Medina River Below Medina Diversion Lake**

From the confluence with the San Antonio River in Bexar County to Medina Diversion Dam in Medina County

Segment Type Freshwater Stream

**AU\_ID: 1903\_01** From the confluence with the San Antonio River upstream to the confluence with Palo Blanco Creek approximately 2.0 km upstream of FM 1937

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12811

**AU\_ID: 1903\_02** From the confluence with Palo Blanco Creek approximately 2.0 km upstream of FM 1937 upstream to the confluence with Lower Leon Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12812; 12813

**AU\_ID: 1903\_03** From the confluence with Lower Leon Creek upstream to the confluence with Medio Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12814

**AU\_ID: 1903\_04** From the confluence with Medio Creek upstream to the confluence with Polecat Creek approximately 125 m upstream of FM 1604

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12817; 12819

**AU\_ID: 1903\_05** From the confluence with Polecat Creek approximately 125 m upstream of FM 1604 upstream to the Medina Diversion Dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12821; 12824; 14200

**SegID: 1903A Polecat Creek**

Perennial stream from 6.4 km above confluence with the Medina River to the spring source 1.3 km above FM 2790 southeast of LaCoste

Segment Type Freshwater Stream

**AU\_ID: 1903A\_01** Perennial stream from 6.4 km above confluence with the Medina River to the spring source 1.3 km above FM 2790 southeast of LaCoste

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 1904 Medina Lake**

From Medina Lake Dam in Medina County to a point immediately upstream of the confluence of Red Bluff Creek in Bandera County, up to the normal pool elevation of 1072 feet (impounds Medina River)

Segment Type Reservoir

**AU\_ID: 1904\_01** Lower portion, from dam west to Masterson Point and east to Reuters Cove

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12825

**AU\_ID: 1904\_02** Part of lake extending upstream from Brushy Creek to upper end of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12829

**AU\_ID: 1904\_03** Remainder of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**SegID: 1905 Medina River Above Medina Lake**

From a point immediately upstream of the confluence of Red Bluff Creek in Bandera County to the confluence of the North Prong Medina River and the West Prong Medina River in Bandera County

Segment Type Freshwater Stream

**AU\_ID: 1905\_01** From a point immediately upstream of the confluence of Red Bluff Creek upstream to RM 470

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	Exceptional	TSWQS Appendix A

**Station ID(s):** 12830; 13638

**AU\_ID: 1905\_02** From RM 470 upstream to the confluence of the North Prong Medina River and the West Prong Medina River

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	Exceptional	TSWQS Appendix A

**Station ID(s):** 12832; 21125

**SegID: 1905A North Prong Medina River**

From the confluence with the Medina River upstream to the headwaters approximately 3.5 km east of RM 187 in Bandera County

Segment Type Freshwater Stream

**AU\_ID: 1905A\_01** From the confluence with the Medina River upstream to the headwaters approximately 3.5 km east of RM 187 in Bandera County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 18447; 21126

**SegID: 1906 Lower Leon Creek**

From the confluence with the Medina River in Bexar County to a point 100 meters (110 yards) upstream of SH 16 northwest of San Antonio in Bexar County

Segment Type Freshwater Stream

**AU\_ID: 1906\_01** From the confluence of the Medina River upstream approximate 3.5 mi to the northside of Toyota plant

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 14198

**AU\_ID: 1906\_02** From the northside of the Toyota plant upstream to the confluence of Indian Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12835; 12836

**AU\_ID: 1906\_03** From confluence with Indian Creek to Hwy 353 (New Laredo Hwy)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12838

**AU\_ID: 1906\_04** From Hwy 353 (New Laredo Hwy) upstream approximately 2 mi to a point southeast of Pearsall Park

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12840

**AU\_ID: 1906\_05** From a point southeast of Pearsall Park upstream to US 90 on the westside of San Antonio

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12841; 12842

**AU\_ID: 1906\_06** From US 90 on the westside of San Antonio upstream to a point 100 meters upstream of SH 16 northwest of San Antonio

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12845; 12846; 14209

**SegID: 1906A Helotes Creek**

From a point 0.14 km upstream of FM 1560 in Helotes upstream to the headwaters north of Grey Forest in Bexar County

Segment Type Freshwater Stream

**AU\_ID: 1906A\_01** From a point 0.14 km upstream of FM 1560 in Helotes upstream to the headwaters north of Grey Forest in Bexar County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** 12780

**SegID: 1907 Upper Leon Creek**

From a point 100 meters (110 yards) upstream of SH 16 northwest of San Antonio in Bexar County to a point 9.0 km (5.6 mi) upstream of Scenic Loop Road north of Helotes in Bexar County

Segment Type Freshwater Stream

**AU\_ID: 1907\_01** From a point 100 meters (110 yards) upstream of SH 16 northwest of San Antonio in Bexar County to a point 9.0 km (5.6 mi) upstream of Scenic Loop Road north of Helotes in Bexar County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12851

**SegID: 1908 Upper Cibolo Creek**

From the Missouri-Pacific Railroad Bridge west of Bracken in Comal County to a point 1.5 km (0.9 mi) upstream of the confluence of Champee Springs in Kendall County

Segment Type Freshwater Stream

**AU\_ID: 1908\_01** From confluence. with Balcones Creek to approx. 2 mi upstream of Hwy 87 in Boerne

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12853; 12854; 12855; 15126; 16702

**AU\_ID: 1908\_02** From approximately 2 mi upstream of Hwy 87 in Boerne upstream to a point 1.5 km (0.9 mi) upstream of the confluence of Champee Springs in Kendall County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12857; 20821

**AU\_ID: 1908\_03** From the Missouri-Pacific Railroad bridge west of Bracken in Comal County upstream to the confluence of Balcones Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1909 Medina Diversion Lake

From Medina Diversion Dam in Medina County to Medina Lake Dam in Medina County, up to normal pool elevation of 926.5 feet (impounds Medina River)

Segment Type Reservoir

**AU\_ID: 1909\_01** From Medina Diversion Dam in Medina County to Medina Lake Dam in Medina County, up to normal pool elevation of 926.5 feet (impounds Medina River)

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 18407

### SegID: 1910 Salado Creek

From the confluence with the San Antonio River in Bexar County to the confluence of Beitel Creek in Bexar County

Segment Type Freshwater Stream

**AU\_ID: 1910\_01** From confluence with San Antonio River to confluence with Rosillo Creek

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12861; 12862

**AU\_ID: 1910\_02** From the confluence with Rosillo Creek up to the confluence with Pershing Creek.

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12864; 12868; 12870; 14929; 15645; 15646; 15647

**AU\_ID: 1910\_03** From the confluence with Pershing Creek up to the confluence with Walzem Creek.

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12871; 12872; 12874; 15642; 15644; 20327

**AU\_ID: 1910\_04** From the confluence with Walzem Creek up to the confluence with Beitel Creek

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12875; 12876

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1910A Walzem Creek

From the confluence with Salado Creek to approximately 1.5 mi upstream of Walzem Road in San Antonio

Segment Type Freshwater Stream

**AU\_ID: 1910A\_01** From the confluence with Salado Creek upstream to Lanark Dr in San Antonio

Flow Type  
Perennial

Flow Type Source  
Routine Flow Data

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

**Station ID(s):** 12698; 20356; 20359

**AU\_ID: 1910A\_02** From Lanark Dr in San Antonio upstream to the headwater near Midcrown Dr and Golfcrest Dr in San Antonio

Flow Type  
Intermittent w/pools

Flow Type Source  
Flow Questionnaire

ALU Designation  
Limited

ALU Designation Source  
Presumption from flow type

**Station ID(s):** No Stations

### SegID: 1910B Rosillo Creek

From the confluence with Salado Creek in Bexar County upstream to the headwaters approximately 1.8 km upstream of FM 1976 in Windcrest

Segment Type Freshwater Stream

**AU\_ID: 1910B\_01** From the confluence with Salado Creek in Bexar County upstream to the headwaters approximately 1.8 km upstream of FM 1976 in Windcrest

Flow Type  
Intermittent w/pools

Flow Type Source  
Flow Questionnaire

ALU Designation  
Limited

ALU Designation Source  
Presumption from flow type

**Station ID(s):** 12689; 12699; 12700

### SegID: 1910C Salado Creek Tributary

From the confluence with segment 1910 to the upper end of the water body, NHD RC 12100301000902.

Segment Type Freshwater Stream

**AU\_ID: 1910C\_01** From the confluence with segment 1910 to the upper end of the water body, NHD RC 12100301000902.

Flow Type  
Intermittent

Flow Type Source  
Routine Flow Data

ALU Designation  
Minimal

ALU Designation Source  
Presumption from flow type

**Station ID(s):** 12692

**SegID: 1910D Menger Creek**

From the confluence with segment 1910 to the upper end of the water body, NHD RC  
12100301000147.

Segment Type Freshwater Stream

**AU\_ID: 1910D\_01** From the confluence with segment 1910 to the upper end of the water body, NHD RC  
12100301000147.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** 12693

**SegID: 1910E Beitel Creek**

From the confluence with segment 1910 to the upper end of the water body, NHD RC  
12100301000662.

Segment Type Freshwater Stream

**AU\_ID: 1910E\_01** From the confluence with segment 1910 to the upper end of the water body, NHD RC  
12100301000662.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** 12701; 20358

**SegID: 1910F Upper Salado Creek**

Upper Salado Creek from the confluence of Beitel Creek upstream to the headwater  
approximately 1.5 mi upstream of FM 3351 near Fair Oaks Ranch

Segment Type Freshwater Stream

**AU\_ID: 1910F\_01** Upper Salado Creek an Appendix D section from the confluence with Beitel Creek upstream to  
Nacogdoches Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	TSWQS Appendix D	Limited	TSWQS Appendix D

**Station ID(s):** 12877

**AU\_ID: 1910F\_02** Upper Salado Creek from Nacogdoches Road upstream to the headwater approximately 1.5 mi upstream  
of FM 3351 near Fair Oaks Ranch

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Routine Flow Data	Minimal	Presumption from flow type

**Station ID(s):** 17574



**SegID: 1910G Salado Creek West Channel**

Salado Creek West Channel from confluence with Salado Creek East channel near Lions Park Lake upstream to the confluence with Salado Creek East channel in Comanche Park

Segment Type Freshwater Stream

**AU\_ID: 1910G\_01** Salado Creek West Channel from confluence with Salado Creek East channel near Lions Park Lake upstream to the confluence with Salado Creek East channel in Comanche Park

Flow Type

Intermittent w/pools

Flow Type Source

Routine Flow Data

ALU Designation

Limited

ALU Designation Source

Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1911      Upper San Antonio River**

From a point 600 meters (660 yards) downstream of FM 791 at Mays Crossing near Falls City in Karnes County to a point 100 meters (110 yards) upstream of Hildebrand Avenue at San Antonio in Bexar County

**SegID: 1911 Upper San Antonio River**

From a point 600 meters (660 yards) downstream of FM 791 at Mays Crossing near Falls City in Karnes County to a point 100 meters (110 yards) upstream of Hildebrand Avenue at San Antonio in Bexar County

Segment Type Freshwater Stream

**AU\_ID: 1911\_01** From the lower end of the segment up to just upstream of the confluence with Olmos Creek.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12879

**AU\_ID: 1911\_02** From the confluence with Olmos Creek up to just upstream of the confluence with Picos Creek .

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12880

**AU\_ID: 1911\_03** From just upstream of the confluence with Picos Creek up to just upstream of the confluence with Lodi Branch in Floresville, Wilson County, Texas.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12881

**AU\_ID: 1911\_04** From just upstream of the confluence with Lodi Branch in Floresville, Wilson County, Texas up to just upstream of the confluence with Calaveras Creek.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12882; 12883; 12884; 12885

**AU\_ID: 1911\_05** From just upstream of the confluence with Calaveras Creek up to just upstream of the confluence with the Medina River.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12886; 12889; 20355

**AU\_ID: 1911\_06** From just upstream of the confluence with the Medina River up to just upstream of the confluence with Salado Creek.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12894; 16731

**AU\_ID: 1911\_07** From just upstream of the confluence with Salado Creek up to just upstream of the confluence with Sixmile Creek.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12897; 20638

**SegID: 1911 Upper San Antonio River**

From a point 600 meters (660 yards) downstream of FM 791 at Mays Crossing near Falls City in Karnes County to a point 100 meters (110 yards) upstream of Hildebrand Avenue at San Antonio in Bexar County

Segment Type Freshwater Stream

**AU\_ID: 1911\_08** From just upstream of the confluence with Sixmile Creek to just upstream of the confluence with San Pedro Creek.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12899; 17066; 21547

**AU\_ID: 1911\_09** From just upstream of the confluence with San Pedro Creek up to the upper end of the segment.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12904; 12905; 12908; 12911; 12912; 14219; 14220; 14223; 14256; 15085; 18859; 18865; 20118; 20122; 20360; 20361

**SegID: 1911A Olmos Creek**

From the confluence with the Upper San Antonio River at a point 100 meters (110 yards) upstream of Hildebrand Avenue upstream to the headwaters near Huebner Oaks and IH 10 in northwest San Antonio

Segment Type Freshwater Stream

**AU\_ID: 1911A\_01** From the confluence with the Upper San Antonio River at a point 100 meters (110 yards) upstream of Hildebrand Avenue upstream to the headwaters near Huebner Oaks and IH 10 in northwest San Antonio

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 15086

**SegID: 1911B Apache Creek**

From the confluence with San Pedro Creek upstream to the headwaters at SH 421 (Bandera Rd) in San Antonio

Segment Type Freshwater Stream

**AU\_ID: 1911B\_01** From the confluence with San Pedro Creek upstream to the confluence with Zarzamora Creek.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 12710; 12712; 15707; 18735; 18814; 20604; 20605; 20606

**AU\_ID: 1911B\_02** From the confluence with Zarzamora Creek upstream to the headwaters at SH 421 (Bandera Rd) in San Antonio

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Routine Flow Data	Minimal	Presumption from flow type

**Station ID(s):** No Stations

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1911C Alazan Creek

From the confluence with Apache Creek up to 0.4 KM (0.25 mi) upstream of St. Cloud Road (NHD RC 12100301000163) in San Antonio, Bexar County, Texas

Segment Type Freshwater Stream

**AU\_ID: 1911C\_01** From the confluence with Apache Creek up to the confluence with Martinez Creek.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** 12715; 18737; 20345

**AU\_ID: 1911C\_02** From just upstream of the confluence with Martinez Creek to the upper end of the segment.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** 12716; 12718; 18813; 20344

### SegID: 1911D San Pedro Creek

From the confluence with segment 1911 to the upper end of the water body, NHD RC 12100301000867

Segment Type Freshwater Stream

**AU\_ID: 1911D\_01** From the confluence with segment 1911 up to the confluence with Apache Creek.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 18736; 20116; 21105; 21599

**AU\_ID: 1911D\_02** From the confluence with Apache Creek to the upper end of the segment, NHD RC 12100301000867

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** 12708; 20117; 20119; 20120; 20121

### SegID: 1911E Sixmile Creek

From the confluence with 1911 to the upper end of the water body at NHD RC 12100301000061

Segment Type Freshwater Stream

**AU\_ID: 1911E\_01** From the confluence with 1911 to the upper end of the water body at NHD RC 12100301000061

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	WQS/Permits program	Minimal	Previous TCEQ permit decision

**Station ID(s):** 12705

**SegID: 1911F Calaveras Reservoir**

Calaveras Reservoir

Segment Type Reservoir

**AU\_ID: 1911F\_01** Calaveras Reservoir

Flow Type

Reservoir

Flow Type Source

Water body description

ALU Designation

High

ALU Designation Source

Presumption from Flow Type

**Station ID(s):** No Stations

**SegID: 1911G Braunig Reservoir**

Braunig Reservoir

Segment Type Reservoir

**AU\_ID: 1911G\_01** Braunig Reservoir

Flow Type

Reservoir

Flow Type Source

Water body description

ALU Designation

High

ALU Designation Source

Presumption from Flow Type

**Station ID(s):** No Stations

**SegID: 1911H Picoso Creek**

From the confluence with segment 1911 to the upper end of the water body, NHD RC  
12100303003001937

Segment Type Freshwater Stream

**AU\_ID: 1911H\_01** From the confluence with 1911 up to the confluence with Mariana Creek

Flow Type

Intermittent w/pools

Flow Type Source

Routine Flow Data

ALU Designation

Limited

ALU Designation Source

Presumption from flow type

**Station ID(s):** 20350

**AU\_ID: 1911H\_02** From the confluence with Mariana Creek up to the upper end of the water body at NHD RC  
12100303003001937

Flow Type

Intermittent w/pools

Flow Type Source

Routine Flow Data

ALU Designation

Limited

ALU Designation Source

Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1911I Martinez Creek**

Martinez Creek from the confluence of Alazan Creek in central San Antonio upstream to the terminus at Vance Jackson Rd in north San Antonio

Segment Type Freshwater Stream

**AU\_ID: 1911I\_01** Martinez Creek from the confluence of Alazan Creek in central San Antonio upstream to the concrete channel portion at San Francisco St in north San Antonio

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** 12751

**AU\_ID: 1911I\_02** Martinez Creek from the concrete channel portion at San Francisco St upstream to the terminus at Vance Jackson Rd in north San Antonio

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Flow Questionnaire	Minimal	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 1911J Pajarito Creek**

From the confluence with the Upper San Antonio River upstream to the headwaters at Wilson CR 403 northwest of Floresville

Segment Type Freshwater Stream

**AU\_ID: 1911J\_01** From the confluence with the Upper San Antonio River upstream to the headwaters at Wilson CR 403 northwest of Floresville

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** 20351

**SegID: 1911K Seguin Branch**

From the confluence with the Upper San Antonio River upstream to the headwaters approximately 2.2 km upstream of Wilson CR 331 north of Floresville

Segment Type Freshwater Stream

**AU\_ID: 1911K\_01** From the confluence with the Upper San Antonio River upstream to the headwaters approximately 2.2 km upstream of Wilson CR 331 north of Floresville

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** 20352

**SegID: 1911L Unnamed tributary of Upper San Antonio River**

From the confluence with the Upper San Antonio River upstream to the confluence with an unnamed tributary 200 m upstream of FM 1303 in Wilson County

Segment Type Freshwater Stream

**AU\_ID: 1911L\_01** From the confluence with the Upper San Antonio River upstream to the confluence with an unnamed tributary 200 m upstream of FM 1303 in Wilson County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent	Flow Questionnaire	Minimal	Presumption from flow type

**Station ID(s):** 20354

**SegID: 1911M Calaveras Creek**

From the confluence with the Upper San Antonio River upstream to the Calaveras Reservoir dam north of Elmendorf in Bexar County

Segment Type Freshwater Stream

**AU\_ID: 1911M\_01** From the confluence with the Upper San Antonio River upstream to the Calaveras Reservoir dam north of Elmendorf in Bexar County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Flow Questionnaire	High	Presumption from flow type

**Station ID(s):** 20357

**SegID: 1912 Medio Creek**

From the confluence with the Medina River in Bexar County to a point 1.0 km (0.6 mi) upstream of IH 35 in San Antonio in Bexar County

Segment Type Freshwater Stream

**AU\_ID: 1912\_01** From the confluence with the Medina River in Bexar County to a point 1.0 km (0.6 mi) upstream of IH 35 in San Antonio in Bexar County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	Intermediate	TSWQS Appendix A

**Station ID(s):** 12916; 12917

**SegID: 1912A Upper Medio Creek**

From approximately 1.0 km (0.6 mi) upstream of IH 35 at San Antonio (Bexar County) to approximately 1.0 mi upstream of the Bexar/Medina County Line

Segment Type Freshwater Stream

**AU\_ID: 1912A\_01** From approximately 1.0 km (0.6 mi) upstream of IH 35 at San Antonio (Bexar County) to approximately 1.0 mi upstream of the Bexar/Medina County Line

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Flow Questionnaire	High	Presumption from flow type

**Station ID(s):** 12730; 12735; 13659



## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 1913 Mid Cibolo Creek

From a point 100 meters (110 yards) downstream of IH 10 in Bexar/Guadalupe County to the Missouri-Pacific Railroad bridge west of Bracken in Comal County

Segment Type Freshwater Stream

**AU\_ID: 1913\_01** From 100 meters downstream of I10 up to unnamed tributary approximately 0.3 mi upstream of Weir Road, Bexar County, Texas.

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
Limited

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12919; 12921

**AU\_ID: 1913\_02** From the confluence with unnamed tributary approximately 0.3 mi upstream of Weir Road, Bexar county, Texas up to 100 meters upstream of the Cibolo Creek Municipal WWTP.

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
Limited

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12924; 12925

**AU\_ID: 1913\_03** From 100 meters upstream of Cibolo Creek Municipal WWTP up to the upper end of the segment.

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
Limited

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12927; 14212

### SegID: 2001 Mission River Tidal

From the confluence with Mission Bay in Refugio County to a point 7.4 km (4.6 mi) downstream of US 77 in Refugio County

Segment Type Tidal Stream

**AU\_ID: 2001\_01** From the confluence with Mission Bay in Refugio County to a point 7.4 km (4.6 mi) downstream of US 77 in Refugio County

Flow Type  
Tidal Stream

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12943

### SegID: 2002 Mission River Above Tidal

From a point 7.4 km (4.6 mi) downstream of US 77 in Refugio County to the confluence of Blanco Creek and Medio Creek in Refugio County

Segment Type Freshwater Stream

**AU\_ID: 2002\_01** From a point 7.4 km (4.6 mi) downstream of US 77 in Refugio County to the confluence of Blanco Creek and Medio Creek in Refugio County

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12944

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 2002A Medio Creek

From the confluence with Blanco Creek and Mission River in Refugio County to the headwaters in Karnes County

Segment Type Freshwater Stream

**AU\_ID: 2002A\_01** From the confluence with Blanco Creek and Mission River in Refugio County to a point 18.17 mi downstream of FM 623 in Bee County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** No Stations

**AU\_ID: 2002A\_02** From a point 18.17 mi downstream of FM 623 in Bee County to the headwaters in Karnes County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** No Stations

### SegID: 2002B Sarco Creek

From the confluence with Blanco Creek 0.46 mi downstream of FM 3410 in Goliad County to the headwaters 0.63 mi southeast of U.S. 59 in Goliad County

Segment Type Freshwater Stream

**AU\_ID: 2002B\_01** From the confluence with Blanco Creek 0.46 mi downstream of FM 3410 in Goliad County to the confluence with Elkins Branch in Goliad County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** No Stations

**AU\_ID: 2002B\_02** From the confluence with Elkins Branch in Goliad County to the headwaters 0.63 mi southeast of U.S. 59 in Goliad County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** No Stations

### SegID: 2002C Blanco Creek

From the confluence with Medio Creek and Mission River in Refugio County to the headwaters in Karnes County

Segment Type Freshwater Stream

**AU\_ID: 2002C\_01** From the confluence with Medio Creek and Mission River in Refugio County to the headwaters in Karnes County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 2003 Aransas River Tidal**

From the confluence with Copano Bay in Aransas/Refugio County to a point 1.6 km (1.0 mi) upstream of US 77 in Refugio/San Patricio County

Segment Type Tidal Stream

**AU\_ID: 2003\_01** From the confluence with Copano Bay in Aransas/Refugio County to a point 1.6 km (1.0 mi) upstream of US 77 in Refugio/San Patricio County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12947; 12948

**SegID: 2004 Aransas River Above Tidal**

From a point 1.6 km (1.0 mi) upstream of US 77 in Refugio/San Patricio County to the confluence of Poesta Creek and Aransas Creek in Bee County

Segment Type Freshwater Stream

**AU\_ID: 2004\_01** From the downstream end of segment to the confluence with Papalote Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 2004\_02** From the confluence with Papalote Creek to the upstream end of segment at the confluence with Aransas Creek and Poesta Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12952

**SegID: 2004A Aransas Creek**

From confluence with the Aransas River to the headwaters of the stream about 10 km upstream of US Highway 59

Segment Type Freshwater Stream

**AU\_ID: 2004A\_01** From confluence with the Aransas River to the headwaters of the stream about 10 km upstream of US Highway 59.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** 12941

**SegID: 2004B Poesta Creek**

From the confluence with the Aransas River to the headwaters of the stream about 7.5 km upstream of FM 673.

Segment Type Freshwater Stream

**AU\_ID: 2004B\_01** From the confluence of the Aransas River to the confluence of Talpacate Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** 12937

**AU\_ID: 2004B\_02** From the confluence with Talpacate Creek to the headwaters of the stream approximately 7.5 km upstream of FM 673

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** 12932

**SegID: 2101 Nueces River Tidal**

From the confluence with Nueces Bay in Nueces County to Calallen Dam 1.7 km (1.1 mi) upstream of US 77/IH 37 in Nueces/San Patricio County

Segment Type Tidal Stream

**AU\_ID: 2101\_01** From the confluence with Nueces Bay in Nueces County to Calallen Dam 1.7 km (1.1 mi) upstream of US 77/IH 37 in Nueces/San Patricio County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12960

**SegID: 2102 Nueces River Below Lake Corpus Christi**

From Calallen Dam 1.7 km (1.1 mi) upstream of US 77/IH 37 in Nueces/San Patricio County to Wesley E. Seale Dam in Jim Wells/San Patricio County

Segment Type Freshwater Stream

**AU\_ID: 2102\_01** From the downstream end of segment upstream to FM 666

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 20936; 21815

**AU\_ID: 2102\_02** From FM 666 to the upstream end of segment at Lake Corpus Christi

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12964; 12965; 20927

**SegID: 2103 Lake Corpus Christi**

From Wesley E. Seale Dam in Jim Wells/San Patricio County to a point 100 meters (110 yards) upstream of US 59 in Live Oak County, up to normal pool elevation of 94 feet (impounds Nueces River)

Segment Type Reservoir

**AU\_ID: 2103\_01** From the Wesley E. Seale Dam in Jim Wells/San Patricio County to a point 4.5 mi upstream to County Road 10F on the east side of the lake and the third arm on the west side of the lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12967

**AU\_ID: 2103\_02** Area approx. 4 mi. SE of FM 3162 and FM 534 intersection near western shore

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 20201

**AU\_ID: 2103\_03** Western arm of lake near Lagarto Creek inlet

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 20193

**AU\_ID: 2103\_04** Upper portion of lake on opposite shore from Hideaway Hill

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12970; 17384

**AU\_ID: 2103\_05** Upper arm of reservoir in more riverine section surrounding FM 534

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 17383

**AU\_ID: 2103\_06** Uppermost riverine part of reservoir upstream of FM 534 to upper end of segment to just upstream of US Highway 59.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 17648

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 2104 Nueces River Above Frio River

From the confluence of the Frio River in Live Oak County to Holland Dam in LaSalle County

Segment Type Freshwater Stream

**AU\_ID: 2104\_01** From the downstream end of the segment to the confluence with Dragon Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12972

**AU\_ID: 2104\_02** From the confluence with Dragon Creek to the confluence with Guadalupe Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12973

**AU\_ID: 2104\_03** From the confluence with Guadalupe Creek to the upstream end of the segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12974

### SegID: 2105 Nueces River Above Holland Dam

From Holland Dam in LaSalle County to a point 100 meters (110 yards) upstream of FM 1025 in Zavala County

Segment Type Freshwater Stream

**AU\_ID: 2105\_01** From the downstream end of the segment at Holland Dam to the confluence of Sauz Mocho Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12975

**AU\_ID: 2105\_02** From the confluence with Sauz Macho Creek to the confluence of Line Oak Slough

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12976; 20156

**AU\_ID: 2105\_03** From the confluence of Line Oak Slough to the upstream end of the segment at Ranch Rd. 1025

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 2106 Nueces/Lower Frio River

From a point 100 meters (110 yards) upstream of US 59 in Live Oak County to Choke Canyon Dam in Live Oak County

Segment Type Freshwater Stream

**AU\_ID: 2106\_01** The Nueces river from the downstream end of segment to the confluence with the Frio River

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12979; 20701

**AU\_ID: 2106\_02** The Frio River from the confluence with the Nueces River to Choke Canyon Dam

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12977

### SegID: 2107 Atascosa River

From the confluence with the Frio River in Live Oak County to the confluence of the West Prong Atascosa River and the North Prong Atascosa River in Atascosa County

Segment Type Freshwater Stream

**AU\_ID: 2107\_01** From the downstream end of the segment at the confluence with the Frio River to the confluence with Borrego Creek

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12980

**AU\_ID: 2107\_02** From the confluence with Borrego Creek to the confluence with Galvan Creek

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 20764

**AU\_ID: 2107\_03** From the confluence with Galvan Creek to the confluence with Palo Alto Creek

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12981; 12982

**AU\_ID: 2107\_04** From the confluence with Palo Alto Creek to the upper end of the segment

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** No Stations

**SegID: 2107A Bonita Creek**

From the confluence with the Atascosa River to the headwaters of the stream approximately 4 km upstream of CR 433.

Segment Type Freshwater Stream

**AU\_ID: 2107A\_01** From the confluence with the Atascosa River to the headwaters of the stream approximately 4 km upstream of CR 433.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 2107B West Prong Atascosa River**

Intermittent stream with perennial pools from the confluence with the Atascosa River upstream to the confluence with an unnamed tributary at IH 35

Segment Type Freshwater Stream

**AU\_ID: 2107B\_01** From the confluence with the Atascosa River in Atascosa Co. to the confluence with an unnamed tributary at IH35

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 2108 San Miguel Creek**

From a point immediately upstream of the confluence of Mustang Branch in McMullen County to the confluence of San Francisco Perez Creek and Chacon Creek in Frio County

Segment Type Freshwater Stream

**AU\_ID: 2108\_01** From the downstream end of the segment to the confluence of Liveoak Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12983

**AU\_ID: 2108\_02** From the confluence of Liveoak Creek to the upstream end of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations



**SegID: 2108A Chacon Creek**

Perennial stream from the confluence with San Francisco Perez Creek in Frio County upstream to the confluence of an unnamed tributary approximately 0.8 km north of SH 132 in Medina County

Segment Type Freshwater Stream

**AU\_ID: 2108A\_01** Perennial stream from the confluence with San Francisco Perez Creek in Frio County upstream to the confluence of an unnamed tributary approximately 0.8 km north of SH 132 in Medina County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 2108B Fort Ewell Creek**

Perennial stream from the confluence with Chacon Creek in Medina County upstream to the confluence of the Natalia Canal approximately 0.8 km north of SH 132 in Medina County

Segment Type Freshwater Stream

**AU\_ID: 2108B\_01** Perennial stream from the confluence with Chacon Creek in Medina County upstream to the confluence of the Natalia Canal approximately 0.8 km north of SH 132 in Medina County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 2109 Leona River**

From the confluence with the Frio River in Frio County to US 83 in Uvalde County

Segment Type Freshwater Stream

**AU\_ID: 2109\_01** From the downstream end of segment to the confluence of Yoledigo Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12985; 21044

**AU\_ID: 2109\_02** From the confluence of Yoledigo Creek to the confluence of Camp Lake Slough

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12987; 21064

**AU\_ID: 2109\_03** From the confluence of Camp Lake Slough to the upper end of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12989; 18418; 21066

**SegID: 2109A Yoledigo Creek**

From the confluence with the Leona River in Frio Co. to the headwaters approximately 9.5 km upstream of US Hwy 57 in Zavala Co.

Segment Type Freshwater Stream

**AU\_ID: 2109A\_01** From the confluence with the Leona River in Frio Co. to the headwaters approximately 9.5 km upstream of US Hwy 57 in Zavala Co.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** 21060

**SegID: 2109B Todos Santos Creek**

From the confluence with the Leona River in Frio Co. to the headwaters approximately 11 km upstream of the confluence with Big Hollow Creek in Frio Co.

Segment Type Freshwater Stream

**AU\_ID: 2109B\_01** From the confluence with the Leona River in Frio Co. to the headwaters approximately 11 km upstream of the confluence with Big Hollow Creek in Frio Co.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Flow Questionnaire	High	Presumption from flow type

**Station ID(s):** 21061

**SegID: 2109C Live Oak Creek**

From the confluence with the Leona River in Zavala Co. to the headwaters approximately 15.2 km upstream of US Hwy 57 in Uvalde Co.

Segment Type Freshwater Stream

**AU\_ID: 2109C\_01** From the confluence with the Leona River in Zavala Co. to the headwaters approximately 15.2 km upstream of US Hwy 57 in Uvalde Co.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** 21062

**SegID: 2109D Gallina Slough**

From the confluence with the Leona River in Zavala Co. to the headwaters approximately 9 km upstream of US Hwy 57 in Zavala Co.

Segment Type Freshwater Stream

**AU\_ID: 2109D\_01** From the confluence with the Leona River in Zavala Co. to the headwaters approximately 9 km upstream of US Hwy 57 in Zavala Co.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type

**Station ID(s):** 21063

**SegID: 2109E Cooks Slough**

From the confluence with the Leona River in Uvalde Co. to the headwaters approximately 13.7 km upstream of TX Hwy 55 in Uvalde Co.

Segment Type Freshwater Stream

**AU\_ID: 2109E\_01** From the confluence with the Leona River in Uvalde Co. to the headwaters approximately 13.7 km upstream of TX Hwy 55 in Uvalde Co.

Flow Type  
Perennial

Flow Type Source  
Flow Questionnaire

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

Station ID(s): 21067

**SegID: 2109F Taylor Slough**

From the confluence with the Leona River in Uvalde Co. to the headwaters approximately 3.8 km upstream of Ranch Road 2690 in Uvalde Co.

Segment Type Freshwater Stream

**AU\_ID: 2109F\_01** From the confluence with the Leona River in Uvalde Co. to the headwaters approximately 3.8 km upstream of Ranch Road 2690 in Uvalde Co.

Flow Type  
Intermittent w/pools

Flow Type Source  
Flow Questionnaire

ALU Designation  
Limited

ALU Designation Source  
Presumption from flow type

Station ID(s): 21068

**SegID: 2109G Leona River Above Hwy 83**

From the upper end of segment 2109 at US Highway 83 in Uvalde Co. to the headwaters of the Leona River approximately 16.6 km upstream of US Highway 83 in Uvalde Co.

Segment Type Freshwater Stream

**AU\_ID: 2109G\_01** From the upper end of segment 2109 at US Highway 83 in Uvalde Co. to the headwaters of the Leona River approximately 16.6 km upstream of US Highway 83 in Uvalde Co.

Flow Type  
Intermittent w/pools

Flow Type Source  
Flow Questionnaire

ALU Designation  
Limited

ALU Designation Source  
Presumption from flow type

Station ID(s): 21070

**SegID: 2109H Camp Lake Slough**

From the confluence with the Leona River in Zavala Co. to the headwaters approximately 33.5 km upstream in Uvalde Co.

Segment Type Freshwater Stream

**AU\_ID: 2109H\_01** From the confluence with the Leona River in Zavala Co. to the headwaters approximately 33.5 km upstream in Uvalde Co.

Flow Type  
Intermittent w/pools

Flow Type Source  
Flow Questionnaire

ALU Designation  
Limited

ALU Designation Source  
Presumption from flow type

Station ID(s): 21065

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 2110 Lower Sabinal River

From the confluence with the Frio River in Frio County to Uvalde County to a point 100 meters (110 yards) upstream of SH 127 in Uvalde County

Segment Type Freshwater Stream

**AU\_ID: 2110\_01** From the confluence with the Frio River in Frio County to Uvalde County to a point 100 meters (110 yards) upstream of SH 127 in Uvalde County

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12993

### SegID: 2111 Upper Sabinal River

From a point 100 meters (110 yards) upstream of SH 127 in Uvalde County to the most upstream crossing of FM 187 in Bandera County

Segment Type Freshwater Stream

**AU\_ID: 2111\_01** From the downstream end of segment to the confluence with the West Sabinal River

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 12994; 21948

**AU\_ID: 2111\_02** From the confluence with the West Sabinal River to the upstream end of segment

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 14939

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 2112 Upper Nueces River

From a point 100 meters (110 yards) upstream of FM 1025 in Zavala County to the confluence of the East Prong Nueces River and Hackberry Creek in Edwards County

Segment Type Freshwater Stream

**AU\_ID: 2112\_01** From the downstream end of the segment to the confluence with Sand Ridge Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 12996; 17143

**AU\_ID: 2112\_02** From the confluence with Sand Ridge Creek to the confluence with unnamed tributary with NHD RC 12110103000444 at point N-99.91, W29.2 just downstream of US Highway 90.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 2112\_03** From the confluence with unnamed tributary with NHD RC 12110103000444 at point N-99.91, W29.2 just downstream of US Highway 90 to the confluence with Miller Creek.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 16704

**AU\_ID: 2112\_04** From the confluence with Miller Creek to the upper end of the segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 13005

### SegID: 2113 Upper Frio River

From a point 100 meters (110 yards) upstream of US 90 in Uvalde County to the confluence of the West Frio River and the East Frio River in Real County

Segment Type Freshwater Stream

**AU\_ID: 2113\_01** From the downstream end of the segment to the confluence with Bear Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	Exceptional	TSWQS Appendix A

**Station ID(s):** 13006

**AU\_ID: 2113\_02** From the confluence with Bear Creek to the upstream end of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	Exceptional	TSWQS Appendix A

**Station ID(s):** 13007

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 2114 Hondo Creek

From the confluence with the Frio River in Frio County to FM 470 in Bandera County

Segment Type Freshwater Stream

**AU\_ID: 2114\_01** From the downstream end of the segment to the confluence with and unnamed tributary with NHD RC 12110107000245 at point N-99.12, W29.38 just upstream of FM 2676.

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 18408

**AU\_ID: 2114\_02** From the confluence with and unnamed tributary with NHD RC 12110107000245 at point N-99.12, W29.38 just upstream of FM 2676 to the upstream end of the segment.

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 13010

### SegID: 2115 Seco Creek

From the confluence with Hondo Creek in Frio County to West Seco Creek in Bandera County

Segment Type Freshwater Stream

**AU\_ID: 2115\_01** From the downstream end of the segment to the confluence with an unnamed tributary at NHD RC 1211010700385 at point N-99.28, W29.42

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 2115\_02** From the confluence with an unnamed tributary at NHD RC 1211010700385 at point N-99.28, W29.42 to the upstream end of the segment

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 13013; 13017

**SegID: 2116 Choke Canyon Reservoir**

From Choke Canyon Dam to a point 4.2 km (2.6 mi) downstream of SH 16 on the Frio River Arm and to a point 100 meters (110 yards) upstream of the confluence of Mustang Branch on the San Miguel Creek Arm, up to the normal pool elevation of 220.5 feet (impou

Segment Type Reservoir

**AU\_ID: 2116\_01** 5120 acres near dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 13019

**AU\_ID: 2116\_02** Small north arm of lake near dam and Willow Hollow Tank

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 17393

**AU\_ID: 2116\_03** 5120 acres in middle of lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 13020; 17392

**AU\_ID: 2116\_04** Large north arm near mid lake and Jacob Oil Field

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 17391

**AU\_ID: 2116\_05** Southern arm near mid lake and Rec. Road 7 west of Calliham

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 17997

**AU\_ID: 2116\_06** Western end of lake up to RR 99 bridge

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 17389; 20179

**AU\_ID: 2116\_07** Remainder of lake from RR 99 bridge to upper end of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 2117 Frio River Above Choke Canyon Reservoir

From a point 4.2 km (2.6 mi) downstream of SH 16 in McMullen County to a point 100 meters (110 yards) upstream of US 90 in Uvalde County

Segment Type Freshwater Stream

**AU\_ID: 2117\_01** From the downstream end of segment to the confluence with Esperanza Creek

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 13023

**AU\_ID: 2117\_02** From the confluence with Esperanza Creek to the confluence with Ruiz Creek

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 18373

**AU\_ID: 2117\_03** From the confluence with Ruiz Creek to the confluence with Live Oak Creek

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 13024

**AU\_ID: 2117\_04** From the confluence with Live Oak Creek to the confluence with Elm Creek

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 2117\_05** From the confluence with Elm Creek to the confluence with Spring Branch

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 15449

**AU\_ID: 2117\_06** From the confluence with Spring Branch to the upstream end of the segment

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** No Stations



**SegID: 2201 Arroyo Colorado Tidal**

From confluence with Laguna Madre in Cameron/Willacy County to a point 100 meters (110 yards) downstream of Cemetery Road south of Port Harlingen in Cameron County

Segment Type Tidal Stream

**AU\_ID: 2201\_01** From the downstream end of the segment to the confluence with San Vicente Drainage Ditch

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 13782

**AU\_ID: 2201\_02** From the confluence with San Vicente Drainage Ditch to the confluence with an unnamed drainage ditch with NHD RC 12110108005353 at point N-97.53, W 26.31

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 13071

**AU\_ID: 2201\_03** From the confluence with an unnamed drainage ditch with NHD RC 12110108005353 at point N-97.53, W 26.31 to the confluence with Harding Ranch Ditch tributary

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 13559

**AU\_ID: 2201\_04** From the confluence with Harding Ranch Ditch tributary to just upstream of the City of Hondo Wastewater Discharge at point N-97.58359, W26.247186

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 13073

**AU\_ID: 2201\_05** From just upstream of the City Rio of Hondo Wastewater Discharge at point N-97.58359, W26.247186 to the upstream end of the segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 13072; 16142

**SegID: 2201B Unnamed Drainage Ditch Tributary (B) in Cameron County Drainage District #3**

Perennial drainage ditches that flow into the segment in Cameron and Hidalgo counties

Segment Type Freshwater Stream

**AU\_ID: 2201B\_01** From the confluence with the Arroyo Colorado in Cameron County in the Rio Hondo turning basin at -97.6, 26.196 decimal degrees to a point 17.6 km upstream at the FM 510 crossing.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 2201C Drainage ditches flowing into Arroyo Colorado Tidal**

Perennial freshwater drainage ditches that flow into Arroyo Colorado Tidal

Segment Type Freshwater Stream

**AU\_ID: 2201C\_01** Perennial freshwater drainage ditches that flow into Arroyo Colorado Tidal

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 2202 Arroyo Colorado Above Tidal**

From a point 100 meters (110 yards) downstream of Cemetery Road south of Port Harlingen in Cameron County to FM 2062 in Hidalgo County

Segment Type Freshwater Stream

**AU\_ID: 2202\_01** From the downstream end of segment to the confluence with Little Creek just upstream of State Loop 499

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	Intermediate	TSWQS Appendix A

**Station ID(s):** 13074

**AU\_ID: 2202\_02** From the confluence with Little Creek to the confluence with La Feria Main Canal just upstream of Dukes Highway

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	Intermediate	TSWQS Appendix A

**Station ID(s):** 13079; 13080; 16141; 16445

**AU\_ID: 2202\_03** From the confluence with La Feria Main Canal just upstream of Dukes Highway to the confluence with La Cruz Resaca just downstream of FM 907

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	Intermediate	TSWQS Appendix A

**Station ID(s):** 13081

**AU\_ID: 2202\_04** From the confluence with La Cruz Resaca to the upper end of segment at FM 2062

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	Intermediate	TSWQS Appendix A

**Station ID(s):** 13084

**SegID: 2202A Donna Reservoir**

Off-channel irrigation reservoir pumped from Rio Grande near the City of Donna in Hidalgo County

Segment Type Reservoir

**AU\_ID: 2202A\_01** Off-channel irrigation reservoir pumped from Rio Grande near the City of Donna in Hidalgo County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

**SegID: 2202B Unnamed Drainage Ditch Tributary (B) to S. Arroyo Colorado**

Perennial drainage ditches that flow into the segment in Cameron and Hidalgo counties

Segment Type Freshwater Stream

**AU\_ID: 2202B\_01** Perennial drainage ditches that flow into the segment in Cameron and Hidalgo counties

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 2202C Unnamed Drainage Ditch Tributary (C) to S. Arroyo Colorado**

From the confluence with S. Arroyo Colorado to a point 1.1 mi upstream near US Highway 281

Segment Type Freshwater Stream

**AU\_ID: 2202C\_01** From the confluence with S. Arroyo Colorado to a point 1.1 mi upstream near US Highway 281

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 2202D Unnamed Drainage Ditch Tributary (D) to S. Arroyo Colorado**

From the confluence with the Arroyo Colorado above tidal to the headwaters at a point upstream 5.124 mi where it meets Ratliff St. Pennsylvania Ave.

Segment Type Freshwater Stream

**AU\_ID: 2202D\_01** From the confluence with the Arroyo Colorado above tidal to the headwaters at a point upstream 5.124 mi where it meets Ratliff St. Pennsylvania Ave.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 2202E Unnamed Drainage Ditch Tributary (E) to S. Arroyo Colorado**

From the confluence with the Arroyo Colorado above tidal to the headwaters at a point upstream 6.563 mi where it meets S. Col. Rowe Blvd.

Segment Type Freshwater Stream

**AU\_ID: 2202E\_01** From the confluence with the Arroyo Colorado above tidal to the headwaters at a point upstream 6.563 mi where it meets S. Col. Rowe Blvd.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 2202F Drainage ditches flowing into Arroyo Colorado Above Tidal**

Perennial freshwater drainage ditches that flow into Arroyo Colorado Above Tidal

Segment Type Freshwater Stream

**AU\_ID: 2202F\_01** Perennial freshwater drainage ditches that flow into Arroyo Colorado Above Tidal

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 2203 Petronila Creek Tidal**

From the confluence of Chiltipin Creek in Kleberg County to a point 1 km (0.6 mi) upstream of private road crossing near Laureles Ranch in Kleberg County

Segment Type Tidal Stream

**AU\_ID: 2203\_01** From the confluence with Tunas Creek and Alazan Bay to a point 11 mi upstream

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 13090

**SegID: 2204 Petronila Creek Above Tidal**

From a point 1 km (0.6 mi) upstream of private road crossing near Laureles Ranch in Kleberg County to the confluence of Agua Dulce and Banquete Creeks in Nueces County

Segment Type Freshwater Stream

**AU\_ID: 2204\_01** From downstream end of segment to the confluence with 2204A, unnamed drainage ditch tributary to Petronila Creek at N-97.7, W27.65 approximately 32.5 km (20.2 mi) upstream

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	Intermediate	TSWQS Appendix A

**Station ID(s):** 13093; 13094; 13095

**AU\_ID: 2204\_02** From the confluence with 2204A, unnamed drainage ditch tributary of Petronila Creek at N-97.7, W27.65 to the upstream end of segment at the confluence with Agua Dulce and Banquete Creeks approximately 31.6 km (19.6 mi) upstream

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	Intermediate	TSWQS Appendix A

**Station ID(s):** 13096; 20806

**SegID: 2204A Unnamed Drainage Ditch Tributary (A) to Petronila Creek**

From the confluence with Petronila Creek to a point 3.9 mi upstream at US Highway 77.

Segment Type Freshwater Stream

**AU\_ID: 2204A\_01** From the confluence with Petronila Creek to a point 3.9 mi upstream at US Highway 77.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 2204B Unnamed Tributary (B) to Petronila Creek**

From confluence of Petronila Creek at FM 70 to the crossing at FM 665.

Segment Type Freshwater Stream

**AU\_ID: 2204B\_01** From confluence of Petronila Creek at FM 70 to the crossing at FM 665.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D

**Station ID(s):** No Stations

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 2301      Rio Grande Tidal

From the confluence with the Gulf of Mexico in Cameron County to a point 10.8 km (6.7 mi) downstream of the International Bridge in Cameron County

Segment Type      Tidal Stream

**AU\_ID: 2301\_01**      From the confluence with the Gulf of Mexico in Cameron County to a point 71.7 km (44.6 mi) upstream

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	Exceptional	TSWQS Appendix A

**Station ID(s):**      13176

**AU\_ID: 2301\_02**      From a point 71.7 km (44.6 mi) upstream of the mouth the Rio Grande to a point 10.8 km (6.7 mi) downstream of the International Bridge in Cameron County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	TSWQS Appendix A	Exceptional	TSWQS Appendix A

**Station ID(s):**      16288

**SegID: 2302 Rio Grande Below Falcon Reservoir**

From a point 10.8 km (6.7 mi) downstream of the International Bridge in Cameron County to Falcon Dam in Starr County

Segment Type Freshwater Stream

**AU\_ID: 2302\_01** From a point 10.8 km (6.7 mi) downstream of the International Bridge near the El Jardin Pump Station in Cameron County upstream to the west branch of the Rancho Viejo Floodway

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 13177; 13178; 13179; 20449

**AU\_ID: 2302\_02** From the west branch of the Rancho Viejo Floodway upstream to the Progreso International Bridge (FM 1015)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 10249

**AU\_ID: 2302\_03** From the Progreso International Bridge (FM 1015) upstream to the McAllen International Bridge (US Hwy 281)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 13180; 15808; 17247

**AU\_ID: 2302\_04** From the McAllen International Bridge (US Hwy 281) upstream to Anzalduas Dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 13181; 13664

**AU\_ID: 2302\_05** From Anzalduas Dam upstream to Los Ebanos Ferry Crossing

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 21012

**AU\_ID: 2302\_06** From the Los Ebanos Ferry Crossing upstream to the confluence with Arroyo Los Olmos

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 13184

**AU\_ID: 2302\_07** From the confluence with Arroyo Los Olmos upstream to Falcon Reservoir Dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 13185; 13186; 13188

**SegID: 2302A Arroyo Los Olmos**

From Rio Grande confluence at Rio Grande City to El Sauz in Starr County

Segment Type Freshwater Stream

**AU\_ID: 2302A\_01** From the Rio Grande confluence near Rio Grande City upstream to a point 39.4 km (24.5 mi) near El Sauz

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** 13103

**SegID: 2303 International Falcon Reservoir**

From Falcon Dam in Starr County to a point 0.66 km (0.41 mi) upstream of the confluence of the Arroyo El Lobo (Mexico) in Webb County, up to the normal pool elevation of 301.1 feet (impounds Rio Grande)

Segment Type Reservoir

**AU\_ID: 2303\_01** Area around International Monument XIV

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 2303\_02** Area around Zapata WTP intake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 2303\_03** Area around International Monument I

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 13189

**AU\_ID: 2303\_04** Upper portion of reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 2303\_05** From the confluence of the Arroyo El Salado (Mexico) in Zapata County upstream to a point 0.66 km (0.41 mi) upstream of the confluence of the Arroyo El Lobo (Mexico) in Webb County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 13194; 15817; 15818



**SegID: 2304      Rio Grande Below Amistad Reservoir**

From a point 0.66 km (0.41 mi) upstream of the confluence of the Arroyo El Lobo (Mexico) in Webb County to Amistad Dam in Val Verde County

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 2304 Rio Grande Below Amistad Reservoir

From a point 0.66 km (0.41 mi) upstream of the confluence of the Arroyo El Lobo (Mexico) in Webb County to Amistad Dam in Val Verde County

Segment Type Freshwater Stream

**AU\_ID: 2304\_01** From a point 0.66 km (0.41 mi) upstream of the confluence of the Arroyo El Lobo (Mexico) in Webb County upstream to the San Idelfonso Creek confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 13196; 15816; 21542

**AU\_ID: 2304\_02** From the San Idelfonso Creek confluence upstream to International Bridge #2

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 13200; 15815

**AU\_ID: 2304\_03** From the International Bridge #2 upstream to the City of Laredo water treatment plant intake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 13201; 15814

**AU\_ID: 2304\_04** From the City of Laredo water treatment plant intake upstream to the World Trade Center Bridge

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 13202; 15813; 17410; 20650

**AU\_ID: 2304\_05** From the World Trade Center Bridge upstream to the Columbia Bridge

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 2304\_06** From the Columbia Bridge upstream to El Indio

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 15274; 15839; 17596

**AU\_ID: 2304\_07** From El Indio upstream to downstream of US Hwy 277 (Eagle Pass)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 13205; 13206; 18792; 18795; 20999

**AU\_ID: 2304\_08** From downstream of US Hwy 277 (Eagle Pass) upstream to the Las Moras Creek confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 20997

**SegID: 2304 Rio Grande Below Amistad Reservoir**

From a point 0.66 km (0.41 mi) upstream of the confluence of the Arroyo El Lobo (Mexico) in Webb County to Amistad Dam in Val Verde County

Segment Type Freshwater Stream

**AU\_ID: 2304\_09** From the Las Moras Creek confluence upstream to the San Felipe Creek confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 13560

**AU\_ID: 2304\_10** From the San Felipe Creek confluence upstream to the Amistad Dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 13208; 13209; 14092; 15340

**SegID: 2304A Cienegas Creek**

Perennial stream from the confluence with the Rio Grande to the headwater spring source (Cienegas Springs) approximately 0.8 km north of Cienega Lane west of Del Rio

Segment Type Freshwater Stream

**AU\_ID: 2304A\_01** Perennial stream from the confluence with the Rio Grande to the headwater spring source (Cienegas Springs) approximately 0.8 km north of Cienega Lane west of Del Rio

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 2304B Manadas Creek**

From the Rio Grande confluence in Laredo to a point 1.3 km (0.81 mi) upstream of Bob Bullock Loop

Segment Type Freshwater Stream

**AU\_ID: 2304B\_01** From the Rio Grande confluence in Laredo to a point 1.3 km (0.81 mi) upstream of Bob Bullock Loop

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Water body description	High	Presumption from flow type

**Station ID(s):** 13116

**SegID: 2305 International Amistad Reservoir**

From Amistad Dam to a point 1.8 km (1.1 mi) downstream of the confl of Ramsey Canyon on the Rio Grande Arm and to a point 0.7 km (0.4 miles) downstream of the confl of Painted Canyon on the Pecos Arm and to a point 0.6 km (0.4 mi) downstream of the confl

Segment Type Reservoir

**AU\_ID: 2305\_01** Rio Grande Arm

Flow Type

Reservoir

Flow Type Source

TSWQS Appendix A

ALU Designation

High

ALU Designation Source

TSWQS Appendix A

**Station ID(s):** 13240; 15892; 16379; 20174; 20624; 20627; 20630

**AU\_ID: 2305\_02** Devils River arm

Flow Type

Reservoir

Flow Type Source

TSWQS Appendix A

ALU Designation

High

ALU Designation Source

TSWQS Appendix A

**Station ID(s):** 13237; 15893

**AU\_ID: 2305\_03** Area around International Boundary Buoy I (dam)

Flow Type

Reservoir

Flow Type Source

TSWQS Appendix A

ALU Designation

High

ALU Designation Source

TSWQS Appendix A

**Station ID(s):** 13835

**AU\_ID: 2305\_04** Remainder of reservoir

Flow Type

Reservoir

Flow Type Source

TSWQS Appendix A

ALU Designation

High

ALU Designation Source

TSWQS Appendix A

**Station ID(s):** No Stations

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 2306 Rio Grande Above Amistad Reservoir

From a point 1.8 km (1.1 mi) downstream of the confluence of Ramsey Canyon in Val Verde County to the confluence of the Rio Conchos (Mexico) in Presidio County

Segment Type Freshwater Stream

**AU\_ID: 2306\_01** From the lower segment boundary at Ramsey Canyon upstream to the confluence of Panther Gulch

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 13223; 20182; 20628; 20629; 20631; 20632

**AU\_ID: 2306\_02** From the confluence of Panther Gulch upstream to FM 2627

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 20623; 20625; 20626

**AU\_ID: 2306\_03** From FM 2627 upstream to Boquillas Canyon

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 13225

**AU\_ID: 2306\_04** From Boquillas Canyon upstream to Mariscal Canyon

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 16730; 18483; 18535; 20199; 20619

**AU\_ID: 2306\_05** From Mariscal Canyon to a point upstream of the IBWC gage at Johnson Ranch

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 13227; 20616

**AU\_ID: 2306\_06** From a point upstream of the IBWC gage at Johnson Ranch to the mouth of Santa Elena Canyon at the Terlingua Creek confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 13228; 16274; 18482

**AU\_ID: 2306\_07** From the mouth of Santa Elena Canyon at the Terlingua Creek confluence upstream to the Alamito Creek confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 13229; 16862; 18441; 20617

**AU\_ID: 2306\_08** From Alamito Creek confluence upstream to the Rio Conchos confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 17000; 17001

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 2306A Alamito Creek

From Rio Grande confluence upstream to the confluence of the North and South Forks of Alamito Creek north of Marfa in Presidio County

Segment Type Freshwater Stream

**AU\_ID: 2306A\_01** From the confluence with the Rio Grande upstream to Ranch Road 169 crossing

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**AU\_ID: 2306A\_02** From the Ranch Road 169 crossing upstream to the confluence of the North and South Forks of Alamito Creek north of Marfa in Presidio County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Flow Questionnaire	High	Presumption from flow type

**Station ID(s):** No Stations

### SegID: 2307 Rio Grande Below Riverside Diversion Dam

From the confluence of the Rio Conchos (Mexico) in Presidio County to Riverside Diversion Dam in El Paso County

Segment Type Freshwater Stream

**AU\_ID: 2307\_01** From immediately upstream of the Rio Conchos confluence to a point 40.2 km (25 mi) upstream

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 13230; 13231

**AU\_ID: 2307\_02** From a point 40.2 km (25 mi) upstream of the Rio Conchos confluence to Little Box Canyon

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 17407; 20648

**AU\_ID: 2307\_03** From Little Box Canyon upstream to the Alamo Grade Structure

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 13232; 13233

**AU\_ID: 2307\_04** From the Alamo Grade Structure upstream to the Guadalupe Bridge

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 15704; 15795

**AU\_ID: 2307\_05** From the Guadalupe Bridge to downstream of the Riverside Diversion Dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 14465; 16272

**SegID: 2308 Rio Grande Below International Dam**

From the Riverside Diversion Dam in El Paso County to International Dam in El Paso County

Segment Type Freshwater Stream

**AU\_ID: 2308\_01** From the Riverside Diversion Dam to the International Dam in El Paso County

Flow Type

Perennial

Flow Type Source

TSWQS Appendix A

ALU Designation

Limited

ALU Designation Source

TSWQS Appendix A

Station ID(s): 15528; 15529

**SegID: 2309 Devils River**

From a point 0.6 km (0.4 mi) downstream of the confluence of Little Satan Creek in Val Verde County to the confluence of Dry Devils River in Sutton County

Segment Type Freshwater Stream

**AU\_ID: 2309\_01** From the Devils River Arm of Amistad Reservoir upstream to Falls Canyon just below the Dolan Creek confluence

Flow Type

Perennial

Flow Type Source

TSWQS Appendix A

ALU Designation

Exceptional

ALU Designation Source

TSWQS Appendix A

Station ID(s): No Stations

**AU\_ID: 2309\_02** From Falls Canyon just below the Dolan Creek confluence upstream to Wallace Canyon

Flow Type

Perennial

Flow Type Source

TSWQS Appendix A

ALU Designation

Exceptional

ALU Designation Source

TSWQS Appendix A

Station ID(s): 13239

**AU\_ID: 2309\_03** From Wallace Canyon to the upper segment boundary at the Dry Devils River confluence

Flow Type

Perennial

Flow Type Source

TSWQS Appendix A

ALU Designation

Exceptional

ALU Designation Source

TSWQS Appendix A

Station ID(s): No Stations

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 2309A Dolan Creek

From Devils River confluence to km 46.7 km (29 mi) south of Sonora and 4.8 km (3 mi) west of US 277 in Val Verde County

Segment Type Freshwater Stream

**AU\_ID: 2309A\_01** From the Rio Grande Arm of Amistad Reservoir upstream to Yellow Bluff (near the origin of Dolan Springs)

Flow Type

Perennial

Flow Type Source

Routine Flow Data

ALU Designation

High

ALU Designation Source

Presumption from flow type

**Station ID(s):** 14942

**AU\_ID: 2309A\_02** From Yellow Bluff upstream to a point 4.7 km (2.9 mi) west of US HWY 277 (headwaters)

Flow Type

Intermittent

Flow Type Source

Flow Questionnaire

ALU Designation

Minimal

ALU Designation Source

Presumption from flow type

**Station ID(s):** No Stations

### SegID: 2310 Lower Pecos River

From a point 0.7 km (0.4 mi) downstream of the confluence of Painted Canyon in Val Verde County to a point immediately upstream of the confluence of Independence Creek in Crockett/Terrell County

Segment Type Freshwater Stream

**AU\_ID: 2310\_01** From the Devils River Arm of Amistad Reservoir confluence upstream to FM 2083 near Pan Dale

Flow Type

Perennial

Flow Type Source

TSWQS Appendix A

ALU Designation

High

ALU Designation Source

TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 2310\_02** From FM 2083 near Pan Dale upstream to just upstream of the Independence Creek confluence

Flow Type

Perennial

Flow Type Source

TSWQS Appendix A

ALU Designation

High

ALU Designation Source

TSWQS Appendix A

**Station ID(s):** 13246; 14163; 18801



## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 2310A Independence Creek

From the Pecos River confluence northeast of Sanderson in Terrell County to a point approximately 4.1 km (2.5 mi) east of US Hwy 285 in Pecos County

Segment Type Freshwater Stream

**AU\_ID: 2310A\_01** Perennial stream from the confluence with the Pecos River upstream to the mouth of Surveyor Canyon (upstream of FM 2400)

Flow Type

Perennial

Flow Type Source

TSWQS Appendix D

ALU Designation

Exceptional

ALU Designation Source

TSWQS Appendix D

**Station ID(s):** 13109

**AU\_ID: 2310A\_02** From the mouth of Surveyor Canyon (upstream of FM 2400) to a point approximately 4.1 km (2.5 mi) east of US Hwy 285 in Pecos County

Flow Type

Perennial

Flow Type Source

Routine Flow Data

ALU Designation

High

ALU Designation Source

Presumption from flow type

**Station ID(s):** No Stations

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 2311 Upper Pecos River

From a point immediately upstream of the confluence of Independence Creek in Crockett/Terrell County to Red Bluff Dam in Loving/Reeves County

Segment Type Freshwater Stream

**AU\_ID: 2311\_01** From just upstream of the Independence Creek confluence upstream to US Hwy 290

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 13248

**AU\_ID: 2311\_02** From US Hwy 290 upstream to US Hwy 67

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 13249; 15114

**AU\_ID: 2311\_03** From US Hwy 67 upstream to the Ward Two Irrigation Turnout

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 13257; 13258; 13259; 13260; 20399

**AU\_ID: 2311\_04** From the Ward Two Irrigation Turnout upstream to US Hwy 80 (Bus 20)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 2311\_05** From US Hwy 80 (Bus 20) upstream to the Barstow Dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 13261

**AU\_ID: 2311\_06** From the Barstow Dam upstream to State Hwy 302

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 2311\_07** From State Hwy 302 upstream to FM 652

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 13264

**AU\_ID: 2311\_08** From FM 652 upstream to the Red Bluff Dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 13265

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 2312 Red Bluff Reservoir

From Red Bluff Dam in Loving/Reeves County to New Mexico State Line in Loving/Reeves County, up to normal pool elevation 2842 feet (impounds Pecos River)

Segment Type Reservoir

**AU\_ID: 2312\_01** From the Red Bluff Dam to mid-lake

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 13267

**AU\_ID: 2312\_02** From mid-lake to the Texas/New Mexico state line

Flow Type  
Reservoir

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 13269

### SegID: 2313 San Felipe Creek

From the confluence with the Rio Grande in Val Verde County to a point 4.0 km (2.5 mi) upstream of US 90 in Val Verde County

Segment Type Freshwater Stream

**AU\_ID: 2313\_01** From the Rio Grande confluence to the San Felipe Springs upstream of US Hwy 90

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 13270; 15820; 15821

### SegID: 2314 Rio Grande Above International Dam

From International Dam in El Paso County to the New Mexico State Line in El Paso County

Segment Type Freshwater Stream

**AU\_ID: 2314\_01** From the International Dam upstream to the Anthony Drain confluence

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 13272; 13274; 13275; 15089; 17040

**AU\_ID: 2314\_02** From the Anthony Drain confluence upstream to the New Mexico/Texas state line

Flow Type  
Perennial

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 13276

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 2411 Sabine Pass

From the end of jetties at the Gulf of Mexico to SH 82

Segment Type Estuary

**AU\_ID: 2411\_01** From the end of jetties at the Gulf of Mexico to SH 82

Flow Type

Estuary

Flow Type Source

TSWQS Appendix A

ALU Designation

Exceptional

ALU Designation Source

TSWQS Appendix A

**Station ID(s):** 13298

### SegID: 2411OWSabine Pass (Oyster Waters)

Sabine Pass (Oyster Waters)

Segment Type Oyster Waters

**AU\_ID: 2411OW\_** Sabine Pass (Oyster Waters)

Flow Type

Oyster Waters

Flow Type Source

Water body description

ALU Designation

High

ALU Designation Source

Presumption from Flow Type

**Station ID(s):** No Stations

### SegID: 2412 Sabine Lake

Sabine Lake

Segment Type Estuary

**AU\_ID: 2412\_01** Sabine Lake

Flow Type

Estuary

Flow Type Source

TSWQS Appendix A

ALU Designation

High

ALU Designation Source

TSWQS Appendix A

**Station ID(s):** 13302; 14512; 14514

### SegID: 2412OWSabine Lake (Oyster Waters)

Sabine Lake (Oyster Waters)

Segment Type Oyster Waters

**AU\_ID: 2412OW\_** Sabine Lake (Oyster Waters)

Flow Type

Oyster Waters

Flow Type Source

Water body description

ALU Designation

High

ALU Designation Source

Presumption from Flow Type

**Station ID(s):** No Stations

**SegID: 2421 Upper Galveston Bay**

Upper Galveston Bay

Segment Type Estuary

**AU\_ID: 2421\_01** Red Bluff to Five mi Cut to Houston Point to Morgans Point

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Estuary	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 15244; 15904; 15907; 15908; 16201; 16230

**AU\_ID: 2421\_02** Western portion of the bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Estuary	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 15243; 15246; 15247; 15913; 16208; 16213; 16511; 16516

**AU\_ID: 2421\_03** Main portion of the bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Estuary	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 15242; 15245; 15903; 15906; 15909; 15910; 15911; 16207; 16209; 16215; 16507; 16510; 16512

**SegID: 2421A Clear Lake Channel**

From the Lower Galveston Bay confluence to SH 146

Segment Type Estuary

**AU\_ID: 2421A\_01** From Lower Galveston Bay confluence to SH 146

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Estuary	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

**SegID: 2421B Little Cedar Bayou**

From the confluence with Upper Galveston Bay to a point immediately upstream of Barbours Cut Blvd in La Porte

Segment Type Tidal Stream

**AU\_ID: 2421B\_01** From the confluence with Galveston Bay to a point immediately upstream of Barbours Cut Blvd in La Porte

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	Water body description	High	Presumption from flow type

**Station ID(s):** 20802

**SegID: 2421C Pine Gully**

Pine Gully - from the confluence with Upper Galveston Bay upstream to the terminus approximately 875 m east of the intersection of Old Highway 146 and Red Bluff Rd in Seabrook

Segment Type Tidal Stream

**AU\_ID: 2421C\_01** Pine Gully - from the confluence with Upper Galveston Bay upstream to the terminus approximately 875 m east of the intersection of Old Highway 146 and Red Bluff Rd in Seabrook

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	Water body description	High	Presumption from flow type

**Station ID(s):** 15463

**SegID: 2421HC Upper Galveston Bay (Recreational Beaches)**

Upper Galveston Bay (Recreational Beaches)

Segment Type Recreational Beaches

**AU\_ID: 2421HC\_1** Sylvan Beach Park (Beach ID TX412536)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Recreational Beaches	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

**SegID: 2421OW Upper Galveston Bay (Oyster Waters)**

Upper Galveston Bay (Oyster Waters)

Segment Type Oyster Waters

**AU\_ID: 2421OW\_** Entire western portion of the bay (Oyster Waters)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Waters	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

**AU\_ID: 2421OW\_** Eastern portion of the bay (Oyster Waters)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Waters	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

**SegID: 2422 Trinity Bay**

Trinity Bay

Segment Type Estuary

**AU\_ID: 2422\_01** Upper half of bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Estuary	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 13315; 15234; 15235; 15236; 15237; 15898; 15899; 15900; 15901; 16197; 16198; 16200; 16495; 16497; 16498; 16500; 16501; 16502

**AU\_ID: 2422\_02** Lower half of bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Estuary	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 15238; 15239; 15240; 15241; 15902; 15905; 16199; 16202; 16204; 16206; 16210; 16504; 16505; 16506; 16509

**SegID: 2422A Anahuac Ditch**

Perennial stream from the confluence with the West Fork Double Bayou upstream to FM 563 near the City of Anahuac

Segment Type Freshwater Stream

**AU\_ID: 2422A\_01** Perennial stream from the confluence with the West Fork Double Bayou upstream to FM 563 near the City of Anahuac

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 2422B Double Bayou West Fork**

From the Trinity Bay confluence to Belton Road in Chambers County

Segment Type Tidal Stream

**AU\_ID: 2422B\_01** From the Trinity Bay confluence to Belton Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	Water body description	High	Presumption from flow type

**Station ID(s):** 10657; 18361

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 2422D Double Bayou East Fork

From the Trinity Bay confluence to a point 2.6 km (1.6 mi) upstream of SH 65

Segment Type Tidal Stream

**AU\_ID: 2422D\_01** From the Trinity Bay confluence to a point 2.6 km (1.6 mi) upstream of SH 65

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	Water body description	High	Presumption from flow type

**Station ID(s):** 10658

### SegID: 2422OWTrinity Bay (Oyster Waters)

Trinity Bay (Oyster Waters)

Segment Type Oyster Waters

**AU\_ID: 2422OW\_** Upper portion of the bay (Oyster Waters)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Waters	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

**AU\_ID: 2422OW\_** Lower portion of the bay (Oyster Waters)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Waters	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

### SegID: 2423 East Bay

East Bay

Segment Type Estuary

**AU\_ID: 2423\_01** Area adjacent to the ICWW (Segment 0702)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Estuary	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 15912; 16212; 16513

**AU\_ID: 2423\_02** Remainder of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Estuary	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 15229; 15230; 15231; 15914; 15916; 15917; 16211; 16214; 16216; 16514; 16515



**SegID: 2423A Oyster Bayou**

From the East Bay confluence to a point 2.2 km (1.4 mi) upstream from SH 65 in Chambers County

Segment Type Tidal Stream

**AU\_ID: 2423A\_01** From the East Bay confluence to a point 2.2 km (1.4 mi) upstream from SH 65

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	Water body description	High	Presumption from flow type

**Station ID(s):** 10655; 18708

**SegID: 2423O East Bay (Oyster Waters)**

East Bay (Oyster Waters)

Segment Type Oyster Waters

**AU\_ID: 2423OW\_** East end of bay adjacent to the ICWW and East Bay Bayou (Oyster Waters)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Waters	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

**AU\_ID: 2423OW\_** Remainder of the bay (Oyster Waters)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Waters	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

**SegID: 2424 West Bay**

West Bay

Segment Type Estuary

**AU\_ID: 2424\_01** West Bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Estuary	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 13325; 15226; 15227; 15228; 15927; 15928; 15929; 15930; 16226; 16227; 16229; 16529; 16530; 16531

**AU\_ID: 2424\_02** Area adjacent to Lower Galveston Island

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Estuary	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 14622

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 2424A Highland Bayou

From the confluence of West Bay upstream to the confluence of Highland Bayou Diversion Canal 118 m (388 ft) downstream of Jack Brooks Rd in Galveston County

Segment Type Tidal Stream

**AU\_ID: 2424A\_01** From the confluence of West Bay upstream to Bayou Lane

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	Water body description	High	Presumption from flow type

**Station ID(s):** 16488

**AU\_ID: 2424A\_02** From Bayou Lane upstream to Lake Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	Water body description	High	Presumption from flow type

**Station ID(s):** No Stations

**AU\_ID: 2424A\_03** From Lake Road upstream to FM 519

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	Water body description	High	Presumption from flow type

**Station ID(s):** 11415

**AU\_ID: 2424A\_04** From FM 519 upstream to FM 2004

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	Water body description	High	Presumption from flow type

**Station ID(s):** 15941

**AU\_ID: 2424A\_05** From FM 2004 upstream to the confluence of Highland Bayou Diversion Canal 118 m (388 ft) downstream of Jack Brooks Rd in Galveston County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	Water body description	High	Presumption from flow type

**Station ID(s):** 16491; 20873

### SegID: 2424B Lake Madeline

Located between Jones Street, Stewart Street and Pine Street, north of the seawall on Galveston Island

Segment Type Estuary

**AU\_ID: 2424B\_01** Between Jones Street, Stewart Street and Pine Street, north of the seawall on Galveston Island

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Estuary	Water body description	High	Presumption from Flow Type

**Station ID(s):** 16564

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 2424C Marchand Bayou

From Highland Bayou confluence to 0.72 km (0.45 mi) north of IH 45 in Galveston County

Segment Type Tidal Stream

**AU\_ID: 2424C\_01** From Highland Bayou confluence 0.72 km (0.45 mi) north of IH-45

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	Water body description	High	Presumption from flow type

**Station ID(s):** 16490; 20007; 20188

### SegID: 2424D Offatts Bayou

Located on the east end of Galveston Island, running parallel with the southern terminus of IH 45, and joins West Bay near Teichman Point

Segment Type Estuary

**AU\_ID: 2424D\_01** Upper area bordered by SH 342 and 71st Street

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Estuary	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

**AU\_ID: 2424D\_02** Middle area bordered by 71st Street and Walsh Street

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Estuary	Water body description	High	Presumption from Flow Type

**Station ID(s):** 13322

**AU\_ID: 2424D\_03** Lower area bordered by Walsh Street and Techmann Point

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Estuary	Water body description	High	Presumption from Flow Type

**Station ID(s):** 14645

### SegID: 2424E English Bayou

Between IH 45, Bayou Shore Drive, South Shore Rear and SH 342 on Galveston Island

Segment Type Estuary

**AU\_ID: 2424E\_01** Between IH 45, Bayou Shore Drive, South Shore Rear and SH 342 on Galveston Island

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Estuary	Water body description	High	Presumption from Flow Type

**Station ID(s):** 18695

**SegID: 2424F Crash Basin**

Located off West Bay near the outlet of Offatts Bayou and adjacent to Teichman Point in Galveston County

Segment Type Estuary

**AU\_ID: 2424F\_01** Located off West Bay near the outlet of Offatts Bayou and adjacent to Teichman Point in Galveston County

Flow Type  
Estuary

Flow Type Source  
Water body description

ALU Designation  
High

ALU Designation Source  
Presumption from Flow Type

**Station ID(s):** No Stations

**SegID: 2424G Highland Bayou Diversion Canal**

From the confluence with West Bay upstream to the headwaters near Avenue Q 1/2 upstream of FM 646 in Galveston County

Segment Type Tidal Stream

**AU\_ID: 2424G\_01** From the confluence with West Bay upstream to the headwaters near Avenue Q 1/2 upstream of FM 646 in Galveston County

Flow Type  
Tidal Stream

Flow Type Source  
Water body description

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

**Station ID(s):** 18593

**SegID: 2424OW West Bay (Oyster Waters)**

West Bay (Oyster Waters)

Segment Type Oyster Waters

**AU\_ID: 2424OW\_** Main portion of bay (Oyster Waters)

Flow Type  
Oyster Waters

Flow Type Source  
Water body description

ALU Designation  
High

ALU Designation Source  
Presumption from Flow Type

**Station ID(s):** No Stations

**AU\_ID: 2424OW\_** Area adjacent to Lower Galveston Bay and Galveston Island (Oyster Waters)

Flow Type  
Oyster Waters

Flow Type Source  
Water body description

ALU Designation  
High

ALU Designation Source  
Presumption from Flow Type

**Station ID(s):** No Stations

**SegID: 2424SP Galveston Island State Park (Recreational Beaches)**

Galveston Island State Park (Recreational Beaches)

Segment Type Recreational Beaches

**AU\_ID: 2424SP\_0** Galveston Island State Park Backside (Beach ID TX226514)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Recreational Beaches	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

**SegID: 2425 Clear Lake**

Clear Lake

Segment Type Estuary

**AU\_ID: 2425\_01** Clear Lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Estuary	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 13332; 13334; 13335; 16571; 16671; 20014

**SegID: 2425A Taylor Lake**

Taylor Lake from the confluence with Clear Lake upstream to the terminus of Taylor Bayou south of Bay Forest Golf Club in LaPorte

Segment Type Estuary

**AU\_ID: 2425A\_01** Taylor Lake from the confluence with Clear Lake to the confluence with Taylor Bayou at Red Bluff Rd in Seabrook

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Estuary	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** 20015

**AU\_ID: 2425A\_02** Taylor Bayou from the confluence with Taylor Lake at Red Bluff Rd in Seabrook upstream to the Southern Pacific railroad bridge parallel with SH 146 in Harris County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Estuary	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** 20013

**AU\_ID: 2425A\_03** Taylor Bayou from the Southern Pacific railroad bridge parallel with SH 146 in Harris County upstream to the terminus south of Bay Forest Golf Club in LaPorte

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Estuary	TSWQS Appendix D	High	TSWQS Appendix D

**Station ID(s):** No Stations

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 2425B Jarbo Bayou

From Clear Lake confluence with Clear Lake to 1.1 km (0.67 mi) upstream of FM 518 in Galveston County

Segment Type Tidal Stream

**AU\_ID: 2425B\_01** From the Clear Lake confluence upstream to Lawrence Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	Water body description	High	Presumption from flow type

**Station ID(s):** 16476; 16485

**AU\_ID: 2425B\_02** From Lawrence Road to the headwaters 1.1 km (0.67 mi) upstream of FM 518

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	Water body description	High	Presumption from flow type

**Station ID(s):** No Stations

### SegID: 2425E Harris County Flood Control Ditch A

From the Taylor Bayou confluence to a point 0.28 km (0.17 mi) downstream of Fairmont Parkway

Segment Type Tidal Stream

**AU\_ID: 2425E\_01** From the Taylor Bayou confluence to a point 0.28 km (0.17 mi) downstream of Fairmont Parkway

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	Water body description	High	Presumption from flow type

**Station ID(s):** 20012

### SegID: 2426 Tabbs Bay

Tabbs Bay

Segment Type Estuary

**AU\_ID: 2426\_01** Tabbs Bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Estuary	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 13338

**SegID: 2426A Goose Creek**

From the confluence of East Fork Goose Creek upstream to the confluence of an unnamed tributary from Highlands Reservoir

Segment Type Freshwater Stream

**AU\_ID: 2426A\_01** Perennial stream from the confluence of East Fork Goose Creek upstream to Baker Street, per WS App D second entry

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D

**Station ID(s):** No Stations

**AU\_ID: 2426A\_02** Perennial stream from Baker Street up to the confluence of an unnamed tributary from Highlands Reservoir, per WS App D first entry

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 2426C Goose Creek Tidal**

From the Tabbs Bay confluence upstream to the East Fork of Goose Creek confluence

Segment Type Tidal Stream

**AU\_ID: 2426C\_01** From the Tabbs Bay confluence upstream to the East Fork of Goose Creek confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	Water body description	High	Presumption from flow type

**Station ID(s):** 17927

**SegID: 2427 San Jacinto Bay**

San Jacinto Bay

Segment Type Estuary

**AU\_ID: 2427\_01** San Jacinto Bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Estuary	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 16499; 17923; 17924

**SegID: 2428    Black Duck Bay**

Black Duck Bay

Segment Type      Estuary

**AU\_ID: 2428\_01**      Black Duck Bay

Flow Type

Estuary

Flow Type Source

TSWQS Appendix A

ALU Designation

High

ALU Designation Source

TSWQS Appendix A

Station ID(s):    13340

**SegID: 2429    Scott Bay**

Scott Bay

Segment Type      Estuary

**AU\_ID: 2429\_01**      Scott Bay

Flow Type

Estuary

Flow Type Source

TSWQS Appendix A

ALU Designation

High

ALU Designation Source

TSWQS Appendix A

Station ID(s):    17922

**SegID: 2430    Burnet Bay**

Burnet Bay

Segment Type      Estuary

**AU\_ID: 2430\_01**      Burnet Bay

Flow Type

Estuary

Flow Type Source

TSWQS Appendix A

ALU Designation

High

ALU Designation Source

TSWQS Appendix A

Station ID(s):    13344; 16496

**SegID: 2430A    Crystal Bay**

Crystal Bay, a side bay of Burnet Bay, located between Burnet and Scott (Segment 2429) Bays adjacent to the San Jacinto Monument and Houston Ship Channel (Segment 1005)

Segment Type      Estuary

**AU\_ID: 2430A\_01**      Crystal Bay, a side bay of Burnet Bay, located between Burnet and Scott (Segment 2429) Bays adjacent to the San Jacinto Monument and Houston Ship Channel (Segment 1005)

Flow Type

Estuary

Flow Type Source

Water body description

ALU Designation

High

ALU Designation Source

Presumption from Flow Type

Station ID(s):    16195; 17921



**SegID: 2431 Moses Lake**

Moses Lake

Segment Type Estuary

**AU\_ID: 2431\_01** Moses Lake

Flow Type

Estuary

Flow Type Source

TSWQS Appendix A

ALU Designation

High

ALU Designation Source

TSWQS Appendix A

**Station ID(s):** 13345; 16551

**SegID: 2431A Moses Bayou**

From Moses Lake confluence to 2.2 km (1.4 mi) upstream of SH 3 in Galveston County

Segment Type Tidal Stream

**AU\_ID: 2431A\_01** From Moses Lake confluence to 2.2 km (1.4 mi) upstream of SH 3

Flow Type

Tidal Stream

Flow Type Source

Water body description

ALU Designation

High

ALU Designation Source

Presumption from flow type

**Station ID(s):** 11400; 17910

**SegID: 2431B Seawall Lagoon**

Located approximately 1.9 km (1.2 mi) south of Dollar Point adjacent to Bay Street N in Galveston County

Segment Type Estuary

**AU\_ID: 2431B\_01** Located approximately 1.9 km (1.2 mi) south of Dollar Point adjacent to Bay Street N in Galveston County

Flow Type

Estuary

Flow Type Source

Water body description

ALU Designation

High

ALU Designation Source

Presumption from Flow Type

**Station ID(s):** No Stations

**SegID: 2431C Unnamed Tributary to the Southern Arm of Moses Lake (West)**

From the confluence with the southern arm (west) of Moses Lake to a point 0.45 mi upstream of State Highway 3 near La Marque

Segment Type Tidal Stream

**AU\_ID: 2431C\_01** From the confluence with the southern arm (west) of Moses Lake to a point 0.45 mi upstream of State Highway 3 near La Marque

Flow Type

Tidal Stream

Flow Type Source

Water body description

ALU Designation

High

ALU Designation Source

Presumption from flow type

**Station ID(s):** 18592

**SegID: 2431D Unnamed Tributary to the Southern Arm of Moses Lake (East)**

From the confluence with the southern arm (east) of Moses Lake to a point 0.6 mi upstream of State Highway 146 in Texas City

Segment Type Tidal Stream

**AU\_ID: 2431D\_01** From the confluence with the southern arm (east) of Moses Lake to a point 0.6 mi upstream of State Highway 146 in Texas City

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	Water body description	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 2432 Chocolate Bay**

Chocolate Bay

Segment Type Estuary

**AU\_ID: 2432\_01** Chocolate Bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Estuary	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** 16228; 17085; 17086

**SegID: 2432A Mustang Bayou**

From the New Bayou confluence upstream to an unnamed tributary 0.3 km (0.19 mi) upstream of State Hwy 35 to an unnamed tributary downstream of Cartwright Road

Segment Type Freshwater Stream

**AU\_ID: 2432A\_01** From the New Bayou confluence upstream to County Road 166

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Water body description	High	Presumption from flow type

**Station ID(s):** 11423

**AU\_ID: 2432A\_02** From County Road 166 upstream to an unnamed tributary 0.3 km upstream of SH 35.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D

**Station ID(s):** 18554

**AU\_ID: 2432A\_03** From an unnamed tributary 0.3 km upstream of State Hwy 35 upstream to an unnamed tributary downstream of Cartwright Road.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Water body description	High	Presumption from flow type

**Station ID(s):** 21416

**SegID: 2432B Willow Bayou**

From the Halls Bayou confluence to a point 9.7 km (6 mi) upstream.

Segment Type Freshwater Stream

**AU\_ID: 2432B\_01** From the Halls Bayou confluence to a point 9.7 km (6 mi) upstream.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Flow Questionnaire	High	Presumption from flow type

**Station ID(s):** 18668

**SegID: 2432C Halls Bayou Tidal**

From the Chocolate Bay confluence upstream to a point 31.5 km (19.6 mi) upstream

Segment Type Tidal Stream

**AU\_ID: 2432C\_01** From the Chocolate Bay confluence upstream to a point 31.5 km (19.6 mi) upstream

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	WQS/Permits program	High	Presumption from flow type

**Station ID(s):** 11422

**SegID: 2432D Persimmon Bayou**

From the New Bayou confluence upstream to the Mustang Bayou confluence

Segment Type Freshwater Stream

**AU\_ID: 2432D\_01** From the New Bayou confluence upstream to the confluence with Mustang Bayou

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Flow Questionnaire	High	Presumption from flow type

**Station ID(s):** 17913

**SegID: 2432E New Bayou**

From the Chocolate Bay confluence upstream 25.4 km (15.8 mi) to an unnamed tributary

Segment Type Freshwater Stream

**AU\_ID: 2432E\_01** From the Chocolate Bay confluence upstream 25.4 km (15.8 mi) to an unnamed tributary

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Flow Questionnaire	High	Presumption from flow type

**Station ID(s):** 17911

**SegID: 2432OWChocolate Bay (Oyster Waters)**

Chocolate Bay (Oyster Waters)

Segment Type Oyster Waters

**AU\_ID: 2432OW\_** Chocolate Bay (Oyster Waters)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Waters	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

**SegID: 2433 Bastrop Bay/Oyster Lake**

Bastrop Bay/Oyster Lake

Segment Type Estuary

**AU\_ID: 2433\_01** Bastrop Bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Estuary	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 2433\_02** Oyster Lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Estuary	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**SegID: 2433OWBastrop Bay/Oyster Lake (Oyster Waters)**

Bastrop Bay/Oyster Lake (Oyster Waters)

Segment Type Oyster Waters

**AU\_ID: 2433OW\_** Bastrop Bay (Oyster Waters)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Waters	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

**AU\_ID: 2433OW\_** Oyster Lake (Oyster Waters)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Waters	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 2434 Christmas Bay

Christmas Bay

Segment Type Estuary

**AU\_ID: 2434\_01** Area adjacent to West Bay

Flow Type  
Estuary

Flow Type Source  
TSWQS Appendix A

ALU Designation  
Exceptional

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 2434\_02** Remainder of segment

Flow Type  
Estuary

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 13351; 15931

### SegID: 2434OWChristmas Bay (Oyster Waters)

Christmas Bay (Oyster Waters)

Segment Type Oyster Waters

**AU\_ID: 2434OW\_** Area adjacent to West Bay (Oyster Waters)

Flow Type  
Oyster Waters

Flow Type Source  
Water body description

ALU Designation  
High

ALU Designation Source  
Presumption from Flow Type

**Station ID(s):** No Stations

**AU\_ID: 2434OW\_** Remainder of Christmas Bay (Oyster Waters)

Flow Type  
Oyster Waters

Flow Type Source  
Water body description

ALU Designation  
High

ALU Designation Source  
Presumption from Flow Type

**Station ID(s):** No Stations

### SegID: 2435 Drum Bay

Drum Bay

Segment Type Estuary

**AU\_ID: 2435\_01** Area adjacent to Christmas Bay

Flow Type  
Estuary

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 2435\_02** Remainder of segment

Flow Type  
Estuary

Flow Type Source  
TSWQS Appendix A

ALU Designation  
High

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** No Stations

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 2435A Nicks Cut

Cut from Nicks Lake to Gulf Intracoastal Waterway to Drum Bay in Brazoria County

Segment Type Estuary

**AU\_ID: 2435A\_01** Cut from Nicks Lake to Gulf Intracoastal Waterway to Drum Bay in Brazoria County

Flow Type

Estuary

Flow Type Source

Water body description

ALU Designation

High

ALU Designation Source

Presumption from Flow Type

**Station ID(s):** No Stations

### SegID: 2435OWDrum Bay (Oyster Waters)

Drum Bay (Oyster Waters)

Segment Type Oyster Waters

**AU\_ID: 2435OW\_** Area adjacent to Christmas Bay (Oyster Waters)

Flow Type

Oyster Waters

Flow Type Source

Water body description

ALU Designation

High

ALU Designation Source

Presumption from Flow Type

**Station ID(s):** No Stations

**AU\_ID: 2435OW\_** Remainder of Drum Bay (Oyster Waters)

Flow Type

Oyster Waters

Flow Type Source

Water body description

ALU Designation

High

ALU Designation Source

Presumption from Flow Type

**Station ID(s):** No Stations

### SegID: 2436 Barbours Cut

Barbours Cut

Segment Type Estuary

**AU\_ID: 2436\_01** Barbours Cut

Flow Type

Estuary

Flow Type Source

TSWQS Appendix A

ALU Designation

High

ALU Designation Source

TSWQS Appendix A

**Station ID(s):** 17925

### SegID: 2437 Texas City Ship Channel

Texas City Ship Channel

Segment Type Estuary

**AU\_ID: 2437\_01** Texas City Ship Channel

Flow Type

Estuary

Flow Type Source

TSWQS Appendix A

ALU Designation

High

ALU Designation Source

TSWQS Appendix A

**Station ID(s):** 13361

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 2438 Bayport Channel

Bayport Channel

Segment Type Estuary

**AU\_ID: 2438\_01** Bayport Channel

Flow Type

Estuary

Flow Type Source

TSWQS Appendix A

ALU Designation

High

ALU Designation Source

TSWQS Appendix A

**Station ID(s):** 13589; 16508

### SegID: 2439 Lower Galveston Bay

Lower Galveston Bay

Segment Type Estuary

**AU\_ID: 2439\_01** Area adjacent to the Texas City Ship Channel and Moses Lake

Flow Type

Estuary

Flow Type Source

TSWQS Appendix A

ALU Designation

High

ALU Designation Source

TSWQS Appendix A

**Station ID(s):** 15219; 15224; 15919; 16220; 16519; 16521

**AU\_ID: 2439\_02** Eastern portion of the bay

Flow Type

Estuary

Flow Type Source

TSWQS Appendix A

ALU Designation

High

ALU Designation Source

TSWQS Appendix A

**Station ID(s):** 13364; 15215; 15216; 15217; 15218; 15220; 15221; 15222; 15223; 15225; 15232; 15915; 15918; 15920; 15921; 15922; 15923; 15924; 15925; 15926; 16217; 16218; 16219; 16221; 16222; 16223; 16224; 16225; 16517; 16518; 16520; 16522; 16523; 16524; 16525; 16526; 165

### SegID: 2439OW Lower Galveston Bay (Oyster Waters)

Lower Galveston Bay (Oyster Waters)

Segment Type Oyster Waters

**AU\_ID: 2439OW\_** Area adjacent to the Texas City Ship Channel and Moses Lake (Oyster Waters)

Flow Type

Oyster Waters

Flow Type Source

Water body description

ALU Designation

High

ALU Designation Source

Presumption from Flow Type

**Station ID(s):** No Stations

**AU\_ID: 2439OW\_** Main portion of the bay (Oyster Waters)

Flow Type

Oyster Waters

Flow Type Source

Water body description

ALU Designation

High

ALU Designation Source

Presumption from Flow Type

**Station ID(s):** No Stations

**SegID: 2439TC Texas City Dike (Recreational Beaches)**

Texas City Dike (Recreational Beaches)

Segment Type      Recreational Beaches

**AU\_ID: 2439TC\_0**    Texas City Dike (Beach ID TX164090)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Recreational Beaches	Water body description	High	Presumption from Flow Type

**Station ID(s):**    No Stations

**SegID: 2441      East Matagorda Bay**

East Matagorda Bay

Segment Type      Estuary

**AU\_ID: 2441\_01**      Caney Creek am and western shoreline area

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Estuary	TSWQS Appendix A	Exceptional	TSWQS Appendix A

**Station ID(s):**    No Stations

**AU\_ID: 2441\_02**      Remainder of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Estuary	TSWQS Appendix A	Exceptional	TSWQS Appendix A

**Station ID(s):**    18378

**SegID: 2441A    Live Oak Bayou (unclassified water body)**

From the East Matagorda Bay confluence upstream to a point 58.4 km (36.3 mi) upstream  
(north of Hwy 457)

Segment Type      Tidal Stream

**AU\_ID: 2441A\_01**    From the East Matagorda Bay confluence upstream to a point 58.4 km (36.3 mi) upstream (north of Hwy 457)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	Water body description	High	Presumption from flow type

**Station ID(s):**    No Stations



**SegID: 2441OW**East Matagorda Bay (Oyster Waters)

East Matagorda Bay (Oyster Waters)

Segment Type Oyster Waters

**AU\_ID: 2441OW\_** Caney Creek arm and western shoreline area (Oyster Waters)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Waters	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

**AU\_ID: 2441OW\_** Remainder of bay (Oyster Waters)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Waters	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

**SegID: 2442 Cedar Lakes**

Cedar Lakes

Segment Type Estuary

**AU\_ID: 2442\_01** Cedar Lakes

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Estuary	TSWQS Appendix A	High	TSWQS Appendix A

**Station ID(s):** No Stations

**SegID: 2442OW**Cedar Lakes (Oyster Waters)

Cedar Lakes (Oyster Waters)

Segment Type Oyster Waters

**AU\_ID: 2442OW\_** Cedar Lakes (Oyster Waters)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Waters	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 2451 Matagorda Bay/Powderhorn Lake

Matagorda Bay/Powderhorn Lake

Segment Type Estuary

**AU\_ID: 2451\_01** Northern end of Matagorda Bay

Flow Type  
Estuary

Flow Type Source  
TSWQS Appendix A

ALU Designation  
Exceptional

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 13378; 18395; 18397

**AU\_ID: 2451\_02** Remainder of segment

Flow Type  
Estuary

Flow Type Source  
TSWQS Appendix A

ALU Designation  
Exceptional

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 14726

### SegID: 2451A Coloma Creek

From the Powderhorn Lake confluence to the headwaters near SH 238 in Calhoun County

Segment Type Tidal Stream

**AU\_ID: 2451A\_01** From the Powderhorn Lake confluence to the headwaters near SH 238

Flow Type  
Tidal Stream

Flow Type Source  
Water body description

ALU Designation  
High

ALU Designation Source  
Presumption from flow type

**Station ID(s):** No Stations

### SegID: 2451OWMatagorda Bay/Powderhorn Lake (Oyster Waters)

Matagorda Bay/Powderhorn Lake (Oyster Waters)

Segment Type Oyster Waters

**AU\_ID: 2451OW\_** Northern end of Matagorda Bay (Oyster Waters)

Flow Type  
Oyster Waters

Flow Type Source  
Water body description

ALU Designation  
High

ALU Designation Source  
Presumption from Flow Type

**Station ID(s):** No Stations

**AU\_ID: 2451OW\_** Remainder of Matagorda Bay/Powderhorn Lake

Flow Type  
Oyster Waters

Flow Type Source  
Water body description

ALU Designation  
High

ALU Designation Source  
Presumption from Flow Type

**Station ID(s):** No Stations

**SegID: 2452 Tres Palacios Bay/Turtle Bay**

Tres Palacios Bay/Turtle Bay

Segment Type Estuary

**AU\_ID: 2452\_01** Main portion of bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Estuary	TSWQS Appendix A	Exceptional	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 2452\_02** Turtle Bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Estuary	TSWQS Appendix A	Exceptional	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 2452\_03** Tres Palacios Creek Arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Estuary	TSWQS Appendix A	Exceptional	TSWQS Appendix A

**Station ID(s):** 18398

**SegID: 2452A Tres Palacios Harbor**

Tres Palacios Harbor

Segment Type Estuary

**AU\_ID: 2452A\_01** Tres Palacios Harbor

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Estuary	Water body description	High	Presumption from Flow Type

**Station ID(s):** 13382

**SegID: 2452OW Tres Palacios Bay/Turtle Bay (Oyster Waters)**

Tres Palacios Bay/Turtle Bay (Oyster Waters)

Segment Type Oyster Waters

**AU\_ID: 2452OW\_** Turtle Bay and Tres Palacios Creek Arm (Oyster Waters)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Waters	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

**AU\_ID: 2452OW\_** Main portion of bay (Oyster Waters)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Waters	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

**SegID: 2452TP Tres Palacios Bay (Recreational Beaches)**

Tres Palacios Bay (Recreational Beaches)

Segment Type      Recreational Beaches

**AU\_ID: 2452TP\_0**    Palacios (Beach ID TX 784742)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Recreational Beaches	Water body description	High	Presumption from Flow Type

**Station ID(s):**    No Stations

**SegID: 2453    Lavaca Bay/Chocolate Bay**

Lavaca Bay/Chocolate Bay

Segment Type      Estuary

**AU\_ID: 2453\_01**    Center portion of bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Estuary	TSWQS Appendix A	Exceptional	TSWQS Appendix A

**Station ID(s):**    13383; 13384

**AU\_ID: 2453\_02**    North-northeastern portion of the bay near Point Comfort

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Estuary	TSWQS Appendix A	Exceptional	TSWQS Appendix A

**Station ID(s):**    13563

**AU\_ID: 2453\_03**    Chocolate Bay area

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Estuary	TSWQS Appendix A	Exceptional	TSWQS Appendix A

**Station ID(s):**    No Stations

**SegID: 2453A    Garcitas Creek Tidal**

From the confluence with Lavaca Bay upstream to the confluence with Arenosa Creek at the Jackson/Victoria County line

Segment Type      Tidal Stream

**AU\_ID: 2453A\_01**    From the confluence with Lavaca Bay upstream to the confluence with Arenosa Creek at the Jackson/Victoria County line

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	WQS/Permits program	High	Previous TCEQ permit decision

**Station ID(s):**    No Stations

**SegID: 2453B Lynns Bayou Basin**

From the Lavaca Bayou confluence to immediately south of SH 238 in Port Lavaca in Calhoun County

Segment Type Estuary

**AU\_ID: 2453B\_01** From the Lavaca Bay confluence to immediately south of SH 238 in Port Lavaca

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Estuary	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

**SegID: 2453C Arenosa Creek**

From Garcitas Creek confluence upstream to J-2 Ranch Road

Segment Type Freshwater Stream

**AU\_ID: 2453C\_01** From Garcitas Creek confluence upstream to J-2 Ranch Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	Routine Flow Data	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 2453D Lavaca Bay Ship Channel Area**

Lavaca Bay Ship Channel Area

Segment Type Estuary

**AU\_ID: 2453D\_01** Lavaca Bay Ship Channel Area

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Estuary	Water body description	High	Presumption from Flow Type

**Station ID(s):** 13385

**SegID: 2453E Garcitas Creek Above Tidal**

From the confluence with Arenosa Creek at the Jackson/Victoria County line upstream to the headwaters near the intersection of DeWitt CR 114 and CR 110

Segment Type Freshwater Stream

**AU\_ID: 2453E\_01** From the confluence with Arenosa Creek at the Jackson/Victoria County line upstream to the headwater: near the intersection of DeWitt CR 114 and CR 110

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 2453OW** Lavaca Bay/Chocolate Bay (Oyster Waters)

Lavaca Bay/Chocolate Bay (Oyster Waters)

Segment Type Oyster Waters

**AU\_ID: 2453OW\_** Center portion of bay (Oyster Waters)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Waters	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

**AU\_ID: 2453OW\_** North-northeastern portion of the bay near Point Comfort (Oyster Waters)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Waters	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

**AU\_ID: 2453OW\_** Chocolate Bay area (Oyster Waters)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Waters	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

**SegID: 2454** Cox Bay

Cox Bay

Segment Type Estuary

**AU\_ID: 2454\_01** North end of bay near Cox Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Estuary	TSWQS Appendix A	Exceptional	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 2454\_02** Remainder of Cox Bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Estuary	TSWQS Appendix A	Exceptional	TSWQS Appendix A

**Station ID(s):** 13386

**SegID: 2454A** Cox Lake

From the Cox Lake dam located 4.0 km (2.5 mi) southeast of Point Comfort in Calhoun County to the Calhoun/Jackson County line

Segment Type Reservoir

**AU\_ID: 2454A\_01** From the Cox Lake dam located 4.0 km (2.5 mi) southeast of Point Comfort to the Calhoun/Jackson County line

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Reservoir	Water body description	High	Presumption from Flow Type

**Station ID(s):** 12514

**SegID: 2454OWCox Bay (Oyster Waters)**

Cox Bay (Oyster Waters)

Segment Type Oyster Waters

**AU\_ID: 2454OW\_** North end of bay near Cox Creek (Oyster Waters)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Waters	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

**AU\_ID: 2454OW\_** Remainder of Cox Bay (Oyster Waters)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Waters	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

**SegID: 2455 Keller Bay**

Keller Bay

Segment Type Estuary

**AU\_ID: 2455\_01** Upper arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Estuary	TSWQS Appendix A	Exceptional	TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 2455\_02** Remainder of Keller Bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Estuary	TSWQS Appendix A	Exceptional	TSWQS Appendix A

**Station ID(s):** 13387

**SegID: 2455OWKeller Bay (Oyster Waters)**

Keller Bay (Oyster Waters)

Segment Type Oyster Waters

**AU\_ID: 2455OW\_** Upper arm (Oyster Waters)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Waters	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

**AU\_ID: 2455OW\_** Remainder of Keller Bay (Oyster Waters)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Waters	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

**SegID: 2456 Carancahua Bay**

Carancahua Bay

Segment Type Estuary

**AU\_ID: 2456\_01** Lower half of bay

Flow Type

Estuary

Flow Type Source

TSWQS Appendix A

ALU Designation

Exceptional

ALU Designation Source

TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 2456\_02** Upper half of bay

Flow Type

Estuary

Flow Type Source

TSWQS Appendix A

ALU Designation

Exceptional

ALU Designation Source

TSWQS Appendix A

**Station ID(s):** 13388; 21694

**SegID: 2456A West Carancahua Creek Tidal**

From the Carancahua Bay confluence to Jackson CR 440, 10.1 km (6.3 mi) upstream of FM 616 in Jackson County

Segment Type Tidal Stream

**AU\_ID: 2456A\_01** From the Carancahua Bay confluence to Jackson CR 440, 10.1 km (6.3 mi) upstream of FM 616 in Jackson County

Flow Type

Tidal Stream

Flow Type Source

Water body description

ALU Designation

High

ALU Designation Source

Presumption from flow type

**Station ID(s):** No Stations

**SegID: 2456OW Carancahua Bay (Oyster Waters)**

Carancahua Bay (Oyster Waters)

Segment Type Oyster Waters

**AU\_ID: 2456OW\_** Lower portion of bay (Oyster Waters)

Flow Type

Oyster Waters

Flow Type Source

Water body description

ALU Designation

High

ALU Designation Source

Presumption from Flow Type

**Station ID(s):** No Stations

**AU\_ID: 2456OW\_** Upper portion of bay and shoreline area (Oyster Waters)

Flow Type

Oyster Waters

Flow Type Source

Water body description

ALU Designation

High

ALU Designation Source

Presumption from Flow Type

**Station ID(s):** No Stations



## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 2461    Espiritu Santo Bay

Espiritu Santo Bay

Segment Type      Estuary

**AU\_ID: 2461\_01**    Espiritu Santo Bay

Flow Type

Estuary

Flow Type Source

TSWQS Appendix A

ALU Designation

Exceptional

ALU Designation Source

TSWQS Appendix A

**Station ID(s):**    13396; 14732; 14733; 14951

### SegID: 2461OW Espiritu Santo Bay (Oyster Waters)

Espiritu Santo Bay (Oyster Waters)

Segment Type      Oyster Waters

**AU\_ID: 2461OW\_**    Espiritu Santo Bay (Oyster Waters)

Flow Type

Oyster Waters

Flow Type Source

Water body description

ALU Designation

High

ALU Designation Source

Presumption from Flow Type

**Station ID(s):**    No Stations

### SegID: 2462    San Antonio Bay/Hynes Bay/Guadalupe Bay/Mission Lake

San Antonio Bay/Hynes Bay/Guadalupe Bay/Mission Lake at the mean high tide line

Segment Type      Estuary

**AU\_ID: 2462\_01**    San Antonio Bay/Hynes Bay/Guadalupe Bay/Mission Lake at the mean high tide line

Flow Type

Estuary

Flow Type Source

TSWQS Appendix A

ALU Designation

Exceptional

ALU Designation Source

TSWQS Appendix A

**Station ID(s):**    13397; 14956

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 2462OW San Antonio Bay/Hynes Bay/Guadalupe Bay/Mission Lake (Oyster Waters)

San Antonio Bay/Hynes Bay/Guadalupe Bay/Mission Lake (Oyster Waters)

Segment Type Oyster Waters

**AU\_ID: 2462OW\_** Guadalupe Bay (Oyster Waters)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Waters	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

**AU\_ID: 2462OW\_** Hynes Bay (Oyster Waters)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Waters	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

**AU\_ID: 2462OW\_** San Antonio Bay shoreline area (Oyster Waters)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Waters	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

**AU\_ID: 2462OW\_** Remainder of San Antonio Bay (Oyster Waters)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Waters	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

### SegID: 2463 Mesquite Bay/Carlos Bay/Ayres Bay

Mesquite Bay/Carlos Bay/Ayres Bay

Segment Type Estuary

**AU\_ID: 2463\_01** Mesquite Bay/Carlos Bay/Ayres Bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Estuary	TSWQS Appendix A	Exceptional	TSWQS Appendix A

**Station ID(s):** 13400

**SegID: 2463OW Mesquite Bay/Carlos Bay/Ayres Bay (Oyster Waters)**

Mesquite Bay/Carlos Bay/Ayres Bay (Oyster Waters)

Segment Type Oyster Waters

**AU\_ID: 2463OW\_** Western shoreline (Oyster Waters)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Waters	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

**AU\_ID: 2463OW\_** Remainder of Mesquite Bay (Oyster Waters)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Waters	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

**SegID: 2471 Aransas Bay**

Aransas Bay

Segment Type Estuary

**AU\_ID: 2471\_01** Aransas Bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Estuary	TSWQS Appendix A	Exceptional	TSWQS Appendix A

**Station ID(s):** 13402; 16492

**SegID: 2471A Little Bay**

Located between Aransas Bay (Segment 2471) on the east side and Broadway Street in Rockport on the west side and Rockport Beach on the south side in Aransas County

Segment Type Estuary

**AU\_ID: 2471A\_01** Located between Aransas Bay (Segment 2471) on the east side and Broadway Street in Rockport on the west side and Rockport Beach on the south side in Aransas County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Estuary	Water body description	High	Presumption from Flow Type

**Station ID(s):** 16232

**SegID: 2471OW Aransas Bay (Oyster Waters)**

Aransas Bay (Oyster Waters)

Segment Type Oyster Waters

**AU\_ID: 2471OW\_** Western shoreline (Oyster Waters)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Waters	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

**AU\_ID: 2471OW\_** Remainder of bay (Oyster Waters)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Waters	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

**SegID: 2471RB Rockport (Recreational Beaches)**

Rockport (Recreational Beaches)

Segment Type Recreational Beaches

**AU\_ID: 2471RB\_0** Rockport Beach Park (Beach ID TX748844)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Recreational Beaches	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

**SegID: 2472 Copano Bay/Port Bay/Mission Bay**

Copano Bay/Port Bay/Mission Bay

Segment Type Estuary

**AU\_ID: 2472\_01** Mission Bay, Aransas River arm, Port Bay, and eastern shoreline

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Estuary	TSWQS Appendix A	Exceptional	TSWQS Appendix A

**Station ID(s):** 12945; 13404; 13405; 14783

**AU\_ID: 2472\_02** Copano Bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Estuary	TSWQS Appendix A	Exceptional	TSWQS Appendix A

**Station ID(s):** 17724

**SegID: 2472OWCopano Bay/Port Bay/Mission Bay (Oyster Waters)**

Copano Bay/Port Bay/Mission Bay (Oyster Waters)

Segment Type Oyster Waters

**AU\_ID: 2472OW\_** Mission Bay, Aransas River arm, Port Bay, and eastern shoreline (Oyster Waters)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Waters	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

**AU\_ID: 2472OW\_** Copano Bay (Oyster Waters)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Waters	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

**SegID: 2473 St. Charles Bay**

St. Charles Bay

Segment Type Estuary

**AU\_ID: 2473\_01** St. Charles Bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Estuary	TSWQS Appendix A	Exceptional	TSWQS Appendix A

**Station ID(s):** 13406; 17692

**SegID: 2473OWSt. Charles Bay (Oyster Waters)**

St. Charles Bay (Oyster Waters)

Segment Type Oyster Waters

**AU\_ID: 2473OW\_** Remainder of Bay (Oyster Waters)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Waters	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

**AU\_ID: 2473OW\_** Southwest corner of St Charles Bay (Oyster Waters)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Waters	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 2481 Corpus Christi Bay

Corpus Christi Bay

Segment Type Estuary

**AU\_ID: 2481\_01** From the Corpus Christi Ship Channel east to Pelican Island, from Pelican Island south to Demit Island including the La Quinta Channel and the Corpus Christi Ship Channel adjacent to Redfish Bay

Flow Type

Estuary

Flow Type Source

TSWQS Appendix A

ALU Designation

Exceptional

ALU Designation Source

TSWQS Appendix A

**Station ID(s):** 13407; 13409; 13410

**AU\_ID: 2481\_02** From the Corpus Christi Ship Channel east to Pelican Island, from Pelican Island south to Demit Island including the area from the Corpus Christi Ship Channel to Demit Island (Oso Bay and City of Corpus Christi area)

Flow Type

Estuary

Flow Type Source

TSWQS Appendix A

ALU Designation

Exceptional

ALU Designation Source

TSWQS Appendix A

**Station ID(s):** 13411

**AU\_ID: 2481\_03** From Pelican Island south to Demit Island, from Demit Island to Mustang Island and the area along Mustang Island State Park to the Corpus Christi Ship Channel

Flow Type

Estuary

Flow Type Source

TSWQS Appendix A

ALU Designation

Exceptional

ALU Designation Source

TSWQS Appendix A

**Station ID(s):** 14355; 17791

**AU\_ID: 2481\_04** From the JFK Causeway to a line from Demit Island across to Mustang Island State Park

Flow Type

Estuary

Flow Type Source

TSWQS Appendix A

ALU Designation

Exceptional

ALU Designation Source

TSWQS Appendix A

**Station ID(s):** No Stations

**SegID: 2481CB Corpus Christi Bay (Recreational Beaches)**

Corpus Christi Bay (Recreational Beaches)

**SegID: 2481CB Corpus Christi Bay (Recreational Beaches)**

Corpus Christi Bay (Recreational Beaches)

Segment Type      Recreational Beaches

**AU\_ID: 2481CB\_0**    Corpus Christi Marina (Beach ID TX305317)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Recreational Beaches	Water body description	High	Presumption from Flow Type

**Station ID(s):**    No Stations

**AU\_ID: 2481CB\_0**    Corpus Christi Beach - Main (Beach ID TX546628)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Recreational Beaches	Water body description	High	Presumption from Flow Type

**Station ID(s):**    No Stations

**AU\_ID: 2481CB\_0**    Cole Park (Beach ID TX259473)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Recreational Beaches	Water body description	High	Presumption from Flow Type

**Station ID(s):**    No Stations

**AU\_ID: 2481CB\_0**    Ropes Park (Beach ID TX821303)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Recreational Beaches	Water body description	High	Presumption from Flow Type

**Station ID(s):**    No Stations

**AU\_ID: 2481CB\_0**    McGee Beach (Beach ID TX536781)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Recreational Beaches	Water body description	High	Presumption from Flow Type

**Station ID(s):**    No Stations

**AU\_ID: 2481CB\_0**    Poenisch Park (Beach ID TX682648)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Recreational Beaches	Water body description	High	Presumption from Flow Type

**Station ID(s):**    No Stations

**AU\_ID: 2481CB\_0**    Emerald Beach (TX199413)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Recreational Beaches	Water body description	High	Presumption from Flow Type

**Station ID(s):**    No Stations

**AU\_ID: 2481CB\_0**    University Beach (Beach ID TX149569)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Recreational Beaches	Water body description	High	Presumption from Flow Type

**Station ID(s):**    No Stations



**SegID: 2481CB Corpus Christi Bay (Recreational Beaches)**

Corpus Christi Bay (Recreational Beaches)

Segment Type      Recreational Beaches

**AU\_ID: 2481CB\_0**    Packery Channel Park (Beach ID TX227625)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Recreational Beaches	Water body description	High	Presumption from Flow Type

**Station ID(s):**    No Stations

**SegID: 2481OW Corpus Christi Bay (Oyster Waters)**

Corpus Christi Bay (Oyster Waters)

Segment Type      Oyster Waters

**AU\_ID: 2481OW\_**    Shoreline area (Oyster Waters)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Waters	Water body description	High	Presumption from Flow Type

**Station ID(s):**    No Stations

**AU\_ID: 2481OW\_**    Remainder of Corpus Christi Bay (Oyster Waters)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Waters	Water body description	High	Presumption from Flow Type

**Station ID(s):**    No Stations

**SegID: 2482      Nueces Bay**

Nueces Bay

Segment Type      Estuary

**AU\_ID: 2482\_01**      Nueces Bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Estuary	TSWQS Appendix A	Exceptional	TSWQS Appendix A

**Station ID(s):**    13421; 13422; 13425

**SegID: 2482NB Nueces Bay (Recreational Beaches)**

Nueces Bay (Recreational Beaches)

Segment Type      Recreational Beaches

**AU\_ID: 2482NB\_0**    Nueces Bay Causeway # 3 (Beach ID TX 139394)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Recreational Beaches	Water body description	High	Presumption from Flow Type

**Station ID(s):**    No Stations

**SegID: 2482OWNueces Bay (Oyster Waters)**

Nueces Bay (Oyster Waters)

Segment Type Oyster Waters

**AU\_ID: 2482OW\_** Nueces Bay (Oyster Waters)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Waters	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

**SegID: 2483 Redfish Bay**

Redfish Bay

Segment Type Estuary

**AU\_ID: 2483\_01** Redfish Bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Estuary	TSWQS Appendix A	Exceptional	TSWQS Appendix A

**Station ID(s):** 13426

**SegID: 2483A Conn Brown Harbor**

From the Aransas Channel confluence southeast of Aransas Pass in San Patricio County to a point 1.6 km (1 mi) northeast in Aransas County

Segment Type Estuary

**AU\_ID: 2483A\_01** From the Aransas Channel confluence southeast of Aransas Pass to a point 1.6 km (1 mi) northeast

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Estuary	Water body description	High	Presumption from Flow Type

**Station ID(s):** 18848

**SegID: 2483OWRedfish Bay (Oyster Waters)**

Redfish Bay (Oyster Waters)

Segment Type Oyster Waters

**AU\_ID: 2483OW\_** Redfish Bay (Oyster Waters)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Waters	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

**SegID: 2483RB Redfish Bay (Recreational Beaches)**

Redfish Bay (Recreational Beaches)

Segment Type      Recreational Beaches

**AU\_ID: 2483RB\_0**    Lighthouse Lake (Beach ID TX538780)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Recreational Beaches	Water body description	High	Presumption from Flow Type

**Station ID(s):**    No Stations

**SegID: 2484      Corpus Christi Inner Harbor**

Corpus Christi Inner Harbor - from US 181 to Viola Turning Basin

Segment Type      Estuary

**AU\_ID: 2484\_01**      Corpus Christi Inner Harbor - from US 181 to Viola Turning Basin

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Estuary	TSWQS Appendix A	Intermediate	TSWQS Appendix A

**Station ID(s):**    13430; 13432; 13439

**SegID: 2485      Oso Bay**

Oso Bay

Segment Type      Estuary

**AU\_ID: 2485\_01**      Upper bay (Holly Road to County Hwy 24)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Estuary	TSWQS Appendix A	Exceptional	TSWQS Appendix A

**Station ID(s):**    No Stations

**AU\_ID: 2485\_02**      Middle bay (State Park Road 22 to Holly Road)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Estuary	TSWQS Appendix A	Exceptional	TSWQS Appendix A

**Station ID(s):**    13440

**AU\_ID: 2485\_03**      Lower portion of bay (Ocean Drive to State Park Road 22)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Estuary	TSWQS Appendix A	Exceptional	TSWQS Appendix A

**Station ID(s):**    No Stations

**SegID: 2485A Oso Creek**

From the Oso Bay confluence in southern Corpus Christi to a point 4.8 km (3 mi) upstream of SH 44, west of Corpus Christi in Nueces County

Segment Type Tidal Stream

**AU\_ID: 2485A\_01** From the Oso Bay confluence in southern Corpus Christi to a point 4.8 km (3 mi) upstream of SH 44, west of Corpus Christi

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	Water body description	High	Presumption from flow type

**Station ID(s):** 13028; 13029

**SegID: 2485B Unnamed trib of Oso Creek**

From the Oso Creek confluence upstream to a point 5.2 km (3.2 mi) west of State Hwy 286 in Nueces County

Segment Type Tidal Stream

**AU\_ID: 2485B\_01** From the Oso Creek confluence upstream to a point 5.2 km (3.2 mi) west of State Hwy 286

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	Water body description	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 2485C Unnamed trib of Oso Creek**

From the Oso Creek confluence upstream to a point 1.0 km (0.62 mi) north of State Hwy 44 in Nueces County

Segment Type Tidal Stream

**AU\_ID: 2485C\_01** From the Oso Creek confluence upstream to a point 1.0 km (0.62 mi) north of State Hwy 44

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	Water body description	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 2485D West Oso Creek**

From the Oso Creek confluence upstream to a point 0.49 km (0.3 mi) west of FM 1694 in Nueces County

Segment Type Tidal Stream

**AU\_ID: 2485D\_01** From the Oso Creek confluence upstream to a point 0.49 km (0.3 mi) west of FM 1694

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Tidal Stream	Water body description	High	Presumption from flow type

**Station ID(s):** No Stations

**SegID: 2485OW** Oso Bay (Oyster Waters)

Oso Bay (Oyster Waters)

Segment Type Oyster Waters

**AU\_ID: 2485OW\_** Oso Bay (Oyster Waters)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Waters	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

**SegID: 2491** Laguna Madre

Laguna Madre

Segment Type Estuary

**AU\_ID: 2491\_01** Upper portion of bay north of the Arroyo Colorado confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Estuary	TSWQS Appendix A	Exceptional	TSWQS Appendix A

**Station ID(s):** 13443; 13444; 13445; 13448; 13449

**AU\_ID: 2491\_02** Area adjacent to the Arroyo Colorado confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Estuary	TSWQS Appendix A	Exceptional	TSWQS Appendix A

**Station ID(s):** 13447

**AU\_ID: 2491\_03** Lower portion of bay south of the Arroyo Colorado confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Estuary	TSWQS Appendix A	Exceptional	TSWQS Appendix A

**Station ID(s):** 13446; 14870

**SegID: 2491B** North Floodway

From 0.04 mi north of Campacuas Lake and 0.32 mi west of FM 491 (Mercedes, TX) to the confluence with Lower Laguna Madre (tidal flats)

Segment Type Freshwater Stream

**AU\_ID: 2491B\_01** From 0.04 mi north of Campacuas Lake and 0.32 mi west of FM 491 (Mercedes, TX) to the confluence with Lower Laguna Madre (tidal flats)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D

**Station ID(s):** 20930

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 2491C Drainage ditches flowing into Lower Laguna Madre

Perennial freshwater drainage ditches flowing into Lower Laguna Madre

Segment Type Freshwater Stream

**AU\_ID: 2491C\_01** Raymondville Drain flowing into Lower Laguna Madre

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D

**Station ID(s):** No Stations

**AU\_ID: 2491C\_02** Willacy Main Drain flowing into Lower Laguna Madre

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D

**Station ID(s):** No Stations

**AU\_ID: 2491C\_03** Hidalgo Main Floodwater Channel flowing into Lower Laguna Madre

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D

**Station ID(s):** No Stations

**AU\_ID: 2491C\_04** Remaining perennial freshwater drainage ditches flowing into main drains

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 2491OW Laguna Madre (Oyster Waters)**

Laguna Madre (Oyster Waters)

Segment Type Oyster Waters

**AU\_ID: 2491OW\_** Upper portion of the bay north of Port Mansfield Channel (Oyster Waters)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Waters	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

**AU\_ID: 2491OW\_** Area adjacent to the Arroyo Colorado confluence (Oyster Waters)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Waters	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

**AU\_ID: 2491OW\_** Lower portion of the bay south of the Port Mansfield Channel (Oyster Waters)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Waters	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

**AU\_ID: 2491OW\_** ICWW from Port Mansfield to Brownsville and shoreline area (Oyster Waters)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Oyster Waters	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

**SegID: 2491UL Upper Laguna Madre (Recreational Beaches)**

Upper Laguna Madre (Recreational Beaches)

Segment Type Recreational Beaches

**AU\_ID: 2491UL\_0** JFK Causeway - SW (Beach ID TX442541)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Recreational Beaches	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

**AU\_ID: 2491UL\_0** Laguna Shores (Beach ID TX937228)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Recreational Beaches	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

**SegID: 2492 Baffin Bay/Alazan Bay/Cayo del Grullo/Laguna Salada**

Baffin Bay/Alazan Bay/Cayo del Grullo/Laguna Salada

Segment Type Estuary

**AU\_ID: 2492\_01** Baffin Bay/Alazan Bay/Cayo del Grullo/Laguna Salada

Flow Type

Estuary

Flow Type Source

TSWQS Appendix A

ALU Designation

High

ALU Designation Source

TSWQS Appendix A

**Station ID(s):** 13450; 13452

**SegID: 2492A San Fernando Creek**

From the Cayo Del Grullo confluence in Kleberg County upstream to the confluence with Chiltipin Creek and San Diego Creek in Jim Wells County

Segment Type Freshwater Stream

**AU\_ID: 2492A\_01** From the Cayo Del Grullo confluence in Kleberg County upstream to the confluence with Chiltipin Creek and San Diego Creek in Jim Wells County

Flow Type

Perennial

Flow Type Source

Flow Questionnaire

ALU Designation

High

ALU Designation Source

Presumption from flow type

**Station ID(s):** 13033

**SegID: 2492OW Baffin Bay/Alazan Bay/Cayo del Grullo/Laguna Salada (Oyster Waters)**

Baffin Bay/Alazan Bay/Cayo del Grullo/Laguna Salada (Oyster Waters)

Segment Type Oyster Waters

**AU\_ID: 2492OW\_** Entire water body north of the boundary with Lower Laguna Madre (Oyster Waters)

Flow Type

Oyster Waters

Flow Type Source

Water body description

ALU Designation

High

ALU Designation Source

Presumption from Flow Type

**Station ID(s):** No Stations

**AU\_ID: 2492OW\_** Area adjacent to boundary with Lower Laguna Madre (Oyster Waters)

Flow Type

Oyster Waters

Flow Type Source

Water body description

ALU Designation

High

ALU Designation Source

Presumption from Flow Type

**Station ID(s):** No Stations



**SegID: 2493**     **South Bay**  
South Bay

Segment Type     Estuary

**AU\_ID: 2493\_01**     South Bay

Flow Type  
Estuary

Flow Type Source  
TSWQS Appendix A

ALU Designation  
Exceptional

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):**     13459; 14865

**SegID: 2493OW** **South Bay (Oyster Waters)**  
South Bay (Oyster Waters)

Segment Type     Oyster Waters

**AU\_ID: 2493OW\_**     South Bay (Oyster Waters)

Flow Type  
Oyster Waters

Flow Type Source  
Water body description

ALU Designation  
High

ALU Designation Source  
Presumption from Flow Type

**Station ID(s):**     No Stations

**SegID: 2494**     **Brownsville Ship Channel**  
Brownsville Ship Channel

Segment Type     Estuary

**AU\_ID: 2494\_01**     From the Laguna Madre confluence upstream to the Port of Brownsville

Flow Type  
Estuary

Flow Type Source  
TSWQS Appendix A

ALU Designation  
Exceptional

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):**     13460; 14871; 14875

**SegID: 2494A**     **Port Isabel Fishing Harbor**  
From the Laguna Madre confluence to 0.4 km (0.25 mi) south of SH 100 in Port Isabel in Cameron County

Segment Type     Estuary

**AU\_ID: 2494A\_01**     From the Laguna Madre confluence to 0.4 km (0.25 mi) south of SH 100 in Port Isabel

Flow Type  
Estuary

Flow Type Source  
Water body description

ALU Designation  
High

ALU Designation Source  
Presumption from Flow Type

**Station ID(s):**     13285

**SegID: 2494B Drainage ditches flowing into San Martin Lakes**

Perennial freshwater drainage ditches flowing into San Martin Lakes

Segment Type Freshwater Stream

**AU\_ID: 2494B\_01** Perennial freshwater Cameron County Drainage District main ditches flowing into San Martin Lakes

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D

**Station ID(s):** No Stations

**AU\_ID: 2494B\_02** Remaining perennial freshwater Cameron County Drainage District ditches flowing into main ditches

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D

**Station ID(s):** No Stations

**SegID: 2494C San Martin Lakes**

From the confluence with the Brownsville Ship Channel upstream to the confluence with drainage ditches flowing into San Martin Lakes

Segment Type Estuary

**AU\_ID: 2494C\_01** From the confluence with the Brownsville Ship Channel upstream to the confluence with drainage ditches flowing into San Martin Lakes

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Estuary	Water body description	High	Presumption from Flow Type

**Station ID(s):** No Stations

**SegID: 2501      Gulf of Mexico**

From the Gulf shoreline to the limit of Texas' jurisdiction between Sabine Pass and the mouth of the Rio Grande

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 2501 Gulf of Mexico

From the Gulf shoreline to the limit of Texas' jurisdiction between Sabine Pass and the mouth of the Rio Grande

Segment Type Ocean

**AU\_ID: 2501\_01** Sabine Pass to Sea Rim Park area

Flow Type  
Ocean

Flow Type Source  
TSWQS Appendix A

ALU Designation  
Exceptional

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 13461; 13462

**AU\_ID: 2501\_02** Jefferson-Chambers County line area

Flow Type  
Ocean

Flow Type Source  
TSWQS Appendix A

ALU Designation  
Exceptional

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 13463

**AU\_ID: 2501\_03** Bolivar Point to San Luis Pass area

Flow Type  
Ocean

Flow Type Source  
TSWQS Appendix A

ALU Designation  
Exceptional

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 2501\_04** Freeport Area

Flow Type  
Ocean

Flow Type Source  
TSWQS Appendix A

ALU Designation  
Exceptional

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 2501\_05** Area between Freeport and Port Aransas

Flow Type  
Ocean

Flow Type Source  
TSWQS Appendix A

ALU Designation  
Exceptional

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 2501\_06** Port Aransas Area

Flow Type  
Ocean

Flow Type Source  
TSWQS Appendix A

ALU Designation  
Exceptional

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 13468

**AU\_ID: 2501\_07** Area between Port Aransas and Port Mansfield

Flow Type  
Ocean

Flow Type Source  
TSWQS Appendix A

ALU Designation  
Exceptional

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 2501\_08** Port Mansfield area

Flow Type  
Ocean

Flow Type Source  
TSWQS Appendix A

ALU Designation  
Exceptional

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** 13469

## 2018 Texas Integrated Report - Water Bodies Evaluated

### SegID: 2501 Gulf of Mexico

From the Gulf shoreline to the limit of Texas' jurisdiction between Sabine Pass and the mouth of the Rio Grande

Segment Type Ocean

**AU\_ID: 2501\_09** Area between Port Mansfield and Port Isabel

Flow Type  
Ocean

Flow Type Source  
TSWQS Appendix A

ALU Designation  
Exceptional

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** No Stations

**AU\_ID: 2501\_10** Port Isabel area

Flow Type  
Ocean

Flow Type Source  
TSWQS Appendix A

ALU Designation  
Exceptional

ALU Designation Source  
TSWQS Appendix A

**Station ID(s):** No Stations

### SegID: 2501BC Brazoria County Beaches (Recreational Beaches)

Brazoria County Beaches (Recreational Beaches)

Segment Type Recreational Beaches

**AU\_ID: 2501BC\_0** Follets Island (Beach ID TX646145)

Flow Type  
Recreational Beaches

Flow Type Source  
Water body description

ALU Designation  
High

ALU Designation Source  
Presumption from Flow Type

**Station ID(s):** No Stations

**AU\_ID: 2501BC\_0** Quintana (Beach ID TX728060)

Flow Type  
Recreational Beaches

Flow Type Source  
Water body description

ALU Designation  
High

ALU Designation Source  
Presumption from Flow Type

**Station ID(s):** No Stations

**AU\_ID: 2501BC\_0** Surfside (Beach ID TX647885)

Flow Type  
Recreational Beaches

Flow Type Source  
Water body description

ALU Designation  
High

ALU Designation Source  
Presumption from Flow Type

**Station ID(s):** No Stations

**AU\_ID: 2501BC\_0** Bryan Beach (Beach ID TX384318)

Flow Type  
Recreational Beaches

Flow Type Source  
Water body description

ALU Designation  
High

ALU Designation Source  
Presumption from Flow Type

**Station ID(s):** No Stations

**SegID: 2501BO Boca Chica State Park (Recreational Beaches)**

Boca Chica State Park (Recreational Beaches)

Segment Type      Recreational Beaches

**AU\_ID: 2501BO\_0**    Boca Chica State Park (Beach ID TX714667)

Flow Type

Recreational Beaches

Flow Type Source

Water body description

ALU Designation

High

ALU Designation Source

Presumption from Flow Type

**Station ID(s):**    No Stations

**SegID: 2501BP Bolivar Peninsula (Recreational Beaches)**

Bolivar Peninsula (Recreational Beaches)

Segment Type      Recreational Beaches

**AU\_ID: 2501BP\_0**    Seadrift (Beach ID TX236175)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Recreational Beaches	Water body description	High	Presumption from Flow Type

**Station ID(s):**    No Stations

**AU\_ID: 2501BP\_0**    Clara St. (Beach ID TX392019)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Recreational Beaches	Water body description	High	Presumption from Flow Type

**Station ID(s):**    No Stations

**AU\_ID: 2501BP\_0**    West End (Beach ID TX426780)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Recreational Beaches	Water body description	High	Presumption from Flow Type

**Station ID(s):**    No Stations

**AU\_ID: 2501BP\_0**    O'Neil Rd. (Beach ID TX669225)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Recreational Beaches	Water body description	High	Presumption from Flow Type

**Station ID(s):**    No Stations

**AU\_ID: 2501BP\_0**    Gulf Shores (Beach ID TX860495)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Recreational Beaches	Water body description	High	Presumption from Flow Type

**Station ID(s):**    No Stations

**AU\_ID: 2501BP\_0**    Caplen (Beach ID TX940700)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Recreational Beaches	Water body description	High	Presumption from Flow Type

**Station ID(s):**    No Stations

**AU\_ID: 2501BP\_0**    Rettilon Road (Beach ID TX832087)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Recreational Beaches	Water body description	High	Presumption from Flow Type

**Station ID(s):**    No Stations

**SegID: 2501GE Galveston Island East End (Recreational Beaches)**

Galveston Island East End (Recreational Beaches)

Segment Type      Recreational Beaches

**AU\_ID: 2501GE\_0**    Appfel Park (Beach ID TX327206)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Recreational Beaches	Water body description	High	Presumption from Flow Type

**Station ID(s):**    No Stations

**SegID: 2501GU Galveston Island Urban (Recreational Beaches)**

Galveston Island Urban (Recreational Beaches)

Segment Type      Recreational Beaches

**AU\_ID: 2501GU\_ (**    45th St. (Beach ID TX214299)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Recreational Beaches	Water body description	High	Presumption from Flow Type

**Station ID(s):**    No Stations

**AU\_ID: 2501GU\_ (**    61st St. (Beach ID TX486021)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Recreational Beaches	Water body description	High	Presumption from Flow Type

**Station ID(s):**    No Stations

**AU\_ID: 2501GU\_ (**    25th St. (Beach ID TX710697)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Recreational Beaches	Water body description	High	Presumption from Flow Type

**Station ID(s):**    No Stations

**AU\_ID: 2501GU\_ (**    Stewart Beach (Beach ID TX451421)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Recreational Beaches	Water body description	High	Presumption from Flow Type

**Station ID(s):**    No Stations



**SegID: 2501GWGalveston Island West End (Recreational Beaches)**

Galveston Island West End (Recreational Beaches)

Segment Type      Recreational Beaches

**AU\_ID: 2501GW\_**    Spanish Grant/Bermuda Beach (Beach ID TX163187)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Recreational Beaches	Water body description	High	Presumption from Flow Type

**Station ID(s):**    No Stations

**AU\_ID: 2501GW\_**    Galveston Island State Park (Beach ID TX334226)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Recreational Beaches	Water body description	High	Presumption from Flow Type

**Station ID(s):**    No Stations

**AU\_ID: 2501GW\_**    Dellanera Park (Beach ID TX393353)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Recreational Beaches	Water body description	High	Presumption from Flow Type

**Station ID(s):**    No Stations

**AU\_ID: 2501GW\_**    Pirates Beach (Beach ID TX751320)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Recreational Beaches	Water body description	High	Presumption from Flow Type

**Station ID(s):**    No Stations

**AU\_ID: 2501GW\_**    Sea Isle (Beach ID TX767833)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Recreational Beaches	Water body description	High	Presumption from Flow Type

**Station ID(s):**    No Stations

**AU\_ID: 2501GW\_**    San Luis Pass (Beach ID TX822495)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Recreational Beaches	Water body description	High	Presumption from Flow Type

**Station ID(s):**    No Stations

**AU\_ID: 2501GW\_**    Jamaica Beach (Beach ID TX974690)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Recreational Beaches	Water body description	High	Presumption from Flow Type

**Station ID(s):**    No Stations

**AU\_ID: 2501GW\_**    Indian Beach (Beach ID TX239942)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Recreational Beaches	Water body description	High	Presumption from Flow Type

**Station ID(s):**    No Stations

**SegID: 2501MCMatagorda County Beaches (Recreational Beaches)**

Matagorda County Beaches (Recreational Beaches)

Segment Type      Recreational Beaches

**AU\_ID: 2501MC\_1**    East Matagorda Peninsula (Beach ID TX 756029)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Recreational Beaches	Water body description	High	Presumption from Flow Type

**Station ID(s):**    No Stations

**AU\_ID: 2501MC\_1**    Sargent Beach (Beach ID TX 455545)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Recreational Beaches	Water body description	High	Presumption from Flow Type

**Station ID(s):**    No Stations

**SegID: 2501MFMcFaddin National Wildlife Refuge (Recreational Beaches)**

McFaddin National Wildlife Refuge (Recreational Beaches)

Segment Type      Recreational Beaches

**AU\_ID: 2501MF\_1**    McFaddin NWR (Beach ID TX831676)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Recreational Beaches	Water body description	High	Presumption from Flow Type

**Station ID(s):**    No Stations

**SegID: 2501MI Mustang Island (Recreational Beaches)**

Mustang Island (Recreational Beaches)

Segment Type      Recreational Beaches

**AU\_ID: 2501MI\_0**    Mustang Island State Park (Beach ID TX551380)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Recreational Beaches	Water body description	High	Presumption from Flow Type

**Station ID(s):**    No Stations

**AU\_ID: 2501MI\_0**    Mustang Island (Beach ID TX396020)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Recreational Beaches	Water body description	High	Presumption from Flow Type

**Station ID(s):**    No Stations

**AU\_ID: 2501MI\_0**    JP Luby Park (Beach ID TX607336)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Recreational Beaches	Water body description	High	Presumption from Flow Type

**Station ID(s):**    No Stations

**SegID: 2501NP North Padre Island (Recreational Beaches)**

North Padre Island (Recreational Beaches)

Segment Type      Recreational Beaches

**AU\_ID: 2501NP\_0**    Padre Balli Park (Beach ID TX314643)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Recreational Beaches	Water body description	High	Presumption from Flow Type

**Station ID(s):**    No Stations

**SegID: 2501PA Port Aransas (Recreational Beaches)**

Port Aransas (Recreational Beaches)

Segment Type      Recreational Beaches

**AU\_ID: 2501PA\_0**    Port Aransas - South (Beach ID TX315916)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Recreational Beaches	Water body description	High	Presumption from Flow Type

**Station ID(s):**    No Stations

**AU\_ID: 2501PA\_0**    Port Aransas Park (Beach ID TX722300)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Recreational Beaches	Water body description	High	Presumption from Flow Type

**Station ID(s):**    No Stations

**SegID: 2501RP Rollover Pass (Recreational Beaches)**

Rollover Pass (Recreational Beaches)

Segment Type      Recreational Beaches

**AU\_ID: 2501RP\_0**    Rollover Pass East (Beach ID TX284256)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Recreational Beaches	Water body description	High	Presumption from Flow Type

**Station ID(s):**    No Stations

**AU\_ID: 2501RP\_0**    Rollover Pass West (Beach ID TX341767)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Recreational Beaches	Water body description	High	Presumption from Flow Type

**Station ID(s):**    No Stations

**SegID: 2501SP South Padre Island (Recreational Beaches)**

South Padre Island (Recreational Beaches)

Segment Type      Recreational Beaches

**AU\_ID: 2501SP\_0**    Town of South Padre Island (Beach ID TX868582)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Recreational Beaches	Water body description	High	Presumption from Flow Type

**Station ID(s):**    No Stations

**AU\_ID: 2501SP\_0**    Access Point #4 (Beach ID TX282282)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Recreational Beaches	Water body description	High	Presumption from Flow Type

**Station ID(s):**    No Stations

**AU\_ID: 2501SP\_0**    Access Point #6 (Beach ID TX810590)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Recreational Beaches	Water body description	High	Presumption from Flow Type

**Station ID(s):**    No Stations

**AU\_ID: 2501SP\_0**    Isla Blanca Park (Beach ID TX137781)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Recreational Beaches	Water body description	High	Presumption from Flow Type

**Station ID(s):**    No Stations

**AU\_ID: 2501SP\_0**    Atwood Park (Beach ID TX841900)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Recreational Beaches	Water body description	High	Presumption from Flow Type

**Station ID(s):**    No Stations

**AU\_ID: 2501SP\_0**    Park Road 100 Bay Access #2 (Beach ID TX229010)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Recreational Beaches	Water body description	High	Presumption from Flow Type

**Station ID(s):**    No Stations

**AU\_ID: 2501SP\_0**    Andy Bowie Park (Beach ID TX967170)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Recreational Beaches	Water body description	High	Presumption from Flow Type

**Station ID(s):**    No Stations

**AU\_ID: 2501SP\_0**    Access Point #3 (Beach ID TX147297)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
Recreational Beaches	Water body description	High	Presumption from Flow Type

**Station ID(s):**    No Stations

### SegID: 2501SR Sea Rim State Park (Recreational Beaches)

Sea Rim State Park (Recreational Beaches)

Segment Type      Recreational Beaches

**AU\_ID: 2501SR\_0**    Sea Rim State Park (Beach ID TX095025)

Flow Type

Recreational Beaches

Flow Type Source

Water body description

ALU Designation

High

ALU Designation Source

Presumption from Flow Type

**Station ID(s):**    No Stations