

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

As required under Sections 303(d) and 305(b) of the federal Clean Water Act, this list identifies the water bodies in or bordering Texas for which effluent limitations are not stringent enough to implement water quality standards, and for which the associated pollutants are suitable for measurement by maximum daily load.

In addition, the TCEQ also develops a schedule identifying Total Maximum Daily Loads (TMDLs) that will be initiated in the next two years for priority impaired waters. Issuance of permits to discharge into 303(d)-listed water bodies is described in the TCEQ regulatory guidance document *Procedures to Implement the Texas Surface Water Quality Standards* (June 2010, RG-194).

Impairments are limited to the geographic area described by the Assessment Unit and identified with a six or seven-digit AU_ID. A management strategy will be assigned to each impairment. Specific strategies may include TMDL development, water quality standards evaluation, or additional monitoring.

Explanation of Column Headings

SegID and Name:	The unique identifier (SegID), segment name, and location of the water body. Items may be one of three types of numbers for SegID. The first type is a classified segment number (4 digits, e.g. 0218), as defined in the Texas Surface Water Quality Standards. The second type is an unclassified water body (e.g. 0218A), not defined in the Standards and associated with a classified water body because it is in the same watershed. The third type includes special Segments for Oyster Water Use (e.g. 2421OW) and Beach Watch Use (e.g. 2481CB) special areas. The segment name and description follow SegID.
AU_ID:	Identifies the assessment unit (AU_ID, six or seven digits, e.g., 0101A_01) and describes the location of the specific area within a classified or unclassified water body for which one or more water quality standards are not met.
Parameter(s):	Pollutants or water quality conditions that assessment procedures indicate do not meet assigned water quality standards.
Category:	One of three subcategories assigned to each impaired parameter to provide information about water quality status and management activities on that water body. The categories are defined below: <u>Category 5</u> : The water body does not meet applicable water quality standards or is threatened for one or more designated uses by one or more pollutants. <i>Category 5a</i> - TMDLs are underway, scheduled, or will be scheduled for one or more parameters. <i>Category 5b</i> - A review of the standards for one or more parameters will be conducted before a management strategy is selected, including the possible revision to the TSWQS. <i>Category 5c</i> - Additional data or information will be collected and/or evaluated for one or more parameters before a management strategy is selected.
Year Segment First Listed	The initial assessment year the pollutant or water quality condition in this water body (Segment, not specifically the year for each AU_ID) did not meet water quality standards.

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0101A Dixon Creek

Dixon Creek - intermittent stream with perennial pools from the confluence with the Canadian River in Hutchinson County upstream to the confluence with Middle and East Dixon creeks in Carson County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	2000
0101A_01 Dixon Creek an Appendix D Intermittent stream with perennial pools from the confluence with the Canadian River upstream to the confluence with the permitted outfall receiving waters tributary		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Selenium in water	5c	2010
0101A_01 Dixon Creek an Appendix D Intermittent stream with perennial pools from the confluence with the Canadian River upstream to the confluence with the permitted outfall receiving waters tributary		

SegID: 0101B Rock Creek

Perennial stream from the confluence with the Canadian River upstream to the headwaters in Carson County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2006
0101B_01 Appendix D, Perennial stream from the confluence with the Canadian River up to SH 136 in the City of Borger		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0102 Lake Meredith

Lake Meredith - from Sanford Dam in Hutchinson County to a point immediately upstream of the confluence of Camp Creek in Potter County, up to the normal pool elevation of 2936.5 feet (impounds Canadian River)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Chloride in water	5c	2006
0102_01 Lake Meredith downstream of a line from red starboard marker 14 at Blue West Campground to green port marker 11 north of Fritch Canyon		
0102_02 Lake Meredith upstream of a line from red starboard marker 14 at Blue West Campground to green port marker 11 north of Fritch Canyon		
<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Mercury in edible tissue	5c	2002
0102_01 Lake Meredith downstream of a line from red starboard marker 14 at Blue West Campground to green port marker 11 north of Fritch Canyon		
0102_02 Lake Meredith upstream of a line from red starboard marker 14 at Blue West Campground to green port marker 11 north of Fritch Canyon		
<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Sulfate in water	5c	2006
0102_01 Lake Meredith downstream of a line from red starboard marker 14 at Blue West Campground to green port marker 11 north of Fritch Canyon		
0102_02 Lake Meredith upstream of a line from red starboard marker 14 at Blue West Campground to green port marker 11 north of Fritch Canyon		
<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Total dissolved solids in water	5c	2006
0102_01 Lake Meredith downstream of a line from red starboard marker 14 at Blue West Campground to green port marker 11 north of Fritch Canyon		
0102_02 Lake Meredith upstream of a line from red starboard marker 14 at Blue West Campground to green port marker 11 north of Fritch Canyon		

SegID: 0103 Canadian River Above Lake Meredith

From a point immediately upstream of the confluence of Camp Creek in Potter County to the New Mexico State Line in Oldham County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Chloride in water	5c	2006
0103_01 From the headwaters of Lake Meredith upstream to the confluence with Sand Creek		
0103_02 From the confluence with Sand Creek upstream to the confluence with Punta de Agua Creek		
0103_03 From the confluence with Punta de Agua Creek upstream to the New Mexico State Line		

SegID: 0103A East Amarillo Creek

From the confluence of the Canadian River to the headwaters of Thompson Park Lake in Amarillo

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2018
0103A_01 From the confluence with the Canadian River upstream to the Thompson Park Lake spillway		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0104 Wolf Creek
 From the Oklahoma State Line in Lipscomb County to a point 2.0 km (1.2 mi) upstream of
 FM 3045 in Ochiltree County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Temperature in water	5c	2018
0104_01 From the Oklahoma State Line upstream to the confluence with Plum Creek		

SegID: 0105 Rita Blanca Lake
 Rita Blanca Lake - from Rita Blanca Dam in Hartley County up to the normal pool
 elevation of 3860 feet (impounds Rita Blanca Creek)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	2018
0105_01 Rita Blanca Lake from Rita Blanca Dam up to the normal pool elevation of 3860 feet		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
pH	5c	2006
0105_01 Rita Blanca Lake from Rita Blanca Dam up to the normal pool elevation of 3860 feet		

SegID: 0201A Mud Creek
 Mud Creek - from the confluence of the Red River upstream to the headwater near the
 intersection of US 82 and Bowie CR 3403

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5b	2002
0201A_01 Mud Creek from the confluence of the Red River upstream to the headwater near the intersection of US 82 and Bowie CR 3403		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	2006
0201A_01 Mud Creek from the confluence of the Red River upstream to the headwater near the intersection of US 82 and Bowie CR 3403		

SegID: 0202A Bois D' Arc Creek
 Bois D' Arc Creek - from the confluence of the Red River upstream to the headwater
 northwest of Whitewright

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5b	2010
0202A_03 Bois D' Arc Creek from the confluence of Pace Creek upstream to the headwater northwest of Whitewright		

SegID: 0202C Pecan Bayou
 Pecan Bayou - from the confluence of the Red River upstream to the headwater south of
 Red River CR 2242-S

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2018
0202C_01 Pecan Bayou from the confluence of the Red River upstream to the headwater south of Red River CR 2242-S		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0202E Post Oak Creek
 Post Oak Creek - from the confluence of Choctaw Creek upstream to the headwater east of Shadow St northwest of Sherman

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2016
0202E_01 Post Oak Creek from the confluence of Choctaw Creek upstream to the confluence of Sand Creek		

SegID: 0202F Choctaw Creek
 From the confluence with the Red River east of Denison to the upstream perennial portion near the intersection of SH 56 and SH 289 in Grayson County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5b	2010
0202F_01 From the confluence with the Red River upstream to the confluence with Post Oak Creek		
0202F_02 From the confluence with Post Oak Creek upstream to the headwaters near the intersection of SH 56 and SH 289 in Grayson County		

SegID: 0202G Smith Creek
 Smith Creek - from the confluence of Pine Creek upstream to the confluence of two unnamed streams south of Loop 286 in Paris

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5b	2006
0202G_01 Smith Creek from the confluence of Pine Creek upstream to the confluence of two unnamed streams south of Loop 286 in Paris		

SegID: 0202I Little Pine Creek
 Little Pine Creek - from the confluence of Big Pine Creek upstream to the headwater north of Detroit, TX

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	2014
0202I_01 Little Pine Creek from the confluence of Big Pine Creek upstream to the headwater north of Detroit, TX		

SegID: 0202L Honey Grove Creek
 Honey Grove Creek - from the confluence of Bois d'Arc Creek upstream to the headwater east of Honey Grove

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5b	2016
0202L_01 Honey Grove Creek from the confluence of Bois d'Arc Creek upstream to the headwater east of Honey Grove		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0202N Hicks Creek

Hicks Creek - from the confluence of Pine Creek upstream to the headwater 520 m south of Gate 2 Rd on Camp Maxey

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2020
0202N_01 Hicks Creek from the confluence of Pine Creek upstream to the confluence of an unnamed tributary 135 m downstream of US 271 north of Paris		

SegID: 0205A Wildhorse Creek

Wildhorse Creek - from the confluence of Red River east of Burkburnett upstream to the headwater 1.9 km south of SH 240 and 11 km west of Burkburnett in Wichita County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2018
0205A_01 Wildhorse Creek from the confluence of Red River east of Burkburnett upstream to the headwater 1.9 km south of SH 240 and 11 km west of Burkburnett in Wichita County		

SegID: 0206B South Groesbeck Creek

South Groesbeck Creek - from the confluence of Groesbeck Creek and North Groesbeck Creek upstream to the headwater 12.6 km southwest of Childress

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5b	2006
0206B_01 South Groesbeck Creek from the confluence of Groesbeck Creek and North Groesbeck Creek upstream to the headwater 12.6 km southwest of Childress		

SegID: 0207 Lower Prairie Dog Town Fork Red River

Lower Prairie Dog Town Fork Red River - from a point immediately upstream of the confluence of Buck Creek in Hardeman County to a point 100 meters (110 yards) upstream of the confluence of Salt Fork Creek in Armstrong County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5b	2006
0207_04 Lower Prairie Dog Town Fork Red River from the confluence of Battle Creek upstream to the confluence of Salt Fork Creek upstream of SH 207 south of Claude		

SegID: 0211 Little Wichita River

From the confluence with the Red River in Clay County to Lake Arrowhead Dam in Clay County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	1996
0211_02 From the confluence with the East Fork Little Wichita River upstream to the Lake Arrowhead Dam		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0212A Little Wichita River above Lake Arrowhead

Little Wichita River - from the headwater of Lake Arrowhead at normal pool elevation of 926 feet upstream to the confluence of the North and South Forks of Little Wichita River north of Archer City

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2020
0212A_01 Little Wichita River from the headwater of Lake Arrowhead at normal pool elevation of 926 feet upstream to the confluence of the North and South Forks of Little Wichita River north of Archer City		

SegID: 0214 Wichita River Below Diversion Lake Dam

From the confluence with the Red River in Clay County to Diversion Dam in Archer County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2006
0214_05 From the confluence with Beaver Creek upstream to the Diversion Lake Dam		

SegID: 0214A Beaver Creek

From the confluence of the Wichita River west of Wichita Falls in Wichita County upstream to the headwaters west of Crowell in Foard County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5b	2006
0214A_02 From the confluence with Bull Creek upstream to the Santa Rosa Lake dam		

SegID: 0214F Unnamed tributary of Buffalo Creek

Unnamed tributary of Buffalo Creek - from the confluence of Buffalo Creek upstream to the headwater at eastbound frontage road of US 287 in Iowa Park

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5b	2016
0214F_01 Unnamed tributary from the confluence of Buffalo Creek upstream to the headwater at eastbound frontage road of US 287 in Iowa Park		

SegID: 0219 Lake Wichita

Lake Wichita - from Lake Wichita Dam in Wichita County up to the normal pool elevation of 980.5 feet (impounds Holliday Creek)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Chloride in water	5c	2014
0219_01 Lake Wichita from the dam up to the normal pool elevation of 980.5 feet		
Sulfate in water	5c	2014
0219_01 Lake Wichita from the dam up to the normal pool elevation of 980.5 feet		
Total dissolved solids in water	5c	2014
0219_01 Lake Wichita from the dam up to the normal pool elevation of 980.5 feet		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0221 Middle Fork Pease River
 Middle Fork Pease River - from the confluence with the North Fork Pease River in Cottle County to the confluence of Boggy Creek and Mott Creek in Motley County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Chloride in water	5c	2020
0221_01 Middle Fork Pease River from the confluence of the North Fork Pease River upstream to the confluence of the South Fork Pease River		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Sulfate in water	5c	2020
0221_01 Middle Fork Pease River from the confluence of the North Fork Pease River upstream to the confluence of the South Fork Pease River		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Total dissolved solids in water	5c	2020
0221_01 Middle Fork Pease River from the confluence of the North Fork Pease River upstream to the confluence of the South Fork Pease River		

SegID: 0223 Greenbelt Lake
 Greenbelt Lake - from Greenbelt Dam in Donley County up to the normal pool elevation of 2664 feet (impounds Salt Fork Red River)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Excessive algal growth in water	5c	2020
0223_01 Greenbelt Lake from the dam up to normal pool elevation of 2664 feet		

SegID: 0226 South Fork Wichita River
 South Fork Wichita River - from the confluence with the North Fork Wichita River in Knox County to a point 15.0 km (9.3 mi) upstream of US 82 in Dickens County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Chloride in water	5c	2020
0226_01 South Fork Wichita River from the confluence of the North Fork Wichita River upstream to SH 6		
0226_02 South Fork Wichita River from SH 6 upstream to the confluence of Willow Creek		
0226_03 South Fork Wichita River from confluence of Willow Creek upstream to the confluence of Long Canyon Creek		
0226_04 South Fork Wichita River from the confluence of Long Canyon Creek upstream to a point 15.0 km upstream of US 82		

SegID: 0228 Mackenzie Reservoir
 Mackenzie Reservoir - from Mackenzie Dam in Briscoe County up to the normal pool elevation of 3100 feet (impounds Tule Creek)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Sulfate in water	5c	2016
0228_01 Mackenzie Reservoir from the dam up to the normal pool elevation of 3100 feet		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Total dissolved solids in water	5c	2014
0228_01 Mackenzie Reservoir from the dam up to the normal pool elevation of 3100 feet		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0229 Upper Prairie Dog Town Fork Red River
 Upper Prairie Dog Town Fork Red River - from a point 100 meters (110 yards) upstream of the confluence of Salt Fork Creek in Armstrong County to Lake Tanglewood Dam in Randall County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2018
0229_01 Upper Prairie Dog Town Fork Red River from a point 100 m (110 yds) upstream of the confluence of Salt Creek upstream to the Palo Duro Canyon State Park northern boundary		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	2018
0229_02 Upper Prairie Dog Town Fork Red River from the Palo Duro Canyon State Park northern boundary upstream to Tanglewood Dam		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
pH	5c	2006
0229_02 Upper Prairie Dog Town Fork Red River from the Palo Duro Canyon State Park northern boundary upstream to Tanglewood Dam		

SegID: 0299A Sweetwater Creek
 Sweetwater Creek - from the Oklahoma State Line upstream to the headwaters SW of the intersection of Gray CR 1268 and CR 748

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2002
0299A_01 Sweetwater Creek from the Oklahoma State Line upstream to the confluence of Graham Creek south of Mobeetic		

SegID: 0302 Wright Patman Lake
 From Wright Patman Lake Dam in Bowie/Cass County to a point 1.5 km (0.9 mi) downstream of Bassett Creek in Bowie/Cass County, up to the normal pool elevation of 226.4 feet (impounds the Sulphur River)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
pH	5b	2000
0302_11 2700 acres near dam		
0302_12 2000 acres in northern arms of reservoir		
0302_13 5600 acres in mid-reservoir		
0302_14 9000 acres in upper portion of reservoir		

SegID: 0302A Big Creek
 Intermittent stream with perennial pools from Wright Patman Lake upstream to I 30

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	2020
0302A_02 Intermittent stream with perennial pools from FM 2149 upstream to 1.3 km south of US 82 southeast of the City of New Boston; App D		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0302H Elliott Creek

Elliott Creek from the confluence with Wright Patman Lake east of Redwater, upstream to the Elliott Creek Reservoir dam in Bowie County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	2020
0302H_01 Elliott Creek from the confluence with Wright Patman Lake east of Redwater, upstream to the Elliott Creek Reservoir dam in Bowie County		

SegID: 0303B White Oak Creek

From the confluence of the Sulphur River north of Naples in Morris County to Lake Sulphur Springs in Hopkins County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5b	2006
0303B_01 Portion of White Oak Creek from the confluence with the South Sulphur River approximately 40 km (25 mi) upstream to the confluence with Lacy Creek; App D		
0303B_03 Portion of White Oak Creek from the confluence with the Ripley Creek to approximately 0.26 km upstream of FM 900 in northeast Hopkins County; App D		
0303B_04 Portion of White Oak Creek from approximately 0.26 km upstream of FM 900 in northeast Hopkins County upstream to Lake Sulphur Springs.		
<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	2000
0303B_03 Portion of White Oak Creek from the confluence with the Ripley Creek to approximately 0.26 km upstream of FM 900 in northeast Hopkins County; App D		

SegID: 0303P Mustang Creek

Mustang Creek from the confluence with the Sulphur River northeast of Talco upstream to the headwaters north of Deport

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	2020
0303P_01 Mustang Creek from the confluence with the Sulphur River northeast of Talco upstream to the headwaters north of Deport		

SegID: 0304 Days Creek

From the Arkansas State Line in Bowie County to the confluence of Swampoodle Creek and Nix Creek in Bowie County.

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2018
0304_01 From the Arkansas State Line in Bowie County to the confluence of Swampoodle Creek and Nix Creek in Bowie County.		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0304C Wagner Creek

Perennial stream from the confluence with Days Creek upstream to the headwaters 0.3 km west of Birdwell Davis Road

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2016
0304C_01 Perennial stream from the confluence with Days Creek upstream to a point 1.5 km upstream of IH 30; App D		

SegID: 0306 Upper South Sulphur River

From a point 1.0 km (0.6 mi) upstream of SH 71 in Delta/Hopkins County to SH 78 in Fannin County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2020
0306_01 Portion of the Upper South Sulphur River from a point 1 km (.6 mi) upstream of SH 71 upstream approximately 10 km (6 mi) to Dunbar Creek.		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
pH	5c	2008
0306_03 Portion of the Upper South Sulphur River from the confluence with Hickory Creek approximately 19 km (12 mi) to SH 71.		

SegID: 0307A Middle Sulphur River

From the confluence Cooper Lake in Hopkins County to the upstream perennial portion of the stream east of Wolfe City in Hunt County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2020
0307A_01 From the confluence Cooper Lake in Hopkins County to the upstream perennial portion of the stream east of Wolfe City in Hunt County		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0401 Caddo Lake

From the Louisiana State Line in Harrison/Marion County to a point 12.3 km (7.6 mi) downstream of SH 43 in Harrison/Marion County, up to pool elevation of 168.5 feet (impounds Big Cypress Creek)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	2000
0401_02 Harrison Bayou arm		
0401_03 Goose Prairie arm		
0401_05 Clinton Lake		
0401_07 Mid-lake near Uncertain		
<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Mercury in edible tissue	5c	1996
0401_01 Lower 5000 acres		
0401_02 Harrison Bayou arm		
0401_03 Goose Prairie arm		
0401_05 Clinton Lake		
0401_07 Mid-lake near Uncertain		

SegID: 0401A Harrison Bayou

From the confluence of Caddo Lake east of Karnack in Harrison County to the upstream perennial portion of the stream east of Marshall in Harrison County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	2000
0401A_01 Intermittent stream with perennial pools from the confluence with Caddo Lake within the Caddo Lake National Wildlife Refuge east of the City of Karnack upstream to FM 1998 east of the City of Marshall. App D		

SegID: 0402 Big Cypress Creek Below Lake O' the Pines

From a point 12.3 km (7.6 mi) downstream of SH 43 in Harrison/Marion County to Ferrell's Bridge Dam in Marion County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	2010
0402_02 From the confluence with Haggerty Creek upstream 25 km (15.5 mi) to the confluence with Black Cypress Bayou.		
<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Mercury in edible tissue	5c	1998
0402_01 From the confluence with Caddo Lake upstream 15 km (9 mi) to Haggerty Creek		
0402_02 From the confluence with Haggerty Creek upstream 25 km (15.5 mi) to the confluence with Black Cypress Bayou.		
0402_03 From the confluence with Black Cypress Bayou upstream 23.8 km (14.7 mi) to French Creek.		
0402_04 From the confluence with French Creek upstream 13 km (8 mi) to Lake O' the Pines		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0402B Hughes Creek

Perennial stream from the confluence with Black Cypress Creek upstream to the headwaters
0.2 km east of CR 2115

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	2020
0402B_01 Perennial stream from the confluence with Black Cypress Creek upstream to the confluence with an unnamed first order tributary approximately 0.5 km downstream of FM 250; App D		

SegID: 0403 Lake O' the Pines

From Ferrell's Bridge Dam in Marion County to a point 1.0 km (0.6 mi) downstream of US 259 in Morris/Upshur County, up to normal pool elevation of 228.5 feet (impounds Big Cypress Creek)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
pH	5c	2016
0403_01 Lower 5000 acres		
0403_02 Middle 5000 acres		
0403_03 Middle 5000 acres below Hwy 155		

SegID: 0404 Big Cypress Creek Below Lake Bob Sandlin

From a point 1.0 km (0.6 mi) downstream of US 259 in Morris/Upshur Counties to Fort Sherman Dam in Camp/Titus Counties

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5b	2002
0404_02 From the confluence with an unnamed tributary NHD RC 11140305002717 upstream 37.2 km (23 mi) to Lake Bob Sandlin		

SegID: 0404A Ellison Creek Reservoir

From the Morris County Dam up to normal pool elevation near Lone Star in Morris County (impounds Ellison Creek)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Dioxin in edible tissue	5a	2016
0404A_01 From the Morris County Dam up to normal pool elevation near Lone Star in Morris County (impounds Ellison Creek)		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2006
0404A_01 From the Morris County Dam up to normal pool elevation near Lone Star in Morris County (impounds Ellison Creek)		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Toxicity in sediment	5c	2006
0404A_01 From the Morris County Dam up to normal pool elevation near Lone Star in Morris County (impounds Ellison Creek)		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0404B Tankersley Creek

Perennial stream from the confluence with Big Cypress Creek upstream to the confluence with an unnamed tributary 250 meters upstream of IH 30

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5b	2000
0404B_01 From the confluence with Big Cypress Creek upstream 16.1 km (10 mi) to Tankersley Lake. WQS Appendix D portion of the creek.		

SegID: 0404C Hart Creek

Perennial stream from the confluence with Big Cypress Creek upstream to the headwaters 0.2 km south of CR 1635, Titus County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5b	2006
0404C_01 Perennial stream from the confluence with Big Cypress Creek upstream to 0.2 km upstream of FM 1402; App D		

SegID: 0404E Dry Creek

Perennial stream from the confluence with Big Cypress Creek upstream to the headwaters near the intersection of Texas and Fred roads, Camp County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2020
0404E_01 Perennial stream from the confluence with Big Cypress Creek upstream to the confluence of Mile Branch and Little Creek; App D		

SegID: 0404J Prairie Creek

From the confluence with Big Cypress Creek to Bennett Lake, south of Pittsburg in Camp County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	2020
0404J_01 From the confluence with Big Cypress Creek to Bennett Lake, south of Pittsburg in Camp County		

SegID: 0404N Lake Daingerfield

Southeast of the City of Daingerfield in Daingerfield State Park in Morris County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Mercury in edible tissue	5c	2002
0404N_01 Southeast of the City of Daingerfield in Daingerfield State Park in Morris County		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0405 Lake Cypress Springs
 From Franklin County Dam in Franklin County up to the normal pool elevation of 378 feet
 (impounds Big Cypress Creek)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Excessive algal growth in water	5c	2016
0405_01 From the confluence with an unnamed tributary NHD RC 11140305002717 upstream 37.2 km (23 mi) to Lake Bob Sandlin		
0405_02 Upper 2600 acres		
0405_03 Panther Arm		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
pH	5c	2012
0405_01 From the confluence with an unnamed tributary NHD RC 11140305002717 upstream 37.2 km (23 mi) to Lake Bob Sandlin		
0405_02 Upper 2600 acres		
0405_03 Panther Arm		

SegID: 0405A Big Cypress Creek
 From the confluence with Lake Cypress Springs in Franklin County, to approximately 5 mi
 west of State HWY 37

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5b	2016
0405A_01 From the confluence with Lake Cypress springs in Franklin County, to approximately 5 mi west of State HWY 37		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	2014
0405A_01 From the confluence with Lake Cypress springs in Franklin County, to approximately 5 mi west of State HWY 37		

SegID: 0406 Black Bayou
 From the Louisiana State Line in Cass County to FM 96 in Cass County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2006
0406_02 From the confluence with Hurricane Creek upstream 28.6 km (17.7 mi) to NHD RC 11140304000881 near FM 96		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	2002
0406_01 Black Bayou from the LA state line upstream 19.1 km (11.8 mi) to the confluence with Hurricane Creek		
0406_02 From the confluence with Hurricane Creek upstream 28.6 km (17.7 mi) to NHD RC 11140304000881 near FM 96		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0407 James' Bayou
 From the Louisiana State Line in Marion County to Club Lake Road northwest of Linden in Cass County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2006
0407_01	From the LA state line upstream 31.6 km (19.6 mi) to the confluence with Bear Creek.	

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	2000
0407_02	From the confluence with Bear Creek upstream 29.8 km (18.5 mi) to approximately 2 km north of HWY 11	

SegID: 0409 Little Cypress Bayou (Creek)
 From the confluence of Big Cypress Creek in Harrison/Marion County to a point 1.0 km (0.6 mi) upstream of FM 2088 in Wood County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2006
0409_02	From the confluence with Lawrence Creek upstream 29.2 km (18.1 mi) to the confluence with NHD RC 11140307000368	
0409_04	From the confluence with NHD RC 11140307001531 upstream 41.1 km (29.2 mi) to the headwaters at FM 2088	

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	2000
0409_01	From the confluence with Big Cypress Creek upstream 41 km (25.4 mi) to the confluence with Lawrence Creek	
0409_02	From the confluence with Lawrence Creek upstream 29.2 km (18.1 mi) to the confluence with NHD RC 11140307000368	

SegID: 0409A Lilly Creek
 From the confluence with Little Cypress Creek to the Camp County line near Lawton in Upshur County.

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5b	2016
0409A_01	From the confluence with Little Cypress Creek to the Camp County line near Lawton in Upshur County.	

SegID: 0409B South Lilly Creek
 From the confluence of Lilly Creek to approximately 2 mi west of FM 1647

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5b	2006
0409B_01	From the confluence of Lilly Creek to approximately 2 mi west of FM 1647	

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0410 Black Cypress Bayou (Creek)

From the confluence with Big Cypress Creek in Marion County to the confluence with Kelly Creek in Cass County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Copper in water	5c	2010

0410_01	From the confluence with Big Cypress Creek upstream 25 km (15.5 mi) to the confluence with White Oak Creek
---------	--

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	2000

0410_02	From the confluence with White Oak Creek upstream 31.3 km (19.4 mi) to Pruitt Lake
---------	---

0410_04	From Pruitt Lake 26.4 km (16.4 mi) upstream to the confluence with Kelly Creek in Cass County
---------	---

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Lead in water	5c	2020

0410_03	Pruitt Lake beginning near HWY 155, extending upstream 1.8 km (1.1 mi)
---------	--

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Mercury in edible tissue	5c	2000

0410_03	Pruitt Lake beginning near HWY 155, extending upstream 1.8 km (1.1 mi)
---------	--

SegID: 0410A Black Cypress Creek/Bayou

An Appendix D intermittent stream with perennial pools from the confluence with Kelly Creek upstream to FM 250 north of the City of Hughes Springs

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2018

0410A_01	Intermittent stream with perennial pools from the confluence with Kelly Creek upstream to FM 250 north of the City of Hughes Springs; App D
----------	---

SegID: 0501 Sabine River Tidal

Sabine River Tidal - from the confluence with Sabine Lake in Orange County to West Bluff in Orange County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2006

0501_01	Sabine River tidal from the confluence of Sabine Lake upstream to confluence of Adams Bayou Tidal
---------	---

0501_02	Sabine River tidal from the confluence of Adams Bayou Tidal upstream to the confluence of Little Cypress Bayou
---------	--

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5c	2012

0501_01	Sabine River tidal from the confluence of Sabine Lake upstream to confluence of Adams Bayou Tidal
---------	---

0501_02	Sabine River tidal from the confluence of Adams Bayou Tidal upstream to the confluence of Little Cypress Bayou
---------	--

0501_03	Sabine River tidal from the confluence of Little Cypress Bayou upstream to the confluence of Old River at West Bluff
---------	--

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0501B Little Cypress Bayou

Little Cypress Bayou - from the confluence of the Sabine River upstream to the headwater near the intersection of S Teal Rd and Dunromin Rd north of Orange

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5b	2006
0501B_01 Little Cypress Bayou from the confluence of the Sabine River upstream to a point 340m downstream of 16th St in Orange		
0501B_02 Little Cypress Bayou from a point 340m downstream of 16th St in Orange upstream to the confluence of an unnamed stream 100m downstream of Little Cypress Dr		
0501B_03 Little Cypress Bayou from the confluence of an unnamed stream 100m downstream of Little Cypress Dr upstream to the headwater near the intersection of S Teal Rd and Dunromin Rd north of Orange		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	2006
0501B_01 Little Cypress Bayou from the confluence of the Sabine River upstream to a point 340m downstream of 16th St in Orange		
0501B_02 Little Cypress Bayou from a point 340m downstream of 16th St in Orange upstream to the confluence of an unnamed stream 100m downstream of Little Cypress Dr		
0501B_03 Little Cypress Bayou from the confluence of an unnamed stream 100m downstream of Little Cypress Dr upstream to the headwater near the intersection of S Teal Rd and Dunromin Rd north of Orange		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Toxicity in water	5c	2004
0501B_01 Little Cypress Bayou from the confluence of the Sabine River upstream to a point 340m downstream of 16th St in Orange		
0501B_02 Little Cypress Bayou from a point 340m downstream of 16th St in Orange upstream to the confluence of an unnamed stream 100m downstream of Little Cypress Dr		
0501B_03 Little Cypress Bayou from the confluence of an unnamed stream 100m downstream of Little Cypress Dr upstream to the headwater near the intersection of S Teal Rd and Dunromin Rd north of Orange		

SegID: 0502A Nichols Creek

Nichols Creek from the confluence of the Sabine River upstream to the headwater at FM 1013 northwest of Kirbyville

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2002
0502A_01 Nichols Creek from the confluence of the Sabine River upstream to the headwater at FM 1013 northwest of Kirbyville		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	2002
0502A_01 Nichols Creek from the confluence of the Sabine River upstream to the headwater at FM 1013 northwest of Kirbyville		

SegID: 0502B Caney Creek

Caney Creek - perennial stream from the Sabine River upstream to the confluence with Martin Branch

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2006
0502B_02 Caney Creek an Appendix D perennial stream from the Davison St crossing in Newton upstream to the confluence of Martin Branch		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0502E Cypress Creek

Cypress Creek - from the confluence of the Sabine River up to the headwater 500m south of FM 82 east of Kirbyville

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5b	2010
0502E_01 Cypress Creek from the confluence of the Sabine River up to the headwater 500m south of FM 82 east of Kirbyville		

SegID: 0504 Toledo Bend Reservoir

Toledo Bend Reservoir - from Toledo Bend Dam in Newton County to a point immediately upstream of the confluence of Murvaul Creek in Panola County, up to the normal pool elevation of 172 feet (impounds Sabine River)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Mercury in edible tissue	5c	1998
0504_01 Toledo Bend Reservoir from the dam up to a line from Louisiana State Park #15 (LA) west to near Pleasure Bend Rd (TX)		
0504_02 Toledo Bend Reservoir Six Mile Bay, including Sandy Creek arm, from near Lakeview Rd on the northside peninsula to near Pleasure Bend Rd on the southside peninsula		
0504_03 Toledo Bend Reservoir Sunshine Bay arm, including Spring Hill Bay, from Alpine Marina on the northside peninsula to New Haven Rd on the southside peninsula		
0504_04 Toledo Bend Reservoir from a line from Cypress Bend Golf Resort (LA) west to Alpine Marina (TX) up to a line from North Toledo Bend State Park (LA) southwest to Carter's Ferry Rd north of Patroon Bayou (TX)		
0504_05 Toledo Bend Reservoir Patroon Bayou arm from Carter's Ferry Rd on northside peninsula to Elma Ln on southside peninsula		
0504_06 Toledo Bend Reservoir from a line from the confluence of Ten Acre Creek (LA) west to Shelby CR 2000 near Huxley, TX up to a line from the confluence of Pen Bayou (LA) west to the confluence of Tenaha Bayou (TX)		
0504_07 Toledo Bend Reservoir from a line from the confluence of Pen Bayou (LA) west to the confluence of Tenaha Bayou (TX) up to a point immediately upstream of the confluence of Murvaul Creek, up to the normal pool elevation of 172 feet		
0504_11 Toledo Bend Reservoir from a line from North Toledo Bend State Park (LA) southwest to Carter's Ferry Rd north of Patroon Bayou (TX) up to a line from the confluence of Ten Acre Creek (LA) west to Shelby CR 2000 near Huxley, TX		
0504_12 Toledo Bend Reservoir from a line from Louisiana State Park #15 (LA) west to Pleasure Bend Rd (TX) up to Cypress Bend Golf Resort (LA) west to Alpine Marina (TX)		

SegID: 0504E Clear Lake

Clear Lake - an oxbow lake 12 mi northwest of Logansport, LA

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Mercury in edible tissue	5c	2006
0504E_01 Clear Lake an oxbow lake 12 mi northwest of Logansport, LA		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0505 Sabine River Above Toledo Bend Reservoir

Sabine River Above Toledo Bend Reservoir - from a point immediately upstream of the confluence of Murvaul Creek in Panola County to a point 100 meters (110 yards) downstream of US 271 in Gregg County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2002
0505_04 Sabine River from the confluence of Hatley Creek 7.7.km north of Tatum upstream to the confluence of Grace Creek near IH 20 west of Longview		

SegID: 0505B Grace Creek

Grace Creek - perennial stream from the confluence of the Sabine River upstream to the headwater at FM 1844

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5b	2000
0505B_01 Grace Creek an Appendix D perennial stream from the confluence of the Sabine River upstream to an unnamed tributary from Longview WWTP south of Loop 281		
0505B_02 Grace Creek an Appendix D perennial stream from an unnamed tributary from Longview WWTP south of Loop 281 upstream to the headwater at FM 1844		

SegID: 0505G Wards Creek

Wards Creek - intermittent stream with perennial pools from the confluence of Sewell Creek upstream to the confluence of an unnamed second order tributary approximately 0.6 km upstream of US 80

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	2000
0505G_01 Wards Creek an Appendix D intermittent stream with perennial pools from the confluence of Sewell Creek upstream to the confluence of an unnamed second order tributary approximately 0.6 km upstream of US 80		

SegID: 0505O Hills Lake

Hills Lake - an oxbow lake 13 mi east of Carthage

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Mercury in edible tissue	5c	2006
0505O_01 Hills Lake an oxbow lake 13 mi east of Carthage		

SegID: 0506A Harris Creek

Harris Creek - from the confluence of the Sabine River 5.7 km north of Winona upstream to the headwater near SH 64 east of Tyler

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	2000
0506A_01 Harris Creek from the confluence of the Sabine River 5.7 km north of Winona upstream to the headwater near SH 64 east of Tyler		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0507G South Fork of Sabine River

South Fork of Sabine River - from the confluence of Lake Tawakoni upstream to the confluence of Parker and Sabine Creeks

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5b	2006
0507G_01 South Fork of Sabine River from the confluence of Lake Tawakoni upstream to the confluence of Parker and Sabine Creeks		

SegID: 0510 Lake Cherokee

Lake Cherokee - from Cherokee Dam in Gregg/Rusk County up to the normal pool elevation of 280 feet (impounds Cherokee Bayou)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
pH	5c	2014
0510_02 Lake Cherokee from a line at the East Texas Regional Airport runway up to the normal pool elevation of 280 feet		

SegID: 0512A Running Creek

Running Creek - from the confluence of Lake Fork at the Hopkins/Wood County line upstream to the headwater 400 m south of SH 11 southeast of Sulphur Springs

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5b	2002
0512A_01 Running Creek from the confluence of Lake Fork at the Hopkins/Wood County line upstream to the headwater 400 m south of SH 11 southeast of Sulphur Springs		

SegID: 0512B Elm Creek

Elm Creek - from the confluence of Lake Fork 375 m downstream of FM 514 upstream to the headwater at Hopkins CR 1110 southwest of Sulphur Springs

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5b	2002
0512B_01 Elm Creek from the confluence of Lake Fork 375 m downstream of FM 514 upstream to the headwater at Hopkins CR 1110 southwest of Sulphur Springs		

SegID: 0513 Big Cow Creek

Big Cow Creek - from the confluence with the Sabine River in Newton County to a point 4.6 km (2.9 mi) upstream of Recreational Road 255 in Newton County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2018
0513_01 Big Cow Creek from the confluence with the Sabine River southeast of Kirbyville upstream to the confluence of White Oak Creek west of Kirbyville		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0514 Big Sandy Creek
 Big Sandy Creek - from the confluence with the Sabine River in Upshur County to a point
 2.6 km (1.6 mi) upstream of SH 11 in Hopkins County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2006
0514_01 Big Sandy Creek from the confluence with the Sabine River in Upshur County upstream to the Lake Winnsboro Dam (Wood County Dam No. 4)		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
pH	5c	2018
0514_02 Big Sandy Creek from the Lake Winnsboro Dam (Wood County Dam No. 4) upstream to a point 2.6 km (1.6 mi) upstream of SH 11 in Hopkins County		

SegID: 0601 Neches River Tidal
 From the confluence with Sabine Lake in Orange County to the Neches River Saltwater
 Barrier, which is at a point 0.8 km (0.5 mi) downstream of the confluence of Pine Island
 Bayou, in Orange County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5a	2012
0601_01 Lower boundary to top of first oxbow, above Bird Island Bayou confluence at NHD RC 12020003000004		
0601_02 Top of first oxbow to top of U.S. Nat'l Defense Reserve Fleet Basin at top of NHD RC 12020003008459		
0601_03 Top of U.S. Nat'l Defense Reserve Fleet Basin to top of last oxbow below Kansas City Southern Railroad bridge 0.44km upstream of NHD RC 12020003000013		
0601_04 Top of last oxbow below Kansas City Southern Railroad bridge to saltwater barrier at NHD RC 12020003000017		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5c	2012
0601_01 Lower boundary to top of first oxbow, above Bird Island Bayou confluence at NHD RC 12020003000004		
0601_02 Top of first oxbow to top of U.S. Nat'l Defense Reserve Fleet Basin at top of NHD RC 12020003008459		
0601_03 Top of U.S. Nat'l Defense Reserve Fleet Basin to top of last oxbow below Kansas City Southern Railroad bridge 0.44km upstream of NHD RC 12020003000013		
0601_04 Top of last oxbow below Kansas City Southern Railroad bridge to saltwater barrier at NHD RC 12020003000017		

SegID: 0601A Star Lake Canal
 North of Groves in Jefferson County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2012
0601A_01 North of Groves in Jefferson County		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0602 Neches River Below B. A. Steinhagen Lake

From the Neches River Saltwater Barrier, which is at a point 0.8 km (0.5 mi) downstream of the confluence of Pine Island Bayou, in Orange County to Town Bluff Dam in Jasper/Tyler County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Dioxin in edible tissue	5c	2014
0602_02 From the confluence with Village Creek 0608 upstream to the confluence with Black Branch NHD RC 12020003000695		
0602_03 From the confluence with Black Branch upstream to confluence with unnamed tributary at NHD RC 12020003000058		
0602_04 From the confluence with unnamed tributary at NHD RC 12020003000058 upstream to Town Bluff Dam		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Mercury in edible tissue	5c	2010
0602_02 From the confluence with Village Creek 0608 upstream to the confluence with Black Branch NHD RC 12020003000695		
0602_03 From the confluence with Black Branch upstream to confluence with unnamed tributary at NHD RC 12020003000058		
0602_04 From the confluence with unnamed tributary at NHD RC 12020003000058 upstream to Town Bluff Dam		

SegID: 0603 B. A. Steinhagen Lake

From Town Bluff Dam to a point immediately upstream of the confluence of Hopson Mill Creek on the Neches River Arm and to a point immediately upstream of the confluence of Indian Creek on the Angelina River Arm, up to the normal pool elevation of 83 feet

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Dioxin in edible tissue	5c	2014
0603_01 Main pool by dam to include all the area below the US HWY 190 bridge		
0603_02 Area above the US HWY 190 bridge to the upper boundaries of the segment at points immediately upstream of confluences Hopson Mill Creek (Neches Arm) and Indian Creek (Angelina Arm)		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Mercury in edible tissue	5c	1998
0603_01 Main pool by dam to include all the area below the US HWY 190 bridge		
0603_02 Area above the US HWY 190 bridge to the upper boundaries of the segment at points immediately upstream of confluences Hopson Mill Creek (Neches Arm) and Indian Creek (Angelina Arm)		

SegID: 0603A Sandy Creek

From the confluence with B. A. Steinhagen Lake southwest of the City of Jasper in Jasper County upstream to the headwaters at Recreational Road 255 north of Jasper in Jasper County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2000
0603A_01 From the confluence with B.A. Steinhagen Lake upstream to 0.5 km below FM 776 east of the City of Jasper, App. D		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0603B Wolf Creek

From the confluence of B. A. Steinhagen Lake southeast of Colmesneil in Tyler County to the upstream perennial portion of the stream south of Colmesneil in Tyler County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2006
0603B_01 From the confluence of B.A. Steinhagen Lake upstream to Lake Amanda Dam.		

SegID: 0604 Neches River Below Lake Palestine

From a point immediately upstream of the confluence of Hopson Mill Creek in Jasper/Tyler County to Blackburn Crossing Dam in Anderson/Cherokee County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Dioxin in edible tissue	5c	2014
0604_01 Lower boundary to a point immediately upstream of confluence of Biloxi Creek 0604M at NHD RC 12020002001061		
0604_02 From the confluence of Biloxi Creek (0604M) upstream to the upper confluence of Old River at NHD RC 12020002000037		
0604_03 From the upper confluence of Old River upstream to the confluence with Cedar Creek in Cherokee County at NHD RC 12020002000085 near Hargrove Lake		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Mercury in edible tissue	5c	2010
0604_01 Lower boundary to a point immediately upstream of confluence of Biloxi Creek 0604M at NHD RC 12020002001061		
0604_02 From the confluence of Biloxi Creek (0604M) upstream to the upper confluence of Old River at NHD RC 12020002000037		
0604_03 From the upper confluence of Old River upstream to the confluence with Cedar Creek in Cherokee County at NHD RC 12020002000085 near Hargrove Lake		

SegID: 0604A Cedar Creek

From the confluence of the Neches River southwest of Lufkin in Angelina County to the upstream perennial portion of the stream in Lufkin in Angelina County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2000
0604A_02 From the confluence with Jack Creek (0604C) upstream to confluence with unnamed tributary adjacent to State Loop 287, per App. D in WQS, at NHD RC 12020002000436		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	2020
0604A_03 From the confluence with unnamed tributary adjacent to SH Loop 287 upstream to headwaters near Hoo Hoo Ave in the City of Lufkin		

SegID: 0604B Hurricane Creek

From the confluence with Cedar Creek upstream to the headwaters near Groesbeck Ave in the City of Lufkin

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2000
0604B_01 From the confluence with Cedar Creek (0604A) upstream to confluence with unnamed tributary 100m above State Loop 287 in Lufkin, per WQS App. D, at NHD RC 12020002000043		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0604C Jack Creek

From the confluence of Cedar Creek southwest of Lufkin in Angelina County to the upstream perennial portion of the stream in northeast Lufkin in Angelina County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2000
0604C_01	From the confluence with Cedar Creek (0604A) upstream to confluence with unnamed tributary 1.6km SW of US Hwy 69 NW of Lufkin at NHD RC 12020002012470.	

SegID: 0604D Piney Creek

From the confluence of the Neches River at the Polk/Tyler/Angelina County lines east of Corrigan to the upstream perennial portion of the stream east of Crockett in Houston County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2006
0604D_02	Upper portion of stream from the confluence with Caney Creek (0604O) in Trinity County upstream to confluence with unnamed tributary at NHD RC 12020002000181 in Houston County 0.75km west of FM 2781.	

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5b	2004
0604D_01	Middle portion of the stream from the confluence with Bear Creek (0604L) in Polk County upstream to the confluence with Caney Creek (0604O) in Trinity County at NHD RC 12020002000163.	

SegID: 0604M Biloxi Creek

From the confluence with the Neches River southeast of Diboll to FM 325 east of Lufkin in Angelina County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2004
0604M_03	From the confluence with One Eye Creek in Angelina County SE of Lufkin upstream to FM 325 east of Lufkin	

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	2006
0604M_03	From the confluence with One Eye Creek in Angelina County SE of Lufkin upstream to FM 325 east of Lufkin	

SegID: 0604T Lake Ratcliff

Lake in Houston County 3.4 mi northeast of Kennard

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Mercury in edible tissue	5c	2002
0604T_01	Lake in Houston County 3.4 mi northeast of Kennard	

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0605 Lake Palestine
 From Blackburn Crossing Dam in Anderson/Cherokee County to a point 6.7km (4.2 mi) downstream of FM 279 in Henderson/Smith County, up to normal pool elevation of 345 feet (impounds Neches River)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
pH	5b	2006
0605_02	From the first bend in lower portion of reservoir up to the SH 155 Bridge crossing.	
0605_03	Upper mid-lake including Tyler Public Water Supply intake	
0605_09	Flat Creek Arm	
0605_10	Upper Lake	

SegID: 0605A Kickapoo Creek in Henderson County
 From the confluence of Lake Palestine east of Brownsboro in Henderson County to the upstream perennial portion of the stream northeast of Murchison in Henderson County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2000
0605A_01	From the confluence with Lake Palestine (0605) east of Brownsboro in Henderson County to the confluence with Slater Creek (0605E).	
0605A_02	From the confluence with Slater Creek (0605E) upstream to confluence with unnamed tributary about 1.62 km north of FM 858 in Van Zandt County at NHD RC 12020001000161.	

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	2006
0605A_01	From the confluence with Lake Palestine (0605) east of Brownsboro in Henderson County to the confluence with Slater Creek (0605E).	

SegID: 0606 Neches River Above Lake Palestine
 From a point 6.7 km (4.2 mi) downstream of FM 279 in Henderson/Smith County to Rhine Lake Dam in Van Zandt County before it was breached in 2001

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2008
0606_01	From a point approximately 0.06km (0.03 mi) south of St. Louis Southwestern Railroad upstream to the confluence with Prairie Creek (0606A).	
0606_02	From the confluence with Prairie Creek (0606A) upstream to the Rhine Lake Dam	

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5b	2004
0606_02	From the confluence with Prairie Creek (0606A) upstream to the Rhine Lake Dam	

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0606A Prairie Creek

Perennial stream from the confluence with the Neches River to an unnamed tributary approximately 0.6km downstream of the US 69 bridge crossing.

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5b	2002
0606A_01 From the confluence with Neches River (0606), per WQS App. D first entry for Prairie Creek at NHD RC 12020001000071 in Smith County upstream to the confluence with Black Fork Creek (0606D) at NHD RC 12020001000071 .		
0606A_03 From the confluence with Caney Creek upstream to confluence with unnamed tributary appx. 0.6 km downstream of the US 69 bridge crossing, which is located appx. 0.6 km south of the City of Lindale, per App. D second line entry		

SegID: 0606D Black Fork Creek

Perennial stream from the confluence with Prairie Creek to a point 0.4 km downstream of FM 14 in Tyler

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5b	2012
0606D_02 From the confluence with unnamed tributary at NHD RC 12020001000072 upstream to a point 0.4km downstream of FM 14 in Tyler, at the confluence with unnamed tributary at NHD RC 12020001000073, per WQS App. D second entry for Black Fork Creek.		

SegID: 0607 Pine Island Bayou

From the confluence with the Neches River in Hardin/Jefferson County to FM 787 in Hardin County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5b	2000
0607_01 From the confluence with the Neches River upstream to unnamed tributary at NHD RC 12020007001215 that runs through Sherwood Drive in northern City of Beaumont.		
0607_02 From the confluence with unnamed tributary that runs through Sherwood Drive in northern City of Beaumont upstream to the confluence with Black Creek		
0607_03 From the confluence with Black Creek upstream to the confluence with Willow Creek (0607C)		
0607_04 From the confluence with Willow Creek (0607C) upstream to the confluence with Mayhaw Slough near oil fields		

SegID: 0607A Boggy Creek

From the confluence of Pine Island Bayou upstream to the confluence with an unnamed tributary 4 km downstream of the crossing of the Southern Pacific Railroad.

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5b	2000
0607A_02 From the confluence with unnamed tributary 0.39 km downstream of CR 421 upstream to confluence with unnamed tributary 4 km downstream of the crossing of the Southern Pacific Railroad, per WQS App. D, at NHD RC 12020007003034.		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0607B Little Pine Island Bayou

From the confluence of Pine Island Bayou southwest of Lumberton in Hardin County to the upstream perennial portion of the stream west of Kountze in Hardin County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5b	2000
0607B_01	From the confluence with Pine Island Bayou (0607) at the Hardin/Jefferson Counties border upstream to unnamed tributary 1.1 km SE of intersection of FM 770 and FM 787 at NHD RC 12020007000021, same tributary as Big Thicket National Park boundary.	

SegID: 0607C Willow Creek

From the confluence of Pine Island Bayou north of Nome in Jefferson County to the upstream perennial portion of the stream east of Devers in Liberty County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5b	2000
0607C_01	From the confluence with Pine Island Bayou (0607) at the State Hwy 326 bridge at NHD RC 12020007000258 upstream to headwaters NE of Devers in Liberty County at NHD RC 12020007000200.	

SegID: 0608 Village Creek

From the confluence with the Neches River in Hardin County to Lake Kimble Dam in Hardin County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Mercury in edible tissue	5c	2010
0608_01	From the confluence with Neches River (0602) upstream to confluence with Cypress Creek (0608C)	
0608_02	From the confluence with Cypress Creek (0608C) upstream to confluence with Beech Creek (0608A)	
0608_03	From the confluence with Beech Creek (0608A) upstream to confluence with Big Sandy Creek and Kimball Creek in Hardin County	

SegID: 0608A Beech Creek

From the confluence of Village Creek northeast of Kountze in Hardin County to the upstream perennial portion of the stream southeast of Woodville in Tyler County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Copper in water	5c	2014
0608A_01	From the confluence with Village Creek (0608) at NHD RC 12020006000017 upstream to the confluence with Drakes Branch 0.35 km upstream of FM1943 RD E at NHD RC 12020006000025	

SegID: 0608C Cypress Creek

From the confluence of Village Creek (0608) east of Kountze in Hardin County to the confluence with Bad Luck Creek northwest of Kountze in Hardin County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5b	2000
0608C_01	Upper portion from the confluence with unnamed tributary upstream of Pea Monk Branch upstream to confluence with Bad Luck Creek, per WQS App. D, at NHD RC 12020006000148.	

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0608E Mill Creek in Hardin County

From the confluence of Village Creek (0608) west of Silsbee in Hardin County upstream to headwaters northwest of Silsbee in Hardin County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	2006
0608E_01 From the confluence of Village Creek (0608) west of Silsbee in Hardin County upstream to headwaters northwest of Silsbee in Hardin County		

SegID: 0608G Lake Kimball

From Kimble Creek Dam northwest of Kountze in Hardin County to normal pool elevation in Tyler County (impounds Kimble and Village Creeks)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Mercury in edible tissue	5c	2000
0608G_01 From Kimble Creek Dam northwest of Kountze in Hardin County to normal pool elevation in Tyler County (impounds Kimble and Village Creeks)		

SegID: 0609 Angelina River Below Sam Rayburn Reservoir

From a point immediately upstream of the confluence of Indian Creek in Jasper County to Sam Rayburn Dam in Jasper County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Dioxin in edible tissue	5c	2014
0609_01 From a point immediately upstream of the confluence of Indian Creek in Jasper County to Sam Rayburn Dam in Jasper County		
<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Mercury in edible tissue	5c	2014
0609_01 From a point immediately upstream of the confluence of Indian Creek in Jasper County to Sam Rayburn Dam in Jasper County		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0610 Sam Rayburn Reservoir

From Sam Rayburn Dam to a point 5.6 km (3.5 mi) upstream of Marion's Ferry on the Angelina River Arm and to a point 3.9 km (2.4 mi) downstream of Curry Creek on the Attoyac Bayou Arm, up to the normal pool elevation of 164.4 feet (except on the Angelina R

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Dioxin in edible tissue	5c	2014
0610_01 Sam Rayburn main pool by the dam to the Bear Creek and Ayish Arms		
0610_02 Sam Rayburn lower Angelina River arm		
0610_03 Sam Rayburn mid-Angelina River arm (area around SH 147)		
0610_04 Sam Rayburn upper mid-Angelina River arm		
0610_05 Sam Rayburn lower Attoyac Bayou arm		
0610_06 Sam Rayburn upper Attoyac Bayou arm		
0610_07 Sam Rayburn upper Angelina arm		
0610_08 Sam Rayburn Bear Creek arm		
0610_09 Sam Rayburn lower Ayish Bayou arm		
0610_10 Sam Rayburn upper Ayish Bayou arm		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Mercury in edible tissue	5c	1996
0610_01 Sam Rayburn main pool by the dam to the Bear Creek and Ayish Arms		
0610_02 Sam Rayburn lower Angelina River arm		
0610_03 Sam Rayburn mid-Angelina River arm (area around SH 147)		
0610_04 Sam Rayburn upper mid-Angelina River arm		
0610_05 Sam Rayburn lower Attoyac Bayou arm		
0610_06 Sam Rayburn upper Attoyac Bayou arm		
0610_07 Sam Rayburn upper Angelina arm		
0610_08 Sam Rayburn Bear Creek arm		
0610_09 Sam Rayburn lower Ayish Bayou arm		
0610_10 Sam Rayburn upper Ayish Bayou arm		

SegID: 0610A Ayish Bayou

Perennial stream from the headwaters of Sam Rayburn Reservoir to the dam impounding Bland Lake approximately 0.1km upstream of FM 1279 near the City of San Augustine

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2000
0610A_01 From the headwaters of Sam Rayburn Reservoir, per WQS App. D, about 2.4 km north of FM 83 upstream to confluence with unnamed tributary about 0.4 km SW of intersection of SH 147 and AT and SF Railroad at NHD RC 12020005000036.		
0610A_02 From the confluence with unnamed tributary about 0.4 km SW of intersection of SH 147 and AT and SF Railroad in the City of San Augustine upstream to the Bland Lake dam, per WQS App. D.		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0611 Angelina River Above Sam Rayburn Reservoir

From the aqueduct crossing 1.0 km (0.6 mi) upstream of the confluence of Paper Mill Creek in Angelina/Nacogdoches County to the confluence of Barnhardt Creek and Mill Creek at FM 225 in Rusk County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2000
0611_01 From the aqueduct crossing upstream to the confluence with Old River Channel in Nacogdoches County about 2.8 km downstream of County Hwy 2625 at NHD RC 12020004000039.		
0611_04 From a point immediately upstream of confluence with East Fork Angelina River (0611A) upstream to confluence with Barnhardt and Mill Creeks.		

SegID: 0611A East Fork Angelina River

From the confluence of the Angelina River at the Rusk/Nacogdoches county line upstream to the confluence with Wooten Creek in Rusk County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2002
0611A_01 From the confluence with Angelina River (0611) at Rusk/Nacogdoches county line upstream to confluence with Beech Creek (0611J) in Rusk County		
0611A_02 From a point immediately upstream of confluence with Beech Creek (0611J) upstream to confluence with Wooten Creek (0611P)		

SegID: 0611B La Nana Bayou

From the confluence of the Angelina River south of Nacogdoches in Nacogdoches County to the upstream perennial portion of the stream north of Nacogdoches in Nacogdoches County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5b	2000
0611B_01 From the confluence with Angelina River (0611), per WQS App. D, upstream to State Loop 224 in City of Nacogdoches		
0611B_02 From the upstream side of State Loop 224 upstream to FM 1878 in City of Nacogdoches, per WQS App. D.		
0611B_03 From the upstream side of FM 1878 in City of Nacogdoches upstream to confluence with Banita Creek.		

SegID: 0611C Mud Creek

Perennial stream from the confluence with the Angelina River upstream to a point immediately upstream of the confluence of Prairie Creek in Smith County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5b	2010
0611C_01 From the confluence with Angelina River (0611), per WQS App. D, at the Cherokee and Nacogdoches county line south of City of Reklaw upstream to top of channelized/dredged portion about 2.3 km south of US hwy 79 at -95.150452N/31.956933W		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0611D West Mud Creek

Perennial stream from the confluence with Mud Creek in Cherokee County upstream to the confluence of an unnamed tributary 300 meters upstream of the most northern crossing of US 69 (approximately 2.25 km south of the intersection of Loop 323) in the City

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2010

0611D_01 From the confluence with Mud Creek (0611C), per WQS App. D, upstream to confluence with unnamed tributary about 75 m north of WWTP in City of Tyler at NHD RC 12020004000212.

SegID: 0612 Attoyac Bayou

From a point 3.9 km (2.4 mi) downstream of Curry Creek in Nacogdoches/San Augustine County to FM 95 in Rusk County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2004

0612_01 From the lower boundary approximately at confluence with Granberry Branch upstream to confluence with Polly Branch.

0612_02 From a point immediately upstream of Polly Branch confluence upstream to confluence with Bear Bayou.

0612_03 From a point immediately upstream of Bear Bayou upstream to upper boundary at FM 95.

SegID: 0615 Angelina River/Sam Rayburn Reservoir

The riverine portion of Sam Rayburn Reservoir from a point 5.6 km (3.5 mi) upstream of Marion's Ferry to the aqueduct crossing 1.0 km (0.6 mi) upstream of the confluence of Paper Mill Creek

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	2002

0615_01 The riverine portion of Sam Rayburn Reservoir from a point 5.6 km (3.5 mi) upstream of Marion's Ferry to the aqueduct crossing 1.0 km (0.6 mi) upstream of the confluence of Paper Mill Creek

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Dioxin in edible tissue	5c	2014

0615_01 The riverine portion of Sam Rayburn Reservoir from a point 5.6 km (3.5 mi) upstream of Marion's Ferry to the aqueduct crossing 1.0 km (0.6 mi) upstream of the confluence of Paper Mill Creek

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Mercury in edible tissue	5c	2002

0615_01 The riverine portion of Sam Rayburn Reservoir from a point 5.6 km (3.5 mi) upstream of Marion's Ferry to the aqueduct crossing 1.0 km (0.6 mi) upstream of the confluence of Paper Mill Creek

SegID: 0615A Paper Mill Creek

From the confluence with Angelina River/Sam Rayburn Reservoir (0615) upstream to confluence with Mill Creek (0615B)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5b	2006

0615A_01 From the confluence of Angelina River/Sam Rayburn (0615) upstream to confluence with Mill Creek (0615B)

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0701 Taylor Bayou/North Fork Taylor Bayou Above Tidal
 From the saltwater lock 7.7 km (4.8 mi) downstream of SH 73 in Jefferson County to the Lower Neches Valley Authority Canal crossing of North Fork Taylor Bayou in Jefferson County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5b	1996
0701_01 From the saltwater lock 7.7 km (4.8 mi) downstream of SH 73 in Jefferson County, per WQS App. C, upstream to the confluence with Hillebrandt Bayou (0704)		
0701_02 From the confluence with Hillebrandt Bayou upstream to confluences with North Fork Taylor Bayou and South Fork Bayou		

SegID: 0701D Shallow Prong Lake
 Widest upper portion of Big Hill Bayou about 2.0 km (1.26 mi) north of Blind Lake

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	2004
0701D_01 Portion of Big Hill Bayou, Shallow Prong portion of NHD RC 12040201006920		

SegID: 0702 Intracoastal Waterway Tidal
 From the confluence with Galveston Bay at Port Bolivar to the confluence with the Sabine-Neches/Port Arthur Canal (including Taylor Bayou Tidal from the confluence with the Intracoastal Waterway up to the saltwater lock 7.7 km (4.8 mi) downstream of SH 73

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2012
0702_01 From the confluence with Sabine-Neches Canal Tidal (0703) to eastern most boundary of East Bay		
0702_02 Taylor Bayou tidal from the confluence with the Intracoastal Waterway Tidal to the saltwater barriers.		
Dioxin in edible tissue	5a	2010
0702_03 From the eastern most boundary of East Bay to Port Bolivar		
PCBs in edible tissue	5a	2010
0702_03 From the eastern most boundary of East Bay to Port Bolivar		

SegID: 0702A Alligator Bayou and Main Canals A, B, C, and D
 All perennial canals in Jefferson County Drainage District No. 7 that eventually drain into the tidal portion of Taylor Bayou at the pump house gate, including Alligator Bayou

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Toxicity in sediment	5c	1998
0702A_01 From Taylor Bayou Tidal (0702) to confluence with Main Canal D above SH 82.		
Toxicity in water	5c	1998
0702A_03 Main Canal D from the confluence with Alligator Bayou at SH 82 upstream to about 0.35 km upstream of confluence with Canal A		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0703 Sabine-Neches Canal Tidal

From the confluence with Sabine Pass at the southern tip of Pleasure Island in Jefferson County to the Sabine Lake seawall at the northern tip of Pleasure Island in Jefferson County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2014
0703_01 From the confluence with Sabine Pass at the southern tip of Pleasure Island in Jefferson County to the Sabine Lake seawall at the northern tip of Pleasure Island in Jefferson County		

SegID: 0704 Hillebrandt Bayou

From the confluence of Taylor Bayou in Jefferson County to a point 100 meters (110 yards) upstream of SH 124 in Jefferson County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5a	2010
0704_02 From the confluence with Willow Marsh Bayou (0704A) upstream to a point 100 meters (110 yards) upstream of SH 124 in Jefferson County		
<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5b	1998
0704_01 From the confluence with Taylor Bayou Above Tidal (0701) upstream to confluence with Willow Marsh Bayou (0704A)		

SegID: 0801C Cotton Bayou

From the confluence of Cotton Lake southeast of Mont Belvieu in Chambers County upstream to a point (NHD RC 12040203000496) approximately 1 mi north of IH 10 in Chambers County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2010
0801C_01 From the confluence of Cotton Lake southeast of Mont Belvieu in Chambers County upstream to a point (NHD RC 12040203000496) approximately 1 mi north of IH 10 in Chambers County		
<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	2006
0801C_01 From the confluence of Cotton Lake southeast of Mont Belvieu in Chambers County upstream to a point (NHD RC 12040203000496) approximately 1 mi north of IH 10 in Chambers County		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0802 Trinity River Below Lake Livingston
 From a point 3.1 km (1.9 mi) downstream of US 90 in Liberty County to Livingston Dam in
 Polk/San Jacinto County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Dioxin in edible tissue	5a	2016
0802_01 Lower 17 mi of segment		
0802_02 Approximately 9 mi upstream to approximately 15 mi downstream of SH 105		
0802_03 11 mi upstream to approximately 9 mi downstream of FM 787		
0802_04 5 mi upstream to 11 mi downstream of US 59		
0802_05 Upper 6 mi of segment		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2016
0802_01 Lower 17 mi of segment		
0802_02 Approximately 9 mi upstream to approximately 15 mi downstream of SH 105		
0802_03 11 mi upstream to approximately 9 mi downstream of FM 787		
0802_04 5 mi upstream to 11 mi downstream of US 59		
0802_05 Upper 6 mi of segment		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0803 Lake Livingston

From Livingston Dam in Polk/San Jacinto County to a point 1.8 km (1.1 mi) upstream of Bogy Creek in Houston/Leon County, up to normal pool elevation of 131 feet (impounds Trinity River)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Dioxin in edible tissue	5a	2016
0803_01 Lowermost portion of reservoir, adjacent to dam		
0803_02 Lower portion of reservoir, East Wolf Creek		
0803_03 Lower portion of reservoir, East Willow Springs		
0803_04 Middle portion of reservoir, East Pointblank		
0803_05 Middle portion of reservoir, downstream of Kickapoo Creek		
0803_06 Middle portion of reservoir, centering on US 190		
0803_07 Upper portion of reservoir, west of Carlisle		
0803_08 Cove off upper portion of reservoir, East Trinity		
0803_09 West Carolina Creek cove, off upper portion of reservoir		
0803_10 Upper portion of reservoir, centering on SH 19		
0803_11 Riverine portion of reservoir, centering on SH 21		
0803_12 Remainder of reservoir		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2016
0803_01 Lowermost portion of reservoir, adjacent to dam		
0803_02 Lower portion of reservoir, East Wolf Creek		
0803_03 Lower portion of reservoir, East Willow Springs		
0803_04 Middle portion of reservoir, East Pointblank		
0803_05 Middle portion of reservoir, downstream of Kickapoo Creek		
0803_06 Middle portion of reservoir, centering on US 190		
0803_07 Upper portion of reservoir, west of Carlisle		
0803_08 Cove off upper portion of reservoir, East Trinity		
0803_09 West Carolina Creek cove, off upper portion of reservoir		
0803_10 Upper portion of reservoir, centering on SH 19		
0803_11 Riverine portion of reservoir, centering on SH 21		
0803_12 Remainder of reservoir		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Sulfate in water	5b	2006
0803_01 Lowermost portion of reservoir, adjacent to dam		
0803_02 Lower portion of reservoir, East Wolf Creek		
0803_03 Lower portion of reservoir, East Willow Springs		
0803_04 Middle portion of reservoir, East Pointblank		
0803_05 Middle portion of reservoir, downstream of Kickapoo Creek		
0803_06 Middle portion of reservoir, centering on US 190		
0803_07 Upper portion of reservoir, west of Carlisle		
0803_08 Cove off upper portion of reservoir, East Trinity		
0803_09 West Carolina Creek cove, off upper portion of reservoir		
0803_10 Upper portion of reservoir, centering on SH 19		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0803 Lake Livingston

From Livingston Dam in Polk/San Jacinto County to a point 1.8 km (1.1 mi) upstream of Boggy Creek in Houston/Leon County, up to normal pool elevation of 131 feet (impounds Trinity River)

- 0803_11 Riverine portion of reservoir, centering on SH 21
- 0803_12 Remainder of reservoir

SegID: 0803G Lake Madisonville

From Lake Madisonville Dam in Madison County up to the normal pool elevation of 285 feet (impounds Town Branch)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Mercury in edible tissue	5c	2010
0803G_01 From Lake Madisonville Dam in Madison County up to the normal pool elevation of 285 feet (impounds Town Branch)		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0804 Trinity River Above Lake Livingston

From a point 1.8 km (1.1 mi) upstream of Boggy Creek in Houston/Leon County to a point immediately upstream of the confluence of the Cedar Creek Reservoir discharge canal in Henderson/Navarro County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Dioxin in edible tissue	5a	2010
0804_01	From the lower end of the segment up to just above the confluence with Hurricane Bayou in Houston County.	
0804_02	From just upstream of the confluence with Hurricane Bayou up to just above the confluence with Boons Creek.	
0804_03	From just upstream of the confluence with Boons Creek up to just above the confluence with Caney Creek.	
0804_04	From the confluence with Caney Creek up to just above the confluence with Indian Creek in Anderson County.	
0804_05	From just above the confluence with Indian Creek in Anderson County up to just above the confluence with Tehuacana Creek.	
0804_06	From just above the confluence with Tehuacana Creek to just above the confluence with Richland Creek.	
0804_07	From just above the confluence with Richland Creek in Henderson County, up to the upper end of the segment.	

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
0804_01	From the lower end of the segment up to just above the confluence with Hurricane Bayou in Houston County.	
0804_02	From just upstream of the confluence with Hurricane Bayou up to just above the confluence with Boons Creek.	
0804_03	From just upstream of the confluence with Boons Creek up to just above the confluence with Caney Creek.	
0804_04	From the confluence with Caney Creek up to just above the confluence with Indian Creek in Anderson County.	
0804_05	From just above the confluence with Indian Creek in Anderson County up to just above the confluence with Tehuacana Creek.	
0804_06	From just above the confluence with Tehuacana Creek to just above the confluence with Richland Creek.	
0804_07	From just above the confluence with Richland Creek in Henderson County, up to the upper end of the segment.	

SegID: 0804G Catfish Creek

Twenty mile stretch of Catfish Creek running upstream from US 287 in Anderson Co., to Catfish Creek Ranch Lake just upstream of SH 19 in Henderson Co.

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5b	2010
0804G_01	A 20 mi stretch of Catfish Creek running upstream from US 287 in Anderson Co., to Catfish Creek Ranch Lake just upstream of SH 19 in Henderson Co.	

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5b	2006
0804G_01	A 20 mi stretch of Catfish Creek running upstream from US 287 in Anderson Co., to Catfish Creek Ranch Lake just upstream of SH 19 in Henderson Co.	

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0804H Upper Keechi Creek

From confluence with segment 0804 Trinity River to the upper end of NHD stream Upper Keechi Creek (NHD RC 12030201001075)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5b	2010
0804H_01 From the confluence with segment 0804 Trinity River up to confluence with Twin Branch (NHD RC 12030201027099)		

SegID: 0804K Lower Keechi Creek

Perennial stream from the confluence with the Trinity River in Leon County upstream to the headwaters in Jewett in Leon County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2018
0804K_01 Perennial stream from the confluence with the Trinity River in Leon County upstream to the headwaters in Jewett in Leon County		

SegID: 0804L Town Creek

Perennial stream from the confluence with Keechi Creek upstream to SH 256 (Appendix D)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2020
0804L_01 Perennial stream from the confluence with Keechi Creek upstream to SH 256 (Appendix D)		

SegID: 0804M Bassett Creek

Perennial stream from the confluence with Town Creek upstream to Blue Lake

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Impaired fish community in water	5c	2018
0804M_01 From the confluence with Town Creek upstream to approximately 15m upstream of the processing plant outfall		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Impaired macrobenthic community in water	5c	2018
0804M_01 From the confluence with Town Creek upstream to approximately 15m upstream of the processing plant outfall		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0805 Upper Trinity River

From a point immediately upstream of the confluence of the Cedar Creek Reservoir discharge canal in Henderson/Navarro County to a point immediately upstream of the confluence of Elm Fork Trinity River in Dallas County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Dioxin in edible tissue	5a	2010
0805_01	From confluence of the Cedar Creek Reservoir discharge canal upstream to confluence of Smith Creek.	
0805_02	From confluence of Smith Creek upstream to confluence of Tenmile Creek.	
0805_03	From the confluence of Fivemile Creek upstream to the confluence of Cedar Creek.	
0805_04	From confluence of Cedar Creek upstream to confluence of Elm Fork Trinity River	
0805_06	From confluence of Tenmile Creek upstream to confluence of Fivemile Creek	

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2002
0805_01	From confluence of the Cedar Creek Reservoir discharge canal upstream to confluence of Smith Creek.	
0805_02	From confluence of Smith Creek upstream to confluence of Tenmile Creek.	
0805_03	From the confluence of Fivemile Creek upstream to the confluence of Cedar Creek.	
0805_04	From confluence of Cedar Creek upstream to confluence of Elm Fork Trinity River	
0805_06	From confluence of Tenmile Creek upstream to confluence of Fivemile Creek	

SegID: 0806 West Fork Trinity River Below Lake Worth

From a point immediately upstream of the confluence of Village Creek in Tarrant County to Lake Worth Dam in Tarrant County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Dioxin in edible tissue	5a	2010
0806_01	From confluence of Village Creek upstream to confluence of Clear Fork Trinity River	
0806_02	From confluence of Clear Fork Trinity River upstream to Lake Worth Dam	

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	1996
0806_01	From confluence of Village Creek upstream to confluence of Clear Fork Trinity River	
0806_02	From confluence of Clear Fork Trinity River upstream to Lake Worth Dam	

SegID: 0806B Echo Lake

From Echo Lake Dam to the reservoirs headwaters in Tarrant County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Dieldrin in edible tissue	5a	2016
0806B_01	From Echo Lake Dam to the reservoirs headwaters in Tarrant County	

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Dioxin in edible tissue	5a	2016
0806B_01	From Echo Lake Dam to the reservoirs headwaters in Tarrant County	

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0806D Marine Creek

Marine Creek from the confluence with West Fork Trinity River Below Lake Worth upstream to the Marine Creek Reservoir dam

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2006
0806D_01 Marine Creek from the confluence with West Fork Trinity River Below Lake Worth upstream to the Marine Creek Reservoir dam		

SegID: 0807 Lake Worth

From Lake Worth Dam in Tarrant County to a point 4.0 km (2.5 mi) downstream of Eagle Mountain Dam in Tarrant County, up to normal pool elevation of 594 feet (impounds West Fork Trinity River)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Dioxin in edible tissue	5a	2018
0807_01 From Lake Worth Dam in Tarrant County to a point 4.0 km (2.5 mi) downstream of Eagle Mountain Dam in Tarrant County, up to normal pool elevation of 594 feet (impounds West Fork Trinity River)		

SegID: 0809B Ash Creek

Intermittent stream with perennial pools from Eagle Mountain Lake in Tarrant County upstream to its confluence with Mill Branch in Parker County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5b	2014
0809B_01 Intermittent stream with perennial pools from Eagle Mountain Lake in Tarrant County upstream to its confluence with Mill Branch in Parker County		

SegID: 0809C Dosier Creek

Perennial stream from the confluence of Dosier Slough cove upstream to the confluence with an intermittent stream 1 km upstream of Boat Club Road

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2020
0809C_01 Perennial stream from the confluence of Dosier Slough cove upstream to the confluence with an intermittent stream 1 km upstream of Boat Club Road		

SegID: 0809D Derrett Creek

Perennial stream from the confluence with Derrett Creek cove to 0.22 km upstream of FM 718 where the waterbody meets an intermittent stream

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2020
0809D_01 Perennial stream from the confluence with Derrett Creek cove to 0.22 km upstream of FM 718 where the waterbody meets an intermittent stream		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0810 West Fork Trinity River Below Bridgeport Reservoir
 From a point 0.6 km (0.4 mi) downstream of the confluence of Oates Branch in Wise County to Bridgeport Dam in Wise County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	1998
0810_01 Lower 25 mi of segment		

SegID: 0810C Martin Branch
 The eight mi stretch of Martin Branch running upstream from confluence with Center Creek to FM 730 south of Decatur, Wise County.

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2006
0810C_01 Eight mi stretch of Martin Branch running upstream from confluence with Center Creek to FM 730 south of Decatur, Wise County.		

SegID: 0811B Beans Creek
 Perennial stream from the confluence with Bridgeport Reservoir at normal pool elevation upstream to the headwaters approximately 4.4 km north of Perrin in Jack County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2020
0811B_01 Perennial stream from the confluence with Bridgeport Reservoir at normal pool elevation upstream to the headwaters approximately 4.4 km north of Perrin in Jack County		

SegID: 0812 West Fork Trinity River Above Bridgeport Reservoir
 From a point immediately upstream of the confluence of Bear Hollow in Jack County to SH 79 in Archer County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2016
0812_01 Lower 25 mi of segment		
Total dissolved solids in water	5c	1998
0812_01 Lower 25 mi of segment		
0812_02 Upper 60 mi of segment		

SegID: 0814 Chambers Creek Above Richland-Chambers Reservoir
 From a point 4.0 km (2.5 mi) downstream of Tupelo Branch in Navarro County to the confluence of North Fork Chambers Creek and South Fork Chambers Creek

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2020
0814_02 From just above the confluence with Cummins Creek up to just above the confluence with Waxahachie Creek.		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0815 Bardwell Reservoir
 From Bardwell Dam in Ellis County up to the normal pool elevation of 421 feet (impounds Waxahachie Creek)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Sulfate in water	5c	2016
0815_01 From Bardwell Dam in Ellis County up to the normal pool elevation of 421 feet (impounds Waxahachie Creek)		

SegID: 0818 Cedar Creek Reservoir
 From Joe B. Hoggsett Dam in Henderson County up to normal pool elevation of 322 feet (impounds Cedar Creek)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
pH	5b	2002
0818_02 Caney Creek cove		
0818_03 Clear Creek cove		
0818_04 Lower portion of reservoir east of Key Ranch Estates		
0818_05 Cove off lower portion of reservoir adjacent to Clearview Estates		
0818_07 Twin Creeks cove		
0818_08 Prairie Creek cove		
0818_09 Upper portion of reservoir adjacent to Lacy Fork cove		
0818_11 Upper portion of reservoir east of Tolosa		
0818_12 Uppermost portion of reservoir downstream of Kings Creek		

SegID: 0818B Cedar Creek above Cedar Creek Reservoir
 Perennial stream from the confluence with Cedar Creek Reservoir at normal pool elevation upstream to the confluence of Muddy Cedar Creek and Rocky Cedar Creek in Kaufman County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2018
0818B_01 Perennial stream from the confluence with Cedar Creek Reservoir at normal pool elevation upstream to the confluence of Muddy Cedar Creek and Rocky Cedar Creek in Kaufman County		

SegID: 0818C Kings Creek
 Intermittent stream with perennial pools from the confluence with Cedar Creek Reservoir at normal pool elevation upstream to the headwaters adjacent to FM 986 approximately 5 km north of Terrell in Kaufman County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2018
0818C_01 Intermittent stream with perennial pools from the confluence with Cedar Creek Reservoir at normal pool elevation upstream to the headwaters adjacent to FM 986 approximately 5 km north of Terrell in Kaufman County		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0819 East Fork Trinity River
From the confluence with the Trinity River in Kaufman County to Rockwall-Forney Dam in Kaufman County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2020
0819_01 From the confluence with the Trinity River in Kaufman County to Rockwall-Forney Dam in Kaufman County		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Sulfate in water	5c	2008
0819_01 From the confluence with the Trinity River in Kaufman County to Rockwall-Forney Dam in Kaufman County		

SegID: 0820B Rowlett Creek
Perennial stream from the normal pool elevation of Lake Ray Hubbard upstream to the Parker Road crossing

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2014
0820B_01 Perennial stream from the normal pool elevation of Lake Ray Hubbard upstream to the Parker Road crossing		

SegID: 0821C Wilson Creek
From the confluence with Lake Lavon in Collin County up to West FM 455 (NHD RC 12030106000086), just east of Celina, Collin Co., TX.

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2010
0821C_01 From the confluence with Lake Lavon in Collin County up to West FM 455 (NHD RC 12030106000086), just east of Celina, Collin Co., TX.		

SegID: 0821D East Fork Trinity River above Lake Lavon
A portion of the East Fork Trinity River extending from the confluence with Lake Lavon (segment 0821) to the upper end of the water body (NHD RC 12030106000074) in Grayson County, Texas.

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2010
0821D_01 A portion of the East Fork Trinity River extending from the confluence with Lake Lavon (segment 0821) to the upper end of the water body (NHD RC 12030106000074) in Grayson County, Texas.		

SegID: 0823C Clear Creek
From the confluence with Lake Lewisville in Denton County to the headwaters west of Montague in Montague County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2020
0823C_01 Lower 25 mi of segment		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0824 Elm Fork Trinity River Above Ray Roberts Lake
 From a point 9.5 km (5.9 mi) downstream of the confluence of Pecan Creek in Cooke County to US 82 in Montague County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2016
0824_03 3.5 mi reach near SH 51		

SegID: 0826 Grapevine Lake
 From Grapevine Dam in Tarrant County up to normal pool elevation of 535 feet (impounds Denton Creek)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
pH	5c	2012
0826_07 Upper portion of reservoir east of Marshall Creek Park		

SegID: 0827A White Rock Creek above White Rock Lake
 Perennial stream from the headwaters of White Rock Lake upstream to the headwaters at Hilcrest Road in Frisco

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2016
0827A_01 Perennial stream from the headwaters of White Rock Lake upstream to the confluence with McKamy Branch east of the City of Addison		

SegID: 0828A Village Creek
 From the confluence with Lake Arlington in Tarrant County to the headwaters east of Joshua in Johnson County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2010
0828A_01 From Lake Arlington to the headwaters		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0829 Clear Fork Trinity River Below Benbrook Lake
 From the confluence with the West Fork Trinity River in Tarrant County to Benbrook Dam
 in Tarrant County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2018
0829_02 From 1 mi upstream of the confluence with West Fork Trinity River up to the confluence with Mary's Creek		
<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Dioxin in edible tissue	5a	2010
0829_01 From the confluence with West Fork Trinity River to 1 mi upstream		
0829_02 From 1 mi upstream of the confluence with West Fork Trinity River up to the confluence with Mary's Creek		
0829_03 From the confluence with Mary's Creek up to Benbrook Dam in Tarrant County, TX		
<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	1996
0829_01 From the confluence with West Fork Trinity River to 1 mi upstream		
0829_02 From 1 mi upstream of the confluence with West Fork Trinity River up to the confluence with Mary's Creek		
0829_03 From the confluence with Mary's Creek up to Benbrook Dam in Tarrant County, TX		

SegID: 0829A Lake Como
 From Lake Como Dam to the reservoir headwaters in Lake Como Park in Tarrant County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Dioxin in edible tissue	5a	2016
0829A_01 From Lake Como Dam to the reservoir headwaters in Lake Como Park in Tarrant County		

SegID: 0831 Clear Fork Trinity River Below Lake Weatherford
 From a point 200 meters (220 yards) downstream of US 377 in Tarrant County to
 Weatherford Dam in Parker County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2016
0831_01 Lower 12.75 mi, downstream from South Fork Trinity River confluence		
<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	1996
0831_04 2 mi upstream of South Fork Trinity River confluence to Squaw Creek Confluence		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0833 Clear Fork Trinity River Above Lake Weatherford
 From a point 3.1 km (1.9 mi) upstream of FM 730 in Parker County, to the confluence with Strickland Creek approximately 8 km (5 mi) upstream of FM 51 in Parker County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5b	1998
0833_03 From the confluence of McKnight Branch to the confluence of Strickland Ck. approximately 8 km (5 mi) upstream of FM 51 in Parker County.		
0833_04 From the confluence with Dobbs Branch to confluence with McKnight Branch		

SegID: 0833A Clear Fork Trinity River Above Strickland Creek.
 From the confluence with Strickland Creek up to Turpin Lake Road in Parker County.

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	1998
0833A_01 From the confluence with Strickland Creek up to Turpin Lake Road in Parker County.		

SegID: 0836 Richland-Chambers Reservoir
 From Richland-Chambers Dam to a point immediately upstream of the confluence of Pin Oak Creek on the Richland Creek Arm and to a point 4.0 km (2.5 mi) downstream of Tupelo Branch on the Chambers Creek Arm, up to the normal pool elevation of 315 ft (impoun

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2018
0836_07 Remainder of reservoir		

SegID: 0836B Cedar Creek
 From the confluence with Richland Chambers Reservoir to the upper end of the creek (NHD RC 12030109012807)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5b	2010
0836B_01 From the confluence with Richland Chambers Reservoir to the upper end of the creek (NHD RC 12030109012807)		

SegID: 0837 Richland Creek Above Richland-Chambers Reservoir
 From the confluence of Pin Oak Creek in Navarro County to Navarro Mills Dam in Navarro County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2020
0837_01 From the confluence of Pin Oak Creek in Navarro County to Navarro Mills Dam in Navarro County		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0841 Lower West Fork Trinity River

From a point immediately upstream of the confluence of the Elm Fork Trinity River in Dallas County to a point immediately upstream of the confluence of Village Creek in Tarrant County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Dioxin in edible tissue	5a	2010

0841_01 From confluence of the Elm Fork Trinity River to the confluence with Johnson Creek.

0841_02 From the confluence with Johnson Creek upstream to the confluence of Village Creek.

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	1996

0841_01 From confluence of the Elm Fork Trinity River to the confluence with Johnson Creek.

0841_02 From the confluence with Johnson Creek upstream to the confluence of Village Creek.

SegID: 0841A Mountain Creek Lake

From Mountain Creek Lake Dam to the reservoir headwater at the confluence of Mountain and Fish Creeks, in Dallas County (impounds Mountain Creek)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Dioxin in edible tissue	5a	2016

0841A_01 From Mountain Creek Lake Dam to the reservoir headwater at the confluence of Mountain and Fish Creeks, in Dallas County (impounds Mountain Creek)

SegID: 0841I Dry Branch Creek

An 1.5 mi stretch of Dry Branch Creek running upstream from confluence with Lower W. Fork Trinity to Rock Island Road in Irving, Dallas County.

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2020

0841I_01 An 1.5 mi stretch of Dry Branch Creek running upstream from confluence with Lower W. Fork Trinity to Rock Island Road in Irving, Dallas County.

SegID: 0841P North Fork Cottonwood Creek

A 4.4 mi stretch of North Fork Cottonwood Creek running upstream from confluence with the S. Fork Cottonwood Creek in Grand Prairie, Dallas Co., to approx. 0.3 mi upstream of Carter St. in Arlington, Tarrant Co.

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5a	2020

0841P_01 A 4.4 mi stretch of North Fork Cottonwood Creek running upstream from confluence with the S. Fork Cottonwood Creek in Grand Prairie, Dallas Co., to approx. 0.3 mi upstream of Carter St. in Arlington, Tarrant Co.

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0841Q North Fork Fish Creek

North Fork Fish Creek from confluence with Fish Creek in Dallas Co. upstream to SH 360 in Tarrant Co.

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5a	2016
0841Q_01 North Fork Fish Creek from confluence with Fish Creek in Dallas Co. upstream to SH 360 in Tarrant Co.		

SegID: 0901 Cedar Bayou Tidal

From the confluence with Galveston Bay 1.0 km (0.6 mi) downstream of Tri-City Beach Road in Chambers County to a point 2.2 km (1.4 mi) upstream of IH 10 in Chambers/Harris County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2006
0901_01 From the confluence with Galveston Bay 1.0 km (0.6 mi) downstream of Tri-City Beach Road to a point 2.2 km (1.4 mi) upstream of IH 10		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Dioxin in edible tissue	5a	2002
0901_01 From the confluence with Galveston Bay 1.0 km (0.6 mi) downstream of Tri-City Beach Road to a point 2.2 km (1.4 mi) upstream of IH 10		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2008
0901_01 From the confluence with Galveston Bay 1.0 km (0.6 mi) downstream of Tri-City Beach Road to a point 2.2 km (1.4 mi) upstream of IH 10		

SegID: 0901A Cary Bayou

From the confluence with Cedar Bayou Tidal to 0.8 km upstream of East Archer Rd

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2018
0901A_01 From the confluence with Cedar Bayou Tidal to 0.8 km upstream of East Archer Rd		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	2018
0901A_01 From the confluence with Cedar Bayou Tidal to 0.8 km upstream of East Archer Rd		

SegID: 0902 Cedar Bayou Above Tidal

From a point 2.2 km (1.4 mi) upstream of IH 10 in Chambers/Harris County to a point 7.4 km (4.6 mi) upstream of FM 1960 in Liberty County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2018
0902_01 From a point 2.2 km (1.4 miles) upstream of IH 10 to a point 7.4 km (4.6 miles) upstream of FM 1960		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	2018
0902_01 From a point 2.2 km (1.4 miles) upstream of IH 10 to a point 7.4 km (4.6 miles) upstream of FM 1960		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1001 San Jacinto River Tidal
 From a point 100 meters (110yards) downstream of IH 10 in Harris County to Lake Houston Dam in Harris County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Dioxin in edible tissue	5a	2000
1001_01 From Lake Houston Dam to US Hwy 90		
1001_02 From US Hwy 90 to IH 10		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2002
1001_01 From Lake Houston Dam to US Hwy 90		
1001_02 From US Hwy 90 to IH 10		

SegID: 1002C Lake Isabell
 Small lake located at the southern end of Lake Houston Park northeast of the Caney Creek (1010) and East Fork of the San Jacinto River (1003) confluence in Harris County.

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Mercury in edible tissue	5c	2010
1002C_01 Small lake located at the southern end of Lake Houston Park northeast of the Caney Creek (1010) and East Fork of the San Jacinto River (1003) confluence in Harris County.		

SegID: 1004J White Oak Creek
 Perennial stream from the confluence with West Fork San Jacinto River upstream to the confluence with East Fork White Oak Creek and West Fork White Oak Creek in Conroe

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5a	2020
1004J_01 Perennial stream from the confluence with West Fork San Jacinto River upstream to the confluence with East Fork White Oak Creek and West Fork White Oak Creek in Conroe		

SegID: 1005 Houston Ship Channel/San Jacinto River Tidal
 From the confluence with Galveston Bay at Morgan's Point in Harris/Chambers County to a point 100 meters (110 yards) downstream of IH 10 in Harris County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Dioxin in edible tissue	5a	1996
1005_01 Downstream I-10 to Lynchburg Ferry Road		
1005_02 Lynchburg Ferry Road to Goose Island		
1005_03 Goose Island to SH 146		
1005_04 SH 146 to Morgans Point		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2002
1005_01 Downstream I-10 to Lynchburg Ferry Road		
1005_02 Lynchburg Ferry Road to Goose Island		
1005_03 Goose Island to SH 146		
1005_04 SH 146 to Morgans Point		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1006 Houston Ship Channel Tidal

From the confluence with the San Jacinto River in Harris County to a point immediately upstream of Greens Bayou in Harris County, including tidal portions of tributaries

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (General Use)	5c	2006
1006_05 Goodyear Creek-From confluence with Greens Bayou Tidal to Granada St. in Harris County		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Dioxin in edible tissue	5a	1996
1006_01 Houston Ship Channel Tidal-From the Greens Bayou confluence to the Patrick Bayou confluence		
1006_02 Houston Ship Channel Tidal- From the Patrick Bayou confluence to the Houston Ship Channel/San Jacinto River Tidal (1005) confluence		
1006_03 Greens Bayou Tidal- From the Houston Ship Channel confluence to a point 0.7 km (0.4 mi) upstream of the Halls Bayou confluence		
1006_04 Patrick Bayou Tidal - From the confluence with the Houston Ship Channel to 100 m (328 ft) upstream of the railroad bridge		
1006_05 Goodyear Creek-From confluence with Greens Bayou Tidal to Granada St. in Harris County		
1006_06 Tucker Bayou- From the Houston Ship Channel confluence to a point 2.7 km (1.7 mi) upstream		
1006_07 Carpenters Bayou-From the Houston Ship Channel confluence to the lower boundary of 1006B (2.3 m/ 1.4 mi) upstream from the Houston Ship Channel confluence)		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2002
1006_01 Houston Ship Channel Tidal-From the Greens Bayou confluence to the Patrick Bayou confluence		
1006_02 Houston Ship Channel Tidal- From the Patrick Bayou confluence to the Houston Ship Channel/San Jacinto River Tidal (1005) confluence		
1006_03 Greens Bayou Tidal- From the Houston Ship Channel confluence to a point 0.7 km (0.4 mi) upstream of the Halls Bayou confluence		
1006_04 Patrick Bayou Tidal - From the confluence with the Houston Ship Channel to 100 m (328 ft) upstream of the railroad bridge		
1006_05 Goodyear Creek-From confluence with Greens Bayou Tidal to Granada St. in Harris County		
1006_06 Tucker Bayou- From the Houston Ship Channel confluence to a point 2.7 km (1.7 mi) upstream		
1006_07 Carpenters Bayou-From the Houston Ship Channel confluence to the lower boundary of 1006B (2.3 m/ 1.4 mi) upstream from the Houston Ship Channel confluence)		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Toxicity in sediment	5c	2000
1006_04 Patrick Bayou Tidal - From the confluence with the Houston Ship Channel to 100 m (328 ft) upstream of the railroad bridge		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1007 Houston Ship Channel/Buffalo Bayou Tidal

From a point immediately upstream of Greens Bayou in Harris County to a point 100 meters (110 yards) upstream of US 59 in Harris County, including tidal portion of tributaries

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (General Use)	5c	2006

1007_05 Vince Bayou Tidal - From the Houston Ship Channel confluence to SH 225

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Dioxin in edible tissue	5a	1996

1007_01 Houston Ship Channel - From a point immediately upstream of Greens Bayou Tidal to immediately upstream of the 69th Street WWTP outfall

1007_02 Sims Bayou Tidal - From the Houston Ship Channel confluence to a point 11 km (6.8 mi) upstream

1007_03 Hunting Bayou Tidal - From the Houston Ship Channel confluence to IH-10

1007_04 Brays Bayou Tidal - From the Houston Ship Channel confluence to downstream of IH-45

1007_05 Vince Bayou Tidal - From the Houston Ship Channel confluence to SH 225

1007_06 Berry Bayou - From the Houston Ship Channel confluence to a point 2.4 km (1.5 mi) upstream of the Sims Bayou confluence

1007_07 Buffalo Bayou - From immediately upstream of 69th Street WWTP outfall to US 59

1007_08 Little Vince Bayou Tidal - From the Vince Bayou confluence to SH 225

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2002

1007_01 Houston Ship Channel - From a point immediately upstream of Greens Bayou Tidal to immediately upstream of the 69th Street WWTP outfall

1007_02 Sims Bayou Tidal - From the Houston Ship Channel confluence to a point 11 km (6.8 mi) upstream

1007_03 Hunting Bayou Tidal - From the Houston Ship Channel confluence to IH-10

1007_04 Brays Bayou Tidal - From the Houston Ship Channel confluence to downstream of IH-45

1007_05 Vince Bayou Tidal - From the Houston Ship Channel confluence to SH 225

1007_06 Berry Bayou - From the Houston Ship Channel confluence to a point 2.4 km (1.5 mi) upstream of the Sims Bayou confluence

1007_07 Buffalo Bayou - From immediately upstream of 69th Street WWTP outfall to US 59

1007_08 Little Vince Bayou Tidal - From the Vince Bayou confluence to SH 225

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Toxicity in sediment	5c	2000

1007_05 Vince Bayou Tidal - From the Houston Ship Channel confluence to SH 225

SegID: 1007H Pine Gully Above Tidal

From the Sims Bayou confluence to 0.11 km (0.07 mi) east of Broadway Street in Harris County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	2010

1007H_01 From the Sims Bayou confluence to 0.11 km (0.07 mi) east of Broadway Street

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1007I Plum Creek Above Tidal
From the Sims Bayou confluence to Telephone Road in Harris County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	2010

1007I_01 From the Sims Bayou confluence to Telephone Road in Harris County

SegID: 1007K Country Club Bayou Above Tidal
From just downstream of South Lockwood Drive to the confluence with Brays Bayou to approximately 0.5 mi upstream of North Wayside Drive in Harris County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	2002

1007K_01 From just downstream of South Lockwood Drive to the confluence with Brays Bayou

SegID: 1007O Unnamed Tributary of Buffalo Bayou
From the confluence with Buffalo Bayou to IH-10 between Hirsch Road and Lockwood in Harris County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	2002

1007O_01 From the confluence with Buffalo Bayou to IH-10 between Hirsch Road and Lockwood in Harris County

SegID: 1007R Hunting Bayou Above Tidal
From the confluence with Hunting Bayou Tidal at IH-10 to Maury Street on the north fork and Bain Street on the south fork

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	2002

1007R_01 From Bain Street to Sayers Street (South Fork)

1007R_04 From Loop 610 East to IH 10

SegID: 1007W Harris County Flood Control Ditch D 138
From the confluence with Brays Bayou to a point immediately south of Beechnut Street in Houston

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5a	2016

1007W_01 From the confluence with Brays Bayou to a point immediately south of Beechnut Street in Houston

SegID: 1008I Walnut Creek
From the Spring Creek confluence to a point 41.1 km (25.5 mi) upstream

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5a	2016

1008I_01 From the Spring Creek confluence to a point 41.1 km (25.5 mi) upstream

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1008J Brushy Creek

From the Spring Creek confluence upstream to a point 5.6 km (3.5 mi) upstream of FM 1488

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5a	2016
1008J_01 From the Spring Creek confluence upstream to a point 5.6 km (3.5 mi) upstream of FM 1488		

SegID: 1010 Caney Creek

From the confluence with the East Fork San Jacinto River in Harris County to SH 150 in Walker County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5a	2006
1010_03 SH 105 to FM 2090		

SegID: 1010C Spring Branch

From the Caney Creek confluence to a point 0.54 km (0.34 mi) upstream of SH 105

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5a	2016
1010C_01 From the Caney Creek confluence to a point 0.54 km (0.34 mi) upstream of SH 105		
<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	2014
1010C_01 From the Caney Creek confluence to a point 0.54 km (0.34 mi) upstream of SH 105		

SegID: 1013A Little White Oak Bayou

From the White Oak Bayou confluence to Yale Street in Harris County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	2002
1013A_01 From the confluence of White Oak Bayou upstream to the RR Tracks north of IH 610		

SegID: 1013C Unnamed Non-Tidal Tributary of Buffalo Bayou Tidal

Located approximately 1.8 mi upstream of the Buffalo Bayou/White Oak Bayou confluence between IH-10 and Memorial Drive west of IH-45 in Harris County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	2014
1013C_01 Located approximately 1.8 mi upstream of the Buffalo Bayou/White Oak Bayou confluence between IH-10 and Memorial Drive west of IH-45 in Harris County		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1014C Horsepen Creek

From the Langham Creek confluence upstream to a point 0.1 km (0.06 mi) west of Barker Cypress Road

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5a	2016
1014C_01 From the Langham Creek confluence upstream to where channelization begins, 0.62 km (0.39 mi) north of FM 529		

SegID: 1014M Newman Branch (Neimans Bayou)

From the Buffalo Bayou Above Tidal confluence to 0.1 km (0.06 mi) upstream of Hammerly Blvd in Harris County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5b	2002
1014M_01 From the Buffalo Bayou confluence to 0.1 km (0.06 mi) upstream of Hammerly Blvd		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Impaired fish community in water	5b	2010
1014M_01 From the Buffalo Bayou confluence to 0.1 km (0.06 mi) upstream of Hammerly Blvd		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Impaired macrobenthic community in water	5b	2010
1014M_01 From the Buffalo Bayou confluence to 0.1 km (0.06 mi) upstream of Hammerly Blvd		

SegID: 1017D Unnamed Tributary of Whiteoak Bayou

From the confluence with White Oak Bayou downstream of TC Jester, to Hempstead Hwy, north of US Hwy 290 in Harris County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	2002
1017D_01 From the confluence with White Oak Bayou downstream of TC Jester, to Hempstead Hwy, north of US Hwy 290 in Harris County		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1101 Clear Creek Tidal
 From the Clear Lake confluence at a point 3.2 km (2.0 mi) downstream of El Camino Real in Galveston/Harris County to a point 100 m (110 yards) upstream of FM528 in Galveston/Harris County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Dioxin in edible tissue	5a	2010
1101_01 Upper segment boundary to Chigger Creek confluence		
1101_02 Chigger Creek confluence to IH 45		
1101_03 IH 45 to Cow Bayou confluence		
1101_04 Cow Bayou confluence to confluence with Clear Lake		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
1101_01 Upper segment boundary to Chigger Creek confluence		
1101_02 Chigger Creek confluence to IH 45		
1101_03 IH 45 to Cow Bayou confluence		
1101_04 Cow Bayou confluence to confluence with Clear Lake		

SegID: 1101E Unnamed Trib of Clear Creek Tidal
 From Clear Creek Tidal confluence to a point 3.2 km (2.0 mi) immediately downstream of I-45 in Galveston County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	2010
1101E_01 From the Clear Creek Tidal confluence to a point 3.0 km (1.9 mi) upstream		

SegID: 1102 Clear Creek Above Tidal
 From a point 100 meters (110 yards) upstream of FM 528 in Galveston/Harris County to Rouen Road in Fort Bend County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
1102_01 Upper segment boundary (Rouen Road) to SH 288		
1102_02 SH 288 to Hickory Slough confluence		
1102_03 Hickory Slough confluence to Turkey Creek confluence		
1102_04 Turkey Creek confluence to Mary's Creek confluence		
1102_05 Mary's Creek confluence to lower segment boundary		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1103 Dickinson Bayou Tidal

From the Dickinson Bay confluence 2.1 km (1.3 mi) downstream of SH 146 in Galveston County to a point 4.0 km (2.5 mi) downstream of FM 517 in Galveston County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5b	1996
1103_01 From the Dickinson Bay confluence (downstream of State Hwy 146) upstream to the Gum Bayou confluence		
1103_02 From the Gum Bayou confluence upstream to the Benson Bayou confluence		
1103_03 From the Benson Bayou confluence upstream to the Bordens Gully confluence		
1103_04 From the Bordens Gully confluence upstream to a point 4.0 km (2.5 mi) downstream of FM 517		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Dioxin in edible tissue	5a	2010
1103_01 From the Dickinson Bay confluence (downstream of State Hwy 146) upstream to the Gum Bayou confluence		
1103_02 From the Gum Bayou confluence upstream to the Benson Bayou confluence		
1103_03 From the Benson Bayou confluence upstream to the Bordens Gully confluence		
1103_04 From the Bordens Gully confluence upstream to a point 4.0 km (2.5 mi) downstream of FM 517		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
1103_01 From the Dickinson Bay confluence (downstream of State Hwy 146) upstream to the Gum Bayou confluence		
1103_02 From the Gum Bayou confluence upstream to the Benson Bayou confluence		
1103_03 From the Benson Bayou confluence upstream to the Bordens Gully confluence		
1103_04 From the Bordens Gully confluence upstream to a point 4.0 km (2.5 mi) downstream of FM 517		

SegID: 1103A Bensions Bayou

From the Dickinson Bayou confluence to point 0.6 km (0.37 mi) upstream of FM 646 in Galveston County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5b	2016
1103A_01 From the Dickinson Bayou Tidal confluence to point 0.6 km (0.37 mi) upstream of FM 646		

SegID: 1103B Bordens Gully

From the Dickinson Bayou Tidal confluence to a point 1.4 km (0.87 mi) upstream of FM 646 in Galveston County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	2018
1103B_01 From the Dickinson Bayou Tidal confluence to a point 1.4 km (0.87 mi) upstream of FM 646		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1103C Geisler Bayou

From the Dickinson Bayou Tidal confluence to a point 1.37 km (0.85 mi) upstream of FM 646 in Galveston County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5b	2010
1103C_01 From the Dickinson Bayou Tidal confluence to a point 1.37 km (0.85 mi) upstream of FM 646		

SegID: 1103F Unnamed Tributary of Dickinson Bayou Tidal

From the Dickinson Bayou Tidal confluence to a point 0.36 km (0.22 mi) upstream of State Hwy 6

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5a	2020
1103F_01 From the Dickinson Bayou Tidal confluence to a point 0.36 km (0.22 mi) upstream of State Hwy 6		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	2020
1103F_01 From the Dickinson Bayou Tidal confluence to a point 0.36 km (0.22 mi) upstream of State Hwy 6		

SegID: 1103G Unnamed Tributary of Gum Bayou

From the confluence with Gum Bayou to a point 0.39 mi south of the FM 646/FM 1266 intersection between League City and Dickinson

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5a	2018
1103G_01 From the confluence with Gum Bayou to a point 0.39 mi south of the FM 646/FM 1266 intersection between League City and Dickinson		

SegID: 1105 Bastrop Bayou Tidal

From the confluence with Bastrop Bay 1.1 km (0.7 mi) downstream of the Intracoastal Waterway in Brazoria County to a point 8.6km (5.3 mi) upstream of Business 288 at Lake Jackson in Brazoria County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2012
1105_01 From the confluence with Bastrop Bay 1.1 km (0.7 mi) downstream of the Intracoastal Waterway in Brazoria County to a point 8.6 km (5.3 mi) upstream of Business 288 at Lake Jackson in Brazoria County		

SegID: 1105A Flores Bayou

From a point 2.6 km (1.6 mi) downstream of County Road 171 upstream to SH 35 in Brazoria County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5b	2010
1105A_03 From the confluence with Austin Bayou Above Tidal upstream to the a point 2.6 km (1.6 mi) downstream of County Road 171		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1105B Austin Bayou Tidal

From the Bastrop Bayou Tidal confluence to the confluence with Brushy Bayou in Brazoria County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2014
1105B_01 From the Bastrop Bayou Tidal confluence to the confluence with Brushy Bayou in Brazoria County		

SegID: 1105C Austin Bayou Above Tidal

From the confluence of Bastrop Bayou upstream (Austin Bayou Tidal upper boundary) to 0.3 km (0.19 mi) upstream of SH 288 in Brazoria County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5b	2014
1105C_01 From the confluence of Bastrop Bayou upstream (Austin Bayou Tidal upper boundary) to 0.3 km (0.19 mi) upstream of SH 288 in Brazoria County		

SegID: 1105E Brushy Bayou

From the confluence with Austin Bayou Above Tidal (1105C) upstream to end of canal approximately 0.4 mi upstream of FM 210 crossing east of the City of Angleton in Brazoria County.

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5b	2010
1105E_01 From the confluence with Austin Bayou Above Tidal (1105C) upstream to end of canal approximately 0.4 mi upstream of FM 210 crossing east of the City of Angleton in Brazoria County.		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	2010
1105E_01 From the confluence with Austin Bayou Above Tidal (1105C) upstream to end of canal approximately 0.4 mi upstream of FM 210 crossing east of the City of Angleton in Brazoria County.		

SegID: 1107 Chocolate Bayou Tidal

From the Chocolate Bay confluence 1.4 km (0.9 mi) downstream of FM 2004 to a point 4.2 km (2.6 mi) downstream of SH 35 in Brazoria County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5a	2010
1107_01 From the Chocolate Bay confluence 1.4 km (0.9 mi) downstream of FM 2004 to a point 4.2 km (2.6 mi) downstream of SH 35		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Dioxin in edible tissue	5a	2010
1107_01 From the Chocolate Bay confluence 1.4 km (0.9 mi) downstream of FM 2004 to a point 4.2 km (2.6 mi) downstream of SH 35		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
1107_01 From the Chocolate Bay confluence 1.4 km (0.9 mi) downstream of FM 2004 to a point 4.2 km (2.6 mi) downstream of SH 35		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1108 Chocolate Bayou Above Tidal
 From a point 4.2 km (2.6 mi) downstream of SH 35 in Brazoria County to SH 6 in Brazoria County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5a	2014
1108_01 From a point 4.2 km (2.6 mi) downstream of SH 35 to SH 6		

SegID: 1109 Oyster Creek Tidal
 From the Intercoastal Waterway confluence to a point 100 meters (110 yards) upstream of FM 2004 in Brazoria County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5a	2012
1109_01 From the Intracoastal Waterway confluence to a point 100 m (110 yds) upstream of FM 2004		

SegID: 1110 Oyster Creek Above Tidal
 From a point 100 meters (110 yards) upstream of FM 2004 in Brazoria County to a point 4.3 km (2.7 mi) upstream of Scanlan Road in Fort Bend County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5a	2006
1110_01 From a point 100 meters (110 yards) upstream of FM 2004 in Brazoria County upstream to the Styles Bayou confluence		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	1996
1110_01 From a point 100 meters (110 yards) upstream of FM 2004 in Brazoria County upstream to the Styles Bayou confluence		
1110_03 From an unnamed tributary [2.9 km (1.8 mi) downstream of FM 1462] upstream to a point 4.3 km (2.7 mi) upstream of Scanlan Road in Fort Bend County		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1113 Armand Bayou Tidal

From the Clear Lake confluence (at NASA Road 1 bridge) in Harris County to a point 0.8 km (0.5 mi) downstream of Genoa-Red Bluff Road in Pasadena in Harris County (includes Mud Lake/Pasadena Lake)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5b	1996

1113_02 From the Horsepen Bayou confluence to the Big Island Slough confluence

1113_03 From the Big Island Slough confluence upstream to a point 0.8 km (0.5 mi) downstream of Genoa-Red Bluff Road

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Dioxin in edible tissue	5c	2010

1113_01 From the Clear Lake confluence at Nasa Road 1 to the Horsepen Bayou confluence

1113_02 From the Horsepen Bayou confluence to the Big Island Slough confluence

1113_03 From the Big Island Slough confluence upstream to a point 0.8 km (0.5 mi) downstream of Genoa-Red Bluff Road

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5c	2010

1113_01 From the Clear Lake confluence at Nasa Road 1 to the Horsepen Bayou confluence

1113_02 From the Horsepen Bayou confluence to the Big Island Slough confluence

1113_03 From the Big Island Slough confluence upstream to a point 0.8 km (0.5 mi) downstream of Genoa-Red Bluff Road

SegID: 1113A Armand Bayou Above Tidal

From the upper segment boundary of Armand Bayou Tidal, 0.8 km (0.5 mi) downstream of Genoa-Red Bluff Road), upstream to Beltway 8 in Harris County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5b	1998

1113A_01 From the upper segment boundary of Armand Bayou Tidal 0.8 km (0.5 mi) downstream of Genoa-Red Bluff Road) upstream to Beltway 8

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Impaired fish community in water	5b	2014

1113A_01 From the upper segment boundary of Armand Bayou Tidal 0.8 km (0.5 mi) downstream of Genoa-Red Bluff Road) upstream to Beltway 8

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Impaired macrobenthic community in water	5b	2014

1113A_01 From the upper segment boundary of Armand Bayou Tidal 0.8 km (0.5 mi) downstream of Genoa-Red Bluff Road) upstream to Beltway 8

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1202J Big Creek

Big Creek - from the confluence of the Brazos River upstream to the confluence of Cottonwood Creek and Coon Creek

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5a	2002
1202J_01 Big Creek from the confluence of the Brazos River upstream to the confluence of an unnamed tributary 2.1 km downstream of FM 2977 south of Rosenberg		
1202J_02 Big Creek Appendix D intermittent stream with perennial pools section from the confluence with an unnamed tributary 2.1 km downstream of FM 2977 upstream to the confluence of Cottonwood Creek and Coon Creek		

SegID: 1202K Mill Creek

From confluence of East and West Mill Creeks downstream to confluence with Brazos River

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2010
1202K_01 Portion of Mill Creek from confluence with Brazos River upstream to confluence with East/West Forks Mill Creek in Austin County.		

SegID: 1204A Camp Creek

From its confluence with the Brazos River downstream of Lake Granbury, upstream to its headwaters, 0.9 mi north of US Hwy 67 in Johnson County.

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2010
1204A_01 From its confluence with the Brazos River downstream of Lake Granbury, upstream to its headwaters, 0.9 mi north of US Hwy 67 in Johnson County.		

SegID: 1208 Brazos River Above Possum Kingdom Lake

From a point immediately upstream of the confluence of Cove Creek at Salem Bend in Young County to the confluence of the Double Mountain Fork Brazos River and the Salt Fork Brazos River in Stonewall County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2008
1208_02 Portion of segment from confluence with Spring Branch upstream to confluence with Fish Creek		
1208_04 From confluence with Boggy Creek upstream to confluence with Millers Creek		
1208_05 From confluence with Millers Creek upstream to confluence with Lake Creek		

SegID: 1209 Navasota River Below Lake Limestone

From the confluence with the Brazos River in Grimes County to Sterling C. Robertson Dam in Leon/Robertson County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5a	2002
1209_05 Portion of Navasota River from confluence with Camp Creek upstream to Lake Limestone Dam in Robertson County.		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1209A Country Club Lake

From the Country Club Branch Dam up to normal pool elevation in Bryan in Brazos County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Toxicity in sediment	5c	1999
1209A_01 From the Country Club Branch Dam up to normal pool elevation in Bryan in Brazos County		

SegID: 1209B Fin Feather Lake

From Fin Feather Dam up to normal pool elevation in northwest Bryan in Brazos County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Toxicity in sediment	5c	2000
1209B_01 From Fin Feather Dam up to normal pool elevation in northwest Bryan in Brazos County		

SegID: 1209E Wickson Creek

Perennial stream from the confluence with an unnamed first order tributary (approximately 1.3 km upstream of Reliance Road crossing) upstream to the confluence with an unnamed first order tributary approximately 15 meters upstream of Dilly Shaw Road

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5b	2006
1209E_01 Perennial stream from the confluence with an unnamed first order tributary (approximately 1.3 km upstream of Reliance Road crossing) upstream to the confluence with an unnamed first order tributary approximately 15 meters upstream of Dilly Shaw Road		

SegID: 1209H Duck Creek

From the confluence with the Navasota river in Robertson County to Twin Oak Reservoir dam in Robertson County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2006
1209H_02 Portion of Duck Creek from confluence with Mineral Creek in Robertson County upstream to Twin Oak Reservoir dam in Robertson County.		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5b	2012
1209H_01 Portion of Duck Creek from confluence with Navasota River upstream to confluence with Mineral Creek in Robertson County.		
1209H_02 Portion of Duck Creek from confluence with Mineral Creek in Robertson County upstream to Twin Oak Reservoir dam in Robertson County.		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1209I Gibbons Creek

From confluence with Navasota River in Grimes County to SH 90 in Grimes County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5b	2002
1209I_01 Portion of Gibbons Creek from confluence with Navasota River upstream to confluence with Dry Creek in Grimes County.		
1209I_02 Portion of Gibbons Creek from confluence with Dry Creek upstream to Gibbons Creek Reservoir dam in Grimes County		
<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	2016
1209I_01 Portion of Gibbons Creek from confluence with Navasota River upstream to confluence with Dry Creek in Grimes County.		

SegID: 1209J Shepherd Creek

From the confluence with the Navasota River in Madison County to a point 0.7 mi upstream of FM 1452 in Madison County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2002
1209J_01 From the confluence with the Navasota River in Madison County to a point 0.7 mi upstream of FM 1452 in Madison County		

SegID: 1209K Steele Creek

From confluence with Navasota River in Robertson County to a point 2.4 mi upstream of FM 147 in Limestone County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5b	2002
1209K_02 Portion of Steele Creek from confluence with Willow Creek upstream to headwaters in Limestone County.		

SegID: 1210A Navasota River Above Lake Mexia

From the confluence with the headwaters of Lake Mexia in Limestone County to a point 1.25 mi upstream of SH 31 in Hill County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2002
1210A_01 From the confluence with the headwaters of Lake Mexia in Limestone County to a point 1.25 mi upstream of SH 31 in Hill County		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1211A Davidson Creek

Intermittent stream with perennial pools from the confluence with Yegua Creek to 1.7 km above CR 322, Milam County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2002
1211A_02 Intermittent stream with perennial pools from the confluence with Yegua Creek upstream to 0.2 km above SH 21 near the City of Caldwell; App D		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	2010
1211A_02 Intermittent stream with perennial pools from the confluence with Yegua Creek upstream to 0.2 km above SH 21 near the City of Caldwell; App D		

SegID: 1212 Somerville Lake

From Somerville Dam in Burleson/Washington County up to normal pool elevation of 238 feet (impounds Yegua Creek)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
pH	5c	2002
1212_01 Eastern end of reservoir near dam		
1212_03 Middle of reservoir near Birch Creek State Park		
1212_04 Western end of reservoir near upper segment boundary		

SegID: 1212A Middle Yegua Creek

From the confluence with East Yegua and Yegua Creeks in Lee County to the Lee County/Williamson County line

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2010
1212A_02 From confluence with West Yegua Creek upstream to headwaters of water body in Williamson County.		

SegID: 1213 Little River

From the confluence with the Brazos River in Milam County to the confluence of the Leon River and the Lampasas River in Bell County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2006
1213_04 From confluence with Boggy Creek upstream to its confluence with Leon and Lampasas Rivers		

SegID: 1213A Big Elm Creek

From the confluence with Little River in Milam county, 4.5 km northeast of the City of Cameron, upstream to its headwaters in McLennan County, 0.7 km west of Moody.

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5b	2010
1213A_01 Portion of Big Elm Creek from the confluence with the Little River upstream to confluence with Little Elm Creek.		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1217D North Fork Rocky Creek

Intermittent stream with perennial pools from the confluence with South Rocky Creek upstream to its headwaters approximately 11 km west of US 183]

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	2006
1217D_01 Intermittent stream with perennial pools from the confluence with South Rocky Creek upstream to its headwaters approximately 11 km west of US 183; App D		

SegID: 1218 Nolan Creek/ South Nolan Creek

From the confluence with the Leon River in Bell County to a point 100 meters (110 yards) upstream to the most upstream crossing of US 190 and Loop 172 in Bell County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	1996
1218_01 Portion of Nolan Creek from the confluence with the Leon River upstream to confluence with North Nolan/South Nolan Creek fork in Bell county		
1218_02 Portion of South Nolan Creek from confluence with North Nolan / Nolan Creek fork upstream to confluence with Liberty Ditch in city of Killeen in Bell County.		

SegID: 1218C Little Nolan Creek

From the confluence with Nolan Creek/South Nolan Creek upstream to headwaters in the city of Killeen, Bell County.

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5b	2010
1218C_01 From the confluence with Nolan Creek/South Nolan Creek upstream to headwaters in the city of Killeen, Bell County.		

SegID: 1218D Long Branch

Long Branch from the confluence with Nolan Creek/South Nolan Creek in Killeen upstream to the headwaters on the Fort Hood Military Reservation north of Killeen

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2020
1218D_01 Long Branch from the confluence with Nolan Creek/South Nolan Creek in Killeen upstream to the headwaters on the Fort Hood Military Reservation north of Killeen		

SegID: 1221 Leon River Below Proctor Lake

From a point 100 meters (110 yards) upstream of FM 236 in Coryell County to Proctor Dam in Comanche County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	1996
1221_06 From confluence with South Leon Creek upstream to confluence with Walnut Creek		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1221A Resley Creek

From the confluence of the Leon River east of Gustine in Comanche County to the upstream perennial portion of the stream north of Gustine in Erath County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5b	2004
1221A_01 Portion of Resley Creek from confluence with Leon River upstream to conf. with unnamed tributary (NHD RC 12070201007823), approx. 1.0 mi N. of Comanche County Line		
1221A_02 Portion of Resley Creek from confluence with unnamed tributary (NHD RC 12070201007823), upstream to headwaters in Erath County.		
<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5b	2006
1221A_01 Portion of Resley Creek from confluence with Leon River upstream to conf. with unnamed tributary (NHD RC 12070201007823), approx. 1.0 mi N. of Comanche County Line		

SegID: 1221D Indian Creek

Perennial stream from the confluence of the Leon River to the headwaters approximately 7.5 km west of Comanche in Comanche County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5b	2006
1221D_01 From confluence with Leon River, upstream to confluence with Armstrong Creek		
1221D_02 Perennial stream from the confluence with Armstrong Creek approximately 1.5 km downstream of SH 36 upstream to the confluence with an unnamed tributary approximately 0.1 km upstream of US 377; App D		

SegID: 1221G Coryell Creek

Coryell Creek from the confluence of the Leon River west of Gatesville upstream to headwater at Coryell CR 219 north of Gatesville

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2020
1221G_01 Coryell Creek from the confluence of the Leon River west of Gatesville upstream to headwater at Coryell CR 219 north of Gatesville		

SegID: 1222A Duncan Creek

From the confluence of Proctor Lake northeast of Comanche in Comanche County to the upstream perennial portion of the stream west of Comanche in Comanche County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	1999
1222A_01 From the confluence of Proctor Lake northeast of Comanche in Comanche County to the upstream perennial portion of the stream west of Comanche in Comanche County		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1222B Rush-Copperas Creek

From the confluence of Proctor Lake northeast of Comanche in Comanche County to the upstream perennial portion of the stream northwest of Comanche in Comanche County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2006
1222B_01 From the confluence of Proctor Lake northeast of Comanche in Comanche County to the upstream perennial portion of the stream northwest of Comanche in Comanche County		

SegID: 1222C Sabana River

From the confluence of Proctor Lake northeast of Comanche in Comanche County to the upstream perennial portion of the stream northwest of Rising Star in Eastland County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5b	2006
1222C_01 Portion of Sabana River from confluence with Proctor Lake in Comanche County upstream to confluence with Elm Creek in Eastland County.		

SegID: 1222E Sweetwater Creek

From its confluence with Copperas Creek, upstream to its headwaters, 6.3 mi west of Comanche in Comanche County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2006
1222E_01 From its confluence with Copperas Creek, upstream to its headwaters, 6.3 mi west of Comanche in Comanche County		

SegID: 1223 Leon River Below Leon Reservoir

From a point immediately upstream of the confluence of Mill Branch in Comanche County to Leon Dam in Eastland County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2006
1223_01 From a point immediately upstream of the confluence of Mill Branch in Comanche County to Leon Dam in Eastland County		
<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	2008
1223_01 From a point immediately upstream of the confluence of Mill Branch in Comanche County to Leon Dam in Eastland County		

SegID: 1226B Green Creek

From the confluence of the North Bosque River south of Clairette in Erath County upstream to its headwaters 10km west of Stephenville in Erath County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	2006
1226B_01 From the confluence of the North Bosque River south of Clairette in Erath County upstream to its headwaters 10km west of Stephenville in Erath County		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1226G Spring Creek

From the confluence with the North Bosque River in Hamilton County to the headwaters 8.5 mi west of Hico in Hamilton County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2018
1226G_01 From the confluence with the North Bosque River in Hamilton County to the headwaters 8.5 mi west of Hico in Hamilton County		

SegID: 1226K Little Duffau Creek

From its confluence with Duffau Creek, upstream to its headwaters 2.4 mi south west of US 67 in Erath County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2006
1226K_01 From its confluence with Duffau Creek, upstream to its headwaters 2.4 mi south west of US 67 in Erath County		

SegID: 1227 Nolan River

From a point immediately upstream of the confluence of Rock Creek in Hill County to Cleburne Dam in Johnson County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2018
1227_02 Portion of Nolan River from confluence with Mustang Creek in Hill County upstream to confluence with Lake Pat Cleburne Dam in Johnson County.		
Sulfate in water	5b	2002
1227_01 Portion of Nolan River from confluence with Whitney Lake upstream to confluence with Mustang Creek in Hill County.		
1227_02 Portion of Nolan River from confluence with Mustang Creek in Hill County upstream to confluence with Lake Pat Cleburne Dam in Johnson County.		
Total dissolved solids in water	5b	2006
1227_01 Portion of Nolan River from confluence with Whitney Lake upstream to confluence with Mustang Creek in Hill County.		
1227_02 Portion of Nolan River from confluence with Mustang Creek in Hill County upstream to confluence with Lake Pat Cleburne Dam in Johnson County.		

SegID: 1232 Clear Fork Brazos River

From the confluence with the Brazos River in Young County to the most upstream crossing of US 180 in Fisher County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2018
1232_04 From confluence with Bitter Creek upstream to end of segment		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1232A California Creek

From the confluence of Paint Creek southeast of Haskell in Haskell County to the headwaters southwest of Stamford in Jones County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2010
1232A_01 Portion of California Creek from confluence with Paint Creek in Haskell County upstream to confluence with Thompson Creek in Jones County.		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Impaired fish community in water	5c	2016
1232A_01 Portion of California Creek from confluence with Paint Creek in Haskell County upstream to confluence with Thompson Creek in Jones County.		

SegID: 1238 Salt Fork Brazos River

From the confluence of the Double Mountain Fork Brazos River in Stonewall County to the most upstream crossing of SH 207 in Crosby County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2020
1238_03 Portion of Salt Fork Brazos River from confluence with Butte Creek in Kent County upstream to the most upstream crossing of SH 207 in Crosby County		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Chloride in water	5c	2002
1238_01 Portion of Salt Fork Brazos River from confluence with Double Mountain Fork Brazos River upstream to confluence with Croton Creek in Stonewall County.		
1238_02 Portion of Salt Fork Brazos River from confluence with Croton Creek in Stonewall County upstream to confluence with Butte Creek in Kent County.		
1238_03 Portion of Salt Fork Brazos River from confluence with Butte Creek in Kent County upstream to the most upstream crossing of SH 207 in Crosby County		

SegID: 1240 White River Lake

From White River Dam in Crosby County up to the normal pool elevation of 2372.2 feet (impounds White River)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Chloride in water	5b	2002
1240_01 From White River Dam in Crosby County up to the normal pool elevation of 2372.2 feet (impounds White River)		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Total dissolved solids in water	5b	2006
1240_01 From White River Dam in Crosby County up to the normal pool elevation of 2372.2 feet (impounds White River)		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1241 Double Mountain Fork Brazos River

From the confluence with the Salt Fork Brazos River in Stonewall County to the confluence of the North Fork Double Mountain Fork Brazos River in Kent County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5b	2010
1241_01 25 mi near Hwy 83		

SegID: 1241A North Fork Double Mountain Fork Brazos River

Perennial stream from the confluence with Double Mountain Fork Brazos River upstream to the confluence with Yellow House Draw and Blackwater Draw, excluding Lake Ransom Canyon and Buffalo Springs Lake

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2004
1241A_02 From the confluence with Buffalo Springs Lake upstream to the confluence with Yellow House Draw and Blackwater Draw		

SegID: 1241B Lake Alan Henry

Impounded Double Mountain Fork Brazos Rive, 20.0 mi south east of Post in Garza and Kent Counties.

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Mercury in edible tissue	5c	2010
1241B_01 Impounded Double Mountain Fork Brazos Rive, 20.0 mi south east of Post in Garza and Kent Counties.		

SegID: 1242B Cottonwood Branch

Intermittent stream with perennial pools from the confluence with Still Creek upstream 0.95 km to the confluence with an unnamed tributary

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2006
1242B_01 Portion of Cottonwood Branch from confluence with Still Creek upstream to unnamed tributary (NHD RC 12070101000835) in Brazos County		
1242B_02 Portion of Cottonwood Branch from confluence with unnamed tributary (NHD RC 12070101000835) upstream to headwaters in Brazos County.		

SegID: 1242C Still Creek

Perennial stream from the confluence with Thompson's Creek upstream to the headwaters in Brazos County near US 190

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2006
1242C_02 Portion of Still Creek from confluence with Cottonwood Branch upstream to headwaters in Brazos County near US 190.		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1242D Thompsons Creek

Thompsons Creek - from the confluence of the Brazos River upstream to the confluence of Thompson's Branch, north of FM 1687

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5b	2002

1242D_01 Thompsons Creek an Appendix D perennial stream from the confluence of the Brazos River upstream to the confluence of Still Creek in Brazos County.

1242D_02 Thompsons Creek an Appendix D intermittent stream with perennial pools from the confluence of Still Creek upstream to the confluence of Thompson's Branch, north of FM 1687

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5b	2006

1242D_02 Thompsons Creek an Appendix D intermittent stream with perennial pools from the confluence of Still Creek upstream to the confluence of Thompson's Branch, north of FM 1687

SegID: 1242F Pond Creek

Perennial stream from the confluence with the Brazos River in Milam County upstream to the headwaters 0.18 km north of FM 935 in Bell County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2010

1242F_01 From the Brazos confluence upstream to Live Oak Creek confluence

SegID: 1242I Campbells Creek

From the confluence with the Little Brazos River upstream to the headwaters, one mi west of Old San Antonio Road

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2002

1242I_01 From the confluence with the Little Brazos River upstream to the headwaters, one mi west of Old San Antonio Road

SegID: 1242J Deer Creek

Deer Creek - perennial stream from the confluence of the Brazos River upstream to the confluence of Dog Branch northwest of Lott

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2006

1242J_01 Deer Creek an Appendix D perennial stream from the confluence of the Brazos River upstream to the confluence of Dog Branch northwest of Lott

SegID: 1242K Mud Creek

From confluence with the Little Brazos River, upstream to the confluence with Touchstone Branch and Wolf Den Branch, in Robertson County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5b	2002

1242K_01 From confluence with the Little Brazos River, upstream to the confluence with Touchstone Branch and Wolf Den Branch, in Robertson County

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1242L Pin Oak Creek

From the confluence with the Little Brazos River in Robertson County upstream to the headwaters, 2.07 mi south of Franklin

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5b	2002
1242L_01 From the confluence with the Little Brazos River in Robertson County upstream to the headwaters, 2.07 mi south of Franklin		

SegID: 1242M Spring Creek

From the confluence with the Little Brazos River in Robertson County, upstream to the headwaters, 1.5 mi north of FM 391

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5b	2002
1242M_01 From the confluence with the Little Brazos River in Robertson County, upstream to the headwaters, 1.5 mi north of FM 391		

SegID: 1242O Walnut Creek

From the confluence with the Little Brazos River in Robertson County, upstream to the headwaters, one mi south of White Rock

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5b	2006
1242O_01 From the confluence with the Little Brazos River in Robertson County, upstream to the headwaters, one mi south of White Rock		

SegID: 1242P Big Creek

From the confluence with Little Brazos River in Falls County upstream to the confluence with unnamed creeks near Mart in the northeast corner of Falls County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5b	2002
1242P_01 Downstream portion of water body		

SegID: 1244 Brushy Creek

From the confluence with the San Gabriel River in Milam County to the confluence of South Brushy Creek in Williamson County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2006
1244_01 From the confluence of the San Gabriel River upstream to the confluence of Mustang Creek		
1244_03 From the confluence of Cottonwood Creek upstream to the confluence of Lake Creek		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1245C Bullhead Bayou

From its confluence with Steep Bank Creek in Fort Colony, upstream to its headwaters in Pecan Grove in Fort Bend County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2006
1245C_01 From its confluence with Steep Bank Creek in Fort Colony, upstream to its headwaters in Pecan Grove in Fort Bend County		

SegID: 1245D Unnamed Tributary of Bullhead Bayou

Tributary to Bullhead Bayou in Fort Bend County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2006
1245D_01 Tributary to Bullhead Bayou in Fort Bend County		

SegID: 1245F Alcorn Bayou

From the confluence with Steep Bank Creek upstream to its headwaters 0.5km east of Pecan Grove in Fort Bend county

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5b	2010
1245F_01 From the confluence with Steep Bank Creek upstream to its headwaters 0.5km east of Pecan Grove in Fort Bend county		

SegID: 1245I Steep Bank Creek

From confluence with Oyster Creek (Flat Bank Creek portion) upstream to end of water body, 0.2 km east of US 59 in city of First Colony, Fort Bend County.

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2010
1245I_01 From confluence with Oyster Creek (Flat Bank Creek portion) upstream to end of water body, 0.2 km east of US 59 in city of First Colony, Fort Bend County.		

SegID: 1246E Wasp Creek

From the confluence with Tonk Creek in Crawford in McLennan County, upstream to the headwaters in Coryell County, 0.15 mi east of FM 185

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5b	2002
1246E_01 From the confluence with Tonk Creek in Crawford in McLennan County, upstream to the headwaters in Coryell County, 0.15 mi east of FM 185		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1247A Willis Creek

From the confluence with the headwaters of Granger Lake in Williamson County to CR 313 in Williamson County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2002
1247A_01 From the confluence with the headwaters of Granger Lake in Williamson County to CR 313 in Williamson County		

SegID: 1248C Mankins Branch

Perennial stream from the confluence with the San Gabriel River in Williamson County to the intersection of CR 105 and 104 in Williamson County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2004
1248C_01 Perennial stream from the confluence with the San Gabriel River in Williamson County to the intersection of CR 105 and 104 in Williamson County		

SegID: 1252 Lake Limestone

From Sterling C. Robertson Dam in Leon/Robertson County to a point 2.3 km (1.4 mi) downstream of SH 164 in Limestone County, up to normal pool elevation of 363 feet (impounds Navasota River)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
pH	5c	2016
1252_03 Lambs Creek arm on east side of lake		

SegID: 1255 Upper North Bosque River

From a point immediately above the confluence of Indian Creek in Erath County to the confluence of the North Fork and South Fork of the Bosque River in Erath County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	1996
1255_01 Portion of Upper North Bosque River from confluence with Indian Creek upstream to confluence with Dry Branch in Erath County.		
1255_02 Portion of Upper North Bosque River from confluence with Dry Branch upstream to confluence with North/South Forks North Bosque River in Erath County.		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	2008
1255_02 Portion of Upper North Bosque River from confluence with Dry Branch upstream to confluence with North/South Forks North Bosque River in Erath County.		

SegID: 1255A Goose Branch

From the confluence with the south fork of the North Bosque River 2.5 mi (4.0 km) west of Stephenville, upstream to the headwaters 0.5 mi (0.8 km) north of FM 8 in Erath County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2002
1255A_01 From the confluence with the south fork of the North Bosque River 2.5 mi (4.0 km) west of Stephenville, upstream to the headwaters 0.5 mi (0.8 km) north of FM 8 in Erath County		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1255C Scarborough Creek

From the confluence with the North Fork of the upper North Bosque River, upstream to the headwaters 0.1 mi (0.2 km) southeast of FM 219 in Erath County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2002
1255C_01 From the confluence with the North Fork of the upper North Bosque River, upstream to the headwaters 0.1 mi (0.2 km) southeast of FM 219 in Erath County		

SegID: 1255D South Fork North Bosque River

From the confluence with the North Fork of the upper North Bosque River in Stephenville, upstream to the headwaters 3 mi (4.8 km) north of FM 219 in Erath County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2010
1255D_01 From the confluence with the North Fork of the upper North Bosque River in Stephenville, upstream to the headwaters 3 mi (4.8 km) north of FM 219 in Erath County		

SegID: 1255E Unnamed Tributary of Goose Branch

From the confluence with Goose Branch in Erath County to its headwaters, 0.2 mi southeast of the intersection of FM 8 and Farm Road 1219

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2002
1255E_01 From the confluence with Goose Branch in Erath County to its headwaters, 0.2 mi southeast of the intersection of FM 8 and Farm Road 1219		

SegID: 1255G Woodhollow Branch

From the confluence with the South Fork of the North Bosque River, 6 mi northwest of Stephenville, upstream to the headwaters, 1.5 mi north of FM 219 in Erath County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2002
1255G_01 From the confluence with the South Fork of the North Bosque River, 6 mi northwest of Stephenville, upstream to the headwaters, 1.5 mi north of FM 219 in Erath County		

SegID: 1259 Leon River Above Belton Lake

From a point 100 meters (110 yards) upstream of FM 236 in Coryell County to a point immediately upstream of the confluence with Plum Creek in Coryell County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	1996
1259_01 Portion of Leon River from confluence with Lake Belton upstream to confluence with Cottonwood Creek approximately 2.8 km south of Gatesville in Coryell County		
1259_03 From the confluence with Stillhouse Creek upstream to a point immediately upstream of the confluence with Plum Creek		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1301 San Bernard River Tidal

From the confluence with the Intracoastal Waterway in Brazoria County to a point 3.2 km (2.0 mi) upstream of SH 35 in Brazoria County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2006
1301_01 From the confluence with the Intracoastal Waterway in Brazoria County to a point 3.2 km (2.0 mi) upstream of SH 35 in Brazoria County		

SegID: 1302 San Bernard River Above Tidal

From a point 3.2 km (2.0 mi) upstream of SH 35 in Brazoria County to the county road southeast of New Ulm in Austin County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2002
1302_01 From the confluence with the Intracoastal Waterway in Brazoria County to confluence with Peach Creek		
1302_02 From the confluence with Peach Creek to the unnamed tributary at NHD RC 12090401001535 at N-96.03, W29.51		
1302_03 From the confluence with unnamed tributary at NHD RC 12090401001535 at N-96.03, W29.51 to the confluence with Coughatta Creek		

SegID: 1302A Gum Tree Branch

From the confluence with West Bernard Creek near Wharton CR 252 to the headwaters approximately 15 mi upstream near RR 102

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2006
1302A_01 From the confluence with West Bernard Creek near Wharton CR 252 to the headwaters approximately 15 mi upstream near RR 102		

SegID: 1302B West Bernard Creek

From the confluence with the San Bernard River Above Tidal downstream of US highway 59 to the headwaters approximately 40 mi upstream near FM 1093

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2006
1302B_01 From the confluence with the San Bernard River Above Tidal to the confluence with Clarks Branch		
1302B_02 From the confluence with Clarks Branch to the upper end of segment		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	2006
1302B_01 From the confluence with the San Bernard River Above Tidal to the confluence with Clarks Branch		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1302D Peach Creek

From the confluence with the San Bernard River in Wharton Co. to the headwaters approximately 8 km upstream of FM-102 in Wharton Co.

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5b	2016
1302D_01 From the confluence with the San Bernard River in Wharton Co. to the headwaters approximately 8 km upstream of FM-102 in Wharton Co.		

SegID: 1302E Mound Creek

From the confluence with the San Bernard River in Brazoria Co. to the headwaters approximately 400 m upstream of TX Hwy 36 in Ft. Bend Co.

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	2020
1302E_01 From the confluence with the San Bernard River in Brazoria Co. to the headwaters approximately 400 m upstream of TX Hwy 36 in Ft. Bend Co.		

SegID: 1304 Caney Creek Tidal

From the confluence with the Intracoastal Waterway in Matagorda County to a point 1.9 km (1.2 mi) upstream of the confluence of Linville Bayou in Matagorda County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5a	2006
1304_01 From the downstream end of segment to the confluence with Dead Slough		
1304_02 From the confluence with Dead Slough to the upstream end of segment		

SegID: 1304A Linnville Bayou

From the confluence with Caney Creek in Matagorda County upstream to a point 0.7 km above SH 35 in Brazoria/Matagorda Counties

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5a	2010
1304A_01 Intermittent stream with perennial pools from a point 1.1 km above the confluence with Caney Creek in Matagorda County upstream to a point 0.1 km above SH 35 in Brazoria/Matagorda counties; AppD		

SegID: 1305 Caney Creek Above Tidal

From a point 1.9 km (1.2 mi) upstream of the confluence of Linnville Bayou in Matagorda County to the confluence of Water Hole Creek in Matagorda County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	1999
1305_03 From the confluence with Snead Slough in Matagorda Co. to the upper end of segment at the confluence with Water Hole Creek in Matagorda Co.		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1402C Buckners Creek

Perennial stream from the confluence with the Colorado River upstream to the headwaters at Patterson Road southeast of the City of Rosanky in Bastrop County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	2010
1402C_01 Perennial stream from the confluence with the Colorado River upstream to the confluence with Chandler Branch 1.6 km upstream of FM 154 in Fayette County		

SegID: 1402H Skull Creek

From the confluence with the Colorado River west of Eagle Lake in Colorado County to the upstream perennial portion southwest of Columbus

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5b	2008
1402H_01 From the confluence with the Colorado River west of Eagle Lake in Colorado County to the upstream perennial portion southwest of Columbus		

SegID: 1403A Bull Creek

From the confluence of Lake Austin in northwest Austin in Travis County to the upstream perennial portion of the stream north of Austin in Travis County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	2010
1403A_04 From Spicewood Springs Rd. crossing near Yaupon Dr. upstream to the Spicewood Springs Dr. crossing near Oak Grove cemetery		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1407A Clear Creek

From the confluence with Inks Lake in Burnet County west of Burnet upstream to a point 2 mi (3.2 km) west of FM 2341 near Potato Hill northwest of Burnet

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Aluminum in water	5c	2010
1407A_01 From the confluence with Inks Lake upstream to FM 2341		
<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Copper in water	5c	2018
1407A_01 From the confluence with Inks Lake upstream to FM 2341		
<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Nickel in water	5c	2014
1407A_01 From the confluence with Inks Lake upstream to FM 2341		
<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
pH	5c	2010
1407A_01 From the confluence with Inks Lake upstream to FM 2341		
<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Sulfate in water	5c	2010
1407A_01 From the confluence with Inks Lake upstream to FM 2341		
<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Total dissolved solids in water	5c	2010
1407A_01 From the confluence with Inks Lake upstream to FM 2341		
<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Zinc in water	5c	2014
1407A_01 From the confluence with Inks Lake upstream to FM 2341		

SegID: 1411 E. V. Spence Reservoir

From Robert Lee Dam in Coke County to a point immediately upstream of the confluence of Little Silver Creek in Coke County, up to the normal pool elevation of 1898 feet (impounds Colorado River)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Chloride in water	5c	2014
1411_01 Main pool from the dam upstream to the Rough Creek arm		
1411_02 From the Rough Creek arm upstream to the confluence of Little Silver Creek		

SegID: 1412 Colorado River Below Lake J. B. Thomas

From a point immediately upstream of the confluence of Little Silver Creek in Coke County to Colorado River Dam in Scurry County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5b	2008
1412_02 From the confluence of Beals Creek upstream to the dam below Barber Reservoir pump station		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1412B Beals Creek

From the confluence of the Colorado River south of Colorado City in Mitchell County to the confluence of Mustang Draw and Sulphur Springs Draw in Howard County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5b	2010
1412B_03 From the confluence of Gutherie Draw upstream to the confluence of Mustang Draw and Sulphur Springs Draw		

SegID: 1413 Lake J. B. Thomas

From Colorado River Dam in Scurry County up to normal pool elevation of 2258 feet (impounds Colorado River)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Chloride in water	5b	2008
1413_01 From Colorado River Dam in Scurry County up to normal pool elevation of 2258 feet (impounds Colorado River)		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Total dissolved solids in water	5b	2010
1413_01 From Colorado River Dam in Scurry County up to normal pool elevation of 2258 feet (impounds Colorado River)		

SegID: 1416 San Saba River

From the confluence with the Colorado River in San Saba County to the confluence of the North Valley Prong and the Middle Valley Prong in Schleicher County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2008
1416_01 From the confluence with the Colorado River in San Saba County upstream to the US 190		

SegID: 1416A Brady Creek

From the confluence of the San Saba River southwest of San Saba in San Saba County to Brady Lake Dam west of Brady in McCulloch County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	2004
1416A_03 From FM 714 upstream to Brady Lake dam		

SegID: 1421 Concho River

From a point 2 km (1.2 mi) above the confluence of Fuzzy Creek in Concho County to San Angelo Dam on the North Concho River in Tom Green County and to Nasworthy Dam on the South Concho River in Tom Green County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	2008
1421_08 North Concho River, from the confluence with the South Concho River upstream to O.C. Fisher dam		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1425 O. C. Fisher Lake
 From San Angelo Dam in Tom Green County up to normal pool elevation of 1908 feet
 (impounds North Concho River)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Chloride in water	5c	2002
1425_01 From San Angelo Dam in Tom Green County up to normal pool elevation of 1908 feet (impounds North Concho River)		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Total dissolved solids in water	5c	2014
1425_01 From San Angelo Dam in Tom Green County up to normal pool elevation of 1908 feet (impounds North Concho River)		

SegID: 1427A Slaughter Creek
 Intermittent stream with perennial pools from the confluence with Onion Creek to above
 US 290 west of Austin

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Impaired macrobenthic community in water	5b	2002
1427A_01 Intermittent stream with perennial pools from the confluence with Onion Creek to above US 290 west of Austin		

SegID: 1429C Waller Creek
 From the confluence of Town Lake in central Austin in Travis County to the upstream
 portion of the stream in north Austin in Travis County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2004
1429C_01 From the confluence with Town Lake to East MLK Blvd.		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Impaired macrobenthic community in water	5c	2002
1429C_01 From the confluence with Town Lake to East MLK Blvd.		

SegID: 1433 O. H. Ivie Reservoir
 From S. W. Freese Dam to a point 3.7 km (2.3 mi) downstream of the confluence of
 Mustang Creek on the Colorado River Arm and to a point 2.0 km (1.2 mi) upstream of the
 confluence of Fuzzy Creek on the Concho River Arm, up to the conservation pool level of

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Excessive algal growth in water	5c	2020
1433_01 Main pool near dam		
1433_02 Concho River arm		
1433_03 Colorado River arm		
1433_04 Remainder of reservoir		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1434G Alum Creek

From the confluence with the Colorado River in Bastrop County upstream to the headwaters near US 290 approximately 3.5 km southwest of McDade in Bastrop County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2020
1434G_01 From the confluence with the Colorado River in Bastrop County upstream to the headwaters near US 290 approximately 3.5 km southwest of McDade in Bastrop County		

SegID: 1501 Tres Palacios Creek Tidal

From the confluence with Tres Palacios Bay in Matagorda County to a point 1.6 km (1.0 mi) upstream of the confluence of Wilson Creek in Matagorda County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5b	1999
1501_01 From the confluence with Willow Dam Creek at Tres Palacios Bay/Turtle Bay upstream to a point 1.6 km (1.0 mi) upstream of the confluence of Wilson Creek in Matagorda County		

SegID: 1602 Lavaca River Above Tidal

From a point 8.6 km (5.3 mi) downstream of US 59 in Jackson County to the confluence of Campbell Branch west of Hallettsville in Lavaca County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5a	2008
1602_02 From the confluence of Beard Branch upstream to the upper end of segment at the confluence of Campbell Branch in Hallettsville.		
1602_03 Lower portion of segment from confluence with NHD RC 12100101002463 south of Edna in Jackson County upstream to confluence with Beard Branch		

SegID: 1602B Rocky Creek

Perennial stream from the confluence with the Lavaca River upstream to 2.9 km upstream of County Rd 364 north west of the City of Shiner

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5a	2014
1602B_01 From the confluence of Lavaca River upstream to confluence of Ponton Creek		

SegID: 1602C Lavaca River Above Campbell Branch

From the confluence of Campbell Branch in Hallettsville to approximately 3.4 mi upstream of SH 95 in Lavaca Co.

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5b	2004
1602C_01 From confluence of Campbell Branch in Hallettsville upstream to the confluence of West Prong Lavaca River		
1602C_02 From confluence of West Prong Lavaca River to the headwaters approximately 6.5 km upstream of TX Hwy 95 in the City of Moulton		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1803A Elm Creek

From the confluence of Sandies Creek east of Smiley in Gonzales County to the upstream perennial portion of the stream southwest of Smiley in Gonzales County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5b	1999
1803A_01 From the confluence of Sandies Creek east of Smiley in Gonzales County to the upstream perennial portion of the stream southwest of Smiley in Gonzales County		

SegID: 1803B Sandies Creek

From the confluence of the Guadalupe River west of Cuero in DeWitt County to the upstream perennial portion of the stream northwest of Smiley in Gonzales County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5b	2002
1803B_01 From the confluence with the Guadalupe River to the confluence with Elm Ck.		
1803B_02 From the confluence with Elm Creek to upper end of water body		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5b	1999
1803B_01 From the confluence with the Guadalupe River to the confluence with Elm Ck.		
1803B_02 From the confluence with Elm Creek to upper end of water body		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Impaired fish community in water	5b	2010
1803B_01 From the confluence with the Guadalupe River to the confluence with Elm Ck.		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Impaired macrobenthic community in water	5b	2010
1803B_01 From the confluence with the Guadalupe River to the confluence with Elm Ck.		

SegID: 1803C Peach Creek

From the confluence of the Guadalupe River southeast of Gonzales in Gonzales County to the upstream perennial portion of the stream northeast of Waelder in Gonzales County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5b	2002
1803C_01 Lower 25 mi of water body		
1803C_03 From approx. 1.2 mi downstream of FM 1680 in Gonzales County to confluence with Elm Creek In Fayette County		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5b	2006
1803C_01 Lower 25 mi of water body		
1803C_03 From approx. 1.2 mi downstream of FM 1680 in Gonzales County to confluence with Elm Creek In Fayette County		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1804A Geronimo Creek

From the confluence of the Guadalupe River south of Seguin in Guadalupe County to the upstream perennial portion north of Seguin in Guadalupe County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2006
1804A_01 From the confluence of the Guadalupe River south of Seguin in Guadalupe County to the upstream perennial portion north of Seguin in Guadalupe County		

SegID: 1805 Canyon Lake

From Canyon Dam in Comal County to a point 2.7 km (1.7 mi) downstream of Rebecca Creek Road in Comal County, up to normal pool elevation of 909 feet (impounds Guadalupe River)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Mercury in edible tissue	5c	2006
1805_01 Cove around Jacob's Creek Park		
1805_02 North end of Crane's Mill Park peninsula to south end of Canyon Park		
1805_03 Upper end of segment		
1805_04 Lower end of reservoir from dam upstream to Canyon Park		

SegID: 1806 Guadalupe River Above Canyon Lake

From a point 2.7 km (1.7 mi) downstream of Rebecca Creek Road in Comal County to the confluence of the North Fork Guadalupe River and the South Fork Guadalupe River in Kerr County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2002
1806_08 From the confluence of Honey Creek in Comal County upstream to the confluence of Big Joshua Creek in Kendall County		

SegID: 1806A Camp Meeting Creek

From the confluence with segment 1806 of the Guadalupe River up to the headwaters at Bearskin Road

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5a	2018
1806A_01 Intermittent stream with perennial pools from the confluence with the Guadalupe River upstream to the dam on an unnamed impoundment, located downstream of Ranchero Road in the City of Kerrville.		

SegID: 1811 Comal River

From the confluence with the Guadalupe River in Comal County to Klingemann Street in New Braunfels in Comal County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2016
1811_01 From the confluence with segment 1804 of the Guadalupe River up to just upstream of the confluence with Dry Comal Creek in New Braunfels, Comal County, Texas.		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1811A Dry Comal Creek

From the confluence of the Comal River in New Braunfels in Comal County to the upstream perennial portion of the stream southwest of New Braunfels in Comal County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2010
1811A_01 Lower 25 mi of water body		

SegID: 1815 Cypress Creek

From the confluence with the Blanco River in Hays County to a point 6.4 km (4.0 mi) upstream of the most upstream unnamed county road crossing Hays County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	2020
1815_01 Lower 7 mi of segment		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Impaired fish community in water	5c	2020
1815_01 Lower 7 mi of segment		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Impaired macrobenthic community in water	5c	2020
1815_01 Lower 7 mi of segment		

SegID: 1817 North Fork Guadalupe River

From the confluence with the Guadalupe River in Kerr County to a point 18.2 km (11.3 mi) upstream of Boneyard Draw in Kerr County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Impaired fish community in water	5c	2020
1817_01 From the confluence with the Guadalupe River in Kerr County to a point 18.2 km (11.3 mi) upstream of Boneyard Draw in Kerr County		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Impaired macrobenthic community in water	5c	2020
1817_01 From the confluence with the Guadalupe River in Kerr County to a point 18.2 km (11.3 mi) upstream of Boneyard Draw in Kerr County		

SegID: 1818 South Fork Guadalupe River

From the confluence with the Guadalupe River in Kerr County to a point 4.8 km (3.0 mi) upstream of FM 187 in Kerr County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Impaired fish community in water	5c	2020
1818_01 Lower 1.5 mi of segment		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Impaired macrobenthic community in water	5c	2020
1818_01 Lower 1.5 mi of segment		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1901 Lower San Antonio River
 From the confluence with the Guadalupe River in Refugio/Victoria County to a point 600 meters (660 yards) downstream of FM 791 at Mays crossing near Falls City in Karnes County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Impaired fish community in water	5c	2012
1901_02 25 mi upstream of Manahuilla Creek		

SegID: 1901A Escondido Creek
 From the confluence with Lower San Antonio River upstream to the headwaters near Karnes CR 210 and FM 99

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2014
1901A_01 From the confluence with Lower San Antonio River upstream to the confluence with Nichols Creek in Kenedy		

SegID: 1901B Cabeza Creek
 From the confluence with segment 1901, west of Goliad, Goliad County, up to the upper end of the water body (NHD RC 12100303000882)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2014
1901B_01 From the confluence with segment 1901, west of Goliad, Goliad County, up to the upper end of the water body (NHD RC 12100303000882)		

SegID: 1901F Ecleto Creek
 From the confluence with the Lower San Antonio River upstream to the headwaters adjacent to SH 123 south of Seguin in Guadalupe County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2020
1901F_01 From the confluence with the Lower San Antonio River upstream to the headwaters adjacent to SH 123 south of Seguin in Guadalupe County		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	2016
1901F_01 From the confluence with the Lower San Antonio River upstream to the headwaters adjacent to SH 123 south of Seguin in Guadalupe County		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1902 Lower Cibolo Creek

From the confluence with the San Antonio River in Karnes County to a point 100 meters (110 yards) downstream of IH 10 in Bexar/Guadalupe County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2004
1902_01 From the confluence with the Lower San Antonio River in Karnes County upstream to the confluence with Mulifest Creek		
1902_02 From the confluence with Mulifest Creek upstream to the confluence with Pulaski Creek		
1902_03 From the confluence with Pulaski Creek upstream to the confluence with Clifton Branch		

SegID: 1902A Martinez Creek

Perennial stream from the confluence with Lower Cibolo Creek upstream to the headwaters in Bexar County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2016
1902A_01 From the confluence with Lower Cibolo Creek upstream to the confluence with Salitrillo Creek		

SegID: 1902C Clifton Branch

From the confluence of Lower Cibolo Creek upstream to the headwater 0.6 mi upstream of Wilson CR 424 north of Stockdale

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2014
1902C_01 From the confluence of Lower Cibolo Creek upstream to the headwater 0.6 mi upstream of Wilson CR 424 north of Stockdale		
Depressed dissolved oxygen in water	5b	2014
1902C_01 From the confluence of Lower Cibolo Creek upstream to the headwater 0.6 mi upstream of Wilson CR 424 north of Stockdale		

SegID: 1903 Medina River Below Medina Diversion Lake

From the confluence with the San Antonio River in Bexar County to Medina Diversion Dam in Medina County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2010
1903_01 From the confluence with the San Antonio River upstream to the confluence with Palo Blanco Creek approximately 2.0 km upstream of FM 1937		
1903_02 From the confluence with Palo Blanco Creek approximately 2.0 km upstream of FM 1937 upstream to the confluence with Lower Leon Creek		
1903_03 From the confluence with Lower Leon Creek upstream to the confluence with Medio Creek		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1905 Medina River Above Medina Lake

From a point immediately upstream of the confluence of Red Bluff Creek in Bandera County to the confluence of the North Prong Medina River and the West Prong Medina River in Bandera County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2020
1905_01 From a point immediately upstream of the confluence of Red Bluff Creek upstream to RM 470		

SegID: 1906 Lower Leon Creek

From the confluence with the Medina River in Bexar County to a point 100 meters (110 yards) upstream of SH 16 northwest of San Antonio in Bexar County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2004
1906_03 From confluence with Indian Creek to Hwy 353 (New Laredo Hwy)		
1906_04 From Hwy 353 (New Laredo Hwy) upstream approximately 2 mi to a point southeast of Pearsall Park		
1906_05 From a point southeast of Pearsall Park upstream to US 90 on the westside of San Antonio		
1906_06 From US 90 on the westside of San Antonio upstream to a point 100 meters upstream of SH 16 northwest of San Antonio		

SegID: 1908 Upper Cibolo Creek

From the Missouri-Pacific Railroad Bridge west of Bracken in Comal County to a point 1.5 km (0.9 mi) upstream of the confluence of Champee Springs in Kendall County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2006
1908_01 From confluence. with Balcones Creek to approx. 2 mi upstream of Hwy 87 in Boerne		

SegID: 1910 Salado Creek

From the confluence with the San Antonio River in Bexar County to the confluence of Beitel Creek in Bexar County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Impaired fish community in water	5c	2004
1910_02 From the confluence with Rosillo Creek up to the confluence with Pershing Creek.		
<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Impaired macrobenthic community in water	5c	2006
1910_02 From the confluence with Rosillo Creek up to the confluence with Pershing Creek.		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1911 Upper San Antonio River
 From a point 600 meters (660 yards) downstream of FM 791 at Mays Crossing near Falls City in Karnes County to a point 100 meters (110 yards) upstream of Hildebrand Avenue at San Antonio in Bexar County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Impaired fish community in water	5c	2006
1911_08	From just upstream of the confluence with Sixmile Creek to just upstream of the confluence with San Pedro Creek.	
1911_09	From just upstream of the confluence with San Pedro Creek up to the upper end of the segment.	

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Impaired macrobenthic community in water	5c	2020
1911_08	From just upstream of the confluence with Sixmile Creek to just upstream of the confluence with San Pedro Creek.	

SegID: 1911H Picoosa Creek
 From the confluence with segment 1911 to the upper end of the water body, NHD RC 12100303003001937

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	2012
1911H_01	From the confluence with 1911 up to the confluence with Mariana Creek	

SegID: 1911I Martinez Creek
 Martinez Creek from the confluence of Alazan Creek in central San Antonio upstream to the terminus at Vance Jackson Rd in north San Antonio

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5a	2014
1911I_01	Martinez Creek from the confluence of Alazan Creek in central San Antonio upstream to the concrete channel portion at San Francisco St in north San Antonio	

SegID: 1912 Medio Creek
 From the confluence with the Medina River in Bexar County to a point 1.0 km (0.6 mi) upstream of IH 35 in San Antonio in Bexar County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2018
1912_01	From the confluence with the Medina River in Bexar County to a point 1.0 km (0.6 mi) upstream of IH 35 in San Antonio in Bexar County	

SegID: 2004A Aransas Creek
 From confluence with the Aransas River to the headwaters of the stream about 10 km upstream of US Highway 59

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2006
2004A_01	From confluence with the Aransas River to the headwaters of the stream about 10 km upstream of US Highway 59.	

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2102 Nueces River Below Lake Corpus Christi
 From Calallen Dam 1.7 km (1.1 mi) upstream of US 77/IH 37 in Nueces/San Patricio County to Wesley E. Seale Dam in Jim Wells/San Patricio County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Total dissolved solids in water	5c	2012
2102_01 From the downstream end of segment upstream to FM 666		
2102_02 From FM 666 to the upstream end of segment at Lake Corpus Christi		

SegID: 2104 Nueces River Above Frio River
 From the confluence of the Frio River in Live Oak County to Holland Dam in LaSalle County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2018
2104_01 From the downstream end of the segment to the confluence with Dragon Creek		

SegID: 2105 Nueces River Above Holland Dam
 From Holland Dam in LaSalle County to a point 100 meters (110 yards) upstream of FM 1025 in Zavala County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	2012
2105_02 From the confluence with Sauz Macho Creek to the confluence of Line Oak Slough		

SegID: 2106 Nueces/Lower Frio River
 From a point 100 meters (110 yards) upstream of US 59 in Live Oak County to Choke Canyon Dam in Live Oak County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2014
2106_02 The Frio River from the confluence with the Nueces River to Choke Canyon Dam		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Total dissolved solids in water	5b	2006
2106_01 The Nueces river from the downstream end of segment to the confluence with the Frio River		
2106_02 The Frio River from the confluence with the Nueces River to Choke Canyon Dam		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2107 Atascosa River

From the confluence with the Frio River in Live Oak County to the confluence of the West Prong Atascosa River and the North Prong Atascosa River in Atascosa County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5b	1996
2107_01 From the downstream end of the segment at the confluence with the Frio River to the confluence with Borrego Creek		
2107_02 From the confluence with Borrego Creek to the confluence with Galvan Creek		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5b	1996
2107_02 From the confluence with Borrego Creek to the confluence with Galvan Creek		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Impaired fish community in water	5b	2006
2107_02 From the confluence with Borrego Creek to the confluence with Galvan Creek		
2107_03 From the confluence with Galvan Creek to the confluence with Palo Alto Creek		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Impaired macrobenthic community in water	5b	2010
2107_02 From the confluence with Borrego Creek to the confluence with Galvan Creek		
2107_03 From the confluence with Galvan Creek to the confluence with Palo Alto Creek		

SegID: 2108 San Miguel Creek

From a point immediately upstream of the confluence of Mustang Branch in McMullen County to the confluence of San Francisco Perez Creek and Chacon Creek in Frio County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5b	2006
2108_01 From the downstream end of the segment to the confluence of Liveoak Creek		

SegID: 2109 Leona River

From the confluence with the Frio River in Frio County to US 83 in Uvalde County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2006
2109_01 From the downstream end of segment to the confluence of Yoledigo Creek		
2109_02 From the confluence of Yoledigo Creek to the confluence of Camp Lake Slough		
2109_03 From the confluence of Camp Lake Slough to the upper end of segment		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	2020
2109_03 From the confluence of Camp Lake Slough to the upper end of segment		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2113 Upper Frio River

From a point 100 meters (110 yards) upstream of US 90 in Uvalde County to the confluence of the West Frio River and the East Frio River in Real County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Impaired fish community in water	5c	2006
2113_01 From the downstream end of the segment to the confluence with Bear Creek		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Impaired macrobenthic community in water	5c	2006
2113_01 From the downstream end of the segment to the confluence with Bear Creek		

SegID: 2116 Choke Canyon Reservoir

From Choke Canyon Dam to a point 4.2 km (2.6 mi) downstream of SH 16 on the Frio River Arm and to a point 100 meters (110 yards) upstream of the confluence of Mustang Branch on the San Miguel Creek Arm, up to the normal pool elevation of 220.5 feet (impou

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Excessive algal growth in water	5c	2020
2116_01 5120 acres near dam		
2116_02 Small north arm of lake near dam and Willow Hollow Tank		
2116_03 5120 acres in middle of lake		
2116_04 Large north arm near mid lake and Jacob Oil Field		
2116_05 Southern arm near mid lake and Rec. Road 7 west of Calliham		
2116_06 Western end of lake up to RR 99 bridge		
2116_07 Remainder of lake from RR 99 bridge to upper end of segment		

SegID: 2117 Frio River Above Choke Canyon Reservoir

From a point 4.2 km (2.6 mi) downstream of SH 16 in McMullen County to a point 100 meters (110 yards) upstream of US 90 in Uvalde County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2008
2117_01 From the downstream end of segment to the confluence with Esperanza Creek		
2117_02 From the confluence with Esperanza Creek to the confluence with Ruiz Creek		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Total dissolved solids in water	5c	2016
2117_01 From the downstream end of segment to the confluence with Esperanza Creek		
2117_02 From the confluence with Esperanza Creek to the confluence with Ruiz Creek		
2117_03 From the confluence with Ruiz Creek to the confluence with Live Oak Creek		
2117_04 From the confluence with Live Oak Creek to the confluence with Elm Creek		
2117_05 From the confluence with Elm Creek to the confluence with Spring Branch		
2117_06 From the confluence with Spring Branch to the upstream end of the segment		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2201 Arroyo Colorado Tidal

From confluence with Laguna Madre in Cameron/Willacy County to a point 100 meters (110 yards) downstream of Cemetery Road south of Port Harlingen in Cameron County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2006
2201_01	From the downstream end of the segment to the confluence with San Vicente Drainage Ditch	
2201_02	From the confluence with San Vicente Drainage Ditch to the confluence with an unnamed drainage ditch with NHD RC 12110108005353 at point N-97.53, W 26.31	
2201_03	From the confluence with an unnamed drainage ditch with NHD RC 12110108005353 at point N-97.53, W 26.31 to the confluence with Harding Ranch Ditch tributary	
2201_04	From the confluence with Harding Ranch Ditch tributary to just upstream of the City of Hondo Wastewater Discharge at point N-97.58359, W26.247186	
2201_05	From just upstream of the City Rio of Hondo Wastewater Discharge at point N-97.58359, W26.247186 to the upstream end of the segment	

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	1996
2201_04	From the confluence with Harding Ranch Ditch tributary to just upstream of the City of Hondo Wastewater Discharge at point N-97.58359, W26.247186	
2201_05	From just upstream of the City Rio of Hondo Wastewater Discharge at point N-97.58359, W26.247186 to the upstream end of the segment	

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Mercury in edible tissue	5c	2008
2201_05	From just upstream of the City Rio of Hondo Wastewater Discharge at point N-97.58359, W26.247186 to the upstream end of the segment	

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2008
2201_05	From just upstream of the City Rio of Hondo Wastewater Discharge at point N-97.58359, W26.247186 to the upstream end of the segment	

SegID: 2201B Unnamed Drainage Ditch Tributary (B) in Cameron County Drainage District #3

From the confluence with the Arroyo Colorado in Cameron County in the Rio Hondo turning basin at -97.6, 26.196 decimal degrees to a point 17.6 km upstream at the FM 510 crossing.

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5b	2010
2201B_01	From the confluence with the Arroyo Colorado in Cameron County in the Rio Hondo turning basin at -97.6, 26.196 decimal degrees to a point 17.6 km upstream at the FM 510 crossing.	

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2202 Arroyo Colorado Above Tidal

From a point 100 meters (110 yards) downstream of Cemetery Road south of Port Harlingen in Cameron County to FM 2062 in Hidalgo County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	1996
2202_01	From the downstream end of segment to the confluence with Little Creek just upstream of State Loop 495	
2202_02	From the confluence with Little Creek to the confluence with La Feria Main Canal just upstream of Dukes Highway	
2202_03	From the confluence with La Feria Main Canal just upstream of Dukes Highway to the confluence with La Cruz Resaca just downstream of FM 907	
2202_04	From the confluence with La Cruz Resaca to the upper end of segment at FM 2062	

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Mercury in edible tissue	5c	2008
2202_01	From the downstream end of segment to the confluence with Little Creek just upstream of State Loop 495	
2202_02	From the confluence with Little Creek to the confluence with La Feria Main Canal just upstream of Dukes Highway	
2202_03	From the confluence with La Feria Main Canal just upstream of Dukes Highway to the confluence with La Cruz Resaca just downstream of FM 907	
2202_04	From the confluence with La Cruz Resaca to the upper end of segment at FM 2062	

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2008
2202_01	From the downstream end of segment to the confluence with Little Creek just upstream of State Loop 495	
2202_02	From the confluence with Little Creek to the confluence with La Feria Main Canal just upstream of Dukes Highway	
2202_03	From the confluence with La Feria Main Canal just upstream of Dukes Highway to the confluence with La Cruz Resaca just downstream of FM 907	
2202_04	From the confluence with La Cruz Resaca to the upper end of segment at FM 2062	

SegID: 2203 Petronila Creek Tidal

From the confluence of Chiltipin Creek in Kleberg County to a point 1 km (0.6 mi) upstream of private road crossing near Laureles Ranch in Kleberg County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2010
2203_01	From the confluence with Tunas Creek and Alazan Bay to a point 11 mi upstream	

SegID: 2204 Petronila Creek Above Tidal

From a point 1 km (0.6 mi) upstream of private road crossing near Laureles Ranch in Kleberg County to the confluence of Agua Dulce and Banquete Creeks in Nueces County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5b	2016
2204_01	From downstream end of segment to the confluence with 2204A, unnamed drainage ditch tributary to Petronila Creek at N-97.7, W27.65 approximately 32.5 km (20.2 mi) upstream	
2204_02	From the confluence with 2204A, unnamed drainage ditch tributary of Petronila Creek at N-97.7, W27.65 to the upstream end of segment at the confluence with Agua Dulce and Banquete Creeks approximately 31.6 km (19.6 mi) upstream	

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2302 Rio Grande Below Falcon Reservoir

From a point 10.8 km (6.7 mi) downstream of the International Bridge in Cameron County to Falcon Dam in Starr County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	1996
2302_03 From the Progresso International Bridge (FM 1015) upstream to the McAllen International Bridge (US Hwy 281)		

SegID: 2302A Arroyo Los Olmos

From Rio Grande confluence at Rio Grande City to El Sauz in Starr County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5b	2004
2302A_01 From the Rio Grande confluence near Rio Grande City upstream to a point 39.4 km (24.5 mi) near El Sauz		

SegID: 2304 Rio Grande Below Amistad Reservoir

From a point 0.66 km (0.41 mi) upstream of the confluence of the Arroyo El Lobo (Mexico) in Webb County to Amistad Dam in Val Verde County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	1996
2304_01 From a point 0.66 km (0.41 mi) upstream of the confluence of the Arroyo El Lobo (Mexico) in Webb County upstream to the San Idelfonso Creek confluence		
2304_02 From the San Idelfonso Creek confluence upstream to International Bridge #2		
2304_03 From the International Bridge #2 upstream to the City of Laredo water treatment plant intake		
2304_07 From El Indio upstream to downstream of US Hwy 277 (Eagle Pass)		
2304_09 From the Las Moras Creek confluence upstream to the San Felipe Creek confluence		

SegID: 2306 Rio Grande Above Amistad Reservoir

From a point 1.8 km (1.1 mi) downstream of the confluence of Ramsey Canyon in Val Verde County to the confluence of the Rio Conchos (Mexico) in Presidio County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Sulfate in water	5b	2010
2306_01 From the lower segment boundary at Ramsey Canyon upstream to the confluence of Panther Gulch		
2306_02 From the confluence of Panther Gulch upstream to FM 2627		
2306_03 From FM 2627 upstream to Boquillas Canyon		
2306_04 From Boquillas Canyon upstream to Mariscal Canyon		
2306_05 From Mariscal Canyon to a point upstream of the IBWC gage at Johnson Ranch		
2306_06 From a point upstream of the IBWC gage at Johnson Ranch to the mouth of Santa Elena Canyon at the Terlingua Creek confluence		
2306_07 From the mouth of Santa Elena Canyon at the Terlingua Creek confluence upstream to the Alamito Creek confluence		
2306_08 From Alamito Creek confluence upstream to the Rio Conchos confluence		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2307 Rio Grande Below Riverside Diversion Dam
 From the confluence of the Rio Conchos (Mexico) in Presidio County to Riverside Diversion Dam in El Paso County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2002
2307_03 From Little Box Canyon upstream to the Alamo Grade Structure		
2307_04 From the Alamo Grade Structure upstream to the Guadalupe Bridge		
2307_05 From the Guadalupe Bridge to downstream of the Riverside Diversion Dam		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Chloride in water	5b	1996
2307_01 From immediately upstream of the Rio Conchos confluence to a point 40.2 km (25 mi) upstream		
2307_02 From a point 40.2 km (25 mi) upstream of the Rio Conchos confluence to Little Box Canyon		
2307_03 From Little Box Canyon upstream to the Alamo Grade Structure		
2307_04 From the Alamo Grade Structure upstream to the Guadalupe Bridge		
2307_05 From the Guadalupe Bridge to downstream of the Riverside Diversion Dam		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Total dissolved solids in water	5b	1996
2307_01 From immediately upstream of the Rio Conchos confluence to a point 40.2 km (25 mi) upstream		
2307_02 From a point 40.2 km (25 mi) upstream of the Rio Conchos confluence to Little Box Canyon		
2307_03 From Little Box Canyon upstream to the Alamo Grade Structure		
2307_04 From the Alamo Grade Structure upstream to the Guadalupe Bridge		
2307_05 From the Guadalupe Bridge to downstream of the Riverside Diversion Dam		

SegID: 2308 Rio Grande Below International Dam
 From the Riverside Diversion Dam in El Paso County to International Dam in El Paso County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2014
2308_01 From the Riverside Diversion Dam to the International Dam in El Paso County		

SegID: 2310 Lower Pecos River
 From a point 0.7 km (0.4 mi) downstream of the confluence of Painted Canyon in Val Verde County to a point immediately upstream of the confluence of Independence Creek in Crockett/Terrell County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Total dissolved solids in water	5c	2020
2310_01 From the Devils River Arm of Amistad Reservoir confluence upstream to FM 2083 near Pan Dale		
2310_02 From FM 2083 near Pan Dale upstream to just upstream of the Independence Creek confluence		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2311 Upper Pecos River
 From a point immediately upstream of the confluence of Independence Creek in
 Crockett/Terrell County to Red Bluff Dam in Loving/Reeves County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5b	2006
2311_01 From US Hwy 67 upstream to the Ward Two Irrigation Turnout		

SegID: 2313 San Felipe Creek
 From the confluence with the Rio Grande in Val Verde County to a point 4.0 km (2.5 mi)
 upstream of US 90 in Val Verde County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2014
2313_01 From the Rio Grande confluence to the San Felipe Springs upstream of US Hwy 90		

SegID: 2314 Rio Grande Above International Dam
 From International Dam in El Paso County to the New Mexico State Line in El Paso
 County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2002
2314_01 From the International Dam upstream to the Anthony Drain confluence		

SegID: 2411 Sabine Pass
 From the end of jetties at the Gulf of Mexico to SH 82

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2014
2411_01 From the end of jetties at the Gulf of Mexico to SH 82		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2012
2411_01 From the end of jetties at the Gulf of Mexico to SH 82		

SegID: 2412 Sabine Lake
 Sabine Lake

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2012
2412_01 Sabine Lake		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2421 Upper Galveston Bay
Upper Galveston Bay

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Dioxin in edible tissue	5a	1996
2421_01 Red Bluff to Five mi Cut to Houston Point to Morgans Point		
2421_02 Western portion of the bay		
2421_03 Main portion of the bay		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2004
2421_01 Red Bluff to Five mi Cut to Houston Point to Morgans Point		
2421_02 Western portion of the bay		
2421_03 Main portion of the bay		

SegID: 2421A Clear Lake Channel
From the Lower Galveston Bay confluence to SH 146

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Dioxin in edible tissue	5a	2010
2421A_01 From Lower Galveston Bay confluence to SH 146		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
2421A_01 From Lower Galveston Bay confluence to SH 146		

SegID: 2421B Little Cedar Bayou
From the confluence with Upper Galveston Bay to a point immediately upstream of Barbours Cut Blvd in La Porte

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2018
2421B_01 From the confluence with Galveston Bay to a point immediately upstream of Barbours Cut Blvd in La Porte		

SegID: 2422 Trinity Bay
Trinity Bay

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Dioxin in edible tissue	5a	2010
2422_01 Upper half of bay		
2422_02 Lower half of bay		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
2422_01 Upper half of bay		
2422_02 Lower half of bay		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2422B Double Bayou West Fork
From the Trinity Bay confluence to Belton Road in Chambers County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2006
2422B_01 From the Trinity Bay confluence to Belton Road		
Depressed dissolved oxygen in water	5b	2004
2422B_01 From the Trinity Bay confluence to Belton Road		
Dioxin in edible tissue	5a	2010
2422B_01 From the Trinity Bay confluence to Belton Road		
PCBs in edible tissue	5a	2010
2422B_01 From the Trinity Bay confluence to Belton Road		

SegID: 2422D Double Bayou East Fork
From the Trinity Bay confluence to a point 2.6 km (1.6 mi) upstream of SH 65

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2014
2422D_01 From the Trinity Bay confluence to a point 2.6 km (1.6 mi) upstream of SH 65		
Dioxin in edible tissue	5a	2010
2422D_01 From the Trinity Bay confluence to a point 2.6 km (1.6 mi) upstream of SH 65		
PCBs in edible tissue	5a	2010
2422D_01 From the Trinity Bay confluence to a point 2.6 km (1.6 mi) upstream of SH 65		

SegID: 2423 East Bay
East Bay

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Dioxin in edible tissue	5a	2010
2423_01 Area adjacent to the ICWW (Segment 0702)		
2423_02 Remainder of segment		
PCBs in edible tissue	5a	2010
2423_01 Area adjacent to the ICWW (Segment 0702)		
2423_02 Remainder of segment		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2423A Oyster Bayou

From the East Bay confluence to a point 2.2 km (1.4 mi) upstream from SH 65 in Chambers County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Dioxin in edible tissue	5a	2010
2423A_01 From the East Bay confluence to a point 2.2 km (1.4 mi) upstream from SH 65		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
2423A_01 From the East Bay confluence to a point 2.2 km (1.4 mi) upstream from SH 65		

SegID: 2424 West Bay

West Bay

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Dioxin in edible tissue	5a	2010
2424_01 West Bay		
2424_02 Area adjacent to Lower Galveston Island		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
2424_01 West Bay		
2424_02 Area adjacent to Lower Galveston Island		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2424A Highland Bayou

From the confluence of West Bay upstream to the confluence of Highland Bayou Diversion Canal 118 m (388 ft) downstream of Jack Brooks Rd in Galveston County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2002
2424A_02 From Bayou Lane upstream to Lake Road		
2424A_03 From Lake Road upstream to FM 519		
2424A_04 From FM 519 upstream to FM 2004		
2424A_05 From FM 2004 upstream to the confluence of Highland Bayou Diversion Canal 118 m (388 ft) downstream of Jack Brooks Rd in Galveston County		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	2002
2424A_04 From FM 519 upstream to FM 2004		
2424A_05 From FM 2004 upstream to the confluence of Highland Bayou Diversion Canal 118 m (388 ft) downstream of Jack Brooks Rd in Galveston County		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Dioxin in edible tissue	5a	2010
2424A_01 From the confluence of West Bay upstream to Bayou Lane		
2424A_02 From Bayou Lane upstream to Lake Road		
2424A_03 From Lake Road upstream to FM 519		
2424A_04 From FM 519 upstream to FM 2004		
2424A_05 From FM 2004 upstream to the confluence of Highland Bayou Diversion Canal 118 m (388 ft) downstream of Jack Brooks Rd in Galveston County		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
2424A_01 From the confluence of West Bay upstream to Bayou Lane		
2424A_02 From Bayou Lane upstream to Lake Road		
2424A_03 From Lake Road upstream to FM 519		
2424A_04 From FM 519 upstream to FM 2004		
2424A_05 From FM 2004 upstream to the confluence of Highland Bayou Diversion Canal 118 m (388 ft) downstream of Jack Brooks Rd in Galveston County		

SegID: 2424B Lake Madeline

Located between Jones Street, Stewart Street and Pine Street, north of the seawall on Galveston Island

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	2014
2424B_01 Between Jones Street, Stewart Street and Pine Street, north of the seawall on Galveston Island		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2424C Marchand Bayou

From Highland Bayou confluence to 0.72 km (0.45 mi) north of IH 45 in Galveston County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2002
2424C_01 From Highland Bayou confluence 0.72 km (0.45 mi) north of IH-45		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	2002
2424C_01 From Highland Bayou confluence 0.72 km (0.45 mi) north of IH-45		

SegID: 2424D Offatts Bayou

Located on the east end of Galveston Island, running parallel with the southern terminus of IH 45, and joins West Bay near Teichman Point

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Dioxin in edible tissue	5a	2010
2424D_01 Upper area bordered by SH 342 and 71st Street		
2424D_02 Middle area bordered by 71st Street and Walsh Street		
2424D_03 Lower area bordered by Walsh Street and Techmann Point		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
2424D_01 Upper area bordered by SH 342 and 71st Street		
2424D_02 Middle area bordered by 71st Street and Walsh Street		
2424D_03 Lower area bordered by Walsh Street and Techmann Point		

SegID: 2424G Highland Bayou Diversion Canal

From the confluence with West Bay upstream to the headwaters near Avenue Q 1/2 upstream of FM 646 in Galveston County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2014
2424G_01 From the confluence with West Bay upstream to the headwaters near Avenue Q 1/2 upstream of FM 646 in Galveston County		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2425 **Clear Lake**
Clear Lake

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Copper in water	5c	2016

2425_01 Clear Lake

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Dioxin in edible tissue	5a	2010

2425_01 Clear Lake

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010

2425_01 Clear Lake

SegID: 2425A **Taylor Lake**

Taylor Lake from the confluence with Clear Lake upstream to the terminus of Taylor Bayou south of Bay Forest Golf Club in LaPorte

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Dioxin in edible tissue	5a	2010

2425A_01 Taylor Lake from the confluence with Clear Lake to the confluence with Taylor Bayou at Red Bluff Rd in Seabrook

2425A_02 Taylor Bayou from the confluence with Taylor Lake at Red Bluff Rd in Seabrook upstream to the Southern Pacific railroad bridge parallel with SH 146 in Harris County

2425A_03 Taylor Bayou from the Southern Pacific railroad bridge parallel with SH 146 in Harris County upstream to the terminus south of Bay Forest Golf Club in LaPorte

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010

2425A_01 Taylor Lake from the confluence with Clear Lake to the confluence with Taylor Bayou at Red Bluff Rd in Seabrook

2425A_02 Taylor Bayou from the confluence with Taylor Lake at Red Bluff Rd in Seabrook upstream to the Southern Pacific railroad bridge parallel with SH 146 in Harris County

2425A_03 Taylor Bayou from the Southern Pacific railroad bridge parallel with SH 146 in Harris County upstream to the terminus south of Bay Forest Golf Club in LaPorte

SegID: 2425B **Jarbo Bayou**

From Clear Lake confluence with Clear Lake to 1.1 km (0.67 mi) upstream of FM 518 in Galveston County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Dioxin in edible tissue	5a	2010

2425B_01 From the Clear Lake confluence upstream to Lawrence Road

2425B_02 From Lawrence Road to the headwaters 1.1 km (0.67 mi) upstream of FM 518

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010

2425B_01 From the Clear Lake confluence upstream to Lawrence Road

2425B_02 From Lawrence Road to the headwaters 1.1 km (0.67 mi) upstream of FM 518

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2426 **Tabbs Bay**
 Tabbs Bay

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Dioxin in edible tissue	5a	1996
2426_01 Tabbs Bay		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2004
2426_01 Tabbs Bay		

SegID: 2426C **Goose Creek Tidal**
 From the Tabbs Bay confluence upstream to the East Fork of Goose Creek confluence

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Dioxin in edible tissue	5a	2010
2426C_01 From the Tabbs Bay confluence upstream to the East Fork of Goose Creek confluence		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
2426C_01 From the Tabbs Bay confluence upstream to the East Fork of Goose Creek confluence		

SegID: 2427 **San Jacinto Bay**
 San Jacinto Bay

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Dioxin in edible tissue	5a	1996
2427_01 San Jacinto Bay		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2004
2427_01 San Jacinto Bay		

SegID: 2428 **Black Duck Bay**
 Black Duck Bay

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Dioxin in edible tissue	5a	1998
2428_01 Black Duck Bay		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2004
2428_01 Black Duck Bay		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2429 **Scott Bay**
Scott Bay

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Dioxin in edible tissue	5a	1998
2429_01 Scott Bay		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2004
2429_01 Scott Bay		

SegID: 2430 **Burnet Bay**
Burnet Bay

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Dioxin in edible tissue	5a	1998
2430_01 Burnet Bay		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2004
2430_01 Burnet Bay		

SegID: 2430A **Crystal Bay**
Crystal Bay, a side bay of Burnet Bay, located between Burnet and Scott (Segment 2429)
Bays adjacent to the San Jacinto Monument and Houston Ship Channel (Segment 1005)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Dioxin in edible tissue	5a	2010
2430A_01 Crystal Bay, a side bay of Burnet Bay, located between Burnet and Scott (Segment 2429) Bays adjacent to the San Jacinto Monument and Houston Ship Channel (Segment 1005)		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
2430A_01 Crystal Bay, a side bay of Burnet Bay, located between Burnet and Scott (Segment 2429) Bays adjacent to the San Jacinto Monument and Houston Ship Channel (Segment 1005)		

SegID: 2431 **Moses Lake**
Moses Lake

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Dioxin in edible tissue	5a	2010
2431_01 Moses Lake		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
2431_01 Moses Lake		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2431A Moses Bayou

From Moses Lake confluence to 2.2 km (1.4 mi) upstream of SH 3 in Galveston County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2014
2431A_01 From Moses Lake confluence to 2.2 km (1.4 mi) upstream of SH 3		
<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Dioxin in edible tissue	5a	2010
2431A_01 From Moses Lake confluence to 2.2 km (1.4 mi) upstream of SH 3		
<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
2431A_01 From Moses Lake confluence to 2.2 km (1.4 mi) upstream of SH 3		

SegID: 2431C Unnamed Tributary to the Southern Arm of Moses Lake (West)

From the confluence with the southern arm (west) of Moses Lake to a point 0.45 mi upstream of State Highway 3 near La Marque

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2014
2431C_01 From the confluence with the southern arm (west) of Moses Lake to a point 0.45 mi upstream of State Highway 3 near La Marque		

SegID: 2432 Chocolate Bay

Chocolate Bay

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Dioxin in edible tissue	5a	2010
2432_01 Chocolate Bay		
<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
2432_01 Chocolate Bay		

SegID: 2432A Mustang Bayou

From the New Bayou confluence upstream to an unnamed tributary 0.3 km (0.19 mi) upstream of State Hwy 35 to an unnamed tributary downstream of Cartwright Road

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5a	2018
2432A_01 From the New Bayou confluence upstream to County Road 166		
2432A_02 From County Road 166 upstream to an unnamed tributary 0.3 km upstream of SH 35.		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2432B Willow Bayou

From the Halls Bayou confluence to a point 9.7 km (6 mi) upstream.

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5a	2018

2432B_01 From the Halls Bayou confluence to a point 9.7 km (6 mi) upstream.

SegID: 2432C Halls Bayou Tidal

From the Chocolate Bay confluence upstream to a point 31.5 km (19.6 mi) upstream

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5a	2012

2432C_01 From the Chocolate Bay confluence upstream to a point 31.5 km (19.6 mi) upstream

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Dioxin in edible tissue	5a	2010

2432C_01 From the Chocolate Bay confluence upstream to a point 31.5 km (19.6 mi) upstream

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010

2432C_01 From the Chocolate Bay confluence upstream to a point 31.5 km (19.6 mi) upstream

SegID: 2432D Persimmon Bayou

From the New Bayou confluence upstream to the Mustang Bayou confluence

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2020

2432D_01 From the New Bayou confluence upstream to the confluence with Mustang Bayou

SegID: 2432E New Bayou

From the Chocolate Bay confluence upstream 25.4 km (15.8 mi) to an unnamed tributary

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2020

2432E_01 From the Chocolate Bay confluence upstream 25.4 km (15.8 mi) to an unnamed tributary

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2436 **Barbours Cut**
Barbours Cut

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Dioxin in edible tissue	5a	1998
2436_01 Barbours Cut		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2004
2436_01 Barbours Cut		

SegID: 2437 **Texas City Ship Channel**
Texas City Ship Channel

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Dioxin in edible tissue	5a	2010
2437_01 Texas City Ship Channel		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
2437_01 Texas City Ship Channel		

SegID: 2438 **Bayport Channel**
Bayport Channel

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Copper in water	5c	2018
2438_01 Bayport Channel		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Dioxin in edible tissue	5a	2000
2438_01 Bayport Channel		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2004
2438_01 Bayport Channel		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2439 Lower Galveston Bay
Lower Galveston Bay

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Dioxin in edible tissue	5a	2010
2439_01 Area adjacent to the Texas City Ship Channel and Moses Lake		
2439_02 Eastern portion of the bay		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
2439_01 Area adjacent to the Texas City Ship Channel and Moses Lake		
2439_02 Eastern portion of the bay		

SegID: 2441OW East Matagorda Bay (Oyster Waters)
East Matagorda Bay (Oyster Waters)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in oyster waters	5a	1998
2441OW_01 Caney Creek arm and western shoreline area (Oyster Waters)		

SegID: 2452OW Tres Palacios Bay/Turtle Bay (Oyster Waters)
Tres Palacios Bay/Turtle Bay (Oyster Waters)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in oyster waters	5a	1998
2452OW_01 Turtle Bay and Tres Palacios Creek Arm (Oyster Waters)		

SegID: 2452TP Tres Palacios Bay (Recreational Beaches)
Tres Palacios Bay (Recreational Beaches)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreational Beaches)	5a	2014
2452TP_01 Palacios (Beach ID TX 784742)		

SegID: 2453A Garcitas Creek Tidal
From the confluence with Lavaca Bay upstream to the confluence with Arenosa Creek at the Jackson/Victoria County line

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5b	1999
2453A_01 From the confluence with Lavaca Bay upstream to the confluence with Arenosa Creek at the Jackson/Victoria County line		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2453C Arenosa Creek
From Garcitas Creek confluence upstream to J-2 Ranch Road

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5a	2010
2453C_01 From Garcitas Creek confluence upstream to J-2 Ranch Road		

SegID: 2453D Lavaca Bay Ship Channel Area
Lavaca Bay Ship Channel Area

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Copper in water	5c	2016
2453D_01 Lavaca Bay Ship Channel Area		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	2006
2453D_01 Lavaca Bay Ship Channel Area		

SegID: 2453OW Lavaca Bay/Chocolate Bay (Oyster Waters)
Lavaca Bay/Chocolate Bay (Oyster Waters)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in oyster waters	5a	1996
2453OW_02 North-northeastern portion of the bay near Point Comfort (Oyster Waters)		
2453OW_03 Chocolate Bay area (Oyster Waters)		

SegID: 2454 Cox Bay
Cox Bay

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Copper in water	5c	2016
2454_02 Remainder of Cox Bay		

SegID: 2455OW Keller Bay (Oyster Waters)
Keller Bay (Oyster Waters)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in oyster waters	5a	2006
2455OW_01 Upper arm (Oyster Waters)		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2456 Carancahua Bay
 Carancahua Bay

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5a	2006
2456_02 Upper half of bay		

SegID: 2456A West Carancahua Creek Tidal
 From the Carancahua Bay confluence to Jackson CR 440, 10.1 km (6.3 mi) upstream of FM 616 in Jackson County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5c	2006
2456A_01 From the Carancahua Bay confluence to Jackson CR 440, 10.1 km (6.3 mi) upstream of FM 616 in Jackson County		

SegID: 2456OW Carancahua Bay (Oyster Waters)
 Carancahua Bay (Oyster Waters)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in oyster waters	5a	1996
2456OW_02 Upper portion of bay and shoreline area (Oyster Waters)		

SegID: 2462OW San Antonio Bay/Hynes Bay/Guadalupe Bay/Mission Lake (Oyster Waters)
 San Antonio Bay/Hynes Bay/Guadalupe Bay/Mission Lake (Oyster Waters)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in oyster waters	5a	1996
2462OW_01 Guadalupe Bay (Oyster Waters)		

SegID: 2472OW Copano Bay/Port Bay/Mission Bay (Oyster Waters)
 Copano Bay/Port Bay/Mission Bay (Oyster Waters)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in oyster waters	5c	1998
2472OW_01 Mission Bay, Aransas River arm, and eastern shoreline (Oyster Waters)		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2481CB Corpus Christi Bay (Recreational Beaches)
Corpus Christi Bay (Recreational Beaches)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreational Beaches)	5a	2010
2481CB_03 Cole Park (Beach ID TX259473)		
2481CB_04 Ropes Park (Beach ID TX821303)		
2481CB_06 Poenisch Park (Beach ID TX682648)		

SegID: 2482 Nueces Bay
Nueces Bay

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Copper in water	5c	2016
2482_01 Nueces Bay		

SegID: 2484 Corpus Christi Inner Harbor
Corpus Christi Inner Harbor - from US 181 to Viola Turning Basin

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Copper in water	5c	2016
2484_01 Corpus Christi Inner Harbor - from US 181 to Viola Turning Basin		

SegID: 2485 Oso Bay
Oso Bay

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5b	1996
2485_02 Middle bay (State Park Road 22 to Holly Road)		

SegID: 2485A Oso Creek
From the Oso Bay confluence in southern Corpus Christi to a point 4.8 km (3 mi) upstream of SH 44, west of Corpus Christi in Nueces County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5a	2002
2485A_01 From the Oso Bay confluence in southern Corpus Christi to a point 4.8 km (3 mi) upstream of SH 44, west of Corpus Christi		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2485OW **Oso Bay (Oyster Waters)**
Oso Bay (Oyster Waters)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in oyster waters	5a	2006
2485OW_01 Oso Bay (Oyster Waters)		

SegID: 2491 **Laguna Madre**
Laguna Madre

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2010
2491_02 Area adjacent to the Arroyo Colorado confluence		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Depressed dissolved oxygen in water	5b	1999
2491_01 Upper portion of bay north of the Arroyo Colorado confluence		
2491_02 Area adjacent to the Arroyo Colorado confluence		

SegID: 2491OW **Laguna Madre (Oyster Waters)**
Laguna Madre (Oyster Waters)

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in oyster waters	5c	2006
2491OW_02 Area adjacent to the Arroyo Colorado confluence (Oyster Waters)		

SegID: 2492A **San Fernando Creek**
From the Cayo Del Grullo confluence in Kleberg County upstream to the confluence with Chiltipin Creek and San Diego Creek in Jim Wells County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2006
2492A_01 From the Cayo Del Grullo confluence in Kleberg County upstream to the confluence with Chiltipin Creek and San Diego Creek in Jim Wells County		

SegID: 2494A **Port Isabel Fishing Harbor**
From the Laguna Madre confluence to 0.4 km (0.25 mi) south of SH 100 in Port Isabel in Cameron County

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2010
2494A_01 From the Laguna Madre confluence to 0.4 km (0.25 mi) south of SH 100 in Port Isabel		

2020 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2501 Gulf of Mexico
 From the Gulf shoreline to the limit of Texas' jurisdiction between Sabine Pass and the mouth of the Rio Grande

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Bacteria in water (Recreation Use)	5c	2010
2501_01 Sabine Pass to Sea Rim Park area		
2501_02 Jefferson-Chambers County line area		

<u>Impairment Description(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
Mercury in edible tissue	5c	1998
2501_01 Sabine Pass to Sea Rim Park area		
2501_02 Jefferson-Chambers County line area		
2501_03 Bolivar Point to San Luis Pass area		
2501_04 Freeport Area		
2501_05 Area between Freeport and Port Aransas		
2501_06 Port Aransas Area		
2501_07 Area between Port Aransas and Port Mansfield		
2501_08 Port Mansfield area		
2501_09 Area between Port Mansfield and Port Isabel		
2501_10 Port Isabel area		