

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

Report Abbreviations	Description:		
SEGID:	Unique Segment identification alpha-numeric code; can be stream, reservoir, estuary, oyster waters, beach watch, etc.		
AUID:	Unique Assessment Unit code; this is a portion of the segment the AUID begins with and ends with _01, _02, etc. Some AUIDs are special units ending in "SA," or oyster water AUIDs are indicated by "OW" and beach watch AUIDs are indicated by abbreviations for name of beach in AUID.		
ASMT Start Date:	The start date of the period of record data for this method was selected; the official 2020 period of record is from 12/1/2011 to 11/30/2018. Assessors have the option of going back 10 years (12/1/2008) to select more data, according to assessment guidance.		
ASMT End Date:	The end date of the period of record data for this method was selected; the official 2020 period of record dates are 12/1/2011 to 11/30/2018. Assessors have the option of including more recently collected data than 12/01/2018, if available.		
# Assd:	Number of samples assessed; some data are averaged, as with profile data, some are eliminated because criteria do not apply during certain conditions such as a low flow.		
Mean Assd:	Mean of samples assessed; includes averaged methods like chronic criteria as well as geometric mean calculations for bacteria.		
# Exceed:	The number of samples that exceed criteria for single sample, or binomial, methods (not averaged data).		
Mean Exceed:	This is the mean of the samples that exceeded criteria for the single sample, or binomial, methods (not averaged data).		
Criteria:	Value that the data is compared against to determine level of support; Note: for acute metals in water, each value is compared to a calculated criterion and not all criteria could be reported here, only the minimum in the range of criteria calculated are included.		
DS Qual:	<p><i>Dataset Qualifier - indicates sample sizes:</i></p> <table style="width: 100%; border: none;"> <tr> <td style="width: 50%; vertical-align: top;"> AD = Adequate Data (10 or more samples) LD = Limited Data (less than 9, greater than 3) ID = Inadequate Data (less than 4) JQ = Level of support is based on judgment of the assessor SM = This assessment method is superseded by another method </td> <td style="width: 50%; vertical-align: top;"> TR = Temporally Not Representative, used with NA SR = Spatially Not Representative, used with NA OE = Other information than ambient samples evaluated OS = Assessment area outside state boundaries </td> </tr> </table>	AD = Adequate Data (10 or more samples) LD = Limited Data (less than 9, greater than 3) ID = Inadequate Data (less than 4) JQ = Level of support is based on judgment of the assessor SM = This assessment method is superseded by another method	TR = Temporally Not Representative, used with NA SR = Spatially Not Representative, used with NA OE = Other information than ambient samples evaluated OS = Assessment area outside state boundaries
AD = Adequate Data (10 or more samples) LD = Limited Data (less than 9, greater than 3) ID = Inadequate Data (less than 4) JQ = Level of support is based on judgment of the assessor SM = This assessment method is superseded by another method	TR = Temporally Not Representative, used with NA SR = Spatially Not Representative, used with NA OE = Other information than ambient samples evaluated OS = Assessment area outside state boundaries		
LOS:	<p><i>Level of support for this use, method, assessment parameter:</i></p> <table style="width: 100%; border: none;"> <tr> <td style="width: 50%; vertical-align: top;"> FS = Fully Supporting NC = No Concern NA = Not Assessed </td> <td style="width: 50%; vertical-align: top;"> NS = Nonsupport CS = Screening Level Concern CN = Use Concern </td> </tr> </table>	FS = Fully Supporting NC = No Concern NA = Not Assessed	NS = Nonsupport CS = Screening Level Concern CN = Use Concern
FS = Fully Supporting NC = No Concern NA = Not Assessed	NS = Nonsupport CS = Screening Level Concern CN = Use Concern		
CF:	Carry forward indicator check box: indicates that the Integrated level of support of CS, CN, or NS was carried forward from a previous assessment due to inadequate data for this method in this assessment.		
Int LOS:	Integrated level of support. This is the overall level of support for this use, method, parameter group, which could be different from the LOS (described above) due to carry forward information or other types of changes. New Code added in 2010: PI = Pending Issue		
TCEQ Cause:	This is the impairment description (e.g., bacteria, depressed dissolved oxygen, etc.)		
Cat:	<p>Category 3: Insufficient or no data and information to determine if standard is attained</p> <p>Category 4: Standard is not attained or nonattainment is predicted in the near future due to one or more parameters, but no TMDLs are required.</p> <p style="margin-left: 40px;"> 4a - All TMDLs have been completed and approved by EPA. 4b - Other pollution control requirements are reasonably expected to result in the attainment of the water quality standard in the near future. 4c - Nonattainment of the standard for one or more parameters is shown to be caused by pollution, not by pollutants and that the water quality conditions cannot be changed by the allocation and control of pollutants through the TMDL process. </p> <p>Category 5: Standard is not attained or nonattainment is predicted in the near future for one or more parameters.</p> <p style="margin-left: 40px;"> 5a - TMDLs are underway, scheduled, or may be scheduled for one or more parameters. 5b - review of the standards for one or more parameters will be conducted before a management strategy is selected, including a possible revision to the water quality standards. 5c - Additional data or information will be collected and/or evaluated for one or more parameters before a management strategy is selected. </p>		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1401

Colorado River Tidal

AUID: 1401_01

Colorado River Tidal - from the confluence with Matagorda Bay due to a diversion channel in Matagorda County to a point 2.1 km (1.3 mi) downstream of the Missouri-

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	41		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	4	41		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/01/11 - 11/30/18	35	40	18.39	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
High pH	pH	12/01/11 - 11/30/18	9	41		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	41		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.46	40		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	21	41		14	47.01	AD	CS	<input type="checkbox"/>	CS	Chlorophyll-a in water	
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.10	40		22	1.76	AD	CS	<input type="checkbox"/>	CS	Nitrate in water	
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.66	40		1	0.69	AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	35	41		0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1402

Colorado River below La Grange

AUID: 1402_01

From a point 2.1 km (1.3 mi) downstream of the Missouri-Pacific Railroad in Matagorda County upstream to the confluence of Blue Creek in Matagorda County

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	40		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	40		1	4.40	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	40	39.14	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	100	159	47.26	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	159	53.69	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	194	389.51	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	40		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	40		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	40		1	0.34	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	40		19	65.25	AD	CS	<input type="checkbox"/>	CS	Chlorophyll-a in water	
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	40		13	2.96	AD	CS	<input type="checkbox"/>	CS	Nitrate in water	
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	39		1	1.01	AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	35	40		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	160	2.01	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1402_02

From the confluence of Blue Creek in Matagorda County upstream to the confluence of Pierce Canal west of Wharton in Wharton County

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	51		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	51		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	61	91.84	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	100	159	47.26	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	159	53.69	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	194	389.51	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	51		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	51		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	40		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	40		18	70.38	AD	CS	<input type="checkbox"/>	CS	Chlorophyll-a in water	
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	40		18	3.17	AD	CS	<input type="checkbox"/>	CS	Nitrate in water	
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	40		3	0.84	AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	35	51		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	160	2.01	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1402_03

From the confluence of Pierce Canal west of Wharton in Wharton County upstream to the confluence of Robb Slough in Wharton County

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	13		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	13		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	13	79.37	0		LD	NC	<input type="checkbox"/>	NC		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	100	159	47.26	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	159	53.69	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	194	389.51	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	13		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	13		0		AD	FS	<input type="checkbox"/>	FS		
Water Temperature	Water temperature	12/01/11 - 11/30/18	35	13		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	160	2.01	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1402_04 From the confluence of Robb Slough in Wharton County upstream to the confluence of Skull Creek in Colorado County

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
				#	Value	#	Value						
Dissolved Solids	Chloride	12/01/11 - 11/30/18	100	159	47.26	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	159	53.69	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	194	389.51	0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
				#	Value	#	Value						
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	160	2.01	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1402_05

From the confluence of Skull Creek in Colorado County upstream to the confluence of Cummins Creek northeast of Columbus in Colorado County

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	40		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	40		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	40	52.03	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	100	159	47.26	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	159	53.69	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	194	389.51	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	40		2	9.30	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	40		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	40		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	40		13	81.56	AD	CS	<input type="checkbox"/>	CS	Chlorophyll-a in water	
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	40		17	3.61	AD	CS	<input type="checkbox"/>	CS	Nitrate in water	
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	40		5	0.82	AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	35	40		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	160	2.01	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1402_06

From the confluence of Cummins Creek northeast of Columbus in Colorado County upstream to confluence of Williams Creek in Fayette County

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	40		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	40		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	40	62.38	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	100	159	47.26	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	159	53.69	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	194	389.51	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	40		1	9.20	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	40		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	40		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	40		7	103.36	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	40		25	3.53	AD	CS	<input type="checkbox"/>	CS	Nitrate in water	
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	40		9	0.85	AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	35	40		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	160	2.01	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1402_07 From the confluence of Williams Creek in Fayette County upstream to a point 100 meters (110 yards) downstream of Business SH 71 at La Grange in Fayette County

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
				#	Value	#	Value						
Dissolved Solids	Chloride	12/01/11 - 11/30/18	100	159	47.26	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	159	53.69	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	194	389.51	0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95					ID	NA	<input checked="" type="checkbox"/>	CS	Nitrate in water	
Domestic Water Supply Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
				#	Value	#	Value						
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	160	2.01	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1402A

Cummins Creek

AUID: 1402A_01 From the confluence with the Colorado River northeast of the city of Columbus upstream to the confluence of Boggy Creek at FM 1291 in Colorado County

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	4	16		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	6	16		1	5.00	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	17	61.65	0		LD	NC	<input type="checkbox"/>	NC		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	16		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	16		2	22.85	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	17		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	17		0		AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1402C

Buckners Creek

AUID: 1402C_01 Perennial stream from the confluence with the Colorado River upstream to the confluence with Chandler Branch 1.6 km upstream of FM 154 in Fayette County

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Value	Exceedances #	Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/01/11 - 11/30/18	5					ID	NA	<input checked="" type="checkbox"/>	NS	Depressed dissolved oxygen in water	5c
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/01/11 - 11/30/18	3					ID	NA	<input checked="" type="checkbox"/>	NS	Depressed dissolved oxygen in water	5c

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Value	Exceedances #	Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10					ID	NA	<input checked="" type="checkbox"/>	CS	Chlorophyll-a in water	

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1402G Cedar Creek Reservoir / Lake Fayette

AUID: 1402G_01 Area near discharge canal

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	4		0		LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	4		0		LD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	4	3.31	0		ID	NA	<input type="checkbox"/>	NA		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.11	4		0		JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	26.70	4		1	31.60	JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	0.37	4		2	1.22	JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.20	4		0		JQ	NA	<input type="checkbox"/>	NA		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1402G_02 Area near intake canal

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	4	0	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	4	0	LD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	4 1.97	0	ID	NA	<input type="checkbox"/>	NA		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.11	4	0	JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	26.70	4	1 37.40	JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	0.37	4	0	JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.20	4	0	JQ	NA	<input type="checkbox"/>	NA		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1402G_03 Mid-lake near dam

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	41	0	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	41	4 4.13	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	41 2.14	0	AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.11	41	3 0.40	JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	26.70	41	34 51.47	JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	0.37	41	5 0.54	JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.20	41	1 0.23	JQ	NA	<input type="checkbox"/>	NA		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1402H **Skull Creek**

AUID: 1402H_01 From the confluence with the Colorado River west of Eagle Lake in Colorado County to the upstream perennial portion southwest of Columbus

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1402H_01 From the confluence with the Colorado River west of Eagle Lake in Colorado County to the upstream perennial portion southwest of Columbus

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/01/11 - 11/30/18	5					ID	NA	<input checked="" type="checkbox"/>	NS	Depressed dissolved oxygen in water	5b
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/01/11 - 11/30/18	3					ID	NA	<input checked="" type="checkbox"/>	NS	Depressed dissolved oxygen in water	5b
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	24		6	2.32	SM	NS	<input type="checkbox"/>	NA		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	24		11	3.20	SM	CS	<input type="checkbox"/>	NA		
Toxic Substances in sediment	1,1,1-Trichloroethane	12/01/11 - 11/30/18	24,790	2		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	1,1,2,2-Tetrachloroethane	12/01/11 - 11/30/18	3,800	2		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	1,1,2-Trichloroethane	12/01/11 - 11/30/18	5,880	2		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	1,1-Dichloroethane	12/01/11 - 11/30/18	13,890	2		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	1,1-Dichloroethylene	12/01/11 - 11/30/18	11,200	2		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	1,2,4-Trichlorobenzene	12/01/11 - 11/30/18	5,310	10		0		AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	1,2-Dichlorobenzene	12/01/11 - 11/30/18	4,950	10		0		AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	1,2-Dichloroethane	12/01/11 - 11/30/18	28,680	2		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	1,2-Dichloroethene (trans)	12/01/11 - 11/30/18	71,840	2		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	1,2-Dichloropropane	12/01/11 - 11/30/18	21,120	2		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	1,3-Dichlorobenzene	12/01/11 - 11/30/18	350	10		0		AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	1,4-Dichlorobenzene	12/01/11 - 11/30/18	4,650	10		0		AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	2,4-dinitrotoluene	12/01/11 - 11/30/18	8,020	6		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	2-hexanone	12/01/11 - 11/30/18	28,200	2		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	2-Methylnaphthalene	12/01/11 - 11/30/18	201	6		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	3-Methyl-4-chlorophenol	12/01/11 - 11/30/18	5,620	6		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	4-Methyl-2-Pentanone (MIBK)	12/01/11 - 11/30/18	116,590	2		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Acenaphthene	12/01/11 - 11/30/18	88.90	10		0		AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Acenaphthylene	12/01/11 - 11/30/18	128	10		0		AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Acetone	12/01/11 - 11/30/18	360,180	2		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Acrylonitrile	12/01/11 - 11/30/18	1,650	2		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Aldrin	12/01/11 - 11/30/18	80	6		0		LD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1402H_01 From the confluence with the Colorado River west of Eagle Lake in Colorado County to the upstream perennial portion southwest of Columbus

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Toxic Substances in sediment	alpha-BHC	12/01/11 - 11/30/18	100	6	0	LD	NC	<input type="checkbox"/>	NC				
Toxic Substances in sediment	Anthracene	12/01/11 - 11/30/18	845	10	0	AD	NC	<input type="checkbox"/>	NC				
Toxic Substances in sediment	Arachlor 1016	12/01/11 - 11/30/18	530	5	0	LD	NC	<input type="checkbox"/>	NC				
Toxic Substances in sediment	Arachlor 1248	12/01/11 - 11/30/18	1,500	6	0	LD	NC	<input type="checkbox"/>	NC				
Toxic Substances in sediment	Arachlor 1254	12/01/11 - 11/30/18	340	6	0	LD	NC	<input type="checkbox"/>	NC				
Toxic Substances in sediment	Arachlor1260	12/01/11 - 11/30/18	240	4	0	LD	NC	<input type="checkbox"/>	NC				
Toxic Substances in sediment	Arsenic	12/01/11 - 11/30/18	33	10	0	AD	NC	<input type="checkbox"/>	NC				
Toxic Substances in sediment	Benzene	12/01/11 - 11/30/18	2,870	2	0	ID	NA	<input type="checkbox"/>	NA				
Toxic Substances in sediment	Benzo(a)anthracene	12/01/11 - 11/30/18	1,050	10	0	AD	NC	<input type="checkbox"/>	NC				
Toxic Substances in sediment	Benzo(a)pyrene	12/01/11 - 11/30/18	1,450	10	0	AD	NC	<input type="checkbox"/>	NC				
Toxic Substances in sediment	beta-BHC	12/01/11 - 11/30/18	210	6	0	LD	NC	<input type="checkbox"/>	NC				
Toxic Substances in sediment	Bis(2-ethylhexyl)phthalate	12/01/11 - 11/30/18	22,000	10	0	AD	NC	<input type="checkbox"/>	NC				
Toxic Substances in sediment	Bromodichloromethane	12/01/11 - 11/30/18	14,740	2	0	ID	NA	<input type="checkbox"/>	NA				
Toxic Substances in sediment	Bromoform	12/01/11 - 11/30/18	1,310	2	0	ID	NA	<input type="checkbox"/>	NA				
Toxic Substances in sediment	Cadmium	12/01/11 - 11/30/18	4.98	10	0	AD	NC	<input type="checkbox"/>	NC				
Toxic Substances in sediment	Carbon disulfide	12/01/11 - 11/30/18	780	2	0	ID	NA	<input type="checkbox"/>	NA				
Toxic Substances in sediment	Carbon tetrachloride	12/01/11 - 11/30/18	21,000	2	0	ID	NA	<input type="checkbox"/>	NA				
Toxic Substances in sediment	Chlordane	12/01/11 - 11/30/18	17.60	6	0	LD	NC	<input type="checkbox"/>	NC				
Toxic Substances in sediment	Chlorobenzene	12/01/11 - 11/30/18	3,000	2	0	ID	NA	<input type="checkbox"/>	NA				
Toxic Substances in sediment	Chlorodibromomethane	12/01/11 - 11/30/18	940	2	0	ID	NA	<input type="checkbox"/>	NA				
Toxic Substances in sediment	Chloroform	12/01/11 - 11/30/18	5,670	2	0	ID	NA	<input type="checkbox"/>	NA				
Toxic Substances in sediment	Chloromethane	12/01/11 - 11/30/18	106,800	2	0	ID	NA	<input type="checkbox"/>	NA				
Toxic Substances in sediment	Chromium	12/01/11 - 11/30/18	111	9	0	LD	NC	<input type="checkbox"/>	NC				
Toxic Substances in sediment	Chrysene	12/01/11 - 11/30/18	1,290	10	0	AD	NC	<input type="checkbox"/>	NC				
Toxic Substances in sediment	Copper	12/01/11 - 11/30/18	149	10	0	AD	NC	<input type="checkbox"/>	NC				
Toxic Substances in sediment	DDD	12/01/11 - 11/30/18	28	6	0	LD	NC	<input type="checkbox"/>	NC				

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1402H_01 From the confluence with the Colorado River west of Eagle Lake in Colorado County to the upstream perennial portion southwest of Columbus

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Toxic Substances in sediment	DDE	12/01/11 - 11/30/18	31.30	6	0	LD	NC	<input type="checkbox"/>	NC				
Toxic Substances in sediment	DDT	12/01/11 - 11/30/18	62.90	4	0	LD	NC	<input type="checkbox"/>	NC				
Toxic Substances in sediment	delta-BHC	12/01/11 - 11/30/18	2,300	6	0	LD	NC	<input type="checkbox"/>	NC				
Toxic Substances in sediment	Diazinon	12/01/11 - 11/30/18	7.30	6	0	LD	NC	<input type="checkbox"/>	NC				
Toxic Substances in sediment	Dibenz(a,h)anthracene	12/01/11 - 11/30/18	135	10	0	AD	NC	<input type="checkbox"/>	NC				
Toxic Substances in sediment	Dichlorodifluoromethane	12/01/11 - 11/30/18	22,090	2	0	ID	NA	<input type="checkbox"/>	NA				
Toxic Substances in sediment	Dieldrin	12/01/11 - 11/30/18	61.80	6	0	LD	NC	<input type="checkbox"/>	NC				
Toxic Substances in sediment	Diethyl phthalate	12/01/11 - 11/30/18	11,000	6	0	LD	NC	<input type="checkbox"/>	NC				
Toxic Substances in sediment	Dimethyl phthalate	12/01/11 - 11/30/18	8,900	6	0	LD	NC	<input type="checkbox"/>	NC				
Toxic Substances in sediment	Di-n-butyl phthalate	12/01/11 - 11/30/18	80,000	10	0	AD	NC	<input type="checkbox"/>	NC				
Toxic Substances in sediment	Di-n-octyl phthalate	12/01/11 - 11/30/18	1,100	6	0	LD	NC	<input type="checkbox"/>	NC				
Toxic Substances in sediment	Endosulfan 1 (alpha)	12/01/11 - 11/30/18	7.40	6	0	LD	NC	<input type="checkbox"/>	NC				
Toxic Substances in sediment	Endosulfan 2 (beta)	12/01/11 - 11/30/18	35	6	0	LD	NC	<input type="checkbox"/>	NC				
Toxic Substances in sediment	Endrin	12/01/11 - 11/30/18	207	6	0	LD	NC	<input type="checkbox"/>	NC				
Toxic Substances in sediment	Ethylbenzene	12/01/11 - 11/30/18	7,880	2	0	ID	NA	<input type="checkbox"/>	NA				
Toxic Substances in sediment	Fluoranthene	12/01/11 - 11/30/18	2,230	10	0	AD	NC	<input type="checkbox"/>	NC				
Toxic Substances in sediment	Fluorene	12/01/11 - 11/30/18	536	10	0	AD	NC	<input type="checkbox"/>	NC				
Toxic Substances in sediment	gamma-BHC (Lindane)	12/01/11 - 11/30/18	4.99	6	0	LD	NC	<input type="checkbox"/>	NC				
Toxic Substances in sediment	Heptachlor	12/01/11 - 11/30/18	2.74	6	0	LD	NC	<input type="checkbox"/>	NC				
Toxic Substances in sediment	Heptachlor epoxide	12/01/11 - 11/30/18	16	6	0	LD	NC	<input type="checkbox"/>	NC				
Toxic Substances in sediment	Hexachlorobenzene (HCB)	12/01/11 - 11/30/18	240	6	0	LD	NC	<input type="checkbox"/>	NC				
Toxic Substances in sediment	Hexachlorobutadiene (HCBd)	12/01/11 - 11/30/18	550	10	0	AD	NC	<input type="checkbox"/>	NC				
Toxic Substances in sediment	Hexachlorocyclopentadiene	12/01/11 - 11/30/18	202	5	0	LD	NC	<input type="checkbox"/>	NC				
Toxic Substances in sediment	Hexachloroethane	12/01/11 - 11/30/18	3,945	10	0	AD	NC	<input type="checkbox"/>	NC				
Toxic Substances in sediment	Iron	12/01/11 - 11/30/18	40,000	8	0	LD	NC	<input type="checkbox"/>	NC				
Toxic Substances in sediment	Lead	12/01/11 - 11/30/18	128	9	0	LD	NC	<input type="checkbox"/>	NC				

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1402H_01 From the confluence with the Colorado River west of Eagle Lake in Colorado County to the upstream perennial portion southwest of Columbus

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Toxic Substances in sediment	Malathion	12/01/11 - 11/30/18	6.20	6		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Manganese	12/01/11 - 11/30/18	1,100	9		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Mercury	12/01/11 - 11/30/18	1.06	10		0		AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Methoxychlor	12/01/11 - 11/30/18	95	4		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Methylene chloride	12/01/11 - 11/30/18	46,520	2		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Naphthalene	12/01/11 - 11/30/18	561	10		0		AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	N-butyl benzyl phthalate	12/01/11 - 11/30/18	150,000	6		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Nickel	12/01/11 - 11/30/18	48.60	10		0		AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Nitrobenzene	12/01/11 - 11/30/18	6,290	10		0		AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Parathion (ethyl)	12/01/11 - 11/30/18	3.70	6		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	PCBs	12/01/11 - 11/30/18	676	6		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Pentachlorophenol (PCP)	12/01/11 - 11/30/18	1,200	5		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Phenanthrene	12/01/11 - 11/30/18	1,170	10		0		AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Phenol (single compound)	12/01/11 - 11/30/18	210	6		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Pyrene	12/01/11 - 11/30/18	1,520	9		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Silver	12/01/11 - 11/30/18	1.70	10		0		AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Styrene	12/01/11 - 11/30/18	61,420	2		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Tetrachloroethene	12/01/11 - 11/30/18	8,210	2		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Toluene	12/01/11 - 11/30/18	20,290	2		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Toxaphene	12/01/11 - 11/30/18	32	6		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Trichloroethene	12/01/11 - 11/30/18	13,690	2		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Vinyl chloride	12/01/11 - 11/30/18	11,780	2		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Xylene	12/01/11 - 11/30/18	12,010	2		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Zinc	12/01/11 - 11/30/18	459	10		0		AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1402H_01 From the confluence with the Colorado River west of Eagle Lake in Colorado County to the upstream perennial portion southwest of Columbus

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	31	87.56	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	40		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	43		12	21.58	AD	CS	<input type="checkbox"/>	CS	Chlorophyll-a in water	
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	44		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	37		0		AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1403

Lake Austin

AUID: 1403_01

From Tom Miller dam to Loop 360 bridge

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1403_01 From Tom Miller dam to Loop 360 bridge

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Value	Exceedances #	Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	42		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	42		0		AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Acenaphthene	12/01/11 - 11/30/18	88.90	7		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Acenaphthylene	12/01/11 - 11/30/18	128	7		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Aldrin	12/01/11 - 11/30/18	80	7		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	alpha-BHC	12/01/11 - 11/30/18	100	7		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Anthracene	12/01/11 - 11/30/18	845	7		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Arsenic	12/01/11 - 11/30/18	33	7		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Benzo(a)pyrene	12/01/11 - 11/30/18	1,450	7		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Cadmium	12/01/11 - 11/30/18	4.98	7		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chlordane	12/01/11 - 11/30/18	17.60	7		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chromium	12/01/11 - 11/30/18	111	7		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chrysene	12/01/11 - 11/30/18	1,290	7		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Copper	12/01/11 - 11/30/18	149	7		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Diazinon	12/01/11 - 11/30/18	7.30	5		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Dibenz(a,h)anthracene	12/01/11 - 11/30/18	135	7		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Dieldrin	12/01/11 - 11/30/18	61.80	7		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Endrin	12/01/11 - 11/30/18	207	7		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Fluoranthene	12/01/11 - 11/30/18	2,230	7		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Fluorene	12/01/11 - 11/30/18	536	7		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Iron	12/01/11 - 11/30/18	40,000	7		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Lead	12/01/11 - 11/30/18	128	7		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Manganese	12/01/11 - 11/30/18	1,100					ID	NA	<input checked="" type="checkbox"/>	CS	Manganese in sediment	
Toxic Substances in sediment	Mercury	12/01/11 - 11/30/18	1.06	7		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Naphthalene	12/01/11 - 11/30/18	561	7		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Nickel	12/01/11 - 11/30/18	48.60	3		0		ID	NA	<input type="checkbox"/>	NA		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1403_01 From Tom Miller dam to Loop 360 bridge

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Toxic Substances in sediment	PCBs	12/01/11 - 11/30/18	676	7		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Pentachlorophenol (PCP)	12/01/11 - 11/30/18	1,200	6		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Phenanthrene	12/01/11 - 11/30/18	1,170	7		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Pyrene	12/01/11 - 11/30/18	1,520	7		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Silver	12/01/11 - 11/30/18	1.70	5		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Toxaphene	12/01/11 - 11/30/18	32	7		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Zinc	12/01/11 - 11/30/18	459	7		0		LD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	42	5.46	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Dissolved Solids	Chloride	12/01/11 - 11/30/18	100	84	37.18	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	75	84	26.67	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	400	95	315.87	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	42		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	42		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Criteria	Nutrients	12/01/11 - 11/30/18						AD	FS	<input type="checkbox"/>	FS		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	42		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	108	0.12	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1403_02 Loop 360 bridge to Quinlan Park

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	42		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	42		1	4.68	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	42	7.42	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	100	84	37.18	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	75	84	26.67	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	400	95	315.87	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	42		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	42		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Criteria	Nutrients	12/01/11 - 11/30/18						AD	FS	<input type="checkbox"/>	FS		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	42		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	108	0.12	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1403_03 Quinlan Park upstream to Mansfield Dam

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/01/11 - 11/30/18	5	11		0	AD	FS	<input type="checkbox"/>	FS			
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/01/11 - 11/30/18	3	11		0	AD	FS	<input type="checkbox"/>	FS			

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Dissolved Solids	Chloride	12/01/11 - 11/30/18	100	84	37.18	0	AD	FS	<input type="checkbox"/>	FS			
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	75	84	26.67	0	AD	FS	<input type="checkbox"/>	FS			
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	400	95	315.87	0	AD	FS	<input type="checkbox"/>	FS			
Nutrient Reservoir Criteria	Nutrients	12/01/11 - 11/30/18					AD	FS	<input type="checkbox"/>	FS			

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	108	0.12	0	AD	FS	<input type="checkbox"/>	FS			

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1403A **Bull Creek**

AUID: 1403A_03 From the Loop 360 crossing near Lakewood Dr. upstream to the Spicewood Springs Rd crossing near Yaupon Dr.

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	14		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	14		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	14	174.65	1		LD	CN	<input type="checkbox"/>	CN	Bacteria in water	

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	15		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	15		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	15		0		AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1403A_04 From Spicewood Springs Rd. crossing near Yaupon Dr. upstream to the Spicewood Springs Dr. crossing near Oak Grove cemetery

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/01/11 - 11/30/18	5	8	2 2.95	LD	CN	<input checked="" type="checkbox"/>	NS	Depressed dissolved oxygen in water	5c
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/01/11 - 11/30/18	3	8	2 2.05	LD	CN	<input checked="" type="checkbox"/>	NS	Depressed dissolved oxygen in water	5c
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	13	0	SM	FS	<input type="checkbox"/>	NA		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	13	0	SM	NC	<input type="checkbox"/>	NA		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	13 24.22	0	LD	NC	<input type="checkbox"/>	NC		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	14	0	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	14	0	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	14	0	AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1403A_05 From the Spicewood Springs Rd. crossing near the Oak Grove cemetery upstream to the end of segment

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/01/11 - 11/30/18	5	8	0		SM	NC	<input type="checkbox"/>	NA			
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/01/11 - 11/30/18	3	8	0		SM	NC	<input type="checkbox"/>	NA			
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	14	0		AD	FS	<input type="checkbox"/>	FS			
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	14	1	3.80	AD	NC	<input type="checkbox"/>	NC			

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	14	22.24	0	LD	NC	<input type="checkbox"/>	NC			

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	15	0		AD	NC	<input type="checkbox"/>	NC			
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	15	0		AD	NC	<input type="checkbox"/>	NC			
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	15	0		AD	NC	<input type="checkbox"/>	NC			

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1403B **West Bull Creek**

AUID: 1403B_01 From the confluence of Bull Creek at FM 2222 and Lakewood Drive in Austin in Travis County upstream to a point north of FM 2222 in Travis County

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int		TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS				
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126					ID	NA	<input checked="" type="checkbox"/>	CN	Bacteria in water		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1403D **Barrow Preserve Tributary**

AUID: 1403D_01 From the confluence of Stillhouse Hollow south of Loop 360 in Austin in Travis County upstream to the headsprings in Barrow Nature Preserve

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95					ID	NA	<input checked="" type="checkbox"/>	CS	Nitrate in water	

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1403E **Stillhouse Hollow**

AUID: 1403E_01 From the confluence of Bull Creek south of Loop 360 in Austin in Travis County upstream to the headsprings in Stillhouse Hollow Nature Preserve

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Value	Exceedances #	Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95					ID	NA	<input checked="" type="checkbox"/>	CS	Nitrate in water	

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1403H **Bull Creek Tributary 6**

AUID: 1403H_01 From the confluence of Bull Creek Road west of Pickfair Drive in Austin in Travis County to a point east of Hwy 620 in Travis County

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	14		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	14		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	14	34.89	0		LD	NC	<input type="checkbox"/>	NC		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	15		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	15		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	15		0		AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1403I

Bull Creek Tributary 5

AUID: 1403I_01 From the confluence of an unnamed tributary to Bull Creek west of the intersection of Pickfair Drive and Brightling Lane in Austin in Travis County to a point east of Hv

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	1.50	15		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	2	15		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	15	71.68	0		LD	NC	<input type="checkbox"/>	NC		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	15		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	15		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	15		0		AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1403J

Spicewood Tributary to Shoal Creek

AUID: 1403J_01

From the confluence of an unnamed tributary west of the MoPac Expressway in north Austin in Travis County upstream to the head waters north of Williamsburg Circle

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	1.50	14		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	2	14		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	04/19/10 - 11/30/18	126	20	341.13	1		AD	NS	<input type="checkbox"/>	NS	Bacteria in water	4a

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	15		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	15		14	3.12	AD	CS	<input type="checkbox"/>	CS	Nitrate in water	
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	15		0		AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1403K Taylor Slough South

AUID: 1403K_01 From the confluence of Lake Austin in Travis County to the headwaters near South Meadow Circle on the Texas Department of Aging and Disability Services campus in

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	7		0		LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	7		1	3.60	LD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	7	826.40	1		LD	CN	<input checked="" type="checkbox"/>	NS	Bacteria in water	4a

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	15		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	15		15	5.33	AD	CS	<input type="checkbox"/>	CS	Nitrate in water	
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	15		0		AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1403R **Westlake-Davenport Tributary to Lake Austin**

AUID: 1403R_01 From the confluence of Lake Austin in Travis County upstream to the headwaters 150 ft. southeast of the intersection of Waymaker Way and Round Table road in Austin

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126			ID	NA	<input checked="" type="checkbox"/>	CN	Bacteria in water	

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1404

Lake Travis

AUID: 1404_01

From Mansfield Dam upstream to the confluence with Big Sandy Creek Arm

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	4	49		1	3.84	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	6	49		2	4.79	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	48	1.01	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	100	334	34.86	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	75	334	22.94	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	400	380	296.97	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	49		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	49		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Criteria	Nutrients	12/01/11 - 11/30/18						AD	FS	<input type="checkbox"/>	FS		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	49		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	376	0.09	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1404_02 Big Sandy Creek Arm

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	4	49	0	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	6	49	2 5.68	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	48 1.89	0	AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	100	334 34.86	0	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	75	334 22.94	0	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	400	380 296.97	0	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	49	0	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	49	0	AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Criteria	Nutrients	12/01/11 - 11/30/18				AD	FS	<input type="checkbox"/>	FS		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	49	0	AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	376 0.09	0	AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1404_03 Arkansas Bend area, from Sandy Creek Arm upstream to Hurst Creek Arm

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	4	49		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	6	49		6	5.51	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	48	0.99	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	100	334	34.86	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	75	334	22.94	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	400	380	296.97	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	49		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	49		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Criteria	Nutrients	12/01/11 - 11/30/18						AD	FS	<input type="checkbox"/>	FS		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	49		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	376	0.09	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1404_04 Lakeway area, from Hurst Creek arm upstream to the confluence with Cow Creek

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	4	23		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	6	23		1	5.82	AD	NC	<input type="checkbox"/>	NC		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	100	334	34.86	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	75	334	22.94	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	400	380	296.97	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	23		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	23		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Criteria	Nutrients	12/01/11 - 11/30/18						AD	FS	<input type="checkbox"/>	FS		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	23		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	376	0.09	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1404_05 From the confluence with Cow Creek upstream to the confluence of the Pedernales River Arm

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	4	49		1	2.82	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	6	49		8	4.92	AD	CS	<input type="checkbox"/>	CS	Depressed dissolved oxygen in water	

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	48	1.29	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	100	334	34.86	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	75	334	22.94	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	400	380	296.97	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	49		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	49		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Criteria	Nutrients	12/01/11 - 11/30/18						AD	FS	<input type="checkbox"/>	FS		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	49		1	32.50	AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	376	0.09	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1404_06 From the confluence with the Pedernales River Arm upstream to Muleshoe Bend

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	4	63		1	3.37	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	6	63		5	4.73	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	39	2.30	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	100	334	34.86	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	75	334	22.94	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	400	380	296.97	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	63		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	63		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Criteria	Nutrients	12/01/11 - 11/30/18						AD	FS	<input type="checkbox"/>	FS		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	63		1	32.30	AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	376	0.09	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1404_07 From Muleshoe Bend upstream to the confluence with Hickory Creed

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
				#	Value	#	Value						
Dissolved Solids	Chloride	12/01/11 - 11/30/18	100	334	34.86	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	75	334	22.94	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	400	380	296.97	0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Criteria	Nutrients	12/01/11 - 11/30/18						AD	FS	<input type="checkbox"/>	FS		
Domestic Water Supply Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
				#	Value	#	Value						
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	376	0.09	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1404_08 From Hickory Creek confluence upstream to the headwaters at Max Starcke Dam

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
Dissolved Solids	Chloride	12/01/11 - 11/30/18	100	334	34.86	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	75	334	22.94	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	400	380	296.97	0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Criteria	Nutrients	12/01/11 - 11/30/18						AD	FS	<input type="checkbox"/>	FS		
Domestic Water Supply Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	376	0.09	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1404_09 Pedernales River Arm

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
				#	Value	#	Value						
Dissolved Solids	Chloride	12/01/11 - 11/30/18	100	334	34.86	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	75	334	22.94	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	400	380	296.97	0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Criteria	Nutrients	12/01/11 - 11/30/18						AD	FS	<input type="checkbox"/>	FS		
Domestic Water Supply Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
				#	Value	#	Value						
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	376	0.09	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1404_10 Bee Creek Arm

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	4	49		1	3.59	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	6	49		11	5.23	AD	CS	<input type="checkbox"/>	CS	Depressed dissolved oxygen in water	

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	48	1.87	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	100	334	34.86	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	75	334	22.94	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	400	380	296.97	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	49		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	49		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Criteria	Nutrients	12/01/11 - 11/30/18						AD	FS	<input type="checkbox"/>	FS		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	49		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	376	0.09	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1404_11 Hurst Creek Arm

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	4	49		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	6	49		3	5.50	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	48	1.92	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	100	334	34.86	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	75	334	22.94	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	400	380	296.97	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	49		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	49		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Criteria	Nutrients	12/01/11 - 11/30/18						AD	FS	<input type="checkbox"/>	FS		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	49		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	376	0.09	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1404A **Hamilton Creek**

AUID: 1404A_01 From the confluence with Lake Travis upstream to the confluence of Delaware Creek

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	18		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	18		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	19	32.65	0		LD	NC	<input type="checkbox"/>	NC		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	26		1	0.58	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	25		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	26		1	3.60	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	23		0		AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1404A_03 From the confluence of Haynie Branch upstream to the headwaters near the intersection of CR 110 and Threadgill Ranch Road northwest of Burnet in Burnet County

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed	Exceedances	Data			Int		TCEQ Cause	Cat	
				#	Value	#	Value	Qual	LOS	CF	LOS		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10					ID	NA	<input checked="" type="checkbox"/>	CS	Chlorophyll-a in water	

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1404B **Cow Creek**

AUID: 1404B_01 From the confluence with Lake Travis in Travis County upstream to the headwaters 3.2 km (2.0 mi) southwest of the intersection of CR 336 and CR 337 near the City of

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	25		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	25		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	22	17.70	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	25		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	26		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	26		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	22		0		AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1405

Marble Falls Lake

AUID: 1405_01

From Max Starcke Dam to Varnhagen Creek confluence

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	49		1	2.11	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	49		3	3.61	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	47	2.94	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	125	49	36.90	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	75	49	19.03	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	49	285.83	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	49		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	49		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Criteria	Nutrients	12/01/11 - 11/30/18						AD	FS	<input type="checkbox"/>	FS		
Water Temperature	Water temperature	12/01/11 - 11/30/18	34.40	49		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	62	0.07	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1405_02 From Varnhagen Creek confluence upstream to Alvin Wirtz Dam

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
				#	Value	#	Value						
Dissolved Solids	Chloride	12/01/11 - 11/30/18	125	49	36.90	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	75	49	19.03	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	49	285.83	0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Criteria	Nutrients	12/01/11 - 11/30/18						AD	FS	<input type="checkbox"/>	FS		
Domestic Water Supply Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
				#	Value	#	Value						
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	62	0.07	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1406

Lake Lyndon B. Johnson

AUID: 1406_01

From Alvin Wirtz Dam upstream to the Pecan Creek Arm

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	49		1	2.13	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	49		5	4.04	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	48	1.70	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	125	147	35.05	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	75	147	18.79	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	193	283.59	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	49		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	49		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Criteria	Nutrients	12/01/11 - 11/30/18						AD	FS	<input type="checkbox"/>	FS		
Water Temperature	Water temperature	12/01/11 - 11/30/18	34.40	49		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	174	0.05	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1406_02 From the Pecan Creek Arm upstream to the Station Creek/Dry Creek Arm

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	49		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	49		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	48	1.64	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	125	147	35.05	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	75	147	18.79	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	193	283.59	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	49		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	49		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Criteria	Nutrients	12/01/11 - 11/30/18						AD	FS	<input type="checkbox"/>	FS		
Water Temperature	Water temperature	12/01/11 - 11/30/18	34.40	49		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	174	0.05	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1406_03 From the Station Creek/Dry Creek Arm upstream to the Llano River Arm

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	49		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	49		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	48	6.36	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	125	147	35.05	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	75	147	18.79	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	193	283.59	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	49		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	49		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Criteria	Nutrients	12/01/11 - 11/30/18						AD	FS	<input type="checkbox"/>	FS		
Water Temperature	Water temperature	12/01/11 - 11/30/18	34.40	49		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	174	0.05	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1406_04 Llano River arm

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	23		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	23		0		AD	NC	<input type="checkbox"/>	NC		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	125	147	35.05	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	75	147	18.79	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	193	283.59	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	23		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	23		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Criteria	Nutrients	12/01/11 - 11/30/18						AD	FS	<input type="checkbox"/>	FS		
Water Temperature	Water temperature	12/01/11 - 11/30/18	34.40	23		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	174	0.05	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1406_05 From the confluence with the Llano River Arm upstream to the Williams Creek confluence

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	23		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	23		0		AD	NC	<input type="checkbox"/>	NC		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	125	147	35.05	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	75	147	18.79	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	193	283.59	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	23		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	23		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Criteria	Nutrients	12/01/11 - 11/30/18						AD	FS	<input type="checkbox"/>	FS		
Water Temperature	Water temperature	12/01/11 - 11/30/18	34.40	23		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	174	0.05	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1406_06 From the Williams Creek confluence upstream to Roy Inks Dam

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
Dissolved Solids	Chloride	12/01/11 - 11/30/18	125	147	35.05	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	75	147	18.79	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	193	283.59	0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Criteria	Nutrients	12/01/11 - 11/30/18						AD	FS	<input type="checkbox"/>	FS		
Domestic Water Supply Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	174	0.05	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1406A **Sandy Creek**

AUID: 1406A_01 From the confluence of Lake LBJ upstream to the confluence of Crabapple Creek south of Llano in Llano County

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	1.50	41		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	2	41		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	41	51.98	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	41		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	41		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	41		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	41		0		AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1407

Inks Lake

AUID: 1407_01

From Roy Inks Dam upstream to the Clear Creek Arm

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	48		1	2.17	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	48		3	3.70	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Manganese	12/01/11 - 11/30/18	1,100					ID	NA	<input checked="" type="checkbox"/>	CS	Manganese in sediment	

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	48	1.98	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	150	49	47.51	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	49	27.73	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	600	48	308.68	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	48		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	48		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.11	49		1	0.13	JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	26.70	49		9	32.40	JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	0.37	49		3	0.43	JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.20	49		1	0.27	JQ	NA	<input type="checkbox"/>	NA		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	48		0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1407_01 From Roy Inks Dam upstream to the Clear Creek Arm

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
Surface Water HH criteria for DWS average	Fluoride	12/01/11 - 11/30/18	4	1	0.27	0		ID	NA	<input type="checkbox"/>	NA		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	59	0.06	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1407_02 From Clear Creek Arm upstream to Buchanan Dam

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
				#	Value	#	Value						
Dissolved Solids	Chloride	12/01/11 - 11/30/18	150	49	47.51	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	49	27.73	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	600	48	308.68	0		AD	FS	<input type="checkbox"/>	FS		
Domestic Water Supply Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
				#	Value	#	Value						
Surface Water HH criteria for DWS average	Fluoride	12/01/11 - 11/30/18	4	1	0.27	0		ID	NA	<input type="checkbox"/>	NA		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	59	0.06	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1407A **Clear Creek**

AUID: 1407A_01 From the confluence with Inks Lake upstream to FM 2341

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1407A_01 From the confluence with Inks Lake upstream to FM 2341

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Aluminum (dissolved)	05/06/10 - 11/30/18	991	10	6	20,005.00	AD	NS	<input type="checkbox"/>	NS	Aluminum in water	5c	
Acute Toxic Substances in water	Arsenic (dissolved)	05/06/10 - 11/30/18	340	10	0		AD	FS	<input type="checkbox"/>	FS			
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	05/06/10 - 11/30/18	2,146.99	10	0		AD	FS	<input type="checkbox"/>	FS			
Acute Toxic Substances in water	Copper (dissolved)	05/06/10 - 11/30/18	65.34	10	0		AD	FS	<input type="checkbox"/>	FS			
Acute Toxic Substances in water	Lead (dissolved)	05/06/10 - 11/30/18	356.22	10	0		AD	FS	<input type="checkbox"/>	FS			
Acute Toxic Substances in water	Nickel (dissolved)	05/06/10 - 11/30/18	1,843.29	10	0		AD	FS	<input type="checkbox"/>	FS			
Acute Toxic Substances in water	Selenium	05/06/10 - 11/30/18	20	10	0		AD	FS	<input type="checkbox"/>	FS			
Acute Toxic Substances in water	Zinc (dissolved)	05/06/10 - 11/30/18	462.27	10	0		AD	FS	<input type="checkbox"/>	FS			
Chronic Toxic Substances in water	Arsenic (dissolved)	05/06/10 - 11/30/18	150	10	1.40	0	AD	FS	<input type="checkbox"/>	FS			
Chronic Toxic Substances in water	Cadmium	12/01/11 - 11/30/18	0.37				ID	NA	<input checked="" type="checkbox"/>	CN	Cadmium in water		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	05/06/10 - 11/30/18	119.94	10	1.07	0	AD	FS	<input type="checkbox"/>	FS			
Chronic Toxic Substances in water	Copper (dissolved)	05/06/10 - 11/30/18	15.65	10	17.27	1	AD	NS	<input type="checkbox"/>	NS	Copper in water	5c	
Chronic Toxic Substances in water	Lead (dissolved)	05/06/10 - 11/30/18	4.74	10	0.59	0	AD	FS	<input type="checkbox"/>	FS			
Chronic Toxic Substances in water	Nickel (dissolved)	05/06/10 - 11/30/18	85.51	10	167.79	1	AD	NS	<input type="checkbox"/>	NS	Nickel in water	5c	
Chronic Toxic Substances in water	Selenium	05/06/10 - 11/30/18	5	10	2.84	0	AD	FS	<input type="checkbox"/>	FS			
Chronic Toxic Substances in water	Zinc (dissolved)	05/06/10 - 11/30/18	194.40	10	276.20	1	AD	NS	<input type="checkbox"/>	NS	Zinc in water	5c	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	2	37	0		AD	FS	<input type="checkbox"/>	FS			
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	37	0		AD	NC	<input type="checkbox"/>	NC			
Toxic Substances in sediment	Arsenic	12/01/11 - 11/30/18	33	2	0		ID	NA	<input type="checkbox"/>	NA			
Toxic Substances in sediment	Cadmium	12/01/11 - 11/30/18	4.98	2	0		ID	NA	<input type="checkbox"/>	NA			
Toxic Substances in sediment	Chromium	12/01/11 - 11/30/18	111	2	0		ID	NA	<input type="checkbox"/>	NA			
Toxic Substances in sediment	Copper	12/01/11 - 11/30/18	149	2	0		ID	NA	<input type="checkbox"/>	NA			
Toxic Substances in sediment	Iron	12/01/11 - 11/30/18	40,000	2	0		ID	NA	<input type="checkbox"/>	NA			
Toxic Substances in sediment	Lead	12/01/11 - 11/30/18	128	2	0		ID	NA	<input type="checkbox"/>	NA			
Toxic Substances in sediment	Manganese	12/01/11 - 11/30/18	1,100	2	0		ID	NA	<input type="checkbox"/>	NA			
Toxic Substances in sediment	Mercury	12/01/11 - 11/30/18	1.06	2	0		ID	NA	<input type="checkbox"/>	NA			

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1407A_01 From the confluence with Inks Lake upstream to FM 2341

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Toxic Substances in sediment	Nickel	12/01/11 - 11/30/18	48.60	2		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Silver	12/01/11 - 11/30/18	1.70	2		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Zinc	12/01/11 - 11/30/18	459	2		0		ID	NA	<input type="checkbox"/>	NA		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	03/01/11 - 11/30/18	150	10	23.87			JQ	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	03/01/11 - 11/30/18	100	10	1,163.23	-99		JQ	NS	<input type="checkbox"/>	NS	Sulfate in water	5c
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	600	35	744.83			JQ	NS	<input type="checkbox"/>	NS	Total dissolved solids in water	5c
High pH	pH	12/01/11 - 11/30/18	9	37		0		JQ	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	37		15		JQ	NS	<input type="checkbox"/>	NS	pH	5c
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	9		0		LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	9		2	15.20	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	9		1	4.08	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	9		0		LD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.22	37		1	33.90	JQ	FS	<input type="checkbox"/>	FS		

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	38.30	3	0.50	0		ID	NA	<input type="checkbox"/>	NA		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	11,400	3	111.27	0		ID	NA	<input type="checkbox"/>	NA		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1408

Lake Buchanan

AUID: 1408_01

Main pool near dam upstream to Flag Island area

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	49		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	49		2	3.83	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	47	0.86	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	150	222	48.18	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	223	26.30	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	600	246	317.42	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	49		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	49		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Criteria	Nutrients	12/01/11 - 11/30/18						AD	FS	<input type="checkbox"/>	FS		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	49		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	251	0.08	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1408_02 Rocky Point area, from Flag Island upstream to Shaw Island Park area

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	49		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	49		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	48	0.65	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	150	222	48.18	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	223	26.30	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	600	246	317.42	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	49		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	49		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Criteria	Nutrients	12/01/11 - 11/30/18						AD	FS	<input type="checkbox"/>	FS		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	49		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	251	0.08	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1408_03 From Shaw Island Park area upstream to Paradise Point Resort area

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	23		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	23		0		AD	NC	<input type="checkbox"/>	NC		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	150	222	48.18	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	223	26.30	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	600	246	317.42	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	23		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	23		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Criteria	Nutrients	12/01/11 - 11/30/18						AD	FS	<input type="checkbox"/>	FS		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	23		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	251	0.08	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1408_04 From Paradise Point Resort area upstream to Willow Slough area

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	49		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	49		1	4.84	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	48	1.58	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	150	222	48.18	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	223	26.30	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	600	246	317.42	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	49		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	49		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Criteria	Nutrients	12/01/11 - 11/30/18						AD	FS	<input type="checkbox"/>	FS		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	49		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	251	0.08	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1408_05 From the Willow Slough area upstream to the headwaters near the Yancey Creek confluence

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	27		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	27		1	4.15	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	26	5.10	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	150	222	48.18	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	223	26.30	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	600	246	317.42	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	27		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	27		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Criteria	Nutrients	12/01/11 - 11/30/18						AD	FS	<input type="checkbox"/>	FS		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	27		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	251	0.08	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1408_06 Council Creek and Morgan Creek Arm

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	49		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	49		2	4.79	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	48	2.82	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	150	222	48.18	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	223	26.30	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	600	246	317.42	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	49		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	49		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Criteria	Nutrients	12/01/11 - 11/30/18						AD	FS	<input type="checkbox"/>	FS		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	49		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	251	0.08	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1409

Colorado River Above Lake Buchanan

AUID: 1409_01

From the Yancey Creek confluence upstream to the confluence with Cherokee Creek

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/01/11 - 11/30/18	5	4		0		LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/01/11 - 11/30/18	3	4		0		LD	NC	<input type="checkbox"/>	NC		
Fish community (Regional)	Fish Community	12/01/11 - 11/30/18	42	4	48			AD	FS	<input type="checkbox"/>	FS		
Habitat	Habitat	12/01/11 - 11/30/18	20	4	21			AD	NC	<input type="checkbox"/>	NC		
Macrobenthic community (Qualitative)	Macrobenthic Community	12/01/11 - 11/30/18	31	4	32			AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	200	41	42.40	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	200	41	21.29	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	900	45	366.28	0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	41	0.21	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1409_02

From the confluence with Cherokee Creek upstream to the confluence of the San Saba River

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	35		1	2.70	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	35		2	2.90	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	41	62.14	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	200	41	42.40	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	200	41	21.29	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	900	45	366.28	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	35		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	35		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	40		1	0.44	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	41		15	32.93	AD	CS	<input type="checkbox"/>	CS	Chlorophyll-a in water	
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	41		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	41		0		AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.80	35		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	41	0.21	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1409A

Cherokee Creek

AUID: 1409A_01 From the confluence with the Colorado River in San Saba County upstream to the confluence of Buffalo Creek northeast of the City of Cherokee in San Saba County

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	13		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	13		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	13	41.98	0		LD	NC	<input type="checkbox"/>	NC		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	13		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	13		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	13		1	3.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	12		0		AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1410

Colorado River Below O. H. Ivie Reservoir

AUID: 1410_01

From the confluence of the San Saba River upstream to the confluence of Pecan Bayou

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
Dissolved Solids	Chloride	12/01/11 - 11/30/18	500	61	161.80	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	455	61	133.66	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	1,475	61	669.96	0		AD	FS	<input type="checkbox"/>	FS		
Domestic Water Supply Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
Surface Water HH criteria for DWS average	Fluoride	12/01/11 - 11/30/18	4	27	0.28	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	61	0.06	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1410_02 From the confluence of Pecan Bayou upstream to the confluence of Indian Creek

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
				#	Value	#	Value						
Dissolved Solids	Chloride	12/01/11 - 11/30/18	500	61	161.80	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	455	61	133.66	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	1,475	61	669.96	0		AD	FS	<input type="checkbox"/>	FS		
Domestic Water Supply Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
				#	Value	#	Value						
Surface Water HH criteria for DWS average	Fluoride	12/01/11 - 11/30/18	4	27	0.28	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	61	0.06	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1410_03 From the confluence of Indian Creek upstream to the confluence of Bull Creek

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	29		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	29		1	4.10	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	34	40.04	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	500	61	161.80	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	455	61	133.66	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	1,475	61	669.96	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	29		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	29		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	41		2	0.53	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	41		20	22.69	AD	CS	<input type="checkbox"/>	CS	Chlorophyll-a in water	
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	41		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	41		0		AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.80	29		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Fluoride	12/01/11 - 11/30/18	4	27	0.28	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	61	0.06	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1410_04 From the confluence of Bull Creek upstream to O.H. Ivie Reservoir dam

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	22		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	22		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	23	10.73	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	500	61	161.80	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	455	61	133.66	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	1,475	61	669.96	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	22		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	22		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	26		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	27		10	36.49	AD	CS	<input type="checkbox"/>	CS	Chlorophyll-a in water	
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	28		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	24		0		AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.80	22		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Fluoride	12/01/11 - 11/30/18	4	27	0.28	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	61	0.06	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1411

E. V. Spence Reservoir

AUID: 1411_01 Main pool from the dam upstream to the Rough Creek arm

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	19		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	19		3	3.48	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	09/28/11 - 11/30/18	126	20	1.49	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	950	42	1,226.98	1		AD	NS	<input type="checkbox"/>	NS	Chloride in water	5c
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	450	42	822.71	1		AD	NS	<input type="checkbox"/>	NS	Sulfate in water	4a
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	1,500	42	3,382.48	1		AD	NS	<input type="checkbox"/>	NS	Total dissolved solids in water	4a
Fish Kill Reports	Fish Kill Reports	12/01/11 - 11/30/18						OE	CN	<input type="checkbox"/>	CN	Harmful algal bloom/golden alga	
High pH	pH	12/01/11 - 11/30/18	9	19		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	19		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.11	3		0		JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	26.70	19		1	55.30	JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	0.37	19		0		JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.20	19		2	0.30	JQ	NA	<input type="checkbox"/>	NA		
Water Temperature	Water temperature	12/01/11 - 11/30/18	33.90	19		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	42	0.03	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1411_02 From the Rough Creek arm upstream to the confluence of Little Silver Creek

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	27		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	27		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	09/28/11 - 11/30/18	126	22	124.87	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	950	42	1,226.98	1		AD	NS	<input type="checkbox"/>	NS	Chloride in water	5c
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	450	42	822.71	1		AD	NS	<input type="checkbox"/>	NS	Sulfate in water	4a
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	1,500	42	3,382.48	1		AD	NS	<input type="checkbox"/>	NS	Total dissolved solids in water	4a
Fish Kill Reports	Fish Kill Reports	12/01/11 - 11/30/18						OE	CN	<input type="checkbox"/>	CN	Harmful algal bloom/golden alga	
High pH	pH	12/01/11 - 11/30/18	9	26		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	26		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.11	6		0		JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	0.37	27		2	0.73	JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.20	27		3	0.28	JQ	NA	<input type="checkbox"/>	NA		
Water Temperature	Water temperature	12/01/11 - 11/30/18	33.90	27		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	42	0.03	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1412

Colorado River Below Lake J. B. Thomas

AUID: 1412_01

From a point 275 m (300 yds) upstream of the confluence of Little Silver Creek in Coke County upstream to the confluence of Beals Creek

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	18		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	18		0		AD	NC	<input type="checkbox"/>	NC		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	11,000	53	2,444.89	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	2,500	55	1,085.29	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	20,000	58	5,260.41	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	17		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	17		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	4		0		LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	19		13	63.55	AD	CS	<input type="checkbox"/>	CS	Chlorophyll-a in water	
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	21		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	21		0		AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	33.90	18		0		AD	FS	<input type="checkbox"/>	FS		

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	3.83	7	0.51	0		LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Mercury	12/01/11 - 11/30/18	0.01	7	0.01	0		LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	1,140	7	2.59	0		LD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1412_02 From the confluence of Beals Creek upstream to the dam below Barber Reservoir pump station

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Aluminum (dissolved)	12/06/10 - 11/30/18	991	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic (dissolved)	12/06/10 - 11/30/18	340	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium (dissolved)	12/06/10 - 11/30/18	102.74	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/06/10 - 11/30/18	4,638.89	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper (dissolved)	12/06/10 - 11/30/18	158.51	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead (dissolved)	12/06/10 - 11/30/18	888.34	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Mercury	12/06/10 - 11/30/18	2.40	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel (dissolved)	12/06/10 - 11/30/18	4,085.15	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/06/10 - 11/30/18	20	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc (dissolved)	12/06/10 - 11/30/18	1,025.76	10		0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic (dissolved)	09/13/10 - 11/30/18	150	10	7.00	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium (dissolved)	09/13/10 - 11/30/18	0.54	10	0.25	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	09/13/10 - 11/30/18	187.21	10	2.74	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper (dissolved)	09/13/10 - 11/30/18	24.90	10	3.10	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead (dissolved)	09/13/10 - 11/30/18	8.41	10	0.40	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Mercury	09/13/10 - 11/30/18	1.30	10	0.01	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel (dissolved)	09/13/10 - 11/30/18	135.44	10	2.56	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	09/13/10 - 11/30/18	5	10	2.86	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc (dissolved)	09/13/10 - 11/30/18	308.12	10	3.21	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	22		1	2.30	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	22		7	3.71	AD	CS	<input type="checkbox"/>	CS	Depressed dissolved oxygen in water	

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	2	101.98	0		SM	NA	<input type="checkbox"/>	NA		
Bacteria Geomean	Enterococcus	12/01/11 - 11/30/18	33	10	265.12	1		LD	CN	<input checked="" type="checkbox"/>	NS	Bacteria in water	5b

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1412_02 From the confluence of Beals Creek upstream to the dam below Barber Reservoir pump station

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Dissolved Solids	Chloride	12/01/11 - 11/30/18	11,000	53	2,444.89	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	2,500	55	1,085.29	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	20,000	58	5,260.41	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	22		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	22		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	27		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	24		17	43.42	AD	CS	<input type="checkbox"/>	CS	Chlorophyll-a in water	
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	28		1	4.05	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	25		1	0.73	AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	33.90	22		0		AD	FS	<input type="checkbox"/>	FS		

Fish Consumption Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	3.83	7	0.51	0		LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Mercury	12/01/11 - 11/30/18	0.01	7	0.01	0		LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	1,140	7	2.59	0		LD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1412_03 From the dam below Barber Reservoir pump station upstream to the confluence of Deep Creek

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	09/13/10 - 11/30/18	3	25		0		AD	FS	☐	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	09/13/10 - 11/30/18	5	25		0	4.60	AD	NC	☐	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	1	74	0		SM	NA	☐	NA		
Bacteria Geomean	Enterococcus	12/01/11 - 11/30/18	33	12	117.18	1		LD	CN	☐	CN	Bacteria in water	

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	11,000	53	2,444.89	0		AD	FS	☐	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	2,500	55	1,085.29	0		AD	FS	☐	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	20,000	58	5,260.41	0		AD	FS	☐	FS		
High pH	pH	09/13/10 - 11/30/18	9	25		0		AD	FS	☐	FS		
Low pH	pH	09/13/10 - 11/30/18	6.50	25		0		AD	FS	☐	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	27		1	0.50	AD	NC	☐	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	26		21	54.17	AD	CS	☐	CS	Chlorophyll-a in water	
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	27		2	4.34	AD	NC	☐	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	26		1	1.59	AD	NC	☐	NC		
Water Temperature	Water temperature	09/13/10 - 11/30/18	33.90	25		0		AD	FS	☐	FS		

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	3.83	7	0.51	0		LD	NC	☐	NC		
HH Bioaccumulative Toxics in water	Mercury	12/01/11 - 11/30/18	0.01	7	0.01	0		LD	NC	☐	NC		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	1,140	7	2.59	0		LD	NC	☐	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1412_04 From the confluence of Deep Creek upstream to the Confluence of Willow Creek

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	11,000	53	2,444.89	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	2,500	55	1,085.29	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	20,000	58	5,260.41	0		AD	FS	<input type="checkbox"/>	FS		

Fish Consumption Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	3.83	7	0.51	0		LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Mercury	12/01/11 - 11/30/18	0.01	7	0.01	0		LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	1,140	7	2.59	0		LD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1412_05 From the confluence of Willow Creek upstream to Lake J.B. Thomas dam

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	11,000	53	2,444.89	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	2,500	55	1,085.29	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	20,000	58	5,260.41	0		AD	FS	<input type="checkbox"/>	FS		

Fish Consumption Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	3.83	7	0.51	0		LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Mercury	12/01/11 - 11/30/18	0.01	7	0.01	0		LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	1,140	7	2.59	0		LD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1412A **Lake Colorado City**

AUID: 1412A_01 From Lake Colorado City Dam up to normal pool elevation of 2070.0 feet southwest of Colorado City in Mitchell County (impounds Morgans Creek)

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Value	Exceedances #	Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Fish Kill Reports	Fish Kill Reports	12/01/11 - 11/30/18						OE	CN	<input type="checkbox"/>	CN	Harmful algal bloom/golden alga	
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18						ID	NA	<input type="checkbox"/>	NA		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1412B **Beals Creek**

AUID: 1412B_01 From the confluence with the Colorado River upstream to the confluence of Bull Creek

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	2	16		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	16		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126					ID	NA	<input checked="" type="checkbox"/>	CN	Bacteria in water	

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	2		0		ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	15		9	30.74	AD	CS	<input type="checkbox"/>	CS	Chlorophyll-a in water	
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	17		2	4.30	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	17		1	3.58	AD	NC	<input type="checkbox"/>	NC		

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Mercury	12/01/11 - 11/30/18	0.12	7	0.00	0		LD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1412B_02 From the confluence of Bull Creek upstream to the confluence of Gutherie Draw

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
HH Bioaccumulative Toxics in water	Mercury	12/01/11 - 11/30/18	0.12	7	0.00	0		LD	NC	<input type="checkbox"/>	NC			

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1412B_03 From the confluence of Gutherie Draw upstream to the confluence of Mustang Draw and Sulphur Springs Draw

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Mercury	12/01/11 - 11/30/18	2.40	7		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Selenium	12/01/11 - 11/30/18	20	7		0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Mercury	12/01/11 - 11/30/18	1.30	7	0.00	0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Selenium	12/01/11 - 11/30/18	5	7	3.04	0		LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	2	32		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	32		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	Enterococcus	12/01/11 - 11/30/18	35	15	196.21	1		JQ	CN	<input checked="" type="checkbox"/>	NS	Bacteria in water	5b

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	32		6	1.15	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	32		15	41.89	AD	CS	<input type="checkbox"/>	CS	Chlorophyll-a in water	
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	31		20	10.16	AD	CS	<input type="checkbox"/>	CS	Nitrate in water	
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	27		12	2.01	AD	CS	<input type="checkbox"/>	CS	Total Phosphorus in water	

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
HH Bioaccumulative Toxics in water	Mercury	12/01/11 - 11/30/18	0.12	7	0.00	0		LD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1413

Lake J. B. Thomas

AUID: 1413_01

From Colorado River Dam in Scurry County up to normal pool elevation of 2258 feet (impounds Colorado River)

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	09/28/11 - 11/30/18	3	10		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	09/28/11 - 11/30/18	5	10		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	09/28/11 - 11/30/18	126	10	0.85	0		LD	NC	<input type="checkbox"/>	NC		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	09/28/11 - 11/30/18	80	10	128.26	1		AD	NS	<input type="checkbox"/>	NS	Chloride in water	5b
Dissolved Solids	Sulfate	09/28/11 - 11/30/18	110	10	86.51	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	09/28/11 - 11/30/18	500	10	559.59	1		AD	NS	<input type="checkbox"/>	NS	Total dissolved solids in water	5b
High pH	pH	09/28/11 - 11/30/18	9	10		1	9.10	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	09/28/11 - 11/30/18	6.50	10		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	09/28/11 - 11/30/18	0.11	1		0		JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Chlorophyll-a	09/28/11 - 11/30/18	26.70	10		3	54.57	JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Nitrate	09/28/11 - 11/30/18	0.37	10		0		JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	09/28/11 - 11/30/18	0.20	10		0		JQ	NA	<input type="checkbox"/>	NA		
Water Temperature	Water temperature	09/28/11 - 11/30/18	32.20	10		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	09/28/11 - 11/30/18	10	10	0.04	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1414

Pedernales River

AUID: 1414_01

End of segment to falls in Pedernales Falls State Park

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	09/28/11 - 11/30/18	3	42		1	0.70	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	09/28/11 - 11/30/18	5	42		1	0.70	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	09/28/11 - 11/30/18	126	42	21.87	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	09/28/11 - 11/30/18	125	189	51.97	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	09/28/11 - 11/30/18	75	191	29.44	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	09/28/11 - 11/30/18	525	198	399.81	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	09/28/11 - 11/30/18	9	42		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	09/28/11 - 11/30/18	6.50	42		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	09/28/11 - 11/30/18	0.33	41		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	09/28/11 - 11/30/18	14.10	42		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	09/28/11 - 11/30/18	1.95	42		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	09/28/11 - 11/30/18	0.69	42		0		AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	09/28/11 - 11/30/18	32.80	42		1	33.10	AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Fluoride	09/28/11 - 11/30/18	4	10	0.29	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nitrate	09/28/11 - 11/30/18	10	189	0.21	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1414_02 Pedernales Falls to Johnson City Dam

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	09/28/11 - 11/30/18	3	38		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	09/28/11 - 11/30/18	5	38		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	09/28/11 - 11/30/18	126	40	18.03	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	09/28/11 - 11/30/18	125	189	51.97	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	09/28/11 - 11/30/18	75	191	29.44	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	09/28/11 - 11/30/18	525	198	399.81	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	09/28/11 - 11/30/18	9	39		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	09/28/11 - 11/30/18	6.50	39		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	09/28/11 - 11/30/18	0.33	42		1	0.38	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	09/28/11 - 11/30/18	14.10	42		2	99.45	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	09/28/11 - 11/30/18	1.95	42		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	09/28/11 - 11/30/18	0.69	42		1	0.92	AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	09/28/11 - 11/30/18	32.80	39		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Fluoride	09/28/11 - 11/30/18	4	10	0.29	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nitrate	09/28/11 - 11/30/18	10	189	0.21	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1414_03 Johnson City Dam to Gillespie County line

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	09/28/11 - 11/30/18	3	40	0	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	09/28/11 - 11/30/18	5	40	0	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	09/28/11 - 11/30/18	126	41 27.88	0	AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	09/28/11 - 11/30/18	125	189 51.97	0	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	09/28/11 - 11/30/18	75	191 29.44	0	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	09/28/11 - 11/30/18	525	198 399.81	0	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	09/28/11 - 11/30/18	9	40	0	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	09/28/11 - 11/30/18	6.50	40	0	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	09/28/11 - 11/30/18	0.33	41	0	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	09/28/11 - 11/30/18	14.10	41	1 18.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	09/28/11 - 11/30/18	1.95	41	0	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	09/28/11 - 11/30/18	0.69	42	0	AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	09/28/11 - 11/30/18	32.80	40	0	AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Fluoride	09/28/11 - 11/30/18	4	10 0.29	0	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nitrate	09/28/11 - 11/30/18	10	189 0.21	0	AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1414_04 Gillespie County line to Gellermann Lane

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
				#	Value	#	Value						
Dissolved Solids	Chloride	09/28/11 - 11/30/18	125	189	51.97	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	09/28/11 - 11/30/18	75	191	29.44	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	09/28/11 - 11/30/18	525	198	399.81	0		AD	FS	<input type="checkbox"/>	FS		
Domestic Water Supply Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
				#	Value	#	Value						
Surface Water HH criteria for DWS average	Fluoride	09/28/11 - 11/30/18	4	10	0.29	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nitrate	09/28/11 - 11/30/18	10	189	0.21	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1414_05 Gellermann Lane to Live Oak Creek

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	09/28/11 - 11/30/18	5	2		0		SM	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	09/28/11 - 11/30/18	3	2		0		SM	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	09/28/11 - 11/30/18	3	56		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	09/28/11 - 11/30/18	5	56		0		AD	NC	<input type="checkbox"/>	NC		
Fish community (Regional)	Fish Community	12/01/11 - 11/30/18	42	4	52			AD	FS	<input type="checkbox"/>	FS		
Habitat	Habitat	12/01/11 - 11/30/18	20	4	22			AD	NC	<input type="checkbox"/>	NC		
Macrobenthic community (Qualitative)	Macrobenthic Community	12/01/11 - 11/30/18	31	4	32			AD	FS	<input type="checkbox"/>	FS		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	09/28/11 - 11/30/18	126	69	118.15	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Dissolved Solids	Chloride	09/28/11 - 11/30/18	125	189	51.97	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	09/28/11 - 11/30/18	75	191	29.44	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	09/28/11 - 11/30/18	525	198	399.81	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	09/28/11 - 11/30/18	9	56		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	09/28/11 - 11/30/18	6.50	56		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	09/28/11 - 11/30/18	0.33	73		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	09/28/11 - 11/30/18	14.10	75		13	31.08	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	09/28/11 - 11/30/18	1.95	73		1	3.74	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	09/28/11 - 11/30/18	0.69	67		1	7.13	AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	09/28/11 - 11/30/18	32.80	56		0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1414_05 Gellermann Lane to Live Oak Creek

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
Surface Water HH criteria for DWS average	Fluoride	09/28/11 - 11/30/18	4	10	0.29	0		AD	FS	<input type="checkbox"/>	FS			
Surface Water HH criteria for DWS average	Nitrate	09/28/11 - 11/30/18	10	189	0.21	0		AD	FS	<input type="checkbox"/>	FS			

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1414_06 Remainder of segment

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
				#	Value	#	Value						
Dissolved Solids	Chloride	09/28/11 - 11/30/18	125	189	51.97	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	09/28/11 - 11/30/18	75	191	29.44	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	09/28/11 - 11/30/18	525	198	399.81	0		AD	FS	<input type="checkbox"/>	FS		
Domestic Water Supply Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
				#	Value	#	Value						
Surface Water HH criteria for DWS average	Fluoride	09/28/11 - 11/30/18	4	10	0.29	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nitrate	09/28/11 - 11/30/18	10	189	0.21	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1414B

Cypress Creek

AUID: 1414B_01 From the confluence with the Pedernales River west of Austin to the upstream perennial portion west of Round Mountain in Blanco County

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	09/28/11 - 11/30/18	3	24		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	09/28/11 - 11/30/18	5	24		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	09/28/11 - 11/30/18	126	24	148.58	1		AD	CN	<input type="checkbox"/>	CN	Bacteria in water	

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	09/28/11 - 11/30/18	0.33	28		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	09/28/11 - 11/30/18	14.10	25		1	15.60	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	09/28/11 - 11/30/18	1.95	27		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	09/28/11 - 11/30/18	0.69	25		0		AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1415

Llano River

AUID: 1415_01

From the confluence of Honey Creek upstream to the dam in Llano

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	09/28/11 - 11/30/18	3	69		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	09/28/11 - 11/30/18	5	69		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	09/28/11 - 11/30/18	126	80	23.76	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	09/28/11 - 11/30/18	50	321	16.52	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	09/28/11 - 11/30/18	50	321	9.65	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	09/28/11 - 11/30/18	350	310	275.10	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	09/28/11 - 11/30/18	9	69		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	09/28/11 - 11/30/18	6.50	69		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	09/28/11 - 11/30/18	0.33	80		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	09/28/11 - 11/30/18	14.10	78		1	17.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	09/28/11 - 11/30/18	1.95	80		1	2.19	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	09/28/11 - 11/30/18	0.69	80		0		AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	09/28/11 - 11/30/18	32.80	69		5	34.26	AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1415_01 From the confluence of Honey Creek upstream to the dam in Llano

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
HH Bioaccumulative Toxics in water	Benzene	09/28/11 - 11/30/18	5	4	2.50	0		LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Benzo(a)anthracene	09/28/11 - 11/30/18	0.02	4	0.01	0		LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Benzo(a)pyrene	09/28/11 - 11/30/18	0.00	4	0.00	0		LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Chrysene	09/28/11 - 11/30/18	2.45	4	1.23	0		LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Ethylbenzene	09/28/11 - 11/30/18	700	4	25	0		LD	NC	<input type="checkbox"/>	NC		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Surface Water HH criteria for DWS average	Anthracene	09/28/11 - 11/30/18	1,109	4	25	0		LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for DWS average	Benzene	09/28/11 - 11/30/18	5	4	2.50	0		LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for DWS average	Benzo(a)anthracene	09/28/11 - 11/30/18	0.02	4	0.01	0		LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for DWS average	Benzo(a)pyrene	09/28/11 - 11/30/18	0.00	4	0.00	0		LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for DWS average	Chrysene	09/28/11 - 11/30/18	2.45	4	1.23	0		LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for DWS average	Ethylbenzene	09/28/11 - 11/30/18	700	4	25	0		LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for DWS average	Fluoride	09/28/11 - 11/30/18	4	43	0.17	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nitrate	09/28/11 - 11/30/18	10	312	0.23	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Toluene	09/28/11 - 11/30/18	1,000	4	25	0		LD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1415_02 From the dam in Llano upstream to the confluence of Beaver Creek in Mason County

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	09/28/11 - 11/30/18	3	23		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	09/28/11 - 11/30/18	5	23		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	09/28/11 - 11/30/18	126	24	9.65	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	09/28/11 - 11/30/18	50	321	16.52	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	09/28/11 - 11/30/18	50	321	9.65	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	09/28/11 - 11/30/18	350	310	275.10	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	09/28/11 - 11/30/18	9	26		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	09/28/11 - 11/30/18	6.50	26		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	09/28/11 - 11/30/18	0.33	27		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	09/28/11 - 11/30/18	14.10	24		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	09/28/11 - 11/30/18	1.95	26		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	09/28/11 - 11/30/18	0.69	24		0		AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	09/28/11 - 11/30/18	32.80	27		0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1415_02 From the dam in Llano upstream to the confluence of Beaver Creek in Mason County

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
HH Bioaccumulative Toxics in water	Benzene	09/28/11 - 11/30/18	5	4	2.50	0		LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Benzo(a)anthracene	09/28/11 - 11/30/18	0.02	4	0.01	0		LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Benzo(a)pyrene	09/28/11 - 11/30/18	0.00	4	0.00	0		LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Chrysene	09/28/11 - 11/30/18	2.45	4	1.23	0		LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Ethylbenzene	09/28/11 - 11/30/18	700	4	25	0		LD	NC	<input type="checkbox"/>	NC		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Surface Water HH criteria for DWS average	Anthracene	09/28/11 - 11/30/18	1,109	4	25	0		LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for DWS average	Benzene	09/28/11 - 11/30/18	5	4	2.50	0		LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for DWS average	Benzo(a)anthracene	09/28/11 - 11/30/18	0.02	4	0.01	0		LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for DWS average	Benzo(a)pyrene	09/28/11 - 11/30/18	0.00	4	0.00	0		LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for DWS average	Chrysene	09/28/11 - 11/30/18	2.45	4	1.23	0		LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for DWS average	Ethylbenzene	09/28/11 - 11/30/18	700	4	25	0		LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for DWS average	Fluoride	09/28/11 - 11/30/18	4	43	0.17	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nitrate	09/28/11 - 11/30/18	10	312	0.23	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Toluene	09/28/11 - 11/30/18	1,000	4	25	0		LD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1415_03

From the confluence of Beaver Creek in Mason County upstream to the confluence of Big Saline Creek in Kimble County

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	09/28/11 - 11/30/18	3	6		0		LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	09/28/11 - 11/30/18	5	6		0		LD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	09/28/11 - 11/30/18	126	16	21.66	0		LD	NC	<input type="checkbox"/>	NC		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	09/28/11 - 11/30/18	50	321	16.52	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	09/28/11 - 11/30/18	50	321	9.65	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	09/28/11 - 11/30/18	350	310	275.10	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	09/28/11 - 11/30/18	9	6		0		LD	NC	<input type="checkbox"/>	NC		
Low pH	pH	09/28/11 - 11/30/18	6.50	6		0		LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	09/28/11 - 11/30/18	0.33	16		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	09/28/11 - 11/30/18	14.10	16		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	09/28/11 - 11/30/18	1.95	16		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	09/28/11 - 11/30/18	0.69	16		0		AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	09/28/11 - 11/30/18	32.80	6		0		LD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1415_03 From the confluence of Beaver Creek in Mason County upstream to the confluence of Big Saline Creek in Kimble County

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
HH Bioaccumulative Toxics in water	Benzene	09/28/11 - 11/30/18	5	4	2.50	0		LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Benzo(a)anthracene	09/28/11 - 11/30/18	0.02	4	0.01	0		LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Benzo(a)pyrene	09/28/11 - 11/30/18	0.00	4	0.00	0		LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Chrysene	09/28/11 - 11/30/18	2.45	4	1.23	0		LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Ethylbenzene	09/28/11 - 11/30/18	700	4	25	0		LD	NC	<input type="checkbox"/>	NC		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Surface Water HH criteria for DWS average	Anthracene	09/28/11 - 11/30/18	1,109	4	25	0		LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for DWS average	Benzene	09/28/11 - 11/30/18	5	4	2.50	0		LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for DWS average	Benzo(a)anthracene	09/28/11 - 11/30/18	0.02	4	0.01	0		LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for DWS average	Benzo(a)pyrene	09/28/11 - 11/30/18	0.00	4	0.00	0		LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for DWS average	Chrysene	09/28/11 - 11/30/18	2.45	4	1.23	0		LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for DWS average	Ethylbenzene	09/28/11 - 11/30/18	700	4	25	0		LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for DWS average	Fluoride	09/28/11 - 11/30/18	4	43	0.17	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nitrate	09/28/11 - 11/30/18	10	312	0.23	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Toluene	09/28/11 - 11/30/18	1,000	4	25	0		LD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1415_04

From the confluence of Big Saline Creek in Kimble County upstream to the confluence of the North Llano River and the South Llano River in Junction

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	09/28/11 - 11/30/18	5	2		0		SM	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	09/28/11 - 11/30/18	3	2		0		SM	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	09/28/11 - 11/30/18	3	38		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	09/28/11 - 11/30/18	5	38		0		AD	NC	<input type="checkbox"/>	NC		
Fish community (Regional)	Fish Community	12/01/11 - 11/30/18	42	4	50			AD	FS	<input type="checkbox"/>	FS		
Habitat	Habitat	12/01/11 - 11/30/18	20	4	22			AD	NC	<input type="checkbox"/>	NC		
Macrobenthic community (Qualitative)	Macrobenthic Community	12/01/11 - 11/30/18	31	4	36			AD	FS	<input type="checkbox"/>	FS		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	09/28/11 - 11/30/18	126	47	51.20	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Dissolved Solids	Chloride	09/28/11 - 11/30/18	50	321	16.52	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	09/28/11 - 11/30/18	50	321	9.65	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	09/28/11 - 11/30/18	350	310	275.10	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	09/28/11 - 11/30/18	9	38		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	09/28/11 - 11/30/18	6.50	38		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	09/28/11 - 11/30/18	0.33	47		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	09/28/11 - 11/30/18	14.10	48		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	09/28/11 - 11/30/18	1.95	47		1	2.61	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	09/28/11 - 11/30/18	0.69	47		0		AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	09/28/11 - 11/30/18	32.80	38		0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1415_04 From the confluence of Big Saline Creek in Kimble County upstream to the confluence of the North Llano River and the South Llano River in Junction

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
HH Bioaccumulative Toxics in water	Benzene	09/28/11 - 11/30/18	5	4	2.50	0		LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Benzo(a)anthracene	09/28/11 - 11/30/18	0.02	4	0.01	0		LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Benzo(a)pyrene	09/28/11 - 11/30/18	0.00	4	0.00	0		LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Chrysene	09/28/11 - 11/30/18	2.45	4	1.23	0		LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Ethylbenzene	09/28/11 - 11/30/18	700	4	25	0		LD	NC	<input type="checkbox"/>	NC		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Surface Water HH criteria for DWS average	Anthracene	09/28/11 - 11/30/18	1,109	4	25	0		LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for DWS average	Benzene	09/28/11 - 11/30/18	5	4	2.50	0		LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for DWS average	Benzo(a)anthracene	09/28/11 - 11/30/18	0.02	4	0.01	0		LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for DWS average	Benzo(a)pyrene	09/28/11 - 11/30/18	0.00	4	0.00	0		LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for DWS average	Chrysene	09/28/11 - 11/30/18	2.45	4	1.23	0		LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for DWS average	Ethylbenzene	09/28/11 - 11/30/18	700	4	25	0		LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for DWS average	Fluoride	09/28/11 - 11/30/18	4	43	0.17	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nitrate	09/28/11 - 11/30/18	10	312	0.23	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Toluene	09/28/11 - 11/30/18	1,000	4	25	0		LD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1415_05 North Llano River from the confluence of the South Llano upstream to FM 864 in Sutton County

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Acute Toxic Substances in water	Phenanthrene	09/28/11 - 11/30/18	30	4		0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Phenanthrene	09/28/11 - 11/30/18	30	4	15	0		LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	09/28/11 - 11/30/18	3	62		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	09/28/11 - 11/30/18	5	62		5	4.52	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	09/28/11 - 11/30/18	126	78	54.29	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	09/28/11 - 11/30/18	50	321	16.52	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	09/28/11 - 11/30/18	50	321	9.65	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	09/28/11 - 11/30/18	350	310	275.10	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	09/28/11 - 11/30/18	9	62		1	9.30	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	09/28/11 - 11/30/18	6.50	62		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	09/28/11 - 11/30/18	0.33	85		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	09/28/11 - 11/30/18	14.10	84		1	15.00	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	09/28/11 - 11/30/18	1.95	76		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	09/28/11 - 11/30/18	0.69	85		0		AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	09/28/11 - 11/30/18	32.80	62		0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1415_05 North Llano River from the confluence of the South Llano upstream to FM 864 in Sutton County

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
HH Bioaccumulative Toxics in water	Benzene	09/28/11 - 11/30/18	5	4	2.50	0		LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Benzo(a)anthracene	09/28/11 - 11/30/18	0.02	4	0.01	0		LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Benzo(a)pyrene	09/28/11 - 11/30/18	0.00	4	0.00	0		LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Chrysene	09/28/11 - 11/30/18	2.45	4	1.23	0		LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Ethylbenzene	09/28/11 - 11/30/18	700	4	25	0		LD	NC	<input type="checkbox"/>	NC		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Surface Water HH criteria for DWS average	Anthracene	09/28/11 - 11/30/18	1,109	4	25	0		LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for DWS average	Benzene	09/28/11 - 11/30/18	5	4	2.50	0		LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for DWS average	Benzo(a)anthracene	09/28/11 - 11/30/18	0.02	4	0.01	0		LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for DWS average	Benzo(a)pyrene	09/28/11 - 11/30/18	0.00	4	0.00	0		LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for DWS average	Chrysene	09/28/11 - 11/30/18	2.45	4	1.23	0		LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for DWS average	Ethylbenzene	09/28/11 - 11/30/18	700	4	25	0		LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for DWS average	Fluoride	09/28/11 - 11/30/18	4	43	0.17	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nitrate	09/28/11 - 11/30/18	10	312	0.23	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Toluene	09/28/11 - 11/30/18	1,000	4	25	0		LD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1415_06 South Llano from the confluence with the North Llano River to SH 55 in Edwards County

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	09/28/11 - 11/30/18	3	63		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	09/28/11 - 11/30/18	5	63		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	09/28/11 - 11/30/18	126	73	15.93	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	09/28/11 - 11/30/18	50	321	16.52	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	09/28/11 - 11/30/18	50	321	9.65	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	09/28/11 - 11/30/18	350	310	275.10	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	09/28/11 - 11/30/18	9	64		1	9.50	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	09/28/11 - 11/30/18	6.50	64		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	09/28/11 - 11/30/18	0.33	76		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	09/28/11 - 11/30/18	14.10	77		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	09/28/11 - 11/30/18	1.95	77		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	09/28/11 - 11/30/18	0.69	72		0		AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	09/28/11 - 11/30/18	32.80	64		0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1415_06 South Llano from the confluence with the North Llano River to SH 55 in Edwards County

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
HH Bioaccumulative Toxics in water	Benzene	09/28/11 - 11/30/18	5	4	2.50	0		LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Benzo(a)anthracene	09/28/11 - 11/30/18	0.02	4	0.01	0		LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Benzo(a)pyrene	09/28/11 - 11/30/18	0.00	4	0.00	0		LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Chrysene	09/28/11 - 11/30/18	2.45	4	1.23	0		LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Ethylbenzene	09/28/11 - 11/30/18	700	4	25	0		LD	NC	<input type="checkbox"/>	NC		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Surface Water HH criteria for DWS average	Anthracene	09/28/11 - 11/30/18	1,109	4	25	0		LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for DWS average	Benzene	09/28/11 - 11/30/18	5	4	2.50	0		LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for DWS average	Benzo(a)anthracene	09/28/11 - 11/30/18	0.02	4	0.01	0		LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for DWS average	Benzo(a)pyrene	09/28/11 - 11/30/18	0.00	4	0.00	0		LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for DWS average	Chrysene	09/28/11 - 11/30/18	2.45	4	1.23	0		LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for DWS average	Ethylbenzene	09/28/11 - 11/30/18	700	4	25	0		LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for DWS average	Fluoride	09/28/11 - 11/30/18	4	43	0.17	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nitrate	09/28/11 - 11/30/18	10	312	0.23	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Toluene	09/28/11 - 11/30/18	1,000	4	25	0		LD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1415A

Johnson Fork Creek

AUID: 1415A_01 Perennial stream from the confluence with the Llano River to source springs (Rio Bonito Springs) south of Segovia

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	09/28/11 - 11/30/18	3	27		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	09/28/11 - 11/30/18	5	27		1	4.40	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	09/28/11 - 11/30/18	126	25	56.05	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	09/28/11 - 11/30/18	0.33	26		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	09/28/11 - 11/30/18	14.10	27		1	17.60	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	09/28/11 - 11/30/18	1.95	27		1	3.70	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	09/28/11 - 11/30/18	0.69	21		0		AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1415C **James River**

AUID: 1415C_01 From the confluence of the Llano River south of the City of Mason in Mason County upstream to 0.8 km (0.5 mi) southeast of the intersection of CR 4431 and Stapp Road

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	09/28/11 - 11/30/18	3	28	0	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	09/28/11 - 11/30/18	5	28	0	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	09/28/11 - 11/30/18	126	28 52.92	0	AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	09/28/11 - 11/30/18	0.33	28	0	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	09/28/11 - 11/30/18	14.10	28	0	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	09/28/11 - 11/30/18	1.95	28	0	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	09/28/11 - 11/30/18	0.69	28	0	AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1416

San Saba River

AUID: 1416_01

From the confluence with the Colorado River in San Saba County upstream to the US 190

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	09/28/11 - 11/30/18	3	37		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	09/28/11 - 11/30/18	5	37		1	4.90	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	09/28/11 - 11/30/18	126	42	320.30	1		AD	NS	<input type="checkbox"/>	NS	Bacteria in water	5c

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	09/28/08 - 11/30/18	50	111	19.30	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	09/28/08 - 11/30/18	50	111	14.12	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	09/28/08 - 11/30/18	425	121	328.79	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	09/28/11 - 11/30/18	9	37		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	09/28/11 - 11/30/18	6.50	37		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	09/28/11 - 11/30/18	0.33	42		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	09/28/11 - 11/30/18	14.10	42		5	32.90	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	09/28/11 - 11/30/18	1.95	42		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	09/28/11 - 11/30/18	0.69	42		0		AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	09/28/11 - 11/30/18	32.20	37		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Fluoride	09/28/08 - 11/30/18	4	13	0.14	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nitrate	09/28/08 - 11/30/18	10	111	0.26	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1416_02 From US 190 upstream to McCulloch County line

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	09/28/11 - 11/30/18	5	4		0		LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	09/28/11 - 11/30/18	3	4		0		LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	09/28/11 - 11/30/18	3	9		0		LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	09/28/11 - 11/30/18	5	9		0		LD	NC	<input type="checkbox"/>	NC		
Fish community (Regional)	Fish Community	12/01/11 - 11/30/18	42	4	50			AD	FS	<input type="checkbox"/>	FS		
Habitat	Habitat	12/01/11 - 11/30/18	20	4	22			AD	NC	<input type="checkbox"/>	NC		
Macrobenthic community (Qualitative)	Macrobenthic Community	12/01/11 - 11/30/18	31	4	34			AD	FS	<input type="checkbox"/>	FS		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	09/28/11 - 11/30/18	126	12	29.47	0		LD	NC	<input type="checkbox"/>	NC		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Dissolved Solids	Chloride	09/28/08 - 11/30/18	50	111	19.30	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	09/28/08 - 11/30/18	50	111	14.12	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	09/28/08 - 11/30/18	425	121	328.79	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	09/28/11 - 11/30/18	9	12		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	09/28/11 - 11/30/18	6.50	12		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	09/28/11 - 11/30/18	0.33	9		0		LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	09/28/11 - 11/30/18	14.10	11		1	16.60	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	09/28/11 - 11/30/18	1.95	12		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	09/28/11 - 11/30/18	0.69	9		0		LD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	09/28/11 - 11/30/18	32.20	11		0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1416_02 From US 190 upstream to McCulloch County line

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
Surface Water HH criteria for DWS average	Fluoride	09/28/08 - 11/30/18	4	13	0.14	0		AD	FS	<input type="checkbox"/>	FS			
Surface Water HH criteria for DWS average	Nitrate	09/28/08 - 11/30/18	10	111	0.26	0		AD	FS	<input type="checkbox"/>	FS			

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1416_03 McCulloch County/San Saba County line upstream to McCulloch County/Mason County line

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	09/28/11 - 11/30/18	3	26		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	09/28/11 - 11/30/18	5	26		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	09/28/11 - 11/30/18	126	28	82.70	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	09/28/08 - 11/30/18	50	111	19.30	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	09/28/08 - 11/30/18	50	111	14.12	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	09/28/08 - 11/30/18	425	121	328.79	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	09/28/11 - 11/30/18	9	26		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	09/28/11 - 11/30/18	6.50	26		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	09/28/11 - 11/30/18	0.33	28		1	0.52	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	09/28/11 - 11/30/18	14.10	29		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	09/28/11 - 11/30/18	1.95	29		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	09/28/11 - 11/30/18	0.69	28		0		AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	09/28/11 - 11/30/18	32.20	26		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Fluoride	09/28/08 - 11/30/18	4	13	0.14	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nitrate	09/28/08 - 11/30/18	10	111	0.26	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1416_04 Mason County to FM 2092

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
				#	Value	#	Value						
Dissolved Solids	Chloride	09/28/08 - 11/30/18	50	111	19.30	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	09/28/08 - 11/30/18	50	111	14.12	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	09/28/08 - 11/30/18	425	121	328.79	0		AD	FS	<input type="checkbox"/>	FS		
Domestic Water Supply Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
				#	Value	#	Value						
Surface Water HH criteria for DWS average	Fluoride	09/28/08 - 11/30/18	4	13	0.14	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nitrate	09/28/08 - 11/30/18	10	111	0.26	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1416_05 FM 2092 upstream to end of segment

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	09/28/11 - 11/30/18	3	2		0		ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	09/28/11 - 11/30/18	5	2		0		ID	NA	<input type="checkbox"/>	NA		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	09/28/11 - 11/30/18	126	1	52	0		ID	NA	<input type="checkbox"/>	NA		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Dissolved Solids	Chloride	09/28/08 - 11/30/18	50	111	19.30	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	09/28/08 - 11/30/18	50	111	14.12	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	09/28/08 - 11/30/18	425	121	328.79	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	09/28/11 - 11/30/18	9	2		0		ID	NA	<input type="checkbox"/>	NA		
Low pH	pH	09/28/11 - 11/30/18	6.50	2		0		ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Ammonia	09/28/11 - 11/30/18	0.33	1		0		ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Chlorophyll-a	09/28/11 - 11/30/18	14.10	1		0		ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Nitrate	09/28/11 - 11/30/18	1.95	1		1	2.30	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	09/28/11 - 11/30/18	0.69	1		0		ID	NA	<input type="checkbox"/>	NA		
Water Temperature	Water temperature	09/28/11 - 11/30/18	32.20	2		0		ID	NA	<input type="checkbox"/>	NA		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Surface Water HH criteria for DWS average	Fluoride	09/28/08 - 11/30/18	4	13	0.14	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nitrate	09/28/08 - 11/30/18	10	111	0.26	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1416A **Brady Creek**

AUID: 1416A_02 From the confluence of an unnamed tributary approximately 5 km east of FM 2309 east of Brady upstream to FM 714

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	19	0	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	4	19	0	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	20 62.77	0	AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	5	0	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	19	13 70.82	AD	CS	<input type="checkbox"/>	CS	Chlorophyll-a in water	
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	21	12 6.77	AD	CS	<input type="checkbox"/>	CS	Nitrate in water	
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	20	17 1.83	AD	CS	<input type="checkbox"/>	CS	Total Phosphorus in water	

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1416A_03 From FM 714 upstream to Brady Lake dam

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/01/11 - 11/30/18	4			ID	NA	<input checked="" type="checkbox"/>	NS	Depressed dissolved oxygen in water	5c
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/01/11 - 11/30/18	3			ID	NA	<input checked="" type="checkbox"/>	NS	Depressed dissolved oxygen in water	5c

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10			ID	NA	<input checked="" type="checkbox"/>	CS	Chlorophyll-a in water	

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1416B **Brady Creek Reservoir**

AUID: 1416B_01 From Brady Creek Reservoir dam up to pool elevation 1,743 feet

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	18		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	18		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	18	8.29	0		LD	NC	<input type="checkbox"/>	NC		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18						AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1416C **Brady Creek above Brady Creek Reservoir**

AUID: 1416C_01 From the confluence of an unnamed tributary 2.5 km (1.5 mi) downstream of the Cow Creek confluence in McCulloch County upstream to the confluence of Harden Bra

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95					ID	NA	<input checked="" type="checkbox"/>	CS	Nitrate in water	

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1417

Lower Pecan Bayou

AUID: 1417_01

From the confluence with the Colorado River in Mills County to a point immediately upstream of the confluence of Mackinnally Creek in Brown County

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	26		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	26		1	3.40	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	37	70.59	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	310	35	70.02	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	120	37	51.59	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	1,025	37	401.68	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	26		2	9.35	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	26		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	40		1	0.48	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	39		28	61.25	AD	CS	<input type="checkbox"/>	CS	Chlorophyll-a in water	
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	39		9	8.02	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	40		1	0.87	AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	26		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	36	2.20	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1418

Lake Brownwood

AUID: 1418_01

Mid-lake near dam

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1418_01 Mid-lake near dam

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Aluminum (dissolved)	12/01/11 - 11/30/18	991	4		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	340	4		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	12.85	4		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	800.70	4		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	21.01	4		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	101.21	4		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Mercury	12/01/11 - 11/30/18	2.40	5		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	665.44	4		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Selenium	12/01/11 - 11/30/18	20	5		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	166.62	4		0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	150	4	1.41	0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	0.38	4	0.16	0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	124.29	4	1.63	0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	16.24	4	0.94	0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	4.97	4	0.38	0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Mercury	12/01/11 - 11/30/18	1.30	5	0.00	0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	88.71	4	2.00	0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Selenium	12/01/11 - 11/30/18	5	5	1.35	0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	201.69	4	12.16	0		LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	14		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	14		1	4.96	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Arsenic	12/01/11 - 11/30/18	33	4		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Cadmium	12/01/11 - 11/30/18	4.98	4		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chromium	12/01/11 - 11/30/18	111	4		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Copper	12/01/11 - 11/30/18	149	4		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Iron	12/01/11 - 11/30/18	40,000	4		0		LD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1418_01 Mid-lake near dam

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Toxic Substances in sediment	Lead	12/01/11 - 11/30/18	128	4		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Manganese	12/01/11 - 11/30/18	1,100	4		4	1,480.00	LD	CS	<input type="checkbox"/>	CS	Manganese in sediment	
Toxic Substances in sediment	Mercury	12/01/11 - 11/30/18	1.06	4		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Nickel	12/01/11 - 11/30/18	48.60	4		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Silver	12/01/11 - 11/30/18	1.70	4		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Zinc	12/01/11 - 11/30/18	459	4		0		LD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	14	2.16	0		LD	NC	<input type="checkbox"/>	NC		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Dissolved Solids	Chloride	12/01/11 - 11/30/18	150	41	40.08	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	41	35.64	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	42	290.40	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	14		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	14		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.11	13		1	0.16	JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	26.70	12		0		JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	0.37	13		0		JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.20	11		0		JQ	NA	<input type="checkbox"/>	NA		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	14		0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1418_01 Mid-lake near dam

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	1.15	4	0.38	0		LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Mercury	12/01/11 - 11/30/18	0.01	5	0.00	0		LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	332	4	2.00	0		LD	NC	<input type="checkbox"/>	NC		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Surface Water HH criteria for DWS average	Arsenic (dissolved)	12/01/11 - 11/30/18	10	4	1.41	0		LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for DWS average	Cadmium (dissolved)	12/01/11 - 11/30/18	5	4	0.39	0		LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for DWS average	Fluoride	12/01/11 - 11/30/18	4	42	0.15	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Lead (dissolved)	12/01/11 - 11/30/18	1.15	4	0.38	0		LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for DWS average	Mercury	12/01/11 - 11/30/18	0.01	5	0.00	0		LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for DWS average	Nickel (dissolved)	12/01/11 - 11/30/18	332	4	2.00	0		LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	39	0.11	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Selenium	12/01/11 - 11/30/18	50	5	1.35	0		LD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1418_02 West arm of lake

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	14		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	14		1	4.88	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	14	6.23	0		LD	NC	<input type="checkbox"/>	NC		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	150	41	40.08	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	41	35.64	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	42	290.40	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	14		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	14		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.11	13		0		JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	26.70	12		2	105.25	JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	0.37	13		1	1.80	JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.20	12		1	0.21	JQ	NA	<input type="checkbox"/>	NA		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	14		1	32.40	AD	FS	<input type="checkbox"/>	FS		

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	1.15	4	0.38	0		LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Mercury	12/01/11 - 11/30/18	0.01	5	0.00	0		LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	332	4	2.00	0		LD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1418_02 West arm of lake

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Surface Water HH criteria for DWS average	Arsenic (dissolved)	12/01/11 - 11/30/18	10	4	1.41	0		LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for DWS average	Cadmium (dissolved)	12/01/11 - 11/30/18	5	4	0.39	0		LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for DWS average	Fluoride	12/01/11 - 11/30/18	4	42	0.15	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Lead (dissolved)	12/01/11 - 11/30/18	1.15	4	0.38	0		LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for DWS average	Mercury	12/01/11 - 11/30/18	0.01	5	0.00	0		LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for DWS average	Nickel (dissolved)	12/01/11 - 11/30/18	332	4	2.00	0		LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	39	0.11	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Selenium	12/01/11 - 11/30/18	50	5	1.35	0		LD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1418_03 North arm of lake

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	14		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	14		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	14	3.08	0		LD	NC	<input type="checkbox"/>	NC		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	150	41	40.08	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	41	35.64	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	42	290.40	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	14		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	14		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.11	13		0		JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	26.70	12		0		JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	0.37	13		0		JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.20	11		0		JQ	NA	<input type="checkbox"/>	NA		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	14		0		AD	FS	<input type="checkbox"/>	FS		

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	1.15	4	0.38	0		LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Mercury	12/01/11 - 11/30/18	0.01	5	0.00	0		LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	332	4	2.00	0		LD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1418_03 North arm of lake

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Surface Water HH criteria for DWS average	Arsenic (dissolved)	12/01/11 - 11/30/18	10	4	1.41	0		LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for DWS average	Cadmium (dissolved)	12/01/11 - 11/30/18	5	4	0.39	0		LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for DWS average	Fluoride	12/01/11 - 11/30/18	4	42	0.15	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Lead (dissolved)	12/01/11 - 11/30/18	1.15	4	0.38	0		LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for DWS average	Mercury	12/01/11 - 11/30/18	0.01	5	0.00	0		LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for DWS average	Nickel (dissolved)	12/01/11 - 11/30/18	332	4	2.00	0		LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	39	0.11	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Selenium	12/01/11 - 11/30/18	50	5	1.35	0		LD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1418A **Hords Creek**

AUID: 1418A_02 From the confluence of Jim Ned Creek to a point 0.5 mi downstream of Live Oak Rd

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	19		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	19		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	18	51.25	0		LD	NC	<input type="checkbox"/>	NC		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	23		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	25		8	24.45	AD	CS	<input type="checkbox"/>	CS	Chlorophyll-a in water	
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	25		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	21		0		AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1418A_03 From 0.5 mi downstream of Live Oak Rd. to the confluence of Bachelor Prong Ck

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	22	1 0.60	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	4	22	1 0.60	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	16 36.19	0	LD	NC	<input type="checkbox"/>	NC		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	23	1 1.22	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	25	5 35.64	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	25	0	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	21	1 1.94	AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1418C

Hords Creek Reservoir

AUID: 1418C_01 From Hords Creek Dam 10 mi west of Coleman in Coleman County up to the normal pool elevation of 1900 feet (impounds Hords Creek).

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	5	0		LD	NC	<input type="checkbox"/>	NC			
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	5	0		LD	NC	<input type="checkbox"/>	NC			

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	5	2.06	0	ID	NA	<input type="checkbox"/>	NA			

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.11	3	0		JQ	NA	<input type="checkbox"/>	NA			
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	26.70	3	0		JQ	NA	<input type="checkbox"/>	NA			
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	0.37	5	0		JQ	NA	<input type="checkbox"/>	NA			
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.20	5	0		JQ	NA	<input type="checkbox"/>	NA			

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Surface Water HH criteria for DWS average	Fluoride	12/01/11 - 11/30/18	4	5	0.16	0	LD	NC	<input type="checkbox"/>	NC			
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	5	0.04	0	LD	NC	<input type="checkbox"/>	NC			

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1419

Lake Coleman

AUID: 1419_01

From Coleman Dam in Coleman County up to the normal pool elevation of 1717.5 feet (impounds Jim Ned Creek)

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	15		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	15		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	14	2.58	0		LD	NC	<input type="checkbox"/>	NC		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	150	14	69.23	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	14	44.81	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	15	385.49	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	15		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	15		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Criteria	Nutrients	01/13/09 - 11/30/18						AD	FS	<input type="checkbox"/>	FS	Excessive algal growth in water	3
Water Temperature	Water temperature	12/01/11 - 11/30/18	33.90	15		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Fluoride	12/01/11 - 11/30/18	4	14	0.25	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	15	0.06	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1420

Pecan Bayou Above Lake Brownwood

AUID: 1420_01

Lower 25 mi

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	9		0		LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	9		0		LD	NC	<input checked="" type="checkbox"/>	CS	Depressed dissolved oxygen in water	

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	11	51.53	0		LD	NC	<input type="checkbox"/>	NC		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	500	12	112	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	500	12	178.67	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	1,500	12	634.45	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	9		0		LD	NC	<input type="checkbox"/>	NC		
Low pH	pH	12/01/11 - 11/30/18	6.50	9		0		LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	27		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	27		9	27.24	AD	CS	<input type="checkbox"/>	CS	Chlorophyll-a in water	
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	28		1	2.05	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	23		0		AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	9		0		LD	NC	<input type="checkbox"/>	NC		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Fluoride	12/01/11 - 11/30/18	4	12	0.18	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	12	0.43	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1420_02 Remainder of segment

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
				#	Value	#	Value						
Dissolved Solids	Chloride	12/01/11 - 11/30/18	500	12	112	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	500	12	178.67	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	1,500	12	634.45	0		AD	FS	<input type="checkbox"/>	FS		
Domestic Water Supply Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
				#	Value	#	Value						
Surface Water HH criteria for DWS average	Fluoride	12/01/11 - 11/30/18	4	12	0.18	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	12	0.43	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1421

Concho River

AUID: 1421_01

Downstream end to Chandler Lake confluence

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	27		0		AD	FS	☐	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	27		0		AD	NC	☐	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	25	37.19	0		AD	FS	☐	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	775	167	374.63	0		AD	FS	☐	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	425	167	196.88	0		AD	FS	☐	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	1,600	212	1,148.87	0		AD	FS	☐	FS		
High pH	pH	12/01/11 - 11/30/18	9	26		0		AD	FS	☐	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	26		0		AD	FS	☐	FS		
Nutrient Screening Levels	Ammonia	01/19/11 - 11/30/18	0.33	11		0		AD	NC	☐	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	23		15	44.05	AD	CS	☐	CS	Chlorophyll-a in water	
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	26		11	4.91	AD	CS	☐	CS	Nitrate in water	
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	25		0		AD	NC	☐	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	27		1	32.70	AD	FS	☐	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Fluoride	12/01/11 - 11/30/18	4	5	0.23	0		LD	NC	☐	NC		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	163	1.43	0		AD	FS	☐	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1421_02 From Chandler Lake confluence upstream to confluence of Puddle Ck.

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	26		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	26		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	5	66.89	0		ID	NA	<input type="checkbox"/>	NA		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	775	167	374.63	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	425	167	196.88	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	1,600	212	1,148.87	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	25		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	25		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	01/19/11 - 11/30/18	0.33	10		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	18		12	6.48	AD	CS	<input type="checkbox"/>	CS	Nitrate in water	
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	18		0		AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	26		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Fluoride	12/01/11 - 11/30/18	4	5	0.23	0		LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	163	1.43	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1421_03 From the confluence of Puddle Creek upstream to the confluence of Willow Creek

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	27		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	27		1	4.80	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	27	52.97	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Dissolved Solids	Chloride	12/01/11 - 11/30/18	775	167	374.63	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	425	167	196.88	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	1,600	212	1,148.87	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	26		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	26		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	01/19/11 - 11/30/18	0.33	10		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	24		13	52.08	AD	CS	<input type="checkbox"/>	CS	Chlorophyll-a in water	
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	26		8	5.31	AD	CS	<input type="checkbox"/>	CS	Nitrate in water	
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	26		0		AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	27		1	34.80	AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Surface Water HH criteria for DWS average	Fluoride	12/01/11 - 11/30/18	4	5	0.23	0		LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	163	1.43	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1421_04 From the confluence of Willow Creek upstream to the confluence of an unnamed tributary near Chandler Road

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
				#	Value	#	Value						
Dissolved Solids	Chloride	12/01/11 - 11/30/18	775	167	374.63	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	425	167	196.88	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	1,600	212	1,148.87	0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	01/19/11 - 11/30/18	0.33	3		0		ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10					ID	NA	<input checked="" type="checkbox"/>	CS	Chlorophyll-a in water	
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95					ID	NA	<input checked="" type="checkbox"/>	CS	Nitrate in water	
Domestic Water Supply Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
				#	Value	#	Value						
Surface Water HH criteria for DWS average	Fluoride	12/01/11 - 11/30/18	4	5	0.23	0		LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	163	1.43	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1421_05 From the confluence of an unnamed tributary near Chandler Rd. upstream to the confluence of Red Ck.

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5					ID	NA	<input checked="" type="checkbox"/>	CS	Depressed dissolved oxygen in water	

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	775	167	374.63	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	425	167	196.88	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	1,600	212	1,148.87	0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Fluoride	12/01/11 - 11/30/18	4	5	0.23	0		LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	163	1.43	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1421_06 From the confluence of Red Creek upstream to the dam near Vines Rd.

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	26		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	26		1	3.80	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	08/08/11 - 11/30/18	126	20	26.18	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	775	167	374.63	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	425	167	196.88	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	1,600	212	1,148.87	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	25		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	25		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	01/19/11 - 11/30/18	0.33	9		0		LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	1		1	25.00	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	18		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	18		0		AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	26		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Fluoride	12/01/11 - 11/30/18	4	5	0.23	0		LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	163	1.43	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1421_07

From the dam near Vines Road upstream to the confluence of the North Concho River and the South Concho River

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/01/11 - 11/30/18	5	10		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/01/11 - 11/30/18	3	10		1	2.20	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	27		0		SM	FS	<input type="checkbox"/>	NA		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	27		1	3.40	SM	NC	<input type="checkbox"/>	NA		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	26	59.84	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	775	167	374.63	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	425	167	196.88	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	1,600	212	1,148.87	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	26		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	26		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	01/19/11 - 11/30/18	0.33	14		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	25		23	41.93	AD	CS	<input type="checkbox"/>	CS	Chlorophyll-a in water	
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	27		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	28		0		AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	27		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Fluoride	12/01/11 - 11/30/18	4	5	0.23	0		LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	163	1.43	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1421_08 North Concho River, from the confluence with the South Concho River upstream to O.C. Fisher dam

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/01/11 - 11/30/18	5	22		5	4.24	AD	NS	<input type="checkbox"/>	NS	Depressed dissolved oxygen in water	5c
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/01/11 - 11/30/18	3	22		5	2.58	AD	NS	<input type="checkbox"/>	NS	Depressed dissolved oxygen in water	5c
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	23		0		SM	FS	<input type="checkbox"/>	NA		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	23		2	4.75	SM	NC	<input type="checkbox"/>	NA		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	23	71.07	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	775	167	374.63	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	425	167	196.88	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	1,600	212	1,148.87	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	23		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	23		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	01/19/11 - 11/30/18	0.33	20		2	0.55	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	5		5	41.60	LD	CS	<input type="checkbox"/>	CS	Chlorophyll-a in water	
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	30		1	3.23	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	29		0		AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	23		1	32.40	AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Fluoride	12/01/11 - 11/30/18	4	5	0.23	0		LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	163	1.43	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1421_09 South Concho River, from the confluence with the North Concho upstream to Nasworthy Dam

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	27		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	27		1	4.30	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	26	7.78	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	775	167	374.63	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	425	167	196.88	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	1,600	212	1,148.87	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	26		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	26		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	01/19/11 - 11/30/18	0.33	11		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	28		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	28		0		AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	27		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Fluoride	12/01/11 - 11/30/18	4	5	0.23	0		LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	163	1.43	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1421A Dry Hollow Creek

AUID: 1421A_01 From the confluence with the Concho River west of Paint Rock in Concho County to the headwaters at US 87

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	19		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	19		0		AD	NC	<input type="checkbox"/>	NC		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	3		0		ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	20		14	10.85	AD	CS	<input type="checkbox"/>	CS	Nitrate in water	
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	20		0		AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1421B Kickapoo Creek

AUID: 1421B_01 Lower 25 mi of creek

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	2	10		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	10		0		AD	NC	<input type="checkbox"/>	NC		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	3		0		ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	10		4	5.27	AD	CS	<input type="checkbox"/>	CS	Nitrate in water	
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	10		0		AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1421C Lipan Creek

AUID: 1421C_01 Lower 25 mi of creek

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	1.50	11		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	2	11		0		AD	NC	<input type="checkbox"/>	NC		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	1		0		ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10					ID	NA	<input checked="" type="checkbox"/>	CS	Chlorophyll-a in water	
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	11		8	27.30	AD	CS	<input type="checkbox"/>	CS	Nitrate in water	
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	11		0		AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1422

Lake Nasworthy

AUID: 1422_01

Lower half of lake

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	30		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	30		1	4.73	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	28	7.45	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	450	43	285.26	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	400	43	70.16	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	1,500	48	902.20	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	30		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	30		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Criteria	Nutrients	12/01/11 - 11/30/18						AD	FS	<input type="checkbox"/>	FS		
Water Temperature	Water temperature	12/01/11 - 11/30/18	33.90	32		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Fluoride	12/01/11 - 11/30/18	4	3	0.33	0		ID	NA	<input type="checkbox"/>	NA		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	44	0.02	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1422_02 Upper half of lake

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	15		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	15		1	3.97	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	15	7.45	0		LD	NC	<input type="checkbox"/>	NC		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Dissolved Solids	Chloride	12/01/11 - 11/30/18	450	43	285.26	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	400	43	70.16	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	1,500	48	902.20	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	15		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	15		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Criteria	Nutrients	12/01/11 - 11/30/18						AD	FS	<input type="checkbox"/>	FS		
Water Temperature	Water temperature	12/01/11 - 11/30/18	33.90	16		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Surface Water HH criteria for DWS average	Fluoride	12/01/11 - 11/30/18	4	3	0.33	0		ID	NA	<input type="checkbox"/>	NA		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	44	0.02	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1423

Twin Buttes Reservoir

AUID: 1423_01

North pool

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	15		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	15		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	11/04/09 - 11/30/18	126	20	3.24	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	200	26	124.81	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	26	38.90	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	700	27	516.10	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	15		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	15		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18						AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	15		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Fluoride	12/01/11 - 11/30/18	4	2	0.13	0		ID	NA	<input type="checkbox"/>	NA		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	26	0.12	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1423_02 South pool

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	12		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	12		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/08 - 11/30/18	126	20	4.45	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	200	26	124.81	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	26	38.90	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	700	27	516.10	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	12		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	12		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18						AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	12		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Fluoride	12/01/11 - 11/30/18	4	2	0.13	0		ID	NA	<input type="checkbox"/>	NA		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	26	0.12	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1423A **Spring Creek**

AUID: 1423A_01 From the confluence of Twin Buttes Reservoir upstream to Duncan Avenue crossing in Mertzon

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	2	27	0		AD	FS	<input type="checkbox"/>	FS			
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	27	0		AD	NC	<input type="checkbox"/>	NC			

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	25 42.94	0		AD	FS	<input type="checkbox"/>	FS			

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	6	0		LD	NC	<input type="checkbox"/>	NC			
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	23	4	23.98	AD	NC	<input type="checkbox"/>	NC			
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	26	0		AD	NC	<input type="checkbox"/>	NC			
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	26	0		AD	NC	<input type="checkbox"/>	NC			

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1423A_02 From Duncan Avenue crossing in Mertzon upstream to the upstream perennial portion of the stream northeast of Ozona in Crockett County

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	2	28		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	28		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	27	12.20	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	7		0		LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	28		1	1.96	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	28		0		AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1423B **Dove Creek**

AUID: 1423B_01 From the confluence of Spring Creek upstream to RR 915

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	14		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	14		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	24	19.98	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	7		0		LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	22		1	42.30	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	26		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	26		0		AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1424

Middle Concho/South Concho River

AUID: 1424_01

South Concho River from a point 4 km (2.5 mi) downstream of FM 2335 upstream to the confluence of Bois D'Arc Draw in Tom Green County

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	55		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	55		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	32	38.34	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	150	56	27.82	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	150	56	11.60	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	700	56	398.35	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	53		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	53		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	14		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	24		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	55		15	2.19	AD	CS	<input type="checkbox"/>	CS	Nitrate in water	
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	56		0		AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	55		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	55	1.52	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1424_02 Middle Concho River from a point 100 m upstream of US 67 in Tom Green County upstream to the confluence of Big Hollow Draw in Irion County

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	1		0		ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	1		0		ID	NA	<input type="checkbox"/>	NA		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	2	54.77	0		ID	NA	<input type="checkbox"/>	NA		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	150	56	27.82	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	150	56	11.60	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	700	56	398.35	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	1		0		ID	NA	<input type="checkbox"/>	NA		
Low pH	pH	12/01/11 - 11/30/18	6.50	1		0		ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	1		0		ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	1		0		ID	NA	<input type="checkbox"/>	NA		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	1		0		ID	NA	<input type="checkbox"/>	NA		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	55	1.52	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1424_03 From the confluence of Big Hollow Draw in Irion County upstream to the confluence of Three Bluff Draw and Indian Creek on the Middle Concho River in Reagan Cou

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
				#	Value	#	Value						
Dissolved Solids	Chloride	12/01/11 - 11/30/18	150	56	27.82	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	150	56	11.60	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	700	56	398.35	0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
				#	Value	#	Value						
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	55	1.52	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1424A **West Rocky Creek**

AUID: 1424A_01 From the confluence of Middle Concho River to the upstream perennial portion of the stream north of Mertzon in Irion County

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	05/27/09 - 11/30/18	3	10		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	05/27/09 - 11/30/18	5	10		1	4.80	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	1	11	0		ID	NA	<input type="checkbox"/>	NA		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	4		0		LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	1		0		ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	11		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	11		0		AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1424B Cold Creek

AUID: 1424B_01 From the confluence of the South Concho River 110 meters (360 ft.) southwest of Musik Lane south of Christoval in Tom Green County (upstream to the confluence of t

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	28		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	28		1	4.60	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	6	73.93	0		ID	NA	<input type="checkbox"/>	NA		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	7		0	1.31	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	28		5	2.21	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	28		0		AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1425

O. C. Fisher Lake

AUID: 1425_01

From San Angelo Dam in Tom Green County up to normal pool elevation of 1908 feet (impounds North Concho River)

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	06/06/11 - 11/30/18	3	10		0	0.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	06/06/11 - 11/30/18	5	10		1	4.10	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	06/06/11 - 11/30/18	126	10	11.43	0		LD	NC	<input type="checkbox"/>	NC		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	06/06/11 - 11/30/18	150	10	570.60	1		AD	NS	<input type="checkbox"/>	NS	Chloride in water	5c
Dissolved Solids	Sulfate	06/06/11 - 11/30/18	150	10	29.90	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	06/06/11 - 11/30/18	700	18	809.39	1		AD	NS	<input type="checkbox"/>	NS	Total dissolved solids in water	5c
High pH	pH	06/06/11 - 11/30/18	9	10		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	06/06/11 - 11/30/18	6.50	10		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Narrative Criteria	Nutrients	06/02/09 - 11/30/18						AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	06/06/11 - 11/30/18	32.20	11		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Fluoride	06/06/11 - 11/30/18	4	2	0.19	0		ID	NA	<input type="checkbox"/>	NA		
Surface Water HH criteria for DWS average	Nitrate	06/06/11 - 11/30/18	10	9	0.03	0		LD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1425A **North Concho River**

AUID: 1425A_01 Lower end of water body to Sterling County line

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	2	51		1	0.70	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	51		1	0.70	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	50	28.93	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	12		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	23		9	34.71	AD	CS	<input type="checkbox"/>	CS	Chlorophyll-a in water	
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	50		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	50		0		AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1425A_02 Sterling County line to SH 163

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	2	14		0	AD	FS	<input type="checkbox"/>	FS			
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	14		0	AD	NC	<input type="checkbox"/>	NC			

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	02/02/10 - 11/30/18	126	20	49.45	0	AD	FS	<input type="checkbox"/>	FS			

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	1		0	ID	NA	<input type="checkbox"/>	NA			
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	14		0	AD	NC	<input type="checkbox"/>	NC			
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	13		0	AD	NC	<input type="checkbox"/>	NC			

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1425A_03 SH 163 to US 87

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	2	14	1 1.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	14	3 2.23	AD	CS	<input type="checkbox"/>	CS	Depressed dissolved oxygen in water	

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	1 130	1	ID	NA	<input type="checkbox"/>	NA		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	2	0	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	14	0	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	14	0	AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1426

Colorado River Below E. V. Spence Reservoir

AUID: 1426_01

Lower end of segment to Country Club Lake

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	21		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	21		0		AD	NC	<input type="checkbox"/>	NC		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	610	73	405.27	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	980	73	914.88	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	2,000	73	1,866.03	0		AD	FS	<input type="checkbox"/>	FS		
Fish Kill Reports	Fish Kill Reports	12/01/11 - 11/30/18						OE	CN	<input type="checkbox"/>	CN	Harmful algal bloom/golden alga	
High pH	pH	12/01/11 - 11/30/18	9	20		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	20		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	5		0		LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10					ID	NA	<input checked="" type="checkbox"/>	CS	Chlorophyll-a in water	
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	22		1	2.31	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	22		0		AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.80	21		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	72	0.43	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1426_02 Country Club Lake to Coke County line

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	34		0		AD	FS	☐	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	34		2	4.30	AD	NC	☐	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	45	65.78	0		AD	FS	☐	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	610	73	405.27	0		AD	FS	☐	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	980	73	914.88	0		AD	FS	☐	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	2,000	73	1,866.03	0		AD	FS	☐	FS		
Fish Kill Reports	Fish Kill Reports	12/01/11 - 11/30/18						OE	CN	☐	CN	Harmful algal bloom/golden alga	
High pH	pH	12/01/11 - 11/30/18	9	32		0		AD	FS	☐	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	32		0		AD	FS	☐	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	11		0		AD	NC	☐	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	21		10	33.62	AD	CS	☐	CS	Chlorophyll-a in water	
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	46		1	3.46	AD	NC	☐	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	45		0		AD	NC	☐	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.80	34		0		AD	FS	☐	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	72	0.43	0		AD	FS	☐	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1426_03 Coke County line to SH 208

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
				#	Value	#	Value						
Dissolved Solids	Chloride	12/01/11 - 11/30/18	610	73	405.27	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	980	73	914.88	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	2,000	73	1,866.03	0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10					ID	NA	<input checked="" type="checkbox"/>	CS	Chlorophyll-a in water	
Domestic Water Supply Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
				#	Value	#	Value						
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	72	0.43	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1426_04 SH 208 to dam

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	2		0		ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	2		0		ID	NA	<input type="checkbox"/>	NA		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	3	91.22	0		ID	NA	<input type="checkbox"/>	NA		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	610	73	405.27	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	980	73	914.88	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	2,000	73	1,866.03	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	2		0		ID	NA	<input type="checkbox"/>	NA		
Low pH	pH	12/01/11 - 11/30/18	6.50	2		0		ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	4		0		LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10					ID	NA	<input checked="" type="checkbox"/>	CS	Chlorophyll-a in water	
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	17		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	17		0		AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.80	2		0		ID	NA	<input type="checkbox"/>	NA		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	72	0.43	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1426A **Oak Creek Reservoir**

AUID: 1426A_01 From Oak Creek Dam up to normal pool elevation of 2,000.0 feet north of Bronte in Coke County (impounds Oak Creek)

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	14	0	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	14	0	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	14 0.72	0	LD	NC	<input type="checkbox"/>	NC		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Reservoir Criteria	Nutrients	12/01/11 - 11/30/18				AD	CN	<input type="checkbox"/>	CN	Excessive algal growth in water	

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Fluoride	12/01/11 - 11/30/18	4	6 0.31	0	LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	13 0.05	0	AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1426B **Elm Creek**

AUID: 1426B_01 Perennial stream from the confluence with the Colorado River upstream to the dam approximately 300 meters downstream of US Highway 67

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	14	0	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	14	0	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	14 19.28	0	LD	NC	<input type="checkbox"/>	NC		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	5	0	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	17	14 41.11	AD	CS	<input type="checkbox"/>	CS	Chlorophyll-a in water	
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	19	3 3.44	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	19	0	AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1426B_02 From the dam approximately 300 meters downstream of US Highway 67 upstream to the Lake Winters dam east of Winters in Runnels County

General Use														
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10					ID	NA	<input checked="" type="checkbox"/>	CS	Chlorophyll-a in water		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1426C **Bluff Creek**

AUID: 1426C_01 From the confluence with Elm Creek upstream to the confluence of Mill Creek

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	23	0	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	23	1 4.50	AD	NC	<input type="checkbox"/>	NC		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	6	0	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	21	15 7.59	AD	CS	<input type="checkbox"/>	CS	Nitrate in water	
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	23	0	AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1426D **Coyote Creek**

AUID: 1426D_01 From the confluence with Elm Creek in Runnels County upstream to the confluence of Big Coyote Creek and Little Coyote Creek southwest of Winters in Runnels Coun

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	20	0	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	20	1 4.20	AD	NC	<input type="checkbox"/>	NC		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	4	0	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	21	11 3.82	AD	CS	<input type="checkbox"/>	CS	Nitrate in water	
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	21	1 0.80	AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1427

Onion Creek

AUID: 1427_01

From the confluence with the Colorado River upstream to US 183

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	46		0	2.60	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	46		0	2.60	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	47	52.01	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	100	70	26.80	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	71	48.66	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	152	360.39	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	46		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	46		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	49		1	0.35	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	36		2	19.90	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	50		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	50		0		AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	46		0	33.80	AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Fluoride	12/01/11 - 11/30/18	4	38	0.15	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	153	0.43	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1427_02 From US 183 upstream to FM 967

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	55	0	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	55	0	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	62 46.54	0	AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	100	70 26.80	0	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	71 48.66	0	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	152 360.39	0	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	60	0	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	60	0	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	72	0	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	26	2 21.50	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	71	4 2.16	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	70	0	AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	60	0	AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Fluoride	12/01/11 - 11/30/18	4	38 0.15	0	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	153 0.43	0	AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1427_03 From FM 967 upstream to Jackson Branch confluence

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	31		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	31		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	31	38.40	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	50	70	26.80	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	50	71	48.66	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	400	152	360.39	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	33		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	33		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	34		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	20		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	33		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	32		0		AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	33		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Fluoride	12/01/11 - 11/30/18	4	38	0.15	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	153	0.43	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1427_04 From Jackson Branch confluence to end of segment

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/08 - 11/30/18	3	9		0		LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/08 - 11/30/18	5	9		0		LD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	10	22.26	0		LD	NC	<input type="checkbox"/>	NC		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	100	70	26.80	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	71	48.66	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	400	152	360.39	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	10		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	10		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	14		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	14		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	14		0		AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	10		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Fluoride	12/01/11 - 11/30/18	4	38	0.15	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	153	0.43	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1427A Slaughter Creek

AUID: 1427A_01 Intermittent stream with perennial pools from the confluence with Onion Creek to above US 290 west of Austin

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	27		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	27		2	4.85	AD	NC	<input type="checkbox"/>	NC		
Macrobenthic community (Qualitative)	Macrobenthic Community	12/01/11 - 11/30/18						ID	NA	<input checked="" type="checkbox"/>	NS	Impaired macrobenthic community in water	5b

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	25	78.10	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	26		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	27		3	40.23	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	27		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	26		0		AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1427C **Bear Creek**

AUID: 1427C_01 From the confluence of Onion Creek in south Austin in Travis County upstream to the headwaters at Trinity Hills Drive in southwest of Austin in Travis County

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	2	27		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	27		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	26	17.17	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	27		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	26		1	14.30	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	24		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	26		0		AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1427G **Granada Hills Tributary to Slaughter Creek**

AUID: 1427G_01 Unnamed tributary from the confluence of Slaughter Creek in Travis County upstream to La Fauna Path in Travis County

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Value	Exceedances #	Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95					ID	NA	<input checked="" type="checkbox"/>	CS	Nitrate in water	

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1428

Colorado River Below Lady Bird Lake (formerly Town Lake)

AUID: 1428_01

Lower end of segment to Gilleland Creek confluence

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	4	39		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	6	39		4	5.73	AD	NC	<input type="checkbox"/>	NC		
Fish community (Regional)	Fish Community	12/01/11 - 11/30/18						ID	NA	<input checked="" type="checkbox"/>	CN	Impaired fish community in water	
Macrobenthic community (Qualitative)	Macrobenthic Community	12/01/11 - 11/30/18						ID	NA	<input checked="" type="checkbox"/>	CN	Impaired macrobenthic community in water	

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	39	64.25	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	100	116	46.74	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	116	55.63	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	116	407.39	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	39		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	39		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	38		2	0.58	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	39		5	22.84	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	38		36	6.81	AD	CS	<input type="checkbox"/>	CS	Nitrate in water	
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	39		30	1.23	AD	CS	<input type="checkbox"/>	CS	Total Phosphorus in water	
Water Temperature	Water temperature	12/01/11 - 11/30/18	35	39		0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1428_01 Lower end of segment to Gilleland Creek confluence

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	113	3.77	0		AD	FS	<input type="checkbox"/>	FS			

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1428_02 From the confluence of Gilleland Creek upstream to the confluence of Walnut Ck.

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	4	38		0		AD	FS	☐	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	6	38		5	5.24	AD	NC	☐	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	38	55.71	0		AD	FS	☐	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	100	116	46.74	0		AD	FS	☐	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	116	55.63	0		AD	FS	☐	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	116	407.39	0		AD	FS	☐	FS		
High pH	pH	12/01/11 - 11/30/18	9	38		0		AD	FS	☐	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	38		0		AD	FS	☐	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	38		2	0.57	AD	NC	☐	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	38		4	26.98	AD	NC	☐	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	36		32	4.91	AD	CS	☐	CS	Nitrate in water	
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	38		22	1.02	AD	CS	☐	CS	Total Phosphorus in water	
Water Temperature	Water temperature	12/01/11 - 11/30/18	35	38		0		AD	FS	☐	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	113	3.77	0		AD	FS	☐	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1428_03 Walnut Creek to Longhorn Dam

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	4	39		1	2.80	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	6	39		6	4.52	AD	CS	<input type="checkbox"/>	CS	Depressed dissolved oxygen in water	

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	39	92.11	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	100	116	46.74	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	116	55.63	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	116	407.39	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	39		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	39		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	39		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	38		1	25.90	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	39		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	39		0		AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	35	39		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	113	3.77	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1428B Walnut Creek

AUID: 1428B_01 From the Colorado River upstream to FM 969

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	3		0		ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	3		0		ID	NA	<input type="checkbox"/>	NA		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	8	35.22	0		LD	NC	<input type="checkbox"/>	NC		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	8		0		LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	8		0		LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	8		0		LD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1428B_02 From FM 969 upstream to Old Manor Rd.

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126					ID	NA	<input checked="" type="checkbox"/>	CN	Bacteria in water		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1428B_03 From old Manor Road upstream to Dessau Road

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	03/23/11 - 11/30/18	3	10		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	03/23/11 - 11/30/18	5	10		0		AD	NC	<input type="checkbox"/>	NC		
Habitat	Habitat	12/01/11 - 11/30/18	20					ID	NA	<input checked="" type="checkbox"/>	CS	Impaired habitat in water	

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	9	86.75	0		LD	NC	<input type="checkbox"/>	NC		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	12		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	12		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	12		0		AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1428B_04 From Dessau Rd. upstream to MoPac/Loop 1

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	11		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	11		1	4.90	AD	NC	<input type="checkbox"/>	NC		
Macrobenthic community (Qualitative)	Macrobenthic Community	12/01/11 - 11/30/18						ID	NA	<input checked="" type="checkbox"/>	CN	Impaired macrobenthic community in water	

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	11	151.13	1		LD	CN	<input type="checkbox"/>	CN	Bacteria in water	

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	11		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	11		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	11		0		AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1428B_05 From MoPac/Loop 1 upstream to Union Pacific Railroad tracks south of McNeil Drive

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	2	19	0	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	19	0	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	20 183.72	1	AD	NS	<input type="checkbox"/>	NS	Bacteria in water	4a

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	20	0	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	20	0	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	20	0	AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1428C

Gilleland Creek

AUID: 1428C_01 From the Colorado River upstream to Taylor Lane

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	40		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	40		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	40	256.81	1		AD	NS	<input type="checkbox"/>	NS	Bacteria in water	4a

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	39		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	40		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	39		33	9.33	AD	CS	<input type="checkbox"/>	CS	Nitrate in water	
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	40		0		AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1428C_02 From Taylor Lane upstream to Old Highway 20

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	13		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	13		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	10/27/10 - 11/30/18	126	20	73.00	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	13		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	02/16/11 - 11/30/18	14.10	10		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	13		13	9.99	AD	CS	<input type="checkbox"/>	CS	Nitrate in water	
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	13		0		AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1428C_03 From Old Highway 20 to Cameron Road

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	13	0	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	13	0	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	10/27/10 - 11/30/18	126	20 198.72	1	AD	NS	<input type="checkbox"/>	NS	Bacteria in water	4a

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	13	0	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	02/16/11 - 11/30/18	14.10	10	0	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	13	13 10.18	AD	CS	<input type="checkbox"/>	CS	Nitrate in water	
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	13	0	AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1428C_04 From Cameron Road to the spring source

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	25		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	25		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	26	424.17	1		AD	NS	<input type="checkbox"/>	NS	Bacteria in water	4a

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	26		1	1.25	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	27		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	27		26	8.50	AD	CS	<input type="checkbox"/>	CS	Nitrate in water	
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	26		0		AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1428K **Walter E. Long Lake**

AUID: 1428K_01 Walter E. Long Lake from Decker Creek dam up to pool elevation of 555 feet msl (169 m)

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1428K_01 Walter E. Long Lake from Decker Creek dam up to pool elevation of 555 feet msl (169 m)

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Value	Exceedances #	Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	51		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	51		0		AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Acenaphthene	05/19/10 - 11/30/18	88.90	7		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Acenaphthylene	05/19/10 - 11/30/18	128	7		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Aldrin	05/19/10 - 11/30/18	80	7		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	alpha-BHC	05/19/10 - 11/30/18	100	7		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Anthracene	05/19/10 - 11/30/18	845	7		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Arsenic	05/19/10 - 11/30/18	33	10		0		AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Benzo(a)pyrene	05/19/10 - 11/30/18	1,450	7		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Cadmium	05/19/10 - 11/30/18	4.98	10		0		AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chlordane	05/19/10 - 11/30/18	17.60	7		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chromium	05/19/10 - 11/30/18	111	10		0		AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chrysene	05/19/10 - 11/30/18	1,290	7		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Copper	05/19/10 - 11/30/18	149	10		0		AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Diazinon	05/19/10 - 11/30/18	7.30	5		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Dibenz(a,h)anthracene	05/19/10 - 11/30/18	135	7		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Dieldrin	05/19/10 - 11/30/18	61.80	7		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Endrin	05/19/10 - 11/30/18	207	7		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Fluoranthene	05/19/10 - 11/30/18	2,230	7		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Fluorene	05/19/10 - 11/30/18	536	7		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Iron	05/19/10 - 11/30/18	40,000	10		0		AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Lead	05/19/10 - 11/30/18	128	10		0		AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Manganese	05/19/10 - 11/30/18	1,100	3		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Mercury	05/19/10 - 11/30/18	1.06	9		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Naphthalene	05/19/10 - 11/30/18	561	7		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Nickel	05/19/10 - 11/30/18	48.60	8		0		LD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1428K_01 Walter E. Long Lake from Decker Creek dam up to pool elevation of 555 feet msl (169 m)

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Toxic Substances in sediment	PCBs	05/19/10 - 11/30/18	676	7	0	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Pentachlorophenol (PCP)	05/19/10 - 11/30/18	1,200	7	0	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Phenanthrene	05/19/10 - 11/30/18	1,170	7	0	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Pyrene	05/19/10 - 11/30/18	1,520	7	0	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Silver	05/19/10 - 11/30/18	1.70	10	0	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Toxaphene	05/19/10 - 11/30/18	32	7	0	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Zinc	05/19/10 - 11/30/18	459	10	0	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	51 2.82	0	AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.11	51	3 0.23	JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	26.70	51	20 33.98	JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	0.37	51	0	JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.20	30	0	JQ	NA	<input type="checkbox"/>	NA		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1429

Lady Bird Lake (formerly Town Lake)

AUID: 1429_01

Longhorn Dam upstream to Lamar Street bridge

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1429_01 Longhorn Dam upstream to Lamar Street bridge

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	66	0		AD	FS	<input type="checkbox"/>	FS			
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	66	1	4.10	AD	NC	<input type="checkbox"/>	NC			
Toxic Substances in sediment	Acenaphthene	10/19/10 - 11/30/18	88.90	12	0		AD	NC	<input type="checkbox"/>	NC			
Toxic Substances in sediment	Acenaphthylene	10/19/10 - 11/30/18	128	12	0		AD	NC	<input type="checkbox"/>	NC			
Toxic Substances in sediment	Aldrin	10/19/10 - 11/30/18	80	10	0		AD	NC	<input type="checkbox"/>	NC			
Toxic Substances in sediment	alpha-BHC	10/19/10 - 11/30/18	100	10	0		AD	NC	<input type="checkbox"/>	NC			
Toxic Substances in sediment	Anthracene	10/19/10 - 11/30/18	845	12	0		AD	NC	<input type="checkbox"/>	NC			
Toxic Substances in sediment	Arsenic	10/19/10 - 11/30/18	33	12	0		AD	NC	<input type="checkbox"/>	NC			
Toxic Substances in sediment	Benzo(a)pyrene	10/19/10 - 11/30/18	1,450	12	0		AD	NC	<input type="checkbox"/>	NC			
Toxic Substances in sediment	Cadmium	10/19/10 - 11/30/18	4.98	12	0		AD	NC	<input type="checkbox"/>	NC			
Toxic Substances in sediment	Chlordane	10/19/10 - 11/30/18	17.60	10	0		AD	NC	<input type="checkbox"/>	NC			
Toxic Substances in sediment	Chromium	10/19/10 - 11/30/18	111	12	0		AD	NC	<input type="checkbox"/>	NC			
Toxic Substances in sediment	Chrysene	10/19/10 - 11/30/18	1,290	12	0		AD	NC	<input type="checkbox"/>	NC			
Toxic Substances in sediment	Copper	10/19/10 - 11/30/18	149	12	0		AD	NC	<input type="checkbox"/>	NC			
Toxic Substances in sediment	Diazinon	10/19/10 - 11/30/18	7.30	10	0		AD	NC	<input type="checkbox"/>	NC			
Toxic Substances in sediment	Dibenz(a,h)anthracene	10/19/10 - 11/30/18	135	12	4	208.25	AD	NC	<input type="checkbox"/>	NC			
Toxic Substances in sediment	Dieldrin	10/19/10 - 11/30/18	61.80	10	0		AD	NC	<input type="checkbox"/>	NC			
Toxic Substances in sediment	Endrin	10/19/10 - 11/30/18	207	10	0		AD	NC	<input type="checkbox"/>	NC			
Toxic Substances in sediment	Fluoranthene	10/19/10 - 11/30/18	2,230	12	0		AD	NC	<input type="checkbox"/>	NC			
Toxic Substances in sediment	Fluorene	10/19/10 - 11/30/18	536	12	0		AD	NC	<input type="checkbox"/>	NC			
Toxic Substances in sediment	Iron	10/19/10 - 11/30/18	40,000	12	0		AD	NC	<input type="checkbox"/>	NC			
Toxic Substances in sediment	Lead	10/19/10 - 11/30/18	128	12	0		AD	NC	<input type="checkbox"/>	NC			
Toxic Substances in sediment	Mercury	10/19/10 - 11/30/18	1.06	12	0		AD	NC	<input type="checkbox"/>	NC			
Toxic Substances in sediment	Naphthalene	10/19/10 - 11/30/18	561	12	0		AD	NC	<input type="checkbox"/>	NC			
Toxic Substances in sediment	Nickel	10/19/10 - 11/30/18	48.60	3	0		ID	NA	<input type="checkbox"/>	NA			
Toxic Substances in sediment	PCBs	10/19/10 - 11/30/18	676	11	0		AD	NC	<input type="checkbox"/>	NC			

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1429_01 Longhorn Dam upstream to Lamar Street bridge

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Toxic Substances in sediment	Pentachlorophenol (PCP)	10/19/10 - 11/30/18	1,200	8		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Phenanthrene	10/19/10 - 11/30/18	1,170	12		0		AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Pyrene	10/19/10 - 11/30/18	1,520	12		0		AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Silver	10/19/10 - 11/30/18	1.70	12		0		AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Toxaphene	10/19/10 - 11/30/18	32	10		0		AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Zinc	10/19/10 - 11/30/18	459	12		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	62	31.68	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	75	92	30.99	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	400	99	342.00	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	66		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	66		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Criteria	Nutrients	09/08/11 - 11/30/18						AD	FS	<input type="checkbox"/>	FS		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	66		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	127	0.31	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1429_02 From Lamar Street bridge upstream to Tom Miller Dam

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	33		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	33		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	31	12.18	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	75	92	30.99	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	400	99	342.00	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	33		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	33		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Criteria	Nutrients	09/08/11 - 11/30/18						AD	FS	<input type="checkbox"/>	FS		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	33		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	127	0.31	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1429C

Waller Creek

AUID: 1429C_01 From the confluence with Town Lake to East MLK Blvd.

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	16		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	16		0		AD	NC	<input type="checkbox"/>	NC		
Macrobenthic community (Qualitative)	Macrobenthic Community	12/01/11 - 11/30/18						ID	NA	<input checked="" type="checkbox"/>	NS	Impaired macrobenthic community in water	5c

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	04/19/10 - 11/30/18	126	21	744.41	1		AD	NS	<input type="checkbox"/>	NS	Bacteria in water	5c

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	16		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	16		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	16		0		AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1429C_02 From East MLK Blvd. to East 41st Street

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1429C_02 From East MLK Blvd. to East 41st Street

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	2	17	0		AD	FS	<input type="checkbox"/>	FS			
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	17	0		AD	NC	<input type="checkbox"/>	NC			
Toxic Substances in sediment	1,2,4,5-Tetrachlorobenzene	12/01/11 - 11/30/18	1,590	1	0		ID	NA	<input type="checkbox"/>	NA			
Toxic Substances in sediment	1,2,4-Trichlorobenzene	12/01/11 - 11/30/18	5,310	1	0		ID	NA	<input type="checkbox"/>	NA			
Toxic Substances in sediment	1,2-Dichlorobenzene	12/01/11 - 11/30/18	4,950	1	0		ID	NA	<input type="checkbox"/>	NA			
Toxic Substances in sediment	1,3-Dichlorobenzene	12/01/11 - 11/30/18	350	1	0		ID	NA	<input type="checkbox"/>	NA			
Toxic Substances in sediment	1,4-Dichlorobenzene	12/01/11 - 11/30/18	4,650	1	0		ID	NA	<input type="checkbox"/>	NA			
Toxic Substances in sediment	2,4-dinitrotoluene	12/01/11 - 11/30/18	8,020	1	0		ID	NA	<input type="checkbox"/>	NA			
Toxic Substances in sediment	3-Methyl-4-chlorophenol	12/01/11 - 11/30/18	5,620	1	0		ID	NA	<input type="checkbox"/>	NA			
Toxic Substances in sediment	Acenaphthene	12/01/11 - 11/30/18	88.90	1	0		ID	NA	<input type="checkbox"/>	NA			
Toxic Substances in sediment	Acenaphthylene	12/01/11 - 11/30/18	128	1	0		ID	NA	<input type="checkbox"/>	NA			
Toxic Substances in sediment	Aldrin	12/01/11 - 11/30/18	80	1	0		ID	NA	<input type="checkbox"/>	NA			
Toxic Substances in sediment	alpha-BHC	12/01/11 - 11/30/18	100	1	0		ID	NA	<input type="checkbox"/>	NA			
Toxic Substances in sediment	Anthracene	12/01/11 - 11/30/18	845	1	0		ID	NA	<input type="checkbox"/>	NA			
Toxic Substances in sediment	Arachlor 1016	12/01/11 - 11/30/18	530	1	0		ID	NA	<input type="checkbox"/>	NA			
Toxic Substances in sediment	Arachlor 1248	12/01/11 - 11/30/18	1,500	1	0		ID	NA	<input type="checkbox"/>	NA			
Toxic Substances in sediment	Arachlor 1254	12/01/11 - 11/30/18	340	1	0		ID	NA	<input type="checkbox"/>	NA			
Toxic Substances in sediment	Arachlor1260	12/01/11 - 11/30/18	240	1	0		ID	NA	<input type="checkbox"/>	NA			
Toxic Substances in sediment	Arsenic	12/01/11 - 11/30/18	33	1	0		ID	NA	<input type="checkbox"/>	NA			
Toxic Substances in sediment	Benzo(a)anthracene	12/01/11 - 11/30/18	1,050	1	1	1,340.00	ID	NA	<input checked="" type="checkbox"/>	CS	Benzo(a)anthracene in sediment		
Toxic Substances in sediment	Benzo(a)pyrene	12/01/11 - 11/30/18	1,450	1	0		ID	NA	<input checked="" type="checkbox"/>	CS	Benzo(a)pyrene in sediment		
Toxic Substances in sediment	beta-BHC	12/01/11 - 11/30/18	210	1	0		ID	NA	<input type="checkbox"/>	NA			
Toxic Substances in sediment	Bis(2-ethylhexyl)phthalate	12/01/11 - 11/30/18	22,000	1	0		ID	NA	<input type="checkbox"/>	NA			
Toxic Substances in sediment	Cadmium	12/01/11 - 11/30/18	4.98	1	0		ID	NA	<input type="checkbox"/>	NA			
Toxic Substances in sediment	Chlordane	12/01/11 - 11/30/18	17.60	1	0		ID	NA	<input type="checkbox"/>	NA			
Toxic Substances in sediment	Chromium	12/01/11 - 11/30/18	111	1	0		ID	NA	<input type="checkbox"/>	NA			

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1429C_02 From East MLK Blvd. to East 41st Street

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Toxic Substances in sediment	Chrysene	12/01/11 - 11/30/18	1,290	1		1	2,040.00	ID	NA	<input checked="" type="checkbox"/>	CS	Chrysene in sediment	
Toxic Substances in sediment	Copper	12/01/11 - 11/30/18	149	1		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	DDD	12/01/11 - 11/30/18	28	1		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	DDE	12/01/11 - 11/30/18	31.30	1		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	DDT	12/01/11 - 11/30/18	62.90	1		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	delta-BHC	12/01/11 - 11/30/18	2,300	1		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Diazinon	12/01/11 - 11/30/18	7.30	1		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Dibenz(a,h)anthracene	12/01/11 - 11/30/18	135	1		0		ID	NA	<input checked="" type="checkbox"/>	CS	Dibenz(a,h)anthracene in sediment	
Toxic Substances in sediment	Dieldrin	12/01/11 - 11/30/18	61.80	1		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Diethyl phthalate	12/01/11 - 11/30/18	11,000	1		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Dimethyl phthalate	12/01/11 - 11/30/18	8,900	1		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Di-n-butyl phthalate	12/01/11 - 11/30/18	80,000	1		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Di-n-octyl phthalate	12/01/11 - 11/30/18	1,100	1		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Endosulfan 1 (alpha)	12/01/11 - 11/30/18	7.40	1		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Endosulfan 2 (beta)	12/01/11 - 11/30/18	35	1		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Endrin	12/01/11 - 11/30/18	207	1		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Fluoranthene	12/01/11 - 11/30/18	2,230	1		1	3,240.00	ID	NA	<input checked="" type="checkbox"/>	CS	Fluoranthene in sediment	
Toxic Substances in sediment	Fluorene	12/01/11 - 11/30/18	536	1		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	gamma-BHC (Lindane)	12/01/11 - 11/30/18	4.99	1		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Heptachlor	12/01/11 - 11/30/18	2.74	1		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Heptachlor epoxide	12/01/11 - 11/30/18	16	1		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Hexachlorobenzene (HCB)	12/01/11 - 11/30/18	240	1		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Hexachlorobutadiene (HCBd)	12/01/11 - 11/30/18	550	1		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Hexachlorocyclopentadiene	12/01/11 - 11/30/18	202	1		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Hexachloroethane	12/01/11 - 11/30/18	3,945	1		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Iron	12/01/11 - 11/30/18	40,000	1		0		ID	NA	<input type="checkbox"/>	NA		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1429C_02 From East MLK Blvd. to East 41st Street

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Toxic Substances in sediment	Lead	12/01/11 - 11/30/18	128	1		0		ID	NA	<input checked="" type="checkbox"/>	CS	Lead in sediment	
Toxic Substances in sediment	Malathion	12/01/11 - 11/30/18	6.20	1		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Manganese	12/01/11 - 11/30/18	1,100	1		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Mercury	12/01/11 - 11/30/18	1.06	1		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Methoxychlor	12/01/11 - 11/30/18	95	1		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Naphthalene	12/01/11 - 11/30/18	561	1		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	N-butyl benzyl phthalate	12/01/11 - 11/30/18	150,000	1		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Nickel	12/01/11 - 11/30/18	48.60	1		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Nitrobenzene	12/01/11 - 11/30/18	6,290	1		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Parathion (ethyl)	12/01/11 - 11/30/18	3.70	1		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	PCBs	12/01/11 - 11/30/18	676	1		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Pentachlorobenzene	12/01/11 - 11/30/18	2,660	1		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Pentachlorophenol (PCP)	12/01/11 - 11/30/18	1,200	1		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Phenanthrene	12/01/11 - 11/30/18	1,170	1	1	1,550.00		ID	NA	<input checked="" type="checkbox"/>	CS	Phenanthrene in sediment	
Toxic Substances in sediment	Phenol (single compound)	12/01/11 - 11/30/18	210	1		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Pyrene	12/01/11 - 11/30/18	1,520	1	1	2,900.00		ID	NA	<input checked="" type="checkbox"/>	CS	Pyrene in sediment	
Toxic Substances in sediment	Silver	12/01/11 - 11/30/18	1.70	1		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Toxaphene	12/01/11 - 11/30/18	32	1		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Zinc	12/01/11 - 11/30/18	459	1		0		ID	NA	<input type="checkbox"/>	NA		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	04/19/10 - 11/30/18	126	21	1,008.21	1		AD	NS	<input type="checkbox"/>	NS	Bacteria in water	4a

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1429C_02 From East MLK Blvd. to East 41st Street

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Fish Kill Reports	Fish Kill Reports	12/01/09 - 11/30/18						OE	CN	<input type="checkbox"/>	CN	Fish kill in water	
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	16		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	16		5	2.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	16		0		AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1429C_03 Upper portion of creek

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	1.50	14	0	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	2	14	0	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	04/19/10 - 11/30/18	126	20 259.04	1	AD	NS	<input type="checkbox"/>	NS	Bacteria in water	4a

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	15	2 0.82	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	15	2 2.21	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	15	0	AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1429D **East Bouldin Creek**

AUID: 1429D_01 From the confluence of Town Lake in Austin in Travis County upstream to SH 71 in south Austin in Travis County

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
				#	Value	#	Value						
Toxic Substances in sediment	Benzo(a)anthracene	12/01/11 - 11/30/18	1,050					ID	NA	<input checked="" type="checkbox"/>	CS	Benzo(a)anthracene in sediment	
Toxic Substances in sediment	Cadmium	12/01/11 - 11/30/18	4.98					ID	NA	<input checked="" type="checkbox"/>	CS	Cadmium in sediment	
Toxic Substances in sediment	Chrysene	12/01/11 - 11/30/18	1,290					ID	NA	<input checked="" type="checkbox"/>	CS	Chrysene in sediment	
Toxic Substances in sediment	Dibenz(a,h)anthracene	12/01/11 - 11/30/18	140					ID	NA	<input checked="" type="checkbox"/>	CS	Dibenz(a,h)anthracene in sediment	
Toxic Substances in sediment	Fluoranthene	12/01/11 - 11/30/18	2,230					ID	NA	<input checked="" type="checkbox"/>	CS	Fluoranthene in sediment	
Toxic Substances in sediment	Lead	12/01/11 - 11/30/18	128					ID	NA	<input checked="" type="checkbox"/>	CS	Lead in sediment	
Toxic Substances in sediment	Phenanthrene	12/01/11 - 11/30/18	1,170					ID	NA	<input checked="" type="checkbox"/>	CS	Phenanthrene in sediment	
Toxic Substances in sediment	Pyrene	12/01/11 - 11/30/18	1,520					ID	NA	<input checked="" type="checkbox"/>	CS	Pyrene in sediment	

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1430

Barton Creek

AUID: 1430_01

From confluence with Lady Bird Lake (formerly Town Lake) to downstream dam of Barton Springs Pool

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	55	430.47	0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	54	0.29	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1430_02 From Barton Springs Pool upstream dam to a point 2 mi upstream of Loop 1

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1430_02 From Barton Springs Pool upstream dam to a point 2 mi upstream of Loop 1

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	11	0		AD	FS	<input type="checkbox"/>	FS			
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	11	1	4.40	AD	NC	<input type="checkbox"/>	NC			
LOE Toxic Sediment condition	Sediment Toxicity (LOE)	12/01/11 - 11/30/18					ID	NA	<input checked="" type="checkbox"/>	CN	Toxicity in sediment		
Toxic Substances in sediment	1,2,4,5-Tetrachlorobenzene	12/01/11 - 11/30/18	1,590	1	0		ID	NA	<input type="checkbox"/>	NA			
Toxic Substances in sediment	1,2,4-Trichlorobenzene	12/01/11 - 11/30/18	5,310	1	0		ID	NA	<input type="checkbox"/>	NA			
Toxic Substances in sediment	1,2-Dichlorobenzene	12/01/11 - 11/30/18	4,950	1	0		ID	NA	<input type="checkbox"/>	NA			
Toxic Substances in sediment	1,3-Dichlorobenzene	12/01/11 - 11/30/18	350	1	0		ID	NA	<input type="checkbox"/>	NA			
Toxic Substances in sediment	1,4-Dichlorobenzene	12/01/11 - 11/30/18	4,650	1	0		ID	NA	<input type="checkbox"/>	NA			
Toxic Substances in sediment	2,4-dinitrotoluene	12/01/11 - 11/30/18	8,020	1	0		ID	NA	<input type="checkbox"/>	NA			
Toxic Substances in sediment	3-Methyl-4-chlorophenol	12/01/11 - 11/30/18	5,620	1	0		ID	NA	<input type="checkbox"/>	NA			
Toxic Substances in sediment	Acenaphthene	12/01/11 - 11/30/18	88.90	1	0		ID	NA	<input type="checkbox"/>	NA			
Toxic Substances in sediment	Acenaphthylene	12/01/11 - 11/30/18	128	1	0		ID	NA	<input type="checkbox"/>	NA			
Toxic Substances in sediment	Aldrin	12/01/11 - 11/30/18	80	1	0		ID	NA	<input type="checkbox"/>	NA			
Toxic Substances in sediment	alpha-BHC	12/01/11 - 11/30/18	100	1	0		ID	NA	<input type="checkbox"/>	NA			
Toxic Substances in sediment	Anthracene	12/01/11 - 11/30/18	845	1	0		ID	NA	<input type="checkbox"/>	NA			
Toxic Substances in sediment	Arachlor 1016	12/01/11 - 11/30/18	530	1	0		ID	NA	<input type="checkbox"/>	NA			
Toxic Substances in sediment	Arachlor 1248	12/01/11 - 11/30/18	1,500	1	0		ID	NA	<input type="checkbox"/>	NA			
Toxic Substances in sediment	Arachlor 1254	12/01/11 - 11/30/18	340	1	0		ID	NA	<input type="checkbox"/>	NA			
Toxic Substances in sediment	Arachlor1260	12/01/11 - 11/30/18	240	1	0		ID	NA	<input type="checkbox"/>	NA			
Toxic Substances in sediment	Arsenic	12/01/11 - 11/30/18	33	1	0		ID	NA	<input type="checkbox"/>	NA			
Toxic Substances in sediment	Benzo(a)anthracene	12/01/11 - 11/30/18	1,050	1	0		ID	NA	<input type="checkbox"/>	NA			
Toxic Substances in sediment	Benzo(a)pyrene	12/01/11 - 11/30/18	1,450	1	0		ID	NA	<input type="checkbox"/>	NA			
Toxic Substances in sediment	beta-BHC	12/01/11 - 11/30/18	210	1	0		ID	NA	<input type="checkbox"/>	NA			
Toxic Substances in sediment	Bis(2-ethylhexyl)phthalate	12/01/11 - 11/30/18	22,000	1	0		ID	NA	<input type="checkbox"/>	NA			
Toxic Substances in sediment	Cadmium	12/01/11 - 11/30/18	4.98	1	0		ID	NA	<input type="checkbox"/>	NA			
Toxic Substances in sediment	Chlordane	12/01/11 - 11/30/18	17.60	1	0		ID	NA	<input type="checkbox"/>	NA			

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1430_02 From Barton Springs Pool upstream dam to a point 2 mi upstream of Loop 1

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Toxic Substances in sediment	Chromium	12/01/11 - 11/30/18	111	1	0	ID	NA	<input type="checkbox"/>	NA				
Toxic Substances in sediment	Chrysene	12/01/11 - 11/30/18	1,290	1	0	ID	NA	<input type="checkbox"/>	NA				
Toxic Substances in sediment	Copper	12/01/11 - 11/30/18	149	1	0	ID	NA	<input type="checkbox"/>	NA				
Toxic Substances in sediment	DDD	12/01/11 - 11/30/18	28	1	0	ID	NA	<input type="checkbox"/>	NA				
Toxic Substances in sediment	DDE	12/01/11 - 11/30/18	31.30	1	0	ID	NA	<input type="checkbox"/>	NA				
Toxic Substances in sediment	DDT	12/01/11 - 11/30/18	62.90	1	0	ID	NA	<input type="checkbox"/>	NA				
Toxic Substances in sediment	delta-BHC	12/01/11 - 11/30/18	2,300	1	0	ID	NA	<input type="checkbox"/>	NA				
Toxic Substances in sediment	Diazinon	12/01/11 - 11/30/18	7.30	1	0	ID	NA	<input type="checkbox"/>	NA				
Toxic Substances in sediment	Dibenz(a,h)anthracene	12/01/11 - 11/30/18	135	1	0	ID	NA	<input type="checkbox"/>	NA				
Toxic Substances in sediment	Dieldrin	12/01/11 - 11/30/18	61.80	1	0	ID	NA	<input type="checkbox"/>	NA				
Toxic Substances in sediment	Diethyl phthalate	12/01/11 - 11/30/18	11,000	1	0	ID	NA	<input type="checkbox"/>	NA				
Toxic Substances in sediment	Dimethyl phthalate	12/01/11 - 11/30/18	8,900	1	0	ID	NA	<input type="checkbox"/>	NA				
Toxic Substances in sediment	Di-n-butyl phthalate	12/01/11 - 11/30/18	80,000	1	0	ID	NA	<input type="checkbox"/>	NA				
Toxic Substances in sediment	Di-n-octyl phthalate	12/01/11 - 11/30/18	1,100	1	0	ID	NA	<input type="checkbox"/>	NA				
Toxic Substances in sediment	Endosulfan 1 (alpha)	12/01/11 - 11/30/18	7.40	1	0	ID	NA	<input type="checkbox"/>	NA				
Toxic Substances in sediment	Endosulfan 2 (beta)	12/01/11 - 11/30/18	35	1	0	ID	NA	<input type="checkbox"/>	NA				
Toxic Substances in sediment	Endrin	12/01/11 - 11/30/18	207	1	0	ID	NA	<input type="checkbox"/>	NA				
Toxic Substances in sediment	Fluoranthene	12/01/11 - 11/30/18	2,230	1	0	ID	NA	<input type="checkbox"/>	NA				
Toxic Substances in sediment	Fluorene	12/01/11 - 11/30/18	536	1	0	ID	NA	<input type="checkbox"/>	NA				
Toxic Substances in sediment	gamma-BHC (Lindane)	12/01/11 - 11/30/18	4.99	1	0	ID	NA	<input type="checkbox"/>	NA				
Toxic Substances in sediment	Heptachlor	12/01/11 - 11/30/18	2.74	1	0	ID	NA	<input type="checkbox"/>	NA				
Toxic Substances in sediment	Heptachlor epoxide	12/01/11 - 11/30/18	16	1	0	ID	NA	<input type="checkbox"/>	NA				
Toxic Substances in sediment	Hexachlorobenzene (HCB)	12/01/11 - 11/30/18	240	1	0	ID	NA	<input type="checkbox"/>	NA				
Toxic Substances in sediment	Hexachlorobutadiene (HCBBD)	12/01/11 - 11/30/18	550	1	0	ID	NA	<input type="checkbox"/>	NA				
Toxic Substances in sediment	Hexachlorocyclopentadiene	12/01/11 - 11/30/18	202	1	0	ID	NA	<input type="checkbox"/>	NA				
Toxic Substances in sediment	Hexachloroethane	12/01/11 - 11/30/18	3,945	1	0	ID	NA	<input type="checkbox"/>	NA				

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1430_02 From Barton Springs Pool upstream dam to a point 2 mi upstream of Loop 1

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Toxic Substances in sediment	Iron	12/01/11 - 11/30/18	40,000	1		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Lead	12/01/11 - 11/30/18	128	1		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Malathion	12/01/11 - 11/30/18	6.20	1		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Manganese	12/01/11 - 11/30/18	1,100	1		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Mercury	12/01/11 - 11/30/18	1.06	1		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Methoxychlor	12/01/11 - 11/30/18	95	1		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Naphthalene	12/01/11 - 11/30/18	561	1		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	N-butyl benzyl phthalate	12/01/11 - 11/30/18	150,000	1		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Nickel	12/01/11 - 11/30/18	48.60	1		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Nitrobenzene	12/01/11 - 11/30/18	6,290	1		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Parathion (ethyl)	12/01/11 - 11/30/18	3.70	1		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	PCBs	12/01/11 - 11/30/18	676	1		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Pentachlorobenzene	12/01/11 - 11/30/18	2,660	1		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Pentachlorophenol (PCP)	12/01/11 - 11/30/18	1,200	1		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Phenanthrene	12/01/11 - 11/30/18	1,170	1		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Phenol (single compound)	12/01/11 - 11/30/18	210	1		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Pyrene	12/01/11 - 11/30/18	1,520	1		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Silver	12/01/11 - 11/30/18	1.70	1		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Toxaphene	12/01/11 - 11/30/18	32	1		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Zinc	12/01/11 - 11/30/18	459	1		0		ID	NA	<input type="checkbox"/>	NA		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	8	38.93	0		LD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1430_02 From Barton Springs Pool upstream dam to a point 2 mi upstream of Loop 1

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	55	430.47	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	11		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	11		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	10		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	10		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	10		0		AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	11		0		AD	FS	<input type="checkbox"/>	FS		
Domestic Water Supply Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	54	0.29	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1430_03 From a point 2 mi upstream of Loop 1 to SH 71

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	36	0	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	36	0	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	36 17.60	0	AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	55 430.47	0	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	36	0	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	36	0	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	36	0	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	36	1 4.29	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	36	0	AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	36	0	AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	54 0.29	0	AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1430_04 SH 71 upstream to Hays County Line

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	10	1 1.70	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	10	2 3.00	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	10 24.97	0	LD	NC	<input type="checkbox"/>	NC		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	55 430.47	0	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	10	0	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	10	0	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	11	0	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	11	0	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	11	0	AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	10	0	AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	54 0.29	0	AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1430_05 Hays County Line upstream to FM 12

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
				#	Value	#	Value						
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	55	430.47	0		AD	FS	<input type="checkbox"/>	FS		
Domestic Water Supply Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
				#	Value	#	Value						
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	54	0.29	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1430A **Barton Springs**

AUID: 1430A_01 Barton Springs Pool - entire water body

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1430A_01 Barton Springs Pool - entire water body

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	116	0		AD	FS	<input type="checkbox"/>	FS			
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	116	14	4.56	AD	NC	<input type="checkbox"/>	NC			
LOE Toxic Sediment condition	Sediment Toxicity (LOE)	12/01/11 - 11/30/18					ID	NA	<input checked="" type="checkbox"/>	CN	Toxicity in sediment		
Toxic Substances in sediment	Acenaphthene	12/01/11 - 11/30/18	88.90	15	0		AD	NC	<input type="checkbox"/>	NC			
Toxic Substances in sediment	Acenaphthylene	12/01/11 - 11/30/18	128	15	0		AD	NC	<input type="checkbox"/>	NC			
Toxic Substances in sediment	Aldrin	12/01/11 - 11/30/18	80	15	0		AD	NC	<input type="checkbox"/>	NC			
Toxic Substances in sediment	alpha-BHC	12/01/11 - 11/30/18	100	15	0		AD	NC	<input type="checkbox"/>	NC			
Toxic Substances in sediment	Anthracene	12/01/11 - 11/30/18	845	15	0		AD	NC	<input type="checkbox"/>	NC			
Toxic Substances in sediment	Arsenic	12/01/11 - 11/30/18	33	15	0		AD	NC	<input type="checkbox"/>	NC			
Toxic Substances in sediment	Benzo(a)pyrene	12/01/11 - 11/30/18	1,450	15	0		AD	NC	<input type="checkbox"/>	NC			
Toxic Substances in sediment	Cadmium	12/01/11 - 11/30/18	4.98	15	0		AD	NC	<input type="checkbox"/>	NC			
Toxic Substances in sediment	Chlordane	12/01/11 - 11/30/18	17.60	15	0		AD	NC	<input type="checkbox"/>	NC			
Toxic Substances in sediment	Chromium	12/01/11 - 11/30/18	111	15	0		AD	NC	<input type="checkbox"/>	NC			
Toxic Substances in sediment	Chrysene	12/01/11 - 11/30/18	1,290	15	0		AD	NC	<input type="checkbox"/>	NC			
Toxic Substances in sediment	Copper	12/01/11 - 11/30/18	149	15	0		AD	NC	<input type="checkbox"/>	NC			
Toxic Substances in sediment	Diazinon	12/01/11 - 11/30/18	7.30	6	0		LD	NC	<input type="checkbox"/>	NC			
Toxic Substances in sediment	Dibenz(a,h)anthracene	12/01/11 - 11/30/18	135	15	1	204.00	AD	NC	<input type="checkbox"/>	NC			
Toxic Substances in sediment	Dieldrin	12/01/11 - 11/30/18	61.80	15	0		AD	NC	<input type="checkbox"/>	NC			
Toxic Substances in sediment	Endrin	12/01/11 - 11/30/18	207	15	0		AD	NC	<input type="checkbox"/>	NC			
Toxic Substances in sediment	Fluoranthene	12/01/11 - 11/30/18	2,230	15	0		AD	NC	<input type="checkbox"/>	NC			
Toxic Substances in sediment	Fluorene	12/01/11 - 11/30/18	536	15	0		AD	NC	<input type="checkbox"/>	NC			
Toxic Substances in sediment	Iron	12/01/11 - 11/30/18	40,000	15	0		AD	NC	<input type="checkbox"/>	NC			
Toxic Substances in sediment	Lead	12/01/11 - 11/30/18	128	15	0		AD	NC	<input type="checkbox"/>	NC			
Toxic Substances in sediment	Mercury	12/01/11 - 11/30/18	1.06	15	0		AD	NC	<input type="checkbox"/>	NC			
Toxic Substances in sediment	Naphthalene	12/01/11 - 11/30/18	561	15	0		AD	NC	<input type="checkbox"/>	NC			
Toxic Substances in sediment	Nickel	12/01/11 - 11/30/18	48.60	15	0		AD	NC	<input type="checkbox"/>	NC			

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1430A_01 Barton Springs Pool - entire water body

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Toxic Substances in sediment	PCBs	12/01/11 - 11/30/18	676	6	0	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Pentachlorophenol (PCP)	12/01/11 - 11/30/18	1,200	7	0	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Phenanthrene	12/01/11 - 11/30/18	1,170	15	0	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Pyrene	12/01/11 - 11/30/18	1,520	15	1 1,640.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Silver	12/01/11 - 11/30/18	1.70	15	0	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Toxaphene	12/01/11 - 11/30/18	32	15	0	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Zinc	12/01/11 - 11/30/18	459	15	0	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	103 12.39	0	AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	118	1 0.78	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	119	4 2.10	AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1430B **Tributaries to Barton Creek (unclassified water bodies)**

AUID: 1430B_05 Tributaries entering Barton Creek from the Hays County line upstream to CR 169

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	2	12		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	12		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	12	108.53	0		LD	NC	<input type="checkbox"/>	NC		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	12		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	12		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	12		0		AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1431

Mid Pecan Bayou

AUID: 1431_01

From a point immediately upstream of the confluence of Mackinally Creek in Brown County to a point immediately upstream of Willis Creek in Brown County

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	1.50	51		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	2	51		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	48	83.71	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	410	56	102.96	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	120	55	70.66	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	1,100	56	541.95	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	51		5	9.22	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	51		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	55		3	0.42	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	54		28	98.26	AD	CS	<input type="checkbox"/>	CS	Chlorophyll-a in water	
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	56		38	19.81	AD	CS	<input type="checkbox"/>	CS	Nitrate in water	
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	52		35	2.31	AD	CS	<input type="checkbox"/>	CS	Total Phosphorus in water	
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	51		0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1432

Upper Pecan Bayou

AUID: 1432_01

From a point immediately upstream of the confluence of Willis Creek in Brown County to Lake Brownwood Dam in Brown County

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	22		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	22		1	4.00	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	21	88.15	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	200	22	68.84	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	150	22	49.33	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	800	22	453.35	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	22		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	22		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	27		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	27		11	24.31	AD	CS	<input type="checkbox"/>	CS	Chlorophyll-a in water	
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	28		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	23		0		AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	22		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Fluoride	12/01/11 - 11/30/18	4	22	0.16	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	22	0.14	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1433

O. H. Ivie Reservoir

AUID: 1433_01

Main pool near dam

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	13		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	13		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	13	0.56	0		LD	NC	<input type="checkbox"/>	NC		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
High pH	pH	12/01/11 - 11/30/18	9	13		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	13		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Criteria	Nutrients	12/01/11 - 11/30/18						AD	NS	<input type="checkbox"/>	NS	Excessive algal growth in water	5c
Water Temperature	Water temperature	12/01/11 - 11/30/18	33.90	13		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	35	0.32	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1433_02 Concho River arm

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	12	0		AD	FS	<input type="checkbox"/>	FS			
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	12	3	4.64	AD	CS	<input type="checkbox"/>	CS	Depressed dissolved oxygen in water		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	12	3.47	0	LD	NC	<input type="checkbox"/>	NC			

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
High pH	pH	12/01/11 - 11/30/18	9	12	0		AD	FS	<input type="checkbox"/>	FS			
Low pH	pH	12/01/11 - 11/30/18	6.50	12	0		AD	FS	<input type="checkbox"/>	FS			
Nutrient Reservoir Criteria	Nutrients	12/01/11 - 11/30/18					AD	NS	<input type="checkbox"/>	NS	Excessive algal growth in water	5c	
Water Temperature	Water temperature	12/01/11 - 11/30/18	33.90	12	0		AD	FS	<input type="checkbox"/>	FS			

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	35	0.32	0	AD	FS	<input type="checkbox"/>	FS			

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1433_03 Colorado River arm

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	13	0	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	13	3 4.85	AD	CS	<input type="checkbox"/>	CS	Depressed dissolved oxygen in water	

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	13 1.94	0	LD	NC	<input type="checkbox"/>	NC		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
High pH	pH	12/01/11 - 11/30/18	9	13	0	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	13	0	AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Criteria	Nutrients	12/01/11 - 11/30/18				AD	NS	<input type="checkbox"/>	NS	Excessive algal growth in water	5c
Water Temperature	Water temperature	12/01/11 - 11/30/18	33.90	13	0	AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	35 0.32	0	AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1433_04 Remainder of reservoir

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
				#	Value	#	Value						
Nutrient Reservoir Criteria	Nutrients	12/01/11 - 11/30/18						AD	NS	<input type="checkbox"/>	NS	Excessive algal growth in water	5c

Domestic Water Supply Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
				#	Value	#	Value						
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	35	0.32	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1434

Colorado River above La Grange

AUID: 1434_01

From a point 100 m downstream of SH 71 upstream to the Southern Pacific Railroad crossing

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	4	40		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	6	40		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	40	60.01	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	100	118	53.67	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	117	66.62	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	119	423.96	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	40		1	9.20	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	40		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	40		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	39		6	65.28	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	40		35	3.61	AD	CS	<input type="checkbox"/>	CS	Nitrate in water	
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	40		13	0.93	AD	CS	<input type="checkbox"/>	CS	Total Phosphorus in water	
Water Temperature	Water temperature	12/01/11 - 11/30/18	35	40		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	117	4.30	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1434_02 Southern-Pacific RR upstream to the confluence of Reeds Creek west of Smithville

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	4	40		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	6	40		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	40	47.87	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	100	118	53.67	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	117	66.62	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	119	423.96	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	40		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	40		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	39		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	40		1	54.70	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	39		36	4.43	AD	CS	<input type="checkbox"/>	CS	Nitrate in water	
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	40		21	0.99	AD	CS	<input type="checkbox"/>	CS	Total Phosphorus in water	
Water Temperature	Water temperature	12/01/11 - 11/30/18	35	40		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	117	4.30	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1434_03 From the confluence of Reeds Creek west of Smithville upstream to the end of segment

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	4	39	0	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	6	39	0	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	39 69.40	0	AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	100	118 53.67	0	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	117 66.62	0	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	119 423.96	0	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	39	0	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	39	0	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	39	0	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	39	2 18.65	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	38	37 5.52	AD	CS	<input type="checkbox"/>	CS	Nitrate in water	
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	39	24 1.14	AD	CS	<input type="checkbox"/>	CS	Total Phosphorus in water	
Water Temperature	Water temperature	12/01/11 - 11/30/18	35	39	0	AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	117 4.30	0	AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1434B Cedar Creek

AUID: 1434B_01 Perennial stream from the confluence with the Colorado River upstream to the confluence of an unnamed tributary at FM 525 in Bastrop County

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	10		1	2.30	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	10		3	3.60	AD	CS	<input type="checkbox"/>	CS	Depressed dissolved oxygen in water	

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	06/02/09 - 11/30/18	126	20	137.34	1		AD	CN	<input type="checkbox"/>	CN	Bacteria in water	

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	11		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	10		3	19.57	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	11		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	11		0		AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1434C **Lake Bastrop**

AUID: 1434C_01 South arm of lake near intake

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	4		0		LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	4		0		LD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	4	5.39	0		ID	NA	<input type="checkbox"/>	NA		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.11	4		0		JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	26.70	4		3	58.97	JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	0.37	4		0		JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.20	4		0		JQ	NA	<input type="checkbox"/>	NA		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1434C_02 Mid-lake

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	41	0	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	41	1 4.49	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	40 2.62	0	AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.11	40	2 0.45	JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	26.70	41	15 53.78	JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	0.37	40	0	JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.20	40	2 0.34	JQ	NA	<input type="checkbox"/>	NA		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1434C_03 North arm of lake near discharge

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	4		0		LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	4		0		LD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	4	9.81	0		ID	NA	<input type="checkbox"/>	NA		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.11	4		0		JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	26.70	4		2	39.50	JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	0.37	4		0		JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.20	4		0		JQ	NA	<input type="checkbox"/>	NA		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1434D

Wilbarger Creek

AUID: 1434D_01 From the confluence with the Colorado River at Hemphill Bend in Bastrop County upstream to the confluence with Cottonwood Creek

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	16		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	16		1	4.70	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	11	157.42	1		LD	CN	<input type="checkbox"/>	CN	Bacteria in water	

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	18		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	18		5	69.78	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	17		3	2.84	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	16		0		AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1434D_02 From the confluence with Cottonwood Creek upstream to Schultz lane east of Pflugerville Heights in Travis County

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	17		0		AD	FS	☐	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	17		0		AD	NC	☐	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	05/11/11 - 11/30/18	126	20	135.45	1		AD	CN	☐	CN	Bacteria in water	

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	21		2	0.60	AD	NC	☐	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	21		3	22.90	AD	NC	☐	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	20		9	5.29	AD	CS	☐	CS	Nitrate in water	
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	19		1	0.72	AD	NC	☐	NC		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1434E **Big Sandy Creek**

AUID: 1434E_01 From the confluence of the Colorado River in Bastrop County upstream to a point east of CR 302 near Sundbeck Ranch Airport in Lee County

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1434E_01 From the confluence of the Colorado River in Bastrop County upstream to a point east of CR 302 near Sundbeck Ranch Airport in Lee County

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Aluminum (dissolved)	05/12/10 - 11/30/18	991	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic (dissolved)	05/12/10 - 11/30/18	340	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	05/12/10 - 11/30/18	1,087.01	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper (dissolved)	05/12/10 - 11/30/18	29.86	9		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Lead (dissolved)	05/12/10 - 11/30/18	150.65	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel (dissolved)	05/12/10 - 11/30/18	912.54	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	05/12/10 - 11/30/18	20	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc (dissolved)	05/12/10 - 11/30/18	228.61	10		0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic (dissolved)	05/12/10 - 11/30/18	150	10	1	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	05/12/10 - 11/30/18	125.37	10	2.53	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper (dissolved)	05/12/10 - 11/30/18	16.39	9	0.98	0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Lead (dissolved)	05/12/10 - 11/30/18	5.02	10	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel (dissolved)	05/12/10 - 11/30/18	89.51	10	6.15	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	05/12/10 - 11/30/18	5	10	1.61	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc (dissolved)	05/12/10 - 11/30/18	203.51	10	2.94	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	11/03/11 - 11/30/18	2	10		1	1.90	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	11/03/11 - 11/30/18	3	10		1	1.90	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Arsenic	12/01/11 - 11/30/18	33	2		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Cadmium	12/01/11 - 11/30/18	4.98	2		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Chromium	12/01/11 - 11/30/18	111	2		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Copper	12/01/11 - 11/30/18	149	2		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Iron	12/01/11 - 11/30/18	40,000	2		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Lead	12/01/11 - 11/30/18	128	2		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Manganese	12/01/11 - 11/30/18	1,100	2		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Mercury	12/01/11 - 11/30/18	1.06	2		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Nickel	12/01/11 - 11/30/18	48.60	2		0		ID	NA	<input type="checkbox"/>	NA		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

AUID: 1434E_01 From the confluence of the Colorado River in Bastrop County upstream to a point east of CR 302 near Sundbeck Ranch Airport in Lee County

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Toxic Substances in sediment	Silver	12/01/11 - 11/30/18	1.70	2		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Zinc	12/01/11 - 11/30/18	459	2		0		ID	NA	<input type="checkbox"/>	NA		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	10		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	10		6	30.80	AD	CS	<input type="checkbox"/>	CS	Chlorophyll-a in water	
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	10		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	10		0		AD	NC	<input type="checkbox"/>	NC		

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
HH Bioaccumulative Toxics in water	Lead (dissolved)	05/12/10 - 11/30/18	38.30	10	0.50	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	05/12/10 - 11/30/18	11,400	10	6.15	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River Basin

SEGID: 1434G Alum Creek

AUID: 1434G_01 From the confluence with the Colorado River in Bastrop County upstream to the headwaters near US 290 approximately 3.5 km southwest of McDade in Bastrop County

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	2	25		2	1.10	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	25		2	1.10	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	22	166.62	1		AD	NS	<input type="checkbox"/>	NS	Bacteria in water	5c

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	24		5	0.48	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	22		2	17.55	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	25		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	23		0		AD	NC	<input type="checkbox"/>	NC		