

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

Report Abbreviations	Description:		
SEGID:	Unique Segment identification alpha-numeric code; can be stream, reservoir, estuary, oyster waters, beach watch, etc.		
AUID:	Unique Assessment Unit code; this is a portion of the segment the AUID begins with and ends with _01, _02, etc. Some AUIDs are special units ending in "SA," or oyster water AUIDs are indicated by "OW" and beach watch AUIDs are indicated by abbreviations for name of beach in AUID.		
ASMT Start Date:	The start date of the period of record data for this method was selected; the official 2020 period of record is from 12/1/2011 to 11/30/2018. Assessors have the option of going back 10 years (12/1/2008) to select more data, according to assessment guidance.		
ASMT End Date:	The end date of the period of record data for this method was selected; the official 2020 period of record dates are 12/1/2011 to 11/30/2018. Assessors have the option of including more recently collected data than 12/01/2018, if available.		
# Assd:	Number of samples assessed; some data are averaged, as with profile data, some are eliminated because criteria do not apply during certain conditions such as a low flow.		
Mean Assd:	Mean of samples assessed; includes averaged methods like chronic criteria as well as geometric mean calculations for bacteria.		
# Exceed:	The number of samples that exceed criteria for single sample, or binomial, methods (not averaged data).		
Mean Exceed:	This is the mean of the samples that exceeded criteria for the single sample, or binomial, methods (not averaged data).		
Criteria:	Value that the data is compared against to determine level of support; Note: for acute metals in water, each value is compared to a calculated criterion and not all criteria could be reported here, only the minimum in the range of criteria calculated are included.		
DS Qual:	<p><i>Dataset Qualifier - indicates sample sizes:</i></p> <table style="width: 100%; border: none;"> <tr> <td style="width: 50%; vertical-align: top;"> AD = Adequate Data (10 or more samples) LD = Limited Data (less than 9, greater than 3) ID = Inadequate Data (less than 4) JQ = Level of support is based on judgment of the assessor SM = This assessment method is superseded by another method </td> <td style="width: 50%; vertical-align: top;"> TR = Temporally Not Representative, used with NA SR = Spatially Not Representative, used with NA OE = Other information than ambient samples evaluated OS = Assessment area outside state boundaries </td> </tr> </table>	AD = Adequate Data (10 or more samples) LD = Limited Data (less than 9, greater than 3) ID = Inadequate Data (less than 4) JQ = Level of support is based on judgment of the assessor SM = This assessment method is superseded by another method	TR = Temporally Not Representative, used with NA SR = Spatially Not Representative, used with NA OE = Other information than ambient samples evaluated OS = Assessment area outside state boundaries
AD = Adequate Data (10 or more samples) LD = Limited Data (less than 9, greater than 3) ID = Inadequate Data (less than 4) JQ = Level of support is based on judgment of the assessor SM = This assessment method is superseded by another method	TR = Temporally Not Representative, used with NA SR = Spatially Not Representative, used with NA OE = Other information than ambient samples evaluated OS = Assessment area outside state boundaries		
LOS:	<p><i>Level of support for this use, method, assessment parameter:</i></p> <table style="width: 100%; border: none;"> <tr> <td style="width: 50%; vertical-align: top;"> FS = Fully Supporting NC = No Concern NA = Not Assessed </td> <td style="width: 50%; vertical-align: top;"> NS = Nonsupport CS = Screening Level Concern CN = Use Concern </td> </tr> </table>	FS = Fully Supporting NC = No Concern NA = Not Assessed	NS = Nonsupport CS = Screening Level Concern CN = Use Concern
FS = Fully Supporting NC = No Concern NA = Not Assessed	NS = Nonsupport CS = Screening Level Concern CN = Use Concern		
CF:	Carry forward indicator check box: indicates that the Integrated level of support of CS, CN, or NS was carried forward from a previous assessment due to inadequate data for this method in this assessment.		
Int LOS:	Integrated level of support. This is the overall level of support for this use, method, parameter group, which could be different from the LOS (described above) due to carry forward information or other types of changes. New Code added in 2010: PI = Pending Issue		
TCEQ Cause:	This is the impairment description (e.g., bacteria, depressed dissolved oxygen, etc.)		
Cat:	<p>Category 3: Insufficient or no data and information to determine if standard is attained</p> <p>Category 4: Standard is not attained or nonattainment is predicted in the near future due to one or more parameters, but no TMDLs are required.</p> <p style="margin-left: 20px;"> 4a - All TMDLs have been completed and approved by EPA. 4b - Other pollution control requirements are reasonably expected to result in the attainment of the water quality standard in the near future. 4c - Nonattainment of the standard for one or more parameters is shown to be caused by pollution, not by pollutants and that the water quality conditions cannot be changed by the allocation and control of pollutants through the TMDL process. </p> <p>Category 5: Standard is not attained or nonattainment is predicted in the near future for one or more parameters.</p> <p style="margin-left: 20px;"> 5a - TMDLs are underway, scheduled, or may be scheduled for one or more parameters. 5b - review of the standards for one or more parameters will be conducted before a management strategy is selected, including a possible revision to the water quality standards. 5c - Additional data or information will be collected and/or evaluated for one or more parameters before a management strategy is selected. </p>		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0801

Trinity River Tidal

AUID: 0801_01

From the saltwater barrier, which is 5.5 km (3.4 mi) downstream of IH 10, in Chambers County upstream to the Lynchburg Canal in Liberty County

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	30		1	2.97	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	4	30		2	3.19	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	PCBs	12/01/11 - 11/30/18	180	1		0		ID	NA	<input type="checkbox"/>	NA		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/01/11 - 11/30/18	35	21	6.87	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
High pH	pH	12/01/11 - 11/30/18	9	31		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	31		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.46	23		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	21	29		15	29.45	AD	CS	<input type="checkbox"/>	CS	Chlorophyll-a in water	
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.10	28		1	7.64	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.66	26		0		AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	35	31		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Fluoride	12/01/11 - 11/30/18	4	22	0.26	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	28	0.47	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0801B **Old River**

AUID: 0801B_01 From IH 10 in Chambers County upstream to the confluence with East Prong Old River and West Prong Old River approximately 4.4 mi (7.0 km) north of Mont Belvieu

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	16	0		AD	FS	<input type="checkbox"/>	FS				
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	16	2	4.75	AD	NC	<input type="checkbox"/>	NC				

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	8	0		LD	NC	<input type="checkbox"/>	NC				
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	15	12	39.42	AD	CS	<input type="checkbox"/>	CS	Chlorophyll-a in water			
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	15	0		AD	NC	<input type="checkbox"/>	NC				
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	16	0		AD	NC	<input type="checkbox"/>	NC				

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0801C Cotton Bayou

AUID: 0801C_01 From the confluence of Cotton Lake southeast of Mont Belvieu in Chambers County upstream to a point (NHD RC 12040203000496) approximately 1 mi north of IH 10

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	49		4	1.55	AD	FS	<input checked="" type="checkbox"/>	NS	Depressed dissolved oxygen in water	5c
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	4	49		8	2.47	AD	CS	<input type="checkbox"/>	CS	Depressed dissolved oxygen in water	

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/01/11 - 11/30/18	35	43	137.41	1		AD	NS	<input type="checkbox"/>	NS	Bacteria in water	5c

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.46	49		4	0.80	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	21	50		21	49.52	AD	CS	<input type="checkbox"/>	CS	Chlorophyll-a in water	
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.10	51		29	6.67	AD	CS	<input type="checkbox"/>	CS	Nitrate in water	
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.66	44		15	1.58	AD	CS	<input type="checkbox"/>	CS	Total Phosphorus in water	

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0801D

Lynchburg Canal

AUID: 0801D_01 From confluence with Trinity River Tidal upstream to confluence with Big Caney Creek.

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
Acute Toxic Substances in water	Aluminum (dissolved)	12/01/11 - 11/30/18	991	12		0		AD	FS	<input type="checkbox"/>	FS			
Acute Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	340	12		0		AD	FS	<input type="checkbox"/>	FS			
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	8.83	12		0		AD	FS	<input type="checkbox"/>	FS			
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	583.72	12		0		AD	FS	<input type="checkbox"/>	FS			
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	14.60	12		0		AD	FS	<input type="checkbox"/>	FS			
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	66.69	12		0		AD	FS	<input type="checkbox"/>	FS			
Acute Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	480.09	12		0		AD	FS	<input type="checkbox"/>	FS			
Acute Toxic Substances in water	Selenium	08/01/11 - 11/30/18	20	10		0		AD	FS	<input type="checkbox"/>	FS			
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	120.15	12		0		AD	FS	<input type="checkbox"/>	FS			
Chronic Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	150	12	2.60	0		AD	FS	<input type="checkbox"/>	FS			
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	0.22	12	0.11	0		AD	FS	<input type="checkbox"/>	FS			
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	64.25	12	5	0		AD	FS	<input type="checkbox"/>	FS			
Chronic Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	8.16	12	1.50	0		AD	FS	<input type="checkbox"/>	FS			
Chronic Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	2.08	12	0.50	0		AD	FS	<input type="checkbox"/>	FS			
Chronic Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	44.87	12	5	0		AD	FS	<input type="checkbox"/>	FS			
Chronic Toxic Substances in water	Selenium	08/01/11 - 11/30/18	5	10	1.48	0		AD	FS	<input type="checkbox"/>	FS			
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	101.91	12	2.71	0		AD	FS	<input type="checkbox"/>	FS			
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	13		0		AD	FS	<input type="checkbox"/>	FS			
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	13		0		AD	NC	<input type="checkbox"/>	NC			

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	12	15.38	0		LD	NC	<input type="checkbox"/>	NC			

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0801D_01 From confluence with Trinity River Tidal upstream to confluence with Big Caney Creek.

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	13		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	12		6	26.50	AD	CS	<input type="checkbox"/>	CS	Chlorophyll-a in water	
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	13		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	13		0		AD	NC	<input type="checkbox"/>	NC		
Fish Consumption Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	38.30	12	0.50	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	11,400	12	5	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0802

Trinity River Below Lake Livingston

AUID: 0802_01

Lower 17 mi of segment

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	24		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	24		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	22	25.14	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	125	23	29.96	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	23	34.79	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	600	24	229.59	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	24		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	24		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	22		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	21		17	27.86	AD	CS	<input type="checkbox"/>	CS	Chlorophyll-a in water	
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	23		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	18		0		AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	33.90	24		0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0802_01 Lower 17 mi of segment

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	Dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	PCBs in edible tissue	5a
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	1.15	15	0.50	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	332	15	5	0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Arsenic (dissolved)	12/01/11 - 11/30/18	10	15	2.45	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Cadmium (dissolved)	12/01/11 - 11/30/18	5	15	0.15	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Fluoride	12/01/11 - 11/30/18	4	47	0.26	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Lead (dissolved)	12/01/11 - 11/30/18	1.15	15	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nickel (dissolved)	12/01/11 - 11/30/18	332	15	5	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	146	0.32	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Selenium	12/01/11 - 11/30/18	50	10	1.62	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0802_02 Approximately 9 mi upstream to approximately 15 mi downstream of SH 105

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	19	0	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	19	0	AD	NC	<input type="checkbox"/>	NC		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	600	19 231.84	0	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	19	0	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	19	0	AD	FS	<input type="checkbox"/>	FS		
Water Temperature	Water temperature	12/01/11 - 11/30/18	33.90	19	0	AD	FS	<input type="checkbox"/>	FS		

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/01/11 - 11/30/18				OE	NS	<input type="checkbox"/>	NS	Dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/01/11 - 11/30/18				OE	NS	<input type="checkbox"/>	NS	PCBs in edible tissue	5a
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	1.15	15 0.50	0	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	332	15 5	0	AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Arsenic (dissolved)	12/01/11 - 11/30/18	10	15 2.45	0	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Cadmium (dissolved)	12/01/11 - 11/30/18	5	15 0.15	0	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Fluoride	12/01/11 - 11/30/18	4	47 0.26	0	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Lead (dissolved)	12/01/11 - 11/30/18	1.15	15 0.50	0	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nickel (dissolved)	12/01/11 - 11/30/18	332	15 5	0	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	146 0.32	0	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Selenium	12/01/11 - 11/30/18	50	10 1.62	0	AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0802_03 11 mi upstream to approximately 9 mi downstream of FM 787

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	25		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	25		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	24	30.91	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	125	23	29.23	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	24	35.57	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	600	25	219.49	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	25		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	25		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	23		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	23		14	29.81	AD	CS	<input type="checkbox"/>	CS	Chlorophyll-a in water	
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	24		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	19		0		AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	33.90	25		0		AD	FS	<input type="checkbox"/>	FS		

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	PCBs in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	Dioxin in edible tissue	5a
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	1.15	15	0.50	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	332	15	5	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0802_03 11 mi upstream to approximately 9 mi downstream of FM 787

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Surface Water HH criteria for DWS average	Arsenic (dissolved)	12/01/11 - 11/30/18	10	15	2.45	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Cadmium (dissolved)	12/01/11 - 11/30/18	5	15	0.15	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Fluoride	12/01/11 - 11/30/18	4	47	0.26	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Lead (dissolved)	12/01/11 - 11/30/18	1.15	15	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nickel (dissolved)	12/01/11 - 11/30/18	332	15	5	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	146	0.32	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Selenium	12/01/11 - 11/30/18	50	10	1.62	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0802_04 5 mi upstream to 11 mi downstream of US 59

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Aluminum (dissolved)	12/01/11 - 11/30/18	991	15		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	340	15		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	10.41	15		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	670.54	15		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	17.13	15		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	80.14	15		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	554.02	15		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/01/11 - 11/30/18	20	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	138.68	15		0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	150	15	2.45	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	0.24	15	0.12	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	70.45	15	5	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	8.98	15	1.65	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	2.35	15	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	49.35	15	5	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/01/11 - 11/30/18	5	10	1.62	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	112.10	15	3.73	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	26		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	26		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	24	17.72	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0802_04 5 mi upstream to 11 mi downstream of US 59

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Dissolved Solids	Chloride	12/01/11 - 11/30/18	125	24	26.75	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	24	35.89	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	600	25	211.52	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	26		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	26		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	25		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	25		12	26.58	AD	CS	<input type="checkbox"/>	CS	Chlorophyll-a in water	
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	24		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	25		0		AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	33.90	26		0		AD	FS	<input type="checkbox"/>	FS		

Fish Consumption Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	PCBs in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	Dioxin in edible tissue	5a
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	1.15	15	0.50	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	332	15	5	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0802_04 5 mi upstream to 11 mi downstream of US 59

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Surface Water HH criteria for DWS average	Arsenic (dissolved)	12/01/11 - 11/30/18	10	15	2.45	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Cadmium (dissolved)	12/01/11 - 11/30/18	5	15	0.15	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Fluoride	12/01/11 - 11/30/18	4	47	0.26	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Lead (dissolved)	12/01/11 - 11/30/18	1.15	15	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nickel (dissolved)	12/01/11 - 11/30/18	332	15	5	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	146	0.32	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Selenium	12/01/11 - 11/30/18	50	10	1.62	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0802_05 Upper 6 mi of segment

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	80		0		AD	FS	☐	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	80		0		AD	NC	☐	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	81	8.15	0		AD	FS	☐	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	125	80	27.92	0		AD	FS	☐	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	81	37.63	0		AD	FS	☐	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	600	81	216.98	0		AD	FS	☐	FS		
High pH	pH	12/01/11 - 11/30/18	9	81		0		AD	FS	☐	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	81		0		AD	FS	☐	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	81		1	0.73	AD	NC	☐	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	77		40	22.70	AD	CS	☐	CS	Chlorophyll-a in water	
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	75		0		AD	NC	☐	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	81		0		AD	NC	☐	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	33.90	82		0		AD	FS	☐	FS		

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/01/11 - 11/30/18						OE	NS	☐	NS	Dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/01/11 - 11/30/18						OE	NS	☐	NS	PCBs in edible tissue	5a
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	1.15	15	0.50	0		AD	FS	☐	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	332	15	5	0		AD	FS	☐	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0802_05 Upper 6 mi of segment

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Surface Water HH criteria for DWS average	Arsenic (dissolved)	12/01/11 - 11/30/18	10	15	2.45	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Cadmium (dissolved)	12/01/11 - 11/30/18	5	15	0.15	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Fluoride	12/01/11 - 11/30/18	4	47	0.26	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Lead (dissolved)	12/01/11 - 11/30/18	1.15	15	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nickel (dissolved)	12/01/11 - 11/30/18	332	15	5	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	146	0.32	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Selenium	12/01/11 - 11/30/18	50	10	1.62	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0802B **Long King Creek**

AUID: 0802B_02 From just upstream of the confluence with unnamed tributary (NHD RC 12030202001817) up to the confluence with Mud Creek, in Polk County.

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	09/01/12 - 11/30/18	3	8		0		LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	09/01/12 - 11/30/18	5	8		0		LD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	10	106.08	0		LD	NC	<input checked="" type="checkbox"/>	CN	Bacteria in water	

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	10		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	10		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	10		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	10		0		AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0802D **Menard Creek**

AUID: 0802D_01 From the confluence with segment 0802 of the Trinity River up to the confluence with Meetinghouse Creek.

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	14		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	14		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	09/01/10 - 11/30/18	126	20	139.03	1		AD	CN	<input type="checkbox"/>	CN	Bacteria in water	

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	14		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	11		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	14		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	14		0		AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0802E Big Creek

AUID: 0802E_01 Perennial stream from the confluence with the Trinity River in Liberty County upstream to the confluence of Double Lake Branch and Henry Lake Branch in San Jacinto

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	13		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	13		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	13	203.07	1		LD	CN	<input type="checkbox"/>	CN	Bacteria in water	

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	13		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	13		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	13		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	13		0		AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0803

Lake Livingston

AUID: 0803_01

Lowermost portion of reservoir, adjacent to dam

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Aluminum (dissolved)	12/01/11 - 11/30/18	991	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	340	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	7.75	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	522.66	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	12.86	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	57.57	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	428.31	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/01/11 - 11/30/18	20	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	107.17	14		0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	150	14	2.38	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	0.24	14	0.12	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	70.45	14	5	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	8.98	14	2.58	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	2.35	14	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	49.35	14	5	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/01/11 - 11/30/18	5	10	1.51	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	112.10	14	3.54	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/01/11 - 11/30/18	5	1		0		SM	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/01/11 - 11/30/18	3	1		0		SM	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	29		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	29		0		AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0803_01 Lowermost portion of reservoir, adjacent to dam

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	29	1.24	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	150	257	39.76	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	50	257	50.08	1		AD	NS	<input type="checkbox"/>	NS	Sulfate in water	5b
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	340	280.37	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	28		1	9.50	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	28		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18						AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	33.90	29		0		AD	FS	<input type="checkbox"/>	FS		

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	PCBs in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	Dioxin in edible tissue	5a
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	1.15	91	0.51	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	332	91	5.10	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0803_01 Lowermost portion of reservoir, adjacent to dam

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Surface Water HH criteria for DWS average	Arsenic (dissolved)	12/01/11 - 11/30/18	10	14	2.38	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Cadmium (dissolved)	12/01/11 - 11/30/18	5	14	0.15	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Lead (dissolved)	12/01/11 - 11/30/18	1.15	14	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nickel (dissolved)	12/01/11 - 11/30/18	332	14	5	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	26	0.30	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Selenium	12/01/11 - 11/30/18	50	10	1.51	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0803_02 Lower portion of reservoir, East Wolf Creek

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/01/11 - 11/30/18	5	4		0		LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/01/11 - 11/30/18	3	4		0		LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	3		0		SM	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	3		0		SM	NA	<input type="checkbox"/>	NA		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	150	257	39.76	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	50	257	50.08	1		AD	NS	<input type="checkbox"/>	NS	Sulfate in water	5b
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	340	280.37	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	3		0		ID	NA	<input type="checkbox"/>	NA		
Low pH	pH	12/01/11 - 11/30/18	6.50	3		0		ID	NA	<input type="checkbox"/>	NA		
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18						AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	33.90	3		0		ID	NA	<input type="checkbox"/>	NA		

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	PCBs in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	Dioxin in edible tissue	5a
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	1.15	91	0.51	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	332	91	5.10	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0803_03 Lower portion of reservoir, East Willow Springs

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/01/11 - 11/30/18	5	6		0		LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/01/11 - 11/30/18	3	6		0		LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	5		0		SM	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	5		0		SM	NA	<input type="checkbox"/>	NA		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	150	257	39.76	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	50	257	50.08	1		AD	NS	<input type="checkbox"/>	NS	Sulfate in water	5b
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	340	280.37	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	5		0		LD	NC	<input type="checkbox"/>	NC		
Low pH	pH	12/01/11 - 11/30/18	6.50	5		0		LD	NC	<input type="checkbox"/>	NC		
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18						AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	33.90	5		0		LD	NC	<input type="checkbox"/>	NC		

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	PCBs in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	Dioxin in edible tissue	5a
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	1.15	91	0.51	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	332	91	5.10	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0803_04 Middle portion of reservoir, East Pointblank

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/01/11 - 11/30/18	5	10		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/01/11 - 11/30/18	3	10		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	11		0		SM	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	11		0		SM	NA	<input type="checkbox"/>	NA		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	1	1	0		ID	NA	<input type="checkbox"/>	NA		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	150	257	39.76	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	50	257	50.08	1		AD	NS	<input type="checkbox"/>	NS	Sulfate in water	5b
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	340	280.37	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	11		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	11		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18						AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	33.90	11		0		AD	FS	<input type="checkbox"/>	FS		

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	PCBs in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	Dioxin in edible tissue	5a
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	1.15	91	0.51	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	332	91	5.10	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0803_04 Middle portion of reservoir, East Pointblank

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	1	0.06	0		ID	NA	<input type="checkbox"/>	NA	

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0803_05 Middle portion of reservoir, downstream of Kickapoo Creek

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Aluminum (dissolved)	12/01/11 - 11/30/18	991	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	340	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	7.75	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	522.66	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	12.86	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	57.57	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	428.31	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/01/11 - 11/30/18	20	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	107.17	14		0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	150	14	2.45	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	0.24	14	0.12	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	70.45	14	5	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	8.98	14	1.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	2.35	14	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	49.35	14	5	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/01/11 - 11/30/18	5	10	1.34	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	112.10	14	2.93	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	26		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	26		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	25	4.45	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0803_05 Middle portion of reservoir, downstream of Kickapoo Creek

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	150	26	25.41	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	50	257	50.08	0		AD	NS	<input type="checkbox"/>	NS	Sulfate in water	5b
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	26	200.41	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	26		2	9.35	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	26		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18						AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	33.90	26		1	34.00	AD	FS	<input type="checkbox"/>	FS		
Fish Consumption Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	PCBs in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	Dioxin in edible tissue	5a
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	1.15	91	0.51	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	332	91	5.10	0		AD	FS	<input type="checkbox"/>	FS		
Domestic Water Supply Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Arsenic (dissolved)	12/01/11 - 11/30/18	10	14	2.45	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Cadmium (dissolved)	12/01/11 - 11/30/18	5	14	0.15	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Lead (dissolved)	12/01/11 - 11/30/18	1.15	14	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nickel (dissolved)	12/01/11 - 11/30/18	332	14	5	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	23	0.13	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Selenium	12/01/11 - 11/30/18	50	10	1.34	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0803_06 Middle portion of reservoir, centering on US 190

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Aluminum (dissolved)	12/01/11 - 11/30/18	991	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	340	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	10.74	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	688.49	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	17.66	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	82.98	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	569.35	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/01/11 - 11/30/18	20	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	142.53	14		0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	150	14	2.91	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	0.24	14	0.12	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	70.45	14	5	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	8.98	14	2.46	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	2.35	14	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	49.35	14	5	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/01/11 - 11/30/18	5	10	1.53	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	112.10	14	3.36	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	26		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	26		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	26	2.91	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0803_06 Middle portion of reservoir, centering on US 190

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	150	26	29.55	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	50	257	50.08	0		AD	NS	<input type="checkbox"/>	NS	Sulfate in water	5b
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	26	231.09	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	25		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	25		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18						AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	33.90	26		0		AD	FS	<input type="checkbox"/>	FS		
Fish Consumption Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	PCBs in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	Dioxin in edible tissue	5a
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	1.15	91	0.51	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	332	91	5.10	0		AD	FS	<input type="checkbox"/>	FS		
Domestic Water Supply Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Arsenic (dissolved)	12/01/11 - 11/30/18	10	14	2.91	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Cadmium (dissolved)	12/01/11 - 11/30/18	5	14	0.15	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Lead (dissolved)	12/01/11 - 11/30/18	1.15	14	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nickel (dissolved)	12/01/11 - 11/30/18	332	14	5	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	23	0.52	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Selenium	12/01/11 - 11/30/18	50	10	1.53	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0803_07 Upper portion of reservoir, west of Carlisle

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Aluminum (dissolved)	12/01/11 - 11/30/18	991	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	340	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	14.04	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	862.91	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	22.89	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	111.62	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	718.91	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/01/11 - 11/30/18	20	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	180.03	14		0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	150	14	2.92	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	0.24	14	0.12	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	70.45	14	5	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	8.98	14	1.76	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	2.35	14	0.54	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	49.35	14	5	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/01/11 - 11/30/18	5	10	1.76	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	112.10	14	3.68	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	26		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	26		1	4.60	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	26	12.76	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0803_07 Upper portion of reservoir, west of Carlisle

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	150	27	36.66	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	50	257	50.08	0		AD	NS	<input type="checkbox"/>	NS	Sulfate in water	5b
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	27	271.00	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	26		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	26		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18						AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	33.90	27		0		AD	FS	<input type="checkbox"/>	FS		
Fish Consumption Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	Dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	PCBs in edible tissue	5a
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	1.15	91	0.51	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	332	91	5.10	0		AD	FS	<input type="checkbox"/>	FS		
Domestic Water Supply Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Arsenic (dissolved)	12/01/11 - 11/30/18	10	14	2.92	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Cadmium (dissolved)	12/01/11 - 11/30/18	5	14	0.15	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Lead (dissolved)	12/01/11 - 11/30/18	1.15	14	0.54	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nickel (dissolved)	12/01/11 - 11/30/18	332	14	5	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	22	1.34	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Selenium	12/01/11 - 11/30/18	50	10	1.76	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0803_08 Cove off upper portion of reservoir, East Trinity

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/01/11 - 11/30/18	5	12		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/01/11 - 11/30/18	3	12		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	10		0		SM	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	10		0		SM	NA	<input type="checkbox"/>	NA		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	150	257	39.76	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	50	257	50.08	1		AD	NS	<input type="checkbox"/>	NS	Sulfate in water	5b
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	22	304.61	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	10		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	10		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18						AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	33.90	10		1	34.20	AD	FS	<input type="checkbox"/>	FS		

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	Dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	PCBs in edible tissue	5a
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	1.15	91	0.51	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	332	91	5.10	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0803_09 West Carolina Creek cove, off upper portion of reservoir

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5					ID	NA	<input checked="" type="checkbox"/>	CS	Depressed dissolved oxygen in water	

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	150	257	39.76	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	50	257	50.08	1		AD	NS	<input type="checkbox"/>	NS	Sulfate in water	5b
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	340	280.37	0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18						AD	NC	<input type="checkbox"/>	NC		

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	PCBs in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	Dioxin in edible tissue	5a
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	1.15	91	0.51	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	332	91	5.10	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0803_10

Upper portion of reservoir, centering on SH 19

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Aluminum (dissolved)	12/01/11 - 11/30/18	991	20		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	340	20		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	10.83	20		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	692.96	20		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	17.79	20		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	83.69	20		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	573.17	20		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/01/11 - 11/30/18	20	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	143.49	20		0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	150	18	2.75	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	0.24	18	0.14	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	70.45	18	5	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	8.98	18	2.66	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	2.35	18	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	49.35	18	5.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/01/11 - 11/30/18	5	11	1.44	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	112.10	18	4.67	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/01/11 - 11/30/18	5	12		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/01/11 - 11/30/18	3	12		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	82		0		SM	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	82		2	4.85	SM	NA	<input type="checkbox"/>	NA		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	73	11.24	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0803_10 Upper portion of reservoir, centering on SH 19

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	150	74	45.36	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	50	74	55.72	1		AD	NS	<input type="checkbox"/>	NS	Sulfate in water	5b
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	96	315.05	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	84		3	9.20	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	84		2	6.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18						AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	33.90	84		0		AD	FS	<input type="checkbox"/>	FS		
Fish Consumption Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	PCBs in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	Dioxin in edible tissue	5a
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	1.15	91	0.51	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	332	91	5.10	0		AD	FS	<input type="checkbox"/>	FS		
Domestic Water Supply Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Arsenic (dissolved)	12/01/11 - 11/30/18	10	18	2.75	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Cadmium (dissolved)	12/01/11 - 11/30/18	5	18	0.17	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Lead (dissolved)	12/01/11 - 11/30/18	1.15	18	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nickel (dissolved)	12/01/11 - 11/30/18	332	18	5.50	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	68	3.06	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Selenium	12/01/11 - 11/30/18	50	11	1.44	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0803_11 Riverine portion of reservoir, centering on SH 21

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Aluminum (dissolved)	12/01/11 - 11/30/18	991	19		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	340	19		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	11.65	19		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	737.34	19		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	19.11	19		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	90.83	19		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	611.13	19		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/01/11 - 11/30/18	20	11		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	153.00	19		0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	150	17	2.66	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	0.24	17	0.12	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	70.45	17	5	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	8.98	17	1.81	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	2.35	17	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	49.35	17	5	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/01/11 - 11/30/18	5	9	1.84	0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	112.10	17	4.76	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	72		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	72		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	73	51.92	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0803_11 Riverine portion of reservoir, centering on SH 21

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	150	74	48.43	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	50	74	60.17	1		AD	NS	<input type="checkbox"/>	NS	Sulfate in water	5b
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	74	318.47	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	74		4	9.15	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	74		1	6.40	AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18						AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	33.90	74		0		AD	FS	<input type="checkbox"/>	FS		
Fish Consumption Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	PCBs in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	Dioxin in edible tissue	5a
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	1.15	91	0.51	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	332	91	5.10	0		AD	FS	<input type="checkbox"/>	FS		
Domestic Water Supply Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Arsenic (dissolved)	12/01/11 - 11/30/18	10	17	2.66	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Cadmium (dissolved)	12/01/11 - 11/30/18	5	17	0.15	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Lead (dissolved)	12/01/11 - 11/30/18	1.15	17	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nickel (dissolved)	12/01/11 - 11/30/18	332	17	5	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	67	3.89	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Selenium	12/01/11 - 11/30/18	50	9	1.84	0		LD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0803_12 Remainder of reservoir

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	150	257	39.76	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	50	257	50.08	1		AD	NS	<input type="checkbox"/>	NS	Sulfate in water	5b
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	340	280.37	0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18						AD	NC	<input type="checkbox"/>	NC		

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	PCBs in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	Dioxin in edible tissue	5a
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	1.15	91	0.51	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	332	91	5.10	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0803A **Harmon Creek**

AUID: 0803A_01 A 16 mi (25.7 km) stretch of Harmon Creek extending from Lake Livingston (normal pool elevation of 131 feet) upstream to the confluence of East Fork Harmon Creek.

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	13		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	13		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	13	73.37	0		LD	NC	<input type="checkbox"/>	NC		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	13		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	13		4	29.50	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	10		9	6.56	AD	CS	<input type="checkbox"/>	CS	Nitrate in water	
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	13		12	1.15	AD	CS	<input type="checkbox"/>	CS	Total Phosphorus in water	

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0803B

White Rock Creek

AUID: 0803B_01

Lower 25 mi of segment

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	13		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	13		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	13	33.91	0		LD	NC	<input type="checkbox"/>	NC		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	13		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	12		7	35.00	AD	CS	<input type="checkbox"/>	CS	Chlorophyll-a in water	
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	12		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	13		0		AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0803E Nelson Creek

AUID: 0803E_01 From the confluence with segment 0803 Trinity River, to upper end of Nelson Creek NHD RC 12030202005424

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Aluminum (dissolved)	12/01/11 - 11/30/18	991	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	340	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	6.07	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	425.43	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	10.15	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	43.71	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	346.27	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/01/11 - 11/30/18	20	8		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	86.62	10		0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	150	10	1.65	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	0.24	10	0.12	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	70.45	10	5	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	8.98	10	1.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	2.35	10	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	49.35	10	6.20	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/01/11 - 11/30/18	5	8	1.23	0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	112.10	10	5.70	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	2	14		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	14		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	14	73.44	0		LD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0803E_01 From the confluence with segment 0803 Trinity River, to upper end of Nelson Creek NHD RC 12030202005424

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	14		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	12		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	12		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	14		0		AD	NC	<input type="checkbox"/>	NC		
Fish Consumption Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	38.30	10	0.50	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	11,400	10	6.20	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0803F **Bedias Creek**

AUID: 0803F_01 From the confluence with segment 0803 Trinity River up to confluence with Poole Creek (NHD RC 12030202000572)

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Aluminum (dissolved)	12/01/11 - 11/30/18	991	3		0		ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	340	3		0		ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	5.97	3		0		ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	419.45	3		0		ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	9.98	3		0		ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	42.88	3		0		ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	341.24	3		0		ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Selenium	12/01/11 - 11/30/18	20	1		0		ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	85.36	3		0		ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	150	3	1.50	0		ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	0.24	3	0.12	0		ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	70.45	3	5	0		ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	8.98	3	1.50	0		ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	2.35	3	0.50	0		ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	49.35	3	11.33	0		ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Selenium	12/01/11 - 11/30/18	5	1	1	0		ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	112.10	3	11.33	0		ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	11/30/08 - 11/30/18	3	10		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	11/30/08 - 11/30/18	5	10		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	6	38.08	0		ID	NA	<input checked="" type="checkbox"/>	CN	Bacteria in water	

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0803F_01 From the confluence with segment 0803 Trinity River up to confluence with Poole Creek (NHD RC 12030202000572)

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
Nutrient Screening Levels	Ammonia	11/30/08 - 11/30/18	0.33	10		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	6		4	46.00	LD	CS	<input type="checkbox"/>	CS	Chlorophyll-a in water	
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	6		0		LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	11/30/08 - 11/30/18	0.69	10		0		AD	NC	<input type="checkbox"/>	NC		
Fish Consumption Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	3.83	10	0.50	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	1,140	10	6.90	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0803F_02 From the confluence with Poole Creek (NHD RC 12030202000572) to upper end of NHD RC Bedias Creek (NHD RC 12030202000350)

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Aluminum (dissolved)	12/01/08 - 11/30/18	991	7		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Arsenic (dissolved)	12/01/08 - 11/30/18	340	7		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/08 - 11/30/18	6.15	7		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/08 - 11/30/18	430.40	7		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Copper (dissolved)	12/01/08 - 11/30/18	10.28	7		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Lead (dissolved)	12/01/08 - 11/30/18	44.39	7		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Nickel (dissolved)	12/01/08 - 11/30/18	350.45	7		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Selenium	12/01/08 - 11/30/18	20	7		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/08 - 11/30/18	87.67	7		0		LD	NC	<input checked="" type="checkbox"/>	CN	Zinc in water	
Chronic Toxic Substances in water	Arsenic (dissolved)	12/01/08 - 11/30/18	150	7	2.23	0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/08 - 11/30/18	0.24	7	0.12	0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/08 - 11/30/18	70.45	7	5	0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/08 - 11/30/18	8.98	7	1.73	0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/08 - 11/30/18	2.35	7	0.50	0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Nickel (dissolved)	12/01/08 - 11/30/18	49.35	7	5	0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Selenium	12/01/08 - 11/30/18	5	7	1.39	0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/08 - 11/30/18	112.10	7	6.79	0		LD	NC	<input checked="" type="checkbox"/>	CN	Zinc in water	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/08 - 11/30/18	3	7		0		LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/08 - 11/30/18	5	7		0		LD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	12/01/08 - 11/30/18	126	7	219.65	1		LD	CN	<input type="checkbox"/>	CN	Bacteria in water	

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0803F_02 From the confluence with Poole Creek (NHD RC 12030202000572) to upper end of NHD RC Bédias Creek (NHD RC 12030202000350)

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
Nutrient Screening Levels	Ammonia	12/01/08 - 11/30/18	0.33	8		1	0.80	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/08 - 11/30/18	14.10	8		1	17.00	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/08 - 11/30/18	1.95	7		2	5.06	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/08 - 11/30/18	0.69	8		1	0.71	LD	NC	<input type="checkbox"/>	NC		
Fish Consumption Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	3.83	10	0.50	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	1,140	10	6.90	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0803G **Lake Madisonville**

AUID: 0803G_01 From Lake Madisonville Dam in Madison County up to the normal pool elevation of 285 feet (impounds Town Branch)

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0803G_01 From Lake Madisonville Dam in Madison County up to the normal pool elevation of 285 feet (impounds Town Branch)

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Aluminum (dissolved)	11/30/08 - 11/30/18	991	9		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Arsenic (dissolved)	11/30/08 - 11/30/18	340	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium (dissolved)	11/30/08 - 11/30/18	8.08	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	11/30/08 - 11/30/18	216.36	9		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Copper (dissolved)	11/30/08 - 11/30/18	13.40	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead (dissolved)	11/30/08 - 11/30/18	60.37	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Mercury	11/30/08 - 11/30/18	2.40	8		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Nickel (dissolved)	11/30/08 - 11/30/18	172.22	9		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Selenium	11/30/08 - 11/30/18	20	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc (dissolved)	11/30/08 - 11/30/18	43.03	9		0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Arsenic (dissolved)	11/30/08 - 11/30/18	150	10	1.37	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium (dissolved)	11/30/08 - 11/30/18	0.24	10	0.06	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	11/30/08 - 11/30/18	70.45	9	2	0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Copper (dissolved)	11/30/08 - 11/30/18	8.98	10	0.75	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead (dissolved)	11/30/08 - 11/30/18	2.35	10	0.14	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Mercury	11/30/08 - 11/30/18	1.30	8	0.00	0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Nickel (dissolved)	11/30/08 - 11/30/18	49.35	9	2.50	0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Selenium	11/30/08 - 11/30/18	5	10	0.36	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc (dissolved)	11/30/08 - 11/30/18	112.10	9	2.82	0		LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	11/30/08 - 11/30/18	3	12		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	11/30/08 - 11/30/18	5	12		1	4.57	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Arsenic	12/01/08 - 11/30/18	33	10		0		AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Cadmium	12/01/08 - 11/30/18	4.98	10		0		AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chromium	12/01/08 - 11/30/18	111	10		0		AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Copper	12/01/08 - 11/30/18	149	10		0		AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Iron	12/01/08 - 11/30/18	40,000	10		0		AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0803G_01 From Lake Madisonville Dam in Madison County up to the normal pool elevation of 285 feet (impounds Town Branch)

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Toxic Substances in sediment	Lead	12/01/08 - 11/30/18	128	10		0		AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Manganese	12/01/08 - 11/30/18	1,100	10		0		AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Mercury	12/01/08 - 11/30/18	1.06	9		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Nickel	12/01/08 - 11/30/18	48.60	10		0		AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Silver	12/01/08 - 11/30/18	1.70	10		0		AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Zinc	12/01/08 - 11/30/18	459	10		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	7	3.60	0		LD	NC	<input type="checkbox"/>	NC		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Nutrient Screening Levels	Ammonia	11/30/08 - 11/30/18	0.11	12		0		JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Chlorophyll-a	11/30/08 - 11/30/18	26.70	12		9	44.14	JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Nitrate	11/30/08 - 11/30/18	0.37	12		0		JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	11/30/08 - 11/30/18	0.20	12		2	0.25	JQ	NA	<input type="checkbox"/>	NA		

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	Mercury in edible tissue	5c
HH Bioaccumulative Toxics in water	Lead (dissolved)	11/30/08 - 11/30/18	3.83	10	0.14	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Mercury	11/30/08 - 11/30/18	0.01	8	0.00	0		LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	11/30/08 - 11/30/18	1,140	9	2.50	0		LD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0804

Trinity River Above Lake Livingston

AUID: 0804_01

From the lower end of the segment up to just above the confluence with Hurricane Bayou in Houston County.

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Acute Toxic Substances in water	Aluminum (dissolved)	12/01/11 - 11/30/18	991	17		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	340	17		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	14.04	17		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	862.91	17		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	22.89	17		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	111.62	17		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	718.91	17		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/01/11 - 11/30/18	20	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	180.03	17		0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	150	15	2.59	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	0.28	15	0.14	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	87.22	15	5	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	11.22	15	2.28	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	3.12	15	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	61.53	15	5	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/01/11 - 11/30/18	5	9	2.03	0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	139.82	15	5.27	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	68		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	68		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	75	64.36	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0804_01 From the lower end of the segment up to just above the confluence with Hurricane Bayou in Houston County.

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
				#	Value	#	Value						
Dissolved Solids	Chloride	12/01/11 - 11/30/18	150	76	48.35	0		AD	FS	☐	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	150	76	61.24	0		AD	FS	☐	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	600	76	318.14	0		AD	FS	☐	FS		
High pH	pH	12/01/11 - 11/30/18	9	70		2	9.25	AD	FS	☐	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	70		0		AD	FS	☐	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	76		0		AD	NC	☐	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	72		24	47.04	AD	CS	☐	CS	Chlorophyll-a in water	
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	70		46	5.09	AD	CS	☐	CS	Nitrate in water	
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	76		26	1.09	AD	CS	☐	CS	Total Phosphorus in water	
Water Temperature	Water temperature	12/01/11 - 11/30/18	33.90	70		0		AD	FS	☐	FS		

Fish Consumption Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
				#	Value	#	Value						
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/01/11 - 11/30/18						OE	NS	☐	NS	PCBs in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/01/11 - 11/30/18						OE	NS	☐	NS	Dioxin in edible tissue	5a
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	1.15	43	0.59	0		AD	FS	☐	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	332	41	4.60	0		AD	FS	☐	FS		

Domestic Water Supply Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
				#	Value	#	Value						
Surface Water HH criteria for DWS average	Arsenic (dissolved)	12/01/11 - 11/30/18	10	17	2.91	0		AD	FS	☐	FS		
Surface Water HH criteria for DWS average	Cadmium (dissolved)	12/01/11 - 11/30/18	5	17	0.15	0		AD	FS	☐	FS		
Surface Water HH criteria for DWS average	Lead (dissolved)	12/01/11 - 11/30/18	1.15	17	0.50	0		AD	FS	☐	FS		
Surface Water HH criteria for DWS average	Nickel (dissolved)	12/01/11 - 11/30/18	332	17	5	0		AD	FS	☐	FS		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	70	3.77	0		AD	FS	☐	FS		
Surface Water HH criteria for DWS average	Selenium	12/01/11 - 11/30/18	50	10	2.09	0		AD	FS	☐	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0804_02 From just upstream of the confluence with Hurricane Bayou up to just above the confluence with Boons Creek.

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
				#	Value	#	Value						
Dissolved Solids	Chloride	12/01/11 - 11/30/18	150	130	51.13	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	150	130	64.73	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	600	130	342.55	0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18						ID	NA	<input checked="" type="checkbox"/>	CS	Chlorophyll-a in water	
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18						ID	NA	<input checked="" type="checkbox"/>	CS	Nitrate in water	
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18						ID	NA	<input checked="" type="checkbox"/>	CS	Total Phosphorus in water	
Fish Consumption Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
				#	Value	#	Value						
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	PCBs in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	Dioxin in edible tissue	5a
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	1.15	43	0.59	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	332	41	4.60	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0804_03 From just upstream of the confluence with Boons Creek up to just above the confluence with Caney Creek.

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	150	130	51.13	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	150	130	64.73	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	600	130	342.55	0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18						ID	NA	<input checked="" type="checkbox"/>	CS	Nitrate in water	

Fish Consumption Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	PCBs in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	Dioxin in edible tissue	5a
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	1.15	43	0.59	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	332	41	4.60	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0804_04 From the confluence with Caney Creek up to just above the confluence with Indian Creek in Anderson County.

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Aluminum (dissolved)	05/01/10 - 11/30/18	991	10		1	6,389.84	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	340	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	16.83	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	1,005.17	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	27.29	12		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	136.14	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	841.66	12		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	210.82	13		0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	150	13	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	0.28	13	0.14	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	87.22	13	3.01	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	11.22	12	2.85	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	3.12	13	0.80	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	61.53	12	4.45	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	139.82	13	4.93	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	25		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	25		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	27	61.77	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0804_04

From the confluence with Caney Creek up to just above the confluence with Indian Creek in Anderson County.

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	150	27	52.22	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	150	27	66.65	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	600	27	359.52	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	26		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	26		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	27		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	26		10	52.30	AD	CS	<input type="checkbox"/>	CS	Chlorophyll-a in water	
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	26		17	6.41	AD	CS	<input type="checkbox"/>	CS	Nitrate in water	
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	27		12	1.02	AD	CS	<input type="checkbox"/>	CS	Total Phosphorus in water	
Water Temperature	Water temperature	12/01/11 - 11/30/18	33.90	26		0		AD	FS	<input type="checkbox"/>	FS		

Fish Consumption Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	PCBs in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	Dioxin in edible tissue	5a
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	1.15	43	0.59	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	332	41	4.60	0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Arsenic (dissolved)	12/01/11 - 11/30/18	10	13	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Cadmium (dissolved)	12/01/11 - 11/30/18	5	13	0.15	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Lead (dissolved)	12/01/11 - 11/30/18	1.15	13	0.80	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nickel (dissolved)	12/01/11 - 11/30/18	332	12	4.45	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	26	4.64	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0804_05 From just above the confluence with Indian Creek in Anderson County up to just above the confluence with Tehuacana Creek.

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	150	130	51.13	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	150	130	64.73	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	600	130	342.55	0		AD	FS	<input type="checkbox"/>	FS		

Fish Consumption Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	Dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	PCBs in edible tissue	5a
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	1.15	43	0.59	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	332	41	4.60	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0804_06 From just above the confluence with Tehuacana Creek to just above the confluence with Richland Creek.

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	150	130	51.13	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	150	130	64.73	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	600	130	342.55	0		AD	FS	<input type="checkbox"/>	FS		

Fish Consumption Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	PCBs in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	Dioxin in edible tissue	5a
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	1.15	43	0.59	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	332	41	4.60	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0804_07 From just above the confluence with Richland Creek in Henderson County, up to the upper end of the segment.

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Aluminum (dissolved)	12/01/11 - 11/30/18	991	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	340	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	21.39	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	1,230.39	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	34.43	12		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	176.69	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	1,037.14	12		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	259.87	13		0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	150	12	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	0.28	12	0.14	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	87.22	12	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	11.22	11	2.82	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	3.12	12	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	61.53	11	4.02	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	139.82	12	6.31	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	24		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	24		1	4.60	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	27	41.78	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0804_07

From just above the confluence with Richland Creek in Henderson County, up to the upper end of the segment.

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	150	27	57.86	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	150	27	72.64	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	600	27	394.26	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	25		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	25		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	27		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	26		14	33.64	AD	CS	<input type="checkbox"/>	CS	Chlorophyll-a in water	
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	26		21	7.49	AD	CS	<input type="checkbox"/>	CS	Nitrate in water	
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	27		17	1.36	AD	CS	<input type="checkbox"/>	CS	Total Phosphorus in water	
Water Temperature	Water temperature	12/01/11 - 11/30/18	33.90	25		0		AD	FS	<input type="checkbox"/>	FS		

Fish Consumption Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	Dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	PCBs in edible tissue	5a
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	1.15	43	0.59	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	332	41	4.60	0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Arsenic (dissolved)	12/01/11 - 11/30/18	10	13	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Cadmium (dissolved)	12/01/11 - 11/30/18	5	13	0.15	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Lead (dissolved)	12/01/11 - 11/30/18	1.15	13	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nickel (dissolved)	12/01/11 - 11/30/18	332	12	4.17	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	26	6.27	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0804F **Tehuacana Creek**

AUID: 0804F_01 A 27 mi stretch of Tehuacana Creek extending from the confluence with 0804 of the Trinity River up to the confluence with Caney Creek (NHD RC 120302010000226).

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Value	Exceedances #	Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Acute Toxic Substances in water	Aluminum (dissolved)	12/01/11 - 11/30/18	991	4		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Arsenic (dissolved)	11/30/08 - 11/30/18	340	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium (dissolved)	11/30/08 - 11/30/18	10.41	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	1,217.92	4		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Copper (dissolved)	11/30/08 - 11/30/18	17.13	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead (dissolved)	11/30/08 - 11/30/18	80.14	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Mercury	11/30/08 - 11/30/18	2.40	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	1,026.28	4		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Selenium	11/30/08 - 11/30/18	20	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	257.15	4		0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Arsenic (dissolved)	11/30/08 - 11/30/18	150	10	2.81	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium (dissolved)	11/30/08 - 11/30/18	0.28	10	0.06	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	87.22	4	2	0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Copper (dissolved)	11/30/08 - 11/30/18	11.22	10	1.37	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead (dissolved)	11/30/08 - 11/30/18	3.12	10	0.16	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Mercury	11/30/08 - 11/30/18	1.30	10	0.01	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	61.53	4	2.50	0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Selenium	11/30/08 - 11/30/18	5	10	0.38	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	139.82	4	2	0		LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	2	11		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	11		0		AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0804F_01 A 27 mi stretch of Tehuacana Creek extending from the confluence with 0804 of the Trinity River up to the confluence with Caney Creek (NHD RC 120302010000226).

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	9	148.51	1		LD	CN	<input type="checkbox"/>	CN	Bacteria in water	

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	11		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	10		4	32.93	AD	CS	<input type="checkbox"/>	CS	Chlorophyll-a in water	
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	11		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	10		0		AD	NC	<input type="checkbox"/>	NC		

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/08 - 11/30/18	38.30	10	0.16	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Mercury	12/01/08 - 11/30/18	0.12	10	0.01	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/08 - 11/30/18	11,400	9	2.50	0		LD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0804F_02 A 28.4 mi (45.7 km) stretch of Tehuacana Creek extending from the confluence with Caney Creek to the upper end (NHD RC 120302010000225) of Tehuacana Creek.

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	07/01/10 - 11/30/18	2	10		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	07/01/10 - 11/30/18	3	10		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	8	2,016.33	1		LD	CN	<input type="checkbox"/>	CN	Bacteria in water	

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	8		2	0.38	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	8		0		LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	8		1	1.20	LD	NC	<input type="checkbox"/>	NC		

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/08 - 11/30/18	38.30	10	0.16	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Mercury	12/01/08 - 11/30/18	0.12	10	0.01	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/08 - 11/30/18	11,400	9	2.50	0		LD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0804G **Catfish Creek**

AUID: 0804G_01 A 20 mi stretch of Catfish Creek running upstream from US 287 in Anderson Co., to Catfish Creek Ranch Lake just upstream of SH 19 in Henderson Co.

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/01/11 - 11/30/18	5					SM	NA	<input checked="" type="checkbox"/>	NS	Depressed dissolved oxygen in water	5b
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/01/11 - 11/30/18	3					SM	NA	<input checked="" type="checkbox"/>	CN	Depressed dissolved oxygen in water	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	24		2	2.35	AD	FS	<input checked="" type="checkbox"/>	NS	Depressed dissolved oxygen in water	5b
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	24		10	3.50	AD	CS	<input type="checkbox"/>	CS	Depressed dissolved oxygen in water	
Fish community (Regional)	Fish Community	12/01/11 - 11/30/18	42	4	50			TR	NC	<input type="checkbox"/>	NA		
Habitat	Habitat	12/01/11 - 11/30/18	20	4	18			TR	CS	<input type="checkbox"/>	NA		
Macrobenthic community (Qualitative)	Macrobenthic Community	12/01/11 - 11/30/18	30	3	31			TR	NC	<input type="checkbox"/>	NA		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	20	282.89	1		AD	NS	<input type="checkbox"/>	NS	Bacteria in water	5b

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	23		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	22		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	24		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	21		0		AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0804H **Upper Keechi Creek**

AUID: 0804H_01 From the confluence with segment 0804 Trinity River up to confluence with Twin Branch (NHD RC 12030201027099)

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Aluminum (dissolved)	12/01/11 - 11/30/18	991	3		0		ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	340	4		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	9.86	4		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	640.51	3		0		ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	16.25	4		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	75.43	4		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Mercury	12/01/11 - 11/30/18	2.40	4		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	528.41	3		0		ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Selenium	12/01/11 - 11/30/18	20	4		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	132.26	3		0		ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	150	4	1.13	0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	0.28	4	0.10	0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	87.22	3	1.50	0		ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	11.22	4	0.93	0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	3.12	4	0.27	0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Mercury	12/01/11 - 11/30/18	1.30	4	0.01	0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	61.53	3	5.47	0		ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Selenium	12/01/11 - 11/30/18	5	4	1.13	0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	139.82	3	3.35	0		ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/01/11 - 11/30/18	5					SM	NA	<input checked="" type="checkbox"/>	NS	Depressed dissolved oxygen in water	5b
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/01/11 - 11/30/18	3					SM	NA	<input checked="" type="checkbox"/>	NS	Depressed dissolved oxygen in water	5b
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	25		0		AD	FS	<input checked="" type="checkbox"/>	NS	Depressed dissolved oxygen in water	5b
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	25		2	4.55	AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0804H_01 From the confluence with segment 0804 Trinity River up to confluence with Twin Branch (NHD RC 12030201027099)

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	20	140.99	1		AD	CN	<input type="checkbox"/>	CN	Bacteria in water	

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	24		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	23		6	47.47	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	25		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	21		0		AD	NC	<input type="checkbox"/>	NC		

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	3.83	4	0.27	0		LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Mercury	12/01/11 - 11/30/18	0.01	4	0.01	0		LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	1,140	3	5.47	0		ID	NA	<input type="checkbox"/>	NA		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0804J

Fairfield Lake

AUID: 0804J_01

Impounded Big Brown Creek in Freestone County

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0804J_01 Impounded Big Brown Creek in Freestone County

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Value	Exceedances #	Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	28		1	1.83	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	28		2	2.48	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	1,1,1-Trichloroethane	12/01/11 - 11/30/18	24,790	2		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	1,1,2,2-Tetrachloroethane	12/01/11 - 11/30/18	3,800	2		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	1,1,2-Trichloroethane	12/01/11 - 11/30/18	5,880	2		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	1,1-Dichloroethane	12/01/11 - 11/30/18	13,890	2		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	1,1-Dichloroethylene	12/01/11 - 11/30/18	11,200	2		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	1,2,4,5-Tetrachlorobenzene	12/01/11 - 11/30/18	1,590	4		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	1,2,4-Trichlorobenzene	12/01/11 - 11/30/18	5,310	4		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	1,2-Dichlorobenzene	12/01/11 - 11/30/18	4,950	4		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	1,2-Dichloroethane	12/01/11 - 11/30/18	28,680	2		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	1,2-Dichloroethene (trans)	12/01/11 - 11/30/18	71,840	2		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	1,2-Dichloropropane	12/01/11 - 11/30/18	21,120	2		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	1,3-Dichlorobenzene	12/01/11 - 11/30/18	350	4		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	1,4-Dichlorobenzene	12/01/11 - 11/30/18	4,650	4		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	2,4-dinitrotoluene	12/01/11 - 11/30/18	8,020	4		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	2-hexanone	12/01/11 - 11/30/18	28,200	2		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	2-Methylnaphthalene	12/01/11 - 11/30/18	201	1		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	3-Methyl-4-chlorophenol	12/01/11 - 11/30/18	5,620	4		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	4-Methyl-2-Pentanone (MIBK)	12/01/11 - 11/30/18	116,590	2		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Acenaphthene	12/01/11 - 11/30/18	88.90	4		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Acenaphthylene	12/01/11 - 11/30/18	128	4		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Acetone	12/01/11 - 11/30/18	360,180	2		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Acrylonitrile	12/01/11 - 11/30/18	1,650	2		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Aldrin	12/01/11 - 11/30/18	80	3		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	alpha-BHC	12/01/11 - 11/30/18	100	4		0		LD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0804J_01 Impounded Big Brown Creek in Freestone County

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Toxic Substances in sediment	Anthracene	12/01/11 - 11/30/18	845	4	0	LD	NC	<input type="checkbox"/>	NC				
Toxic Substances in sediment	Arachlor 1016	12/01/11 - 11/30/18	530	4	0	LD	NC	<input type="checkbox"/>	NC				
Toxic Substances in sediment	Arachlor 1248	12/01/11 - 11/30/18	1,500	4	0	LD	NC	<input type="checkbox"/>	NC				
Toxic Substances in sediment	Arachlor 1254	12/01/11 - 11/30/18	340	4	0	LD	NC	<input type="checkbox"/>	NC				
Toxic Substances in sediment	Arachlor1260	12/01/11 - 11/30/18	240	4	0	LD	NC	<input type="checkbox"/>	NC				
Toxic Substances in sediment	Benzene	12/01/11 - 11/30/18	2,870	2	0	ID	NA	<input type="checkbox"/>	NA				
Toxic Substances in sediment	Benzo(a)anthracene	12/01/11 - 11/30/18	1,050	4	0	LD	NC	<input type="checkbox"/>	NC				
Toxic Substances in sediment	Benzo(a)pyrene	12/01/11 - 11/30/18	1,450	4	0	LD	NC	<input type="checkbox"/>	NC				
Toxic Substances in sediment	beta-BHC	12/01/11 - 11/30/18	210	4	0	LD	NC	<input type="checkbox"/>	NC				
Toxic Substances in sediment	Bis(2-ethylhexyl)phthalate	12/01/11 - 11/30/18	22,000	4	0	LD	NC	<input type="checkbox"/>	NC				
Toxic Substances in sediment	Bromodichloromethane	12/01/11 - 11/30/18	14,740	2	0	ID	NA	<input type="checkbox"/>	NA				
Toxic Substances in sediment	Bromoform	12/01/11 - 11/30/18	1,310	2	0	ID	NA	<input type="checkbox"/>	NA				
Toxic Substances in sediment	Carbon disulfide	12/01/11 - 11/30/18	780	2	0	ID	NA	<input type="checkbox"/>	NA				
Toxic Substances in sediment	Carbon tetrachloride	12/01/11 - 11/30/18	21,000	2	0	ID	NA	<input type="checkbox"/>	NA				
Toxic Substances in sediment	Chlordane	12/01/11 - 11/30/18	17.60	4	0	LD	NC	<input type="checkbox"/>	NC				
Toxic Substances in sediment	Chlorobenzene	12/01/11 - 11/30/18	3,000	2	0	ID	NA	<input type="checkbox"/>	NA				
Toxic Substances in sediment	Chlorodibromomethane	12/01/11 - 11/30/18	940	2	0	ID	NA	<input type="checkbox"/>	NA				
Toxic Substances in sediment	Chloroform	12/01/11 - 11/30/18	5,670	2	0	ID	NA	<input type="checkbox"/>	NA				
Toxic Substances in sediment	Chloromethane	12/01/11 - 11/30/18	106,800	2	0	ID	NA	<input type="checkbox"/>	NA				
Toxic Substances in sediment	Chrysene	12/01/11 - 11/30/18	1,290	4	0	LD	NC	<input type="checkbox"/>	NC				
Toxic Substances in sediment	DDD	12/01/11 - 11/30/18	28	3	0	ID	NA	<input type="checkbox"/>	NA				
Toxic Substances in sediment	DDE	12/01/11 - 11/30/18	31.30	3	0	ID	NA	<input type="checkbox"/>	NA				
Toxic Substances in sediment	DDT	12/01/11 - 11/30/18	62.90	3	0	ID	NA	<input type="checkbox"/>	NA				
Toxic Substances in sediment	delta-BHC	12/01/11 - 11/30/18	2,300	4	0	LD	NC	<input type="checkbox"/>	NC				
Toxic Substances in sediment	Diazinon	12/01/11 - 11/30/18	7.30	4	0	LD	NC	<input type="checkbox"/>	NC				
Toxic Substances in sediment	Dibenz(a,h)anthracene	12/01/11 - 11/30/18	135	4	0	LD	NC	<input type="checkbox"/>	NC				

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0804J_01 Impounded Big Brown Creek in Freestone County

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Toxic Substances in sediment	Dichlorodifluoromethane	12/01/11 - 11/30/18	22,090	2		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Dieldrin	12/01/11 - 11/30/18	61.80	3		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Diethyl phthalate	12/01/11 - 11/30/18	11,000	4		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Dimethyl phthalate	12/01/11 - 11/30/18	8,900	4		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Di-n-butyl phthalate	12/01/11 - 11/30/18	80,000	4		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Di-n-octyl phthalate	12/01/11 - 11/30/18	1,100	4		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Endosulfan 1 (alpha)	12/01/11 - 11/30/18	7.40	3		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Endosulfan 2 (beta)	12/01/11 - 11/30/18	35	3		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Endrin	12/01/11 - 11/30/18	207	2		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Ethylbenzene	12/01/11 - 11/30/18	7,880	2		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Fluoranthene	12/01/11 - 11/30/18	2,230	4		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Fluorene	12/01/11 - 11/30/18	536	4		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	gamma-BHC (Lindane)	12/01/11 - 11/30/18	4.99	3		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Heptachlor	12/01/11 - 11/30/18	2.74	3		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Heptachlor epoxide	12/01/11 - 11/30/18	16	4		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Hexachlorobenzene (HCB)	12/01/11 - 11/30/18	240	4		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Hexachlorobutadiene (HCBBD)	12/01/11 - 11/30/18	550	3		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Hexachlorocyclopentadiene	12/01/11 - 11/30/18	202	3		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Hexachloroethane	12/01/11 - 11/30/18	3,945	4		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Malathion	12/01/11 - 11/30/18	6.20	4		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Methoxychlor	12/01/11 - 11/30/18	95	4		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Methylene chloride	12/01/11 - 11/30/18	46,520	2		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Naphthalene	12/01/11 - 11/30/18	561	4		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	N-butyl benzyl phthalate	12/01/11 - 11/30/18	150,000	4		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Nitrobenzene	12/01/11 - 11/30/18	6,290	4		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Parathion (ethyl)	12/01/11 - 11/30/18	3.70	4		0		LD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0804J_01 Impounded Big Brown Creek in Freestone County

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Toxic Substances in sediment	PCBs	12/01/11 - 11/30/18	676	4		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Pentachlorobenzene	12/01/11 - 11/30/18	2,660	4		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Pentachlorophenol (PCP)	12/01/11 - 11/30/18	1,200	2		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Phenanthrene	12/01/11 - 11/30/18	1,170	4		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Phenol (single compound)	12/01/11 - 11/30/18	210	4		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Pyrene	12/01/11 - 11/30/18	1,520	4		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Styrene	12/01/11 - 11/30/18	61,420	2		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Tetrachloroethene	12/01/11 - 11/30/18	8,210	2		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Toluene	12/01/11 - 11/30/18	20,290	2		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Toxaphene	12/01/11 - 11/30/18	32	4		0		LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Trichloroethene	12/01/11 - 11/30/18	13,690	2		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Vinyl chloride	12/01/11 - 11/30/18	11,780	2		0		ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Xylene	12/01/11 - 11/30/18	12,010	2		0		ID	NA	<input type="checkbox"/>	NA		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	26	2.17	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Fish Kill Reports	Fish Kill Reports	12/01/11 - 11/30/18						OE	CN	<input type="checkbox"/>	CN	Fish kill in water	
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.11	27		4	0.27	JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	26.70	25		18	56.31	JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	0.37	28		1	0.45	JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.20	25		6	0.28	JQ	NA	<input type="checkbox"/>	NA		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0804K Lower Keechi Creek

AUID: 0804K_01 Perennial stream from the confluence with the Trinity River in Leon County upstream to the headwaters in Jewett in Leon County

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Acute Toxic Substances in water	Aluminum (dissolved)	12/01/11 - 11/30/18	991	6		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Arsenic (dissolved)	11/30/08 - 11/30/18	340	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium (dissolved)	11/30/08 - 11/30/18	6.84	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	470.55	6		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Copper (dissolved)	11/30/08 - 11/30/18	11.40	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead (dissolved)	11/30/08 - 11/30/18	50.03	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Mercury	11/30/08 - 11/30/18	2.40	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	384.27	6		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Selenium	11/30/08 - 11/30/18	20	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	96.14	6		0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Arsenic (dissolved)	11/30/08 - 11/30/18	150	10	1.49	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium (dissolved)	11/30/08 - 11/30/18	0.28	10	0.07	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	87.22	6	1.75	0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Copper (dissolved)	11/30/08 - 11/30/18	11.22	10	0.96	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead (dissolved)	11/30/08 - 11/30/18	3.12	10	0.12	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Mercury	11/30/08 - 11/30/18	1.30	10	0.00	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	61.53	6	6.85	0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Selenium	11/30/08 - 11/30/18	5	10	0.56	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	139.82	6	4.68	0		LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	28		1	2.80	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	28		5	3.86	AD	CS	<input type="checkbox"/>	CS	Depressed dissolved oxygen in water	

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0804K_01 Perennial stream from the confluence with the Trinity River in Leon County upstream to the headwaters in Jewett in Leon County

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	25	203.24	1		AD	NS	<input type="checkbox"/>	NS	Bacteria in water	5c

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	25		1	0.76	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	26		1	22.40	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	28		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	25		1	1.16	AD	NC	<input type="checkbox"/>	NC		

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead (dissolved)	11/30/08 - 11/30/18	3.83	10	0.12	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Mercury	11/30/08 - 11/30/18	0.01	10	0.00	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	11/30/08 - 11/30/18	1,140	9	6.64	0		LD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0804L Town Creek

AUID: 0804L_01 Perennial stream from the confluence with Keechi Creek upstream to SH 256 (Appendix D)

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	21		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	21		0		AD	NC	<input type="checkbox"/>	NC		
Fish community (Regional)	Fish Community	12/01/11 - 11/30/18	42	16	44			AD	FS	<input type="checkbox"/>	FS		
Habitat	Habitat	12/01/11 - 11/30/18	20	16	20			AD	NC	<input type="checkbox"/>	NC		
Macrobenthic community (Qualitative)	Macrobenthic Community	12/01/11 - 11/30/18	30	14	31			AD	FS	<input type="checkbox"/>	FS		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	21	414.12	1		AD	NS	<input type="checkbox"/>	NS	Bacteria in water	5c

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	21		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	21		1	82.00	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	21		14	5.78	AD	CS	<input type="checkbox"/>	CS	Nitrate in water	
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	20		9	4.69	AD	CS	<input type="checkbox"/>	CS	Total Phosphorus in water	

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0804M **Bassett Creek**

AUID: 0804M_01 From the confluence with Town Creek upstream to approximately 15m upstream of the processing plant outfall

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int		TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS				
Fish community (Regional)	Fish Community	12/01/11 - 11/30/18	42	4	38			AD	NS	<input type="checkbox"/>	NS	Impaired fish community in water	5c	
Habitat	Habitat	12/01/11 - 11/30/18	20	4	20			AD	NC	<input type="checkbox"/>	NC			
Macrobenthic community (Qualitative)	Macrobenthic Community	12/01/11 - 11/30/18	30	4	29			AD	NS	<input type="checkbox"/>	NS	Impaired macrobenthic community in water	5c	

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0804M_02 From approximately 15m upstream of the processing plant outfall upstream to Blue Lake

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
Fish community (Regional)	Fish Community	12/01/11 - 11/30/18	42	4	42			AD	FS	<input type="checkbox"/>	FS		
Habitat	Habitat	12/01/11 - 11/30/18	20	4	23			AD	NC	<input type="checkbox"/>	NC		
Macrobenthic community (Qualitative)	Macrobenthic Community	12/01/11 - 11/30/18	30	4	29			AD	NS	<input type="checkbox"/>	CN	Impaired macrobenthic community in water	

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0805

Upper Trinity River

AUID: 0805_01

From confluence of the Cedar Creek Reservoir discharge canal upstream to confluence of Smith Creek.

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	175	80	64.04	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	175	80	74.89	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	850	152	406.88	0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10					ID	NA	<input checked="" type="checkbox"/>	CS	Chlorophyll-a in water	
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95					ID	NA	<input checked="" type="checkbox"/>	CS	Nitrate in water	
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69					ID	NA	<input checked="" type="checkbox"/>	CS	Total Phosphorus in water	

Fish Consumption Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	PCBs in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	Dioxin in edible tissue	5a
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	3.83	39	0.50	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	1,140	36	3.70	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0805_02 From confluence of Smith Creek upstream to confluence of Tenmile Creek.

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Aluminum (dissolved)	12/01/11 - 11/30/18	991	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	340	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	16.18	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	972.12	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	26.26	12		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	130.36	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	813.09	12		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	203.66	13		0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	150	11	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	0.32	11	0.15	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	102.18	11	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	13.24	10	2.37	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	3.85	11	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	72.46	10	3.72	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	164.69	11	8.25	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	24		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	24		1	4.90	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	27	41.90	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0805_02 From confluence of Smith Creek upstream to confluence of Tenmile Creek.

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Dissolved Solids	Chloride	12/01/11 - 11/30/18	175	27	61.21	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	175	27	79.79	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	850	27	407.71	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	25		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	25		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	27		1	0.36	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	26		12	26.08	AD	CS	<input type="checkbox"/>	CS	Chlorophyll-a in water	
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	26		21	8.67	AD	CS	<input type="checkbox"/>	CS	Nitrate in water	
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	27		17	1.49	AD	CS	<input type="checkbox"/>	CS	Total Phosphorus in water	
Water Temperature	Water temperature	12/01/11 - 11/30/18	35	25		0		AD	FS	<input type="checkbox"/>	FS		
Fish Consumption Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	PCBs in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	Dioxin in edible tissue	5a
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	3.83	39	0.50	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	1,140	36	3.70	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0805_03 From the confluence of Fivemile Creek upstream to the confluence of Cedar Creek.

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Aluminum (dissolved)	12/01/11 - 11/30/18	991	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	340	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	12.56	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	785.49	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	20.55	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	98.70	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	652.39	12		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	163.35	13		0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	150	13	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	0.32	13	0.15	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	102.18	13	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	13.24	13	2.13	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	3.85	13	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	72.46	12	3.53	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	164.69	13	11.12	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	52		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	52		1	4.50	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	52	202.67	1		AD	NS	<input type="checkbox"/>	NS	Bacteria in water	4a

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0805_03 From the confluence of Fivemile Creek upstream to the confluence of Cedar Creek.

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	175	27	62.05	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	175	27	72.60	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	850	52	398.67	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	52		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	52		1	6.30	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	27		2	1.00	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	25		3	16.00	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	26		18	9.61	AD	CS	<input type="checkbox"/>	CS	Nitrate in water	
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	26		12	1.50	AD	CS	<input type="checkbox"/>	CS	Total Phosphorus in water	
Water Temperature	Water temperature	12/01/11 - 11/30/18	35	52		0		AD	FS	<input type="checkbox"/>	FS		
Fish Consumption Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	PCBs in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	Dioxin in edible tissue	5a
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	3.83	39	0.50	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	1,140	36	3.70	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0805_04 From confluence of Cedar Creek upstream to confluence of Elm Fork Trinity River

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Aluminum (dissolved)	12/01/11 - 11/30/18	991	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	340	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	11.57	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	732.93	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	18.97	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	90.11	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	607.35	12		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	152.06	13		0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	150	13	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	0.32	13	0.15	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	102.18	13	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	13.24	13	1.44	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	3.85	13	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	72.46	12	3.60	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	164.69	13	10.30	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	73		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	73		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	73	193.40	1		AD	NS	<input type="checkbox"/>	NS	Bacteria in water	4a

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0805_04 From confluence of Cedar Creek upstream to confluence of Elm Fork Trinity River

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	175	26	69.04	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	175	26	72.19	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	850	73	412.43	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	73		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	73		1	6.10	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	26		6	1.07	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	24		4	39.25	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	26		21	8.69	AD	CS	<input type="checkbox"/>	CS	Nitrate in water	
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	26		13	1.42	AD	CS	<input type="checkbox"/>	CS	Total Phosphorus in water	
Water Temperature	Water temperature	12/01/11 - 11/30/18	35	73		0		AD	FS	<input type="checkbox"/>	FS		
Fish Consumption Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	Dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	PCBs in edible tissue	5a
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	3.83	39	0.50	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	1,140	36	3.70	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0805_06 From confluence of Tenmile Creek upstream to confluence of Fivemile Creek

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	175	80	64.04	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	175	80	74.89	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	850	152	406.88	0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95					ID	NA	<input checked="" type="checkbox"/>	CS	Nitrate in water	
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69					ID	NA	<input checked="" type="checkbox"/>	CS	Total Phosphorus in water	

Fish Consumption Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	PCBs in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	Dioxin in edible tissue	5a
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	3.83	39	0.50	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	1,140	36	3.70	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0805A **Red Oak Creek**

AUID: 0805A_01 From confluence with segment 0805 Trinity River 12 mi upstream to I 45.

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int		TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS				
Fish community (Regional)	Fish Community	12/01/11 - 11/30/18	41	2	43			TR	NC	<input type="checkbox"/>	NA			
Habitat	Habitat	12/01/11 - 11/30/18	20	2	24			TR	NC	<input type="checkbox"/>	NA			
Macrobenthic community (Qualitative)	Macrobenthic Community	12/01/11 - 11/30/18	29	2	25			TR	CN	<input type="checkbox"/>	NA			

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0806

West Fork Trinity River Below Lake Worth

AUID: 0806_01

From confluence of Village Creek upstream to confluence of Clear Fork Trinity River

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Aluminum (dissolved)	12/01/11 - 11/30/18	991	1		0		ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	340	33		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	11.57	3		0		ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	732.93	41		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	26.13	1		0		ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	90.11	30		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	809.50	1		0		ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	202.76	1		0		ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	150	33	1.46	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	0.30	3	0.15	0		ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	95.34	41	1.11	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	12.31	1	1.26	0		ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	3.51	30	0.36	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	67.46	1	2.46	0		ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	153.30	1	2.50	0		ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	268		3	2.68	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	268		23	4.07	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	102	78.18	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0806_01 From confluence of Village Creek upstream to confluence of Clear Fork Trinity River

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	100	7	26.41	0		LD	NC	<input type="checkbox"/>	NC		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	6	37.23	0		LD	NC	<input type="checkbox"/>	NC		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	321	260.12	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	270		2	9.50	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	270		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	7		0		LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	7		4	22.83	LD	CS	<input type="checkbox"/>	CS	Chlorophyll-a in water	
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	7		0		LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	7		0		LD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	33.90	271		0		AD	FS	<input type="checkbox"/>	FS		

Fish Consumption Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	Dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	PCBs in edible tissue	5a
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	1.15	30	0.36	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	332	1	2.46	0		ID	NA	<input type="checkbox"/>	NA		

Domestic Water Supply Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Arsenic (dissolved)	12/01/11 - 11/30/18	10	33	1.46	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Cadmium (dissolved)	12/01/11 - 11/30/18	5	3	0.15	0		ID	NA	<input type="checkbox"/>	NA		
Surface Water HH criteria for DWS average	Lead (dissolved)	12/01/11 - 11/30/18	1.15	30	0.36	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nickel (dissolved)	12/01/11 - 11/30/18	332	1	2.46	0		ID	NA	<input type="checkbox"/>	NA		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	47	0.26	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0806_02 From confluence of Clear Fork Trinity River upstream to Lake Worth Dam

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	46		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	46		6	3.87	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	17	221.94	1		LD	CN	<input type="checkbox"/>	CN	Bacteria in water	

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	100	7	26.41	0		LD	NC	<input type="checkbox"/>	NC		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	6	37.23	0		LD	NC	<input type="checkbox"/>	NC		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	321	260.12	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	45		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	45		0		AD	FS	<input type="checkbox"/>	FS		
Water Temperature	Water temperature	12/01/11 - 11/30/18	33.90	46		0		AD	FS	<input type="checkbox"/>	FS		

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	Dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	PCBs in edible tissue	5a
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	1.15	30	0.36	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	332	1	2.46	0		ID	NA	<input type="checkbox"/>	NA		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0806_02 From confluence of Clear Fork Trinity River upstream to Lake Worth Dam

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Surface Water HH criteria for DWS average	Arsenic (dissolved)	12/01/11 - 11/30/18	10	33	1.46	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Cadmium (dissolved)	12/01/11 - 11/30/18	5	3	0.15	0		ID	NA	<input type="checkbox"/>	NA		
Surface Water HH criteria for DWS average	Lead (dissolved)	12/01/11 - 11/30/18	1.15	30	0.36	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nickel (dissolved)	12/01/11 - 11/30/18	332	1	2.46	0		ID	NA	<input type="checkbox"/>	NA		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	47	0.26	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0806A **Fosdic Lake**

AUID: 0806A_01 From Fosdic Lake Dam to the reservoir headwaters in Oakland Lake Park in Tarrant County

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int		TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS				
Bioaccumulative Toxics in fish tissue	Arsenic	12/01/11 - 11/30/18	0.04					ID	NA	<input checked="" type="checkbox"/>	CS	Arsenic in edible tissue		
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	PCBs in edible tissue	4a	

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0806B **Echo Lake**

AUID: 0806B_01 From Echo Lake Dam to the reservoirs headwaters in Tarrant County

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int		TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS				
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	Dieldrin in edible tissue	5a	
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	Dioxin in edible tissue	5a	
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	PCBs in edible tissue	4a	

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0806D **Marine Creek**

AUID: 0806D_01 Marine Creek from the confluence with West Fork Trinity River Below Lake Worth upstream to the Marine Creek Reservoir dam

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	79	0		AD	FS	<input type="checkbox"/>	FS				
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	79	0		AD	NC	<input type="checkbox"/>	NC				

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	21	374.05	1	AD	NS	<input type="checkbox"/>	NS	Bacteria in water		5c	

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0806E **Sycamore Creek**

AUID: 0806E_01 Five mi stretch of Sycamore Creek running upstream from confluence with the W. Fork of Trinity River to confluence with Echo Lake Tributary in Fort Worth

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int		TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS				
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	73	0		AD	FS	<input type="checkbox"/>	FS				
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	73	1	4.80	AD	NC	<input type="checkbox"/>	NC				

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int		TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS				
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	19	399.15	1	LD	CN	<input checked="" type="checkbox"/>	NS	Bacteria in water		4a	

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0806F

Little Fossil Creek

AUID: 0806F_01 A 13.7 mi stretch of Little Fossil Creek running upstream from confluence with segment 0806 W. Fork Trinity River upstream to upper end (NHD RC Reach Code of NI

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	13		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	13		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	7	212.25	1		LD	CN	<input type="checkbox"/>	CN	Bacteria in water	

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0807

Lake Worth

AUID: 0807_01

From Lake Worth Dam in Tarrant County to a point 4.0 km (2.5 mi) downstream of Eagle Mountain Dam in Tarrant County, up to normal pool elevation of 594 feet (imp)

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	06/01/10 - 11/30/18	5	10	1	4.80	AD	FS	<input type="checkbox"/>	FS			
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	06/01/10 - 11/30/18	3	10	1	2.20	AD	FS	<input type="checkbox"/>	FS			
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	127	0		SM	NA	<input type="checkbox"/>	NA			
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	127	2	4.02	SM	NA	<input type="checkbox"/>	NA			

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	137	3.87	0	AD	FS	<input type="checkbox"/>	FS			

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Dissolved Solids	Chloride	12/01/11 - 11/30/18	100	59	23.95	0	AD	FS	<input type="checkbox"/>	FS			
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	33	22.73	0	AD	FS	<input type="checkbox"/>	FS			
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	132	221.26	0	AD	FS	<input type="checkbox"/>	FS			
High pH	pH	12/01/11 - 11/30/18	9	127		0	AD	FS	<input type="checkbox"/>	FS			
Low pH	pH	12/01/11 - 11/30/18	6.50	127		0	AD	FS	<input type="checkbox"/>	FS			
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18					AD	NC	<input type="checkbox"/>	NC			
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.80	127		0	AD	FS	<input type="checkbox"/>	FS			

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/01/11 - 11/30/18					OE	NS	<input type="checkbox"/>	NS	Dioxin in edible tissue	5a	
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/01/11 - 11/30/18					OE	NS	<input type="checkbox"/>	NS	PCBs in edible tissue	4a	

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0807_01 From Lake Worth Dam in Tarrant County to a point 4.0 km (2.5 mi) downstream of Eagle Mountain Dam in Tarrant County, up to normal pool elevation of 594 feet (imp)

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	139	0.09	0		AD	FS	<input type="checkbox"/>	FS			

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0808

West Fork Trinity River Below Eagle Mountain Reservoir

AUID: 0808_01

From a point 4.0 km (2.5 mi) downstream of Eagle Mountain Dam in Tarrant County to Eagle Mountain Dam in Tarrant County

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	PCBs in edible tissue	4a	

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0809

Eagle Mountain Reservoir

AUID: 0809_01

Lowermost portion of reservoir near east end of dam

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/01/11 - 11/30/18	5	7	1	3.60	SM	NA	<input type="checkbox"/>	NA	
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/01/11 - 11/30/18	3	7	1	2.60	SM	NA	<input type="checkbox"/>	NA	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	34	4	1.93	AD	FS	<input type="checkbox"/>	FS	
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	34	9	3.41	AD	CS	<input type="checkbox"/>	CS	Depressed dissolved oxygen in water

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	71	3.17	0	AD	FS	<input type="checkbox"/>	FS	

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	75	117	24.44	0	AD	FS	<input type="checkbox"/>	FS	
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	75	33	22.25	0	AD	FS	<input type="checkbox"/>	FS	
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	300	170	202.10	0	AD	FS	<input type="checkbox"/>	FS	
High pH	pH	12/01/11 - 11/30/18	9	34		0	AD	FS	<input type="checkbox"/>	FS	
Low pH	pH	12/01/11 - 11/30/18	6.50	34		0	AD	FS	<input type="checkbox"/>	FS	
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18					AD	NC	<input type="checkbox"/>	NC	
Water Temperature	Water temperature	12/01/11 - 11/30/18	34.40	34		0	AD	FS	<input type="checkbox"/>	FS	

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	74	0.12	0	AD	FS	<input type="checkbox"/>	FS	

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0809_02 Dosier Slough cove

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
Dissolved Solids	Chloride	12/01/11 - 11/30/18	75	117	24.44	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	75	33	22.25	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	300	170	202.10	0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18						AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0809_03 Ash Creek cove

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
Dissolved Solids	Chloride	12/01/11 - 11/30/18	75	117	24.44	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	75	33	22.25	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	300	170	202.10	0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18						AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0809_04 Lowermost portion of reservoir near west end of dam

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
Dissolved Solids	Chloride	12/01/11 - 11/30/18	75	117	24.44	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	75	33	22.25	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	300	170	202.10	0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18						AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0809_05 Lower portion of reservoir east of Walnut Creek cove

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	34		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	34		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	53	2.62	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	75	117	24.44	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	75	33	22.25	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	300	170	202.10	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	34		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	34		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18						AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	34.40	34		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	56	0.08	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0809_06 Walnut Creek cove

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Value	Exceedances #	Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	75	117	24.44	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	75	33	22.25	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	300	170	202.10	0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18						AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0809_07 Old Ranch cove

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
Dissolved Solids	Chloride	12/01/11 - 11/30/18	75	117	24.44	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	75	33	22.25	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	300	170	202.10	0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18						AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0809_08 Middle portion of reservoir near Cole subdivision

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	33		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	33		1	4.74	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	42	3.43	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	75	117	24.44	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	75	33	22.25	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	300	170	202.10	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	33		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	33		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18						AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	34.40	33		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	45	0.06	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0809_09 Indian Creek cove

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	75	117	24.44	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	75	33	22.25	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	300	170	202.10	0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18						AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0809_10 Upper portion of reservoir near Indian Creek cove

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	33		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	33		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	42	3.44	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	75	117	24.44	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	75	33	22.25	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	300	170	202.10	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	33		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	33		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18						AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	34.40	33		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	44	0.05	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0809_11 Darrett Creek cove

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
Dissolved Solids	Chloride	12/01/11 - 11/30/18	75	117	24.44	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	75	33	22.25	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	300	170	202.10	0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18						AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0809_12 Upper portion of reservoir near Newark Beach

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	26		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	26		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	21	7.84	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	75	117	24.44	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	75	33	22.25	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	300	170	202.10	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	26		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	26		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18						AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	34.40	26		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	21	0.09	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0809_14 Mid-Lake, from just above Walnut Cr. Cove to Oakwood Rd. peninsula

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
Dissolved Solids	Chloride	12/01/11 - 11/30/18	75	117	24.44	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	75	33	22.25	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	300	170	202.10	0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18						AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0809A **Walnut Creek**

AUID: 0809A_01 From the normal pool elevation of Eagle Mountain Reservoir up to the headwaters approximately 2.1 mi upstream of State Highway 199 in Parker County.

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	56	1	1.40	AD	FS	<input type="checkbox"/>	FS				
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	56	6	3.63	AD	NC	<input type="checkbox"/>	NC				

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	51	139.75	1	AD	CN	<input type="checkbox"/>	CN	Bacteria in water			

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	57	1	0.35	AD	NC	<input type="checkbox"/>	NC				
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	57	0		AD	NC	<input type="checkbox"/>	NC				
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	56	3	0.85	AD	NC	<input type="checkbox"/>	NC				

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0809B **Ash Creek**

AUID: 0809B_01 Intermittent stream with perennial pools from Eagle Mountain Lake in Tarrant County upstream to its confluence with Mill Branch in Parker County

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	67		1	1.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	67		2	2.75	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	64	407.65	1		AD	NS	<input type="checkbox"/>	NS	Bacteria in water	5b

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	65		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	64		30	4.24	AD	CS	<input type="checkbox"/>	CS	Nitrate in water	
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	61		11	1.02	AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0809C

Dosier Creek

AUID: 0809C_01 Perennial stream from the confluence of Dosier Slough cove upstream to the confluence with an intermittent stream 1 km upstream of Boat Club Road

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	26		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	26		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	24	630.41	1		AD	NS	<input type="checkbox"/>	NS	Bacteria in water	5c

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	24		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	23		1	11.88	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	23		1	0.84	AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0809D **Derrett Creek**

AUID: 0809D_01 Perennial stream from the confluence with Derrett Creek cove to 0.22 km upstream of FM 718 where the waterbody meets an intermittent stream

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	17	0	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	17	1 4.50	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	04/01/11 - 11/30/18	126	20 654.14	1	AD	NS	<input type="checkbox"/>	NS	Bacteria in water	5c

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	18	0	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	18	1 11.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	18	0	AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0810

West Fork Trinity River Below Bridgeport Reservoir

AUID: 0810_01

Lower 25 mi of segment

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	119		1	2.10	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	119		4	3.55	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	130	291.06	1		AD	NS	<input type="checkbox"/>	NS	Bacteria in water	5c

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	100	51	61.91	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	160	346.76	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	119		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	119		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	62		3	0.86	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10					ID	NA	<input checked="" type="checkbox"/>	CS	Chlorophyll-a in water	
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	61		5	6.66	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	61		7	1.06	AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	119		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	61	1.06	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0810_02 Upper 11 mi of segment

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	27		1	2.90	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	27		3	4.03	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	27	59.50	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Dissolved Solids	Chloride	12/01/11 - 11/30/18	100	51	61.91	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	160	346.76	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	27		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	27		0		AD	FS	<input type="checkbox"/>	FS		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	27		0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0810A Big Sandy Creek

AUID: 0810A_01 Big Sandy Creek from the confluence with Waggoner Branch upstream to FM 1810 west of Decatur

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	13	0		AD	FS	<input type="checkbox"/>	FS				
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	13	1	4.70	AD	NC	<input type="checkbox"/>	NC				

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
Bacteria Geomean	E. coli	07/01/09 - 11/30/18	630	20	343.33	0		AD	FS	<input type="checkbox"/>	FS			

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0810B **Garrett Creek**

AUID: 0810B_01 Eighteen mi stretch of Garrett Creek running upstream from confluence with Salt Creek to Wise County Road approximately 14 mi upstream of SH114, Wise Co.

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	04/01/10 - 11/30/18	2	10	0		AD	FS	<input type="checkbox"/>	FS				
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	04/01/10 - 11/30/18	3	10	0		AD	NC	<input type="checkbox"/>	NC				

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	630	8	608.36	0		LD	NC	<input type="checkbox"/>	NC			

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0810C Martin Branch

AUID: 0810C_01 Eight mi stretch of Martin Branch running upstream from confluence with Center Creek to FM 730 south of Decatur, Wise County.

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	15	0		AD	FS	<input type="checkbox"/>	FS				
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	15	0		AD	NC	<input type="checkbox"/>	NC				

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
Bacteria Geomean	E. coli	04/01/10 - 11/30/18	126	20	399.35	1	AD	NS	<input type="checkbox"/>	NS	Bacteria in water		5c	

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0810D **Salt Creek**

AUID: 0810D_01 Eleven mi stretch of Salt Creek running upstream from confluence with Garrett Creek, Wise County.

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/08 - 11/30/18	2	10	0		AD	FS	<input type="checkbox"/>	FS				
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/08 - 11/30/18	3	10	0		AD	NC	<input type="checkbox"/>	NC				

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	630	5	140.28	0	ID	NA	<input type="checkbox"/>	NA				

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0811

Bridgeport Reservoir

AUID: 0811_01

Southeast portion of main body of reservoir

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	31		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	31		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	30	0.98	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	75	81	18.18	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	75	32	13.22	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	300	104	170.04	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	31		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	31		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Criteria	Nutrients	12/01/11 - 11/30/18						AD	FS	<input type="checkbox"/>	FS		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	31		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	33	0.08	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0811_02 Southwest portion of main body of reservoir

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
Dissolved Solids	Chloride	12/01/11 - 11/30/18	75	81	18.18	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	75	32	13.22	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	300	104	170.04	0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Criteria	Nutrients	12/01/11 - 11/30/18						AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0811_03 Central portion of main body of reservoir

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/01/11 - 11/30/18	5	4		0		LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/01/11 - 11/30/18	3	4		0		LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	33		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	33		3	4.33	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	61	1.36	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Dissolved Solids	Chloride	12/01/11 - 11/30/18	75	81	18.18	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	75	32	13.22	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	300	104	170.04	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	33		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	33		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Criteria	Nutrients	12/01/11 - 11/30/18						AD	FS	<input type="checkbox"/>	FS		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	33		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	67	0.08	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0811_04 Northern portion of main body of reservoir

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	33		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	33		1	4.68	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	37	0.87	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	75	81	18.18	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	75	32	13.22	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	300	104	170.04	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	33		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	33		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Criteria	Nutrients	12/01/11 - 11/30/18						AD	FS	<input type="checkbox"/>	FS		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	33		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	37	0.07	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0811_05 Remainder of reservoir

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
Dissolved Solids	Chloride	12/01/11 - 11/30/18	75	81	18.18	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	75	32	13.22	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	300	104	170.04	0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Criteria	Nutrients	12/01/11 - 11/30/18						AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0811A Big Creek

AUID: 0811A_01 From the confluence with Bridgeport Reservoir at normal pool elevation upstream to the headwaters adjacent to FM 2127 in Jack County

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	18		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	18		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	17	638.55	1		LD	CN	<input type="checkbox"/>	CN	Bacteria in water	

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	17		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	17		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	17		1	0.73	AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0811B Beans Creek

AUID: 0811B_01 Perennial stream from the confluence with Bridgeport Reservoir at normal pool elevation upstream to the headwaters approximately 4.4 km north of Perrin in Jack Count

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	25		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	25		1	3.00	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	24	732.96	1		AD	NS	<input type="checkbox"/>	NS	Bacteria in water	5c

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	24		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	22		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	24		1	1.00	AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0812

West Fork Trinity River Above Bridgeport Reservoir

AUID: 0812_01

Lower 25 mi of segment

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/01/11 - 11/30/18	3	11		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/01/11 - 11/30/18	2	11		2	1.20	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	2	32		0		SM	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	32		1	2.90	SM	NA	<input type="checkbox"/>	NA		
Fish community (Regional)	Fish Community	12/01/11 - 11/30/18	35	2	48			AD	FS	<input type="checkbox"/>	FS		
Habitat	Habitat	12/01/11 - 11/30/18	14	2	19			AD	NC	<input type="checkbox"/>	NC		
Macrobenthic community (Qualitative)	Macrobenthic Community	12/01/11 - 11/30/18	22	2	24			AD	FS	<input type="checkbox"/>	FS		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	28	664.43	1		AD	NS	<input type="checkbox"/>	NS	Bacteria in water	5c

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	100	24	92.26	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	42	598.51	1		AD	NS	<input type="checkbox"/>	NS	Total dissolved solids in water	5c
High pH	pH	12/01/11 - 11/30/18	9	32		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	32		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	28		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	28		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	28		7	0.92	AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	31.10	32		0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0812_01 Lower 25 mi of segment

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	28	0.37	0		AD	FS	<input type="checkbox"/>	FS			

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0812_02 Upper 60 mi of segment

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
Dissolved Solids	Chloride	12/01/11 - 11/30/18	100	24	92.26	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	42	598.51	1		AD	NS	<input type="checkbox"/>	NS	Total dissolved solids in water	5c

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0813

Houston County Lake

AUID: 0813_01

From Houston County Dam in Houston County up to the normal pool elevation of 260 feet (impounds Little Elkhart Creek)

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	28		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	28		4	4.20	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	24	2.14	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	75	28	12.42	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	75	28	8.43	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	300	27	77.06	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	28		1	9.05	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	28		1	6.40	AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Criteria	Nutrients	12/01/11 - 11/30/18						AD	FS	<input type="checkbox"/>	FS		
Water Temperature	Water temperature	12/01/11 - 11/30/18	33.90	28		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Fluoride	12/01/11 - 11/30/18	4	28	0.10	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	28	0.05	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0814

Chambers Creek Above Richland-Chambers Reservoir

AUID: 0814_01

From the lower end of the segment up to just above the confluence with Cummins Creek.

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	27		1	2.60	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	27		2	3.60	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	24	93.96	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	90	46	42.63	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	160	26	97.87	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	54	353.07	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	27		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	27		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	26		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	27		6	18.32	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	27		2	2.12	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	22		8	1.45	AD	CS	<input type="checkbox"/>	CS	Total Phosphorus in water	
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	27		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Fluoride	12/01/11 - 11/30/18	4	26	0.52	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	27	0.64	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0814_02 From just above the confluence with Cummins Creek up to just above the confluence with Waxahachie Creek.

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	28		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	28		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	28	749.85	1		AD	NS	<input type="checkbox"/>	NS	Bacteria in water	5c

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	90	46	42.63	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	160	26	97.87	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	54	353.07	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	28		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	28		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	28		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	28		8	3.76	AD	CS	<input type="checkbox"/>	CS	Nitrate in water	
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	28		6	1.02	AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	28		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	28	1.59	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0814_03 From just above the confluence with Waxahachie Creek up to just above the confluence with Mill Branch.

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
				#	Value	#	Value						
Dissolved Solids	Chloride	12/01/11 - 11/30/18	90	46	42.63	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	160	26	97.87	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	54	353.07	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0814_04 From just above the confluence with Mill Branch to the upper end of the segment.

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
				#	Value	#	Value						
Dissolved Solids	Chloride	12/01/11 - 11/30/18	90	46	42.63	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	160	26	97.87	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	54	353.07	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0815

Bardwell Reservoir

AUID: 0815_01

From Bardwell Dam in Ellis County up to the normal pool elevation of 421 feet (impounds Waxahachie Creek)

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	28		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	28		3	4.56	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	28	3.54	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	50	28	22.85	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	50	28	54.51	1		AD	NS	<input type="checkbox"/>	NS	Sulfate in water	5c
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	300	28	247.16	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	28		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	28		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18						AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.80	28		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Fluoride	12/01/11 - 11/30/18	4	28	0.51	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	26	0.33	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0815A **Waxahachie Creek**

AUID: 0815A_01 Perennial stream from the confluence with the normal pool elevation of Bardwell Reservoir upstream to the confluence with North Prong Creek

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	8	0	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	4	8	0	LD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	8 187.21	1	LD	CN	<input type="checkbox"/>	CN	Bacteria in water	

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	8	1 0.39	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	8	1 17.00	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	8	8 4.62	LD	CS	<input type="checkbox"/>	CS	Nitrate in water	
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	8	1 0.97	LD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0816

Lake Waxahachie

AUID: 0816_01

From South Prong Dam in Ellis County up to normal pool elevation of 531.5 feet (impounds South Prong Creek)

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	28		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	28		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	28	4.55	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	50	28	16.79	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	50	28	33.68	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	300	28	207.57	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	28		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	28		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Criteria	Nutrients	12/01/11 - 11/30/18						AD	FS	<input type="checkbox"/>	FS		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.80	28		2	33.10	AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Fluoride	12/01/11 - 11/30/18	4	28	0.31	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	26	0.27	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0817

Navarro Mills Lake

AUID: 0817_01

From Navarro Mills Dam in Navarro County up to normal pool elevation of 424.5 feet (impounds Richland Creek)

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Aluminum (dissolved)	12/01/11 - 11/30/18	991	9		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	340	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	10.23	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	660.68	9		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	16.84	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	78.58	9		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Mercury	12/01/11 - 11/30/18	2.40	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	545.60	9		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Selenium	12/01/11 - 11/30/18	20	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	136.57	9		0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	150	10	3.27	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	0.26	10	0.08	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	80.13	9	1.74	0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	10.27	10	1.22	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	2.79	9	0.24	0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Mercury	12/01/11 - 11/30/18	1.30	10	0.00	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	56.37	9	2.27	0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Selenium	12/01/11 - 11/30/18	5	10	1.55	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	128.08	9	2	0		LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	28		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	28		2	4.50	AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0817_01 From Navarro Mills Dam in Navarro County up to normal pool elevation of 424.5 feet (impounds Richland Creek)

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	27	1.57	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Dissolved Solids	Chloride	12/01/11 - 11/30/18	50	27	7.05	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	75	27	20.89	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	300	28	182.23	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	28		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	28		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Criteria	Nutrients	12/01/11 - 11/30/18						AD	FS	<input type="checkbox"/>	FS		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	28		0		AD	FS	<input type="checkbox"/>	FS		

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	1.15	9	0.24	0		LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Mercury	12/01/11 - 11/30/18	0.01	10	0.00	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	332	9	2.27	0		LD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0817_01 From Navarro Mills Dam in Navarro County up to normal pool elevation of 424.5 feet (impounds Richland Creek)

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Surface Water HH criteria for DWS average	Arsenic (dissolved)	12/01/11 - 11/30/18	10	10	3.27	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Cadmium (dissolved)	12/01/11 - 11/30/18	5	10	0.23	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Fluoride	12/01/11 - 11/30/18	4	26	0.31	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Lead (dissolved)	12/01/11 - 11/30/18	1.15	9	0.24	0		LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for DWS average	Mercury	12/01/11 - 11/30/18	0.01	10	0.00	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nickel (dissolved)	12/01/11 - 11/30/18	332	9	2.27	0		LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	28	0.64	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Selenium	12/01/11 - 11/30/18	50	10	1.05	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0818

Cedar Creek Reservoir

AUID: 0818_01

Lowermost portion of the reservoir, adjacent to the dam.

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	33		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	33		4	4.66	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	32	1.48	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	50	141	12.53	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	32	16.17	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	200	248	122.44	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	8.50	33		4	8.74	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6	33		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18						AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	33.90	33		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	35	0.12	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0818_02 Caney Creek cove

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
Dissolved Solids	Chloride	12/01/11 - 11/30/18	50	141	12.53	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	32	16.17	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	200	248	122.44	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18						ID	NA	<input checked="" type="checkbox"/>	NS	pH	5b
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18						AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0818_03 Clear Creek cove

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	50	141	12.53	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	32	16.17	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	200	248	122.44	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18						ID	NA	<input checked="" type="checkbox"/>	NS	pH	5b
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18						AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0818_04 Lower portion of reservoir east of Key Ranch Estates

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	33		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	33		2	4.42	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	34	1.17	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	50	141	12.53	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	32	16.17	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	200	248	122.44	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	8.50	33		6	8.78	AD	NS	<input type="checkbox"/>	NS	pH	5b
Low pH	pH	12/01/11 - 11/30/18	6	33		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18						AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	33.90	33		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	36	0.13	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0818_05 Cove off lower portion of reservoir adjacent to Clearview Estates

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	50	141	12.53	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	32	16.17	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	200	248	122.44	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18						ID	NA	<input checked="" type="checkbox"/>	NS	pH	5b
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18						AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0818_06 Middle portion of reservoir downstream of Twin Creeks cove

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	09/01/08 - 11/30/18	5	10	2	4.10	AD	FS	<input type="checkbox"/>	FS			
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	09/01/08 - 11/30/18	3	10	1	2.40	AD	FS	<input type="checkbox"/>	FS			
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	86	3	2.09	SM	NA	<input type="checkbox"/>	NA			
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	86	14	3.73	SM	NA	<input type="checkbox"/>	NA			

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	80	1.47	0	AD	FS	<input type="checkbox"/>	FS			

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Dissolved Solids	Chloride	12/01/11 - 11/30/18	50	141	12.53	0	AD	FS	<input type="checkbox"/>	FS			
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	32	16.17	0	AD	FS	<input type="checkbox"/>	FS			
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	200	248	122.44	0	AD	FS	<input type="checkbox"/>	FS			
High pH	pH	12/01/11 - 11/30/18	8.50	86		7	8.96	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6	86		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18						AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	33.90	86		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	131	0.17	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0818_07 Twin Creeks cove

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
Dissolved Solids	Chloride	12/01/11 - 11/30/18	50	141	12.53	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	32	16.17	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	200	248	122.44	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18						ID	NA	<input checked="" type="checkbox"/>	NS	pH	5b
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18						AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0818_08 Prairie Creek cove

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed	Exceedances	Data			Int		TCEQ Cause	Cat	
				#	Value	#	Value	Qual	LOS	CF	LOS		
Dissolved Solids	Chloride	12/01/11 - 11/30/18	50	141	12.53	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	32	16.17	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	200	248	122.44	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	8.50					ID	NA	<input checked="" type="checkbox"/>	NS	pH	5b
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18						AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0818_09 Upper portion of reservoir adjacent to Lacy Fork cove

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	33		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	33		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	41	1.84	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	50	141	12.53	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	32	16.17	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	200	248	122.44	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	8.50	33		9	8.83	AD	NS	<input type="checkbox"/>	NS	pH	5b
Low pH	pH	12/01/11 - 11/30/18	6	33		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18						AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	33.90	33		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	47	0.11	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0818_10 Lacy Fork cove

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
Dissolved Solids	Chloride	12/01/11 - 11/30/18	50	141	12.53	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	32	16.17	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	200	248	122.44	0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18						AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0818_11 Upper portion of reservoir east of Tolosa

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	33		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	33		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	25	3.05	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	50	141	12.53	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	32	16.17	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	200	248	122.44	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	8.50	33		11	8.85	AD	NS	<input type="checkbox"/>	NS	pH	5b
Low pH	pH	12/01/11 - 11/30/18	6	33		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18						AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	33.90	33		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	28	0.12	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0818_12 Uppermost portion of reservoir downstream of Kings Creek

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
Dissolved Solids	Chloride	12/01/11 - 11/30/18	50	141	12.53	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	32	16.17	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	200	248	122.44	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	8.50					ID	NA	<input checked="" type="checkbox"/>	NS	pH	5b
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18						AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0818_13 From Joe B. Hoggsett Dam in Henderson County up to normal pool elevation of 322 feet (impounds Cedar Creek)

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18						ID	NA	<input checked="" type="checkbox"/>	CS	Depressed dissolved oxygen in water	

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	50	141	12.53	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	32	16.17	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	200	248	122.44	0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18						AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0818_14 Remainder of reservoir

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	26		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	26		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	37	1.19	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	50	141	12.53	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	32	16.17	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	200	248	122.44	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	8.50	25		3	8.70	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6	25		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18						AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	33.90	25		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	37	0.12	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0818B Cedar Creek above Cedar Creek Reservoir

AUID: 0818B_01 Perennial stream from the confluence with Cedar Creek Reservoir at normal pool elevation upstream to the confluence of Muddy Cedar Creek and Rocky Cedar Creek in

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	27		1	1.80	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	27		1	1.80	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	26	1,403.19	1		AD	NS	<input type="checkbox"/>	NS	Bacteria in water	5c

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	26		1	0.68	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	26		1	3.86	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	26		2	0.79	AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0818C **Kings Creek**

AUID: 0818C_01 Intermittent stream with perennial pools from the confluence with Cedar Creek Reservoir at normal pool elevation upstream to the headwaters adjacent to FM 986 approx:

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	2	28		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	28		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	27	1,137.63	1		AD	NS	<input type="checkbox"/>	NS	Bacteria in water	5c

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	27		3	0.88	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	27		11	5.47	AD	CS	<input type="checkbox"/>	CS	Nitrate in water	
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	27		9	0.98	AD	CS	<input type="checkbox"/>	CS	Total Phosphorus in water	

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0818D **Lacy Fork**

AUID: 0818D_01 Intermittent stream with perennial pools from the confluence with Cedar Creek Reservoir at normal pool elevation upstream to the confluence of Dry Lacy Fork and Wet

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	2	18	0		AD	FS	<input type="checkbox"/>	FS			
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	18	0		AD	NC	<input type="checkbox"/>	NC			

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	17	1,263.50	1	LD	CN	<input type="checkbox"/>	CN	Bacteria in water		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	17		2	1.01	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	17		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	17		0		AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0818F **Clear Creek**

AUID: 0818F_01 Perennial stream from the confluence with Clear Creek Cove upstream to the north edge of the highway 175.

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	10	0	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	10	0	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	10 2,834.49	1	LD	CN	<input type="checkbox"/>	CN	Bacteria in water	

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	10	0	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	10	0	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	10	0	AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0818G **North Twin Creek**

AUID: 0818G_01 Perennial stream from the confluence with Twin Creeks cove to 3 km northeast of the intersection of highway 175

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	16		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	16		1	4.90	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	15	2,696.62	1		LD	CN	<input type="checkbox"/>	CN	Bacteria in water	

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	15		1	0.51	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	15		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	15		1	0.74	AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0818H **South Twin Creek**

AUID: 0818H_01 Perennial stream from the confluence with Twin Creeks cove upstream to 3.15 km northeast of where the waterbody intersects highway 175

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	13	0		AD	FS	<input type="checkbox"/>	FS			
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	13	0		AD	NC	<input type="checkbox"/>	NC			

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	12	1,680.29	1		LD	CN	<input type="checkbox"/>	CN	Bacteria in water	

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	12		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	12		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	12		1	0.71	AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0818I

Caney Creek

AUID: 0818I_01

Intermittent stream with perennial pools from the confluence with Cedar Creek Reservoir upstream to the dam on Third Caney Creek approximately 1.8 km north of the i

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	2	13		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	13		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	12	638.94	1		LD	CN	<input type="checkbox"/>	CN	Bacteria in water	

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	12		1	0.43	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	12		1	2.22	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	12		0		AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0819

East Fork Trinity River

AUID: 0819_01

From the confluence with the Trinity River in Kaufman County to Rockwall-Forney Dam in Kaufman County

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	43		0		AD	FS	☐	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	4	43		0		AD	NC	☐	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	48	158.89	1		AD	NS	☐	NS	Bacteria in water	5c

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	100	53	70.07	0		AD	FS	☐	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	53	100.00	1		AD	NS	☐	NS	Sulfate in water	5c
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	55	452.00	0		AD	FS	☐	FS		
High pH	pH	12/01/11 - 11/30/18	9	44		0		AD	FS	☐	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	44		0		AD	FS	☐	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	50		4	0.92	AD	NC	☐	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	51		22	26.36	AD	CS	☐	CS	Chlorophyll-a in water	
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	53		41	8.37	AD	CS	☐	CS	Nitrate in water	
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	42		30	1.75	AD	CS	☐	CS	Total Phosphorus in water	
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.80	44		0		AD	FS	☐	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0819B **Buffalo Creek**

AUID: 0819B_01 Perennial stream from the confluence with the East Fork Trinity River up to 0.6 km above the confluence of Little Buffalo Creek

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Value	Exceedances #	Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95					ID	NA	<input checked="" type="checkbox"/>	CS	Nitrate in water	
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69					ID	NA	<input checked="" type="checkbox"/>	CS	Total Phosphorus in water	

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0820

Lake Ray Hubbard

AUID: 0820_01

Lower portion of East Fork arm, centering on IH 30

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Value	Exceedances #	Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Acute Toxic Substances in water	Aluminum (dissolved)	12/01/11 - 11/30/18	991	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	340	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	8.42	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	560.41	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	13.93	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	63.18	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	460.30	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	115.19	14		0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	150	14	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	0.24	14	0.12	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	72.90	14	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	9.31	14	1.29	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	2.46	14	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	51.13	14	1.90	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	116.13	14	4.10	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	78		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	78		0		AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0820_01 Lower portion of East Fork arm, centering on IH 30

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	100	56	27.61	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	56	40.18	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	439	218.34	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	78		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	78		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.11	19		1	0.22	JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	26.70	19		7	37.29	JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	0.37	19		1	0.78	JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.20	19		0		JQ	NA	<input type="checkbox"/>	NA		
Water Temperature	Water temperature	12/01/11 - 11/30/18	33.90	78		0		AD	FS	<input type="checkbox"/>	FS		

Fish Consumption Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	1.15	69	0.50	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	332	69	1.99	0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Arsenic (dissolved)	12/01/11 - 11/30/18	10	14	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Barium (dissolved)	12/01/11 - 11/30/18	2,000	14	45.65	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Cadmium (dissolved)	12/01/11 - 11/30/18	5	14	0.15	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Lead (dissolved)	12/01/11 - 11/30/18	1.15	14	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nickel (dissolved)	12/01/11 - 11/30/18	332	14	1.90	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	19	0.15	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0820_02 Middle portion of East Fork arm, centering on SH 66

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Aluminum (dissolved)	12/01/11 - 11/30/18	991	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	340	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	8.42	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	560.41	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	13.93	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	63.18	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	460.30	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	115.19	14		0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	150	14	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	0.24	14	0.12	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	72.90	14	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	9.31	14	0.74	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	2.46	14	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	51.13	14	1.73	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	116.13	14	3.24	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	106		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	106		4	4.45	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	26	1.82	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0820_02 Middle portion of East Fork arm, centering on SH 66

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	100	56	27.61	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	56	40.18	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	439	218.34	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	106		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	106		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.11	46		2	0.13	JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	26.70	43		15	42.23	JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	0.37	46		4	0.42	JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.20	44		0		JQ	NA	<input type="checkbox"/>	NA		
Water Temperature	Water temperature	12/01/11 - 11/30/18	33.90	106		0		AD	FS	<input type="checkbox"/>	FS		

Fish Consumption Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	1.15	69	0.50	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	332	69	1.99	0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Arsenic (dissolved)	12/01/11 - 11/30/18	10	14	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Barium (dissolved)	12/01/11 - 11/30/18	2,000	14	43.78	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Cadmium (dissolved)	12/01/11 - 11/30/18	5	14	0.15	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Fluoride	12/01/11 - 11/30/18	4	28	0.42	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Lead (dissolved)	12/01/11 - 11/30/18	1.15	14	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nickel (dissolved)	12/01/11 - 11/30/18	332	14	1.73	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	46	0.13	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0820_04 Lower portion of main body of reservoir extending up from dam to Yankee Creek Arm

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Aluminum (dissolved)	12/01/11 - 11/30/18	991	12		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	340	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	8.42	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	560.41	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	13.93	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	63.18	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	460.30	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	115.19	14		0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	150	14	2.73	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	0.24	14	0.12	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	72.90	14	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	9.31	14	1.06	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	2.46	14	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	51.13	14	1.90	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	116.13	14	7.89	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	103		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	103		7	4.10	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	25	2.49	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0820_04 Lower portion of main body of reservoir extending up from dam to Yankee Creek Arm

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	100	56	27.61	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	56	40.18	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	439	218.34	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	103		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	103		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.11	45		4	0.17	JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	26.70	42		15	37.37	JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	0.37	46		5	0.46	JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.20	43		0		JQ	NA	<input type="checkbox"/>	NA		
Water Temperature	Water temperature	12/01/11 - 11/30/18	33.90	103		0		AD	FS	<input type="checkbox"/>	FS		

Fish Consumption Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	1.15	69	0.50	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	332	69	1.99	0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Arsenic (dissolved)	12/01/11 - 11/30/18	10	14	2.73	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Barium (dissolved)	12/01/11 - 11/30/18	2,000	14	46.55	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Cadmium (dissolved)	12/01/11 - 11/30/18	5	14	0.15	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Fluoride	12/01/11 - 11/30/18	4	28	0.40	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Lead (dissolved)	12/01/11 - 11/30/18	1.15	14	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nickel (dissolved)	12/01/11 - 11/30/18	332	14	1.90	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	46	0.16	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0820_05 Mid-reservoir, I30 crossing Rowlett Creek Arm to Yankee Creek Arm

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Aluminum (dissolved)	12/01/11 - 11/30/18	991	12		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	340	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	8.42	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	560.41	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	13.93	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	63.18	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	460.30	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	115.19	14		0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	150	14	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	0.24	14	0.12	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	72.90	14	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	9.31	14	1.33	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	2.46	14	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	51.13	14	1.84	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	116.13	14	7.92	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	78		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	78		0		AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0820_05 Mid-reservoir, I30 crossing Rowlett Creek Arm to Yankee Creek Arm

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	100	56	27.61	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	56	40.18	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	439	218.34	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	78		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	78		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.11	19		2	0.19	JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	26.70	19		4	34.25	JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	0.37	19		0		JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.20	19		0		JQ	NA	<input type="checkbox"/>	NA		
Water Temperature	Water temperature	12/01/11 - 11/30/18	33.90	78		0		AD	FS	<input type="checkbox"/>	FS		

Fish Consumption Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	1.15	69	0.50	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	332	69	1.99	0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Arsenic (dissolved)	12/01/11 - 11/30/18	10	14	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Barium (dissolved)	12/01/11 - 11/30/18	2,000	14	47.96	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Cadmium (dissolved)	12/01/11 - 11/30/18	5	14	0.15	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Lead (dissolved)	12/01/11 - 11/30/18	1.15	14	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nickel (dissolved)	12/01/11 - 11/30/18	332	14	1.84	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	19	0.09	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0820_06 Outfall canal from Lake Lavon Dam

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Aluminum (dissolved)	12/01/11 - 11/30/18	991	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	340	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	8.42	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	560.41	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	13.93	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	63.18	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	460.30	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	115.19	13		0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	150	13	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	0.24	13	0.12	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	72.90	13	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	9.31	13	1.21	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	2.46	13	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	51.13	13	2.59	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	116.13	13	5.54	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	74		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	74		2	4.55	AD	NC	<input type="checkbox"/>	NC		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Dissolved Solids	Chloride	12/01/11 - 11/30/18	100	56	27.61	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	56	40.18	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	439	218.34	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	74		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	74		0		AD	FS	<input type="checkbox"/>	FS		
Water Temperature	Water temperature	12/01/11 - 11/30/18	33.90	74		0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0820_06 Outfall canal from Lake Lavon Dam

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	1.15	69	0.50	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	332	69	1.99	0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Surface Water HH criteria for DWS average	Arsenic (dissolved)	12/01/11 - 11/30/18	10	13	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Barium (dissolved)	12/01/11 - 11/30/18	2,000	13	59.19	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Cadmium (dissolved)	12/01/11 - 11/30/18	5	13	0.15	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Lead (dissolved)	12/01/11 - 11/30/18	1.15	13	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nickel (dissolved)	12/01/11 - 11/30/18	332	13	2.59	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0820B

Rowlett Creek

AUID: 0820B_01

Perennial stream from the normal pool elevation of Lake Ray Hubbard upstream to the Parker Road crossing

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Aluminum (dissolved)	12/01/11 - 11/30/18	991	19		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	340	23		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	20.66	23		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	1,194.85	23		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	33.29	23		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	170.17	23		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	1,006.20	23		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	252.11	23		0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	150	23	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	0.24	23	0.12	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	72.90	23	2.62	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	9.31	23	2.55	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	2.46	23	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	51.13	23	3.04	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	116.13	23	7.15	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	100		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	4	100		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	24	267.29	1		AD	NS	<input type="checkbox"/>	NS	Bacteria in water	5c

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0820B_01 Perennial stream from the normal pool elevation of Lake Ray Hubbard upstream to the Parker Road crossing

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
				#	Value	#	Value						
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	23		1	0.85	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	21		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	23		21	5.86	AD	CS	<input type="checkbox"/>	CS	Nitrate in water	
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	24		0		AD	NC	<input type="checkbox"/>	NC		
Fish Consumption Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
				#	Value	#	Value						
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	3.83	23	0.50	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	1,140	23	3.04	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0820C Muddy Creek

AUID: 0820C_01 From the confluence with Lake Ray Hubbard, in Dallas County, to the headwaters east of Allen, in Collin County

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Aluminum (dissolved)	12/01/11 - 11/30/18	991	9		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	340	11		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	8.42	11		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	560.41	11		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	69.39	11		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	63.18	11		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	460.30	11		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	115.19	11		0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	150	11	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	0.24	11	0.12	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	72.90	11	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	46.35	11	7.90	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	2.46	11	0.56	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	51.13	11	5.59	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	116.13	11	15.49	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	71		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	71		0		AD	NC	<input type="checkbox"/>	NC		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18						ID	NA	<input checked="" type="checkbox"/>	CS	Nitrate in water	

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0820C_01 From the confluence with Lake Ray Hubbard, in Dallas County, to the headwaters east of Allen, in Collin County

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	3.83	11	0.56	0		AD	FS	<input type="checkbox"/>	FS			
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	1,140	11	5.59	0		AD	FS	<input type="checkbox"/>	FS			

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0821

Lake Lavon

AUID: 0821_01

Lowermost portion of reservoir

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	78		2	3.24	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	78		6	3.65	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	78	2.83	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/08 - 11/30/18	80	532	23.17	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/08 - 11/30/18	60	532	36.72	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/08 - 11/30/18	400	543	235.68	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	78		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	78		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.11	78		9	0.18	JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	26.70	70		28	43.82	JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	0.37	78		34	0.60	JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.20	78		0		JQ	NA	<input type="checkbox"/>	NA		
Water Temperature	Water temperature	12/01/11 - 11/30/18	33.90	78		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	78	0.32	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0821_02 East Fork arm

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	270	0	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	270	0	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	269 3.86	0	AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/08 - 11/30/18	80	532 23.17	0	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/08 - 11/30/18	60	532 36.72	0	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/08 - 11/30/18	400	543 235.68	0	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	270	5 9.16	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	270	0	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.11	259	41 0.38	JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	26.70	237	146 64.09	JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	0.37	259	198 1.94	JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.20	259	33 0.38	JQ	NA	<input type="checkbox"/>	NA		
Water Temperature	Water temperature	12/01/11 - 11/30/18	33.90	270	0	AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	259 1.51	0	AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0821_03 Middle portion of Sister Grove Creek arm

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	39		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	39		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	39	2.28	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/08 - 11/30/18	80	532	23.17	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/08 - 11/30/18	60	532	36.72	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/08 - 11/30/18	400	543	235.68	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	39		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	39		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.11	39		0		JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	26.70	35		14	45.71	JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	0.37	39		1	0.41	JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.20	39		0		JQ	NA	<input type="checkbox"/>	NA		
Water Temperature	Water temperature	12/01/11 - 11/30/18	33.90	39		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	39	0.13	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0821_04 Remainder of segment

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	156	0	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	156	3 4.67	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	141 4.17	0	AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/08 - 11/30/18	80	532 23.17	0	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/08 - 11/30/18	60	532 36.72	0	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/08 - 11/30/18	400	543 235.68	0	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	156	0	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	156	0	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.11	156	7 0.17	JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	26.70	140	77 46.93	JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	0.37	156	15 0.45	JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.20	156	12 0.25	JQ	NA	<input type="checkbox"/>	NA		
Water Temperature	Water temperature	12/01/11 - 11/30/18	33.90	156	0	AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	156 0.12	0	AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0821A Pilot Grove Creek

AUID: 0821A_02 Pilot Grove Creek from the confluence with Lake Lavon upstream to the confluence with Desert Creek

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	27		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	27		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	33	150.70	1		AD	CN	<input type="checkbox"/>	CN	Bacteria in water	

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	37		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	34		4	21.88	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	37		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	37		0		AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0821B **Sister Grove Creek**

AUID: 0821B_01 From the confluence with Lake Lavon in Collin County to the confluence of West Prong Sister Grove Creek/East Prong Sister Grove Creek, east of Van Alstyne in Grays

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	19		0	2.40	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	19		4	4.18	AD	CS	<input type="checkbox"/>	CS	Depressed dissolved oxygen in water	

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	32	151.92	1		AD	CN	<input type="checkbox"/>	CN	Bacteria in water	

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	38		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	35		6	32.63	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	38		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	38		0	0.84	AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0821C **Wilson Creek**

AUID: 0821C_01 From the confluence with Lake Lavon in Collin County up to West FM 455 (NHD RC 12030106000086), just east of Celina, Collin Co., TX.

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	27	0	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	4	27	0	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	24 258.05	1	AD	NS	<input type="checkbox"/>	NS	Bacteria in water	5c

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	28	0	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	27	2 20.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	29	1 1.99	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	27	0	AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0821D **East Fork Trinity River above Lake Lavon**

AUID: 0821D_01 A portion of the East Fork Trinity River extending from the confluence with Lake Lavon (segment 0821) to the upper end of the water body (NHD RC 12030106000074)

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	26		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	4	26		4	3.35	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	24	192.21	1		AD	NS	<input type="checkbox"/>	NS	Bacteria in water	5c

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	25		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	24		3	24.57	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	26		2	2.70	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	24		0		AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0822

Elm Fork Trinity River Below Lewisville Lake

AUID: 0822_01

Lower 11 mi of segment

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Aluminum (dissolved)	12/01/11 - 11/30/18	991	9		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	340	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	9.91	17		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	643.41	17		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	16.33	17		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	75.88	17		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	515.35	12		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	132.88	17		0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	150	13	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	0.27	17	0.14	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	83.69	17	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	10.75	17	1.72	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	2.96	17	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	58.96	12	1.99	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	133.97	17	3.32	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	30		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	30		2	4.25	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	30	116.19	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0822_01 Lower 11 mi of segment

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	80	26	30.08	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	60	26	56.80	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	259	256.04	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	30		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	30		1	5.90	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	30		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	28		13	45.85	AD	CS	<input type="checkbox"/>	CS	Chlorophyll-a in water	
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	30		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	30		0		AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	30		0		AD	FS	<input type="checkbox"/>	FS		

Fish Consumption Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	1.15	58	0.54	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	332	49	2.13	0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Arsenic (dissolved)	12/01/11 - 11/30/18	10	50	2.56	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Barium (dissolved)	12/01/11 - 11/30/18	2,000	37	44.79	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Cadmium (dissolved)	12/01/11 - 11/30/18	5	58	0.21	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Lead (dissolved)	12/01/11 - 11/30/18	1.15	58	0.54	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nickel (dissolved)	12/01/11 - 11/30/18	332	49	2.13	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	34	0.59	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0822_02 4.5 mi upstream to 7.5 mi downstream DWU intake

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Aluminum (dissolved)	12/01/11 - 11/30/18	991	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	340	12		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	9.91	16		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	643.41	16		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	16.33	16		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	75.88	16		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	530.88	12		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	132.88	16		0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	150	12	2.73	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	0.27	16	0.35	1		AD	CN	<input type="checkbox"/>	CN	Cadmium in water	
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	83.69	16	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	10.75	16	1.68	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	2.96	16	0.66	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	58.96	12	2.41	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	133.97	16	6.45	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	80		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	80		5	4.34	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	4	197.58	1		ID	NA	<input type="checkbox"/>	NA		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0822_02 4.5 mi upstream to 7.5 mi downstream DWU intake

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	80	26	30.08	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	60	26	56.80	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	259	256.04	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	80		1	9.60	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	80		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	4		0		LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	4		1	20.00	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	4		0		LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	4		0		LD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	80		0		AD	FS	<input type="checkbox"/>	FS		

Fish Consumption Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	1.15	58	0.54	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	332	49	2.13	0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Arsenic (dissolved)	12/01/11 - 11/30/18	10	50	2.56	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Barium (dissolved)	12/01/11 - 11/30/18	2,000	37	44.79	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Cadmium (dissolved)	12/01/11 - 11/30/18	5	58	0.21	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Lead (dissolved)	12/01/11 - 11/30/18	1.15	58	0.54	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nickel (dissolved)	12/01/11 - 11/30/18	332	49	2.13	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	34	0.59	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0822_03 1.0 mi upstream to 4.5 mi downstream SH 121

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Aluminum (dissolved)	12/01/11 - 11/30/18	991	11		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	340	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	9.91	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	643.41	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	16.33	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	75.88	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	530.88	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	132.88	13		0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	150	13	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	0.27	13	0.14	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	83.69	13	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	10.75	13	1.64	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	2.96	13	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	58.96	13	2.31	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	133.97	13	10.11	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	76		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	76		7	4.49	AD	NC	<input type="checkbox"/>	NC		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Dissolved Solids	Chloride	12/01/11 - 11/30/18	80	26	30.08	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	60	26	56.80	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	259	256.04	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	76		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	76		0		AD	FS	<input type="checkbox"/>	FS		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	76		0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0822_03 1.0 mi upstream to 4.5 mi downstream SH 121

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	1.15	58	0.54	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	332	49	2.13	0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Surface Water HH criteria for DWS average	Arsenic (dissolved)	12/01/11 - 11/30/18	10	50	2.56	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Barium (dissolved)	12/01/11 - 11/30/18	2,000	37	44.79	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Cadmium (dissolved)	12/01/11 - 11/30/18	5	58	0.21	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Lead (dissolved)	12/01/11 - 11/30/18	1.15	58	0.54	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nickel (dissolved)	12/01/11 - 11/30/18	332	49	2.13	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	34	0.59	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0822_04 Upper 1.5 mi of segment

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Aluminum (dissolved)	12/01/11 - 11/30/18	991	11		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	340	12		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	9.91	12		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	643.41	12		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	16.33	12		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	75.88	12		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	530.88	12		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	132.88	12		0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	150	12	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	0.27	12	0.14	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	83.69	12	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	10.75	12	1.10	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	2.96	12	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	58.96	12	1.81	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	133.97	12	9.74	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	73		1	2.90	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	73		5	3.98	AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0822_04 Upper 1.5 mi of segment

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Dissolved Solids	Chloride	12/01/11 - 11/30/18	80	26	30.08	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	60	26	56.80	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	259	256.04	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	73		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	73		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18						ID	NA	<input checked="" type="checkbox"/>	CS	Chlorophyll-a in water	
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	73		0		AD	FS	<input type="checkbox"/>	FS		
Fish Consumption Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	1.15	58	0.54	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	332	49	2.13	0		AD	FS	<input type="checkbox"/>	FS		
Domestic Water Supply Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Surface Water HH criteria for DWS average	Arsenic (dissolved)	12/01/11 - 11/30/18	10	50	2.56	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Barium (dissolved)	12/01/11 - 11/30/18	2,000	37	44.79	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Cadmium (dissolved)	12/01/11 - 11/30/18	5	58	0.21	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Lead (dissolved)	12/01/11 - 11/30/18	1.15	58	0.54	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nickel (dissolved)	12/01/11 - 11/30/18	332	49	2.13	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	34	0.59	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0822A

Cottonwood Branch

AUID: 0822A_01

A 2.5 mi stretch of Cottonwood Branch running upstream from confluence with Hackberry Creek to approx. 0.5 mi downstream of N. Story Rd., Dallas Co.

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	13.88	12		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	854.38	12		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	22.63	12		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	110.18	12		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	178.19	11		0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	0.27	12	0.14	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	83.69	12	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	10.75	12	1.37	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	2.96	12	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	133.97	11	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	2	37		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	37		2	2.50	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	37	27.39	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	37		1	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	35		15	26.00	AD	CS	<input type="checkbox"/>	CS	Chlorophyll-a in water	
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	35		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	37		0		AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0822A_01 A 2.5 mi stretch of Cottonwood Branch running upstream from confluence with Hackberry Creek to approx. 0.5 mi downstream of N. Story Rd., Dallas Co.

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	38.30	12	0.50	0		AD	FS	<input type="checkbox"/>	FS			

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0822A_02 A 3.5 mi stretch of Cottonwood Branch running upstream from approximately 0.5 mi downstream of N. Story Rd. to Valley View Rd, Dallas, Co.

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	2	41	0	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	41	2 2.70	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	41 188.96	1	AD	NS	<input type="checkbox"/>	NS	Bacteria in water	4a

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	38.30	12 0.50	0	AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0822B

Grapevine Creek

AUID: 0822B_01

From the confluence with Elm Fork Trinity River in Dallas County upstream to its headwaters west of International Parkway at DFW Airport in Tarrant County

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Acute Toxic Substances in water	Selenium	12/01/11 - 11/30/18	20	13	0	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/01/11 - 11/30/18	5	13 1.05	0	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	1.50	55	0	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	2	55	0	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	55 177.01	1	AD	NS	<input type="checkbox"/>	NS	Bacteria in water	4a

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	13	0	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	7	0	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	9	0	LD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0822C

Hackberry Creek

AUID: 0822C_01 A 5.5 mi stretch of Hackberry Creek running upstream from confluence with S. Fork Hackberry Creek to approximately 2.4 mi upstream of SH 114 in Irving, Dallas Co.

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	11.24	4		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	715.23	4		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	18.45	4		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	87.26	4		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Selenium	12/01/11 - 11/30/18	20	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	148.26	4		0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	0.27	4	0.14	0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	83.69	4	2.50	0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	10.75	4	1.93	0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	2.96	4	0.50	0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Selenium	12/01/11 - 11/30/18	5	10	1.53	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	133.97	4	2.50	0		LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	27		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	27		1	3.90	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	15	93.49	0		LD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0822C_01 A 5.5 mi stretch of Hackberry Creek running upstream from confluence with S. Fork Hackberry Creek to approximately 2.4 mi upstream of SH 114 in Irving, Dallas Co.

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
				#	Value	#	Value						
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	52		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	45		23	30.39	AD	CS	<input type="checkbox"/>	CS	Chlorophyll-a in water	
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	39		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	50		0		AD	NC	<input type="checkbox"/>	NC		
Fish Consumption Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
				#	Value	#	Value						
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	3.83	4	0.50	0		LD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0822D Ski Lake

AUID: 0822D_01 A 65 acre reservoir locate just south of the intersection of US 35E and spur 482 in Irving

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Aluminum (dissolved)	12/01/11 - 11/30/18	991	11		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	340	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	9.91	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	643.41	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	16.33	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	75.88	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	530.88	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	132.88	13		0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	150	13	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	0.27	13	0.14	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	83.69	13	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	10.75	13	1.78	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	2.96	13	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	58.96	13	2.19	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	133.97	13	4.52	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	77		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	77		3	4.37	AD	NC	<input type="checkbox"/>	NC		

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	1.15	13	0.50	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	332	13	2.19	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0822D_01 A 65 acre reservoir locate just south of the intersection of US 35E and spur 482 in Irving

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Surface Water HH criteria for DWS average	Arsenic (dissolved)	12/01/11 - 11/30/18	10	13	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Barium (dissolved)	12/01/11 - 11/30/18	2,000	13	43.81	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Cadmium (dissolved)	12/01/11 - 11/30/18	5	13	0.15	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Lead (dissolved)	12/01/11 - 11/30/18	1.15	13	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nickel (dissolved)	12/01/11 - 11/30/18	332	13	2.19	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0823

Lewisville Lake

AUID: 0823_01

Lowermost portion of reservoir

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	273	262.66	0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18						ID	NA	<input type="checkbox"/>	NA		

Fish Consumption Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	1.15	52	0.50	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	332	52	4.07	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0823_02 Stewart Creek arm

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Aluminum (dissolved)	12/01/11 - 11/30/18	991	8		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	340	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	9.08	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	597.61	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	15.00	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	68.81	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	491.90	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	123.11	13		1	461.63	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	150	13	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	0.26	13	0.13	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	77.74	13	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	9.95	13	3.58	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	2.68	13	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	54.63	13	3.55	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	124.12	13	50.21	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	66		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	66		3	3.97	AD	NC	<input type="checkbox"/>	NC		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	273	262.66	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	66		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	66		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18						ID	NA	<input type="checkbox"/>	NA		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	66		1	33.20	AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0823_02 Stewart Creek arm

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	1.15	52	0.50	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	332	52	4.07	0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Surface Water HH criteria for DWS average	Arsenic (dissolved)	12/01/11 - 11/30/18	10	13	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Barium (dissolved)	12/01/11 - 11/30/18	2,000	13	33.67	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Cadmium (dissolved)	12/01/11 - 11/30/18	5	13	0.15	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Lead (dissolved)	12/01/11 - 11/30/18	1.15	13	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nickel (dissolved)	12/01/11 - 11/30/18	332	13	3.55	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0823_03 Hickory Creek arm

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Aluminum (dissolved)	12/01/11 - 11/30/18	991	11		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	340	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	9.08	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	597.61	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	15.00	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	68.81	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	491.90	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	123.11	14		0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	150	14	3.21	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	0.26	14	0.19	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	77.74	14	4.11	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	9.95	14	2.30	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	2.68	14	0.56	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	54.63	14	8.47	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	124.12	14	9.14	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	72		1	1.70	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	72		2	3.30	AD	NC	<input type="checkbox"/>	NC		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	273	262.66	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	72		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	72		1	6.40	AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18						ID	NA	<input type="checkbox"/>	NA		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	72		1	33.40	AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0823_03 Hickory Creek arm

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	1.15	52	0.50	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	332	52	4.07	0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Surface Water HH criteria for DWS average	Arsenic (dissolved)	12/01/11 - 11/30/18	10	14	2.68	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Barium (dissolved)	12/01/11 - 11/30/18	2,000	14	43.62	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Cadmium (dissolved)	12/01/11 - 11/30/18	5	14	0.31	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Lead (dissolved)	12/01/11 - 11/30/18	1.15	14	0.51	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nickel (dissolved)	12/01/11 - 11/30/18	332	14	8.47	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	17	0.15	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0823_04 Little Elm Creek arm

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Aluminum (dissolved)	12/01/11 - 11/30/18	991	11		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	340	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	9.08	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	597.61	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	15.00	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	68.81	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	491.90	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	123.11	14		1	139.18	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	150	14	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	0.26	14	0.13	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	77.74	14	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	9.95	14	1.06	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	2.68	14	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	54.63	14	1.87	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	124.12	14	12.99	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	74		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	74		0		AD	NC	<input type="checkbox"/>	NC		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	273	262.66	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	75		2	9.10	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	75		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18						ID	NA	<input type="checkbox"/>	NA		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	75		2	32.70	AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0823_04 Little Elm Creek arm

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	1.15	52	0.50	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	332	52	4.07	0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Surface Water HH criteria for DWS average	Arsenic (dissolved)	12/01/11 - 11/30/18	10	14	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Barium (dissolved)	12/01/11 - 11/30/18	2,000	14	43.57	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Cadmium (dissolved)	12/01/11 - 11/30/18	5	14	0.15	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Lead (dissolved)	12/01/11 - 11/30/18	1.15	14	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nickel (dissolved)	12/01/11 - 11/30/18	332	14	1.87	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	16	0.17	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0823_05

Middle portion of reservoir east of Lake Dallas

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Aluminum (dissolved)	12/01/08 - 11/30/18	991	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	340	11		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	9.08	11		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	597.61	11		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	15.00	11		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	68.81	11		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	491.90	11		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	123.11	11		0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	150	11	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	0.26	11	0.13	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	77.74	11	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	9.95	11	1.47	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	2.68	11	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	54.63	11	1.88	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	124.12	11	4.61	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	63		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	63		1	4.70	AD	NC	<input type="checkbox"/>	NC		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	273	262.66	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	62		1	9.80	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	62		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18						ID	NA	<input type="checkbox"/>	NA		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	62		1	33.00	AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0823_05 Middle portion of reservoir east of Lake Dallas

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	1.15	52	0.50	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	332	52	4.07	0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Surface Water HH criteria for DWS average	Arsenic (dissolved)	12/01/11 - 11/30/18	10	11	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Barium (dissolved)	12/01/11 - 11/30/18	2,000	11	43.25	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Cadmium (dissolved)	12/01/11 - 11/30/18	5	11	0.15	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Lead (dissolved)	12/01/11 - 11/30/18	1.15	11	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nickel (dissolved)	12/01/11 - 11/30/18	332	11	1.88	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	16	0.20	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0823_06 Remainder of reservoir

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	273	262.66	0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18						ID	NA	<input type="checkbox"/>	NA		

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	1.15	52	0.50	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	332	52	4.07	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0823A **Little Elm Creek**

AUID: 0823A_01 From the confluence with Lake Lewisville in Denton Co., up to FM 455 in Collin Co. (Lower 12 mi of segment).

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Aluminum (dissolved)	09/01/10 - 11/30/18	991	4		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Arsenic (dissolved)	09/01/10 - 11/30/18	340	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium (dissolved)	09/01/10 - 11/30/18	9.08	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	09/01/10 - 11/30/18	597.61	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper (dissolved)	09/01/10 - 11/30/18	15.00	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead (dissolved)	09/01/10 - 11/30/18	68.81	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel (dissolved)	09/01/10 - 11/30/18	491.90	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc (dissolved)	09/01/10 - 11/30/18	123.11	10		0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic (dissolved)	09/01/10 - 11/30/18	150	10	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium (dissolved)	09/01/10 - 11/30/18	0.26	10	0.13	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	09/01/10 - 11/30/18	77.74	10	2.85	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper (dissolved)	09/01/10 - 11/30/18	9.95	10	3.12	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead (dissolved)	09/01/10 - 11/30/18	2.68	10	0.56	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel (dissolved)	09/01/10 - 11/30/18	54.63	10	6.79	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc (dissolved)	09/01/10 - 11/30/18	124.12	10	5.62	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	36		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	36		0		AD	NC	<input type="checkbox"/>	NC		

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	3.83	8	0.58	0		LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	1,140	8	7.00	0		LD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0823B **Stewart Creek**

AUID: 0823B_01 From the confluence with Lake Lewisville in Denton County to the headwaters near Frisco in Collin County.

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95					ID	NA	<input checked="" type="checkbox"/>	CS	Nitrate in water	
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69					ID	NA	<input checked="" type="checkbox"/>	CS	Total Phosphorus in water	

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0823C **Clear Creek**

AUID: 0823C_01 Lower 25 mi of segment

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Aluminum (dissolved)	05/01/11 - 11/30/18	991	6		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Arsenic (dissolved)	05/01/11 - 11/30/18	340	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium (dissolved)	05/01/11 - 11/30/18	9.08	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	05/01/11 - 11/30/18	597.61	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper (dissolved)	05/01/11 - 11/30/18	15.00	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead (dissolved)	05/01/11 - 11/30/18	68.81	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel (dissolved)	05/01/11 - 11/30/18	491.90	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc (dissolved)	05/01/11 - 11/30/18	123.11	10		0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic (dissolved)	05/01/11 - 11/30/18	150	10	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium (dissolved)	05/01/11 - 11/30/18	0.26	10	0.13	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	05/01/11 - 11/30/18	77.74	10	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper (dissolved)	05/01/11 - 11/30/18	9.95	10	1.51	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead (dissolved)	05/01/11 - 11/30/18	2.68	10	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel (dissolved)	05/01/11 - 11/30/18	54.63	10	1.69	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc (dissolved)	05/01/11 - 11/30/18	124.12	10	13.54	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	80		1	2.90	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	80		3	4.13	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	25	162.63	1		AD	NS	<input type="checkbox"/>	NS	Bacteria in water	5c

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0823C_01 Lower 25 mi of segment

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	25		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	27		5	46.92	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	27		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	25		0		AD	NC	<input type="checkbox"/>	NC		
Fish Consumption Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	3.83	9	0.50	0		LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	1,140	9	1.57	0		LD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0823D Doe Branch

AUID: 0823D_01 From the confluence (NHD RC 12030103023518) with Lake Lewisville/Elm Fork Trinity in Denton County to the headwaters (NHD RC 12030103005935) northeast o

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Aluminum (dissolved)	12/01/11 - 11/30/18	991	5		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	340	5		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	9.08	5		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	597.61	5		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	15.00	5		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	68.81	5		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	491.90	5		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	123.11	5		0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Arsenic (dissolved)	11/01/09 - 11/30/18	150	10	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium (dissolved)	11/01/09 - 11/30/18	0.26	10	0.13	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	11/01/09 - 11/30/18	77.74	10	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper (dissolved)	11/01/09 - 11/30/18	9.95	10	1.41	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead (dissolved)	11/01/09 - 11/30/18	2.68	10	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel (dissolved)	11/01/09 - 11/30/18	54.63	10	1.70	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc (dissolved)	11/01/09 - 11/30/18	124.12	10	5.60	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	1.50	34		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	2	34		0		AD	NC	<input type="checkbox"/>	NC		

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
HH Bioaccumulative Toxics in water	Lead (dissolved)	11/01/09 - 11/30/18	3.83	10	0.50	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	11/01/09 - 11/30/18	1,140	10	1.70	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0824

Elm Fork Trinity River Above Ray Roberts Lake

AUID: 0824_01

Lower 7.5 mi of segment

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Aluminum (dissolved)	11/01/10 - 11/30/18	991	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	340	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	6.66	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	459.97	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	11.10	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	48.53	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	375.35	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	93.90	13		0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	150	13	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	0.21	13	0.10	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	59.83	13	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	7.57	13	3.11	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	1.89	13	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	41.69	13	4.33	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	94.67	13	13.77	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	71		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	71		1	4.90	AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0824_01 Lower 7.5 mi of segment

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	110	25	20.12	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	90	25	31.86	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	700	71	418.67	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	71		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	71		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10					ID	NA	<input checked="" type="checkbox"/>	CS	Chlorophyll-a in water	
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95					ID	NA	<input checked="" type="checkbox"/>	CS	Nitrate in water	
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	71		0		AD	FS	<input type="checkbox"/>	FS		
Fish Consumption Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	1.15	13	0.50	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	332	13	4.33	0		AD	FS	<input type="checkbox"/>	FS		
Domestic Water Supply Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Arsenic (dissolved)	12/01/11 - 11/30/18	10	13	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Barium (dissolved)	12/01/11 - 11/30/18	2,000	13	46.20	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Cadmium (dissolved)	12/01/11 - 11/30/18	5	13	0.15	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Fluoride	12/01/11 - 11/30/18	4	25	0.14	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Lead (dissolved)	12/01/11 - 11/30/18	1.15	13	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nickel (dissolved)	12/01/11 - 11/30/18	332	13	4.33	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	26	0.56	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0824_02 2 mi reach near unmarked county road, 1.4 km downstream Gainesville WWTP

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
				#	Value	#	Value						
Dissolved Solids	Chloride	12/01/11 - 11/30/18	110	25	20.12	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	90	25	31.86	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	700	105	382.92	0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95					ID	NA	<input checked="" type="checkbox"/>	CS	Nitrate in water	
Fish Consumption Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
				#	Value	#	Value						
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	1.15	13	0.50	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	332	13	4.33	0		AD	FS	<input type="checkbox"/>	FS		
Domestic Water Supply Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
				#	Value	#	Value						
Surface Water HH criteria for DWS average	Arsenic (dissolved)	12/01/11 - 11/30/18	10	13	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Barium (dissolved)	12/01/11 - 11/30/18	2,000	13	46.20	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Cadmium (dissolved)	12/01/11 - 11/30/18	5	13	0.15	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Fluoride	12/01/11 - 11/30/18	4	25	0.14	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Lead (dissolved)	12/01/11 - 11/30/18	1.15	13	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nickel (dissolved)	12/01/11 - 11/30/18	332	13	4.33	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	26	0.56	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0824_03 3.5 mi reach near SH 51

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/01/11 - 11/30/18	5	13		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/01/11 - 11/30/18	3	13		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	34		1	2.80	SM	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	34		4	3.90	SM	NA	<input type="checkbox"/>	NA		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	24	390.78	1		AD	NS	<input type="checkbox"/>	NS	Bacteria in water	5c

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	110	25	20.12	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	90	25	31.86	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	700	105	382.92	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	34		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	34		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	26		1	0.47	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	28		13	55.23	AD	CS	<input type="checkbox"/>	CS	Chlorophyll-a in water	
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	28		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	25		0		AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	34		0		AD	FS	<input type="checkbox"/>	FS		

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	1.15	13	0.50	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	332	13	4.33	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0824_03 3.5 mi reach near SH 51

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Surface Water HH criteria for DWS average	Arsenic (dissolved)	12/01/11 - 11/30/18	10	13	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Barium (dissolved)	12/01/11 - 11/30/18	2,000	13	46.20	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Cadmium (dissolved)	12/01/11 - 11/30/18	5	13	0.15	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Fluoride	12/01/11 - 11/30/18	4	25	0.14	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Lead (dissolved)	12/01/11 - 11/30/18	1.15	13	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nickel (dissolved)	12/01/11 - 11/30/18	332	13	4.33	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	26	0.56	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0824_04 25 mi reach near FM 3108

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	110	25	20.12	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	90	25	31.86	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	700	105	382.92	0		AD	FS	<input type="checkbox"/>	FS		

Fish Consumption Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	1.15	13	0.50	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	332	13	4.33	0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Arsenic (dissolved)	12/01/11 - 11/30/18	10	13	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Barium (dissolved)	12/01/11 - 11/30/18	2,000	13	46.20	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Cadmium (dissolved)	12/01/11 - 11/30/18	5	13	0.15	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Fluoride	12/01/11 - 11/30/18	4	25	0.14	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Lead (dissolved)	12/01/11 - 11/30/18	1.15	13	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nickel (dissolved)	12/01/11 - 11/30/18	332	13	4.33	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	26	0.56	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0824_05 Upper 48 mi of segment

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	110	25	20.12	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	90	25	31.86	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	700	105	382.92	0		AD	FS	<input type="checkbox"/>	FS		

Fish Consumption Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	1.15	13	0.50	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	332	13	4.33	0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Arsenic (dissolved)	12/01/11 - 11/30/18	10	13	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Barium (dissolved)	12/01/11 - 11/30/18	2,000	13	46.20	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Cadmium (dissolved)	12/01/11 - 11/30/18	5	13	0.15	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Fluoride	12/01/11 - 11/30/18	4	25	0.14	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Lead (dissolved)	12/01/11 - 11/30/18	1.15	13	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nickel (dissolved)	12/01/11 - 11/30/18	332	13	4.33	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	26	0.56	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0825

Denton Creek

AUID: 0825_01

From the confluence with the Elm Fork Trinity River in Dallas County to Grapevine Dam in Tarrant County

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Aluminum (dissolved)	12/01/11 - 11/30/18	991	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	340	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	10.08	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	652.48	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	16.60	13		1	35.53	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	77.30	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	538.61	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	134.82	13		0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	150	13	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	0.28	13	0.14	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	84.87	13	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	10.91	13	4.64	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	3.01	13	0.59	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	59.82	13	2.00	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	135.92	13	16.81	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	75		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	75		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126					ID	NA	<input checked="" type="checkbox"/>	CN	Bacteria in water	

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0825_01 From the confluence with the Elm Fork Trinity River in Dallas County to Grapevine Dam in Tarrant County

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
				#	Value	#	Value						
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	75	320.24	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	75		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	75		0		AD	FS	<input type="checkbox"/>	FS		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	75		0		AD	FS	<input type="checkbox"/>	FS		
Fish Consumption Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
				#	Value	#	Value						
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	1.15	13	0.59	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	332	13	2.00	0		AD	FS	<input type="checkbox"/>	FS		
Domestic Water Supply Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
				#	Value	#	Value						
Surface Water HH criteria for DWS average	Arsenic (dissolved)	12/01/11 - 11/30/18	10	13	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Barium (dissolved)	12/01/11 - 11/30/18	2,000	13	53.19	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Cadmium (dissolved)	12/01/11 - 11/30/18	5	13	0.15	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Lead (dissolved)	12/01/11 - 11/30/18	1.15	13	0.59	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nickel (dissolved)	12/01/11 - 11/30/18	332	13	2.00	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0826

Grapevine Lake

AUID: 0826_01

Lowermost portion of reservoir

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Aluminum (dissolved)	12/01/11 - 11/30/18	991	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	340	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	10.08	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	652.48	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	16.60	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	77.30	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	538.61	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	134.82	13		0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	150	13	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	0.28	13	0.14	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	84.87	13	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	10.91	13	1.47	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	3.01	13	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	59.82	13	1.88	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	135.92	13	8.40	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	99		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	99		3	4.41	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	25	1.48	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0826_01 Lowermost portion of reservoir

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Dissolved Solids	Chloride	12/01/11 - 11/30/18	80	54	34.68	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	60	54	34.76	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	256	253.01	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	99		1	9.10	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	99		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18						AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	33.90	99		0		AD	FS	<input type="checkbox"/>	FS		

Fish Consumption Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	1.15	37	0.50	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	332	37	1.81	0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Surface Water HH criteria for DWS average	Arsenic (dissolved)	12/01/11 - 11/30/18	10	13	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Barium (dissolved)	12/01/11 - 11/30/18	2,000	13	56.70	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Cadmium (dissolved)	12/01/11 - 11/30/18	5	13	0.15	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Fluoride	12/01/11 - 11/30/18	4	27	0.24	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Lead (dissolved)	12/01/11 - 11/30/18	1.15	13	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nickel (dissolved)	12/01/11 - 11/30/18	332	13	1.88	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	42	0.25	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0826_02 Morehead Creek cove

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
Dissolved Solids	Chloride	12/01/11 - 11/30/18	80	54	34.68	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	60	54	34.76	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	256	253.01	0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18						AD	NC	<input type="checkbox"/>	NC		

Fish Consumption Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	1.15	37	0.50	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	332	37	1.81	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0826_03 Lower portion of reservoir north of Oak Grove Park

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
Dissolved Solids	Chloride	12/01/11 - 11/30/18	80	54	34.68	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	60	54	34.76	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	256	253.01	0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18						AD	NC	<input type="checkbox"/>	NC		

Fish Consumption Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	1.15	37	0.50	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	332	37	1.81	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0826_04 North Main Slough cove

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
Dissolved Solids	Chloride	12/01/11 - 11/30/18	80	54	34.68	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	60	54	34.76	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	256	253.01	0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18						AD	NC	<input type="checkbox"/>	NC		

Fish Consumption Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	1.15	37	0.50	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	332	37	1.81	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0826_05 Middle portion of reservoir east of Meadowmere Park

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Aluminum (dissolved)	01/01/11 - 11/30/18	991	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	340	12		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	10.08	12		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	652.48	12		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	16.60	12		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	77.30	12		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	538.61	12		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	134.82	12		0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	150	12	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	0.28	12	0.14	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	84.87	12	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	10.91	12	1.02	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	3.01	12	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	59.82	12	1.78	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	135.92	12	3.83	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	66		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	66		1	4.30	AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0826_05 Middle portion of reservoir east of Meadowmere Park

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Dissolved Solids	Chloride	12/01/11 - 11/30/18	80	54	34.68	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	60	54	34.76	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	256	253.01	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	66		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	66		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18						AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	33.90	66		0		AD	FS	<input type="checkbox"/>	FS		
Fish Consumption Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	1.15	37	0.50	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	332	37	1.81	0		AD	FS	<input type="checkbox"/>	FS		
Domestic Water Supply Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Surface Water HH criteria for DWS average	Arsenic (dissolved)	12/01/11 - 11/30/18	10	12	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Barium (dissolved)	12/01/11 - 11/30/18	2,000	12	57.50	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Cadmium (dissolved)	12/01/11 - 11/30/18	5	12	0.15	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Lead (dissolved)	12/01/11 - 11/30/18	1.15	12	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nickel (dissolved)	12/01/11 - 11/30/18	332	12	1.78	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	16	0.15	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0826_06 Middle portion of reservoir southeast of Walnut Grove Park

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Aluminum (dissolved)	12/01/10 - 11/30/18	991	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	340	12		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	10.08	12		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	652.48	12		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	16.60	12		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	77.30	12		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	538.61	12		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	134.82	12		0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	150	12	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	0.28	12	0.14	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	84.87	12	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	10.91	12	1.67	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	3.01	12	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	59.82	12	1.78	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	135.92	12	5.10	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	93		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	93		3	4.23	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	25	2.45	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0826_06 Middle portion of reservoir southeast of Walnut Grove Park

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Dissolved Solids	Chloride	12/01/11 - 11/30/18	80	54	34.68	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	60	54	34.76	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	256	253.01	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	93		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	93		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18						AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	33.90	93		1	36.60	AD	FS	<input type="checkbox"/>	FS		

Fish Consumption Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	1.15	37	0.50	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	332	37	1.81	0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Surface Water HH criteria for DWS average	Arsenic (dissolved)	12/01/11 - 11/30/18	10	12	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Barium (dissolved)	12/01/11 - 11/30/18	2,000	12	55.71	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Cadmium (dissolved)	12/01/11 - 11/30/18	5	12	0.15	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Fluoride	12/01/11 - 11/30/18	4	27	0.25	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Lead (dissolved)	12/01/11 - 11/30/18	1.15	12	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nickel (dissolved)	12/01/11 - 11/30/18	332	12	1.78	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	26	0.24	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0826_07 Upper portion of reservoir east of Marshall Creek Park

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
Dissolved Solids	Chloride	12/01/11 - 11/30/18	80	54	34.68	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	60	54	34.76	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	256	253.01	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9					ID	NA	<input checked="" type="checkbox"/>	NS	pH	5c
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18						AD	NC	<input type="checkbox"/>	NC		

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	1.15	37	0.50	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	332	37	1.81	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0826_08 Remainder of reservoir

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
Dissolved Solids	Chloride	12/01/11 - 11/30/18	80	54	34.68	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	60	54	34.76	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	256	253.01	0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18						AD	NC	<input type="checkbox"/>	NC		
Fish Consumption Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	1.15	37	0.50	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	332	37	1.81	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0826A Denton Creek

AUID: 0826A_01 Perennial stream from the headwaters of Grapevine Lake upstream to the confluence of Trail Creek near the City of Justin

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Aluminum (dissolved)	05/01/10 - 11/30/18	991	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	340	11		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	10.08	11		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	652.48	11		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	16.60	11		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	77.30	11		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	538.61	11		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	134.82	11		0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	150	11	3.18	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	0.28	11	0.14	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	84.87	11	2.74	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	10.91	11	3.08	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	3.01	11	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	59.82	11	2.20	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	135.92	11	23.50	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	58		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	58		1	4.80	AD	NC	<input type="checkbox"/>	NC		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18						ID	NA	<input checked="" type="checkbox"/>	CS	Nitrate in water	

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0826A_01 Perennial stream from the headwaters of Grapevine Lake upstream to the confluence of Trail Creek near the City of Justin

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	3.83	24	0.50	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	1,140	24	1.73	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0826A_02 From the confluence of Trail Creek near the City of Justin to the confluence with an unnamed tributary 6.3 km upstream of FM-2449

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Aluminum (dissolved)	12/01/11 - 11/30/18	991	11		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	340	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	10.08	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	652.48	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	16.60	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	77.30	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	538.61	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	134.82	13		1	2,009.88	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	150	13	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	0.28	13	0.14	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	84.87	13	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	10.91	13	1.22	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	3.01	13	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	59.82	13	1.34	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	135.92	13	163.41	1		JQ	NS	<input type="checkbox"/>	CN	Zinc in water	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	70		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	70		4	4.53	AD	NC	<input type="checkbox"/>	NC		

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	3.83	24	0.50	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	1,140	24	1.73	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0826A_03 From the confluence with an unnamed tributary 6.3 km upstream of FM-2449 to 1.7 km upstream of County Road 2675

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	3.83	24	0.50	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	1,140	24	1.73	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0826A_04 From 1.7 km upstream of County Road 2675 to 2.3 km upstream of TX-59

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	3.83	24	0.50	0		AD	FS	<input type="checkbox"/>	FS			
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	1,140	24	1.73	0		AD	FS	<input type="checkbox"/>	FS			

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0827

White Rock Lake

AUID: 0827_01

From White Rock Dam in Dallas County up to the normal pool elevation of 458 feet (impounds White Rock Creek)

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	28		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	28		4	4.20	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	25	20.26	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	100	27	23.56	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	26	35.72	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	400	28	222.04	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	28		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	28		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18						AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	33.90	28		0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0827A **White Rock Creek above White Rock Lake**

AUID: 0827A_01 Perennial stream from the headwaters of White Rock Lake upstream to the confluence with McKamy Branch east of the City of Addison

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Aluminum (dissolved)	12/01/11 - 11/30/18	991	12		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	340	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	27.20	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	1,507.28	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	43.49	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	228.86	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	1,279.07	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	320.59	14		0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	150	14	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	0.24	14	0.12	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	71.68	14	3.02	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	9.14	14	1.66	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	2.41	14	0.54	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	50.24	13	2.06	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	114.12	14	2.80	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/01/11 - 11/30/18	4	2		1	3.30	SM	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/01/11 - 11/30/18	3	2		1	0.20	SM	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	38		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	4	38		0		AD	NC	<input type="checkbox"/>	NC		
Fish community (Regional)	Fish Community	12/01/11 - 11/30/18	35	2	48			AD	FS	<input type="checkbox"/>	FS		
Habitat	Habitat	12/01/11 - 11/30/18	14	2	20			AD	NC	<input type="checkbox"/>	NC		
Macrobenthic community (Qualitative)	Macrobenthic Community	12/01/11 - 11/30/18	22	2	25			AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0827A_01 Perennial stream from the headwaters of White Rock Lake upstream to the confluence with McKamy Branch east of the City of Addison

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	36	263.11	1		AD	NS	<input type="checkbox"/>	NS	Bacteria in water	5c

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	36		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	33		1	16.00	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	35		4	2.19	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	36		0		AD	NC	<input type="checkbox"/>	NC		

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	3.83	14	0.54	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	1,140	13	2.06	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0828

Lake Arlington

AUID: 0828_01

Lowermost portion of lake along western half of dam

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual		Int		TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Dissolved Solids	Chloride	12/01/11 - 11/30/18	100	80	17.39	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	32	28.50	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	300	141	188.44	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0828_02 Lowermost portion of lake along eastern half of dam

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	05/01/10 - 11/30/18	5	10		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	05/01/10 - 11/30/18	3	10		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	34		0		SM	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	34		3	4.00	SM	NA	<input type="checkbox"/>	NA		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	69	5.57	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	100	80	17.39	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	32	28.50	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	300	141	188.44	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	34		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	34		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.11	33		4	0.22	JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	26.70	33		8	37.98	JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	0.37	32		3	0.46	JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.20	33		0		JQ	NA	<input type="checkbox"/>	NA		
Water Temperature	Water temperature	12/01/11 - 11/30/18	35	34		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	71	0.14	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0828_03 Western half of lower portion of lake

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
Dissolved Solids	Chloride	12/01/11 - 11/30/18	100	80	17.39	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	32	28.50	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	300	141	188.44	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0828_04 Eastern half of lower portion of lake

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
				#	Value	#	Value						
Dissolved Solids	Chloride	12/01/11 - 11/30/18	100	80	17.39	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	32	28.50	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	300	141	188.44	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0828_05 Western half of upper portion of lake

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	34	0	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	34	0	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	20 33.64	0	AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	100	80 17.39	0	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	32 28.50	0	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	300	141 188.44	0	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	34	0	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	34	0	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.11	15	2 0.16	JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	26.70	15	3 41.60	JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	0.37	15	4 0.41	JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.20	15	0	JQ	NA	<input type="checkbox"/>	NA		
Water Temperature	Water temperature	12/01/11 - 11/30/18	35	34	0	AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	21 0.16	0	AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0828_06 Eastern half of upper portion of lake

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	34		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	34		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	34	7.09	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	100	80	17.39	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	32	28.50	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	300	141	188.44	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	34		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	34		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.11	32		2	0.18	JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	26.70	30		8	43.06	JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	0.37	31		3	0.44	JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.20	31		0		JQ	NA	<input type="checkbox"/>	NA		
Water Temperature	Water temperature	12/01/11 - 11/30/18	35	34		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	35	0.12	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0828_07 Uppermost portion of lake

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	33		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	33		2	4.63	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	18	113.05	0		LD	NC	<input type="checkbox"/>	NC		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	100	80	17.39	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	32	28.50	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	300	141	188.44	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	33		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	33		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.11	15		1	0.11	JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	26.70	15		0		JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	0.37	15		5	0.54	JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.20	15		1	0.34	JQ	NA	<input type="checkbox"/>	NA		
Water Temperature	Water temperature	12/01/11 - 11/30/18	35	33		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	20	0.32	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0828_08 Remainder of lake

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
Dissolved Solids	Chloride	12/01/11 - 11/30/18	100	80	17.39	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	32	28.50	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	300	141	188.44	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0828A **Village Creek**

AUID: 0828A_01 From Lake Arlington to the headwaters

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/01/11 - 11/30/18	3	2		0		SM	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/01/11 - 11/30/18	2	2		0		SM	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	2	69		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	69		0		AD	NC	<input type="checkbox"/>	NC		
Fish community (Regional)	Fish Community	12/01/11 - 11/30/18	11	2	47			AD	FS	<input type="checkbox"/>	FS		
Habitat	Habitat	12/01/11 - 11/30/18	4	2	20			AD	NC	<input type="checkbox"/>	NC		
Macrobenthic community (Qualitative)	Macrobenthic Community	12/01/11 - 11/30/18	11	2	28			AD	FS	<input type="checkbox"/>	FS		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	68	571.73	1		AD	NS	<input type="checkbox"/>	NS	Bacteria in water	5c

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	27		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/09 - 11/30/18	14.10	43		1	22.00	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	69		7	4.36	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	68		2	1.03	AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0829

Clear Fork Trinity River Below Benbrook Lake

AUID: 0829_01

From the confluence with West Fork Trinity River to 1 mi upstream

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Dissolved Solids	Chloride	12/01/11 - 11/30/18	100	27	24.83	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	27	38.07	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	100	291.55	0		AD	FS	<input type="checkbox"/>	FS		
Fish Consumption Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	Dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	PCBs in edible tissue	5a

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0829_02 From 1 mi upstream of the confluence with West Fork Trinity River up to the confluence with Mary's Creek

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	86		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	86		2	4.55	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	45	234.72	1		AD	NS	<input type="checkbox"/>	NS	Bacteria in water	5c

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	100	27	24.83	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	27	38.07	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	100	291.55	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	88		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	88		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	26		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	27		8	21.98	AD	CS	<input type="checkbox"/>	CS	Chlorophyll-a in water	
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	27		1	3.57	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	26		0		AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	33.90	89		1	34.00	AD	FS	<input type="checkbox"/>	FS		

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	PCBs in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	Dioxin in edible tissue	5a

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0829_02 From 1 mi upstream of the confluence with West Fork Trinity River up to the confluence with Mary's Creek

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
Surface Water HH criteria for DWS average	Fluoride	12/01/11 - 11/30/18	4	27	0.26	0		AD	FS	<input type="checkbox"/>	FS			
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	27	0.43	0		AD	FS	<input type="checkbox"/>	FS			

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0829_03 From the confluence with Mary's Creek up to Benbrook Dam in Tarrant County, TX

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	100	27	24.83	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	27	38.07	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	100	291.55	0		AD	FS	<input type="checkbox"/>	FS		
Fish Consumption Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	PCBs in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	Dioxin in edible tissue	5a

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0829A **Lake Como**

AUID: 0829A_01 From Lake Como Dam to the reservoir headwaters in Lake Como Park in Tarrant County

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
				#	Value	#	Value						
Bioaccumulative Toxics in fish tissue	Arsenic	12/01/11 - 11/30/18	0.04					ID	NA	<input checked="" type="checkbox"/>	CS	Arsenic in edible tissue	
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	Dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	PCBs in edible tissue	4a
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	Dieldrin in edible tissue	4a

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0830

Benbrook Lake

AUID: 0830_01

Lower portion of reservoir

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/01/11 - 11/30/18	5	3		0		SM	NA	<input type="checkbox"/>	NA			
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/01/11 - 11/30/18	3	3		0		SM	NA	<input type="checkbox"/>	NA			
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	35		0		AD	FS	<input type="checkbox"/>	FS			
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	35		4	4.07	AD	NC	<input type="checkbox"/>	NC			

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	53	6.87	0		AD	FS	<input type="checkbox"/>	FS			

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
Dissolved Solids	Chloride	12/01/11 - 11/30/18	75	112	22.20	0		AD	FS	<input type="checkbox"/>	FS			
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	75	35	26.41	0		AD	FS	<input type="checkbox"/>	FS			
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	300	144	198.62	0		AD	FS	<input type="checkbox"/>	FS			
High pH	pH	12/01/11 - 11/30/18	9	35		0		AD	FS	<input type="checkbox"/>	FS			
Low pH	pH	12/01/11 - 11/30/18	6.50	35		0		AD	FS	<input type="checkbox"/>	FS			
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18						AD	NC	<input type="checkbox"/>	NC			
Water Temperature	Water temperature	12/01/11 - 11/30/18	33.90	35		0		AD	FS	<input type="checkbox"/>	FS			

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	57	0.14	0		AD	FS	<input type="checkbox"/>	FS			

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0830_02 Middle portion of reservoir

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	36		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	36		3	4.22	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	38	3.13	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	75	112	22.20	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	75	35	26.41	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	300	144	198.62	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	36		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	36		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18						AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	33.90	36		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	42	0.12	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0830_03 Upper portion of reservoir

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	35		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	35		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	36	7.35	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	75	112	22.20	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	75	35	26.41	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	300	144	198.62	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	35		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	35		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18						AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	33.90	35		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	39	0.13	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0830_05 Rock/Mustang Creek arm of Benbrook Lake.

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	35	1 2.44	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	35	3 3.73	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	39 4.45	0	AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	75	112 22.20	0	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	75	35 26.41	0	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	300	144 198.62	0	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	35	0	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	35	0	AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18				AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	33.90	35	0	AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	44 0.11	0	AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0830A Rock Creek

AUID: 0830A_01 Intermittent stream with perennial pools from the confluence with Benbrook Lake at normal pool elevation upstream to the headwaters near FM 917 approximately 2.8 k

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	2	39	0	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	39	0	AD	NC	<input type="checkbox"/>	NC		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	37	0	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	34	1 10.72	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	36	1 1.00	AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0830B **Bear Creek**

AUID: 0830B_01 Intermittent stream with perennial pools from the confluence with Benbrook Lake at normal pool elevation upstream to the headwaters adjacent to SH 171 approximately

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	2	50	0	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	50	0	AD	NC	<input type="checkbox"/>	NC		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	48	0	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	47	1 12.32	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	44	0	AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0831

Clear Fork Trinity River Below Lake Weatherford

AUID: 0831_01

Lower 12.75 mi, downstream from South Fork Trinity River confluence

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/01/11 - 11/30/18	5	2		0		SM	NA	☐	NA		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/01/11 - 11/30/18	3	2		0		SM	NA	☐	NA		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	102		0		AD	FS	☐	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	102		3	4.33	AD	NC	☐	NC		
Fish community (Regional)	Fish Community	12/01/11 - 11/30/18	41	2	42			AD	FS	☐	FS		
Habitat	Habitat	12/01/11 - 11/30/18	20	2	21			AD	NC	☐	NC		
Macrobenthic community (Qualitative)	Macrobenthic Community	12/01/11 - 11/30/18	29	2	32			AD	FS	☐	FS		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	25	370.99	1		AD	NS	☐	NS	Bacteria in water	5c

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	100	80	52.76	0		AD	FS	☐	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	27	48.18	0		AD	FS	☐	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	120	413.09	0		AD	FS	☐	FS		
High pH	pH	12/01/11 - 11/30/18	9	103		1	9.50	AD	FS	☐	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	103		0		AD	FS	☐	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	95		2	0.78	AD	NC	☐	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	28		1	15.40	AD	NC	☐	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	96		36	3.71	AD	CS	☐	CS	Nitrate in water	
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	94		40	1.05	AD	CS	☐	CS	Total Phosphorus in water	
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	103		0		AD	FS	☐	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0831_01 Lower 12.75 mi, downstream from South Fork Trinity River confluence

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
Surface Water HH criteria for DWS average	Fluoride	12/01/11 - 11/30/18	4	26	0.69	0		AD	FS	<input type="checkbox"/>	FS			
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	95	1.96	0		AD	FS	<input type="checkbox"/>	FS			

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0831_03 From the confluence with South Fork of Trinity River to a point 2 mi upstream

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
				#	Value	#	Value						
Dissolved Solids	Chloride	12/01/11 - 11/30/18	100	80	52.76	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	27	48.18	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	120	413.09	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0831_04 2 mi upstream of South Fork Trinity River confluence to Squaw Creek Confluence

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat	
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/01/08 - 11/30/18	5	8	2	4.15	LD	CN	<input checked="" type="checkbox"/>	NS	Depressed dissolved oxygen in water	5c
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/01/08 - 11/30/18	3	8	0		LD	NC	<input checked="" type="checkbox"/>	NS	Depressed dissolved oxygen in water	5c

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat	
Dissolved Solids	Chloride	12/01/11 - 11/30/18	100	80	52.76	0	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	27	48.18	0	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	120	413.09	0	AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0831_05 From the confluence of Squaw Creek to Lake Weatherford Dam

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/01/11 - 11/30/18	5	10	1 4.90	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/01/11 - 11/30/18	3	10	0	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5			SM	NA	<input checked="" type="checkbox"/>	CS	Depressed dissolved oxygen in water	

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	100	80 52.76	0	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	27 48.18	0	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	120 413.09	0	AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0831A **South Fork Trinity River**

AUID: 0831A_01 Eleven mi stretch of South Fork Trinity River running upstream from confluence with Clear Fork Trinity River to confluence with Willow Creek, Parker Co.

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	10	0	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	10	0	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	9 245.03	1	LD	CN	<input type="checkbox"/>	CN	Bacteria in water	

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	10	0	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	10	1 16.00	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	10	9 4.49	AD	CS	<input type="checkbox"/>	CS	Nitrate in water	
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	10	8 1.56	AD	CS	<input type="checkbox"/>	CS	Total Phosphorus in water	

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0831B **Unnamed Tributary of South Fork Trinity River**

AUID: 0831B_01 A 4.4 mi (7.1 km) stretch of unnamed tributary to South Fork Trinity River stretching from the confluence to the upper end of the creek (NHD RC 12030102000351)

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int		TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS				
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/01/11 - 11/30/18	5	4	0		LD	NC	<input type="checkbox"/>	NC				
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/01/11 - 11/30/18	3	4	0		LD	NC	<input type="checkbox"/>	NC				

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0832

Lake Weatherford

AUID: 0832_01

From Weatherford Dam in Parker County to a point 3.1 km (1.9 mi) upstream of FM 730 in Parker County, up to the normal pool elevation of 896 feet (impounds Clear l

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	28		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	28		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	26	6.52	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	100	28	29.86	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	100	28	30.95	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	27	250.68	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	28		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	28		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.11	26		1	0.23	JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	26.70	28		15	44.45	JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	0.37	28		0		JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.20	26		0		JQ	NA	<input type="checkbox"/>	NA		
Water Temperature	Water temperature	12/01/11 - 11/30/18	33.90	28		0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0832_01 From Weatherford Dam in Parker County to a point 3.1 km (1.9 mi) upstream of FM 730 in Parker County, up to the normal pool elevation of 896 feet (impounds Clear I

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bioaccumulative Toxics in fish tissue	Arsenic	12/01/11 - 11/30/18	0.04	2		0		ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/01/11 - 11/30/18	0.18	2		0		ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/01/11 - 11/30/18	5.25	2		0		ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Copper	12/01/11 - 11/30/18	250.50	2		0		ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Lead	12/01/11 - 11/30/18	0.60	2		0		ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mercury	12/01/11 - 11/30/18	0.53	2		0		ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Selenium	12/01/11 - 11/30/18	4.38	2		0		ID	NA	<input type="checkbox"/>	NA		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Surface Water HH criteria for DWS average	Fluoride	12/01/11 - 11/30/18	4	28	0.21	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	28	0.06	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0833

Clear Fork Trinity River Above Lake Weatherford

AUID: 0833_03

From the confluence of McKnight Branch to the confluence of Strickland Ck. approximately 8 km (5 mi) upstream of FM 51 in Parker County.

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/01/08 - 11/30/18	4	9	0		LD	NC	<input checked="" type="checkbox"/>	NS		Depressed dissolved oxygen in water	5b	
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/01/08 - 11/30/18	2	9	0		LD	NC	<input checked="" type="checkbox"/>	NS		Depressed dissolved oxygen in water	5b	
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5				SM	NA	<input checked="" type="checkbox"/>	CS		Depressed dissolved oxygen in water		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	750	19	636.38	0		AD	FS	<input type="checkbox"/>	FS			

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0833_04 From the confluence with Dobbs Branch to confluence with McKnight Branch

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/01/11 - 11/30/18	3			ID	NA	<input checked="" type="checkbox"/>	CN	Depressed dissolved oxygen in water	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3			ID	NA	<input checked="" type="checkbox"/>	NS	Depressed dissolved oxygen in water	5b

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	750	19 636.38	0	AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0833_05 From the confluence of Dobbs Branch to the lower end of segment

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/01/11 - 11/30/18	4	10	0		AD	FS	<input type="checkbox"/>	FS			
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/01/11 - 11/30/18	2	10	0		AD	FS	<input type="checkbox"/>	FS			
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18					SM	NA	<input checked="" type="checkbox"/>	NA			

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	750	19	636.38	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0833A **Clear Fork Trinity River Above Strickland Creek.**

AUID: 0833A_01 From the confluence with Strickland Creek up to Turpin Lake Road in Parker County.

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data	LOS	CF	Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	LOS			
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/01/11 - 11/30/18					ID	NA	<input checked="" type="checkbox"/>	NS	Depressed dissolved oxygen in water	5c	
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/01/11 - 11/30/18					ID	NA	<input checked="" type="checkbox"/>	NS	Depressed dissolved oxygen in water	5c	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18					ID	NA	<input checked="" type="checkbox"/>	NS	Depressed dissolved oxygen in water	5c	
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18					ID	NA	<input checked="" type="checkbox"/>	CS	Depressed dissolved oxygen in water		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data	LOS	CF	Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	LOS			
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18					ID	NA	<input checked="" type="checkbox"/>	CS	Chlorophyll-a in water		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0834

Lake Amon G. Carter

AUID: 0834_01

From Amon G. Carter Dam in Montague County up to the normal pool elevation of 920 feet (impounds Big Sandy Creek)

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	16		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	16		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	13	2.13	0		LD	NC	<input type="checkbox"/>	NC		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	150	16	20.27	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	150	16	11.07	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	400	16	187.36	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	16		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	16		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.11	14		0		JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	26.70	16		2	37.90	JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	0.37	16		2	0.39	JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.20	12		0		JQ	NA	<input type="checkbox"/>	NA		
Water Temperature	Water temperature	12/01/11 - 11/30/18	33.90	16		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Fluoride	12/01/11 - 11/30/18	4	16	0.21	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	16	0.13	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0836

Richland-Chambers Reservoir

AUID: 0836_01

Lowermost portion of reservoir, adjacent to dam

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	36		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	36		1	3.69	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	38	1.58	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	75	157	10.54	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	110	33	25.41	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	400	291	170.54	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	36		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	36		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18						AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.80	36		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	43	0.23	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0836_02

Confluence of Richland and Chambers Creek arms

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	36		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	36		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	43	1.00	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	75	157	10.54	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	110	33	25.41	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	400	291	170.54	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	36		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	36		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18						AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.80	36		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	50	0.18	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0836_03 Lower portion of Chambers Creek arm

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/01/11 - 11/30/18	5	4		0		SM	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/01/11 - 11/30/18	3	4		0		SM	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	79		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	79		1	4.54	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	50	1.78	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Dissolved Solids	Chloride	12/01/11 - 11/30/18	75	157	10.54	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	110	33	25.41	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	400	291	170.54	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	80		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	80		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18						AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.80	80		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	95	0.25	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0836_04 Upper portion of Chambers Creek arm

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	34		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	34		1	4.80	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	23	5.57	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	75	157	10.54	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	110	33	25.41	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	400	291	170.54	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	35		1	9.30	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	35		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18						AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.80	35		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	26	0.52	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0836_05 Lower portion of Richland Creek arm

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	36	0	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	36	0	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	34 1.29	0	AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	75	157 10.54	0	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	110	33 25.41	0	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	400	291 170.54	0	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	36	0	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	36	0	AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18				AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.80	36	0	AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed # Value	Exceedances # Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	38 0.18	0	AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0836_06 Upper portion of Richland Creek arm

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	34		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	34		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	22	5.59	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	75	157	10.54	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	110	33	25.41	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	400	291	170.54	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	35		1	9.05	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	35		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18						AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.80	35		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	26	0.20	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0836_07 Remainder of reservoir

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	30		4	2.20	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	30		7	3.17	AD	CS	<input type="checkbox"/>	CS	Depressed dissolved oxygen in water	

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	31	812.06	1		AD	NS	<input type="checkbox"/>	NS	Bacteria in water	5c

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	75	157	10.54	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	110	33	25.41	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	400	291	170.54	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	30		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	30		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18						AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.80	30		0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	31	0.78	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0836_08 Post Oak Creek Arm off of Chambers Creek Arm of Richland Chambers Reservoir

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
Dissolved Solids	Chloride	12/01/11 - 11/30/18	75	157	10.54	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	110	33	25.41	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	400	291	170.54	0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Reservoir Narrative Criteria	Nutrients	12/01/11 - 11/30/18						AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0836B Cedar Creek

AUID: 0836B_01 From the confluence with Richland Chambers Reservoir to the upper end of the creek (NHD RC 12030109012807)

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/01/11 - 11/30/18	5					ID	NA	<input checked="" type="checkbox"/>	NS	Depressed dissolved oxygen in water	5b	
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5					ID	NA	<input checked="" type="checkbox"/>	CS	Depressed dissolved oxygen in water		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0836C **Grape Creek**

AUID: 0836C_01 From the confluence with Richland Chambers Reservoir to the upper end of the creek (NHD RC 12030108000107) southwest of Corsicana, Navarro County, TX.

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int		TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS				
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/01/11 - 11/30/18	3					ID	NA	<input checked="" type="checkbox"/>	CN	Depressed dissolved oxygen in water		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/01/11 - 11/30/18	2					ID	NA	<input checked="" type="checkbox"/>	CN	Depressed dissolved oxygen in water		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3					ID	NA	<input checked="" type="checkbox"/>	CS	Depressed dissolved oxygen in water		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0836D **Post Oak Creek**

AUID: 0836D_01 From the confluence with Richland Chambers Reservoir to the upper end of the creek (NHD RC 12030109012706)

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	1.50	15		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	2	15		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	14	6,191.18	1		LD	CN	<input type="checkbox"/>	CN	Bacteria in water	

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	15		3	0.54	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	15		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	15		0		AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0837

Richland Creek Above Richland-Chambers Reservoir

AUID: 0837_01

From the confluence of Pin Oak Creek in Navarro County to Navarro Mills Dam in Navarro County

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/01/11 - 11/30/18	5	1	1	4.70	SM	NA	<input type="checkbox"/>	NA			
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/01/11 - 11/30/18	3	1	0		SM	NA	<input type="checkbox"/>	NA			
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	27	0		AD	FS	<input type="checkbox"/>	FS			
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	27	8	4.46	AD	CS	<input type="checkbox"/>	CS	Depressed dissolved oxygen in water		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	23	175.35	1	AD	NS	<input type="checkbox"/>	NS	Bacteria in water	5c	

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Dissolved Solids	Chloride	12/01/11 - 11/30/18	145	25	23.18	0	AD	FS	<input type="checkbox"/>	FS			
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	170	25	36.80	0	AD	FS	<input type="checkbox"/>	FS			
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	27	267.68	0	AD	FS	<input type="checkbox"/>	FS			
High pH	pH	12/01/11 - 11/30/18	9	27		0	AD	FS	<input type="checkbox"/>	FS			
Low pH	pH	12/01/11 - 11/30/18	6.50	27		0	AD	FS	<input type="checkbox"/>	FS			
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	26		0	AD	NC	<input type="checkbox"/>	NC			
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	28		8	25.74	AD	CS	<input type="checkbox"/>	CS	Chlorophyll-a in water	
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	27		3	4.48	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	25		0		AD	NC	<input type="checkbox"/>	NC		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	27		0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0837_01 From the confluence of Pin Oak Creek in Navarro County to Navarro Mills Dam in Navarro County

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
Surface Water HH criteria for DWS average	Fluoride	12/01/11 - 11/30/18	4	25	0.29	0		AD	FS	<input type="checkbox"/>	FS			
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	27	0.79	0		AD	FS	<input type="checkbox"/>	FS			

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0838B **Sugar Creek**

AUID: 0838B_01 A 1.6 mi stretch of Sugar Creek running upstream from Tarrant/Dallas County line, to just upstream of Britton Road in Mansfield, Tarrant County.

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	6.07	3		0		ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	425.43	3		0		ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	10.15	3		0		ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	43.71	3		0		ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	86.62	3		0		ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	0.33	3	0.15	0		ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	104.99	3	2.50	0		ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	13.62	3	2.61	0		ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	3.99	3	0.50	0		ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	169.39	3	2.50	0		ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	2	34		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	34		2	2.85	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	34	14.19	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	11		1	0.54	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	11		1	15.00	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	10		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	11		0		AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0838B_01 A 1.6 mi stretch of Sugar Creek running upstream from Tarrant/Dallas County line, to just upstream of Britton Road in Mansfield, Tarrant County.

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	38.30	3	0.50	0		ID	NA	<input type="checkbox"/>	NA			

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0838C

Walnut Creek

AUID: 0838C_01 From the confluence with Joe Pool Lake up to the headwaters at Spring Street in Burleson.

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data	LOS	CF	Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	LOS			
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/01/11 - 11/30/18	3	2		0	SM	NA	<input type="checkbox"/>	NA			
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/01/11 - 11/30/18	2	2		0	SM	NA	<input type="checkbox"/>	NA			
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	2	10		0	AD	FS	<input type="checkbox"/>	FS			
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	10		0	AD	NC	<input type="checkbox"/>	NC			
Fish community (Regional)	Fish Community	12/01/11 - 11/30/18	11	2	46		AD	FS	<input type="checkbox"/>	FS			
Habitat	Habitat	12/01/11 - 11/30/18	4	2	22		AD	NC	<input type="checkbox"/>	NC			
Macrobenthic community (Qualitative)	Macrobenthic Community	12/01/11 - 11/30/18	11	2	24		AD	FS	<input type="checkbox"/>	FS			

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data	LOS	CF	Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	LOS			
Bacteria Geomean	E. coli	11/01/10 - 11/30/18	126	20	96.60	0	AD	FS	<input type="checkbox"/>	FS			

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0838D

Hollings Branch

AUID: 0838D_01

Hollings Branch from the confluence of the Mountain Creek arm of Joe Pool Lake upstream to the headwater 500 m downstream of US 67 in Midlothian

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	28.40	3		0		ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	1,563.51	3		0		ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	45.36	3		0		ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	239.71	3		0		ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	332.97	3		0		ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	0.33	3	0.15	0		ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	104.99	3	2.50	0		ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	13.62	3	0.68	0		ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	3.99	3	0.50	0		ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	169.39	3	6.92	0		ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	1.50	31		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	2	31		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	31	25.66	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	10		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	10		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	9		0		LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	10		0		AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0838D_01 Hollings Branch from the confluence of the Mountain Creek arm of Joe Pool Lake upstream to the headwater 500 m downstream of US 67 in Midlothian

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	3.83	3	0.50	0		ID	NA	<input type="checkbox"/>	NA			

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0838E Soap Creek

AUID: 0838E_01 Soap Creek from the confluence of the Mountain Creek arm of Joe Pool Lake upstream to the headwater 6.6 km (3.98 mi) upstream of US 67 in Midlothian

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	22.12	2		0		ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	1,265.71	2		0		ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	35.57	2		0		ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	183.22	2		0		ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	267.59	2		0		ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	0.33	2	0.15	0		ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	104.99	2	2.50	0		ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	13.62	2	2.50	0		ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	3.99	2	0.50	0		ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	169.39	2	15.87	0		ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	1.50	15		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	2	15		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	03/01/11 - 11/30/18	126	20	90.43	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	4		0		LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	4		0		LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	3		0		ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	4		0		LD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0838E_01 Soap Creek from the confluence of the Mountain Creek arm of Joe Pool Lake upstream to the headwater 6.6 km (3.98 mi) upstream of US 67 in Midlothian

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	3.83	2	0.50	0		ID	NA	<input type="checkbox"/>	NA			

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0838F

Unnamed tributary of Mountain Creek

AUID: 0838F_01

Intermittent stream from the confluence with Mountain Creek south of Mansfield upstream to the headwaters approximately 2.0 km upstream of FM 157 in Mansfield

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	1.50	8		0		LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	2	8		0		LD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	8	98.61	0		LD	NC	<input type="checkbox"/>	NC		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	1		0		ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	1		0		ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	1		0		ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	1		0		ID	NA	<input type="checkbox"/>	NA		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0839

Elm Fork Trinity River Below Ray Roberts Lake

AUID: 0839_01

From a point 100 meters (110 yards) upstream of US 380 in Denton County to Ray Roberts Dam in Denton County

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Aluminum (dissolved)	09/01/10 - 11/30/18	991	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	340	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	8.42	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	560.41	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	13.93	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	63.18	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	460.30	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	115.19	13		1	155.94	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	150	13	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	0.24	13	0.12	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	72.90	13	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	9.31	13	1.07	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	2.46	13	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	51.13	13	0.93	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	116.13	13	16.97	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	73		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	73		0		AD	NC	<input type="checkbox"/>	NC		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	73	161.39	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	72		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	72		0		AD	FS	<input type="checkbox"/>	FS		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	73		0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0839_01 From a point 100 meters (110 yards) upstream of US 380 in Denton County to Ray Roberts Dam in Denton County

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	1.15	13	0.50	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	332	13	0.93	0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Surface Water HH criteria for DWS average	Arsenic (dissolved)	12/01/11 - 11/30/18	10	13	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Barium (dissolved)	12/01/11 - 11/30/18	2,000	13	50.53	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Cadmium (dissolved)	12/01/11 - 11/30/18	5	13	0.15	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Lead (dissolved)	12/01/11 - 11/30/18	1.15	13	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nickel (dissolved)	12/01/11 - 11/30/18	332	13	0.93	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0840

Ray Roberts Lake

AUID: 0840_01

Lowermost portion of reservoir adjacent to dam

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Aluminum (dissolved)	12/01/11 - 11/30/18	991	8		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	340	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	8.16	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	546.32	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	13.53	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	61.07	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	448.35	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	112.20	14		0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	150	14	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	0.24	14	0.12	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	71.07	14	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	9.06	14	0.91	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	2.38	14	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	49.80	14	0.78	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	113.11	14	7.01	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	104		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	104		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	23	1.39	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0840_01 Lowermost portion of reservoir adjacent to dam

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	80	81	12.51	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	60	81	13.57	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	448	157.67	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	103		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	103		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.11	43		0		JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	26.70	43		0		JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	0.37	44		0		JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.20	40		0		JQ	NA	<input type="checkbox"/>	NA		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	105		0		AD	FS	<input type="checkbox"/>	FS		

Fish Consumption Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	1.15	67	0.50	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	332	67	1.26	0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Arsenic (dissolved)	12/01/11 - 11/30/18	10	14	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Barium (dissolved)	12/01/11 - 11/30/18	2,000	14	49.30	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Cadmium (dissolved)	12/01/11 - 11/30/18	5	14	0.15	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Fluoride	12/01/11 - 11/30/18	4	27	0.18	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Lead (dissolved)	12/01/11 - 11/30/18	1.15	14	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nickel (dissolved)	12/01/11 - 11/30/18	332	14	0.78	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	44	0.11	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0840_02 Lower portion of Jordan Creek arm west of Pilot Point

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Aluminum (dissolved)	12/01/11 - 11/30/18	991	12		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	340	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	8.16	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	546.32	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	13.53	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	61.07	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	448.35	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	112.20	14		0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	150	14	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	0.24	14	0.17	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	71.07	14	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	9.06	14	0.93	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	2.38	14	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	49.80	14	1.02	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	113.11	14	4.05	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	100		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	100		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	24	1.25	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0840_02 Lower portion of Jordan Creek arm west of Pilot Point

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	80	81	12.51	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	60	81	13.57	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	448	157.67	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	100		2	9.10	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	100		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.11	43		0		JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	26.70	43		0		JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	0.37	45		0		JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.20	39		1	0.26	JQ	NA	<input type="checkbox"/>	NA		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	101		0		AD	FS	<input type="checkbox"/>	FS		

Fish Consumption Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	1.15	67	0.50	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	332	67	1.26	0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Arsenic (dissolved)	12/01/11 - 11/30/18	10	14	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Barium (dissolved)	12/01/11 - 11/30/18	2,000	14	49.21	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Cadmium (dissolved)	12/01/11 - 11/30/18	5	14	0.20	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Fluoride	12/01/11 - 11/30/18	4	27	0.19	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Lead (dissolved)	12/01/11 - 11/30/18	1.15	14	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nickel (dissolved)	12/01/11 - 11/30/18	332	14	1.02	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	45	0.09	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0840_03 Upper portion of Jordan Creek arm

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Aluminum (dissolved)	12/01/08 - 11/30/18	991	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	340	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	8.16	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	546.32	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	13.53	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	61.07	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	448.35	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	112.20	13		0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	150	13	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	0.24	13	0.12	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	71.07	13	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	9.06	13	2.13	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	2.38	13	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	49.80	13	2.30	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	113.11	13	4.17	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	73		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	73		2	3.85	AD	NC	<input type="checkbox"/>	NC		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Dissolved Solids	Chloride	12/01/11 - 11/30/18	80	81	12.51	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	60	81	13.57	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	448	157.67	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	73		2	9.10	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	73		0		AD	FS	<input type="checkbox"/>	FS		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	73		0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0840_03 Upper portion of Jordan Creek arm

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	1.15	67	0.50	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	332	67	1.26	0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Surface Water HH criteria for DWS average	Arsenic (dissolved)	12/01/11 - 11/30/18	10	13	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Barium (dissolved)	12/01/11 - 11/30/18	2,000	13	39.13	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Cadmium (dissolved)	12/01/11 - 11/30/18	5	13	0.15	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Lead (dissolved)	12/01/11 - 11/30/18	1.15	13	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nickel (dissolved)	12/01/11 - 11/30/18	332	13	2.30	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0840_04 Buck Creek cove

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Aluminum (dissolved)	05/01/11 - 11/30/18	991	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	340	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	8.16	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	546.32	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	13.53	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	61.07	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	448.35	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	112.20	13		0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	150	13	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	0.24	13	0.12	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	71.07	13	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	9.06	13	1.47	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	2.38	13	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	49.80	13	1.26	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	113.11	13	6.24	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	71		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	71		2	4.85	AD	NC	<input type="checkbox"/>	NC		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Dissolved Solids	Chloride	12/01/11 - 11/30/18	80	81	12.51	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	60	81	13.57	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	448	157.67	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	71		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	71		0		AD	FS	<input type="checkbox"/>	FS		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	71		0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0840_04 Buck Creek cove

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	1.15	67	0.50	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	332	67	1.26	0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Surface Water HH criteria for DWS average	Arsenic (dissolved)	12/01/11 - 11/30/18	10	13	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Barium (dissolved)	12/01/11 - 11/30/18	2,000	13	48.91	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Cadmium (dissolved)	12/01/11 - 11/30/18	5	13	0.15	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Lead (dissolved)	12/01/11 - 11/30/18	1.15	13	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nickel (dissolved)	12/01/11 - 11/30/18	332	13	1.26	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0840_05 Lower portion of Elm Fork arm

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
				#	Value	#	Value						
Dissolved Solids	Chloride	12/01/11 - 11/30/18	80	81	12.51	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	60	81	13.57	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	448	157.67	0		AD	FS	<input type="checkbox"/>	FS		
Fish Consumption Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
				#	Value	#	Value						
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	1.15	67	0.50	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	332	67	1.26	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0840_06 Middle portion of Elm Fork arm

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	27		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	27		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	24	2.33	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	80	81	12.51	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	60	81	13.57	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	448	157.67	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	27		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	27		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.11	25		0		JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	26.70	25		0		JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	0.37	27		0		JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.20	22		1	0.21	JQ	NA	<input type="checkbox"/>	NA		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	28		0		AD	FS	<input type="checkbox"/>	FS		

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	1.15	67	0.50	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	332	67	1.26	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0840_06 Middle portion of Elm Fork arm

Domestic Water Supply Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
Surface Water HH criteria for DWS average	Fluoride	12/01/11 - 11/30/18	4	27	0.18	0		AD	FS	<input type="checkbox"/>	FS			
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	27	0.13	0		AD	FS	<input type="checkbox"/>	FS			

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0840_07 Upper portion of Elm Fork arm

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Aluminum (dissolved)	11/01/10 - 11/30/18	991	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	340	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	8.16	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	546.32	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	13.53	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	61.07	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	448.35	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	112.20	13		0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	150	13	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	0.24	13	0.12	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	71.07	13	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	9.06	13	1.59	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	2.38	13	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	49.80	13	1.00	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	113.11	13	4.08	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	70		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	70		0		AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0840_07 Upper portion of Elm Fork arm

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	80	81	12.51	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	60	81	13.57	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	448	157.67	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	70		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	70		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.11	16		0		JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	26.70	18		0		JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	0.37	17		0		JQ	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.20	18		0		JQ	NA	<input type="checkbox"/>	NA		
Water Temperature	Water temperature	12/01/11 - 11/30/18	32.20	70		0		AD	FS	<input type="checkbox"/>	FS		

Fish Consumption Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	1.15	67	0.50	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	332	67	1.26	0		AD	FS	<input type="checkbox"/>	FS		

Domestic Water Supply Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for DWS average	Arsenic (dissolved)	12/01/11 - 11/30/18	10	13	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Barium (dissolved)	12/01/11 - 11/30/18	2,000	13	48.26	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Cadmium (dissolved)	12/01/11 - 11/30/18	5	13	0.15	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Lead (dissolved)	12/01/11 - 11/30/18	1.15	13	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nickel (dissolved)	12/01/11 - 11/30/18	332	13	1.00	0		AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for DWS average	Nitrate	12/01/11 - 11/30/18	10	17	0.10	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0840_08 Remainder of reservoir

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5					ID	NA	<input checked="" type="checkbox"/>	CS	Depressed dissolved oxygen in water	

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	80	81	12.51	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	60	81	13.57	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	500	448	157.67	0		AD	FS	<input type="checkbox"/>	FS		

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	1.15	67	0.50	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	332	67	1.26	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0841

Lower West Fork Trinity River

AUID: 0841_01

From confluence of the Elm Fork Trinity River to the confluence with Johnson Creek.

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Aluminum (dissolved)	12/01/11 - 11/30/18	991	11		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	340	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	15.19	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	922.07	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	24.71	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	121.70	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	769.88	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	192.82	14		0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic (dissolved)	12/01/11 - 11/30/18	150	14	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	0.34	14	0.15	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	108.91	14	2.69	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	14.15	14	1.97	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	4.18	14	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	77.40	13	3.20	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	175.93	14	8.54	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	26		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	4	26		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	26	212.97	1		AD	NS	<input type="checkbox"/>	NS	Bacteria in water	4a

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0841_01 From confluence of the Elm Fork Trinity River to the confluence with Johnson Creek.

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	175	56	72.95	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	175	56	56.60	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	850	110	431.38	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	26		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	26		0		AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	27		2	0.89	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	25		4	21.25	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	25		22	9.01	AD	CS	<input type="checkbox"/>	CS	Nitrate in water	
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	27		12	1.23	AD	CS	<input type="checkbox"/>	CS	Total Phosphorus in water	
Water Temperature	Water temperature	12/01/11 - 11/30/18	35	26		0		AD	FS	<input type="checkbox"/>	FS		
Fish Consumption Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	PCBs in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	Dioxin in edible tissue	5a
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	3.83	20	0.60	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	1,140	13	3.20	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0841_02 From the confluence with Johnson Creek upstream to the confluence of Village Creek.

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	15.19	6		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	922.07	6		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	24.71	6		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	121.70	6		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	192.82	4		0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	0.34	6	0.15	0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	108.91	6	2.50	0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	14.15	6	2.11	0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	4.18	6	0.84	0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	175.93	4	10.95	0		LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	83		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	4	83		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	83	105.05	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0841_02 From the confluence with Johnson Creek upstream to the confluence of Village Creek.

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/01/11 - 11/30/18	175	56	72.95	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/01/11 - 11/30/18	175	56	56.60	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/01/11 - 11/30/18	850	110	431.38	0		AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/01/11 - 11/30/18	9	83		0		AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/01/11 - 11/30/18	6.50	83		2	6.35	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	30		1	0.70	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	30		8	21.38	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	30		28	8.86	AD	CS	<input type="checkbox"/>	CS	Nitrate in water	
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	29		14	1.30	AD	CS	<input type="checkbox"/>	CS	Total Phosphorus in water	
Water Temperature	Water temperature	12/01/11 - 11/30/18	35	83		0		AD	FS	<input type="checkbox"/>	FS		
Fish Consumption Use													
Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	PCBs in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	Dioxin in edible tissue	5a
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	3.83	20	0.60	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	1,140	13	3.20	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0841A Mountain Creek Lake

AUID: 0841A_01 From Mountain Creek Lake Dam to the reservoir headwater at the confluence of Mountain and Fish Creeks, in Dallas County (impounds Mountain Creek)

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	PCBs in edible tissue	4a	
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/01/11 - 11/30/18						OE	NS	<input type="checkbox"/>	NS	Dioxin in edible tissue	5a	

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0841B **Bear Creek**

AUID: 0841B_01 A 12 mi stretch of Bear Creek running upstream from confluence with West Fork Trinity River, to the confluence with Little Bear Creek just upstream of HWY 183 in Eu

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	14.45	26		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	884.13	26		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	23.54	26		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	115.22	26		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/01/11 - 11/30/18	20	12		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	184.62	23		0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	0.34	26	0.15	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	108.91	26	2.63	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	14.15	26	2.14	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	4.18	26	0.66	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/01/11 - 11/30/18	5	12	1.19	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	175.93	23	3.84	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/01/11 - 11/30/18	3	2		0		SM	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/01/11 - 11/30/18	2	2		0		SM	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	2	128		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	128		0		AD	NC	<input type="checkbox"/>	NC		
Fish community (Regional)	Fish Community	12/01/11 - 11/30/18	11	2	42			AD	FS	<input type="checkbox"/>	FS		
Habitat	Habitat	12/01/11 - 11/30/18	4	2	17			AD	NC	<input type="checkbox"/>	NC		
Macrobenthic community (Qualitative)	Macrobenthic Community	12/01/11 - 11/30/18	11	2	25			AD	FS	<input type="checkbox"/>	FS		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	123	65.27	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0841B_01 A 12 mi stretch of Bear Creek running upstream from confluence with West Fork Trinity River, to the confluence with Little Bear Creek just upstream of HWY 183 in Eu

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	80		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	72		2	21.35	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	65		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	77		0		AD	NC	<input type="checkbox"/>	NC		
Fish Consumption Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	38.30	26	0.66	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0841D **Big Bear Creek**

AUID: 0841D_01 From the confluence with Little Bear Creek to SH 26, Tarrant County.

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Value	Exceedances #	Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Acute Toxic Substances in water	Selenium	12/01/11 - 11/30/18	20	13		0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/01/11 - 11/30/18	5	13	1.12	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	2	13		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	13		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Value	Exceedances #	Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	11	61.12	0		LD	NC	<input type="checkbox"/>	NC		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Value	Exceedances #	Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	13		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	01/01/10 - 11/30/18	14.10	10		1	15.30	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	10		0		AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0841E

Copart Branch Mountain Creek

AUID: 0841E_01

A 2.8 mi stretch of Copart Branch running upstream from confluence with Mountain Creek to approximately 0.3 mi upstream of Camden Road on Dallas Naval Academ

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	16.01	3		0		ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	963.82	2		0		ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	26.00	3		0		ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	128.92	3		0		ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	201.86	1		0		ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	0.34	3	0.15	0		ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	108.91	2	2.50	0		ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	14.15	3	1.36	0		ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	4.18	3	0.50	0		ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	175.93	1	2.50	0		ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	2	34		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	34		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	34	75.93	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	11		1	0.45	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	11		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	10		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	11		0		AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0841E_01 A 2.8 mi stretch of Copart Branch running upstream from confluence with Mountain Creek to approximately 0.3 mi upstream of Camden Road on Dallas Naval Academ

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	38.30	3	0.50	0		ID	NA	<input type="checkbox"/>	NA			

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0841F

Cottonwood Creek

AUID: 0841F_01

A 6.5 mi stretch of Cottonwood Creek running upstream from approx. 0.1 mi upstream of Mountain Creek Reservoir in Dallas Co., to SH 360 in, Tarrant Co.

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	13.55	30		0		AD	FS	☐	FS		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	837.28	32		0		AD	FS	☐	FS		
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	22.11	29		0		AD	FS	☐	FS		
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	107.31	36		0		AD	FS	☐	FS		
Acute Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	696.87	12		0		AD	FS	☐	FS		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	174.50	33		0		AD	FS	☐	FS		
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	0.34	29	0.15	0		AD	FS	☐	FS		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	108.91	31	1.61	0		AD	FS	☐	FS		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	14.15	28	1.48	0		AD	FS	☐	FS		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	4.18	35	0.52	0		AD	FS	☐	FS		
Chronic Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	77.40	11	2.41	0		AD	FS	☐	FS		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	175.93	32	9.69	0		AD	FS	☐	FS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	208		5	1.88	AD	FS	☐	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	208		34	3.88	AD	CS	☐	CS	Depressed dissolved oxygen in water	

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	206	188.49	1		AD	NS	☐	NS	Bacteria in water	4a

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0841F_01 A 6.5 mi stretch of Cottonwood Creek running upstream from approx. 0.1 mi upstream of Mountain Creek Reservoir in Dallas Co., to SH 360 in, Tarrant Co.

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	61		2	0.46	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	62		3	32.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	57		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	61		0		AD	NC	<input type="checkbox"/>	NC		
Fish Consumption Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	38.30	35	0.52	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	11,400	11	2.41	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0841G

Dalworth Creek

AUID: 0841G_01 A 2.2 mi stretch of Dalworth Creek running upstream from confluence with Lower W. Fork Trinity to County Line Road in Grand Prairie, Dallas Co.

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	46.94	3		0		ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	2,390.46	3		0		ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	73.93	3		0		ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	406.45	3		0		ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	516.61	2		0		ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	0.34	3	0.15	0		ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	108.91	3	2.50	0		ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	14.15	3	1.72	0		ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	4.18	3	0.50	0		ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	175.93	2	4.39	0		ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	32		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	32		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	32	462.51	1		AD	NS	<input type="checkbox"/>	NS	Bacteria in water	4a

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	9		0		LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	9		1	26.00	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	9		0		LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	9		0		LD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0841G_01 A 2.2 mi stretch of Dalworth Creek running upstream from confluence with Lower W. Fork Trinity to County Line Road in Grand Prairie, Dallas Co.

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	38.30	3	0.50	0		ID	NA	<input type="checkbox"/>	NA			

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0841H Delaware Creek

AUID: 0841H_01 An 8.5 mi stretch of Delaware Creek running upstream from confluence with Lower W. Fork Trinity to Finley Road in Irving.

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	11.90	16		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	750.54	16		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	19.50	16		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	92.97	16		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	155.84	15		0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	0.34	16	0.15	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	108.91	16	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	14.15	16	1.68	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	4.18	16	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	175.93	15	3.65	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	2	41		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	41		1	2.90	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	41	101.66	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	41		1	0.44	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	39		1	17.00	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	39		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	41		0		AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0841H_01 An 8.5 mi stretch of Delaware Creek running upstream from confluence with Lower W. Fork Trinity to Finley Road in Irving.

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	38.30	16	0.50	0		AD	FS	<input type="checkbox"/>	FS			

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0841I Dry Branch Creek

AUID: 0841I_01 An 1.5 mi stretch of Dry Branch Creek running upstream from confluence with Lower W. Fork Trinity to Rock Island Road in Irving, Dallas County.

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	1.50	30		1	0.60	AD	FS	<input type="checkbox"/>	FS			
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	2	30		2	1.20	AD	NC	<input type="checkbox"/>	NC			

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	30	397.06	1		AD	NS	<input type="checkbox"/>	NS	Bacteria in water	5c	

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0841J **Estelle Creek**

AUID: 0841J_01 A 4 mi stretch of Estelle Creek running upstream from confluence with Bear Creek to Valley View Lane in Irving, Dallas County.

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	1.50	37		0		AD	FS	<input type="checkbox"/>	FS			
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	2	37		1	1.80	AD	NC	<input type="checkbox"/>	NC			

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	37	106.34	0		AD	FS	<input type="checkbox"/>	FS			

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0841K Fish Creek

AUID: 0841K_01 A 15 mi stretch of Fish Creek running upstream from the confluence with Mountain Creek Reservoir in Grand Prairie, Dallas Co., to the upper end of the creek (NHD R)

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	23.33	27		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	1,324.09	31		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	37.47	26		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	194.09	33		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	1,118.82	12		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	280.37	33		0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	0.34	26	0.15	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	108.91	30	1.58	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	14.15	26	1.56	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	4.18	32	0.54	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	77.40	12	2.86	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	175.93	32	10.33	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/01/11 - 11/30/18	5	2		0		SM	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/01/11 - 11/30/18	3	2		0		SM	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	179		3	2.77	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	179		31	3.95	AD	CS	<input type="checkbox"/>	CS	Depressed dissolved oxygen in water	
Fish community (Regional)	Fish Community	12/01/11 - 11/30/18	41	2	43			AD	FS	<input type="checkbox"/>	FS		
Habitat	Habitat	12/01/11 - 11/30/18	20	2	18			AD	CS	<input type="checkbox"/>	CS	Impaired habitat in water	
Macrobenthic community (Qualitative)	Macrobenthic Community	12/01/11 - 11/30/18	29	2	24			AD	NS	<input type="checkbox"/>	CN	Impaired macrobenthic community in water	

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	179	173.35	1		AD	NS	<input type="checkbox"/>	NS	Bacteria in water	4a

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0841K_01 A 15 mi stretch of Fish Creek running upstream from the confluence with Mountain Creek Reservoir in Grand Prairie, Dallas Co., to the upper end of the creek (NHD R)

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	52		3	1.09	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	70		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	66		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	70		0		AD	NC	<input type="checkbox"/>	NC		
Fish Consumption Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	38.30	32	0.54	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	11,400	12	2.86	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0841L

Johnson Creek

AUID: 0841L_01

From the confluence with the Lower West Fork Trinity River, upstream to just south of Mayfield Road in Arlington, Tarrant, Co..

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	12.07	20		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	759.31	25		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	19.76	19		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	94.40	25		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	1,279.07	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	157.72	23		0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	0.34	19	0.15	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	108.91	24	1.23	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	14.15	18	1.92	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	4.18	24	0.66	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	77.40	12	2.29	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	175.93	22	12.72	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	92		1	2.70	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	92		8	4.24	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	94	150.84	1		AD	NS	<input type="checkbox"/>	NS	Bacteria in water	4a

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0841L_01 From the confluence with the Lower West Fork Trinity River, upstream to just south of Mayfield Road in Arlington, Tarrant, Co..

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	22		1	0.41	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	40		2	28.50	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	39		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	40		0		AD	NC	<input type="checkbox"/>	NC		
Fish Consumption Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	38.30	24	0.66	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	11,400	12	2.29	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0841M Kee Branch

AUID: 0841M_01 Six mi stretch of Kee Branch running upstream from confluence with Rush Creek to upper end of the creek (NHD RC 12030102000165).

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	13.55	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	837.28	17		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	22.11	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	107.31	17		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	696.87	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	174.50	17		0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	0.34	11	0.15	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	108.91	15	0.82	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	14.15	11	1.82	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	4.18	15	0.54	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	77.40	11	2.97	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	175.93	15	13.21	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	23		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	23		6	4.42	AD	CS	<input type="checkbox"/>	CS	Depressed dissolved oxygen in water	

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	24	271.24	1		AD	NS	<input type="checkbox"/>	NS	Bacteria in water	4a

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	38.30	15	0.54	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	11,400	11	2.97	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0841N Kirby Creek

AUID: 0841N_01 Four mi stretch of Kirby Creek running upstream from confluence with Fish Creek in Grand Prairie, Dallas Co., to just upstream of Great Southwest Parkway in Arlington

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/08 - 11/30/18	15.19	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	922.07	7		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	24.71	7		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Lead (dissolved)	12/01/08 - 11/30/18	121.70	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	192.82	7		0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/08 - 11/30/18	0.34	10	0.15	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	108.91	7	2.50	0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	14.15	7	1.20	0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/08 - 11/30/18	4.18	10	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	175.93	7	3.63	0		LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	78		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	78		15	4.33	AD	CS	<input type="checkbox"/>	CS	Depressed dissolved oxygen in water	

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	78	215.35	1		AD	NS	<input type="checkbox"/>	NS	Bacteria in water	4a

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	27		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	27		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	25		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	27		0		AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0841N_01 Four mi stretch of Kirby Creek running upstream from confluence with Fish Creek in Grand Prairie, Dallas Co., to just upstream of Great Southwest Parkway in Arlingto

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Value	Exceedances #	Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	38.30	7	0.50	0		LD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 08410 **Mountain Creek**

AUID: 08410_01 Four mi stretch of Mountain Creek running upstream from confluence with West Fork Trinity, to approximately 0.3 mi downstream of Mountain Creek Lake in Grand Pr

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Cadmium (dissolved)	09/01/09 - 11/30/18	15.52	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	09/01/09 - 11/30/18	938.82	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper (dissolved)	12/01/08 - 11/30/18	25.23	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead (dissolved)	09/01/09 - 11/30/18	124.59	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	196.44	5		0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Cadmium (dissolved)	09/01/09 - 11/30/18	0.34	10	0.15	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	09/01/09 - 11/30/18	108.91	10	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/08 - 11/30/18	14.15	10	1.66	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead (dissolved)	09/01/09 - 11/30/18	4.18	10	0.67	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	175.93	5	4.38	0		LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	65		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	65		6	4.12	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	65	140.90	1		AD	CN	<input type="checkbox"/>	CN	Bacteria in water	

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	22		9	1.12	AD	CS	<input type="checkbox"/>	CS	Ammonia in water	
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	22		8	28.00	AD	CS	<input type="checkbox"/>	CS	Chlorophyll-a in water	
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	21		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	22		0		AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0841O_01 Four mi stretch of Mountain Creek running upstream from confluence with West Fork Trinity, to approximately 0.3 mi downstream of Mountain Creek Lake in Grand Pr

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	38.30	6	0.79	0		LD	NC	<input type="checkbox"/>	NC			

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0841P

North Fork Cottonwood Creek

AUID: 0841P_01

A 4.4 mi stretch of North Fork Cottonwood Creek running upstream from confluence with the S. Fork Cottonwood Creek in Grand Prairie, Dallas Co., to approx. 0.3 mi

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	30.09	16		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	1,641.48	22		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	47.97	14		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	254.89	22		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	1,396.87	12		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	350.17	21		0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	0.34	14	0.15	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	108.91	19	1.29	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	14.15	12	1.93	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	4.18	19	0.66	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	77.40	10	2.55	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	175.93	18	14.38	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	49		1	2.60	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	49		6	4.03	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	49	257.97	1		AD	NS	<input type="checkbox"/>	NS	Bacteria in water	5a

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0841P_01 A 4.4 mi stretch of North Fork Cottonwood Creek running upstream from confluence with the S. Fork Cottonwood Creek in Grand Prairie, Dallas Co., to approx. 0.3 mi

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	11		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	32		4	28.25	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	30		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	32		1	2.21	AD	NC	<input type="checkbox"/>	NC		

Fish Consumption Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS		
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	38.30	19	0.66	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	11,400	10	2.55	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0841Q **North Fork Fish Creek**

AUID: 0841Q_01 North Fork Fish Creek from confluence with Fish Creek in Dallas Co. upstream to SH 360 in Tarrant Co.

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Acute Toxic Substances in water	Cadmium (dissolved)	09/01/10 - 11/30/18	13.55	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	05/01/10 - 11/30/18	837.28	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper (dissolved)	05/01/10 - 11/30/18	22.11	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	107.31	6		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Nickel (dissolved)	11/01/09 - 11/30/18	696.87	10		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc (dissolved)	09/01/10 - 11/30/18	174.50	10		0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium (dissolved)	05/01/10 - 11/30/18	0.34	10	0.15	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	03/01/10 - 11/30/18	108.91	10	1.30	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper (dissolved)	03/01/10 - 11/30/18	14.15	10	1.27	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	4.18	5	0.50	0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Nickel (dissolved)	12/01/08 - 11/30/18	77.40	10	2.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc (dissolved)	05/01/10 - 11/30/18	175.93	10	19.91	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	41		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	41		2	4.10	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Data Assessed Value	Exceedances #	Exceedances Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	41	196.08	1		AD	NS	<input type="checkbox"/>	NS	Bacteria in water	5a

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0841Q_01 North Fork Fish Creek from confluence with Fish Creek in Dallas Co. upstream to SH 360 in Tarrant Co.

General Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
				#	Value	#	Value						
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	10		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	11		1	17.00	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	11		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	12		0		AD	NC	<input type="checkbox"/>	NC		
Fish Consumption Use													
Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
				#	Value	#	Value						
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	38.30	5	0.50	0		LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/08 - 11/30/18	11,400	10	2.50	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0841R **Rush Creek**

AUID: 0841R_01 A 5 mi stretch of Rush Creek running upstream from confluence with Village Creek to confluence with Kee Branch in Arlington, Tarrant Co.

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	13.55	27		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	837.28	35		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	22.11	25		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	107.31	35		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	696.87	25		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	174.50	35		0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	0.34	27	0.15	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	108.91	35	0.81	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	14.15	25	1.78	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	4.18	35	0.50	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	77.40	25	2.26	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	175.93	35	13.51	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	2	49		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	49		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	53	109.60	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	20		1	27.00	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	20		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	20		0		AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0841R_01 A 5 mi stretch of Rush Creek running upstream from confluence with Village Creek to confluence with Kee Branch in Arlington, Tarrant Co.

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	38.30	35	0.50	0		AD	FS	<input type="checkbox"/>	FS			
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	11,400	25	2.26	0		AD	FS	<input type="checkbox"/>	FS			

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0841S **Vilbig Lakes**

AUID: 0841S_01 A 5 acre area in NW corner of Vilbig Lakes, near confluence with unnamed creek, approx. 100 m south of intersection of Rusdell Rd./Marvel Dr. in Irving, Dallas, Co.

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	44	0		AD	FS	<input type="checkbox"/>	FS			
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	44	0		AD	NC	<input type="checkbox"/>	NC			

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	40	21.24	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0841T **Village Creek**

AUID: 0841T_01 A 7 mi stretch of Village Creek running upstream from confluence with West Fork Trinity River to SH 303 approx. 0.75 mi downstream of Lake Arlington.

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	13.55	13		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	837.28	17		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	22.11	12		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	107.31	17		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	696.87	12		0		AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	174.50	17		0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	0.34	13	0.15	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	108.91	17	0.79	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	14.15	12	1.31	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	4.18	17	1.11	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel (dissolved)	12/01/11 - 11/30/18	77.40	12	2.25	0		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	175.93	17	14.41	0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	2	23		0		AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	23		0		AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	25	136.67	1		AD	CN	<input type="checkbox"/>	CN	Bacteria in water	

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	38.30	17	1.11	0		AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/11 - 11/30/18	11,400	12	2.25	0		AD	FS	<input type="checkbox"/>	FS		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0841U **West Irving Creek**

AUID: 0841U_01 A 4 mi stretch of West Irving Branch running upstream from approx. 0.4 mi downstream of Oakdale Rd. to just south of Sowers Road in Irving, Dallas Co.

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	1.50	37		2	0.75	AD	FS	<input type="checkbox"/>	FS			
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	2	37		2	0.75	AD	NC	<input type="checkbox"/>	NC			

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	36	333.31	1		AD	NS	<input type="checkbox"/>	NS	Bacteria in water	4a	

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0841V

Crockett Branch

AUID: 0841V_01 A 1 mi (1.5 KM) stretch of Crockett Branch extending upstream from the confluence with Cottonwood Creek to the upper end of the creek (NHD RC 12030102044745)

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	21.71	6		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	1,246.11	4		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	34.94	6		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	179.59	6		0		LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	263.31	5		0		LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	0.34	3	0.15	0		ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	108.91	2	4.77	0		ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	14.15	3	1.76	0		ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	4.18	3	0.50	0		ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	175.93	2	3.77	0		ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	44		1	2.70	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	44		4	3.93	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	44	431.94	1		AD	NS	<input type="checkbox"/>	NS	Bacteria in water	4a

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF			
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	26		1	0.65	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	26		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	24		1	2.05	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	26		0		AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0841V_01 A 1 mi (1.5 KM) stretch of Crockett Branch extending upstream from the confluence with Cottonwood Creek to the upper end of the creek (NHD RC 12030102044745)

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed #	Value	Exceedances #	Value	Data Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	38.30	3	0.50	0		ID	NA	<input type="checkbox"/>	NA		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

SEGID: 0841W Mountain Creek above Mountain Creek Lake

AUID: 0841W_01 From the confluence with Mountain Creek Lake upstream to the Joe Pool Lake dam

Aquatic Life Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Acute Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	14.62	3		0		ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	892.59	3		0		ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	23.80	3		0		ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	116.66	3		0		ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	186.45	3		0		ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/11 - 11/30/18	0.34	3	0.15	0		ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/11 - 11/30/18	108.91	3	2.50	0		ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Copper (dissolved)	12/01/11 - 11/30/18	14.15	3	1.96	0		ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Lead (dissolved)	12/01/11 - 11/30/18	4.18	3	0.50	0		ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Zinc (dissolved)	12/01/11 - 11/30/18	175.93	3	3.37	0		ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/01/11 - 11/30/18	3	34		1	0.80	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/01/11 - 11/30/18	5	34		4	3.50	AD	NC	<input type="checkbox"/>	NC		

Recreation Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Bacteria Geomean	E. coli	12/01/11 - 11/30/18	126	33	23.78	0		AD	FS	<input type="checkbox"/>	FS		

General Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data Qual			Int LOS	TCEQ Cause	Cat
				#	Value	#	Value	LOS	CF	LOS			
Nutrient Screening Levels	Ammonia	12/01/11 - 11/30/18	0.33	11		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/01/11 - 11/30/18	14.10	11		2	21.00	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/01/11 - 11/30/18	1.95	10		0		AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/01/11 - 11/30/18	0.69	11		0		AD	NC	<input type="checkbox"/>	NC		

2020 Texas Integrated Report - Assessment Results for Basin 8 - Trinity River Basin

AUID: 0841W_01 From the confluence with Mountain Creek Lake upstream to the Joe Pool Lake dam

Fish Consumption Use

Method	Parameter	Period of Record	Criteria	Data Assessed		Exceedances		Data			Int		TCEQ Cause	Cat
				#	Value	#	Value	Qual	LOS	CF	LOS			
HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/11 - 11/30/18	38.30	3	0.50	0		ID	NA	<input type="checkbox"/>	NA			