Explanation of Column Headings

SegID and Name: The unique identifier (SegID), segment name, and location of the water body. Items may be one

of three types of numbers for SegID. The first type is a classified segment number (4 digits, e.g. 0218), as defined in the Texas Surface Water Quality Standards (TSWQS). The second type is an unclassified water body (e.g. 0218A), not defined in the Standards and associated with a classified water body because it is in the same watershed. The third type includes special

Segments for Oyster Water Use (e.g. 2421OW) and Beach Watch Use (e.g. 2481CB) special

areas. The segment name and description follow SegID.

AU ID: Identifies the assessment unit (AU ID, six or seven digits, e.g., 0101A 01) and describes the

location of the specific area within a classified or unclassified water body for which one or more

water quality standards are not met.

Parameter(s): Pollutants or water quality conditions that assessment procedures indicate do not meet assigned

water quality standards or screening levels

Level of Concern: CN - Concern for near-nonattainment of the TSWQS based on numeric criteria

CS - Concern for water quality based on screening levels

SEG ID: 0101 Canadian River Below Lake Meredith

From the Oklahoma State Line in Hemphill County to Sanford Dam in Hutchinson County

CS

Parameter(s) Level of Concern

Ammonia in water

From the confluence with White Deer Creek upstream to the confluence with Dixon Creek 0101 03

east of Borger

0101 04 From the confluence with Dixon Creek upstream to Sanford Dam in Hutchinson County

Level of Concern Parameter(s)

Chlorophyll-a in water

0101 04 From the confluence with Dixon Creek upstream to Sanford Dam in Hutchinson County

Level of Concern Parameter(s)

Depressed dissolved oxygen in water

0101 04 From the confluence with Dixon Creek upstream to Sanford Dam in Hutchinson County

Level of Concern Parameter(s)

Nitrate in water

0101 03 From the confluence with White Deer Creek upstream to the confluence with Dixon Creek east of Borger

Page 1 of 196 May 12, 2020

SEG ID: 0101A Dixon Creek

Dixon Creek - intermittent stream with perennial pools from the confluence with the Canadian River in Hutchinson County upstream to the confluence with Middle and East Dixon creeks in Carson County

Parameter(s)

Level of Concern

Chlorophyll-a in water

CS

0101A 02

Dixon Creek an Appendix D Intermittent stream with perennial pools from the confluence with the permitted outfall receiving waters tributary upstream to the confluence with Middle and East Dixon creeks

Parameter(s)

Level of Concern

Nitrate in water

CS

0101A 01

Dixon Creek an Appendix D Intermittent stream with perennial pools from the confluence with the Canadian River upstream to the confluence with the permitted outfall receiving waters tributary

Parameter(s)

Level of Concern

Total Phosphorus in water

0101A 01

Dixon Creek an Appendix D Intermittent stream with perennial pools from the confluence with the Canadian River upstream to the confluence with the permitted outfall receiving waters tributary

SEG ID: 0101B Rock Creek

Perennial stream from the confluence with the Canadian River upstream to the headwaters in Carson County

Parameter(s)

Level of Concern

Chlorophyll-a in water

CS

0101B 01

Appendix D, Perennial stream from the confluence with the Canadian River up to SH 136 in the City of Borger

Parameter(s)

Level of Concern

Nitrate in water

0101B 01

Appendix D, Perennial stream from the confluence with the Canadian River up to SH 136 in the City of Borger

SEG ID: 0103A East Amarillo Creek

From the confluence of the Canadian River to the headwaters of Thompson Park Lake in Amarillo

Parameter(s)

Level of Concern

Chlorophyll-a in water

0103A 01

From the confluence with the Canadian River upstream to the Thompson Park Lake spillway

0103A 02 From the Thompson Park Lake spillway upstream to the headwaters of the lake

Parameter(s)

Level of Concern

Nitrate in water

CS

0103A 01 From the confluence with the Canadian River upstream to the Thompson Park Lake spillway

Page 2 of 196 May 12, 2020

SEG ID:0103C Unnamed Tributary of West Amarillo Creek

Unnamed tributary of West Amarillo Creek - from the confluence of West Amarillo Creek upstream to the confluence of two unnamed streams near Amarillo Blvd

Parameter(s) Level of Concern CS

Chlorophyll-a in water

0103C 01 Unnamed tributary from the confluence of West Amarillo Creek upstream to the confluence of two unnamed streams near Amarillo Blvd

SEG ID: 0104 Wolf Creek

From the Oklahoma State Line in Lipscomb County to a point 2.0 km (1.2 mi) upstream of FM 3045 in Ochiltree County

Parameter(s) Level of Concern

Chlorophyll-a in water

0104 03 From the Lake Fryer Dam to a point 2.0 km (1.2 mi) upstream of FM 3045 in Ochiltree County

SEG ID: 0199B Kiowa Creek

Kiowa Creek - from the Oklahoma State Line upstream to the headwater 500m upstream of Ochiltree CR 23 east of Perryton

CS

Parameter(s) Level of Concern

Bacteria in water (Recreation Use)

0199B 01 Kiowa Creek from the Oklahoma State Line upstream to the headwater 500m upstream of Ochiltree CR 23 east of Perryton

Parameter(s) Level of Concern

Chlorophyll-a in water

0199B 01 Kiowa Creek from the Oklahoma State Line upstream to the headwater 500m upstream of

Ochiltree CR 23 east of Perryton

SEG ID: 0201 Lower Red River

From the Arkansas State Line in Bowie County to the Arkansas-Oklahoma State Line in **Bowie County**

Parameter(s) Level of Concern **CS**

Chlorophyll-a in water

0201 01 From the Arkansas state line upstream to the confluence with Walnut Bayou (Oklahoma

stream)

Page 3 of 196 May 12, 2020

SEG ID:0201A Mud Creek

Mud Creek - from the confluence of the Red River upstream to the headwater near the intersection of US 82 and Bowie CR 3403

Parameter(s) Level of Concern

Chlorophyll-a in water

CS

0201A 01 Mud Creek from the confluence of the Red River upstream to the headwater near the intersection of US 82 and Bowie CR 3403

Parameter(s) Level of Concern

Depressed dissolved oxygen in water

0201A 01 Mud Creek from the confluence of the Red River upstream to the headwater near the intersection of US 82 and Bowie CR 3403

SEG ID:0201D Barkman Creek

Barkman Creek - from the confluence of the Red River upstream to the headwater 1.3 km north of IH 30 east of Hooks

Parameter(s) Level of Concern

Bacteria in water (Recreation Use)

0201D_01 Barkman Creek from the confluence of the Red River upstream to the confluence of Jones Creek 5.0 km northeast of Texarkana

Parameter(s) Level of Concern

Depressed dissolved oxygen in water

CS

0201D 01 Barkman Creek from the confluence of the Red River upstream to the confluence of Jones Creek 5.0 km northeast of Texarkana

SEG ID: 0202 Red River Below Lake Texoma

From the Arkansas-Oklahoma State Line in Bowie County to Denison Dam in Grayson County

Parameter(s)		Level of Concern
Chlorophyll-a	in water	CS
0202_01	From the Oklahoma/Arkansas state line upstream to the confluence	e with Pecan Bayou
0202_02	From the confluence with Pecan Bayou upstream to the confluence	e with Pine Creek
0202_03	From the confluence with Pine Creek upstream to the confluence v	vith Bois d'Arc Creek
0202_04	From the confluence with Bois d'Arc upstream to the confluence w	vith Choctaw Creek
Parameter(s)		Level of Concern

Depressed dissolved oxygen in water

CS

0202 05 From the confluence with Choctaw Creek upstream to Denison Dam

Page 4 of 196 May 12, 2020

SEG ID:0202A Bois D' Arc Creek

Bois D' Arc Creek - from the confluence of the Red River upstream to the headwater northwest of Whitewright

Parameter(s) Level of Concern CN

Bacteria in water (Recreation Use)

0202A 01 Bois D' Arc Creek from the confluence of the Red River upstream to the confluence of Sandy Creek north of Dodd City

Parameter(s) Level of Concern

Chlorophyll-a in water

0202A 02 Bois D' Arc Creek Appendix D section of Perennial stream from the confluence of Sandy Creek upstream to the confluence of Pace Creek

Parameter(s) Level of Concern

Nitrate in water

0202A 03 Bois D' Arc Creek from the confluence of Pace Creek upstream to the headwater northwest of Whitewright

CS

Parameter(s) Level of Concern

Total Phosphorus in water

0202A 03 Bois D' Arc Creek from the confluence of Pace Creek upstream to the headwater northwest of Whitewright

SEG ID: 0202B Corneliason Creek

Corneliason Creek - intermittent stream with perennial pools from the confluence of Mill Creek upstream to FM 1897 in the City of Bells

Parameter(s) Level of Concern

Bacteria in water (Recreation Use)

0202B 01 Corneliason Creek an Appendix D Intermittent stream with perennial pools from the confluence of Mill Creek upstream to FM 1897 in the City of Bells

SEG ID:0202D Pine Creek

Pine Creek - perennial and intermittent stream from the confluence of the Red River upstream to the dam forming Lake Crook

Level of Concern Parameter(s)

Chlorophyll-a in water

0202D 01 Pine Creek an Appendix D Perennial and intermittent stream from the confluence of the Red River upstream to the dam forming Lake Crook

Parameter(s) Level of Concern

Depressed dissolved oxygen in water

0202D 01 Pine Creek an Appendix D Perennial and intermittent stream from the confluence of the Red

River upstream to the dam forming Lake Crook

Page 5 of 196 May 12, 2020

SEG ID: 0202E Post Oak Creek

Post Oak Creek - from the confluence of Choctaw Creek upstream to the headwater east of Shadow St northwest of Sherman

CS

CS

<u>Parameter(s)</u> <u>Level of Concern</u>

Chlorophyll-a in water

0202E_02 Post Oak Creek from the confluence of Sand Creek upstream to the headwater east of

Shadow St northwest of Sherman

Parameter(s)

Level of Concern

Depressed dissolved oxygen in water

0202E_02 Post Oak Creek from the confluence of Sand Creek upstream to the headwater east of

Shadow St northwest of Sherman

<u>Parameter(s)</u> <u>Level of Concern</u>

Nitrate in water CS

0202E_01 Post Oak Creek from the confluence of Choctaw Creek upstream to the confluence of Sand

<u>Parameter(s)</u> <u>Level of Concern</u>

Total Phosphorus in water

0202E_01 Post Oak Creek from the confluence of Choctaw Creek upstream to the confluence of Sand Creek

SEG ID: 0202F Choctaw Creek

From the confluence with the Red River east of Denison to the upstream perennial portion near the intersection of SH 56 and SH 289 in Grayson County

<u>Parameter(s)</u> <u>Level of Concern</u>

Nitrate in water

0202F 01 From the confluence with the Red River upstream to the confluence with Post Oak Creek

<u>Parameter(s)</u> <u>Level of Concern</u>

Total Phosphorus in water

0202F 01 From the confluence with the Red River upstream to the confluence with Post Oak Creek

SEG ID:0202G Smith Creek

Smith Creek - from the confluence of Pine Creek upstream to the confluence of two unnamed streams south of Loop 286 in Paris

<u>Parameter(s)</u> <u>Level of Concern</u>

Total Phosphorus in water

0202G_01 Smith Creek from the confluence of Pine Creek upstream to the confluence of two unnamed streams south of Loop 286 in Paris

May 12, 2020 Page 6 of 196

SEG ID:0202H Big Pine Creek

Big Pine Creek - from the confluence of the Red River upstream to the confluence of Little Pine Creek and an unnamed stream

Parameter(s)

Level of Concern

Bacteria in water (Recreation Use)

CN

0202H_01

Big Pine Creek from the confluence of the Red River upstream to the confluence of Little Pine Creek and an unnamed stream

Parameter(s)

Level of Concern

Chlorophyll-a in water

CS

0202H_01

Big Pine Creek from the confluence of the Red River upstream to the confluence of Little Pine Creek and an unnamed stream

SEG ID: 02021 Little Pine Creek

Little Pine Creek - from the confluence of Big Pine Creek upstream to the headwater north of Detroit, TX

Parameter(s)

Level of Concern

Chlorophyll-a in water

CS

0202I 01

Little Pine Creek from the confluence of Big Pine Creek upstream to the headwater north of Detroit, TX

SEG ID: 0202J Sand Creek

Sand Creek - from the confluence of Post Oak Creek upstream to the headwater north of US82 northwest of Sherman

Parameter(s)

Level of Concern

Depressed dissolved oxygen in water

CS

0202J 01

Sand Creek from the confluence of Post Oak Creek upstream to the headwater north of US82 northwest of Sherman

SEG ID: 0202L Honey Grove Creek

Honey Grove Creek - from the confluence of Bois d'Arc Creek upstream to the headwater east of Honey Grove

Parameter(s)

Level of Concern

Chlorophyll-a in water

CS

0202L 01

Honey Grove Creek from the confluence of Bois d'Arc Creek upstream to the headwater east of Honey Grove

Parameter(s)

Level of Concern

Total Phosphorus in water

CS

0202L_01 Honey Grove Creek from the confluence of Bois d'Arc Creek upstream to the headwater east of Honey Grove

May 12, 2020 Page 7 of 196

SEG ID:0202N Hicks Creek

Hicks Creek - from the confluence of Pine Creek upstream to the headwater 520 m south of Gate 2 Rd on Camp Maxey

<u>Parameter(s)</u>

Bacteria in water (Recreation Use)

<u>Level of Concern</u> CN

0202N_02 Hicks Creek from the confluence of an unnamed tributary 135 m downstream of US 271 north of Paris upstream to the headwater 520 m south of Gate 2 Rd on Camp Maxey

Parameter(s) Level of Concern

Depressed dissolved oxygen in water

CS

0202N_02 Hicks Creek from the confluence of an unnamed tributary 135 m downstream of US 271 north of Paris upstream to the headwater 520 m south of Gate 2 Rd on Camp Maxey

Parameter(s) <u>Level of Concern</u>

Nitrate in water

CS

O202N_01 Hicks Creek from the confluence of Pine Creek upstream to the confluence of an unnamed tributary 135 m downstream of US 271 north of Paris

<u>Parameter(s)</u> <u>Level of Concern</u>

Total Phosphorus in water

CS

0202N_01 Hicks Creek from the confluence of Pine Creek upstream to the confluence of an unnamed tributary 135 m downstream of US 271 north of Paris

SEG ID: 0202P Six Mile Creek

Six Mile Creek - from the confluence of Pine Creek northwest of Paris upstream to the headwaters near Mansfield Rd east of Paris

Parameter(s) Level of Concern

Bacteria in water (Recreation Use)

CN

0202P_01 Six mi Creek - from the confluence of Pine Creek northwest of Paris upstream to the headwaters near Mansfield Rd east of Paris

Parameter(s) Level of Concern

Depressed dissolved oxygen in water

CS

O202P_01 Six mi Creek - from the confluence of Pine Creek northwest of Paris upstream to the headwaters near Mansfield Rd east of Paris

<u>Parameter(s)</u> <u>Level of Concern</u>

Nitrate in water

CS

0202P_01 Six mi Creek - from the confluence of Pine Creek northwest of Paris upstream to the headwaters near Mansfield Rd east of Paris

<u>Parameter(s)</u> <u>Level of Concern</u>

Total Phosphorus in water

CS

0202P_01 Six mi Creek - from the confluence of Pine Creek northwest of Paris upstream to the headwaters near Mansfield Rd east of Paris

May 12, 2020 Page 8 of 196

SEG ID:0202Q Pickens Lake

Pickens Lake - in Herman Baker Park in Sherman, TX

Parameter(s) Level of Concern

Depressed dissolved oxygen in water

0202Q 01 Pickens Lake - in Herman Baker Park in Sherman, TX

SEG ID: 0203 Lake Texoma

Lake Texoma - from Denison Dam in Grayson County to a point immediately upstream of the confluence of Sycamore Creek in Cooke County, up to the normal pool elevation of 617 feet (impounds Red River)

CS

Parameter(s) Level of Concern

Fish kill in water

0203 03 Lake Texoma mid-lake area bounded upstream by a line from East Juniper Point to Cardinal Cove (OK) and downstream by a line from Treasure Island to Mill Creek picnic area

SEG ID:0203A Big Mineral Creek

Big Mineral Creek -intermittent stream with perennial pools from the normal pool elevation of Lake Texoma upstream to the confluence of unnamed tributaries on the North and South Branch, 2.4 km and 1.1 km upstream of US 377, respectively

Parameter(s) Level of Concern

Bacteria in water (Recreation Use)

0203A 01 Big Mineral Creek an Appendix D Intermittent stream with perennial pools from the normal pool elevation of Lake Texoma upstream to the confluence of unnamed tributaries on the North and South Branch, 2.4 km and 1.1 km upstream of US 377, respectively

Parameter(s) Level of Concern

Chlorophyll-a in water

0203A 01 Big Mineral Creek an Appendix D Intermittent stream with perennial pools from the normal pool elevation of Lake Texoma upstream to the confluence of unnamed tributaries on the North and South Branch, 2.4 km and 1.1 km upstream of US 377, respectively

Level of Concern Parameter(s) CS

Nitrate in water

0203A 01 Big Mineral Creek an Appendix D Intermittent stream with perennial pools from the normal pool elevation of Lake Texoma upstream to the confluence of unnamed tributaries on the North and South Branch, 2.4 km and 1.1 km upstream of US 377, respectively

Parameter(s) Level of Concern CS

Total Phosphorus in water

0203A 01 Big Mineral Creek an Appendix D Intermittent stream with perennial pools from the normal pool elevation of Lake Texoma upstream to the confluence of unnamed tributaries on the North and South Branch, 2.4 km and 1.1 km upstream of US 377, respectively

Page 9 of 196 May 12, 2020

SEG ID: 0204 Red River Above Lake Texoma From a point immediately upstream of the confluence of Sycamore Creek in Cooke County to the confluence of the Wichita River in Clay County Parameter(s) Level of Concern **Bacteria in water (Recreation Use) CN** 0204 02 From the confluence with Fish Creek upstream to the confluence with Farmers Creek Parameter(s) Level of Concern Chlorophyll-a in water CS 0204 01 From the normal pool elevation of Lake Texoma upstream to the confluence with Fish Creek 0204 02 From the confluence with Fish Creek upstream to the confluence with Farmers Creek 0204_03 From the confluence with Farmers Creek upstream to the confluence with the Little Wichita River

SEG ID: 0205	Red River Below Pease River From the confluence of the Wichita River in Clay County to the confl River in Wilbarger County	uence of the Pease
Parameter(s)		Level of Concern
Bacteria in w	Bacteria in water (Recreation Use)	
0205_01	From the confluence with the Wichita River upstream to IH 44 in Burkburnett	
0205_02	From IH 44 in Burkburnett upstream to the confluence with the Pease	River
Parameter(s)		Level of Concern
Chlorophyll-	Chlorophyll-a in water CS	
0205_01	From the confluence with the Wichita River upstream to IH 44 in Bur	kburnett
0205_02	From IH 44 in Burkburnett upstream to the confluence with the Pease	River

SEG ID:0205A	A Wildhorse Creek Wildhorse Creek - from the confluence of Red River east of Burkburnett up headwater 1.9 km south of SH 240 and 11 km west of Burkburnett in Wichi	
Parameter(s)	<u>Le</u>	evel of Concern
Chlorophyll-a	a in water	CS
0205A_01	Wildhorse Creek from the confluence of Red River east of Burkburnett upst headwater 1.9 km south of SH 240 and 11 km west of Burkburnett in Wichi	
Parameter(s)	<u>Le</u>	evel of Concern
Depressed dis	lissolved oxygen in water CS	
0205A_01	Wildhorse Creek from the confluence of Red River east of Burkburnett upstream to the headwater 1.9 km south of SH 240 and 11 km west of Burkburnett in Wichita County	
Parameter(s)	<u>L</u> e	evel of Concern
Nitrate in wat		
0205A_01	Wildhorse Creek from the confluence of Red River east of Burkburnett upst headwater 1.9 km south of SH 240 and 11 km west of Burkburnett in Wichi	
Parameter(s)	Le	evel of Concern
Total Phospho	l Phosphorus in water CS	
0205A_01	Wildhorse Creek from the confluence of Red River east of Burkburnett upst headwater 1.9 km south of SH 240 and 11 km west of Burkburnett in Wichi	

May 12, 2020 Page 10 of 196

SEG ID: 0206 Red River Above Pease River

From the confluence of the Pease River in Wilbarger County to a point immediately upstream of the confluence of Buck Creek in Hardeman County

Parameter(s)

Level of Concern

Bacteria in water (Recreation Use)

CN

0206 02 From the confluence with the Groesbeck Creek upstream to the confluence with Buck Creek

Parameter(s)

Level of Concern

Total Phosphorus in water

CS

0206 02 From the confluence with the Groesbeck Creek upstream to the confluence with Buck Creek

SEG ID:0206A Groesbeck Creek

Groesbeck Creek - from the confluence of the Red River upstream to the confluence of the North and South branches north of Quanah

Parameter(s)

Level of Concern

Chlorophyll-a in water

CS

0206A 01 Groesbeck Creek from the confluence of the Red River upstream to the confluence of the North and South branches north of Quanah

SEG ID: 0206B South Groesbeck Creek

South Groesbeck Creek - from the confluence of Groesbeck Creek and North Groesbeck Creek upstream to the headwater 12.6 km southwest of Childress

Parameter(s)

Level of Concern

Nitrate in water

CS

0206B 01

South Groesbeck Creek from the confluence of Groesbeck Creek and North Groesbeck Creek upstream to the headwater 12.6 km southwest of Childress

SEG ID:0206C North Groesbeck Creek

North Groesbeck Creek - from the confluence of Groesbeck Creek north of Quanah upstream to the headwater east of Childress

Parameter(s)

Level of Concern

Bacteria in water (Recreation Use)

CN

0206C 01 North Groesbeck Creek from the confluence of Groesbeck Creek north of Quanah upstream to the headwater east of Childress

Parameter(s)

Level of Concern

Chlorophyll-a in water

0206C 01 North Groesbeck Creek from the confluence of Groesbeck Creek north of Quanah upstream to the headwater east of Childress

Page 11 of 196 May 12, 2020

SEG ID: 0207	Lower Prairie Dog Town Fork Red River
	Lower Prairie Dog Town Fork Red River - from a point immediately upstream of the
	confluence of Buck Creek in Hardeman County to a point 100 meters (110 yards) upstream of
	the confluence of Salt Fork Creek in Armstrong County
Parameter(s)	<u>Level of Concern</u>

Bacteria in water (Recreation Use)

CN

0207 01

Lower Prairie Dog Town Fork Red River from a point immediately upstream of the confluence of Buck Creek upstream to the confluence of Grassy Creek north of Childress

0207 03 Lower Prairie Dog Town Fork Red River from the confluence of Parker Creek upstream to the confluence of Battle Creek near SH 70 north of Turkey

Level of Concern Parameter(s)

Chlorophyll-a in water

CS

0207 04 Lower Prairie Dog Town Fork Red River from the confluence of Battle Creek upstream to the confluence of Salt Fork Creek upstream of SH 207 south of Claude

Level of Concern Parameter(s)

Nitrate in water

0207 04 Lower Prairie Dog Town Fork Red River from the confluence of Battle Creek upstream to the confluence of Salt Fork Creek upstream of SH 207 south of Claude

SEG ID:0207A Buck Creek

Buck Creek - from Oklahoma State Line upstream to the headwater south of Hedley

Parameter(s) Level of Concern

Bacteria in water (Recreation Use)

0207A 01 Buck Creek from Oklahoma State Line upstream to the confluence of House Log Creek

Parameter(s) Level of Concern

Nitrate in water

0207A 01 Buck Creek from Oklahoma State Line upstream to the confluence of House Log Creek

SEG ID: 0209 Pat Mayse Lake

Pat Mayse Lake - from Pat Mayse Dam in Lamar County up to the normal pool elevation of 451 feet (impounds Sanders Creek)

Parameter(s) Level of Concern

Manganese in sediment

0209 01 Pat Mayse Lake lower half from the dam upstream to the easternmost point of Pat Mayse

West campground

 0209_{02} Pat Mayse Lake upper half from the easternmost point of Pat Mayse West campground up to

normal pool elevation of 451 feet

Page 12 of 196 May 12, 2020

SEG ID: 0211 Little Wichita River

From the confluence with the Red River in Clay County to Lake Arrowhead Dam in Clay County

CN

CS

<u>Parameter(s)</u> <u>Level of Concern</u>

Bacteria in water (Recreation Use)

0211_02 From the confluence with the East Fork Little Wichita River upstream to the Lake Arrowhead

Dam

<u>Parameter(s)</u> <u>Level of Concern</u>

Chlorophyll-a in water

From the confluence with the Red River upstream to the confluence with the East Fork Little

Wichita River

O211_02 From the confluence with the East Fork Little Wichita River upstream to the Lake Arrowhead

Dam

SEG ID: 0211A East Fork Little Wichita River

East Fork Little Wichita River - from the confluence of Little Wichita River upstream to the headwater 2.7 km west of the intersection of SH 148 and FM 174 and east of Windthorst

<u>Parameter(s)</u> <u>Level of Concern</u>

Bacteria in water (Recreation Use)

D211A_01 East Fork Little Wichita River from the confluence of Little Wichita River upstream to the headwater 2.7 km west of the intersection of SH 148 and FM 174 and east of Windthorst

<u>Parameter(s)</u> <u>Level of Concern</u>

Chlorophyll-a in water

0211A_01 East Fork Little Wichita River from the confluence of Little Wichita River upstream to the headwater 2.7 km west of the intersection of SH 148 and FM 174 and east of Windthorst

May 12, 2020 Page 13 of 196

SEG ID: 021	4 Wichita River Below Diversion Lake Dam From the confluence with the Red River in Clay Cou	unty to Diversion Dam in Archer County	
<u>Parameter(s)</u>		Level of Concern	
	vater (Recreation Use)	CN	
0214_03	From the River Road WWTP upstream to the confluence	ence with Buffalo Creek	
Parameter(s)		<u>Level of Concern</u>	
Chlorophyll-	a in water	CS	
0214_01	From the confluence with the Red River upstream to tributary immediately upstream of FM 2393	the confluence with an un-named	
0214_02	From an un-named tributary immediately upstream owwTP	m an un-named tributary immediately upstream of FM 2393 upstream to the River Road VTP	
0214_03	From the River Road WWTP upstream to the conflue	ence with Buffalo Creek	
0214_04	From the confluence with Buffalo Creek upstream to	the confluence with Beaver Creek	
0214_05	From the confluence with Beaver Creek upstream to	the Diversion Lake Dam	
Parameter(s)		<u>Level of Concern</u>	
Nitrate in wa	nter	CS	
0214_01	From the confluence with the Red River upstream to tributary immediately upstream of FM 2393	the confluence with an un-named	
0214_02	From an un-named tributary immediately upstream owwTP	of FM 2393 upstream to the River Road	
Parameter(s)		<u>Level of Concern</u>	
Total Phospl	norus in water	CS	
0214_02	From an un-named tributary immediately upstream owwTP	of FM 2393 upstream to the River Road	

SEG ID:0214A Beaver Creek

From the confluence of the Wichita River west of Wichita Falls in Wichita County upstream to the headwaters west of Crowell in Foard County

Parameter(s) Level of Concern

Chlorophyll-a in water

CS

0214A 02 From the confluence with Bull Creek upstream to the Santa Rosa Lake dam

May 12, 2020 Page 14 of 196

SEG ID: 0214B Buffalo Creek

Buffalo Creek - from the confluence of the Wichita River upstream to the headwater east of Electra

Parameter(s) Level of Concern CS

Ammonia in water

0214B 01 Buffalo Creek from the confluence of the Wichita River upstream to the headwater east of

Electra

Parameter(s) Level of Concern

Chlorophyll-a in water

0214B 01 Buffalo Creek from the confluence of the Wichita River upstream to the headwater east of

Electra

Parameter(s) Level of Concern

Nitrate in water

0214B 01 Buffalo Creek from the confluence of the Wichita River upstream to the headwater east of

Parameter(s) Level of Concern

Total Phosphorus in water

0214B 01 Buffalo Creek from the confluence of the Wichita River upstream to the headwater east of

Electra

SEG ID:0214C Holliday Creek

Holliday Creek - from the confluence of the Wichita River in Wichita Falls upstream to the Lake Wichita dam

CS

CS

Parameter(s) Level of Concern

Chlorophyll-a in water

0214C 01 Holliday Creek from the confluence of the Wichita River in Wichita Falls upstream to the

Lake Wichita dam

SEG ID: 0214E Wichita Valley Irrigation Project

From northeast of Wichita Falls (North Side Canal) and southwest of Wichita Falls (Call Field Canal) upstream to Lake Diversion Dam

Parameter(s) Level of Concern

Chlorophyll-a in water

0214E 01 South Side Canal

Page 15 of 196 May 12, 2020

SEG ID: 0214F Unnamed tributary of Buffalo Creek

Unnamed tributary of Buffalo Creek - from the confluence of Buffalo Creek upstream to the headwater at eastbound frontage road of US 287 in Iowa Park

CS

CS

Parameter(s) Level of Concern

Ammonia in water

0214F 01 Unnamed tributary from the confluence of Buffalo Creek upstream to the headwater at eastbound frontage road of US 287 in Iowa Park

Parameter(s) Level of Concern

Depressed dissolved oxygen in water

0214F_01 Unnamed tributary from the confluence of Buffalo Creek upstream to the headwater at eastbound frontage road of US 287 in Iowa Park

Parameter(s) Level of Concern

Nitrate in water

0214F 01 Unnamed tributary from the confluence of Buffalo Creek upstream to the headwater at eastbound frontage road of US 287 in Iowa Park

Parameter(s) Level of Concern

Total Phosphorus in water

0214F_01 Unnamed tributary from the confluence of Buffalo Creek upstream to the headwater at eastbound frontage road of US 287 in Iowa Park

SEG ID: 0216 Wichita River Below Lake Kemp Dam

Wichita River Below Lake Kemp - from a point 1.5 km(0.9 mi) downstream of the confluence of Cottonwood Creek in Baylor County to Lake Kemp Dam in Baylor County

Parameter(s) Level of Concern **CN**

Bacteria in water (Recreation Use)

0216 01 Wichita River from a point 1.5 km downstream of the confluence of Cottonwood Creek upstream to the Lake Kemp Dam

Page 16 of 196 May 12, 2020

SEG ID: 0218	Wichita/North Fork Wichita River Wichita/North Fork Wichita River - from a point 9.4 km confluence of Crooked Creek in Baylor County to a point	
Danam et a::(-)	most upstream crossing of FM 193 in Dickens County	Land of Conserve
<u>Parameter(s)</u>	(<u>Level of Concern</u>
Bacteria in w	ater (Recreation Use)	CN
0218_01	Wichita River from a point 9.4 km downstream of the co- to the confluence of the South Fork Wichita River	nfluence of Crooked Creek upstream
0218_02	North Fork Wichita River from the confluence of the South Fork Wichita River upstream to the confluence of the Middle Fork Wichita River	
0218_03	North Fork Wichita River from the confluence of the Michita Confluence of Salt Creek	ldle Fork Wichita River upstream to
Parameter(s)		<u>Level of Concern</u>
Depressed dis	ssolved oxygen in water	CS
0218_03	North Fork Wichita River from the confluence of the Mid the confluence of Salt Creek	ddle Fork Wichita River upstream to
Parameter(s)		Level of Concern
Selenium in v	vater	CN
0218_03	North Fork Wichita River from the confluence of the Mid the confluence of Salt Creek	ldle Fork Wichita River upstream to
0218_04	North Fork Wichita River from the confluence of Salt Cr downstream of the uppermost crossing of FM 193	eek upstream to a point 8.5 km

SEG ID:0218A Middle Fork Wichita River

Middle Fork Wichita River - from the confluence of the North Wichita River upstream to the headwater 15 km north of Guthrie in King County

Parameter(s)
Selenium in water

Level of Concern
CN

0218A_01 Middle Fork Wichita River from the confluence of the North Wichita River upstream to the headwater 15 km north of Guthrie in King County

SEG ID: 0220 Upper Pease/North Fork Pease River

Upper Pease/North Fork Pease River - from the confluence with Canal Creek at the Hardeman-Foard county line to 6.0 km (3.7 mi) upstream of the confluence of Dick Moore Canyon in Floyd County

Parameter(s)

Bacteria in water (Recreation Use)

Level of Concern
CN

O220_01 Pease River from the confluence of Canal Creek upstream to the confluence of the Middle Fork Pease River

May 12, 2020 Page 17 of 196

SEG ID: 0222 Salt Fork Red River

Salt Fork Red River - from the Oklahoma State Line in Collingsworth County to Greenbelt Dam in Donley County

Parameter(s) Level of Concern CS

Nitrate in water

0222 01 Salt Fork Red River from the Oklahoma State Line upstream to the confluence of Lake Creek

SEG ID:0222A Lelia Lake Creek

Lelia Lake Creek - from the confluence of the Salt Fork Red River upstream to the confluence of East Lelia Lake Creek and West Lelia Lake Creek

Parameter(s) Level of Concern

Depressed dissolved oxygen in water

0222A_01 Lelia Lake Creek from the confluence of the Salt Fork Red River upstream to the confluence of East Lelia Lake Creek and West Lelia Lake Creek

SEG ID: 0226 South Fork Wichita River

South Fork Wichita River - from the confluence with the North Fork Wichita River in Knox County to a point 15.0 km (9.3 mi) upstream of US 82 in Dickens County

CS

CS

CN

Level of Concern Parameter(s)

Ammonia in water

0226 02 South Fork Wichita River from SH 6 upstream to the confluence of Willow Creek

 0226_03 South Fork Wichita River from confluence of Willow Creek upstream to the confluence of Long Canyon Creek

Parameter(s) Level of Concern

Bacteria in water (Recreation Use)

0226 01 South Fork Wichita River from the confluence of the North Fork Wichita River upstream to SH₆

Page 18 of 196 May 12, 2020

	Upper Prairie Dog Town Fork Red River Upper Prairie Dog Town Fork Red River - from a poir the confluence of Salt Fork Creek in Armstrong Count County	ty to Lake Tanglewood Dam in Randall	
Parameter(s) Chlorophyll-a	in water	<u>Level of Concern</u> CS	
0229_01	Upper Prairie Dog Town Fork Red River from a point	e Dog Town Fork Red River from a point 100 m (110 yds) upstream of the f Salt Creek upstream to the Palo Duro Canyon State Park northern boundary	
0229_02	Upper Prairie Dog Town Fork Red River from the Palo Duro Canyon State Park northern boundary upstream to Tanglewood Dam		
Parameter(s)		<u>Level of Concern</u>	
Depressed dis	solved oxygen in water	CS	
0229_02	Upper Prairie Dog Town Fork Red River from the Pale boundary upstream to Tanglewood Dam	o Duro Canyon State Park northern	
<u>Parameter(s)</u> Nitrate in war	ter	<u>Level of Concern</u> <mark>CS</mark>	
0229_01	Upper Prairie Dog Town Fork Red River from a point confluence of Salt Creek upstream to the Palo Duro Confluence of Salt Creek upstream to the Salt Creek upstr		
0229_02	Upper Prairie Dog Town Fork Red River from the Pale boundary upstream to Tanglewood Dam	o Duro Canyon State Park northern	
Parameter(s)		<u>Level of Concern</u>	
Total Phospho	orus in water	CS	
0229_01	Upper Prairie Dog Town Fork Red River from a point confluence of Salt Creek upstream to the Palo Duro Confluence of Salt Creek upstream to the Salt Creek		
0229_02	Upper Prairie Dog Town Fork Red River from the Pale boundary upstream to Tanglewood Dam	o Duro Canyon State Park northern	

SEG ID: 023	O Pease River Pease River - from the confluence with the Red River in Will- confluence with Canal Creek at the Hardeman-Foard county	• •
Parameter(s)		Level of Concern
Bacteria in v	vater (Recreation Use)	CN
0230_02	Pease River from the confluence of Paradise Creek upstream Creek	to the confluence of Canal
Parameter(s)		Level of Concern
Chlorophyll	a in water	CS
0230_02	Pease River from the confluence of Paradise Creek upstream Creek	to the confluence of Canal
Parameter(s)		<u>Level of Concern</u>
Total Phosp	norus in water	CS

0230_02

Creek

May 12, 2020 Page 19 of 196

Pease River from the confluence of Paradise Creek upstream to the confluence of Canal

SEG ID:0230A Paradise Creek

Paradise Creek - from the confluence of the Pease River east of Vernon upstream to the headwater 500m west of the intersection of US 70 and Foard CR 233

CS

CS

<u>Parameter(s)</u> <u>Level of Concern</u>

Chlorophyll-a in water

O230A_01 Paradise Creek from the confluence of the Pease River east of Vernon upstream to a point 400m upstream of the intersection of FM 433 and Wilbarger CR 97

SEG ID: 0301 Sulphur River Below Wright Patman Lake

From the Arkansas State Line in Bowie/Cass County to Wright Patman Lake Dam in Bowie/Cass County

<u>Parameter(s)</u> <u>Level of Concern</u>

Chlorophyll-a in water

From the Arkansas state line approximately 9 mi upstream to the unnamed creek at NHD RC

11140302004559

0301 02 From the unnamed creek at NHD RC 11140302004559 approximately 10 mi to Wright

Patman Lake Dam

SEG ID: 0301A Akin Creek

From the confluence with the Sulphur River in Bowie County below Lake Wright Patman to 1 km (.6 mi) south of US HWY 82

<u>Parameter(s)</u> <u>Level of Concern</u>

Impaired fish community in water

From the confluence with the Sulphur River in Bowie County below Lake Wright Patman to 1 km (.6 mi) south of US HWY 82

SEG ID: 0302 Wright Patman Lake

From Wright Patman Lake Dam in Bowie/Cass County to a point 1.5 km (0.9 mi) downstream of Bassett Creek in Bowie/Cass County, up to the normal pool elevation of 226.4 feet (impounds the Sulphur River)

<u>Parameter(s)</u> <u>Level of Concern</u>

Excessive algal growth in water

0302 11 2700 acres near dam

0302 12 2000 acres in northern arms of reservoir

0302 13 5600 acres in mid-reservoir

0302_14 9000 acres in upper portion of reservoir

May 12, 2020 Page 20 of 196

SEG ID:0302A Big Creek

Intermittent stream with perennial pools from Wright Patman Lake upstream to I 30

Parameter(s) Level of Concern

Bacteria in water (Recreation Use)

CN

0302A 02 Intermittent stream with perennial pools from FM 2149 upstream to 1.3 km south of US 82 southeast of the City of New Boston; App D

Parameter(s) Level of Concern

Nitrate in water

CS

0302A 02 Intermittent stream with perennial pools from FM 2149 upstream to 1.3 km south of US 82 southeast of the City of New Boston; App D

Parameter(s) Level of Concern

Total Phosphorus in water

CS

0302A 02 Intermittent stream with perennial pools from FM 2149 upstream to 1.3 km south of US 82 southeast of the City of New Boston; App D

SEG ID:0302D Caney Creek

From the confluence with Big Creek in Bowie County to approximately 1.5 km south of US **HWY 82**

Parameter(s) Level of Concern

Bacteria in water (Recreation Use)

0302D 01 From the confluence with Big Creek in Bowie County to approximately 1.5 km south of US **HWY 82**

SEG ID: 0302E Rice Creek

From the confluence with Anderson Creek in Bowie County upstream to the dam of TP Lake west of New Boston

Parameter(s) Level of Concern

Depressed dissolved oxygen in water

0302E 01 From the confluence with Anderson Creek in Bowie County upstream to the dam of TP Lake west of New Boston

SEG ID:0302H Elliott Creek

Elliott Creek from the confluence with Wright Patman Lake east of Redwater, upstream to the Elliott Creek Reservoir dam in Bowie County

Parameter(s) Level of Concern Ammonia in water

0302H 01 Elliott Creek from the confluence with Wright Patman Lake east of Redwater, upstream to the Elliott Creek Reservoir dam in Bowie County

Parameter(s) Level of Concern

Bacteria in water (Recreation Use)

CN

0302H 01 Elliott Creek from the confluence with Wright Patman Lake east of Redwater, upstream to the Elliott Creek Reservoir dam in Bowie County

May 12, 2020 Page 21 of 196

SEG ID: 0302I East Fork Elliott Creek

East Fork Elliott Creek from the confluence with Elliott Creek east of Redwater, upstream to the headwaters 4.5 km (2.8 mi) south of Leary in Bowie County

Parameter(s)

Level of Concern

Bacteria in water (Recreation Use)

CN

0302I 01

East Fork Elliott Creek from the confluence with Elliott Creek east of Redwater, upstream to the headwaters 4.5 km (2.8 mi) south of Leary in Bowie County

Parameter(s)

Level of Concern

Depressed dissolved oxygen in water

CS

0302I_01

East Fork Elliott Creek from the confluence with Elliott Creek east of Redwater, upstream to the headwaters 4.5 km (2.8 mi) south of Leary in Bowie County

SEG ID: 0303 Sulphur/South Sulphur River

From a point 1.5 km (0.9 mi) downstream of Bassett Creek in Bowie/Cass County to Jim L. Chapman Dam (formerly Cooper Lake dam) in Delta/Hopkins County

Parameter(s)

Level of Concern

Bacteria in water (Recreation Use)

CN

0303 05

Portion of the Sulphur/South Sulphur River from the confluence with the North Sulphur River approximately 43 km (26.5 mi) upstream to Jim L. Chapman Dam (formerly Cooper Lake dam)

SEG ID: 0303B White Oak Creek

From the confluence of the Sulphur River north of Naples in Morris County to Lake Sulphur Springs in Hopkins County

Parameter(s)

Level of Concern

Depressed dissolved oxygen in water

CS

0303B_04

Portion of White Oak Creek from approximately 0.26 km upstream of FM 900 in northeast Hopkins County upstream to Lake Sulphur Springs.

Parameter(s)

Level of Concern

Impaired habitat in water

CS

0303B 04

Portion of White Oak Creek from approximately 0.26 km upstream of FM 900 in northeast Hopkins County upstream to Lake Sulphur Springs.

May 12, 2020 Page 22 of 196

SEG ID:0303D Rock Creek

From the confluence with White Oak Creek to the southwest corner of Sulphur Springs approximately 2 mi southeast of the intersection of I-30 and State Hwy 19

<u>Parameter(s)</u> <u>Level of Concern</u>

Bacteria in water (Recreation Use)

CN

O303D_01 From the confluence with White Oak Creek to the southwest corner of Sulphur Springs approximately 2 mi southeast of the intersection of I-30 and State Hwy 19

Parameter(s) Level of Concern

Nitrate in water

CC

O303D_01 From the confluence with White Oak Creek to the southwest corner of Sulphur Springs approximately 2 mi southeast of the intersection of I-30 and State Hwy 19

<u>Parameter(s)</u> <u>Level of Concern</u>

Total Phosphorus in water

CS

O303D_01 From the confluence with White Oak Creek to the southwest corner of Sulphur Springs approximately 2 mi southeast of the intersection of I-30 and State Hwy 19

SEG ID: 0303E East Caney Creek

From the confluence with White Oak Creek to just east of Como in southeastern Hopkins County

<u>Parameter(s)</u> <u>Level of Concern</u>

Ammonia in water

CS

O303E_01 From the confluence with White Oak Creek to just east of Como in southeastern Hopkins County

Parameter(s) Level of Concern

Bacteria in water (Recreation Use)

CN

O303E_01 From the confluence with White Oak Creek to just east of Como in southeastern Hopkins County

<u>Parameter(s)</u> <u>Level of Concern</u>

Total Phosphorus in water

CS

O303E_01 From the confluence with White Oak Creek to just east of Como in southeastern Hopkins County

May 12, 2020 Page 23 of 196

SEG ID: 0303F Stouts Creek

From the confluence with White Oak Creek to approximately 7 mi due east of Como in **Hopkins County**

CS

CS

CS

CN

Parameter(s) Level of Concern

Ammonia in water

0303F 01 From the confluence with White Oak Creek to approximately 7 mi due east of Como in Hopkins County

Parameter(s) Level of Concern

Bacteria in water (Recreation Use)

0303F 01 From the confluence with White Oak Creek to approximately 7 mi due east of Como in Hopkins County

Parameter(s) Level of Concern

Total Phosphorus in water

0303F 01 From the confluence with White Oak Creek to approximately 7 mi due east of Como in Hopkins County

SEG ID: 0303L Kickapoo Creek

From the confluence with Cuthand Creek in Titus County to 1.6 km (1 mi) south of FM 114

Parameter(s) Level of Concern

Impaired habitat in water

0303L 01 From the confluence with Cuthand Creek in Titus County to 1.6 km (1 mi) south of FM 114

SEG ID:0303MSmackover Creek

From the confluence of White Oak Creek upstream to the headwaters at an impoundment 1.8 km upstream of FM1001 in Titus County

Parameter(s) Level of Concern CS

Impaired habitat in water

0303M 01 From the confluence of White Oak Creek upstream to the headwaters at an impoundment 1.8 km upstream of FM1001 in Titus County

SEG ID:0303N Horse Creek

From the confluence of White Oak Creek upstream to a small impoundment 0.2 km northeast of the intersection of Highway 67 and FM 1993 in Titus County

Level of Concern Parameter(s)

Impaired macrobenthic community in water

0303N 01 From the confluence of White Oak Creek upstream to a small impoundment 0.2 km northeast of the intersection of Highway 67 and FM 1993 in Titus County

Page 24 of 196 May 12, 2020

SEG ID: 030	Pays Creek From the Arkansas State Line in Bowie County to the Nix Creek in Bowie County.	confluence of Swampoodle Creek and
Parameter(s)		<u>Level of Concern</u>
•	ne in sediment	CS
0304_01	From the Arkansas State Line in Bowie County to the Nix Creek in Bowie County.	confluence of Swampoodle Creek and
Parameter(s)		<u>Level of Concern</u>
Benz(a)antra	acene in sediment	CS
0304_01	From the Arkansas State Line in Bowie County to the Nix Creek in Bowie County.	confluence of Swampoodle Creek and
Parameter(s)	<u>)</u>	<u>Level of Concern</u>
Benzo(a)pyr	rene in sediment	CS
0304_01	From the Arkansas State Line in Bowie County to the Nix Creek in Bowie County.	confluence of Swampoodle Creek and
Parameter(s)		<u>Level of Concern</u>
Chrysene in	sediment	CS
0304_01	From the Arkansas State Line in Bowie County to the Nix Creek in Bowie County.	confluence of Swampoodle Creek and
Parameter(s)		<u>Level of Concern</u>
Fluoranthen	ne in sediment	CS
0304_01	From the Arkansas State Line in Bowie County to the Nix Creek in Bowie County.	confluence of Swampoodle Creek and
Parameter(s)	<u>)</u>	<u>Level of Concern</u>
	e in sediment	CS
0304_01	From the Arkansas State Line in Bowie County to the Nix Creek in Bowie County.	confluence of Swampoodle Creek and
Parameter(s)	<u>)</u>	<u>Level of Concern</u>
Nitrate in wa	ater	CS
0304_01	From the Arkansas State Line in Bowie County to the Nix Creek in Bowie County.	confluence of Swampoodle Creek and
Parameter(s)	<u>)</u>	<u>Level of Concern</u>
Phenanthre	ne in sediment	CS
0304_01	From the Arkansas State Line in Bowie County to the Nix Creek in Bowie County.	confluence of Swampoodle Creek and
Parameter(s)	<u>)</u>	<u>Level of Concern</u>
Pyrene in se	diment	CS
0304_01	From the Arkansas State Line in Bowie County to the Nix Creek in Bowie County.	confluence of Swampoodle Creek and

May 12, 2020 Page 25 of 196

SEG ID:0304A Swampoodle Creek

From the confluence of Days Creek in central Texarkana in Bowie County to the upstream perennial portion of the stream in northern Texarkana in Bowie County

Parameter(s)

Level of Concern

Bacteria in water (Recreation Use)

CN

0304A_01 F

From the confluence of Days Creek in central Texarkana in Bowie County to the upstream perennial portion of the stream in northern Texarkana in Bowie County

Parameter(s)

Level of Concern

Depressed dissolved oxygen in water

CN

O304A_01 From the confluence of Days Creek in central Texarkana in Bowie County to the upstream perennial portion of the stream in northern Texarkana in Bowie County

Parameter(s)

Level of Concern

Impaired macrobenthic community in water

CN

0304A_01

From the confluence of Days Creek in central Texarkana in Bowie County to the upstream perennial portion of the stream in northern Texarkana in Bowie County

SEG ID: 0304B Cowhorn Creek

From the confluence of Wagner Creek in southern Texarkana in Bowie County to the upstream perennial portion of the stream in northern Texarkana in Bowie County

Parameter(s)

Level of Concern

Impaired habitat in water

CS

 $0304\mathrm{B}_01$

From the confluence of Wagner Creek in southern Texarkana in Bowie County to the upstream perennial portion of the stream in northern Texarkana in Bowie County

Parameter(s)

Level of Concern

Impaired macrobenthic community in water

CN

0304B_01

From the confluence of Wagner Creek in southern Texarkana in Bowie County to the upstream perennial portion of the stream in northern Texarkana in Bowie County

May 12, 2020 Page 26 of 196

SEG ID:0304C Wagner Creek

Perennial stream from the confluence with Days Creek upstream to the headwaters 0.3 km west of Birdwell Davis Road

CS

CS

CS

CS

CS

Parameter(s) Level of Concern

Ammonia in water

0304C 01 Perennial stream from the confluence with Days Creek upstream to a point 1.5 km upstream of IH 30; App D

Parameter(s) Level of Concern

Depressed dissolved oxygen in water

0304C 01 Perennial stream from the confluence with Days Creek upstream to a point 1.5 km upstream of IH 30; App D

Parameter(s) Level of Concern

Nitrate in water

0304C 01 Perennial stream from the confluence with Days Creek upstream to a point 1.5 km upstream of IH 30; App D

Parameter(s) Level of Concern

Total Phosphorus in water

0304C 01 Perennial stream from the confluence with Days Creek upstream to a point 1.5 km upstream of IH 30; App D

SEG ID:0304D Nix Creek

From the confluence with Swampoodle Creek to 1.6 km (1 mi) directly east of the intersection of US HWY 271 and I30

Parameter(s) Level of Concern CS

Impaired habitat in water

0304D 01 From the confluence with Swampoodle Creek to 1.6 km (1 mi) directly east of the intersection of US HWY 271 and I30

SEG ID: 0305B Auds Creek

From the confluence with the North Sulphur River in Lamar County to 2 km (1.2 mi) south of US HWY 82

Level of Concern Parameter(s)

Impaired habitat in water

0305B 01 From the confluence with the North Sulphur River in Lamar County to 2 km (1.2 mi) south of US HWY 82

Parameter(s) Level of Concern

Impaired macrobenthic community in water

0305B_01 From the confluence with the North Sulphur River in Lamar County to 2 km (1.2 mi) south of US HWY 82

Page 27 of 196 May 12, 2020

SEG ID:0305D Big Sandy Creek

From the confluence with the North Sulphur River in Lamar County to 0.4 km (.2 mi) 0f US **HWY 82 Business in Paris**

CN

Parameter(s) Level of Concern CS

Impaired habitat in water

0305D 01 From the confluence with the North Sulphur River in Lamar County to .4 km (.2 mi) 0f US HWY 82 Business in Paris

Parameter(s) Level of Concern

Impaired macrobenthic community in water

0305D 01 From the confluence with the North Sulphur River in Lamar County to .4 km (.2 mi) 0f US **HWY 82 Business in Paris**

SEG ID: 0306 Upper South Sulphur River

From a point 1.0 km (0.6 mi) upstream of SH 71 in Delta/Hopkins County to SH 78 in Fannin County

Parameter(s) Level of Concern

Chlorophyll-a in water

 $0306_{-}01$ Portion of the Upper South Sulphur River from a point 1 km (.6 mi) upstream of SH 71 upstream approximately 10 km (6 mi) to Dunbar Creek.

Parameter(s) Level of Concern

Nitrate in water CS

0306 01 Portion of the Upper South Sulphur River from a point 1 km (.6 mi) upstream of SH 71 upstream approximately 10 km (6 mi) to Dunbar Creek.

Parameter(s) Level of Concern

Total Phosphorus in water

0306 01 Portion of the Upper South Sulphur River from a point 1 km (.6 mi) upstream of SH 71

upstream approximately 10 km (6 mi) to Dunbar Creek.

SEG ID:0307D East Fork Jernigan Creek

Intermittent stream w/pools from the confluence with the West Fork Jernigan Creek upstream 15.6 km (9.7 mi) to the headwaters at FM 64

Level of Concern Parameter(s)

Bacteria in water (Recreation Use)

CN

0307D 01 From the confluence with the West Fork Jernigan Creek upstream 15.6 km (9.7 mi) to the headwaters at FM 64

Page 28 of 196 May 12, 2020

SEG ID: 0401 Caddo Lake

From the Louisiana State Line in Harrison/Marion County to a point 12.3 km (7.6 mi) downstream of SH 43 in Harrison/Marion County, up to pool elevation of 168.5 feet (impounds Big Cypress Creek)

Level of Concern **CS**

Depressed dissolved oxygen in water

0401 03 Goose Prairie arm

Level of Concern

Iron in sediment

Parameter(s)

Parameter(s)

 0401_01 Lower 5000 acres CS

Parameter(s)

0401 02

Level of Concern CS

Mercury in edible tissue

0401 01 Lower 5000 acres

Goose Prairie arm 0401 03

0401 05 Clinton Lake

0401 07 Mid-lake near Uncertain

Harrison Bayou arm

SEG ID:0401A Harrison Bayou

From the confluence of Caddo Lake east of Karnack in Harrison County to the upstream perennial portion of the stream east of Marshall in Harrison County

Level of Concern Parameter(s)

Bacteria in water (Recreation Use)

0401A 01 Intermittent stream with perennial pools from the confluence with Caddo Lake within the Caddo Lake National Wildlife Refuge east of the City of Karnack upstream to FM 1998 east of the City of Marshall. App D

SEG ID: 0402 Big Cypress Creek Below Lake O' the Pines

From a point 12.3 km (7.6 mi) downstream of SH 43 in Harrison/Marion County to Ferrell's Bridge Dam in Marion County

Parameter(s) Level of Concern

Chlorophyll-a in water

CS

0402 01 From the confluence with Caddo Lake upstream 15 km (9 mi) to Haggerty Creek

Parameter(s) Level of Concern

Impaired macrobenthic community in water

CN

0402 03 From the confluence with Black Cypress Bayou upstream 23.8 km (14.7 mi) to French Creek.

Page 29 of 196 May 12, 2020

SEG ID: 0402B Hughes Creek

Perennial stream from the confluence with Black Cypress Creek upstream to the headwaters 0.2 km east of CR 2115

Parameter(s)

Level of Concern

Depressed dissolved oxygen in water

CS

0402B 01

Perennial stream from the confluence with Black Cypress Creek upstream to the confluence with an unnamed first order tributary approximately 0.5 km downstream of FM 250; App D

SEG ID: 0402E Kelly Creek

From the confluence with Black Cypress Creek in Cass County, north to approximately 2 mi southwest of where State HWY 338 and US HWY 259 merge

Parameter(s)

Level of Concern

Depressed dissolved oxygen in water

O402E_01 From the confluence with Black Cypress Creek in Cass County, north to approximately 2 mi southwest of where State HWY 338 and US HWY 259 merge

SEG ID: 0403 Lake O' the Pines

From Ferrell's Bridge Dam in Marion County to a point 1.0 km (0.6 mi) downstream of US 259 in Morris/Upshur County, up to normal pool elevation of 228.5 feet (impounds Big Cypress Creek)

Parameter(s)

Level of Concern

CS

Depressed dissolved oxygen in water

0403_04 Upper 3700 acres

SEG ID: 0404 Big Cypress Creek Below Lake Bob Sandlin

From a point 1.0 km (0.6 mi) downstream of US 259 in Morris/Upshur Counties to Fort Sherman Dam in Camp/Titus Counties

Parameter(s)

Level of Concern

Chlorophyll-a in water

CS

0404 01 F

From the confluence with Lake O' the Pines upstream 24 km (14.9 mi) to the confluence with an unnamed tributary NHD RC 11140305002717

Parameter(s)

<u>Level of Concern</u>

Nitrate in water

CS

0404 01

From the confluence with Lake O' the Pines upstream 24 km (14.9 mi) to the confluence with an unnamed tributary NHD RC 11140305002717

 0404_02

From the confluence with an unnamed tributary NHD RC 11140305002717 upstream 37.2 km (23 mi) to Lake Bob Sandlin

Parameter(s)

Level of Concern

Total Phosphorus in water

CS

0404 02

From the confluence with an unnamed tributary NHD RC 11140305002717 upstream 37.2 km (23 mi) to Lake Bob Sandlin

May 12, 2020 Page 30 of 196

SEG ID:0404A Ellison Creek Reservoir

From the Morris County Dam up to normal pool elevation near Lone Star in Morris County (impounds Ellison Creek)

Parameter(s) Level of Concern

Cadmium in sediment

0404A 01 From the Morris County Dam up to normal pool elevation near Lone Star in Morris County (impounds Ellison Creek)

Parameter(s) Level of Concern

Iron in sediment

0404A 01 From the Morris County Dam up to normal pool elevation near Lone Star in Morris County (impounds Ellison Creek)

Parameter(s) Level of Concern

Lead in sediment

0404A 01 From the Morris County Dam up to normal pool elevation near Lone Star in Morris County (impounds Ellison Creek)

Parameter(s) Level of Concern

Manganese in sediment

0404A 01 From the Morris County Dam up to normal pool elevation near Lone Star in Morris County (impounds Ellison Creek)

Parameter(s) Level of Concern

Nickel in sediment

0404A 01 From the Morris County Dam up to normal pool elevation near Lone Star in Morris County (impounds Ellison Creek)

Level of Concern Parameter(s)

Zinc in sediment

0404A 01 From the Morris County Dam up to normal pool elevation near Lone Star in Morris County (impounds Ellison Creek)

SEG ID: 0404B Tankersley Creek

Perennial stream from the confluence with Big Cypress Creek upstream to the confluence with an unnamed tributary 250 meters upstream of IH 30

Parameter(s) Level of Concern

Impaired habitat in water

From the confluence with Big Cypress Creek upstream 16.1 km (10 mi) to Tankersley Lake. 0404B 01 WQS Appendix D portion of the creek.

Level of Concern Parameter(s) CS

Nitrate in water

0404B 01

From the confluence with Big Cypress Creek upstream 16.1 km (10 mi) to Tankersley Lake. WQS Appendix D portion of the creek.

Parameter(s) Level of Concern

Total Phosphorus in water

CS

CS

0404B 01 From the confluence with Big Cypress Creek upstream 16.1 km (10 mi) to Tankersley Lake. WQS Appendix D portion of the creek.

Page 31 of 196 May 12, 2020

SEG ID:0404C Hart Creek

Perennial stream from the confluence with Big Cypress Creek upstream to the headwaters 0.2 km south of CR 1635, Titus County

<u>Parameter(s)</u> <u>Level of Concern</u>

Nitrate in water

0404C 01

Perennial stream from the confluence with Big Cypress Creek upstream to $0.2~\mathrm{km}$ upstream of FM 1402; App D

SEG ID: 0404E Dry Creek

Perennial stream from the confluence with Big Cypress Creek upstream to the headwaters near the intersection of Texas and Fred roads, Camp County

<u>Parameter(s)</u> <u>Level of Concern</u>

Nitrate in water

0404F 01

0404E_01 Perennial stream from the confluence with Big Cypress Creek upstream to the confluence of Mile Branch and Little Creek; App D

SEG ID: 0404F Sparks Branch

Perennial stream from the confluence with Dry Creek upstream to the headwaters 0.4 km west of the intersection of Texas Street and Park Road (CR 2106)

<u>Parameter(s)</u> <u>Level of Concern</u>

Bacteria in water (Recreation Use)

Perennial stream from the confluence with Dry Creek upstream to US 271; App D

Parameter(s) Level of Concern

Nitrate in water CS

0404F 01 Perennial stream from the confluence with Dry Creek upstream to US 271; App D

SEG ID:0404K Walkers Creek

From the confluence with Big Cypress Creek to approximately 2 mi west of Pittsburg in Camp County

<u>Parameter(s)</u> <u>Level of Concern</u>

Bacteria in water (Recreation Use)

CN

0404K_01 From the confluence with Big Cypress Creek to approximately 2 mi west of Pittsburg in Camp County

SEG ID:0404N Lake Daingerfield

Southeast of the City of Daingerfield in Daingerfield State Park in Morris County

Parameter(s) Level of Concern

Mercury in edible tissue

0404N 01 Southeast of the City of Daingerfield in Daingerfield State Park in Morris County

May 12, 2020 Page 32 of 196

SEG ID:0404O Dragoo Creek

From the confluence with Tankersley Creek to the headwaters approximately 2 mi NW of US

Parameter(s)

Level of Concern

Bacteria in water (Recreation Use)

CN

04040 01

From the confluence with Tankersley Creek to the headwaters approximately 2 mi NW of US

SEG ID: 0404S Unnamed tributary to Big Cypress Creek

Unnamed tributary from the confluence with Big Cypress Creek extending to J H Milligan Estate Lake near the intersection of Highway 271 and D H Abernathy Blvd northeast of Pittsburg

Parameter(s)

Level of Concern CN

Bacteria in water (Recreation Use)

Unnamed tributary from the confluence with Big Cypress Creek extending to J H Milligan 0404S 01 Estate Lake near the intersection of Highway 271 and D H Abernathy Blvd northeast of Pittsburg

Parameter(s)

Level of Concern

Depressed dissolved oxygen in water

CS

0404S 01

Unnamed tributary from the confluence with Big Cypress Creek extending to J H Milligan Estate Lake near the intersection of Highway 271 and D H Abernathy Blvd northeast of Pittsburg

SEG ID: 0404T Prairie Branch

Intermittent stream with perennial pools extending from the confluence with Big Cypress Creek to a small impoundment 0.06 km north of County Road 4715 northeast of Pittsburg

Parameter(s)

Level of Concern

Bacteria in water (Recreation Use)

 $0404T_{-}01$ Intermittent stream with perennial pools extending from the confluence with Big Cypress Creek to a small impoundment 0.06 km north of County Road 4715 northeast of Pittsburg

Parameter(s)

Level of Concern

Depressed dissolved oxygen in water

CS

0404T 01

Intermittent stream with perennial pools extending from the confluence with Big Cypress Creek to a small impoundment 0.06 km north of County Road 4715 northeast of Pittsburg Intermittent stream with perennial pools extending from the confluence with Big Cypress Creek to a small impoundment 0.06 km north of County Road 4715 northeast of Pittsburg

SEG ID:0404U Evans Creek

From the confluence with Hart Creek in Titus County to the small impoundment 0.4 km upstream of FM 1001

Parameter(s)

Level of Concern

Bacteria in water (Recreation Use)

0404U 01 From the confluence with Hart Creek in Titus County to the small impoundment .40 km upstream of FM 1001

May 12, 2020 Page 33 of 196

SEG ID:0404V Hayes Creek

From the confluence with Hart Creek in Titus County upstream to New City Lake

Parameter(s) Bacteria in water (Recreation Use) Level of Concern

CN

0404V 01 From the confluence with Hart Creek in Titus County upstream to New City Lake

Parameter(s) Level of Concern

Depressed dissolved oxygen in water

CS

0404V 01 From the confluence with Hart Creek in Titus County upstream to New City Lake

SEG ID:0405A Big Cypress Creek

From the confluence with Lake Cypress Springs in Franklin County, to approximately 5 mi west of State HWY 37

Parameter(s) Level of Concern

Chlorophyll-a in water

CS

 $0405A_01$ From the confluence with Lake Cypress springs in Franklin County, to approximately 5 mi west of State HWY 37

Level of Concern Parameter(s)

Depressed dissolved oxygen in water

0405A 01 From the confluence with Lake Cypress springs in Franklin County, to approximately 5 mi west of State HWY 37

SEG ID: 0405B Panther Creek

From the confluence with Lake Cypress Springs in Franklin County, to approximately 0.25 mi west of State HWY 37

Parameter(s) Level of Concern

Impaired habitat in water

0405B 01 From the confluence with Lake Cypress springs in Franklin County, to approximately .25 mi west of State HWY 37

Page 34 of 196 May 12, 2020

SEG ID: 0406 Black Bayou

From the Louisiana State Line in Cass County to FM 96 in Cass County

Parameter(s) Level of Concern

CS

CS

Depressed dissolved oxygen in water

 $0406 \ 02$ From the confluence with Hurricane Creek upstream 28.6 km (17.7 mi) to NHD RC

11140304000881 near FM 96

Parameter(s) Level of Concern

Impaired fish community in water

0406 01 Black Bayou from the LA state line upstream 19.1 km (11.8 mi) to the confluence with

Hurricane Creek

Parameter(s) Level of Concern

Impaired habitat in water

0406 01 Black Bayou from the LA state line upstream 19.1 km (11.8 mi) to the confluence with

Hurricane Creek

Parameter(s) Level of Concern

Impaired macrobenthic community in water

0406 01 Black Bayou from the LA state line upstream 19.1 km (11.8 mi) to the confluence with

Hurricane Creek

From the confluence with Hurricane Creek upstream 28.6 km (17.7 mi) to NHD RC 0406 02

11140304000881 near FM 96

SEG ID: 0407 James' Bayou

From the Louisiana State Line in Marion County to Club Lake Road northwest of Linden in

Cass County

Parameter(s) Level of Concern

Impaired habitat in water

0407 01 From the LA state line upstream 31.6 km (19.6 mi) to the confluence with Bear Creek.

Parameter(s) Level of Concern

Impaired macrobenthic community in water

From the LA state line upstream 31.6 km (19.6 mi) to the confluence with Bear Creek. 0407 01

0407 02 From the confluence with Bear Creek upstream 29.8 km (18.5 mi) to approximately 2 km

north of HWY 11

SEG ID:0408C Brushy Creek

From the confluence with Lake Bob Sandlin in Franklin County to Winnsboro at State HWY

Parameter(s) Level of Concern CS

Impaired habitat in water

0408C 01 From the confluence with Lake Bob Sandlin in Franklin County to Winnsboro at State HWY

Page 35 of 196 May 12, 2020

SEG ID: 0409 Little Cypress Bayou (Creek)

From the confluence of Big Cypress Creek in Harrison/Marion County to a point 1.0 km (0.6 mi) upstream of FM 2088 in Wood County

CN

CS

Parameter(s) Level of Concern

Depressed dissolved oxygen in water

 $0409 \ 02$ From the confluence with Lawrence Creek upstream 29.2 km (18.1 mi) to the confluence

with NHD RC 11140307000368

SEG ID:0409A Lilly Creek

From the confluence with Little Cypress Creek to the Camp County line near Lawton in Upshur County.

Parameter(s) Level of Concern

Chlorophyll-a in water

0409A 01 From the confluence with Little Cypress Creek to the Camp County line near Lawton in Upshur County.

Parameter(s) Level of Concern

Depressed dissolved oxygen in water

0409A 01 From the confluence with Little Cypress Creek to the Camp County line near Lawton in Upshur County.

SEG ID: 0409E Clear Creek

From the confluence with Little Cypress Creek in Upshur County to 1 km (0.6 mi) west of **US HWY 271**

Parameter(s) Level of Concern Impaired habitat in water CS

0409E 01 From the confluence with Little Cypress Creek in Upshur County to 1 km (.6 mi) west of US **HWY 271**

Parameter(s) Level of Concern

Impaired macrobenthic community in water

0409E 01 From the confluence with Little Cypress Creek in Upshur County to 1 km (.6 mi) west of US **HWY 271**

SEG ID: 0410 Black Cypress Bayou (Creek)

From the confluence with Big Cypress Creek in Marion County to the confluence with Kelly Creek in Cass County

Level of Concern Parameter(s)

Bacteria in water (Recreation Use)

0410 01 From the confluence with Big Cypress Creek upstream 25 km (15.5 mi) to the confluence with White Oak Creek

0410 02 From the confluence with White Oak Creek upstream 31.3 km (19.4 mi) to Pruitt Lake

Level of Concern Parameter(s)

Copper in water CN

0410 01 From the confluence with Big Cypress Creek upstream 25 km (15.5 mi) to the confluence with White Oak Creek

Page 36 of 196 May 12, 2020

SEG ID: 0502 Sabine River Above Tidal

Sabine River Above Tidal - from West Bluff in Orange County to the confluence with Caney Creek in Newton County

Parameter(s)

Level of Concern

Depressed dissolved oxygen in water

CS

0502 01

Sabine River from the confluence of Old River at West Bluff upstream to the confluence of Indian Bayou

SEG ID: 0502E Cypress Creek

Cypress Creek - from the confluence of the Sabine River up to the headwater 500m south of FM 82 east of Kirbyville

Parameter(s)

Level of Concern

CS

Impaired habitat in water

O502E_01 Cypress Creek from the confluence of the Sabine River up to the headwater 500m south of FM 82 east of Kirbyville

Parameter(s)

Level of Concern

Impaired macrobenthic community in water

CN

O502E_01 Cypress Creek from the confluence of the Sabine River up to the headwater 500m south of FM 82 east of Kirbyville

SEG ID:0505D Rabbit Creek

Rabbit Creek - perennial stream from the confluence of the Sabine River upstream to the headwater at Smith CR 246 5.7 km northwest of Overton

Parameter(s)

Level of Concern

Bacteria in water (Recreation Use)

CN

0505D 01

Rabbit Creek an Appendix D perennial stream from the confluence of the Sabine River upstream to the confluence of Bighead Creek on the north side of Kilgore

SEG ID:0505G Wards Creek

Wards Creek - intermittent stream with perennial pools from the confluence of Sewell Creek upstream to the confluence of an unnamed second order tributary approximately $0.6~\rm km$ upstream of US $80~\rm km$

Parameter(s)

Level of Concern

Impaired habitat in water

CS

0505G 01

Wards Creek an Appendix D intermittent stream with perennial pools from the confluence of Sewell Creek upstream to the confluence of an unnamed second order tributary approximately $0.6\,\mathrm{km}$ upstream of US $80\,\mathrm{mm}$

May 12, 2020 Page 37 of 196

SEG ID:0506A Harris Creek

Harris Creek - from the confluence of the Sabine River 5.7 km north of Winona upstream to the headwater near SH 64 east of Tyler

<u>Parameter(s)</u>

Level of Concern

Bacteria in water (Recreation Use)

CN

0506A_01 Harris Ci

Harris Creek from the confluence of the Sabine River 5.7 km north of Winona upstream to the headwater near SH 64 east of Tyler

SEG ID:0506C Wiggins Creek

Wiggins Creek - perennial stream from the confluence with Harris Creek upstream to the dam impounding an unnamed reservoir located approximately 3.8 km upstream of FM 2015 northeast of the City of Tyler

Parameter(s)

Level of Concern

Ammonia in water

CS

0506C_01 Wiggins Creek an Appendix D perennial stream from the confluence with Harris Creek upstream to the dam impounding an unnamed reservoir located approximately 3.8 km

upstream of FM 2015 northeast of the City of Tyler

Parameter(s)

Level of Concern

Depressed dissolved oxygen in water

CS

Wiggins Creek an Appendix D perennial stream from the confluence with Harris Creek upstream to the dam impounding an unnamed reservoir located approximately 3.8 km upstream of FM 2015 northeast of the City of Tyler

SEG ID:0507A Cowleech Fork Sabine River

Cowleech Fork - from the confluence of Lake Tawakoni upstream to the headwater northwest of Celeste

Parameter(s)

Level of Concern

Chlorophyll-a in water

CS

O507A_02 Cowleech Fork from the confluence of Long Branch east of Greenville upstream to the headwater northwest of Celeste

Parameter(s)

Level of Concern

Depressed dissolved oxygen in water

CS

0507A_01 Cowleech Fork from the confluence of Lake Tawakoni upstream to the confluence of Long Branch east of Greenville

Parameter(s)

Level of Concern

Nitrate in water

CS

0507A_01 Cowleech Fork from the confluence of Lake Tawakoni upstream to the confluence of Long
Branch east of Greenville

May 12, 2020 Page 38 of 196

SEG ID: 0507B Long Branch

Long Branch - from the confluence with Cowleech Fork Sabine River east of Greenville upstream to the headwater northeast of Greenville

CS

CS

<u>Parameter(s)</u> <u>Level of Concern</u>

Nitrate in water

0507B 01

Long Branch from the confluence with Cowleech Fork Sabine River east of Greenville upstream to the headwater northeast of Greenville

SEG ID:0507H Caddo Creek

Caddo Creek - from the confluence of Lake Tawakoni at Caddo Inlet upstream to the confluence of East Caddo and West Caddo Creeks

<u>Parameter(s)</u> <u>Level of Concern</u>

Depressed dissolved oxygen in water

0507H_01 Caddo Creek from the confluence of Lake Tawakoni at Caddo Inlet upstream to the confluence of East Caddo and West Caddo Creeks

Caddo Creek from the confluence of Lake Tawakoni at Caddo Inlet upstream to the confluence of East Caddo and West Caddo Creeks

SEG ID: 0508 Adams Bayou Tidal

From the confluence with the Sabine River in Orange County to a point 1.1 km (0.7 mi) upstream of IH 10 in Orange County

<u>Parameter(s)</u> <u>Level of Concern</u>

Depressed dissolved oxygen in water

0508 01 Lower 3 mi of segment

0508_02 2 mile reach near Western Avenue 0508_03 1 mile reach near Green Avenue

0508_04 Upper 2 miles of segment

Parameter(s) Level of Concern

CN

0508_04 Upper 2 miles of segment

SEG ID:0508C Hudson Gully

pН

From the confluence with Adams Bayou to the headwaters near US 890 in Pinehurst in Orange County

<u>Parameter(s)</u> <u>Level of Concern</u>

Depressed dissolved oxygen in water

0508C_01 From the confluence with Adams Bayou to the headwaters near US 890 in Pinehurst in

Orange County

May 12, 2020 Page 39 of 196

SEG ID: 0510 Lake Cherokee

Lake Cherokee - from Cherokee Dam in Gregg/Rusk County up to the normal pool elevation of 280 feet (impounds Cherokee Bayou)

<u>Parameter(s)</u>

Level of Concern

Depressed dissolved oxygen in water

CS

0510 02

Lake Cherokee from a line at the East Texas Regional Airport runway up to the normal pool elevation of 280 feet

SEG ID: 0511 Cow Bayou Tidal

From the confluence with the Sabine River in Orange County to a point 4.8 km (3.0 mi) upstream of IH 10 in Orange County

Parameter(s)

Level of Concern

CS

Depressed dissolved oxygen in water

0511_01 Lower 5 miles 0511_04 Upper 4 miles

Parameter(s)

Level of Concern

CN

pН

0511 03 5 mile reach near FM 1442 (north crossing)

SEG ID:0511A Cow Bayou Above Tidal

From a point 4.8 km (3.0 mi) upstream of IH 10 in Orange County to the upstream perennial portion of the stream northeast of Vidor in Orange County

Parameter(s)

Level of Concern

CS

Depressed dissolved oxygen in water

0511A 02 Upper 5.3 miles of above-tidal reach

SEG ID: 0511B Coon Bayou

From the confluence with Cow Bayou up to the extent of tidal limit in Orange County

Parameter(s)

Level of Concern

Depressed dissolved oxygen in water

CS

0511B 01 From the confluence with Cow Bayou up to the extent of tidal limit in Orange County

SEG ID: 0511C Cole Creek

From the confluence of Cow Bayou west of Orange in Orange County to the upstream perennial portion of the stream south of Mauriceville in Orange County

Parameter(s)

Level of Concern

Depressed dissolved oxygen in water

CS

0511C_01

From the confluence of Cow Bayou west of Orange in Orange County to the upstream perennial portion of the stream south of Mauriceville in Orange County

May 12, 2020 Page 40 of 196

SEG ID: 0511E Terry Gully

From the confluence with Cow Bayou in Orange County to the headwaters northeast of Vidor in Orange County

<u>Parameter(s)</u> <u>Level of Concern</u>

Depressed dissolved oxygen in water

CN

O511E_01 From the confluence with Cow Bayou in Orange County to the headwaters northeast of Vidor in Orange County

From the confluence with Cow Bayou in Orange County to the headwaters northeast of Vidor in Orange County

SEG ID:0512A Running Creek

Running Creek - from the confluence of Lake Fork at the Hopkins/Wood County line upstream to the headwater 400 m south of SH 11 southeast of Sulphur Springs

<u>Parameter(s)</u> <u>Level of Concern</u>

Ammonia in water

CS

O512A_01 Running Creek from the confluence of Lake Fork at the Hopkins/Wood County line upstream to the headwater 400 m south of SH 11 southeast of Sulphur Springs

<u>Parameter(s)</u> <u>Level of Concern</u>

Depressed dissolved oxygen in water

CS

Running Creek from the confluence of Lake Fork at the Hopkins/Wood County line upstream to the headwater 400 m south of SH 11 southeast of Sulphur Springs

Parameter(s) <u>Level of Concern</u>

Nitrate in water

CS

Running Creek from the confluence of Lake Fork at the Hopkins/Wood County line upstream to the headwater 400 m south of SH 11 southeast of Sulphur Springs

SEG ID: 0512B Elm Creek

Elm Creek - from the confluence of Lake Fork 375 m downstream of FM 514 upstream to the headwater at Hopkins CR 1110 southwest of Sulphur Springs

<u>Parameter(s)</u> <u>Level of Concern</u>

Ammonia in water

CC

0512B_01 Elm Creek from the confluence of Lake Fork 375 m downstream of FM 514 upstream to the headwater at Hopkins CR 1110 southwest of Sulphur Springs

<u>Parameter(s)</u> <u>Level of Concern</u>

Depressed dissolved oxygen in water

CS

0512B_01 Elm Creek from the confluence of Lake Fork 375 m downstream of FM 514 upstream to the headwater at Hopkins CR 1110 southwest of Sulphur Springs

Elm Creek from the confluence of Lake Fork 375 m downstream of FM 514 upstream to the headwater at Hopkins CR 1110 southwest of Sulphur Springs

May 12, 2020 Page 41 of 196

SEG ID: 0513 Big Cow Creek

Big Cow Creek - from the confluence with the Sabine River in Newton County to a point 4.6 km (2.9 mi) upstream of Recreational Road 255 in Newton County

Parameter(s) Level of Concern **CN**

Lead in water

0513 01

Big Cow Creek from the confluence with the Sabine River southeast of Kirbyville upstream to the confluence of White Oak Creek west of Kirbyville

SEG ID: 0514 Big Sandy Creek

Big Sandy Creek - from the confluence with the Sabine River in Upshur County to a point 2.6 km (1.6 mi) upstream of SH 11 in Hopkins County

Parameter(s) Level of Concern

Chlorophyll-a in water

0514 02 Big Sandy Creek from the Lake Winnsboro Dam (Wood County Dam No. 4) upstream to a point 2.6 km (1.6 mi) upstream of SH 11 in Hopkins County

SEG ID: 0601 Neches River Tidal

From the confluence with Sabine Lake in Orange County to the Neches River Saltwater Barrier, which is at a point 0.8 km (0.5 mi) downstream of the confluence of Pine Island Bayou, in Orange County

Parameter(s) Level of Concern

Malathion in water

CN

 $0601 \ 01$ Lower boundary to top of first oxbow, above Bird Island Bayou confluence at NHD RC 12020003000004

SEG ID:0601A Star Lake Canal

North of Groves in Jefferson County

Parameter(s) Level of Concern

Ammonia in water

CS

CN

0601A 01 North of Groves in Jefferson County

Parameter(s) Level of Concern

Malathion in water

0601A 01 North of Groves in Jefferson County

Page 42 of 196 May 12, 2020

SEG ID: 0602 Neches River Below B. A. Steinhagen Lake From the Neches River Saltwater Barrier, which is at a point 0.8 km (0.5 mi) downstream of the confluence of Pine Island Bayou, in Orange County to Town Bluff Dam in Jasper/Tyler County Parameter(s) Level of Concern Mercury in edible tissue CS 0602 01 From the saltwater barrier upstream to confluence with Village Creek 0608 at NHD RC 12020003000025 0602 02 From the confluence with Village Creek 0608 upstream to the confluence with Black Branch NHD RC 12020003000695 From the confluence with Black Branch upstream to confluence with unnamed tributary at 0602_{03} NHD RC 12020003000058 0602 04 From the confluence with unnamed tributary at NHD RC 12020003000058 upstream to Town Bluff Dam

SEC ID:	0604	Neches	River Below	Lake	Palestine
SEG ID.	UUU4	11661169	KINCI DCIUM	Lake	1 alestine

From a point immediately upstream of the confluence of Hopson Mill Creek in Jasper/Tyler County to Blackburn Crossing Dam in Anderson/Cherokee County

<u>Parameter(s)</u> <u>Level of Concern</u>

Chlorophyll-a in water

CS

From the confluence with Beech Creek in Anderson County upstream to the Blackburn Crossing Dam

SEG ID:0604A Cedar Creek

From the confluence of the Neches River southwest of Lufkin in Angelina County to the upstream perennial portion of the stream in Lufkin in Angelina County

<u>Parameter(s)</u> <u>Level of Concern</u>

Bacteria in water (Recreation Use)

CN

From the confluence with unnamed tributary adjacent to SH Loop 287 upstream to headwaters near Hoo Hoo Ave in the City of Lufkin

Parameter(s) Level of Concern

Depressed dissolved oxygen in water

CS

From the confluence with unnamed tributary adjacent to SH Loop 287 upstream to headwaters near Hoo Hoo Ave in the City of Lufkin

<u>Parameter(s)</u> <u>Level of Concern</u>

Nitrate in water

CS

From the confluence with Jack Creek (0604C) upstream to confluence with unnamed tributary adjacent to State Loop 287, per App. D in WQS, at NHD RC 12020002000436

Parameter(s)

Level of Concern

Total Phosphorus in water

CS

From the confluence with Jack Creek (0604C) upstream to confluence with unnamed tributary adjacent to State Loop 287, per App. D in WQS, at NHD RC 12020002000436

May 12, 2020 Page 43 of 196

SEG ID: 0604B Hurricane Creek

From the confluence with Cedar Creek upstream to the headwaters near Groesbeck Ave in the City of Lufkin

<u>Parameter(s)</u>

Level of Concern

Bacteria in water (Recreation Use)

CN

0604B 02 From the

From the confluence with unnamed tributary 100 meters upstream of SH Loop 287 in the City of Lufkin upstream to headwaters near Groesbeck Ave in Lufkin

SEG ID:0604C Jack Creek

From the confluence of Cedar Creek southwest of Lufkin in Angelina County to the upstream perennial portion of the stream in northeast Lufkin in Angelina County

Parameter(s)

0604C 01

Level of Concern

CS

Total Phosphorus in water

From the confluence with Cedar Creek (0604A) upstream to confluence with unnamed tributary 1.6km SW of US Hwy 69 NW of Lufkin at NHD RC 12020002012470.

SEG ID:0604D Piney Creek

From the confluence of the Neches River at the Polk/Tyler/Angelina County lines east of Corrigan to the upstream perennial portion of the stream east of Crockett in Houston County

Parameter(s)

0604D 01

Level of Concern

CS

Ammonia in water

Middle portion of the stream from the confluence with Bear Creek (0604L) in Polk County upstream to the confluence with Caney Creek (0604O) in Trinity County at NHD RC 12020002000163.

Parameter(s)

Level of Concern

Depressed dissolved oxygen in water

CS

0604D_02

Upper portion of stream from the confluence with Caney Creek (0604O) in Trinity County upstream to confluence with unnamed tributary at NHD RC 12020002000181 in Houston County 0.75km west of FM 2781.

SEG ID:0604MBiloxi Creek

From the confluence with the Neches River southeast of Diboll to FM 325 east of Lufkin in Angelina County

Parameter(s)

Level of Concern

CC

Ammonia in water

From the confluence with One Eye Creek in Angelina County SE of Lufkin upstream to FM 325 east of Lufkin

Parameter(s)

0604M 03

Level of Concern

Bacteria in water (Recreation Use)

CN

0604M 02 Franch and franch

O604M_02 From the confluence with Neches River (0604) upstream to confluence with One Eye Creek in Angelina County SE of Lufkin.

Parameter(s)

Level of Concern

Total Phosphorus in water

CS

O604M_03 From the confluence with One Eye Creek in Angelina County SE of Lufkin upstream to FM 325 east of Lufkin

May 12, 2020 Page 44 of 196

SEG ID: 0605	5 Lake Palestine From Blackburn Crossing Dam in Anderson/Cherokee County to a point 6.7km (4.2 mi) downstream of FM 279 in Henderson/Smith County, up to normal pool elevation of 345 feet (impounds Neches River)
Parameter(s)	
Manganese in	n sediment CS
0605_01	Lower portion of reservoir near dam to the first bend in reservoir
0605_02	From the first bend in lower portion of reservoir up to the SH 155 Bridge crossing.
0605_03	Upper mid-lake including Tyler Public Water Supply intake
0605_09	Flat Creek Arm
0605_10	Upper Lake
0605_11	From the SH 155 Bridge crossing to the Flat Creek Arm and across the main portion of the lake at the Flat Creek Arm

SEG ID: 0600	Neches River Above Lake Palestine From a point 6.7 km (4.2 mi) downstream of FM 279 in Henderson Lake Dam in Van Zandt County before it was breached in 2001	n/Smith County to Rhine
Parameter(s)		Level of Concern
Depressed dis	solved oxygen in water	CN
0606_02	From the confluence with Prairie Creek (0606A) upstream to the R	Chine Lake Dam
Parameter(s)		<u>Level of Concern</u>
Nitrate in wa	ter	CS
0606_01	From a point approximately 0.06km (0.03 mi) south of St. Louis S upstream to the confluence with Prairie Creek (0606A).	outhwestern Railroad
Parameter(s)		Level of Concern
Total Phosph	orus in water	CS
0606_01	From a point approximately 0.06km (0.03 mi) south of St. Louis S upstream to the confluence with Prairie Creek (0606A).	outhwestern Railroad
Parameter(s)		Level of Concern
Zinc in water		CN
0606_02	From the confluence with Prairie Creek (0606A) upstream to the R	Rhine Lake Dam

SEG ID:0600	A Prairie Creek Perennial stream from the confluence with the Ne approximately 0.6km downstream of the US 69 b.	<u> </u>
Parameter(s)		<u>Level of Concern</u>
Ammonia in	water	CS
0606A_01	From the confluence with Neches River (0606), p at NHD RC 12020001000071 in Smith County up Creek (0606D) at NHD RC 12020001000071.	
Parameter(s)		Level of Concern
Nitrate in wa	iter	CS
0606A_01	From the confluence with Neches River (0606), p at NHD RC 12020001000071 in Smith County up Creek (0606D) at NHD RC 12020001000071.	

May 12, 2020 Page 45 of 196

SEG ID: 0607 Pine Island Bayou

From the confluence with the Neches River in Hardin/Jefferson County to FM 787 in Hardin

Parameter(s) Level of Concern

Depressed dissolved oxygen in water

CS

 $0607 \ 01$ From the confluence with the Neches River upstream to unnamed tributary at NHD RC 12020007001215 that runs through Sherwood Drive in northern City of Beaumont.

SEG ID:0607A Boggy Creek

From the confluence of Pine Island Bayou upstream to the confluence with an unnamed tributary 4 km downstream of the crossing of the Southern Pacific Railroad.

Parameter(s) Level of Concern

Bacteria in water (Recreation Use)

 $0607A\ 02$ From the confluence with unnamed tributary 0.39 km downstream of CR 421 upstream to confluence with unnamed tributary 4 km downstream of the crossing of the Southern Pacific Railroad, per WQS App. D, at NHD RC 12020007003034.

Parameter(s) Level of Concern

Impaired habitat in water

CS

0607A 02 From the confluence with unnamed tributary 0.39 km downstream of CR 421 upstream to confluence with unnamed tributary 4 km downstream of the crossing of the Southern Pacific Railroad, per WQS App. D, at NHD RC 12020007003034.

SEG ID: 0607B Little Pine Island Bayou

From the confluence of Pine Island Bayou southwest of Lumberton in Hardin County to the upstream perennial portion of the stream west of Kountze in Hardin County

Parameter(s) Level of Concern

Bacteria in water (Recreation Use)

CN

0607B 02 From the confluence with unnamed tributary 1.1 km SE of intersection of FM 770 and 787 upstream to headwaters 5.5 km SE of City of Segno in Polk County at NHD RC 12020007000151.

Parameter(s) Level of Concern

Depressed dissolved oxygen in water

CS

0607B 02 From the confluence with unnamed tributary 1.1 km SE of intersection of FM 770 and 787 upstream to headwaters 5.5 km SE of City of Segno in Polk County at NHD RC 12020007000151.

> From the confluence with unnamed tributary 1.1 km SE of intersection of FM 770 and 787 upstream to headwaters 5.5 km SE of City of Segno in Polk County at NHD RC 12020007000151.

Page 46 of 196 May 12, 2020

SEG ID: 0608 Village Creek

From the confluence with the Neches River in Hardin County to Lake Kimble Dam in Hardin County

Parameter(s) Level of Concern

Mercury in edible tissue

0608 01 From the confluence with Neches River (0602) upstream to confluence with Cypress Creek (0608C)

0608 02 From the confluence with Cypress Creek (0608C) upstream to confluence with Beech Creek

(0608A)

SEG ID:0608A Beech Creek

From the confluence of Village Creek northeast of Kountze in Hardin County to the upstream perennial portion of the stream southeast of Woodville in Tyler County

Level of Concern Parameter(s)

Bacteria in water (Recreation Use)

CN

From the confluence with Village Creek (0608) at NHD RC 12020006000017 upstream to the 0608A 01

confluence with Drakes Branch 0.35 km upstream of FM1943 RD E at NHD RC

12020006000025

0608A 02 From the confluence with Drakes Branch upstream to headwaters 0.62 km south of FM 1746

at NHD RC 12020006000035.

Parameter(s) Level of Concern

Impaired habitat in water

0608A 02 From the confluence with Drakes Branch upstream to headwaters 0.62 km south of FM 1746

at NHD RC 12020006000035.

SEG ID: 0608B Big Sandy Creek

From the confluence of Village and Kimball Creeks in Hardin County upstream to headwaters in Polk County

Level of Concern Parameter(s) CS

Depressed dissolved oxygen in water

0608B 04 From the confluence with Bear Creek in Polk County upstream to headwaters about 5 km SE of intersection of US Hwy 59 and FM 62 at NHD RC 12020006000133.

Page 47 of 196 May 12, 2020

SEG ID:0608C Cypress Creek

From the confluence of Village Creek (0608) east of Kountze in Hardin County to the confluence with Bad Luck Creek northwest of Kountze in Hardin County

Parameter(s) Level of Concern **CN**

Bacteria in water (Recreation Use)

0608C 01 Upper portion from the confluence with unnamed tributary upstream of Pea Monk Branch upstream to confluence with Bad Luck Creek, per WQS App. D, at NHD RC

12020006000148.

Parameter(s) Level of Concern CS

Impaired habitat in water

0608C 01 Upper portion from the confluence with unnamed tributary upstream of Pea Monk Branch

upstream to confluence with Bad Luck Creek, per WQS App. D, at NHD RC

12020006000148.

May 12, 2020 Page 48 of 196

	10 Sam Rayburn Reservoir From Sam Rayburn Dam to a point 5.6 km (3.5 mi) upstream of Marion Angelina River Arm and to a point 3.9 km (2.4 mi) downstream of Curr Attoyac Bayou Arm, up to the normal pool elevation of 164.4 feet (exception)	y Creek on the ept on the Angelina R
Parameter(s Iron in sedi		<u>Level of Concern</u> CS
0610 01	Sam Rayburn main pool by the dam to the Bear Creek and Ayish Arms	CS
0610_01	Sam Rayburn lower Angelina River arm	
0610_02	Sam Rayburn mid-Angelina River arm (area around SH 147)	
0610_03	Sam Rayburn upper mid-Angelina River arm	
0610_04	Sam Rayburn lower Attoyac Bayou arm	
0610_03	Sam Rayburn upper Attoyac Bayou arm	
0610_00	Sam Rayburn upper Angelina arm	
0610_07	Sam Rayburn Bear Creek arm	
0610_08	Sam Rayburn lower Ayish Bayou arm	
0610_09	Sam Rayburn upper Ayish Bayou arm	
Parameter(s	, II , , , ,	Level of Concern
	in sediment	CS
0610_01	Sam Rayburn main pool by the dam to the Bear Creek and Ayish Arms	
0610_02	Sam Rayburn lower Angelina River arm	
0610_03	Sam Rayburn mid-Angelina River arm (area around SH 147)	
0610_04	Sam Rayburn upper mid-Angelina River arm	
0610_05	Sam Rayburn lower Attoyac Bayou arm	
0610_06	Sam Rayburn upper Attoyac Bayou arm	
0610_07	Sam Rayburn upper Angelina arm	
0610_08	Sam Rayburn Bear Creek arm	
0610_09	Sam Rayburn lower Ayish Bayou arm	
0610_10	Sam Rayburn upper Ayish Bayou arm	
Parameter(s	<u>s)</u>	Level of Concern
•	edible tissue	CS
-	Sam Rayburn main pool by the dam to the Bear Creek and Ayish Arms	
0610_02	Sam Rayburn lower Angelina River arm	
0610_03	Sam Rayburn mid-Angelina River arm (area around SH 147)	
0610_04	Sam Rayburn upper mid-Angelina River arm	
0610_05	Sam Rayburn lower Attoyac Bayou arm	
0610_06	Sam Rayburn upper Attoyac Bayou arm	
0610_07	Sam Rayburn upper Angelina arm	
0610_08	Sam Rayburn Bear Creek arm	
0610_09	Sam Rayburn lower Ayish Bayou arm	
0610_10	Sam Rayburn upper Ayish Bayou arm	

May 12, 2020 Page 49 of 196

SEG ID: 0610P Bayou Carrizo

From the confluence with Sam Rayburn Reservoir upstream to the headwaters near FM 941 in the City of Appleby

Parameter(s)

Level of Concern

Bacteria in water (Recreation Use)

CN

0610P 01

From the confluence with Sam Rayburn Reservoir upstream to the headwaters near FM 941 in the City of Appleby

SEG ID: 0611 Angelina River Above Sam Rayburn Reservoir

From the aqueduct crossing 1.0 km (0.6 mi) upstream of the confluence of Paper Mill Creek in Angelina/Nacogdoches County to the confluence of Barnhardt Creek and Mill Creek at FM 225 in Rusk County

Parameter(s)

Level of Concern

Bacteria in water (Recreation Use)

CN

0611 03 From a point immediately upstream of the confluence with Mud Creek (0611C) upstream to the confluence with East Fork Angelina River (0611A)

Parameter(s)

Level of Concern

Total Phosphorus in water

0611 04 From a point immediately upstream of confluence with East Fork Angelina River (0611A) upstream to confluence with Barnhardt and Mill Creeks.

SEG ID: 0611B La Nana Bayou

From the confluence of the Angelina River south of Nacogdoches in Nacogdoches County to the upstream perennial portion of the stream north of Nacogdoches in Nacogdoches County

Level of Concern Parameter(s)

Nitrate in water

0611B 01 From the confluence with Angelina River (0611), per WQS App. D, upstream to State Loop 224 in City of Nacogdoches

Level of Concern Parameter(s)

Total Phosphorus in water

CS

0611B 01 From the confluence with Angelina River (0611), per WQS App. D, upstream to State Loop 224 in City of Nacogdoches

Page 50 of 196 May 12, 2020

SEG ID: 0611D West Mud Creek

Perennial stream from the confluence with Mud Creek in Cherokee County upstream to the confluence of an unnamed tributary 300 meters upstream of the most northern crossing of US 69 (approximately 2.25 km south of the intersection of Loop 323) in the City

Parameter(s) Level of Concern CS

Ammonia in water

0611D 01

From the confluence with Mud Creek (0611C), per WQS App. D, upstream to confluence with unnamed tributary about 75 m north of WWTP in City of Tyler at NHD RC 12020004000212.

Parameter(s) Level of Concern CS

Nitrate in water

0611D 01 From the confluence with Mud Creek (0611C), per WQS App. D, upstream to confluence with unnamed tributary about 75 m north of WWTP in City of Tyler at NHD RC 12020004000212.

SEG ID: 0611V Bowles Creek

From the confluence with Striker Creek in Cherokee County upstream to the headwaters in the City of Overton, 0.09 mi west of FM 2089

Parameter(s) Level of Concern

Depressed dissolved oxygen in water

0611V 01 From the confluence with Striker Creek in Cherokee County upstream to the headwaters in the City of Overton, 0.09 mi west of FM 2089

SEG ID: 0612F West Creek

From the confluence with Attoyac Bayou in Shelby Co. to the headwaters approximately 2.2 km upstream of CR 4054 in Shelby Co.

Parameter(s) Level of Concern Bacteria in water (Recreation Use)

0612F_01 From the confluence with Attoyac Bayou in Shelby Co. to the headwaters approximately 2.2 km upstream of CR 4054 in Shelby Co.

SEG ID: 0701 Taylor Bayou/North Fork Taylor Bayou Above Tidal

From the saltwater lock 7.7 km (4.8 mi) downstream of SH 73 in Jefferson County to the Lower Neches Valley Authority Canal crossing of North Fork Taylor Bayou in Jefferson County

Parameter(s) Level of Concern

Chlorophyll-a in water

0701 01 From the saltwater lock 7.7 km (4.8 mi) downstream of SH 73 in Jefferson County, per WQS App. C, upstream to the confluence with Hillebrandt Bayou (0704)

From the confluence with Hillebrandt Bayou upstream to confluences with North Fork Taylor 0701 02 Bayou and South Fork Bayou

0701 03 North Fork Taylor Bayou from the confluence with Taylor Bayou and South Fork Taylor Bayou upstream to the Lower Neches Valley Authority Canal, per WOS App. C, about 2.7 km SW of intersection of FM 1406 and FM 365 Road south of the City of Nome

May 12, 2020 Page 51 of 196

SEG ID:0701D Shallow Prong Lake

Widest upper portion of Big Hill Bayou about 2.0 km (1.26 mi) north of Blind Lake

CS

CS

CS

CS

Parameter(s) Level of Concern

Ammonia in water

0701D 01 Portion of Big Hill Bayou, Shallow Prong portion of NHD RC 12040201006920

Parameter(s) Level of Concern

Arsenic in edible tissue

0701D 01 Portion of Big Hill Bayou, Shallow Prong portion of NHD RC 12040201006920

Parameter(s) Level of Concern

Depressed dissolved oxygen in water

0701D 01 Portion of Big Hill Bayou, Shallow Prong portion of NHD RC 12040201006920

SEG ID: 0702 Intracoastal Waterway Tidal

From the confluence with Galveston Bay at Port Bolivar to the confluence with the Sabine-Neches/Port Arthur Canal (including Taylor Bayou Tidal from the confluence with the Intracoastal Waterway up to the saltwater lock 7.7 km (4.8 mi) downstream of SH 73

Parameter(s) Level of Concern

Chlorophyll-a in water

0702 02 Taylor Bayou tidal from the confluence with the Intracoastal Waterway Tidal to the saltwater barriers.

SEG ID:0702A Alligator Bayou and Main Canals A, B, C, and D

All perennial canals in Jefferson County Drainage District No. 7 that eventually drain into the tidal portion of Taylor Bayou at the pump house gate, including Alligator Bayou

Parameter(s) Level of Concern

Chlorophyll-a in water

0702A 01 From Taylor Bayou Tidal (0702) to confluence with Main Canal D above SH 82.

Main Canal D from the confluence with Alligator Bayou at SH 82 upstream to about 0.35 km 0702A 03 upstream of confluence with Canal A

Parameter(s) Level of Concern **CS**

Lead in sediment

0702A 01 From Taylor Bayou Tidal (0702) to confluence with Main Canal D above SH 82.

Page 52 of 196 May 12, 2020

SEG ID: 0704 Hillebrandt Bayou

From the confluence of Taylor Bayou in Jefferson County to a point 100 meters (110 yards) upstream of SH 124 in Jefferson County

CS

CS

Parameter(s) Level of Concern

Chlorophyll-a in water

0704 01 From the confluence with Taylor Bayou Above Tidal (0701) upstream to confluence with

Willow Marsh Bayou (0704A)

0704 02 From the confluence with Willow Marsh Bayou (0704A) upstream to a point 100 meters (110

yards) upstream of SH 124 in Jefferson County

Parameter(s) Level of Concern

Depressed dissolved oxygen in water

0704 02 From the confluence with Willow Marsh Bayou (0704A) upstream to a point 100 meters (110

yards) upstream of SH 124 in Jefferson County

SEG ID:0704D Bayou Din

From the confluence with Hillebrandt Bayou upstream to headwaters in Jefferson County

Parameter(s) Level of Concern CS

Chlorophyll-a in water

0704D 01 From the confluence with Hillebrandt Bayou upstream to headwaters in Jefferson County

Parameter(s) Level of Concern

Nitrate in water

0704D 01 From the confluence with Hillebrandt Bayou upstream to headwaters in Jefferson County

SEG ID: 0801 Trinity River Tidal

Trinity River Tidal - from the saltwater barrier, which is 5.5 km (3.4 mi) downstream of IH 10, in Chambers County to a point 3.1 km (1.9 mi) downstream of US 90 in Liberty County

Parameter(s) Level of Concern

Chlorophyll-a in water

0801 01 From the saltwater barrier, which is 5.5 km (3.4 mi) downstream of IH 10, in Chambers

County upstream to the Lynchburg Canal in Liberty County

SEG ID: 0801B Old River

From IH 10 in Chambers County upstream to the confluence with East Prong Old River and West Prong Old River approximately 4.4 mi (7.0 km) north of Mont Belvieu

Parameter(s) Level of Concern

Chlorophyll-a in water

0801B 01 From IH 10 in Chambers County upstream to the confluence with East Prong Old River and West Prong Old River approximately 4.4 mi (7.0 km) north of Mont Belvieu

Page 53 of 196 May 12, 2020

SEG ID:0801C Cotton Bayou

From the confluence of Cotton Lake southeast of Mont Belvieu in Chambers County upstream to a point (NHD RC 12040203000496) approximately 1 mi north of IH 10 in Chambers County

Parameter(s)

Level of Concern

Chlorophyll-a in water

CS

0801C_01 From

From the confluence of Cotton Lake southeast of Mont Belvieu in Chambers County upstream to a point (NHD RC 12040203000496) approximately 1 mi north of IH 10 in Chambers County

Parameter(s)

Level of Concern

Depressed dissolved oxygen in water

CS

O801C_01 From the confluence of Cotton Lake southeast of Mont Belvieu in Chambers County upstream to a point (NHD RC 12040203000496) approximately 1 mi north of IH 10 in Chambers County

Parameter(s)

Level of Concern

Nitrate in water

CS

0801C_01 From the confluence of Cotton Lake southeast of Mont Belvieu in Chambers County upstream to a point (NHD RC 12040203000496) approximately 1 mi north of IH 10 in Chambers County

Parameter(s)

Level of Concern

Total Phosphorus in water

CS

O801C_01 From the confluence of Cotton Lake southeast of Mont Belvieu in Chambers County upstream to a point (NHD RC 12040203000496) approximately 1 mi north of IH 10 in Chambers County

SEG ID:0801D Lynchburg Canal

From confluence with Trinity River Tidal upstream to confluence with Big Caney Creek.

Parameter(s)

Level of Concern

Chlorophyll-a in water

CS

0801D 01 From confluence with Trinity River Tidal upstream to confluence with Big Caney Creek.

SEG ID: 0802 Trinity River Below Lake Livingston

From a point 3.1 km (1.9 mi) downstream of US 90 in Liberty County to Livingston Dam in Polk/San Jacinto County

<u>Parameter(s)</u> <u>Level of Concern</u>

Chlorophyll-a in water

CS

0802_01 Lower 17 mi of segment

0802 03 11 mi upstream to approximately 9 mi downstream of FM 787

0802 04 5 mi upstream to 11 mi downstream of US 59

0802 05 Upper 6 mi of segment

May 12, 2020 Page 54 of 196

SEG ID: 0802B Long King Creek

Perennial stream from the confluence with the Trinity River upstream to the confluence with an unnamed tributary approximately 1.2 km upstream of FM 350 near the City of Livingston

Parameter(s) Level of Concern **CN**

Bacteria in water (Recreation Use)

From just upstream of the confluence with unnamed tributary (NHD RC 12030202001817)

up to the confluence with Mud Creek, in Polk County.

SEG ID:0802D Menard Creek

0802B 02

From the confluence with segment 0802 of the Trinity River up to the confluence with Meetinghouse Creek.

Parameter(s) Level of Concern

Bacteria in water (Recreation Use)

0802D 01 From the confluence with segment 0802 of the Trinity River up to the confluence with Meetinghouse Creek.

SEG ID: 0802E Big Creek

Perennial stream from the confluence with the Trinity River in Liberty County upstream to the confluence of Double Lake Branch and Henry Lake Branch in San Jacinto County

Parameter(s) Level of Concern

Bacteria in water (Recreation Use)

0802E 01 Perennial stream from the confluence with the Trinity River in Liberty County upstream to the confluence of Double Lake Branch and Henry Lake Branch in San Jacinto County

SEG ID: 0803 Lake Livingston

From Livingston Dam in Polk/San Jacinto County to a point 1.8 km (1.1 mi) upstream of Boggy Creek in Houston/Leon County, up to normal pool elevation of 131 feet (impounds Trinity River)

CS

CS

Parameter(s) Level of Concern

Depressed dissolved oxygen in water

0803 09 West Carolina Creek cove, off upper portion of reservoir

SEG ID:0803A Harmon Creek

From the confluence with Lake Livingston (normal pool elevation of 131 feet) to the confluence of East Fork Harmon Creek east of Huntsville in Walker County

Parameter(s) Level of Concern

Nitrate in water

0803A 01 A 16 mi (25.7 km) stretch of Harmon Creek extending from Lake Livingston (normal pool elevation of 131 feet) upstream to the confluence of East Fork Harmon Creek.

Parameter(s) Level of Concern

Total Phosphorus in water

0803A 01 A 16 mi (25.7 km) stretch of Harmon Creek extending from Lake Livingston (normal pool elevation of 131 feet) upstream to the confluence of East Fork Harmon Creek.

Page 55 of 196 May 12, 2020

SEG ID: 0803B White Rock Creek

From the confluence of Lake Livingston northeast of Trinity in Trinity County to the upstream perennial portion of the stream east of Lovelady in Houston County

<u>Parameter(s)</u> <u>Level of Concern</u>

Chlorophyll-a in water

0803B 01 Lower 25 mi of segment

SEG ID: 0803F Bedias Creek

From the confluence with segment 0803 Trinity River, to upper end of Bedias Creek, NHD

CS

CN

CS

RC 12030202000350

Parameter(s) Level of Concern

Bacteria in water (Recreation Use)

0803F_01 From the confluence with segment 0803 Trinity River up to confluence with Poole Creek

(NHD RC 12030202000572)

0803F_02 From the confluence with Poole Creek (NHD RC 12030202000572) to upper end of NHD

RC Bedias Creek (NHD RC 12030202000350)

Parameter(s)

Level of Concern

Chlorophyll-a in water

0803F_01 From the confluence with segment 0803 Trinity River up to confluence with Poole Creek

(NHD RC 12030202000572)

Parameter(s) <u>Level of Concern</u>

Zinc in water

 $0803F_02$ From the confluence with Poole Creek (NHD RC 12030202000572) to upper end of NHD

RC Bedias Creek (NHD RC 12030202000350)

May 12, 2020 Page 56 of 196

SEG ID: 0804	4 Trinity River Above Lake Livingston		
	From a point 1.8 km (1.1 mi) upstream of Boggy Creek in Houston/Leon County to a point immediately upstream of the confluence of the Cedar Creek Reservoir discharge canal in Henderson/Navarro County		
Parameter(s)	Level of Concern		
Chlorophyll-			
0804_01	From the lower end of the segment up to just above the confluence with Hurricane Bayou in Houston County.		
0804_02	From just upstream of the confluence with Hurricane Bayou up to just above the confluence with Boons Creek.		
0804_04	From the confluence with Caney Creek up to just above the confluence with Indian Creek in Anderson County.		
0804_07	From just above the confluence with Richland Creek in Henderson County, up to the upper end of the segment.		
Parameter(s)	<u>Level of Concern</u>		
Nitrate in wa			
0804_01	From the lower end of the segment up to just above the confluence with Hurricane Bayou in Houston County.		
0804_02	From just upstream of the confluence with Hurricane Bayou up to just above the confluence with Boons Creek.		
0804_03	From just upstream of the confluence with Boons Creek up to just above the confluence with Caney Creek.		
0804_04	From the confluence with Caney Creek up to just above the confluence with Indian Creek in Anderson County.		
0804_07	From just above the confluence with Richland Creek in Henderson County, up to the upper end of the segment.		
Parameter(s)	<u>Level of Concern</u>		
Total Phosph	norus in water CS		
0804_01	From the lower end of the segment up to just above the confluence with Hurricane Bayou in Houston County.		
0804_02	From just upstream of the confluence with Hurricane Bayou up to just above the confluence with Boons Creek.		
0804_04	From the confluence with Caney Creek up to just above the confluence with Indian Creek in Anderson County.		
0804_07	From just above the confluence with Richland Creek in Henderson County, up to the upper end of the segment.		

May 12, 2020 Page 57 of 196

SEG ID: 0804F Tehuacana Creek

From the confluence with the Trinity River northeast of Fairfield in Freestone County to the headwaters northwest of Mexia in Limestone County

<u>Parameter(s)</u> <u>Level of Concern</u>

Bacteria in water (Recreation Use)

0804F_01 A 27 mi stretch of Tehuacana Creek extending from the confluence with 0804 of the Trinity River up to the confluence with Caney Creek (NHD RC 120302010000226).

0804F_02 A 28.4 mi (45.7 km) stretch of Tehuacana Creek extending from the confluence with Caney Creek to the upper end (NHD RC 120302010000225) of Tehuacana Creek.

<u>Parameter(s)</u> <u>Level of Concern</u>

Chlorophyll-a in water

0804F_01 A 27 mi stretch of Tehuacana Creek extending from the confluence with 0804 of the Trinity River up to the confluence with Caney Creek (NHD RC 120302010000226).

SEG ID:0804G Catfish Creek

Twenty mile stretch of Catfish Creek running upstream from US 287 in Anderson Co., to Catfish Creek Ranch Lake just upstream of SH 19 in Henderson Co.

<u>Parameter(s)</u> <u>Level of Concern</u>

Depressed dissolved oxygen in water

CN

CN

0804G_01 A 20 mi stretch of Catfish Creek running upstream from US 287 in Anderson Co., to Catfish Creek Ranch Lake just upstream of SH 19 in Henderson Co.

A 20 mi stretch of Catfish Creek running upstream from US 287 in Anderson Co., to Catfish Creek Ranch Lake just upstream of SH 19 in Henderson Co.

SEG ID:0804H Upper Keechi Creek

From confluence with segment 0804 Trinity River to the upper end of NHD stream Upper Keechi Creek (NHD RC 12030201001075)

<u>Parameter(s)</u> <u>Level of Concern</u>

Bacteria in water (Recreation Use)

0804H_01 From the confluence with segment 0804 Trinity River up to confluence with Twin Branch (NHD RC 12030201027099)

SEG ID: 0804J Fairfield Lake

Impounded Big Brown Creek in Freestone County

Parameter(s)

Fish kill in water

Level of Concern
CN

0804J_01 Impounded Big Brown Creek in Freestone County

May 12, 2020 Page 58 of 196

SEG ID:0804KLower Keechi Creek

Perennial stream from the confluence with the Trinity River in Leon County upstream to the headwaters in Jewett in Leon County

Parameter(s)

Level of Concern

Depressed dissolved oxygen in water

CS

0804K_01 Perennial stream from the confluence with the Trinity River in Leon County upstream to the headwaters in Jewett in Leon County

SEG ID: 0804L Town Creek

Perennial stream from the confluence with Keechi Creek upstream to SH 256 (Appendix D)

Parameter(s)

Level of Concern

Nitrate in water

CS

0804L 01 Perennial stream from the confluence with Keechi Creek upstream to SH 256 (Appendix D)

Parameter(s)

Level of Concern

Total Phosphorus in water

CS

0804L 01 Perennial stream from the confluence with Keechi Creek upstream to SH 256 (Appendix D)

SEG ID:0804MBassett Creek

Perennial stream from the confluence with Town Creek upstream to Blue Lake

Parameter(s)

Level of Concern

Impaired macrobenthic community in water

CN

0804M 02 From approximately 15m upstream of the processing plant outfall upstream to Blue Lake

May 12, 2020 Page 59 of 196

SEG ID: 080	Upper Trinity River From a point immediately upstream of the confluence of the Cedar Creek Reservoir discharge
	canal in Henderson/Navarro County to a point immediately upstream of the confluence of
	Elm Fork Trinity River in Dallas County
Parameter(s)	
Chlorophyll	
0805_01	From confluence of the Cedar Creek Reservoir discharge canal upstream to confluence of Smith Creek.
0805_02	From confluence of Smith Creek upstream to confluence of Tenmile Creek.
Parameter(s)	•
Nitrate in wa	ater CS
0805_01	From confluence of the Cedar Creek Reservoir discharge canal upstream to confluence of Smith Creek.
0805_02	From confluence of Smith Creek upstream to confluence of Tenmile Creek.
0805_03	From the confluence of Fivemile Creek upstream to the confluence of Cedar Creek.
0805_04	From confluence of Cedar Creek upstream to confluence of Elm Fork Trinity River
0805_06	From confluence of Tenmile Creek upstream to confluence of Fivemile Creek
Parameter(s)	<u>Level of Concern</u>
Total Phospl	horus in water CS
0805_01	From confluence of the Cedar Creek Reservoir discharge canal upstream to confluence of Smith Creek.
0805_02	From confluence of Smith Creek upstream to confluence of Tenmile Creek.
0805_03	From the confluence of Fivemile Creek upstream to the confluence of Cedar Creek.
0805_04	From confluence of Cedar Creek upstream to confluence of Elm Fork Trinity River
0805_06	From confluence of Tenmile Creek upstream to confluence of Fivemile Creek

SEG ID: 0806 West Fork Trinity River Below Lake Worth

From a point immediately upstream of the confluence of Village Creek in Tarrant County to Lake Worth Dam in Tarrant County

Parameter(s)

Level of Concern

Bacteria in water (Recreation Use)

0806_02 From confluence of Clear Fork Trinity River upstream to Lake Worth Dam

<u>Parameter(s)</u> <u>Level of Concern</u>

Chlorophyll-a in water

0806 01 From confluence of Village Creek upstream to confluence of Clear Fork Trinity River

SEG ID:0806A Fosdic Lake

From Fosdic Lake Dam to the reservoir headwaters in Oakland Lake Park in Tarrant County

Parameter(s)Level of ConcernArsenic in edible tissueCS

0806A_01 From Fosdic Lake Dam to the reservoir headwaters in Oakland Lake Park in Tarrant County

May 12, 2020 Page 60 of 196

SEG ID: 0806F Little Fossil Creek

A 13.7 mi stretch of Little Fossil Creek running upstream from confluence with segment 0806 W. Fork Trinity River upstream to upper end (NHD RC Reach Code of NHD RC stream Little Fossil Creek.

Parameter(s)

Level of Concern

Bacteria in water (Recreation Use)

CN

0806F 01

A 13.7 mi stretch of Little Fossil Creek running upstream from confluence with segment 0806 W. Fork Trinity River upstream to upper end (NHD RC Reach Code of NHD RC stream Little Fossil Creek.

SEG ID: 0809 Eagle Mountain Reservoir

From Eagle Mountain Dam in Tarrant County to a point 0.6 km (0.4 mi) downstream of the confluence of Oates Branch in Wise County up to normal pool elevation of 649.1 feet (impounds West Fork Trinity River)

Parameter(s)

Level of Concern

Depressed dissolved oxygen in water

CS

0809 01 Lowermost portion of reservoir near east end of dam

SEG ID:0809A Walnut Creek

From the normal pool elevation of Eagle Mountain Reservoir up to the headwaters approximately 2.1 mi upstream of State Highway 199 in Parker County.

Parameter(s)

Level of Concern

Bacteria in water (Recreation Use)

CN

 $0809A_01$

From the normal pool elevation of Eagle Mountain Reservoir up to the headwaters approximately 2.1 mi upstream of State Highway 199 in Parker County.

SEG ID: 0809B Ash Creek

Intermittent stream with perennial pools from Eagle Mountain Lake in Tarrant County upstream to its confluence with Mill Branch in Parker County

Parameter(s)

Level of Concern

Nitrate in water

CS

0809B 01

Intermittent stream with perennial pools from Eagle Mountain Lake in Tarrant County upstream to its confluence with Mill Branch in Parker County

SEG ID: 0810 West Fork Trinity River Below Bridgeport Reservoir

From a point $0.6~\mathrm{km}$ ($0.4~\mathrm{mi}$) downstream of the confluence of Oates Branch in Wise County to Bridgeport Dam in Wise County

Parameter(s)

Level of Concern

Chlorophyll-a in water

CS

0810 01 Lower 25 mi of segment

May 12, 2020 Page 61 of 196

SEG ID: 0811A Big Creek

From the confluence with Bridgeport Reservoir at normal pool elevation upstream to the headwaters adjacent to FM 2127 in Jack County

<u>Parameter(s)</u> <u>Level of Concern</u>

Bacteria in water (Recreation Use)

CN

0811A_01 From the confluence with Bridgeport Reservoir at normal pool elevation upstream to the headwaters adjacent to FM 2127 in Jack County

SEG ID: 0814 Chambers Creek Above Richland-Chambers Reservoir

From a point 4.0 km (2.5 mi) downstream of Tupelo Branch in Navarro County to the confluence of North Fork Chambers Creek and South Fork Chambers Creek

<u>Parameter(s)</u> <u>Level of Concern</u>

Nitrate in water

CS

From just above the confluence with Cummins Creek up to just above the confluence with Waxahachie Creek.

<u>Parameter(s)</u> <u>Level of Concern</u>

Total Phosphorus in water

CS

0814 01 From the lower end of the segment up to just above the confluence with Cummins Creek.

SEG ID:0815A Waxahachie Creek

Perennial stream from the confluence with the normal pool elevation of Bardwell Reservoir upstream to the confluence with North Prong Creek

<u>Parameter(s)</u> <u>Level of Concern</u>

Bacteria in water (Recreation Use)

CN

O815A_01 Perennial stream from the confluence with the normal pool elevation of Bardwell Reservoir upstream to the confluence with North Prong Creek

<u>Parameter(s)</u> <u>Level of Concern</u>

Nitrate in water

CS

O815A_01 Perennial stream from the confluence with the normal pool elevation of Bardwell Reservoir upstream to the confluence with North Prong Creek

SEG ID: 0818 Cedar Creek Reservoir

From Joe B. Hoggsett Dam in Henderson County up to normal pool elevation of 322 feet (impounds Cedar Creek)

<u>Parameter(s)</u> <u>Level of Concern</u>

Depressed dissolved oxygen in water

CS

From Joe B. Hoggsett Dam in Henderson County up to normal pool elevation of 322 feet (impounds Cedar Creek)

May 12, 2020 Page 62 of 196

SEG ID:0818C Kings Creek

Intermittent stream with perennial pools from the confluence with Cedar Creek Reservoir at normal pool elevation upstream to the headwaters adjacent to FM 986 approximately 5 km north of Terrell in Kaufman County

Parameter(s) Level of Concern CS

Nitrate in water

0818C 01

0818C 01

Intermittent stream with perennial pools from the confluence with Cedar Creek Reservoir at normal pool elevation upstream to the headwaters adjacent to FM 986 approximately 5 km north of Terrell in Kaufman County

Parameter(s) Level of Concern

Total Phosphorus in water

Intermittent stream with perennial pools from the confluence with Cedar Creek Reservoir at normal pool elevation upstream to the headwaters adjacent to FM 986 approximately 5 km north of Terrell in Kaufman County

SEG ID:0818D Lacy Fork

Intermittent stream with perennial pools from the confluence with Cedar Creek Reservoir at normal pool elevation upstream to the confluence of Dry Lacy Fork and Wet Lacy Fork in Van Zandt County

CN

Parameter(s) Level of Concern

Bacteria in water (Recreation Use)

0818D 01 Intermittent stream with perennial pools from the confluence with Cedar Creek Reservoir at normal pool elevation upstream to the confluence of Dry Lacy Fork and Wet Lacy Fork in Van Zandt County

SEG ID: 0818F Clear Creek

Perennial stream from the confluence with Clear Creek Cove upstream to the north edge of the highway 175.

Parameter(s) Level of Concern **Bacteria in water** (Recreation Use)

0818F 01 Perennial stream from the confluence with Clear Creek Cove upstream to the north edge of the highway 175.

SEG ID:0818G North Twin Creek

Perennial stream from the confluence with Twin Creeks cove to 3 km northeast of the intersection of highway 175

Parameter(s) Level of Concern

Bacteria in water (Recreation Use)

0818G 01 Perennial stream from the confluence with Twin Creeks cove to 3 km northeast of the intersection of highway 175

Page 63 of 196 May 12, 2020

SEG ID:0818H South Twin Creek

Perennial stream from the confluence with Twin Creeks cove upstream to 3.15 km northeast of where the waterbody intersects highway 175

CN

Parameter(s) Level of Concern

Bacteria in water (Recreation Use)

0818H 01 Perennial stream from the confluence with Twin Creeks cove upstream to 3.15 km northeast of where the waterbody intersects highway 175

SEG ID: 0818I Caney Creek

Intermittent stream with perennial pools from the confluence with Cedar Creek Reservoir upstream to the dam on Third Caney Creek approximately 1.8 km north of the intersection of SH 7 and US 175 in Athens

Parameter(s) Level of Concern **CN**

Bacteria in water (Recreation Use)

Intermittent stream with perennial pools from the confluence with Cedar Creek Reservoir upstream to the dam on Third Caney Creek approximately 1.8 km north of the intersection of SH 7 and US 175 in Athens

SEG ID: 0819 East Fork Trinity River

From the confluence with the Trinity River in Kaufman County to Rockwall-Forney Dam in Kaufman County

Level of Concern Parameter(s)

Chlorophyll-a in water

0818I 01

0819_01 From the confluence with the Trinity River in Kaufman County to Rockwall-Forney Dam in Kaufman County

Parameter(s) Level of Concern

Nitrate in water

0819 01 From the confluence with the Trinity River in Kaufman County to Rockwall-Forney Dam in Kaufman County

Parameter(s) Level of Concern

Total Phosphorus in water

0819 01 From the confluence with the Trinity River in Kaufman County to Rockwall-Forney Dam in

Kaufman County

SEG ID: 0819B Buffalo Creek

Perennial stream from the confluence with the East Fork Trinity River up to 0.6 km above the confluence of Little Buffalo Creek

Parameter(s) Level of Concern

Nitrate in water

0819B 01 Perennial stream from the confluence with the East Fork Trinity River up to 0.6 km above the confluence of Little Buffalo Creek

Parameter(s) Level of Concern

Total Phosphorus in water 0819B 01 Perennial stream from the confluence with the East Fork Trinity River up to 0.6 km above the

confluence of Little Buffalo Creek

Page 64 of 196 May 12, 2020

SEG ID: 0820B Rowlett Creek

Perennial stream from the normal pool elevation of Lake Ray Hubbard upstream to the Parker Road crossing

<u>Parameter(s)</u> <u>Level of Concern</u>

Nitrate in water

0820B_01 Perennial stream from the normal pool elevation of Lake Ray Hubbard upstream to the Parker Road crossing

SEG ID:0820C Muddy Creek

From the confluence with Lake Ray Hubbard, in Dallas County, to the headwaters east of Allen, in Collin County

<u>Parameter(s)</u> <u>Level of Concern</u>

Nitrate in water

0820C_01 From the confluence with Lake Ray Hubbard, in Dallas County, to the headwaters east of Allen, in Collin County

SEG ID:0821A Pilot Grove Creek

Perennial stream from confluence of Desert Creek up to FM 121 near Blue Ridge

<u>Parameter(s)</u> <u>Level of Concern</u>

Bacteria in water (Recreation Use)

0821A_02 Pilot Grove Creek from the confluence with Lake Lavon upstream to the confluence with Desert Creek

SEG ID: 0821B Sister Grove Creek

From the confluence with Lake Lavon in Collin County to the confluence of West Prong Sister Grove Creek/East Prong Sister Grove Creek, east of Van Alstyne in Grayson County

<u>Parameter(s)</u> <u>Level of Concern</u>

Bacteria in water (Recreation Use)

CN

O821B_01 From the confluence with Lake Lavon in Collin County to the confluence of West Prong Sister Grove Creek/East Prong Sister Grove Creek, east of Van Alstyne in Grayson County

<u>Parameter(s)</u> <u>Level of Concern</u>

Depressed dissolved oxygen in water

CS

O821B_01 From the confluence with Lake Lavon in Collin County to the confluence of West Prong
Sister Grove Creek/East Prong Sister Grove Creek, east of Van Alstyne in Grayson County

May 12, 2020 Page 65 of 196

SEG ID: 0822 Elm Fork Trinity River Below Lewisville Lake

From the confluence with the West Fork Trinity River in Dallas County to Lewisville Dam in Denton County

CN

CS

CS

<u>Parameter(s)</u> <u>Level of Concern</u>

Cadmium in water

0822 02 4.5 mi upstream to 7.5 mi downstream DWU intake

<u>Parameter(s)</u> <u>Level of Concern</u>

Chlorophyll-a in water

0822_01 Lower 11 mi of segment 0822_04 Upper 1.5 mi of segment

SEG ID: 0822A Cottonwood Branch

A 6 mi stretch of Cottonwood Branch running upstream from confluence with Hackberry Creek, to Valley View Road in Dallas County.

<u>Parameter(s)</u> <u>Level of Concern</u>

Chlorophyll-a in water

0822A_01 A 2.5 mi stretch of Cottonwood Branch running upstream from confluence with Hackberry Creek to approx. 0.5 mi downstream of N. Story Rd., Dallas Co.

SEG ID:0822C Hackberry Creek

A 5.5 mi stretch of Hackberry Creek running upstream from confluence with Cottonwood Branch, to approximately 2.4 mi upstream of SH 114, in Irving, Dallas County.

<u>Parameter(s)</u> <u>Level of Concern</u>

Chlorophyll-a in water

0822C_01 A 5.5 mi stretch of Hackberry Creek running upstream from confluence with S. Fork Hackberry Creek to approximately 2.4 mi upstream of SH 114 in Irving, Dallas Co.

SEG ID: 0823B Stewart Creek

From the confluence with Lake Lewisville in Denton County to the headwaters near Frisco in Collin County.

<u>Parameter(s)</u> <u>Level of Concern</u>

Nitrate in water CS

0823B_01 From the confluence with Lake Lewisville in Denton County to the headwaters near Frisco in Collin County.

Parameter(s) <u>Level of Concern</u>
Total Phosphorus in water CS

0823B_01 From the confluence with Lake Lewisville in Denton County to the headwaters near Frisco in Collin County.

May 12, 2020 Page 66 of 196

SEG ID: 0824 Elm Fork Trinity River Above Ray Roberts Lake

From a point 9.5 km (5.9 mi) downstream of the confluence of Pecan Creek in Cooke County

to US 82 in Montague County

Parameter(s)

Level of Concern

CS

Chlorophyll-a in water

0824 01 Lower 7.5 mi of segment 0824 03 3.5 mi reach near SH 51

Parameter(s) Level of Concern

Nitrate in water **CS**

0824 01 Lower 7.5 mi of segment

0824 02 2 mi reach near unmarked county road, 1.4 km downstream Gainesville WWTP

SEG ID: 0825 Denton Creek

From the confluence with the Elm Fork Trinity River in Dallas County to Grapevine Dam in **Tarrant County**

Parameter(s) Level of Concern

Bacteria in water (Recreation Use)

From the confluence with the Elm Fork Trinity River in Dallas County to Grapevine Dam in **Tarrant County**

SEG ID: 0826A Denton Creek

From the confluence with Grapevine Lake in Denton County upstream to 2.3 km upstream of

Parameter(s) Level of Concern

Nitrate in water

0826A 01 Perennial stream from the headwaters of Grapevine Lake upstream to the confluence of Trail Creek near the City of Justin

Parameter(s) Level of Concern

Zinc in water CN

0826A 02 From the confluence of Trail Creek near the City of Justin to the confluence with an unnamed tributary 6.3 km upstream of FM-2449

SEG ID: 0829 Clear Fork Trinity River Below Benbrook Lake

From the confluence with the West Fork Trinity River in Tarrant County to Benbrook Dam in **Tarrant County**

Parameter(s) Level of Concern

Chlorophyll-a in water

0829 02 From 1 mi upstream of the confluence with West Fork Trinity River up to the confluence with

Mary's Creek

Page 67 of 196 May 12, 2020

SEG ID:0829A Lake Como

From Lake Como Dam to the reservoir headwaters in Lake Como Park in Tarrant County

CS

CS

CS

CS

Level of Concern Parameter(s)

Arsenic in edible tissue

0829A 01 From Lake Como Dam to the reservoir headwaters in Lake Como Park in Tarrant County

SEG ID: 0831 Clear Fork Trinity River Below Lake Weatherford

From a point 200 meters (220 yards) downstream of US 377 in Tarrant County to Weatherford Dam in Parker County

Level of Concern Parameter(s)

Depressed dissolved oxygen in water

0831 05 From the confluence of Squaw Creek to Lake Weatherford Dam

Level of Concern Parameter(s)

Nitrate in water CS

0831 01 Lower 12.75 mi, downstream from South Fork Trinity River confluence

Parameter(s) Level of Concern

Total Phosphorus in water CS

0831 01 Lower 12.75 mi, downstream from South Fork Trinity River confluence

SEG ID:0831A South Fork Trinity River

Eleven mi stretch of South Fork Trinity River running upstream from confluence with Clear Fork Trinity River to confluence with Willow Creek, Parker Co.

Level of Concern Parameter(s)

Bacteria in water (Recreation Use)

0831A 01 Eleven mi stretch of South Fork Trinity River running upstream from confluence with Clear

Fork Trinity River to confluence with Willow Creek, Parker Co.

Parameter(s) Level of Concern

Nitrate in water

0831A 01 Eleven mi stretch of South Fork Trinity River running upstream from confluence with Clear Fork Trinity River to confluence with Willow Creek, Parker Co.

Parameter(s) Level of Concern

Total Phosphorus in water

0831A 01 Eleven mi stretch of South Fork Trinity River running upstream from confluence with Clear Fork Trinity River to confluence with Willow Creek, Parker Co.

SEG ID: 0833 Clear Fork Trinity River Above Lake Weatherford

From a point 3.1 km (1.9 mi) upstream of FM 730 in Parker County, to the confluence with Strickland Creek approximately 8 km (5 mi) upstream of FM 51 in Parker County

Level of Concern Parameter(s)

Depressed dissolved oxygen in water

0833_03 From the confluence of McKnight Branch to the confluence of Strickland Ck. approximately 8 km (5 mi) upstream of FM 51 in Parker County.

0833 04 From the confluence with Dobbs Branch to confluence with McKnight Branch

May 12, 2020 Page 68 of 196

SEG ID:0833A Clear Fork Trinity River Above Strickland Creek.

From the confluence with Strickland Creek up to Turpin Lake Road in Parker County.

Parameter(s)

Level of Concern

Chlorophyll-a in water

CS

0833A 01 From the confluence with Strickland Creek up to Turpin Lake Road in Parker County.

Parameter(s)

Level of Concern

Depressed dissolved oxygen in water

CS

0833A 01 From the confluence with Strick

From the confluence with Strickland Creek up to Turpin Lake Road in Parker County.

SEG ID: 0836 Richland-Chambers Reservoir

From Richland-Chambers Dam to a point immediately upstream of the confluence of Pin Oak Creek on the Richland Creek Arm and to a point 4.0 km (2.5 mi) downstream of Tupelo Branch on the Chambers Creek Arm, up to the normal pool elevation of 315 ft (impoun

Parameter(s)

<u>Level of Concern</u> CS

Depressed dissolved oxygen in water

0836 07 Re

Remainder of reservoir

SEG ID: 0836B Cedar Creek

From the confluence with Richland Chambers Reservoir to the upper end of the creek (NHD RC 12030109012807)

Parameter(s)

Level of Concern

Depressed dissolved oxygen in water

CS

0836B 01

From the confluence with Richland Chambers Reservoir to the upper end of the creek (NHD RC 12030109012807)

SEG ID:0836C Grape Creek

From the confluence with Richland Chambers Reservoir to the upper end of the creek (NHD RC 12030108000107) southwest of Corsicana, Navarro County, TX.

Parameter(s)

Level of Concern

CS

Depressed dissolved oxygen in water

0836C 01 From the confluence

From the confluence with Richland Chambers Reservoir to the upper end of the creek (NHD RC 12030108000107) southwest of Corsicana, Navarro County, TX.

From the confluence with Richland Chambers Reservoir to the upper end of the creek (NHD RC 12030108000107) southwest of Corsicana, Navarro County, TX.

SEG ID:0836D Post Oak Creek

From the confluence with Richland Chambers Reservoir to the upper end of the creek (NHD RC 12030109012706)

Parameter(s)

Level of Concern

CN

Bacteria in water (Recreation Use)

0836D_01 From the confluence with Richland Chambers Reservoir to the upper end of the creek (NHD RC 12030109012706)

May 12, 2020 Page 69 of 196

SEG ID: 0837 Richland Creek Above Richland-Chambers Reservoir

From the confluence of Pin Oak Creek in Navarro County to Navarro Mills Dam in Navarro County

CS

Parameter(s) Level of Concern

Chlorophyll-a in water

0837 01 From the confluence of Pin Oak Creek in Navarro County to Navarro Mills Dam in Navarro

Parameter(s) Level of Concern

Depressed dissolved oxygen in water

0837 01 From the confluence of Pin Oak Creek in Navarro County to Navarro Mills Dam in Navarro

County

SEG ID: 0840 Ray Roberts Lake

From Ray Roberts Dam in Denton County to a point 9.5 km (5.9 mi) upstream of the confluence of Pecan Creek in Cooke County, up to the normal pool elevation of 632.5 feet (impounds Elm Fork Trinity River)

Parameter(s) Level of Concern **CS**

Depressed dissolved oxygen in water

0840 08 Remainder of reservoir

SEG ID: 0841 Lower West Fork Trinity River

From a point immediately upstream of the confluence of the Elm Fork Trinity River in Dallas County to a point immediately upstream of the confluence of Village Creek in Tarrant County

Level of Concern Parameter(s)

Nitrate in water **CS**

0841 01 From confluence of the Elm Fork Trinity River to the confluence with Johnson Creek.

0841 02 From the confluence with Johnson Creek upstream to the confluence of Village Creek.

Parameter(s) Level of Concern

Total Phosphorus in water

0841 01 From confluence of the Elm Fork Trinity River to the confluence with Johnson Creek.

From the confluence with Johnson Creek upstream to the confluence of Village Creek. 0841 02

SEG ID: 0841F Cottonwood Creek

A 6.5 mi stretch of Cottonwood Creek running upstream from approx. 0.1 mi upstream of Mountain Creek Reservoir in Dallas Co., to SH 360 in, Tarrant Co.

Level of Concern Parameter(s)

Depressed dissolved oxygen in water

A 6.5 mi stretch of Cottonwood Creek running upstream from approx. 0.1 mi upstream of 0841F 01 Mountain Creek Reservoir in Dallas Co., to SH 360 in, Tarrant Co.

Page 70 of 196 May 12, 2020

SEG ID:0841KFish Creek

A 15 mi stretch of Fish Creek running upstream from the confluence with Mountain Creek Reservoir in Grand Prairie, Dallas Co., to the upper end of the creek (NHD RC 12030102000107) in Arlington, Tarrant Co.

Parameter(s)

Level of Concern

Depressed dissolved oxygen in water

CS

0841K_01 A 15 mi

A 15 mi stretch of Fish Creek running upstream from the confluence with Mountain Creek Reservoir in Grand Prairie, Dallas Co., to the upper end of the creek (NHD RC 12030102000107) in Arlington, Tarrant Co.

Parameter(s)

Level of Concern

Impaired habitat in water

CS

0841K_01 A 15 mi stretch of Fish Creek running upstream from the confluence with Mountain Creek Reservoir in Grand Prairie, Dallas Co., to the upper end of the creek (NHD RC 12030102000107) in Arlington, Tarrant Co.

Parameter(s)

Level of Concern

Impaired macrobenthic community in water

CN

0841K_01

A 15 mi stretch of Fish Creek running upstream from the confluence with Mountain Creek Reservoir in Grand Prairie, Dallas Co., to the upper end of the creek (NHD RC 12030102000107) in Arlington, Tarrant Co.

SEG ID:0841MKee Branch

Six mi stretch of Kee Branch running upstream from confluence with Rush Creek to upper end of the creek (NHD RC 12030102000165).

Parameter(s)

Level of Concern

Depressed dissolved oxygen in water

CS

 $0841M_{0}$

Six mi stretch of Kee Branch running upstream from confluence with Rush Creek to upper end of the creek (NHD RC 12030102000165).

SEG ID:0841N Kirby Creek

Four mi stretch of Kirby Creek running upstream from confluence with Fish Creek in Grand Prairie, Dallas Co., to just upstream of Great Southwest Parkway in Arlington, Tarrant Co.

Parameter(s)

Level of Concern

CS

Depressed dissolved oxygen in water

Four mi stretch of Kirby Creek running upstream from confluence with Fish Creek in Grand Prairie, Dallas Co., to just upstream of Great Southwest Parkway in Arlington, Tarrant Co.

May 12, 2020 Page 71 of 196

SEG ID:08410 Mountain Creek

Four mi stretch of Mountain Creek running upstream from confluence with West Fork Trinity, to approximately 0.3 mi downstream of Mountain Creek Lake in Grand Prairie, Dallas Co.

<u>Parameter(s)</u> <u>Level of Concern</u>

Ammonia in water

O841O_01 Four mi stretch of Mountain Creek running upstream from confluence with West Fork Trinity, to approximately 0.3 mi downstream of Mountain Creek Lake in Grand Prairie, Dallas Co.

Parameter(s) Level of Concern

Bacteria in water (Recreation Use)

Four mi stretch of Mountain Creek running upstream from confluence with West Fork Trinity, to approximately 0.3 mi downstream of Mountain Creek Lake in Grand Prairie, Dallas Co.

Parameter(s) Level of Concern

Chlorophyll-a in water

Four mi stretch of Mountain Creek running upstream from confluence with West Fork Trinity, to approximately 0.3 mi downstream of Mountain Creek Lake in Grand Prairie, Dallas Co.

SEG ID: 0841T Village Creek

A 7 mi stretch of Village Creek running upstream from confluence with West Fork Trinity River to SH 303 approx. 0.75 mi downstream of Lake Arlington.

<u>Parameter(s)</u> <u>Level of Concern</u>

Bacteria in water (Recreation Use)

CN

CS

CS

CN

CS

0841T_01 A 7 mi stretch of Village Creek running upstream from confluence with West Fork Trinity River to SH 303 approx. 0.75 mi downstream of Lake Arlington.

SEG ID:0901A Cary Bayou

From the confluence with Cedar Bayou Tidal to 0.8 km upstream of East Archer Rd

Parameter(s) Level of Concern

Depressed dissolved oxygen in water

0901A 01 From the confluence with Cedar Bayou Tidal to 0.8 km upstream of East Archer Rd

SEG ID: 0902 Cedar Bayou Above Tidal

From a point 2.2 km (1.4 mi) upstream of IH 10 in Chambers/Harris County to a point 7.4 km (4.6 mi) upstream of FM 1960 in Liberty County

<u>Parameter(s)</u> <u>Level of Concern</u>

Impaired macrobenthic community in water

CN

0902_01 From a point 2.2 km (1.4 miles) upstream of IH 10 to a point 7.4 km (4.6 miles) upstream of FM 1960

May 12, 2020 Page 72 of 196

SEG ID:0902A Adlong Ditch

From the confluence of Cedar Bayou Above Tidal to the intersection of Stroker Rd and Ramsey Rd

Parameter(s) Level of Concern

Ammonia in water

0902A 01 From the confluence of Cedar Bayou Above Tidal to the intersection of Stroker Rd and Ramsey Rd

SEG ID: 1002A Tarkington Bayou

From the Luce Bayou confluence upstream to a point just upstream of FM 2025 in Liberty

Parameter(s) Level of Concern

Depressed dissolved oxygen in water

1002A 01 From the Luce Bayou confluence upstream to the Little Tarkington Bayou confluence near the City of Cleveland

Parameter(s) Level of Concern CS

Nitrate in water

1002A_01 From the Luce Bayou confluence upstream to the Little Tarkington Bayou confluence near the City of Cleveland

Parameter(s) Level of Concern

Total Phosphorus in water

CS

1002A 01 From the Luce Bayou confluence upstream to the Little Tarkington Bayou confluence near the City of Cleveland

SEG ID: 1003A Winters Bayou

From the confluence with East Fork San Jacinto River to 0.17 mi upstream of Dorrell Road at the confluence of Phelps creek.

Parameter(s) Level of Concern

Bacteria in water (Recreation Use)

From the confluence with East Fork San Jacinto River to 0.17 mi upstream of Dorrell Road at 1003A 01 the confluence of Phelps creek.

SEG ID: 1004 West Fork San Jacinto River

From the confluence of Spring Creek in Harris/Montgomery County to Conroe Dam in Montgomery County

Parameter(s) Level of Concern

Impaired macrobenthic community in water

1004 01

CN

1004 02 From the Stewart Creek confluence upstream to the Lake Conroe Dam

Parameter(s) Level of Concern CS

Nitrate in water

From the Spring Creek confluence upstream to the Stewart Creek confluence

Page 73 of 196 May 12, 2020

SEG ID: 1005 Houston Ship Channel/San Jacinto River Tidal From the confluence with Galveston Bay at Morgan's Point in Harris/Chambers County to a point 100 meters (110 yards) downstream of IH 10 in Harris County Parameter(s) Nitrate in water CS 1005_01 Downstream I-10 to Lynchburg Ferry Road 1005_02 Lynchburg Ferry Road to Goose Island 1005_03 Goose Island to SH 146

May 12, 2020 Page 74 of 196

	From the confluence with the San Jacinto River in Harri upstream of Greens Bayou in Harris County, including	
<u>Parameter(s</u> Chlorophyll		<u>Level of Concern</u> <mark>CS</mark>
1006_04	Patrick Bayou Tidal - From the confluence with the Hou upstream of the railroad bridge	uston Ship Channel to 100 m (328 ft)
1006_07	Carpenters Bayou-From the Houston Ship Channel cont 1006B (2.3 m/ 1.4 mi) upstream from the Houston Ship	
Parameter(s		<u>Level of Concern</u>
DDD in sedi		CS
1006_03	Greens Bayou Tidal- From the Houston Ship Channel coupstream of the Halls Bayou confluence	onfluence to a point 0.7 km (0.4 mi)
<u>Parameter(s</u> DDT in sed i		<u>Level of Concern</u> CS
1006_03	Greens Bayou Tidal- From the Houston Ship Channel or upstream of the Halls Bayou confluence	onfluence to a point 0.7 km (0.4 mi)
Parameter(s		<u>Level of Concern</u>
	butadiene (HCBD) in sediment	CS
1006_04	Patrick Bayou Tidal - From the confluence with the Hou upstream of the railroad bridge	uston Ship Channel to 100 m (328 ft)
<u>Parameter(s</u> Mercury in		<u>Level of Concern</u> CS
1006_04	Patrick Bayou Tidal - From the confluence with the Hou upstream of the railroad bridge	
Parameter(s	2	Level of Concern
Nitrate in w	rater	CS
1006_01	Houston Ship Channel Tidal-From the Greens Bayou co confluence	onfluence to the Patrick Bayou
1006_02	Houston Ship Channel Tidal- From the Patrick Bayou of Channel/San Jacinto River Tidal (1005) confluence	onfluence to the Houston Ship
1006_03	Greens Bayou Tidal- From the Houston Ship Channel or upstream of the Halls Bayou confluence	
1006_04	Patrick Bayou Tidal - From the confluence with the Hou upstream of the railroad bridge	uston Ship Channel to 100 m (328 ft)
1006_05	Goodyear Creek-From confluence with Greens Bayou T	Cidal to Granada St. in Harris County
1006_06	Tucker Bayou- From the Houston Ship Channel conflue upstream	ence to a point 2.7 km (1.7 mi)
1006_07	Carpenters Bayou-From the Houston Ship Channel contained (2.3 m/ 1.4 mi) upstream from the Houston Ship	
Parameter(s		<u>Level of Concern</u>
PCBs in edi	ble tissue	CS
1006_01	Houston Ship Channel Tidal-From the Greens Bayou co confluence	onfluence to the Patrick Bayou
1006_02	Houston Ship Channel Tidal- From the Patrick Bayou of Channel/San Jacinto River Tidal (1005) confluence	onfluence to the Houston Ship
1006_03	Greens Bayou Tidal- From the Houston Ship Channel co	onfluence to a point 0.7 km (0.4 mi)

May 12, 2020 Page 75 of 196

SEG ID: 1006	Houston Ship Channel Tidal From the confluence with the San Jacinto River in Harris County to a point immediately upstream of Greens Bayou in Harris County, including tidal portions of tributaries
1006_04	Patrick Bayou Tidal - From the confluence with the Houston Ship Channel to 100 m (328 ft) upstream of the railroad bridge
1006_05	Goodyear Creek-From confluence with Greens Bayou Tidal to Granada St. in Harris County
1006_06	Tucker Bayou- From the Houston Ship Channel confluence to a point 2.7 km (1.7 mi) upstream
1006_07	Carpenters Bayou-From the Houston Ship Channel confluence to the lower boundary of 1006B (2.3 m/ 1.4 mi) upstream from the Houston Ship Channel confluence)
Parameter(s)	<u>Level of Concern</u>
Total Phospho	orus in water CS
1006_03	Greens Bayou Tidal- From the Houston Ship Channel confluence to a point 0.7 km (0.4 mi) upstream of the Halls Bayou confluence
1006_04	Patrick Bayou Tidal - From the confluence with the Houston Ship Channel to 100 m (328 ft) upstream of the railroad bridge
1006_05	Goodyear Creek-From confluence with Greens Bayou Tidal to Granada St. in Harris County

SEC I	D-1006F	R Carnenters	Ravou

Perennial stream from 9.0 km upstream of Houston Ship Channel up to Sheldon Reservoir

	1 cremmar succam from 7.0 km apsucam of frousion	Simp chainter up to sherdon reconvoli	
Parameter(s)		<u>Level of Concern</u>	
Ammonia in	water	CS	
1006B_01	Perennial stream from 9.0 km upstream of Houston Ship Channel up to 0.8 km upstream of Wallisville Road, per WQS App D first entry		
Parameter(s)		<u>Level of Concern</u>	
Nitrate in wa	trate in water CS		
1006B_01	Perennial stream from 9.0 km upstream of Houston Wallisville Road, per WQS App D first entry	nnial stream from 9.0 km upstream of Houston Ship Channel up to 0.8 km upstream of isville Road, per WQS App D first entry	
Parameter(s)		<u>Level of Concern</u>	
Total Phosph	orus in water	CS	
1006B_01	Perennial stream from 9.0 km upstream of Houston Ship Channel up to 0.8 km upstream of Wallisville Road, per WQS App D first entry		

May 12, 2020 Page 76 of 196

SEG ID:1006	5D Halls Bayou From the Greens Payou confluence unstream to Friel Peed in I	Jamis County
	From the Greens Bayou confluence upstream to Frick Road in I	iairis County
Parameter(s)		<u>Level of Concern</u>
Ammonia in	water	CS
1006D_02	From US 59 upstream to Frick Road	
Parameter(s)		Level of Concern
Nitrate in wa	ater	CS
1006D_01	From the Greens Bayou confluence upstream to US 59	
1006D_02	From US 59 upstream to Frick Road	
Parameter(s)		Level of Concern
Total Phospl	norus in water	CS
1006D_01	From the Greens Bayou confluence upstream to US 59	
1006D 02	From US 59 upstream to Frick Road	

SEG ID: 1006F Big Gulch Above Tidal

From the confluence with Greens Bayou Tidal to Wallisville Road in Harris County

Parameter(s)Level of ConcernNitrate in waterCS

1006F_01 From the confluence with Greens Bayou Tidal to Wallisville Road in Harris County

May 12, 2020 Page 77 of 196

CEC ID. 100	07 Hanston Chin Channel/Duffele Davier Tidel	
SEGID: 100	67 Houston Ship Channel/Buffalo Bayou Tidal From a point immediately upstream of Greens Bayou in Harris County to a point 100 meters (110 yards) upstream of US 59 in Harris County, including tidal portion of tributaries	
<u>Parameter(s,</u>		
Ammonia in		
1007_01	Houston Ship Channel - From a point immediately upstream of Greens Bayou Tidal to immediately upstream of the 69th Street WWTP outfall	
1007_02	Sims Bayou Tidal - From the Houston Ship Channel confluence to a point 11 km (6.8 mi) upstream	
1007_03	Hunting Bayou Tidal - From the Houston Ship Channel confluence to IH-10	
1007_04	Brays Bayou Tidal - From the Houston Ship Channel confluence to downstream of IH-45	
1007_05	Vince Bayou Tidal - From the Houston Ship Channel confluence to SH 225	
1007_07	Buffalo Bayou - From immediately upstream of 69th Street WWTP outfall to US 59	
1007_08	Little Vince Bayou Tidal - From the Vince Bayou confluence to SH 225	
Parameter(s,		
Nitrate in w	vater CS	
1007_01	Houston Ship Channel - From a point immediately upstream of Greens Bayou Tidal to immediately upstream of the 69th Street WWTP outfall	
1007_02	Sims Bayou Tidal - From the Houston Ship Channel confluence to a point 11 km (6.8 mi) upstream	
1007_03	Hunting Bayou Tidal - From the Houston Ship Channel confluence to IH-10	
1007_04	Brays Bayou Tidal - From the Houston Ship Channel confluence to downstream of IH-45	
1007_05	Vince Bayou Tidal - From the Houston Ship Channel confluence to SH 225	
1007_06	Berry Bayou - From the Houston Ship Channel confluence to a point 2.4 km (1.5 mi) upstream of the Sims Bayou confluence	
1007_07	Buffalo Bayou - From immediately upstream of 69th Street WWTP outfall to US 59	
1007_08	Little Vince Bayou Tidal - From the Vince Bayou confluence to SH 225	
<u>Parameter(s)</u> Total Phosp	<u>Level of Concern</u> Shorus in water CS	
1007_01	Houston Ship Channel - From a point immediately upstream of Greens Bayou Tidal to immediately upstream of the 69th Street WWTP outfall	
1007_02	Sims Bayou Tidal - From the Houston Ship Channel confluence to a point 11 km (6.8 mi) upstream	
1007_04	Brays Bayou Tidal - From the Houston Ship Channel confluence to downstream of IH-45	
1007_05	Vince Bayou Tidal - From the Houston Ship Channel confluence to SH 225	
1007_06	Berry Bayou - From the Houston Ship Channel confluence to a point 2.4 km (1.5 mi) upstream of the Sims Bayou confluence	
1007_07	Buffalo Bayou - From immediately upstream of 69th Street WWTP outfall to US 59	
1007_08	Little Vince Bayou Tidal - From the Vince Bayou confluence to SH 225	

May 12, 2020 Page 78 of 196

SEG ID:1007A Canal C-147

From the confluence with Sims Bayou to a point 0.71 km east of Beltway 8 in Houston

<u>Parameter(s)</u> <u>Level of Concern</u>

Nitrate in water CS

1007A_01 From the confluence with Sims Bayou upstream to a point 0.71 km east of Beltway 8

<u>Parameter(s)</u> <u>Level of Concern</u>

Total Phosphorus in water

1007A 01 From the confluence with Sims Bayou upstream to a point 0.71 km east of Beltway 8

SEG ID: 1007B Brays Bayou Above Tidal

From a point 11.5 km (7.1 mi) upstream of confluence with Houston Ship Channel up to SH 6

CS

CS

<u>Parameter(s)</u> <u>Level of Concern</u>

Ammonia in water CS

1007B_01 From a point 11.5 km (7.1 mi) upstream of confluence with Houston Ship Channel up to SH 6

1007B 02 From State Highway 6 upstream to Clodine Road

<u>Parameter(s)</u> <u>Level of Concern</u>

Nitrate in water CS

1007B 01 From a point 11.5 km (7.1 mi) upstream of confluence with Houston Ship Channel up to SH 6

1007B_02 From State Highway 6 upstream to Clodine Road

<u>Parameter(s)</u> <u>Level of Concern</u>

Total Phosphorus in water

From a point 11.5 km (7.1 mi) upstream of confluence with Houston Ship Channel up to SH 6

1007B 02 From State Highway 6 upstream to Clodine Road

SEG ID: 1007C Keegans Bayou Above Tidal

From the Brays Bayou confluence upstream to Harris County line

<u>Parameter(s)</u> <u>Level of Concern</u>

Nitrate in water CS

1007C_01 From the Brays Bayou confluence to the Harris County Line

Parameter(s) Level of Concern

Total Phosphorus in water

1007C_01 From the Brays Bayou confluence to the Harris County Line

May 12, 2020 Page 79 of 196

SEG ID:1007I	Psims Bayou Above Tidal Perennial stream from 11.0 km upstream of confluence with Houston Ship Channel upstream to Hiram Clark Drive		
Parameter(s)	Level of Concern		
Ammonia in v	vater CS		
1007D_02	From Hiram Clark to 11 miles upstream of the confluence with the Houston Ship Channel		
1007D_03	From 11 miles upstream of the Houston Ship Channel confluence to SH 35		
Parameter(s)	<u>Level of Concern</u>		
Nitrate in wat	Nitrate in water CS		
1007D_01	From Fort Bend Parkway to Hiram Clarke		
1007D_02	From Hiram Clark to 11 miles upstream of the confluence with the Houston Ship Channel		
1007D_03	From 11 miles upstream of the Houston Ship Channel confluence to SH 35		
Parameter(s)	<u>Level of Concern</u>		
Total Phospho	Total Phosphorus in water CS		
1007D_01	From Fort Bend Parkway to Hiram Clarke		
1007D_02	From Hiram Clark to 11 miles upstream of the confluence with the Houston Ship Channel		
1007D_03	From 11 miles upstream of the Houston Ship Channel confluence to SH 35		

SEG ID: 1007F Berry	v Ravou Above Tidal
SEG ID. IUU/I DEII	y Dayou Above Huai

From a point 2.4 km (1.5 mi) upstream of the Sims Bayou confluence to the southern city limits of South Houston

Level of Concern Parameter(s)

Ammonia in water **CS**

1007F 01 From a point 2.4 km (1.5 mi) upstream of the Sims Bayou confluence to SH 3

Parameter(s) Level of Concern

Nitrate in water CS

1007F 01 From a point 2.4 km (1.5 mi) upstream of the Sims Bayou confluence to SH 3

Parameter(s) Level of Concern

Total Phosphorus in water CS

1007F 01 From a point 2.4 km (1.5 mi) upstream of the Sims Bayou confluence to SH 3

SEG ID:1007G Kuhlman Gully Above Tidal

From Brays Bayou confluence to Atchison, Topeka and Santa Fe Railroad tracks in Harris County

Parameter(s) Level of Concern **CS**

Depressed dissolved oxygen in water

1007G_01 From Brays Bayou confluence to Atchison, Topeka and Santa Fe Railroad tracks

May 12, 2020 Page 80 of 196

SEG ID:1007H Pine Gully Above Tidal

From the Sims Bayou confluence to 0.11 km (0.07 mi) east of Broadway Street in Harris County

CS

CS

CS

<u>Parameter(s)</u> <u>Level of Concern</u>

Ammonia in water

1007H 01 From the Sims Bayou confluence to 0.11 km (0.07 mi) east of Broadway Street

<u>Parameter(s)</u> <u>Level of Concern</u>

Depressed dissolved oxygen in water

1007H 01 From the Sims Bayou confluence to 0.11 km (0.07 mi) east of Broadway Street

SEG ID: 1007I Plum Creek Above Tidal

From the Sims Bayou confluence to Telephone Road in Harris County

Parameter(s) Level of Concern

Ammonia in water CS

1007I 01 From the Sims Bayou confluence to Telephone Road in Harris County

SEG ID:1007K Country Club Bayou Above Tidal

From just downstream of South Lockwood Drive to the confluence with Brays Bayou to approximately 0.5 mi upstream of North Wayside Drive in Harris County

<u>Parameter(s)</u> <u>Level of Concern</u>

Depressed dissolved oxygen in water

1007K 01 From just downstream of South Lockwood Drive to the confluence with Brays Bayou

SEG ID: 1007L Unnamed Tributary of Brays Bayou

From the Brays Bayou confluence near Fondren Road to a point 0.97 km (0.60 mi) upstream in Harris County

<u>Parameter(s)</u> <u>Level of Concern</u>

Nitrate in water

From the Brays Bayou confluence near Fondren Road to a point (0.37 km) 0.60 mi upstream in Harris County

SEG ID: 1007N Unnamed Tributary of Sims Bayou

From the confluence with Sims Bayou, south of Airport Road, east of SH 288 in Harris County

<u>Parameter(s)</u> <u>Level of Concern</u>

Ammonia in water

From the confluence with Sims Bayou, south of Airport Road, east of SH 288 in Harris County

<u>Parameter(s)</u> <u>Level of Concern</u>

Depressed dissolved oxygen in water

1007N_01 From the confluence with Sims Bayou, south of Airport Road, east of SH 288 in Harris County

May 12, 2020 Page 81 of 196

SEG ID:1007R Hunting Bayou Above Tidal From the confluence with Hunting Bayou Tidal at IH-10 to Maury Street on the north fork and Bain Street on the south fork		
<u>Parameter(s)</u>		<u>Level of Concern</u>
Ammonia in	water	CS
1007R_01	From Bain Street to Sayers Street (South Fork)	
Parameter(s)		Level of Concern
Depressed di	ssolved oxygen in water	CS
1007R_01	From Bain Street to Sayers Street (South Fork)	
1007R_02	From just east of Elysian Street to Falls Street (North Fork)	
1007R_04	From Loop 610 East to IH 10	
Parameter(s)		Level of Concern
Nitrate in wa	nter	CS

SEC	ID: 10	270	Poor For	m Ditch
	117: 14	111/17	FOOT FAI	111 1711611

From the Brays Bayou confluence upstream 3.6 km (2.3 mi) to the Bissonnet Road bridge crossing

<u>Parameter(s)</u> <u>Level of Concern</u>

Nitrate in water

1007S 01

1007R 03

1007R 04

From the Brays Bayou confluence upstream 3.6 km (2.3 mi) to the Bissonnet Road bridge

crossing

<u>Parameter(s)</u> <u>Level of Concern</u>

Total Phosphorus in water

1007S_01 From the Brays Bayou confluence upstream 3.6 km (2.3 mi) to the Bissonnet Road bridge

crossing

SEG ID:1007WHarris County Flood Control Ditch D 138

From Falls Street to Loop 610

From Loop 610 East to IH 10

From the confluence with Brays Bayou to a point immediately south of Beechnut Street in Houston

CS

Parameter(s) Level of Concern

Ammonia in water

1007W_01 From the confluence with Brays Bayou to a point immediately south of Beechnut Street in Houston

<u>Parameter(s)</u> <u>Level of Concern</u>

Depressed dissolved oxygen in water

1007W_01 From the confluence with Brays Bayou to a point immediately south of Beechnut Street in

Houston

May 12, 2020 Page 82 of 196

SEG ID: 1008 Spring Creek

From the confluence with the West Fork of the San Jacinto River in Harris/Montgomery County to the confluence with Kickapoo Creek in Harris/Waller County

CN

CS

CS

Parameter(s) Level of Concern

Impaired fish community in water

1008 02 Kickapoo Creek confluence to SH 249

Parameter(s) Level of Concern

Nitrate in water

IH 45 to the confluence with Lake Houston

Parameter(s) Level of Concern

Total Phosphorus in water

1008 04

1008 04 IH 45 to the confluence with Lake Houston

SEG ID: 1008A Mill Creek

From the confluence of Spring Creek upstream to where the creek splits between Hurricane Creek and Kickapoo Creek.

Parameter(s) Level of Concern **CN**

Bacteria in water (Recreation Use)

From the confluence of Spring Creek upstream to where the creek splits between Hurricane 1008A 01 creek and Kickapoo creek.

SEG ID: 1008B Upper Panther Branch

From the normal pool elevation of 125 feet of Lake Woodlands upstream to Old Conroe Road

Parameter(s) Level of Concern

Cadmium in water **CN**

1008B 01 From Old Conroe Road to a point 0.22 mi (0.35 km) upstream of the Bear Branch confluence

Parameter(s) Level of Concern

Nitrate in water **CS**

1008B 01 From Old Conroe Road to a point 0.22 mi (0.35 km) upstream of the Bear Branch confluence

Parameter(s) Level of Concern

Total Phosphorus in water CS

1008B 01 From Old Conroe Road to a point 0.22 mi (0.35 km) upstream of the Bear Branch confluence

Page 83 of 196 May 12, 2020

SEG ID: 1008C Lower Panther Branch

From the Spring Creek confluence upstream to the dam impounding Lake Woodlands in Montgomery County

CS

CS

CS

CS

<u>Parameter(s)</u> <u>Level of Concern</u>

Nitrate in water

1008C 01

From Spring Creek confluence upstream to Saw Dust Road

Parameter(s) Level of Concern

Total Phosphorus in water

1008C 01 From Spring Creek confluence upstream to Saw Dust Road

1008C 02 From Saw Dust Road to the Lake Woodlands Dam

SEG ID: 1008F Lake Woodlands

From Lake Woodlands Dam to confluence with Upper Panther Branch Creek in Montgomery

County (impounds Upper Panther Branch)

<u>Parameter(s)</u> <u>Level of Concern</u>

Depressed dissolved oxygen in water

1008F 01 Upper end of segment to Northshore Park/Woodlock Forest

SEG ID:1008H Willow Creek

From the Spring Creek confluence to a point 0.48 km (0.3 mi) north of Juergen Rd

<u>Parameter(s)</u> <u>Level of Concern</u>

Nitrate in water CS

1008H_01 From the Spring Creek confluence to a point 0.48 km (0.3 mi) north of Juergen Rd

Parameter(s) Level of Concern

Total Phosphorus in water

1008H 01 From the Spring Creek confluence to a point 0.48 km (0.3 mi) north of Juergen Rd

May 12, 2020 Page 84 of 196

SEG ID: 10	09 Cypress Creek From the confluence with Spring Creek in Harris County to the and Mound Creek in Waller County	confluence of Snake Creek
Parameter(s	•	Level of Concern
	z lissolved oxygen in water	CS
1009_01	Upper portion of segment to downstream of US 290	
Parameter(s	<u> </u>	Level of Concern
Impaired h	abitat in water	CS
1009_02	US 290 to SH 249	
Parameter(s	2)	Level of Concern
Nitrate in w	vater	CS
1009_01	Upper portion of segment to downstream of US 290	
1009_02	US 290 to SH 249	
1009_03	SH 249 to IH 45	
1009_04	IH 45 to confluence with Spring Creek	
Parameter(s	<u>:)</u>	Level of Concern
Total Phosp	ohorus in water	CS
1009_01	Upper portion of segment to downstream of US 290	
1009_02	US 290 to SH 249	
1009_03	SH 249 to IH 45	
1009_04	IH 45 to confluence with Spring Creek	

SEG ID:1009	C Faulkey Gully From Cypress Creek confluence with upstream 3.2 km (2.0 mi), km upstream of Louetta Road	which is approximately 1.0
Parameter(s)		Level of Concern
Nitrate in wa	ter	CS
1009C_01	From the Cypress Creek confluence to a point 11.7 km (7.2 mi) v	ıpstream
Parameter(s)		Level of Concern
Total Phosph	orus in water	CS
1009C_01	From the Cypress Creek confluence to a point 11.7 km (7.2 mi) v	ıpstream

SEG ID:1009	D Spring Gully From the Cypress Creek confluence upstream to near Spring	g Cypress Road
<u>Parameter(s)</u> Nitrate in wa	tou	<u>Level of Concern</u>
1009D_01	From the Cypress Creek confluence upstream to near Spring	g Cypress Road
Parameter(s)		<u>Level of Concern</u>
Total Phosph	orus in water	CS
1009D_01	From the Cypress Creek confluence upstream to near Spring	g Cypress Road

May 12, 2020 Page 85 of 196

SEG ID: 1009E Little Cypress Creek

From the Cypress Creek confluence to a point 11 km (6.8 mi) upstream in Harris County

Parameter(s) Level of Concern

Nitrate in water

CS

1009E 01 From the Cypress Creek confluence to a point 11 km (6.8 mi) upstream

Parameter(s) Level of Concern

Total Phosphorus in water

CS

1009E 01 From the Cypress Creek confluence to a point 11 km (6.8 mi) upstream

SEG ID: 1011 Peach Creek

From the confluence with Caney Creek in Montgomery County to SH 150 in Walker County

Level of Concern Parameter(s) CS

Impaired habitat in water

1011 02 US Hwy 59 to confluence with Caney Creek

SEG ID: 1013 Buffalo Bayou Tidal

From a point 100 meters (110 yards) upstream of US 59 in Harris County to a point 400 meters (440 yards) upstream of Shepherd Drive in Harris County

Parameter(s) Level of Concern

Nitrate in water

1013_01 From a point immediately upstream of US 59 to a point immediately upstream of Shepard Drive

Level of Concern Parameter(s)

Total Phosphorus in water

1013 01 From a point immediately upstream of US 59 to a point immediately upstream of Shepard

SEG ID: 1013A Little White Oak Bayou

From the White Oak Bayou confluence to Yale Street in Harris County

Level of Concern Parameter(s)

Impaired macrobenthic community in water

1013A 01 From the confluence of White Oak Bayou upstream to the RR Tracks north of IH 610

SEG ID:1013C Unnamed Non-Tidal Tributary of Buffalo Bayou Tidal

Located approximately 1.8 mi upstream of the Buffalo Bayou/White Oak Bayou confluence between IH-10 and Memorial Drive west of IH-45 in Harris County

Parameter(s) Level of Concern Depressed dissolved oxygen in water **CS**

1013C 01 Located approximately 1.8 mi upstream of the Buffalo Bayou/White Oak Bayou confluence between IH-10 and Memorial Drive west of IH-45 in Harris County

May 12, 2020 Page 86 of 196

SEG ID: 1014 Buffalo Bayou Above Tidal

From a point 400 meters (440 yards) upstream of Shepherd Drive in Harris County to SH 6 in Harris County

<u>Parameter(s)</u> <u>Level of Concern</u>

Nitrate in water

CS

From a point immediately upstream of Shepherd Drive upstream to SH 6

Parameter(s) Level of Concern

Total Phosphorus in water

CS

From a point immediately upstream of Shepherd Drive upstream to SH 6

SEG ID: 1014A Bear Creek

Perennial stream from the confluence with South Mayde Creek upstream to the confluence with an unnamed tributary 1.24 km north of Longenbaugh Road

<u>Parameter(s)</u> <u>Level of Concern</u>

Ammonia in water

CS

1014A_01 Confluence with South Mayde Creek to a point upstream of an unnamed tributary north of Langenbaugh Road

Parameter(s) <u>Level of Concern</u>

Nitrate in water

CS

1014A_01 Confluence with South Mayde Creek to a point upstream of an unnamed tributary north of Langenbaugh Road

<u>Parameter(s)</u> <u>Level of Concern</u>

Total Phosphorus in water

CS

1014A_01 Confluence with South Mayde Creek to a point upstream of an unnamed tributary north of Langenbaugh Road

SEG ID: 1014B Buffalo Bayou/Barker Reservoir

Perennial stream from SH 6 in Harris County upstream to the confluence with Willow Fork Buffalo Bayou in Fort Bend County

Parameter(s)

Nitrate in water

Level of Concern

CS

1014B 01 From SH 6 to the confluence with Willow Fork Buffalo Bayou

<u>Parameter(s)</u> <u>Level of Concern</u>

Total Phosphorus in water

CS

1014B 01 From SH 6 to the confluence with Willow Fork Buffalo Bayou

May 12, 2020 Page 87 of 196

SEG ID: 1014C Horsepen Creek

From the Langham Creek confluence upstream to a point 0.1 km (0.06 mi) west of Barker Cypress Road

Parameter(s) Level of Concern CS

Ammonia in water

1014C 01 From the Langham Creek confluence upstream to where channelization begins, 0.62 km (0.39 mi) north of FM 529

Parameter(s) Level of Concern

Nitrate in water

1014C_01

From the Langham Creek confluence upstream to where channelization begins, 0.62 km (0.39

CS

CS

mi) north of FM 529 Level of Concern

Parameter(s)

Total Phosphorus in water

1014C 01 From the Langham Creek confluence upstream to where channelization begins, 0.62 km (0.39 mi) north of FM 529

SEG ID: 1014E Langham Creek

From the Dinner Creek confluence upstream to FM 529

Parameter(s) Level of Concern

Ammonia in water CS

1014E 01 From the Bear Creek confluence upstream to the Dinner Creek confluence

Parameter(s) Level of Concern

Nitrate in water **CS**

1014E 01 From the Bear Creek confluence upstream to the Dinner Creek confluence

Parameter(s) Level of Concern

Total Phosphorus in water

1014E 01 From the Bear Creek confluence upstream to the Dinner Creek confluence

Page 88 of 196 May 12, 2020

SEG ID:1014H South Mayde Creek Perennial stream in the Addicks Reservoir flood pool area from the confluence with Buffalo Bayou upstream to the confluence with an unnamed tributary 1.05 km south of Clay Road Level of Concern Parameter(s) Ammonia in water CS 1014H 01 Perennial stream in the Addicks Reservoir flood pool area from the confluence with Buffalo Bayou upstream to the confluence with an unnamed tributary 1.3 km (0.8 mi) west of Barker-Cypress Road Parameter(s) Level of Concern Depressed dissolved oxygen in water 1014H 01 Perennial stream in the Addicks Reservoir flood pool area from the confluence with Buffalo Bayou upstream to the confluence with an unnamed tributary 1.3 km (0.8 mi) west of Barker-Cypress Road Parameter(s) Level of Concern Nitrate in water CS 1014H 01 Perennial stream in the Addicks Reservoir flood pool area from the confluence with Buffalo Bayou upstream to the confluence with an unnamed tributary 1.3 km (0.8 mi) west of Barker-Cypress Road 1014H_02 Perennial stream from the confluence with an unnamed tributary 1.3 km west of Barker-Cypress Road upstream to an unnamed tributary 1.05 km south of Clay Road Parameter(s) Level of Concern **Total Phosphorus in water** 1014H 01 Perennial stream in the Addicks Reservoir flood pool area from the confluence with Buffalo Bayou upstream to the confluence with an unnamed tributary 1.3 km (0.8 mi) west of Barker-Cypress Road

SEG ID:1014K Turkey Creek

1014H_02

From the South Mayde Creek confluence upstream to FM 529, 1.1 km (0.68 mi) directly east of N. Eldridge Pkwy in Harris County

Parameter(s) Level of Concern Nitrate in water CS

Perennial stream from the confluence with an unnamed tributary 1.3 km west of Barker-Cypress Road upstream to an unnamed tributary 1.05 km south of Clay Road

1014K 01 Perennial stream from the confluence with South Mayde Creek upstream to a point 0.16 km (0.1 mi) south of Clay Road

SEG ID: 1014L Mason Creek

Total Phosphorus in water

From the Buffalo Bayou confluence upstream to Mason Road upstream to 0.32 km (0.2 mi) east of Katyland Drive

CS

Parameter(s) Level of Concern Nitrate in water **CS**

1014L 01 From the Buffalo Bayou confluence upstream to Mason Road

Level of Concern

Parameter(s)

1014L 01 From the Buffalo Bayou confluence upstream to Mason Road

Page 89 of 196 May 12, 2020

SEG ID: 1014N Rummel Creek

From the Buffalo Bayou Above Tidal confluence to 1.2 km (0.75 mi) upstream of IH-10 in Harris County

Parameter(s)

Level of Concern

Depressed dissolved oxygen in water

CS

1014N 01 From the Buffalo Bayou Above Tidal confluence to 1.2 km (0.75 mi) upstream of IH-10

SEG ID:1014O Spring Branch

From Buffalo Bayou Above Tidal confluence to 1.4 km (0.87 mi) upstream of Long Point Road in Harris County

Parameter(s)

Level of Concern

Depressed dissolved oxygen in water

CS

1014O_01 From Buffalo Bayou Above Tidal confluence to 1.4 km (0.87 mi) upstream of Long Point Road in Harris County

SEG ID: 1015 Lake Creek

From the confluence with the West Fork San Jacinto River in Montgomery County to a point 4.0 km (2.5 mi) upstream of SH 30 in Grimes County

<u>Parameter(s)</u> <u>Level of Concern</u>

Depressed dissolved oxygen in water

CS

1015_02 From the Landrum Creek confluence upstream to a point 4.0 km (2.5 mi) upstream of State Hwy 30

<u>Parameter(s)</u> <u>Level of Concern</u>

Impaired macrobenthic community in water

CN

From the West Fork of the San Jacinto River confluence upstream to the Landrum Creek confluence

May 12, 2020 Page 90 of 196

SEG ID: 101	6 Greens Bayou Above Tidal From a point 0.7 km (0.4 mi) above the confluence of Halls Ba point 100 meters (110 yards) above FM 1960 in Harris County	you in Harris County to a
Parameter(s)		<u>Level of Concern</u>
Ammonia in	water	CS
1016_02	IH 45 to US 59	
Parameter(s)		Level of Concern
Nitrate in wa	ater	CS
1016_01	Upper segment boundary (FM 1960) to IH 45	
1016_02	IH 45 to US 59	
1016_03	From US 59 to the downstream boundary 0.7 km (0.4 mi) upstr confluence	ream of the Halls Bayou
Parameter(s)		Level of Concern
Total Phospl	norus in water	CS
1016_01	Upper segment boundary (FM 1960) to IH 45	
1016_02	IH 45 to US 59	
1016_03	From US 59 to the downstream boundary $0.7~\mathrm{km}$ ($0.4~\mathrm{mi}$) upstream toonfluence	ream of the Halls Bayou

SEG ID:1016	A Garners Bayou From the confluence with Greens Bayou upstream to a point 0.89 k Clayton Parkway near Humble	m northeast of Will
Parameter(s)		Level of Concern
Bacteria in w	ater (Recreation Use)	CN
1016A_02	From the Williams Gully confluence upstream to 1.5km north of A	tascocita Road
Parameter(s)		Level of Concern
Nitrate in water CS		
1016A_02	From the Williams Gully confluence upstream to 1.5km north of A	tascocita Road
1016A_03	From the Greens Bayou confluence to the Williams Gully confluen	ce
Parameter(s)		Level of Concern
Total Phosphorus in water CS		
1016A_02	From the Williams Gully confluence upstream to 1.5km north of A	tascocita Road
1016A_03	From the Greens Bayou confluence to the Williams Gully confluen	ce

May 12, 2020 Page 91 of 196

SEG ID:1016C Unnamed Tributary of Greens Bayou

From the confluence with Greens Bayou, east of Aldine Westfield Road, to the Hardy Toll Road in Harris County

<u>Parameter(s)</u> <u>Level of Concern</u>

Nitrate in water

1016C 01

From the confluence with Greens Bayou, east of Aldine Westfield Road, to the Hardy Toll Road in Harris County

<u>Parameter(s)</u> <u>Level of Concern</u>

Total Phosphorus in water

From the confluence with Greens Bayou, east of Aldine Westfield Road, to the Hardy Toll Road in Harris County

SEG ID:1016D Unnamed Tributary of Greens Bayou

From the confluence with Greens Bayou, west of El Dorado Country Club, upstream to a point 85 m downstream of Crosswinds Drive, west of US Hwy 59 in Harris County

CS

Parameter(s) <u>Level of Concern</u>

Ammonia in water

From the confluence with Greens Bayou, west of El Dorado Country Club, upstream to a point 85 m downstream of Crosswinds Drive, west of US Hwy 59 in Harris County

<u>Parameter(s)</u> <u>Level of Concern</u>

Depressed dissolved oxygen in water

From the confluence with Greens Bayou, west of El Dorado Country Club, upstream to a point 85 m downstream of Crosswinds Drive, west of US Hwy 59 in Harris County

Parameter(s) Level of Concern

Total Phosphorus in water

From the confluence with Greens Bayou, west of El Dorado Country Club, upstream to a point 85 m downstream of Crosswinds Drive, west of US Hwy 59 in Harris County

SEG ID: 1017 Whiteoak Bayou Above Tidal

From a point immediately upstream of the confluence of Little White Oak Bayou in Harris County to a point $3.0~\mathrm{km}$ ($1.9~\mathrm{mi}$) upstream of FM $1960~\mathrm{in}$ Harris County

Parameter(s)Level of ConcernNitrate in waterCS

Huffmeister Rd to the confluence with Vogel Creek

1017 02 Vogel Creek to the Cole Creek confluence

1017 03 Cole Creek confluence to the Brickhouse Gully confluence

From Brickhouse Gully confluence to a point immediately upstream of the confluence of Little White Oak Bayou in Harris Co. (lower segment boundary).

Parameter(s)

Total Phosphorus in water

Level of Concern

CS

1017_01 Huffmeister Rd to the confluence with Vogel Creek

1017_02 Vogel Creek to the Cole Creek confluence

1017 03 Cole Creek confluence to the Brickhouse Gully confluence

From Brickhouse Gully confluence to a point immediately upstream of the confluence of Little White Oak Bayou in Harris Co. (lower segment boundary).

May 12, 2020 Page 92 of 196

SEG ID: 1017A Brickhouse Gully/Bayou

Perennial stream from the confluence with Whiteoak Bayou up to Gessner Road

Perennial stream from the confluence with Whiteoak Bayou up to Gessner Road

<u>Parameter(s)</u> <u>Level of Concern</u>

Nitrate in water CS

Parameter(s) Level of Concern

Total Phosphorus in water

1017A 01 Perennial stream from the confluence with Whiteoak Bayou up to Gessner Road

SEG ID: 1017B Cole Creek

1017A 01

Perennial stream from the confluence with White Oak Bayou up to south of Beltway 8

CS

<u>Parameter(s)</u> <u>Level of Concern</u>

Depressed dissolved oxygen in water CS

1017B 02 From Flintlock Street to confluence with White Oak Bayou

<u>Parameter(s)</u> <u>Level of Concern</u>

Nitrate in water CS

1017B 02 From Flintlock Street to confluence with White Oak Bayou

<u>Parameter(s)</u> <u>Level of Concern</u>

Total Phosphorus in water CS

1017B 02 From Flintlock Street to confluence with White Oak Bayou

SEG ID: 1017C Vogel Creek

From the White Oak Bayou Above Tidal confluence to a point 3.2 km (2.0 mi) upstream of the White Oak Bayou confluence to just south of State Hwy 249 in Harris County

<u>Parameter(s)</u> <u>Level of Concern</u>

Nitrate in water CS

1017C 01 From the White Oak Bayou confluence to a point 3.2 km (2.0 mi) upstream

Parameter(s) Level of Concern

Total Phosphorus in water CS

1017C 01 From the White Oak Bayou confluence to a point 3.2 km (2.0 mi) upstream

SEG ID: 1017F Rolling Fork Creek

From the White Oak Bayou Above Tidal confluence to a point 3.9 km (2.4 mi) upstream

Parameter(s) Level of Concern

Nitrate in water CS

From the White Oak Bayou Above Tidal confluence to a point 3.9 km (2.4 mi) upstream

Parameter(s) Level of Concern

Total Phosphorus in water

CS

1017F 01 From the White Oak Bayou Above Tidal confluence to a point 3.9 km (2.4 mi) upstream

May 12, 2020 Page 93 of 196

SEG ID: 11	01 Clear Creek Tidal From the Clear Lake confluence at a point 3.2 km (2.0 mi) down	nstream of El Camino Real in
	Galveston/Harris County to a point 100 m (110 yards) upstream	of FM528 in
D /	Galveston/Harris County	1 1 00
Parameter(s		<u>Level of Concern</u>
Chlorophyl	l-a in water	CS
1101_04	Cow Bayou confluence to confluence with Clear Lake	
Parameter(s	<u>)</u>	Level of Concern
Depressed of	lissolved oxygen in water	CS
1101_03	IH 45 to Cow Bayou confluence	
Parameter(s	<u>:)</u>	<u>Level of Concern</u>
Nitrate in w	vater	CS
1101_02	Chigger Creek confluence to IH 45	
1101_03	IH 45 to Cow Bayou confluence	
1101_04	Cow Bayou confluence to confluence with Clear Lake	
Parameter(s	<u>s)</u>	<u>Level of Concern</u>
Total Phosphorus in water CS		CS
1101_02	Chigger Creek confluence to IH 45	
1101_03	IH 45 to Cow Bayou confluence	

SEG ID:1101A Magnolia Creek From the Clear Creek Tidal confluence upstream to 0.8 km (0.5 mi) upstream of the confluence with the second unnamed tributary		
Parameter(s)		Level of Concern
Nitrate in wat	ter	CS
1101A_01	From the Clear Creek Tidal confluence upstream 7.7 km (4.8 mi)	
Parameter(s)		Level of Concern
Total Phosphorus in water CS		
1101A_01	From the Clear Creek Tidal confluence upstream 7.7 km (4.8 mi)	

SEG ID: 1101	C Cow Bayou From the Clear Creek Tidal confluence to SH 3 in Galveston County	
Parameter(s)		Level of Concern
Depressed di	ssolved oxygen in water	CS
1101C_01	From the Clear Creek Tidal confluence to SH3	

May 12, 2020 Page 94 of 196

SEG ID: 1101D Robinson Bayou

From confluence with Clear Creek to 0.33 mi upstream of Webster Street in Galveston County

Parameter(s) Level of Concern CS

Depressed dissolved oxygen in water

1101D 01 From headwater to Abilene St

1101D_02 From Abilene St. to confluence with Clear Creek Tidal

SEG ID: 1101F Unnamed Tributary of Clear Creek Tidal

From Clear Creek Tidal confluence to a point 7.8 km (4.8 mi) upstream (immediately downstream of I-45 in Galveston County)

CS

Parameter(s) Level of Concern

Depressed dissolved oxygen in water

1101F_01 From the Clear Creek Tidal confluence to a point 7.9 km (4.9 mi) upstream (immediately downstream of IH 45)

SEG ID: 1102 Clear Creek Above Tidal

From a point 100 meters (110 yards) unstream of FM 528 in Galveston/Harris County to

From a point 100 meters (110 yards) upstream of FM 528 in Galveston/Harris County to Rouen Road in Fort Bend County		veston/Harris County to
Parameter(s	s)	Level of Concern
Ammonia i	n water	CS
1102_02	SH 288 to Hickory Slough confluence	
1102_03	Hickory Slough confluence to Turkey Creek confluence	
Parameter(s	<u>s)</u>	Level of Concern
Depressed of	dissolved oxygen in water	CS
1102_05	Mary's Creek confluence to lower segment boundary	
Parameter(s	<u>s)</u>	Level of Concern
Impaired habitat in water		CS
1102_02	SH 288 to Hickory Slough confluence	
Parameter(s	<u>s)</u>	Level of Concern
Nitrate in v	vater	CS
1102_02	SH 288 to Hickory Slough confluence	
1102_03	Hickory Slough confluence to Turkey Creek confluence	
1102_04	Turkey Creek confluence to Mary's Creek confluence	
1102_05	Mary's Creek confluence to lower segment boundary	
Parameter(s		Level of Concern
Total Phosp	ohorus in water	CS
1102_02	SH 288 to Hickory Slough confluence	
1102_03	Hickory Slough confluence to Turkey Creek confluence	
1102_04	Turkey Creek confluence to Mary's Creek confluence	

May 12, 2020 Page 95 of 196

SEG ID: 1102A Cowart Creek

From the Clear Creek Above Tidal confluence in Galveston County to SH 35 in Brazoria County

Parameter(s) Level of Concern CS

Ammonia in water

1102A 02 Confluence with Clear Creek to Sunset Drive

SEG ID: 1102B Mary's Creek/ North Fork Mary's Creek

Perennial stream from the confl. with Clear Creek upstream to the confl. with N. and S. Fork Mary's Creek near FM 1128, approx. 5 km SW of Pearland. Includes perennial portions of N. Fork Mary's Creek from the confl. of Mary's Creek to the confl. with unn

CS

CS

CS

Parameter(s) Level of Concern

Nitrate in water

1102B_01 From the Clear Creek Above Tidal confluence upstream to the N. and S. Fork Mary's Creek near FM 1128

Parameter(s) Level of Concern

Total Phosphorus in water

1102B 01 From the Clear Creek Above Tidal confluence upstream to the N. and S. Fork Mary's Creek near FM 1128

SEG ID: 1102C Hickory Slough

From the Clear Creek Above Tidal confluence to a point 0.69 km (0.43 mi) upstream of Mykawa Road

Parameter(s) Level of Concern

Depressed dissolved oxygen in water

1102C_01 From the Clear Creek Above Tidal confluence to a point 0.69 km (0.43 mi) upstream of Mykawa Road

Page 96 of 196 May 12, 2020

SEG ID: 1102D Turkey Creek

From the Clear Creek Above Tidal confluence to a point 0.98 km (0.61 mi) upstream of Scarsdale Blvd

<u>Parameter(s)</u> <u>Level of Concern</u>

Ammonia in water

From the Clear Creek Above Tidal confluence to a point 0.98 km (0.61 mi) upstream of Scarsdale Blvd

<u>Parameter(s)</u> <u>Level of Concern</u>

Depressed dissolved oxygen in water

1102D_01 From the Clear Creek Above Tidal confluence to a point 0.98 km (0.61 mi) upstream of Scarsdale Blvd

<u>Parameter(s)</u> <u>Level of Concern</u>

Nitrate in water

From the Clear Creek Above Tidal confluence to a point 0.98 km (0.61 mi) upstream of Scarsdale Blvd

<u>Parameter(s)</u> <u>Level of Concern</u>

Total Phosphorus in water

From the Clear Creek Above Tidal confluence to a point 0.98 km (0.61 mi) upstream of Scarsdale Blvd

SEG ID: 1102E Mud Gully

From the Clear Creek Above Tidal confluence to a point $0.80~\mathrm{km}$ ($0.49~\mathrm{mi}$) downstream of Hughes Road

CS

<u>Parameter(s)</u> <u>Level of Concern</u>

Depressed dissolved oxygen in water

From the Clear Creek Above Tidal confluence to a point 0.80 km (0.49 mi) downstream of Hughes Road

<u>Parameter(s)</u> <u>Level of Concern</u>

Nitrate in water

From the Clear Creek Above Tidal confluence to a point 0.80 km (0.49 mi) downstream of Hughes Road

SEG ID: 1102F Mary's Creek Bypass

From the Mary's Creek confluence NE of FM 518 to a point 0.96 km (0.60 mi) upstream to the Mary's Creek confluence (NW of County Road 126)

Parameter(s) Level of Concern

Depressed dissolved oxygen in water

From the Mary's Creek confluence NE of FM 518 to a point 0.96 km (0.60 mi) upstream to the Mary's Creek confluence (NW of County Road 126)

<u>Parameter(s)</u> <u>Level of Concern</u>

Total Phosphorus in water

From the Mary's Creek confluence NE of FM 518 to a point 0.96 km (0.60 mi) upstream to the Mary's Creek confluence (NW of County Road 126)

May 12, 2020 Page 97 of 196

SEG ID: 1103 Dickinson Bayou Tidal

From the Dickinson Bay confluence 2.1 km (1.3 mi) downstream of SH 146 in Galveston County to a point 4.0 km (2.5 mi) downstream of FM 517 in Galveston County

Parameter(s) Level of Concern CS

Depressed dissolved oxygen in water

1103 04 From the Bordens Gully confluence upstream to a point 4.0 km (2.5 mi) downstream of FM

SEG ID: 1103A Bensons Bayou

From the Dickinson Bayou confluence to point 0.6 km (0.37 mi) upstream of FM 646 in Galveston County

Parameter(s) Level of Concern

Depressed dissolved oxygen in water

1103A 01 From the Dickinson Bayou Tidal confluence to point 0.6 km (0.37 mi) upstream of FM 646

SEG ID: 1103B Bordens Gully

From the Dickinson Bayou Tidal confluence to a point 1.4 km (0.87 mi) upstream of FM 646 in Galveston County

CS

Level of Concern Parameter(s)

Depressed dissolved oxygen in water

1103B 01 From the Dickinson Bayou Tidal confluence to a point 1.4 km (0.87 mi) upstream of FM 646

SEG ID: 1103C Geisler Bayou

From the Dickinson Bayou Tidal confluence to a point 1.37 km (0.85 mi) upstream of FM 646 in Galveston County

Parameter(s) Level of Concern CS

Depressed dissolved oxygen in water

1103C 01 From the Dickinson Bayou Tidal confluence to a point 1.37 km (0.85 mi) upstream of FM

SEG ID: 1103E Cedar Creek

From the Dickinson Bayou Tidal confluence to a point 0.63 km (0.39 mi) upstream FM 517 in Galveston County

Parameter(s) Level of Concern Depressed dissolved oxygen in water

1103E 01 From the Dickinson Bayou Tidal confluence to a point 0.63 km (0.39 mi) upstream FM 517

Page 98 of 196 May 12, 2020

SEG ID: 1103F Unnamed Tributary of Dickinson Bayou Tidal

From the Dickinson Bayou Tidal confluence to a point 0.36 km (0.22 mi) upstream of State Hwy 6

Parameter(s)

Level of Concern

Depressed dissolved oxygen in water

CS

1103F 01

From the Dickinson Bayou Tidal confluence to a point 0.36 km (0.22 mi upstream of State

SEG ID: 1103G Unnamed Tributary of Gum Bayou

From the confluence with Gum Bayou to a point 0.39 mi south of the FM 646/FM 1266 intersection between League City and Dickinson

Parameter(s)

Level of Concern

Depressed dissolved oxygen in water

1103G 01

From the confluence with Gum Bayou to a point 0.39 mi south of the FM 646/FM 1266 intersection between League City and Dickinson

SEG ID: 1105 Bastrop Bayou Tidal

From the confluence with Bastrop Bay 1.1 km (0.7 mi) downstream of the Intracoastal Waterway in Brazoria County to a point 8.6km (5.3 mi) upstream of Business 288 at Lake Jackson in Brazoria County

Parameter(s)

Level of Concern

Depressed dissolved oxygen in water

CS

1105 01

From the confluence with Bastrop Bay 1.1 km (0.7 mi) downstream of the Intracoastal Waterway in Brazoria County to a point 8.6 km (5.3 mi) upstream of Business 288 at Lake Jackson in Brazoria County

SEG ID: 1105D Unnamed Tributary of Bastrop Creek

From the Bastrop Bayou Tidal confluence to 0.57 km (0.35 mi) upstream of SH 288 Bus in Brazoria County

Parameter(s)

1105D 01

Level of Concern CS

Depressed dissolved oxygen in water

From the Bastrop Bayou Tidal confluence to 0.57 km (0.35 mi) upstream of SH 288 Bus in Brazoria County

SEG ID: 1105E Brushy Bayou

From the confluence with Austin Bayou Above Tidal (1105C) upstream to end of canal approximately 0.4 mi upstream of FM 210 crossing east of the City of Angleton in Brazoria County.

Parameter(s)

Level of Concern

CS

Depressed dissolved oxygen in water

1105E 01

From the confluence with Austin Bayou Above Tidal (1105C) upstream to end of canal approximately 0.4 mi upstream of FM 210 crossing east of the City of Angleton in Brazoria County.

Page 99 of 196 May 12, 2020

SEG ID: 1109 Oyster Creek Tidal

From the Intercoastal Waterway confluence to a point 100 meters (110 yards) upstream of FM 2004 in Brazoria County

Parameter(s)

Level of Concern

Depressed dissolved oxygen in water

CS

1109 01 From

From the Intracoastal Waterway confluence to a point 100 m (110 yds) upstream of FM 2004

SEG ID: 1110 Oyster Creek Above Tidal

From a point 100 meters (110 yards) upstream of FM 2004 in Brazoria County to a point 4.3 km (2.7 mi) upstream of Scanlan Road in Fort Bend County

Parameter(s)

Bacteria in water (Recreation Use)

<u>Level of Concern</u>

CN

1110_02 From Styles Bayou upstream to an unnamed tributary [2.9 km (1.8 mi) downstream of FM

Parameter(s)

Level of Concern

Impaired habitat in water

CS

From a point 100 meters (110 yards) upstream of FM 2004 in Brazoria County upstream to the Styles Bayou confluence

From Styles Bayou upstream to an unnamed tributary [2.9 km (1.8 mi) downstream of FM 1462]

From an unnamed tributary [2.9 km (1.8 mi) downstream of FM 1462] upstream to a point 4.3 km (2.7 mi) upstream of Scanlan Road in Fort Bend County

Parameter(s) Level of Concern

Impaired macrobenthic community in water

CN

From Styles Bayou upstream to an unnamed tributary [2.9 km (1.8 mi) downstream of FM 1462]

<u>Parameter(s)</u> <u>Level of Concern</u>

Total Phosphorus in water

CS

From Styles Bayou upstream to an unnamed tributary [2.9 km (1.8 mi) downstream of FM 1462]

SEG ID: 1113 Armand Bayou Tidal

From the Clear Lake confluence (at NASA Road 1 bridge) in Harris County to a point 0.8 km (0.5 mi) downstream of Genoa-Red Bluff Road in Pasadena in Harris County (includes Mud Lake/Pasadena Lake)

<u>Parameter(s)</u> <u>Level of Concern</u>

Chlorophyll-a in water

CS

1113 02 From the Horsepen Bayou confluence to the Big Island Slough confluence

May 12, 2020 Page 100 of 196

SEC ID: 1112	B Horsepen Bayou Tidal	
SEG ID; 1113.	From the Armand Bayou confluence to the SH3	
Parameter(s)		<u>Level of Concern</u>
Ammonia in	water	CS
1113B_01	From the Armand Bayou confluence to the SH3	
Parameter(s)		<u>Level of Concern</u>
Chlorophyll-	a in water	CS
1113B_01	From the Armand Bayou confluence to the SH3	
Parameter(s)		<u>Level of Concern</u>
Depressed dissolved oxygen in water		CS
1113B_01	From the Armand Bayou confluence to the SH3	
Parameter(s)		<u>Level of Concern</u>
Nitrate in water		CS
1113B_01	From the Armand Bayou confluence to the SH3	
Parameter(s)		<u>Level of Concern</u>
Total Phosphorus in water		CS
1113B_01	From the Armand Bayou confluence to the SH3	

SEG ID: 111	3E Big Island Slough From the Armand Bayou confluence upstream to a point 2.4 km Hwy	(1.5 mi) north of Spenser
Parameter(s	<u>)</u>	<u>Level of Concern</u>
Depressed d	lissolved oxygen in water	CS
1113E_01	From the Armand Bayou confluence upstream to a point 2.4 km Hwy	(1.5 mi) north of Spencer

SEG ID: 1202	2 Brazos River Below Navasota River From a point 100 meters (110 yards) upstream of SH 332 in Brazoria County to the confluence of the Navasota River in Grimes County
Parameter(s)	<u>Level of Concern</u>
Chlorophyll-a	a in water CS
1202_01	Portion of the Brazos River from the confluence with the Brazos River Tidal in Brazoria County upstream to the confluence with Flat Bank Creek in Fort Bend County.
1202_02	Portion of the Brazos River from the confluence with Flat Bank Creek upstream to the confluence with Bessie's Creek in Fort Bend County.
1202_03	Portion of the Brazos River from the confluence with Bessie's Creek in Fort Bend County upstream to confluence with Mill Creek in Austin County.
1202_05	Portion of the Brazos River from confluence with Lewisville Creek in Waller County upstream to the confluence with the Navasota River in Grimes County.

May 12, 2020 Page 101 of 196

SEG ID:1202H Allen's Creek

From the confluence with the Brazos River, two mi northeast of Wallis, to the headwaters one mi north of IH 10 in Austin County.

<u>Parameter(s)</u> <u>Level of Concern</u>

Nitrate in water

1202H 01

From the confluence with the Brazos River, two mi northeast of Wallis, to the headwaters one mi north of IH 10 in Austin County.

<u>Parameter(s)</u> <u>Level of Concern</u>

Total Phosphorus in water

1202H_01 From the confluence with the Brazos River, two mi northeast of Wallis, to the headwaters one mi north of IH 10 in Austin County.

SEG ID: 1202I Bessie's Creek

Bessie's Creek from the confluence of the Brazos River in Fort Bend County upstream to the headwater north of Pattison

CS

<u>Parameter(s)</u> <u>Level of Concern</u>

Bacteria in water (Recreation Use)

1202I_01 Bessie's Creek from the confluence of the Brazos River in Fort Bend County upstream to confluence of Bessie's Bayou west of Brookshire

<u>Parameter(s)</u> <u>Level of Concern</u>

Depressed dissolved oxygen in water

1202I_01 Bessie's Creek from the confluence of the Brazos River in Fort Bend County upstream to confluence of Bessie's Bayou west of Brookshire

Parameter(s) Level of Concern

Total Phosphorus in water

1202I_01 Bessie's Creek from the confluence of the Brazos River in Fort Bend County upstream to confluence of Bessie's Bayou west of Brookshire

May 12, 2020 Page 102 of 196

	2J Big Creek Big Creek - from the confluence of the Brazos F Cottonwood Creek and Coon Creek	River upstream to the confluence of
<u>Parameter(s)</u>		<u>Level of Concern</u>
Chlorophyll-		CS
1202J_01	Big Creek from the confluence of the Brazos Ri tributary 2.1 km downstream of FM 2977 south	
Parameter(s)		<u>Level of Concern</u>
Depressed di	issolved oxygen in water	CS
1202J_01	Big Creek from the confluence of the Brazos Ri tributary 2.1 km downstream of FM 2977 south	
1202J_02	Big Creek Appendix D intermittent stream with with an unnamed tributary 2.1 km downstream of Cottonwood Creek and Coon Creek	
Parameter(s)		<u>Level of Concern</u>
Impaired fis	h community in water	CN
1202J_01	Big Creek from the confluence of the Brazos River upstream to the confluence of an unnamed tributary 2.1 km downstream of FM 2977 south of Rosenberg	
Parameter(s)		<u>Level of Concern</u>
Impaired ha	bitat in water	CS
1202J_01	Big Creek from the confluence of the Brazos Ri tributary 2.1 km downstream of FM 2977 south	
Parameter(s)		<u>Level of Concern</u>
Nitrate in wa	ater	CS
1202J_02	Big Creek Appendix D intermittent stream with with an unnamed tributary 2.1 km downstream Cottonwood Creek and Coon Creek	
Parameter(s)		<u>Level of Concern</u>
	norus in water	CS
Total Phospl	Big Creek Appendix D intermittent stream with	

SEG ID:1202K Mill Creek

From confluence of East and West Mill Creeks downstream to confluence with Brazos River

Parameter(s) Level of Concern Impaired habitat in water

1202K_01 Portion of Mill Creek from confluence with Brazos River upstream to confluence with East/West Forks Mill Creek in Austin County.

Page 103 of 196 May 12, 2020

SEG ID: 1204 Brazos River Below Lake Granbury

From a point immediately upstream of the confluence of Camp Creek in Bosque/Johnson County to DeCordova Bend Dam in Hood County

CS

CS

CN

<u>Parameter(s)</u> <u>Level of Concern</u>

Chlorophyll-a in water

Portion of Brazos River below Lake Granbury from the confluence with the Paluxy River upstream to DeCordova Bend Dam in Hood County.

<u>Parameter(s)</u> <u>Level of Concern</u>

Impaired habitat in water

1204_02 Portion of Brazos River below Lake Granbury from the confluence with the Paluxy River

upstream to DeCordova Bend Dam in Hood County.

SEG ID: 1205C Walnut Creek

From the confluence with Lake Granbury upstream to its headwaters in Hood County

<u>Parameter(s)</u> <u>Level of Concern</u>

Nitrate in water

1205C_01 From the confluence with Lake Granbury upstream to its headwaters in Hood County

SEG ID: 1206 Brazos River Below Possum Kingdom Lake

From a point 100 meters (110 yards) upstream of FM 2580 in Parker County to Morris Sheppard Dam in Palo Pinto County

<u>Parameter(s)</u> <u>Level of Concern</u>

Chlorophyll-a in water

1206_01 Portion of the Brazos River 100 meters (110 yards) upstream of FM 2580 in Parker County

upstream to confluence with Rock Creek in Parker County.

Parameter(s)

Level of Concern

Parameter(s)
Impaired habitat in water

1206_01
Portion of the Brazos River 100 meters (110 yards) upstream of FM 2580 in Parker County upstream to confluence with Rock Creek in Parker County.

1206_02 Portion of Brazos River from confluence with Rock Creek upstream to confluence with Elm Creek in Palo Pinto County.

Parameter(s) <u>Level of Concern</u>

Impaired macrobenthic community in water

Portion of the Brazos River 100 meters (110 yards) upstream of FM 2580 in Parker County upstream to confluence with Rock Creek in Parker County.

Portion of Brazos River from confluence with Rock Creek upstream to confluence with Elm Creek in Palo Pinto County.

May 12, 2020 Page 104 of 196

	Brazos River Above Possum Kingdom Lake From a point immediately upstream of the confluence of Cove Creek at Salem Bend in Young County to the confluence of the Double Mountain Fork Brazos River and the Salt Fork Brazos River in Stonewall County
<u>Parameter(s)</u>	Level of Concern
	ater (Recreation Use)
1208_06	From confluence with Lake Creek upstream to the confluence with Salt and Double Mountain Forks of the Brazos River
Parameter(s)	<u>Level of Concern</u>
Chlorophyll-a	in water CS
1208_01	Portion of segment from confluence with Possum Kingdom Reservoir headwaters upstream to confluence with Spring Branch in Young County.
1208_02	Portion of segment from confluence with Spring Branch upstream to confluence with Fish Creek
1208_04	From confluence with Boggy Creek upstream to confluence with Millers Creek
1208_05	From confluence with Millers Creek upstream to confluence with Lake Creek
1208_06	From confluence with Lake Creek upstream to the confluence with Salt and Double Mountain Forks of the Brazos River
<u>Parameter(s)</u> Selenium in w	rater Level of Concern CN
1208_05	From confluence with Millers Creek upstream to confluence with Lake Creek

SEG ID: 1208A Millers Creek Reservoir

Impoundment of Millers Creek, 12.5 mi southwest of Seymour in Baylor County

Parameter(s) Level of Concern **CN**

Bacteria in water (Recreation Use)

1208A_01 Impoundment of Millers Creek, 12.5 mi southwest of Seymour in Baylor County

Parameter(s) Level of Concern

Depressed dissolved oxygen in water

1208A 01 Impoundment of Millers Creek, 12.5 mi southwest of Seymour in Baylor County

May 12, 2020 Page 105 of 196

SEG ID: 1209 Navasota River Below Lake Limestone

From the confluence with the Brazos River in Grimes County to Sterling C. Robertson Dam in Leon/Robertson County

CN

CS

CS

CS

CS

<u>Parameter(s)</u> <u>Level of Concern</u>

Bacteria in water (Recreation Use)

Portion of Navasota River from confluence with Brazos River upstream to confluence with Rocky Creek in grimes County.

Parameter(s) Level of Concern

Nitrate in water

Portion of Navasota River from confluence with Brazos River upstream to confluence with Rocky Creek in grimes County.

Parameter(s) Level of Concern

Total Phosphorus in water

Portion of Navasota River from confluence with Brazos River upstream to confluence with Rocky Creek in grimes County.

SEG ID:1209A Country Club Lake

From the Country Club Branch Dam up to normal pool elevation in Bryan in Brazos County

<u>Parameter(s)</u> <u>Level of Concern</u>

Arsenic in sediment

1209A 01 From the Country Club Branch Dam up to normal pool elevation in Bryan in Brazos County

SEG ID: 1209B Fin Feather Lake

From Fin Feather Dam up to normal pool elevation in northwest Bryan in Brazos County

Parameter(s) <u>Level of Concern</u>

Arsenic in sediment CS

1209B 01 From Fin Feather Dam up to normal pool elevation in northwest Bryan in Brazos County

<u>Parameter(s)</u> <u>Level of Concern</u>

Chromium in sediment

1209B_01 From Fin Feather Dam up to normal pool elevation in northwest Bryan in Brazos County

<u>Parameter(s)</u> <u>Level of Concern</u>

Copper in sediment CS

1209B 01 From Fin Feather Dam up to normal pool elevation in northwest Bryan in Brazos County

<u>Parameter(s)</u> <u>Level of Concern</u>

DDD in sediment CS

1209B_01 From Fin Feather Dam up to normal pool elevation in northwest Bryan in Brazos County

<u>Parameter(s)</u> <u>Level of Concern</u>

DDE in sediment CS

1209B_01 From Fin Feather Dam up to normal pool elevation in northwest Bryan in Brazos County

<u>Parameter(s)</u> <u>Level of Concern</u>

Zinc in sediment CS

1209B_01 From Fin Feather Dam up to normal pool elevation in northwest Bryan in Brazos County

May 12, 2020 Page 106 of 196

SEG ID:1209C Carters Creek

Perennial stream from the confluence with the Navasota River southeast of College Station in Brazos County upstream to the headwaters 1.6 km upstream on US 190

CS

CN

Parameter(s) Level of Concern CS

Chlorophyll-a in water

1209C 01 Perennial stream from the confluence with the Navasota River upstream to the confluence of an unnamed tributary 0.5 km upstream of FM 158; App D

Parameter(s) Level of Concern

Nitrate in water

1209C 01 Perennial stream from the confluence with the Navasota River upstream to the confluence of an unnamed tributary 0.5 km upstream of FM 158; App D

Parameter(s) Level of Concern

Total Phosphorus in water

1209C 01 Perennial stream from the confluence with the Navasota River upstream to the confluence of an unnamed tributary 0.5 km upstream of FM 158; App D

SEG ID:1209G Cedar Creek

From the confluence with the Navasota River in Brazos County to the confluence with Moores Branch and Rocky Branch in Robertson County

Parameter(s) Level of Concern

Bacteria in water (Recreation Use)

1209G 01 From the confluence with the Navasota River in Brazos County to the confluence with Moores Branch and Rocky Branch in Robertson County

Parameter(s) Level of Concern

Depressed dissolved oxygen in water

1209G 01 From the confluence with the Navasota River in Brazos County to the confluence with

Moores Branch and Rocky Branch in Robertson County

SEG ID:1209H Duck Creek

From the confluence with the Navasota river in Robertson County to Twin Oak Reservoir dam in Robertson County

Parameter(s) Level of Concern

Depressed dissolved oxygen in water

1209H 01 Portion of Duck Creek from confluence with Navasota River upstream to confluence with Mineral Creek in Robertson County.

Portion of Duck Creek from confluence with Mineral Creek in Robertson County upstream to 1209H 02 Twin Oak Reservoir dam in Robertson County.

Page 107 of 196 May 12, 2020

SEG ID: 1209I Gibbons Creek

From confluence with Navasota River in Grimes County to SH 90 in Grimes County

Parameter(s)

Level of Concern

Depressed dissolved oxygen in water

CS

Portion of Gibbons Creek from confluence with Navasota River upstream to confluence with Dry Creek in Grimes County.

SEG ID: 1209L Burton Creek

Burton Creek - from the confluence of Carters Creek in College Station upstream to the headwater 0.7 km northeast of Finfeather Lake in Bryan

<u>Parameter(s)</u> <u>Level of Concern</u>

Nitrate in water

CS

1209L_01 Burton Creek from the confluence of Carters Creek in College Station upstream to the headwater 0.7 km northeast of Finfeather Lake in Bryan

SEG ID:1209O Normangee Lake

Impounded Running Creek, 7.5 km west of Normangee in Leon County.

<u>Parameter(s)</u> <u>Level of Concern</u>

Arsenic in sediment

CS

1209O 01 Impounded Running Creek, 7.5 km west of Normangee in Leon County.

SEG ID: 1210 Lake Mexia

From Bistone Dam in Limestone County up to the normal pool elevation of 448.3 feet (impounds Navasota River)

<u>Parameter(s)</u> <u>Level of Concern</u>

Depressed dissolved oxygen in water

CS

1210 01 Eastern end of reservoir, from dam to RR 2681 east of Washington Park

SEG ID: 1210A Navasota River Above Lake Mexia

From the confluence with the headwaters of Lake Mexia in Limestone County to a point 1.25 mi upstream of SH 31 in Hill County

Parameter(s) <u>Level of Concern</u>

Chlorophyll-a in water

CS

From the confluence with the headwaters of Lake Mexia in Limestone County to a point 1.25 mi upstream of SH 31 in Hill County

May 12, 2020 Page 108 of 196

SEG ID: 1211 Yegua Creek

From the confluence with the Brazos River in Burleson/Washington County to Somerville Dam in Burleson/Washington County

Parameter(s)

Level of Concern

Bacteria in water (Recreation Use)

CN

1211 01

From the confluence with the Brazos River in Burleson/Washington County to Somerville Dam in Burleson/Washington County

Parameter(s)

Level of Concern

Chlorophyll-a in water

1211 01

From the confluence with the Brazos River in Burleson/Washington County to Somerville Dam in Burleson/Washington County

SEG ID:1212A Middle Yegua Creek

From the confluence with East Yegua and Yegua Creeks in Lee County to the Lee County/Williamson County line

Parameter(s)

Level of Concern

Depressed dissolved oxygen in water

1212A_02

From confluence with West Yegua Creek upstream to headwaters of water body in Williamson County.

Parameter(s)

Level of Concern

Impaired habitat in water

CS

1212A 02

From confluence with West Yegua Creek upstream to headwaters of water body in Williamson County.

SEG ID: 1212L Yegua Creek

Yegua Creek from the confluence of Somerville Lake upstream to the confluence of East Yegua and Middle Yegua Creeks at the Burleson and Lee County Line

Parameter(s)

Level of Concern

Chlorophyll-a in water

1212L 01 Yegua Creek from the confluence of Somerville Lake upstream to the confluence of East Yegua and Middle Yegua Creeks at the Burleson and Lee County Line

Page 109 of 196 May 12, 2020

SEG ID: 1213 Little River From the confluence with the Brazos River in Milam County to the confluence of the Leon River and the Lampasas River in Bell County Parameter(s) Level of Concern Bacteria in water (Recreation Use) **CN** 1213 01 From the confluence with Brazos River upstream to confluence with City of Cameron WWTP receiving water Parameter(s) Level of Concern Chlorophyll-a in water 1213_01 From the confluence with Brazos River upstream to confluence with City of Cameron WWTP receiving water Parameter(s) Level of Concern Nitrate in water CS 1213 01 From the confluence with Brazos River upstream to confluence with City of Cameron WWTP receiving water From the City of Cameron WWTP receiving water upstream to the confluence with the San 1213 02 Gabriel River 1213 03 From confluence with San Gabriel River upstream to confl. with Boggy Creek 1213 04 From confluence with Boggy Creek upstream to its confluence with Leon and Lampasas Rivers

SEG ID:1213A Big Elm Creek

From the confluence with Little River in Milam county, 4.5 km northeast of the City of Cameron, upstream to its headwaters in McLennan County, 0.7 km west of Moody.

Parameter(s)

Nitrate in water

Level of Concern

CS

1213A_01 Portion of Big Elm Creek from the confluence with the Little River upstream to confluence with Little Elm Creek.

SEG ID: 1213B Little Elm Creek

From the confluence with Big Elm Creek upstream to headwaters, 2.5 km north of Temple in Bell County

CN

CS

<u>Parameter(s)</u> <u>Level of Concern</u>

Depressed dissolved oxygen in water

1213B 01 From confluence with Big Elm Creek upstream to confluence with Williamson Branch

Parameter(s) Level of Concern

Nitrate in water

1213B_01 From confluence with Big Elm Creek upstream to confluence with Williamson Branch

May 12, 2020 Page 110 of 196

SEG ID: 1213C Unnamed Tributary of Little Elm Creek

From confluence with Little Elm Creek upstream to headwaters in Temple, Bell County

Parameter(s) Level of Concern CS

Nitrate in water

1213C 01 From confluence with Little Elm Creek upstream to headwaters in Temple, Bell County

SEG ID: 1214 San Gabriel River

From the confluence with the Little River in Milam County to Granger Lake Dam in Williamson County

CN

CS

CN

CN

Parameter(s) Level of Concern

Bacteria in water (Recreation Use)

1214_01 From confluence with Little River upstream to confl. with Alligator Creek

Parameter(s) Level of Concern

Nitrate in water

1214 01 From confluence with Little River upstream to confl. with Alligator Creek

1214 02 From confluence with Alligator Creek upstream to Lake Granger

SEG ID: 1216C Pleasant Branch

Pleasant Branch from the confluence with Trimmier Creek upstream to the headwaters at US 190 in Harker Heights

Parameter(s) Level of Concern

Bacteria in water (Recreation Use)

1216C 01 Pleasant Branch from the confluence with Trimmier Creek upstream to the headwaters at US 190 in Harker Heights

SEG ID:1216D Unnamed tributary of Trimmier Creek

Unnamed tributary from the confluence with Trimmier Creek upstream to the headwaters in Harker Heights

Parameter(s) Level of Concern

Bacteria in water (Recreation Use)

1216D 01 Unnamed tributary from the confluence with Trimmier Creek upstream to the headwaters in Harker Heights

Page 111 of 196 May 12, 2020

SEG ID: 1217 Lampasas River Above Stillhouse Hollow Lake

From a point immediately upstream of the confluence of Rock Creek in Bell County to FM 2005 in Hamilton County

Parameter(s) Level of Concern **CN**

Bacteria in water (Recreation Use)

1217 05 Portion of Lampasas River from confluence with Bennett Creek upstream to its headwaters in Mills County.

Parameter(s) Level of Concern

Chlorophyll-a in water

1217 05 Portion of Lampasas River from confluence with Bennett Creek upstream to its headwaters in Mills County.

SEG ID: 1217B Sulphur Creek

From the confluence of the Lampasas River east of Lampasas in Lampasas County to the confluences of Bean Creek and East Fork Sulphur Creek west of Lampasas in Lampasas

Parameter(s) Level of Concern

Depressed dissolved oxygen in water

1217B 02 From the spring source located in the City of Lampasas upstream to the confluences with Bean Creek and East Fork Sulphur Creek west of Lampasas in Lampasas County

SEG ID: 1218 Nolan Creek/ South Nolan Creek

From the confluence with the Leon River in Bell County to a point 100 meters (110 yards) upstream to the most upstream crossing of US 190 and Loop 172 in Bell County

Level of Concern Parameter(s)

Nitrate in water

1218 01 Portion of Nolan Creek from the confluence with the Leon River upstream to confluence with North Nolan/South Nolan Creek fork in Bell county

1218 02 Portion of South Nolan Creek from confluence with North Nolan / Nolan Creek fork upstream to confluence with Liberty Ditch in city of Killeen in Bell County.

Parameter(s) Level of Concern CS

Total Phosphorus in water

1218 01 Portion of Nolan Creek from the confluence with the Leon River upstream to confluence with North Nolan/South Nolan Creek fork in Bell county

1218 02 Portion of South Nolan Creek from confluence with North Nolan / Nolan Creek fork

upstream to confluence with Liberty Ditch in city of Killeen in Bell County.

SEG ID:1218A Unnamed Tributary to Little Nolan Creek

From the confluence with Little Nolan Creek upstream to headwaters in the city of Killeen, Bell County.

Parameter(s) Level of Concern

Bacteria in water (Recreation Use)

1218A 01 From the confluence with Little Nolan Creek upstream to headwaters in the city of Killeen, Bell County.

Page 112 of 196 May 12, 2020

SEG ID: 1219 Leon River Below Belton Lake From the confluence with the Lampasas River in Bell County to Belton Dam in Bell County Parameter(s) Level of Concern Bacteria in water (Recreation Use) **CN** 1219 01 From the confluence with the Lampasas River in Bell County to Belton Dam in Bell County Parameter(s) Level of Concern Nitrate in water **CS** 1219 01 From the confluence with the Lampasas River in Bell County to Belton Dam in Bell County Parameter(s) Level of Concern **Total Phosphorus in water** CS

From the confluence with the Lampasas River in Bell County to Belton Dam in Bell County

1219 01

SEG ID: 122	ID: 1221 Leon River Below Proctor Lake	
	From a point 100 meters (110 yards) upstream of FM 236 in Coryell County to Proctor Dam	
	in Comanche County	
Parameter(s)	<u>Level of Concern</u>	
Chlorophyll-	-a in water CS	
1221_04	From a point immediately upstream of the confluence with Plum Creek, upstream to the confluence with Pecan Creek	
1221_05	From confluence with Pecan Creek, upstream to confluence with South Leon Creek	
1221_06	From confluence with South Leon Creek upstream to confluence with Walnut Creek	
1221_07	From the confluence with Walnut Creek upstream to Lake Proctor	
Parameter(s)	<u>Level of Concern</u>	
Depressed di	issolved oxygen in water CS	
1221_05	From confluence with Pecan Creek, upstream to confluence with South Leon Creek	
1221_07	From the confluence with Walnut Creek upstream to Lake Proctor	

SEG ID:1221A Resley Creek From the confluence of the Leon River east of Gustine in Comanche County to the upstream perennial portion of the stream north of Gustine in Erath County		
Parameter(s)		
Chlorophyll-a in water CS		
1221A_01	Portion of Resley Creek from confluence with Leon River upstream to conf. with unnamed tributary (NHD RC 12070201007823), approx. 1.0 mi N. of Comanche County Line	
1221A_02	Portion of Resley Creek from confluence with unnamed tributary (NHD RC 12070201007823), upstream to headwaters in Erath County.	

May 12, 2020 Page 113 of 196

SEG ID: 1221B South Leon River

From the confluence of the Leon River south of Gustine in Comanche County to the upstream perennial portion of the stream south of Comanche in Comanche County

Parameter(s)

Level of Concern

Bacteria in water (Recreation Use)

CN

1221B 01

From the confluence of the Leon River south of Gustine in Comanche County to the upstream perennial portion of the stream south of Comanche in Comanche County

Parameter(s)

Level of Concern

Impaired habitat in water

1221B 01

From the confluence of the Leon River south of Gustine in Comanche County to the upstream perennial portion of the stream south of Comanche in Comanche County

SEG ID: 1221C Pecan Creek

Perennial stream from the confluence with the Leon River upstream to the headwaters approximately 3.1 km south of the City of Hamilton in Hamilton County

Parameter(s)

1221C 01

Level of Concern CS

Chlorophyll-a in water

Perennial stream from the confluence with the Leon River upstream to the confluence with an unnamed tributary approximately 3.5 km upstream of SH 36 near the City of Hamilton; App

SEG ID: 1221D Indian Creek

Perennial stream from the confluence of the Leon River to the headwaters approximately 7.5 km west of Comanche in Comanche County

Parameter(s) Level of Concern

Chlorophyll-a in water

CS

1221D 01 From confluence with Leon River, upstream to confluence with Armstrong Creek

1221D 02 Perennial stream from the confluence with Armstrong Creek approximately 1.5 km downstream of SH 36 upstream to the confluence with an unnamed tributary approximately

0.1 km upstream of US 377; App D

Level of Concern Parameter(s)

Depressed dissolved oxygen in water

1221D 01

From confluence with Leon River, upstream to confluence with Armstrong Creek

Parameter(s) Level of Concern

Nitrate in water

1221D 01 From confluence with Leon River, upstream to confluence with Armstrong Creek

1221D 02 Perennial stream from the confluence with Armstrong Creek approximately 1.5 km downstream of SH 36 upstream to the confluence with an unnamed tributary approximately 0.1 km upstream of US 377; App D

Parameter(s) Level of Concern

Total Phosphorus in water

CS

1221D 02 Perennial stream from the confluence with Armstrong Creek approximately 1.5 km downstream of SH 36 upstream to the confluence with an unnamed tributary approximately 0.1 km upstream of US 377; App D

Page 114 of 196 May 12, 2020

SEG ID: 1222 Proctor Lake

From Proctor Dam in Comanche County to a point immediately upstream of the confluence of Mill Branch in Comanche County, up to the normal pool elevation of 1162 feet (impounds Leon River)

Parameter(s)

Level of Concern

Depressed dissolved oxygen in water

1222 03 Portion of water body near dam

CS

SEG ID: 1222A Duncan Creek

From the confluence of Proctor Lake northeast of Comanche in Comanche County to the upstream perennial portion of the stream west of Comanche in Comanche County

Parameter(s)

Level of Concern

Chlorophyll-a in water

CS

From the confluence of Proctor Lake northeast of Comanche in Comanche County to the upstream perennial portion of the stream west of Comanche in Comanche County

SEG ID: 1222D Sowells Creek

From its confluence with Lake Proctor, upstream to its headwaters 1.3 mi west of Dublin in Erath County

Parameter(s)

Level of Concern

Bacteria in water (Recreation Use)

CN

From its confluence with Lake Proctor, upstream to its headwaters 1.3 mi west of Dublin in Erath County

SEG ID: 1222F Hackberry Creek

From its confluence with Armstrong Creek, upstream to its headwaters approximately 9.8 mi west of Stephenville in Erath County

Parameter(s)

Level of Concern

Bacteria in water (Recreation Use)

CN

From its confluence with Armstrong Creek, upstream to its headwaters approximately 9.8 mi west of Stephenville in Erath County

Parameter(s)

Level of Concern

Depressed dissolved oxygen in water

CN

1222F_01 From its confluence with Armstrong Creek, upstream to its headwaters approximately 9.8 mi west of Stephenville in Erath County

SEG ID: 1223 Leon River Below Leon Reservoir

From a point immediately upstream of the confluence of Mill Branch in Comanche County to Leon Dam in Eastland County

Parameter(s)

Level of Concern

CS

Chlorophyll-a in water

From a point immediately upstream of the confluence of Mill Branch in Comanche County to Leon Dam in Eastland County

May 12, 2020 Page 115 of 196

SEG ID: 1223A Armstrong Creek

From its confluence with the Leon River downstream of Leon Reservoir, upstream to its headwaters in Erath County 6.2 mi east of State Hwy 16.

Parameter(s) Level of Concern CS

Nitrate in water

1223A 01

From its confluence with the Leon River downstream of Leon Reservoir, upstream to its headwaters in Erath County 6.2 mi east of State Hwy 16.

SEG ID: 1223B Cow Creek

From the confluence with Armstrong Creek, upstream to its headwaters in Erath County, 5 mi north of Dublin

Parameter(s) Level of Concern

Bacteria in water (Recreation Use)

1223B 01 From the confluence with Armstrong Creek, upstream to its headwaters in Erath County, 5 mi north of Dublin

SEG ID: 1220	6 North Bosque River From a point immediately upstream of the confluence of Lor to a point immediately upstream of the confluence of Indian	
Parameter(s)		<u>Level of Concern</u>
Chlorophyll-	a in water	CS
1226_01	Portion of North Bosque River from confluence with Waco lupstream to confluence with Neils Creek in Bosque County.	•
1226_02	Portion of North Bosque River from confluence with Neils Creek upstream to confluence with Meridian Creek in Bosque County.	
1226_03	Portion of North Bosque River from confluence with Meridian Creek upstream to confluence with Duffau Creek in Bosque County.	
1226_04	Portion of North Bosque River from confluence with Duffau Creek in Bosque County upstream to a point immediately upstream of Indian Creek confluence (end of segment) in Erath County.	
Parameter(s)		Level of Concern
Depressed di	ssolved oxygen in water	CN
1226_02	Portion of North Bosque River from confluence with Neils Owith Meridian Creek in Bosque County.	Creek upstream to confluence
Parameter(s)		Level of Concern
Impaired ma	crobenthic community in water	CN
1226_01	Portion of North Bosque River from confluence with Waco lupstream to confluence with Neils Creek in Bosque County.	•
1226_04	Portion of North Bosque River from confluence with Duffau upstream to a point immediately upstream of Indian Creek c Erath County.	

May 12, 2020 Page 116 of 196

SEG ID:1226A Duffau Creek

From the confluence with the North Bosque River west of Iredell in Bosque County upstream to its headwaters, 0.4km west of US67 in Erath County.

<u>Parameter(s)</u>

Level of Concern

Bacteria in water (Recreation Use)

 $\mathbf{C}\mathbf{N}$

From the confluence with the North Bosque River west of Iredell in Bosque County upstream to its headwaters, 0.4km west of US67 in Erath County.

SEG ID: 1226B Green Creek

From the confluence of the North Bosque River south of Clairette in Erath County upstream to its headwaters 10km west of Stephenville in Erath County

Parameter(s)

Level of Concern

Chlorophyll-a in water

CS

From the confluence of the North Bosque River south of Clairette in Erath County upstream to its headwaters 10km west of Stephenville in Erath County

SEG ID: 1226E Indian Creek

From the confluence with the North Bosque River in Erath County to the headwaters 3.5 mi east of Stephenville in Erath County

Parameter(s)

Level of Concern

Chlorophyll-a in water

CS

From the confluence with the North Bosque River in Erath County to the headwaters 3.5 mi east of Stephenville in Erath County

SEG ID:1226H Alarm Creek

From its confluence with the North Bosque River, upstream to its headwaters 3 mi west of Stephenville in Erath County

Parameter(s)

Level of Concern

Chlorophyll-a in water

CS

From its confluence with the North Bosque River, upstream to its headwaters 3 mi west of Stephenville in Erath County

SEG ID:1226K Little Duffau Creek

From its confluence with Duffau Creek, upstream to its headwaters 2.4 mi south west of US 67 in Erath County

<u>Parameter(s)</u> Nitrate in water Level of Concern

CS

From its confluence with Duffau Creek, upstream to its headwaters 2.4 mi south west of US 67 in Erath County

Parameter(s)

Level of Concern

Total Phosphorus in water

CS

From its confluence with Duffau Creek, upstream to its headwaters 2.4 mi south west of US 67 in Erath County

May 12, 2020 Page 117 of 196

SEG ID:12260 Sims Creek Reservoir

Impounded Sims Creek in Erath County, 6.8 mi south east of Stephenville

Parameter(s) Level of Concern CS

Depressed dissolved oxygen in water

12260 01 Impounded Sims Creek in Erath County, 6.8 mi south east of Stephenville

SEG ID: 1227 Nolan River

From a point immediately upstream of the confluence of Rock Creek in Hill County to Cleburne Dam in Johnson County

CS

CS

CN

Parameter(s) Level of Concern

Chlorophyll-a in water

1227_02 Portion of Nolan River from confluence with Mustang Creek in Hill County upstream to confluence with Lake Pat Cleburne Dam in Johnson County.

Parameter(s) Level of Concern

Nitrate in water

Portion of Nolan River from confluence with Mustang Creek in Hill County upstream to 1227 02 confluence with Lake Pat Cleburne Dam in Johnson County.

Parameter(s) Level of Concern

Total Phosphorus in water

1227 02 Portion of Nolan River from confluence with Mustang Creek in Hill County upstream to confluence with Lake Pat Cleburne Dam in Johnson County.

SEG ID: 1227A Buffalo Creek

From the confluence with the Nolan River upstream to the confluence with East Buffalo Creek and West Buffalo Creek

Parameter(s) Level of Concern

Bacteria in water (Recreation Use)

1227A_01 From the confluence with the Nolan River upstream to the confluence with East Buffalo Creek and West Buffalo Creek

Parameter(s) Level of Concern

Nitrate in water

From the confluence with the Nolan River upstream to the confluence with East Buffalo 1227A_01 Creek and West Buffalo Creek

Parameter(s) Level of Concern

Total Phosphorus in water

1227A 01 From the confluence with the Nolan River upstream to the confluence with East Buffalo Creek and West Buffalo Creek

Page 118 of 196 May 12, 2020

SEG ID: 1232	Clear Fork Brazos River From the confluence with the Brazos River in Young County to the tUS 180 in Fisher County	most upstream crossing of
Parameter(s)		Level of Concern
Chlorophyll-a in water CS		CS
1232_02	From confluence with Hubbard Creek upstream to confluence with Deadman Creek	
1232_03	From confluence with Deadman Creek upstream to conf. With Bitter Creek	
1232_04	From confluence with Bitter Creek upstream to end of segment	
Parameter(s)		Level of Concern
Nitrate in wa	er	CS
1232 04	From confluence with Bitter Creek upstream to end of segment	

SEG ID:1232	A California Creek From the confluence of Paint Creek southeast of Haskell in Haskell Cou southwest of Stamford in Jones County	nty to the headwaters
Parameter(s)		Level of Concern
Chlorophyll-a	in water	CS
1232A_01	Portion of California Creek from confluence with Paint Creek in Haskell confluence with Thompson Creek in Jones County.	County upstream to
Parameter(s)		Level of Concern
Impaired ma	crobenthic community in water	CN
1232A_01	Portion of California Creek from confluence with Paint Creek in Haskell confluence with Thompson Creek in Jones County.	County upstream to
Parameter(s)		Level of Concern
Nitrate in wa	ter	CS
1232A_01	Portion of California Creek from confluence with Paint Creek in Haskell confluence with Thompson Creek in Jones County.	County upstream to

SEG ID: 1232I	B Deadman Creek From the confluence of the Clear Fork Brazos River south of headwaters north of Hamby in Jones County	Lueders in Jones County to the
Parameter(s)		<u>Level of Concern</u>
Bacteria in wa	ter (Recreation Use)	CN
1232B_02	Upstream of WWTP outfall to headwaters	
Parameter(s)		<u>Level of Concern</u>
Nitrate in wat	er	CS
1232B_01	From the confluence with Clear Fork Brazos, upstream to city water	y of Abilene WWTP receiving
Parameter(s)		Level of Concern
Total Phospho	rus in water	CS
1232B_01	From the confluence with Clear Fork Brazos, upstream to city water	y of Abilene WWTP receiving

May 12, 2020 Page 119 of 196

SEG ID: 1233A Big Sandy Creek

From its confluence with Hubbard Creek Reservoir, upstream to its headwaters 4 mi west of US 183 in Stephens County.

Parameter(s) Level of Concern **CN**

Bacteria in water (Recreation Use)

1233A 01 From its confluence with Hubbard Creek Reservoir, upstream to its headwaters 4 mi west of US 183 in Stephens County.

Parameter(s) Level of Concern

Chlorophyll-a in water

1233A 01 From its confluence with Hubbard Creek Reservoir, upstream to its headwaters 4 mi west of US 183 in Stephens County.

SEG ID: 1236A Cedar Creek

From its confluence with Phantom Hill Reservoir, upstream to its headwaters 4 mi north east of Tuscola, in Taylor County

Parameter(s) Level of Concern

Chlorophyll-a in water

1236A_01 From its confluence with Phantom Hill Reservoir, upstream to its headwaters 4 mi north east of Tuscola, in Taylor County

SEG ID: 1237 Lake Sweetwater

From Sweetwater Dam in Nolan County up to the normal pool elevation of 2116.5 feet (impounds Bitter Creek)

CN

CN

Parameter(s) Level of Concern

Chloride in water

1237 01 From Sweetwater Dam in Nolan County up to the normal pool elevation of 2116.5 feet (impounds Bitter Creek)

Parameter(s) Level of Concern

Sulfate in water

1237 01 From Sweetwater Dam in Nolan County up to the normal pool elevation of 2116.5 feet (impounds Bitter Creek)

Parameter(s) Level of Concern

Total dissolved solids in water

1237_01 From Sweetwater Dam in Nolan County up to the normal pool elevation of 2116.5 feet

(impounds Bitter Creek)

SEG ID: 1238 Salt Fork Brazos River

From the confluence of the Double Mountain Fork Brazos River in Stonewall County to the most upstream crossing of SH 207 in Crosby County

Parameter(s) Level of Concern Bacteria in water (Recreation Use) CN

1238 01 Portion of Salt Fork Brazos River from confluence with Double Mountain Fork Brazos River upstream to confluence with Croton Creek in Stonewall County.

Page 120 of 196 May 12, 2020

SEG ID: 1238A Croton Creek

From its confluence with the Salt Fork of the Brazos River, upstream to its headwaters 1.6 mi north of Dickens in Dickens County

Parameter(s) Level of Concern **CN**

Bacteria in water (Recreation Use)

1238A 01 From its confluence with the Salt Fork of the Brazos River, upstream to its headwaters 1.6 mi north of Dickens in Dickens County

SEG ID: 1238B Duck Creek

1238B 01

Intermittent stream w/pools from the confluence with the Salt Fork of the Brazos River in Kent County upstream approximately 90 km (56 mi) to the headwaters approximately 12 km (7.5 mi) northeast of US Highway 82

CN

CS

Parameter(s) Level of Concern

Bacteria in water (Recreation Use)

From the confluence with the Salt Fork of the Brazos River in Kent County upstream approximately 90 km (56 mi) to the headwaters approximately 12 km (7.5 mi) northeast of US Highway 82

SEG ID: 1241 Double Mountain Fork Brazos River

From the confluence with the Salt Fork Brazos River in Stonewall County to the confluence of the North Fork Double Mountain Fork Brazos River in Kent County

Parameter(s) Level of Concern

Chlorophyll-a in water

1241 01 25 mi near Hwy 83

SEG ID: 1241A North Fork Double Mountain Fork Brazos River

Perennial stream from the confluence with Double Mountain Fork Brazos River upstream to the confluence with Yellow House Draw and Blackwater Draw, excluding Lake Ransom Canyon and Buffalo Springs Lake

Level of Concern Parameter(s) **CN**

Bacteria in water (Recreation Use)

Appendix D, Perennial stream from the confluence with Double Mountain Fork Brazos River 1241A 01 upstream to the dam forming Lake Ransom Canyon

Parameter(s) Level of Concern Chlorophyll-a in water

1241A 01 Appendix D, Perennial stream from the confluence with Double Mountain Fork Brazos River upstream to the dam forming Lake Ransom Canyon

From the confluence with Buffalo Springs Lake upstream to the confluence with Yellow 1241A 02 House Draw and Blackwater Draw

Parameter(s) Level of Concern Nitrate in water

Appendix D, Perennial stream from the confluence with Double Mountain Fork Brazos River 1241A_01 upstream to the dam forming Lake Ransom Canyon

1241A_02 From the confluence with Buffalo Springs Lake upstream to the confluence with Yellow House Draw and Blackwater Draw

Page 121 of 196 May 12, 2020

SEG ID: 1242	Brazos River Above Navasota River From a point immediately upstream of the confluence of the Navasota River in Brazos/Grimes/Washington County to the low water dam forming Lake Brazos in McLennan County
<u>Parameter(s)</u>	<u>Level of Concern</u>
Chlorophyll-a	a in water CS
1242_01	Portion of Brazos River from confluence with Navasota River upstream to confluence with Thompson's Creek in Brazos County
1242_02	Portion of Brazos River from confluence with Thompson's Creek in Brazos County upstream to confluence with Little River in Milam County
1242_04	Portion of Brazos River from confluence with Pond Creek in Milam County upstream to confluence with Deer Creek in Falls County
1242_05	Portion of Brazos River from confluence with Deer Creek in Falls County upstream to confluence with Tehuacana Creek in McLennan County
1242_06	Portion of Brazos River from confluence with Tehuacana Creek in McLennan County upstream to Lake Brazos Dam in McLennan County
Parameter(s)	Level of Concern
Nitrate in wa	ter CS
1242_05	Portion of Brazos River from confluence with Deer Creek in Falls County upstream to confluence with Tehuacana Creek in McLennan County

SEC ID	·1242R	Cottonwood	d Rranch
	.1444D	COLLOHWOOD	u Di anch

Intermittent stream with perennial pools from the confluence with Still Creek upstream 0.95 km to the confluence with an unnamed tributary

Parameter(s)		Level of Concern
Nitrate in wa	nter	CS
1242B 01	Portion of Cottonwood Branch from confluence with Still Creek upst	ream to unnamed

Portion of Cottonwood Branch from confluence with Still Creek upstream to unnamed tributary (NHD RC 12070101000835) in Brazos County

<u>Parameter(s)</u>	<u>Level of Concern</u>
Total Phosphorus in water	CS

Portion of Cottonwood Branch from confluence with Still Creek upstream to unnamed tributary (NHD RC 12070101000835) in Brazos County

May 12, 2020 Page 122 of 196

SEG ID: 1242C Still Creek

Perennial stream from the confluence with Thompson's Creek upstream to the headwaters in Brazos County near US 190

CS

CS

CS

CS

Parameter(s) Level of Concern

Depressed dissolved oxygen in water

1242C 02 Portion of Still Creek from confluence with Cottonwood Branch upstream to headwaters in Brazos County near US 190.

Parameter(s) Level of Concern

Nitrate in water

1242C 02 Portion of Still Creek from confluence with Cottonwood Branch upstream to headwaters in Brazos County near US 190.

Parameter(s) Level of Concern

Total Phosphorus in water

1242C 02 Portion of Still Creek from confluence with Cottonwood Branch upstream to headwaters in Brazos County near US 190.

SEG ID: 1242D Thompsons Creek

Thompsons Creek - from the confluence of the Brazos River upstream to the confluence of Thompson's Branch, north of FM 1687

Parameter(s) Level of Concern

Ammonia in water

1242D 02 Thompsons Creek an Appendix D intermittent stream with perennial pools from the confluence of Still Creek upstream to the confluence of Thompson's Branch, north of FM 1687

Parameter(s) Level of Concern

Chlorophyll-a in water

1242D 02 Thompsons Creek an Appendix D intermittent stream with perennial pools from the confluence of Still Creek upstream to the confluence of Thompson's Branch, north of FM

1687 Parameter(s) Level of Concern

Impaired fish community in water CN

1242D 01 Thompsons Creek an Appendix D perennial stream from the confluence of the Brazos River upstream to the confluence of Still Creek in Brazos County.

Parameter(s) Level of Concern

Impaired macrobenthic community in water

1242D 02 Thompsons Creek an Appendix D intermittent stream with perennial pools from the confluence of Still Creek upstream to the confluence of Thompson's Branch, north of FM

1687

Parameter(s) Level of Concern

Nitrate in water

1242D 01 Thompsons Creek an Appendix D perennial stream from the confluence of the Brazos River

upstream to the confluence of Still Creek in Brazos County.

Parameter(s) Level of Concern **Total Phosphorus in water** CS

1242D 01 Thompsons Creek an Appendix D perennial stream from the confluence of the Brazos River upstream to the confluence of Still Creek in Brazos County.

May 12, 2020 Page 123 of 196

SEG ID: 1242F Pond Creek

Perennial stream from the confluence with the Brazos River in Milam County upstream to the headwaters 0.18 km north of FM 935 in Bell County

Parameter(s) Level of Concern CS

Nitrate in water

1242F 01 From the Brazos confluence upstream to Live Oak Creek confluence

SEG ID:1242H Tradinghouse Reservoir

Impounded Tradinghouse Creek, within the city of Hallsburg, McLennan County

Parameter(s) Level of Concern

Harmful algal bloom/golden alga

Impounded Tradinghouse Creek, within the city of Hallsburg, McLennan County 1242H 01

SEG ID: 1242I Campbells Creek

From the confluence with the Little Brazos River upstream to the headwaters, one mi west of Old San Antonio Road

CN

CN

CS

Parameter(s) Level of Concern

Depressed dissolved oxygen in water

1242I 01 From the confluence with the Little Brazos River upstream to the headwaters, one mi west of Old San Antonio Road

> From the confluence with the Little Brazos River upstream to the headwaters, one mi west of Old San Antonio Road

SEG ID: 1242J Deer Creek

Deer Creek - perennial stream from the confluence of the Brazos River upstream to the confluence of Dog Branch northwest of Lott

Parameter(s) Level of Concern

Impaired macrobenthic community in water

1242J 01 Deer Creek an Appendix D perennial stream from the confluence of the Brazos River upstream to the confluence of Dog Branch northwest of Lott

Parameter(s) Level of Concern

Nitrate in water CS

1242J 01 Deer Creek an Appendix D perennial stream from the confluence of the Brazos River upstream to the confluence of Dog Branch northwest of Lott

SEG ID:1242MSpring Creek

From the confluence with the Little Brazos River in Robertson County, upstream to the headwaters, 1.5 mi north of FM 391

Parameter(s) Level of Concern

Depressed dissolved oxygen in water

1242M 01 From the confluence with the Little Brazos River in Robertson County, upstream to the headwaters, 1.5 mi north of FM 391

Page 124 of 196 May 12, 2020

SEG ID: 1242N Tehuacana Creek

From the confluence with the Brazos River in McLennan county upstream to the headwaters 2 mi south of Penelope in Hill County

Parameter(s)

Level of Concern

Bacteria in water (Recreation Use)

CN

1242N 01 Downstream portion of water body, from confluence with Brazos River upstream to confl. with Little Tehuacana Creek

Parameter(s)

Level of Concern

Chlorophyll-a in water

1242N 01 Downstream portion of water body, from confluence with Brazos River upstream to confl. with Little Tehuacana Creek

Parameter(s)

Level of Concern

Fish kill in water

CN

1242N 01 Downstream portion of water body, from confluence with Brazos River upstream to confl. with Little Tehuacana Creek

Parameter(s)

Level of Concern

Nitrate in water

1242N 01 Downstream portion of water body, from confluence with Brazos River upstream to confl. with Little Tehuacana Creek

Parameter(s)

Level of Concern

Total Phosphorus in water

1242N 01 Downstream portion of water body, from confluence with Brazos River upstream to confl. with Little Tehuacana Creek

SEG ID:12420 Bull Hide Creek

From the confluence with the Brazos River in Falls County upstream to its headwaters, 1.5 km west of Waco in McLennan County.

Parameter(s)

Level of Concern

Nitrate in water

Portion of Bull Hide Creek from the confluence with the Brazos River in Falls county 1242Q 01 upstream to the confluence with unnamed tributary (NHD RC 12070101002570) in McLennan County.

SEG ID: 1243 Salado Creek

From the confluence with the Lampasas River in Bell County to the confluence of North Salado Creek and South Salado Creek in Williamson County

Parameter(s) Level of Concern

Nitrate in water

CS

1243_01 Portion of Salado Creek from confluence with Lampasas River upstream to unnamed tributary (NHD RC 12070203003968) just downstream of Stagecoach outfall.

Portion of Salado Creek from confluence with unnamed tributary (NHD RC 1243 02 12070203003968) upstream to confluence with North/South Forks Salado Creek in Williamson County

Page 125 of 196 May 12, 2020

SEG ID: 1244	4 Brushy Creek From the confluence with the San Gabriel River in Milam County to the confluence of South Brushy Creek in Williamson County		
Parameter(s)	<u>Level of Concern</u>		
Bacteria in w	vater (Recreation Use)		
1244_02	From the confluence of Mustang Creek upstream to the confluence of Cottonwood Creek		
Parameter(s)	Parameter(s) <u>Level of Concern</u>		
Nitrate in wa	Nitrate in water CS		
1244_01	From the confluence of the San Gabriel River upstream to the confluence of Mustang Creek		
1244_02	From the confluence of Mustang Creek upstream to the confluence of Cottonwood Creek		
1244_03	From the confluence of Cottonwood Creek upstream to the confluence of Lake Creek		
Parameter(s)	<u>Level of Concern</u>		
Total Phosphorus in water CS			
1244_03	From the confluence of Cottonwood Creek upstream to the confluence of Lake Creek		

SEG ID: 1245	5 Upper Oyster Creek From Steep Bank Creek/Brazos River confluence in Fort Bend Cou Jones Creek confluence at Brazos River in Fort Bend County (inclu Bank Creek, Flat Bank Creek, and Jones Creek)	, , , ,
Parameter(s)		Level of Concern
Chlorophyll-	a in water	CS
1245_01	From the confluence with the Brazos River upstream to Dam #3	
1245_02	From Dam #3 upstream to Harmon St. crossing in Sugar Land	
Parameter(s)		<u>Level of Concern</u>
Nitrate in wa	ter	CS
1245_01	From the confluence with the Brazos River upstream to Dam #3	
Parameter(s)		Level of Concern
Total Phosphorus in water CS		CS
1245_01	From the confluence with the Brazos River upstream to Dam #3	

SEG ID:1245A	A Red Gully Perennial stream from the confluence with Oyster Creek upstream to the confluence with two unnamed tributaries 0.1 km east of Clodine Road
Parameter(s)	<u>Level of Concern</u>
Bacteria in wa	ater (Recreation Use)
1245A_01	Perennial stream from the confluence with Oyster Creek upstream to 1.7 km upstream of Old Richmond Road; App D
Parameter(s)	<u>Level of Concern</u>
Nitrate in wat	ter CS
1245A_01	Perennial stream from the confluence with Oyster Creek upstream to 1.7 km upstream of Old Richmond Road; App D

May 12, 2020 Page 126 of 196

SEG ID: 1245E Flewellen Creek

From the confluence with Oyster Creek upstream to the confluence with two unnamed tributaries, 0.3 km east of Fulshear in Fort Bend county.

<u>Parameter(s)</u> <u>Level of Concern</u>

Bacteria in water (Recreation Use)

CN

From the confluence with Oyster Creek upstream to the confluence with two unnamed tributaries, 0.3 km east of Fulshear in Fort Bend county.

SEG ID: 1245F Alcorn Bayou

From the confluence with Steep Bank Creek upstream to its headwaters 0.5km east of Pecan Grove in Fort Bend county

<u>Parameter(s)</u> <u>Level of Concern</u>

Nitrate in water CS

From the confluence with Steep Bank Creek upstream to its headwaters 0.5km east of Pecan Grove in Fort Bend county

SEG ID: 1245I Steep Bank Creek

From confluence with Oyster Creek (Flat Bank Creek portion) upstream to end of water body, 0.2 km east of US 59 in city of First Colony, Fort Bend County.

Parameter(s)

Nitrate in water

Level of Concern

CS

From confluence with Oyster Creek (Flat Bank Creek portion) upstream to end of water body, 0.2 km east of US 59 in city of First Colony, Fort Bend County.

SEG ID: 1245J Stafford Run

From the confluence with Upper Oyster Creek upstream to headwaters near Stafford, Fort Bend County.

<u>Parameter(s)</u> <u>Level of Concern</u>

Bacteria in water (Recreation Use)

From the confluence with Upper Oyster Creek upstream to headwaters near Stafford, Fort Bend County.

SEG ID: 1246 Middle Bosque/South Bosque River

Middle Bosque River from a point 1.64 km (1.02 mi) from the confluence with the South Bosque River to the confluence of Cave Creek and Middle Bosque Creek and for the South Bosque River from a point 1.35 km (0.84 mi) from the confluence of the Middle Bosq

Parameter(s)

Nitrate in water

Level of Concern

CS

1246_01 Entire Middle Bosque River 1246_02 Entire South Bosque River

May 12, 2020 Page 127 of 196

SEG ID:1246D Tonk Creek

From the confluence with Middle Bosque River in Crawford (McLennan County), upstream to the headwaters in Coryell County, 1.0 mi west of FM 929

Parameter(s) Level of Concern

Nitrate in water

1246D 02

From the confluence of an unnamed tributary 1.0 km upstream of FM 185 near Tonkawa Falls Park upstream to the headwaters in Coryell County, 1.0 mi west of FM 929

SEG ID: 1246E Wasp Creek

From the confluence with Tonk Creek in Crawford in McLennan County, upstream to the headwaters in Coryell County, 0.15 mi east of FM 185

Parameter(s) Level of Concern

Nitrate in water

1246E 01 From the confluence with Tonk Creek in Crawford in McLennan County, upstream to the headwaters in Coryell County, 0.15 mi east of FM 185

SEG ID:1247A Willis Creek

From the confluence with the headwaters of Granger Lake in Williamson County to CR 313 in Williamson County

Parameter(s) Level of Concern

Nitrate in water

1247A 01 From the confluence with the headwaters of Granger Lake in Williamson County to CR 313 in Williamson County

SEG ID: 1248 San Gabriel/North Fork San Gabriel River

From point 1.9 km (1.2 mi) downstream of SH 95 in Williamson County to North San Gabriel Dam in Williamson County

Parameter(s) Level of Concern

Nitrate in water

From point 1.9 km (1.2 mi) downstream of SH 95 in Williamson County to North San Gabriel 1248 01 Dam in Williamson County

SEG ID: 1248B Huddleston Branch

From the confluence with Mankins Branch in Williamson County to a point 1 km upstream of CR 105 in Williamson County

Parameter(s) Level of Concern **CN**

Bacteria in water (Recreation Use)

1248B 01 From the confluence with Mankins Branch in Williamson County to a point 1 km upstream of CR 105 in Williamson County

Parameter(s) Level of Concern

Nitrate in water

1248B 01 From the confluence with Mankins Branch in Williamson County to a point 1 km upstream of CR 105 in Williamson County

Page 128 of 196 May 12, 2020

SEG ID:1248C Mankins Branch

Perennial stream from the confluence with the San Gabriel River in Williamson County to the intersection of CR 105 and 104 in Williamson County

Parameter(s) Level of Concern CS

Impaired habitat in water

1248C 01 Perennial stream from the confluence with the San Gabriel River in Williamson County to the intersection of CR 105 and 104 in Williamson County

Parameter(s) Level of Concern

Nitrate in water

1248C 01 Perennial stream from the confluence with the San Gabriel River in Williamson County to the intersection of CR 105 and 104 in Williamson County

Parameter(s) Level of Concern

Total Phosphorus in water

1248C 01 Perennial stream from the confluence with the San Gabriel River in Williamson County to the intersection of CR 105 and 104 in Williamson County

SEG ID: 1250 South Fork San Gabriel River

From the confluence with the North Fork San Gabriel River in Williamson County to the most upstream crossing of SH 29 in Burnet County

Parameter(s)

Depressed dissolved oxygen in water

CS

CS

CS

CN

CS

1250 03 From the confluence with unnamed tributary (NHD RC 12070205002505) upstream to headwaters of water body.

SEG ID: 1253 Navasota River Below Lake Mexia

From a point 2.3 km (1.4 mi) downstream of SH 164 in Limestone County to Bistone Dam in Limestone County

Parameter(s) Level of Concern

Chlorophyll-a in water

1253 01 From headwaters of Lake Limestone upstream to confluence with Plummer's Creek

Parameter(s) Level of Concern

Depressed dissolved oxygen in water

From confluence with Plummer's Creek upstream to Springfield Lake 1253 02

SEG ID: 1253A Springfield Lake

Impoundment of Navasota River below Lake Mexia in Limestone County.

Parameter(s) Level of Concern

Depressed dissolved oxygen in water

1253A 01 Impoundment of Navasota River below Lake Mexia in Limestone County.

Page 129 of 196 May 12, 2020

SEG ID: 1254 Aquilla Reservoir

From Aquilla Dam in Hill County up to the normal pool elevation of 537.5 feet (impounds Aquilla Creek)

Level of Concern Parameter(s)

Arsenic in sediment

1254 03 Hackberry Creek arm on the east

SEG ID: 1254A Hackberry Creek

From its confluence with Aquilla Reservoir, upstream to its headwaters 1.3 mi west of Itasca in Hill County

Level of Concern Parameter(s) CS

Ammonia in water

1254A_01 Portion of Hackberry Creek from the confluence with Aquilla Reservoir upstream to the confluence with Little Hackberry Creek in Hill County.

Parameter(s) Level of Concern

Depressed dissolved oxygen in water

1254A 01 Portion of Hackberry Creek from the confluence with Aquilla Reservoir upstream to the confluence with Little Hackberry Creek in Hill County.

Parameter(s) Level of Concern

Nitrate in water

1254A 01 Portion of Hackberry Creek from the confluence with Aquilla Reservoir upstream to the confluence with Little Hackberry Creek in Hill County.

SEG ID: 1255 Upper North Bosque River

From a point immediately above the confluence of Indian Creek in Erath County to the confluence of the North Fork and South Fork of the Bosque River in Erath County

Parameter(s) Level of Concern Chlorophyll-a in water CS

1255_01 Portion of Upper North Bosque River from confluence with Indian Creek upstream to confluence with Dry Branch in Erath County.

Portion of Upper North Bosque River from confluence with Dry Branch upstream to 1255_02 confluence with North/South Forks North Bosque River in Erath County.

Parameter(s) Level of Concern

Depressed dissolved oxygen in water

CN

CS

CS

1255_02 Portion of Upper North Bosque River from confluence with Dry Branch upstream to confluence with North/South Forks North Bosque River in Erath County.

Parameter(s) Level of Concern Nitrate in water

1255 01 Portion of Upper North Bosque River from confluence with Indian Creek upstream to confluence with Dry Branch in Erath County.

Page 130 of 196 May 12, 2020

SEG ID: 1255A Goose Branch

From the confluence with the south fork of the North Bosque River 2.5 mi (4.0 km) west of Stephenville, upstream to the headwaters 0.5 mi (0.8 km) north of FM 8 in Erath County

Parameter(s) Level of Concern CS

Ammonia in water

1255A 01 From the confluence with the south fork of the North Bosque River 2.5 mi (4.0 km) west of Stephenville, upstream to the headwaters 0.5 mi (0.8 km) north of FM 8 in Erath County

Parameter(s) Level of Concern

Chlorophyll-a in water

1255A_01 From the confluence with the south fork of the North Bosque River 2.5 mi (4.0 km) west of Stephenville, upstream to the headwaters 0.5 mi (0.8 km) north of FM 8 in Erath County

Parameter(s) Level of Concern

Nitrate in water

1255A 01 From the confluence with the south fork of the North Bosque River 2.5 mi (4.0 km) west of Stephenville, upstream to the headwaters 0.5 mi (0.8 km) north of FM 8 in Erath County

Level of Concern Parameter(s)

Total Phosphorus in water

1255A 01 From the confluence with the south fork of the North Bosque River 2.5 mi (4.0 km) west of Stephenville, upstream to the headwaters 0.5 mi (0.8 km) north of FM 8 in Erath County

SEG ID: 1255B North Fork Upper North Bosque River

From the confluence with the South Fork of the Upper North Bosque River in Stephenville, upstream to the headwaters, 2.0 mi north of FM 219

Parameter(s) Level of Concern

Chlorophyll-a in water

1255B 01 From the confluence with the South Fork of the Upper North Bosque River in Stephenville, upstream to the headwaters, 2.0 mi north of FM 219

SEG ID: 1255C Scarborough Creek

From the confluence with the North Fork of the upper North Bosque River, upstream to the headwaters 0.1 mi (0.2 km) southeast of FM 219 in Erath County

Parameter(s) Level of Concern

Chlorophyll-a in water

CS

CS

1255C_01 From the confluence with the North Fork of the upper North Bosque River, upstream to the headwaters 0.1 mi (0.2 km) southeast of FM 219 in Erath County

Parameter(s) Level of Concern

Nitrate in water

1255C_01 From the confluence with the North Fork of the upper North Bosque River, upstream to the headwaters 0.1 mi (0.2 km) southeast of FM 219 in Erath County

Parameter(s) Level of Concern

Total Phosphorus in water

1255C 01 From the confluence with the North Fork of the upper North Bosque River, upstream to the headwaters 0.1 mi (0.2 km) southeast of FM 219 in Erath County

Page 131 of 196 May 12, 2020

SEG ID: 1255D South Fork North Bosque River

From the confluence with the North Fork of the upper North Bosque River in Stephenville, upstream to the headwaters 3 mi (4.8 km) north of FM 219 in Erath County

Parameter(s)

Level of Concern

Chlorophyll-a in water

CS

1255D 01

From the confluence with the North Fork of the upper North Bosque River in Stephenville, upstream to the headwaters 3 mi (4.8 km) north of FM 219 in Erath County

SEG ID: 1255E Unnamed Tributary of Goose Branch

From the confluence with Goose Branch in Erath County to its headwaters, 0.2 mi southeast of the intersection of FM 8 and Farm Road 1219

Parameter(s)

Level of Concern

CS

Ammonia in water

1255E_01 From the confluence with Goose Branch in Erath County to its headwaters, 0.2 mi southeast of the intersection of FM 8 and Farm Road 1219

Parameter(s)

Level of Concern

Nitrate in water

CS

From the confluence with Goose Branch in Erath County to its headwaters, 0.2 mi southeast of the intersection of FM 8 and Farm Road 1219

Parameter(s)

Level of Concern

Total Phosphorus in water

CS

From the confluence with Goose Branch in Erath County to its headwaters, 0.2 mi southeast of the intersection of FM 8 and Farm Road 1219

SEG ID:1255H South Fork Upper North Bosque River Reservoir

Impoundment of South Fork Upper North Bosque River, 8 mi north west of Stephenville in Erath County

Parameter(s)

Level of Concern

Depressed dissolved oxygen in water

CS

1255H_01 Impoundment of South Fork Upper North Bosque River, 8 mi north west of Stephenville in Erath County

SEG ID: 1256 Brazos River/Lake Brazos

From the low water dam forming Lake Brazos in McLennan County to a point immediately upstream of the confluence of Aquilla Creek in McLennan County (includes the Bosque River Arm to the Waco Lake Dam)

Parameter(s)

Level of Concern

CS

Chlorophyll-a in water

1256_02 Lake Brazos portion of segment

1256 03 Bosque River portion of segment

May 12, 2020 Page 132 of 196

SEG ID: 1259	Leon River Above Belton Lake From a point 100 meters (110 yards) upstream of FM 236 in Corye immediately upstream of the confluence with Plum Creek in Corye	
Parameter(s)		<u>Level of Concern</u>
Chlorophyll-a	a in water	CS
1259_01	Portion of Leon River from confluence with Lake Belton upstream Cottonwood Creek approximately 2.8 km south of Gatesville in Co	
1259_03	From the confluence with Stillhouse Creek upstream to a point immonfluence with Plum Creek	nediately upstream of the
Parameter(s)		Level of Concern
Nitrate in wat	Nitrate in water CS	
1259_02	Portion of Leon River from confluence with Cottonwood Creek ap of Gatesville upstream to the confluence with Stillhouse Branch in	

SEG ID: 1301 San Bernard River Tidal

From the confluence with the Intracoastal Waterway in Brazoria County to a point 3.2 km (2.0 mi) upstream of SH 35 in Brazoria County

<u>Parameter(s)</u> <u>Level of Concern</u>

Depressed dissolved oxygen in water

CS

From the confluence with the Intracoastal Waterway in Brazoria County to a point 3.2 km (2.0 mi) upstream of SH 35 in Brazoria County

SEG ID: 1302 San Bernard River Above Tidal

From a point 3.2 km (2.0 mi) upstream of SH 35 in Brazoria County to the county road southeast of New Ulm in Austin County

<u>Parameter(</u> s	<u>s)</u>	Level of Concern
Depressed dissolved oxygen in water CS		CS
1302_02	From the confluence with Peach Creek to the unnamed tributary at NH	D RC
	12090401001535 at N-96.03, W29.51	

From the confluence with unnamed tributary at NHD RC 12090401001535 at N-96.03, W29.51 to the confluence with Coushatta Creek

May 12, 2020 Page 133 of 196

SEG ID: 1302B West Bernard Creek

From the confluence with the San Bernard River Above Tidal downstream of US highway 59 to the headwaters approximately 40 mi upstream near FM 1093

<u>Parameter(s)</u> <u>Level of Concern</u>

Ammonia in water

CS

1302B 02 From the confluence with Clarks Branch to the upper end of segment

Parameter(s) Level of Concern

Depressed dissolved oxygen in water

CS

1302B 02 From the confluence with Clarks Branch to the upper end of segment

Parameter(s) Level of Concern

Impaired habitat in water

CS

1302B_01 From the confluence with the San Bernard River Above Tidal to the confluence with Clarks

Branch

SEG ID: 1302D Peach Creek

From the confluence with the San Bernard River in Wharton Co. to the headwaters approximately 8 km upstream of FM-102 in Wharton Co.

<u>Parameter(s)</u> <u>Level of Concern</u>

Depressed dissolved oxygen in water

CS

From the confluence with the San Bernard River in Wharton Co. to the headwaters approximately 8 km upstream of FM-102 in Wharton Co.

SEG ID: 1302E Mound Creek

From the confluence with the San Bernard River in Brazoria Co. to the headwaters approximately 400 m upstream of TX Hwy 36 in Ft. Bend Co.

<u>Parameter(s)</u> <u>Level of Concern</u>

Bacteria in water (Recreation Use)

CN

From the confluence with the San Bernard River in Brazoria Co. to the headwaters approximately 400 m upstream of TX Hwy 36 in Ft. Bend Co.

Parameter(s) Level of Concern

Depressed dissolved oxygen in water

CS

From the confluence with the San Bernard River in Brazoria Co. to the headwaters approximately 400 m upstream of TX Hwy 36 in Ft. Bend Co.

SEG ID: 1304 Caney Creek Tidal

From the confluence with the Intracoastal Waterway in Matagorda County to a point 1.9 km (1.2 mi) upstream of the confluence of Linville Bayou in Matagorda County

<u>Parameter(s)</u> <u>Level of Concern</u>

Depressed dissolved oxygen in water

CS

From the downstream end of segment to the confluence with Dead Slough

May 12, 2020 Page 134 of 196

SEG ID: 1304A Linnville Bayou

From the confluence with Caney Creek in Matagorda County upstream to a point 0.7 km above SH 35 in Brazoria/Matagorda Counties

Parameter(s) Level of Concern

Chlorophyll-a in water

1304A 01 Intermittent stream with perennial pools from a point 1.1 km above the confluence with

Caney Creek in Matagorda County upstream to a point 0.1 km above SH 35 in

Brazoria/Matagorda counties; AppD

SEG ID: 1305 Caney Creek Above Tidal

From a point 1.9 km (1.2 mi) upstream of the confluence of Linnville Bayou in Matagorda County to the confluence of Water Hole Creek in Matagorda County

CN

CS

Parameter(s) Level of Concern

Depressed dissolved oxygen in water

1305 03 From the confluence with Snead Slough in Matagorda Co. to the upper end of segment at the confluence with Water Hole Creek in Matagorda Co.

Parameter(s) Level of Concern

Impaired habitat in water

1305 02 From the confluence with Hardeman Slough to the confluence with Snead Slough

Parameter(s) Level of Concern

Total Phosphorus in water

CS

1305 03 From the confluence with Snead Slough in Matagorda Co. to the upper end of segment at the confluence with Water Hole Creek in Matagorda Co.

SEG ID: 1305A Hardeman Slough

From the confluence with Caney Creek to 0.3 km upstream of Matagorda County Rd 110

Parameter(s) Level of Concern

Depressed dissolved oxygen in water

Perennial stream from the confluence with Caney Creek upstream to the confluence with an 1305A 01 unnamed tributary approximately 1.9 km downstream of FM 3156 near the City of Van

Vleck; App D

SEG ID: 1305B Caney Creek Above Water Hole Creek

From the confluence with Water Hole Creek in Matagorda Co. (at the upper end of Segment 1305) to the headwaters approximately 43 mi at Old Caney Rd. in Wharton Co.

Parameter(s) Level of Concern **CN**

Bacteria in water (Recreation Use)

1305B 01 From the confluence with Water Hole Creek in Matagorda Co. (at the upper end of Segment 1305) to the headwaters approximately 43 mi at Old Caney Rd. in Wharton Co.

Level of Concern Parameter(s)

Total Phosphorus in water

1305B 01 From the confluence with Water Hole Creek in Matagorda Co. (at the upper end of Segment 1305) to the headwaters approximately 43 mi at Old Caney Rd. in Wharton Co.

Page 135 of 196 May 12, 2020

SEG ID: 1401 Colorado River Tidal Colorado River Tidal - from the confluence with Matagorda Bay due to a diversion channel in Matagorda County to a point 2.1 km (1.3 mi) downstream of the Missouri-Pacific Railroad in Matagorda County Level of Concern Parameter(s) Chlorophyll-a in water **CS** 1401 01 Colorado River Tidal - from the confluence with Matagorda Bay due to a diversion channel in Matagorda County to a point 2.1 km (1.3 mi) downstream of the Missouri-Pacific Railroad in Matagorda County Parameter(s) Level of Concern Nitrate in water CS 1401 01 Colorado River Tidal - from the confluence with Matagorda Bay due to a diversion channel in Matagorda County to a point 2.1 km (1.3 mi) downstream of the Missouri-Pacific Railroad in Matagorda County

	2 Colorado River below La Grange From a point 2.1 km (1.3 mi) downstream of the Missouri-Pacific Railroad in Matagorda County to a point 100 meters (110 yards) downstream of SH 71 at La Grange in Fayette County		
<u>Parameter(s)</u> Chlorophyll-	Parameter(s) Chlorophyll-a in water Level of Concern CS		
1402_01	From a point 2.1 km (1.3 mi) downstream of the Missouri-Pacific Railroad in Matagorda County upstream to the confluence of Blue Creek in Matagorda County		
1402_02	From the confluence of Blue Creek in Matagorda County upstream to the confluence of Pierce Canal west of Wharton in Wharton County		
1402_05	From the confluence of Skull Creek in Colorado County upstream to the confluence of Cummins Creek northeast of Columbus in Colorado County		
Parameter(s) Nitrate in wa	Parameter(s) Nitrate in water Level of Concern CS		
1402_01	From a point 2.1 km (1.3 mi) downstream of the Missouri-Pacific Railroad in Matagorda County upstream to the confluence of Blue Creek in Matagorda County		
1402_02	From the confluence of Blue Creek in Matagorda County upstream to the confluence of Pierce Canal west of Wharton in Wharton County		
1402_05	From the confluence of Skull Creek in Colorado County upstream to the confluence of Cummins Creek northeast of Columbus in Colorado County		
1402_06	From the confluence of Cummins Creek northeast of Columbus in Colorado County upstream to confluence of Williams Creek in Fayette County		
1402_07	From the confluence of Williams Creek in Fayette County upstream to a point 100 meters (110 yards) downstream of Business SH 71 at La Grange in Fayette County		

SEG ID:1402	C Buckners Creek Perennial stream from the confluence with the Colorado River upstre Patterson Road southeast of the City of Rosanky in Bastrop County	am to the headwaters at
Parameter(s)		Level of Concern
Chlorophyll-	a in water	CS
1402C_01	Perennial stream from the confluence with the Colorado River upstre with Chandler Branch 1.6 km upstream of FM 154 in Fayette County	

May 12, 2020 Page 136 of 196

SEG ID:1402H Skull Creek

From the confluence with the Colorado River west of Eagle Lake in Colorado County to the upstream perennial portion southwest of Columbus

CS

CN

CN

Parameter(s) Level of Concern

Chlorophyll-a in water

1402H 01 From the confluence with the Colorado River west of Eagle Lake in Colorado County to the upstream perennial portion southwest of Columbus

SEG ID: 1403 Lake Austin

From Tom Miller Dam in Travis County to Mansfield Dam in Travis County, up to normal pool elevation of 492.8 feet (impounds Colorado River)

Parameter(s) Level of Concern CS

Manganese in sediment

1403 01 From Tom Miller dam to Loop 360 bridge

SEG ID: 1403A Bull Creek

From the confluence of Lake Austin in northwest Austin in Travis County to the upstream perennial portion of the stream north of Austin in Travis County

Level of Concern Parameter(s)

Bacteria in water (Recreation Use)

1403A 03 From the Loop 360 crossing near Lakewood Dr. upstream to the Spicewood Springs Rd crossing near Yaupon Dr.

SEG ID: 1403B West Bull Creek

From the confluence of Bull Creek at FM 2222 and Lakewood Drive in Austin in Travis County upstream to a point north of FM 2222 in Travis County

Parameter(s) Level of Concern

Bacteria in water (Recreation Use)

1403B 01 From the confluence of Bull Creek at FM 2222 and Lakewood Drive in Austin in Travis

County upstream to a point north of FM 2222 in Travis County

SEG ID: 1403D Barrow Preserve Tributary

From the confluence of Stillhouse Hollow south of Loop 360 in Austin in Travis County upstream to the headsprings in Barrow Nature Preserve

Parameter(s) Level of Concern Nitrate in water

1403D 01 From the confluence of Stillhouse Hollow south of Loop 360 in Austin in Travis County upstream to the headsprings in Barrow Nature Preserve

Page 137 of 196 May 12, 2020

SEG ID: 1403E Stillhouse Hollow

From the confluence of Bull Creek south of Loop 360 in Austin in Travis County upstream to the headsprings in Stillhouse Hollow Nature Preserve

Parameter(s) Level of Concern

Nitrate in water

1403E 01

From the confluence of Bull Creek south of Loop 360 in Austin in Travis County upstream to the headsprings in Stillhouse Hollow Nature Preserve

SEG ID: 1403J Spicewood Tributary to Shoal Creek

From the confluence of an unnamed tributary west of the MoPac Expressway in north Austin in Travis County upstream to the head waters north of Williamsburg Circle in Travis County

Level of Concern Parameter(s)

Nitrate in water

1403J 01 From the confluence of an unnamed tributary west of the MoPac Expressway in north Austin in Travis County upstream to the head waters north of Williamsburg Circle in Travis County

SEG ID:1403K Taylor Slough South

From the confluence of Lake Austin in Travis County to the headwaters near South Meadow Circle on the Texas Department of Aging and Disability Services campus in Austin in Travis County

Parameter(s) Level of Concern

Nitrate in water

CS

1403K 01 From the confluence of Lake Austin in Travis County to the headwaters near South Meadow Circle on the Texas Department of Aging and Disability Services campus in Austin in Travis County

SEG ID: 1403R Westlake-Davenport Tributary to Lake Austin

From the confluence of Lake Austin in Travis County upstream to the headwaters 150 ft. southeast of the intersection of Waymaker Way and Round Table road in Austin in Travis County

Parameter(s) Level of Concern

Bacteria in water (Recreation Use)

1403R 01 From the confluence of Lake Austin in Travis County upstream to the headwaters 150 ft. southeast of the intersection of Waymaker Way and Round Table road in Austin in Travis County

SEG ID: 1404 Lake Travis

From Mansfield Dam in Travis County to Max Starcke Dam on the Colorado River Arm in Burnet County and to a point immediately upstream of the confluence of Fall Creek on the Pedernales River Arm in Travis County, up to the normal pool elevation of 681.6 fe

Parameter(s) Level of Concern

Depressed dissolved oxygen in water

CS

1404 05 From the confluence with Cow Creek upstream to the confluence of the Pedernales River Arm

 $1404_{-}10$ Bee Creek Arm

Page 138 of 196 May 12, 2020

SEG ID: 1404A Hamilton Creek

From the confluence with Lake Travis upstream to the headwaters near the intersection of CR 110 and Threadgill Ranch Road northwest of Burnet in Burnet County

Parameter(s)

Level of Concern

Chlorophyll-a in water

CS

1404A 03

From the confluence of Haynie Branch upstream to the headwaters near the intersection of CR 110 and Threadgill Ranch Road northwest of Burnet in Burnet County

SEG ID: 1407 Inks Lake

From Roy Inks Dam on the Colorado River Arm in Burnet/Llano County to Buchanan Dam in Burnet/Llano County, up to normal pool elevation of 888 feet (impounds the Colorado River)

Parameter(s)

Level of Concern

CS

Manganese in sediment

1407 01 From Roy Inks Dam upstream to the Clear Creek Arm

SEG ID: 1407A Clear Creek

From the confluence with Inks Lake in Burnet County west of Burnet upstream to a point 2 mi (3.2 km) west of FM 2341 near Potato Hill northwest of Burnet

Parameter(s)

<u>Level of Concern</u> **CN**

Cadmium in water

1407A 01 From the confluence with Inks Lake upstream to FM 2341

SEG ID: 1409 Colorado River Above Lake Buchanan

From a point immediately upstream of the confluence of Yancey Creek in Burnet/San Saba/Lampasas County to the confluence of the San Saba River in San Saba County

Parameter(s)

Level of Concern

Chlorophyll-a in water

From the confluence with Cherokee Creek upstream to the confluence of the San Saba River

SEG ID: 1410 Colorado River Below O. H. Ivie Reservoir

From the confluence of the San Saba River in San Saba County to S. W. Freese Dam in Coleman/Concho County

Parameter(s)

Level of Concern

Chlorophyll-a in water

CS

1410 03 From the confluence of Indian Creek upstream to the confluence of Bull Creek

1410 04 From the confluence of Bull Creek upstream to O.H. Ivie Reservoir dam

May 12, 2020 Page 139 of 196

SEG ID: 1411 E. V. Spence Reservoir

From Robert Lee Dam in Coke County to a point immediately upstream of the confluence of Little Silver Creek in Coke County, up to the normal pool elevation of 1898 feet (impounds Colorado River)

Level of Concern Parameter(s) **CN**

Harmful algal bloom/golden alga

1411 01 Main pool from the dam upstream to the Rough Creek arm 1411 02 From the Rough Creek arm upstream to the confluence of Little Silver Creek

SEG ID: 1412 Colorado River Below Lake J. B. Thomas

From a point immediately upstream of the confluence of Little Silver Creek in Coke County to Colorado River Dam in Scurry County

Level of Concern Parameter(s) CN

Bacteria in water (Recreation Use)

1412 03 From the dam below Barber Reservoir pump station upstream to the confluence of Deep Creek

Parameter(s) Level of Concern Chlorophyll-a in water 1412 01 From a point 275 m (300 yds) upstream of the confluence of Little Silver Creek in Coke County upstream to the confluence of Beals Creek

1412 02 From the confluence of Beals Creek upstream to the dam below Barber Reservoir pump

1412_03 From the dam below Barber Reservoir pump station upstream to the confluence of Deep Creek

Parameter(s) Level of Concern

Depressed dissolved oxygen in water

1412 02 From the confluence of Beals Creek upstream to the dam below Barber Reservoir pump station

SEG ID:1412A Lake Colorado City

From Lake Colorado City Dam up to normal pool elevation of 2070.0 feet southwest of Colorado City in Mitchell County (impounds Morgans Creek)

Parameter(s) Level of Concern

Harmful algal bloom/golden alga

1412A 01 From Lake Colorado City Dam up to normal pool elevation of 2070.0 feet southwest of

Colorado City in Mitchell County (impounds Morgans Creek)

Page 140 of 196 May 12, 2020

SEG ID: 1412B Beals Creek

From the confluence of the Colorado River south of Colorado City in Mitchell County to the confluence of Mustang Draw and Sulphur Springs Draw in Howard County

<u>Parameter(s)</u> <u>Level of Concern</u>

Bacteria in water (Recreation Use)

CN

1412B 01 From the confluence with the Colorado River upstream to the confluence of Bull Creek

Parameter(s) Level of Concern

Chlorophyll-a in water

CS

1412B 01 From the confluence with the Colorado River upstream to the confluence of Bull Creek

From the confluence of Gutherie Draw upstream to the confluence of Mustang Draw and Sulphur Springs Draw

<u>Parameter(s)</u> <u>Level of Concern</u>

Nitrate in water

CS

From the confluence of Gutherie Draw upstream to the confluence of Mustang Draw and Sulphur Springs Draw

<u>Parameter(s)</u> <u>Level of Concern</u>

Total Phosphorus in water

CS

From the confluence of Gutherie Draw upstream to the confluence of Mustang Draw and Sulphur Springs Draw

SEG ID: 1414B Cypress Creek

From the confluence with the Pedernales River west of Austin to the upstream perennial portion west of Round Mountain in Blanco County

<u>Parameter(s)</u> <u>Level of Concern</u>

Bacteria in water (Recreation Use)

CN

From the confluence with the Pedernales River west of Austin to the upstream perennial portion west of Round Mountain in Blanco County

SEG ID: 1416A Brady Creek

From the confluence of the San Saba River southwest of San Saba in San Saba County to Brady Lake Dam west of Brady in McCulloch County

<u>Parameter(s)</u> <u>Level of Concern</u>

Chlorophyll-a in water

CS

From the confluence of an unnamed tributary approximately 5 km east of FM 2309 east of Brady upstream to FM 714

1416A 03 From FM 714 upstream to Brady Lake dam

<u>Parameter(s)</u> <u>Level of Concern</u>

Nitrate in water

CS

1416A_02 From the confluence of an unnamed tributary approximately 5 km east of FM 2309 east of Brady upstream to FM 714

<u>Parameter(s)</u> <u>Level of Concern</u>

Total Phosphorus in water

CS

From the confluence of an unnamed tributary approximately 5 km east of FM 2309 east of Brady upstream to FM 714

May 12, 2020 Page 141 of 196

SEG ID:1416C Brady Creek above Brady Creek Reservoir

From the confluence of an unnamed tributary 2.5 km (1.5 mi) downstream of the Cow Creek confluence in McCulloch County upstream the headwaters 22.5 km (14 mi) southwest of Eden in Concho County

Parameter(s)

Level of Concern

Nitrate in water

CS

1416C_01

From the confluence of an unnamed tributary 2.5 km (1.5 mi) downstream of the Cow Creek confluence in McCulloch County upstream to the confluence of Harden Branch in Concho County

SEG ID: 1417 Lower Pecan Bayou

From the confluence with the Colorado River in Mills County to a point immediately upstream of the confluence of Mackinally Creek in Brown County

Parameter(s)

1417 01

Level of Concern

CS

Chlorophyll-a in water

From the confluence with the Colorado River in Mills County to a point immediately upstream of the confluence of Mackinally Creek in Brown County

SEG ID: 1418 Lake Brownwood

From Lake Brownwood Dam in Brown County to a point 100 meters (110 yards) upstream of FM 2559 in Brown County, up to normal pool elevation of 1425 feet (impounds Pecan Bayou)

Parameter(s)

Level of Concern

CS

Manganese in sediment

1418 01 Mid-lake near dam

SEG ID: 1418A Hords Creek

From the confluence of Jim Ned Creek east of Coleman in Coleman County Hords Creek Lake Dam west of Coleman in Coleman County

Parameter(s)

Level of Concern

Chlorophyll-a in water

CS

1418A_02 From the confluence of Jim Ned Creek to a point 0.5 mi downstream of Live Oak Rd

SEG ID: 1420 Pecan Bayou Above Lake Brownwood

From a point 100 meter (110 yards) upstream of FM 2559 in Brown County to the confluence of the North Prong Pecan Bayou and the South Prong of Pecan Bayou in Callahan County

Parameter(s)

Level of Concern

Chlorophyll-a in water

CS

1420_01

Lower 25 mi

Parameter(s)

Level of Concern

Depressed dissolved oxygen in water

CS

1420 01 Lower 25 mi

May 12, 2020 Page 142 of 196

SEG ID: 1421	Concho River
	From a point 2 km (1.2 mi) above the confluence of Fuzzy Creek in Concho County to San
	Angelo Dam on the North Concho River in Tom Green County and to Nasworthy Dam on the South Concho River in Tom Green County
Parameter(s)	Level of Concern
Chlorophyll-a	
1421_01	Downstream end to Chandler Lake confluence
1421_03	From the confluence of Puddle Creek upstream to the confluence of Willow Creek
1421_04	From the confluence of Willow Creek upstream to the confluence of an unnamed tributary near Chandler Road
1421_07	From the dam near Vines Road upstream to the confluence of the North Concho River and the South Concho River
1421_08	North Concho River, from the confluence with the South Concho River upstream to O.C. Fisher dam
Parameter(s)	<u>Level of Concern</u>
Depressed dis	ssolved oxygen in water CS
1421_05	From the confluence of an unnamed tributary near Chandler Rd. upstream to the confluence of Red Ck.
Parameter(s)	<u>Level of Concern</u>
Nitrate in wa	ter CS
1421_01	Downstream end to Chandler Lake confluence
1421_02	From Chandler Lake confluence upstream to confluence of Puddle Ck.
1421_03	From the confluence of Puddle Creek upstream to the confluence of Willow Creek
1421_04	From the confluence of Willow Creek upstream to the confluence of an unnamed tributary near Chandler Road

SEG ID:1421A Dry Hollow Creek

From the confluence with the Concho River west of Paint Rock in Concho County to the headwaters at US 87

Parameter(s) Level of Concern

Nitrate in water

1421A_01

From the confluence with the Concho River west of Paint Rock in Concho County to the headwaters at US 87

SEG ID: 1421B Kickapoo Creek

From the confluence with the Concho River west of Paint Rock in Concho County to the headwaters northwest of Eden

Parameter(s)Level of ConcernNitrate in waterCS

1421B 01 Lower 25 mi of creek

May 12, 2020 Page 143 of 196

SEG ID:1421C Lipan Creek

From the confluence with the Concho River west of Paint Rock in Concho County to the headwaters near RR 1223 in Tom Green County

CS

CS

CS

CS

CN

Parameter(s) Level of Concern

Chlorophyll-a in water

1421C 01 Lower 25 mi of creek

Parameter(s) Level of Concern

Nitrate in water

1421C 01 Lower 25 mi of creek

SEG ID: 1424 Middle Concho/South Concho River

From a point 4.0 km (2.5 mi) downstream of FM 2335 to the confluence of Bois d' Arc Draw on the South Concho River, and from a point 100 meters (110 yards) upstream of US 67 to the confluence of Three Bluff Draw and Indian Creek on the Middle Concho River

Parameter(s) Level of Concern

Nitrate in water

1424 01 South Concho River from a point 4 km (2.5 mi) downstream of FM 2335 upstream to the confluence of Bois D'Arc Draw in Tom Green County

SEG ID: 1425A North Concho River

From the headwaters of OC Fisher Lake near San Angelo in Tom Green County upstream to the Glasscock/Howard County line

Parameter(s) Level of Concern

Chlorophyll-a in water

Lower end of water body to Sterling County line 1425A 01

Parameter(s) Level of Concern

Depressed dissolved oxygen in water

1425A 03 SH 163 to US 87

SEG ID: 1426 Colorado River Below E. V. Spence Reservoir

From a point 3.7 km (2.3 mi) below the confluence of Mustang Creek in Runnels County to Robert Lee Dam in Coke County

Parameter(s) Level of Concern CS

Chlorophyll-a in water

1426 01 Lower end of segment to Country Club Lake

1426_02 Country Club Lake to Coke County line

1426 03 Coke County line to SH 208

1426 04 SH 208 to dam

Parameter(s) Level of Concern

Harmful algal bloom/golden alga

Lower end of segment to Country Club Lake 1426 01

1426 02 Country Club Lake to Coke County line

Page 144 of 196 May 12, 2020

SEG ID: 1426A Oak Creek Reservoir

From Oak Creek Dam up to normal pool elevation of 2,000.0 feet north of Bronte in Coke County (impounds Oak Creek)

Parameter(s)

Level of Concern

Excessive algal growth in water

CN

1426A_01 From Oak Creek Dam up to normal pool elevation of 2,000.0 feet north of Bronte in Coke

County (impounds Oak Creek)

SEG ID: 1426B Elm Creek

From the confluence with the Colorado River near Ballinger in Runnels County to the Lake Winters dam east of Winters in Runnels County

Parameter(s)

Level of Concern

Chlorophyll-a in water

CS

Perennial stream from the confluence with the Colorado River upstream to the dam approximately 300 meters downstream of US Highway 67

1426B 02 From the dam approximately 300 meters downstream of US Highway 67 upstream to the

Lake Winters dam east of Winters in Runnels County

SEG ID:1426C Bluff Creek

From the confluence with Elm Creek in Runnels County upstream to a point 1 mi east of US Hwy 277 in Taylor County.

Parameter(s)

Level of Concern

Nitrate in water

CS

1426C 01 From the confluence with Elm Creek upstream to the confluence of Mill Creek

SEG ID: 1426D Covote Creek

From the confluence with Elm Creek in Runnels County upstream to the confluence of Big Coyote Creek and Little Coyote Creek southwest of Winters in Runnels County

Parameter(s)

Level of Concern

Nitrate in water

CS

1426D 01

From the confluence with Elm Creek in Runnels County upstream to the confluence of Big Coyote Creek and Little Coyote Creek southwest of Winters in Runnels County.

SEG ID:1427G Granada Hills Tributary to Slaughter Creek

Unnamed tributary from the confluence of Slaughter Creek in Travis County upstream to La Fauna Path in Travis County

Parameter(s)

Level of Concern

Nitrate in water

CS

1427G_01 Unnamed tributary from the confluence of Slaughter Creek in Travis County upstream to La Fauna Path in Travis County

May 12, 2020 Page 145 of 196

SEG ID: 1428	Colorado River Below Lady Bird Lake (formerly Town Lake) From a point 100 meters (110 yards) upstream of FM 969 near Utley in Longhorn Dam in Travis County	Bastrop County to
Parameter(s)	· ·	Level of Concern
Depressed dis	solved oxygen in water	CS
1428_03	Walnut Creek to Longhorn Dam	
Parameter(s)		Level of Concern
Impaired fish	community in water	CN
1428_01	Lower end of segment to Gilleland Creek confluence	
Parameter(s)		Level of Concern
Impaired ma	crobenthic community in water	CN
1428_01	Lower end of segment to Gilleland Creek confluence	
Parameter(s)		Level of Concern
Nitrate in wa	ter	CS
1428_01	Lower end of segment to Gilleland Creek confluence	
1428_02	From the confluence of Gilleland Creek upstream to the confluence of V	Walnut Ck.
Parameter(s)		Level of Concern
Total Phosph	orus in water	CS
1428_01	Lower end of segment to Gilleland Creek confluence	
1428_02	From the confluence of Gilleland Creek upstream to the confluence of V	Walnut Ck.

	From the confluence of the Colorado River in east Austin in perennial portion of the stream in north Austin in Travis Cou	• •
Parameter(s)		<u>Level of Concern</u>
Bacteria in w	ater (Recreation Use)	CN
1428B_02	From FM 969 upstream to Old Manor Rd.	
1428B_04	From Dessau Rd. upstream to MoPac/Loop 1	
Parameter(s)		<u>Level of Concern</u>
Impaired hab	itat in water	CS
1428B_03	From old Manor Road upstream to Dessau Road	
Parameter(s)		<u>Level of Concern</u>
Impaired ma	crobenthic community in water	CN
1428B 04	From Dessau Rd. upstream to MoPac/Loop 1	

May 12, 2020 Page 146 of 196

SEG ID:1	1428C Gille	land Creek	K .	
	ъ		1	•

Perennial stream and intermittent stream with perennial pools from the confluence with the Colorado River up to the spring source (Ward Spring) northwest of Pflugerville, in Travis County

	colorado River up to the spring source (ward spring) northwe	st of f flagorville, in flavis
	County	
Parameter(s)		Level of Concern
Nitrate in w	ater	CS
1428C_01	From the Colorado River upstream to Taylor Lane	
1428C_02	From Taylor Lane upstream to Old Highway 20	
1428C_03	From Old Highway 20 to Cameron Road	
1428C_04	From Cameron Road to the spring source	

	From the confluence of Town Lake in central Austin in Tr of the stream in north Austin in Travis County	ravis County to the upstream portion
Parameter(s)	21 4.10 21.244.1 11. 12.41.1 1.424.1 11. 11. 12. 2. 2. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4.	<u>Level of Concern</u>
	cene in sediment	CS
1429C_02	From East MLK Blvd. to East 41st Street	
Parameter(s)		Level of Concern
Benzo(a)pyre	ne in sediment	CS
1429C_02	From East MLK Blvd. to East 41st Street	
Parameter(s)		<u>Level of Concern</u>
Chrysene in s	ediment	CS
1429C_02	From East MLK Blvd. to East 41st Street	
Parameter(s)		<u>Level of Concern</u>
	nthracene in sediment	CS
1429C_02	From East MLK Blvd. to East 41st Street	
Parameter(s)		<u>Level of Concern</u>
Fish kill in wa	ater	CN
1429C_02	From East MLK Blvd. to East 41st Street	
Parameter(s)		<u>Level of Concern</u>
Fluoranthene		CS
1429C_02	From East MLK Blvd. to East 41st Street	
Parameter(s)		<u>Level of Concern</u>
Lead in sedin		CS
1429C_02	From East MLK Blvd. to East 41st Street	
Parameter(s)		<u>Level of Concern</u>
Phenanthren		CS
1429C_02	From East MLK Blvd. to East 41st Street	
<u>Parameter(s)</u>		<u>Level of Concern</u>
Pyrene in sed		CS
1429C_02	From East MLK Blvd. to East 41st Street	

May 12, 2020 Page 147 of 196

SEG ID:1429	DD East Bouldin Creek
523 ID(112)	From the confluence of Town Lake in Austin in Travis County upstream to SH 71 in south Austin in Travis County
Parameter(s)	<u>Level of Concern</u>
Benz(a)antra	acene in sediment CS
1429D_01	From the confluence of Town Lake in Austin in Travis County upstream to SH 71 in south Austin in Travis County
Parameter(s)	<u>Level of Concern</u>
Cadmium in	sediment CS
1429D_01	From the confluence of Town Lake in Austin in Travis County upstream to SH 71 in south Austin in Travis County
Parameter(s)	<u>Level of Concern</u>
Chrysene in	sediment CS
1429D_01	From the confluence of Town Lake in Austin in Travis County upstream to SH 71 in south Austin in Travis County
Parameter(s)	Level of Concern
Dibenz(a,h)a	inthracene in sediment CS
1429D_01	From the confluence of Town Lake in Austin in Travis County upstream to SH 71 in south Austin in Travis County
Parameter(s)	Level of Concern
Fluoranthen	e in sediment CS
1429D_01	From the confluence of Town Lake in Austin in Travis County upstream to SH 71 in south Austin in Travis County
Parameter(s)	<u>Level of Concern</u>
Lead in sedir	ment CS
1429D_01	From the confluence of Town Lake in Austin in Travis County upstream to SH 71 in south Austin in Travis County
Parameter(s)	<u>Level of Concern</u>
Phenanthren	ne in sediment CS
1429D_01	From the confluence of Town Lake in Austin in Travis County upstream to SH 71 in south Austin in Travis County
- D	1 1 60

Parameter(s) Level of Concern Pyrene in sediment

1429D 01 From the confluence of Town Lake in Austin in Travis County upstream to SH 71 in south Austin in Travis County

SEG ID: 1430 Barton Creek

From the confluence with Lady Bird Lake (formerly Town Lake) in Travis County to FM 12 in Hays County

Parameter(s) Level of Concern \mathbf{CN}

Toxicity in sediment

1430 02 From Barton Springs Pool upstream dam to a point 2 mi upstream of Loop 1

May 12, 2020 Page 148 of 196

SEG ID: 1430A Barton Springs

Barton Springs 0.4 mi upstream of Barton Springs Road in Austin in Travis County

Parameter(s) Level of Concern

Toxicity in sediment

1430A 01 Barton Springs Pool - entire water body

SEG ID: 1431 Mid Pecan Bayou

From a point immediately upstream of the confluence of Mackinally Creek in Brown County to a point immediately upstream of Willis Creek in Brown County

CN

CS

Parameter(s) Level of Concern CS

Chlorophyll-a in water

1431_01 From a point immediately upstream of the confluence of Mackinally Creek in Brown County to a point immediately upstream of Willis Creek in Brown County

Parameter(s) Level of Concern

Nitrate in water

1431 01 From a point immediately upstream of the confluence of Mackinally Creek in Brown County to a point immediately upstream of Willis Creek in Brown County

Parameter(s) Level of Concern

Total Phosphorus in water

1431 01 From a point immediately upstream of the confluence of Mackinally Creek in Brown County to a point immediately upstream of Willis Creek in Brown County

SEG ID: 1432 Upper Pecan Bayou

From a point immediately upstream of the confluence of Willis Creek in Brown County to Lake Brownwood Dam in Brown County

Parameter(s) Level of Concern CS

Chlorophyll-a in water

1432_01 From a point immediately upstream of the confluence of Willis Creek in Brown County to Lake Brownwood Dam in Brown County

SEG ID: 1433 O. H. Ivie Reservoir

From S. W. Freese Dam to a point 3.7 km (2.3 mi) downstream of the confluence of Mustang Creek on the Colorado River Arm and to a point 2.0 km (1.2 mi) upstream of the confluence of Fuzzy Creek on the Concho River Arm, up to the conservation pool level of

Parameter(s) Level of Concern **CS**

Depressed dissolved oxygen in water

1433 02 Concho River arm 1433 03 Colorado River arm

Page 149 of 196 May 12, 2020

SEG ID: 1434 Colorado River above La Grange From a point 100 meters (110 yards) downstream of SH 71 at La Grange in Fayette County to a point 100 meters (110 yards) upstream of FM 969 near Utley in Bastrop County Level of Concern Parameter(s) **CS** Nitrate in water 1434 01 From a point 100 m downstream of SH 71 upstream to the Southern Pacific Railroad crossing 1434 02 Southern-Pacific RR upstream to the confluence of Reeds Creek west of Smithville 1434 03 From the confluence of Reeds Creek west of Smithville upstream to the end of segment Level of Concern Parameter(s) **Total Phosphorus in water** CS 1434 01 From a point 100 m downstream of SH 71 upstream to the Southern Pacific Railroad crossing Southern-Pacific RR upstream to the confluence of Reeds Creek west of Smithville 1434 02 1434 03 From the confluence of Reeds Creek west of Smithville upstream to the end of segment

SEC	3 ID:	1434B	Cedar	Creel	K
-----	-------	-------	-------	-------	---

1434B 01

Perennial stream from the confluence with the Colorado River upstream to the confluence of an unnamed tributary at FM 525 in Bastrop County

Parameter(s) Level of Concern

Bacteria in water (Recreation Use)

Perennial stream from the confluence with the Colorado River upstream to the confluence of an unnamed tributary at FM 525 in Bastrop County

CN

<u>Parameter(s)</u> <u>Level of Concern</u>

Depressed dissolved oxygen in water

SEC ID: 1424D Wilhowson Creek

Perennial stream from the confluence with the Colorado River upstream to the confluence of an unnamed tributary at FM 525 in Bastrop County

SEG ID, 1434D Wilbarger Creek	
Wilbarger Creek from the confluence	of the Colorado River at Hemphill Bend in Bastrop
County upstream to Schultz lane east of	of Pflugerville Heights in Travis County
Parameter(s)	<u>Level of Concern</u>
Bacteria in water (Recreation Use)	CN

From the confluence with the Colorado River at Hemphill Bend in Bastrop County upstream to the confluence with Cottonwood Creek

From the confluence with Cottonwood Creek upstream to Schultz lane east of Pflugerville

Heights in Travis County

Parameter(s)

Level of Concern

Nitrate in water

From the confluence with Cottonwood Creek upstream to Schultz lane east of Pflugerville Heights in Travis County

May 12, 2020 Page 150 of 196

SEG ID: 1434E Big Sandy Creek

Big Sandy Creek from the confluence of the Colorado River in Bastrop County upstream to a point east of CR 302 near Sundbeck Ranch Airport in Lee County

Parameter(s) Level of Concern

Chlorophyll-a in water

1434E 01

From the confluence of the Colorado River in Bastrop County upstream to a point east of CR 302 near Sundbeck Ranch Airport in Lee County

CS

SEG ID: 1501 Tres Palacios Creek Tidal

From the confluence with Tres Palacios Bay in Matagorda County to a point 1.6 km (1.0 mi) upstream of the confluence of Wilson Creek in Matagorda County

Parameter(s) Level of Concern

Chlorophyll-a in water

1501 01 From the confluence with Willow Dam Creek at Tres Palacios Bay/Turtle Bay upstream to a point 1.6 km (1.0 mi) upstream of the confluence of Wilson Creek in Matagorda County

Parameter(s) Level of Concern Nitrate in water CS

1501_01 From the confluence with Willow Dam Creek at Tres Palacios Bay/Turtle Bay upstream to a point 1.6 km (1.0 mi) upstream of the confluence of Wilson Creek in Matagorda County

SEG ID: 1502 Tres Palacios Creek Above Tidal

From a point 1.6 km (1.0 mi) upstream of the confluence of Wilson Creek in Matagorda County to State Route 525 (Old US 59) in Wharton County

Parameter(s) Level of Concern Chlorophyll-a in water CS

1502 01 Middle portion of segment from the confluence with Wallace Creek upstream to confluence with unnamed tributary with NHD RC 12100401013089 about 1.0 km SW of intersection of FM 418 and FM 422 NE of City of Danevang in Wharton County

Level of Concern Parameter(s) CS

Depressed dissolved oxygen in water

1502 03 Lower portion of segment from a point 1.6 km (1.0 mi) upstream of the confluence of Wilson Creek upstream to confluence with Wallace Creek Matagorda County

SEG ID: 1601C Dry Creek

From the confluence of Lavaca River Tidal upstream to three mi north of the City of Edna

Parameter(s) Level of Concern **CS**

Depressed dissolved oxygen in water

1601C 01 From the confluence of Lavaca River Tidal upstream to three mi north of the City of Edna

Page 151 of 196 May 12, 2020

SEG ID: 1602B Rocky Creek

Perennial stream from the confluence with the Lavaca River upstream to 2.9 km upstream of County Rd 364 north west of the City of Shiner

Parameter(s)

Level of Concern

Total Phosphorus in water

CS

1602B 01 From the confluence of Lavaca River upstream to confluence of Ponton Creek

SEG ID: 1701 Victoria Barge Canal

From the confluence with San Antonio Bay in Calhoun County to Victoria Turning Basin in Victoria County

Parameter(s)

Level of Concern

Chlorophyll-a in water

CS

1701_01 From the confluence with San Antonio Bay in Calhoun County to Victoria Turning Basin in Victoria County

SEG ID: 1801 Guadalupe River Tidal

From the confluence with Guadalupe Bay in Calhoun/Refugio County to the Guadalupe-Blanco River Authority Salt Water Barrier 0.7 km (0.4 mi) downstream of the confluence of the San Antonio River in Calhoun/Refugio County

Parameter(s)

Level of Concern

Bacteria in water (Recreation Use)

CN

From the confluence with Guadalupe Bay in Calhoun/Refugio County to the Guadalupe-Blanco River Authority Salt Water Barrier 0.7 km (0.4 mi) downstream of the confluence of the San Antonio River in Calhoun/Refugio County

Parameter(s)

Level of Concern

Nitrate in water

CS

From the confluence with Guadalupe Bay in Calhoun/Refugio County to the Guadalupe-Blanco River Authority Salt Water Barrier 0.7 km (0.4 mi) downstream of the confluence of the San Antonio River in Calhoun/Refugio County

SEG ID: 1802 Guadalupe River Below San Antonio River

From the GBRA Salt Water Barrier 0.7 km (0.4 mi) downstream of the confluence of the San Antonio River in Calhoun/Refugio County to a point immediately upstream of the confluence of the San Antonio River in Calhoun/Refugio/Victoria County

<u>Parameter(s)</u> Nitrate in water Level of Concern

CS

1802 01

From the GBRA Salt Water Barrier 0.7 km (0.4 mi) downstream of the confluence of the San Antonio River in Calhoun/Refugio County to a point immediately upstream of the confluence of the San Antonio River in Calhoun/Refugio/Victoria County

May 12, 2020 Page 152 of 196

SEG ID: 1803 Guadalupe River Below San Marcos River

From the a point immediately upstream of the confluence of the San Antonio River in Calhoun/Refugio/Victoria County to a point immediately upstream to the confluence of the San Marcos River in Gonzales

Parameter(s)

Level of Concern

Bacteria in water (Recreation Use)

CN

1803 04 From 2

From 25 mi upstream of confluence with Coleto Creek to confluence with Sandies Creek

Parameter(s)

Level of Concern

Nitrate in water

CS

1803_01 Lower 25 mi of segment

SEG ID: 1803A Elm Creek

From the confluence of Sandies Creek east of Smiley in Gonzales County to the upstream perennial portion of the stream southwest of Smiley in Gonzales County

Parameter(s)

Level of Concern

Chlorophyll-a in water

CS

1803A 01 From th

From the confluence of Sandies Creek east of Smiley in Gonzales County to the upstream perennial portion of the stream southwest of Smiley in Gonzales County

Parameter(s)

Level of Concern

Depressed dissolved oxygen in water

CS

1803A 01

From the confluence of Sandies Creek east of Smiley in Gonzales County to the upstream perennial portion of the stream southwest of Smiley in Gonzales County

SEG ID: 1803B Sandies Creek

From the confluence of the Guadalupe River west of Cuero in DeWitt County to the upstream perennial portion of the stream northwest of Smiley in Gonzales County

Parameter(s)

Level of Concern

Depressed dissolved oxygen in water

CS

1803B 01 From th

From the confluence with the Guadalupe River to the confluence with Elm Ck.

1803B 02 From the confluence with Elm Creek to upper end of water body

Parameter(s)

Level of Concern

Impaired habitat in water

CS

1803B 01

From the confluence with the Guadalupe River to the confluence with Elm Ck.

May 12, 2020 Page 153 of 196

SEG ID:1803C Peach Creek

From the confluence of the Guadalupe River southeast of Gonzales in Gonzales County to the upstream perennial portion of the stream northeast of Waelder in Gonzales County

Parameter(s)

Level of Concern

Chlorophyll-a in water

CS

1803C_03

From approx. 1.2 mi downstream of FM 1680 in Gonzales County to confluence with Elm Creek In Fayette County

Parameter(s)

Level of Concern

Impaired fish community in water

CN

1803C_03

From approx. 1.2 mi downstream of FM 1680 in Gonzales County to confluence with Elm Creek In Fayette County

Parameter(s)

Level of Concern

Total Phosphorus in water

CS

1803C_03

From approx. 1.2 mi downstream of FM 1680 in Gonzales County to confluence with Elm Creek In Fayette County

SEG ID: 1804A Geronimo Creek

From the confluence of the Guadalupe River south of Seguin in Guadalupe County to the upstream perennial portion north of Seguin in Guadalupe County

Parameter(s)

Level of Concern

Nitrate in water

CS

1804A 01

From the confluence of the Guadalupe River south of Seguin in Guadalupe County to the upstream perennial portion north of Seguin in Guadalupe County

SEG ID: 1804D Bear Creek

From the confluence of Geronimo Creek up to the headwaters approximately 1 mi north of HWY 90, and 0.25 mi south of Ilka Switch Road in Seguin.

Parameter(s)

Level of Concern

Bacteria in water (Recreation Use)

CN

1804D 01

From the confluence of Geronimo Creek up to the headwaters approximately 1 mi north of HWY 90, and 0.25 mi south of Ilka Switch Road in Seguin.

May 12, 2020 Page 154 of 196

SEG ID: 1806 Guadalupe River Above Canyon Lake

From a point 2.7 km (1.7 mi) downstream of Rebecca Creek Road in Comal County to the confluence of the North Fork Guadalupe River and the South Fork Guadalupe River in Kerr County

Parameter(s)

Level of Concern

Impaired fish community in water

CN

From the confluence of Goat Creek in Kerrville upstream to the confluence of the North Fork Guadalupe River and the South Fork Guadalupe River in Kerr County

Parameter(s)

Level of Concern

Impaired habitat in water

CS

1806_02 From the confluence of Big Joshua Creek in Kendall County upstream to Flat Rock Dam in Kerrville

From the confluence of Goat Creek in Kerrville upstream to the confluence of the North Fork Guadalupe River and the South Fork Guadalupe River in Kerr County

SEG ID:1806A Camp Meeting Creek

From the confluence with segment 1806 of the Guadalupe River up to the headwaters at Bearskin Road

Parameter(s)

Level of Concern

Depressed dissolved oxygen in water

CS

1806A 01

Intermittent stream with perennial pools from the confluence with the Guadalupe River upstream to the dam on an unnamed impoundment, located downstream of Ranchero Road in the City of Kerrville.

SEG ID: 1806E Town Creek

From the confluence of the Guadalupe River just upstream of FM 394 in Kerrville in Kerr County upstream to the headwaters in Gillespie County approximately 4.5 mi (7.4 km) north of Kerrville

Parameter(s)

Level of Concern

CS

Depressed dissolved oxygen in water

1806E 01

From the confluence of the Guadalupe River just upstream of FM 394 in Kerrville in Kerr County upstream to the headwaters in Gillespie County approximately 4.5 mi (7.4 km) north of Kerrville

SEG ID: 1807 Coleto Creek

From the confluence with the Guadalupe River in Victoria County to the confluence of Fifteenmile Creek and Twelvemile Creek in Goliad/Victoria County, including Coleto Creek Reservoir

Parameter(s)

<u>Level of Concern</u>

CS

Chlorophyll-a in water

1807 01 From confluence with Guadalupe River to Coleto Creek Reservoir Dam

May 12, 2020 Page 155 of 196

SEG ID: 18	10 Plum Creek From the confluence with the San Marcos River in Caldwe County	ll County to FM 2770 in Hays
Parameter(s		<u>Level of Concern</u>
Ammonia ii		CS
1810_03	From approximately 0.5 mi upstream of SH 21 to upper er	
Parameter(s		<u>Level of Concern</u>
	sh community in water	CN
1810_01	Confluence with San Marcos River to approximately 2.5 m Clear Fork Plum Creek	ii upstream of the confluence with
1810_02	From approximately 2.5 mi upstream of confluence with C approximately 0.5 mi upstream of SH21	lear Fork Plum Ck to
Parameter(s		<u>Level of Concern</u>
Impaired ha	abitat in water	CS
1810_01	Confluence with San Marcos River to approximately 2.5 mi upstream of the confluence with Clear Fork Plum Creek	
1810_02	From approximately 2.5 mi upstream of confluence with C approximately 0.5 mi upstream of SH21	lear Fork Plum Ck to
Parameter(s		Level of Concern
Impaired m	acrobenthic community in water	CN
1810_03	From approximately 0.5 mi upstream of SH 21 to upper er	nd of segment
Parameter(s	2	Level of Concern
Nitrate in w	rater	CS
1810_01	Confluence with San Marcos River to approximately 2.5 m Clear Fork Plum Creek	ii upstream of the confluence with
1810_02	From approximately 2.5 mi upstream of confluence with C approximately 0.5 mi upstream of SH21	lear Fork Plum Ck to
1810_03	From approximately 0.5 mi upstream of SH 21 to upper er	nd of segment
Parameter(s	2	Level of Concern
Total Phosp	horus in water	CS
1810_01	Confluence with San Marcos River to approximately 2.5 m Clear Fork Plum Creek	ii upstream of the confluence with
1810_02	From approximately 2.5 mi upstream of confluence with C approximately 0.5 mi upstream of SH21	lear Fork Plum Ck to
1810 03	From approximately 0.5 mi upstream of SH 21 to upper er	nd of segment

May 12, 2020 Page 156 of 196

SEG ID: 1810A Town Branch

Perennial stream from the confluence with Plum Creek upstream to the headwaters at SH 130 northwest of the City of Lockhart

Parameter(s)

Level of Concern

Bacteria in water (Recreation Use)

CN

1810A 01 Perennial stream from the confluence of Plum Creek upstream to US 183 in the City of Lockhart (App D)

Parameter(s)

Level of Concern

Nitrate in water

1810A 01 Perennial stream from the confluence of Plum Creek upstream to US 183 in the City of Lockhart (App D)

SEG ID: 1815 Cypress Creek

From the confluence with the Blanco River in Hays County to a point 6.4 km (4.0 mi) upstream of the most upstream unnamed county road crossing Hays County

Parameter(s)

Level of Concern CS

Impaired habitat in water

1815 01 Lower 7 mi of segment

SEG ID: 1816 Johnson Creek

From the confluence with the Guadalupe River in Kerr County to a point 1.2 km (0.7 mi) upstream of the most upstream crossing of SH 41 in Kerr County

Parameter(s)

Level of Concern

Impaired habitat in water

1816 01 From the confluence with the Guadalupe River in Kerr County to a point 1.2 km (0.7 mi) upstream of the most upstream crossing of SH 41 in Kerr County

SEG ID: 1817 North Fork Guadalupe River

From the confluence with the Guadalupe River in Kerr County to a point 18.2 km (11.3 mi) upstream of Boneyard Draw in Kerr County

Parameter(s)

Level of Concern

Impaired habitat in water

CS

1817 01 From the confluence with the Guadalupe River in Kerr County to a point 18.2 km (11.3 mi) upstream of Boneyard Draw in Kerr County

SEG ID: 1818 South Fork Guadalupe River

From the confluence with the Guadalupe River in Kerr County to a point 4.8 km (3.0 mi) upstream of FM 187 in Kerr County

Parameter(s)

Level of Concern

CS

Impaired habitat in water

1818 01 Lower 1.5 mi of segment

Page 157 of 196 May 12, 2020

SEG ID: 19	O1 Lower San Antonio River From the confluence with the Guadalupe River in Refugio/Victoria meters (660 yards) downstream of FM 791 at Mays crossing near F	
Parameter(s	2	<u>Level of Concern</u>
Bacteria in	water (Recreation Use)	CN
1901_01	25 mi downstream of the confluence with Manahuilla Creek	
Parameter(s		Level of Concern
Chlorophyl		CS
1901_01	25 mi downstream of the confluence with Manahuilla Creek	
1901_06	Lower 31 mi of segment	
Parameter(s	-	Level of Concern
-	sh community in water	CN
1901_05	From upstream end of segment to Escondido Creek	
Parameter(s		Level of Concern
•	abitat in water	CS
1901_02	25 mi upstream of Manahuilla Creek	
Parameter(s		<u>Level of Concern</u>
Nitrate in v	25 mi downstream of the confluence with Manahuilla Creek	CS
1901_01		
1901_02	25 mi upstream of Manahuilla Creek	1:1 0
1901_03	From 25 mi upstream of Manahuilla Cr to 9 mi downstream of Esc	ondido Cr
1901_04	9 mi downstream of Escondido Creek	
1901_05	From upstream end of segment to Escondido Creek	
1901_06	Lower 31 mi of segment	
Parameter(s		<u>Level of Concern</u>
_	phorus in water	CS
1901_01	25 mi downstream of the confluence with Manahuilla Creek	
1901_02	25 mi upstream of Manahuilla Creek	
1901_03	From 25 mi upstream of Manahuilla Cr to 9 mi downstream of Esc	ondido Cr
1901_04	9 mi downstream of Escondido Creek	
1901_05	From upstream end of segment to Escondido Creek	
1901_06	Lower 31 mi of segment	

SEG ID:1901A	A Escondido Creek From the confluence with Lower San Antonio River upstream to the headwaters near Karnes CR 210 and FM 99
Parameter(s)	<u>Level of Concern</u>
Nitrate in wat	cer CS
1901A_01	From the confluence with Lower San Antonio River upstream to the confluence with Nichols Creek in Kenedy
Parameter(s)	Level of Concern
Total Phospho	orus in water CS
1901A_01	From the confluence with Lower San Antonio River upstream to the confluence with Nichols Creek in Kenedy

May 12, 2020 Page 158 of 196

SEG ID: 1901E Manahuilla Creek

From the confluence with the Lower San Antonio River upstream to the headwaters southeast of Nordheim in DeWitt County

CN

Parameter(s) Level of Concern

Bacteria in water (Recreation Use)

1901E 01 From the confluence with the Lower San Antonio River upstream to the headwaters southeast of Nordheim in DeWitt County

SEG ID: 1901F Ecleto Creek

From the confluence with the Lower San Antonio River upstream to the headwaters adjacent to SH 123 south of Seguin in Guadalupe County

Parameter(s) Level of Concern

Chlorophyll-a in water

1901F 01 From the confluence with the Lower San Antonio River upstream to the headwaters adjacent to SH 123 south of Seguin in Guadalupe County

Parameter(s) Level of Concern

Depressed dissolved oxygen in water

From the confluence with the Lower San Antonio River upstream to the headwaters adjacent 1901F_01 to SH 123 south of Seguin in Guadalupe County

SEG ID: 1902 Lower Cibolo Creek

From the confluence with the San Antonio River in Karnes County to a point 100 meters (110 yards) downstream of IH 10 in Bexar/Guadalupe County

Parameter(s) Level of Concern CN

Bacteria in water (Recreation Use)

1902 05 From the confluence with Elm Creek upstream to a point 100 meters (110 yards) downstream of IH 10 in Bexar/Guadalupe County

Parameter(s) Level of Concern

Impaired habitat in water

1902 03 From the confluence with Pulaski Creek upstream to the confluence with Clifton Branch

Level of Concern Parameter(s)

Impaired macrobenthic community in water

1902 02 From the confluence with Mulifest Creek upstream to the confluence with Pulaski Creek

Level of Concern Parameter(s)

Nitrate in water

1902 03 From the confluence with Pulaski Creek upstream to the confluence with Clifton Branch

1902 04 From the confluence with Clifton Branch upstream to the confluence with Elm Creek 1902 05 From the confluence with Elm Creek upstream to a point 100 meters (110 yards) downstream

of IH 10 in Bexar/Guadalupe County Level of Concern

Parameter(s) **Total Phosphorus in water**

1902 04 From the confluence with Clifton Branch upstream to the confluence with Elm Creek

1902 05 From the confluence with Elm Creek upstream to a point 100 meters (110 yards) downstream of IH 10 in Bexar/Guadalupe County

Page 159 of 196 May 12, 2020

SEG ID:1902	A Martinez Creek Perennial stream from the confluence with Lower Cibolo Creek upstream to the headwaters in Bexar County
Parameter(s)	
	vater (Recreation Use)
1902A_03	From the confluence with Escondido Creek upstream to the Martinez II WWTP outfall approximately 1.1 km downstream of FM 1516
1902A_04	From the Martinez II WWTP outfall approximately 1.1 km downstream of FM 1516 upstream to Binz-Engleman Road
Parameter(s)	Level of Concern
Nitrate in wa	ater CS
1902A_03	From the confluence with Escondido Creek upstream to the Martinez II WWTP outfall approximately 1.1 km downstream of FM 1516
1902A_04	From the Martinez II WWTP outfall approximately 1.1 km downstream of FM 1516 upstream to Binz-Engleman Road
Parameter(s)	Level of Concern
	norus in water CS
1902A_01	From the confluence with Lower Cibolo Creek upstream to the confluence with Salitrillo Creek
1902A_03	From the confluence with Escondido Creek upstream to the Martinez II WWTP outfall approximately 1.1 km downstream of FM 1516
1902A_04	From the Martinez II WWTP outfall approximately 1.1 km downstream of FM 1516 upstream to Binz-Engleman Road

SEG ID: 1902E	Salitrillo Creek From the confluence with Martinez Creek to approximately 1.3 mi (1976)	2.1 km) upstream of FM
Parameter(s)		<u>Level of Concern</u>
Ammonia in v	vater	CS
1902B_01	From the confluence with Martinez Creek to FM 78 in Converse	
Parameter(s)		Level of Concern
Nitrate in wat	er	CS
1902B_01	From the confluence with Martinez Creek to FM 78 in Converse	
Parameter(s)		Level of Concern
Total Phospho	orus in water	CS
1902B_01	From the confluence with Martinez Creek to FM 78 in Converse	

May 12, 2020 Page 160 of 196

SEG ID: 1902C Clifton Branch

From the confluence of Lower Cibolo Creek upstream to the headwater 0.6 mi upstream of Wilson CR 424 north of Stockdale

<u>Parameter(s)</u> <u>Level of Concern</u>

Depressed dissolved oxygen in water

CS

1902C_01 From the confluence of Lower Cibolo Creek upstream to the headwater 0.6 mi upstream of Wilson CR 424 north of Stockdale

<u>Parameter(s)</u> <u>Level of Concern</u>

Total Phosphorus in water

CS

1902C_01 From the confluence of Lower Cibolo Creek upstream to the headwater 0.6 mi upstream of Wilson CR 424 north of Stockdale

SEG ID: 1903 Medina River Below Medina Diversion Lake

From the confluence with the San Antonio River in Bexar County to Medina Diversion Dam in Medina County

Parameter(s) Level of Concern Nitrate in water From the confluence with the San Antonio River upstream to the confluence with Palo Blanco 1903 01 Creek approximately 2.0 km upstream of FM 1937 From the confluence with Palo Blanco Creek approximately 2.0 km upstream of FM 1937 1903 02 upstream to the confluence with Lower Leon Creek 1903_03 From the confluence with Lower Leon Creek upstream to the confluence with Medio Creek 1903 04 From the confluence with Medio Creek upstream to the confluence with Polecat Creek approximately 125 m upstream of FM 1604 Parameter(s) Level of Concern **Total Phosphorus in water CS** 1903 01 From the confluence with the San Antonio River upstream to the confluence with Palo Blanco Creek approximately 2.0 km upstream of FM 1937 1903 02 From the confluence with Palo Blanco Creek approximately 2.0 km upstream of FM 1937 upstream to the confluence with Lower Leon Creek

SEG ID: 1905 Medina River Above Medina Lake

From a point immediately upstream of the confluence of Red Bluff Creek in Bandera County to the confluence of the North Prong Medina River and the West Prong Medina River in Bandera County

<u>Parameter(s)</u> <u>Level of Concern</u>

Impaired fish community in water

CN

From RM 470 upstream to the confluence of the North Prong Medina River and the West Prong Medina River

Parameter(s)

Impaired habitat in water

Level of Concern

CS

1905_01 From a point immediately upstream of the confluence of Red Bluff Creek upstream to RM

May 12, 2020 Page 161 of 196

SEG ID: 190	Prom the confluence with the Medina River in Bexar yards) upstream of SH 16 northwest of San Antonio in	• •	
Parameter(s	, , ,	Level of Concern	
	water (Recreation Use)	CN	
1906_02	From the northside of the Toyota plant upstream to th	e confluence of Indian Creek	
1906_04	From Hwy 353 (New Laredo Hwy) upstream approxi Pearsall Park	From Hwy 353 (New Laredo Hwy) upstream approximately 2 mi to a point southeast of Pearsall Park	
1906_05	From a point southeast of Pearsall Park upstream to US 90 on the westside of San Antonio		
1906_06	From US 90 on the westside of San Antonio upstream 16 northwest of San Antonio	n to a point 100 meters upstream of SH	
Parameter(s	<u>)</u>	<u>Level of Concern</u>	
Chlorophyll	Chlorophyll-a in water CS		
1906_05	From a point southeast of Pearsall Park upstream to U	JS 90 on the westside of San Antonio	
1906_06	From US 90 on the westside of San Antonio upstream 16 northwest of San Antonio	n to a point 100 meters upstream of SH	
Parameter(s	<u>)</u>	Level of Concern	
Depressed d	issolved oxygen in water	CS	
1906_03	From confluence with Indian Creek to Hwy 353 (New	v Laredo Hwy)	
	From confluence with Indian Creek to Hwy 353 (New	v Laredo Hwy)	
1906_05	From a point southeast of Pearsall Park upstream to U	JS 90 on the westside of San Antonio	
	From a point southeast of Pearsall Park upstream to U	JS 90 on the westside of San Antonio	
Parameter(s	<u>)</u>	<u>Level of Concern</u>	
Silver in sed	iment	CS	
1906_06	From US 90 on the westside of San Antonio upstream 16 northwest of San Antonio	n to a point 100 meters upstream of SH	

SEG ID: 1908 Upper Cibolo Creek

From the Missouri-Pacific Railroad Bridge west of Bracken in Comal County to a point 1.5 km (0.9 mi) upstream of the confluence of Champee Springs in Kendall County

Parameter(s)Level of ConcernNitrate in waterCS

1908 01 From confluence. with Balcones Creek to approx. 2 mi upstream of Hwy 87 in Boerne

<u>Parameter(s)</u> <u>Level of Concern</u>

Total Phosphorus in water

1908_01 From confluence. with Balcones Creek to approx. 2 mi upstream of Hwy 87 in Boerne

May 12, 2020 Page 162 of 196

CEC I	m. 1	1010	Colode	Creek
DIVIT	II):	1710	Salauc) Creek

From the confluence with the San Antonio River in Bexar County to the confluence of Beitel Creek in Bexar County

<u>Parameter(s)</u> <u>Level of Concern</u>

Depressed dissolved oxygen in water

From the confluence with Rosillo Creek up to the confluence with Pershing Creek.

From the confluence with Rosillo Creek up to the confluence with Pershing Creek.

1910_03 From the confluence with Pershing Creek up to the confluence with Walzem Creek.

From the confluence with Pershing Creek up to the confluence with Walzem Creek.

1910_04 From the confluence with Walzem Creek up to the confluence with Beitel Creek

From the confluence with Walzem Creek up to the confluence with Beitel Creek

SEG ID:1910A Walzem Creek

From the confluence with Salado Creek to approximately 1.5 mi upstream of Walzem Road in San Antonio

<u>Parameter(s)</u> <u>Level of Concern</u>

Nitrate in water

1910 02

1910A 01 From the confluence with Salado Creek upstream to Lanark Dr in San Antonio

SEG ID: 1910C Salado Creek Tributary

From the confluence with segment 1910 to the upper end of the water body, NHD RC 12100301000902.

Parameter(s) Level of Concern

Bacteria in water (Recreation Use)

1910C_01 From the confluence with segment 1910 to the upper end of the water body, NHD RC

12100301000902.

SEG ID: 1910F Upper Salado Creek

Upper Salado Creek from the confluence of Beitel Creek upstream to the headwater approximately 1.5 mi upstream of FM 3351 near Fair Oaks Ranch

<u>Parameter(s)</u> <u>Level of Concern</u>

Chlorophyll-a in water

CS

1910F_01 Upper Salado Creek an Appendix D section from the confluence with Beitel Creek upstream to Nacogdoches Road

Parameter(s) Level of Concern

Depressed dissolved oxygen in water

CC

CS

CN

1910F_01 Upper Salado Creek an Appendix D section from the confluence with Beitel Creek upstream to Nacogdoches Road

May 12, 2020 Page 163 of 196

	From a point 600 meters (660 yards) downstream	of FM 791 at Mays Crossing near Falls
	City in Karnes County to a point 100 meters (110	
	San Antonio in Bexar County	
<u>Parameter(s)</u>	onton (Decreation Use)	<u>Level of Concern</u> CN
	vater (Recreation Use)	
1911_06	From just upstream of the confluence with the Moconfluence with Salado Creek.	edina River up to just upstream of the
<u>Parameter(s)</u> Chlorophyll-	a in water	<u>Level of Concern</u> <mark>CS</mark>
1911_06	From just upstream of the confluence with the Meconfluence with Salado Creek.	edina River up to just upstream of the
Parameter(s)		<u>Level of Concern</u>
Impaired hal	bitat in water	CS
1911_05	From just upstream of the confluence with Calave confluence with the Medina River.	eras Creek up to just upstream of the
1911_07	From just upstream of the confluence with Salado confluence with Sixmile Creek.	Creek up to just upstream of the
Parameter(s)		<u>Level of Concern</u>
Nitrate in wa	ter	CS
1911_01	From the lower end of the segment up to just ups	cream of the confluence with Olmos Creek.
1911_02	From the confluence with Olmos Creek up to just upstream of the confluence with Picosa Creek .	
1911_03	From just upstream of the confluence with Picosa Creek up to just upstream of the confluence with Lodi Branch in Floresville, Wilson County, Texas.	
1911_04	From just upstream of the confluence with Lodi Branch in Floresville, Wilson County, Texas up to just upstream of the confluence with Calaveras Creek.	
1911_05	From just upstream of the confluence with Calaveras Creek up to just upstream of the confluence with the Medina River.	
1911_06	From just upstream of the confluence with the Moconfluence with Salado Creek.	edina River up to just upstream of the
1911_07	From just upstream of the confluence with Salado confluence with Sixmile Creek.	Creek up to just upstream of the
1911_08	From just upstream of the confluence with Sixmi with San Pedro Creek.	le Creek to just upstream of the confluence
1911_09	From just upstream of the confluence with San Posegment.	edro Creek up to the upper end of the
<u>Parameter(s)</u> Total Phosph	orus in water	<u>Level of Concern</u> CS
1911_01	From the lower end of the segment up to just ups	cream of the confluence with Olmos Creek.
1911_02	From the confluence with Olmos Creek up to just Creek.	upstream of the confluence with Picosa
1911_03	From just upstream of the confluence with Picosa with Lodi Branch in Floresville, Wilson County,	
1911_04	From just upstream of the confluence with Lodi I up to just upstream of the confluence with Calave	
1911_05	From just upstream of the confluence with Calava	eras Creek up to just upstream of the

May 12, 2020 Page 164 of 196

SEG ID: 1911 Upper San Antonio River

From a point 600 meters (660 yards) downstream of FM 791 at Mays Crossing near Falls City in Karnes County to a point 100 meters (110 yards) upstream of Hildebrand Avenue at San Antonio in Bexar County

1911 09 From just upstream of the confluence with San Pedro Creek up to the upper end of the segment.

SEG ID: 1911B Apache Creek

From the confluence with San Pedro Creek upstream to the headwaters at SH 421 (Bandera Rd) in San Antonio

Parameter(s) Level of Concern

Nitrate in water

1911B 01 From the confluence with San Pedro Creek upstream to the confluence with Zarzamora Creek.

SEG ID: 1911D San Pedro Creek

From the confluence with segment 1911 to the upper end of the water body, NHD RC 12100301000867

Parameter(s) Level of Concern CS

Nitrate in water

1911D 01 From the confluence with segment 1911 up to the confluence with Apache Creek.

1911D 02 From the confluence with Apache Creek to the upper end of the segment, NHD RC 12100301000867

SEG ID: 1911J Pajarito Creek

From the confluence with the Upper San Antonio River upstream to the headwaters at Wilson CR 403 northwest of Floresville

Parameter(s) Level of Concern CN

Bacteria in water (Recreation Use)

1911J 01 From the confluence with the Upper San Antonio River upstream to the headwaters at Wilson CR 403 northwest of Floresville

SEG ID:1911K Seguin Branch

From the confluence with the Upper San Antonio River upstream to the headwaters approximately 2.2 km upstream of Wilson CR 331 north of Floresville

CN

Level of Concern Parameter(s)

Bacteria in water (Recreation Use)

1911K 01 From the confluence with the Upper San Antonio River upstream to the headwaters approximately 2.2 km upstream of Wilson CR 331 north of Floresville

Page 165 of 196 May 12, 2020

SEG ID: 1911L Unnamed tributary of Upper San Antonio River

From the confluence with the Upper San Antonio River upstream to the confluence with an unnamed tributary 200 m upstream of FM 1303 in Wilson County

Parameter(s)

Level of Concern

Depressed dissolved oxygen in water

CS

1911L_01

From the confluence with the Upper San Antonio River upstream to the confluence with an unnamed tributary 200 m upstream of FM 1303 in Wilson County

SEG ID: 1912 Medio Creek

From the confluence with the Medina River in Bexar County to a point 1.0 km (0.6 mi) upstream of IH 35 in San Antonio in Bexar County

Parameter(s)

Level of Concern

CS

Nitrate in water

From the confluence with the Medina River in Bexar County to a point 1.0 km (0.6 mi) upstream of IH 35 in San Antonio in Bexar County

Parameter(s)

1912 01

Level of Concern

Total Phosphorus in water

CS

1912 01

From the confluence with the Medina River in Bexar County to a point 1.0 km (0.6 mi) upstream of IH 35 in San Antonio in Bexar County

SEG ID:1912A Upper Medio Creek

From approximately 1.0 km (0.6 mi) upstream of IH 35 at San Antonio (Bexar County) to approximately 1.0 mi upstream of the Bexar/Medina County Line

Parameter(s)

Level of Concern

Nitrate in water

CS

From approximately 1.0 km (0.6 mi) upstream of IH 35 at San Antonio (Bexar County) to approximately 1.0 mi upstream of the Bexar/Medina County Line

Parameter(s)

Level of Concern

Total Phosphorus in water

CS

1912A 01

From approximately 1.0 km (0.6 mi) upstream of IH 35 at San Antonio (Bexar County) to approximately 1.0 mi upstream of the Bexar/Medina County Line

May 12, 2020 Page 166 of 196

SEG ID: 1913	13 Mid Cibolo Creek From a point 100 meters (110 yards) downstream of IH 10 in Bexar/Guadalupe County to the Missouri-Pacific Railroad bridge west of Bracken in Comal County	
Parameter(s)	<u>Level of Concern</u>	
Nitrate in wat	er CS	
1913_01	From 100 meters downstream of I10 up to unnamed tributary approximately 0.3 mi upstream of Weir Road, Bexar County, Texas.	
1913_02	From the confluence with unnamed tributary approximately 0.3 mi upstream of Weir Road, Bexar county, Texas up to 100 meters upstream of the Cibolo Creek Municipal WWTP.	
Parameter(s)	Level of Concern	
Total Phospho	orus in water CS	
1913_01	From 100 meters downstream of I10 up to unnamed tributary approximately 0.3 mi upstream of Weir Road, Bexar County, Texas.	
1913_02	From the confluence with unnamed tributary approximately 0.3 mi upstream of Weir Road, Bexar county, Texas up to 100 meters upstream of the Cibolo Creek Municipal WWTP.	

SEG ID: 2001 Mission River Tidal

From the confluence with Mission Bay in Refugio County to a point 7.4 km (4.6 mi) downstream of US 77 in Refugio County

<u>Parameter(s)</u> <u>Level of Concern</u>

Chlorophyll-a in water

CS

From the confluence with Mission Bay in Refugio County to a point 7.4 km (4.6 mi) downstream of US 77 in Refugio County

SEG ID: 2002 Mission River Above Tidal

From a point 7.4 km (4.6 mi) downstream of US 77 in Refugio County to the confluence of Blanco Creek and Medio Creek in Refugio County

<u>Parameter(s)</u> <u>Level of Concern</u>

Depressed dissolved oxygen in water

CS

From a point 7.4 km (4.6 mi) downstream of US 77 in Refugio County to the confluence of Blanco Creek and Medio Creek in Refugio County

SEG ID: 2003 Aransas River Tidal

From the confluence with Copano Bay in Aransas/Refugio County to a point 1.6 km (1.0 mi) upstream of US 77 in Refugio/San Patricio County

Parameter(s)
Chlorophyll-a in water
Level of Concern
CS

From the confluence with Copano Bay in Aransas/Refugio County to a point 1.6 km (1.0 mi) upstream of US 77 in Refugio/San Patricio County

May 12, 2020 Page 167 of 196

SEG ID: 2004 Aransas River Above Tidal

From a point 1.6 km (1.0 mi) upstream of US 77 in Refugio/San Patricio County to the confluence of Poesta Creek and Aransas Creek in Bee County

CS

CS

CN

Parameter(s) Level of Concern

Depressed dissolved oxygen in water

2004 02 From the confluence with Papalote Creek to the upstream end of segment at the confluence

with Aransas Creek and Poesta Creek

Parameter(s) Level of Concern

Nitrate in water

2004 02 From the confluence with Papalote Creek to the upstream end of segment at the confluence with Aransas Creek and Poesta Creek

Parameter(s) Level of Concern

Total Phosphorus in water

2004 02 From the confluence with Papalote Creek to the upstream end of segment at the confluence with Aransas Creek and Poesta Creek

SEG ID: 2004B Poesta Creek

From the confluence with the Aransas River to the headwaters of the stream about 7.5 km upstream of FM 673.

Parameter(s) Level of Concern

Bacteria in water (Recreation Use)

2004B 01 From the confluence of the Aransas River to the confluence of Talpacate Creek

Level of Concern Parameter(s)

Depressed dissolved oxygen in water

CS

2004B_02 From the confluence with Talpacate Creek to the headwaters of the stream approximately 7.5 km upstream of FM 673

Parameter(s) Level of Concern

Nitrate in water CS

2004B 01 From the confluence of the Aransas River to the confluence of Talpacate Creek

Parameter(s) Level of Concern

Total Phosphorus in water

2004B 01 From the confluence of the Aransas River to the confluence of Talpacate Creek

SEG ID: 2101 Nueces River Tidal

From the confluence with Nueces Bay in Nueces County to Calallen Dam 1.7 km (1.1 mi) upstream of US 77/IH 37 in Nueces/San Patricio County

Level of Concern Parameter(s)

Chlorophyll-a in water

2101 01 From the confluence with Nueces Bay in Nueces County to Calallen Dam 1.7 km (1.1 mi) upstream of US 77/IH 37 in Nueces/San Patricio County

Level of Concern Parameter(s) Fish kill in water

2101 01 From the confluence with Nueces Bay in Nueces County to Calallen Dam 1.7 km (1.1 mi) upstream of US 77/IH 37 in Nueces/San Patricio County

Page 168 of 196 May 12, 2020

SEG ID: 2102 Nueces River Below Lake Corpus Christi

From Calallen Dam 1.7 km (1.1 mi) upstream of US 77/IH 37 in Nueces/San Patricio County to Wesley E. Seale Dam in Jim Wells/San Patricio County

Parameter(s) Level of Concern CS

Chlorophyll-a in water

2102 02 From FM 666 to the upstream end of segment at Lake Corpus Christi

SEG ID: 2104 Nueces River Above Frio River

From the confluence of the Frio River in Live Oak County to Holland Dam in LaSalle County

CS

CN

CN

CS

CS

Level of Concern Parameter(s)

Depressed dissolved oxygen in water

2104 03 From the confluence with Guadalupe Creek to the upstream end of the segment

Parameter(s) Level of Concern

Impaired fish community in water

2104 02 From the confluence with Dragon Creek to the confluence with Guadalupe Creek

Parameter(s) Level of Concern

Impaired macrobenthic community in water

From the downstream end of the segment to the confluence with Dragon Creek 2104 01

2104 02 From the confluence with Dragon Creek to the confluence with Guadalupe Creek

Parameter(s) Level of Concern

Nitrate in water

CS

2104 01 From the downstream end of the segment to the confluence with Dragon Creek

Parameter(s) Level of Concern

Total Phosphorus in water

2104 01 From the downstream end of the segment to the confluence with Dragon Creek

SEG ID: 2105 Nueces River Above Holland Dam

From Holland Dam in LaSalle County to a point 100 meters (110 yards) upstream of FM 1025 in Zavala County

Level of Concern Parameter(s)

Chlorophyll-a in water

2105 01 From the downstream end of the segment at Holland Dam to the confluence of Sauz Mocho

2105 02 From the confluence with Sauz Macho Creek to the confluence of Line Oak Slough

Parameter(s) Level of Concern

Depressed dissolved oxygen in water

2105 02 From the confluence with Sauz Macho Creek to the confluence of Line Oak Slough

Page 169 of 196 May 12, 2020

SEG ID: 2106 Nueces/Lower Frio River

From a point 100 meters (110 yards) upstream of US 59 in Live Oak County to Choke Canyon Dam in Live Oak County

Parameter(s) Level of Concern

Chlorophyll-a in water

2106 01 The Nueces river from the downstream end of segment to the confluence with the Frio River

2106 02 The Frio River from the confluence with the Nueces River to Choke Canyon Dam

SEG ID: 2107 Atascosa River

From the confluence with the Frio River in Live Oak County to the confluence of the West Prong Atascosa River and the North Prong Atascosa River in Atascosa County

Parameter(s) Level of Concern

Chlorophyll-a in water

2107_01 From the downstream end of the segment at the confluence with the Frio River to the

confluence with Borrego Creek

2107_03 From the confluence with Galvan Creek to the confluence with Palo Alto Creek

Parameter(s) Level of Concern

Impaired habitat in water

CS

2107 02 From the confluence with Borrego Creek to the confluence with Galvan Creek

2107 03 From the confluence with Galvan Creek to the confluence with Palo Alto Creek

Parameter(s) Level of Concern

Nitrate in water

CS

CS

2107_02 From the confluence with Borrego Creek to the confluence with Galvan Creek

Parameter(s) Level of Concern

Total Phosphorus in water

CS

2107 02 From the confluence with Borrego Creek to the confluence with Galvan Creek

SEG ID: 2109 Leona River

From the confluence with the Frio River in Frio County to US 83 in Uvalde County

Parameter(s) Level of Concern

Depressed dissolved oxygen in water

CS

2109_03 From the confluence of Camp Lake Slough to the upper end of segment

Parameter(s)

Nitrate in water

Level of Concern CS

2109 01 From the downstream end of segment to the confluence of Yoledigo Creek

2109_02 From the confluence of Yoledigo Creek to the confluence of Camp Lake Slough

2109 03 From the confluence of Camp Lake Slough to the upper end of segment

Page 170 of 196 May 12, 2020

SEG ID:2109D Gallina Slough

From the confluence with the Leona River in Zavala Co. to the headwaters approximately 9 km upstream of US Hwy 57 in Zavala Co.

Parameter(s)

Level of Concern

Bacteria in water (Recreation Use)

CN

2109D 01

From the confluence with the Leona River in Zavala Co. to the headwaters approximately 9 km upstream of US Hwy 57 in Zavala Co.

Parameter(s)

Level of Concern

Nitrate in water

2109D 01

From the confluence with the Leona River in Zavala Co. to the headwaters approximately 9 km upstream of US Hwy 57 in Zavala Co.

SEG ID: 2110 Lower Sabinal River

From the confluence with the Frio River in Frio County to Uvalde County to a point 100 meters (110 yards) upstream of SH 127 in Uvalde County

Parameter(s)

Level of Concern

Depressed dissolved oxygen in water

2110 01

From the confluence with the Frio River in Frio County to Uvalde County to a point 100 meters (110 yards) upstream of SH 127 in Uvalde County

Parameter(s)

Level of Concern

Nitrate in water

CS

2110 01

From the confluence with the Frio River in Frio County to Uvalde County to a point 100 meters (110 yards) upstream of SH 127 in Uvalde County

SEG ID: 2112 Upper Nueces River

From a point 100 meters (110 yards) upstream of FM 1025 in Zavala County to the confluence of the East Prong Nueces River and Hackberry Creek in Edwards County

Parameter(s)

Level of Concern

Depressed dissolved oxygen in water

2112 01

From the downstream end of the segment to the confluence with Sand Ridge Creek

SEG ID: 2113 Upper Frio River

From a point 100 meters (110 yards) upstream of US 90 in Uvalde County to the confluence of the West Frio River and the East Frio River in Real County

Parameter(s)

Level of Concern

Impaired fish community in water

CN

Parameter(s)

2113 02

From the confluence with Bear Creek to the upstream end of segment

Level of Concern

Impaired habitat in water

CS

2113_01

From the downstream end of the segment to the confluence with Bear Creek

2113 02

From the confluence with Bear Creek to the upstream end of segment

Page 171 of 196 May 12, 2020

SEG ID: 2114 Hondo Creek

From the confluence with the Frio River in Frio County to FM 470 in Bandera County

Parameter(s) Level of Concern Nitrate in water

2114 01 From the downstream end of the segment to the confluence with and unnamed tributary with NHD RC 12110107000245 at point N-99.12, W29.38 just upstream of FM 2676.

SEG ID: 2116 Choke Canyon Reservoir

From Choke Canyon Dam to a point 4.2 km (2.6 mi) downstream of SH 16 on the Frio River Arm and to a point 100 meters (110 yards) upstream of the confluence of Mustang Branch on the San Miguel Creek Arm, up to the normal pool elevation of 220.5 feet (impou

CS

Level of Concern Parameter(s)

Depressed dissolved oxygen in water

2116 06 Western end of lake up to RR 99 bridge

SEG ID: 2117	Frio River Above Choke Canyon Reservoir
	E

	meters (110 yards) upstream of US 90 in Uvalde County	men County to a point 100
Parameter(s)		<u>Level of Concern</u>
Chlorophyll-a	in water	CS
2117_01	From the downstream end of segment to the confluence with	Esperanza Creek
2117_02	From the confluence with Esperanza Creek to the confluence with Ruiz Creek	
2117_03	From the confluence with Ruiz Creek to the confluence with Live Oak Creek	
Parameter(s)		Level of Concern
Depressed dissolved oxygen in water CS		
2117_01	From the downstream end of segment to the confluence with Esperanza Creek	
2117_03	From the confluence with Ruiz Creek to the confluence with	Live Oak Creek
	From the confluence with Ruiz Creek to the confluence with	Live Oak Creek
Parameter(s)		<u>Level of Concern</u>
Nitrate in water CS		
2117_04	From the confluence with Live Oak Creek to the confluence with Elm Creek	
2117_05	From the confluence with Elm Creek to the confluence with Spring Branch	

May 12, 2020 Page 172 of 196

SEG ID: 2201	Arroyo Colorado Tidal From confluence with Laguna Madre in Cameron/Willa yards) downstream of Cemetery Road south of Port Har	
Parameter(s) Chlorophyll-a	in water	<u>Level of Concern</u> CS
2201_01	From the downstream end of the segment to the confluen	nce with San Vincente Drainage Ditch
2201_02	From the confluence with San Vincente Drainage Ditch drainage ditch with NHD RC 12110108005353 at point	
2201_03	From the confluence with an unnamed drainage ditch with point N-97.53, W 26.31 to the confluence with Harding	
2201_04	From the confluence with Harding Ranch Ditch tributary. Hondo Wastewater Discharge at point N-97.58359, W26	
2201_05	From just upstream of the City Rio of Hondo Wastewate W26.247186 to the upstream end of the segment	er Discharge at point N-97.58359,
Parameter(s)		<u>Level of Concern</u>
Depressed dis	solved oxygen in water	CN
2201_05	From just upstream of the City Rio of Hondo Wastewate W26.247186 to the upstream end of the segment	er Discharge at point N-97.58359,
Parameter(s)		<u>Level of Concern</u>
Nitrate in war		CS
2201_01	From the downstream end of the segment to the confluence	nce with San Vincente Drainage Ditch
2201_02	From the confluence with San Vincente Drainage Ditch drainage ditch with NHD RC 12110108005353 at point	
2201_03	From the confluence with an unnamed drainage ditch with point N-97.53, W 26.31 to the confluence with Harding	
2201_04	From the confluence with Harding Ranch Ditch tributary. Hondo Wastewater Discharge at point N-97.58359, W26	
2201_05	From just upstream of the City Rio of Hondo Wastewate W26.247186 to the upstream end of the segment	er Discharge at point N-97.58359,
Parameter(s)		<u>Level of Concern</u>
Total Phospho	orus in water	CS
2201_04	From the confluence with Harding Ranch Ditch tributary Hondo Wastewater Discharge at point N-97.58359, W26	
2201_05	From just upstream of the City Rio of Hondo Wastewate W26.247186 to the upstream end of the segment	er Discharge at point N-97.58359,

SEG ID: 2201B Unnamed Drainage Ditch Tributary (B) in Cameron County Drainage District #3

From the confluence with the Arroyo Colorado in Cameron County in the Rio Hondo turning basin at -97.6, 26.196 decimal degrees to a point 17.6 km upstream at the FM 510 crossing.

<u>Parameter(s)</u>	<u>Level of Concern</u>
Chlorophyll a in water	CS

Chlorophyll-a in water

From the confluence with the Arroyo Colorado in Cameron County in the Rio Hondo turning basin at -97.6, 26.196 decimal degrees to a point 17.6 km upstream at the FM 510 crossing.

May 12, 2020 Page 173 of 196

	Propo Colorado Above Tidal From a point 100 meters (110 yards) downstream of Cemetery Road south of Port Harlingen in Cameron County to FM 2062 in Hidalgo County
Parameter(s) Chlorophyll	
2202_01	From the downstream end of segment to the confluence with Little Creek just upstream of State Loop 499
2202_02	From the confluence with Little Creek to the confluence with La Feria Main Canal just upstream of Dukes Highway
2202_03	From the confluence with La Feria Main Canal just upstream of Dukes Highway to the confluence with La Cruz Resaca just downstream of FM 907
2202_04	From the confluence with La Cruz Resaca to the upper end of segment at FM 2062
<u>Parameter(s)</u> Nitrate in w	
2202_01	From the downstream end of segment to the confluence with Little Creek just upstream of State Loop 499
2202_02	From the confluence with Little Creek to the confluence with La Feria Main Canal just upstream of Dukes Highway
2202_03	From the confluence with La Feria Main Canal just upstream of Dukes Highway to the confluence with La Cruz Resaca just downstream of FM 907
2202_04	From the confluence with La Cruz Resaca to the upper end of segment at FM 2062
<u>Parameter(s)</u> Total Phosp	<u>Level of Concern</u> horus in water CS
2202_01	From the downstream end of segment to the confluence with Little Creek just upstream of State Loop 499
2202_02	From the confluence with Little Creek to the confluence with La Feria Main Canal just upstream of Dukes Highway
2202_03	From the confluence with La Feria Main Canal just upstream of Dukes Highway to the confluence with La Cruz Resaca just downstream of FM 907
2202_04	From the confluence with La Cruz Resaca to the upper end of segment at FM 2062

SEG ID: 2202B Unnamed Drainage Ditch Tributary (B) to S. Arroyo Colorado Perennial drainage ditches that flow into the segment in Cameron and Hidalgo counties		
Parameter(s)	<u>Level of Concern</u>	
Ammonia in water	CS	
2202B_01 Perennial drainage ditches that flow into the segment in	Cameron and Hidalgo counties	
Parameter(s)	Level of Concern	
Bacteria in water (Recreation Use)	CN	
2202B_01 Perennial drainage ditches that flow into the segment in	Cameron and Hidalgo counties	
<u>Parameter(s)</u>	<u>Level of Concern</u>	
Chlorophyll-a in water CS		
2202B_01 Perennial drainage ditches that flow into the segment in	Cameron and Hidalgo counties	

May 12, 2020 Page 174 of 196

SEG ID:2202C Unnamed Drainage Ditch Tributary (C) to S. Arroyo Colorado

From the confluence with S. Arroyo Colorado to a point 1.1 mi upstream near US Highway 281

<u>Parameter(s)</u>

<u>Level of Concern</u> CS

Ammonia in water

2202C_01 From the confluence with S. Arroyo Colorado to a point 1.1 mi upstream near US Highway

Parameter(s)

Level of Concern

Bacteria in water (Recreation Use)

CN

2202C_01 From the confluence with S. Arroyo Colorado to a point 1.1 mi upstream near US Highway

SEG ID: 2203 Petronila Creek Tidal

From the confluence of Chiltipin Creek in Kleberg County to a point 1 km (0.6 mi) upstream of private road crossing near Laureles Ranch in Kleberg County

Parameter(s)
Chlorophyll-a in water

Level of Concern
CS

From the confluence with Tunas Creek and Alazan Bay to a point 11 mi upstream

SEG ID: 2204 Petronila Creek Above Tidal

From a point 1 km (0.6 mi) upstream of private road crossing near Laureles Ranch in Kleberg County to the confluence of Agua Dulce and Banquete Creeks in Nueces County

Parameter(s) <u>Level of Concern</u>

Chlorophyll-a in water

CS

From downstream end of segment to the confluence with 2204A, unnamed drainage ditch tributary to Petronila Creek at N-97.7, W27.65 approximately 32.5 km (20.2 mi) upstream

From the confluence with 2204A, unnamed drainage ditch tributary of Petronila Creek at N-97.7, W27.65 to the upstream end of segment at the confluence with Agua Dulce and Banquete Creeks approximately 31.6 km (19.6 mi) upstream

May 12, 2020 Page 175 of 196

SEG ID: 2301	1 Rio Grande Tidal From the confluence with the Gulf of Mexico in Cameron County to downstream of the International Bridge in Cameron County	o a point 10.8 km (6.7 mi)
Parameter(s)	· · · · · · · · · · · · · · · · · · ·	<u>Level of Concern</u>
Bacteria in wa	vater (Recreation Use)	CN
2301_01	From the confluence with the Gulf of Mexico in Cameron County to mi) upstream	o a point 71.7 km (44.6
2301_02	From a point 71.7 km (44.6 mi) upstream of the mouth the Rio Grande to a point 10.8 km (6.7 mi) downstream of the International Bridge in Cameron County	
Parameter(s)		Level of Concern
Chlorophyll-a	a in water	CS
2301_01	From the confluence with the Gulf of Mexico in Cameron County to mi) upstream	o a point 71.7 km (44.6
2301_02	From a point 71.7 km (44.6 mi) upstream of the mouth the Rio Gra (6.7 mi) downstream of the International Bridge in Cameron County	-
Parameter(s)		Level of Concern
Depressed dis	ssolved oxygen in water	CS
2301_01	From the confluence with the Gulf of Mexico in Cameron County to mi) upstream	o a point 71.7 km (44.6
Parameter(s)		Level of Concern
Nitrate in wat	ter	CS
2301_02	From a point 71.7 km (44.6 mi) upstream of the mouth the Rio Gra (6.7 mi) downstream of the International Bridge in Cameron County	*

May 12, 2020 Page 176 of 196

	2 Rio Grande Below Falcon Reservoir From a point 10.8 km (6.7 mi) downstream of the International Bridge in Cameron County to Falcon Dam in Starr County			
<u>Parameter(s)</u>	•			
	Ammonia in water CS			
2302_07	From the confluence with Arroyo Los Olmos upstream to Falcon Reservoir Dam			
Parameter(s) Chlorophyll-	arameter(s)Level of Concernhlorophyll-a in waterCS			
2302_01	From a point 10.8 km (6.7 mi) downstream of the International Bridge near the El Jardin Pump Station in Cameron County upstream to the west branch of the Rancho Viejo Floodway			
2302_02	From the west branch of the Rancho Viejo Floodway upstream to the Progresso International Bridge (FM 1015)			
2302_03	From the Progresso International Bridge (FM 1015) upstream to the McAllen International Bridge (US Hwy 281)			
2302_04	From the McAllen International Bridge (US Hwy 281) upstream to Anzalduas Dam			
2302_05	From Anzalduas Dam upstream to Los Ebanos Ferry Crossing			
2302_06	From the Los Ebanos Ferry Crossing upstream to the confluence with Arroyo Los Olmos			
2302_07	From the confluence with Arroyo Los Olmos upstream to Falcon Reservoir Dam			
Parameter(s)Level of ConcernDepressed dissolved oxygen in waterCS				
2302_01	From a point 10.8 km (6.7 mi) downstream of the International Bridge near the El Jardin Pump Station in Cameron County upstream to the west branch of the Rancho Viejo Floodway			
2302_03	From the Progresso International Bridge (FM 1015) upstream to the McAllen International Bridge (US Hwy 281)			
2302_04	From the McAllen International Bridge (US Hwy 281) upstream to Anzalduas Dam			
2302_06	From the Los Ebanos Ferry Crossing upstream to the confluence with Arroyo Los Olmos			

SEG ID: 2302A Arroyo Los Olmos From Rio Grande confluence at Rio Grande City to El Sauz in Starr County				
<u>Parameter(s)</u>	<u>Level of C</u>	<u>Concern</u>		
Chlorophyll-a	hlorophyll-a in water CS			
2302A_01	From the Rio Grande confluence near Rio Grande City upstream to a point 39.4 km near El Sauz	n (24.5 mi)		
Parameter(s)	<u>Level of C</u>	<u>Concern</u>		
Depressed dissolved oxygen in water CS				
2302A_01	From the Rio Grande confluence near Rio Grande City upstream to a point 39.4 km (24.5 mi) near El Sauz			

May 12, 2020 Page 177 of 196

SEG ID: 2303 International Falcon Reservoir

From Falcon Dam in Starr County to a point 0.66 km (0.41 mi) upstream of the confluence of the Arroyo El Lobo (Mexico) in Webb County, up to the normal pool elevation of 301.1 feet (impounds Rio Grande)

<u>Parameter(s)</u> <u>Level of Concern</u>

Fish kill in water CN

2303_04 Upper portion of reservoir

<u>Parameter(s)</u> <u>Level of Concern</u>

Toxicity in water

From the confluence of the Arroyo El Salado (Mexico) in Zapata County upstream to a point 0.66 km (0.41 mi) upstream of the confluence of the Arroyo El Lobo (Mexico) in Webb County

SEG ID: 2304 Rio Grande Below Amistad Reservoir

From a point 0.66 km (0.41 mi) upstream of the confluence of the Arroyo El Lobo (Mexico) in Webb County to Amistad Dam in Val Verde County

<u>Parameter(s)</u> <u>Level of Concern</u>

Ammonia in water CS

2304_01 From a point 0.66 km (0.41 mi) upstream of the confluence of the Arroyo El Lobo (Mexico) in Webb County upstream to the San Idelfonso Creek confluence

<u>Parameter(s)</u> <u>Level of Concern</u>

Toxicity in water

From the International Bridge #2 upstream to the City of Laredo water treatment plant intake

From the City of Laredo water treatment plant intake upstream to the World Trade Center Bridge

SEG ID: 2304B Manadas Creek

From the Rio Grande confluence in Laredo to a point 1.3 km (0.81 mi) upstream of Bob Bullock Loop

<u>Parameter(s)</u> <u>Level of Concern</u>

Antimony in sediment

2304B_01 From the Rio Grande confluence in Laredo to a point 1.3 km (0.81 mi) upstream of Bob

Bullock Loop

Parameter(s) Level of Concern

Bacteria in water (Recreation Use)

From the Rio Grande confluence in Laredo to a point 1.3 km (0.81 mi) upstream of Bob Bullock Loop

Parameter(s) Level of Concern

Nitrate in water CS

From the Rio Grande confluence in Laredo to a point 1.3 km (0.81 mi) upstream of Bob Bullock Loop

Parameter(s)

Level of Concern

Total Phosphorus in water

From the Rio Grande confluence in Laredo to a point 1.3 km (0.81 mi) upstream of Bob Bullock Loop

May 12, 2020 Page 178 of 196

SEG ID: 2305 International Amistad Reservoir

From Amistad Dam to a point 1.8 km (1.1 mi) downstream of the confl of Ramsey Canyon on the Rio Grande Arm and to a point 0.7 km (0.4 mi) downstream of the confl of Painted Canyon on the Pecos Arm and to a point 0.6 km (0.4 mi) downstream of the confl of

Parameter(s)

Fish kill in water

Level of Concern
CN

2305_01 Rio Grande Arm

SEG ID: 2300	6 Rio Grande Above Amistad Reservoir From a point 1.8 km (1.1 mi) downstream of the confluence of Ramsey Canyon in Val Verde County to the confluence of the Rio Conchos (Mexico) in Presidio County	
Parameter(s)		
Chlorophyll- 2306_06	From a point upstream of the IBWC gage at Johnson Ranch to the mouth of Santa Elena Canyon at the Terlingua Creek confluence	
2306_07	From the mouth of Santa Elena Canyon at the Terlingua Creek confluence upstream to the Alamito Creek confluence	
2306_08	From Alamito Creek confluence upstream to the Rio Conchos confluence	
<u>Parameter(s)</u> Fish kill in w	vater <u>Level of Concern</u> CN	
2306_04	From Boquillas Canyon upstream to Mariscal Canyon	
2306_05	From Mariscal Canyon to a point upstream of the IBWC gage at Johnson Ranch	
2306_06	From a point upstream of the IBWC gage at Johnson Ranch to the mouth of Santa Elena Canyon at the Terlingua Creek confluence	
2306_07	From the mouth of Santa Elena Canyon at the Terlingua Creek confluence upstream to the Alamito Creek confluence	
2306_08	From Alamito Creek confluence upstream to the Rio Conchos confluence	
Parameter(s) Total Phosph	norus in water Level of Concern CS	
2306_01	From the lower segment boundary at Ramsey Canyon upstream to the confluence of Panther Gulch	

May 12, 2020 Page 179 of 196

SEG ID: 230	77 Rio Grande Below Riverside Diversion Dam From the confluence of the Rio Conchos (Mexico) in Presidio Count Dam in El Paso County	ry to Riverside Diversion	
<u>Parameter(s</u> , Ammonia ir		<u>Level of Concern</u> CS	
2307 03	From Little Box Canyon upstream to the Alamo Grade Structure	CS	
2307 04	From the Alamo Grade Structure upstream to the Guadalupe Bridge		
2307_05	From the Guadalupe Bridge to downstream of the Riverside Diverside	on Dam	
Parameter(s) Chlorophyll	=	<u>Level of Concern</u> CS	
2307_01	From immediately upstream of the Rio Conchos confluence to a point 40.2 km (25 mi) upstream		
2307_02	From a point 40.2 km (25 mi) upstream of the Rio Conchos confluence to Little Box Canyon		
2307_03	From Little Box Canyon upstream to the Alamo Grade Structure		
2307_04	From the Alamo Grade Structure upstream to the Guadalupe Bridge		
2307_05	From the Guadalupe Bridge to downstream of the Riverside Diverside	on Dam	
Parameter(s Depressed d	<u>)</u> issolved oxygen in water	Level of Concern CS	
2307_05	From the Guadalupe Bridge to downstream of the Riverside Diversion Dam		
Parameter(s) Nitrate in w	=	<u>Level of Concern</u> CS	
2307_04	From the Alamo Grade Structure upstream to the Guadalupe Bridge		
2307_05	From the Guadalupe Bridge to downstream of the Riverside Diverside	on Dam	
Parameter(s) Total Phosp	<u>)</u> horus in water	<u>Level of Concern</u> CS	
2307_03	From Little Box Canyon upstream to the Alamo Grade Structure		
2307_04	From the Alamo Grade Structure upstream to the Guadalupe Bridge		
2307_05	From the Guadalupe Bridge to downstream of the Riverside Diversion	on Dam	

SEG ID; 2308	From the Riverside Diversion Dam in El Paso County to International Dam in El Paso County		
	, and the second se	,	
Parameter(s)		Level of Concern	
Ammonia in water		CS	
2308_01	From the Riverside Diversion Dam to the International Dam in El Paso County		
Parameter(s)		Level of Concern	
Chlorophyll-a in water		CS	
2308_01	From the Riverside Diversion Dam to the International Dam in El Paso County		
Parameter(s)		<u>Level of Concern</u>	
Total Phosphorus in water CS			
2308_01	From the Riverside Diversion Dam to the International Dam in El Paso County		

May 12, 2020 Page 180 of 196

SEG ID: 2311	Upper Pecos River From a point immediately upstream of the confluence of Independence Crockett/Terrell County to Red Bluff Dam in Loving/Reeves County	e Creek in
Parameter(s)		Level of Concern
Bacteria in w	ater (Recreation Use)	CN
2311_03	From US Hwy 67 upstream to the Ward Two Irrigation Turnout	
Parameter(s)		Level of Concern
Chlorophyll-a	in water	CS
2311_01	From just upstream of the Independence Creek confluence upstream to US Hwy 290	
2311_02	From US Hwy 290 upstream to US Hwy 67	
2311_04	From the Ward Two Irrigation Turnout upstream to US Hwy 80 (Bus 2	0)
2311_07	From State Hwy 302 upstream to FM 652	
2311_08	From FM 652 upstream to the Red Bluff Dam	

SEG ID: 2312 Red Bluff Reservoir

From Red Bluff Dam in Loving/Reeves County to New Mexico State Line in Loving/Reeves County, up to normal pool elevation 2842 feet (impounds Pecos River)

Parameter(s) Level of Concern **CS**

Depressed dissolved oxygen in water

2312_01 From the Red Bluff Dam to mid-lake

SEG ID: 2314	Rio Grande Above International Dam From International Dam in El Paso County to the New Mexico State Lin	ne in El Paso County
Parameter(s)		<u>Level of Concern</u>
Ammonia in v	vater	CS
2314_01	From the International Dam upstream to the Anthony Drain confluence	
Parameter(s)		Level of Concern
Chlorophyll-a	in water	CS
2314_01	From the International Dam upstream to the Anthony Drain confluence	
2314_02	From the Anthony Drain confluence upstream to the New Mexico/Texas	state line
Parameter(s)		Level of Concern
Nitrate in wat	er	CS
2314_01	From the International Dam upstream to the Anthony Drain confluence	
Parameter(s)		Level of Concern
Total Phospho	rus in water	CS
2314_01	From the International Dam upstream to the Anthony Drain confluence	

May 12, 2020 Page 181 of 196

SEG ID: 242	1 Upper Galveston Bay Upper Galveston Bay	
Parameter(s)		Level of Concern
Chlorophyll-	a in water	CS
2421_01	Red Bluff to Five mi Cut to Houston Point to Morgans Point	
2421_02	Western portion of the bay	
2421_03	Main portion of the bay	
Parameter(s)		Level of Concern
Nitrate in wa	ter	CS
2421_01	Red Bluff to Five mi Cut to Houston Point to Morgans Point	
2421_02	Western portion of the bay	
Parameter(s)		Level of Concern
Total Phosph	orus in water	CS
2421_01	Red Bluff to Five mi Cut to Houston Point to Morgans Point	
2421 02	Western portion of the bay	

SEG ID:2421	A Clear Lake Channel From the Lower Galveston Bay confluence to SH 146	
Parameter(s)		Level of Concern
Ammonia in	water	CS
2421A_01	From Lower Galveston Bay confluence to SH 146	
Parameter(s)		Level of Concern
Total Phospl	norus in water	CS
2421A_01	From Lower Galveston Bay confluence to SH 146	

SEG ID: 24211	B Little Cedar Bayou From the confluence with Upper Galveston Bay to a point imn Cut Blvd in La Porte	nediately upstream of Barbours
Parameter(s) Chlorophyll-a	in water	<u>Level of Concern</u> CS
2421B_01	From the confluence with Galveston Bay to a point immediate Blvd in La Porte	ly upstream of Barbours Cut
Parameter(s) Nitrate in wat	er	<u>Level of Concern</u> CS
2421B_01	From the confluence with Galveston Bay to a point immediate Blvd in La Porte	ly upstream of Barbours Cut
Parameter(s)		<u>Level of Concern</u>
Total Phospho	orus in water	CS
2421B_01	From the confluence with Galveston Bay to a point immediate Blvd in La Porte	ly upstream of Barbours Cut

May 12, 2020 Page 182 of 196

SEG ID: 2421C Pine Gully

Pine Gully - from the confluence with Upper Galveston Bay upstream to the terminus approximately 875 m east of the intersection of Old Highway 146 and Red Bluff Rd in Seabrook

Parameter(s)

2421C 01

Level of Concern

CS

CS

CS

CS

Level of Concern

Chlorophyll-a in water

Pine Gully - from the confluence with Upper Galveston Bay upstream to the terminus approximately 875 m east of the intersection of Old Highway 146 and Red Bluff Rd in

Seabrook

SEG ID: 2422 Trinity Bay

Trinity Bay

Parameter(s) Level of Concern

Chlorophyll-a in water

Upper half of bay 2422 01 2422 02

SEG ID: 2422B Double Bayou West Fork

Lower half of bay

From the Trinity Bay confluence to Belton Road in Chambers County

Level of Concern Parameter(s) CS

Chlorophyll-a in water

2422B 01 From the Trinity Bay confluence to Belton Road

SEG ID: 2423 East Bay

East Bay

Parameter(s) Level of Concern

Chlorophyll-a in water

Area adjacent to the ICWW (Segment 0702) 2423 01

2423 02 Remainder of segment

SEG ID: 2423A Oyster Bayou

From the East Bay confluence to a point 2.2 km (1.4 mi) upstream from SH 65 in Chambers

County

Parameter(s) Level of Concern

Chlorophyll-a in water

Parameter(s)

2423A 01 From the East Bay confluence to a point 2.2 km (1.4 mi) upstream from SH 65

Depressed dissolved oxygen in water

CS

2423A 01 From the East Bay confluence to a point 2.2 km (1.4 mi) upstream from SH 65

Page 183 of 196 May 12, 2020

SEG ID:2424A	SEG ID:2424A Highland Bayou From the confluence of West Bay upstream to the confluence of Highland Bayou Diversion Canal 118 m (388 ft) downstream of Jack Brooks Rd in Galveston County	
Parameter(s)	<u>Level of Concern</u>	
Chlorophyll-a	a in water CS	
2424A_02	From Bayou Lane upstream to Lake Road	
2424A_03	From Lake Road upstream to FM 519	
2424A_05	From FM 2004 upstream to the confluence of Highland Bayou Diversion Canal 118 m (388 ft) downstream of Jack Brooks Rd in Galveston County	
Parameter(s)	<u>Level of Concern</u>	
Depressed dis	ssolved oxygen in water CN	
2424A_02	From Bayou Lane upstream to Lake Road	
2424A_03	From Lake Road upstream to FM 519	
2424A_04	From FM 519 upstream to FM 2004	

SEG ID: 24241	B Lake Madeline	
	Located between Jones Street, Stewart Street and Pine Street, nor Galveston Island	th of the seawall on
Parameter(s)		<u>Level of Concern</u>
Ammonia in	vater	CS
2424B_01	Between Jones Street, Stewart Street and Pine Street, north of the	seawall on Galveston Island
Parameter(s)		Level of Concern
Chlorophyll-a	in water	CS
2424B_01	Between Jones Street, Stewart Street and Pine Street, north of the	seawall on Galveston Island
Parameter(s)		Level of Concern
Depressed dis	solved oxygen in water	CS
2424B_01	Between Jones Street, Stewart Street and Pine Street, north of the	seawall on Galveston Island
Parameter(s)		Level of Concern
Total Phospho	orus in water	CS
2424B 01	Between Jones Street, Stewart Street and Pine Street, north of the seawall on Galveston Island	

SEG ID: 2424C Marchand Bayou

From Highland Bayou confluence to 0.72 km (0.45 mi) north of IH 45 in Galveston County

Parameter(s) Level of Concern CN

Depressed dissolved oxygen in water

2424C_01

From Highland Bayou confluence 0.72 km (0.45 mi) north of IH-45

Page 184 of 196 May 12, 2020

SEG ID:2424D Offatts Bayou Located on the east end of Galveston Island, running parallel with the southern terminus of IH 45, and joins West Bay near Teichman Point		
Parameter(s)		Level of Concern
Ammonia in	water	CS
2424D_02	Middle area bordered by 71st Street and Walsh Street	
Parameter(s)		<u>Level of Concern</u>
Chlorophyll-	a in water	CS
2424D_02	Middle area bordered by 71st Street and Walsh Street	
Parameter(s)		Level of Concern
Total Phosph	norus in water	CS
2424D 02	Middle area bordered by 71st Street and Walsh Street	

SEG ID:2424E English Bayou

Between IH 45, Bayou Shore Drive, South Shore Rear and SH 342 on Galveston Island

Parameter(s)Level of ConcernTotal Phosphorus in waterCS

2424E 01 Between IH 45, Bayou Shore Drive, South Shore Rear and SH 342 on Galveston Island

SEG ID: 2425 Clear Lake Clear Lake	
Parameter(s)	<u>Level of Concern</u>
Chlorophyll-a in water	CS
2425_01 Clear Lake	
Parameter(s)	<u>Level of Concern</u>
Nitrate in water	CS
2425_01 Clear Lake	
<u>Parameter(s)</u>	<u>Level of Concern</u>
Total Phosphorus in water	CS
2425_01 Clear Lake	

May 12, 2020 Page 185 of 196

SEG	ID:2425A	Taylor	Lake
------------	----------	---------------	------

Taylor Lake from the confluence with Clear Lake upstream to the terminus of Taylor Bayou south of Bay Forest Golf Club in LaPorte

CS

CS

CS

CS

Parameter(s) Level of Concern CS

Chlorophyll-a in water

2425A 01 Taylor Lake from the confluence with Clear Lake to the confluence with Taylor Bayou at Red Bluff Rd in Seabrook

Parameter(s) Level of Concern

Nitrate in water

2425A_01 Taylor Lake from the confluence with Clear Lake to the confluence with Taylor Bayou at Red Bluff Rd in Seabrook

Parameter(s) Level of Concern

Total Phosphorus in water

2425A 01 Taylor Lake from the confluence with Clear Lake to the confluence with Taylor Bayou at Red Bluff Rd in Seabrook

Taylor Bayou from the confluence with Taylor Lake at Red Bluff Rd in Seabrook upstream to 2425A 02 the Southern Pacific railroad bridge parallel with SH 146 in Harris County

SEG ID: 2425B Jarbo Bayou

From Clear Lake confluence with Clear Lake to 1.1 km (0.67 mi) upstream of FM 518 in Galveston County

Parameter(s) Level of Concern Bacteria in water (Recreation Use) **CN**

2425B 02 From Lawrence Road to the headwaters 1.1 km (0.67 mi) upstream of FM 518

SEG ID: 2426 Tabbs Bay

Tabbs Bay

Parameter(s) Level of Concern

Ammonia in water

2426 01 Tabbs Bay

Parameter(s) Level of Concern

Nitrate in water

2426 01 Tabbs Bay

Parameter(s) Level of Concern

Total Phosphorus in water

2426 01 Tabbs Bay

Page 186 of 196 May 12, 2020

SEG ID: 2427 San Jacinto Bay San Jacinto Bay	
Parameter(s)	<u>Level of Concern</u>
Ammonia in water	CS
2427_01 San Jacinto Bay	
<u>Parameter(s)</u>	<u>Level of Concern</u>
Nitrate in water	CS
2427_01 San Jacinto Bay	
Parameter(s)	Level of Concern
Total Phosphorus in water	CS
2427_01 San Jacinto Bay	

SEG ID: 2428 Black Duck Bay Black Duck Bay	
<u>Parameter(s)</u>	<u>Level of Concern</u>
Chlorophyll-a in water	CS
2428_01 Black Duck Bay	
Parameter(s)	Level of Concern
Nitrate in water	CS
2428_01 Black Duck Bay	
Parameter(s)	<u>Level of Concern</u>
Total Phosphorus in water	CS
2428_01 Black Duck Bay	

SEG ID: 2429 Scott Bay Scott Bay	
Scott Bay	
Parameter(s)	<u>Level of Concern</u>
Ammonia in water	CS
2429_01 Scott Bay	
Parameter(s)	Level of Concern
Nitrate in water	CS
2429_01 Scott Bay	
Parameter(s)	Level of Concern
Total Phosphorus in water	CS
2429 01 Scott Bay	

May 12, 2020 Page 187 of 196

SEG ID: 2430 Burnet Bay Burnet Bay	
<u>Parameter(s)</u>	<u>Level of Concern</u>
Chlorophyll-a in water	CS
2430_01 Burnet Bay	
Parameter(s)	<u>Level of Concern</u>
Nitrate in water	CS
2430_01 Burnet Bay	
<u>Parameter(s)</u>	<u>Level of Concern</u>
Total Phosphorus in water	CS
2430_01 Burnet Bay	

SEG ID:2430A	A Crystal Bay Crystal Bay, a side bay of Burnet Bay, located between Burnet and Scott (Segment 2429) Bays adjacent to the San Jacinto Monument and Houston Ship Channel (Segment 1005)	
<u>Parameter(s)</u> Ammonia in	Level of Concern	
2430A_01	Crystal Bay, a side bay of Burnet Bay, located between Burnet and Scott (Segment 2429) Bays adjacent to the San Jacinto Monument and Houston Ship Channel (Segment 1005)	
<u>Parameter(s)</u> Nitrate in war	ter Level of Concern CS	
2430A_01	Crystal Bay, a side bay of Burnet Bay, located between Burnet and Scott (Segment 2429) Bays adjacent to the San Jacinto Monument and Houston Ship Channel (Segment 1005)	
Parameter(s)	<u>Level of Concern</u>	
Total Phosphorus in water CS		
2430A_01 Crystal Bay, a side bay of Burnet Bay, located between Burnet and Scott (Segment 2429) Bays adjacent to the San Jacinto Monument and Houston Ship Channel (Segment 1005)		

SEG ID: 2431 Moses Lake Moses Lake	
Parameter(s)	<u>Level of Concern</u>
Chlorophyll-a in water	CS
2431_01 Moses Lake	

From the confluence with the southern arm (east) of Moof State Highway 146 in Texas City	oses Lake to a point 0.6 mi upstream
Parameter(s)	<u>Level of Concern</u>
Bacteria in water (Recreation Use)	CN
2431D 01 From the confluence with the southern arm (east) of Mo	oses Lake to a point 0.6 mi upstream

SEG ID:2431D Unnamed Tributary to the Southern Arm of Moses Lake (East)

of State Highway 146 in Texas City

May 12, 2020 Page 188 of 196

SEG ID: 2432 Chocolate Bay

Chocolate Bay

<u>Parameter(s)</u>

Ammonia in water

2432A_03

2432 01 Chocolate Bay

Level of Concern

CS

CN

CS

CS

CS

SEG ID: 2432A Mustang Bayou

From the New Bayou confluence upstream to an unnamed tributary 0.3 km (0.19 mi) upstream of State Hwy 35 to an unnamed tributary downstream of Cartwright Road

<u>Parameter(s)</u> <u>Level of Concern</u>

Bacteria in water (Recreation Use)

From an unnamed tributary 0.3 km upstream of State Hwy 35 upstream to an unnamed tributary downstream of Cartwright Road.

<u>Parameter(s)</u> <u>Level of Concern</u>

Depressed dissolved oxygen in water

2432A 01 From the New Bayou confluence upstream to County Road 166

SEG ID: 2432B Willow Bayou

From the Halls Bayou confluence to a point 9.7 km (6 mi) upstream.

Parameter(s) Level of Concern

Depressed dissolved oxygen in water

2432B 01 From the Halls Bayou confluence to a point 9.7 km (6 mi) upstream.

SEG ID: 2432C Halls Bayou Tidal

From the Chocolate Bay confluence upstream to a point 31.5 km (19.6 mi) upstream

<u>Parameter(s)</u> <u>Level of Concern</u>

Depressed dissolved oxygen in water

2432C 01 From the Chocolate Bay confluence upstream to a point 31.5 km (19.6 mi) upstream

May 12, 2020 Page 189 of 196

SEG ID: 2436 Barbours Cut Barbours Cut	
Parameter(s)	<u>Level of Concern</u>
Ammonia in water	CS
2436_01 Barbours Cut	
Parameter(s)	<u>Level of Concern</u>
Nitrate in water	CS
2436_01 Barbours Cut	
Parameter(s)	Level of Concern
Total Phosphorus in water	CS
2436_01 Barbours Cut	

SEG ID: 24.	37 Texas City Ship Channel Texas City Ship Channel	
Parameter(s	<u>)</u>	<u>Level of Concern</u>
Chlorophyl	l-a in water	CS
2437_01	Texas City Ship Channel	
Parameter(s)	Level of Concern
Nitrate in water		CS
2437_01	Texas City Ship Channel	

SEG ID: 24	38 Bayport Channel Bayport Channel	
Parameter(s	<u>s)</u>	<u>Level of Concern</u>
Ammonia i	n water	CS
2438_01	Bayport Channel	
Parameter(s	<u>s)</u>	<u>Level of Concern</u>
Chlorophyl	l-a in water	CS
2438_01	Bayport Channel	
Parameter(s	<u>s)</u>	Level of Concern
Nitrate in w	vater	CS
2438_01	Bayport Channel	
Parameter(s	<u>s)</u>	<u>Level of Concern</u>
Total Phosp	ohorus in water	CS
2438 01	Bayport Channel	

May 12, 2020 Page 190 of 196

SEG ID: 2439 Lower Galveston Bay

Lower Galveston Bay

<u>Parameter(s)</u> <u>Level of Concern</u>

Chlorophyll-a in water

CS

CS

CS

CS

CS

2439 01 Area adjacent to the Texas City Ship Channel and Moses Lake

2439_02 Eastern portion of the bay

<u>Parameter(s)</u> <u>Level of Concern</u>

Nitrate in water CS

2439_01 Area adjacent to the Texas City Ship Channel and Moses Lake

SEG ID: 2452 Tres Palacios Bay/Turtle Bay

Tres Palacios Bay/Turtle Bay

<u>Parameter(s)</u> <u>Level of Concern</u>

Chlorophyll-a in water

2452 03 Tres Palacios Creek Arm

SEG ID: 2452A Tres Palacios Harbor

Tres Palacios Harbor

<u>Parameter(s)</u> <u>Level of Concern</u>

Chlorophyll-a in water

2452A 01 Tres Palacios Harbor

SEG ID: 2454A Cox Lake

From the Cox Lake dam located 4.0 km (2.5 mi) southeast of Point Comfort in Calhoun County to the Calhoun/Jackson County line

<u>Parameter(s)</u> <u>Level of Concern</u>

Depressed dissolved oxygen in water

2454A 01 From the Cox Lake dam located 4.0 km (2.5 mi) southeast of Point Comfort to the

Calhoun/Jackson County line

SEG ID: 2456 Carancahua Bay

Carancahua Bay

Parameter(s) <u>Level of Concern</u>

Chlorophyll-a in water 2456_02 Upper half of bay

D ()

<u>Parameter(s)</u> <u>Level of Concern</u>

Total Phosphorus in water

2456 02 Upper half of bay

May 12, 2020 Page 191 of 196

SEG ID: 2456A West Carancahua Creek Tidal

From the Carancahua Bay confluence to Jackson CR 440, 10.1 km (6.3 mi) upstream of FM 616 in Jackson County

Parameter(s)

Level of Concern

Chlorophyll-a in water

CS

2456A_01

From the Carancahua Bay confluence to Jackson CR 440, 10.1 km (6.3 mi) upstream of FM 616 in Jackson County

SEG ID: 2462 San Antonio Bay/Hynes Bay/Guadalupe Bay/Mission Lake

San Antonio Bay/Hynes Bay/Guadalupe Bay/Mission Lake at the mean high tide line

Parameter(s)

Level of Concern

CS

Chlorophyll-a in water

2462 01 San Antonio Bay/Hynes Bay/Guadalupe Bay/Mission Lake at the mean high tide line

SEG ID: 2471A Little Bay

Located between Aransas Bay (Segment 2471) on the east side and Broadway Street in Rockport on the west side and Rockport Beach on the south side in Aransas County

Parameter(s)

Level of Concern

Chlorophyll-a in water

CS

2471A_01

Located between Aransas Bay (Segment 2471) on the east side and Broadway Street in Rockport on the west side and Rockport Beach on the south side in Aransas County

SEG ID: 2472 Copano Bay/Port Bay/Mission Bay

Copano Bay/Port Bay/Mission Bay

Parameter(s)

Level of Concern

CS

Chlorophyll-a in water

2472 03 Port Bay

SEG ID: 2482 Nueces Bay

Nueces Bay

Parameter(s)

Level of Concern

CS

Chlorophyll-a in water

2482 01 Nueces Bay

May 12, 2020 Page 192 of 196

SEG ID: 2483A Conn Brown Harbor

From the Aransas Channel confluence southeast of Aransas Pass in San Patricio County to a point 1.6 km (1 mi) northeast in Aransas County

Parameter(s) Level of Concern **CN**

Copper in water

2483A 01 From the Aransas Channel confluence southeast of Aransas Pass to a point 1.6 km (1 mi)

northeast

SEG ID: 2484 Corpus Christi Inner Harbor

Corpus Christi Inner Harbor - from US 181 to Viola Turning Basin

Level of Concern *Parameter(s)*

Ammonia in water CS

2484 01 Corpus Christi Inner Harbor - from US 181 to Viola Turning Basin

Parameter(s) Level of Concern

Nitrate in water **CS**

2484 01 Corpus Christi Inner Harbor - from US 181 to Viola Turning Basin

SEG ID: 2485 Oso Bay

Oso Bay

Parameter(s) Level of Concern

Bacteria in water (Recreation Use) **CN**

2485 02 Middle bay (State Park Road 22 to Holly Road)

Parameter(s) Level of Concern

CS

CS

Chlorophyll-a in water

2485 01 Upper bay (Holly Road to County Hwy 24)

2485 02 Middle bay (State Park Road 22 to Holly Road)

2485 03 Lower portion of bay (Ocean Drive to State Park Road 22)

Parameter(s) Level of Concern

Total Phosphorus in water

2485_02 Middle bay (State Park Road 22 to Holly Road)

2485_03 Lower portion of bay (Ocean Drive to State Park Road 22)

Page 193 of 196 May 12, 2020

SEG ID: 2485A Oso Creek

From the Oso Bay confluence in southern Corpus Christi to a point 4.8 km (3 mi) upstream of SH 44, west of Corpus Christi in Nueces County

<u>Parameter(s)</u>

Chlorophyll-a in water

<u>Level of Concern</u> CS

2485A_01 From the Oso Bay confluence in southern Corpus Christi to a point 4.8 km (3 mi) upstream of SH 44, west of Corpus Christi

<u>Parameter(s)</u> <u>Level of Concern</u>

Nitrate in water

CS

From the Oso Bay confluence in southern Corpus Christi to a point 4.8 km (3 mi) upstream of SH 44, west of Corpus Christi

Parameter(s) Level of Concern

Total Phosphorus in water

CS

2485A_01 From the Oso Bay confluence in southern Corpus Christi to a point 4.8 km (3 mi) upstream of SH 44, west of Corpus Christi

SEG ID: 2485B Unnamed trib of Oso Creek

From the Oso Creek confluence upstream to a point 5.2 km (3.2 mi) west of State Hwy 286 in Nueces County

<u>Parameter(s)</u> <u>Level of Concern</u>

Total Phosphorus in water

CS

2485B 01 From the Oso Creek confluence upstream to a point 5.2 km (3.2 mi) west of State Hwy 286

SEG ID: 2485D West Oso Creek

From the Oso Creek confluence upstream to a point 0.49 km (0.3 mi) west of FM 1694 in Nueces County

Parameter(s) <u>Level of Concern</u>

Total Phosphorus in water

CS

2485D_01 From the Oso Creek confluence upstream to a point 0.49 km (0.3 mi) west of FM 1694

May 12, 2020 Page 194 of 196

SEG ID: 249	1 Laguna Madre Laguna Madre	
<u>Parameter(s)</u>		Level of Concern
Ammonia in	water	CS
2491_02	Area adjacent to the Arroyo Colorado confluence	
Parameter(s)		Level of Concern
Bacteria in v	vater (Recreation Use)	CN
2491_03	Lower portion of bay south of the Arroyo Colorado confluence	
Parameter(s)		Level of Concern
Chlorophyll-	a in water	CS
2491_01	Upper portion of bay north of the Arroyo Colorado confluence	
2491_02	Area adjacent to the Arroyo Colorado confluence	
Parameter(s)		Level of Concern
Depressed di	ssolved oxygen in water	CS
2491_03	Lower portion of bay south of the Arroyo Colorado confluence	
Parameter(s)		Level of Concern
Nitrate in wa	nter	CS
2491_02	Area adjacent to the Arroyo Colorado confluence	

SEG ID:2491	B North Floodway From 0.04 mi north of Campacuas Lake and 0.32 mi west of confluence with Lower Laguna Madre (tidal flats)	of FM 491 (Mercedes, TX) to the
Parameter(s)		Level of Concern
Bacteria in v	vater (Recreation Use)	CN
2491B_01	From 0.04 mi north of Campacuas Lake and 0.32 mi west of confluence with Lower Laguna Madre (tidal flats)	of FM 491 (Mercedes, TX) to the
Parameter(s)		Level of Concern
Chlorophyll-	a in water	CS
2491B_01	From 0.04 mi north of Campacuas Lake and 0.32 mi west of confluence with Lower Laguna Madre (tidal flats)	of FM 491 (Mercedes, TX) to the
Parameter(s)		<u>Level of Concern</u>

From 0.04 mi north of Campacuas Lake and 0.32 mi west of FM 491 (Mercedes, TX) to the confluence with Lower Laguna Madre (tidal flats)

CS

Nitrate in water

	Baffin Bay/Alazan Bay/Cayo del Grullo/Laguna Salada	
Parameter(s	<u>s)</u>	<u>Level of Concern</u>
Chlorophyll-a in water		CS
2492_01	Baffin Bay/Alazan Bay/Cayo del Grullo/Laguna Salada	

SEG ID: 2492 Baffin Bay/Alazan Bay/Cayo del Grullo/Laguna Salada

May 12, 2020 Page 195 of 196

SEG ID: 2492A San Fernando Creek

From the Cayo Del Grullo confluence in Kleberg County upstream to the confluence with Chiltipin Creek and San Diego Creek in Jim Wells County

CS

CS

CS

Parameter(s) Level of Concern CS

Chlorophyll-a in water

2492A 01 From the Cayo Del Grullo confluence in Kleberg County upstream to the confluence with Chiltipin Creek and San Diego Creek in Jim Wells County

Parameter(s) Level of Concern

Nitrate in water

2492A_01 From the Cayo Del Grullo confluence in Kleberg County upstream to the confluence with Chiltipin Creek and San Diego Creek in Jim Wells County

Parameter(s) Level of Concern

Total Phosphorus in water

2492A 01 From the Cayo Del Grullo confluence in Kleberg County upstream to the confluence with Chiltipin Creek and San Diego Creek in Jim Wells County

SEG ID: 2494 Brownsville Ship Channel

Brownsville Ship Channel

Parameter(s) Level of Concern

Depressed dissolved oxygen in water

2494 01 From the Laguna Madre confluence upstream to the Port of Brownsville

Page 196 of 196 May 12, 2020