

Executive Summary – Enforcement Matter – Case No. 60731

City of Frost

RN101390268

Docket No. 2021-0600-PWS-E

Order Type:

Findings Agreed Order

Findings Order Justification:

Three or more enforcement actions (NOVs, orders, etc.) over the prior five year period for the same violation(s).

Media:

PWS

Small Business:

No

Location(s) Where Violation(s) Occurred:

City of Frost PWS, 100 Garitty Street, Frost, Navarro County

Type of Operation:

Public water supply

Other Significant Matters:

Additional Pending Enforcement Actions: No

Past-Due Penalties: No

Other: N/A

Interested Third-Parties: None

Texas Register Publication Date: October 1, 2021

Comments Received: No

Penalty Information

Total Penalty Assessed: \$2,800

Total Paid to General Revenue: \$2,800

Total Due to General Revenue: \$0

Payment Plan: N/A

Compliance History Classifications:

Person/CN - Satisfactory

Site/RN - Unclassified

Major Source: No

Statutory Limit Adjustment: N/A

Applicable Penalty Policy: January 2021

Investigation Information

Complaint Date(s): N/A

Complaint Information: N/A

Date(s) of Investigation: April 19, 2021 through April 30, 2021

Date(s) of NOE(s): April 30, 2021

Executive Summary – Enforcement Matter – Case No. 60731
City of Frost
RN101390268
Docket No. 2021-0600-PWS-E

Violation Information

1. Failed to comply with the maximum contaminant level of 0.080 milligrams per liter for total trihalomethanes based on the locational running annual average [30 TEX. ADMIN. CODE § 290.115(f)(1) and TEX. HEALTH & SAFETY CODE § 341.0315(c)].
2. Failed to submit a Disinfection Level Quarterly Operating Report ("DLQOR") to the Executive Director by the tenth day of the month following the end of each quarter [30 TEX. ADMIN. CODE § 290.110(e)(4)(A) and (f)(3)].

Corrective Actions/Technical Requirements

Corrective Action(s) Completed:

N/A

Technical Requirements:

The Order will require the Respondent to:

- a. Within 30 days, update the Facility's operational guidance and conduct employee training to ensure that self-reporting requirements are properly accomplished, including the timely submission of signed and certified DLQORs;
- b. Within 45 days, submit written certification to demonstrate compliance with a.;
- c. Within 90 days, begin submitting DLQORs to the Executive Director by the tenth day of the month following the end of each quarter. The provision will be satisfied upon one quarter of compliant reporting;
- d. Within 195 days, submit written certification to demonstrate compliance with c.;
- e. Within 365 days, return to compliance with the maximum contaminant level for total trihalomethanes based on the locational running annual average; and
- f. Within 380 days, submit written certification to demonstrate compliance with e.

Executive Summary – Enforcement Matter – Case No. 60731
City of Frost
RN101390268
Docket No. 2021-0600-PWS-E

Contact Information

TCEQ Attorney: N/A

TCEQ Enforcement Coordinator: Ecko Beggs, Enforcement Division, Enforcement Team 2, MC R-06, (915) 849-4968; Michael Parrish, Enforcement Division, MC 219, (512) 239-2548

Respondent: The Honorable Scott Dowdle, Mayor, City of Frost, P.O. Box X, Frost, Texas 76641-0923

Respondent's Attorney: N/A



Penalty Calculation Worksheet (PCW)

Policy Revision 5 (January 28, 2021)

PCW Revision February 11, 2021

DATES	Assigned	3-May-2021	Screening	6-May-2021	EPA Due	30-Jun-2021
	PCW	10-May-2021				

RESPONDENT/FACILITY INFORMATION	
Respondent	City of Frost
Reg. Ent. Ref. No.	RN101390268
Facility/Site Region	4-Dallas/Fort Worth
Major/Minor Source	Minor

CASE INFORMATION			
Enf./Case ID No.	60731	No. of Violations	2
Docket No.	2021-0600-PWS-E	Order Type	Findings
Media Program(s)	Public Water Supply	Government/Non-Profit	Yes
Multi-Media		Enf. Coordinator	Ecko Beggs
		EC's Team	Enforcement Team 2
Admin. Penalty \$ Limit Minimum	\$50	Maximum	\$5,000

Penalty Calculation Section

TOTAL BASE PENALTY (Sum of violation base penalties)	Subtotal 1	\$1,750
---	-------------------	---------

ADJUSTMENTS (+/-) TO SUBTOTAL 1

Subtotals 2-7 are obtained by multiplying the Total Base Penalty (Subtotal 1) by the indicated percentage.

Compliance History	60.0%	Adjustment	Subtotals 2, 3, & 7	\$1,050
---------------------------	-------	------------	--------------------------------	---------

Notes: Enhancement for three NOV's with the same/similar violations, one Agreed Order containing a denial of liability, and one Agreed Order without a denial of liability.

Culpability	No	0.0%	Enhancement	Subtotal 4	\$0
--------------------	----	------	-------------	-------------------	-----

Notes: The Respondent does not meet the culpability criteria.

Good Faith Effort to Comply Total Adjustments	Subtotal 5	\$0
--	-------------------	-----

Economic Benefit	0.0%	Enhancement*	Subtotal 6	\$0
-------------------------	------	--------------	-------------------	-----

Total EB Amounts	\$551
Estimated Cost of Compliance	\$5,167

*Capped at the Total EB \$ Amount

SUM OF SUBTOTALS 1-7	Final Subtotal	\$2,800
-----------------------------	-----------------------	---------

OTHER FACTORS AS JUSTICE MAY REQUIRE	0.0%	Adjustment	\$0
---	------	------------	-----

Reduces or enhances the Final Subtotal by the indicated percentage.

Notes

Final Penalty Amount	\$2,800
-----------------------------	---------

STATUTORY LIMIT ADJUSTMENT	Final Assessed Penalty	\$2,800
-----------------------------------	-------------------------------	---------

DEFERRAL	0.0%	Reduction	Adjustment	\$0
-----------------	------	-----------	------------	-----

Reduces the Final Assessed Penalty by the indicated percentage.

Notes

No deferral is recommended for Findings Orders.

PAYABLE PENALTY	\$2,800
------------------------	---------

Screening Date 6-May-2021

Docket No. 2021-0600-PWS-E

PCW

Respondent City of Frost

Policy Revision 5 (January 28, 2021)

Case ID No. 60731

PCW Revision February 11, 2021

Reg. Ent. Reference No. RN101390268

Media Public Water Supply

Enf. Coordinator Ecko Beggs

Compliance History Worksheet

>> Compliance History Site Enhancement (Subtotal 2)

Component	Number of...	Number	Adjust.
NOVs	Written notices of violation ("NOVs") with same or similar violations as those in the current enforcement action (<i>number of NOVs meeting criteria</i>)	3	15%
	Other written NOVs	0	0%
Orders	Any agreed final enforcement orders containing a denial of liability (<i>number of orders meeting criteria</i>)	1	20%
	Any adjudicated final enforcement orders, agreed final enforcement orders without a denial of liability, or default orders of this state or the federal government, or any final prohibitory emergency orders issued by the commission	1	25%
Judgments and Consent Decrees	Any non-adjudicated final court judgments or consent decrees containing a denial of liability of this state or the federal government (<i>number of judgments or consent decrees meeting criteria</i>)	0	0%
	Any adjudicated final court judgments and default judgments, or non-adjudicated final court judgments or consent decrees without a denial of liability, of this state or the federal government	0	0%
Convictions	Any criminal convictions of this state or the federal government (<i>number of counts</i>)	0	0%
Emissions	Chronic excessive emissions events (<i>number of events</i>)	0	0%
Audits	Letters notifying the executive director of an intended audit conducted under the Texas Environmental, Health, and Safety Audit Privilege Act, 74th Legislature, 1995 (<i>number of audits for which notices were submitted</i>)	0	0%
	Disclosures of violations under the Texas Environmental, Health, and Safety Audit Privilege Act, 74th Legislature, 1995 (<i>number of audits for which violations were disclosed</i>)	0	0%
Other	Environmental management systems in place for one year or more	No	0%
	Voluntary on-site compliance assessments conducted by the executive director under a special assistance program	No	0%
	Participation in a voluntary pollution reduction program	No	0%
	Early compliance with, or offer of a product that meets future state or federal government environmental requirements	No	0%

Adjustment Percentage (Subtotal 2) 60%

>> Repeat Violator (Subtotal 3)

No

Adjustment Percentage (Subtotal 3) 0%

>> Compliance History Person Classification (Subtotal 7)

Satisfactory Performer

Adjustment Percentage (Subtotal 7) 0%

>> Compliance History Summary

Compliance History Notes

Enhancement for three NOVs with the same/similar violations, one Agreed Order containing a denial of liability, and one Agreed Order without a denial of liability.

Total Compliance History Adjustment Percentage (Subtotals 2, 3, & 7) 60%

>> Final Compliance History Adjustment

Final Adjustment Percentage *capped at 100% 60%

Screening Date 6-May-2021

Docket No. 2021-0600-PWS-E

PCW

Respondent City of Frost

Policy Revision 5 (January 28, 2021)

Case ID No. 60731

PCW Revision February 11, 2021

Reg. Ent. Reference No. RN101390268

Media Public Water Supply

Enf. Coordinator Ecko Beggs

Violation Number 1

Rule Cite(s) 30 Tex. Admin. Code § 290.115(f)(1) and Tex. Health & Safety Code § 341.0315(c)

Violation Description Failed to comply with the maximum contaminant level ("MCL") of 0.080 milligrams per liter ("mg/L") for total trihalomethanes ("TTHM"), based on the locational running annual average. Specifically, the locational running annual average concentrations of TTHM for Stage 2 Disinfection Byproducts ("DBP2") at Site 2 were 0.086 mg/L for the fourth quarter of 2020 and 0.083 mg/L for the first quarter of 2021.

Base Penalty \$5,000

>> Environmental, Property and Human Health Matrix

OR	Release	Harm			Percent
		Major	Moderate	Minor	
	Actual		x		25.0%
	Potential				

>> Programmatic Matrix

Falsification	Major	Moderate	Minor	Percent
				0.0%

Matrix Notes Exceeding the MCL for TTHM caused persons served by the Facility to be exposed to a significant amounts of contaminants which did not exceed levels protective of human health.

Adjustment \$3,750

\$1,250

Violation Events

Number of Violation Events 1 181 Number of violation days

daily	
weekly	
monthly	
quarterly	
semiannual	
annual	x
single event	

Violation Base Penalty \$1,250

One annual event is recommended.

Good Faith Efforts to Comply

0.0%

Reduction \$0

	Before NOE/NOV	NOE/NOV to EDPRP/Settlement Offer
Extraordinary		
Ordinary		
N/A	x	

Notes The Respondent does not meet the good faith criteria for this violation.

Violation Subtotal \$1,250

Economic Benefit (EB) for this violation

Statutory Limit Test

Estimated EB Amount \$523

Violation Final Penalty Total \$2,000

This violation Final Assessed Penalty (adjusted for limits) \$2,000

Economic Benefit Worksheet

Respondent City of Frost
Case ID No. 60731
Reg. Ent. Reference No. RN101390268
Media Public Water Supply
Violation No. 1

Percent Interest	Years of Depreciation
5.0	15

Item Description	Item Cost	Date Required	Final Date	Yrs	Interest Saved	Costs Saved	EB Amount
------------------	-----------	---------------	------------	-----	----------------	-------------	-----------

Delayed Costs

Equipment				0.00	\$0	\$0	\$0
Buildings				0.00	\$0	\$0	\$0
Other (as needed)	\$5,000	31-Dec-2020	29-Jun-2022	1.49	\$25	\$498	\$523
Engineering/Construction				0.00	\$0	\$0	\$0
Land				0.00	\$0	n/a	\$0
Record Keeping System				0.00	\$0	n/a	\$0
Training/Sampling				0.00	\$0	n/a	\$0
Remediation/Disposal				0.00	\$0	n/a	\$0
Permit Costs				0.00	\$0	n/a	\$0
Other (as needed)				0.00	\$0	n/a	\$0

Notes for DELAYED costs

The Other (as needed) cost includes the estimated cost to investigate, identify, and implement the necessary corrective actions to return to compliance with the MCL for TTHM, calculated from the last day of the first quarter of noncompliance to the estimated date of compliance.

Avoided Costs

ANNUALIZE avoided costs before entering item (except for one-time avoided costs)

Disposal				0.00	\$0	\$0	\$0
Personnel				0.00	\$0	\$0	\$0
Inspection/Reporting/Sampling				0.00	\$0	\$0	\$0
Supplies/Equipment				0.00	\$0	\$0	\$0
Financial Assurance				0.00	\$0	\$0	\$0
ONE-TIME avoided costs				0.00	\$0	\$0	\$0
Other (as needed)				0.00	\$0	\$0	\$0

Notes for AVOIDED costs

Approx. Cost of Compliance

\$5,000

TOTAL

\$523

Screening Date 6-May-2021 **Docket No.** 2021-0600-PWS-E **PCW**
Respondent City of Frost *Policy Revision 5 (January 28, 2021)*
Case ID No. 60731 *PCW Revision February 11, 2021*
Reg. Ent. Reference No. RN101390268
Media Public Water Supply
Enf. Coordinator Ecko Beggs

Violation Number

Rule Cite(s)

Violation Description

Base Penalty

>> Environmental, Property and Human Health Matrix

OR	Release	Harm			Percent
		Major	Moderate	Minor	
		Actual	<input type="text"/>	<input type="text"/>	
Potential	<input type="text"/>	<input type="text"/>	<input type="text"/>		

>> Programmatic Matrix

	Falsification	Major	Moderate	Minor	Percent
	<input type="text"/>	<input checked="" type="text" value="x"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="10.0%"/>

Matrix Notes

Adjustment

Violation Events

Number of Violation Events Number of violation days

daily	<input type="text"/>
weekly	<input type="text"/>
monthly	<input type="text"/>
quarterly	<input type="text"/>
semiannual	<input type="text"/>
annual	<input type="text"/>
single event	<input checked="" type="text" value="x"/>

Violation Base Penalty

Good Faith Efforts to Comply Reduction

	Before NOE/NOV	NOE/NOV to EDRP/Settlement Offer
Extraordinary	<input type="text"/>	<input type="text"/>
Ordinary	<input type="text"/>	<input type="text"/>
N/A	<input checked="" type="text" value="x"/>	<input type="text"/>

Notes

Violation Subtotal

Economic Benefit (EB) for this violation **Statutory Limit Test**

Estimated EB Amount **Violation Final Penalty Total**

This violation Final Assessed Penalty (adjusted for limits)

Economic Benefit Worksheet

Respondent City of Frost
Case ID No. 60731
Reg. Ent. Reference No. RN101390268
Media Public Water Supply
Violation No. 2

Percent Interest	Years of Depreciation
5.0	15

Item Description	Item Cost	Date Required	Final Date	Yrs	Interest Saved	Costs Saved	EB Amount
------------------	-----------	---------------	------------	-----	----------------	-------------	-----------

Delayed Costs

Equipment				0.00	\$0	\$0	\$0
Buildings				0.00	\$0	\$0	\$0
Other (as needed)				0.00	\$0	\$0	\$0
Engineering/Construction				0.00	\$0	\$0	\$0
Land				0.00	\$0	n/a	\$0
Record Keeping System	\$45	19-Apr-2021	14-Jan-2022	0.74	\$2	n/a	\$2
Training/Sampling	\$100	19-Apr-2021	14-Jan-2022	0.74	\$4	n/a	\$4
Remediation/Disposal				0.00	\$0	n/a	\$0
Permit Costs				0.00	\$0	n/a	\$0
Other (as needed)				0.00	\$0	n/a	\$0

Notes for DELAYED costs

The record keeping system and training/sampling delayed costs include the estimated amounts to update the Facility's operational guidance and conduct employee training to ensure that all DLQORs are submitted to the TCEQ in a timely manner, calculated from the record review date to the estimated date of compliance.

Avoided Costs

ANNUALIZE avoided costs before entering item (except for one-time avoided costs)

Disposal				0.00	\$0	\$0	\$0
Personnel				0.00	\$0	\$0	\$0
Inspection/Reporting/Sampling				0.00	\$0	\$0	\$0
Supplies/Equipment				0.00	\$0	\$0	\$0
Financial Assurance				0.00	\$0	\$0	\$0
ONE-TIME avoided costs	\$22	10-Jan-2021	6-May-2021	0.32	\$0	\$22	\$22
Other (as needed)				0.00	\$0	\$0	\$0

Notes for AVOIDED costs

The avoided cost includes the estimated amount to prepare and submit a DLQOR (\$22 per DLQOR x one report), calculated from the date the report was due for the fourth quarter of 2020 to the date of screening.

Approx. Cost of Compliance

\$167

TOTAL

\$28

The TCEQ is committed to accessibility.

To request a more accessible version of this report, please contact the TCEQ Help Desk at (512) 239-4357.



Compliance History Report

Compliance History Report for CN600335871, RN101390268, Rating Year 2020 which includes Compliance History (CH) components from September 1, 2015, through August 31, 2020.

Customer, Respondent, or Owner/Operator: CN600335871, City of Frost **Classification:** SATISFACTORY **Rating:** 9.20
Regulated Entity: RN101390268, CITY OF FROST **Classification:** UNCLASSIFIED **Rating:** -----
Complexity Points: 3 **Repeat Violator:** NO
CH Group: 14 - Other
Location: 100 GARITTY STREET IN FROST, NAVARRO COUNTY, TEXAS
TCEQ Region: REGION 04 - DFW METROPLEX

ID Number(s):

PUBLIC WATER SYSTEM/SUPPLY REGISTRATION 1750004 **AIR NEW SOURCE PERMITS ACCOUNT NUMBER** NB0085R

Compliance History Period: September 01, 2015 to August 31, 2020 **Rating Year:** 2020 **Rating Date:** 09/01/2020

Date Compliance History Report Prepared: June 23, 2021

Agency Decision Requiring Compliance History: Enforcement

Component Period Selected: June 23, 2016 to June 23, 2021

TCEQ Staff Member to Contact for Additional Information Regarding This Compliance History.

Name: Ecko Beggs

Phone: (915) 834-4968

Site and Owner/Operator History:

- 1) Has the site been in existence and/or operation for the full five year compliance period? YES
- 2) Has there been a (known) change in ownership/operator of the site during the compliance period? NO

Components (Multimedia) for the Site Are Listed in Sections A - J

A. Final Orders, court judgments, and consent decrees:

- 1 Effective Date: 10/08/2018 ADMINORDER 2018-0047-PWS-E (Findings Order-Agreed Order Without Denial)
 Classification: Moderate
 Citation: 30 TAC Chapter 290, SubChapter F 290.115(f)(1)
 5A THSC Chapter 341, SubChapter A 341.0315(c)
 Description: TTHM LRAA MCL 2Q2017 - During the 2nd quarter of 2017 the system violated the maximum contaminant level for trihalomethanes with a LRAA of 0.084 mg/L at 616 N Melissa Frost (DBP2-02).
 Classification: Moderate
 Citation: 30 TAC Chapter 290, SubChapter F 290.115(f)(1)
 5A THSC Chapter 341, SubChapter A 341.0315(c)
 Description: TTHM LRAA MCL 3Q2017 - During the 3rd quarter of 2017 the system violated the maximum contaminant level for trihalomethanes with a LRAA of 0.103 mg/L at 616 N Melissa Frost (DBP2-02).
 Classification: Moderate
 Citation: 30 TAC Chapter 290, SubChapter F 290.115(f)(1)
 5A THSC Chapter 341, SubChapter A 341.0315(c)
 Description: TTHM LRAA MCL 4Q2017 - During the 4th quarter of 2017 the system violated the maximum contaminant level for trihalomethanes with a LRAA of 0.083 mg/L at 616 N Melissa Frost (DBP2-02).

- 2 Effective Date: 04/27/2021 ADMINORDER 2020-0396-PWS-E (1660 Order-Agreed Order With Denial)
 Classification: Moderate
 Citation: 30 TAC Chapter 290, SubChapter F 290.110(c)(5)
 Description: Failed to conduct chloramine effectiveness sampling to ensure that monochloramine is the prevailing chloramine species and that nitrification is controlled

Citation: 30 TAC Chapter 290, SubChapter D 290.46(d)(2)(A)
30 TAC Chapter 290, SubChapter F 290.110(b)(4)
5A THSC Chapter 341, SubChapter A 341.0315(c)

Description: Failure to maintain a disinfectant residual of at least 0.2 milligram per liter (mg/L) free chlorine or 0.5 mg/L total chlorine throughout the distribution system.

EIC: B12(c)(6)
Classification: Moderate-(2)(G)
Classification: Moderate

Citation: 30 TAC Chapter 290, SubChapter D 290.42(e)(2)

Description: Failure to provide disinfection equipment prior to ground storage.

B. Criminal convictions:

N/A

C. Chronic excessive emissions events:

N/A

D. The approval dates of investigations (CCEDS Inv. Track. No.):

Item 2 June 12, 2020 (1656744)

E. Written notices of violations (NOV) (CCEDS Inv. Track. No.):

A notice of violation represents a written allegation of a violation of a specific regulatory requirement from the commission to a regulated entity. A notice of violation is not a final enforcement action, nor proof that a violation has actually occurred.

1 Date: 12/08/2020 (1710227)

Self Report? NO Classification: Moderate

Citation: 30 TAC Chapter 290, SubChapter F 290.115(f)(1)

Description: TTHM LRAA MCL 4Q2020 - During the 4th quarter of 2020 the system violated the maximum contaminant level for trihalomethanes with a LRAA of 0.086 mg/L at 616 Melissa, Frost (DBP2-02).

2 Date: 03/04/2021 (1710227)

Self Report? NO Classification: Moderate

Citation: 30 TAC Chapter 290, SubChapter F 290.115(f)(1)

Description: TTHM LRAA MCL 1Q2021 - During the 1st quarter of 2021 the system violated the maximum contaminant level for trihalomethanes with a LRAA of 0.083 mg/L at 616 N Melissa, Frost (DBP2-02).

3 Date: 04/01/2021 (1710227)

Self Report? NO Classification: Moderate

Citation: 30 TAC Chapter 290, SubChapter F 290.110(e)(4)(A)

30 TAC Chapter 290, SubChapter F 290.110(f)(2)

30 TAC Chapter 290, SubChapter F 290.110(f)(3)

Description: DLQOR MR 4Q2020 - The system failed to monitor and/or report distribution disinfectant residuals to the TCEQ for the 4th quarter of 2020 within the required timeline.

F. Environmental audits:

N/A

G. Type of environmental management systems (EMSs):

N/A

H. Voluntary on-site compliance assessment dates:

N/A

I. Participation in a voluntary pollution reduction program:

N/A

J. Early compliance:

N/A

Sites Outside of Texas:

N/A

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY



**IN THE MATTER OF AN
ENFORCEMENT ACTION
CONCERNING
CITY OF FROST
RN101390268**

**§
§
§
§
§**

**BEFORE THE
TEXAS COMMISSION ON
ENVIRONMENTAL QUALITY**

AGREED ORDER DOCKET NO. 2021-0600-PWS-E

On _____, the Texas Commission on Environmental Quality ("the Commission" or "TCEQ") considered this agreement of the parties, resolving an enforcement action regarding the City of Frost (the "Respondent") under the authority of TEX. HEALTH & SAFETY CODE ch. 341. The Executive Director of the TCEQ, through the Enforcement Division, and the Respondent, presented this Order to the Commission.

The Respondent understands that it has certain procedural rights at certain points in the enforcement process, including the right to formal notice of violations, notice of an evidentiary hearing, the right to an evidentiary hearing, and a right to appeal. By entering into this Order, the Respondent agrees to waive all notice and procedural rights.

It is further understood and agreed that this Order represents the complete and fully-integrated agreement of the parties. The provisions of this Order are deemed severable and, if a court of competent jurisdiction or other appropriate authority deems any provision of this Order unenforceable, the remaining provisions shall be valid and enforceable. The duties and responsibilities imposed by this Order are binding upon the Respondent.

The Commission makes the following Findings of Fact and Conclusions of Law:

I. FINDINGS OF FACT

1. The Respondent owns and operates a public water supply located at 100 Garitty Street in Frost, Navarro County, Texas (the "Facility"). The Facility provides water for human consumption, has approximately 251 service connections, and serves at least 25 people per day for at least 60 days per year. As such, the Facility is a public water system as defined in 30 TEX. ADMIN. CODE § 290.38(71).
2. During a record review conducted on April 19, 2021 through April 30, 2021, an investigator documented that:
 - a. The locational running annual average concentrations of total trihalomethanes ("TTHM") for Stage 2 Disinfection Byproducts ("DBP2") at Site 2 were 0.086 milligrams per liter ("mg/L") for the fourth quarter of 2020 and 0.083 mg/L for the first quarter of 2021.

- b. The Respondent did not submit a Disinfection Level Quarterly Operating Report ("DLQOR") to the Executive Director by the tenth day of the month following the end of each quarter for the fourth quarter of 2020.

II. CONCLUSIONS OF LAW

1. As evidenced by Finding of Fact No. 1, the Respondent is subject to the jurisdiction of the TCEQ pursuant to TEX. HEALTH & SAFETY CODE ch. 341 and the rules of the TCEQ.
2. As evidenced by Finding of Fact No. 2.a, the Respondent failed to comply with the maximum contaminant level ("MCL") of 0.080 mg/L for TTHM, based on the locational running annual average, in violation of 30 TEX. ADMIN. CODE § 290.115(f)(1) and TEX. HEALTH & SAFETY CODE § 341.0315(c).
3. As evidenced by Finding of Fact No. 2.b, the Respondent failed to submit a DLQOR to the Executive Director by the tenth day of the month following the end of each quarter, in violation of 30 TEX. ADMIN. CODE § 290.110(e)(4)(A) and (f)(3).
4. Pursuant to TEX. HEALTH & SAFETY CODE § 341.049(a), the TCEQ has the authority to assess an administrative penalty against the Respondent for violations of state statutes within the TCEQ's jurisdiction, for violations of rules adopted under such statutes, or for violations of orders or permits issued under such statutes.
5. An administrative penalty in the amount of \$2,800 is justified by the facts recited in this Order, and considered in light of the factors set forth in TEX. HEALTH & SAFETY CODE § 341.049(b). The Respondent paid the \$2,800 penalty.

III. ORDERING PROVISIONS

NOW, THEREFORE, THE TEXAS COMMISSION ON ENVIRONMENTAL QUALITY ORDERS that:

1. The Respondent is assessed a penalty as set forth in Conclusion of Law No. 5 for violations of state statutes and rules of the TCEQ. The payment of this penalty and the Respondent's compliance with all the requirements set forth in this Order resolve only the matters set forth by this Order in this action. The Commission shall not be constrained in any manner from requiring corrective actions or penalties for violations that are not raised here. Penalty payments shall be made payable to "TCEQ" and shall be sent with the notation "Re: City of Frost, Docket No. 2021-0600-PWS-E" to:

Financial Administration Division, Revenue Operations Section
Attention: Cashier's Office, MC 214
Texas Commission on Environmental Quality
P.O. Box 13088
Austin, Texas 78711-3088

2. The Respondent shall undertake the following technical requirements:
- a. Within 30 days after the effective date of this Order, update the Facility's operational guidance and conduct employee training to ensure that self-reporting requirements are properly accomplished, including the timely submission of signed and certified DLQORs, in accordance with 30 TEX. ADMIN. CODE § 290.110.
 - b. Within 45 days after the effective date of this Order, submit written certification as described in Ordering Provision No. 2.f below, and include detailed supporting documentation including photographs, receipts, and/or other records to demonstrate compliance with Ordering Provision No. 2.a.
 - c. Within 90 days after the effective date of this Order, begin submitting DLQORs to the Executive Director by the tenth day of the month following the end of each quarter in accordance with 30 TEX. ADMIN. CODE § 290.110. The provision will be satisfied upon one quarter of compliant reporting. DLQORs shall be submitted to:

DLQOR Coordinator
Water Supply Division, MC 155
Texas Commission on Environmental Quality
P.O. Box 13087
Austin, Texas 78711-3087

- d. Within 195 days after the effective date of this Order, submit written certification as described in Ordering Provision No. 2.f below, and include detailed supporting documentation including photographs, receipts, and/or other records to demonstrate compliance with Ordering Provision No. 2.c.
- e. Within 365 days after the effective date of this Order, return to compliance with the MCL for TTHM, based on the locational running annual average, in accordance with 30 TEX. ADMIN. CODE § 290.115.
- f. Within 380 days after the effective date of this Order, submit written certification, and include detailed supporting documentation including photographs, receipts, and/or other records to demonstrate compliance with Ordering Provision No. 2.e. The certification shall be signed by the Respondent and shall include the following certification language:

"I certify under penalty of law that I have personally examined and am familiar with the information submitted and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false

information, including the possibility of fines and imprisonment for knowing violations."

The certification shall be submitted to:

Order Compliance Team
Enforcement Division, MC 149A
Texas Commission on Environmental Quality
P.O. Box 13087
Austin, Texas 78711-3087

with a copy to:

Drinking Water Special Functions Section Manager
Water Supply Division, MC 155
Texas Commission on Environmental Quality
P.O. Box 13087
Austin, Texas 78711-3087

3. All relief not expressly granted in this Order is denied.
4. The duties and provisions imposed by this Order shall apply to and be binding upon the Respondent. The Respondent is ordered to give notice of this Order to personnel who maintain day-to-day control over the Facility operations referenced in this Order.
5. The Executive Director may grant an extension of any deadline in this Order or in any plan, report, or other document submitted pursuant to this Order, upon a written and substantiated showing of good cause. All requests for extensions by the Respondent shall be made in writing to the Executive Director. Extensions are not effective until the Respondent receives written approval from the Executive Director. The determination of what constitutes good cause rests solely with the Executive Director. Extension requests shall be sent to the Order Compliance Team at the address listed above.
6. The Executive Director may, without further notice or hearing, refer this matter to the Office of the Attorney General of the State of Texas ("OAG") for further enforcement proceedings if the Executive Director determines that the Respondent has not complied with one or more of the terms in this Order.
7. This Order shall terminate five years from its effective date or upon compliance with all the terms and conditions set forth in this Order, whichever is later.
8. This Order, issued by the Commission, shall not be admissible against the Respondent in a civil proceeding, unless the proceeding is brought by the OAG to: (1) enforce the terms of this Order; or (2) pursue violations of a statute within the Commission's jurisdiction, or of a rule adopted or an order or permit issued by the Commission under such a statute.

9. This Order may be executed in separate and multiple counterparts, which together shall constitute a single instrument. Any page of this Order may be copied, scanned, digitized, converted to electronic portable document format ("pdf"), or otherwise reproduced and may be transmitted by digital or electronic transmission, including but not limited to facsimile transmission and electronic mail. Any signature affixed to this Order shall constitute an original signature for all purposes and may be used, filed, substituted, or issued for any purpose for which an original signature could be used. The term "signature" shall include manual signatures and true and accurate reproductions of manual signatures created, executed, endorsed, adopted, or authorized by the person or persons to whom the signatures are attributable. Signatures may be copied or reproduced digitally, electronically, by photocopying, engraving, imprinting, lithographing, electronic mail, facsimile transmission, stamping, or any other means or process which the Executive Director deems acceptable. In this paragraph exclusively, the terms: electronic transmission, owner, person, writing, and written, shall have the meanings assigned to them under TEX. BUS. ORG. CODE § 1.002.
10. The effective date of this Order is the date it is signed by the Commission. A copy of this fully executed Order shall be provided to each of the parties.

SIGNATURE PAGE

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

For the Commission

Date



For the Executive Director

3/2/2022


Date

I, the undersigned, have read and understand the attached Order. I am authorized to agree to the attached Order, and I do agree to the terms and conditions specified therein. I further acknowledge that the TCEQ, in accepting payment for the penalty amount, is materially relying on such representation.

I also understand that failure to comply with the Ordering Provisions, if any, in this Order and/or failure to timely pay the penalty amount, may result in:

- A negative impact on compliance history;
- Greater scrutiny of any permit applications submitted;
- Referral of this case to the Attorney General's Office for contempt, injunctive relief, additional penalties, and/or attorney fees, or to a collection agency;
- Increased penalties in any future enforcement actions;
- Automatic referral to the Attorney General's Office of any future enforcement actions; and
- TCEQ seeking other relief as authorized by law.

In addition, any falsification of any compliance documents may result in criminal prosecution.



Signature

9-7-2021
Date

Scott Dowdle

Mayor
Title

Name (Printed or typed)
Authorized Representative of
City of Frost

If mailing address has changed, please check this box and provide the new address below:

Instructions: Send the original, signed Order with penalty payment to the Financial Administration Division, Revenue Operations Section at the address in Ordering Provision 1 of this Order.