EXECUTIVE SUMMARY – ENFORCEMENT MATTER – CASE No. 61899 City of Gunter RN105115125 & RN101917904 Docket No. 2022-0170-MWD-E

Order	Type:
	101

Agreed Order

Media: MWD

Small Business:

N/A

Locations Where Violations Occurred:

Facility 1: Gunter Creek Wastewater Treatment Facility: located approximately 2,300 feet northwest of the intersection of State Highway 289 and Farm-to-Market Road 121, Gunter, Grayson County

Facility 2: Stanley Creek Wastewater Treatment Facility: located approximately 1,800 feet east of the intersection of J.C. Maples Road and Farm-to-Market Road 121, Gunter, Grayson County (the "Facilities")

Type of Operation:

wastewater treatment facilities

Other Significant Matters:

Additional Pending Enforcement Actions: Yes, Case No. 67033

Past-Due Penalties: None
Past-Due Fees: None
Other: None
Interested Third-Parties: None

Texas Register Publication Date: June 27, 2025

Comments Received: None

Penalty Information

Total Penalty Assessed: \$28,125

Total Paid to General Revenue: \$0

Total Due to General Revenue: \$0

Supplemental Environmental Project

("SEP") Conditional Offset: \$28,125

Name of SEP: Air Monitor Installation

Compliance History Classifications:

Person/CNs - Satisfactory (CN600641690); (CN600641690) Site/RNs - Satisfactory (RN105115125); (RN101917904)

Major Source:NoStatutory Limit Adjustment:None

Applicable Penalty Policy: January 28, 2021

Investigation Information

Complaint Date(s): N/A

Date of Investigation: December 20, 2021

Date(s) of NOV(s): N/A

Date of NOE: January 19, 2022

EXECUTIVE SUMMARY – ENFORCEMENT MATTER – CASE No. 61899 City of Gunter RN105115125 & RN101917904 Docket No. 2022-0170-MWD-E

Violation Information

Failed to maintain authorization to discharge wastewater into or adjacent to any water in the state, [Tex. Water Code § 26.121(a)(1) and Tex. Admin. Code §§ 305.65 and 305.125(2)].

Corrective Actions/Technical Requirements

Corrective Actions Completed:

Respondent implemented the following corrective measureas at the Facilities:

- 1. At Facility 1:
 - a. October 20, 2022, Respondent obtained authorization to discharge wastewater; and
 - b. January 2, 2023, Respondent transferred the permit to Mustang Special Utility District ("SUD").
- 2. At Facility 2:
 - a. October 11, 2022, Respondent transferred ownership to Mustang SUD.

Technical Requirements:

None

Litigation Information

Date Petition Filed: November 9, 2023

Date of Service:unclaimedSettlement Date:May 12, 2025

Contact Information

TCEQ Attorneys: Marilyn Norrod, Litigation Division, (512) 239-3400

Sheldon Wayne, Public Interest Counsel, (512) 239-6363

TCEQ Litigation Agenda Coordinator: Katherine McKenzie, Litigation Division, (512) 239-2575

TCEQ SEP Coordinator: Adena Crider, Litigation Division, (512) 239-0648

TCEQ Enforcement Coordinator: Sarah Castillo, Enforcement Division, (817) 588-5865

TCEQ Regional Contact: Erin Gorman, Dallas/Fort Worth Regional Office, (817) 588-5800

Respondent Contact: Mark A. Milar, Mayor, City of Gunter, P.O. Box 349, Gunter, Texas 75058-0349

Respondent's Attorney: N/A

COMMISSION OF CO
DATES

Penalty Calculation Worksheet (PCW)

Policy Revision 5 (January 28, 2021) PCW Revision February 11, 2021

DATES Assigned 31-Jan-2022 PCW 11-Aug-2023

PCW 11-Aug-2023 Screening 2-Feb-2022 EPA Due

RESPONDENT/FACILITY INFORMATION

Respondent City of Gunter

Reg. Ent. Ref. No. RN105115125

Facility/Site Region 4-Dallas/Fort Worth Major/Minor Source Minor

CASE INFORMATION

Enf./Case ID No. 61899
Docket No. 2022-0170-MWD-E

Media Program(s) Water Quality
Multi-Media

Multi-Media

Admin. Penalty \$ Limit Minimum

SO Maximum

No. of Violations
Order Type

Government/Non-Profit
Enf. Coordinator
EC's Team
Enforcement Team 1

				Penalty	Calcula	tion Section	on		
TOTA	L BASE PENA	LTY	(Sum of v	,			011	Subtotal 1	\$12,500
ADJU	STMENTS (+ Subtotals 2-7 are of	otained b	O SUBTO	FAL 1 ne Total Base Pena				otals 2, 3, & 7	\$4,375
	Notes Compliance History Subto Notes Enhancement for three months of self-reported effluent violations and one order containing a denial of liability								\$4,37 <u>5</u>
	Culpability	No			0.0%	Enhancement		Subtotal 4	\$0
	Notes		The Resp	ondent does no	ot meet the	culpability crite	eria.		
	Good Faith Eff	ort to	Comply Tot	al Adjustmen	ts			Subtotal 5	\$0
								·	
	Economic Ben					Enhancement*		Subtotal 6	\$0
	Estimated		EB Amounts Compliance	\$1,284 \$25,000	*Cappe	d at the Total EB \$ i	Amount		
SUM	OF SUBTOTA	LS 1-	7				,	Final Subtotal	\$16,875
	R FACTORS A					0.0%		Adjustment	\$0
	Notes								
							Final Pe	nalty Amount	\$16,875
STAT	UTORY LIMI	ΓADJ	USTMENT				Final Asse	essed Penalty	\$16,875
DEFE	RRAL						Reduction	Adjustment	\$0
Reduces	the Final Assessed Pe	nalty by]	
	Notes		Deferra	al not offered fo	or non-expe	dited settlemer	nt.		
PAYA	BLE PENALT	Y							\$16,875

Docket No. 2022-0170-MWD-E

PCW

Policy Revision 5 (January 28, 2021) PCW Revision February 11, 2021

Respondent City of Gunter **Case ID No.** 61899

Reg. Ent. Reference No. RN105115125

Media Water Quality

Enf. Coordinator Cheryl Thompson

		Compliance History Worksheet						
·> Co	mpliance Hist Component	ory <i>Site</i> Enhancement (Subtotal 2) Number of	Number	Adjust.				
	NOVs	Written notices of violation ("NOVs") with same or similar violations as those in the current enforcement action (number of NOVs meeting criteria)	3	15%				
		Other written NOVs	0	0%				
		Any agreed final enforcement orders containing a denial of liability (<i>number of orders meeting criteria</i>)	1	20%				
	Orders	Any adjudicated final enforcement orders, agreed final enforcement orders without a denial of liability, or default orders of this state or the federal government, or any final prohibitory emergency orders issued by the commission	0	0%				
	Judgments and Consent	Any non-adjudicated final court judgments or consent decrees containing a denial of liability of this state or the federal government (number of judgments or consent decrees meeting criteria)	0	0%				
	Decrees	Any adjudicated final court judgments and default judgments, or non-adjudicated final court judgments or consent decrees without a denial of liability, of this state or the federal government	0	0%				
	Convictions	Any criminal convictions of this state or the federal government (number of counts)	0	0%				
	Emissions	Chronic excessive emissions events (number of events)	0	0%				
	Audits	Letters notifying the executive director of an intended audit conducted under the Texas Environmental, Health, and Safety Audit Privilege Act, 74th Legislature, 1995 (number of audits for which notices were submitted)	0	0%				
	Addits	Disclosures of violations under the Texas Environmental, Health, and Safety Audit Privilege Act, 74th Legislature, 1995 (number of audits for which violations were disclosed)	0	0%				
		<u> </u>						
		Environmental management systems in place for one year or more	No	0%				
	Other	Voluntary on-site compliance assessments conducted by the executive director under a special assistance program	No	0%				
		Participation in a voluntary pollution reduction program	No	0%				
		Early compliance with, or offer of a product that meets future state or federal government environmental requirements	No	0%				
		Adjustment Per	centage (Sub	ototal 2) 35%				
> Re	peat Violator	(Subtotal 3)						
	No	Adjustment Per	centage (Sub	ototal 3) 0%				
·> Co	mpliance Hist	ory Person Classification (Subtotal 7)						
Satisfactory Performer Adjustment Percentage (Subtotal 7) 0%								
·> Co	mpliance Hist	ory Summary						
Compliance History Notes Enhancement for three months of self-reported effluent violations and one order containing a denial of liability								
		Total Compliance History Adjustment Percentage (S	Subtotals 2,	3, & 7) 35%				
·> Fina	al Compliance	History Adjustment		-1.1000/ 350				
Final Adjustment Percentage *capped at 100% 35%								

	Screening Date		Docket No	■ 2022-0170-MWD-E	PCW
	Respondent				Policy Revision 5 (January 28, 2021)
	Case ID No.				PCW Revision February 11, 2021
Reg.	Ent. Reference No.				
		Water Quality			
	Enf. Coordinator	Cheryl Thompson			
	Violation Number	1			
	Rule Cite(s)	Tex. Admin. Code §	§ 305.65 and 305.125(2 26.121(a)(1)	?) and Tex. Water Code (5
	Violation Description			t Discharge Elimination 1, 2021, and the Respor	System ndent
				Base F	Penalty \$25,000
>> Env	vironmental. Proper	rty and Human Healt	h Matrix		
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Harm			
0.0	Release	Major Moderate	Minor		
OR	Actual Potential			Percent 0.0%	
	roteiitiai			Percent 0.0%	
>>Pro	grammatic Matrix				
	Falsification	Major Moderate	Minor		
		Х		Percent 10.0%	
	Matrix				
	Notes	100% of the ru	le requirements were no	t met.	
			Δα	ljustment	\$22,500
			A	ijustilielit	,22,300
					\$2,500
Violati	on Events				
Violati	on Events				
	Number of V	iolation Events 5	124	Number of violation da	nys
	1			<u> </u>	
		daily			
		weekly monthly x			
		monthly x quarterly	_	Violation Base F	Penalty \$12,500
		semiannual		violation base i	\$12,555
		annual			
		single event			
	Five monthly	events are recommended	from the October 1, 202	1 permit expiration date	to the
		February	2, 2022 screening date.		
Good F	aith Efforts to Com				duction \$0
		Before NOE/NO	V NOE/NOV to EDPRP/Settler	ment Offer	
		Extraordinary			
		Ordinary N/Ax			
		IN/A X			
		Notes The Respo	ondent does not meet the for this violation		
		<u> </u>		Violation S	ubtotal \$12,500
Econor	mic Benefit (EB) for	this violation		Statutory Limit T	
		ed EB Amount	\$1,284	Violation Final Penalt	
	Estillate	A ED AIIIVUIIL	Ψ1,207	TISIGUON I IIIGI PEIIGIL	y 10,075
		This vio	lation Final Assessed	Penalty (adjusted for	limits) \$16,875

Economic Benefit Worksheet							
Respondent	City of Gunter						
Case ID No.	61899						
Reg. Ent. Reference No.	RN105115125						
	Water Quality						Years of
Violation No.	- ,					Percent Interest	Depreciation
Violation No.	•					5.0	15
	.						
	Item Cost	Date Required	Final Date	Yrs	Interest Saved	Costs Saved	EB Amount
Item Description							
Delayed Costs				=1			
Equipment				0.00	\$0	\$0	\$0
Buildings				0.00	\$0	\$0	\$0
Other (as needed)				0.00	\$0	\$0	\$0
Engineering/Construction				0.00	\$0	\$0	\$0
Land				0.00	\$0 \$0	n/a n/a	\$0 \$0
Record Keeping System Training/Sampling				0.00	\$0 \$0	n/a	\$0
Remediation/Disposal				0.00	\$0 \$0	n/a	\$0
Permit Costs	\$25,000	1-Oct-2021	11-Oct-2022	1.03	\$1,284	n/a	\$1,284
Other (as needed)	\$237000	1 000 2021	11 000 2022	0.00	\$0	n/a	\$0
	Estimated	delayed cost to pr	epare and subr	nit an ap	pplication and to o	otain authorization t	co discharge
Notes for DELAYED costs	wastewater.					Final Date is the da	ate ownership
		,	was transferred	to Must	ang SUD compliar	ice.	
Avoided Costs	ANNU	ALIZE avoided c	osts before er	tering	item (except for	one-time avoided	l costs)
Disposal				0.00	\$0	\$0	\$0
Personnel				0.00	\$0	\$0	\$0
Inspection/Reporting/Sampling				0.00	\$0	\$0	\$0
Supplies/Equipment				0.00	\$0	\$0	\$0
Financial Assurance				0.00	\$0	\$0	\$0
ONE-TIME avoided costs				0.00	\$0	\$0	\$0
Other (as needed)				0.00	\$0	\$0	\$0
Notes for AVOIDED costs							
L.							
Approx. Cost of Compliance		\$25,000			TOTAL		\$1,284
		7-2,000					7-1-3

S COMMISSION
THE THE PARTY OF T
DATES
RESPON

Penalty Calculation Worksheet (PCW)

Policy Revision 5 (January 28, 2021) PCW Revision February 11, 2021

Assigned 31-Jan-2022 PCW 11-Aug-2023

PCW 11-Aug-2023 Screening 2-Feb-2022 EPA Due

RESPONDENT/FACILITY INFORMATION
Respondent City of Gunter
Reg. Ent. Ref. No. RN101917904
Facility/Site Region 4-Dallas/Fort Worth Major/Minor Source Minor

CASE INFORMATION

Enf./Case ID No. 61899
Docket No. 2022-0170-MWD-E
Media Program(s) Water Quality
Multi-Media

Multi-Media

Admin. Penalty \$ Limit Minimum

SO Maximum

No. of Violations
Order Type
Government/Non-Profit
Enf. Coordinator
EC's Team
Enforcement Team 1

	•	culation Section	on				
TOTAL BASE PENALTY (Sum	n of violation base pe	enalties)	Subtotal 1	\$12,500			
ADJUSTMENTS (+/-) TO SU	RTOTAL 1						
Subtotals 2-7 are obtained by multip	plying the Total Base Penalty (Sub	total 1) by the indicated p	percentage.				
Compliance History	0	.0% Adjustment	Subtotals 2, 3, & 7	\$0			
Notes	No adjustment for Cor	mpliance History.					
	•						
Culpability No	0	.0% Enhancement	Subtotal 4	\$0			
Notes The	e Respondent does not mee	et the culpability crite	eria.				
		, , , , , , , , , , , , , , , , , , , ,					
Good Faith Effort to Comp	oly Total Adjustments		Subtotal 5	-\$1,250			
	•						
Economic Benefit	0	.0% Enhancement*	Subtotal 6	\$0			
Total EB Amo Estimated Cost of Complia		Capped at the Total EB \$ A	Amount				
				<u> </u>			
SUM OF SUBTOTALS 1-7			Final Subtotal	\$11,250			
OTHER FACTORS AS JUSTIC	E MAY REQUIRE	0.0%	Adjustment	\$0			
Reduces or enhances the Final Subtotal by the		0.0 70	Aujustment	T-			
Notes							
Notes							
			Final Penalty Amount	\$11,250			
STATUTORY LIMIT ADJUSTMENT Final Assessed Penalty							
				· 			
DEFERRAL Reduces the Final Assessed Penalty by the ind	licated percentage	0.0%	Reduction Adjustment	\$0			
Reduces the Final Assessed Femaley by the ind	neated percentage.						
Notes C	Notes Deferral not offered for non-expedited settlement.						
PAYABLE PENALTY				\$11,250			

Docket No. 2022-0170-MWD-E

PCW

Policy Revision 5 (January 28, 2021) PCW Revision February 11, 2021

Respondent City of Gunter Case ID No. 61899
Reg. Ent. Reference No. RN101917904

Media Water Quality
Enf. Coordinator Cheryl Thompson

	Compliance History Worksheet						
 Compliance His Component 	tory Site Enhancement (Subtotal 2) Number of	Number	Adjust.				
Component	Written notices of violation ("NOVs") with same or similar violations as those in						
NOVs	the current enforcement action (number of NOVs meeting criteria)	0	0%				
	Other written NOVs	0	0%				
	Any agreed final enforcement orders containing a denial of liability (number of orders meeting criteria)	0	0%				
Orders	Any adjudicated final enforcement orders, agreed final enforcement orders without a denial of liability, or default orders of this state or the federal government, or any final prohibitory emergency orders issued by the commission	0	0%				
Judgments and Consent	Any non-adjudicated final court judgments or consent decrees containing a denial of liability of this state or the federal government (number of judgments or consent decrees meeting criteria)	0	0%				
Decrees	Any adjudicated final court judgments and default judgments, or non-adjudicated final court judgments or consent decrees without a denial of liability, of this state or the federal government	0	0%				
Convictions	Any criminal convictions of this state or the federal government (number of counts)	0	0%				
Emissions	Chronic excessive emissions events (number of events)	0	0%				
Audits	Letters notifying the executive director of an intended audit conducted under the Texas Environmental, Health, and Safety Audit Privilege Act, 74th Legislature, 1995 (number of audits for which notices were submitted)	0	0%				
Addits	Disclosures of violations under the Texas Environmental, Health, and Safety Audit Privilege Act, 74th Legislature, 1995 (number of audits for which violations were disclosed)	0	0%				
	Environmental management systems in place for one year or more	No	0%				
Other	Voluntary on-site compliance assessments conducted by the executive director under a special assistance program	No	0%				
o circi	Participation in a voluntary pollution reduction program	No	0%				
	Early compliance with, or offer of a product that meets future state or federal government environmental requirements	No	0%				
	Adjustment Per	centage (Sub	ototal 2) 0				
Repeat Violator	(Subtotal 3)						
N	Adjustment Per	centage (Sub	ototal 3) 0				
	tory Person Classification (Subtotal 7)						
Satisfactory Performer Adjustment Percentage (Subtotal 7) 0%							
Compliance His	tory Summary						
Compliance History Notes	No adjustment for Compliance History.						
	Total Compliance History Adjustment Percentage (S	Subtotals 2,	3, & 7) 0				
Final Compliance	e History Adjustment						
	Final Adjustment Percent	age *capped	at 100% 0				

	Screening Date		Docket No.	2022-0170-MWD-E	PCW
	Respondent				Policy Revision 5 (January 28, 2021)
	Case ID No.				PCW Revision February 11, 2021
Reg.	Ent. Reference No.				
		Water Quality			
	Enf. Coordinator				
	Violation Number	1			
	Rule Cite(s)	Tex. Admin. Code §§	305.65 and 305.125(2 26.121(a)(1)) and Tex. Water Code §	
	Violation Description	Failed to maintain authoriz water in the state. Specific Permit No. WQ00105690 continued to operate the	ally, the Texas Pollutan 01 expired on October 1	t Discharge Elimination S 1, 2021, and the Respond	<mark>System</mark> dent
				Base Po	enalty \$25,000
>> Fnv	vironmental Prone	rty and Human Health	Matrix		
-	in online intally is rope.	Harm	I I I I I I I I I I I I I I I I I I I		
	Release	Major Moderate	Minor		
OR	Actual				
	Potential			Percent 0.0%	
>> Dro	grammatic Matrix				
//PIU	Falsification	Major Moderate	Minor		
		X		Percent 10.0%	
		1	<u></u>		
	Matrix Notes	100% of the rule	e requirements were not	t met.	
			۸d	justment \$	22,500
			Au	ijustilielit \$	22,300
					\$2,500
	_				
Violati	on Events				
	Number of V	/iolation Events 5	124	Number of violation day	/S
	realitiber of v	rolation Events	127	I valliber of violation day	,3
		daily	1		
		weekly			
		monthly x			
		quarterly		Violation Base Po	enalty \$12,500
		semiannual			
		annual			
		single event			
	Five monthly	events are recommended fr	rom the October 1, 2021	1 normit expiration data	to the
	Tive monthly		2, 2022 screening date.	permit expiration date	to the
		, -	-,		
Good 5	aith Efforts to Com	ply 10.0%		D a s	luction \$1,250
good F	aidi Elloits to Com	Before NOE/NOV			luction \$1,250
		Extraordinary	==,, to EB. Ri / Section	1	
		Ordinary	Х	1	
		N/A		4	
			adambanktur d	nee his October 22	
		Notes The Respo	ndent achieved complia 2022.	nce by October 20,	
				Violation Su	btotal \$11,250
Econor	mic Benefit (EB) for	this violation		Statutory Limit Te	est
	Estimate	ed EB Amount	\$1,315	Violation Final Penalty	Total \$11,250
		This viol	ation Final Assessed F	Penalty (adjusted for I	imits) \$11,250

Economic Benefit Worksheet							
Respondent	City of Gunter						
Case ID No.	61899						
Reg. Ent. Reference No.	RN101917904	Į.					
	Water Quality						Years of
Violation No.						Percent Interest	Depreciation
Violation No.	-					г о	
	.			.,	.	5.0	
	Item Cost	Date Required	Final Date	Yrs	Interest Saved	Costs Saved	EB Amount
Item Description							
Delayed Costs				_			
Equipment				0.00	\$0	\$0	\$0
Buildings				0.00	\$0	\$0	\$0
Other (as needed)				0.00	\$0	\$0	\$0
Engineering/Construction				0.00	\$0	\$0	\$0
Land				0.00	\$0	n/a	\$0
Record Keeping System				0.00	\$0	n/a	\$0
Training/Sampling				0.00	\$0 \$0	n/a	\$0 \$0
Remediation/Disposal Permit Costs	\$25,000	1-Oct-2021	20-Oct-2022	0.00 1.05	\$1,315	n/a	\$1,315
Other (as needed)	\$25,000	1-001-2021	20-001-2022	0.00	\$1,313	n/a n/a	\$1,315
Notes for DELAYED costs	Estimated delayed cost to prepare and submit an application and to obtain authorization to discharge wastewater. The Date Required is the date the permit expired, and the Final Date is the date of compliance.						
Avoided Costs	ANNU	ALIZE avoided o	osts before er	tering	item (except for	one-time avoided	d costs)
Disposal				0.00	\$0	\$0	\$0
Personnel				0.00	\$0	\$0	\$0
Inspection/Reporting/Sampling				0.00	\$0	\$0	\$0
Supplies/Equipment				0.00	\$0	\$0	\$0
Financial Assurance				0.00	\$0	\$0	\$0
ONE-TIME avoided costs				0.00	\$0	\$0	\$0
Other (as needed) Notes for AVOIDED costs				0.00	\$0	\$0	\$0
Approx. Cost of Compliance		\$25,000			TOTAL		\$1,315

To request a more accessible version of this report, please contact the TCEQ Help Desk at (512) 239-4357.



Compliance History Report

Compliance History Report for CN600641690, RN105115125, Rating Year 2022 which includes Compliance History (CH) components from September 1, 2017, through August 31, 2022.

Classification: SATISFACTORY Rating: 1.36 Customer, Respondent, CN600641690, City of Gunter

or Owner/Operator:

Classification: SATISFACTORY Rating: 3.79 Regulated Entity: RN105115125, CITY OF GUNTER WWTP

Complexity Points: Repeat Violator: NO

CH Group: 08 - Sewage Treatment Facilities

Location: Approximately 1,800 feet east of the intersection of J.C. Maples Road and Farm-to-Market Road 121, in the City

of Gunter, Grayson County, Texas

TCEQ Region: REGION 04 - DFW METROPLEX

ID Number(s):

Compliance History Period: September 01, 2017 to August 31, 2022 Rating Year: 2022 **Rating Date:** 09/01/2022

Date Compliance History Report Prepared: March 12, 2023 Agency Decision Requiring Compliance History: Enforcement Component Period Selected: March 12, 2018 to March 12, 2023

TCEQ Staff Member to Contact for Additional Information Regarding This Compliance History.

Name: Cheryl Thompson Phone: (817) 588-5865

Site and Owner/Operator History:

1) Has the site been in existence and/or operation for the full five-year compliance period? YES

2) Has there been a (known) change in ownership/operator of the site during the compliance period? NO

Components (Multimedia) for the Site Are Listed in Sections A - J

A. Final Orders, court judgments, and consent decrees:

Effective Date: 10/16/2018 ADMINORDER 2017-1600-MWD-E (1660 Order-Agreed Order With Denial)

Classification: Moderate

Citation: 2D TWC Chapter 26, SubChapter A 26.121(a)(1)

30 TAC Chapter 305, SubChapter F 305.125(1)

Rgmt Prov: Effluent Limits PERMIT

Description: failed to comply with permitted effluent limitations.

B. Criminal convictions:

N/A

C. Chronic excessive emissions events:

N/A

D. The approval dates of investigations (CCEDS Inv. Track. No.):

Item 1	May 20, 2018	(1502769)	Item 8	April 19, 2019	(1573957)
Item 2	June 20, 2018	(1509862)	Item 9	July 15, 2019	(1595328)
Item 3	July 20, 2018	(1516184)	Item 10	November 14, 2019	(1621179)
Item 4	September 17, 2018	(1529421)	Item 11	January 16, 2020	(1636138)
Item 5	September 30, 2018	(1522226)	Item 12	November 17, 2021	(1785690)
Item 6	December 19, 2018	(1547304)	Item 13	December 17, 2021	(1792739)
Item 7	February 19, 2019	(1566126)	Item 14	January 17, 2022	(1800576)

Item 15	February 16, 2022	(1808404)	Item 20	June 20, 2022	(1837165)
Item 16	March 14, 2022	(1815453)	Item 21	July 20, 2022	(1844350)
Item 17	April 18, 2022	(1822015)	Item 22	August 18, 2022	(1850561)
Item 18	May 16, 2022	(1830917)	Item 23	November 16, 2022	(1871539)
Item 19	June 15, 2022	(1823427)	Item 24	December 19, 2022	(1877401)

E. Written notices of violations (NOV) (CCEDS Inv. Track. No.):

A notice of violation represents a written allegation of a violation of a specific regulatory requirement from the commission to a regulated entity. A notice of violation is not a final enforcement action, nor proof that a violation has actually occurred.

1 Date: 08/31/2022 (1858291)

Self Report? YES Classification: Moderate

Citation: 2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

2 Date: 09/30/2022 (1864628)

Self Report? YES Classification: Moderate

Citation: 2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

3 Date: 12/31/2022 (1884207)

Self Report? YES Classification: Moderate

Citation: 2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

F. Environmental audits:

N/A

G. Type of environmental management systems (EMSs):

N/A

H. Voluntary on-site compliance assessment dates:

N/A

I. Participation in a voluntary pollution reduction program:

N/A

J. Early compliance:

N/A

Sites Outside of Texas:

N/A

Component Appendices

Appendix A

All NOVs Issued During Component Period 3/12/2018 and 3/12/2023

1 Date: 02/28/2018 (1492509)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

2 Date: 03/31/2018 (1495813)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

3 Date: 09/30/2018 (1535728)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

4 Date: 10/31/2018 (1543600)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

5 Date: 12/31/2018 (1566128)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

6 Date: 02/28/2019 (1566127)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

7 Date: 04/30/2019 (1587502)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

8 Date: 05/31/2019 (1587503)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a)

30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

9 Date: 07/31/2019 (1601597)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

10 Date: 08/31/2019 (1608504)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

11 Date: 09/30/2019 (1615378) CH 1 of 2

Classification:

Moderate

Self Report? YES

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

12 Date: 11/07/2019 (1592701)

Self Report? NO Classification: Minor

Citation:

30 TAC Chapter 305, SubChapter F 305.125(5)

Operational Requirements No. 1 PERMIT

Description: Failure to properly maintain the treatment systems.

Self Report? NO Classification: Minor

Citation:

30 TAC Chapter 305, SubChapter F 305.125(1)

Permit Sludge Provisions IV (C) PERMIT

Description: Failed to accurately complete the annual sludge report.

Self Report? NO Classification: Moderate

Citation:

30 TAC Chapter 305, SubChapter F 305.125(1) Monitoring & Reporting Requirements PERMIT

Description: Failed to provide notification of any effluent violation which deviates from the

permitted effluent limitation by more than 40%. Specifically, during the record review period of May 2015 to September 2019, nine violations which exceeded

the permitted limit by more than 40% were noted.

Self Report? NO Classification: Moderate

Citation:

30 TAC Chapter 305, SubChapter F 305.125(1) 30 TAC Chapter 305, SubChapter F 305.126(a) Operational Requirements, No. 8.a PERMIT

Description: Failed to obtain authorization to commence construction of the necessary

additional treatment and/or collection facilities when the daily average or annual

average flow reaches 90% of the permitted average daily flow for three

consecutive months. Specifically, the daily average flow was at least 90% of the permitted flow limit during the months of September 2018 through December

2018 and March 2019 through May 2019.

Self Report? NO Classification: Moderate

Citation:

30 TAC Chapter 305, SubChapter F 305.125(1) Effluent Limits & Monitoring Requirement PERMIT

Description: Failed to maintain compliance with the permitted effluent limits. Specifically,

during the record review period of May 2015 to September 2019, the daily average flow limit of 0.03 MGD was exceeded 7 times on February 2018, March 2018, September 2018, October 2018, December 2018, April 2019, and May

2019.

Self Report? NO Classification: Minor

Citation:

30 TAC Chapter 217, SubChapter C 217.63(a)

TX0129224 PERMIT WQ0010569002 PERMIT

Description: Failed to provide the required posted emergency information at the lift station.

Self Report? NO Classification: Minor

Citation:

30 TAC Chapter 305, SubChapter F 305.125(5)

Operational Requirements No. 1 PERMIT

Description: Failed to properly operate and maintain the facility.

13 Date: 11/30/2019 (1628517)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

14 Date: 01/31/2020 (1642760) CH 1 of 2

Moderate

Self Report? YES Classification:

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

15 Date: 02/29/2020 (1649263)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

16 Date: 03/31/2020 (1655629)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

17 Date: 04/30/2020 (1662172)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

18 Date: 05/31/2020 (1668715)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

19 Date: 06/30/2020 (1675665)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

20 Date: 07/31/2020 (1682437)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

21 Date: 08/31/2020 (1689002)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a)

30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

22 Date: 09/30/2020 (1695367)

Self Report? YES Classification: Moderate

Citation: CH 1 of 2

2D TWC Chapter 26, SubChapter A 26.121(a)

30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

23 Date: 10/31/2020 (1718698)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

24 Date: 11/30/2020 (1718699)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

25 Date: 12/31/2020 (1718700)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

26 Date: 01/31/2021 (1731761)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

27 Date: 02/28/2021 (1731762)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

28 Date: 03/31/2021 (1731763)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

29 Date: 04/30/2021 (1743163)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

30 Date: 05/31/2021 (1748642)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a)

30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

31 Date: 06/30/2021 (1753755)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

32 Date: 07/31/2021 (1759136)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

33 Date: 08/31/2021 (1768511)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

34* Date: 09/30/2021 (1779263)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

35* Date: 08/31/2022 (1858291)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

36 Date: 09/30/2022 (1864628)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

37 Date: 12/31/2022 (1884207)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

Appendix B

All Investigations Conducted During Component Period March 12, 2018 and March 12, 2023

^{*} NOVs applicable for the Compliance History rating period 9/1/2017 to 8/31/2022

Item 2	April 20, 2018**	(1495813)
Item 3*	May 20, 2018**	(1502769)
Item 4*	June 20, 2018**	(1502763)
Item 5*	July 20, 2018**	(1505002)
Item 6*	September 17, 2018**	(1529421)
Item 7*	September 30, 2018**	(1522226)
Item 8	October 20, 2018**	(1535728)
Item 9	November 19, 2018**	(1543600)
Item 10*	December 19, 2018**	(1547304)
Item 11	January 19, 2019**	(1566128)
Item 12*	February 19, 2019**	(1566126)
Item 13	March 19, 2019**	(1566127)
Item 14*	April 19, 2019**	(1573957)
Item 15	May 18, 2019**	(1587502)
Item 16	June 18, 2019**	(1587502)
Item 17*	July 15, 2019**	(1595328)
Item 18	September 16, 2019**	(1601597)
Item 19	October 17, 2019**	(1615378)
Item 20	October 31, 2019**	(1592701)
Item 21*	November 14, 2019**	(1621179)
Item 22	December 11, 2019**	(1613105)
Item 23	December 16, 2019**	(1628517)
Item 24*	January 16, 2020**	(1636138)
Item 25	February 11, 2020**	(1629986)
Item 26	February 17, 2020**	(1642760)
Item 27	March 19, 2020**	(1649263)
Item 28	April 16, 2020**	(1655629)
Item 29	May 01, 2020**	(1645861)
Item 30	May 15, 2020**	(1662172)
Item 31	June 11, 2020**	(1668715)
Item 32	July 16, 2020**	(1675665)
Item 33	August 13, 2020**	(1682437)
Item 34	September 11, 2020**	(1689002)
Item 35	October 19, 2020**	(1695367)
Item 36	November 20, 2020**	(1718698)
Item 37	December 15, 2020**	(1718699)
Item 38	January 18, 2021**	(1718700)
Item 39	February 18, 2021**	(1731761)
Item 40	March 18, 2021**	(1731761)
Item 41	April 15, 2021**	(1731762)
Item 42	May 19, 2021**	(1743163)
Item 43	June 18, 2021**	(1748642)
Item 44	July 15, 2021**	(1753755)
Item 45	August 17, 2021**	(1759136)
Item 46	September 13, 2021**	(1768511)
	55ptc///50/ 15/ 2021	(1,00011)
Item 47	October 19, 2021**	(1779263)
Item 48*	November 17, 2021**	(1785690)
Item 49*	December 17, 2021**	(1792739)

Item 50*	January 17, 2022**	(1800576)
Item 51	January 25, 2022**	(1781919)
Item 52*	February 16, 2022**	(1808404)
Item 53*	March 14, 2022**	(1815453)
Item 54*	April 18, 2022**	(1822015)
Item 55*	May 16, 2022**	(1830917)
Item 56*	June 15, 2022**	(1823427)
Item 57*	June 20, 2022**	(1837165)
Item 58*	July 20, 2022**	(1844350)
Item 59*	August 18, 2022**	(1850561)
Item 60	September 19, 2022	(1858291)
Item 61	October 11, 2022	(1864628)
Item 62*	November 16, 2022	(1871539)
Item 63*	December 19, 2022	(1877401)
Item 64	January 18, 2023	(1884207)

^{*} No violations documented during this investigation

^{**}Investigation applicable for the Compliance History Rating period between 09/01/2017 and 08/31/2022.

To request a more accessible version of this report, please contact the TCEQ Help Desk at (512) 239-4357.



Compliance History Report

Compliance History Report for CN600641690, RN101917904, Rating Year 2022 which includes Compliance History (CH) components from September 1, 2017, through August 31, 2022.

Customer, Respondent, CN600641690, City of Gunter Classification: SATISFACTORY Rating: 1.36

or Owner/Operator:

Regulated Entity: RN101917904, CITY OF GUNTER Classification: SATISFACTORY Rating: 0.33

Complexity Points: 7 Repeat Violator: NO

CH Group: 08 - Sewage Treatment Facilities

Location: Adjacent to the St. Louis-San Francisco and Texas Railway, approximately 2,300 feet northwest of the

intersection of State Highway 289 and Farm-to-Market Road 121, in the City of Gunter, Grayson County, Texas

TCEQ Region: REGION 04 - DFW METROPLEX

ID Number(s):

WASTEWATER PA ID TX0142280 WASTEWATER PERMIT WQ0010569003

Compliance History Period: September 01, 2017 to August 31, 2022 Rating Year: 2022 Rating Date: 09/01/2022

Date Compliance History Report Prepared: March 12, 2023

Agency Decision Requiring Compliance History: Enforcement

Component Period Selected: March 12, 2018 to March 12, 2023

TCEQ Staff Member to Contact for Additional Information Regarding This Compliance History.

Name: Cheryl Thompson Phone: (817) 588-5865

Site and Owner/Operator History:

1) Has the site been in existence and/or operation for the full five-year compliance period? YES

2) Has there been a (known) change in ownership/operator of the site during the compliance period?

Components (Multimedia) for the Site Are Listed in Sections A - J

A. Final Orders, court judgments, and consent decrees:

B. Criminal convictions:

N/A

C. Chronic excessive emissions events:

N/A

D. The approval dates of investigations (CCEDS Inv. Track. No.):

Item 1	March 15, 2018	(1490806)	Item 12	June 18, 2019	(1584023)
Item 2	April 20, 2018	(1494056)	Item 13	July 15, 2019	(1593546)
Item 3	May 20, 2018	(1501000)	Item 14	October 17, 2019	(1613620)
Item 4	July 20, 2018	(1514423)	Item 15	November 15, 2019	(1619434)
Item 5	September 17, 2018	(1527645)	Item 16	January 16, 2020	(1634428)
Item 6	September 30, 2018	(1520475)	Item 17	February 17, 2020	(1641044)
Item 7	October 20, 2018	(1534005)	Item 18	June 11, 2020	(1666998)
Item 8	December 19, 2018	(1545609)	Item 19	July 16, 2020	(1673947)
Item 9	January 19, 2019	(1560829)	Item 20	August 13, 2020	(1680726)
Item 10	March 07, 2019	(1560827)	Item 21	September 14, 2020	(1687295)
Item 11	May 18, 2019	(1584022)	Item 22	November 19, 2020	(1713597)
			Item 23	December 15, 2020	(1713598)

Item 24	January 18, 2021	(1713599)	Item 33	June 20, 2022	(1835469)
Item 25	August 17, 2021	(1757539)	Item 34	July 20, 2022	(1842672)
Item 26	October 14, 2021	(1777212)	Item 35	August 18, 2022	(1848802)
Item 27	November 15, 2021	(1784005)	Item 36	September 19, 2022	(1856602)
Item 28	December 17, 2021	(1791037)	Item 37	October 11, 2022	(1862960)
Item 29	January 17, 2022	(1798824)	Item 38	November 16, 2022	(1869873)
Item 30	February 16, 2022	(1806700)	Item 39	December 19, 2022	(1875722)
Item 31	April 18, 2022	(1820337)	Item 40	December 28, 2022	(1877864)
Item 32	May 17, 2022	(1829179)	Item 41	January 18, 2023	(1884676)

E. Written notices of violations (NOV) (CCEDS Inv. Track. No.):

A notice of violation represents a written allegation of a violation of a specific regulatory requirement from the commission to a regulated entity. A notice of violation is not a final enforcement action, nor proof that a violation has actually occurred.

N/A

F. Environmental audits:

N/A

G. Type of environmental management systems (EMSs):

N/A

H. Voluntary on-site compliance assessment dates:

IN/A

I. Participation in a voluntary pollution reduction program:

N/A

J. Early compliance:

N/A

Sites Outside of Texas:

N/A

Component Appendices

Appendix A

All NOVs Issued During Component Period 3/12/2018 and 3/12/2023

1 Date: 05/31/2018 (1508090)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

2 Date: 08/22/2018 (1504179)

Self Report? NO Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a)(1) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failed to prevent the unauthorized discharge of wastewater.

Self Report? NO Classification: Moderate

Citation:

30 TAC Chapter 317 317.4(a)(8)

Description: Annual test certificates for the reduced-pressure principal backflow prevention

assembly (RPBA) were not available for review during the inspection.

Self Report? NO Classification: Minor

Citation:

30 TAC Chapter 317 317.7(e)

Description: Failure to provide complete plant protection.

3 Date: 10/31/2018 (1541837)

Self Report? YES Classification: Moderate CH 2 of 2

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

4 Date: 02/28/2019 (1560828)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

5 Date: 03/31/2019 (1572208)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

6 Date: 07/31/2019 (1599876)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

7 Date: 08/31/2019 (1606777)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

8 Date: 11/30/2019 (1626787)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

9 Date: 02/29/2020 (1647562)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

10 Date: 03/31/2020 (1653904)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

11 Date: 04/30/2020 (1660485)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

12 Date: 09/30/2020 (1693635)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

13 Date: 01/31/2021 (1726661)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

14 Date: 02/28/2021 (1726662)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

15 Date: 03/31/2021 (1726663)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

16 Date: 04/30/2021 (1740636)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

17 Date: 05/31/2021 (1740637)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

18 Date: 06/30/2021 (1752085)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

19 Date: 08/31/2021 (1766652)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

20* Date: 02/28/2022 (1813765)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

Appendix B All Investigations Conducted During Component Period March 12, 2018 and March 12, 2023

Item 1*	March 15, 2018**	(1490806)
Item 2*	April 20, 2018**	(1494056)
Item 3*	May 20, 2018**	(1501000)
Item 4	June 20, 2018**	(1508090)
Item 5*	July 20, 2018**	(1514423)
Item 6	August 20, 2018**	(1504179)
Item 7*	September 17, 2018**	(1527645)
Item 8*	September 30, 2018**	(1520475)
Item 9	October 12, 2018**	(1519394)
Item 10*	October 20, 2018**	(1534005)
Item 11	November 19, 2018**	(1541837)
Item 12*	December 19, 2018**	(1545609)
Item 13*	January 19, 2019**	(1560829)
Item 14*	March 07, 2019**	(1560827)
Item 15	March 19, 2019**	(1560828)
Item 16	April 19, 2019**	(1572208)
Item 17*	May 18, 2019**	(1584022)
Item 18*	June 18, 2019**	(1584023)
Item 19*	July 15, 2019**	(1593546)
Item 20	August 16, 2019**	(1599876)
Item 21	September 19, 2019**	(1606777)
Item 22*	October 17, 2019**	(1613620)
Item 23*	November 15, 2019**	(1619434)
Item 24	December 16, 2019**	(1626787)
Item 25*	January 16, 2020**	(1634428)
Item 26*	February 17, 2020**	(1641044)
Item 27	March 17, 2020**	(1647562)
Item 28	April 16, 2020**	(1653904)
Item 29	May 15, 2020**	(1660485)
Item 30*	June 11, 2020**	(1666998)
Item 31*	July 16, 2020**	(1673947)
Item 32*	August 13, 2020**	(1680726)
Item 33*	September 14, 2020**	(1687295)
Item 34	October 15, 2020**	(1693635)
Item 35*	November 19, 2020**	(1713597)
Item 36*	December 15, 2020**	(1713598)
Item 37*	January 18, 2021**	(1713599)

^{*} NOVs applicable for the Compliance History rating period 9/1/2017 to 8/31/2022

100111 50	1 051 441 / 17 / 2021	(172001)
Item 39	March 18, 2021**	(1726662)
Item 40	April 15, 2021**	(1726663)
Item 41	May 19, 2021**	(1740636)
Item 42	June 16, 2021**	(1740637)
Item 43	July 15, 2021**	(1752085)
Item 44*	August 17, 2021**	(1757539)
Item 45	September 13, 2021**	(1766652)
Item 46*	October 14, 2021**	(1777212)
Item 47*	November 15, 2021**	(1784005)
Item 48*	December 17, 2021**	(1791037)
Item 49*	January 17, 2022**	(1798824)
Item 50	January 25, 2022**	(1781838)
Item 51*	February 16, 2022**	(1806700)
Item 52	March 10, 2022**	(1813765)
Item 53*	April 18, 2022**	(1820337)
Item 54*	May 17, 2022**	(1829179)
Item 55*	June 20, 2022**	(1835469)
Item 56*	July 20, 2022**	(1842672)
Item 57*	August 18, 2022**	(1848802)
Item 58*	September 19, 2022	(1856602)
Item 59*	October 11, 2022	(1862960)
Item 60*	November 16, 2022	(1869873)
Item 61*	December 19, 2022	(1875722)
Item 62*	December 28, 2022	(1877864)
Item 63*	January 18, 2023	(1884676)

February 17, 2021**

Item 38

(1726661)

 $^{\ ^{*}}$ No violations documented during this investigation

^{**}Investigation applicable for the Compliance History Rating period between 09/01/2017 and 08/31/2022.

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY



IN THE MATTER OF AN ENFORCEMENT

ACTION CONCERNING

CITY OF GUNTER;

RN105115125 AND RN101917904

S

ENV

BEFORE THE TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

AGREED ORDER

DOCKET NO. 2022-0170-MWD-E

I. JURISDICTION AND STIPULATIONS

On ________, the Texas Commission on Environmental Quality ("Commission" or "TCEQ") considered this agreement of the parties, resolving an enforcement action regarding City of Gunter ("Respondent") under the authority of Tex. Water Code chs. 7 and 26. The Executive Director of the TCEQ, represented by the Litigation Division, and Respondent, together stipulate that:

- 1. Respondent owned and operated wastewater treatment facilities ("the Facilities"). The Facilities are near or adjacent to water in the state as defined in Tex. WATER CODE § 26.001(5).
 - a. The Gunter Creek Wastewater Treatment Facility ("Facility 1") (RN101917904) is located adjacent to the St. Louis-San Francisco and Texas Railway, approximately 2,300 feet northwest of the intersection of State Highway 289 and Farm-to-Market Road 121 in the City of Gunter, in Grayson County, Texas.
 - b. The Stanley Creek Wastewater Treatment Facility ("Facility 2") (RN105115125) is located approximately 1,800 feet east of the intersection of J.C. Maples Road and Farm-to-Market Road 121 in the City of Gunter, Grayson County, Texas.
- 2. The Executive Director and Respondent agree that TCEQ has jurisdiction to enter this Order pursuant to Tex. Water Code §§ 7.002, 7.051, and 7.073, and that Respondent is subject to TCEQ's jurisdiction. The TCEQ has jurisdiction in this matter pursuant to Tex. Water Code ch. 26 and the rules of the TCEQ.
- 3. The occurrence of any violation is in dispute and the entry of this Order shall not constitute an admission by Respondent of any violation alleged in Section II ("Allegations"), nor of any statute or rule.
- 4. An administrative penalty in the amount of \$28,125 is assessed by the Commission in settlement of the violations alleged in Section II. Pursuant to Tex. Water Code § 7.067, \$28,125 of the penalty shall be conditionally offset by Respondent's timely and satisfactory completion of a Supplemental Environmental Project ("SEP") as defined in the SEP Agreement ("Attachment A" incorporated herein by reference). Respondent's obligation to pay the conditionally offset portion of the penalty shall be discharged upon full compliance with all the terms and conditions of this Order, which includes any payment schedule and the timely and satisfactory completion of all provisions of the SEP Agreement, as determined by the Executive Director.
- 5. The Executive Director and Respondent agree on a settlement of the matters addressed in this Order, subject to final approval in accordance with 30 Tex. Admin. Code § 70.10(a). Any notice and procedures which might otherwise be authorized or required in this action are waived in the interest of a more timely resolution of the matter.

- 6. The Executive Director may, without further notice or hearing, refer this matter to the Office of the Attorney General of the State of Texas ("OAG") for further enforcement proceedings if the Executive Director determines that Respondent has not complied with one or more of the terms or conditions contained in this Order.
- 7. This Order represents the complete and fully integrated agreement of the parties. The provisions of this Order are deemed severable, and, if a court of competent jurisdiction or other appropriate authority deems any provision of this Order unenforceable, the remaining provisions shall be valid and enforceable.
- 8. This Order shall terminate five years from its effective date or upon full compliance with all the terms and conditions set forth in this Order, whichever is later.
- 9. The Executive Director recognizes that Respondent implemented the following corrective measures at the Facilities:

a. At Facility 1:

- i. By October 20, 2022, Respondent obtained authorization to discharge wastewater;
- ii. By January 2, 2023, Respondent transferred the permit to Mustang Special Utility District ("SUD"); and
- b. At Facility 2: By October 11, 2022, Respondent transferred ownership to Mustang SUD.

II. ALLEGATIONS

During a record review at Facilities 1 and 2 conducted on December 20, 2021, an investigator documented that Respondent failed to maintain authorization to discharge wastewater into or adjacent to any water in the state, in violation of Tex. Water Code § 26.121(a)(1) and Tex. Admin. Code §§ 305.65 and 305.125(2). Specifically, the Texas Pollutant Discharge Elimination System ("TPDES") Permit Nos. WQ0010569001 and WQ0010569002 expired on October 1, 2021, and Respondent continued to operate the wastewater treatment facilities without authorization.

III. DENIALS

Respondent generally denies each Allegation in Section II.

IV. ORDERING PROVISIONS

NOW, THEREFORE, THE TEXAS COMMISSION ON ENVIRONMENTAL QUALITY ORDERS THAT:

1. Respondent is assessed an administrative penalty as set forth in Section I, Paragraph 4. The payment of this penalty and Respondent's compliance with all of the requirements set forth in this Order resolve only the Allegations in Section II. The Commission shall not be constrained in any manner from requiring corrective actions or penalties for violations which are not raised here. Penalty payments shall be made payable to TCEQ and shall be sent with the notation "Re: City of Gunter, Docket No. 2022-0170-MWD-E" to:


Financial Administration Division Revenue Operations Section Texas Commission on Environmental Quality Attention: Cashier's Office, MC 214 P.O. Box 13088 Austin, Texas 78711-3088

- 2. Respondent shall implement and complete a SEP as set forth in Section 1, Paragraph 4. The amount of \$28,125 of the assessed administrative penalty is conditionally offset based on Respondent's implementation and completion of a SEP pursuant to the terms and conditions contained in the SEP Agreement, as defined in Attachment A. Penalty payments for any portion of the SEP deemed by the Executive Director as not complete shall be paid within 30 days after the date the Executive Director demands payment.
- 3. All relief not expressly granted in this Order is denied.
- 4. The duties and provisions imposed by this Order shall apply to and be binding upon Respondent.
- 5. The Executive Director may grant an extension of any deadline in this Order or in any plan, report, or other document submitted pursuant to this Order, upon a written and substantiated showing of good cause. All requests for extensions by Respondent shall be made in writing to the Executive Director. Extensions are not effective until Respondent receives written approval from the Executive Director. The determination of what constitutes good cause rests solely with the Executive Director.
- 6. If Respondent fails to comply with any of the Ordering Provisions in this Order within the prescribed schedules, and that failure is caused solely by an act of God, war, strike, riot, or other catastrophe, Respondent's failure to comply is not a violation of this Order. Respondent shall have the burden of establishing to the Executive Director's satisfaction that such an event has occurred. Respondent shall notify the Executive Director within seven days after Respondent becomes aware of a delaying event and shall take all reasonable measures to mitigate and minimize any delay.
- 7. This Order, issued by the Commission, shall not be admissible against Respondent in a civil proceeding, unless the proceeding is brought by the OAG to: (1) enforce the terms of this Order, or (2) pursue violations of a statute within TCEQ's jurisdiction or of a rule adopted or an order or permit issued by the TCEQ under such a statute.
- 8. This Order may be executed in separate and multiple counterparts, which together shall constitute a single instrument. Any page of this Order may be copied, scanned, digitized, converted to electronic portable document format ("pdf"), or otherwise reproduced and may be transmitted by digital or electronic transmission, including but not limited to facsimile transmission and electronic mail. Any signature affixed to this Order shall constitute an original signature for all purposes and may be used, filed, substituted, or issued for any purpose for which an original signature could be used. The term "signature" shall include manual signatures and true and accurate reproductions of manual signatures created, executed, endorsed, adopted, or authorized by the person or persons to whom the signatures are attributable. Signatures may be copied or reproduced digitally, electronically, by photocopying, engraving, imprinting, lithographing, electronic mail, facsimile transmission, stamping, or any other means or process which the Executive Director deems acceptable. In this paragraph exclusively, the terms: electronic transmission, owner, person, writing, and written, shall have the meanings assigned to them under Tex. Bus. Org. Code § 1.002.
- 9. The effective date of this Order is the date it is signed by the Commission. A copy of this fully executed Order shall be provided to each of the parties.

SIGNATURE PAGE

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

For the C	ommission		Date	
1	Phys Ledtt		July 7, 2025	V.,
For the Ex	kecutive Director	*	Date	
attached acknowle	ersigned, have read and under Order, and I do agree to the te dge that the TCEQ, in acceptin esentation.	erms and condit	tions specified therein. I fu	rther
	lerstand that failure to comply pay the penalty amount may r		ring Provisions in this Ord	er and/or failure
	 A negative impact on compliance history; 			
	Greater scrutiny of any permit applications;			
•	 Referral of this case to the Attorney General's office for contempt, injunctive relief, additional penalties, and/or attorney fees, or to a collection agency; 			
•	 Increased penalties in any future enforcement actions; 			
•	Automatic referral to the Ata	torney General'	s office of any future enfo	rcement actions;
	TCEQ seeking other relief as	authorized by	law.	
	on, I understand that any falsif prosecution.	ication of any o	compliance documents ma	y result in
K	52		5/12	125
City of Gu P.O. Box 3		,	Date	,
□ If	mailing address has changed,	please check tl	nis box and provide the ne	w address below:



Attachment A

Docket Number: 2022-0170-MWD-E

SUPPLEMENTAL ENVIRONMENTAL PROJECT

Respondent: City of Gunter	
Penalty Amount:	\$28,125
SEP Offset Amount: \$28,125	
Type of SEP:	Custom
Project Name:	Air Monitor Installation
Location of SEP:	Grayson County

The Texas Commission on Environmental Quality ("the Commission" or "TCEQ") agrees to offset the administrative Penalty Amount assessed in this Agreed Order in exchange for Respondent's performance of a Supplemental Environmental Project ("SEP"). The SEP Offset Amount is set forth above and such offset is conditioned upon completion of the project in accordance with the terms of this Attachment A.

1. Project Description

A. Project

Respondent shall hire a contractor to purchase and install an air monitoring system, that utilizes sensors to collect air quality data, within Gunter, Texas city limits. The sensors will provide measurements of airborne particulate count, size, mass concentration, wind direction and speed, humidity, pressure, carbon dioxide, and ozone. The data will be made available in real-time via the University of Texas at Dallas open online portal. Specifically, the SEP Offset Amount shall be used for materials, supplies, and equipment for an air monitoring system (the "Project"). Respondent shall solicit bids from qualified contractors to perform the Project. Any advertisement or invitation for bids, including publication, related to the SEP must include the enforcement statement as stated below in Section 6, Publicity. The SEP will be performed in accordance with all federal, state, and local environmental laws and regulations, including permits that may be required prior to commencement of the SEP. The Commission's approval and issuance of this Agreed Order shall not itself be construed to authorize any activity for which Respondent is required by statute or rule to obtain authorization from the Commission.

Respondent shall use the SEP Offset Amount only for the direct cost of implementing the Project, including supplies, materials, and equipment rentals, as listed below in Subsection C. Minimum Expenditure, Estimated Cost Schedule. No portion of the SEP Offset Amount shall be spent on administrative costs, including operating costs, reporting expenses, handling of expenses, project coordination, liability, or equipment breakdowns.

Respondent's signature affixed to the attached Agreed Order certifies that Respondent has no prior commitment to perform this Project and that the SEP is being performed solely as part of the terms of settlement in this enforcement action.

B. Environmental Benefit

Air monitoring systems provide real-time data on pollutants, allowing communities and industries to identify sources of contamination and take targeted actions to reduce emissions. By monitoring harmful particulates, they help protect public health by preventing respiratory issues, cardiovascular diseases, and other pollution-related illnesses. Overall, these systems empower informed decision-making for cleaner air and healthier environments.

C. Minimum Expenditure

Respondent shall spend at least the SEP Offset Amount to complete the project described above in Section 1.A and comply with all other provisions of this SEP. Respondent understands that it may cost more than the SEP Offset Amount to complete the Project. Costs in excess of the SEP Offset Amount shall not be grounds to relieve Respondent of its obligations to perform this SEP.

Estimated Cost Schedule

Item	Total
MINTS-AI Sensing Air Monitor System \$22,500	
Tower Mount	\$9,150
Electrical	\$750
Install/Labor	\$1,650
Total	\$34,050

2. Performance Schedule

Within 30 days after the effective date of this Agreed Order, Respondent shall begin implementation of the SEP. Respondent shall have completed the SEP in its entirety within 365 days after the effective date of this Agreed Order.

Executive Director ("ED") staff may grant an extension to any deadline for Respondent's performance of the SEP described herein, upon a written and substantiated showing of good cause. All requests for extensions must be made by Respondent and shall be made in writing to ED staff. Extensions are not effective until Respondent receives written approval from ED staff. The determination of what constitutes good cause rests solely with ED staff. Extension requests shall be sent to the SEP Coordinator by first class mail or electronic mail, at:

Texas Commission on Environmental Quality Litigation Division Attention: SEP Coordinator, MC 175 P.O. Box 13087

Austin, Texas 78711-3087

Email: sepreports@tceq.texas.gov

3. Records and Reporting

A. Progress Report

Within 30 days after the effective date of this Agreed Order, Respondent shall submit a Notice of Commencement to TCEQ describing actions performed to date to implement the Project. Within 90 days after the effective date of this Agreed Order, Respondent shall submit a report detailing the progress made and all actions completed on the Project during the previous 60-day period and setting forth a schedule for achieving completion of the Project within the 365-day timeframe set forth above in Section 2, Performance Schedule. Thereafter, Respondent shall submit progress reports to TCEQ in 90-day increments containing detailed information on all actions completed on the Project to date as set forth below in the Reporting Schedule table:

Reporting Schedule

Days from Effective Order Date	Information Required
30	Notice of Commencement describing actions taken to begin project
90	Actions completed during previous 60-day period
180	Actions completed during previous 90-day period
270	Actions completed during previous 90-day period
365	Notice of SEP completion

B. Final Report

Within 365 days after the effective date of the Agreed Order, or within 30 days after completion of the SEP, whichever is earlier, Respondent shall submit a Final Report to TCEQ, which shall include the following:

- 1. An itemized list of expenditures and total cost of the Project;
- 2. Copies of invoices or receipts corresponding to the itemized list in paragraph 3.B.1., above;
- 3. Copies of cleared checks or payment records corresponding to the itemized list in paragraph 3.B.1., above;
- 4. Copies of proof of advertisement of invitation for bids, if applicable;
- 5. A certified statement of SEP completion and document authentication;
- 6. A detailed map showing the specific location of the project site(s);
- 7. Copies of all engineering plans related to work performed pursuant to the Project, if applicable;
- 8. Dated photographs of the purchased materials and supplies; before and after work being performed during the Project; and of the completed Project; and
- 9. Any additional information Respondent believes will, or that is requested by TCEQ to demonstrate compliance with this Attachment A.

C. Submittals

Respondent shall submit all SEP reports and any additional information as requested to the SEP Coordinator at the address provided above.

4. Additional Information and Access

Respondent shall provide additional information as requested by TCEQ staff and shall allow access to all records related to the SEP Offset Amount. Respondent shall also allow representatives of TCEQ access to the site of any work being financed in whole or in part by the SEP Offset Amount. This provision shall survive the termination of this Agreed Order.

5. Failure to Fully Perform

If Respondent does not perform its obligations under this Attachment A, including full expenditure of the SEP Offset Amount and submittal of the required reporting described above in Sections 2 through 4, the ED may require immediate payment of all or part of the SEP Offset Amount as set forth in the attached Agreed Order.

City of Gunter Docket No. 2022-0170-MWD-E Attachment A

In the event the ED determines that Respondent failed to fully implement and complete the Project, Respondent shall remit payment for all or a portion of the SEP Offset Amount, as determined by the ED, and as set forth in the attached Agreed Order. After receiving notice of failure to complete the SEP, Respondent shall include the docket number of the attached Agreed Order and a note that the enclosed payment is for reimbursement of a SEP, shall make the check payable to "Texas Commission on Environmental Quality," and shall mail it to the SEP Coordinator at the address provided above.

6. Publicity

Any public statements concerning this Project made by or on behalf of Respondent must include a clear statement that **the Project was performed as part of the settlement of an enforcement action brought by TCEQ**. Such statements include advertising, public relations, and press releases.

7. Recognition

Respondent may not seek recognition for this project in any other state or federal regulatory program.

8. Other SEPs by TCEQ or Other Agencies

The SEP Offset Amount identified in this Attachment A and in the attached Agreed Order has not been, and shall not be, included as a SEP for Respondent under any other Agreed Order negotiated with TCEQ or any other agency of the state or federal government.