

Executive Summary – Enforcement Matter – Case No. 63467

Aqua Texas, Inc.

RN101702397

Docket No. 2023-0029-MWD-E

Order Type:

1660 Agreed Order

Findings Order Justification:

N/A

Media:

MWD

Small Business:

No

Location(s) Where Violation(s) Occurred:

Canyon Creek WWTP, located adjacent to Lake Granbury, approximately 2.0 miles north of the intersection of Farm-to-Market Road 2425 and Farm-to-Market Road 3210, Grandbury, Hood County

Type of Operation:

Wastewater treatment facility

Other Significant Matters:

Additional Pending Enforcement Actions: No

Past-Due Penalties: No

Other: N/A

Interested Third-Parties: None

Texas Register Publication Date: March 14, 2025

Comments Received: No

Penalty Information

Total Penalty Assessed: \$16,875

Amount Deferred for Expedited Settlement: \$3,375

Total Paid to General Revenue: \$13,500

Total Due to General Revenue: \$0

Payment Plan: N/A

Compliance History Classifications:

Person/CN - Satisfactory

Site/RN - Satisfactory

Major Source: No

Statutory Limit Adjustment: N/A

Applicable Penalty Policy: January 2021

Investigation Information

Complaint Date(s): N/A

Complaint Information: N/A

Date(s) of Investigation: July 28, 2022

Date(s) of NOE(s): September 12, 2022

Executive Summary – Enforcement Matter – Case No. 63467

Aqua Texas, Inc.

RN101702397

Docket No. 2023-0029-MWD-E

Violation Information

Failed to comply with permitted effluent limitations for daily average flow, total suspended solids, and biochemical oxygen demand (5-day) [30 TEX. ADMIN. CODE § 305.125(1), TEX. WATER CODE § 26.121(a)(1), and Texas Pollutant Discharge Elimination System ("TPDES") Permit No. WQ0013786001, Effluent Limitations and Monitoring Requirements No. 1].

Corrective Actions/Technical Requirements

Corrective Action(s) Completed:

N/A

Technical Requirements:

The Order will require the Respondent to, within 130 days, submit written certification of compliance with the permitted effluent limitations of TPDES Permit No. WQ0013786001, including specific corrective actions that were implemented at the Facility to achieve compliance and copies of the most current self-reported discharge monitoring reports, demonstrating at least three consecutive months of compliance.

Contact Information

TCEQ Attorney: N/A

TCEQ Enforcement Coordinator: Kolby Farren, Enforcement Division, Enforcement Team 1, MC R-12, (512) 239-2098; Michael Parrish, Enforcement Division, MC 219, (512) 239-2548

Respondent: Craig Blanchette, President, Aqua Texas, Inc., 1106 Clayton Lane, Suite 400W, Austin, Texas 78723

Respondent's Attorney: N/A



Penalty Calculation Worksheet (PCW)

Policy Revision 5 (January 28, 2021)

PCW Revision February 11, 2021

| | | | | | | |
|--------------|-----------------|-------------|------------------|-------------|----------------|--|
| DATES | Assigned | 5-Dec-2022 | Screening | 21-Dec-2022 | EPA Due | |
| | PCW | 17-Feb-2023 | | | | |

RESPONDENT/FACILITY INFORMATION

| | |
|-----------------------------|---------------------|
| Respondent | Aqua Texas, Inc. |
| Reg. Ent. Ref. No. | RN101702397 |
| Facility/Site Region | 4-Dallas/Fort Worth |
| Major/Minor Source | Minor |

CASE INFORMATION

| | | | |
|--|-----------------|------------------------------|--------------------|
| Enf./Case ID No. | 63467 | No. of Violations | 1 |
| Docket No. | 2023-0029-MWD-E | Order Type | 1660 |
| Media Program(s) | Water Quality | Government/Non-Profit | No |
| Multi-Media | | Enf. Coordinator | Kolby Farren |
| | | EC's Team | Enforcement Team 1 |
| Admin. Penalty \$ Limit Minimum | \$0 | Maximum | \$25,000 |

Penalty Calculation Section

| | | |
|---|-------------------|----------|
| TOTAL BASE PENALTY (Sum of violation base penalties) | Subtotal 1 | \$12,500 |
|---|-------------------|----------|

ADJUSTMENTS (+/-) TO SUBTOTAL 1

Subtotals 2-7 are obtained by multiplying the Total Base Penalty (Subtotal 1) by the indicated percentage.

| | | | | |
|---------------------------|-------|-------------------|--------------------------------|---------|
| Compliance History | 35.0% | Adjustment | Subtotals 2, 3, & 7 | \$4,375 |
|---------------------------|-------|-------------------|--------------------------------|---------|

Notes Enhancement for seven months of self-reported effluent violations.

| | | | | | |
|--------------------|----|------|--------------------|-------------------|-----|
| Culpability | No | 0.0% | Enhancement | Subtotal 4 | \$0 |
|--------------------|----|------|--------------------|-------------------|-----|

Notes The Respondent does not meet the culpability criteria.

| | | |
|--|-------------------|-----|
| Good Faith Effort to Comply Total Adjustments | Subtotal 5 | \$0 |
|--|-------------------|-----|

| | | | | |
|-------------------------|------|---------------------|-------------------|-----|
| Economic Benefit | 0.0% | Enhancement* | Subtotal 6 | \$0 |
|-------------------------|------|---------------------|-------------------|-----|

Total EB Amounts \$4,158
Estimated Cost of Compliance \$25,000
*Capped at the Total EB \$ Amount

| | | |
|-----------------------------|-----------------------|----------|
| SUM OF SUBTOTALS 1-7 | Final Subtotal | \$16,875 |
|-----------------------------|-----------------------|----------|

| | | | |
|---|------|-------------------|-----|
| OTHER FACTORS AS JUSTICE MAY REQUIRE | 0.0% | Adjustment | \$0 |
|---|------|-------------------|-----|

Reduces or enhances the Final Subtotal by the indicated percentage.

Notes N/A

| | |
|-----------------------------|----------|
| Final Penalty Amount | \$16,875 |
|-----------------------------|----------|

| | | |
|-----------------------------------|-------------------------------|----------|
| STATUTORY LIMIT ADJUSTMENT | Final Assessed Penalty | \$16,875 |
|-----------------------------------|-------------------------------|----------|

| | | | | |
|-----------------|-------|------------------|-------------------|----------|
| DEFERRAL | 20.0% | Reduction | Adjustment | -\$3,375 |
|-----------------|-------|------------------|-------------------|----------|

Reduces the Final Assessed Penalty by the indicated percentage.

Notes Deferral offered for expedited settlement.

| | |
|------------------------|----------|
| PAYABLE PENALTY | \$13,500 |
|------------------------|----------|

| | | | | |
|--------------------------------|------------------|-------------------|-----------------|------------|
| Screening Date | 21-Dec-2022 | Docket No. | 2023-0029-MWD-E | PCW |
| Respondent | Aqua Texas, Inc. | | | |
| Case ID No. | 63467 | | | |
| Reg. Ent. Reference No. | RN101702397 | | | |
| Media | Water Quality | | | |
| Enf. Coordinator | Kolby Farren | | | |

Policy Revision 5 (January 28, 2021)

PCW Revision February 11, 2021

Compliance History Worksheet

>> Compliance History Site Enhancement (Subtotal 2)

| Component | Number of... | Number | Adjust. |
|-------------------------------|--|--------|---------|
| NOVs | Written notices of violation ("NOVs") with same or similar violations as those in the current enforcement action (<i>number of NOVs meeting criteria</i>) | 7 | 35% |
| | Other written NOVs | 0 | 0% |
| Orders | Any agreed final enforcement orders containing a denial of liability (<i>number of orders meeting criteria</i>) | 0 | 0% |
| | Any adjudicated final enforcement orders, agreed final enforcement orders without a denial of liability, or default orders of this state or the federal government, or any final prohibitory emergency orders issued by the commission | 0 | 0% |
| Judgments and Consent Decrees | Any non-adjudicated final court judgments or consent decrees containing a denial of liability of this state or the federal government (<i>number of judgments or consent decrees meeting criteria</i>) | 0 | 0% |
| | Any adjudicated final court judgments and default judgments, or non-adjudicated final court judgments or consent decrees without a denial of liability, of this state or the federal government | 0 | 0% |
| Convictions | Any criminal convictions of this state or the federal government (<i>number of counts</i>) | 0 | 0% |
| Emissions | Chronic excessive emissions events (<i>number of events</i>) | 0 | 0% |
| Audits | Letters notifying the executive director of an intended audit conducted under the Texas Environmental, Health, and Safety Audit Privilege Act, 74th Legislature, 1995 (<i>number of audits for which notices were submitted</i>) | 0 | 0% |
| | Disclosures of violations under the Texas Environmental, Health, and Safety Audit Privilege Act, 74th Legislature, 1995 (<i>number of audits for which violations were disclosed</i>) | 0 | 0% |
| Other | Environmental management systems in place for one year or more | No | 0% |
| | Voluntary on-site compliance assessments conducted by the executive director under a special assistance program | No | 0% |
| | Participation in a voluntary pollution reduction program | No | 0% |
| | Early compliance with, or offer of a product that meets future state or federal government environmental requirements | No | 0% |

Adjustment Percentage (Subtotal 2) 35%

>> Repeat Violator (Subtotal 3)

No

Adjustment Percentage (Subtotal 3) 0%

>> Compliance History Person Classification (Subtotal 7)

Satisfactory Performer

Adjustment Percentage (Subtotal 7) 0%

>> Compliance History Summary

Compliance History Notes

Enhancement for seven months of self-reported effluent violations.

Total Compliance History Adjustment Percentage (Subtotals 2, 3, & 7) 35%

>> Final Compliance History Adjustment

Final Adjustment Percentage *capped at 100% 35%

| | | |
|--|-----------------------------------|--|
| Screening Date 21-Dec-2022 Respondent Aqua Texas, Inc. Case ID No. 63467 Reg. Ent. Reference No. RN101702397 Media Water Quality Enf. Coordinator Kolby Farren Violation Number 1 | Docket No. 2023-0029-MWD-E | PCW <i>Policy Revision 5 (January 28, 2021)</i> <i>PCW Revision February 11, 2021</i> |
|--|-----------------------------------|--|

| | |
|------------------------------|---|
| Rule Cite(s) | 30 Tex. Admin. Code § 305.125(1), Tex. Water Code § 26.121(a)(1), and Texas Pollutant Discharge Elimination System ("TPDES") Permit No. WQ0013786001, Effluent Limitations and Monitoring Requirements No. 1. |
| Violation Description | Failed to comply with permitted effluent limitations, as shown in the attached effluent violation table. |

| | |
|---------------------|----------|
| Base Penalty | \$25,000 |
|---------------------|----------|

>> Environmental, Property and Human Health Matrix

| | | | | | | |
|-----------|----------------|-------------|-------|----------|-------|----------------------|
| OR | | Harm | Major | Moderate | Minor | |
| | Release | | | | | |
| | Actual | | X | | | |
| | Potential | | | | | Percent 25.0% |

>> Programmatic Matrix

| | | | | | |
|--|---------------|-------|----------|-------|---------------------|
| | Falsification | Major | Moderate | Minor | |
| | | | | | Percent 0.0% |

| | |
|--------------|---|
| Matrix Notes | A simplified model was used to evaluate biochemical oxygen demand to determine whether the discharged amounts of pollutants exceeded protective levels. Total suspended solids and flow were also considered. Human health or the environment has been exposed to significant amounts of pollutants that do not exceed levels that are protective of human health or environmental receptors as a result of the violations. |
|--------------|---|

| | |
|-------------------------------|---------|
| Violation Base Penalty | \$6,250 |
|-------------------------------|---------|

Violation Events

| | | | |
|----------------------------|---|--------------------------|----|
| Number of Violation Events | 2 | Number of violation days | 61 |
|----------------------------|---|--------------------------|----|

| | | | | | |
|--------------|--|---|--|--|--|
| daily | | | | | |
| weekly | | | | | |
| monthly | | X | | | |
| quarterly | | | | | |
| semiannual | | | | | |
| annual | | | | | |
| single event | | | | | |

| | |
|-------------------------------|----------|
| Violation Base Penalty | \$12,500 |
|-------------------------------|----------|

| |
|--|
| Two monthly events are recommended for the months of March and April 2022. |
|--|

Good Faith Efforts to Comply

| | | | |
|---------------|--|-----------------------------------|--|
| | 0.0% | | |
| | Before NOE/NOV | NOE/NOV to EDPRP/Settlement Offer | |
| Extraordinary | | | |
| Ordinary | | | |
| N/A | X | | |
| Notes | The Respondent does not meet the good faith criteria for this violation. | | |

| | |
|---------------------------|----------|
| Violation Subtotal | \$12,500 |
|---------------------------|----------|

Economic Benefit (EB) for this violation

| | |
|---------------------|---------|
| Estimated EB Amount | \$4,158 |
|---------------------|---------|

Statutory Limit Test

| | |
|--|----------|
| Violation Final Penalty Total | \$16,875 |
| This violation Final Assessed Penalty (adjusted for limits) | \$16,875 |

Economic Benefit Worksheet

Respondent Aqua Texas, Inc.
Case ID No. 63467
Reg. Ent. Reference No. RN101702397
Media Water Quality
Violation No. 1

| Percent Interest | Years of Depreciation |
|------------------|-----------------------|
| 5.0 | 15 |

| Item Description | Item Cost | Date Required | Final Date | Yrs | Interest Saved | Costs Saved | EB Amount |
|------------------|-----------|---------------|------------|-----|----------------|-------------|-----------|
|------------------|-----------|---------------|------------|-----|----------------|-------------|-----------|

Delayed Costs

| | | | | | | | |
|--------------------------|--|-------------|-------------|------|---------|-----|---------|
| Equipment | | | | 0.00 | \$0 | \$0 | \$0 |
| Buildings | | | | 0.00 | \$0 | \$0 | \$0 |
| Other (as needed) | | | | 0.00 | \$0 | \$0 | \$0 |
| Engineering/Construction | | | | 0.00 | \$0 | \$0 | \$0 |
| Land | | | | 0.00 | \$0 | n/a | \$0 |
| Record Keeping System | | | | 0.00 | \$0 | n/a | \$0 |
| Training/Sampling | | | | 0.00 | \$0 | n/a | \$0 |
| Remediation/Disposal | | | | 0.00 | \$0 | n/a | \$0 |
| Permit Costs | | | | 0.00 | \$0 | n/a | \$0 |
| Other (as needed) | \$25,000 | 31-Mar-2022 | 27-Jul-2025 | 3.33 | \$4,158 | n/a | \$4,158 |
| Notes for DELAYED costs | Estimated cost to determine the cause of noncompliance, make the necessary repairs/adjustments to the Facility, and achieve compliance with the permitted effluent limitations. The Date Required is the end date of the first month of noncompliance, and the Final Date is the estimated date of compliance. | | | | | | |

Avoided Costs

ANNUALIZE avoided costs before entering item (except for one-time avoided costs)

| | | | | | | | |
|-------------------------------|--|--|--|------|-----|-----|-----|
| Disposal | | | | 0.00 | \$0 | \$0 | \$0 |
| Personnel | | | | 0.00 | \$0 | \$0 | \$0 |
| Inspection/Reporting/Sampling | | | | 0.00 | \$0 | \$0 | \$0 |
| Supplies/Equipment | | | | 0.00 | \$0 | \$0 | \$0 |
| Financial Assurance | | | | 0.00 | \$0 | \$0 | \$0 |
| ONE-TIME avoided costs | | | | 0.00 | \$0 | \$0 | \$0 |
| Other (as needed) | | | | 0.00 | \$0 | \$0 | \$0 |
| Notes for AVOIDED costs | | | | | | | |

| | | | |
|----------------------------|----------|--------------|---------|
| Approx. Cost of Compliance | \$25,000 | TOTAL | \$4,158 |
|----------------------------|----------|--------------|---------|

Aqua Texas, Inc. (Canyon Creek WWTP)

TPDES Permit No. WQ0013786001

Docket No. 2023-0029-MWD-E

Case No.: 63467

Effluent Violation Table

| Monitoring Period | Biochemical Oxygen Demand (5-day) Daily Avg. Conc. Limit = 10 mg/L | Biochemical Oxygen Demand (5-day) Daily Avg. Loading Limit = 3.5 lbs/day | Total Suspended Solids Daily Avg. Conc. Limit = 15 mg/L | Total Suspended Solids Daily Avg. Loading Limit = 5.3 lbs/day | Flow Daily Avg. Limit = 0.042 MGD |
|-------------------|--|--|--|--|--|
| March 2022 | 19.4 | 3.65 | c | c | c |
| April 2022 | 11 | 6.05 | 16.9 | 5.63 | 0.049 |

mg/L = milligrams per liter

Avg. = average

lbs/day = pounds per day

Conc. = concentration

MGD = million gallons per day

c = compliant



Compliance History Report

Compliance History Report for CN604062463, RN101702397, Rating Year 2024 which includes Compliance History (CH) components from September 1, 2019, through August 31, 2024.

| | | | | | |
|---|---|--------------------------|---------------|---------------------|------------|
| Customer, Respondent, or Owner/Operator: | CN604062463, Aqua Texas, Inc. | Classification: | SATISFACTORY | Rating: | 2.73 |
| Regulated Entity: | RN101702397, CANYON CREEK WWTP | Classification: | SATISFACTORY | Rating: | 2.50 |
| Complexity Points: | 6 | Repeat Violator: | NO | | |
| CH Group: | 08 - Sewage Treatment Facilities | | | | |
| Location: | adjacent to Lake Granbury, approximately 2.0 miles north of the intersection of Farm-to-Market Road 2425 and Farm-to-Market Road 3210, Walters Bend, Hood County, Texas | | | | |
| TCEQ Region: | REGION 04 - DFW METROPLEX | | | | |
| ID Number(s): | | | | | |
| WASTEWATER PERMIT | WQ0013786001 | WASTEWATER EPA ID | TX0089338 | | |
| Compliance History Period: | September 01, 2019 to August 31, 2024 | Rating Year: | 2024 | Rating Date: | 09/01/2024 |
| Date Compliance History Report Prepared: | November 26, 2024 | | | | |
| Agency Decision Requiring Compliance History: | Enforcement | | | | |
| Component Period Selected: | November 26, 2019 to November 26, 2024 | | | | |
| TCEQ Staff Member to Contact for Additional Information Regarding This Compliance History. | | | | | |
| Name: | Kolby Farren | | Phone: | (512) 239-2098 | |

Site and Owner/Operator History:

- | | |
|--|-----|
| 1) Has the site been in existence and/or operation for the full five-year compliance period? | YES |
| 2) Has there been a (known) change in ownership/operator of the site during the compliance period? | NO |

Components (Multimedia) for the Site Are Listed in Sections A - J

| | | | | | |
|---|--------------------|-----------|---------|--------------------|-----------|
| A. Final Orders, court judgments, and consent decrees: | | | | | |
| N/A | | | | | |
| B. Criminal convictions: | | | | | |
| N/A | | | | | |
| C. Chronic excessive emissions events: | | | | | |
| N/A | | | | | |
| D. The approval dates of investigations (CCEDS Inv. Track. No.): | | | | | |
| Item 1 | December 20, 2019 | (1627614) | Item 14 | February 20, 2021 | (1729094) |
| Item 2 | January 20, 2020 | (1635245) | Item 15 | March 18, 2021 | (1729095) |
| Item 3 | March 20, 2020 | (1648374) | Item 16 | April 20, 2021 | (1729096) |
| Item 4 | April 17, 2020 | (1654726) | Item 17 | May 20, 2021 | (1741842) |
| Item 5 | May 11, 2020 | (1661292) | Item 18 | June 20, 2021 | (1748196) |
| Item 6 | June 15, 2020 | (1667819) | Item 19 | July 20, 2021 | (1752887) |
| Item 7 | July 17, 2020 | (1674767) | Item 20 | August 20, 2021 | (1758295) |
| Item 8 | September 17, 2020 | (1688115) | Item 21 | September 20, 2021 | (1767568) |
| Item 9 | September 23, 2020 | (1681537) | Item 22 | October 20, 2021 | (1778082) |
| Item 10 | October 20, 2020 | (1694471) | Item 23 | November 19, 2021 | (1784813) |
| Item 11 | November 20, 2020 | (1716021) | Item 24 | December 19, 2021 | (1791845) |
| Item 12 | December 18, 2020 | (1716022) | Item 25 | January 20, 2022 | (1799695) |
| Item 13 | January 20, 2021 | (1716023) | Item 26 | February 16, 2022 | (1807530) |

| | | | | | |
|---------|--------------------|-----------|---------|--------------------|-----------|
| Item 27 | April 08, 2022 | (1814571) | Item 38 | April 10, 2023 | (1906522) |
| Item 28 | June 20, 2022 | (1836286) | Item 39 | May 08, 2023 | (1913675) |
| Item 29 | July 19, 2022 | (1843472) | Item 40 | June 12, 2023 | (1920284) |
| Item 30 | August 16, 2022 | (1849636) | Item 41 | August 07, 2023 | (1934213) |
| Item 31 | September 13, 2022 | (1857403) | Item 42 | September 08, 2023 | (1940386) |
| Item 32 | October 14, 2022 | (1863758) | Item 43 | October 06, 2023 | (1947192) |
| Item 33 | November 11, 2022 | (1870666) | Item 44 | November 06, 2023 | (1952880) |
| Item 34 | December 12, 2022 | (1876523) | Item 45 | January 05, 2024 | (1969240) |
| Item 35 | January 06, 2023 | (1883335) | Item 46 | March 18, 2024 | (1984879) |
| Item 36 | February 08, 2023 | (1891151) | Item 47 | April 05, 2024 | (1991402) |
| Item 37 | March 06, 2023 | (1899719) | | | |

E. Written notices of violations (NOV) (CCEDS Inv. Track. No.):

A notice of violation represents a written allegation of a violation of a specific regulatory requirement from the commission to a regulated entity. A notice of violation is not a final enforcement action, nor proof that a violation has actually occurred.

- 1 Date: 11/30/2023 (1962653)
Self Report? YES Classification: Moderate
Citation: 2D TWC Chapter 26, SubChapter A 26.121(a)
30 TAC Chapter 305, SubChapter F 305.125(1)
Description: Failure to meet the limit for one or more permit parameter
- 2 Date: 01/31/2024 (1978306)
Self Report? YES Classification: Moderate
Citation: 2D TWC Chapter 26, SubChapter A 26.121(a)
30 TAC Chapter 305, SubChapter F 305.125(1)
Description: Failure to meet the limit for one or more permit parameter
- 3 Date: 04/30/2024 (1997858)
Self Report? YES Classification: Moderate
Citation: 2D TWC Chapter 26, SubChapter A 26.121(a)
30 TAC Chapter 305, SubChapter F 305.125(1)
Description: Failure to meet the limit for one or more permit parameter
- 4 Date: 05/31/2024 (2004820)
Self Report? YES Classification: Moderate

Citation: 2D TWC Chapter 26, SubChapter A 26.121(a)
30 TAC Chapter 305, SubChapter F 305.125(1)
Description: Failure to meet the limit for one or more permit parameter
- 5 Date: 06/30/2024 (2012388)
Self Report? YES Classification: Moderate
Citation: 2D TWC Chapter 26, SubChapter A 26.121(a)
30 TAC Chapter 305, SubChapter F 305.125(1)
Description: Failure to meet the limit for one or more permit parameter
- 6 Date: 07/31/2024 (2017958)
Self Report? YES Classification: Moderate
Citation: 2D TWC Chapter 26, SubChapter A 26.121(a)
30 TAC Chapter 305, SubChapter F 305.125(1)
Description: Failure to meet the limit for one or more permit parameter
- 7 Date: 08/31/2024 (2024993)
Self Report? YES Classification: Moderate
Citation: 2D TWC Chapter 26, SubChapter A 26.121(a)
30 TAC Chapter 305, SubChapter F 305.125(1)
Description: Failure to meet the limit for one or more permit parameter

F. Environmental audits:

N/A

G. Type of environmental management systems (EMSs):

N/A

H. Voluntary on-site compliance assessment dates:

N/A

I. Participation in a voluntary pollution reduction program:

N/A

J. Early compliance:

N/A

Sites Outside of Texas:

N/A

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY



IN THE MATTER OF AN
ENFORCEMENT ACTION
CONCERNING
AQUA TEXAS, INC.
RN101702397

§ BEFORE THE
§ TEXAS COMMISSION ON
§ ENVIRONMENTAL QUALITY
§

AGREED ORDER DOCKET NO. 2023-0029-MWD-E

I. JURISDICTION AND STIPULATIONS

On _____, the Texas Commission on Environmental Quality ("the Commission" or "TCEQ") considered this agreement of the parties, resolving an enforcement action regarding Aqua Texas, Inc. (the "Respondent") under the authority of TEX. WATER CODE chs. 7 and 26. The Executive Director of the TCEQ, through the Enforcement Division, and the Respondent together stipulate that:

1. The Respondent owns and operates a wastewater treatment facility located adjacent to Lake Granbury, approximately 2.0 miles north of the intersection of Farm-to-Market Road 2425 and Farm-to-Market Road 3210, in Hood County, Texas (the "Facility"). The Facility is near or adjacent to water in the state as defined in TEX. WATER CODE § 26.001(5).
2. The Executive Director and the Respondent agree that the TCEQ has jurisdiction to enter this Order pursuant to TEX. WATER CODE §§ 7.002, 7.051, and 7.073, and that the Respondent is subject to TCEQ's jurisdiction. The TCEQ has jurisdiction in this matter pursuant to TEX. WATER CODE § 5.013 because it alleges violations of TEX. WATER CODE ch. 26 and the rules of the TCEQ.
3. The occurrence of any violation is in dispute and the entry of this Order shall not constitute an admission by the Respondent of any violation alleged in Section II ("Allegations"), nor of any statute or rule.
4. An administrative penalty in the amount of \$16,875 is assessed by the Commission in settlement of the violations alleged in Section II ("Allegations"). The Respondent paid \$13,500 of the penalty and \$3,375 is deferred contingent upon the Respondent's timely and satisfactory compliance with all the terms of this Order. The deferred amount shall be waived only upon full compliance with all the terms and conditions contained in this Order. If the Respondent fails to timely and satisfactorily comply with any of the terms or requirements contained in this Order, the Executive Director may demand payment of all or part of the deferred penalty amount.
5. The Executive Director and the Respondent agree on a settlement of the matters alleged in this enforcement action, subject to final approval in accordance with 30 TEX. ADMIN. CODE § 70.10(a). Any notice and procedures, which might otherwise be authorized or required in this action, are waived in the interest of a more timely resolution of the matter.

6. The Executive Director may, without further notice or hearing, refer this matter to the Office of the Attorney General of the State of Texas ("OAG") for further enforcement proceedings if the Executive Director determines that the Respondent has not complied with one or more of the terms or conditions in this Order.
7. This Order represents the complete and fully integrated agreement of the parties. The provisions of this Order are deemed severable and, if a court of competent jurisdiction or other appropriate authority deems any provision of this Order unenforceable, the remaining provisions shall be valid and enforceable.
8. This Order shall terminate five years from its effective date or upon compliance with all the terms and conditions set forth in this Order, whichever is later.

II. ALLEGATIONS

During a record review for the Facility conducted on July 28, 2022, an investigator documented that the Respondent failed to comply with permitted effluent limitations, in violation of 30 TEX. ADMIN. CODE § 305.125(1), TEX. WATER CODE § 26.121(a)(1), and Texas Pollutant Discharge Elimination System ("TPDES") Permit No. WQ0013786001, Effluent Limitations and Monitoring Requirements No. 1, as shown in the effluent violation table below:

| Effluent Violation Table | | | | | |
|--------------------------|--|--|---|---|-----------------------------------|
| Monitoring Period | Biochemical Oxygen Demand (5-day) Daily Avg. Conc. Limit = 10 mg/L | Biochemical Oxygen Demand (5-day) Daily Avg. Loading Limit = 3.5 lbs/day | Total Suspended Solids Daily Avg. Conc. Limit = 15 mg/L | Total Suspended Solids Daily Avg. Loading Limit = 5.3 lbs/day | Flow Daily Avg. Limit = 0.042 MGD |
| March 2022 | 19.4 | 3.65 | c | c | c |
| April 2022 | 11 | 6.05 | 16.9 | 5.63 | 0.049 |

mg/L = milligrams per liter
Avg. = average

lbs/day = pounds per day
Conc. = concentration

MGD = million gallons per day
c = compliant

III. DENIALS

The Respondent generally denies each allegation in Section II ("Allegations").

IV. ORDERING PROVISIONS

NOW, THEREFORE, THE TEXAS COMMISSION ON ENVIRONMENTAL QUALITY ORDERS that:

1. The Respondent is assessed a penalty as set forth in Section I, Paragraph No. 4. The payment of this penalty and the Respondent's compliance with all of the requirements set forth in this Order resolve only the allegations in Section II. The Commission shall not be constrained in any manner from requiring corrective action or penalties for violations which are not raised here. Penalty payments shall be made payable to "TCEQ" and shall be sent with the notation "Re: Aqua Texas, Inc., Docket No. 2023-0029-MWD-E" to:

Financial Administration Division, Revenue Operations Section
Attention: Cashier's Office, MC 214
Texas Commission on Environmental Quality
P.O. Box 13088
Austin, Texas 78711-3088

2. The Respondent shall within 130 days after the effective date of this Order, submit written certification of compliance with the permitted effluent limitations of TPDES Permit No. WQ0013786001, including specific corrective actions that were implemented at the Facility to achieve compliance and copies of the most current self-reported discharge monitoring reports, demonstrating at least three consecutive months of compliance with all permitted effluent limitation, and include detained supporting documentation including photographs, receipts, and/or other records to demonstrate compliance. The certification shall be signed by the Respondent and shall include the following certification language:

"I certify under penalty of law that I have personally examined and am familiar with the information submitted and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fines and imprisonment for knowing violations."

The certification shall be submitted to:

Enforcement Division, MC 149A
Texas Commission on Environmental Quality
P.O. Box 13087
Austin, Texas 78711-3087

with a copy to:

Water Section Manager
Dallas/Fort Worth Regional Office
Texas Commission on Environmental Quality
2309 Gravel Drive
Fort Worth, Texas 76118-6951

3. All relief not expressly granted in this Order is denied.
4. The duties and provisions imposed by this Order shall apply to and be binding upon the Respondent. The Respondent is ordered to give notice of this Order to personnel who maintain day-to-day control over the Facility operations referenced in this Order.
5. The Executive Director may grant an extension of any deadline in this Order or in any plan, report, or other document submitted pursuant to this Order, upon a written and substantiated showing of good cause. All requests for extensions by the Respondent shall be made in writing to the Executive Director. Extensions are not effective until the Respondent receives written approval from the Executive Director. The determination

of what constitutes good cause rests solely with the Executive Director. Extension requests shall be sent to the Enforcement Division at the address listed above.

6. This Order, issued by the Commission, shall not be admissible against the Respondent in a civil proceeding, unless the proceeding is brought by the OAG to: (1) enforce the terms of this Order; or (2) pursue violations of a statute within the Commission's jurisdiction, or of a rule adopted or an order or permit issued by the Commission under such a statute.
7. This Order may be executed in separate and multiple counterparts, which together shall constitute a single instrument. Any page of this Order may be copied, scanned, digitized, converted to electronic portable document format ("pdf"), or otherwise reproduced and may be transmitted by digital or electronic transmission, including but not limited to facsimile transmission and electronic mail. Any signature affixed to this Order shall constitute an original signature for all purposes and may be used, filed, substituted, or issued for any purpose for which an original signature could be used. The term "signature" shall include manual signatures and true and accurate reproductions of manual signatures created, executed, endorsed, adopted, or authorized by the person or persons to whom the signatures are attributable. Signatures may be copied or reproduced digitally, electronically, by photocopying, engraving, imprinting, lithographing, electronic mail, facsimile transmission, stamping, or any other means or process which the Executive Director deems acceptable. In this paragraph exclusively, the terms: electronic transmission, owner, person, writing, and written, shall have the meanings assigned to them under TEX. BUS. ORG. CODE § 1.002.
8. The effective date of this Order is the date it is signed by the Commission. A copy of this fully executed Order shall be provided to each of the parties.

SIGNATURE PAGE

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

For the Commission

Date



For the Executive Director

4/15/2025

Date

I, the undersigned, have read and understand the attached Order. I am authorized to agree to the attached Order, and I do agree to the terms and conditions specified therein. I further acknowledge that the TCEQ, in accepting payment for the penalty amount, is materially relying on such representation.

I also understand that failure to comply with the Ordering Provisions, if any, in this Order and/or failure to timely pay the penalty amount, may result in:

- A negative impact on compliance history;
- Greater scrutiny of any permit applications submitted;
- Referral of this case to the OAG for contempt, injunctive relief, additional penalties, and/or attorney fees, or to a collection agency;
- Increased penalties in any future enforcement actions;
- Automatic referral to the OAG of any future enforcement actions; and
- TCEQ seeking other relief as authorized by law.


In addition, any falsification of any compliance documents may result in criminal prosecution.



Signature

1/31/25

Date



Name (Printed or typed)
Authorized Representative of
Aqua Texas, Inc.



Title

☐ If mailing address has changed, please check this box and provide the new address below:

Instructions: Send the original, signed Order with penalty payment to the Financial Administration Division, Revenue Operations Section at the address in Ordering Provision 1 of this Order.