

Executive Summary – Enforcement Matter – Case No. 63683

Brazoria County

RN101267029

Docket No. 2023-0297-PWS-E

Order Type:

Findings Agreed Order

Findings Order Justification:

Three repeated enforcement actions (or two orders with nuisance violations) over the prior five year period for the same violation(s).

Media:

PWS

Small Business:

No

Location(s) Where Violation(s) Occurred:

Brazoria County Sheriff's Office Detention Center, 3602 County Road 45, Angleton, Brazoria County

Type of Operation:

Public water supply

Other Significant Matters:

Additional Pending Enforcement Actions: No

Past-Due Penalties: No

Other: N/A

Interested Third-Parties: None

Texas Register Publication Date: April 26, 2024

Comments Received: No

Penalty Information

Total Penalty Assessed: \$1,312

Amount Deferred for Naturally Occurring Inorganic Contaminants: \$1,312

Total Paid to General Revenue: \$0

Total Due to General Revenue: \$0

Payment Plan: N/A

Compliance History Classifications:

Person/CN - High

Site/RN - Unclassified

Major Source: No

Statutory Limit Adjustment: N/A

Applicable Penalty Policy: January 2021

Investigation Information

Complaint Date(s): N/A

Complaint Information: N/A

Date(s) of Investigation: January 9, 2023 through January 20, 2023

Date(s) of NOE(s): January 20, 2023

Executive Summary – Enforcement Matter – Case No. 63683

Brazoria County

RN101267029

Docket No. 2023-0297-PWS-E

Violation Information

Failed to comply with the maximum contaminant level of 0.010 milligrams per liter for arsenic based on a running annual average [30 TEX. ADMIN. CODE § 290.106(f)(3)(C) and TEX. HEALTH & SAFETY CODE § 341.0315(c)].

Corrective Actions/Technical Requirements

Corrective Action(s) Completed:

On June 16, 2023, the Respondent returned to compliance with the maximum contaminant level for arsenic based on the running annual average at the Facility.

Technical Requirements:

N/A

Contact Information

TCEQ Attorney: N/A

TCEQ Enforcement Coordinator: Miles Caston, Enforcement Division, Enforcement Team 4, MC 219, (512) 239-4593; Michael Parrish, Enforcement Division, MC 219, (512) 239-2548

Respondent: Ian Patin, Chief Deputy, Brazoria County, 3602 County Road 45, Angleton, Texas 77515

The Honorable L.M. “Matt” Sebesta, Jr., County Judge, Brazoria County, 3602 County Road 45, Angleton, Texas 77515

Respondent's Attorney: N/A



Penalty Calculation Worksheet (PCW)

Policy Revision 5 (January 28, 2021)

PCW Revision February 11, 2021

DATES	Assigned	23-Jan-2023			
	PCW	14-Mar-2023	Screening	8-Feb-2023	EPA Due 31-Mar-2023

RESPONDENT/FACILITY INFORMATION					
Respondent	Brazoria County				
Reg. Ent. Ref. No.	RN101267029				
Facility/Site Region	12-Houston	Major/Minor Source	Minor		

CASE INFORMATION					
Enf./Case ID No.	63683	No. of Violations	1		
Docket No.	2023-0297-PWS-E	Order Type	Findings		
Media Program(s)	Public Water Supply	Government/Non-Profit	Yes		
Multi-Media		Enf. Coordinator	Miles Caston		
		EC's Team	Enforcement Team 4		
Admin. Penalty \$ Limit Minimum	\$50	Maximum	\$5,000		

Penalty Calculation Section

TOTAL BASE PENALTY (Sum of violation base penalties)	Subtotal 1	\$1,250
---	-------------------	---------

ADJUSTMENTS (+/-) TO SUBTOTAL 1

Subtotals 2-7 are obtained by multiplying the Total Base Penalty (Subtotal 1) by the indicated percentage.

Compliance History	15.0% Adjustment	Subtotals 2, 3, & 7	\$187
---------------------------	------------------	--------------------------------	-------

Notes: Enhancement for one agreed order without a denial of liability.
Reduction for High Performer classification.

Culpability	No	0.0% Enhancement	Subtotal 4	\$0
--------------------	----	------------------	-------------------	-----

Notes: The Respondent does not meet the culpability criteria.

Good Faith Effort to Comply Total Adjustments	Subtotal 5	-\$125
--	-------------------	--------

Economic Benefit	0.0% Enhancement*	Subtotal 6	\$0
-------------------------	-------------------	-------------------	-----

Total EB Amounts	\$2,692	*Capped at the Total EB \$ Amount
Estimated Cost of Compliance	\$40,000	

SUM OF SUBTOTALS 1-7	Final Subtotal	\$1,312
-----------------------------	-----------------------	---------

OTHER FACTORS AS JUSTICE MAY REQUIRE	0.0%	Adjustment	\$0
---	------	-------------------	-----

Reduces or enhances the Final Subtotal by the indicated percentage.

Notes:

Final Penalty Amount	\$1,312
-----------------------------	---------

STATUTORY LIMIT ADJUSTMENT	Final Assessed Penalty	\$1,312
-----------------------------------	-------------------------------	---------

DEFERRAL	100.0%	Reduction	Adjustment	-\$1,312
-----------------	--------	-----------	-------------------	----------

Reduces the Final Assessed Penalty by the indicated percentage.

Notes: The executive director recommends a conditional deferral for naturally occurring constituents.

PAYABLE PENALTY	\$0
------------------------	-----

Screening Date 8-Feb-2023

Docket No. 2023-0297-PWS-E

PCW

Respondent Brazoria County

Policy Revision 5 (January 28, 2021)

Case ID No. 63683

PCW Revision February 11, 2021

Reg. Ent. Reference No. RN101267029

Media Public Water Supply

Enf. Coordinator Miles Caston

Compliance History Worksheet

>> Compliance History Site Enhancement (Subtotal 2)

Component	Number of...	Number	Adjust.
NOVs	Written notices of violation ("NOVs") with same or similar violations as those in the current enforcement action (<i>number of NOVs meeting criteria</i>)	0	0%
	Other written NOVs	0	0%
Orders	Any agreed final enforcement orders containing a denial of liability (<i>number of orders meeting criteria</i>)	0	0%
	Any adjudicated final enforcement orders, agreed final enforcement orders without a denial of liability, or default orders of this state or the federal government, or any final prohibitory emergency orders issued by the commission	1	25%
Judgments and Consent Decrees	Any non-adjudicated final court judgments or consent decrees containing a denial of liability of this state or the federal government (<i>number of judgments or consent decrees meeting criteria</i>)	0	0%
	Any adjudicated final court judgments and default judgments, or non-adjudicated final court judgments or consent decrees without a denial of liability, of this state or the federal government	0	0%
Convictions	Any criminal convictions of this state or the federal government (<i>number of counts</i>)	0	0%
Emissions	Chronic excessive emissions events (<i>number of events</i>)	0	0%
Audits	Letters notifying the executive director of an intended audit conducted under the Texas Environmental, Health, and Safety Audit Privilege Act, 74th Legislature, 1995 (<i>number of audits for which notices were submitted</i>)	0	0%
	Disclosures of violations under the Texas Environmental, Health, and Safety Audit Privilege Act, 74th Legislature, 1995 (<i>number of audits for which violations were disclosed</i>)	0	0%
Other	Environmental management systems in place for one year or more	No	0%
	Voluntary on-site compliance assessments conducted by the executive director under a special assistance program	No	0%
	Participation in a voluntary pollution reduction program	No	0%
	Early compliance with, or offer of a product that meets future state or federal government environmental requirements	No	0%

Adjustment Percentage (Subtotal 2) 25%

>> Repeat Violator (Subtotal 3)

No

Adjustment Percentage (Subtotal 3) 0%

>> Compliance History Person Classification (Subtotal 7)

High Performer

Adjustment Percentage (Subtotal 7) -10%

>> Compliance History Summary

Compliance History Notes

Enhancement for one agreed order without a denial of liability.
Reduction for High Performer classification.

Total Compliance History Adjustment Percentage (Subtotals 2, 3, & 7) 15%

>> Final Compliance History Adjustment

Final Adjustment Percentage *capped at 100% 15%

Screening Date 8-Feb-2023 **Docket No.** 2023-0297-PWS-E **PCW**
Respondent Brazoria County *Policy Revision 5 (January 28, 2021)*
Case ID No. 63683 *PCW Revision February 11, 2021*
Reg. Ent. Reference No. RN101267029
Media Public Water Supply
Enf. Coordinator Miles Caston

Violation Number

Rule Cite(s)

Violation Description

Base Penalty

>> Environmental, Property and Human Health Matrix

OR	Release	Harm			Percent
		Major	Moderate	Minor	
	Actual	<input type="text"/>	<input checked="" type="text" value="x"/>	<input type="text"/>	<input type="text" value="25.0%"/>
	Potential	<input type="text"/>	<input type="text"/>	<input type="text"/>	

>> Programmatic Matrix

	Falsification	Major	Moderate	Minor	Percent
	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0.0%"/>

Matrix Notes

Adjustment

Violation Events

Number of Violation Events Number of violation days

daily	<input type="text"/>
weekly	<input type="text"/>
monthly	<input type="text"/>
quarterly	<input type="text"/>
semiannual	<input type="text"/>
annual	<input checked="" type="text" value="x"/>
single event	<input type="text"/>

Violation Base Penalty

Good Faith Efforts to Comply

Reduction

	Before NOE/NOV	NOE/NOV to EDPRP/Settlement Offer
Extraordinary	<input type="text"/>	<input type="text"/>
Ordinary	<input type="text"/>	<input checked="" type="text" value="x"/>
N/A	<input type="text"/>	<input type="text"/>

Notes

Violation Subtotal

Economic Benefit (EB) for this violation

Statutory Limit Test

Estimated EB Amount

Violation Final Penalty Total

This violation Final Assessed Penalty (adjusted for limits)

Economic Benefit Worksheet

Respondent Brazoria County
Case ID No. 63683
Reg. Ent. Reference No. RN101267029
Media Public Water Supply
Violation No. 1

Percent Interest	Years of Depreciation
5.0	15

Item Description	Item Cost	Date Required	Final Date	Yrs	Interest Saved	Costs Saved	EB Amount
------------------	-----------	---------------	------------	-----	----------------	-------------	-----------

Delayed Costs

Equipment				0.00	\$0	\$0	\$0
Buildings				0.00	\$0	\$0	\$0
Other (as needed)	\$40,000	30-Jun-2022	16-Jun-2023	0.96	\$128	\$2,564	\$2,692
Engineering/Construction				0.00	\$0	\$0	\$0
Land				0.00	\$0	n/a	\$0
Record Keeping System				0.00	\$0	n/a	\$0
Training/Sampling				0.00	\$0	n/a	\$0
Remediation/Disposal				0.00	\$0	n/a	\$0
Permit Costs				0.00	\$0	n/a	\$0
Other (as needed)				0.00	\$0	n/a	\$0

Notes for DELAYED costs

The delayed cost includes the estimated amount to investigate, identify, and implement the necessary corrective actions to return to compliance with the MCL for arsenic, calculated from the last day of the first quarter of noncompliance to the date of compliance.

Avoided Costs

ANNUALIZE avoided costs before entering item (except for one-time avoided costs)

Disposal				0.00	\$0	\$0	\$0
Personnel				0.00	\$0	\$0	\$0
Inspection/Reporting/Sampling				0.00	\$0	\$0	\$0
Supplies/Equipment				0.00	\$0	\$0	\$0
Financial Assurance				0.00	\$0	\$0	\$0
ONE-TIME avoided costs				0.00	\$0	\$0	\$0
Other (as needed)				0.00	\$0	\$0	\$0

Notes for AVOIDED costs

Approx. Cost of Compliance

\$40,000

TOTAL

\$2,692



Compliance History Report

Compliance History Report for CN600247092, RN101267029, Rating Year 2023 which includes Compliance History (CH) components from September 1, 2018, through August 31, 2023.

Customer, Respondent, or Owner/Operator: CN600247092, Brazoria County **Classification:** HIGH **Rating:** 0.00

Regulated Entity: RN101267029, BRAZORIA COUNTY SHERIFFS OFFICE DETENTION CENTER **Classification:** UNCLASSIFIED **Rating:** -----

Complexity Points: 4 **Repeat Violator:** NO

CH Group: 14 - Other

Location: 3602 COUNTY ROAD 45 NEAR ANGLETON, BRAZORIA COUNTY, TEXAS

TCEQ Region: REGION 12 - HOUSTON

ID Number(s):
PUBLIC WATER SYSTEM/SUPPLY REGISTRATION **AIR NEW SOURCE PERMITS REGISTRATION** 76858
0200412
PETROLEUM STORAGE TANK REGISTRATION
REGISTRATION 77249

Compliance History Period: September 01, 2018 to August 31, 2023 **Rating Year:** 2023 **Rating Date:** 09/01/2023

Date Compliance History Report Prepared: January 31, 2024

Agency Decision Requiring Compliance History: Enforcement

Component Period Selected: January 31, 2019 to January 31, 2024

TCEQ Staff Member to Contact for Additional Information Regarding This Compliance History.
Name: Miles Caston **Phone:** (512) 239-4593

Site and Owner/Operator History:

- 1) Has the site been in existence and/or operation for the full five-year compliance period? YES
- 2) Has there been a (known) change in ownership/operator of the site during the compliance period? NO

Components (Multimedia) for the Site Are Listed in Sections A - J

A. Final Orders, court judgments, and consent decrees:

- 1 Effective Date: 12/21/2021 ADMINORDER 2021-0248-PWS-E (Findings Order-Agreed Order Without Denial)
Classification: Moderate
Citation: 30 TAC Chapter 290, SubChapter F 290.106(f)(3)(C)
5A THSC Chapter 341, SubChapter A 341.0315(c)
Description: ARS MCL 4Q2020 - During the 4th quarter of 2020 the system violated the maximum contaminant level for Arsenic with a RAA of 0.017 mg/L.
Classification: Moderate
Citation: 30 TAC Chapter 290, SubChapter F 290.106(f)(3)(C)
5A THSC Chapter 341, SubChapter A 341.0315(c)
Description: ARS MCL 3Q2020 - During the 3rd quarter of 2020 the system violated the maximum contaminant level for Arsenic with a RAA of 0.017 mg/L.
Classification: Moderate
Citation: 30 TAC Chapter 290, SubChapter F 290.106(f)(3)(C)
5A THSC Chapter 341, SubChapter A 341.0315(c)
Description: ARS MCL 2Q2020 - During the 2nd quarter of 2020 the system violated the maximum contaminant level for Arsenic with a RAA of 0.017 mg/L.

B. Criminal convictions:

N/A

C. Chronic excessive emissions events:

N/A

D. The approval dates of investigations (CCEDS Inv. Track. No.):

Item 1 July 27, 2021 (1744963)

E. Written notices of violations (NOV) (CCEDS Inv. Track. No.):

A notice of violation represents a written allegation of a violation of a specific regulatory requirement from the commission to a regulated entity. A notice of violation is not a final enforcement action, nor proof that a violation has actually occurred.

N/A

F. Environmental audits:

N/A

G. Type of environmental management systems (EMSs):

N/A

H. Voluntary on-site compliance assessment dates:

N/A

I. Participation in a voluntary pollution reduction program:

N/A

J. Early compliance:

N/A

Sites Outside of Texas:

N/A

Item 3*	July 27, 2021**	(1744963)
Item 4	January 18, 2023**	(1868880)
Item 5	January 20, 2023**	(1872839)

* No violations documented during this investigation

**Investigation applicable for the Compliance History Rating period between 09/01/2018 and 08/31/2023.

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY



IN THE MATTER OF AN
ENFORCEMENT ACTION
CONCERNING
BRAZORIA COUNTY
RN101267029

§
§
§
§
§

BEFORE THE
TEXAS COMMISSION ON
ENVIRONMENTAL QUALITY

AGREED ORDER DOCKET NO. 2023-0297-PWS-E

On _____, the Texas Commission on Environmental Quality ("the Commission" or "TCEQ") considered this agreement of the parties, resolving an enforcement action regarding Brazoria County (the "Respondent") under the authority of TEX. HEALTH & SAFETY CODE ch. 341. The Executive Director of the TCEQ, through the Enforcement Division, and the Respondent presented this Order to the Commission.

The Respondent understands that they have certain procedural rights at certain points in the enforcement process, including the right to formal notice of violations, notice of an evidentiary hearing, the right to an evidentiary hearing, and a right to appeal. By entering into this Order, the Respondent agrees to waive all notice and procedural rights.

It is further understood and agreed that this Order represents the complete and fully-integrated agreement of the parties. The provisions of this Order are deemed severable and, if a court of competent jurisdiction or other appropriate authority deems any provision of this Order unenforceable, the remaining provisions shall be valid and enforceable. The duties and responsibilities imposed by this Order are binding upon the Respondent.

The Commission makes the following Findings of Fact and Conclusions of Law:

I. FINDINGS OF FACT

1. The Respondent owns and operates a public water supply located at 3602 County Road 45 near Angleton, Brazoria County, Texas (the "Facility"). The Facility provides water for human consumption, has approximately 26 service connections, and serves at least 25 people per day for at least 60 days per year. As such, the Facility is a public water system as defined in 30 TEX. ADMIN. CODE § 290.38(73).
2. During a record review for the Facility conducted on January 9, 2023 through January 20, 2023, an investigator documented that the running annual average concentrations for arsenic were 0.012 milligrams per liter ("mg/L") for the second quarter of 2022, 0.012 mg/L for the third quarter of 2022, and 0.011 mg/L for the fourth quarter of 2022.
3. The Executive Director recognizes that on June 16, 2023, the Respondent returned to compliance with the maximum contaminant level ("MCL") for arsenic based on the running annual average at the Facility.

II. CONCLUSIONS OF LAW

1. As evidenced by Finding of Fact No. 1, the Respondent is subject to the jurisdiction of the TCEQ pursuant to TEX. HEALTH & SAFETY CODE ch. 341 and the rules of the TCEQ.
2. As evidenced by Finding of Fact No. 2, the Respondent failed to comply with the MCL of 0.010 mg/L for arsenic based on a running annual average, in violation of 30 TEX. ADMIN. CODE § 290.106(f)(3)(C) and TEX. HEALTH & SAFETY CODE § 341.0315(c).
3. Pursuant to TEX. HEALTH & SAFETY CODE § 341.049(a), the TCEQ has the authority to assess an administrative penalty against the Respondent for violations of state statutes within the TCEQ's jurisdiction, for violations of rules adopted under such statutes, or for violations of orders or permits issued under such statutes.
4. An administrative penalty in the amount of \$1,312 is justified by the facts recited in this Order and considered in light of the factors set forth in TEX. HEALTH & SAFETY CODE § 341.049(b). The amount of \$1,312 is deferred contingent upon the Respondent's timely and satisfactory compliance with all the terms of this Order and shall be waived only upon full compliance with all the terms and conditions contained in this Order. If the Respondent fails to timely and satisfactorily comply with any requirement contained in this Order, the Executive Director may demand payment of all or part of the conditionally deferred penalty.

III. ORDERING PROVISIONS

NOW, THEREFORE, THE TEXAS COMMISSION ON ENVIRONMENTAL QUALITY ORDERS that:

1. The Respondent is assessed a penalty as set forth in Conclusion of Law No. 4 for violations of state statutes and rules of the TCEQ. The payment of this penalty and the Respondent's compliance with all the requirements set forth in this Order resolve only the matters set forth by this Order in this action. The Commission shall not be constrained in any manner from requiring corrective actions or penalties for violations that are not raised here. Penalty payments shall be made payable to "TCEQ" and shall be sent with the notation "Re: Brazoria County, Docket No. 2023-0297-PWS-E" to:

Financial Administration Division, Revenue Operations Section
Attention: Cashier's Office, MC 214
Texas Commission on Environmental Quality
P.O. Box 13088
Austin, Texas 78711-3088

2. All relief not expressly granted in this Order is denied.
3. The duties and provisions imposed by this Order shall apply to and be binding upon the Respondent. The Respondent is ordered to give notice of this Order to personnel who maintain day-to-day control over the Facility operations referenced in this Order.
4. The Executive Director may grant an extension of any deadline in this Order or in any plan, report, or other document submitted pursuant to this Order, upon a written and

substantiated showing of good cause. All requests for extensions by the Respondent shall be made in writing to the Executive Director. Extensions are not effective until the Respondent receives written approval from the Executive Director. The determination of what constitutes good cause rests solely with the Executive Director.

5. The Executive Director may, without further notice or hearing, refer this matter to the Office of the Attorney General of the State of Texas ("OAG") for further enforcement proceedings if the Executive Director determines that the Respondent has not complied with one or more of the terms in this Order.
6. This Order shall terminate five years from its effective date or upon compliance with all the terms and conditions set forth in this Order, whichever is later.
7. This Order, issued by the Commission, shall not be admissible against the Respondent in a civil proceeding, unless the proceeding is brought by the OAG to: (1) enforce the terms of this Order; or (2) pursue violations of a statute within the Commission's jurisdiction, or of a rule adopted or an order or permit issued by the Commission under such a statute.
8. This Order may be executed in separate and multiple counterparts, which together shall constitute a single instrument. Any page of this Order may be copied, scanned, digitized, converted to electronic portable document format ("pdf"), or otherwise reproduced and may be transmitted by digital or electronic transmission, including but not limited to facsimile transmission and electronic mail. Any signature affixed to this Order shall constitute an original signature for all purposes and may be used, filed, substituted, or issued for any purpose for which an original signature could be used. The term "signature" shall include manual signatures and true and accurate reproductions of manual signatures created, executed, endorsed, adopted, or authorized by the person or persons to whom the signatures are attributable. Signatures may be copied or reproduced digitally, electronically, by photocopying, engraving, imprinting, lithographing, electronic mail, facsimile transmission, stamping, or any other means or process which the Executive Director deems acceptable. In this paragraph exclusively, the terms: electronic transmission, owner, person, writing, and written, shall have the meanings assigned to them under TEX. BUS. ORG. CODE § 1.002.
9. The effective date of this Order is the date it is signed by the Commission. A copy of this fully executed Order shall be provided to each of the parties.

SIGNATURE PAGE

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

For the Commission

Date



For the Executive Director

5/7/2024

Date

I, the undersigned, have read and understand the attached Order. I am authorized to agree to the attached Order, and I do agree to the terms and conditions specified therein. I further acknowledge that the TCEQ, in accepting payment for the penalty amount, is materially relying on such representation.

I also understand that failure to comply with the Ordering Provisions, if any, in this Order and/or failure to timely pay the penalty amount, may result in:

- A negative impact on compliance history;
- Greater scrutiny of any permit applications submitted;
- Referral of this case to the OAG for contempt, injunctive relief, additional penalties, and/or attorney fees, or to a collection agency;
- Increased penalties in any future enforcement actions;
- Automatic referral to the OAG of any future enforcement actions; and
- TCEQ seeking other relief as authorized by law.

In addition, any falsification of any compliance documents may result in criminal prosecution.



Signature

3-12-2024

Date

L.M. "Matt" Sebesta, Jr.

Name (Printed or typed) Co.
Authorized Representative of
Brazoria County

County Judge

Title

If mailing address has changed, please check this box and provide the new address below:

Instructions: Send the original, signed Order with penalty payment to the Financial Administration Division, Revenue Operations Section at the address in Ordering Provision 1 of this Order.