EXECUTIVE SUMMARY - ENFORCEMENT MATTER - CASE No. 63864 Lonnie Brown dba Big Thicket RV Park RN111222899

Docket No. 2023-0518-UTL-E

Order Type:

Default Order

Media:

PWS

Small Business:

Yes

Location Where Violation Occurred:

9880 Village Creek Road, Silsbee, Hardin County (the "Utility")

Type of Operation:

a retail public utility, exempt utility, or provider or conveyor of potable or raw water service

Other Significant Matters:

Additional Pending Enforcement Actions: Yes, Case No. 63864

Past-Due Penalties: None Past-Due Fees: None Other: None **Interested Third-Parties:** None

Texas Register Publication Date: June 13, 2025

Comments Received: None

Penalty Information

Total Penalty Assessed: \$600 **Total Paid to General Revenue:** \$0 **Total Due to General Revenue:** \$600

Compliance History Classifications:

Person/CN - High

Major Source: No **Statutory Limit Adjustment:** None

Applicable Penalty Policy: January 28, 2021

Investigation Information

Complaint Date: N/A

Dates of Investigation: March 13, 2023 through March 24, 2023

Date of NOV: N/A

Date of NOE: March 24, 2023

EXECUTIVE SUMMARY – ENFORCEMENT MATTER – CASE NO. 63864 Lonnie Brown dba Big Thicket RV Park RN111222899 Docket No. 2023-0518-UTL-E

Violation Information

Failed to adopt and submit to the TCEQ for approval an emergency preparedness plan ("EPP") that demonstrates the Utility's ability to provide emergency operations [Tex. Water Code § 13.1394(b)(2)].

Corrective Actions/Technical Requirements

Corrective Action Completed: None

Technical Requirements:

- 1. Within 90 days develop and submit to the TCEQ for approval an EPP that demonstrates the Utility's ability to provide emergency operations.
- 2. Within 105 days submit written certification and include detailed supporting documentation to demonstrate compliance with Technical Requirement No. 1.
- 3. Within 270 days obtain approval from the TCEQ for the EPP submitted pursuant to Technical Requirement No. 1.
- 4. Within 285 days submit written certification to demonstrate compliance with Technical Requirement No. 3.

Litigation Information

Date Petition Filed:May 23, 2024Date of Service:May 25, 2024

Date Answer Filed: N/A

Contact Information

TCEQ Attorneys: Misty James, Litigation Division, (512) 239-3400

Sheldon Wayne, Public Interest Counsel, (512) 239-6363

TCEQ Litigation Agenda Coordinator: Katherine McKenzie, Litigation Division, (512) 239-2575

TCEQ Enforcement Coordinator: Miles Wehner, Enforcement Division, (512) 239-2813 TCEQ Regional Contact: Ronald Hebert, Beaumont Regional Office, (409) 898-3838 Respondent Contact: Lonnie Brown, 9880 Village Creek Road, Silsbee, Texas 77656

Respondent's Attorney: N/A



Penalty Calculation Worksheet (PCW)

Policy Revision 5 (January 28, 2021) PCW Revision February 11, 2021

DATES

Assigned 27-Mar-2023 PCW 19-Apr-2023 Screening 4-Apr-2023 EPA Due

RESPONDENT/FACILITY INFOR	MATION		
Respondent Lonnie Bro	own dba Big Thicket RV Park		
Reg. Ent. Ref. No. RN111222	899		
Facility/Site Region 10-Beaum	ont	Major/Minor Source Minor	

CASE INFORMATION					
Enf./Case ID No.	63864		No.	of Violations	1
Docket No.	2023-0518-UTL-E			Order Type	1660
Media Program(s)	Public Water Supply		Governmen	t/Non-Profit	No
Multi-Media			Enf.	Coordinator	Miles Wehner
		,		EC's Team	Enforcement Team 5
Admin. Penalty \$ 1	Limit Minimum \$50	Maximum	\$5,000	•	_

				L	1 - /			
			Penalty (Calcula	tion Section	on .		
TOTA	L BASE PENA	LTY (Sum of v	•				Subtotal 1	\$500
ADJU	STMENTS (+	/-) TO SUBTO	TAL 1					
		otained by multiplying t	the Total Base Penal					
	Compliance Hi	story		20.0%	Adjustment	Subto	tals 2, 3, & 7	\$100
	Notes	Enhancement	for one agreed (order conta	ining a denial o	f liability.		
	Culpability	No		0.0%	Enhancement		Subtotal 4	\$0
	Notes	The Resp	pondent does no	t meet the	culpability crite	ria.		·
	Good Faith Effe	ort to Comply To	tal Adjustment	ts			Subtotal 5	\$0
							<u></u>	
	Economic Bene	efit		0.0%	Enhancement*		Subtotal 6	\$0
	Estimated	Total EB Amounts I Cost of Compliance	\$10 \$180	*Саррес	d at the Total EB \$ A	lmount		,
SUM	OF SUBTOTAL	LS 1-7				F	inal Subtotal	\$600
				_				
		AS JUSTICE MA			0.0%		Adjustment	\$0
Reduces	Notes	Subtotal by the indica	ted percentage.					
	•					Final Per	nalty Amount	\$600
STAT	UTORY LIMIT	T ADJUSTMEN	Т			Final Asse	essed Penalty	\$600
DEFE	RRAL				0.0%	Reduction	Adjustment	\$0
		nalty by the indicated p	percentage.		0.0 70		najasemene	т-
	Notes	Deferr	al not offered fo	r non-expe	dited settlemen	t.		
DAVA	BLE PENALT	·						\$600
IAIA	DLE FLINALI	1						Ψ000

Screening Date 4-Apr-2023

Respondent Lonnie Brown dba Big Thicket RV Park

Case ID No. 63864

Reg. Ent. Reference No. RN111222899

Media Public Water Supply

Enf. Coordinator Miles Wehner

Policy Revision 5 (January 28, 2021) PCW Revision February 11, 2021

PCW

Compliance History Worksheet								
>>		•	ory <i>Sit</i> e Enhancement (Subtotal 2) Number of	Number	Adjust.			
		NOVs	Written notices of violation ("NOVs") with same or similar violations as those in the current enforcement action (number of NOVs meeting criteria)	0	0%			
			Other written NOVs	0	0%			
			Any agreed final enforcement orders containing a denial of liability (<i>number of orders meeting criteria</i>)	1	20%			
		Orders	Any adjudicated final enforcement orders, agreed final enforcement orders without a denial of liability, or default orders of this state or the federal government, or any final prohibitory emergency orders issued by the commission	0	0%			
		Judgments and Consent	Any non-adjudicated final court judgments or consent decrees containing a denial of liability of this state or the federal government (number of judgments or consent decrees meeting criteria)	0	0%			
		Decrees	Any adjudicated final court judgments and default judgments, or non-adjudicated final court judgments or consent decrees without a denial of liability, of this state or the federal government	0	0%			
		Convictions	Any criminal convictions of this state or the federal government (<i>number of counts</i>)	0	0%			
		Emissions	Chronic excessive emissions events (number of events)	0	0%			
		Audits	Letters notifying the executive director of an intended audit conducted under the Texas Environmental, Health, and Safety Audit Privilege Act, 74th Legislature, 1995 (number of audits for which notices were submitted)	0	0%			
		Addits	Disclosures of violations under the Texas Environmental, Health, and Safety Audit Privilege Act, 74th Legislature, 1995 (number of audits for which violations were disclosed)	0	0%			
					1			
			Environmental management systems in place for one year or more	No	0%			
	Other		Voluntary on-site compliance assessments conducted by the executive director under a special assistance program	No	0%			
			Participation in a voluntary pollution reduction program	No	0%			
			Early compliance with, or offer of a product that meets future state or federal government environmental requirements	No	0%			
			Adjustment Per	centage (Sub	total 2)	20%		
>>	Rep	eat Violator	(Subtotal 3)					
		No	Adjustment Per	centage (Sub	total 3)	0%		
>>	Com	pliance Histo	ory Person Classification (Subtotal 7)					
	N/A Adjustment Percentage (Subtotal 7) 09							
>> Compliance History Summary								
	•	Compliance History Notes	Enhancement for one agreed order containing a denial of liability.					
Total Compliance History Adjustment Percentage (Subtotals 2, 3, & 7) 20%								
>> I	Final	Compliance	History Adjustment					
			Final Adjustment Percenta	age *capped a	at 100%	20%		

		ening Date				cet No. 2023-0518-UTL-E		PCW
			Lonnie Brown d	ba Big Thicket	t RV Park		Policy Revision	5 (January 28, 2021)
_		ase ID No.					PCW Revision	on February 11, 2021
Reg.	Ent. Ref		RN111222899					
			Public Water Su	ıpply				
		Coordinator ation Number						
	Viola		1					
		Rule Cite(s)		Tex.	Water Code 8	3 13.1394(b)(2)		
						, (-)()		
			Failed to adopt	and submit to	the TCEQ fo	r approval an emergency prepare	aredness	
	Violatio	n Description			strates the Fa	cility's ability to provide emerg		
					operati	ons.		
						Daga	Danaltu	φE 000
						ваѕе	Penalty	\$5,000
>> En	vironme	ntal, Prope	rty and Hum		Matrix			
		Dalassa	Majar	Harm	Minor			
OR		Release Actual		Moderate	Minor			
		Potential				Percent 0.0%		
>>Pro	gramma	tic Matrix	N4 - 1 -	Mada	Minne			
		Falsification	Major	Moderate	Minor	Percent 10.0%		
			Х			Percent 10.0%		
	Matrix		1009	% of the rule r	requirements	were not met.		
	Notes							
						Adjustment	\$4,500	
								\$500
** . ·	_	-						
violati	on Even	ts						
		Number of V	/iolation Events	1		22 Number of violation of	days	
			daily					
			weekly monthly					
			quarterly			Violation Base	Penalty	\$500
			semiannual			riolation Base	. Charty	φσοσ
			annual					
			single event	Х				
				One single e	vent is recom	mended.		
Cool	-:-:- ===			0.007) - dd.	40
G000 F	aith Eff	orts to Com		0.0% efore NOE/NOV	NOE/NOV to EDF	PRP/Settlement Offer	Reduction	\$0
			Extraordinary	. ,	, : 33 281			
			Ordinary					
			N/A	х				
			ĺ	The Respond	lent does not	meet the good faith criteria		
			Notes	The Respond		violation.		
			L					
						Violation :	Subtotal	\$500
Econor	nic Bene	efit (EB) for	this violation	on		Statutory Limit	Test	
_30/101	2011		_					
		Estimate	ed EB Amount		\$10	Violation Final Pena	Ity Total	\$600
				This violat	ion Final As	sessed Penalty (adjusted fo	r limits)	\$600

	E	conomic	Benefit	Woı	rksheet		
		dba Big Thicket R	V Park				
Case ID No. Reg. Ent. Reference No.		1					
	Public Water S					Percent Interest	Years of Depreciation
						5.0	15
	Item Cost	Date Required	Final Date	Yrs	Interest Saved	Costs Saved	EB Amount
Item Description							
Delayed Costs							
Equipment		1		0.00	\$0	\$0	\$0
Buildings				0.00	\$0	\$0 \$0	\$0
Other (as needed)				0.00	\$0	\$0	\$0
Engineering/Construction				0.00	\$0	\$0	\$0
Land				0.00	\$0	n/a	\$0
Record Keeping System				0.00	\$0	n/a	\$0
Training/Sampling				0.00	\$0	n/a	\$0
Remediation/Disposal				0.00	\$0	n/a	\$0
Permit Costs				0.00	\$0	n/a	\$0
Other (as needed)	\$180	13-Mar-2023	22-Apr-2024	1.11	\$10	n/a	\$10
Notes for DELAYED costs		strates the Facility	's ability to prov	ide eme	•	to the TCEQ for appose, calculated from the iance.	
Avoided Costs	ANNU	ALIZE avoided c	osts before en	tering	item (except for	one-time avoided	i costs)
Disposal				0.00	\$0	\$0	\$0
Personnel				0.00	\$0	\$0	\$0
Inspection/Reporting/Sampling				0.00	\$0	\$0	\$0
Supplies/Equipment				0.00	\$0	\$0	\$0
Financial Assurance				0.00	\$0	\$0	\$0
ONE-TIME avoided costs				0.00	\$0	\$0	\$0
Other (as needed)				0.00	\$0	\$0	\$0
Notes for AVOIDED costs							
Approx. Cost of Compliance		\$180			TOTAL		\$10

To request a more accessible version of this report, please contact the TCEQ Help Desk at (512) 239-4357.



Compliance History Report

Compliance History Report for CN605869254, RN111222899, Rating Year 2022 which includes Compliance History (CH) components from September 1, 2017, through August 31, 2022.

Customer, Respondent, CN605869254, Lonnie Brown

Classification: HIGH

Rating: 0.00

or Owner/Operator:

Regulated Entity:

RN111222899, BIG THICKET RV PARK

Classification: HIGH

Rating: 0.00

Complexity Points:

Repeat Violator: NO

CH Group: 14 - Other

Location: 9880 VILLAGE CREEK ROAD NEAR SILSBEE, HARDIN COUNTY, TEXAS

TCEQ Region: REGION 10 - BEAUMONT

ID Number(s):

PUBLIC WATER SYSTEM/SUPPLY REGISTRATION

1000081

Compliance History Period: September 01, 2017 to August 31, 2022

Rating Year: 2022

Rating Date: 09/01/2022

Date Compliance History Report Prepared: July 05, 2023

Agency Decision Requiring Compliance History: Enforcement

Component Period Selected: July 05, 2018 to July 05, 2023

TCEQ Staff Member to Contact for Additional Information Regarding This Compliance History.

Name: Miles Wehner **Phone:** (512) 239-2813

Site and Owner/Operator History:

1) Has the site been in existence and/or operation for the full five year compliance period? NO

2) Has there been a (known) change in ownership/operator of the site during the compliance period? NO

Components (Multimedia) for the Site Are Listed in Sections A - J

A. Final Orders, court judgments, and consent decrees:

Effective Date: 05/23/2023 ADMINORDER 2022-0546-PWS-E (1660 Order-Agreed Order With Denial)

Classification: Major

Citation: 30 TAC Chapter 290, SubChapter D 290.42(b)(1)

30 TAC Chapter 290, SubChapter D 290.42(e)(3)

Description: Failed to provide disinfection facilities for the groundwater supply for the purpose of microbiological control

and distribution protection.

Classification: Major

Citation: 30 TAC Chapter 290, SubChapter D 290.39(e)(1)

30 TAC Chapter 290, SubChapter D 290.39(h)(1)

5A THSC Chapter 341, SubChapter A 341.035(a)

Description: Failed to submit plans and specifications to the Executive Director for review and approval prior to the construction of a new public water supply. Specifically, the Respondent was operating a business which meets the

definition of a community public water supply without first obtaining approval.

Classification: Major

30 TAC Chapter 290, SubChapter D 290.46(e)(4)(A)

5A THSC Chapter 341, SubChapter A 341.035(a)

Description: Failed to operate the Facility under direct supervision of a water works operator who holds a Class "D" or higher license.

B. Criminal convictions:

N/A

C. Chronic excessive emissions events:

N/A

D. The approval dates of investigations (CCEDS Inv. Track. No.):

E. Written notices of violations (NOV) (CCEDS Inv. Track. No.):

A notice of violation represents a written allegation of a violation of a specific regulatory requirement from the commission to a regulated entity. A notice of violation is not a final enforcement action, nor proof that a violation has actually occurred.

N/A

F. Environmental audits:

N/A

G. Type of environmental management systems (EMSs):

N/A

H. Voluntary on-site compliance assessment dates:

N/A

I. Participation in a voluntary pollution reduction program:

N/A

J. Early compliance:

N/A

Sites Outside of Texas:

N/A

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY



IN THE MATTER OF AN	§	BEFORE THE
ENFORCEMENT ACTION	§	
CONCERNING	§	TEXAS COMMISSION ON
LONNIE BROWN DBA BIG THICKET RV	§	TEAAS COMMISSION ON
PARK;	§	
RN111222899	§	ENVIRONMENTAL QUALITY

DEFAULT ORDER

DOCKET NO. 2023-0518-UTL-E

On ________, the Texas Commission on Environmental Quality ("Commission" or "TCEQ") considered the Executive Director's Preliminary Report and Petition, filed pursuant to Tex. Water Code ch. 13, Tex. Health & Safety Code ch. 341, and the rules of the TCEQ, which requests appropriate relief, including the imposition of an administrative penalty and corrective action of the respondent. The respondent made the subject of this Order is Lonnie Brown dba Big Thicket RV Park ("Respondent").

The Commission makes the following Findings of Fact and Conclusions of Law:

FINDINGS OF FACT

- 1. Respondent owns and operates a retail public utility, exempt utility, or provider or conveyor of potable or raw water service that furnishes water service to more than one customer and is not located in a county with a population of 3.3 million or more or in a county with a population of 550,000 or more adjacent to a county with a population of 3.3 million or more, located at 9880 Village Creek Road near Silsbee, Hardin County, Texas (the "Utility"). As such, the Utility is an "affected utility" as defined in Tex. Water Code § 13.1394(a)(1). Therefore, Respondent is subject to the jurisdiction of the TCEQ pursuant to Tex. Water Code ch. 13 and Tex. Health & Safety Code ch. 341.
- 2. During a record review conducted on March 13, 2023, through March 24, 2023, an investigator documented that Respondent failed to adopt and submit to the TCEQ for approval an emergency preparedness plan ("EPP") that demonstrates the Utility's ability to provide emergency operations.
- 3. The Executive Director filed the "Executive Director's Preliminary Report and Petition Recommending that the Texas Commission on Environmental Quality Enter an Enforcement Order Assessing an Administrative Penalty Against and Requiring Certain Actions of Lonnie Brown dba Big Thicket RV Park" (the "EDPRP") in the TCEQ Chief Clerk's office on May 23, 2024.
- 4. By letter dated May 23, 2024, sent to Respondent's last known address via certified mail, return receipt requested, postage prepaid, the Executive Director served Respondent with notice of the EDPRP. According to USPS.com "Track & Confirm" delivery confirmation records, Respondent received notice of the EDPRP on May 25, 2024.
- 5. More than 20 days have elapsed since Respondent received notice of the EDPRP. Respondent failed to file an answer and failed to request a hearing.

CONCLUSIONS OF LAW

- 1. As evidenced by Finding of Fact No. 1, Respondent is subject to the jurisdiction of the TCEQ pursuant to Tex. Water Code ch. 13, Tex. Health & Safety Code ch. 341 and the rules of the TCEQ.
- 2. As evidenced by Finding of Fact No. 2, Respondent failed to adopt and submit to the TCEQ for approval an EPP that demonstrates the Utility's ability to provide emergency operations, in violation of Tex. WATER CODE § 13.1394(b)(2).
- 3. As evidenced by Findings of Fact Nos. 3 and 4, the Executive Director timely served Respondent with proper notice of the EDPRP, as required by Tex. Water Code § 7.055 and 30 Tex. Admin. Code § 70.104(b)(1).
- 4. As evidenced by Finding of Fact No. 5, Respondent failed to file a timely answer as required by Tex. Water Code § 7.056 and 30 Tex. Admin. Code § 70.105. Pursuant to Tex. Water Code § 7.057 and 30 Tex. Admin. Code § 70.106, the Commission may enter a Default Order against Respondent and assess the penalty recommended by the Executive Director.
- 5. Pursuant to Tex. Water Code § 13.4151(a) and Tex. Health & Safety Code § 341.049, the Commission has the authority to assess an administrative penalty against Respondent for violations of state statutes within TCEQ's jurisdiction, for violations of rules adopted under such statutes, or for violations of orders or permits issued under such statutes.
- 6. An administrative penalty in the amount of \$600 is justified by the facts recited in this Order, and considered in light of the factors set forth in Tex. WATER CODE § 7.053.
- 7. Tex. Water Code §§ 5.102 and 7.002 authorize the Commission to issue orders and make determinations necessary to effectuate the purposes of the statutes within its jurisdiction.

ORDERING PROVISIONS

NOW, THEREFORE, THE TEXAS COMMISSION ON ENVIRONMENTAL QUALITY ORDERS that:

- 1. Respondent is assessed an administrative penalty in the amount of \$600 for violations of state statutes and rules of the TCEQ. The payment of this penalty and Respondent's compliance with all the requirements set forth in this Order resolve only the matters set forth by this Order in this action. The Commission shall not be constrained in any manner from requiring corrective actions or penalties for violations which are not raised here.
- 2. The penalty assessed by this Order shall be paid within 30 days after the effective date of this Order. All checks submitted to pay the penalty imposed by this Order shall be made out to TCEQ and shall be sent with the notation "Re: Lonnie Brown dba Big Thicket RV Park; Docket No. 2023-0518-UTL-E" to:

Financial Administration Division Revenue Operations Section Texas Commission on Environmental Quality Attention: Cashier's Office, MC 214 P.O. Box 13088 Austin, Texas 78711-3088

- 3. Respondent shall undertake the following technical requirements:
 - a. Within 90 days after the effective date of this Order, develop and submit to the TCEQ for approval an EPP that demonstrates the Utility's ability to provide emergency operations, in accordance with TEX. WATER CODE § 13.1394(b)(2). The EPP must demonstrate Respondent's ability to provide emergency operations, as described by TEX. WATER CODE § 13.1394(b)(1), and shall be submitted to:

Emergency Response and Preparedness Section, MC 155 Texas Commission on Environmental Quality P.O. Box 13087 Austin, Texas 78711

Respondent shall respond completely and adequately, as determined by the TCEQ, within 10 days or by any other deadline specified in writing, to all requests for information about the submitted or forthcoming EPP;

- b. Within 105 days after the effective date of this Order, submit written certification, in accordance with Ordering Provision No. 3.e., and include detailed supporting documentation including photographs, receipts, and/or other records to demonstrate compliance with Ordering Provision No. 3.a.;
- c. Within 270 days after the effective date of this Order, obtain approval from the TCEQ for the EPP submitted pursuant to Ordering Provision No. 3.a., above, in accordance with Tex. Water Code § 13.1394(b)(2);
- d. Within 285 days after the effective date of this Order, submit written certification to demonstrate compliance with Ordering Provision No. 3.c.; and
- e. The certifications required by these Ordering Provisions shall be accompanied by detailed supporting documentation, including photographs, receipts, and/or other records, shall be signed by Respondent, and shall include the following certification language:

"I certify under penalty of law that I have personally examined and am familiar with the information submitted and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

The written certifications and supporting documentation necessary to demonstrate compliance with these Ordering Provisions shall be sent to:

Enforcement Division, MC 149A Texas Commission on Environmental Quality P.O. Box 13087 Austin, Texas 78711-3087

and:

Lonnie Brown dba Big Thicket RV Park Docket No. 2023-0518-UTL-E Page 4

> Drinking Water Special Functions Team Water Supply Division, MC 155 Texas Commission on Environmental Quality P.O. Box 13087 Austin, Texas 78711

- 4. All relief not expressly granted in this Order is denied.
- 5. The provisions of this Order shall apply to and be binding upon Respondent. Respondent is ordered to give notice of this Order to personnel who maintain day-to-day control over the Utility operations referenced in this Order.
- 6. The Executive Director may grant an extension of any deadline in this Order or in any plan, report, or other document submitted pursuant to this Order, upon a written and substantiated showing of good cause. All requests for extensions by Respondent shall be made in writing to the Executive Director. Extensions are not effective until Respondent receives written approval from the Executive Director. The determination of what constitutes good cause rests solely with the Executive Director. Extension requests shall be sent to the Enforcement Division at the address listed above.
- 7. If Respondent fails to comply with any of the Ordering Provisions in this Order within the prescribed schedules, and that failure is caused solely by an act of God, war, strike, riot, or other catastrophe, Respondent's failure to comply is not a violation of this Order. Respondent shall have the burden of establishing to the Executive Director's satisfaction that such an event has occurred. Respondent shall notify the Executive Director within seven days after Respondent becomes aware of a delaying event and shall take all reasonable measures to mitigate and minimize any delay.
- 8. The Executive Director may refer this matter to the Office of the Attorney General of the State of Texas ("OAG") for further enforcement proceedings without notice to Respondent if the Executive Director determines that Respondent has not complied with one or more of the terms or conditions in this Order.
- 9. The provisions of this Order are deemed severable, and, if a court of competent jurisdiction or other appropriate authority deems any provision of this Order unenforceable, the remaining provisions shall be valid and enforceable.
- 10. This Order shall terminate five years from its effective date or upon compliance with all the terms and conditions set forth in this Order, whichever is later.
- 11. The Chief Clerk shall provide a copy of this fully executed Order to each of the parties. By law, the effective date of this Order shall be the date the Order is final, as provided by 30 Tex. Admin. Code § 70.106(d) and Tex. Gov't Code § 2001.144.

Lonnie Brown dba Big Thicket RV Park Docket No. 2023-0518-UTL-E Page 5

SIGNATURE PAGE

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY	
For the Commission	Date

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY



UNSWORN DECLARATION OF MISTY JAMES

"On behalf of the Executive Director of the Texas Commission on Environmental Quality, the 'Executive Director's Preliminary Report and Petition Recommending that the Texas Commission on Environmental Quality Enter an Enforcement Order Assessing an Administrative Penalty Against and Requiring Certain Actions of Lonnie Brown dba Big Thicket RV Park" (the "EDPRP") was filed in the TCEQ Chief Clerk's office on May 23, 2024.

The EDPRP was mailed to Respondent's last known address on May 23, 2024, via certified mail, return receipt requested, postage prepaid. According to USPS.com "Track & Confirm" delivery confirmation records, Respondent received notice of the EDPRP on May 25, 2024.

More than 20 days have elapsed since Respondent received notice of the EDPRP. Respondent failed to file an answer and failed to request a hearing."

"My name is Misty James, and I am an employee of the following governmental agency: Texas Commission on Environmental Quality. I am executing this declaration as part of my assigned duties and responsibilities. I declare under penalty of perjury that the foregoing is true and correct."

Executed in	Tra	_ County,	
State of Texas,			
on the <u>5th</u>	day of	May	_, 2025
Noted	m		
Declarant			