#### Executive Summary - Enforcement Matter - Case No. 64216 City of Savoy RN102921988 Docket No. 2023-0813-MWD-E

Order Type:

Findings Agreed Order

Findings Order Justification:

People or environmental receptors have been exposed to pollutants which exceed levels that are protective.

**Media:** MWD

**Small Business:** 

No

Location(s) Where Violation(s) Occurred:

Savoy WWTP, 601 North Cedar Street, Savoy, Fannin County

Type of Operation:

Wastewater treatment facility

Other Significant Matters:

Additional Pending Enforcement Actions: No

Past-Due Penalties: No Past-Due Fees: No

Other: N/A

Interested Third-Parties: None

**Texas Register Publication Date:** October 3, 2025

Comments Received: No

**Penalty Information** 

**Total Penalty Assessed:** \$23,000

Total Paid to General Revenue: \$23,000

**Total Due to General Revenue:** \$0

Payment Plan: N/A

**Compliance History Classifications:** 

Person/CN - Satisfactory Site/RN - Satisfactory

**Major Source:** No

Statutory Limit Adjustment: N/A

**Applicable Penalty Policy:** January 2021

#### **Investigation Information**

Complaint Date(s): N/A Complaint Information: N/A

Date(s) of Investigation: April 27, 2023

**Date(s) of NOE(s):** June 1, 2023

#### Executive Summary - Enforcement Matter - Case No. 64216 City of Savoy RN102921988 Docket No. 2023-0813-MWD-E

#### Violation Information

Failed to comply with permitted effluent limitations for ammonia nitrogen, total suspended solids, and carbonaceous biochemical oxygen demand (5-day) [30 Tex. ADMIN. CODE § 305.125(1), Tex. WATER CODE § 26.121(a)(1), and Texas Pollutant Discharge Elimination System ("TPDES") Permit No. WQ0014273001, Effluent Limitations and Monitoring Requirements No. 1].

#### Corrective Actions/Technical Requirements

#### **Corrective Action(s) Completed:**

N/A

#### **Technical Requirements:**

The Order will require the Respondent to, within 130 days, submit written certification of compliance with the effluent limitations of TPDES Permit No. WQ0014273001, including specific corrective actions that were implemented at the Facility to achieve compliance and copies of the most current self-reported discharge monitoring reports, demonstrating at least three consecutive months of compliance with all permitted effluent limitations.

#### **Contact Information**

TCEO Attorney: N/A

**TCEQ Enforcement Coordinator:** Kolby Farren, Enforcement Division, Enforcement Team 7, MC R-12, (512) 239-2098; Michael Parrish, Enforcement Division, MC R-12, (512) 239-2548

**Respondent:** The Honorable Joe Petree, Mayor, City of Savoy, P.O. Box 176, Savoy,

Texas 75479

Respondent's Attorney: N/A



# Penalty Calculation Worksheet (PCW) Policy Revision 5 (January 28, 2021)

PCW Revision February 11, 2021

Assigned 12-Jun-2023 PCW 24-Jul-2025 **DATES** Screening 22-Jun-2023 EPA Due

RESPONDENT/FACILITY INFORMATION						
Respondent City of Savoy						
Reg. Ent. Ref. No. RN102921988						
Facility/Site Region 4-Dallas/Fort Worth	Major/Minor Source Minor					

CASE INFORMATION							
Enf./Case ID No.	64216			No.	of Violations	2	
Docket No.	2023-0813-MWI	)-E			Order Type	Findings	
Media Program(s)	Water Quality			Governmen	t/Non-Profit	Yes	Ī
Multi-Media				Enf.	Coordinator	Kolby Farren	
				•	EC's Team	Enforcement Team 7	Ī
Admin. Penalty \$ I	imit Minimum	\$0	Maximum	\$25,000			_

			Popalty (	Salcula	tion Section	<u> </u>		
ТОТА	L BASE PENA	LTY (Sum o	f violation bas			ווע	Subtotal 1	\$20,000
ADJU	STMENTS (+	/-) TO SUBT	OTAL 1					
	Compliance Hi		ng the Total Base Penalt	y (Subtotal : <b>15.0%</b>	<ol> <li>by the indicated posterior</li> <li>Adjustment</li> </ol>		otals 2, 3, & 7	\$3,000
	Notes	Enhanceme	nt for three months	s of self-re	eported effluent	violations		
	Culpability	No		0.0%	Enhancement		Subtotal 4	\$0
	Notes	The Re	espondent does not	t meet the	e culpability crite	ria.		
	Good Faith Eff	ort to Comply	Fotal Adjustment	s			Subtotal 5	\$0
	Economic Bene	efit		0.0%	Enhancement*		Subtotal 6	\$0
	Estimated	Total EB Amounts I Cost of Compliance		*Cappe	d at the Total EB \$ A	Amount		·
SUM (	OF SUBTOTA	LS 1-7				ı	Final Subtotal	\$23,000
	R FACTORS A		MAY REQUIRE icated percentage.		0.0%		Adjustment	\$0
	Notes							
						Final Pe	nalty Amount	\$23,000
STATI	UTORY LIMIT	Γ ADJUSTME	NT			Final Asse	essed Penalty	\$23,000
DEFEI					0.0%	Reduction	Adjustment	\$0
Reduces t	the Final Assessed Pe		deferral is recomm	ended for	Findings Orders			
PAYA	BLE PENALT	Y						\$23,000

Policy Revision 5 (January 28, 2021) PCW Revision February 11, 2021

Screening Date 22-Jun-2023 **Respondent** City of Savoy **Case ID No.** 64216

Reg. Ent. Reference No. RN102921988

Media Water Quality

Enf. Coordinator Kolby Farren

		Compliance History Worksheet				
>> Co	mpliance Hist Component	ory <i>Site</i> Enhancement (Subtotal 2)  Number of	Number	Adjust.		
	NOVs	Written notices of violation ("NOVs") with same or similar violations as those in the current enforcement action ( <i>number of NOVs meeting criteria</i> )	3	15%		
		Other written NOVs	0	0%		
		Any agreed final enforcement orders containing a denial of liability ( <i>number of orders meeting criteria</i> )	0	0%		
	Orders	Any adjudicated final enforcement orders, agreed final enforcement orders without a denial of liability, or default orders of this state or the federal government, or any final prohibitory emergency orders issued by the commission	0	0%		
	Judgments and Consent	Any non-adjudicated final court judgments or consent decrees containing a denial of liability of this state or the federal government (number of judgments or consent decrees meeting criteria)	0	0%		
	Decrees	Any adjudicated final court judgments and default judgments, or non-adjudicated final court judgments or consent decrees without a denial of liability, of this state or the federal government	0	0%		
	Convictions	Any criminal convictions of this state or the federal government (number of counts)	0	0%		
	Emissions	Chronic excessive emissions events (number of events)	0	0%		
	Audits	Letters notifying the executive director of an intended audit conducted under the Texas Environmental, Health, and Safety Audit Privilege Act, 74th Legislature, 1995 (number of audits for which notices were submitted)	0	0%		
	Addits	Disclosures of violations under the Texas Environmental, Health, and Safety Audit Privilege Act, 74th Legislature, 1995 (number of audits for which violations were disclosed)	0	0%		
		Environmental management systems in place for one year or more	No	0%		
	Other	Voluntary on-site compliance assessments conducted by the executive director under a special assistance program	No	0%		
		Participation in a voluntary pollution reduction program	No	0%		
		Early compliance with, or offer of a product that meets future state or federal government environmental requirements	No	0%		
		Adjustment Per	centage (Sub	total 2)	15%	
>> Re	peat Violator	(Subtotal 3)				
	No	Adjustment Per	centage (Sub	total 3)	0%	
>> Co	mpliance Hist	ory Person Classification (Subtotal 7)				
	Satisfactory	Performer Adjustment Per	centage (Sub	total 7)	0%	
>> Co	mpliance Hist	ory Summary				
	Compliance History Notes	Enhancement for three months of self-reported effluent violations				
	Total Compliance History Adjustment Percentage (Subtotals 2, 3, & 7) 15%					
>> Fina	n Compliance	History Adjustment Final Adjustment Percent	age *capped a	at 100% [	15%	

Respondent City of Savoy Crit Reviser Archary 18, 2021  Reg. Ent. Reference No. RN10291988 Hedia Water Quality Enf. Coordinator Violation Number Rule Cite(s) 30 Tex. Admin. Code § 305.125(1), Tex. Water Code § 26.12(a)(1), and Texas Pollutant Deskraper Elimination System ("TPDES") Permit No. WQ0014273001, Interim Phase Effluent Limitations and Montoring Requirements No. 1  Violation Description  Falled to comply with permitted effluent limitations, as shown in the attached offluent violation table.  Percent OR Release Major Moderate Minor Percent 50.0%  >>Programmatic Matrix Harm Release Major Moderate Minor Percent 0.0%    Adjustment   Size   S		Scree	ning Date	22-Jun-2023		Dock	et No. 2023-081	.3-MWD-E	PCW
Reg. Ent. Reference No. RN102921988 Media Weler Quality Enf. Coordinator Kololy Farren Violation Number Rule Cite(s) Rule Cite(s) Rule Cite(s) Pollutant Discharge Elimination System ("TPDES") Permit No. WQ0014273001, Interim Phase Effluent Limitations and Monitoring Requirements No. 1  Violation Description  Falled to comply with permitted effluent limitations, as shown in the attached effluent violation table.  Base Penalty  925,000  >> Environmental, Property and Human Health Matrix Health Matrix		Re	spondent	City of Savoy				Policy	Revision 5 (January 28, 2021)
Redia   Violation Number   Substitute   Su								Po	CW Revision February 11, 2021
Section Number   1	Reg.	Ent. Refe							
Violation Number   1									
Rule Cite(s)    30 Tex. Admin. Code § 305.125(1), Tex. Water Code § 26.121(a)(1), and Texes Pollutant Discharge Elimination System (TPDES') Permit No. WQ0014273001, Interim Passe Effluent Liminations and Monitoring Requirements No. 1   Table to comply with permitted effluent limitations, as shown in the attached effluent violation table.    Sase Penalty				Kolby Farren					
Poliutario Discharge Elimination System (**PDES**) Permit No. WQ0014273001, Interim Phase Effluent Lumitations and Monitoring Requirements No. 1				1					<b>-</b>
Interim Phase Efficient Limitations, and Monitoring Requirements No. 1   Failed to comply with permitted effluent limitations, as shown in the attached effluent violation table.    Base Penalty		R	Rule Cite(s)						
Sase Penalty   \$25,000									
Servironmental, Property and Human Health Matrix    Harm				Internit r	mase Emident	. Littilations and	1 Mornitoring Requi	irements No. 1	
Servironmental, Property and Human Health Matrix    Harm		\#' - I - 1' I		Failed to com	ply with perr	mitted effluent li	mitations, as show	wn in the attached	
>> Environmental, Property and Human Health Matrix Harm Release Major Moderate Minor Percent 50.0%  >> Programmatic Matrix Fasification Major Moderate Minor Percent 0.0%  A simplified model was used to evaluate carbonaceous biochemical oxygen demand (5-day) and total ammonia nitrogen demand to determine whether the discharged amounts of pollutants vaceed eprotective levels. Human health or environment has been exposed to pollutants that exceed levels that are protective of human health or environmental receptors as a result of the violation.  ### Violation Events    Violation Events		Violation I	Description		. , .				
>> Environmental, Property and Human Health Matrix Harm Release Major Moderate Minor Percent 50.0%  >> Programmatic Matrix Fasification Major Moderate Minor Percent 0.0%  A simplified model was used to evaluate carbonaceous biochemical oxygen demand (5-day) and total ammonia nitrogen demand to determine whether the discharged amounts of pollutants exceed protective levels. Human health or the environment has been exposed to pollutants that exceed levels that are protective of human health or environmental receptors as a result of the violation.  ### Violation Events    Violation Events			l						
Release   Major   Moderate   Minor   Actual   X   Potential   Percent   \$0.0%								Base Penalt	<b>y</b> \$25,000
Release   Major   Moderate   Minor   Actual   X   Potential   Percent   \$0.0%	> > F=-		al Duana	der seed Urres	an Haalth	Matrix			
Release Major Moderate Minor Actual X Potential Percent 50.0%  >>Programmatic Matrix Falsification Major Moderate Minor Falsification Minor Falsification Major Moderate Minor Falsification Minor Falsificati	>> Env	vironment	ai, Propei	ty and Hum		матгіх			
>>Programmatic Matrix Falsification Major Moderate Minor Matrix Notes Matrix Notes Matrix Notes Matrix Notes Matrix Matrix Notes Matrix Matrix Notes Major Major Moderate Minor Percent 0.0%  A simplified model was used to evaluate carbonaceous biochemical oxygen demand (5-day) and total ammonia introgen demand to determine whether the discharged amounts of pollutants that exceed levels that are protective of human health or environmental receptors as a result of the violation.  Adjustment \$12,500  \$12,500  Violation Events  Number of Violation Events 1 31 Number of violation days  daily weekly monthly X violation Base Penalty \$12,500  semanual single event  One monthly event is recommended for the month of December 2022.  Good Faith Efforts to Comply 0.0%  Before NOE/NOV NOE/NOV to EDPRP/Settlement Offer Extraordinary Ordinary Noeffort to Edpre Visit Complete Com			Release	Major		Minor			
>>Programmatic Matrix Falsification Major Moderate Minor Percent 0.0%  A simplified model was used to evaluate carbonaceous blochemical oxygen demand (5-day) and total ammonia nitrogen demand to determine whether the discharged amounts of pollutants exceeded protective levels. Human health or the environment has been exposed to pollutants that exceed levels that are protective of human health or environmental receptors as a result of the violation.  Adjustment \$12,500  \$12,500  Violation Events  Number of Violation Events 1 31 Number of violation days  daily weekly monthly X violation Base Penalty \$12,500  One monthly event is recommended for the month of December 2022.  Good Faith Efforts to Comply 0.0% Reduction \$0  Extraordinary Ordinary NoE/NOV to EDMRI/Settlement Offer Extraordinary Ordinary N/A X  Notes The Respondent does not meet the good faith criteria for this violation.  Violation Subtotal \$12,500  Economic Benefit (EB) for this violation \$14,375	OR			X					
Falsification Major Moderate Minor Percent 0.0%  A simplified model was used to evaluate carbonaceous blochemical oxygen demand (5-day) and total ammonia nitrogen demand to determine whether the discharged amounts of pollutants exceeded protective levels. Human health or the environment has been exposed to pollutants that exceed levels that are protective of human health or environmental receptors as a result of the violation.  Adjustment \$12,500  Violation Events  Number of Violation Events 1 31 Number of violation days  daily weekly weekly weekly youndary your pointly amountal annual annual single event  One monthly event is recommended for the month of December 2022.  Good Faith Efforts to Comply 0.0% Reduction \$0  Extraordinary Ordinary N/A X  Notes The Respondent does not meet the good faith criteria for this violation.  Violation Subtotal \$12,500  Economic Benefit (EB) for this violation \$812,500  Statutory Limit Test  Estimated EB Amount \$816 Violation Final Penalty Total \$14,375			Potential				Percent	50.0%	
Falsification Major Moderate Minor Percent 0.0%  A simplified model was used to evaluate carbonaceous blochemical oxygen demand (5-day) and total ammonia nitrogen demand to determine whether the discharged amounts of pollutants exceeded protective levels. Human health or the environment has been exposed to pollutants that exceed levels that are protective of human health or environmental receptors as a result of the violation.  Adjustment \$12,500  Violation Events  Number of Violation Events 1 31 Number of violation days  daily weekly weekly weekly youndary your pointly amountal annual annual single event  One monthly event is recommended for the month of December 2022.  Good Faith Efforts to Comply 0.0% Reduction \$0  Extraordinary Ordinary N/A X  Notes The Respondent does not meet the good faith criteria for this violation.  Violation Subtotal \$12,500  Economic Benefit (EB) for this violation \$812,500  Statutory Limit Test  Estimated EB Amount \$816 Violation Final Penalty Total \$14,375	>> Dro	arammati	c Matrix						
A simplified model was used to evaluate carbonaceous biochemical oxygen demand (5-day) and total ammonia nitrogen demand to determine whether the discharged amounts of pollutants exceeded protective levels. Human health or the environment has been exposed to pollutants that exceed levels that are protective of human health or environmental receptors as a result of the violation.  Adjustment \$12,500  \$12,500  Violation Events  Number of Violation Events 1 31 Number of violation days  daily weekly monthly X quarterly semiannual annual single event  One monthly event is recommended for the month of December 2022.  Good Faith Efforts to Comply 0.0% before NOE/NOV to EDPRE/Settlement Offer Extraordinary Ordinary N/A X Notes  The Respondent does not meet the good faith criteria for this violation.  Violation Subtotal \$12,500  Economic Benefit (EB) for this violation \$510 \$14,375	>>P10	_		Major	Moderate	Minor			
A simplified model was used to evaluate carbonaceous biochemical oxygen demand (5-day) and total ammonia nitrogen demand to determine whether the discharged amounts of pollutants exceeded protective levels. Human health or the environment has been exposed to pollutants that exceed levels that are protective of human health or environmental receptors as a result of the violation.    Adjustment   \$12,500				a.je.			Percent	0.0%	
Matrix Notes total ammonia nitrogen demand to determine whether the discharged amounts of pollutants exceeded protective levels. Human health or the environment has been exposed to pollutants that exceed levels that are protective of human health or environmental receptors as a result of the violation.    Adjustment									
Matrix   Notes   Language   Lan		A							d
Wiolation Events  Number of Violation Events  Number of Violation Events  Number of Violation Events  One monthly event is recommended for the month of December 2022.  Good Faith Efforts to Comply  Extraordinary  Ordinary  Notes  The Respondent does not meet the good faith criteria for this violation.  Violation Subtotal  Violation Subtotal  Statutory Limit Test  Estimated EB Amount  \$12,500		Matrix		-			•	•	
Conomic Benefit (EB) for this violation   S12,500   S12,500									f
Violation Events  Number of Violation Events  1 31 Number of violation days  daily weekly			ilat exceed le	evels that are pr			environmentar rec	eptors as a result o	<u>'</u>
Violation Events  Number of Violation Events  1 31 Number of violation days  daily weekly		<u> </u>							_
Number of Violation Events    Number of Violation Events   1   31   Number of violation days							Adjustment	\$12,50	0
Number of Violation Events    Number of Violation Events   1   31   Number of violation days									¢12 E00
Number of Violation Events 1 31 Number of violation days  daily weekly monthly X quarterly semiannual annual single event									\$12,500
daily   weekly   monthly   X   weekly   monthly   X   quarterly   semiannual   annual   single event	Violatio	on Events							
daily   weekly   monthly   X   weekly   monthly   X   quarterly   semiannual   annual   single event				-		i			
weekly monthly X quarterly semiannual annual single event			Number of V	iolation Events	1		Number o	of violation days	
weekly monthly X quarterly semiannual annual single event				daily		1			
monthly quarterly Statutory Limit Test  Mone monthly event is recommended for the month of December 2022.  One monthly event is recommended for the month of December 2022.  Good Faith Efforts to Comply 0.0% Reduction \$0  Before NOE/NOV NOE/NOV to EDPRP/Settlement Offer  Extraordinary Ordinary Ordinary Ordinary Ordinary Statutory Statutory Statutory Statutory Statutory Statutory Statutory Statutory Statutory Limit Test  Economic Benefit (EB) for this violation Statutory Limit Test  Estimated EB Amount \$816 Violation Final Penalty Total \$14,375				1					
quarterly semiannual annual annual single event  One monthly event is recommended for the month of December 2022.  Good Faith Efforts to Comply  Before NOE/NOV NOE/NOV to EDPRP/Settlement Offer Extraordinary Ordinary N/A Notes  The Respondent does not meet the good faith criteria for this violation.  Violation Subtotal  \$12,500  \$20  \$30  \$41,375  \$41,375					Х				
One monthly event is recommended for the month of December 2022.  Good Faith Efforts to Comply  Before NOE/NOV NOE/NOV to EDPRP/Settlement Offer Extraordinary Ordinary N/A  Notes  The Respondent does not meet the good faith criteria for this violation.  Violation Subtotal  \$12,500  Economic Benefit (EB) for this violation  Statutory Limit Test  Estimated EB Amount  \$816  Violation Final Penalty Total  \$14,375							Viol	ation Base Penalt	<b>y</b> \$12,500
Good Faith Efforts to Comply  Before NOE/NOV NOE/NOV to EDPRP/Settlement Offer  Extraordinary Ordinary N/A X Notes  The Respondent does not meet the good faith criteria for this violation.  Violation Subtotal \$12,500  Economic Benefit (EB) for this violation  Statutory Limit Test  Estimated EB Amount \$14,375									
One monthly event is recommended for the month of December 2022.  Good Faith Efforts to Comply  Before NOE/NOV NOE/NOV to EDPRP/Settlement Offer  Extraordinary  Ordinary  N/A  Notes  The Respondent does not meet the good faith criteria for this violation.  Violation Subtotal  \$12,500  Economic Benefit (EB) for this violation  Statutory Limit Test  Estimated EB Amount  \$14,375									
Good Faith Efforts to Comply  Before NOE/NOV NOE/NOV to EDPRP/Settlement Offer Extraordinary Ordinary N/A X Notes  The Respondent does not meet the good faith criteria for this violation.  Violation Subtotal \$12,500  Economic Benefit (EB) for this violation  Statutory Limit Test Estimated EB Amount \$816  Violation Final Penalty Total \$14,375				single event		1			
Good Faith Efforts to Comply  Before NOE/NOV NOE/NOV to EDPRP/Settlement Offer Extraordinary Ordinary N/A X Notes  The Respondent does not meet the good faith criteria for this violation.  Violation Subtotal \$12,500  Economic Benefit (EB) for this violation  Statutory Limit Test Estimated EB Amount \$816  Violation Final Penalty Total \$14,375									
Before NOE/NOV NOE/NOV to EDPRP/Settlement Offer Extraordinary Ordinary N/A X Notes The Respondent does not meet the good faith criteria for this violation.  Violation Subtotal \$12,500  Economic Benefit (EB) for this violation Statutory Limit Test Estimated EB Amount \$816 Violation Final Penalty Total \$14,375			C	one monthly eve	ent is recomm	nended for the n	nonth of Decembe	er 2022.	
Before NOE/NOV NOE/NOV to EDPRP/Settlement Offer Extraordinary Ordinary N/A X Notes The Respondent does not meet the good faith criteria for this violation.  Violation Subtotal \$12,500  Economic Benefit (EB) for this violation Statutory Limit Test Estimated EB Amount \$816 Violation Final Penalty Total \$14,375									
Before NOE/NOV NOE/NOV to EDPRP/Settlement Offer Extraordinary Ordinary N/A X Notes The Respondent does not meet the good faith criteria for this violation.  Violation Subtotal \$12,500  Economic Benefit (EB) for this violation Statutory Limit Test Estimated EB Amount \$816 Violation Final Penalty Total \$14,375	Good F	aith Effor	ts to Com	nly	n no/-			Poduction	¢Ω
Extraordinary Ordinary N/A X Notes The Respondent does not meet the good faith criteria for this violation.  Violation Subtotal \$12,500  Economic Benefit (EB) for this violation Statutory Limit Test Estimated EB Amount \$816 Violation Final Penalty Total \$14,375	JUUU F	aidi Liidi	to com				P/Settlement Offer	Reduction	Ψ0
Notes The Respondent does not meet the good faith criteria for this violation.  Violation Subtotal \$12,500  Economic Benefit (EB) for this violation Statutory Limit Test  Estimated EB Amount \$816 Violation Final Penalty Total \$14,375				To the second se					
The Respondent does not meet the good faith criteria for this violation.  Violation Subtotal \$12,500  Economic Benefit (EB) for this violation Statutory Limit Test  Estimated EB Amount \$816 Violation Final Penalty Total \$14,375				Ordinary					
For this violation.  Violation Subtotal \$12,500  Economic Benefit (EB) for this violation Statutory Limit Test  Estimated EB Amount \$816 Violation Final Penalty Total \$14,375				N/A	X				
For this violation.  Violation Subtotal \$12,500  Economic Benefit (EB) for this violation Statutory Limit Test  Estimated EB Amount \$816 Violation Final Penalty Total \$14,375					The Respon	dent does not m	neet the good faith	n criteria	
Economic Benefit (EB) for this violation  Statutory Limit Test  Violation Final Penalty Total \$14,375				Notes	The Respon		_	Terreria	
Economic Benefit (EB) for this violation  Statutory Limit Test  Violation Final Penalty Total \$14,375									
Economic Benefit (EB) for this violation  Statutory Limit Test  Violation Final Penalty Total \$14,375								Violation Subtota	\$12,500
Estimated EB Amount \$816 Violation Final Penalty Total \$14,375	Fconon	nic Bancfi	t (FR) for	thic violatio	nn -				
	LCOHOR	inc belief			711				
This violation Final Assessed Benalty (adjusted for limits) \$14.375			Estimate	ed EB Amount		\$816	Violation	Final Penalty Tota	\$14,375
This violation i mai Assessed Femalty (adjusted for minus) \$14,373					This viola	tion Final Ass	essed Penalty (a	djusted for limits	\$14,375

	E	conomic	<b>Benefit</b>	Woı	rksheet		
Respondent Case ID No. Reg. Ent. Reference No.	64216						
	Water Quality					Percent Interest	Years of Depreciation
						5.0	15
	Item Cost	<b>Date Required</b>	Final Date	Yrs	<b>Interest Saved</b>	Costs Saved	EB Amount
Item Description							
Delayed Costs				_			
Equipment				0.00	\$0	\$0	\$0
Buildings				0.00	\$0	\$0	\$0
Other (as needed)				0.00	\$0	\$0	\$0
Engineering/Construction				0.00	\$0	\$0	\$0
Land				0.00	\$0	n/a	\$0
Record Keeping System				0.00	\$0	n/a	\$0
Training/Sampling				0.00	\$0	n/a	\$0
Remediation/Disposal				0.00	\$0	n/a	\$0
Permit Costs	±5.000	24 5 2022	F 4 2026	0.00	\$0	n/a	\$0
Other (as needed)	\$5,000	31-Dec-2022	5-Apr-2026	3.26	\$816	n/a	\$816
Notes for DELAYED costs	the Facility to the f	return to complia irst month of non	ance with the pe compliance, and	rmitted I the fin	effluent limitations al date is the estim	necessary repairs/a s. Date required is t nated date of compl	he end date of ance.
Avoided Costs	ANNU	ALIZE avoided o	costs before en		<u> </u>	one-time avoided	l costs)
Disposal				0.00	\$0	\$0	\$0
Personnel				0.00	\$0	\$0	\$0
Inspection/Reporting/Sampling				0.00	\$0	\$0	\$0
Supplies/Equipment				0.00	\$0	\$0	\$0
Financial Assurance				0.00	\$0	\$0	\$0
ONE-TIME avoided costs				0.00	\$0	\$0	\$0
Other (as needed)	ļ			0.00	\$0	\$0	\$0
Notes for AVOIDED costs							
Approx. Cost of Compliance		\$5,000			TOTAL		\$816

	Е	conomic	Benefit	Wor	ksheet		
Respondent	City of Savoy						
Case ID No.							
Reg. Ent. Reference No.							
	Water Quality						Years of
Violation No.						Percent Interest	Depreciation
						5.0	15
	Item Cost	<b>Date Required</b>	Final Date	Yrs	<b>Interest Saved</b>	Costs Saved	EB Amount
Item Description		•					
200m 2 000m <b>p</b>							
Delayed Costs				_			
Equipment				0.00	\$0	\$0	\$0
Buildings				0.00	\$0	\$0	\$0
Other (as needed)				0.00	\$0	\$0	\$0
Engineering/Construction				0.00	\$0	\$0	\$0
Land				0.00	\$0	n/a	\$0
Record Keeping System				0.00	\$0	n/a	\$0
Training/Sampling				0.00	\$0	n/a	\$0
Remediation/Disposal				0.00	\$0	n/a	\$0
Permit Costs				0.00	\$0	n/a	\$0
Other (as needed)				0.00	\$0	n/a	\$0
Notes for DELAYED costs  Avoided Costs	ANNU				sheet for Violation	No. 1.	i costs)
Disposal				0.00	\$0	\$0	\$0
Personnel				0.00	\$0	\$0	\$0
Inspection/Reporting/Sampling				0.00	\$0	\$0	\$0
Supplies/Equipment				0.00	\$0	\$0	\$0
Financial Assurance				0.00	\$0	\$0	\$0
ONE-TIME avoided costs		ĺ		0.00	\$0	\$0	\$0
Other (as needed)				0.00	\$0	\$0	\$0
Notes for AVOIDED costs							
Approx. Cost of Compliance		\$0			TOTAL		\$0

## City of Savoy TPDES Permit No. WQ0014273001 Docket No. 2023-0813-MWD-E

Case No. 64216

#### **Effluent Violation Table**

Littuchi violation rabic						
	Ammonia Nitrogen	Ammonia Nitrogen	Ammonia Nitrogen	CBOD (5-day)	CBOD (5-day)	TSS
Monitoring period	Daily Avg. Conc. Limit = 3 mg/L	Single Grab Conc. Limit = 15 mg/L	Daily Avg. Load. Limit = 3.2 lbs/day	Daily Avg. Conc. Limit = 10 mg/L	Daily Avg. Load. Limit = 11 lbs/day	Daily Avg. Load. Limit = 16 lbs/day
February 2022	С	С	С	С	13.13	20.23
April 2022	5.27	С	5.27	С	С	С
December 2022	12.78	19.2	10.7	11.13	С	С
January 2023	4.84	16.8	С	С	С	С

Avg. = Average mg/L = milligrams per liter lbs/day = pounds per day c = compliant CBOD = Carbonaceous Biochemical Oxygen Demand (5-day) Conc. = Concentration Load. = loading TSS = total suspended solids



# Compliance History Report

Compliance History Report for CN600678122, RN102921988, Rating Year 2024 which includes Compliance History (CH) components from September 1, 2019, through August 31, 2024.

Customer, Respondent, CN600678122, City of Savoy Classification: SATISFACTORY Rating: 0.67

or Owner/Operator:

Regulated Entity: RN102921988, SAVOY WWTP Classification: SATISFACTORY Rating: 0.67

Complexity Points: 8 Repeat Violator: NO

**CH Group:** 08 - Sewage Treatment Facilities

**Location:** 601 North Cedar Street, in the City of Savoy, Fannin County, Texas 75479

TCEQ Region: REGION 04 - DFW METROPLEX

ID Number(s):

WASTEWATER PERMIT WO0014273001 WASTEWATER EPA ID TX0023299

**SLUDGE AUTHORIZATION 720024** 

Compliance History Period: September 01, 2019 to August 31, 2024 Rating Year: 2024 Rating Date: 09/01/2024

**Date Compliance History Report Prepared:** July 24, 2025

Agency Decision Requiring Compliance History: Enforcement

Component Period Selected: July 24, 2020 to July 24, 2025

TCEQ Staff Member to Contact for Additional Information Regarding This Compliance History.

**Name:** Kolby Farren **Phone:** (512) 239-2098

#### Site and Owner/Operator History:

1) Has the site been in existence and/or operation for the full five year compliance period? YES
2) Has there been a (known) change in ownership/operator of the site during the compliance period? NO

#### Components (Multimedia) for the Site Are Listed in Sections A - J

A. Final Orders, court judgments, and consent decrees:

N/A

**B.** Criminal convictions:

N/A

C. Chronic excessive emissions events:

N/A

D. The approval dates of investigations (CCEDS Inv. Track. No.):

Item 1	January 20, 2021	(1713044)	Item 14	September 19, 2022	(1856416)
Item 2	February 20, 2021	(1726101)	Item 15	October 20, 2022	(1862773)
Item 3	August 19, 2021	(1757359)	Item 16	November 17, 2022	(1869686)
Item 4	September 17, 2021	(1766454)	Item 17	December 20, 2022	(1875536)
Item 5	October 19, 2021	(1777028)	Item 18	May 16, 2023	(1912702)
Item 6	November 09, 2021	(1783818)	Item 19	June 20, 2023	(1919306)
Item 7	January 10, 2022	(1798638)	Item 20	July 20, 2023	(1926272)
Item 8	February 03, 2022	(1789003)	Item 21	August 18, 2023	(1933231)
Item 9	February 16, 2022	(1806512)	Item 22	September 19, 2023	(1939372)
Item 10	April 19, 2022	(1820149)	Item 23	October 19, 2023	(1946220)
Item 11	June 17, 2022	(1835282)	Item 24	November 17, 2023	(1951911)
Item 12	July 13, 2022	(1842484)	Item 25	December 20, 2023	(1961676)
Item 13	August 17, 2022	(1848616)	Item 26	February 15, 2024	(1977332)

Item 27	March 20, 2024	(1983899)	Item 34	October 18, 2024	(2030134)
Item 28	April 19, 2024	(1990428)	Item 35	November 19, 2024	(2036452)
Item 29	May 20, 2024	(1996885)	Item 36	December 18, 2024	(2042807)
Item 31	July 19, 2024	(2011395)	Item 37	March 19, 2025	(2065528)
Item 32	August 20, 2024	(2016992)	Item 38	May 19, 2025	(2078730)
Item 33	September 19, 2024	(2024013)			

#### E. Written notices of violations (NOV) (CCEDS Inv. Track. No.):

A notice of violation represents a written allegation of a violation of a specific regulatory requirement from the commission to a regulated entity. A notice of violation is not a final enforcement action, nor proof that a violation has actually occurred.

1 Date: 12/31/2024 (2049394)

Self Report? YES Classification: Moderate

Citation: 2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

2 Date: 01/31/2025 (2056961)

Self Report? YES Classification: Moderate

Citation: 2D TWC Chapter 26, SubChapter A 26.121(a)

30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

3 Date: 03/31/2025 (2072332)

Self Report? YES Classification: Moderate

Citation: 2D TWC Chapter 26, SubChapter A 26.121(a)

30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

#### F. Environmental audits:

N/A

#### G. Type of environmental management systems (EMSs):

N/A

#### H. Voluntary on-site compliance assessment dates:

N/A

#### I. Participation in a voluntary pollution reduction program:

N/A

#### J. Early compliance:

N/A

#### **Sites Outside of Texas:**

N/A

#### **Component Appendices**

#### Appendix A

#### All NOVs Issued During Component Period 7/24/2020 and 7/24/2025

1 Date: 07/31/2020 (1680538)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

2 Date: 08/31/2020 (1687105)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

3 Date: 09/30/2020 (1693449)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

4 Date: 10/31/2020 (1713042)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

5 Date: 11/30/2020 (1713043)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

6 Date: 02/28/2021 (1726102)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

7 Date: 03/31/2021 (1726103)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

8 Date: 04/30/2021 (1740355)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a)

30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

9 Date: 05/31/2021 (1747685)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

10 Date: 06/30/2021 (1751898)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

11 Date: 11/30/2021 (1790847)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

12 Date: 12/13/2021 (1773788)

Self Report? NO Classification: Minor

Citation:

30 TAC Chapter 217, SubChapter M 217.330(c)

TX0023299 PERMIT WQ0014273001 PERMIT

Description: Failure to maintain annual certifications for the backflow prevent device. Self Report? NO Classification: Minor

Citation:

30 TAC Chapter 305, SubChapter F 305.125(5)

TX0023299 PERMIT WQ0014273001 PERMIT

Description: Failed to properly operate and maintain the lift station.

Self Report? NO Classification: Moderate

Citation:

30 TAC Chapter 305, SubChapter F 305.125(1)

Sludge Provisions, Section III(G) PERMIT Failed to submit the annual sludge report.

Self Report? NO Classification: Minor

Citation:

Description:

30 TAC Chapter 305, SubChapter F 305.125(1)
Monitoring and Reporting Requirements, PERMIT

Description: Failed to calibrate the flow meter at least annually to ensure accuracy. Self Report? NO Classification: Minor

Citation:

30 TAC Chapter 305, SubChapter F 305.125(1)
Monitoring and Reporting Requirements, PERMIT

Description: Failed to provide notification of any effluent violation which deviates from the

permitted effluent limitation by more than 40%.

Self Report? NO Classification: Moderate

Citation:

30 TAC Chapter 217, SubChapter E 217.123(b)

TX0023299 PERMIT WQ0014273001 PERMIT

Description: Failed to properly store the bar screen screenings.

Self Report? NO Classification: Moderate

Citation:

30 TAC Chapter 305, SubChapter F 305.125(1)

Other Requirements No. 9 PERMIT

Description: Failed to notify the TCEQ of planned physical alterations or additions to the

facility.

Self Report? NO Classification: Minor

Citation:

30 TAC Chapter 305, SubChapter F 305.125(1) 30 TAC Chapter 319, SubChapter A 319.7(a) Monitoring and Reporting Requirements PERMIT

Description: Failure to maintain complete monitoring and reporting records at the facility.

13 Date: 02/28/2022 (1813580)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

14 Date: 04/30/2022 (1828989)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

15 Date: 12/31/2022 (1882356)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

16 Date: 01/31/2023 (1890170)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

17 Date: 02/28/2023 (1898733)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

18 Date: 03/31/2023 (1905520)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

19\* Date: 12/31/2023 (1968271)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

20\* Date: 05/31/2024 (2003837)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

21 Date: 12/31/2024 (2049394)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

22 Date: 01/31/2025 (2056961)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

23 Date: 03/31/2025 (2072332)

Self Report? YES Classification: Moderate

Citation:

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

# Appendix B All Investigations Conducted During Component Period July 24, 2020 and July 24, 2025

Item 1	August 20, 2020**	(1680538)
Item 2	September 18, 2020**	(1687105)
Item 3	October 20, 2020**	(1693449)
Item 4	November 09, 2020**	(1713042)
Item 5	December 14, 2020**	(1713043)
Item 6*	January 20, 2021**	(1713044)
Item 7*	February 20, 2021**	(1726101)
Item 8	March 19, 2021**	(1726102)
Item 9	April 19, 2021**	(1726103)
Item 10	May 17, 2021**	(1740355)
Item 11	June 18, 2021**	(1747685)
Item 12	July 16, 2021**	(1751898)
Item 13*	August 19, 2021**	(1757359)
Item 14*	September 17, 2021**	(1766454)
Item 15*	October 19, 2021**	(1777028)
Item 16*	November 09, 2021**	(1783818)
Item 17	December 09, 2021**	(1773788)
Item 18	December 16, 2021**	(1790847)
Item 19*	January 10, 2022**	(1798638)
Item 20	January 11, 2022**	(1783089)

<sup>\*</sup> NOVs applicable for the Compliance History rating period 9/1/2019 to 8/31/2024

Item 21*	February 03, 2022**	(1789003)
Item 22*	February 16, 2022**	(1806512)
Item 23	March 18, 2022**	(1813580)
Item 24*	April 19, 2022**	(1820149)
Item 25	May 19, 2022**	(1828989)
Item 26*	June 17, 2022**	(1835282)
Item 27*	July 13, 2022**	(1842484)
Item 28*	August 17, 2022**	(1848616)
Item 29*	September 19, 2022**	(1856416)
Item 30*	October 20, 2022**	(1862773)
Item 31*	November 17, 2022**	(1869686)
Item 32*	December 20, 2022**	(1875536)
Item 33	January 19, 2023**	(1882356)
Item 34	February 16, 2023**	(1890170)
Item 35	March 16, 2023**	(1898733)
Item 36	April 20, 2023**	(1905520)
Item 37*	May 16, 2023**	(1912702)
Item 38	June 05, 2023**	(1896595)
Item 39*	June 20, 2023**	(1919306)
Item 40*	July 20, 2023**	(1926272)
Item 41*	August 18, 2023**	(1933231)
Item 42*	September 19, 2023**	(1939372)
Item 43*	October 19, 2023**	(1946220)
Item 44*	November 17, 2023**	(1951911)
Item 45*	December 20, 2023**	(1961676)
Item 46	January 16, 2024**	(1968271)
Item 47*	February 15, 2024**	(1977332)
Item 48*	March 20, 2024**	(1983899)
Item 49*	April 19, 2024**	(1990428)
Item 50*	May 20, 2024**	(1996885)
Item 51	June 18, 2024**	(2003837)
Item 52*	July 19, 2024**	(2011395)
Item 53*	August 20, 2024**	(2016992)
Item 54*	September 19, 2024	(2024013)
Item 55*	October 18, 2024	(2030134)
Item 56*	November 19, 2024	(2036452)
Item 57*	December 18, 2024	(2042807)
Item 58	January 17, 2025	(2049394)
Item 59	February 19, 2025	(2056961)
Item 60*	March 19, 2025	(2065528)
Item 61	April 15, 2025	(2072332)
Item 62*	May 19, 2025	(2078730)

<sup>\*</sup> No violations documented during this investigation \*\*Investigation applicable for the Compliance History Rating period between 09/01/2019 and 08/31/2024.

### TEXAS COMMISSION ON ENVIRONMENTAL QUALITY



IN THE MATTER OF AN \$ BEFORE THE
ENFORCEMENT ACTION \$
CONCERNING \$ TEXAS COMMISSION ON
CITY OF SAVOY \$
RN102921988 \$ ENVIRONMENTAL QUALITY

#### AGREED ORDER DOCKET NO. 2023-0813-MWD-E

On \_ \_ \_ \_ , the Texas Commission on Environmental Quality ("the Commission" or "TCEQ") considered this agreement of the parties, resolving an enforcement action regarding the City of Savoy (the "Respondent") under the authority of Tex. Water Code chs. 7 and 26. The Executive Director of the TCEQ, through the Enforcement Division, and the Respondent, presented this Order to the Commission.

The Respondent understands that it has certain procedural rights at certain points in the enforcement process, including the right to formal notice of violations, notice of an evidentiary hearing, the right to an evidentiary hearing, and a right to appeal. By entering into this Order, the Respondent agrees to waive all notice and procedural rights.

It is further understood and agreed that this Order represents the complete and fully-integrated agreement of the parties. The provisions of this Order are deemed severable and, if a court of competent jurisdiction or other appropriate authority deems any provision of this Order unenforceable, the remaining provisions shall be valid and enforceable. The duties and responsibilities imposed by this Order are binding upon the Respondent.

The Commission makes the following Findings of Fact and Conclusions of Law:

#### I. FINDINGS OF FACT

- 1. The Respondent owns and operates a wastewater treatment facility located at 601 North Cedar Street in Savoy, Fannin County, Texas.
- 2. During a record review conducted on April 27, 2023, an investigator documented that the Respondent did not comply with permitted effluent limitations, as shown in the effluent violation table below:

Effluent Violation Table							
Monitoring period	Ammonia Nitrogen	Ammonia Nitrogen	Ammonia Nitrogen	CBOD (5-day)	CBOD (5-day)	TSS	
	Daily Avg. Conc. Limit = 3 mg/L	Single Grab Conc. Limit = 15 mg/L	Daily Avg. Load. Limit = 3.2 lbs/day	Daily Avg. Conc. Limit = 10 mg/L	Daily Avg. Load. Limit = 11 lbs/day	Daily Avg. Load. Limit = 16 lbs/day	
February 2022	С	С	С	С	13.13	20.23	
April 2022	5.27	С	5.27	С	С	С	
December 2022	12.78	19.2	10.7	11.13	С	С	
January 2023	4.84	16.8	С	С	С	С	

Avg. = Average mg/L = milligrams per liter lbs/day = pounds per day c = compliant CBOD = Carbonaceous Biochemical Oxygen Demand (5-day) Conc. = Concentration Load. = loading TSS = total suspended solids

#### II. CONCLUSIONS OF LAW

- 1. As evidenced by Finding of Fact No. 1, the Respondent is subject to the jurisdiction of the TCEQ pursuant to Tex. Water Code ch. 26 and the rules of the TCEQ.
- 2. As evidenced by Finding of Fact No. 2, the Respondent failed to comply with permitted effluent limitations, in violation of 30 Tex. ADMIN. CODE § 305.125(1), Tex. WATER CODE § 26.121(a)(1), and Texas Pollutant Discharge Elimination System ("TPDES") Permit No. WQ0014273001, Effluent Limitations and Monitoring Requirements No. 1.
- 3. Pursuant to Tex. Water Code § 7.051, the TCEQ has the authority to assess an administrative penalty against the Respondent for violations of state statutes within the TCEQ's jurisdiction, for violations of rules adopted under such statutes, or for violations of orders or permits issued under such statutes.
- 4. An administrative penalty in the amount of \$23,000 is justified by the facts recited in this Order, and considered in light of the factors set forth in Tex. WATER CODE § 7.053. The Respondent paid the \$23,000 penalty.

#### III. ORDERING PROVISIONS

NOW, THEREFORE, THE TEXAS COMMISSION ON ENVIRONMENTAL QUALITY ORDERS that:

1. The Respondent is assessed a penalty as set forth in Conclusion of Law No. 4 for violations of state statutes and rules of the TCEQ. The payment of this penalty and the Respondent's compliance with all the requirements set forth in this Order resolve only the matters set forth by this Order in this action. The Commission shall not be constrained in any manner from requiring corrective actions or penalties for violations that are not raised here. Penalty payments shall be made payable to "TCEQ" and shall be sent with the notation "Re: City of Sayoy, Docket No. 2023-0813-MWD-E" to:

Financial Administration Division, Revenue Operations Section Attention: Cashier's Office, MC 214 Texas Commission on Environmental Quality P.O. Box 13088 Austin, Texas 78711-3088

2. The Respondent shall, within 130 days after the effective date of this Order, submit written certification of compliance with the effluent limitations of TPDES Permit No. WQ0014273001, including specific corrective actions that were implemented at the Facility to achieve compliance and copies of the most current self-reported discharge monitoring reports, demonstrating at least three consecutive months of compliance with all permitted effluent limitations. The certification shall include detail supporting documentation including photographs, receipts, and/or other records to demonstrate compliance with the permitted effluent limitations. The certification shall be signed by the Respondent and shall include the following certification language:

"I certify under penalty of law that I have personally examined and am familiar with the information submitted and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fines and imprisonment for knowing violations."

The certification shall be submitted to:

Enforcement Division, MC 149A Texas Commission on Environmental Quality P.O. Box 13087 Austin, Texas 78711-3087 City of Savoy DOCKET NO. 2023-0813-MWD-E Page 4

#### with a copy to:

Water Section Manager Dallas/Fort Worth Regional Office Texas Commission on Environmental Quality 1977 Industrial Boulevard Abilene, Texas 79602-7833

- 3. All relief not expressly granted in this Order is denied.
- 4. The duties and provisions imposed by this Order shall apply to and be binding upon the Respondent. The Respondent is ordered to give notice of this Order to personnel who maintain day-to-day control over the Facility operations referenced in this Order.
- 5. The Executive Director may grant an extension of any deadline in this Order or in any plan, report, or other document submitted pursuant to this Order, upon a written and substantiated showing of good cause. All requests for extensions by the Respondent shall be made in writing to the Executive Director. Extensions are not effective until the Respondent receives written approval from the Executive Director. The determination of what constitutes good cause rests solely with the Executive Director. Extension requests shall be sent to the Enforcement Division at the address listed above.
- 6. The Executive Director may, without further notice or hearing, refer this matter to the Office of the Attorney General of the State of Texas ("OAG") for further enforcement proceedings if the Executive Director determines that the Respondent has not complied with one or more of the terms in this Order.
- 7. This Order shall terminate five years from its effective date or upon compliance with all the terms and conditions set forth in this Order, whichever is later.
- 8. This Order, issued by the Commission, shall not be admissible against the Respondent in a civil proceeding, unless the proceeding is brought by the OAG to: (1) enforce the terms of this Order; or (2) pursue violations of a statute within the Commission's jurisdiction, or of a rule adopted or an order or permit issued by the Commission under such a statute.
- 9. This Order may be executed in separate and multiple counterparts, which together shall constitute a single instrument. Any page of this Order may be copied, scanned, digitized, converted to electronic portable document format ("pdf"), or otherwise reproduced and may be transmitted by digital or electronic transmission, including but not limited to facsimile transmission and electronic mail. Any signature affixed to this Order shall constitute an original signature for all purposes and may be used, filed, substituted, or issued for any purpose for which an original signature could be used. The term "signature" shall include manual signatures and true and accurate reproductions of manual signatures created, executed, endorsed, adopted, or authorized by the person or persons to whom the signatures are attributable. Signatures may be copied or reproduced digitally, electronically, by photocopying, engraving, imprinting, lithographing, electronic mail, facsimile transmission, stamping, or any other means or process which the Executive Director deems acceptable. In this paragraph exclusively,

City of Savoy DOCKET NO. 2023-0813-MWD-E Page 5

the terms: electronic transmission, owner, person, writing, and written, shall have the meanings assigned to them under Tex. Bus. Org. Code § 1.002.

10. The effective date of this Order is the date it is signed by the Commission. A copy of this fully executed Order shall be provided to each of the parties.

City of Savoy DOCKET NO. 2023-0813-MWD-E Page 6

#### SIGNATURE PAGE

#### TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

For the Commission	Date		
Kriote Melo-Jurach	11/10/2025		
For the Executive Director	Date		

I, the undersigned, have read and understand the attached Order. I am authorized to agree to the attached Order, and I do agree to the terms and conditions specified therein. I further acknowledge that the TCEQ, in accepting payment for the penalty amount, is materially relying on such representation.

I also understand that failure to comply with the Ordering Provisions, if any, in this Order and/or failure to timely pay the penalty amount, may result in:

A negative impact on compliance history;

City of Savoy

- Greater scrutiny of any permit applications submitted;
- Referral of this case to the OAG for contempt, injunctive relief, additional penalties, and/or attorney fees, or to a collection agency;
- Increased penalties in any future enforcement actions;
- · Automatic referral to the OAG of any future enforcement actions; and
- TCEQ seeking other relief as authorized by law.

In addition, any falsification of any compliance documents may result in criminal prosecution.

Signature

Signature

Signature

City Secretary

Name (Printed or typed)

Authorized Representative of

☐ If mailing address has changed, please check this box and provide the new address below: