

## Debbie Zachary

---

**From:** PUBCOMMENT-OCC  
**Sent:** Wednesday, October 12, 2022 9:19 AM  
**To:** PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ  
**Subject:** CORRECTION: Public comment on Permit Number WQ0016165001

Comment only, not PM & H.

---

**From:** PUBCOMMENT-OCC  
**Sent:** Monday, October 3, 2022 2:03 PM  
**To:** PUBCOMMENT-OCC2 <pubcomment-occ2@tceq.texas.gov>; PUBCOMMENT-OPIC <pubcomment-opic@tceq.texas.gov>; PUBCOMMENT-ELD <pubcomment-eld@tceq.texas.gov>; PUBCOMMENT-WQ <pubcomment-wq@tceq.texas.gov>  
**Subject:** FW: Public comment on Permit Number WQ0016165001

PM  
H

---

**From:** [collincounty@swcd.texas.gov](mailto:collincounty@swcd.texas.gov) <[collincounty@swcd.texas.gov](mailto:collincounty@swcd.texas.gov)>  
**Sent:** Monday, October 3, 2022 11:43 AM  
**To:** PUBCOMMENT-OCC <[PUBCOMMENT-OCC@tceq.texas.gov](mailto:PUBCOMMENT-OCC@tceq.texas.gov)>  
**Subject:** Public comment on Permit Number WQ0016165001

**REGULATED ENTITY NAME** WESTON 125A WWTP

**RN NUMBER:** RN111498846

**PERMIT NUMBER:** WQ0016165001

**DOCKET NUMBER:**

**COUNTY:** COLLIN

**PRINCIPAL NAME:** VENETIAN 141 SWISHER LLC

**CN NUMBER:** CN605975184

**FROM**

**NAME:** Jilane Carper

**EMAIL:** [collincounty@swcd.texas.gov](mailto:collincounty@swcd.texas.gov)

**COMPANY:** Collin County Soil & Water Conservation District #535

**ADDRESS:** 1404 N MCDONALD ST Suite 100  
MCKINNEY TX 75071-1845

PHONE: 9725420081

FAX:

**COMMENTS:** The Collin County Soil & Water Conservation District #535 is considered the owner of FWRS Site 8f, EFAL, that this facility plans to discharge treated wastewater in to. We were not formally notified of this permit application, however two landowners around the dam contacted us. The SWCD has great concerns about this plan. Site 8f was designed and constructed as a low-hazard floodwater retarding structure in rural agricultural land. It was not designed for and cannot handle this type of additional flow, especially in wet seasons, as planned in this application. The principal outlet pipe of this structure is only 12 inches in diameter and often becomes clogged with debris or from beaver damage. The additional discharge planned for in this permit will potentially cause extensive damage to this structure by either causing the auxiliary spillway to function more often or by over-topping the dam. There is already some erosion in the spillway outlet, and additional flow will only make this worse. As sponsor and owner of this dam, the SWCD does not have the funds for these kinds of repairs nor does the SWCD have funds to upgrade the dam at this time. Additional flow into the unnamed tributary just upstream of this dam will most likely add additional sediment from stream channel erosion to the structure, also. The SWCD would ask that an alternative route be considered that would not outlet into any channel directly upstream of any flood control dam in the county. At the very least, we would ask for plans that could detain discharge water during rainy seasons and flood events. The SWCD would ask that they be notified of any future application, such as this, that would directly impact a dam we are responsible for. Please keep us informed of the status of this application and notify us if a public meeting or contested case hearing are being scheduled.

Debbie Zachary

WQ  
129/31

**From:** PUBCOMMENT-OCC  
**Sent:** Monday, October 3, 2022 2:03 PM  
**To:** PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ  
**Subject:** FW: Public comment on Permit Number WQ0016165001

PM  
H

---

**From:** collincounty@swcd.texas.gov <collincounty@swcd.texas.gov>  
**Sent:** Monday, October 3, 2022 11:43 AM  
**To:** PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>  
**Subject:** Public comment on Permit Number WQ0016165001

**REGULATED ENTY NAME** WESTON 125A WWTP

**RN NUMBER:** RN111498846

**PERMIT NUMBER:** WQ0016165001

**DOCKET NUMBER:**

**COUNTY:** COLLIN

**PRINCIPAL NAME:** VENETIAN 141 SWISHER LLC

**CN NUMBER:** CN605975184

**FROM**

**NAME:** Jilane Carper

**EMAIL:** [collincounty@swcd.texas.gov](mailto:collincounty@swcd.texas.gov)

**COMPANY:** Collin County Soil & Water Conservation District #535

**ADDRESS:** 1404 N MCDONALD ST Suite 100  
MCKINNEY TX 75071-1845

**PHONE:** 9725420081

**FAX:**

**COMMENTS:** The Collin County Soil & Water Conservation District #535 is considered the owner of FWRS Site 8f, EFAL, that this facility plans to discharge treated wastewater in to. We were not formally notified of this permit application, however two landowners around the dam contacted us. The SWCD has great concerns about this plan. Site 8f was designed and constructed as a low-hazard floodwater retarding structure in rural agricultural land. It was not designed

for and cannot handle this type of additional flow, especially in wet seasons, as planned in this application. The principal outlet pipe of this structure is only 12 inches in diameter and often becomes clogged with debris or from beaver damage. The additional discharge planned for in this permit will potentially cause extensive damage to this structure by either causing the auxiliary spillway to function more often or by over-topping the dam. There is already some erosion in the spillway outlet, and additional flow will only make this worse. As sponsor and owner of this dam, the SWCD does not have the funds for these kinds of repairs nor does the SWCD have funds to upgrade the dam at this time. Additional flow into the unnamed tributary just upstream of this dam will most likely add additional sediment from stream channel erosion to the structure, also. The SWCD would ask that an alternative route be considered that would not outlet into any channel directly upstream of any flood control dam in the county. At the very least, we would ask for plans that could detain discharge water during rainy seasons and flood events. The SWCD would ask that they be notified of any future application, such as this, that would directly impact a dam we are responsible for. Please keep us informed of the status of this application and notify us if a public meeting or contested case hearing are being scheduled.

## Ellie Guerra

---

**From:** PUBCOMMENT-OCC  
**Sent:** Monday, February 6, 2023 9:06 AM  
**To:** PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ  
**Subject:** FW: Public comment on Permit Number WQ0016165001

---

**From:** johnnhuff@livenation.com <johnnhuff@livenation.com>  
**Sent:** Sunday, February 5, 2023 10:55 PM  
**To:** PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>  
**Subject:** Public comment on Permit Number WQ0016165001

**REGULATED ENTY NAME** WESTON 125A WWTP

**RN NUMBER:** RN111498846

**PERMIT NUMBER:** WQ0016165001

**DOCKET NUMBER:**

**COUNTY:** COLLIN

**PRINCIPAL NAME:** VENETIAN 141 SWISHER LLC

**CN NUMBER:** CN605975184

**FROM**

**NAME:** John Scott Huff

**EMAIL:** [johnnhuff@livenation.com](mailto:johnnhuff@livenation.com)

**COMPANY:**

**ADDRESS:** 15 DENNIS DR  
CLIFTON PARK NY 12065-6040

**PHONE:** 5183129286

**FAX:**

**COMMENTS:** I want to voice my concern and objection to issuing this waste water discharge permit. I think that the potential environmental impact from allowing up to 200,000 gallons of discharge water per day could be widespread, long lasting and have a negative impact on the surrounding area. Our property will be greatly effected by this facility and the waste water discharge. Our property borders the waste water facility to the north and the creek where this discharge will be dumped crosses the width of our property to the west. The creek where the discharge will enter the

water system leads directly to the large reservoir to the west of our property. Under current conditions without the addition of up to 200,000 gallons a day, there are times when the reservoir will fill and cause flooding over a 2 acre space and up to and including the proposed area where the discharge will enter the water system. The flooding can last up to 4-6 months at a time depending on the weather conditions. When this natural flooding occurs it will be exacerbated by allowing up to 200,000 gallons a day of waste water to be added to the flooded area. When this part of our property floods we are cut off from accessing a large portion of the property to the south of the flooded area. Allowing up to 200,000 gallons a day of discharge could result in cutting off access to a large portion of our property for an extended period of time and possibly permanently. Please require the developer to place the waste water treatment center to the far south of their property and have the input/discharge point be as far south as possible which hopefully will miss our property completely. Thank you for your consideration.

## Ellie Guerra

---

**From:** PUBCOMMENT-OCC  
**Sent:** Tuesday, February 7, 2023 11:36 AM  
**To:** PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ  
**Subject:** FW: Public comment on Permit Number WQ0016165001

---

**From:** katherinesookma@gmail.com <katherinesookma@gmail.com>  
**Sent:** Tuesday, February 7, 2023 6:54 AM  
**To:** PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>  
**Subject:** Public comment on Permit Number WQ0016165001

**REGULATED ENTY NAME** WESTON 125A WWTP

**RN NUMBER:** RN111498846

**PERMIT NUMBER:** WQ0016165001

**DOCKET NUMBER:**

**COUNTY:** COLLIN

**PRINCIPAL NAME:** VENETIAN 141 SWISHER LLC

**CN NUMBER:** CN605975184

**FROM**

**NAME:** Katherine Sookma

**EMAIL:** [katherinesookma@gmail.com](mailto:katherinesookma@gmail.com)

**COMPANY:**

**ADDRESS:** 12130 BLOOMING WILLOW DR  
TOMBALL TX 77377-2939

**PHONE:** 2817331917

**FAX:**

**COMMENTS:** I would like to voice my concern and objection to issuing this waste water discharge permit. I think that the potential environmental impact from allowing up to 200,000 gallons of discharge water per day could be widespread, long lasting and have a negative impact on the surrounding area. Our property will be greatly effected by this facility and the waste water discharge. Our property borders the waste water facility to the north and the creek where this discharge will be dumped crosses the width of our property to the west. The creek where the discharge will enter the

water system leads directly to the large reservoir to the west of our property. Under current conditions without the addition of up to 200,000 gallons a day, there are times when the reservoir will fill and cause flooding over a 2 acre space and up to and including the proposed area where the discharge will enter the water system. The flooding can last up to 4-6 months at a time depending on the weather conditions. When this natural flooding occurs it will be exacerbated by allowing up to 200,000 gallons a day of waster water to be added to the flooded area. When this part of our property floods we are cut off from accessing a large portion of the property to the south of the flooded area. Allowing up to 200,000 gallons a day of discharge could result in cutting off access to a large portion of our property for an extended period of time and possibly permanently. Please require the developer to place the waste water treatment center to the far south of their property and have the input/discharge point be as far south as possible which hopefully will miss our property completely. Thank you for your consideration.



## Ellie Guerra

---

**From:** PUBCOMMENT-OCC  
**Sent:** Tuesday, February 7, 2023 11:38 AM  
**To:** PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ  
**Subject:** FW: Public comment on Permit Number WQ0016165001

---

**From:** katherinesookma@gmail.com <katherinesookma@gmail.com>  
**Sent:** Monday, February 6, 2023 9:23 PM  
**To:** PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>  
**Subject:** Public comment on Permit Number WQ0016165001

**REGULATED ENTY NAME** WESTON 125A WWTP

**RN NUMBER:** RN111498846

**PERMIT NUMBER:** WQ0016165001

**DOCKET NUMBER:**

**COUNTY:** COLLIN

**PRINCIPAL NAME:** VENETIAN 141 SWISHER LLC

**CN NUMBER:** CN605975184

**FROM**

**NAME:** Katherine Sookma

**EMAIL:** [katherinesookma@gmail.com](mailto:katherinesookma@gmail.com)

**COMPANY:**

**ADDRESS:** 12130 BLOOMING WILLOW DR  
TOMBALL TX 77377-2939

**PHONE:** 2817331917

**FAX:**

**COMMENTS:** I would like to voice my concern and objection to issuing this waste water discharge permit. I think that the potential environmental impact from allowing up to 200,000 gallons of discharge water per day could be widespread, long lasting and have a negative impact on the surrounding area. Our property will be greatly effected by this facility and the waste water discharge. Our property borders the waste water facility to the north and the creek where this discharge will be dumped crosses the width of our property to the west. The creek where the discharge will enter the

water system leads directly to the large reservoir to the west of our property. Under current conditions without the addition of up to 200,000 gallons a day, there are times when the reservoir will fill and cause flooding over a 2 acre space and up to and including the proposed area where the discharge will enter the water system. The flooding can last up to 4-6 months at a time depending on the weather conditions. When this natural flooding occurs it will be exacerbated by allowing up to 200,000 gallons a day of waste water to be added to the flooded area. When this part of our property floods we are cut off from accessing a large portion of the property to the south of the flooded area. Allowing up to 200,000 gallons a day of discharge could result in cutting off access to a large portion of our property for an extended period of time and possibly permanently. Please require the developer to place the waste water treatment center to the far south of their property and have the input/discharge point be as far south as possible which hopefully will miss our property completely. Thank you for your consideration.

## Ellie Guerra

---

**From:** PUBCOMMENT-OCC  
**Sent:** Tuesday, February 7, 2023 4:15 PM  
**To:** PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ  
**Subject:** FW: Public comment on Permit Number WQ0016165001

---

**From:** txaggie86@sbcglobal.net <txaggie86@sbcglobal.net>  
**Sent:** Tuesday, February 7, 2023 4:06 PM  
**To:** PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>  
**Subject:** Public comment on Permit Number WQ0016165001

**REGULATED ENTY NAME** WESTON 125A WWTP

**RN NUMBER:** RN111498846

**PERMIT NUMBER:** WQ0016165001

**DOCKET NUMBER:**

**COUNTY:** COLLIN

**PRINCIPAL NAME:** VENETIAN 141 SWISHER LLC

**CN NUMBER:** CN605975184

**FROM**

**NAME:** MRS Janet Sweet

**EMAIL:** [txaggie86@sbcglobal.net](mailto:txaggie86@sbcglobal.net)

**COMPANY:**

**ADDRESS:** PO BOX 220  
WESTON TX 75097-0220

**PHONE:** 8322470929

**FAX:**

**COMMENTS:** I am writing to voice my objection to issuing this waste water discharge permit. Our property will be adversely effected by allowing up to 200,000 gallons of discharge water to be released per day. A large reservoir borders our property to the west, this reservoir frequently floods a 2 acre area of our property depending on weather conditions. The flooding has lasted 4-6 months at a time in the past. When this occurs we do not have access to a large area of our property. The natural flooding that occurs will be magnified with 200,000 additional gallons of discharge

water that would be released daily. I feel this would compound the negative impact to our property making it inaccessible for extended periods of time or perhaps permanently. I ask that you require the developer to relocate the waste water treatment center to the far south of their property and miss out property all together. I appreciate your time and consideration in this matter.