Executive Summary – Enforcement Matter – Case No. 65230 Enterprise Products Operating LLC RN102323268 Docket No. 2024-0039-IWD-E

Order Type:

1660 Agreed Order

Findings Order Justification:

N/A **Media:** IWD

Small Business:

No

Location(s) Where Violation(s) Occurred:

Eenterprise Mont Belvieu Complex, located at 10207 Farm-to-Market Road 1942, in the area enclosed on the west by Hatcherville Road, on the east by the Southern Pacific Railroad, on the south by Farm-to-Market Road 1942, and on the north by the CIWA Canal, Mont Belvieu, Chambers County

Type of Operation:

Wastewater treatment facility

Other Significant Matters:

Additional Pending Enforcement Actions: Yes, Docket No. 2024-1310-AIR-E

Past-Due Penalties: No

Other: N/A

Interested Third-Parties: None

Texas Register Publication Date: February 14, 2025

Comments Received: No

Penalty Information

Total Penalty Assessed: \$93,575

Amount Deferred for Expedited Settlement: \$18,715

Total Paid to General Revenue: \$37,430 **Total Due to General Revenue:** \$0

Payment Plan: N/A

Supplemental Environmental Project ("SEP") Conditional Offset: \$37,430

Name of SEP: City of Baytown (Third-Party Pre-Approved)

Compliance History Classifications:

Person/CN - Satisfactory Site/RN - Satisfactory

Major Source: Yes

Statutory Limit Adjustment: N/A

Applicable Penalty Policy: January 2021

Investigation Information

Complaint Date(s): N/A **Complaint Information:** N/A

Date(s) of Investigation: August 31, 2023

Date(s) of NOE(s): October 26, 2023

Executive Summary – Enforcement Matter – Case No. 65230 Enterprise Products Operating LLC RN102323268 Docket No. 2024-0039-IWD-E

Violation Information

Failed to comply with permitted effluent limitations for total organic carbon, pH, free cyanide, and chloroform [30 Tex. Admin. Code § 305.125(1), Tex. Water Code § 26.121(a)(1), and Texas Pollutant Discharge Elimination System ("TPDES") Permit No. WQ0002940000, Effluent Limitations and Monitoring Requirements Nos. 1 and 2 for Outfall No. 003, Effluent Limitations and Monitoring Requirements No. 1 for Outfall No. 404, and Phase II Effluent Limitations and Monitoring Requirements No. 1 for Outfall Nos. 004 and 504].

Corrective Actions/Technical Requirements

Corrective Action(s) Completed:

By June 30, 2024, the Respondent implemented corrective measures at the Facility and achieved compliance with all permitted effluent limitations in TPDES Permit No. WQ0002940000.

Technical Requirements:

The Order will require the Respondent to implement and complete a SEP (see SEP Attachment A).

Contact Information

TCEO Attornev: N/A

TCEQ Enforcement Coordinator: Taylor Williamson, Enforcement Division, Enforcement Team 1, MC R-12, (512) 239-2097; Michael Parrish, Enforcement Division, MC 219, (512) 239-2548

TCEQ SEP Coordinator: Stuart Beckley, SEP Coordinator, Enforcement Division, MC 219, (512) 239-3565

SEP Third-Party Administrator: Director of Public Works, P.O. Box 424, Baytown, Texas 77522-79005

Respondent: Graham Bacon, Executive Vice President and Chief Operating Officer, Enterprise Products Operating LLC, P.O. Box 4018, Houston, Texas 77210 Bradley J. Cooley, Senior Director, Enterprise Products Operating LLC, P.O. Box 4018, Houston, Texas 77210

Respondent's Attorney: N/A



Penalty Calculation Worksheet (PCW)

Policy Revision 5 (January 28, 2021) PCW Revision February 11, 2021

 Assigned
 6-Nov-2023

 PCW
 2-Jan-2024
 Screening
 22-Dec-2023
 EPA Due 5-Dec-2023

RESPONDENT/FACILI	TY INFORMATION			
Respondent	Enterprise Products Operating LLC			
Reg. Ent. Ref. No.	RN102323268			
Facility/Site Region	12-Houston	Major/Minor Source	Major	
CASE INFORMATION				
Enf./Case ID No.		No. of Violations	5	
	2024-0039-IWD-E	Order Type	1660	
Media Program(s)	Water Quality	Government/Non-Profit	No	
Multi-Media		Enf. Coordinator	Taylor Williamson	
		FC's Team	Enforcement Team 1	/

Ac	dmin. Penalty \$	Limit Minimum \$0 Maximum \$25,000	<u>m 1</u>
		Penalty Calculation Section	
TOTA	AL BASE PENA	LTY (Sum of violation base penalties) Subtotal 1	\$49,250
ADJL	JSTMENTS (+	/-) TO SUBTOTAL 1	
	Subtotals 2-7 are of	stained by multiplying the Total Base Penalty (Subtotal 1) by the indicated percentage.	
	Compliance Hi		\$49,250
	Notes	Enhancement for thirteen months of self-reported effluent violations, five NOVs with dissimilar violations, five agreed orders containing a denial of liability, and four agreed orders without a denial of liability. Reduction for two notices of intended audit and one disclosure of violations.	
	Culpability	No 0.0% Enhancement Subtotal 4	\$0
	Notes	The Respondent does not meet the culpability criteria.	
	Good Faith Eff	ort to Comply Total Adjustments Subtotal 5	-\$4,925
	Economic Ben		\$0
	Estimated	Total EB Amounts \$2,291 *Capped at the Total EB \$ Amount Cost of Compliance #NAME?	
SUM	OF SUBTOTA	LS 1-7 Final Subtotal	\$93,575
OTIL	ED EACTORS	AC JUSTICE MAY DECUIDE	+0
		AS JUSTICE MAY REQUIRE Subtotal by the indicated percentage. Adjustment	\$0
	Notes		
		Final Penalty Amount	\$93,575
STAT	TUTORY LIMIT	ADJUSTMENT Final Assessed Penalty	\$93,575
DEFE	RRAL	20.0% Reduction Adjustment	-\$18,715
Reduces	the Final Assessed Pe	nalty by the indicated percentage.	
	Notes	Deferral offered for expedited settlement.	
ΡΔΥΔ	ABLE PENALT		\$74,860

PCW

Policy Revision 5 (January 28, 2021) PCW Revision February 11, 2021

Respondent Enterprise Products Operating LLC

Case ID No. 65230

Reg. Ent. Reference No. RN102323268

Media Water Quality

Enf. Coordinator Taylor Williamson

Compliance History Worksheet

>> Compliance History Site Enhancement (Subtotal 2)

Component	Number of	Number	Adjust.
NOVs	Written notices of violation ("NOVs") with same or similar violations as those in the current enforcement action (number of NOVs meeting criteria)	13	65%
	Other written NOVs	5	10%
	Any agreed final enforcement orders containing a denial of liability (<i>number of orders meeting criteria</i>)	5	100%
Orders	Any adjudicated final enforcement orders, agreed final enforcement orders without a denial of liability, or default orders of this state or the federal government, or any final prohibitory emergency orders issued by the commission		100%
Judgments	Any non-adjudicated final court judgments or consent decrees containing a denial of liability of this state or the federal government (number of judgments or consent decrees meeting criteria)	0	0%
and Consent Decrees	Any adjudicated final court judgments and default judgments, or non-adjudicated final court judgments or consent decrees without a denial of liability, of this state or the federal government		0%
Convictions	Any criminal convictions of this state or the federal government (<i>number of counts</i>)	0	0%
Emissions	Chronic excessive emissions events (number of events)	0	0%
Audits	Letters notifying the executive director of an intended audit conducted under the Texas Environmental, Health, and Safety Audit Privilege Act, 74th Legislature, 1995 (number of audits for which notices were submitted)		-2%
Audits	Disclosures of violations under the Texas Environmental, Health, and Safety Audit Privilege Act, 74th Legislature, 1995 (number of audits for which violations were disclosed)	1	-2%

	Environmental management systems in place for one year or more	No	0%
	Voluntary on-site compliance assessments conducted by the executive director under a special assistance program		0%
	Participation in a voluntary pollution reduction program	No	0%
	Early compliance with, or offer of a product that meets future state or federal government environmental requirements	No	0%

Adjustment Percentage (Subtotal 2) 271%

>> Repeat Violator (Subtotal 3)

Adjustment Percentage (Subtotal 3)

>> Compliance History Person Classification (Subtotal 7)

Satisfactory Performer

Adjustment Percentage (Subtotal 7)

0%

>> Compliance History Summary

Compliance History **Notes**

Enhancement for thirteen months of self-reported effluent violations, five NOVs with dissimilar violations, five agreed orders containing a denial of liability, and four agreed orders without a denial of liability. Reduction for two notices of intended audit and one disclosure of violations.

Total Compliance History Adjustment Percentage (Subtotals 2, 3, & 7) 271%

>> Final Compliance History Adjustment

Final Adjustment Percentage *capped at 100% 100%

	Screening Date	22-Dec-2023	Docket	No. 2024-0039-IWD-E	PCW
	_	t Enterprise Products	Operating LLC	Po	licy Revision 5 (January 28, 2021)
	Case ID No				PCW Revision February 11, 2021
Reg.	Ent. Reference No				
		Water Quality			
	Enf. Coordinato				
	Violation Numbe	r 1			
	Rule Cite(s) 30 Tex Admin C	ode 8 305 125(1) Tex Wat	er Code § 26.121(a)(1), and Tex	
	•	50 Text Admini. Co	• • • • • • • • • • • • • • • • • • • •	DES") Permit No. WQ0002940000	
				ents Nos. 1 and 2, Outfall No. 00	
				<u> </u>	
	Violation Description	Failed to comply	•	itations, as shown in the attached	
	riolation Description		effluent violation	table.	
				Base Pena	1lty \$25,000
> > F	vivenmental Dvene	what a mad I larana a m	Health Matrix		
>> EN	vironmental, Prope	_	Harm		
	Release		loderate Minor		
OR	Actua		X		
	Potentia			Percent 50.0%	
>>Pro	grammatic Matrix				
	Falsification	Major M	oderate Minor		
				Percent 0.0%	
	Total organ	nic carbon and pH we	re evaluated to determine w	hether the discharged amounts of	of
	The state of the s	•		environment has been exposed t	
	Notes significant ar	·		at are protective of human health	or
		environme	ntal receptors as a result of	the violation.	
				Adjustment \$12,	500
					\$12,500
					\$12,500
Violati	on Events				
	Number of	Violation Events	2 6	Number of violation days	
		daily			
		weekly			
		monthly	x		
		quarterly		Violation Base Pena	1lty \$25,000
		semiannual			
		annual			
		single event			
		Two monthly eve	ents are recommended for A	nril and May 2023	
		Two monthly eve	ents are recommended for A	pril and May 2023.	
		Two monthly eve	ents are recommended for A	pril and May 2023.	
Good F	aith Efforts to Com		ents are recommended for A	pril and May 2023.	ion \$2,500
Good F	Faith Efforts to Com	nply		Reduct	ion \$2,500
Good F	aith Efforts to Com	nply	10.0%	Reduct	ion \$2,500
Good F	Faith Efforts to Com	n ply Before Extraordinary	10.0%	Reduct	ion \$2,500
Good F	aith Efforts to Com	Before Extraordinary Ordinary	10.0% e NOE/NOV to EDPRP/S	Reduct	ion \$2,500
Good F	Faith Efforts to Com	n ply Before Extraordinary	10.0% e NOE/NOV to EDPRP/S	Reduct	sion \$2,500
Good F	Faith Efforts to Com	Before Extraordinary Ordinary N/A	10.0% e NOE/NOV to EDPRP/S X	Reduct	sion \$2,500
Good F	Faith Efforts to Com	Before Extraordinary Ordinary N/A	10.0% e NOE/NOV to EDPRP/S	Reduct	sion \$2,500
Good F	Faith Efforts to Com	Before Extraordinary Ordinary N/A	10.0% e NOE/NOV to EDPRP/S X	Reduct	sion \$2,500
Good F	aith Efforts to Com	Before Extraordinary Ordinary N/A	10.0% e NOE/NOV to EDPRP/S X	Reduct	
		Before Extraordinary Ordinary N/A Notes	10.0% e NOE/NOV to EDPRP/S X	Reduct Settlement Offer Diliance by June 30, 2024. Violation Subto	
	raith Efforts to Com	Before Extraordinary Ordinary N/A Notes	10.0% e NOE/NOV to EDPRP/S X	Reduct Settlement Offer	
	mic Benefit (EB) fo	Defore Extraordinary Ordinary N/A Notes The	10.0% e NOE/NOV NOE/NOV to EDPRP/S x e Respondent achieved comp	Reduct Settlement Offer Diliance by June 30, 2024. Violation Subto Statutory Limit Test	otal \$22,500
	mic Benefit (EB) fo	Before Extraordinary Ordinary N/A Notes	10.0% e NOE/NOV to EDPRP/S X	Reduct Settlement Offer Diliance by June 30, 2024. Violation Subto	otal \$22,500
	mic Benefit (EB) fo	Extraordinary Ordinary N/A Notes The	10.0% e NOE/NOV NOE/NOV to EDPRP/S x e Respondent achieved comp \$2,291	Reduct Settlement Offer Diliance by June 30, 2024. Violation Subto Statutory Limit Test	\$22,500 \$47,500

	E	conomic	Benefit	Woi	rksheet		
Respondent	Enterprise Pro	ducts Operating L	LC.				
Case ID No.	65230						
Reg. Ent. Reference No.	RN102323268	}					
	Water Quality						Years of
Violation No.	- ,					Percent Interest	Depreciation
						5.0	15
	Item Cost	Date Required	Final Date	Yrs	Interest Saved	Costs Saved	EB Amount
Item Description							
·							
Delayed Costs							
Equipment				0.00	\$0	\$0	\$0
Buildings				0.00	\$0	\$0	\$0
Other (as needed)				0.00	\$0	\$0	\$0
Engineering/Construction				0.00	\$0	\$0	\$0
Land				0.00	\$0	n/a	\$0
Record Keeping System				0.00	\$0	n/a	\$0
Training/Sampling				0.00	\$0	n/a	\$0
Remediation/Disposal				0.00	\$0	n/a	\$0
Permit Costs Other (as needed)	\$25,000	31-Aug-2022	30-Jun-2024	0.00 1.83	\$0 \$2,291	n/a n/a	\$0 \$2,291
Notes for DELAYED costs		chieve compliance	with the permi	tted effl	luent limitations. T	essary repairs/adjus he Date Required is date of compliance	the last day of
Avoided Costs	ANNU	ALIZE avoided c	osts before en	tering	item (except for	one-time avoided	l costs)
Disposal				0.00	\$0	\$0	\$0
Personnel				0.00	\$0	\$0	\$0
Inspection/Reporting/Sampling				0.00	\$0	\$0	\$0
Supplies/Equipment				0.00	\$0	\$0	\$0
Financial Assurance				0.00	\$0	\$0	\$0
ONE-TIME avoided costs				0.00	\$0	\$0	\$0
Other (as needed) Notes for AVOIDED costs				0.00	\$0	\$0	\$0
Approx. Cost of Compliance		\$25,000			TOTAL		\$2,291

		ening Date				ocket No.	2024-0039-IWD-E		PCW
	R	espondent	Enterprise Prod	lucts Operatin	g LLC			Policy R	evision 5 (January 28, 2021)
	C	ase ID No.	65230					PCW	Revision February 11, 2021
Reg.	Ent. Ref	erence No.	RN102323268						
_		Media	Water Quality						
	Enf. C		Taylor Williams	on					
		tion Number	2]					
		Rule Cite(s)		- Cada C 20E	10F(1) T-	Water Cad	la C 2C 121/a)/1) av	- 4 TDDEC	
			30 Text / tallill		, Effluent Li		le § 26.121(a)(1), ar Monitoring Requirer		
	Violatio	n Description	Failed to co	mply with peri		ent limitation iolation table	s, as shown in the a	ttached	
							Bas	se Penalty	\$25,000
>> Env	/ironme	ntal, Prope	rty and Hun	nan Health	Matrix				
		_	_	Harm				-	
		Release	Major	Moderate	Minor	= 1			
OR		Actual			X				
		Potential					Percent 30.0%		
> > Duo.		tic Matrix					ı		
>>Pro	gramma	tic Matrix Falsification	Major	Moderate	Minor				
		Taisincation	Major	Moderate	MILLO	7	Percent 0.0%		
							0.0%		
		T-1-1:					l	11	
	Matrix						harged amounts of page been exposed to ins		
	Notes	•					ective of human heal	_	
	Notes	amounts	•	nmental recep		•		cii oi	
			CITTIES	·····circai i coop	7010 40 4 1				
						Δd	justment	\$17,500	
						Au	justilient	φ17,500	
									\$7,500
Violation	on Event	ts							
			[
		Number of V	iolation Events	1		31	Number of violation	days	
			dailu						
			daily						
			weekly						
			monthly				Violeties Bac	o Donaltu	¢7.500
			quarterly semiannual	X			Violation Bas	e Penalty	\$7,500
			annual						
			single event						
			Jgio event						
		One quarte	erly event is rec	ommended fo	r the quart	er containing	the month of August	t 2022.	
		•	,		·	_	-		
									<u> </u>
Good F	aith Effo	orts to Com		10.0%				Reduction	\$750
				efore NOE/NOV	NOE/NOV to	EDPRP/Settleme	ent Offer		
			Extraordinary						
			Ordinary			X			
			N/A					1	
			Notes	The Respond	lent achieve	ed compliance	e by June 30, 2024.		
			•						==
							Violation	n Subtotal	\$6,750
Econor	nic Bene	efit (EB) for	this violati	on			Statutory Limi	t Test	
		Eatimat.	d ED A		٠.	<u> </u>	Violation Final Barr	altı Tatal	#14 DEO
		EStimate	ed EB Amount		\$(<u> </u>	Violation Final Pen	aity TOTAL	\$14,250
				This viol	ation Fina	l Assessed F	Penalty (adjusted f	for limits)	\$14,250

	Economic Benefit Worksheet						
Respondent Case ID No. Reg. Ent. Reference No.	65230	ducts Operating L	LC				
Media Violation No.	Water Quality 2					Percent Interest	Years of Depreciation
						5.0	15
	Item Cost	Date Required	Final Date	Yrs	Interest Saved	Costs Saved	EB Amount
Item Description							
Delayed Costs				1	T + 0		
Equipment				0.00	\$0	\$0	\$0
Buildings				0.00	\$0 #0	\$0 \$0	\$0 \$0
Other (as needed) Engineering/Construction				0.00	\$0 \$0	\$0 \$0	\$0 \$0
Land				0.00	\$0	n/a	\$0
Record Keeping System				0.00	\$0	n/a	\$0
Training/Sampling				0.00	\$0	n/a	\$0
Remediation/Disposal				0.00	\$0	n/a	\$0
Permit Costs				0.00	\$0	n/a	\$0
Other (as needed)				0.00	\$0	n/a	\$0
Notes for DELAYED costs					sheet for Violation		
Avoided Costs	ANNU	ALIZE avoided c	osts before en			one-time avoide	
Disposal				0.00	\$0	\$0	\$0
Personnel Inspection/Reporting/Sampling				0.00	\$0 \$0	\$0 \$0	<u>\$0</u> \$0
Supplies/Equipment				0.00	\$0	\$0 \$0	\$0 \$0
Financial Assurance				0.00	\$0	\$0 \$0	\$0
ONE-TIME avoided costs				0.00	\$0	\$0	\$0
Other (as needed)				0.00	\$0	\$0	\$0
Notes for AVOIDED costs							
Approx. Cost of Compliance		\$0			TOTAL		\$0

	Scre	ening Date	22-Dec-2023		D	ocket No. 20	024-0039-IWD-E		PCW
		_	Enterprise Prod	ucts Operatin	ig LLC			Policy R	evision 5 (January 28, 2021)
	C	ase ID No.	65230					PCW	/ Revision February 11, 2021
Reg.	Ent. Ref	erence No.	RN102323268						
			Water Quality						
			Taylor Williams	on					
	Viola	tion Number	3						
		Rule Cite(s)	30 Tex. Admir	n. Code § 305	5.125(1), Te	ex. Water Code §	§ 26.121(a)(1), ar	nd TPDES	
			Permit No				itations and Monito	oring	
				Requ	irements N	o. 1, Outfall No.	. 004		
	Violatio	n Description	Failed to cor	mply with per		ent limitations, a violation table.	as shown in the at	tached	
					emuem v	iolation table.			
		'							
							Bas	e Penalty	\$25,000
>> Fn\	vironme	ntal. Prope	rty and Hum	an Health	Matrix				
Liii		ilitaly i Tope	icy and main	Harm	TIGUIX				
		Release	Major	Moderate	Minor	-1			
OR		Actual			Х		20.004		
		Potential				P	ercent 30.0%		
>>Pro	gramma	tic Matrix							
, ,	9. 4	Falsification	Major	Moderate	Minor				
						Po	ercent 0.0%		
									1
						_	ounts of pollutants		
	Matrix Notes					•	d to insignificant a health or environn		
	Motes	politicarits	that do not exc		•	the violation.	nealth of environing	ileiltai	
						Adjus	stment	\$17,500	
									\$7,500
									\$7,500
Violatio	on Even	ts							
					1				
		Number of \	iolation Events/	1		28 Nu	umber of violation	days	
			daily		1				
			weekly						
			monthly						
			quarterly	x			Violation Bas	e Penalty	\$7,500
			semiannual					·	
			annual						
			single event						
		One quarte	rly event is reco	mmended for	the quarte	r containing the	month of Februar	y 2023.	
Cood	-:+L F.C.	C		10.00/				5	#7F0
G000 F	aith Eff	orts to Com		10.0% efore NOE/NOV		EDPRP/Settlement		Reduction	\$750
			Extraordinary		NOL/NOV to	ZDI KI / Sectioniene	Offici		
			Ordinary			Х			
			N/A						
			Notes	The Respond	dent achieve	ed compliance by	y June 30, 2024.		
							Violation	Subtotal	\$6,750
									Ψ0,7 30
Econon	nic Bene	efit (EB) for	this violation	on		S	tatutory Limit	t Test	
		Estimate	ed EB Amount		\$(0 Vic	olation Final Pen	alty Total	\$14,250
		_5			·			_	
				This vio	lation Fina	l Assessed Per	nalty (adjusted f	or limits)	\$14,250

	Е	conomic	Benefit	Wor	rksheet		
Respondent	Enterprise Pro	ducts Operating L	LC				
Case ID No.	65230						
Reg. Ent. Reference No.	RN102323268	}					
	Water Quality						Years of
Violation No.						Percent Interest	Depreciation
						5.0	15
	Item Cost	Date Required	Final Date	Yrs	Interest Saved	Costs Saved	EB Amount
Item Description							
Delayed Costs							
Equipment				0.00	\$0	\$0	\$0
Buildings				0.00	\$0	\$0	\$0
Other (as needed)				0.00	\$0	\$0	\$0
Engineering/Construction				0.00	\$0	\$0	\$0
Land				0.00	\$0	n/a	\$0
Record Keeping System				0.00	\$0 #0	n/a	\$0 #0
Training/Sampling Remediation/Disposal				0.00	\$0 \$0	n/a n/a	\$0 \$0
Permit Costs				0.00	\$0	n/a	\$0
Other (as needed)				0.00	\$0	n/a	\$0
Notes for DELAYED costs					sheet for Violation		
Avoided Costs	ANNU	ALIZE avoided co	osts before er			one-time avoided	
Disposal Personnel				0.00	\$0 \$0	\$0 \$0	\$0 \$0
Inspection/Reporting/Sampling				0.00	\$0	\$0 \$0	\$0 \$0
Supplies/Equipment				0.00	\$0	\$0 \$0	\$0 \$0
Financial Assurance				0.00	\$0	\$0 \$0	\$0 \$0
ONE-TIME avoided costs				0.00	\$0	\$0	\$0
Other (as needed)				0.00	\$0	\$0	\$0
Notes for AVOIDED costs							
Approx. Cost of Compliance		\$0			TOTAL		\$0

	Screening Date		Docket No. 2024-0039-IWD-E	PCW
		Enterprise Products Operating	LLC	Policy Revision 5 (January 28, 2021)
_	Case ID No.			PCW Revision February 11, 2021
Reg.	Ent. Reference No.			
		Water Quality		
	Enf. Coordinator			
	Violation Number			
	Rule Cite(s)	30 Tex. Admin. Code § 305.	125(1), Tex. Water Code § 26.121(a)(1), and	TPDES
			Effluent Limitations and Monitoring Requireme	
			2, Outfall No. 404	
		Failed to comply with perm	nitted effluent limitations, as shown in the atta	ched
	Violation Description	' ′ '	effluent violation table.	
			_	D 11 +25 000
			Base	Penalty \$25,000
>> En	vironmental, Prope	erty and Human Health	Matrix	
		Harm		
0.0	Release	J	Minor	
OR	Actua		Parant 7.00/	
	Potentia		x Percent 7.0%	
>>Pro	grammatic Matrix			
, ,	Falsification	Major Moderate	Minor	
			Percent 0.0%	
	Matrix		ould be exposed to insignificant amounts of pol	
	Notes that would no	•	tive of human health or environmental recept	ors as a
		result	of the violation.	
			Adjustment	\$23,250
			Aujustinent	\$23,230
				\$1,750
\/:-I-+:	F-			
violati	on Events			
	Number of	Violation Events 1	62 Number of violation da	avs
				·
		daily		
		weekly		
		monthly		- "
		quarterly	Violation Base	Penalty \$1,750
		semiannual annual		
		single event x		
		emgre et eme		
		One single e	vent is recommended.	
Good F	aith Efforts to Con	10.0%	Re	eduction \$175
			NOE/NOV to EDPRP/Settlement Offer	, and the state of
		Extraordinary		
		Ordinary	х	
		N/A		
		Notes The Responde	ent achieved compliance by June 30, 2024.	
			Violation S	Subtotal \$1,575
				Ψ1,373
Econoi	mic Benefit (EB) fo	r this violation	Statutory Limit 1	Гest
	Estimat	ed EB Amount	\$0 Violation Final Penals	ty Total \$3 325
	Estimat	ed EB Amount	\$0 Violation Final Penals	

	Е	conomic	Benefit	Woı	rksheet		
		ducts Operating L	LC				
Case ID No.	65230						
Reg. Ent. Reference No.	RN102323268	}					
	Water Quality					Percent Interest	Years of Depreciation
Violation No.	4					5.0	15
	Item Cost	Date Required	Final Date	Yrs	Interest Saved	Costs Saved	EB Amount
Item Description	20011 0050	Date Required	i mai bacc	5	znici est savea	COSIS Sarca	25 /timodine
Tem Description							
Delayed Costs							
Equipment				0.00	\$0	\$0	\$0
Buildings				0.00	\$0	\$0	\$0
Other (as needed)				0.00	\$0	\$0	\$0
Engineering/Construction				0.00	\$0	\$0	\$0
Land				0.00	\$0	n/a	\$0
Record Keeping System				0.00	\$0	n/a	\$0
Training/Sampling				0.00	\$0	n/a	\$0
Remediation/Disposal				0.00	\$0	n/a	\$0
Permit Costs				0.00	\$0	n/a	\$0
Other (as needed)				0.00	\$0	n/a	\$0
Notes for DELAYED costs					sheet for Violation		
Avoided Costs	ANNU	ALIZE avoided co	osts before en			one-time avoide	
Disposal				0.00	\$0	\$0	\$0
Personnel				0.00	\$0	\$0	\$0
Inspection/Reporting/Sampling				0.00	\$0	\$0	\$0
Supplies/Equipment				0.00	\$0	\$0	\$0
Financial Assurance				0.00	\$0	\$0	\$0
ONE-TIME avoided costs				0.00	\$0	\$0	\$0
Other (as needed) Notes for AVOIDED costs		<u> </u>		0.00	\$0	\$0	\$0
Approx. Cost of Compliance		\$0			TOTAL		\$0

	ate 22-Dec-2023			No. 2024-0039-IWD-E	PCW
Respond	ent Enterprise Prod	lucts Operatir	ng LLC		Policy Revision 5 (January 28, 2021)
Case ID	No. 65230				PCW Revision February 11, 2021
Reg. Ent. Reference	No. RN102323268				
Me	dia Water Quality				
Enf. Coordina	tor Taylor Williams	on			
Violation Nun					
Rule Cit	e(s) 30 Tex. Admi	n. Code § 305	5.125(1), Tex. Wat	er Code § 26.121(a)(1), and	TPDES
		_		uent Limitations and Monitor	
		Requ	uirements No. 1, O	utfall No. 504	
Violation Descrip	Failed to co	mply with per	mitted effluent lim	itations, as shown in the atta	nched
Violation Descrip	CIOII		effluent violation	table.	
				_	
				Base	Penalty \$25,000
>> Environmental, Pr	onerty and Hun	aan Haalth	. Matriy		
>> Liivii oliillelitai, Fi	operty and man	Harm	i Matrix		
Rele	ease Major	Moderate	Minor		
OR A	ctual				
Pote	ntial x			Percent 30.0%	
>>Programmatic Mat					
Falsifica	tion Major	Moderate	Minor		
				Percent 0.0%	
Matrix Human I	nealth or the environ	ment will or o	rould be exposed to	pollutants that would excee	d levels
			•	eptors as a result of the viola	
110100	о р. осоосто от тап				
				Adjustment	\$17,500
					\$7,500
					\$7,300
Violation Events					
			_		
Numbe	r of Violation Events	1	3	1 Number of violation d	ays
	_				
	daily				
	weekly				
	monthly				-
	quarterly			Violation Base	Penalty \$7,500
	semiannual		<u> </u>		
	annual				
	single event	Х			
		One single	event is recommer	oded	
		One single	event is recommen	ided.	
Good Faith Efforts to 	Comply	10.0%		R	eduction \$750
			NOE/NOV to EDPRP/S		
	Extraordinary				
	Ordinary		Х		
	N/A				
	, / .				
	Notes	The Respond	dent achieved comi	pliance by June 30, 2024.	
				, ,	
				Violation 9	Subtotal \$6,750
Economic Benefit (EB)	for this violati	on		Statutory Limit	Test
Eati	mated EB Amount		¢Ω	Violation Final Danal	ty Total
ESTI	maten ED AMOUNT		\$0	Violation Final Penal	ty Total \$14,250
		This vio	lation Final Asses	ssed Penalty (adjusted for	r limits) \$14,250

	E	conomic	Benefit	Woı	ksheet		
Respondent Case ID No. Reg. Ent. Reference No.	65230	ducts Operating L	LC				
Media Violation No.	Water Quality 5					Percent Interest	Years of Depreciation
						5.0	15
	Item Cost	Date Required	Final Date	Yrs	Interest Saved	Costs Saved	EB Amount
Item Description							
Delayed Costs		-ir		0.00	I + 2	+0	+0
Equipment				0.00	\$0 #0	\$0 \$0	\$0 #0
Buildings Other (as needed)				0.00	\$0 \$0	\$0 \$0	\$0 \$0
Engineering/Construction				0.00	\$0	\$0 \$0	\$0
Land				0.00	\$0	n/a	\$0
Record Keeping System				0.00	\$0	n/a	\$0
Training/Sampling				0.00	\$0	n/a	\$0
Remediation/Disposal				0.00	\$0	n/a	\$0
Permit Costs				0.00	\$0	n/a	\$0
Other (as needed)				0.00	\$0	n/a	\$0
Notes for DELAYED costs See Economic Benefit Worksheet for Violation No. 1.							
Avoided Costs	ANNU	ALIZE avoided c	osts before en			one-time avoide	
Disposal				0.00	\$0 \$0	\$0 \$0	\$0 \$0
Personnel Inspection/Reporting/Sampling				0.00	\$0	\$0 \$0	\$0 \$0
Supplies/Equipment				0.00	\$0 \$0	\$0 \$0	\$0 \$0
Financial Assurance				0.00	\$0	\$0	\$0
ONE-TIME avoided costs				0.00	\$0	\$0	\$0
Other (as needed)				0.00	\$0	\$0	\$0
Notes for AVOIDED costs							
Approx. Cost of Compliance		\$0			TOTAL		\$0

ENTERPRISE PRODUCTS OPERATING LLC TPDES Permit No. WQ0002940000 Case No. 65230 Docket No. 2024-0039-IWD-E

Effluent Violation Table

Outfall No.	003	003	004	404	504	504
Parameter	TOC Daily Max. Conc.	рН Мах.	Free Cyanide Daily Max. Conc.	рН Мах.	Chloroform Daily Avg. Loading	Chloroform Daily Max. Loading
Month/Year	Limit = 75 mg/L	Limit = 9 SU	Limit = 0.0512 mg/L	Limit = 9 SU	Limit = 0.012 lbs/day	Limit = 0.025 lbs/day
August 2022	104	С	С	С	0.041	0.041
October 2022	С	С	С	9.1	С	С
December 2022	С	С	С	9.1	С	С
February 2023	С	С	0.054	С	С	С
April 2023	177	С	С	С	С	С
May 2023	192	9.4	С	С	С	С

No. = number TOC = total organic carbon Max. = maximum Conc. = concentration Avg. = average mg/L = milligrams per liter lbs/day = pounds per day SU = standard units c = compliant

To request a more accessible version of this report, please contact the TCEQ Help Desk at (512) 239-4357.



Compliance History Report

Compliance History Report for CN603211277, RN102323268, Rating Year 2023 which includes Compliance History (CH) components from September 1, 2018, through August 31, 2023.

Customer, Respondent, CN603211277, Enterprise Products Classification: SATISFACTORY Rating: 5.46

or Owner/Operator: Operating LLC

Regulated Entity: RN102323268, ENTERPRISE MONT Classification: SATISFACTORY **Rating:** 17.77

BELVIEU COMPLEX

Complexity Points: Repeat Violator: NO

CH Group: 03 - Oil and Gas Extraction

Location: 10207 FARM-TO-MARKET ROAD 1942, IN THE AREA ENCLOSED ON THE WEST BY HATCHERVILLE ROAD, ON

THE EAST BY THE SOUTHERN PACIFIC RAILROAD, ON THE SOUTH BY FARM-TO-MARKET ROAD 1942, AND ON THE NORTH BY THE CIWA

CANAL IN THE CITY OF MONT BELVIEU, CHAMBERS COUNTY, TEXAS

TCEQ Region: REGION 12 - HOUSTON

ID Number(s):

AIR OPERATING PERMITS ACCOUNT NUMBER CI0008R **AIR OPERATING PERMITS PERMIT 1641**

AIR OPERATING PERMITS PERMIT 3557 AIR OPERATING PERMITS PERMIT 4035 AIR OPERATING PERMITS PERMIT 4187 AIR OPERATING PERMITS PERMIT 4004 AIR OPERATING PERMITS PERMIT 4471 AIR OPERATING PERMITS PERMIT 27613

AIR NEW SOURCE PERMITS AFS NUM 4807100007 **AIR NEW SOURCE PERMITS PERMIT 20698** AIR NEW SOURCE PERMITS ACCOUNT NUMBER CI0008R **AIR NEW SOURCE PERMITS PERMIT 76070 AIR NEW SOURCE PERMITS PERMIT 22105 AIR NEW SOURCE PERMITS PERMIT 5581**

AIR NEW SOURCE PERMITS PERMIT 22113 AIR NEW SOURCE PERMITS PERMIT 8418 AIR NEW SOURCE PERMITS PERMIT 6798 AIR NEW SOURCE PERMITS PERMIT 8707

AIR NEW SOURCE PERMITS REGISTRATION 71649 AIR NEW SOURCE PERMITS PERMIT 21945 AIR NEW SOURCE PERMITS PERMIT 19930 AIR NEW SOURCE PERMITS REGISTRATION 5581A

AIR NEW SOURCE PERMITS PERMIT 22114 AIR NEW SOURCE PERMITS EPA PERMIT PSDTX655 **AIR NEW SOURCE PERMITS** EPA PERMIT PSDTX790 AIR NEW SOURCE PERMITS EPA PERMIT PSDTX790M1

AIR NEW SOURCE PERMITS EPA PERMIT PSDTX1057 **AIR NEW SOURCE PERMITS REGISTRATION 85477 AIR NEW SOURCE PERMITS REGISTRATION 87477 AIR NEW SOURCE PERMITS REGISTRATION 85755 AIR NEW SOURCE PERMITS REGISTRATION 93268 AIR NEW SOURCE PERMITS REGISTRATION 94065**

AIR NEW SOURCE PERMITS REGISTRATION 94067 AIR NEW SOURCE PERMITS REGISTRATION 94133 AIR NEW SOURCE PERMITS REGISTRATION 95777 AIR NEW SOURCE PERMITS EPA PERMIT PSDTX1286

AIR NEW SOURCE PERMITS REGISTRATION 101478 AIR NEW SOURCE PERMITS EPA PERMIT N154

AIR NEW SOURCE PERMITS REGISTRATION 101481 AIR NEW SOURCE PERMITS PERMIT 100091 AIR NEW SOURCE PERMITS REGISTRATION 103076 AIR NEW SOURCE PERMITS REGISTRATION 110727

AIR NEW SOURCE PERMITS REGISTRATION 106767 AIR NEW SOURCE PERMITS REGISTRATION 115013

AIR NEW SOURCE PERMITS PERMIT 107523 AIR NEW SOURCE PERMITS EPA PERMIT PSDTX797M1 AIR NEW SOURCE PERMITS EPA PERMIT GHGPSDTX33 **AIR NEW SOURCE PERMITS EPA PERMIT PSDTX823**

AIR NEW SOURCE PERMITS EPA PERMIT PSDTX655M1 **AIR NEW SOURCE PERMITS** EPA PERMIT PSDTX813

AIR NEW SOURCE PERMITS EPA PERMIT GHGPSDTX6 **AIR NEW SOURCE PERMITS REGISTRATION 111147**

AIR NEW SOURCE PERMITS REGISTRATION 106844 AIR NEW SOURCE PERMITS EPA PERMIT PSDTX1336 **AIR NEW SOURCE PERMITS REGISTRATION 108247 AIR NEW SOURCE PERMITS EPA PERMIT PSDTX824**

AIR NEW SOURCE PERMITS EPA PERMIT N174 AIR NEW SOURCE PERMITS EPA PERMIT PSDTX789M1

AIR NEW SOURCE PERMITS REGISTRATION 154993 AIR NEW SOURCE PERMITS REGISTRATION 152723

AIR NEW SOURCE PERMITS EPA PERMIT GHGPSDTX193M1 **AIR NEW SOURCE PERMITS PERMIT AMOC168**

AIR NEW SOURCE PERMITS REGISTRATION 168042 AIR NEW SOURCE PERMITS EPA PERMIT PSDTX1558M1

AIR NEW SOURCE PERMITS FPA PERMIT N272M1 AIR NEW SOURCE PERMITS REGISTRATION 168848 AIR NEW SOURCE PERMITS REGISTRATION 169317 AIR NEW SOURCE PERMITS EPA PERMIT N174M2

AIR NEW SOURCE PERMITS REGISTRATION 168455 AIR NEW SOURCE PERMITS EPA PERMIT N174M3 **AIR NEW SOURCE PERMITS REGISTRATION 141606 AIR NEW SOURCE PERMITS REGISTRATION 150604**

AIR NEW SOURCE PERMITS PERMIT AMOC37 AIR NEW SOURCE PERMITS PERMIT 144873

AIR NEW SOURCE PERMITS PERMIT 156320 AIR NEW SOURCE PERMITS EPA PERMIT N174M1

AIR NEW SOURCE PERMITS REGISTRATION 153349 AIR NEW SOURCE PERMITS REGISTRATION 155894 AIR NEW SOURCE PERMITS REGISTRATION 162955 AIR NEW SOURCE PERMITS REGISTRATION 154473

AIR NEW SOURCE PERMITS REGISTRATION 154190 AIR NEW SOURCE PERMITS REGISTRATION 159045

Page 1

AIR NEW SOURCE PERMITS REGISTRATION 158252
AIR NEW SOURCE PERMITS EPA PERMIT PSDTX1558
AIR NEW SOURCE PERMITS REGISTRATION 158421
AIR NEW SOURCE PERMITS REGISTRATION 158421
AIR NEW SOURCE PERMITS EPA PERMIT N272

AIR NEW SOURCE PERMITS REGISTRATION 160377

AIR NEW SOURCE PERMITS REGISTRATION 160647

AIR NEW SOURCE PERMITS REGISTRATION 171822

AIR NEW SOURCE PERMITS REGISTRATION 174644

AIR NEW SOURCE PERMITS REGISTRATION 172296

AIR NEW SOURCE PERMITS REGISTRATION 170757

STORMWATER PERMIT TXR05AV96

STORMWATER PERMIT TXR05CE50

WASTEWATER PERMIT WQ0002940000

WASTEWATER PERMIT WQ0002940000

WASTEWATER PERMIT WQ0005014000

WASTEWATER PERMIT WQ0005311000

WASTEWATER PERMIT WQ0005304000

WASTEWATER PERMIT WQ0005304000

AIR EMISSIONS INVENTORY ACCOUNT NUMBER POLLUTION PREVENTION PLANNING ID NUMBER

CI0008R P00218

INDUSTRIAL AND HAZARDOUS WASTE EPA ID INDUSTRIAL AND HAZARDOUS WASTE SOLID WASTE

TXT490013455

TAX RELIEF ID NUMBER 16722

TAX RELIEF ID NUMBER 16724

TAX RELIEF ID NUMBER 16724

TAX RELIEF ID NUMBER 16720

TAX RELIEF ID NUMBER 16721

TAX RELIEF ID NUMBER 16198

TAX RELIEF ID NUMBER 26091

TAX RELIEF ID NUMBER 26090

TAX RELIEF ID NUMBER 26089

Compliance History Period: September 01, 2018 to August 31, 2023 Rating Year: 2023 Rating Date: 09/01/2023

Date Compliance History Report Prepared: August 21, 2024 **Agency Decision Requiring Compliance History:** Enforcement **Component Period Selected:** August 21, 2019 to August 21, 2024

TCEQ Staff Member to Contact for Additional Information Regarding This Compliance History.

Name: Taylor Williamson Phone: (512) 239-2097

Site and Owner/Operator History:

1) Has the site been in existence and/or operation for the full five-year compliance period? YES

2) Has there been a (known) change in ownership/operator of the site during the compliance period?

Components (Multimedia) for the Site Are Listed in Sections A - J

A. Final Orders, court judgments, and consent decrees:

1 Effective Date: 03/05/2020 ADMINORDER 2018-1669-AIR-E (1660 Order-Agreed Order With Denial)

Classification: Moderate

Citation: 30 TAC Chapter 101, SubChapter A 101.20(3) 30 TAC Chapter 116, SubChapter B 116.115(c) 30 TAC Chapter 122, SubChapter B 122.143(4)

5C THSC Chapter 382 382.085(b) Rqmt Prov: General Terms and Conditions OP

Special Condition 1 PERMIT

STC No. 19 OP

Description: Failed to prevent unauthorized emissions.

Classification: Moderate

Citation: 30 TAC Chapter 116, SubChapter B 116.115(c)

30 TAC Chapter 122, SubChapter B 122.143(4)

5C THSC Chapter 382 382.085(b)

Ramt Prov: GTC OP

NSR Permi No. 6798 PERMIT

STC No. 19 OP

Description: Failed to prevent unauthorized emissions.

2 Effective Date: 07/20/2020 ADMINORDER 2017-1118-AIR-E (1660 Order-Agreed Order With Denial)

Classification: Moderate

Citation: 30 TAC Chapter 101, SubChapter A 101.20(3)

30 TAC Chapter 116, SubChapter B 116.115(c) 30 TAC Chapter 122, SubChapter B 122.143(4)

5C THSC Chapter 382 382.085(b)

Rgmt Prov: Special Condition 3 PERMIT

Special Terms & Conditions 19 OP

Description: Failed to comply with the concentration limits and the emissions limits for EPN 44, in violation of 30 TEX. ADMIN. CODE §§101.20(3), 116.115(c), and 122.143(4), TEX. HEALTH & SAFETY CODE §382.085(b), FOPNo. 01641, General Terms and Conditions ("GTC") and Special Terms and Conditions ("STC") No. 19, and New NSR Permit Nos. 20698 and PSDTX797M1, Special Conditions ("SC") No. 3. Specifically, the Respondent exceeded the CO concentration limit of 40 parts per million by volume dry ("ppmvd") at

Classification: Moderate

Citation: 30 TAC Chapter 101, SubChapter A 101.20(3)

30 TAC Chapter 116, SubChapter B 116.115(b)(2)(F)

30 TAC Chapter 116, SubChapter B 116.115(c)

30 TAC Chapter 122, SubChapter B 122.143(4)

5C THSC Chapter 382 382.085(b)

Rgmt Prov: Special Condition 3 PERMIT

Special Terms & Conditions 19 OP

Description: Failed to comply with the concentration limits and the MAERs for EPN 42, in violation of 30 TEX. ADMIN. CODE §§101.20(3), 116.115(b)(2)(F) and(c), and 122.143(4), TEX. HEALTH & SAFETY CODE §382.085(b), FOP No. O1641, GTC and STC No. 19, and NSR Permit Nos. 20698 and PSDTX797M1, SC Nos. 1 and 3. Specifically, for 161 days from July 14, 2012 through June 28, 2013, the Respondent exceeded the NOx MAER of 4.86 pounds per hour ("lbs/hr") by an average of 3.25 lbs/hr for 107 hours; the CO concen

Classification: Moderate

Citation: 30 TAC Chapter 116, SubChapter F 116.615(2)

30 TAC Chapter 122, SubChapter B 122.143(4)

5C THSC Chapter 382 382.085(b)

Rgmt Prov: Special Terms & Conditons 19 OP

Description: Failed to comply with the MAER for EPN HR15.001, in violation of 30 TEX. ADMIN. CODE §§116.615(2) and 122.143(4), TEX. HEALTH & SAFETY CODE §382.085(b), FOP No. O1641, GTC and STC No. 19, and Standard Permit Registration No. 87477. Specifically, the Respondent exceeded the NOx MAER of 7.0 lbs/hr by an average of 4.75 lbs/hr for three hours on November 11, 2012 and April 19, 2013 for the Hot Oil Heater, EPN HR15.001, resulting in the unauthorized release of 14.25 lbs of NOx.

Classification: Moderate

Citation: 30 TAC Chapter 122, SubChapter B 122.142(b)(2)(A)

30 TAC Chapter 122, SubChapter B 122.143(4)

5C THSC Chapter 382 382.085(b)

Rgmt Prov: Special Terms & Conditions 19 OP

Description: Failed to represent the correct applicable requirements in the FOP, in violation of 30 TEX. ADMIN. CODE §§122.142(b)(2)(A) and 122.143(4) and TEX. HEALTH & SAFETY CODE §382.085(b). Specifically, FOP No. O1641 incorrectly lists the NSR authorization for the Piping Components, Unit Identification ("ID") D5FU0124, as 30 TEX. ADMIN. CODE § 106.106 instead of NSR Permit No. 8418.

Classification: Minor

Citation: 30 TAC Chapter 116, SubChapter B 116.115(b)(2)(F)

30 TAC Chapter 116, SubChapter B 116.115(c)

30 TAC Chapter 122, SubChapter B 122.143(4)

5C THSC Chapter 382 382.085(b)

Rqmt Prov: General Terms & Conditons OP

Description: Failed to comply with the MAER for EPNs 6/7, in violation of 30 TEX. ADMIN. CODE §§116.115(b)(2)(F) and (c) and 122.143(4), TEX. HEALTH & SAFETY CODE §382.085(b), FOP No. 01641, GTC and STC No. 19, and NSR Permit No. 8418, SC No. 1. Specifically, the Respondent exceeded the CO MAERs of 4.46 lbs/hr by an average of 6.64 lbs/hr for 4,255 hours from January 13, 2016 to May 28, 2016 and from July 6, 2016 to December 31, 2016 for the three DIB 300 Unit 501 KC5 Allison Turbines With 15 MMBtu

Classification: Minor

Citation: 30 TAC Chapter 116, SubChapter B 116.115(b)(2)(F)

30 TAC Chapter 116, SubChapter B 116.115(c)

30 TAC Chapter 122, SubChapter B 122.143(4)

5C THSC Chapter 382 382.085(b)

Rqmt Prov: FOP, General Terms and Conditions OP

Description: Failed to comply with the MAER for EPNs 8/9, in violation of 30 TEX. ADMIN. CODE §§116.115(b)(2)(F) and (c) and 122.143(4), TEX. HEALTH & SAFETY CODE §382.085(b), FOP No. 01641, GTC and STC No. 19, and NSR Permit No. 8418, SC No. 1. Specifically, the Respondent exceeded the CO MAER of 4.46 lbs/hr by an average 19.54 lbs/hr for 684 hours from January 1, 2016 to May 7, 2016 for the three DIB 400 Unit 501 KC5 Allison Turbines With 15 MMBtu/hr Duct Burner Contribution, EPNs 8/9, resulting in th

Classification: Moderate

Citation: 30 TAC Chapter 101, SubChapter A 101.20(3)

30 TAC Chapter 116, SubChapter B 116.115(b)(2)(F)

30 TAC Chapter 116, SubChapter B 116.115(c)

30 TAC Chapter 122, SubChapter B 122.143(4)

5C THSC Chapter 382 382.085(b)

Rgmt Prov: Special Condition (SC) 17 PERMIT

Special Terms & Conditions (ST&C) 19 OP

Description: Failed to comply with the MAER for EPN HR15.615, in violation of 30 TEX. ADMIN. CODE §§101.20(3), 116.115(b)(2)(F) and (c), and 122.143(4), TEX. HEALTH & SAFETY CODE §382.085(b), FOP No. 01641, GTC and STC No. 19, and NSR Permit Nos. 20698 and PSDTX797M1, SC No. 1. Specifically, the Respondent exceeded the CO MAER of 0.54 lb/hr by an average of 1.21 lbs/hr for 4,318 hours from February 26, 2016 to December 31, 2016 for the ORU Heater, EPN HR15.615, resulting in the estimated unauthorized r

Classification: Moderate

Citation: 30 TAC Chapter 101, SubChapter A 101.20(3)

30 TAC Chapter 116, SubChapter B 116.115(b)(2)(F)

30 TAC Chapter 116, SubChapter B 116.115(c)

30 TAC Chapter 122, SubChapter B 122.143(4)

5C THSC Chapter 382 382.085(b)

Rgmt Prov: Special Condition (SC) 17 PERMIT

Special Terms & Conditions (ST&C) 19 OP

Description: Failed to comply with the MAER for EPN HR15.616, in violation of 30 TEX. ADMIN. CODE §§101.20(3), 116.115(b)(2)(F) and (c), and 122.143(4), TEX. HEALTH & SAFETY CODE §382.085(b), FOP No. 01641, GTC and STC No. 19, and NSR Permit Nos. 20698 and PSDTX797M1, SC No. 1. Specifically, the Respondent exceeded the CO MAER of 1.04 lbs/hr by an average of 5.14 lbs/hr for 5,733 hours from February 29, 2016 to December 31, 2016 for the RED Heater, EPN HR15.616, resulting in the estimated unauthorized

3 Effective Date: 11/20/2020 ADMINORDER 2020-0461-AIR-E (1660 Order-Agreed Order With Denial)

Classification: Moderate

Citation: 30 TAC Chapter 101, SubChapter A 101.20(3)

30 TAC Chapter 116, SubChapter B 116.115(b)(2)(F)

30 TAC Chapter 116, SubChapter B 116.115(c)

30 TAC Chapter 122, SubChapter B 122.143(4)

5C THSC Chapter 382 382.085(b)

Rqmt Prov: GTC & STC No. 6 OP

NSR Special Condition 1 PA

Description: Failed to comply with the MAER. Specifically, the Respondent exceeded the CO MAER of 3.8 pounds per hour ("lbs/hr") by an average of 0.97 lb/hr for 208 hours on 36 days from August 16, 2017 to February 8, 2018 for the Regenerant Heater, EPN HR15002A, resulting in 201.76 lbs of unauthorized CO emissions.

4 Effective Date: 02/01/2021 ADMINORDER 2020-0777-AIR-E (1660 Order-Agreed Order With Denial)

Classification: Moderate

Citation: 30 TAC Chapter 116, SubChapter B 116.115(c)

30 TAC Chapter 122, SubChapter B 122.143(4)

5C THSC Chapter 382 382.085(b)

Rqmt Prov: GTC and STC No. 19 OP

Special Condition 1 PERMIT

Description: Failed to prevent unauthorized emissions. Specifically, the Respondent released 155.73 pounds of volatile organic compounds as fugitive emissions, during an emissions event (Incident No. 276754) that began on January 19, 2018 and lasted 26 hours. The emissions event occurred due to accumulated water in the heat exchanger tubes that froze and expanded during freezing weather conditions and caused the tubes to leak at the Splitter I Junior Sub Cooler, resulting in the release to the atmosphere.

Classification: Minor

Citation: 30 TAC Chapter 101, SubChapter F 101.201(b)(1)(J)

30 TAC Chapter 122, SubChapter B 122.143(4)

5C THSC Chapter 382 382.085(b)

Rqmt Prov: GTC and STC No. 2.F OP

Description: Failed to identify all required information on the final record for a reportable emissions event. Specifically, the Respondent did not properly identify the best known cause of the emissions event at the time of reporting on the final record for Incident No. 276754.

5 Effective Date: 07/14/2021 ADMINORDER 2020-0878-AIR-E (Findings Order-Agreed Order Without Denial)

Classification: Moderate

Citation: 30 TAC Chapter 101, SubChapter A 101.20(3)

30 TAC Chapter 116, SubChapter B 116.115(c)

30 TAC Chapter 122, SubChapter B 122.143(4)

5C THSC Chapter 382 382.085(b)

Rgmt Prov: GTC and STC No. 19 OP

Special Condition 1 PERMIT

Description: Failed to prevent unauthorized emissions. Since the emissions event was not caused by a sudden breakdown of equipment or process beyond the control of the owner or operator and could have been avoided by

better design and/or better operational and maintenance practices, the Respondent is precluded from asserting an affirmative defense under 30 TEX. ADMIN. CODE § 101.222.

6 Effective Date: 11/29/2021 ADMINORDER 2019-1644-AIR-E (Findings Order-Agreed Order Without Denial)

Classification: Moderate

Citation: 30 TAC Chapter 101, SubChapter A 101.20(3)

30 TAC Chapter 116, SubChapter B 116.115(b)(2)(F) 30 TAC Chapter 116, SubChapter B 116.115(c)

30 TAC Chapter 122, SubChapter B 122.143(4)

5C THSC Chapter 382 382.085(b)

Rqmt Prov: General Terms and Conditions OP

Special Condition 1 PERMIT Special Term & Condition 19 OP

Description: Failed to comply with the maximum allowable emissions rate ("MAER") for EPN FL-2.

Classification: Moderate

Citation: 30 TAC Chapter 101, SubChapter A 101.20(3)

30 TAC Chapter 116, SubChapter B 116.115(b)(2)(F) 30 TAC Chapter 116, SubChapter B 116.115(c)

30 TAC Chapter 122, SubChapter B 122.143(4)

5C THSC Chapter 382 382.085(b)

Rgmt Prov: General Terms and Conditions OP

Special Condition 1 PERMIT Special Term & Condition 19 OP

Description: Failed to comply with the MAER for EPN 45.

Classification: Minor

Citation: 30 TAC Chapter 111, SubChapter A 111.111(a)(4)(A)(ii)

30 TAC Chapter 122, SubChapter B 122.143(4)

5C THSC Chapter 382 382.085(b)

Rqmt Prov: General Terms and Conditions OP

Special Term & Condition 1A OP

Description: Failed to record at least 98% of the required daily flare observations in the flare operation log.

Classification: Minor

Citation: 30 TAC Chapter 122, SubChapter B 122.143(4)

30 TAC Chapter 122, SubChapter B 122.145(2)(A)

5C THSC Chapter 382 382.085(b)

Rgmt Prov: General Terms & Conditions OP

Description: Failed to report all instances of deviations.

7 Effective Date: 11/29/2021 ADMINORDER 2020-1542-AIR-E (Findings Order-Agreed Order Without Denial)

Classification: Moderate

Citation: 30 TAC Chapter 122, SubChapter B 122.143(4)

30 TAC Chapter 122, SubChapter B 122.145(2)(A)

5C THSC Chapter 382 382.085(b)

Rqmt Prov: General Terms and Conditions OP

Description: Failure to report all instances of deviations. The deviation report for the January 1, 2019 through June

30, 2019 reporting period did not include the deviations for failing to comply with the carbon monoxide ("CO") and nitrogen oxides ("NOx") hourly maximum allowable emissions rates ("MAERs") for the North Storage Flare and for failing to maintain records for the daily flare observations for the South Plant (Main) Flare.

failing to maintain records for the daily hare observations for the South Plant (Main) Flare.

8 Effective Date: 01/19/2022 ADMINORDER 2020-1161-AIR-E (1660 Order-Agreed Order With Denial)

Classification: Moderate

Citation: 30 TAC Chapter 116, SubChapter B 116.115(c)

30 TAC Chapter 122, SubChapter B 122.143(4)

5C THSC Chapter 382 382.085(b)

Rqmt Prov: Special Condition 1 PERMIT

Description: Failure to prevent unauthorized emissions to the atmosphere during an emissions event that was discovered on March 29th, 2020, TCEQ/STEERS Incident No. 332968. Category A12(i)6.

Classification: Moderate

Citation: 30 TAC Chapter 116, SubChapter B 116.115(c)

30 TAC Chapter 116, SubChapter F 116.615(2)

30 TAC Chapter 122, SubChapter B 122.143(4)

5C THSC Chapter 382 382.085(b)

Rqmt Prov: FOP No. 01641, GTC and STC No. 19 OP Standard Permit Registration No. 95777 OP

Description: Failure to prevent unauthorized emissions to the atmosphere during an emissions event that was

discovered on February 20, 2018, STEERS Incident No. 279079. (A12(i)(6)).

9 Effective Date: 07/27/2023 ADMINORDER 2021-1262-AIR-E (Findings Order-Agreed Order Without Denial)

Classification: Major

Citation: 30 TAC Chapter 116, SubChapter B 116.115(c) 30 TAC Chapter 122, SubChapter B 122.143(4)

5C THSC Chapter 382 382.085(a) 5C THSC Chapter 382 382.085(b)

Rqmt Prov: GTC and STC No. 16 OP

Description: Failure to prevent unauthorized emissions.

Classification: Moderate

Citation: 30 TAC Chapter 101, SubChapter A 101.20(3)

30 TAC Chapter 116, SubChapter B 116.115(c) 30 TAC Chapter 122, SubChapter B 122.143(4)

5C THSC Chapter 382 382.085(b)

Rqmt Prov: GTC and STC No. 16 OP

Special Condition 1 PERMIT

Description: Failure to prevent unauthorized emissions.

Classification: Moderate

Citation: 30 TAC Chapter 101, SubChapter A 101.20(3)

30 TAC Chapter 116, SubChapter B 116.115(c) 30 TAC Chapter 122, SubChapter B 122.143(4)

5C THSC Chapter 382 382.085(b)

Rqmt Prov: FOP O4004 GTC OP

FOP O4004 SC 11 OP NSR 107523 SC 1 PERMIT

Description: Failure to prevent unauthorized emissions.

B. Criminal convictions:

N/A

C. Chronic excessive emissions events:

N/A

D. The approval dates of investigations (CCEDS Inv. Track. No.):

	rai aates si mirestigat	(aciti iioiji		
Item 1	September 09, 2019	(1579412)	Item 25	September 14, 2020	(1689169)
Item 2	September 17, 2019	(1608670)	Item 26	September 17, 2020	(1506302)
Item 3	October 16, 2019	(1615549)	Item 27	September 22, 2020	(1630339)
Item 4	October 28, 2019	(1597006)	Item 28	October 19, 2020	(1695533)
Item 5	November 18, 2019	(1604906)	Item 29	November 11, 2020	(1719194)
Item 6	December 18, 2019	(1628687)	Item 30	November 30, 2020	(1690629)
Item 7	January 16, 2020	(1622480)	Item 31	December 15, 2020	(1719195)
Item 8	February 12, 2020	(1512794)	Item 32	December 21, 2020	(1697468)
Item 9	February 14, 2020	(1626053)	Item 33	February 08, 2021	(1701966)
Item 10	February 18, 2020	(1618502)	Item 34	February 18, 2021	(1732266)
Item 11	February 19, 2020	(1642924)	Item 35	February 23, 2021	(1692387)
Item 12	March 17, 2020	(1648597)	Item 36	February 26, 2021	(1703433)
Item 13	March 20, 2020	(1649430)	Item 37	March 01, 2021	(1703440)
Item 14	April 15, 2020	(1631913)	Item 38	March 31, 2021	(1703683)
Item 15	April 16, 2020	(1654950)	Item 39	April 12, 2021	(1698069)
Item 16	April 20, 2020	(1655795)	Item 40	April 30, 2021	(1701311)
Item 17	April 28, 2020	(1645429)	Item 41	May 12, 2021	(1743418)
Item 18	May 05, 2020	(1632182)	Item 42	May 13, 2021	(1638202)
Item 19	May 20, 2020	(1661511)	Item 43	May 18, 2021	(1711810)
Item 20	June 15, 2020	(1668882)	Item 44	May 19, 2021	(1742176)
Item 21	June 18, 2020	(1668044)	Item 45	June 08, 2021	(1724940)
Item 22	June 23, 2020	(1632214)	Item 46	June 16, 2021	(1723342)
Item 23	August 04, 2020	(1665907)	Item 47	June 17, 2021	(1703746)
Item 24	August 05, 2020	(1632161)	Item 48	July 16, 2021	(1739690)
				, ,	,,

Item 49	August 03, 2021	(1749252)	Item 103	April 18, 2023	(1906738)
Item 50	August 12, 2021	(1744905)	Item 104	April 19, 2023	(1907844)
Item 51	August 30, 2021	(1755050)	Item 105	May 12, 2023	(1868672)
Item 52	September 03, 2021	(1756158)	Item 106	May 18, 2023	(1914712)
Item 53	September 15, 2021	(1638248)	Item 107	May 25, 2023	(1886711)
Item 54	September 20, 2021	(1690869)	Item 108	June 15, 2023	(1888386)
Item 55	September 23, 2021	(1763224)	Item 109	June 22, 2023	(1840680)
Item 56	September 29, 2021	(1638259)	Item 110	June 23, 2023	(1904343)
Item 57	October 13, 2021	(1690637)	Item 111	June 27, 2023	(1855097)
Item 58	October 14, 2021	(1638226)	Item 112	July 11, 2023	(1840685)
Item 59	October 18, 2021	(1638219)	Item 113	July 19, 2023	(1927485)
Item 60	October 19, 2021	(1638263)	Item 114	August 14, 2023	(1916721)
Item 61	November 11, 2021	(1686627)	Item 115	August 17, 2023	(1935504)
Item 62	November 16, 2021	(1686168)	Item 116	August 18, 2023	(1934427)
Item 63	November 17, 2021	(1686741)	Item 117	August 21, 2023	(1923415)
Item 64	November 18, 2021	(1785935)	Item 118	August 29, 2023	(1909204)
Item 65	December 02, 2021	(1761681)	Item 119	August 30, 2023	(1909207)
Item 66	December 03, 2021	(1459314)	Item 120	August 31, 2023	(1924527)
Item 67	December 20, 2021	(1781746)	Item 121	September 15, 2023	(1922715)
Item 68	January 19, 2022	(1800747)	Item 122	September 19, 2023	(1940604)
Item 69	February 15, 2022	(1807746)	Item 123	September 20, 2023	(1912339)
Item 70	February 22, 2022	(1788513)	Item 124	October 04, 2023	(1879759)
Item 71	February 24, 2022	(1788411)	Item 125	October 10, 2023	(1796243)
Item 72	February 28, 2022	(1795714)	Item 126	October 17, 2023	(1948229)
Item 73	March 01, 2022	(1795483)	Item 127	October 18, 2023	(1948508)
Item 74	March 10, 2022	(1797433)	Item 128	October 27, 2023	(1881872)
Item 75	March 17, 2022	(1814788)	Item 129	November 20, 2023	(1953909)
Item 76	April 19, 2022	(1821358)	Item 130	December 14, 2023	(1887181)
Item 77	May 17, 2022	(1830255)	Item 131	December 15, 2023	(1963987)
Item 78	May 27, 2022	(1812194)	Item 132	December 18, 2023	(1942992)
Item 79	June 17, 2022	(1837353)	Item 133	December 20, 2023	(1962876)
Item 80	July 08, 2022	(1775733)	Item 134	January 18, 2024	(1969455)
Item 81	July 15, 2022	(1824364)	Item 135	January 22, 2024	(1950127)
Item 82	July 19, 2022	(1844780)	Item 136	February 08, 2024	(1958270)
Item 83	July 28, 2022	(1824510)	Item 137	February 09, 2024	(1950132)
Item 84	August 18, 2022	(1849852)	Item 138	February 16, 2024	(1978520)
Item 85	August 25, 2022	(1816921)	Item 139	February 27, 2024	(1917968)
Item 86	September 19, 2022	(1858483)	Item 140	March 11, 2024	(1903387)
Item 87	October 12, 2022	(1846202)	Item 141	March 15, 2024	(1967233)
Item 88	October 18, 2022	(1864820)	Item 142	March 18, 2024	(1986193)
Item 89	October 19, 2022	(1863975)	Item 143	March 25, 2024	(1980766)
Item 90	December 19, 2022	(1861701)	Item 144	April 03, 2024	(1955937)
Item 91	December 20, 2022	(1876741)	Item 145	April 16, 2024	(1895667)
Item 92	January 19, 2023	(1868729)	Item 146	April 17, 2024	(1992458)
Item 93	February 14, 2023	(1878974)	Item 147	May 15, 2024	(1998071)
Item 94	February 15, 2023	(1891365)	Item 148	June 05, 2024	(1955942)
Item 95	February 16, 2023	(1892467)	Item 149	June 10, 2024	(1955935)
Item 96	February 23, 2023	(1879873)	Item 150	June 13, 2024	(1955936)
Item 97	March 05, 2023	(1881211)	Item 151	June 17, 2024	(2005038)
Item 98	March 14, 2023	(1879756)	Item 152	June 19, 2024	(1983070)
Item 99	March 17, 2023	(1901048)	Item 153	July 30, 2024	(1868948)
Item 100	March 28, 2023	(1893469)	Item 154	August 15, 2024	(1960441)
Item 101	April 06, 2023	(1881898)	Item 155	August 19, 2024	(1930362)
Item 102	April 14, 2023	(1860801)			

E. Written notices of violations (NOV) (CCEDS Inv. Track. No.):

A notice of violation represents a written allegation of a violation of a specific regulatory requirement from the commission to a regulated entity. A notice of violation is not a final enforcement action, nor proof that a violation has actually occurred.

Date: 08/31/2023 (1941478) 1

> Classification: Self Report? YES Moderate

2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1) Citation:

Description: Failure to meet the limit for one or more permit parameter

2 Date: 09/30/2023 (1947406)

Self Report? YES Classification: Moderate

Citation: 2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

3 Date: 10/31/2023 (1954179)

Self Report? YES Classification: Moderate

Citation: 2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

4 Date: 10/31/2023 (1953093)

Self Report? YES Classification: Moderate

Citation: 2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

5 Date: 01/31/2024 (1979357)

Self Report? YES Classification: Moderate

Citation: 2D TWC Chapter 26, SubChapter A 26.121(a)

30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

6 Date: 01/31/2024 (1979638)

Self Report? YES Classification: Moderate

Citation: 2D TWC Chapter 26, SubChapter A 26.121(a)

30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

7 Date: 02/02/2024 (1925960)

Self Report? NO Classification: Minor

Citation: 30 TAC Chapter 115, SubChapter H 115.722(d)

30 TAC Chapter 116, SubChapter B 116.115(c) 30 TAC Chapter 122, SubChapter B 122.143(4)

40 CFR Chapter 60, SubChapter C, PT 60, SubPT A 60.18(c)(3)(ii)

5C THSC Chapter 382 382.085(b) Special Condition 3A PERMIT Special Term and Condition 16 OP Special Term and Condition 1A OP

Description: Failure to maintain the net heating value for the South Plant Flare (EPN: FL-1)

(Category C4).

Self Report? NO Classification: Minor

Citation: 30 TAC Chapter 115, SubChapter H 115.722(d) 30 TAC Chapter 116, SubChapter B 116.115(c)

30 TAC Chapter 122, SubChapter B 122.143(4)

40 CFR Chapter 60, SubChapter C, PT 60, SubPT A 60.18(c)(3)(ii)

5C THSC Chapter 382 382.085(b) Special Condition 3A PERMIT Special Term and Condition 16 OP Special Term and Condition 1A OP

Description: Failure to maintain the net heating value for the North Plant Flare (EPN: 45)

(Category C4).

Self Report? NO Classification: Minor

Citation: 30 TAC Chapter 116, SubChapter B 116.115(c) 30 TAC Chapter 122, SubChapter B 122.143(4)

5C THSC Chapter 382 382.085(b) Special Condition 9 PERMIT Special Term and Condition 16 OP

Description: Failure to maintain records of conductivity sampling for the Splitter 1 Cooling

Tower (EPN: CO1) (Category C3).

Self Report? NO Classification: Moderate

Citation: 30 TAC Chapter 116, SubChapter B 116.115(c)

30 TAC Chapter 122, SubChapter B 122.143(4)

5C THSC Chapter 382 382.085(b) Special Condition 1 PERMIT Special Term and Condition 16 OP

Description: Failure to prevent an exceedance of the Maximum Allowable Emission Rate

(MAER) for the Oxygenate Removal Unit (ORU) Heater (EPN: HR15.615)

(Category B13). Self Report? NO Classification: Moderate 30 TAC Chapter 116, SubChapter F 116.615(2) Citation: 30 TAC Chapter 122, SubChapter B 122.143(4) 5C THSC Chapter 382 382.085(b) Special Term and Condition 1A OP Description: Failure to prevent an exceedance of the Maximum Allowable Emission Rate (MAER) for the South Plant Hot Oil Heater (EPN: SHOH) (Category B13). Self Report? Classification: Moderate Citation: 30 TAC Chapter 116, SubChapter F 116.615(2) 30 TAC Chapter 122, SubChapter B 122.143(4) 5C THSC Chapter 382 382.085(b) Special Term and Condition 1A OP Failure to prevent an exceedance of the Maximum Allowable Emission Rate Description: (MAER) for the Frac IV Regenerant Heater (EPN: HR15.002) (Category B13). Self Report? NO Classification: Moderate 30 TAC Chapter 116, SubChapter F 116.615(2) Citation: 30 TAC Chapter 122, SubChapter B 122.143(4) 5C THSC Chapter 382 382.085(b) Special Term and Condition 1A OP Failure to prevent an exceedance of the Maximum Allowable Emission Rate Description: (MAER) for the Frac V Regenerant Heater (EPN: HR16.002) (Category B13). Self Report? Classification: Citation: 30 TAC Chapter 116, SubChapter B 116.115(c) 30 TAC Chapter 122, SubChapter B 122.143(4) 5C THSC Chapter 382 382.085(b) Special Condition 4 PERMIT Special Term and Condition 16 OP Description: Failure to maintain the concentration limit for the Solar Taurus Turbine (EPN: 64/64A) (Category B18(g)(1)). Self Report? NO Classification: Minor 30 TAC Chapter 116, SubChapter B 116.115(c) Citation: 30 TAC Chapter 122, SubChapter B 122.143(4) 5C THSC Chapter 382 382.085(b) Special Condition 14B PERMIT Special Term and Condition 16 OP Description: Failure to maintain the minimum flow rate for the Continuous Catalyst Regeneration (CCR) (EPN: 43) (Category C4). Self Report? Classification: Minor NO Citation: 30 TAC Chapter 116, SubChapter B 116.115(c) 30 TAC Chapter 122, SubChapter B 122.143(4) 5C THSC Chapter 382 382.085(b) Special Condition 14 PERMIT Special Term and Condition 16 OP Description: Failure to maintain the minimum scrubber pH for the Continuous Catalyst Regeneration (CCR) (EPN: 43) (Category C4). Self Report? Classification: Minor Citation: 30 TAC Chapter 116, SubChapter B 116.115(c) 30 TAC Chapter 122, SubChapter B 122.143(4) 5C THSC Chapter 382 382.085(b) Special Condition 13 PERMIT Special Term and Condition 16 OP Description: Failure to maintain records of conductivity sampling for the Isobutane Cooling Tower (EPN: CT-1) (Category C3). Self Report? NO Classification: Minor Citation: 30 TAC Chapter 116, SubChapter B 116.115(c) 30 TAC Chapter 122, SubChapter B 122.143(4) 5C THSC Chapter 382 382.085(b) Special Condition 20C PERMIT Special Term and Condition 16 PERMIT Description: Failure to maintain records of total dissolved solids (TDS) sampling for the Cooling Tower (EPN: 46) (Category C3). Self Report? Classification: Moderate Citation: 30 TAC Chapter 116, SubChapter F 116.615(2) 30 TAC Chapter 122, SubChapter B 122.143(4)

5C THSC Chapter 122, Subchapter B 122.14.
5C THSC Chapter 382 382.085(b)
Special Condition 1 PERMIT

Special Term and Condition 1A OP

Description: Failure to prevent an exceedance of the Maximum Allowable Emission Rate

(MAER) for the Cooling Tower (EPN: CT-2) (Category B13).

Self Report? NO Classification: Minor

Citation: 30 TAC Chapter 115, SubChapter D 115.352(4)

30 TAC Chapter 115, SubChapter H 115.783(5) 30 TAC Chapter 116, SubChapter B 116.115(c)

```
30 TAC Chapter 122, SubChapter B 122.143(4)
               40 CFR Chapter 60, SubChapter C, PT 60, SubPT VVa 60.482-6a(a)(1)
               40 CFR Chapter 61, SubChapter C, PT 61, SubPT V 61.242-6(a)(1)
               40 CFR Chapter 63, SubChapter C, PT 63, SubPT H 63.167(a)(1)
               5C THSC Chapter 382 382.085(b)
               Special Condition 11E PERMIT
               Special Condition 2E PERMIT
               Special Condition 5E PERMIT
               Special Condition 6E PERMIT
               Special Condition 7E PERMIT
               Special Condition 8E PERMIT
               Special Condition 9E PERMIT
               Special Term and Condition 16 OP
               Special Term and Condition 1A OP
Description:
               Failure to prevent open-ended lines (Category C10).
Self Report?
                                                          Classification:
                                                                           Minor
               30 TAC Chapter 116, SubChapter B 116.115(c)
Citation:
               30 TAC Chapter 122, SubChapter B 122.143(4)
               5C THSC Chapter 382 382.085(b)
               Special Condition 4 PERMIT
               Special Term and Condition 16 OP
Description:
               Failure to maintain the firing rate for the Solar Centaur Turbines and HRU
               (EPN: 27) (Category C4).
Self Report?
                                                          Classification:
                                                                           Minor
               30 TAC Chapter 116, SubChapter B 116.115(c)
Citation:
               30 TAC Chapter 122, SubChapter B 122.143(4)
               5C THSC Chapter 382 382 085(b)
               Special Condition 13 PERMIT
               Special Condition 21 PERMIT
               Special Term and Condition 16 OP
Description:
               Failure to sample the isomerization off gas (IOG) fuel (Category B1).
Self Report?
                                                          Classification:
                                                                           Moderate
               30 TAC Chapter 106, SubChapter A 106.4(c)
Citation:
               30 TAC Chapter 122, SubChapter B 122.143(4)
               40 CFR Chapter 60, SubChapter C, PT 60, SubPT A 60.18(d)
               5C THSC Chapter 382 382.085(b)
               Special Term and Condition 18 OP
               Special Term and Condition 1A OP
Description:
               Failure to maintain the British thermal unit (BTU) analyzer for the North
               Storage Degasser Flare (EPN: FL1) (Category B18(g)(1)).
Date:
         02/26/2024 (1944803)
Self Report? NO
                                                          Classification:
                                                                           Minor
               30 TAC Chapter 115, SubChapter D 115.352(4)
Citation:
               30 TAC Chapter 115, SubChapter H 115.783(5)
               30 TAC Chapter 116, SubChapter B 116.115(c)
               30 TAC Chapter 122, SubChapter B 122.143(4)
               40 CFR Chapter 60, SubChapter C, PT 60, SubPT VVa 60.482-6a(a)(1)
               40 CFR Chapter 63, SubChapter C, PT 63, SubPT H 63.167(a)(1)
               5C THSC Chapter 382 382.085(b)
               Special Condition 23E PERMIT
               Special Terms and Conditions 1A and 11 OP
Description:
               Failure to prevent open-ended lines. (Category C10)
Self Report?
                                                          Classification:
                                                                           Moderate
              NO
Citation:
               30 TAC Chapter 116, SubChapter B 116.115(c)
               30 TAC Chapter 122, SubChapter B 122.143(4)
               5C THSC Chapter 382 382.085(b)
               Special Condition 16A PERMIT
               Special Terms and Conditions 1A and 11 OP
Description:
               Failure to maintain Process Flare (EPN: SK25.801) exit velocity within permit
               limits. (Category B17)
Self Report?
                                                          Classification:
                                                                           Moderate
Citation:
               30 TAC Chapter 116, SubChapter B 116.115(c)
               30 TAC Chapter 122, SubChapter B 122.143(4)
               5C THSC Chapter 382 382 085(b)
               Special Condition 16A PERMIT
               Special Term and Condition 11 OP
Description:
               Failure to maintain net heating value within permit requirements for Process
               Flare (EPN: SK25.801). (Category B17)
Self Report?
                                                          Classification:
              NO
                                                                           Moderate
               30 TAC Chapter 116, SubChapter B 116.115(b)(2)(F)
Citation:
               30 TAC Chapter 116, SubChapter B 116.115(c)
```

8

30 TAC Chapter 116, SubChapter F 116.620(c)(1)(F)

30 TAC Chapter 122, SubChapter B 122.143(4)

5C THSC Chapter 382 382.085(b) Special Condition 1 and 10 PERMIT Special Term and Condition 11 OP

Description: Failure to maintain emissions from Reactor Charge Heater (EPN: HR15.101)

within permit limits. (Category B13)

Self Report? NO Classification: Moderate

Citation: 30 TAC Chapter 116, SubChapter B 116.115(c) 30 TAC Chapter 122, SubChapter B 122.143(4)

5C THSC Chapter 382 382.085(b) Special Condition 10 PERMIT Special Term and Condition 11 OP

Description: Failure to maintain NH3 concentration within permit limits for Reactor Charge

Heater (EPN: HR15.101). (Category B13)

Self Report? NO Classification: Moderate

Citation: 30 TAC Chapter 116, SubChapter B 116.115(c) 30 TAC Chapter 122, SubChapter B 122.143(4)

5C THSC Chapter 382 382.085(b) Special Condition 11 PERMIT Special Term and Condition 11 OP

Description: Failure to maintain NH3 concentration within permit limits for Waste Heat

Boiler (EPN: DW37.101). (Category B13)

Self Report? NO Classification: Moderate

Citation: 30 TAC Chapter 116, SubChapter B 116.115(c) 30 TAC Chapter 122, SubChapter B 122.143(4)

5C THSC Chapter 382 382.085(b) Special Condition 1 and 12 PERMIT Special Term and Condition 11 OP

Description: Failure to maintain emissions from Auxiliary Boiler A (EPN: BO10.103A) within

permit limits. (Category B13)

Self Report? NO Classification: Moderate

Citation: 30 TAC Chapter 116, SubChapter B 116.115(c) 30 TAC Chapter 122, SubChapter B 122.143(4)

5C THSC Chapter 382 382.085(b) Special Condition 12 PERMIT Special Term and Condition 11 OP

Description: Failure to maintain NH3 concentration within permit limits for Auxiliary Boiler

A (EPN: BO10.103A). (Category B13)

Self Report? NO Classification: Minor

Citation: 30 TAC Chapter 111, SubChapter A 111.111(a)(4)(A)

30 TAC Chapter 116, SubChapter B 116.115(c) 30 TAC Chapter 122, SubChapter B 122.143(4)

40 CFR Chapter 60, SubChapter C, PT 60, SubPT A 60.18(c)(1) 40 CFR Chapter 63, SubChapter C, PT 63, SubPT A 63.11(b)(4)

5C THSC Chapter 382 382.085(b) Special Condition 16C PERMIT Special Condition F (3) PERMIT

Special Term and Condition 1A and 11 OP

Description: Failure to prevent visible emissions from Process Flare (EPN: SK25.801).

(Category C4)

Self Report? NO Classification: Minor

Citation: 30 TAC Chapter 116, SubChapter B 116.115(c) 30 TAC Chapter 122, SubChapter B 122.143(4)

5C THSC Chapter 382 382.085(b) Special Condition F(3) PERMIT Special Term and Condition 19 OP

Description: Failure to maintain digital images of the Process Flare (EPN: SK25.801).

(Category C3)

9 Date: 02/29/2024 (1985093)

Self Report? YES Classification: Moderate

Citation: 2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

10 Date: 02/29/2024 (1985917)

Self Report? YES Classification: Moderate

Citation: 2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

11 Date: 02/29/2024 (1955181)

Self Report? Classification: Minor

Citation: 30 TAC Chapter 115, SubChapter D 115.352(4) 30 TAC Chapter 116, SubChapter B 116.115(c)

30 TAC Chapter 122, SubChapter B 122.143(4)

5C THSC Chapter 382 382.085(b) FOP Special Terms & Conditions 1A OP FOP, Special Term & Condition 8 OP NSR. Special Condition 6E PERMIT

Description: Failure to prevent open-ended lines (OELs). (CATEGORY C10 Violation) Self Report? NO Classification: Minor

Citation: 30 TAC Chapter 116, SubChapter B 116.115(c) 30 TAC Chapter 122, SubChapter B 122.143(4)

> 5C THSC Chapter 382 382.085(b) FOP, Special Term & Condition 8 OP NSR, Special Condition 14 PERMIT

Description: Failure to conduct weekly total dissolved solids (TDS) sampling (Unit ID:

HT16.028A, HT16.028B). (CATEGORY C1 Violation)

Self Report? Classification: Minor

Citation: 30 TAC Chapter 116, SubChapter B 116.115(c) 30 TAC Chapter 122, SubChapter B 122.143(4)

5C THSC Chapter 382 382.085(b) FOP, Special Term & Condition 8 OP NSR, Special Condition 14 PERMIT

Description: Failure to conduct daily cooling water sampling for conductivity (Unit ID:

HT16.028A). (CATEGORY C1 Violation)

12 03/31/2024 (1991637)Date:

> Self Report? Classification: Moderate

2D TWC Chapter 26, SubChapter A 26.121(a) Citation: 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

13 Date: 04/29/2024 (1974525)

> Self Report? NO Classification: Moderate

Citation: 30 TAC Chapter 116, SubChapter B 116.115(c)

5C THSC Chapter 382 382.085(b) Special Condition 1 PERMIT

Failure to prevent unauthorized emissions to the atmosphere during an Description:

emissions event that was discovered on April 30, 2023, TCEQ/STEERS

Incident No. 399677. [Category B18.g(13)]

14 Date: 04/30/2024 (1998893)

> Self Report? YES Classification: Moderate

Citation: 2D TWC Chapter 26, SubChapter A 26.121(a) 30 TAC Chapter 305, SubChapter F 305.125(1)

Failure to meet the limit for one or more permit parameter Description:

15 04/30/2024 (1999185) Date:

> Self Report? YES Classification: Moderate

2D TWC Chapter 26, SubChapter A 26.121(a) Citation: 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

16 Date: 05/29/2024 (1967122)

> Self Report? NO Minor Classification:

30 TAC Chapter 115, SubChapter D 115.352(4) Citation:

30 TAC Chapter 116, SubChapter F 116.620(c)(1)(F) 30 TAC Chapter 122, SubChapter B 122.143(4)

40 CFR Chapter 60, SubChapter C, PT 60, SubPT OOOOa 60.5400a(a) 40 CFR Chapter 60, SubChapter C, PT 60, SubPT VVa 60.482-6a(a)(1)

5C THSC Chapter 382 382.085(b) Special Term and Condition 1A OP Special Term and Condition 6 OP

Description: Failure to prevent open-ended lines (OELs). (Category C10)

Moderate Self Report? Classification:

30 TAC Chapter 116, SubChapter B 116.115(b)(2)(F) Citation: 30 TAC Chapter 117, SubChapter B 117.310(c)(2)(B) 30 TAC Chapter 122, SubChapter B 122.143(4)

5C THSC Chapter 382 382.085(b) Special Term and Condition 1A OP Special Term and Condition 6 OP

Special Term and Condition 8 OP

Subsection (a)(3) PERMIT

Failure to prevent exceedances of the permitted emissions and concentration Description:

limits for Hot Oil Heater (EPN: HR21.001). (Category B13)

Self Report? Classification: Moderate

Citation: 30 TAC Chapter 116, SubChapter B 116.115(b)(2)(F)

30 TAC Chapter 122, SubChapter B 122.143(4)

5C THSC Chapter 382 382.085(b) Special Term and Condition 6 OP Special Term and Condition 8 OP Subsection (a)(3) PERMIT

Description: Failure to prevent exceedances of the permitted emission limits for Hot Oil

Heater (EPN: HR22.001). (Category B13)

Self Report? Classification: Moderate

30 TAC Chapter 116, SubChapter B 116.115(b)(2)(F) Citation: 30 TAC Chapter 122, SubChapter B 122.143(4)

5C THSC Chapter 382 382.085(b) Special Term and Condition 6 OP Special Term and Condition 8 OP Subsection (a)(3) PERMIT

Description: Failure to prevent an exceedance of the permitted nitrogen oxides (NOx)

emission limit for Hot Oil Heater (EPN: HR23.001). (Category B13)

Self Report? Classification: Moderate

Citation: 30 TAC Chapter 117, SubChapter B 117.340(c)(3)

30 TAC Chapter 122, SubChapter B 122.143(4)

5C THSC Chapter 382 382.085(b) Special Term and Condition 8 OP Subsection (c)(2)(C) PERMIT

Failure to provide substitute emission compliance data during the nitrogen Description:

oxides (NOx) continuous emission monitoring system (CEMS) downtime for

Hot Oil Heater (EPN: HR23.001). (Category B3)

17 Date: 05/31/2024 (2006151)

> Self Report? YES Classification: Moderate

Citation: 2D TWC Chapter 26, SubChapter A 26.121(a)

30 TAC Chapter 305, SubChapter F 305.125(1)

Failure to meet the limit for one or more permit parameter Description:

18 05/31/2024 (2005859)Date:

> Self Report? YES Classification: Moderate

2D TWC Chapter 26, SubChapter A 26.121(a) Citation: 30 TAC Chapter 305, SubChapter F 305.125(1)

Description: Failure to meet the limit for one or more permit parameter

F. Environmental audits:

Notice of Intent Date: 11/12/2019 (1612845)

No DOV Associated

Notice of Intent Date: 06/29/2022 (1832162)

Disclosure Date: 06/05/2023

Viol.

Classification:

Citation: 40 CFR Chapter 60, SubChapter C, PT 60, SubPT NNN 60.665(a)

> 40 CFR Chapter 60, SubChapter C, PT 60, SubPT NNN 60.665(I) 40 CFR Chapter 60, SubChapter C, PT 60, SubPT QQQ 60.705(a) 40 CFR Chapter 60, SubChapter C, PT 60, SubPT RRR 60.705(I) 40 CFR Chapter 63, SubChapter C, PT 63, SubPT G 63.152(a)(1) 40 CFR Chapter 63, SubChapter C, PT 63, SubPT G 63.152(b) 40 CFR Chapter 63, SubChapter C, PT 63, SubPT G 63.152(c)

Description: Failed to submit complete 40 CFR 63, HON and 40 CFR Part 60, Subparts NNN and RRR reports.

Specifically, the contents of the reports did not include required information for all affected equipment

subject to regulation (O1641).

Viol. Minor

Classification:

40 CFR Chapter 63, SubChapter C, PT 63, SubPT FFFF 63.2520(a) Citation:

Description: Failed to submit complete 40 CFR 63, Subpart FFFF (MON) reports. Specifically, the content of the

reports did not include required information for process wastewater streams subject to the regulation

(04187).

Viol. Minor

Classification:

Citation: 40 CFR Chapter 63, SubChapter C, PT 63, SubPT FFFF 63.2520(a)

Description: Failed to submit complete 40 CFR 63, Subpart FFFF (MON) reports. Specifically, the content of the

reports did not include required information for process wastewater streams subject to the regulation

(O4004).

Viol. Minor

Classification:

Citation: 40 CFR Chapter 63, SubChapter C, PT 63, SubPT F 63.103(e)(1)

Description: Failed to maintain records of CMPU analysis (01487)..

G. Type of environmental management systems (EMSs):

N/A

H. Voluntary on-site compliance assessment dates:

N/A

I. Participation in a voluntary pollution reduction program:

N/Δ

J. Early compliance:

N/A

Sites Outside of Texas:

N/A

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY



IN THE MATTER OF AN	§	BEFORE THE
ENFORCEMENT ACTION	8	
CONCERNING	S	TEXAS COMMISSION ON
ENTERPRISE PRODUCTS OPERATING	S	TEAA3 COMMISSION ON
LLC	§	
RN102323268	§	ENVIRONMENTAL QUALITY

AGREED ORDER DOCKET NO. 2024-0039-IWD-E

I. JURISDICTION AND STIPULATIONS

On	, the Texas Commission on Environmental Quality ("the
Commission" or "TCEC	considered this agreement of the parties, resolving an enforcement
action regarding Enter	ise Products Operating LLC (the "Respondent") under the authority o
TEX. WATER CODE chs. 7	nd 26. The Executive Director of the TCEQ, through the Enforcemen
Division, and the Resp	ndent together stipulate that:

- 1. The Respondent owns and operates a wastewater treatment facility located at 10207 Farm-to-Market Road 1942, in the area enclosed on the west by Hatcherville Road, on the east by the Southern Pacific Railroad, on the south by Farm-to-Market Road 1942, and on the north by the CIWA Canal, in Mont Belvieu, Chambers County, Texas (the "Facility"). The Facility is near or adjacent to water in the state as defined in Tex. WATER CODE § 26.001(5).
- 2. The Executive Director and the Respondent agree that the TCEQ has jurisdiction to enter this Order pursuant to Tex. Water Code §§ 7.002, 7.051, and 7.073, and that the Respondent is subject to TCEQ's jurisdiction. The TCEQ has jurisdiction in this matter pursuant to Tex. Water Code § 5.013 because it alleges violations of Tex. Water Code ch. 26 and the rules of the TCEQ.
- 3. The occurrence of any violation is in dispute and the entry of this Order shall not constitute an admission by the Respondent of any violation alleged in Section II ("Allegations"), nor of any statute or rule.
- 4. An administrative penalty in the amount of \$93,575 is assessed by the Commission in settlement of the violations alleged in Section II ("Allegations"). The Respondent paid \$37,430 of the penalty and \$18,715 of the penalty is deferred contingent upon the Respondent's timely and satisfactory compliance with all the terms of this Order and shall be waived only upon full compliance with all the terms and conditions of this Order. If the Respondent fails to timely and satisfactorily comply with any of the terms and conditions contained in this Order, the Executive Director may demand payment of all or part of the deferred penalty amount.

Pursuant to TEX. WATER CODE § 7.067, \$37,430 of the penalty shall be conditionally offset by the Respondent's timely and satisfactory completion of a Supplemental Environmental Project ("SEP") as defined in the attached SEP Agreement ("Attachment A",

incorporated herein by reference). The Respondent's obligation to pay the conditionally offset portion of the penalty shall be discharged upon full compliance with all the terms and conditions of this Order, which includes the timely and satisfactory completion of all provisions of the SEP Agreement, as determined by the Executive Director.

- 5. The Executive Director and the Respondent agree on a settlement of the matters alleged in this enforcement action, subject to final approval in accordance with 30 Tex. ADMIN. CODE § 70.10(a). Any notice and procedures, which might otherwise be authorized or required in this action, are waived in the interest of a more timely resolution of the matter.
- 6. The Executive Director may, without further notice or hearing, refer this matter to the Office of the Attorney General of the State of Texas ("OAG") for further enforcement proceedings if the Executive Director determines that the Respondent has not complied with one or more of the terms or conditions in this Order.
- 7. This Order represents the complete and fully integrated agreement of the parties. The provisions of this Order are deemed severable and, if a court of competent jurisdiction or other appropriate authority deems any provision of this Order unenforceable, the remaining provisions shall be valid and enforceable.
- 8. This Order shall terminate five years from its effective date or upon compliance with all the terms and conditions set forth in this Order, whichever is later.
- 9. The Executive Director recognizes that by June 30, 2024, the Respondent implemented corrective measures at the Facility, and achieved compliance with all permitted effluent limitations in Texas Pollutant Discharge Elimination System ("TPDES") Permit No. WO0002940000.

II. ALLEGATIONS

During a record review for the Facility conducted on August 31, 2023, an investigator documented that the Respondent failed to comply with permitted effluent limitations, in violation of 30 Tex. Admin. Code § 305.125(1), Tex. Water Code § 26.121(a)(1), and TPDES Permit No. WQ0002940000, Effluent Limitations and Monitoring Requirements Nos. 1 and 2 for Outfall No. 003, Effluent Limitations and Monitoring Requirements No. 2 for Outfall No. 404, and Phase II Effluent Limitations and Monitoring Requirements No. 1 for Outfall Nos. 004 and 504, as shown in the effluent violation table below.

Effluent Violation Table						
Outfall No.	003	003	004	404	504	504
Parameter	TOC Daily Max. Conc.	рН Мах.	Free Cyanide Daily Max. Conc.	рН Мах.	Chloroform Daily Avg. Loading	Chloroform Daily Max. Loading
Month/Year	Limit = 75 mg/L	Limit = 9 SU	Limit = 0.0512 mg/L	Limit = 9 SU	Limit = 0.012 lbs/day	Limit = 0.025 lbs/day
August 2022	104	С	С	С	0.041	0.041
October 2022	С	С	С	9.1	С	С
December 2022	С	С	С	9.1	С	С
February 2023	С	С	0.054	С	С	С
April 2023	177	С	С	С	С	С
May 2023	192	9.4	С	С	С	С

No. = number TOC = total organic carbon Max. = maximum Conc. = concentration Avg. = average mg/L = milligrams per liter lbs/day = pounds per day SU = Standard Units c = compliant

III. DENIALS

The Respondent generally denies each allegation in Section II ("Allegations").

IV. ORDERING PROVISIONS

NOW, THEREFORE, THE TEXAS COMMISSION ON ENVIRONMENTAL QUALITY ORDERS that:

1. The Respondent is assessed a penalty as set forth in Section I, Paragraph No. 4. The payment of this penalty and the Respondent's compliance with all of the requirements set forth in this Order resolve only the allegations in Section II. The Commission shall not be constrained in any manner from requiring corrective action or penalties for violations which are not raised here. Penalty payments shall be made payable to "TCEQ" and shall be sent with the notation "Re: ENTERPRISE PRODUCTS OPERATING LLC, Docket No. 2024-0039-IWD-E" to:

Financial Administration Division, Revenue Operations Section Attention: Cashier's Office, MC 214 Texas Commission on Environmental Quality P.O. Box 13088 Austin, Texas 78711-3088

- 2. The Respondent shall implement and complete the SEP as set forth in Section I, Paragraph No. 4. The amount of \$37,430 of the assessed penalty is conditionally offset based on the Respondent's implementation and completion of the SEP pursuant to the terms of the SEP Agreement, as defined in Attachment A. Penalty payments for any portion of the SEP deemed by the Executive Director as not complete shall be paid within 30 days after the date the Executive Director demands payment.
- 3. All relief not expressly granted in this Order is denied.
- 4. The duties and provisions imposed by this Order shall apply to and be binding upon the Respondent. The Respondent is ordered to give notice of this Order to personnel who maintain day-to-day control over the Facility operations referenced in this Order.
- 5. The Executive Director may grant an extension of any deadline in this Order or in any plan, report, or other document submitted pursuant to this Order, upon a written and substantiated showing of good cause. All requests for extensions by the Respondent shall be made in writing to the Executive Director. Extensions are not effective until the Respondent receives written approval from the Executive Director. The determination of what constitutes good cause rests solely with the Executive Director.
- 6. This Order, issued by the Commission, shall not be admissible against the Respondent in a civil proceeding, unless the proceeding is brought by the OAG to: (1) enforce the terms of this Order; or (2) pursue violations of a statute within the Commission's jurisdiction, or of a rule adopted or an order or permit issued by the Commission under such a statute.
- 7. This Order may be executed in separate and multiple counterparts, which together shall constitute a single instrument. Any page of this Order may be copied, scanned, digitized, converted to electronic portable document format ("pdf"), or otherwise reproduced and may be transmitted by digital or electronic transmission, including but not limited to facsimile transmission and electronic mail. Any signature affixed to this Order shall constitute an original signature for all purposes and may be used, filed, substituted, or issued for any purpose for which an original signature could be used. The term "signature" shall include manual signatures and true and accurate reproductions of manual signatures created, executed, endorsed, adopted, or authorized by the person or persons to whom the signatures are attributable. Signatures may be copied or reproduced digitally, electronically, by photocopying, engraving, imprinting, lithographing, electronic mail, facsimile transmission, stamping, or any other means or

Enterprise Products Operating LLC DOCKET NO. 2024-0039-IWD-E Page 5

process which the Executive Director deems acceptable. In this paragraph exclusively, the terms: electronic transmission, owner, person, writing, and written, shall have the meanings assigned to them under Tex. Bus. Org. Code \S 1.002.

8. The effective date of this Order is the date it is signed by the Commission. A copy of this fully executed Order shall be provided to each of the parties.

Enterprise Products Operating LLC DOCKET NO. 2024-0039-IWD-E Page 6

Bradley J. Cooley

Name (Printed or typed) Authorized Representative of

ENTERPRISE PRODUCTS OPERATING LLC

SIGNATURE PAGE

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

For the Commission	Date					
	4/25/2025					
For the Executive Director	Date					
I, the undersigned, have read and understand the attached Order. I am authorized to agree to the attached Order, and I do agree to the terms and conditions specified therein. I further acknowledge that the TCEQ, in accepting payment for the penalty amount, is materially relying on such representation.						
I also understand that failure to comply and/or failure to timely pay the penalty	with the Ordering Provisions, if any, in this Order amount, may result in:					
 A negative impact on compliance history; Greater scrutiny of any permit applications submitted; Referral of this case to the OAG for contempt, injunctive relief, additional penalties, and/or attorney fees, or to a collection agency; Increased penalties in any future enforcement actions; Automatic referral to the OAG of any future enforcement actions; and TCEQ seeking other relief as authorized by law. 						
In addition, any falsification of any com	pliance documents may result in criminal prosecution.					
	01/10/2025					
Signature	Date					

 \Box If mailing address has changed, please check this box and provide the new address below:

Senior Director

Title

Attachment A

Docket Number: 2024-0039-IWD-E

SUPPLEMENTAL ENVIRONMENTAL PROJECT

Respondent:	Enterprise Products Operating LLC
Payable Penalty Amount:	\$74,860
SEP Offset Amount:	\$37,430
Type of SEP:	Contribution to a Third-Party Administrator SEP
Third-Party Administrator:	City of Baytown
Project Name:	Residential Sewer Line Repair and Replacement Program
Total Project Budget:	\$19,959,000
Location of SEP:	Fort Bend, Grimes, Harris, Liberty, Montgomery, San Jacinto, Walker, and Waller Counties

The Texas Commission on Environmental Quality ("TCEQ") agrees to offset a portion of the administrative penalty amount assessed in this Agreed Order for the Respondent to contribute to a Supplemental Environmental Project ("SEP"). The offset is equal to the SEP Offset Amount set forth above and is conditioned upon completion of the project in accordance with the terms of this Attachment A.

1. Project Description

A. Project

The Respondent shall contribute the SEP Offset Amount to the Third-Party Administrator named above. The contribution will be to **City of Baytown** for the *Residential Sewer Line Repair and Replacement Program* (the "Project"). The Project is to repair or replace eligible homeowners' private sewer lines, thereby reducing inflow and infiltration (I&I) of storm water into Third-Party Administrator's wastewater system. The SEP will be done in accordance with all federal, state, and local environmental laws and regulations. The contribution will be used in accordance with the SEP Agreement between the Third-Party Administrator and the TCEQ.

All dollars contributed will be used solely for the direct cost of implementing the Project, including, but not limited to supplies, materials, and equipment. Any portion of this contribution that is not spent on the specifically identified SEP may, at the discretion of the Executive Director ("ED"), be applied to another pre-approved SEP.

The Respondent's signature affixed to this Agreed Order certifies that the Respondent has no prior commitment to make this contribution and that it is being contributed solely in an effort to settle this enforcement action. The Respondent shall not profit in any manner from this SEP.

B. Environmental Benefit

The City of Baytown had 164 Sanitary Sewer Overflows (SSOs) in 2017, which included 3,406,735 gallons of untreated wastewater polluting waterways. It is a common industry estimate that 50% of I&I originates from private sewer laterals. This program could effectively address over 1.5 million gallons of untreated wastewater that pollutes Texas waterways each year.

Enterprise Products Operating LLC Docket No. 2024-0039-IWD-E Agreed Order - Attachment A

C. Minimum Expenditure

The Respondent shall contribute at least the SEP Offset Amount to the Third-Party Administrator and comply with all other provisions of this SEP.

2. Performance Schedule

Within 30 days after the effective date of this Agreed Order, the Respondent must contribute the SEP Offset Amount to the Third-Party Administrator. The Respondent shall make the check payable to **City of Baytown SEP** and shall mail the contribution with a copy of the Agreed Order to:

Director of Public Works P.O. Box 424 Baytown, Texas 77522 79005

3. Records and Reporting

Concurrent with the payment of the SEP Offset Amount, the Respondent shall provide the Enforcement SEP Coordinator with a copy of the check and transmittal letter indicating full payment of the SEP Offset Amount to the Third-Party Administrator. The Respondent shall mail a copy of the check and transmittal letter to:

Texas Commission on Environmental Quality Enforcement Division Attention: SEP Coordinator, MC 219 P.O. Box 13087 Austin, Texas 78711-3087

4. Failure to Fully Perform

If the Respondent does not perform its obligations under this Attachment A, including full expenditure of the SEP Offset Amount and submittal of the required reporting described in Sections 2 and 3 above, the ED may require immediate payment of all or part of the SEP Offset Amount.

In the event the ED determines that the Respondent failed to fully implement and complete the Project, the Respondent shall remit payment for all or a portion of the SEP Offset Amount, as determined by the ED, and as set forth in the attached Agreed Order. After receiving notice of failure to complete the SEP, the Respondent shall include the docket number of the attached Agreed Order and a note that the enclosed payment is for the reimbursement of a SEP, shall make the check payable to "Texas Commission on Environmental Quality," and shall mail it to:

Texas Commission on Environmental Quality Litigation Division Attention: SEP Coordinator, MC 175 P.O. Box 13087 Austin, Texas 78711-3087

5. Publicity

Any public statements concerning this SEP and/or project, made by or on behalf of the Respondent must include a clear statement that **the project was performed as part of the settlement of an enforcement action brought by the TCEQ**. Such statements include advertising, public relations, and press releases.

Enterprise Products Operating LLC Docket No. 2024-0039-IWD-E Agreed Order - Attachment A

6. Recognition

The Respondent may not seek recognition for this contribution in any other state or federal regulatory program.

7. Other SEPs by TCEQ or Other Agencies

The SEP Offset Amount identified in this Attachment A and in the attached Agreed Order has not been, and shall not be, included as a SEP for the Respondent under any other Agreed Order negotiated with the TCEQ or any other agency of the state or federal government.