

Executive Summary – Enforcement Matter – Case No. 63067

ALF Properties L.L.C.

RN107275323

Docket No. 2024-1220-IWD-E

Order Type:

1660 Agreed Order

Findings Order Justification:

N/A

Media:

IWD

Small Business:

Yes

Location(s) Where Violation(s) Occurred:

4L Processing, 5428 Farm-to-Market Road 69, Como, Wood County

Type of Operation:

Hog slaughtering and processing facility

Other Significant Matters:

Additional Pending Enforcement Actions: No

Past-Due Penalties: No

Other: N/A

Interested Third-Parties: None

Texas Register Publication Date: December 27, 2024

Comments Received: No

Penalty Information

Total Penalty Assessed: \$9,750

Amount Deferred for Expedited Settlement: \$1,950

Total Paid to General Revenue: \$7,800

Total Due to General Revenue: \$0

Payment Plan: N/A

Compliance History Classifications:

Person/CN - Satisfactory

Site/RN - Satisfactory

Major Source: No

Statutory Limit Adjustment: N/A

Applicable Penalty Policy: January 2021

Investigation Information

Complaint Date(s): N/A

Complaint Information: N/A

Date(s) of Investigation: July 26, 2022

Date(s) of NOE(s): August 17, 2022

Executive Summary – Enforcement Matter – Case No. 63067
ALF Properties L.L.C.
RN107275323
Docket No. 2024-1220-IWD-E

Violation Information

Failed to comply with permitted effluent limitations for ammonia nitrogen and biochemical oxygen demand (5-day) [30 TEX. ADMIN. CODE § 305.125(1), TEX. WATER CODE § 26.121(a)(1), and Texas Pollutant Discharge Elimination System ("TPDES") Permit No. WQ0005165000, Effluent Limitations and Monitoring Requirements No. 1].

Corrective Actions/Technical Requirements

Corrective Action(s) Completed:

N/A

Technical Requirements:

The Order will require the Respondent to, within 130 days, submit written certification of compliance with the permitted effluent limitations of TPDES Permit No. WQ0005165000, including specific corrective actions that were implemented at the Facility to achieve compliance and copies of the most current self-reported discharge monitoring reports, demonstrating at least three consecutive months of compliance with all permitted effluent limitations.

Contact Information

TCEQ Attorney: N/A

TCEQ Enforcement Coordinator: Monica Larina, Enforcement Division, Enforcement Team 1, MC R-14, (361) 881-6965; Michael Parrish, Enforcement Division, MC 219, (512) 239-2548

Respondent: Amber Ondrusek, President, ALF Properties L.L.C., 2009 Sleepy Hollow Lane, Heath, Texas 75032

Respondent's Attorney: N/A



Penalty Calculation Worksheet (PCW)

Policy Revision 5 (January 28, 2021)

PCW Revision February 11, 2021

DATES	Assigned	22-Aug-2022	Screening	1-Sep-2022	EPA Due	
	PCW	21-Oct-2024				

RESPONDENT/FACILITY INFORMATION	
Respondent	ALF Properties L.L.C.
Reg. Ent. Ref. No.	RN107275323
Facility/Site Region	5-Tyler
Major/Minor Source	Minor

CASE INFORMATION			
Enf./Case ID No.	63067	No. of Violations	1
Docket No.	2024-1220-IWD-E	Order Type	1660
Media Program(s)	Water Quality	Government/Non-Profit	No
Multi-Media		Enf. Coordinator	Monica Larina
		EC's Team	Enforcement Team 1
Admin. Penalty \$ Limit Minimum	\$0	Maximum	\$25,000

Penalty Calculation Section

TOTAL BASE PENALTY (Sum of violation base penalties)	Subtotal 1	\$7,500
---	-------------------	---------

ADJUSTMENTS (+/-) TO SUBTOTAL 1	
Subtotals 2-7 are obtained by multiplying the Total Base Penalty (Subtotal 1) by the indicated percentage.	

Compliance History	30.0%	Adjustment	Subtotals 2, 3, & 7	\$2,250
---------------------------	-------	------------	--------------------------------	---------

Notes: Enhancement for six months of self-reported effluent violations.

Culpability	No	0.0%	Enhancement	Subtotal 4	\$0
--------------------	----	------	-------------	-------------------	-----

Notes: The Respondent does not meet the culpability criteria.

Good Faith Effort to Comply Total Adjustments	Subtotal 5	\$0
--	-------------------	-----

Economic Benefit	0.0%	Enhancement*	Subtotal 6	\$0
-------------------------	------	--------------	-------------------	-----

Total EB Amounts: \$3,959
 Estimated Cost of Compliance: \$25,000
 *Capped at the Total EB \$ Amount

SUM OF SUBTOTALS 1-7	Final Subtotal	\$9,750
-----------------------------	-----------------------	---------

OTHER FACTORS AS JUSTICE MAY REQUIRE	0.0%	Adjustment	\$0
---	------	------------	-----

Reduces or enhances the Final Subtotal by the indicated percentage.

Notes:

Final Penalty Amount	\$9,750
-----------------------------	---------

STATUTORY LIMIT ADJUSTMENT	Final Assessed Penalty	\$9,750
-----------------------------------	-------------------------------	---------

DEFERRAL	20.0%	Reduction	Adjustment	-\$1,950
-----------------	-------	-----------	-------------------	----------

Reduces the Final Assessed Penalty by the indicated percentage.

Notes: Deferral offered for expedited settlement.

PAYABLE PENALTY	\$7,800
------------------------	---------

Screening Date 1-Sep-2022

Docket No. 2024-1220-IWD-E

PCW

Respondent ALF Properties L.L.C.

Policy Revision 5 (January 28, 2021)

Case ID No. 63067

PCW Revision February 11, 2021

Reg. Ent. Reference No. RN107275323

Media Water Quality

Enf. Coordinator Monica Larina

Compliance History Worksheet

>> Compliance History Site Enhancement (Subtotal 2)

Component	Number of...	Number	Adjust.
NOVs	Written notices of violation ("NOVs") with same or similar violations as those in the current enforcement action (<i>number of NOVs meeting criteria</i>)	6	30%
	Other written NOVs	0	0%
Orders	Any agreed final enforcement orders containing a denial of liability (<i>number of orders meeting criteria</i>)	0	0%
	Any adjudicated final enforcement orders, agreed final enforcement orders without a denial of liability, or default orders of this state or the federal government, or any final prohibitory emergency orders issued by the commission	0	0%
Judgments and Consent Decrees	Any non-adjudicated final court judgments or consent decrees containing a denial of liability of this state or the federal government (<i>number of judgments or consent decrees meeting criteria</i>)	0	0%
	Any adjudicated final court judgments and default judgments, or non-adjudicated final court judgments or consent decrees without a denial of liability, of this state or the federal government	0	0%
Convictions	Any criminal convictions of this state or the federal government (<i>number of counts</i>)	0	0%
Emissions	Chronic excessive emissions events (<i>number of events</i>)	0	0%
Audits	Letters notifying the executive director of an intended audit conducted under the Texas Environmental, Health, and Safety Audit Privilege Act, 74th Legislature, 1995 (<i>number of audits for which notices were submitted</i>)	0	0%
	Disclosures of violations under the Texas Environmental, Health, and Safety Audit Privilege Act, 74th Legislature, 1995 (<i>number of audits for which violations were disclosed</i>)	0	0%
Other	Environmental management systems in place for one year or more	No	0%
	Voluntary on-site compliance assessments conducted by the executive director under a special assistance program	No	0%
	Participation in a voluntary pollution reduction program	No	0%
	Early compliance with, or offer of a product that meets future state or federal government environmental requirements	No	0%

Adjustment Percentage (Subtotal 2) 30%

>> Repeat Violator (Subtotal 3)

No

Adjustment Percentage (Subtotal 3) 0%

>> Compliance History Person Classification (Subtotal 7)

Satisfactory Performer

Adjustment Percentage (Subtotal 7) 0%

>> Compliance History Summary

Compliance History Notes

Enhancement for six months of self-reported effluent violations.

Total Compliance History Adjustment Percentage (Subtotals 2, 3, & 7) 30%

>> Final Compliance History Adjustment

Final Adjustment Percentage *capped at 100% 30%

Screening Date	1-Sep-2022	Docket No.	2024-1220-IWD-E	PCW
Respondent	ALF Properties L.L.C.			<i>Policy Revision 5 (January 28, 2021)</i>
Case ID No.	63067			<i>PCW Revision February 11, 2021</i>
Reg. Ent. Reference No.	RN107275323			
Media	Water Quality			
Enf. Coordinator	Monica Larina			
Violation Number	1			
Rule Cite(s)	30 Tex. Admin. Code § 305.125(1), Tex. Water Code § 26.121(a)(1), and Texas Pollutant Discharge Elimination System ("TPDES") Permit No. WQ0005165000, Effluent Limitations and Monitoring Requirements No. 1			
Violation Description	Failed to comply with permitted effluent limitations, as shown in the attached effluent violation table.			
		Base Penalty	\$25,000	

>> Environmental, Property and Human Health Matrix

OR		Harm			
	Release	Major	Moderate	Minor	
	Actual			x	Percent 15.0%
Potential					

>> Programmatic Matrix

	Falsification	Major	Moderate	Minor	
					Percent 0.0%

Matrix Notes

A simplified model was used to evaluate ammonia nitrogen to determine whether the discharged amounts of pollutants exceeded protective levels. Biochemical oxygen demand (5-day) was also considered. Human health or the environment has been exposed to insignificant amounts of pollutants that do not exceed levels that are protective of human health or environmental receptors as a result of the violation.

Adjustment \$21,250

\$3,750

Violation Events

Number of Violation Events Number of violation days

daily	
weekly	
monthly	
quarterly	x
semiannual	
annual	
single event	

Violation Base Penalty \$7,500

Two quarterly events are recommended for the quarters containing the months of December 2021, January 2022, February 2022, and April 2022.

Good Faith Efforts to Comply Reduction

	Before NOE/NOV	NOE/NOV to EDPRP/Settlement Offer
Extraordinary		
Ordinary		
N/A	x	

Notes: The Respondent does not meet the good faith criteria for this violation.

Violation Subtotal \$7,500

Economic Benefit (EB) for this violation	Statutory Limit Test
Estimated EB Amount <input type="text" value="\$3,959"/>	Violation Final Penalty Total <input type="text" value="\$9,750"/>
This violation Final Assessed Penalty (adjusted for limits) <input type="text" value="\$9,750"/>	

Economic Benefit Worksheet

Respondent ALF Properties L.L.C.
Case ID No. 63067
Reg. Ent. Reference No. RN107275323
Media Water Quality
Violation No. 1

Percent Interest	Years of Depreciation
5.0	15

Item Description	Item Cost	Date Required	Final Date	Yrs	Interest Saved	Costs Saved	EB Amount
------------------	-----------	---------------	------------	-----	----------------	-------------	-----------

Delayed Costs

Equipment				0.00	\$0	\$0	\$0
Buildings				0.00	\$0	\$0	\$0
Other (as needed)				0.00	\$0	\$0	\$0
Engineering/Construction				0.00	\$0	\$0	\$0
Land				0.00	\$0	n/a	\$0
Record Keeping System				0.00	\$0	n/a	\$0
Training/Sampling				0.00	\$0	n/a	\$0
Remediation/Disposal				0.00	\$0	n/a	\$0
Permit Costs				0.00	\$0	n/a	\$0
Other (as needed)	\$25,000	31-Dec-2021	1-Mar-2025	3.17	\$3,959	n/a	\$3,959

Notes for DELAYED costs

Estimated Other cost to determine the cause of noncompliance, make the necessary repairs/adjustments to the Facility, and achieve compliance with the permitted effluent limitations. The Date Required is the end date of the first month of noncompliance, and the Final Date is the estimated date of compliance.

Avoided Costs

ANNUALIZE avoided costs before entering item (except for one-time avoided costs)

Disposal				0.00	\$0	\$0	\$0
Personnel				0.00	\$0	\$0	\$0
Inspection/Reporting/Sampling				0.00	\$0	\$0	\$0
Supplies/Equipment				0.00	\$0	\$0	\$0
Financial Assurance				0.00	\$0	\$0	\$0
ONE-TIME avoided costs				0.00	\$0	\$0	\$0
Other (as needed)				0.00	\$0	\$0	\$0

Notes for AVOIDED costs

Approx. Cost of Compliance

\$25,000

TOTAL

\$3,959

ALF Properties L.L.C.
 TPDES Permit No. WQ0005165000
 Docket No. 2024-1220-IWD-E
 Case No. 63067

Effluent Violation Table		
Monitoring Period	Biochemical Oxygen Demand (5-day)	Ammonia Nitrogen
	Daily Average Concentration Limit = 36.1 mg/L	Daily Average Concentration Limit = 25.5 mg/L
December 2021	47.0	c
January 2022	46.118	45.4
February 2022	c	37.43
April 2022	c	27.1

mg/L = milligrams per liter c = compliant



Compliance History Report

Compliance History Report for CN604577072, RN107275323, Rating Year 2024 which includes Compliance History (CH) components from September 1, 2019, through August 31, 2024.

Customer, Respondent, or Owner/Operator: CN604577072, ALF PROPERTIES L.L.C. **Classification:** SATISFACTORY **Rating:** 1.85

Regulated Entity: RN107275323, 4L PROCESSING **Classification:** SATISFACTORY **Rating:** 1.85

Complexity Points: 9 **Repeat Violator:** NO

CH Group: 14 - Other

Location: 5428 Farm-to-Market Road 69, near the city of Como, Wood County, Texas

TCEQ Region: REGION 05 - TYLER

ID Number(s):

STORMWATER PERMIT TXRNEBT14

WASTEWATER PERMIT WQ0005165000

WASTEWATER EPA ID TX0136417

Compliance History Period: September 01, 2019 to August 31, 2024 **Rating Year:** 2024 **Rating Date:** 09/01/2024

Date Compliance History Report Prepared: October 07, 2024

Agency Decision Requiring Compliance History: Enforcement

Component Period Selected: October 07, 2019 to October 07, 2024

TCEQ Staff Member to Contact for Additional Information Regarding This Compliance History.

Name: Monica Larina

Phone: (512) 239-0184

Site and Owner/Operator History:

- 1) Has the site been in existence and/or operation for the full five year compliance period? YES
- 2) Has there been a (known) change in ownership/operator of the site during the compliance period? NO

Components (Multimedia) for the Site Are Listed in Sections A - J

A. Final Orders, court judgments, and consent decrees:

N/A

B. Criminal convictions:

N/A

C. Chronic excessive emissions events:

N/A

D. The approval dates of investigations (CCEDS Inv. Track. No.):

Item 1	October 18, 2019	(1615640)	Item 14	January 21, 2021	(1719484)
Item 2	November 15, 2019	(1621441)	Item 15	February 21, 2021	(1732564)
Item 3	December 18, 2019	(1628781)	Item 16	March 29, 2021	(1732565)
Item 4	February 24, 2020	(1643015)	Item 17	April 19, 2021	(1732566)
Item 5	March 16, 2020	(1649520)	Item 18	May 13, 2021	(1743575)
Item 6	April 20, 2020	(1655899)	Item 19	June 18, 2021	(1748770)
Item 7	June 16, 2020	(1668983)	Item 20	July 19, 2021	(1754037)
Item 8	July 08, 2020	(1675928)	Item 21	August 19, 2021	(1759384)
Item 9	August 19, 2020	(1682719)	Item 22	September 20, 2021	(1768792)
Item 10	September 16, 2020	(1689265)	Item 23	October 20, 2021	(1779976)
Item 11	October 19, 2020	(1695629)	Item 24	November 22, 2021	(1786029)
Item 12	November 16, 2020	(1719482)	Item 25	December 20, 2021	(1793020)
Item 13	December 21, 2020	(1719483)	Item 26	April 20, 2022	(1822343)

Item 27	July 20, 2022	(1844627)	Item 33	January 18, 2023	(1884494)
Item 28	August 22, 2022	(1851152)	Item 34	April 22, 2024	(1992559)
Item 29	September 20, 2022	(1858582)	Item 35	May 23, 2024	(1998997)
Item 30	October 19, 2022	(1864918)	Item 36	June 19, 2024	(2005963)
Item 31	November 18, 2022	(1871808)	Item 37	July 30, 2024	(2002066)
Item 32	December 13, 2022	(1877688)			

E. Written notices of violations (NOV) (CCEDS Inv. Track. No.):

A notice of violation represents a written allegation of a violation of a specific regulatory requirement from the commission to a regulated entity. A notice of violation is not a final enforcement action, nor proof that a violation has actually occurred.

- 1 Date: 10/31/2023 (1954009)
Self Report? YES Classification: Moderate
Citation: 2D TWC Chapter 26, SubChapter A 26.121(a)
30 TAC Chapter 305, SubChapter F 305.125(1)
Description: Failure to meet the limit for one or more permit parameter

- 2 Date: 11/30/2023 (1963815)
Self Report? YES Classification: Moderate
Citation: 2D TWC Chapter 26, SubChapter A 26.121(a)
30 TAC Chapter 305, SubChapter F 305.125(1)
Description: Failure to meet the limit for one or more permit parameter

- 3 Date: 12/31/2023 (1970379)
Self Report? YES Classification: Moderate
Citation: 2D TWC Chapter 26, SubChapter A 26.121(a)
30 TAC Chapter 305, SubChapter F 305.125(1)
Description: Failure to meet the limit for one or more permit parameter

- 4 Date: 01/31/2024 (1979460)
Self Report? YES Classification: Moderate
Citation: 2D TWC Chapter 26, SubChapter A 26.121(a)
30 TAC Chapter 305, SubChapter F 305.125(1)
Description: Failure to meet the limit for one or more permit parameter

- 5 Date: 02/29/2024 (1986019)
Self Report? YES Classification: Moderate
Citation: 2D TWC Chapter 26, SubChapter A 26.121(a)
30 TAC Chapter 305, SubChapter F 305.125(1)
Description: Failure to meet the limit for one or more permit parameter

- 6 Date: 06/30/2024 (2013521)

Self Report? YES Classification: Moderate
Citation: 2D TWC Chapter 26, SubChapter A 26.121(a)
30 TAC Chapter 305, SubChapter F 305.125(1)
Description: Failure to meet the limit for one or more permit parameter

F. Environmental audits:

N/A

G. Type of environmental management systems (EMSs):

N/A

H. Voluntary on-site compliance assessment dates:

N/A

I. Participation in a voluntary pollution reduction program:

N/A

J. Early compliance:

N/A

Sites Outside of Texas:

N/A

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY



IN THE MATTER OF AN
ENFORCEMENT ACTION
CONCERNING
ALF PROPERTIES L.L.C.
RN107275323

§ BEFORE THE
§ TEXAS COMMISSION ON
§ ENVIRONMENTAL QUALITY

AGREED ORDER DOCKET NO. 2024-1220-IWD-E

I. JURISDICTION AND STIPULATIONS

On _____, the Texas Commission on Environmental Quality ("the Commission" or "TCEQ") considered this agreement of the parties, resolving an enforcement action regarding ALF Properties L.L.C. (the "Respondent") under the authority of TEX. WATER CODE chs. 7 and 26. The Executive Director of the TCEQ, through the Enforcement Division, and the Respondent together stipulate that:

1. The Respondent owns and operates a hog slaughtering and processing facility located at 5428 Farm-to-Market Road 69, near the city of Como, Wood County, Texas (the "Facility"). The Facility is near or adjacent to water in the state as defined in TEX. WATER CODE § 26.001(5).
2. The Executive Director and the Respondent agree that the TCEQ has jurisdiction to enter this Order pursuant to TEX. WATER CODE §§ 7.002, 7.051, and 7.073, and that the Respondent is subject to TCEQ's jurisdiction. The TCEQ has jurisdiction in this matter pursuant to TEX. WATER CODE § 5.013 because it alleges violations of TEX. WATER CODE ch. 26 and the rules of the TCEQ.
3. The occurrence of any violation is in dispute and the entry of this Order shall not constitute an admission by the Respondent of any violation alleged in Section II ("Allegations"), nor of any statute or rule.
4. An administrative penalty in the amount of \$9,750 is assessed by the Commission in settlement of the violations alleged in Section II ("Allegations"). The Respondent paid \$7,800 of the penalty and \$1,950 is deferred contingent upon the Respondent's timely and satisfactory compliance with all the terms of this Order. The deferred amount shall be waived only upon full compliance with all the terms and conditions contained in this Order. If the Respondent fails to timely and satisfactorily comply with any of the terms or requirements contained in this Order, the Executive Director may demand payment of all or part of the deferred penalty amount.
5. The Executive Director and the Respondent agree on a settlement of the matters alleged in this enforcement action, subject to final approval in accordance with 30 TEX. ADMIN. CODE § 70.10(a). Any notice and procedures, which might otherwise be authorized or required in this action, are waived in the interest of a more timely resolution of the matter.

6. The Executive Director may, without further notice or hearing, refer this matter to the Office of the Attorney General of the State of Texas ("OAG") for further enforcement proceedings if the Executive Director determines that the Respondent has not complied with one or more of the terms or conditions in this Order.
7. This Order represents the complete and fully integrated agreement of the parties. The provisions of this Order are deemed severable and, if a court of competent jurisdiction or other appropriate authority deems any provision of this Order unenforceable, the remaining provisions shall be valid and enforceable.
8. This Order shall terminate five years from its effective date or upon compliance with all the terms and conditions set forth in this Order, whichever is later.

II. ALLEGATIONS

During a record review for the Facility conducted on July 26, 2022, an investigator documented that the Respondent failed to comply with permitted effluent limitations, in violation of 30 TEX. ADMIN. CODE § 305.125(1), TEX. WATER CODE § 26.121(a)(1), and Texas Pollutant Discharge Elimination System ("TPDES") Permit No. WQ0005165000, Effluent Limitations and Monitoring Requirements No. 1, as shown in the attached effluent violation table below.

Effluent Violation Table		
Monitoring Period	Biochemical Oxygen Demand (5-day)	Ammonia Nitrogen
	Daily Average Concentration Limit = 36.1 mg/L	Daily Average Concentration Limit = 25.5 mg/L
December 2021	47.0	c
January 2022	46.118	45.4
February 2022	c	37.43
April 2022	c	27.1

mg/L = milligrams per liter

c = compliant

III. DENIALS

The Respondent generally denies each allegation in Section II ("Allegations").

IV. ORDERING PROVISIONS

NOW, THEREFORE, THE TEXAS COMMISSION ON ENVIRONMENTAL QUALITY ORDERS that:

1. The Respondent is assessed a penalty as set forth in Section I, Paragraph No. 4. The payment of this penalty and the Respondent's compliance with all of the requirements set forth in this Order resolve only the allegations in Section II. The Commission shall not be constrained in any manner from requiring corrective action or penalties for violations which are not raised here. Penalty payments shall be made payable to "TCEQ"

and shall be sent with the notation "Re: ALF Properties L.L.C., Docket No. 2024-1220-IWD-E" to:

Financial Administration Division, Revenue Operations Section
Attention: Cashier's Office, MC 214
Texas Commission on Environmental Quality
P.O. Box 13088
Austin, Texas 78711-3088

2. The Respondent shall within 130 days after the effective date of this Order, submit written certification of compliance with the permitted effluent limitations of TPDES Permit No. WQ0005165000, including specific corrective actions that were implemented at the Facility to achieve compliance and copies of the most current self-reported discharge monitoring reports, demonstrating at least three consecutive months of compliance with all permitted effluent limitations, and include detailed supporting documentation including photographs, receipts, and/or other records to demonstrate compliance. The certification shall be signed by the Respondent and shall include the following certification language:

"I certify under penalty of law that I have personally examined and am familiar with the information submitted and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fines and imprisonment for knowing violations."

The certification shall be submitted to:

Enforcement Division, MC 149A
Texas Commission on Environmental Quality
P.O. Box 13087
Austin, Texas 78711-3087

with a copy to:

Water Section Manager
Tyler Regional Office
Texas Commission on Environmental Quality
2916 Teague Drive
Tyler, Texas 75701-3734

3. All relief not expressly granted in this Order is denied.
4. The duties and provisions imposed by this Order shall apply to and be binding upon the Respondent. The Respondent is ordered to give notice of this Order to personnel who maintain day-to-day control over the Facility operations referenced in this Order.
5. The Executive Director may grant an extension of any deadline in this Order or in any plan, report, or other document submitted pursuant to this Order, upon a written and substantiated showing of good cause. All requests for extensions by the Respondent

shall be made in writing to the Executive Director. Extensions are not effective until the Respondent receives written approval from the Executive Director. The determination of what constitutes good cause rests solely with the Executive Director. Extension requests shall be sent to the Enforcement Division at the address listed above.


6. This Order, issued by the Commission, shall not be admissible against the Respondent in a civil proceeding, unless the proceeding is brought by the OAG to: (1) enforce the terms of this Order; or (2) pursue violations of a statute within the Commission's jurisdiction, or of a rule adopted or an order or permit issued by the Commission under such a statute.
7. This Order may be executed in separate and multiple counterparts, which together shall constitute a single instrument. Any page of this Order may be copied, scanned, digitized, converted to electronic portable document format ("pdf"), or otherwise reproduced and may be transmitted by digital or electronic transmission, including but not limited to facsimile transmission and electronic mail. Any signature affixed to this Order shall constitute an original signature for all purposes and may be used, filed, substituted, or issued for any purpose for which an original signature could be used. The term "signature" shall include manual signatures and true and accurate reproductions of manual signatures created, executed, endorsed, adopted, or authorized by the person or persons to whom the signatures are attributable. Signatures may be copied or reproduced digitally, electronically, by photocopying, engraving, imprinting, lithographing, electronic mail, facsimile transmission, stamping, or any other means or process which the Executive Director deems acceptable. In this paragraph exclusively, the terms: electronic transmission, owner, person, writing, and written, shall have the meanings assigned to them under TEX. BUS. ORG. CODE § 1.002.
8. The effective date of this Order is the date it is signed by the Commission. A copy of this fully executed Order shall be provided to each of the parties.

SIGNATURE PAGE

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

For the Commission

Date



For the Executive Director

1/15/2025


Date

I, the undersigned, have read and understand the attached Order. I am authorized to agree to the attached Order, and I do agree to the terms and conditions specified therein. I further acknowledge that the TCEQ, in accepting payment for the penalty amount, is materially relying on such representation.

I also understand that failure to comply with the Ordering Provisions, if any, in this Order and/or failure to timely pay the penalty amount, may result in:

- A negative impact on compliance history;
- Greater scrutiny of any permit applications submitted;
- Referral of this case to the OAG for contempt, injunctive relief, additional penalties, and/or attorney fees, or to a collection agency;
- Increased penalties in any future enforcement actions;
- Automatic referral to the OAG of any future enforcement actions; and
- TCEQ seeking other relief as authorized by law.

In addition, any falsification of any compliance documents may result in criminal prosecution.



Signature

11-20-24

Date

Amber Ondrusek

Name (Printed or typed)
Authorized Representative of
ALF Properties L.L.C.

President

Title

If mailing address has changed, please check this box and provide the new address below:

Instructions: Send the original, signed Order with penalty payment to the Financial Administration Division, Revenue Operations Section at the address in Ordering Provision 1 of this Order.