

Executive Summary – Enforcement Matter – Case No. 66382
Beach Road Municipal Utility District
RN101613818
Docket No. 2024-1297-MWD-E

Order Type:

1660 Agreed Order

Findings Order Justification:

N/A

Media:

MWD

Small Business:

No

Location(s) Where Violation(s) Occurred:

Beach Road UD, located 1.06 miles south of the intersection of St. Mary's Slough Drive and Farm-to-Market Road 2031, Matagorda, Matagorda County

Type of Operation:

Wastewater treatment facility

Other Significant Matters:

Additional Pending Enforcement Actions: No

Past-Due Penalties: No

Other: N/A

Interested Third-Parties: None

Texas Register Publication Date: April 11, 2025

Comments Received: No

Penalty Information

Total Penalty Assessed: \$13,500

Amount Deferred for Expedited Settlement: \$2,700

Total Paid to General Revenue: \$10,800

Total Due to General Revenue: \$0

Payment Plan: N/A

Compliance History Classifications:

Person/CN - Satisfactory

Site/RN - Satisfactory

Major Source: No

Statutory Limit Adjustment: N/A

Applicable Penalty Policy: January 2021

Investigation Information

Complaint Date(s): N/A

Complaint Information: N/A

Date(s) of Investigation: April 30, 2024

Date(s) of NOE(s): June 20, 2024

**Executive Summary – Enforcement Matter – Case No. 66382
Beach Road Municipal Utility District
RN101613818
Docket No. 2024-1297-MWD-E**

Violation Information

Failed to comply with permitted effluent limitations for total suspended solids [30 TEX. ADMIN. CODE § 305.125(1), TEX. WATER CODE § 26.121(a)(1), and Texas Pollutant Discharge Elimination System ("TPDES") Permit No. WQ0013563001, Effluent Limitations and Monitoring Requirements No. 1].

Corrective Actions/Technical Requirements

Corrective Action(s) Completed:

N/A

Technical Requirements:

The Order will require the Respondent to, within 130 days, submit written certification of compliance with the permitted effluent limitations of TPDES Permit No. WQ0013563001, including specific corrective actions that were implemented at the Facility to achieve compliance and copies of the most current self-reported discharge monitoring reports, demonstrating at least three consecutive months of compliance with all permitted effluent limitations.

Contact Information

TCEQ Attorney: N/A

TCEQ Enforcement Coordinator: Harley Hobson, Enforcement Division, Enforcement Team 1, MC 219, (512) 239-1337; Michael Parrish, Enforcement Division, MC 219, (512) 239-2548

Respondent: Scott Eicke, President, Beach Road Municipal Utility District, P.O. Box 275, Matagorda, Texas 77457

Dana Kimmey, Director, Beach Road Municipal Utility District, P.O. Box 275, Matagorda, Texas 77457

Respondent's Attorney: N/A



Penalty Calculation Worksheet (PCW)

Policy Revision 5 (January 28, 2021)

PCW Revision February 11, 2021

DATES	Assigned	8-Jul-2024	Screening	9-Jul-2024	EPA Due	
	PCW	24-Jan-2025				

RESPONDENT/FACILITY INFORMATION

Respondent	Beach Road Municipal Utility District				
Reg. Ent. Ref. No.	RN101613818				
Facility/Site Region	12-Houston		Major/Minor Source	Minor	

CASE INFORMATION

Enf./Case ID No.	66382	No. of Violations	1
Docket No.	2024-1297-MWD-E	Order Type	1660
Media Program(s)	Water Quality	Government/Non-Profit	Yes
Multi-Media		Enf. Coordinator	Harley Hobson
		EC's Team	Enforcement Team 1
Admin. Penalty \$ Limit Minimum	\$0	Maximum	\$25,000

Penalty Calculation Section

TOTAL BASE PENALTY (Sum of violation base penalties)	Subtotal 1	\$11,250
---	-------------------	----------

ADJUSTMENTS (+/-) TO SUBTOTAL 1

Subtotals 2-7 are obtained by multiplying the Total Base Penalty (Subtotal 1) by the indicated percentage.

Compliance History	20.0%	Adjustment	Subtotals 2, 3, & 7	\$2,250
---------------------------	-------	-------------------	--------------------------------	---------

Notes	Enhancement for four months of self reported effluent violations.			
--------------	---	--	--	--

Culpability	No	0.0%	Enhancement	Subtotal 4	\$0
--------------------	----	------	--------------------	-------------------	-----

Notes	The Respondent does not meet the culpability criteria.				
--------------	--	--	--	--	--

Good Faith Effort to Comply Total Adjustments	Subtotal 5	\$0
--	-------------------	-----

Economic Benefit	0.0%	Enhancement*	Subtotal 6	\$0
-------------------------	------	---------------------	-------------------	-----

Total EB Amounts	\$1,718	*Capped at the Total EB \$ Amount
Estimated Cost of Compliance	\$15,000	

SUM OF SUBTOTALS 1-7	Final Subtotal	\$13,500
-----------------------------	-----------------------	----------

OTHER FACTORS AS JUSTICE MAY REQUIRE	0.0%	Adjustment	\$0
---	------	-------------------	-----

Reduces or enhances the Final Subtotal by the indicated percentage.

Notes				
--------------	--	--	--	--

Final Penalty Amount	\$13,500
-----------------------------	----------

STATUTORY LIMIT ADJUSTMENT	Final Assessed Penalty	\$13,500
-----------------------------------	-------------------------------	----------

DEFERRAL	20.0%	Reduction	Adjustment	-\$2,700
-----------------	-------	------------------	-------------------	----------

Reduces the Final Assessed Penalty by the indicated percentage.

Notes	Deferral offered for expedited settlement.			
--------------	--	--	--	--

PAYABLE PENALTY	\$10,800
------------------------	----------

Screening Date	9-Jul-2024	Docket No.	2024-1297-MWD-E	PCW
Respondent	Beach Road Municipal Utility District			<i>Policy Revision 5 (January 28, 2021)</i>
Case ID No.	66382			<i>PCW Revision February 11, 2021</i>
Reg. Ent. Reference No.	RN101613818			
Media	Water Quality			
Enf. Coordinator	Harley Hobson			

Compliance History Worksheet

>> Compliance History Site Enhancement (Subtotal 2)

Component	Number of...	Number	Adjust.
NOVs	Written notices of violation ("NOVs") with same or similar violations as those in the current enforcement action (<i>number of NOVs meeting criteria</i>)	4	20%
	Other written NOVs	0	0%
Orders	Any agreed final enforcement orders containing a denial of liability (<i>number of orders meeting criteria</i>)	0	0%
	Any adjudicated final enforcement orders, agreed final enforcement orders without a denial of liability, or default orders of this state or the federal government, or any final prohibitory emergency orders issued by the commission	0	0%
Judgments and Consent Decrees	Any non-adjudicated final court judgments or consent decrees containing a denial of liability of this state or the federal government (<i>number of judgments or consent decrees meeting criteria</i>)	0	0%
	Any adjudicated final court judgments and default judgments, or non-adjudicated final court judgments or consent decrees without a denial of liability, of this state or the federal government	0	0%
Convictions	Any criminal convictions of this state or the federal government (<i>number of counts</i>)	0	0%
Emissions	Chronic excessive emissions events (<i>number of events</i>)	0	0%
Audits	Letters notifying the executive director of an intended audit conducted under the Texas Environmental, Health, and Safety Audit Privilege Act, 74th Legislature, 1995 (<i>number of audits for which notices were submitted</i>)	0	0%
	Disclosures of violations under the Texas Environmental, Health, and Safety Audit Privilege Act, 74th Legislature, 1995 (<i>number of audits for which violations were disclosed</i>)	0	0%
Other	Environmental management systems in place for one year or more	No	0%
	Voluntary on-site compliance assessments conducted by the executive director under a special assistance program	No	0%
	Participation in a voluntary pollution reduction program	No	0%
	Early compliance with, or offer of a product that meets future state or federal government environmental requirements	No	0%

Adjustment Percentage (Subtotal 2) 20%

>> Repeat Violator (Subtotal 3)

No	Adjustment Percentage (Subtotal 3)	0%
----	------------------------------------	----

>> Compliance History Person Classification (Subtotal 7)

Satisfactory Performer	Adjustment Percentage (Subtotal 7)	0%
------------------------	------------------------------------	----

>> Compliance History Summary

Compliance History Notes	Enhancement for four months of self reported effluent violations.
--------------------------	---

Total Compliance History Adjustment Percentage (Subtotals 2, 3, & 7) 20%

>> Final Compliance History Adjustment

Final Adjustment Percentage *capped at 100% 20%

Screening Date	9-Jul-2024	Docket No.	2024-1297-MWD-E	PCW
Respondent	Beach Road Municipal Utility District	Policy Revision 5 (January 28, 2021)		
Case ID No.	66382	PCW Revision February 11, 2021		
Reg. Ent. Reference No.	RN101613818			
Media	Water Quality			
Enf. Coordinator	Harley Hobson			
Violation Number	1			
Rule Cite(s)	30 Tex. Admin. Code § 305.125(1), Tex. Water Code § 26.121(a)(1), and Texas Pollutant Discharge Elimination System Permit No. WQ0013563001, Effluent Limitations and Monitoring Requirements No. 1			
Violation Description	Failed to comply with permitted effluent limitations, as shown in the attached effluent violation table.			
Base Penalty				\$25,000

>> Environmental, Property and Human Health Matrix

OR		Harm			
	Release	Major	Moderate	Minor	
	Actual			x	
	Potential				
					Percent 15.0%

>> Programmatic Matrix

Matrix Notes		Falsification	Major	Moderate	Minor	
	Total suspended solids were evaluated to determine whether the discharge amounts exceeded protective levels. Human health or the environment has been exposed to insignificant amounts of pollutants that do not exceed levels that are protective of human health or environmental receptors as a result of the violation.					
					Percent 0.0%	

Adjustment \$21,250

\$3,750

Violation Events

Number of Violation Events	3		184	Number of violation days
	daily			
	weekly			
	monthly			
	quarterly	x		
	semiannual			
	annual			
	single event			
Three quarterly events are recommended for the quarters containing the months of April, May, October, November, and December 2023 and January 2024.				

Violation Base Penalty \$11,250

Good Faith Efforts to Comply

	0.0%		Reduction	\$0
		Before NOE/NOV NOE/NOV to EDPRP/Settlement Offer		
Extraordinary				
Ordinary				
N/A	x			
Notes	The Respondent does not meet the good faith criteria for this violation.			

Violation Subtotal \$11,250

Economic Benefit (EB) for this violation

	Statutory Limit Test
Estimated EB Amount	\$1,718
	Violation Final Penalty Total
	\$13,500
This violation Final Assessed Penalty (adjusted for limits)	
\$13,500	

Economic Benefit Worksheet

Respondent Beach Road Municipal Utility District
Case ID No. 66382
Reg. Ent. Reference No. RN101613818
Media Water Quality
Violation No. 1

Percent Interest	Years of Depreciation
5.0	15

Item Description	Item Cost	Date Required	Final Date	Yrs	Interest Saved	Costs Saved	EB Amount
------------------	-----------	---------------	------------	-----	----------------	-------------	-----------

Delayed Costs

Equipment				0.00	\$0	\$0	\$0
Buildings				0.00	\$0	\$0	\$0
Other (as needed)				0.00	\$0	\$0	\$0
Engineering/Construction				0.00	\$0	\$0	\$0
Land				0.00	\$0	n/a	\$0
Record Keeping System				0.00	\$0	n/a	\$0
Training/Sampling				0.00	\$0	n/a	\$0
Remediation/Disposal				0.00	\$0	n/a	\$0
Permit Costs				0.00	\$0	n/a	\$0
Other (as needed)	\$15,000	30-Apr-2023	13-Aug-2025	2.29	\$1,718	n/a	\$1,718
Notes for DELAYED costs	Estimated Other cost to determine the cause of noncompliance, make the necessary repairs/adjustments to the Facility, and achieve compliance with the permitted effluent limitations. The Date Required is the end date of the first month of noncompliance, and the Final Date is the estimated date of compliance.						

Avoided Costs

ANNUALIZE avoided costs before entering item (except for one-time avoided costs)

Disposal				0.00	\$0	\$0	\$0
Personnel				0.00	\$0	\$0	\$0
Inspection/Reporting/Sampling				0.00	\$0	\$0	\$0
Supplies/Equipment				0.00	\$0	\$0	\$0
Financial Assurance				0.00	\$0	\$0	\$0
ONE-TIME avoided costs				0.00	\$0	\$0	\$0
Other (as needed)				0.00	\$0	\$0	\$0
Notes for AVOIDED costs							

Approx. Cost of Compliance	\$15,000	TOTAL	\$1,718
----------------------------	----------	--------------	---------

Beach Road Municipal Utility District Docket No. 2024-1397-MWD-E TPDES Permit No. WQ0013563001 Case No. 66382	
Effluent Violation Table	
	Total Suspended Solids Daily Average Concentration
Monitoring Period	Limit = 15 mg/L
April 2023	22.5
May 2023	15.6
October 2023	15.4
November 2023	20.5
December 2023	19.3
January 2024	17.1

mg/L = milligram per liter



Compliance History Report

Compliance History Report for CN600681191, RN101613818, Rating Year 2024 which includes Compliance History (CH) components from September 1, 2019, through August 31, 2024.

Customer, Respondent, or Owner/Operator: CN600681191, Beach Road Municipal Utility District
Regulated Entity: RN101613818, BEACH ROAD UD
Complexity Points: 4
CH Group: 08 - Sewage Treatment Facilities
Location: 1.06 miles south of the intersection of St. Mary's Slough Drive and Farm-to-Market Road 2031, Matagorda, Matagorda County, Texas
TCEQ Region: REGION 12 - HOUSTON

Classification: SATISFACTORY **Rating:** 2.00

Classification: SATISFACTORY **Rating:** 2.00

Repeat Violator: NO

ID Number(s):

WASTEWATER PERMIT WQ0013563001

WASTEWATER EPA ID TX0105988

Compliance History Period: September 01, 2019 to August 31, 2024 **Rating Year:** 2024 **Rating Date:** 09/01/2024

Date Compliance History Report Prepared: January 15, 2025

Agency Decision Requiring Compliance History: Enforcement

Component Period Selected: January 15, 2020 to January 15, 2025

TCEQ Staff Member to Contact for Additional Information Regarding This Compliance History.

Name: Harley Hobson

Phone: (512) 239-1337

Site and Owner/Operator History:

- 1) Has the site been in existence and/or operation for the full five-year compliance period? YES
- 2) Has there been a (known) change in ownership/operator of the site during the compliance period? NO

Components (Multimedia) for the Site Are Listed in Sections A - J

A. Final Orders, court judgments, and consent decrees:

N/A

B. Criminal convictions:

N/A

C. Chronic excessive emissions events:

N/A

D. The approval dates of investigations (CCEDS Inv. Track. No.):

Item 1	January 16, 2020	(1635545)	Item 19	July 19, 2021	(1753175)
Item 2	February 19, 2020	(1642162)	Item 20	August 20, 2021	(1758578)
Item 3	March 19, 2020	(1648674)	Item 21	September 30, 2021	(1767874)
Item 4	April 17, 2020	(1655029)	Item 22	November 17, 2021	(1785106)
Item 5	May 14, 2020	(1661588)	Item 23	December 20, 2021	(1792139)
Item 6	June 21, 2020	(1668122)	Item 24	January 19, 2022	(1799988)
Item 7	July 29, 2020	(1675069)	Item 25	February 21, 2022	(1807820)
Item 8	September 21, 2020	(1688414)	Item 26	March 19, 2022	(1814863)
Item 9	September 22, 2020	(1681837)	Item 27	April 18, 2022	(1821432)
Item 10	October 20, 2020	(1694775)	Item 28	May 18, 2022	(1830329)
Item 11	November 20, 2020	(1716911)	Item 29	June 17, 2022	(1836579)
Item 12	December 20, 2020	(1716912)	Item 30	July 18, 2022	(1843764)
Item 13	January 18, 2021	(1716913)	Item 31	August 19, 2022	(1849925)
Item 14	February 19, 2021	(1729991)	Item 32	September 11, 2022	(1857696)
Item 15	March 16, 2021	(1729992)	Item 33	October 20, 2022	(1864049)
Item 16	April 19, 2021	(1729993)	Item 34	November 21, 2022	(1870959)
Item 17	May 19, 2021	(1742285)	Item 35	December 19, 2022	(1876815)
Item 18	June 21, 2021	(1748347)	Item 36	January 02, 2023	(1853772)

Item 44	October 25, 2023	(1947479)
Item 45	March 21, 2024	(1985167)
Item 46	April 30, 2024	(1991711)
Item 47	May 21, 2024	(1998145)
Item 48	August 21, 2024	(2018243)
Item 49	September 19, 2024	(2025281)

E. Written notices of violations (NOV) (CCEDS Inv. Track. No.):

A notice of violation represents a written allegation of a violation of a specific regulatory requirement from the commission to a regulated entity. A notice of violation is not a final enforcement action, nor proof that a violation has actually occurred.

- | | | | |
|---|--|-----------------|----------|
| 1 | Date: 01/31/2024 (1978607) | | |
| | Self Report? YES | Classification: | Moderate |
| | Citation: 2D TWC Chapter 26, SubChapter A 26.121(a)
30 TAC Chapter 305, SubChapter F 305.125(1) | | |
| | Description: Failure to meet the limit for one or more permit parameter | | |
| 2 | Date: 05/31/2024 (2005112) | | |
| | Self Report? YES | Classification: | Moderate |
| | Citation: 2D TWC Chapter 26, SubChapter A 26.121(a)
30 TAC Chapter 305, SubChapter F 305.125(1) | | |
| | Description: Failure to meet the limit for one or more permit parameter | | |
| 3 | Date: 06/30/2024 (2012679) | | |
| | Self Report? YES | Classification: | Moderate |
| | Citation: 2D TWC Chapter 26, SubChapter A 26.121(a)
30 TAC Chapter 305, SubChapter F 305.125(1) | | |
| | Description: Failure to meet the limit for one or more permit parameter | | |
| 4 | Date: 09/30/2024 (2031391) | | |
| | Self Report? YES | Classification: | Moderate |
| | Citation: 2D TWC Chapter 26, SubChapter A 26.121(a)
30 TAC Chapter 305, SubChapter F 305.125(1) | | |
| | Description: Failure to meet the limit for one or more permit parameter | | |

F. Environmental audits:

N/A

G. Type of environmental management systems (EMSs):

N/A

H. Voluntary on-site compliance assessment dates:

N/A

I. Participation in a voluntary pollution reduction program:

N/A

J. Early compliance:

N/A

Sites Outside of Texas:

N/A

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY



IN THE MATTER OF AN
ENFORCEMENT ACTION
CONCERNING
BEACH ROAD MUNICIPAL UTILITY
DISTRICT
RN101613818

§ BEFORE THE
§
§ TEXAS COMMISSION ON
§
§ ENVIRONMENTAL QUALITY
§

AGREED ORDER DOCKET NO. 2024-1297-MWD-E

I. JURISDICTION AND STIPULATIONS

On _____, the Texas Commission on Environmental Quality ("the Commission" or "TCEQ") considered this agreement of the parties, resolving an enforcement action regarding Beach Road Municipal Utility District (the "Respondent") under the authority of TEX. WATER CODE chs. 7 and 26. The Executive Director of the TCEQ, through the Enforcement Division, and the Respondent together stipulate that:

1. The Respondent owns and operates a wastewater treatment facility located 1.06 miles south of the intersection of St. Mary's Slough Drive and Farm-to-Market Road 2031 in Matagorda, Matagorda County, Texas (the "Facility"). The Facility is near or adjacent to water in the state as defined in TEX. WATER CODE § 26.001(5).
2. The Executive Director and the Respondent agree that the TCEQ has jurisdiction to enter this Order pursuant to TEX. WATER CODE §§ 7.002, 7.051, and 7.073, and that the Respondent is subject to TCEQ's jurisdiction. The TCEQ has jurisdiction in this matter pursuant to TEX. WATER CODE § 5.013 because it alleges violations of TEX. WATER CODE ch. 26 and the rules of the TCEQ.
3. The occurrence of any violation is in dispute and the entry of this Order shall not constitute an admission by the Respondent of any violation alleged in Section II ("Allegations"), nor of any statute or rule.
4. An administrative penalty in the amount of \$13,500 is assessed by the Commission in settlement of the violations alleged in Section II ("Allegations"). The Respondent paid \$10,800 of the penalty and \$2,700 is deferred contingent upon the Respondent's timely and satisfactory compliance with all the terms of this Order. The deferred amount shall be waived only upon full compliance with all the terms and conditions contained in this Order. If the Respondent fails to timely and satisfactorily comply with any of the terms or requirements contained in this Order, the Executive Director may demand payment of all or part of the deferred penalty amount.
5. The Executive Director and the Respondent agree on a settlement of the matters alleged in this enforcement action, subject to final approval in accordance with 30 TEX. ADMIN. CODE § 70.10(a). Any notice and procedures, which might otherwise be authorized or required in this action, are waived in the interest of a more timely resolution of the matter.

6. The Executive Director may, without further notice or hearing, refer this matter to the Office of the Attorney General of the State of Texas ("OAG") for further enforcement proceedings if the Executive Director determines that the Respondent has not complied with one or more of the terms or conditions in this Order.
7. This Order represents the complete and fully integrated agreement of the parties. The provisions of this Order are deemed severable and, if a court of competent jurisdiction or other appropriate authority deems any provision of this Order unenforceable, the remaining provisions shall be valid and enforceable.
8. This Order shall terminate five years from its effective date or upon compliance with all the terms and conditions set forth in this Order, whichever is later.

II. ALLEGATIONS

During a record review for the Facility conducted on April 30, 2024, an investigator documented that the Respondent failed to comply with permitted effluent limitations, in violation of 30 TEX. ADMIN. CODE § 305.125(1), TEX. WATER CODE § 26.121(a)(1), and Texas Pollutant Discharge Elimination System ("TPDES") Permit No. WQ0013563001, Effluent Limitations and Monitoring Requirements No. 1, as shown in the effluent violation table below:

Effluent Violation Table	
	Total Suspended Solids Daily Average Concentration
Monitoring Period	Limit = 15 mg/L
April 2023	22.5
May 2023	15.6
October 2023	15.4
November 2023	20.5
December 2023	19.3
January 2024	17.1

mg/L = milligram per liter

III. DENIALS

The Respondent generally denies each allegation in Section II ("Allegations").

IV. ORDERING PROVISIONS

NOW, THEREFORE, THE TEXAS COMMISSION ON ENVIRONMENTAL QUALITY ORDERS that:

1. The Respondent is assessed a penalty as set forth in Section I, Paragraph No. 4. The payment of this penalty and the Respondent's compliance with all of the requirements set forth in this Order resolve only the allegations in Section II. The Commission shall not be constrained in any manner from requiring corrective action or penalties for violations which are not raised here. Penalty payments shall be made payable to "TCEQ"

and shall be sent with the notation "Re: Beach Road Municipal Utility District, Docket No. 2024-1297-MWD-E" to:

Financial Administration Division, Revenue Operations Section
Attention: Cashier's Office, MC 214
Texas Commission on Environmental Quality
P.O. Box 13088
Austin, Texas 78711-3088

2. The Respondent shall, within 130 days after the effective date of this Order, submit written certification of compliance with the permitted effluent limitations of TPDES Permit No. WQ0013563001, including specific corrective actions that were implemented at the Facility to achieve compliance and copies of the most current self-reported discharge monitoring reports, demonstrating at least three consecutive months of compliance with all permitted effluent limitations, and include detailed supporting documentation including photographs, receipts, and/or other records to demonstrate compliance. The certification shall be signed by the Respondent and shall include the following certification language:

"I certify under penalty of law that I have personally examined and am familiar with the information submitted and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fines and imprisonment for knowing violations."

The certification shall be submitted to:

Enforcement Division, MC 149A
Texas Commission on Environmental Quality
P.O. Box 13087
Austin, Texas 78711-3087

with a copy to:

Water Section Manager
Houston Regional Office
Texas Commission on Environmental Quality
5425 Polk Street, Suite H
Houston, Texas 77023-1452

3. All relief not expressly granted in this Order is denied.
4. The duties and provisions imposed by this Order shall apply to and be binding upon the Respondent. The Respondent is ordered to give notice of this Order to personnel who maintain day-to-day control over the Facility operations referenced in this Order.
5. The Executive Director may grant an extension of any deadline in this Order or in any plan, report, or other document submitted pursuant to this Order, upon a written and substantiated showing of good cause. All requests for extensions by the Respondent

shall be made in writing to the Executive Director. Extensions are not effective until the Respondent receives written approval from the Executive Director. The determination of what constitutes good cause rests solely with the Executive Director. Extension requests shall be sent to the Enforcement Division at the address listed above.

6. This Order, issued by the Commission, shall not be admissible against the Respondent in a civil proceeding, unless the proceeding is brought by the OAG to: (1) enforce the terms of this Order; or (2) pursue violations of a statute within the Commission's jurisdiction, or of a rule adopted or an order or permit issued by the Commission under such a statute.
7. This Order may be executed in separate and multiple counterparts, which together shall constitute a single instrument. Any page of this Order may be copied, scanned, digitized, converted to electronic portable document format ("pdf"), or otherwise reproduced and may be transmitted by digital or electronic transmission, including but not limited to facsimile transmission and electronic mail. Any signature affixed to this Order shall constitute an original signature for all purposes and may be used, filed, substituted, or issued for any purpose for which an original signature could be used. The term "signature" shall include manual signatures and true and accurate reproductions of manual signatures created, executed, endorsed, adopted, or authorized by the person or persons to whom the signatures are attributable. Signatures may be copied or reproduced digitally, electronically, by photocopying, engraving, imprinting, lithographing, electronic mail, facsimile transmission, stamping, or any other means or process which the Executive Director deems acceptable. In this paragraph exclusively, the terms: electronic transmission, owner, person, writing, and written, shall have the meanings assigned to them under TEX. BUS. ORG. CODE § 1.002.
8. The effective date of this Order is the date it is signed by the Commission. A copy of this fully executed Order shall be provided to each of the parties.

SIGNATURE PAGE

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

For the Commission

Date



For the Executive Director

5/9/2025


Date

I, the undersigned, have read and understand the attached Order. I am authorized to agree to the attached Order, and I do agree to the terms and conditions specified therein. I further acknowledge that the TCEQ, in accepting payment for the penalty amount, is materially relying on such representation.

I also understand that failure to comply with the Ordering Provisions, if any, in this Order and/or failure to timely pay the penalty amount, may result in:

- A negative impact on compliance history;
- Greater scrutiny of any permit applications submitted;
- Referral of this case to the OAG for contempt, injunctive relief, additional penalties, and/or attorney fees, or to a collection agency;
- Increased penalties in any future enforcement actions;
- Automatic referral to the OAG of any future enforcement actions; and
- TCEQ seeking other relief as authorized by law.

In addition, any falsification of any compliance documents may result in criminal prosecution.



Signature

2-24-2025

Date

DANA Kimmy

Name (Printed or typed)
Authorized Representative of
Beach Road Municipal Utility District

Director

Title

☐ If mailing address has changed, please check this box and provide the new address below:

Instructions: Send the original, signed Order with penalty payment to the Financial Administration Division, Revenue Operations Section at the address in Ordering Provision 1 of this Order.