## Texas Commission on Environmental Quality INTEROFFICE MEMORANDUM

**TO:** Office of Chief Clerk **Date:** October 10, 2025

**THRU:** Amy Browning

Senior Attorney

**Environmental Law Division** 

**FROM:** Elizabeth Black

Staff Attorney

**Environmental Law Division** 

**SUBJECT:** Backup Documents Filed for Consideration of Hearing Requests

at Agenda

**Applicant:** Raptor Ready Mix, LLC

**Permit No.:** 177217L002

**Program:** Air

**Docket No.:** TCEQ Docket No. 2025-1321-AIR

Enclosed please find a copy of the following documents for inclusion in the background material for this permit application:

- The Standard Permit for Concrete Batch Plants
- Summary of the technical review of the permit application
- The Compliance History Report; and
- The plot plan for the proposed plant

Brooke T. Paup, *Chairwoman*Bobby Janecka, *Commissioner*Catarina R. Gonzales, *Commissioner*Kelly Keel, *Executive Director* 



## TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

Protecting Texas by Reducing and Preventing Pollution

October 3, 2025

MR JOHN GROBE
VICE PRESIDENT AND GENERAL MANAGER
RAPTOR READY MIX INC
2370 S UECKER LN
LEWISVILLE TX 75067-7823

Re: Air Quality Standard Permit for Concrete Batch Plants

(As amended effective January 24, 2024)

Standard Permit Registration Number: 177217L002

Expiration Date: October 3, 2035

Raptor Ready Mix Inc Concrete Batch Plant Fort Worth, Tarrant County

Regulated Entity Number: RN112027602 Customer Reference Number: CN606227288

Dear Mr. Grobe:

Raptor Ready Mix, Inc. submitted an application on October 18, 2024 to register construction of a temporary concrete batch plant to be located at the following driving directions: From downtown Fort Worth, travel West on I-30 for approximately 9 miles to I-820 N (Exit 5A). Travel North on I-820 for approximately 2.2 miles to Silver Creek Road (Exit 5B). At the light, turn left (West) on Silver Creek Road and travel approximately 0.8 miles. The entrance to the jobsite will be on the West side of Silver Creek Road, Fort Worth, Tarrant County.

The Texas Commission on Environmental Quality (TCEQ) has determined that your proposed construction is authorized under Title 30 Texas Administrative Code § 116.611 and Texas Health and Safety Code § 382.05195, if constructed and operated as described in your registration. The standard permit for concrete batch plants was amended and became effective on January 24, 2024.

Copies of the standard permit general conditions and air quality standard permit for concrete batch plants are enclosed. You must begin construction or modification of these facilities in accordance with the standard permit no later than 18 months after the date of this letter. After completion of construction or modification, the appropriate TCEQ Regional Office must be notified prior to commencing operation and the facility shall be operated in compliance with all applicable conditions of the claimed standard permit (enclosed). Also enclosed is a notification form for you to complete and send in prior to your construction or site move.

If you need further information or have any questions, please contact Ms. Kristyn Jacher at (512) 239-1241 or write to the TCEQ, Office of Air, Air Permits Division, MC-163, P.O. Box 13087, Austin, Texas 78711-3087.

Mr. John Grobe Page 2 October 3, 2025

Re: Standard Permit Registration Number: 177217L002

Sincerely,

Samuel Short, Deputy Director Air Permits Division Office of Air

Texas Commission on Environmental Quality

## Enclosure

cc: Environmental Supervisor, Air Quality Section, Environmental Quality Division, Code Compliance Department, City of Fort Worth, Fort Worth Air Section Manager, Region 4 - Dallas/Fort Worth

Project Number: 381915

## MOVING A PORTABLE FACILITY AUTHORIZED TO OPERATE UNDER A STANDARD PERMIT\*

TCEQ Air Quality Regulated Entity Number: RN112027602

	Company name:	Raptor Ready Mix Inc					
	Office address:	2370 S Uecker Ln					
		Lewisville 75067-7823					
	Contact name and title:	Mr John Grobe, Vice President And General Manager					
	Telephone:					Fax:	
	Type of facility:	Concrete Bat	ch Pla	nt			
A.	Location from which plant is	s moving:					
	(ad	dress, city, co	ounty,	projec	t nam	e, exact loca	ation description)
В.	Standard Permit or Permit b location:	y Rule Regist	ration	No. fo	r prev	rious	
C.	Last TCEQ Record No. (For	und at end of	approv	val lett	er):		
D.	Date actually started operat	ing at site:					
E.	Last date at site:			•			
A.	Location <b>to</b> which the plant	s to be moved:					
	(address, city, county, project name, exact location description)						
B.	Proposed start of construction	on date:					
C.	Proposed start of operation	date:					
D.	Expected length of time at n	ew location:					
	Was this notification sent to	Yes		No		TCEQ Air F	Permits Division, Austin?
		Yes		No		TCEQ Reg	ional Office?
		Yes		No		Local air po	ollution program (if applicable)?
natu	ıre					Da	ate:
me:		Title:					
	B. C. A. C. D.	Contact name and title: Telephone: Type of facility:  A. Location from which plant is  (ad B. Standard Permit or Permit belocation: C. Last TCEQ Record No. (For D. Date actually started operat E. Last date at site: A. Location to which the plant  (ad B. Proposed start of construction C. Proposed start of operation D. Expected length of time at nothing the plant of th	Office address:  Lewisville 75 Contact name and title:  Mr John Grob Telephone:  Type of facility:  Concrete Bate  A. Location from which plant is moving:  (address, city, concept and the second sec	Office address:  Lewisville 75067-7  Contact name and title:  Mr John Grobe, Vio  Telephone:  Type of facility:  Concrete Batch Pla  A. Location from which plant is moving:  (address, city, county,  B. Standard Permit or Permit by Rule Registration location:  C. Last TCEQ Record No. (Found at end of approvence of the plant is to be moved:  E. Last date at site:  A. Location to which the plant is to be moved:  (address, city, county,  B. Proposed start of construction date:  C. Proposed start of operation date:  D. Expected length of time at new location:  Was this notification sent to:  Yes  Yes  Yes	Office address:  Lewisville 75067-7823  Contact name and title:  Telephone:  Type of facility:  Concrete Batch Plant  A. Location from which plant is moving:  (address, city, county, project location:  C. Last TCEQ Record No. (Found at end of approval letted).  D. Date actually started operating at site:  E. Last date at site:  A. Location to which the plant is to be moved:  (address, city, county, projected).  (address, city, county, projected).  (address, city, county, projected).  Expected length of time at new location:  Was this notification sent to:  Yes No Yes No	Office address:    Lewisville   75067-7823	Office address:    Lewisville   75067-7823

Please fax this form to the appropriate TCEQ Region and Local Program(s) no later than 24 hours prior to moving the plant.

<sup>\*</sup> Note - This form cannot be used to register a facility at a new site. It should be completed only when a facility is about to be moved to a site which has already been registered and approved by the TCEQ Executive Director.

This form has been developed as part of an effort by the TCEQ Office of Air, Air Permits Division to streamline standard permit registration reviews and the tracking of facilities that frequently relocate. This form confirms requested and approved locations for your portable facility and ensures that the Agency has accurate records to expedite future registration requests. This form should be used to notify the TCEQ Regional Offices and local air pollution control programs when relocating.

Whenever possible, please fax the completed form 24 hours prior to moving the plant. Copies should be faxed to the Air Permits Division in Austin (512) 239-1400 and the appropriate TCEQ Regional Office and Local Program(s).

Regional Office FAX Numbers: https://www.tceq.texas.gov/assets/public/comm exec/pubs/gi/gi-002.pdf

Local Program FAX Numbers: https://www.tceq.texas.gov/assets/public/permitting/air/local-programs.pdf

In addition, if a facility is **not** moving to a site that has been registered, please forward this form to the TCEQ Regional Offices and any affected local air pollution control programs.

Please send all correspondence or comments to the Texas Commission on Environmental Quality, Office of Air, Air Permits Division, Mechanical/Combustion Section, MC-163, P.O. Box 13087, Austin, Texas 78711-3087, FAX (512) 239-1400.

#### **Standard Permit General Conditions**

The following general conditions are applicable to holders of standard permits, but will not necessarily be specifically stated within the standard permit document.

- 1. <u>Protection of public health and welfare</u>. The emissions from the facility must comply with all applicable rules and regulations of the commission adopted under the Texas Health and Safety Code, Chapter 382, and with intent of the TCAA, including protection of health and property of the public.
- 2. <u>Standard permit representations</u>. All representations with regard to construction plans, operating procedures, and maximum emission rates in any registration for a standard permit become conditions upon which the facility or changes thereto, must be constructed and operated. It is unlawful for any person to vary from such representations if the change will affect that person's right to claim a standard permit under this section. Any change in condition such that a person is no longer eligible to claim a standard permit under this section requires proper authorization under Title 30 Texas Administrative Code § 116.110 (30 TAC § 116.110) (relating to Applicability). Any changes in representations are subject to the following requirements:
  - (A) For the addition of a new facility, the owner or operator shall submit a new registration incorporating existing facilities with a fee, in accordance with §116.611 and §116.614 (relating to Registration to use a Standard Permit and Standard Permit Fees) prior to commencing construction. If the applicable standard permit requires public notice, construction of the new facility or facilities may not commence until the new registration has been issued by the executive director.
  - (B) For any change in the method of control of emissions, a change in the character of the emissions, or an increase in the discharge of the various emissions, the owner or operator shall submit written notification to the executive director describing the change(s), along with the designated fee, no later than 30 days after the change.
  - (C) For any other change to the representations, the owner or operator shall submit written notification to the executive director describing the change(s) no later than 30 days after the change.
  - (D) Any facility registered under a standard permit which contains conditions or procedures for addressing changes to the registered facility which differ from subparagraphs (A) - (C) of this paragraph shall comply with the applicable requirements of the standard permit in place of subparagraphs (A) - (C) of this paragraph.
- 3. <u>Standard permit in lieu of permit amendment</u>. All changes authorized by standard permit to a facility previously permitted under 30 TAC § 116.110 shall be administratively incorporated into that facility's permit at such time as the permit is amended or renewed.
- 4. <u>Construction progress</u>. Start of construction, construction interruptions exceeding 45 days, and completion of construction shall be reported to the appropriate regional office not later than 15 working days after occurrence of the event, except where a different time period is specified for a particular standard permit.
- 5. <u>Start-up notification</u>. The appropriate air program regional office of the commission and any other air pollution control program having jurisdiction shall be notified prior to the commencement of operations of the facilities authorized by the standard permit in such a manner that a representative of the executive director may be present. For phased construction, which may involve a series of units commencing operations at different times, the owner or operator of the facility shall provide separate notification for the commencement of operations for each unit. A particular standard permit may modify start-up notification requirements.

- 6. <u>Sampling requirements</u>. If sampling of stacks or process vents is required, the standard permit holder shall contact the Office of Air and any other air pollution control program having jurisdiction prior to sampling to obtain the proper data forms and procedures. All sampling and testing procedures must be approved by the executive director and coordinated with the regional representatives of the commission. The standard permit holder is also responsible for providing sampling facilities and conducting the sampling operations or contracting with an independent sampling consultant.
- 7. <u>Equivalency of methods</u>. The standard permit holder shall demonstrate or otherwise justify the equivalency of emission control methods, sampling or other emission testing methods, and monitoring methods proposed as alternatives to methods indicated in the conditions of the standard permit. Alternative methods must be applied for in writing and must be reviewed and approved by the executive director prior to their use in fulfilling any requirements of the standard permit.
- 8. Recordkeeping. A copy of the standard permit along with information and data sufficient to demonstrate applicability of and compliance with the standard permit shall be maintained in a file at the plant site and made available at the request of representatives of the executive director, the U.S. Environmental Protection Agency, or any air pollution control program having jurisdiction. For facilities that normally operate unattended, this information shall be maintained at the nearest staffed location within Texas specified by the standard permit holder in the standard permit registration. This information must include (but is not limited to) production records and operating hours. Additional recordkeeping requirements may be specified in the conditions of the standard permit. Information and data sufficient to demonstrate applicability of and compliance with the standard permit must be retained for at least two years following the date that the information or data is obtained. The copy of the standard permit must be maintained as a permanent record.
- 9. Maintenance of emission control. The facilities covered by the standard permit may not be operated unless all air pollution emission capture and abatement equipment is maintained in good working order and operating properly during normal facility operations. Notification for upsets and maintenance shall be made in accordance with 30 TAC §§ 101.201 and 101.211 (relating to Emissions Event Reporting and Recordkeeping Requirements, Scheduled Maintenance, Startup, and Shutdown Reporting and Recordkeeping Requirements, Recordkeeping; and Operational Requirements).
- 10. Compliance with rules. Registration of a standard permit by a standard permit applicant constitutes an acknowledgment and agreement that the holder will comply with all rules, regulations, and orders of the commission issued in conformity with the TCAA and the conditions precedent to the claiming of the standard permit. If more than one state or federal rule or regulation or permit condition is applicable, the most stringent limit or condition shall govern. Acceptance includes consent to the entrance of commission employees and designated representatives of any air pollution control program having jurisdiction into the permitted premises at reasonable times to investigate conditions relating to the emission or concentration of air contaminants, including compliance with the standard permit.
- 11. <u>Distance Limitations</u>. Distance limitations, setbacks, and buffer zones. Notwithstanding any requirement in any standard permit, if a standard permit for a facility requires a distance, setback, or buffer from other property or structures as a condition of the permit, the determination of whether the distance, setback, or buffer is satisfied shall be made on the basis of conditions existing at the earlier of:
  - 1. The date new construction, expansion, or modification of a facility begins; or
  - 2. The date any application or notice of intent is first filed with the commission to obtain approval for the construction or operation of the facility.

## AIR QUALITY STANDARD PERMIT FOR CONCRETE BATCH PLANTS

Effective Date: January 24, 2024

## (1) Applicability

- (A) This air quality standard permit authorizes concrete batch plant facilities that meet all of the conditions listed in sections (1) through (7) and sections (8) or (9). Concrete batch plants that are authorized as temporary operations shall also comply with section (10) for relocation requirements. If a concrete batch plant operates using sections (8) or (9) of this standard permit and operational changes are proposed that would change the applicable section, the owner or operator shall reregister for the concrete batch plant standard permit prior to operating the change.
- (B) This standard permit does not authorize emission increases of any air contaminant that is specifically prohibited by a condition or conditions in any permit issued under Title 30 Texas Administrative Code (30 TAC) Chapter 116, Control of Air Pollution by Permits for New Construction or Modification, at the site.
- (C) This standard permit does not relieve the owner or operator from complying with any other applicable provision of the Texas Health and Safety Code (THSC), Texas Water Code, rules of the Texas Commission on Environmental Quality (TCEQ), or any additional state or federal regulations.
- (D) Facilities that meet the conditions of this standard permit do not have to meet the emissions and distance limitations in 30 TAC § 116.610(a)(1).

## (2) Definitions

- (A) Auxiliary storage tank Storage containers used to hold raw materials for use in the batching process not including petroleum products and fuel storage tanks.
- (B) Cohesive hard surface An in-plant road surface preparation including, but not limited to, paving with concrete, asphalt, or other similar surface preparation where the road surface remains intact during vehicle and equipment use and is capable of being cleaned. Cleaning mechanisms may include water washing, sweeping, or vacuuming.
- (C) Concrete batch plant For the concrete batch plant standard permit, it is a plant that consists of a concrete batch facility and associated abatement equipment, including, but not limited to: material storage silos, aggregate storage bins, auxiliary storage tanks, conveyors, weigh hoppers, and a mixer. Concrete batch plants can add water, Portland cement, and aggregates into a delivery truck, or the concrete may be prepared in a central mix drum and transferred to a delivery truck for transport. This definition does not include operations that meet the requirements of 30 TAC § 106.141, Batch Mixer or 30 TAC § 106.146, Soil Stabilization Plants.
- (D) Central mix plant (also known as wet mix) A concrete batch plant where sand, aggregate, cement, cement supplement, and water are all combined and mixed in a central mix drum before being transferred to a transport truck.
- (E) Dust suppressing fencing or other equivalent barrier A manmade obstruction that is at least 12 feet high that is used to prevent fugitive dust from stationary equipment, stockpiles, in-plant roads, and traffic areas from leaving the plant property.
- (F) Permanent concrete batch plant For the concrete batch plant standard permit, it is a concrete batch plant that is not a temporary or specialty concrete batch plant.

- (G) Related project segments For plants on a Texas Department of Transportation right-of-way, related project segments are one contract with multiple project locations or one contractor with multiple contracts in which separate project limits are in close proximity to each other. A plant that is sited on the right-of-way is usually within project limits. However, a plant located at an intersection or wider right-of-way outside project limits is acceptable if it can be easily associated with the project.
- (H) Right-of-way of a public works project Any public works project that is associated with a right-of-way. Examples of right-of-way public works projects are public highways and roads, water and sewer pipelines, electrical transmission lines, and other similar works. A facility must be in or contiguous to the right-of-way of the public works project to be exempt from the public notice requirements listed in THSC, § 382.056, Notice of Intent to Obtain Permit or Permit Review; Hearing.
- (I) Setback distance The minimum distance from the nearest suction shroud fabric/cartridge filter exhaust (truck mix plant), drum feed fabric/cartridge filter exhaust (central mix plant), batch mixer feed exhaust (specialty plant), cement/fly ash storage silos, and/or engine to any property line.
- (J) Site The total of all stationary sources located on one or more contiguous or adjacent properties, that are under common control of the same person (or persons under common control).
- (K) Specialty concrete batch plant For the concrete batch plant standard permit, it is a concrete batch plant with a low production concrete mixing plant that manufactures concrete less than or equal to 60 cubic yards per hour (yd³/hr). These plants are typically dedicated to manufacturing precast concrete products, including but not limited to burial vaults, septic tanks, yard ornaments, concrete block, and pipe, etc. This does not include small repair projects using mortar, grout, gunite, or other concrete repair materials.
- (L) Stationary internal combustion engine For the concrete batch plant standard permit, it is any internal combustion engine that remains at a location for more than 12 consecutive months and is not defined as a nonroad engine according to 40 Code of Federal Regulations (CFR) 89.2, Definitions.
- (M) Temporary concrete batch plant For the concrete batch plant standard permit, it is a concrete batch plant that occupies a designated site for not more than 180 consecutive days or that supplies concrete for a single project (single contract or same contractor for related project segments), but not for other unrelated projects.
- (N) Traffic areas For the concrete batch plant standard permit, it is an area within the concrete batch plant that includes stockpiles and the area where mobile equipment moves or supplies aggregate to the batch plant and trucks supply aggregate and cement.
- (O) Truck mix plant A concrete batch plant where sand, aggregate, cement, cement supplement, and water are all gravity fed from the weigh hopper into mixer trucks. The concrete is mixed on the way to the site where the concrete is to be placed.

## (3) Administrative Requirements

- (A) The owner or operator of any concrete batch plant seeking authorization under this standard permit shall register in accordance with 30 TAC § 116.611, Registration to Use a Standard Permit. Owners or operators shall submit a completed, current PI-1S-CBP, Concrete Batch Plant Standard Permit Registration Application.
- (B) Owners or operators shall also comply with 30 TAC § 116.614, Standard Permit Fees when they are required to complete public notice under section four of this standard permit.

- (C) No owner or operator of a concrete batch plant shall begin construction or operation without obtaining written approval from the executive director.
- (D) The time period in 30 TAC § 116.611(b) (45 days) does not apply to owners or operators registering plants under this standard permit.
- (E) Beginning on the effective date, all new and modified sources must comply with this standard permit.
- (F) Renewals shall comply with this standard permit on the later of:
  - (i) Two years from the effective date; or
  - (ii) the date the facility's registration is renewed.
- (G) Owners or operators of temporary concrete plants seeking registration and those already registered for this standard permit that qualify for relocation under subsection (10)(A) are exempt from public notice requirements in section (4) of this standard permit.
- (H) During start of construction, the owner or operator of a plant shall comply with 30 TAC § 116.120(a)(1), Voiding of Permits, and commence construction within 18 months of written approval from the executive director.
- (I) Owners or operators are not required to submit air dispersion modeling as a part of this concrete batch plant standard permit registration.
- (J) Owners or operators shall keep written records on-site for a rolling 24-month period. Owners or operators shall make these records available at the request of TCEQ personnel or any air pollution control program having jurisdiction. Records shall be maintained on-site for the following including, but not limited to:
  - (i) 30 TAC § 101.201, Emissions Event Reporting and Recordkeeping Requirements;
  - (ii) 30 TAC § 101.211, Scheduled Maintenance, Startup, and Shutdown Reporting and Recordkeeping Requirements;
  - (iii) production rates for hourly and annual operations that demonstrate compliance with the tables in subsection (8)(A) or the production limitations in subsection (9)(A) of this standard permit, as applicable;
  - (iv) all repairs and maintenance of abatement systems and other dust suppression controls:
  - (v) Material Safety Data Sheets for all additives and other chemicals used at the site;
  - (vi) road cleaning, application of road dust control, or road maintenance for dust control:
  - (vii) stockpile dust suppression;
  - (viii) monthly silo warning device or shut-off system tests;
  - (ix) quarterly visible emissions observations and any corrective actions required to control excess visible emissions;
  - (x) demonstration of compliance with subsection (6)(B) of this standard permit;
  - (xi) type of fuel used to power engines authorized by this standard permit; and

- (xii) demonstration of compliance with subsection (5)(L) of this standard permit.
- (K) Owners or operators will document and report abatement equipment failure or visible emissions deviations in excess of paragraph (5)(B)(iii) in accordance with 30 TAC Chapter 101, General Air Quality Rules as appropriate.

## (4) Public Notice

The owner or operator shall follow the notice requirements in 30 TAC Chapter 39, Public Notice, unless a temporary concrete batch plant is exempted from public notice under 30 TAC § 116.178(b), Relocations and Changes of Location of Portable Facilities.

## (5) General Requirements

- (A) Owners or operators shall vent all cement/fly ash storage silos, weigh hoppers, and auxiliary storage tanks to a fabric/cartridge filter or to a central fabric/cartridge filter system except as allowed by subsection (9)(B).
- (B) Owners or operators shall maintain fabric or cartridge filters and collection systems in good working condition by meeting all the following:
  - (i) operating them properly with no tears or leaks;
  - (ii) using filter systems (including any central filter system) designed to meet a minimum control efficiency of at least 99.5 percent at particle sizes of 2.5 microns and smaller;
  - (iii) meeting a performance standard of no visible emissions exceeding 30 seconds in any six-minute period as determined using United States Environmental Protection Agency (EPA) Test Method (TM) 22 in Appendix A-7 to Part 60 Test Methods 19 through 25E; and
  - (iv) sufficiently illuminating silo filter exhaust systems when cement or fly ash silos are filled during non-daylight hours to enable a determination of compliance with the visible emissions requirement in paragraph (5)(B)(iii) of this standard permit.
- (C) When transferring cement/fly ash, owners or operators shall:
  - (i) totally enclose conveying systems to and from storage silos and auxiliary storage tanks, operate them properly, and maintain them with no tears or leaks; and
  - (ii) maintain the conveying system using a performance standard of no visible emissions exceeding 30 seconds in any six-minute period as determined using EPA TM 22 in Appendix A-7 to Part 60 Test Methods 19 through 25E, except during cement and fly ash tanker connect and disconnect.
- (D) The owner or operator shall install an automatic shut-off or warning device on storage silos.
  - (i) An automatic shut-off device on the silo shall shut down the loading of the silo or auxiliary storage tank prior to reaching its capacity during loading operations to avoid adversely impacting the pollution abatement equipment or other parts of the loading operation.
  - (ii) If a warning device is used, it shall alert operators in sufficient time to prevent an adverse impact on the pollution abatement equipment or other parts of the loading operation. Visible warning devices shall be kept free of particulate build-up at all times.

- (iii) Silo and auxiliary storage tank warning devices or shut-off systems shall be tested at least once monthly during operations and records shall be kept indicating test and repair results according to subsection (3)(J) of this standard permit. Silo and auxiliary storage tank loading and unloading shall not be conducted with inoperative or faulty warning or shut-off devices.
- (E) Owners or operators shall control emissions from in-plant roads and traffic areas at all times by one or more of the following methods:
  - (i) watering them;
  - (ii) treating them with dust-suppressant chemicals as described in the application of aqueous detergents, surfactants, and other cleaning solutions in the de minimis list:
  - (iii) covering them with a material such as, (but not limited to), roofing shingles or tire chips and used in combination with (i) or (ii) of this subsection; or
  - (iv) paving them with a cohesive hard surface that is maintained intact and cleaned regularly.
- (F) Owners or operators shall use water, dust-suppressant chemicals, or cover stockpiles, as necessary to minimize dust emissions. Stockpiles shall be limited to a total of no more than 1.5 acres.
- (G) Owners or operators shall immediately clean up spilled materials. To minimize dust emissions, owners or operators shall contain, or dampen spilled materials.
- (H) There shall be no visible fugitive emissions leaving the property. Observations for visible emissions shall be performed and recorded quarterly. The visible emissions determination shall be made during normal plant operations. Observations shall be made on the downwind property line for a minimum of six minutes. If visible emissions are observed, an evaluation must be accomplished in accordance with EPA TM 22 in Appendix A-7 to Part 60 Test Methods 19 through 25E, using the criteria that visible emissions shall not exceed a cumulative 30 seconds in duration in any six-minute period. If visible emissions exceed the TM 22 criteria, immediate action shall be taken to eliminate the excessive visible emissions. The corrective action shall be documented within 24 business hours of completion.
- (I) The owner or operator shall locate the concrete batch plant operating under this standard permit at least 550 feet from any crushing plant or hot mix asphalt plant. The owner or operator shall measure from the closest point on the concrete batch plant to the closest point on any other facility. If the owner or operator cannot meet this distance, then the owner or operator shall not operate the concrete batch plant at the same time as the crushing plant or hot mix asphalt plant.
- (J) When operating multiple concrete batch plants on the same site, the owner or operator shall comply with the appropriate site production and setback limits specified in sections (8) or (9) of this standard permit.
- (K) Concrete additives shall not emit volatile organic compounds (VOCs).
- (L) All sand and aggregate shall be washed prior to delivery to the site.
- (M) Any claim under this standard permit shall comply with the following:
  - (i) 30 TAC § 116.604, Duration and Renewal of Registrations to Use Standard Permits;

- (ii) 30 TAC § 116.605(d)(1), Standard Permit Amendment and Revocation;
- (iii) 30 TAC § 116.614;
- (iv) the public notice processes established in THSC, § 382.055, Review and Renewal of Preconstruction Permit;
- (v) the public notice processes established in THSC, § 382.056;
- (vi) the contested case hearing and public notice requirements established in 30 TAC § 55.152(a)(2), Public Comment Period; and
- (vii) the contested case hearing and public notice requirements established in 30 TAC § 55.201(h)(i)(C), Requests for Reconsideration or Contested Case Hearing.
- (N) The owner or operator of any concrete batch plant authorized by this standard permit shall comply with 30 TAC § 101.4, Nuisance.

## (6) Engines

- (A) This standard permit authorizes emissions from a stationary compression ignition internal combustion engine (or combination of engines) of no more than 1,000 total horsepower (hp).
- (B) Owners or operators of concrete batch plants that include one or more stationary compression ignition internal combustion engines shall comply with additional applicable engine requirements in 40 CFR 60 Subpart IIII, Standards of Performance for Stationary Compression Ignition Internal Combustion Engines, 40 CFR 63, Subpart ZZZZ, National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines, 30 TAC Chapter 117, Control of Air Pollution from Nitrogen Compounds, and any other applicable state or federal regulation.
- (C) Engine exhaust stacks shall be a minimum of eight feet tall.
- (D) Fuel for the engine shall be liquid fuel with a maximum sulfur content of no more than 0.0015 percent by weight and shall not consist of a blend containing waste oils or solvents.
- (E) Emissions from the engine(s) shall not exceed 2.61 grams per horsepower-hour (g/hp-hr) of NO<sub>X</sub>, per manufacturer's specifications. A copy of the manufacturer's specifications shall be kept at the site.
- (F) If engines are being used for electrical power or equipment operations, then the site is limited to a total of 1,000 hp in simultaneous operation. There are no restrictions to engine operations if the engines will be on-site for less than 12 consecutive months.

## (7) Planned Maintenance, Startup, and Shutdown (MSS) Activities

This standard permit authorizes operations including planned startup and shutdown emissions. Maintenance activities are not authorized by this standard permit and will need separate authorization unless the activity can meet the conditions of 30 TAC § 116.119, De Minimis Facilities or Sources.

## (8) Operational Requirements for Permanent and Temporary Concrete Plants

(A) Concrete batch plants authorized under this standard permit shall be limited to the maximum hourly production rate, and minimum setback distances for the suction shroud

fabric/cartridge filter exhaust (truck mix plant), drum feed fabric/cartridge filter exhaust (central mix plant), cement/fly ash storage silos, and/or engine, based upon the plant location as follows:

 A single truck mix plant shall operate under the requirements in subsection (8)(E) and shall comply with Table 1 below, except as provided in paragraph (A)(ii) of this section.

Table 1: Production Rates and Setback Distances, single truck mix plant with shrouded mixer truck-receiving funnel.

Location (County)	Production Rate	Setback Distance (ft)
Brazoria, Chambers, Fort Bend, Galveston, Harris, Liberty, Montgomery, and Waller	200 yd³/hour	200
Cameron and Hidalgo		300
All other counties		100

(ii) A single truck mix plant operating under the requirements in subsection (8)(E) and subsection (8)(F) shall comply with Table 2 below.

Table 2: Production Rates and Setback Distances, single truck mix plant with shrouded mixer truck-receiving funnel and enclosure.

Location (County)	Production Rate	Setback Distance (ft)	
All counties	200 yd³/hour	100	

(iii) Multiple truck mix plants at the same site operating under the requirements in subsection (8)(E) and subsection (8)(F) shall comply with Table 3 below.

Table 3: Production Rates and Setback Distances, multiple truck mix plants at a single site with enclosure.

Location (County)	Total Site Production Rate	Setback Distance (ft) for each Plant
Brazoria, Chambers, Fort Bend, Galveston, Harris, Liberty, Montgomery, and Waller	300 yd³/hour	200
Cameron and Hidalgo		200
All other counties		100

(iv) Central mix plants shall comply with Table 4 below.

Table 4: Production Rates and Setback Distances, central mix plants.

Location (County)	Production Rate	Setback Distance (ft)
Cameron and Hidalgo	300 yd³/hour	200
All other counties		100

- (B) Temporary concrete batch plants approved to operate in or contiguous to the right-of-way of a public works project are exempt from subsections (8)(E) and (F) and the minimum setback distances.
- (C) Concrete batch plants shall be limited to a maximum production rate of no more than 650,000 cubic yards per year (yd³/yr) in any rolling 12-month period.
- (D) The owner or operator shall install and properly maintain a suction shroud at the truck mix batch drop point or a total enclosure of the central mix drum feed exhaust and vent the captured emissions to a fabric/cartridge filter system with a minimum of 5,000 actual cubic feet per minute (acfm) of air.
- (E) For truck mix plants, the owner or operator shall shelter the drop point by an intact threesided enclosure with a flexible shroud hanging from above the truck, or equivalent dust collection technology that extends below the mixer truck-receiving funnel.
- (F) For alternative setback distances as listed in subsection (8)(A) Tables 2 and 3, in addition to subsection (8)(E), the owner or operator of truck mix plants shall shelter the truck loading operation with a three-sided solid enclosure or equivalent that extends from the ground level to three feet above the truck-receiving funnel.
- (G) For permanent plants, the owner or operator shall prevent tracking of sediment onto adjacent roadways and reduce the generation of dust by one or more of the following methods:
  - (i) watering, sweeping, and cleaning the plant road entrances;
  - (ii) the use of a rumble grate (or equivalent) that is placed at least 50 feet from a public road to dislodge sediment from the wheels and undercarriage of trucks that haul aggregate, cement, and/or concrete;
  - (iii) the use of a vacuum truck (or equivalent) to clean the plant road entrances; or
  - (iv) the use of a tire-wash system (or equivalent) to remove sediment from the wheels and undercarriage of trucks that haul aggregate, cement, and/or concrete. It shall be (1) located in front of some type of traffic restriction such as a scale, plant gate or a stop sign to encourage its proper use, and (2) shall be set back at least 50 feet from the public road. This permit does not authorize the construction and/or use of a truck washing system under Texas Water Code Chapter 26.
- (H) Stationary equipment (excluding the suction shroud fabric/cartridge filter exhaust, drum feed fabric/cartridge filter exhaust, cement/fly ash storage silos, and engine), stockpiles, and vehicles used for the operation of the concrete batch plant (except for incidental traffic and the entrance and exit to the site), shall not be located closer than 50 feet less than the applicable minimum setback distance listed in subsection (8)(A) from any property line.
- (I) In lieu of meeting the distance requirements for roads of subsection (8)(H) of this standard permit, the owner or operator shall:
  - construct and maintain in good working order dust suppressing fencing or other equivalent barriers as a border around roads, other traffic areas, and work areas; and
  - (ii) construct these borders to a height of at least 12 feet.
- (J) In lieu of meeting the distance requirements for stockpiles of subsection (8)(H) of this standard permit, the owner or operator shall contain stockpiles within a three-walled bunker that extends at least two feet above the top of the stockpile.

(K) For permanent plants, the owner or operator shall pave all entry and exit roads and main traffic routes associated with the operation of the concrete batch plant (including batch truck and material delivery truck roads) with a cohesive hard surface that shall be cleaned and maintained intact. All batch trucks and material delivery trucks shall remain on the paved surface when entering, conducting primary function, and leaving the property. The owner or operator shall maintain other traffic areas using the control requirements of subsection (5)(E) of this standard permit.

## (9) Additional Requirements for Specialty Concrete Batch Plants

(A) Specialty concrete batch plants authorized under this standard permit shall be limited to the maximum hourly production rate, maximum annual production rate in any rolling 12-month period, and minimum setback distance for the batch mixer feed exhaust as follows:

Table 5: Hourly and Annual Maximum Production Rates and Minimum Setback Distances, Specialty Concrete Batch Plants

Maximum Hourly Production Rate (yd³/hr)	Maximum Annual Production Rate (yd³/yr)	Minimum Setback Distance (ft)
No more than 30	131,400	100
More than 30 but less than or equal to 60	262,800	200

- (B) As an alternative to the requirement in subsection (5)(A) of this standard permit, the owner or operator may vent the cement/fly ash weigh hopper inside the batch mixer.
- (C) The owner or operator shall control dust emissions at the batch mixer feed so that no outdoor visible emissions occur by one of the following:
  - (i) using a suction shroud or other pickup device delivering air to a fabric or cartridge filter;
  - (ii) using an enclosed batch mixer feed; or
  - (iii) conducting the entire mixing operation inside an enclosed process building.
- (D) The owner or operator shall not operate vehicles used for the operation of the concrete batch plant (except for incidental traffic and the entrance and exit to the site) within a minimum buffer distance of 50 feet less than the applicable minimum setback distance listed in subsection (9)(A) from any property line.
- (E) In lieu of meeting the buffer distance requirement for roads and other traffic areas in subsection (9)(D) of this standard permit, owners or operators shall:
  - (i) construct dust suppressing fencing or other barriers as a border around roads, other traffic areas, and work areas; and
  - (ii) construct these borders to a height of at least 12 feet.

## **Temporary Concrete Plants Relocation Requirements**

(A) The appropriate TCEQ regional office may approve, without the need of public notice referenced in section (4) of this standard permit, the relocation of a temporary concrete batch plant that has previously been determined by the commission to be in compliance with the technical requirements of the concrete batch plant standard permit version

adopted at registration that provides the information listed under section (10)(B) and meets one of the following conditions:

- (i) a registered portable facility and associated equipment are moving to a site for support of a public works project in which the proposed site is located in or contiguous to the right-of-way of the public works project; or
- (ii) a registered portable facility is moving to a site in which a portable facility has been located at the site at any time during the previous two years and the site was subject to public notice.
- (B) For relocations meeting subsection (10)(A) of this standard permit, the owner or operator must submit to the regional office and any local air pollution control agency having jurisdiction at least 12 business days prior to locating at the site:
  - (i) the company name, address, company contact, and telephone number;
  - (ii) the regulated entity number (RN), customer reference number (CN), applicable permit or registration numbers, and if available, the TCEQ account number;
  - (iii) the location from which the facility is moving (current location);
  - (iv) a location description of the proposed site (city, county, and exact physical location description);
  - a scaled plot plan that identifies the location of all equipment and stockpiles, and also indicates that the required setback distances to the property lines can be met at the new location;
  - (vi) representation of maximum hourly and annual site production;
  - (vii) a scaled area map that clearly indicates how the proposed site is contiguous or adjacent to the right-of-way of a public works project (if required);
  - (viii) the proposed date for start of construction and expected date for start of operation;
  - (ix) the expected time period at the proposed site;
  - (x) the permit or registration number of the portable facility that was located at the proposed site any time during the last two years, and the date the facility was last located there. This information is not necessary if the relocation request is for a public works project that is contiguous or adjacent to the right-of-way of a public works project; and
  - (xi) proof that the proposed site had accomplished public notice, as required by 30 TAC Chapter 39. This proof is not necessary if the relocation request is for a public works project that is contiguous or adjacent to the right-of-way of a public works project.
- (C) The owner or operator shall submit a completed current TCEQ Regional Notification Standard Permit/PBR Relocation Form when applying to relocate a temporary concrete batch plant.

# Concrete Batch Plant Standard Permit Source Analysis & Technical Review

Company Raptor Ready Mix, Inc. Permit Number 177217L002
City Fort Worth Project Number 381915

County Tarrant Regulated Entity Number RN112027602

Project Type Initial Customer Reference Number CN606227288

Project Reviewer Kristyn Jacher Received Date October 18, 2024

Site Address Plant to be located at the following driving directions: From downtown Fort Worth, tray

Plant to be located at the following driving directions: From downtown Fort Worth, travel West on I-30 for approximately 9 miles to I-820 N (Exit 5A). Travel North on I-820 for approximately 2.2 miles to Silver Creek Road (Exit 5B). At the light, turn left (West) on Silver Creek Road and travel approximately 0.8 miles. The entrance to the jobsite will be

on the West side of Silver Creek Road

## **Project Overview**

## **Facility Description:**

This is the proposed authorization of a temporary Truck Mix concrete batch plant with a maximum production rate of 157 cubic yards per hour not to exceed 650,000 cubic yards per year in any rolling 12-month period. The facility will be located in Denton County therefore the required setback distance from the nearest suction shroud fabric/cartridge filter exhaust, cement/fly ash storage silos, and/or engine to any property line is 100 feet. The applicant has represented the facility will operate up to 8,760 hours. Additionally, the applicant has represented the facility may remain on site more than 180 days to complete a single project (TCBP Serial # 7593; Hyde Ranch). In addition, the applicant represented that they will shelter the drop point by an intact three-sided enclosure with a flexible shroud hanging from above the truck, or equivalent dust collection technology that extends below the mixer truck-receiving funnel.

The applicant also represented they will shelter the truck loading operation with a three-sided solid enclosure or equivalent that extends from the ground level to three feet above the truck-receiving funnel.

A public meeting was held on April 3, 2025 at the National Hall, 3316 Roberts Cut Off Road, Fort Worth, Texas 76114. At the time of the public meeting, it was commented that the application was not available for viewing at the public library mentioned in the application. Due to this, the comment period was extended so that citizens could view the application if they choose. The public comment period ended on May 7, 2025.

## **Process Description:**

Washed sand and gravel (aggregate) are to be delivered by trucks and stockpiled at the facility. The stockpiled aggregate will be sprinkled with water as needed for dust-control. When needed for production, the aggregate will be moved via a front-end loader to the conveyor that leads to the aggregate bin from where the aggregate will drop into the weigh batcher. After weighing, each batch will drop into the rotating drums of mixer trucks.

Cement/Flyash will be pneumatically conveyed from delivery tankers into the cement silo(s). Remaining in total enclosure, the cement will then be gravity dropped from the silo into the cement weigh batcher. The weighed cement batch will then be gravity dropped into the rotating drums of mixer trucks. Particulate matter control of cement dust from the silo will be a vent style bag house. Aggregate and cement emissions at the truck drop point will be vented to a central dust collector through a suction shroud.

# Concrete Batch Plant Standard Permit Source Analysis & Technical Review

Permit No. 177217L002 Page 2 Regulated Entity No. RN112027602

Maintenance activities will be authorized either under permit by rule or claimed under 30 Texas Administrative Code § 116.119, De Minimis Facilities or Sources. Emissions from planned startup and shutdown activities will be authorized by this permit.

Startup and shutdown emissions are included in the production emissions. Although there may be minor emissions associated with startup and shutdown, particulate emission factors used to quantify production emissions are considered to have enough conservatism to include any incidental increases that may be attributed to startup and shutdown.

## **Deficiencies**

Has all required information been received by the TCEQ?		Yes
If no, date company notified of deficient items:		N/A
Comments:		None
Date registration claim complete:		11/11/2024

## **Compliance History Evaluation**

A compliance history report was reviewed on:			November 11, 2024
Site rating & classification:			Unclassified
Company rating & classification:			Unclassified
If site was rated unsatisfactory, what action(s) occurred as a result:			N/A

## **Public Notice Information**

Requirement	Date
Small Business Source?	No
Legislator letters mailed	10/23/2024
Date consolidated notice published	11/22/2024
Publication Name: Fort Worth Star Telegram	
Pollutants: PM, PM <sub>10</sub> , PM <sub>2.5</sub> , Road Dust, Aggregate, Cement	
Date Alternate Language consolidated notice published (if applicable)	11/19/2024
Publication Name (Alternate Language): La Prensa Comunidad	
Last Day for Public Comment	5/7/2025 (extended due to application not being available in the designated public place as required)
Public notice tearsheet(s) received	11/26/2024
Public notice affidavit(s) received	11/26/2024
Public notice certification of sign posting/application availability received	5/15/2025

# Concrete Batch Plant Standard Permit Source Analysis & Technical Review

Permit No. 177217L002 Page 3 Regulated Entity No. RN112027602

## **Public Interest**

Number of comments received	9
Number of meeting requests received	3
Number of hearing requests received	51
Date meeting held	4/3/2025
Date response to comments filed with OCC	6/6/2025
Date of SOAH hearing	N/A

Recommendations All conditions of Stand	ard Permit satisfied?			Yes
Final Action:				
Project Reviewer Kristyn Jacher	Date	Team Leader Joe Nicosia	Date	

The TCEQ is committed to accessibility.

To request a more accessible version of this report, please contact the TCEQ Help Desk at (512) 239-4357.



## Compliance History Report

Compliance History Report for CN606227288, RN112027602, Rating Year 2025 which includes Compliance History (CH) components from September 1, 2020, through August 31, 2025.

Customer, Respondent, CN606227288, Raptor Ready Mix Inc Classification: UNCLASSIFIED Rating: 0.00 or Owner/Operator:

Regulated Entity: RN112027602, RAPTOR READY MIX Classification: UNCLASSIFIED Rating: 0.00

CBP SN 7593

Complexity Points: 5 Repeat Violator: NO

**CH Group:** 10 - Cement and Concrete Product Manufacturing

**Location:** FROM DOWNTOWN FORT WORTH TAKE I-35W NORTH TO EXIT 66 WESTPORT PKWY AT THE LIGHT

TURN LEFT WEST ON WESTPORT PKWY AND TRAVEL 2.3 MI TO BLUE MOUND RD TURN RIGHT NORTH ON BLUE MOUND RD AND TRAVEL 2.5 MI TO THE JOBSITE ENTRANCE ON THE EAST SIDE OF BLUE

MOUND RD TARRANT, TX, TARRANT COUNTY

TCEQ Region: REGION 04 - DFW METROPLEX

ID Number(s):

AIR NEW SOURCE PERMITS REGISTRATION AIR NEW SOURCE PERMITS REGISTRATION

177217L002 177217L001

Compliance History Period: September 01, 2020 to August 31, 2025 Rating Year: 2025 Rating Date: 09/01/2025

**Date Compliance History Report Prepared:** October 08, 2025

Agency Decision Requiring Compliance History: Enforcement

Component Period Selected: September 01, 2020 to August 31, 2025

TCEQ Staff Member to Contact for Additional Information Regarding This Compliance History.

Name: TCEQ Staff Member Phone: (512) 239-1000

#### Site and Owner/Operator History:

1) Has the site been in existence and/or operation for the full five year compliance period?

2) Has there been a (known) change in ownership/operator of the site during the compliance period?

#### Components (Multimedia) for the Site Are Listed in Sections A - J

A. Final Orders, court judgments, and consent decrees:

N/A

**B.** Criminal convictions:

N/A

C. Chronic excessive emissions events:

N/A

D. The approval dates of investigations (CCEDS Inv. Track. No.):

N/A

E. Written notices of violations (NOV) (CCEDS Inv. Track. No.):

A notice of violation represents a written allegation of a violation of a specific regulatory requirement from the commission to a regulated entity. A notice of violation is not a final enforcement action, nor proof that a violation has actually occurred.

N/A

F. Environmental audits:

N/A

G.	Type of environmental management systems (EMSs): $\ensuremath{N/A}$
н.	Voluntary on-site compliance assessment dates: $\ensuremath{N/A}$
I.	Participation in a voluntary pollution reduction program: N/A
J.	Early compliance: N/A
Sit	es Outside of Texas:

N/A

# Plot Plan Detail

Raptor Ready Mix – Hyde Ranch Fort Worth, Tarrant County, Texas

