

Ellie Guerra

From: PUBCOMMENT-OCC
Sent: Monday, December 2, 2024 3:38 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: Williams.laurennicole@gmail.com <Williams.laurennicole@gmail.com>
Sent: Monday, December 2, 2024 3:29 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: DR. Lauren Adix

EMAIL: Williams.laurennicole@gmail.com

COMPANY:

ADDRESS: 128 HIGHGATE LN
GEORGETOWN TX 78628-2694

PHONE: 5122960873

FAX:

COMMENTS: Good afternoon, I would love to know more about this pending location. Ronald Regan and 29 are known for having heavy ever-increasing traffic with improvement coming in several years. With this plant here what safety measures will the plant/city take to not have the increased truck load increase these risks? With this being within the developers region is there any restrictions on the possibility for noise pollution? If the treatment plant experiences a malfunction or spill, what can we

expect to prevent it from posing risks to public health and local ecosystems. What can we expect as far as air quality with this in our backyards? What about harmful substances or pathogens? As a mother of three this seems like a concerning location to the general public. This was also not disclosed when signing contracts to purchase a home in Santa Rita in May 2024. Thank you

Ellie Guerra

From: PUBCOMMENT-OCC
Sent: Wednesday, December 4, 2024 10:57 AM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

PM

From: williams.laurennicole@gmail.com <williams.laurennicole@gmail.com>
Sent: Tuesday, December 3, 2024 9:40 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: DR. Lauren Adix

EMAIL: williams.laurennicole@gmail.com

COMPANY:

ADDRESS: 128 HIGHGATE LN
GEORGETOWN TX 78628-2694

PHONE: 5122960873

FAX:

COMMENTS: Request formal meeting. Concern for public health.

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Tuesday, May 7, 2024 3:32 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: menu_chignon.0g@icloud.com <menu_chignon.0g@icloud.com>
Sent: Monday, May 6, 2024 4:59 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Abhinay sai Alishetty

EMAIL: menu_chignon.0g@icloud.com

COMPANY:

ADDRESS: 423 PALATINO BND
LIBERTY HILL TX 78642-2566

PHONE: 3107794558

FAX:

COMMENTS: I am writing to express my serious concerns about the proposed plan to build a wastewater treatment plant near our neighborhood. While I recognize the importance of improving municipal infrastructure, the location of this facility so close to residential areas prompts significant worries that deserve thorough consideration. The possible presence of odors and airborne pollutants from the plant could negatively impact the health and quality of life for everyone in our community, especially children, the elderly, and those with pre-existing health conditions. Additionally, the noise generated by the plant's operations could disrupt our normally peaceful surroundings. We are also apprehensive about the environmental implications of such a facility, including potential water pollution and its effects on local wildlife and ecosystems. These issues are of great concern to all of us living nearby. Thank you for considering our viewpoint. We hope that these factors will be carefully evaluated in the decision-making process.

TCEQ Registration Form

December 3, 2024

City of Liberty Hill

Proposed Renewal of TPDES Permit No. WQ0015000001

PLEASE PRINT

Name: Jesse Alva

Mailing Address: 329 Olinda Way, Liberty Hill, TX 78642

Physical Address (if different): _____

City/State: Liberty Hill Zip: 78642

****This information is subject to public disclosure under the Texas Public Information Act****

Email: _____

Phone Number: () _____

- Are you here today representing a municipality, legislator, agency, or group? ☐ Yes ☐ No

If yes, which one? _____

☒ Please add me to the mailing list.

☐ I wish to provide formal *ORAL COMMENTS* at tonight's public meeting.

☐ I wish to provide formal *WRITTEN COMMENTS* at tonight's public meeting.

(Written comments may be submitted at any time during the meeting)

Please give this form to the person at the information table. Thank you.

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Monday, May 13, 2024 4:03 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: ambatirohanreddy@gmail.com <ambatirohanreddy@gmail.com>
Sent: Saturday, May 11, 2024 5:57 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Rohan Reddy Ambati

EMAIL: ambatirohanreddy@gmail.com

COMPANY:

ADDRESS: 613 SPURLOCK WAY
LIBERTY HILL TX 78642-2514

PHONE: 8137656102

FAX:

COMMENTS: Request to Halt WWTP Installation near Santa Rita Ranch in liberty hill. This may cause an unpleasant experience to all the people around the community.

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Friday, May 10, 2024 2:52 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: ambatirohanreddy@gmail.com <ambatirohanreddy@gmail.com>
Sent: Thursday, May 9, 2024 1:48 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Rohan Reddy Ambati

EMAIL: ambatirohanreddy@gmail.com

COMPANY:

ADDRESS: 613 SPURLOCK WAY
LIBERTY HILL TX 78642-2514

PHONE: 8137656102

FAX:

COMMENTS: Request to Halt WWTP Installation near Santa Rita Ranch in liberty hill. This may cause an unpleasant experience to all the people around the community.

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Friday, May 10, 2024 2:45 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: rajajith@gmail.com <rajajith@gmail.com>
Sent: Wednesday, May 8, 2024 10:09 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Ajithraj Bijady shankaranarayana

EMAIL: rajajith@gmail.com

COMPANY:

ADDRESS: 204 PALATINO BND
LIBERTY HILL TX 78642-2564

PHONE: 4073884867

FAX:

COMMENTS: I express profound concern regarding the proposal to construct a wastewater treatment plant adjacent to our neighborhood. While I fully recognize the necessity of updating and expanding municipal infrastructure, the proximity of such a facility to our residential area raises several significant concerns that demand meticulous consideration. The potential for odor, airborne contaminants, and increased noise levels could significantly impact the quality of life and health of our community members. We are particularly apprehensive about the effects on vulnerable populations, including children, the elderly, and individuals with pre-existing health conditions. Furthermore, the operation of the plant may lead to increased noise levels, which could disrupt the otherwise peaceful environment of

TCEQ Registration Form

December 3, 2024

City of Liberty Hill

Proposed Renewal of TPDES Permit No. WQ0015000001

PLEASE PRINT

Name: Christina Arrambide

Mailing Address: 149 Benedum Way

Physical Address (if different): _____

City/State: Liberty Hill TX Zip: 78642

****This information is subject to public disclosure under the Texas Public Information Act****

Email: chrisarr@att.net

Phone Number: () _____

- Are you here today representing a municipality, legislator, agency, or group? ☐ Yes ☐ No

If yes, which one? _____

☐ Please add me to the mailing list.

☐ I wish to provide formal *ORAL COMMENTS* at tonight's public meeting.

☐ I wish to provide formal *WRITTEN COMMENTS* at tonight's public meeting.

(Written comments may be submitted at any time during the meeting)

How can you guarantee that (in the future)
what we didn't limit ^{now} isn't going to develop
into medical/health issue? drinking water ingested

Please give this form to the person at the information table. Thank you.

RECEIVED

DEC 03 2024

AT PUBLIC MEETING

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Tuesday, June 11, 2024 3:45 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: pavanbkmr@gmail.com <pavanbkmr@gmail.com>
Sent: Sunday, June 9, 2024 11:40 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: MR Pavan Bachu

EMAIL: pavanbkmr@gmail.com

COMPANY:

ADDRESS: 525 FAITH DR
LIBERTY HILL TX 78642-2149

PHONE: 4102922869

FAX:

COMMENTS: Please dont approve the Waste water treatment plant

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Monday, May 6, 2024 1:52 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: bankey.ganesh@gmail.com <bankey.ganesh@gmail.com>
Sent: Monday, May 6, 2024 9:49 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Ganesh Bankey

EMAIL: bankey.ganesh@gmail.com

COMPANY:

ADDRESS: 136 CASCATA WAY
LIBERTY HILL TX 78642-2125

PHONE: 8045019334

FAX:

COMMENTS: I am not in fever, as It is going to disturb the ecosystem sourrning the dense living community

TCEQ Registration Form

December 3, 2024

City of Liberty Hill

Proposed Renewal of TPDES Permit No. WQ0015000001

PLEASE PRINT

Name: Karla Barfield

Mailing Address: 487 Sunny Slope Rd

Physical Address (if different): _____

City/State: Liberty Hill Zip: 78642

****This information is subject to public disclosure under the Texas Public Information Act****

Email: Karlabarfield@gmail.com

Phone Number: (972) 567-9657

- Are you here today representing a municipality, legislator, agency, or group? ☐ Yes ☒ No

If yes, which one? _____

☒ Please add me to the mailing list.

☐ I wish to provide formal *ORAL COMMENTS* at tonight's public meeting.

☐ I wish to provide formal *WRITTEN COMMENTS* at tonight's public meeting.

(Written comments may be submitted at any time during the meeting)

Please give this form to the person at the information table. Thank you.

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Monday, May 6, 2024 1:51 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: sadanandvb@gmail.com <sadanandvb@gmail.com>
Sent: Monday, May 6, 2024 9:30 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Sadanand Bhat

EMAIL: sadanandvb@gmail.com

COMPANY:

ADDRESS: 521 GERONA CT
LIBERTY HILL TX 78642-2729

PHONE: 4843471351

FAX:

COMMENTS: Hello, we are very concerned about this upcoming waste water treatment plant. This is very close to a community that has hosts more than 10,000 homes (when completed), SRR. There is very very serious health concern among all of us. We object & request you to move this to some other not so densely populated areas. Regards,
Sadanand

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Friday, May 10, 2024 2:44 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: rajajith@gmail.com <rajajith@gmail.com>
Sent: Wednesday, May 8, 2024 10:06 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Ajithraj Bijady shankaranarayana

EMAIL: rajajith@gmail.com

COMPANY:

ADDRESS: 204 PALATINO BND
LIBERTY HILL TX 78642-2564

PHONE: 4073884867

FAX:

COMMENTS: I express profound concern regarding the proposal to construct a wastewater treatment plant adjacent to our neighborhood. While I fully recognize the necessity of updating and expanding municipal infrastructure, the proximity of such a facility to our residential area raises several significant concerns that demand meticulous consideration. The potential for odor, airborne contaminants, and increased noise levels could significantly impact the quality of life and health of our community members. We are particularly apprehensive about the effects on vulnerable populations, including children, the elderly, and individuals with pre-existing health conditions. Furthermore, the operation of the plant may lead to increased noise levels, which could disrupt the otherwise peaceful environment of

our community. Given that wastewater treatment plants involve various processes, we also harbor concerns about potential water pollution and its implications for local wildlife and ecosystems

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Friday, May 10, 2024 2:27 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: rajajith@gmail.com <rajajith@gmail.com>
Sent: Wednesday, May 8, 2024 2:50 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Ajithraj Bijady shankaranarayana

EMAIL: rajajith@gmail.com

COMPANY:

ADDRESS: 204 PALATINO BND
LIBERTY HILL TX 78642-2564

PHONE: 4073884867

FAX:

COMMENTS: I express profound concern regarding the proposal to construct a wastewater treatment plant adjacent to our neighborhood. While I fully recognize the necessity of updating and expanding municipal infrastructure, the proximity of such a facility to our residential area raises several significant concerns that demand meticulous consideration. The potential for odor, airborne contaminants, and increased noise levels could significantly impact the quality of life and health of our community members. We are particularly apprehensive about the effects on vulnerable populations, including children, the elderly, and individuals with pre-existing health conditions. Furthermore, the operation of the plant may lead to increased noise levels, which could disrupt the otherwise peaceful environment of

our community. Given that wastewater treatment plants involve various processes, we also harbor concerns about potential water pollution and its implications for local wildlife and ecosystems

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Monday, May 6, 2024 1:53 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: naveen.vs523@gmail.com <naveen.vs523@gmail.com>
Sent: Monday, May 6, 2024 10:53 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Naveen Bandi

EMAIL: naveen.vs523@gmail.com

COMPANY:

ADDRESS: 313 PALATINO BND
LIBERTY HILL TX 78642-2565

PHONE: 7043976021

FAX:

COMMENTS: expressing my deep concern regarding the proposal to construct a wastewater treatment plant adjacent to our neighborhood. While I understand the necessity of updating and expanding municipal infrastructure, the proximity of such a facility to our residential area raises several significant concerns that we believe need careful consideration. The potential for odor and airborne contaminants could adversely affect the quality of life and health of our community members. We are particularly concerned about the effects on children, the elderly, and those with pre-existing health conditions. The operation of the plant, increased noise levels, which can be a nuisance and disrupt the peaceful environment of our community. The operation of a wastewater treatment plant involves various processes that can have a significant impact on the local environment. We are concerned about the potential for water pollution and the effect this might have on local wildlife and ecosystems.

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Friday, May 10, 2024 2:47 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: cbathineni@gmail.com <cbathineni@gmail.com>
Sent: Thursday, May 9, 2024 1:06 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Chandu Bathineni

EMAIL: cbathineni@gmail.com

COMPANY:

ADDRESS: 220 DYCUS BND
LIBERTY HILL TX 78642-2509

PHONE: 9166077876

FAX:

COMMENTS: As a resident at SantaRita Ranch, the WWTP location concerning me for future our community, quality life and safety for people in our community. City council should have done more research before start WWTP, for public safety WWTP can move to responsible development location.

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Friday, May 10, 2024 2:48 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: cbathineni@gmail.com <cbathineni@gmail.com>
Sent: Thursday, May 9, 2024 9:52 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Chandu Bathineni

EMAIL: cbathineni@gmail.com

COMPANY:

ADDRESS: 220 DYCUS BND
LIBERTY HILL TX 78642-2509

PHONE: 9166077876

FAX:

COMMENTS: As a resident at SantaRita Ranch, the WWTP location concerning me for future our community, quality life and safety for people in our community. City council should have done more research before start WWTP, for public safety WWTP can move to responsible development location.

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Thursday, May 16, 2024 10:59 AM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: megha.bhavale@gmail.com <megha.bhavale@gmail.com>
Sent: Monday, May 13, 2024 9:13 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Megha Bhavale

EMAIL: megha.bhavale@gmail.com

COMPANY:

ADDRESS: 421 PICKRELL LOOP
LIBERTY HILL TX 78642-2294

PHONE: 4234638034

FAX:

COMMENTS: We moved to Santa Rita with so many high hopes. We are looking for kids to complete their education in this area. We absolutely love this community and don't have any thoughts of moving from here. But the construction of waste water plant seems to be a hazard to the environment and the life of the living beings living around it. Is there a way this plant can be moved to a non-residential area. If this plant is constructed here then it might significantly affect the property value of the homes purchased in the community. Please consider our humble request.

Ellie Guerra

From: PUBCOMMENT-OCC
Sent: Monday, December 2, 2024 3:16 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001
Attachments: WWTP letter of support.pdf

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: brian@vision360dev.com <brian@vision360dev.com>
Sent: Monday, December 2, 2024 11:48 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Brian Birdwell

EMAIL: brian@vision360dev.com

COMPANY:

ADDRESS: 203 BIRD STONE LN
GEORGETOWN TX 78628-6923

PHONE: 5123946022

FAX:

COMMENTS: Please see the attached PDF.

October 21, 2024

Office of the Chief Clerk
TCEQ
Mail Code MC-105
PO Box 13087
Austin, TX 78711-3087

**Re: Permit WQ0015000001
North Fork Wastewater Treatment Plant
Liberty Hill, TX**

To Whom It May Concern,

I am a resident in the Liberty Hill School District and have read the concerns regarding the proposed North Fork Wastewater Treatment Plant from some residents in Santa Rita Ranch and the Liberty Hill community. I understand how concerning the phrase "wastewater treatment plant" can be but these facilities are a necessary part of our community if we are going prevent an extraordinary number of septic systems that are far worse for the community as a whole.

I have a unique perspective because I live four doors down from the Cimarron Hills Wastewater Treatment Plant (WQ0014232001) that the City of Georgetown owns and operates less than 5 miles from the proposed North Fork Wastewater Treatment Plant. Not only does Georgetown operate the plant, but the effluent from the plant is used to irrigate the Cimarron Hills Golf Course which my home backs up to. I have lived in my home for over 3 years and have experienced no issues with the treatment plant and enjoy the benefit of the course being able to use the effluent from the plant to keep the course green in my backyard.

The monitoring requirements that the TCEQ requires as part of the permit help safeguard the neighbors. As I was looking into this, I requested the sampling frequency from the City of Georgetown and found that different aspects of the effluent are monitored on a weekly basis.

Please accept this letter as my support for the TCEQ issuing Permit No. WQ0015000001 with the knowledge that a similar plant in my neighborhood has provided environmental benefits to my community.

Regards,



Brian Birdwell

Jennifer Cox

132414

From: PUBCOMMENT-OCC
Sent: Friday, October 4, 2024 11:03 AM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: Kkessler32@yahoo.com <Kkessler32@yahoo.com>
Sent: Thursday, October 3, 2024 9:28 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Kristen Biondi

EMAIL: Kkessler32@yahoo.com

COMPANY:

ADDRESS: 453 BRISTLECONE BND
LIBERTY HILL TX 78642-2838

PHONE: 3145209646

FAX:

COMMENTS: Hello, I'd like to request that the upcoming plant be moved to a more remote location. The proposed location is not only adjacent to a 1,000+ residential neighborhood but also a private school. With a limitless amount of remote land just a quarter mile north on Ronald Regan Blvd it seems reckless to place it so close to so many people

October 21, 2024

Office of the Chief Clerk
TCEQ
Mail Code MC-105
PO Box 13087
Austin, TX 78711-3087

Re: Permit WQ0015000001
North Fork Wastewater Treatment Plant
Liberty Hill, TX

RECEIVED
DEC 03 2024
AT PUBLIC MEETING

To Whom It May Concern,

I am a resident in the Liberty Hill School District and have read the concerns regarding the proposed North Fork Wastewater Treatment Plant from some residents in Santa Rita Ranch and the Liberty Hill community. I understand how concerning the phrase "wastewater treatment plant" can be but these facilities are a necessary part of our community if we are going prevent an extraordinary number of septic systems that are far worse for the community as a whole.

I have a unique perspective because I live four doors down from the Cimarron Hills Wastewater Treatment Plant (WQ0014232001) that the City of Georgetown owns and operates less than 5 miles from the proposed North Fork Wastewater Treatment Plant. Not only does Georgetown operate the plant, but the effluent from the plant is used to irrigate the Cimarron Hills Golf Course which my home backs up to. I have lived in my home for over 3 years and have experienced no issues with the treatment plant and enjoy the benefit of the course being able to use the effluent from the plant to keep the course green in my backyard.

The monitoring requirements that the TCEQ requires as part of the permit help safeguard the neighbors. As I was looking into this, I requested the sampling frequency from the City of Georgetown and found that different aspects of the effluent are monitored on a weekly basis.

Please accept this letter as my support for the TCEQ issuing Permit No. WQ0015000001 with the knowledge that a similar plant in my neighborhood has provided environmental benefits to my community.

Regards,



Brian Birdwell

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Friday, May 10, 2024 2:52 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: justin.black6@icloud.com <justin.black6@icloud.com>
Sent: Thursday, May 9, 2024 3:30 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Justin Black

EMAIL: justin.black6@icloud.com

COMPANY:

ADDRESS: 816 OLINDA WAY
LIBERTY HILL TX 78642-2616

PHONE: 2394041348

FAX:

COMMENTS: The placement of the treatment plant is going to devalue home values in the area. Homes that we spent our hard earned money on. Also in terms of pollution near schools and residence it's unacceptable.

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Tuesday, June 11, 2024 3:44 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: lanablake@gmail.com <lanablake@gmail.com>
Sent: Saturday, June 8, 2024 1:45 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Lana R. Blake

EMAIL: lanablake@gmail.com

COMPANY:

ADDRESS: 604 PURPLE SALVIA CV
LIBERTY HILL TX 78642-2382

PHONE: 5126963115

FAX:

COMMENTS: I am writing to express my extreme displeasure and disbelief that Wilco would attempt to build a wastewater treatment plant in a populated suburban area and directly adjacent to a school. There are known health hazards to being in close proximity to a WWTP, so placing one in a populated area (that is still growing!) and a school, thereby poisoning the surrounding air and water, is not just misguided, it's morally reprehensible. Please move this facility to an appropriate remote area and show

the residents of Wilco and the children of Divine Savior Academy that there are still some morals left in the world and sometimes people still do the right thing.

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Tuesday, June 11, 2024 3:47 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: blakeja@pm.me <blakeja@pm.me>
Sent: Monday, June 10, 2024 11:57 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: James Blake

EMAIL: blakeja@pm.me

COMPANY:

ADDRESS: 604 PURPLE SALVIA CV
LIBERTY HILL TX 78642-2382

PHONE: 5126963182

FAX:

COMMENTS: It is completely unacceptable to place a wastewater treatment plant this close to such a densely populated area and a school with hundreds of children. This permit should not be granted.

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Tuesday, June 11, 2024 3:43 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: lanablake@gmail.com <lanablake@gmail.com>
Sent: Saturday, June 8, 2024 11:36 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Lana R. Blake

EMAIL: lanablake@gmail.com

COMPANY:

ADDRESS: 604 PURPLE SALVIA CV
LIBERTY HILL TX 78642-2382

PHONE: 5126963115

FAX:

COMMENTS: I am writing to express my extreme displeasure and disbelief that Wilco would attempt to build a wastewater treatment plant in a populated suburban area and directly adjacent to a school. There are known health hazards to being in close proximity to a WWTP, so placing one in a populated area (that is still growing!) and a school, thereby poisoning the surrounding air and water, is not just misguided, it's morally reprehensible. Please move this facility to an appropriate remote area and show

the residents of Wilco and the children of Divine Savior Academy that there are still some morals left in the world and sometimes people still do the right thing.

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Tuesday, June 11, 2024 3:44 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: lanablake@gmail.com <lanablake@gmail.com>
Sent: Saturday, June 8, 2024 1:44 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Lana R. Blake

EMAIL: lanablake@gmail.com

COMPANY:

ADDRESS: 604 PURPLE SALVIA CV
LIBERTY HILL TX 78642-2382

PHONE: 5126963115

FAX:

COMMENTS: I am writing to express my extreme displeasure and disbelief that Wilco would attempt to build a wastewater treatment plant in a populated suburban area and directly adjacent to a school. There are known health hazards to being in close proximity to a WWTP, so placing one in a populated area (that is still growing!) and a school, thereby poisoning the surrounding air and water, is not just misguided, it's morally reprehensible. Please move this facility to an appropriate remote area and show

the residents of Wilco and the children of Divine Savior Academy that there are still some morals left in the world and sometimes people still do the right thing.

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Thursday, May 16, 2024 1:18 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: suresh.bodavula@gmail.com <suresh.bodavula@gmail.com>
Sent: Tuesday, May 14, 2024 12:27 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: MR Suresh Bodavula

EMAIL: suresh.bodavula@gmail.com

COMPANY:

ADDRESS: 104 SONRISA DR
LIBERTY HILL TX 78642-2559

PHONE: 8329555571

FAX:

COMMENTS: I am writing to express my deep concerns regarding the installation of a Wastewater Treatment Plant (WWTP) in our community. As a resident of SRR, the lack of communication and transparency surrounding this project is alarming. The presence of a WWTP raises valid concerns about environmental impacts, odors, noise pollution, and property values. We urgently need detailed information about the WWTP's capacity, operations, environmental assessments, and mitigation measures. Additionally, I strongly urge you to halt the installation of the WWTP until these concerns are thoroughly addressed and the community is adequately consulted. I kindly request immediate dialogue or

a written response to address these concerns and ensure the well-being of our community. Thank you for your prompt attention to this matter.

Tammy Washington

From: PUBCOMMENT-OCC
Sent: Wednesday, September 24, 2025 4:07 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-ELD; PUBCOMMENT-OPIC; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

From: nithuboyan@gmail.com <nithuboyan@gmail.com>
Sent: Wednesday, September 24, 2025 3:58 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Nithesh Rao Boyanapally

EMAIL: nithuboyan@gmail.com



COMPANY:

ADDRESS: 157 peacevine lane
Liberty hill, TX 78642

PHONE: 5716062377

FAX:

COMMENTS: It is very concerning to hear regarding the proposal of constructing a wastewater treatment plant adjacent to our neighborhood. While I understand the necessity of updating and expanding municipal infrastructure, the proximity of such a facility to our residential area raises several significant concerns that we believe need careful consideration. We are particularly concerned about the effects on children, the elderly, and those with pre-existing health conditions. The operation of the plant, increased



noise levels, which can be a nuisance and disrupt the peaceful environment of our community. The operation of a wastewater treatment plant involves various processes that can have a significant impact on the local environment. We are concerned about the potential for water pollution and the effect this might have on local wildlife and ecosystems

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Tuesday, May 7, 2024 3:32 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: dumboyash@gmail.com <dumboyash@gmail.com>
Sent: Monday, May 6, 2024 4:38 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Yash Boravelli

EMAIL: dumboyash@gmail.com

COMPANY:

ADDRESS: 316 PALATINO BND
LIBERTY HILL TX 78642-2565

PHONE: 4046944595

FAX:

COMMENTS: expressing my deep concern regarding the proposal to construct a wastewater treatment plant adjacent to our neighborhood. While I understand the necessity of updating and expanding municipal infrastructure, the proximity of such a facility to our residential area raises several significant concerns that we believe need careful consideration. The potential for odor and airborne contaminants could adversely affect the quality of life and health of our community members. We are particularly concerned about the effects on children, the elderly, and those with pre-existing health conditions. The operation of the plant, increased noise levels, which can be a nuisance and disrupt the peaceful environment of our community. The operation of a wastewater treatment plant involves various processes that can have a significant impact on the local environment. We are concerned about the potential for water pollution and the effect this might have on local wildlife and ecosystems.

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Tuesday, May 7, 2024 3:32 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: nithuboyan@gmail.com <nithuboyan@gmail.com>
Sent: Monday, May 6, 2024 4:57 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Nithesh Rao Boyanapally



EMAIL: nithuboyan@gmail.com

COMPANY:

ADDRESS: 157 PEACEVINE LN
LIBERTY HILL TX 78642-2562

PHONE: 5716062377

FAX:



COMMENTS: It is very concerning to hear regarding the proposal of constructing a wastewater treatment plant adjacent to our neighborhood. While I understand the necessity of updating and expanding municipal infrastructure, the proximity of such a facility to our residential area raises several significant concerns that we believe need careful consideration. We are particularly concerned about the effects on children, the elderly, and those with pre-existing health conditions. The operation of the plant, increased noise levels, which can be a nuisance and disrupt the peaceful environment of our community. The operation of a wastewater treatment plant involves various processes that can have a significant impact on the local environment. We are concerned about the potential for water pollution and the effect this might have on local wildlife and ecosystems

Ellie Guerra

From: PUBCOMMENT-OCC
Sent: Wednesday, December 4, 2024 11:32 AM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: nathan.bradley@yahoo.com <nathan.bradley@yahoo.com>
Sent: Tuesday, December 3, 2024 9:49 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Nathan Bradley

EMAIL: nathan.bradley@yahoo.com

COMPANY:

ADDRESS: 104 RAVELLO ST
LIBERTY HILL TX 78642-2306

PHONE: 6012593416

FAX:

COMMENTS: I am worried about the effect on my property values and children's health being so close to my home. I do not want it located at the proposed site. Please contact me. Thanks.

Ellie Guerra

From: PUBCOMMENT-OCC
Sent: Wednesday, December 4, 2024 5:03 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: designer1331@yahoo.com <designer1331@yahoo.com>
Sent: Wednesday, December 4, 2024 1:29 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: MR Christopher Broll

EMAIL: designer1331@yahoo.com

COMPANY:

ADDRESS: 108 DIAMANTES DR
LIBERTY HILL TX 78642-2160

PHONE: 5127893760

FAX:

COMMENTS: Subject: Objection to Proposed Sewage Facility Construction Near Residential Area Dear TCEQ & City of Liberty Hill, I am writing to express my strong opposition to the proposed construction of a sewage treatment facility near Saddleback & Santa Rita Ranch subdivisions near Tower Rd and Ronald Reagan blvd. intersection which is in close proximity to my home and a densely populated residential area. While I understand the necessity of addressing waste management and infrastructure needs, I believe the chosen location is unsuitable and will have significant adverse effects on our community.

Health and Environmental Concerns Sewage facilities are known to emit unpleasant odors and, in some cases, harmful gases such as hydrogen sulfide. Prolonged exposure to such conditions poses health risks to residents, particularly children, the elderly, and those with pre-existing conditions. Additionally, there is a risk to local water supply since plant discharges directly in tributary that feeds Lake Georgetown which is the water supply for many people.

Impact on Property Values The presence of a sewage facility will likely result in decreased property values, discouraging future investments and destabilizing the economic well-being of our neighborhood. Property owners may face difficulty selling their homes, creating long-term financial hardships.

Quality of Life Living near a sewage facility would significantly diminish our quality of life. The constant noise from machinery, increased traffic from maintenance vehicles, and unpleasant odors will disrupt the daily lives of residents and negatively impact mental well-being.

Alternative Solutions I urge you to consider alternative locations that are better suited for this project, such as industrial zones or areas farther from residential neighborhoods. Modern technology may also allow for smaller, decentralized systems that reduce the need for large facilities. I kindly request that you take into account the concerns of the residents who will be directly affected by this project. Our community deserves a thoughtful and responsible solution that balances infrastructure needs with the well-being of its citizens. Thank you for your attention to this matter. I would greatly appreciate a response outlining how these concerns will be addressed and whether alternative sites will be considered. Sincerely, Chris Broll

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Friday, May 10, 2024 2:28 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: ashok.naidu.bungatavula@gmail.com <ashok.naidu.bungatavula@gmail.com>
Sent: Wednesday, May 8, 2024 8:17 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: MR Ashok Bungatavula

EMAIL: ashok.naidu.bungatavula@gmail.com

COMPANY: Oracle

ADDRESS: 212 DYCUS BND
LIBERTY HILL TX 78642-2509

PHONE: 8326790146

FAX:

COMMENTS: Hello Clerk office, We bought a house recently in Santa Rita Ranch. We are extremely concerned with WWTP near our community. Back then when WWTP was approved there were only very few houses in the area but today there are around 5000 families living in this area. We are concerned with Odor, air Borne diseases, sound and depreciation of house value because of this WWTP approval. We urge your team to help relocate WWTP to less surveillance areas. Thank you very much.

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Monday, May 6, 2024 1:55 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: Himareddy.burri@gmail.com <Himareddy.burri@gmail.com>
Sent: Monday, May 6, 2024 11:01 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Hima reddy Burri

EMAIL: Himareddy.burri@gmail.com

COMPANY:

ADDRESS: 312 PALATINO BND
LIBERTY HILL TX 78642-2565

PHONE: 8138425806

FAX:

COMMENTS: expressing my deep concern regarding the proposal to construct a wastewater treatment plant adjacent to our neighborhood. While I understand the necessity of updating and expanding municipal infrastructure, the proximity of such a facility to our residential area raises several significant concerns that we believe need careful consideration. The potential for odor and airborne contaminants could adversely affect the quality of life and health of our community members. We are particularly concerned about the effects on children, the elderly, and those with pre-existing health conditions. The operation of the plant, increased noise levels, which can be a nuisance and disrupt the peaceful environment of our community. The operation of a wastewater treatment plant involves various processes that can have a significant impact on the local environment. We are concerned about the potential for water pollution and the effect this might have on local wildlife and ecosystems.

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Thursday, May 16, 2024 1:17 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: shravyabussari@gmail.com <shravyabussari@gmail.com>
Sent: Tuesday, May 14, 2024 12:22 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Shravya Bussari

EMAIL: shravyabussari@gmail.com

COMPANY:

ADDRESS: 509 BENICIA CV
LIBERTY HILL TX 78642-2575

PHONE: 6506665580

FAX:

COMMENTS: Dear Ms. Davila, We are home owners in Santa Rita Ranch (SRR) in Liberty Hill, TX. When we decided to find a home in the Austin area to live in after retirement, we could have picked any community in the Austin area. We were attracted to SRR due to its advertising as a great community to live in. But there was no information disclosed about a Waste Water Treatment Plant (WWTP) to be constructed so close to SRR. This would have been an important disclosure, had it been made, that would have factored into our decision to buy in SRR. Now we are afraid that due to the WWTP our lifetime investment will devalue. Besides we are also worried about potential health hazards that are typically associated with living close to a WWTP. The quality of life will be damaged due to potential smell and pollutants

from the WWTP. The WWTP is going to be a problem not just for my family but for thousands of families that call SRR their home. We request your help to convince the City of Liberty Hill and Williamson County to find another location for the WWTP away from residential areas. Thank you for your consideration.

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Friday, May 10, 2024 3:13 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: Pvna.c123@gmail.com <Pvna.c123@gmail.com>
Sent: Thursday, May 9, 2024 5:13 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Veena C

EMAIL: Pvna.c123@gmail.com

COMPANY:

ADDRESS: 109 PETE WAY
LIBERTY HILL TX 78642-2548

PHONE: 4084550671

FAX:

COMMENTS: Subject: Concerns Regarding Proposed WWTP Installation in SRR I am writing to express my deep concerns regarding the installation of a Wastewater Treatment Plant (WWTP) in our community. As a resident of SRR, the lack of communication and transparency surrounding this project is alarming. The presence of a WWTP raises valid concerns about environmental impacts, odors, noise pollution, and property values. We urgently need detailed information about the WWTP's capacity, operations, environmental assessments, and mitigation measures. Additionally, I strongly urge you to halt the installation of the WWTP until these concerns are thoroughly addressed and the community is

adequately consulted. I kindly request immediate dialogue or a written response to address these concerns and ensure the well-being of our community. Thank you for your prompt attention to this matter. Sincerely, Veena

December 2, 2024

Texas Commission on Environmental Quality

Via email to: www.tceq.texas.gov/goto/comment

RE: Renewal of City of Liberty Hill Permit No. WQ0015000001


To Whom it may concern:

I am a resident of Santa Rita Ranch. I am aware that the permit renewal, if approved, would allow for the construction of a wastewater treatment plant on the west side of Ronald Reagan Boulevard, approximately 2.5 miles north of Highway 29 and generally in the area of Santa Rita Ranch.

I believe the permit should be renewed and the plant constructed as planned. I have confidence that the TCEQ and the City of Liberty Hill will ensure that the plant will comply with the law.

Sincerely,

Teresa Cantu



228 Los Olives Lane
Liberty Hill, Texas 78642

RECEIVED
DEC 03 2024
AT PUBLIC MEETING

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Friday, May 10, 2024 3:30 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: Heatherlcarmon@gmail.com <Heatherlcarmon@gmail.com>
Sent: Friday, May 10, 2024 10:18 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: MRS Heather Carmon

EMAIL: Heatherlcarmon@gmail.com

COMPANY:

ADDRESS: 2013 DISCOVERY WELL DR
LIBERTY HILL TX 78642-2074

PHONE: 2065129431

FAX:

COMMENTS: I am commenting to oppose the placement of this wastewater treatment plant. This will affect our home and our children at their nearby school Divine Savior Academy. We are concerned about how home value as well as the nearby environmental impact. The potential for bad smell and toxins is also concern with so many homes, schools and a church all within a one mile radius of the placement of this. I understand we are in need of a treatment plant but this is not the correct area safest for our community and liberty hill residents. Please pick another parcel of land.

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Monday, May 6, 2024 1:42 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: JeffreyCarmon@gmail.com <JeffreyCarmon@gmail.com>
Sent: Saturday, May 4, 2024 5:12 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Jeffrey Carmon

EMAIL: JeffreyCarmon@gmail.com

COMPANY:

ADDRESS: 2013 DISCOVERY WELL DR
LIBERTY HILL TX 78642-2074

PHONE: 2065129432

FAX:

COMMENTS: Deeply concerned about the proposed location of this WWTP. Its in the middle of Santa Rita Ranch which is approximately 4,000 families. It is also next to a brand new Christian Private School (Divine Savior) that is Pre-k through High School. The environmental and community impact is just too great to situate a WWTP in this dense (and new) area. I understand the need for growth and infrastructure but this location just puts too much at risk for the neighborhoods, schools and Ronald Reagan traffic.

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Thursday, May 16, 2024 10:58 AM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: christinacaruso57@gmail.com <christinacaruso57@gmail.com>
Sent: Monday, May 13, 2024 8:03 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Christina Caruso

EMAIL: christinacaruso57@gmail.com

COMPANY:

ADDRESS: 204 UNIVERSITY LANDS DR
LIBERTY HILL TX 78642-2322

PHONE: 2482029253

FAX:

COMMENTS: Do not want to live near this at all. Was never made aware when we purchased this home. This neighborhood is full of young childrentoo

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Tuesday, May 7, 2024 3:32 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: arunreddy8439@gmail.com <arunreddy8439@gmail.com>
Sent: Monday, May 6, 2024 8:28 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Arun Kumar Redd Challa

EMAIL: arunreddy8439@gmail.com

COMPANY:

ADDRESS: 413 PALATINO BND
LIBERTY HILL TX 78642-2566

PHONE: 3314540769

FAX:

COMMENTS: I'm expressing my deep concern regarding the proposal to construct a wastewater treatment plant adjacent to our neighborhood. While I understand the necessity of updating and expanding municipal infrastructure, the proximity of such a facility to our residential area raises several significant concerns that we believe need careful consideration. The potential for odor and airborne contaminants could adversely affect the quality of life and health of our community members. We are particularly concerned about the effects on children, the elderly, and those with pre-existing health conditions. The operation of the plant, increased noise levels, which can be a nuisance and disrupt the peaceful environment of our community. We are a very big community with a large number of residents who will be affected by this. The operation of a wastewater treatment plant involves various processes that can have a significant impact on the local environment. We are concerned about the potential for water pollution and the effect this might have on local wildlife and ecosystems.

TCEQ Registration Form

December 3, 2024

City of Liberty Hill

Proposed Renewal of TPDES Permit No. WQ0015000001

PLEASE PRINT

Name: JOSHUA CHAMBERS

Mailing Address: J4CHAM@331@gmail.com

Physical Address (if different): 424 BELLEVUE LN
LIBERTY HILL TX 78642

City/State: _____ Zip: _____

This information is subject to public disclosure under the Texas Public Information Act

Email: _____

Phone Number: () _____

- Are you here today representing a municipality, legislator, agency, or group? ☐ Yes ☐ No

If yes, which one? _____

☒ Please add me to the mailing list.

☐ I wish to provide formal *ORAL COMMENTS* at tonight's public meeting.

☐ I wish to provide formal *WRITTEN COMMENTS* at tonight's public meeting.

(Written comments may be submitted at any time during the meeting)

Please give this form to the person at the information table. Thank you.

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Tuesday, May 7, 2024 3:34 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: ssk.chiramaneni@gmail.com <ssk.chiramaneni@gmail.com>
Sent: Monday, May 6, 2024 9:12 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Simhadri Chiramaneni

EMAIL: ssk.chiramaneni@gmail.com

COMPANY:

ADDRESS: 233 DYCUS BND
LIBERTY HILL TX 78642-2509

PHONE: 3854451515

FAX:

COMMENTS: I am against to place the WWTP proposal near our SRR Communities. It has around 40000 people population planned for next few years and installing WWTP will heavily impact these people. So I am against proposal to establish near populated area like SRR Communities.

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Monday, May 6, 2024 1:52 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: ssk.chiramaneni@gmail.com <ssk.chiramaneni@gmail.com>
Sent: Monday, May 6, 2024 10:08 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Simhadri Chiramaneni

EMAIL: ssk.chiramaneni@gmail.com

COMPANY:

ADDRESS: 233 DYCUS BND
LIBERTY HILL TX 78642-2509

PHONE: 3854451515

FAX:

COMMENTS: I am against to place the WWTP proposal near our SRR Communities. It has around 40000 people population planned for next few years and installing WWTP will heavily impact these people. So I am against proposal to establish near populated area like SRR Communities.

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Wednesday, May 8, 2024 12:18 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: shivamedia90@gmail.com <shivamedia90@gmail.com>
Sent: Wednesday, May 8, 2024 11:52 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: MR Shiva Chitikeshi

EMAIL: shivamedia90@gmail.com

COMPANY:

ADDRESS: 229 DYCUS BND
LIBERTY HILL TX 78642-2509

PHONE: 4108682206

FAX:

COMMENTS: 1. Placed in a highly dense area affecting residents near by. 2. Effluent discharge will flow directly into Sowe's Branch into the North Fork of San Gabriel River, then into Lake George Town which is one of our drinking source. 3. Smells and Contamination from WWTP.

Tammy Washington

From: PUBCOMMENT-OCC
Sent: Monday, July 28, 2025 4:20 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

From: hemuchitturi@gmail.com
Sent: Monday, July 28, 2025 3:22 PM
To: PUBCOMMENT-OCC
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Hemantha Kumar Chitturi

EMAIL: hemuchitturi@gmail.com

COMPANY:

ADDRESS: 101 Crimson Rose Ct
Liberty Hill, TX 78642

PHONE: 4087149029

FAX:

COMMENTS: Construction of WWTP in a densely populated area would create a Havoc, keeping in mind the environmental issues this construction poses and especially with so many kids living in near by communities and schools, it would be adversely affected their health in the coming years. Also, if there was a considerable plan to construct to WWTP at this location since 2009. The developers/builders/owners should have been notified before hand. This construction without any earlier

notice will show adverse affects on each and every individual around the area. So, please consider the request and move this project to some other suitable location. Please consider this request atleast for the sake future generations health.

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Monday, May 6, 2024 1:44 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: hemuchitturi@gmail.com <hemuchitturi@gmail.com>
Sent: Monday, May 6, 2024 12:15 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Hemantha Kumar Chitturi

EMAIL: hemuchitturi@gmail.com

COMPANY:

ADDRESS: 101 CRIMSON ROSE CT
LIBERTY HILL TX 78642-2515

PHONE: 4087149029

FAX:

COMMENTS: Construction of WWTP in a densely populated area would create a Havoc, keeping in mind the environmental issues this construction poses and especially with so many kids living in near by communities and schools, it would be adversely affected their health in the coming years. Also, if there was a considerable plan to construct to WWTP at this location since 2009. The developers/builders/owners should have been notified before hand. This construction without any earlier notice will show adverse affects on each and every individual around the area. So, please consider the request and move this project to some other suitable location. Please consider this request atleast for the sake future generations health.

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Friday, May 10, 2024 2:48 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: pmapkiranch@gmail.com <pmapkiranch@gmail.com>
Sent: Thursday, May 9, 2024 10:12 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Kiran Cholleti

EMAIL: pmapkiranch@gmail.com

COMPANY:

ADDRESS: 405 OLINDA WAY
LIBERTY HILL TX 78642-2612

PHONE: 5719212888

FAX:

COMMENTS: We have recently purchased a home in the Santa Rita Ranch Saddle Back community. Upon learning that an industrial plant will be built near our property, we became greatly concerned. As my children suffer from allergies to certain odors, I worry about the potential health impacts. Additionally, the proximity of such a facility could negatively influence home values in our area and complicate refinancing our mortgage. For these reasons, I strongly condemn this proposed project as it may hinder my family's ability to enjoy a peaceful life within our community.

Cathy & Joe Clawson
560 Castillo Bend
Liberty Hill, Tx 78642

AUSTIN TX 787
RIO GRANDE DISTRICT
24 DEC 2024 PM 2 L




2024 DEC 30 AM 10:18

CHIEF CLERKS OFFICE

Office - Chief Clerk - MC105
P.O. Box 13087
Austin TX 78711

% *Printed Case*
Liberty Hill

78711-308787



joeclawson7@gmail.com

To: Texas Commission on Environmental Quality
Subject: I do not support the sewage installation due to the impact on stream at back of property Office of the Chief Clerk (MC105)
Expires: Wednesday, June 18, 2025 12:00 AM

Our address: 560 Castillo Bend Liberty Hill Texas 78642 - We are the owner's: Joe and Cathy Clawson
Phone Number: 817-559-4043

Impact on our residence:

We have our property on the extension of the river the water as it comes into our community - Santa Rita Regency.. I have this concern for my dogs drinking the water or any virus, etc that could be impacted with the stream on the back side of my property.

do not want this sewage water running thru my property

Cathy & Joe Clawson
560 Castillo Bend
Liberty Hill Texas 78642

Reviewed By GW

DEC 30 2024

CHIEF CLERKS OFFICE

2024 DEC 30 AM 10:37

TEXAS
COMMISSION
ON ENVIRONMENTAL
QUALITY

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Monday, May 20, 2024 4:19 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: david.corney@davidcorney.com <david.corney@davidcorney.com>
Sent: Sunday, May 19, 2024 8:32 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: MR David Corney

EMAIL: david.corney@davidcorney.com

COMPANY:

ADDRESS: 504 CANDELA CT
LIBERTY HILL TX 78642-2692

PHONE: 5129833317

FAX:

COMMENTS: Hi, With the number of people moving in the area, Liberty Hill needs more waste water treatment capacity. My concern is that Liberty Hill has a track record of record of allowing water with a high phosphate content, to enter the creeks and rivers. In my opinion this is unacceptable, especially when the technology exists to remove phosphate. I want to be assured that the City of Liberty Hill ensures any water released by their waste water treatment plants does not impact the enviroment.

Ellie Guerra

From: PUBCOMMENT-OCC
Sent: Thursday, December 5, 2024 4:10 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: cottrell44@gmail.com <cottrell44@gmail.com>
Sent: Thursday, December 5, 2024 10:41 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Michael Cottrell

EMAIL: cottrell44@gmail.com

COMPANY:

ADDRESS: 109 TRAMMELL WAY
LIBERTY HILL TX 78642-2471

PHONE: 5122840788

FAX:

COMMENTS: I am writing to express my strong opposition to the proposed construction of a sewage treatment facility near 258 and Ronald Reagan, which is in close proximity to my home and a densely populated residential area. While I understand the necessity of addressing waste management and infrastructure needs, I believe the chosen location is unsuitable and will have significant adverse effects on our community. **Health and Environmental Concerns:** Sewage facilities are known to emit unpleasant odors and, in some cases, harmful gases such as hydrogen sulfide. Prolonged exposure to such conditions poses health risks to residents, particularly children, the elderly, and those with pre-existing conditions. Additionally, there is a risk of groundwater contamination, which could jeopardize our local water supply. **Impact on Property Values:** The presence of a sewage facility will likely result in decreased property values, discouraging future investments and destabilizing the economic well-being of our neighborhood. Property owners may face difficulty selling their homes, creating long-term financial hardships. **Quality of Life:** Living near a sewage facility would significantly diminish our quality of life. The constant noise from machinery, increased traffic from maintenance vehicles, and unpleasant odors will disrupt the daily lives of residents and negatively impact mental well-being. **Alternative Solutions:** I urge you to consider alternative locations that are better suited for this project, such as industrial zones or areas farther from residential neighborhoods. Modern technology may also allow for smaller, decentralized systems that reduce the need for large facilities. I kindly request that you take into account the concerns of the residents who will be directly affected by this project. Our community deserves a thoughtful and responsible solution that balances infrastructure needs with the well-being of its citizens. Thank you for your attention to this matter. I would greatly appreciate a response outlining how these concerns will be addressed and whether alternative sites will be considered.

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Thursday, May 16, 2024 1:18 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: adityadv@hotmail.com <adityadv@hotmail.com>
Sent: Tuesday, May 14, 2024 12:25 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Venkata Dasika

EMAIL: adityadv@hotmail.com

COMPANY:

ADDRESS: 101 IVY GLEN CT
LIBERTY HILL TX 78642-4565

PHONE: 4088722313

FAX:

COMMENTS: Submitted

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Thursday, May 16, 2024 10:58 AM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: meetmurali@gmail.com <meetmurali@gmail.com>
Sent: Monday, May 13, 2024 8:30 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Murali Krishna Dechiraju

EMAIL: meetmurali@gmail.com

COMPANY:

ADDRESS: 108 RIETI PKWY
LIBERTY HILL TX 78642-2310

PHONE: 4047045721

FAX:

COMMENTS: I hope this letter finds you well. I am writing to express my concern and disappointment regarding the recent installation of a Wastewater Treatment Plant (WWTP) plan in our community, Santa Rita Ranch. As a resident and homeowner in SRR, I believe it is crucial for residents to be informed about significant developments that directly impact our quality of life and property values. The presence of a WWTP can have various consequences, including environmental concerns, potential odors, noise pollution, and potential impacts on property values. These are valid concerns that should have been addressed through open dialogue and community engagement before any construction commenced. Thank you for your understanding and cooperation.

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Thursday, May 16, 2024 11:07 AM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: akshithreddy8@gmail.com <akshithreddy8@gmail.com>
Sent: Monday, May 13, 2024 9:50 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Akshith Donkanti

EMAIL: akshithreddy8@gmail.com

COMPANY:

ADDRESS: 205 MIRA MESA DR
LIBERTY HILL TX 78642-2546

PHONE: 4807293234

FAX:

COMMENTS: We are home owners in Santa Rita Ranch SRR in Liberty Hill TX When we decided to find a home in the Austin area to live in after retirement we could have picked any community in the Austin area We were attracted to SRR due to its advertising as a great community to live in But there was no information disclosed about a Waste Water Treatment Plant WWTP to be constructed so close to SRR This would have been an important disclosure had it been made that would have factored into our decision to buy in SRR Now we are afraid that due to the WWTP our lifetime investment will devalue Besides we are also worried about potential health hazards that are typically associated with

living close to a WWTP The quality of life will be damaged due to potential smell and pollutants from the WWTP The WWTP is going to be a problem not just for my family but for thousands of families that call SRR their home

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Thursday, May 16, 2024 11:24 AM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001
Attachments: SRR WWTP 1.pdf

From: nikkidowd01@gmail.com <nikkidowd01@gmail.com>
Sent: Tuesday, May 14, 2024 11:05 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Nikki Dowd

EMAIL: nikkidowd01@gmail.com

COMPANY:

ADDRESS: 117 BENEDUM WAY
LIBERTY HILL TX 78642-2148

PHONE: 5126328390

FAX:

COMMENTS: TO: Texas Commission on Environmental Water Quality (TCEQ) Liberty Hill City Council FROM: Nikki Dowd Resident of Santa Rita Ranch North (Ventana) since 2020 DATE: May 13, 2024 RE: Santa Rita Upper Middlebrook Wastewater Treatment Plan (SRUM WWTP) Permit # WQ0015000001 I am alarmed over the planned location for the Santa Rita Upper Middlebrook WWTP. Yes, Central Texas is in dire straits after a three-year drought. Water is our most precious resource. But you know that. Background Information • As of this date, the WWTP in Santa Rita Upper Middlebrook was approved on April 4, 2024! • In early April no one in our area had made mention of a WWTP. • SRR has

a very vocal and active community where neighbors receive a monthly newsletter through our Social Director, a HOA Board (that includes the developer) provides yearly summaries of SRR, a Town Square app is available to send and receive time sensitive homeowner's information, we have access to a plethora of social media sites to keep homeowners current on SRR activities and development. • There was not one mention on any of these platforms or through Goodwin, our HOA management company, prior to three weeks ago, about this WWTP being built on Ronald Reagan—a site that affects everyone in our community. I find that oversight hard to understand. To be blunt—it's non-disclosure! • I also find it puzzling as to why the developer, Mr. Ed Horne, would donate the plot of land in 2009 to the City of Liberty Hill knowing that this master planned community would surround it. Ed and Elizabeth Horne are proud of this development. • Our sales representative never mentioned that a WWTP was zoned directly across from homes—where some paid a 60,000 to 100,000 premium to have a "view". • The section of homes adjacent to us in SRR is now being developed and not one home is below the 1 million mark! What in the world are the developers thinking? Saddlebrook and Regency are in the early stages of development. • Prices in Regency begin at 600k – 1 M+. Who will purchase a new home with the WWTP scenario? • In addition, a private school that the developers helped fund is within .5 miles from the WWTP—not to mention three newly built schools—a Georgetown elementary, a Liberty Hill elementary and a Liberty Hill Middle School—all within 2 miles! Exposure to waste water treatment solutions is a concern near any school. Let us come to a fair compromise We all know there is a need for a water treatment plant. Let's have the Liberty Hill City Council, Liberty Hill Planning and Zoning and Williamson County elected officials visit with Ed Horne and Elizabeth Phillips Horne to locate a better site and solution that benefits the developer, the builders and home sales on all the ranch land dedicated to homes. A new site should respect the home-owner's property (SRRN, SRRS, Saddlebrook, Regency) plus the private and public schools adjacent to this WWTP. A better plan means placing the WWTP out of sight and mind of our homes and schools from all vantage points. This means away from Ronald Reagan Blvd.—which will become a major 4-lane thoroughfare that will connect with IH35! We need a spot where water can be treated on high ground, so water can flow into Sowe's Branch Tributary, on into the San Gabriel and to its point of use—Lake Georgetown. All of this is needed. But not at the expense of the homeowners, the children attending the nearby schools and last but not least, the developer! The dedicated land planned for 1million and up homes simply won't happen if the current site plan is not altered to include a non-visible spot for a water treatment plant. Only then will the high-priced homes sell and those who bought into this development can retreat to their backyards without looking at a wastewater plant. Thank you.

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Thursday, May 16, 2024 1:25 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: duvvurusandeep@gmail.com <duvvurusandeep@gmail.com>
Sent: Tuesday, May 14, 2024 3:40 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Sandeep Duvvuru

EMAIL: duvvurusandeep@gmail.com



COMPANY:

ADDRESS: 412 REDONDA DR
LIBERTY HILL TX 78642-2577

PHONE: 2018842553

FAX:

COMMENTS: Dear Ms. Davila, We are home owners in Santa Rita Ranch (SRR) in Liberty Hill, TX. When we decided to find a home in the Austin area to live in after retirement, we could have picked any community in the Austin area. We were attracted to SRR due to its advertising as a great community to live in. But there was no information disclosed about a Waste Water Treatment Plant (WWTP) to be constructed so close to SRR. This would have been an important disclosure, had it been made, that would have factored into our decision to buy in SRR. Now we are afraid that due to the WWTP our lifetime investment will devalue. Besides we are also worried about potential health hazards that are typically associated with living close to a WWTP. The quality of life will be damaged due to potential smell and pollutants



from the WWTP. The WWTP is going to be a problem not just for my family but for thousands of families that call SRR their home. We request your help to convince the City of Liberty Hill and Williamson County to find another location for the WWTP away from residential areas. Thank you for your consideration.

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Thursday, May 16, 2024 4:40 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: dwarammahidharreddy@gmail.com <dwarammahidharreddy@gmail.com>
Sent: Wednesday, May 15, 2024 10:08 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: MR Mahidhar reddy Dwaram

EMAIL: dwarammahidharreddy@gmail.com

COMPANY:

ADDRESS: 245 GLEN ARBOR DR
LIBERTY HILL TX 78642-2059

PHONE: 7328584292

FAX:

COMMENTS: We are home owners in Santa Rita Ranch (SRR) in Liberty Hill, TX. When we decided to find a home in the Austin area to live in, we could have picked any community in the Austin area. We were attracted to SRR due to its advertising as a great community to live in. But there was no information disclosed about a Waste Water Treatment Plant (WWTP) to be constructed so close to SRR. This would have been an important disclosure, had it been made, that would have factored into our decision to buy in SRR. Now we are afraid that due to the WWTP our lifetime investment will devalue. Besides we are also worried about potential health hazards that are typically associated with living close to a WWTP. The quality of life will be damaged due to potential smell and pollutants from the WWTP. The WWTP is going to be a problem not just for my family but for thousands of families that call SRR their home. We request your help to convince the City of Liberty Hill and Williamson County to find another location for the WWTP away from residential areas. Thank you for your consideration.

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Friday, May 17, 2024 4:35 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: dwarammahidharreddy@gmail.com <dwarammahidharreddy@gmail.com>
Sent: Friday, May 17, 2024 2:56 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: MR Mahidhar reddy Dwaram

EMAIL: dwarammahidharreddy@gmail.com

COMPANY:

ADDRESS: 245 GLEN ARBOR DR
LIBERTY HILL TX 78642-2059

PHONE: 7328584292

FAX:

COMMENTS: We are home owners in Santa Rita Ranch (SRR) in Liberty Hill, TX. When we decided to find a home in the Austin area to live in, we could have picked any community in the Austin area. We were attracted to SRR due to its advertising as a great community to live in. But there was no information disclosed about a Waste Water Treatment Plant (WWTP) to be constructed so close to SRR. This would have been an important disclosure, had it been made, that would have factored into our decision to buy in SRR. Now we are afraid that due to the WWTP our lifetime investment will devalue. Besides we are also worried about potential health hazards that are typically associated with living close to a WWTP. The quality of life will be damaged due to potential smell and pollutants from the WWTP. The WWTP is going to be a problem not just for my family but for thousands of families that call SRR their home. We request your help to convince the City of Liberty Hill and Williamson County to find another location for the WWTP away from residential areas. Thank you for your consideration.

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Thursday, May 16, 2024 4:39 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: dwarammahidharreddy@gmail.com <dwarammahidharreddy@gmail.com>
Sent: Wednesday, May 15, 2024 9:08 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: MR Mahidhar reddy Dwaram

EMAIL: dwarammahidharreddy@gmail.com

COMPANY:

ADDRESS: 245 GLEN ARBOR DR
LIBERTY HILL TX 78642-2059

PHONE: 7328584292

FAX:



COMMENTS: We are home owners in Santa Rita Ranch (SRR) in Liberty Hill, TX. When we decided to find a home in the Austin area to live in, we could have picked any community in the Austin area. We were attracted to SRR due to its advertising as a great community to live in. But there was no information disclosed about a Waste Water Treatment Plant (WWTP) to be constructed so close to SRR. This would have been an important disclosure, had it been made, that would have factored into our decision to buy in SRR. Now we are afraid that due to the WWTP our lifetime investment will devalue. Besides we are also worried about potential health hazards that are typically associated with living close to a WWTP. The quality of life will be damaged due to potential smell and pollutants from the WWTP. The WWTP is going to be a problem not just for my family but for thousands of families that call SRR their home. We request your help to convince the City of Liberty Hill and Williamson County to find another location for the WWTP away from residential areas. Thank you for your consideration.

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Monday, May 6, 2024 11:36 AM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: Megan.dwight.140@gmail.com <Megan.dwight.140@gmail.com>
Sent: Friday, May 3, 2024 6:33 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Megan Dwight

EMAIL: Megan.dwight.140@gmail.com

COMPANY:

ADDRESS: 308 PEGGY DR
LIBERTY HILL TX 78642-4909

PHONE: 5127853586

FAX:

COMMENTS: This is a huge concern for residents not only would this impact our air quality but our water supply as well as the environment. This area frequently loses power, what's the plan when plant has no power. What the fail safe. How will you protect the environment and the water supply from contamination. This is a very populated massive neighborhood full of concerned citizen. Find alternative land that's less populated to build this so that the impact would be less.

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Tuesday, June 11, 2024 3:44 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: Laurakbrooks85@gmail.com <Laurakbrooks85@gmail.com>
Sent: Saturday, June 8, 2024 3:44 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Laura Ellison

EMAIL: Laurakbrooks85@gmail.com

COMPANY:

ADDRESS: 797 FAITH DR
LIBERTY HILL TX 78642-2247

PHONE: 4698558355

FAX:

COMMENTS: This is not an acceptable place for a treatment center

TCEQ Registration Form

December 3, 2024

City of Liberty Hill

Proposed Renewal of TPDES Permit No. WQ0015000001

PLEASE PRINT

Name: CIA. ELDER

Mailing Address: 1700 CROSS CREEK LANE, LIBERTY HILL, TX 78642

Physical Address (if different): _____

City/State: _____ Zip: _____

This information is subject to public disclosure under the Texas Public Information Act

Email: _____

Phone Number: (512) 698-8468

- Are you here today representing a municipality, legislator, agency, or group? ☐ Yes ☐ No

If yes, which one? _____

☒ Please add me to the mailing list.

☐ I wish to provide formal *ORAL COMMENTS* at tonight's public meeting.

☒ I wish to provide formal *WRITTEN COMMENTS* at tonight's public meeting.

(Written comments may be submitted at any time during the meeting)

Please give this form to the person at the information table. Thank you.

TCEQ Registration Form

December 3, 2024

City of Liberty Hill

Proposed Renewal of TPDES Permit No. WQ0015000001

PLEASE PRINT

Name:

Paul + Julie Epperson

Mailing Address:

572 Fawcett Dr.

Physical Address (if different):

City/State:

Liberty Hill, TX

Zip:

78642

This information is subject to public disclosure under the Texas Public Information Act

Email:

jepperson@outlook.com

Phone Number:

(512) 635-6314

- Are you here today representing a municipality, legislator, agency, or group? ☐ Yes ☐ No

If yes, which one? _____

- ☐ Please add me to the mailing list.
- ☐ I wish to provide formal *ORAL COMMENTS* at tonight's public meeting.
- ☐ I wish to provide formal *WRITTEN COMMENTS* at tonight's public meeting.

(Written comments may be submitted at any time during the meeting)

Please give this form to the person at the information table. Thank you.

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Wednesday, June 12, 2024 5:23 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: prepperson@outlook.com <prepperson@outlook.com>
Sent: Wednesday, June 12, 2024 4:20 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Paul R Epperson

EMAIL: prepperson@outlook.com

COMPANY:

ADDRESS: 572 FAITH DR
LIBERTY HILL TX 78642-2149

PHONE: 5126356314

FAX:

COMMENTS: My wife and I own and occupy our primary residence located at 572 Faith Drive (Williamson County Legal Description - S11714 - SANTA RITA RANCH PH 1 SEC 8, BLOCK B, Lot 17) which is within the ETJ of Liberty Hill, Texas. We are both retired and love our little piece of heaven here in the great state of Texas. We are very concerned with the proposed Wastewater Treatment Plant which would be located 1500 feet from our home. Our concerns are as follows: Air Quality 1. Odors: Wastewater treatment plants can emit unpleasant odors, particularly from the sludge treatment processes. These odors can be a nuisance and affect the quality of life. 2. Airborne Contaminants: There may be emissions of volatile organic compounds (VOCs) and other air pollutants, which can contribute to respiratory issues and other health problems. Water Quality 1. Groundwater Contamination: If the plant has leaks or improper handling of waste, it can lead to groundwater contamination, affecting local wells and drinking water supplies. 2. Surface Water Contamination: Improperly treated wastewater discharged into nearby rivers, lakes, or streams can affect water quality, impacting recreational activities and local ecosystems. Noise Pollution 1. Operational Noise: The machinery and operations of a wastewater treatment plant can generate significant noise, especially if the plant operates continuously. Health Risks 1. Pathogens and Chemicals: There may be concerns about exposure to pathogens and harmful chemicals, especially if there are any accidental releases or improper handling of wastewater. 2. Allergies and Respiratory Issues: Exposure to odors and airborne pollutants can exacerbate allergies and respiratory conditions such as asthma. Aesthetic and Social Impacts 1. Visual Impact: The presence of a large industrial facility can affect the visual appeal of the neighborhood. 2. Property Values: Proximity to a wastewater treatment plant can sometimes negatively impact property values due to the perceived and real environmental and health risks. We request that TCEQ carefully consider to not approve the permit and direct the City of Liberty Hill to find a more suitable location for the plant. Thank you, Paul and Julie Epperson

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Monday, May 6, 2024 11:40 AM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: aerugu.us@gmail.com <aerugu.us@gmail.com>
Sent: Friday, May 3, 2024 9:55 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: MR Ashok Erugu

EMAIL: aerugu.us@gmail.com

COMPANY:

ADDRESS: 529 FAITH DR
LIBERTY HILL TX 78642-2149

PHONE: 8604025474

FAX:

COMMENTS: No this is not supported. Need to move out to less public density.

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Thursday, May 16, 2024 11:49 AM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: surender.ganji@gmail.com <surender.ganji@gmail.com>
Sent: Tuesday, May 14, 2024 11:53 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Surender Ganji

EMAIL: surender.ganji@gmail.com

COMPANY:

ADDRESS: 120 ROCK KNOLL ST
LIBERTY HILL TX 78642-2427

PHONE: 3097167871

FAX:

COMMENTS: We are home owners in Santa Rita Ranch (SRR) in Liberty Hill, TX. When we decided to find a home in the Austin area to live in after retirement, we could have picked any community in the Austin area. We were attracted to SRR due to its advertising as a great community to live in. But there was no information disclosed about a Waste Water Treatment Plant (WWTP) to be constructed so close to SRR. This would have been an important disclosure, had it been made, that would have factored into our decision to buy in SRR. Now we are afraid that due to the WWTP our lifetime investment will devalue. Besides we are also worried about potential health hazards that are typically associated with living close to a WWTP. The quality of life will be damaged due to potential smell and pollutants from the WWTP. The

WWTP is going to be a problem not just for my family but for thousands of families that call SRR their home. We request your help to convince the City of Liberty Hill and Williamson County to find another location for the WWTP away from residential areas. Thank you for your consideration.

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Tuesday, May 7, 2024 3:31 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: ganta.sateesh@gmail.com <ganta.sateesh@gmail.com>
Sent: Monday, May 6, 2024 3:30 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Sateesh Ganta

EMAIL: ganta.sateesh@gmail.com

COMPANY: 424 PALATINO BND

ADDRESS: 424 PALATINO BND
LIBERTY HILL TX 78642-2566

PHONE: 4085078975

FAX:

COMMENTS: I am deeply concerned about the proposed construction of a wastewater treatment plant near our neighborhood. While I acknowledge the need for municipal infrastructure updates, placing such a facility close to residential areas raises significant concerns. The potential for odor and airborne contaminants poses risks to our community's health and quality of life, especially for vulnerable groups like children, the elderly, and those with health issues. Additionally, increased noise levels could disrupt our peaceful environment. The operation of such a plant also carries environmental risks, including water pollution and harm to local wildlife and ecosystems. These concerns require thorough consideration.

Ellie Guerra

From: PUBCOMMENT-OCC
Sent: Thursday, December 5, 2024 1:13 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: kmgatewo@gmail.com <kmgatewo@gmail.com>
Sent: Wednesday, December 4, 2024 5:44 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Karen Gatewood

EMAIL: kmgatewo@gmail.com

COMPANY:

ADDRESS: 112 ANDELE WAY
LIBERTY HILL TX 78642-4656

PHONE: 7373239368

FAX:

COMMENTS: I am opposed to the wast water plant on or next to Santa Rita Ranch. It's not safe for the residents and our drinking water.

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Thursday, May 16, 2024 4:44 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

PM

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: muraligogulapati@gmail.com <muraligogulapati@gmail.com>
Sent: Thursday, May 16, 2024 2:36 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Murali Gogula

EMAIL: muraligogulapati@gmail.com

COMPANY:

ADDRESS: 501 ALAN PL
LIBERTY HILL TX 78642-2370

PHONE: 5103204838

FAX:

COMMENTS: I hope this message reaches you with a sense of urgency. I am writing to express vehement disappointment and frustration regarding the recent installation of the Wastewater Treatment Plant (WWTP) in our community. The utter lack of prior communication or notification regarding such a significant development is utterly unacceptable. Residents of SRR have been blindsided by this gross negligence and disregard for our concerns. We demand immediate and transparent disclosure of information regarding the WWTP, including its capacity, operational procedures, environmental impact assessments, and measures to mitigate any adverse effects on our community. Failure to promptly address these demands will not be tolerated. We insist on an emergency meeting to discuss this matter, and we expect concrete action to rectify this egregious oversight. Your lack of accountability is a slap in the face to every resident of SRR. We will not stand idly by while our community is disregarded and disrespected. You have been warned. Act swiftly, or face the consequences. Thanks Murali

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Friday, May 10, 2024 3:31 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: consultant4hire@yahoo.com <consultant4hire@yahoo.com>
Sent: Friday, May 10, 2024 10:36 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Brad Gordon

EMAIL: consultant4hire@yahoo.com

COMPANY:

ADDRESS: 236 NORCIA LOOP
LIBERTY HILL TX 78642-4450

PHONE: 4083139832

FAX:

COMMENTS: There are several issues a hand with this proposal. The safety, well being and financial security of the surrounding community of the proposed site for this project are in jeopardy and is being done absent adequate notice to the affected citizens. 1. No disclosure was ever made to any of the homeowners this will affect. This has significant legal implications and needs to be addressed before proceeding. 2. Many reputable studies have proven that placing a sewer treatment plant degrades home values within a close proximity. 3. The resulting loss in property tax revenue to the local and state governments is substantial as it will be an ongoing revenue loss into perpetuity. The damage to the state needs to be factored into the equation and explained to the citizens of the state as to why this would be acceptable. 4. Every contract contains an implied duty of good faith and fair dealing. Several contract have been signed at this point by the city, land developers, infrastructure developers, etc. Regardless of what order these contracts were signed in, at some point there has not been good faith on at least one of the parties part with regards to the duty they owe to the home owners. This would invalidate the contract. This must be addressed before going any further with this project. 5. Given all of the above, placing this site in this location at this time would constitute gross negligence on the part of the city. This will also produce a law suit. There is an alternative to this site. The mayor and city counsel have suggested It will cost the city several million dollars in penalties and additional cost to reroute the pipes. This cost needs to be weighed against the loss of tax revenues from degraded home values and the lawsuits that will ensue if they continue with this planned site. That is of course aside from the moral and ethical obligations the city has to it's citizens.

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Friday, May 10, 2024 2:43 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: sandeep.laxman89@gmail.com <sandeep.laxman89@gmail.com>
Sent: Wednesday, May 8, 2024 9:02 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Laxman Sandeep Gudur

EMAIL: sandeep.laxman89@gmail.com

COMPANY:

ADDRESS: 100 RAY CT
LIBERTY HILL TX 78642-2511

PHONE: 2242009005

FAX:

COMMENTS: Dear Sir/Madam, I am writing to express my concerns about the Waste Water Treatment Plant(WWTP) scheduled to commence in our neighborhood on the Ronald Reagan Blvd. While I understand the importance of WWTP for maintaining environmental health, there are several reasons why I believe this particular facility may have negative impact on our community. 1. Odor issues: WWTP can emit unpleasant odors, especially during hot and humid weather. These smells can be disruptive to residents and affect our quality of life. 2. Health: While WWTP is regulated by agencies, there is still a health risk living near the plant by getting exposed to harmful pathogens, chemicals during treatment process. There is a risk of children falling sick because there is an elementary school near by that is scheduled

to open this fall. 3. Property values: WWTP proximity can impact our property values in the neighborhood. When I bought my property, I was not informed neither by the builder nor developer about its construction. In Conclusion, I urge you to consider my above concerns and kindly revoke the permit to build WWTP in our neighborhood and make arrangements to relocate the plant construction to a safer place. Sincerely, Laxman

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Friday, May 10, 2024 2:52 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

PM

From: Karunakar.gunde@gmail.com <Karunakar.gunde@gmail.com>
Sent: Thursday, May 9, 2024 1:44 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: MR Karunakar Gunde

EMAIL: Karunakar.gunde@gmail.com

COMPANY:

ADDRESS: 145 BANYON DR
LIBERTY HILL TX 78642-2539

PHONE: 2484940685

FAX:

COMMENTS: I am writing to express my concern and disappointment regarding the recent installation of a Wastewater Treatment Plant (WWTP) plan in our community. As a resident and homeowner in SRR, I believe it is crucial for residents to be informed about significant developments that directly impact our quality of life and property values. Firstly, I would like to highlight that there was no prior communication or notification from your end regarding the construction of the WWTP. This lack of transparency has left many of us feeling blindsided and concerned about the potential implications of such a facility in our neighborhood. The presence of a WWTP can have various consequences, including environmental concerns, potential odors, noise pollution, and potential impacts on property values. These are valid

concerns that should have been addressed through open dialogue and community engagement before any construction commenced. Furthermore, I urge you to provide detailed information about the WWTP, including its capacity, operation processes, environmental impact assessments, and measures taken to mitigate any potential negative effects on our community. As a responsible builder, it is essential to prioritize transparency and communication with residents to foster a positive and cooperative relationship. I believe that by working together and addressing these concerns proactively, we can ensure the well-being and satisfaction of everyone in our community. I kindly request a meeting or a written response to discuss this matter further and seek clarity on the steps being taken to address our concerns. I look forward to your prompt attention to this issue and a constructive dialogue moving forward. Thank you for your understanding and cooperation.

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Friday, May 10, 2024 2:52 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: pghomestuff@gmail.com <pghomestuff@gmail.com>
Sent: Thursday, May 9, 2024 1:57 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Puneel Gutta

EMAIL: pghomestuff@gmail.com

COMPANY:

ADDRESS: 100 LOTTI LN
LIBERTY HILL TX 78642-2468

PHONE: 5127698426

FAX:

COMMENTS: We strongly condemn building WWTP in the heart of premier community - Santa Rita. We understood that the land was donated by the developer way back not envisioning how this community would grow into. Now that thousands of families established their homes and continue to grow, it's not easy for anyone to digest that in the middle the community a WwTP will be built. Very sad that developer, builders or no one disclosed about this. It's well known the imminent risks and discomforts this will create to the future gen and to the city. I am sure keeping the environment safe & healthy for the humans around is one of your main goals, but building this in hands reach will make it fail. Thank you in advance for taking this read. Hope your decision changes.

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Thursday, May 16, 2024 10:56 AM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: genigomez@live.com <genigomez@live.com>
Sent: Monday, May 13, 2024 7:32 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Genesis Gomez

EMAIL: genigomez@live.com

COMPANY:

ADDRESS: 765 OLINDA WAY
LIBERTY HILL TX 78642-2615

PHONE: 3013774826

FAX:

COMMENTS: A water waste facility is a terrible idea to build next to a new community. Please do not build as we do not want to be near chemicals and a terrible smell as we grow our families.

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Monday, May 6, 2024 11:36 AM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: megan.odea@yahoo.com <megan.odea@yahoo.com>
Sent: Friday, May 3, 2024 5:23 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Megan Hall

EMAIL: megan.odea@yahoo.com

COMPANY:

ADDRESS: 413 PICKRELL LOOP
LIBERTY HILL TX 78642-2294

PHONE: 2096489041

FAX:

COMMENTS: Hello, me and my family just bought our home in Santa Rita ranch last June.. we love how it is so peaceful and nice out here.. this news of a waste water treatment facility in/around our beautiful ranch community is horrible news. I believe with all my heart this is going to effect the market value of our property and community as well as effect our wildlife/air quality as well as our health from spillage... drainage .. ect furthermore.. I want to position this permit for building this facility. I know so many people who are selling there homes now because of this but the ones that love it here want to fight to keep it beautiful!

TCEQ Registration Form

December 3, 2024

City of Liberty Hill

Proposed Renewal of TPDES Permit No. WQ0015000001

PLEASE PRINT

Name: BRIAN HANKEY

Mailing Address: 208 PROSA LN, LIBERTY HILL, TX 78642

Physical Address (if different): _____

City/State: _____ Zip: _____

This information is subject to public disclosure under the Texas Public Information Act

Email: BRIAN.HANKEY@GMAIL.COM

Phone Number: (407) 718 - 1488

- Are you here today representing a municipality, legislator, agency, or group? ☐ Yes ☒ No

If yes, which one? _____

☒ Please add me to the mailing list.

☐ I wish to provide formal *ORAL COMMENTS* at tonight's public meeting.

☐ I wish to provide formal *WRITTEN COMMENTS* at tonight's public meeting.

(Written comments may be submitted at any time during the meeting)

Please give this form to the person at the information table. Thank you.

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Friday, May 17, 2024 4:57 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: hemant.hcet@gmail.com <hemant.hcet@gmail.com>
Sent: Friday, May 17, 2024 3:37 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Hemant Hardas

EMAIL: hemant.hcet@gmail.com

COMPANY:

ADDRESS: 412 SPURLOCK WAY
LIBERTY HILL TX 78642-2512

PHONE: 5125507056

FAX:

COMMENTS: Subject: Concerns Regarding Proposed WWTP Installation in SRR I am writing to express my deep concerns regarding the installation of a Wastewater Treatment Plant (WWTP) in our community. As a resident of SRR, the lack of communication and transparency surrounding this project is alarming. The presence of a WWTP raises valid concerns about environmental impacts, odors, noise pollution, and property values. We urgently need detailed information about the WWTP's capacity, operations, environmental assessments, and mitigation measures. Additionally, I strongly urge you to halt the installation of the WWTP until these concerns are thoroughly addressed and the community is adequately consulted. I kindly request immediate dialogue or a written response to address these concerns and ensure the well-being of our community. Thank you for your prompt attention to this matter. Sincerely, Hemant

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Thursday, May 16, 2024 4:41 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

PM

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: mpauley32@gmail.com <mpauley32@gmail.com>
Sent: Wednesday, May 15, 2024 3:21 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: MRS Mallory A Harwick

EMAIL: mpauley32@gmail.com

COMPANY:

ADDRESS: 316 RIETI PKWY
LIBERTY HILL TX 78642-2308

PHONE: 8052068152

FAX:

COMMENTS: I am opposed and request a public meeting.

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Thursday, May 16, 2024 4:41 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

PM

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: flipthisnow@gmail.com <flipthisnow@gmail.com>
Sent: Wednesday, May 15, 2024 3:39 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Mark Harwick

EMAIL: flipthisnow@gmail.com

COMPANY:

ADDRESS: 316 RIETI PKWY
LIBERTY HILL TX 78642-2308

PHONE: 8052086761

FAX:

COMMENTS: I am opposed to this development and request a public meeting

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Tuesday, June 11, 2024 3:48 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: Sarahehavard@gmail.com <Sarahehavard@gmail.com>
Sent: Monday, June 10, 2024 12:50 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Sarah Havard

EMAIL: Sarahehavard@gmail.com

COMPANY:

ADDRESS: 3721 COUNTY ROAD 258
LIBERTY HILL TX 78642-4751

PHONE: 5128870070

FAX:

COMMENTS: I would like to express my opposition to the proposed Waste Treatment plant's location. The Ronald Reagan area is by far one of the busiest and most populated area, with substantial growth continuing in commercial, but mainly residential neighborhoods. These areas are also full of beloved and scarce water that serves for both recreation and considering the San Gabriel flows into Lake Georgetown, drinking water. Texas has a water crisis and the last thing we need is another potentially

polluted river like our neighbors now have at the South San Gabriel. The algae and pollution from waste water overflow has ruined the water, property values and more. There has to be a better location that affects less schools, residents and drinking sources in the area. Please do not allow this to treatment plant to ruin our property values and quality of living on our special little town we call home! Thank you for your consideration!

TCEQ Registration Form

December 3, 2024

City of Liberty Hill

Proposed Renewal of TPDES Permit No. WQ0015000001

PLEASE PRINT

Name: Mike & Beverly Heimstead

Mailing Address: 561 Faith Drive

Physical Address (if different): _____

City/State: Liberty Hill, TX

Zip: 78642

This information is subject to public disclosure under the Texas Public Information Act

Email: _____

Phone Number: () _____

- Are you here today representing a municipality, legislator, agency, or group? ☐ Yes ☐ No

If yes, which one? _____



Please add me to the mailing list.



I wish to provide formal *ORAL COMMENTS* at tonight's public meeting.



I wish to provide formal *WRITTEN COMMENTS* at tonight's public meeting.

(Written comments may be submitted at any time during the meeting)

Please give this form to the person at the information table. Thank you.

Ellie Guerra

From: PUBCOMMENT-OCC
Sent: Wednesday, December 4, 2024 4:59 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: amirhemani4@gmail.com <amirhemani4@gmail.com>
Sent: Wednesday, December 4, 2024 8:12 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Amir Hemani

EMAIL: amirhemani4@gmail.com

COMPANY:

ADDRESS: 512 BENICIA CV
LIBERTY HILL TX 78642-2575

PHONE: 6822844919

FAX:

COMMENTS: The waste water plant can and can cause significant health issues for my family. The water quality will be severely impacted for residents far beyond the Santa Rita Ranch neighborhood based on the failed compliance history for the other waste water plant in Liberty Hill. The odor emitted will severely impacted home values and quality of life for residents and the children in nearby schools.

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Monday, May 6, 2024 1:43 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: swapnahiray@yahoo.com <swapnahiray@yahoo.com>
Sent: Sunday, May 5, 2024 11:15 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Swapna Hiray

EMAIL: swapnahiray@yahoo.com

COMPANY:

ADDRESS: 108 ROSELEAF CT
LIBERTY HILL TX 78642-2410

PHONE: 4256796121

FAX:

COMMENTS: We are home owners in Santa Rita Ranch (SRR). No entity including the city of Liberty Hill, Williamson County, SRR developers, and the home builder gave us any information about the WWTP project prior to purchase of our house in SRR. The WWTP plant will significantly reduce the property values in SRR and cause financial stress to thousands of families that have made SRR their home. The quality of the lives of home owners in SRR will be adversely impacted by this project. We request that the city of Liberty Hill and Williamson County find another location for the WWTP away from residential areas.

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Thursday, May 16, 2024 10:58 AM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: yaroslav.goncharuk@gmail.com <yaroslav.goncharuk@gmail.com>
Sent: Monday, May 13, 2024 7:52 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Yaroslav Honcharuk

EMAIL: yaroslav.goncharuk@gmail.com

COMPANY:

ADDRESS: 232 ROSEBUSH DR
LIBERTY HILL TX 78642-2217

PHONE: 7372072875

FAX:

COMMENTS: Hello. Let me express my concerns regarding placing WWTP in the middle of a master-planned community (~6000 houses on completion): 1. Health and Wellbeing: Future odor emission is my main concern. I have lived close to WWTP for some time, and this experience was bad. Current technology can't make any WWTP completely odorless, so I am sure it should be placed in some unpopulated or industrial area. As few people as possible should be exposed to chemicals and smells from WWTP. Moreover, 5 schools are located in the surrounding area, and with the local strong winds, all the smells will be drafted around, affecting kids. 2. Property Value: Nearby WWTP will negatively affect the property value. When I purchased my house in 2021, the developer and the builder did not disclose any information

about the planned WWTP, despite the developer donating land well before 2021. I would never invest in property knowing about the planned WWTP close by. 3. Environmental Hazard: I am aware of Liberty Hill's compliance issues with the existing WWTPs. <https://www.kvue.com/article/news/investigations/defenders/rapid-algae-growth-texas-south-san-gabriel-river/269-f4c8ba39-0a1c-4cc6-9d3b-dfe16e3a0e58>. I am sure, a new WWTP located in such close proximity to San Gabriel river will make the compliance issues even worse. I know many homeowners are very concerned, and I hope my comments can help the community to be heard. Regards.

6

Santa Rita KC, LLC, Texas limited liability company ("SRKC")
1700 Cross Creek Lane, Liberty Hill, TX 78642

RECEIVED

DEC 03 2024

AT PUBLIC MEETING

December 3, 2024

Office of the Chief Clerk, Texas Commission on Environmental Quality
Via Hand Delivery at the Public Meeting of TCEQ on December 3, 2024

RE: Public Comment Letter - Renewal of City of Liberty Hill TPDES Permit No.
WQ0015000001 ("Permit"); North Wastewater Treatment Plant ("North Plant")

To Whom it may concern:

As the primary developer of Santa Rita Ranch, SRKC submits this memorandum in support of the renewal of the above Permit without making any changes to the current draft permit.

The original Permit was issued over ten years ago. The original Permit was issued following a Mediated Settlement Agreement entered into in March of 2014 that addressed issues raised by various stakeholders - including neighboring landowners and adjacent municipalities. SRKC agreed with the conditions of the settlement which, among other things, provided for optionality of the operator and required the use of treated effluent for irrigation. In fact, SRKC has installed miles of irrigation lines (purple pipe under Chapter 210) in anticipation of accepting and using treated effluent from the plant to irrigate the common areas of the community in order to avoid the unnecessary burden on the potable water source for landscape irrigation and to reduce actual discharges into the receiving stream.

The North Plant will be part of Liberty Hill's regional wastewater system. That was by design as regionalization is preferred by the TCEQ because it facilitates the distribution of wastewater discharges throughout the service area as opposed to concentrating discharges at a single location. The construction of the North Plant is a time-sensitive and critical component in extending the regionalization of the Liberty Hill wastewater treatment system.

Santa Rita KC, LLC, a Texas limited liability company

By: MREM Texas Manager, LLC,
a Delaware limited liability company, Manager

By: /s/ James Edward Horne, Vice President



Ellie Guerra

From: PUBCOMMENT-OCC
Sent: Wednesday, December 4, 2024 11:39 AM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: Sandrahutch@juno.com <Sandrahutch@juno.com>
Sent: Tuesday, December 3, 2024 10:17 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Sandra Hutchinson

EMAIL: Sandrahutch@juno.com

COMPANY:

ADDRESS: 1700 HONEYSUCKLE LN
ROUND ROCK TX 78664-2621

PHONE: 5128260204

FAX:

COMMENTS: This will negatively impact this beautiful rapidly growing area

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Friday, May 10, 2024 2:51 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: movie777@gmail.com <movie777@gmail.com>
Sent: Thursday, May 9, 2024 12:54 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Rajarajan Jagadesan

EMAIL: movie777@gmail.com



COMPANY:

ADDRESS: 126 ARCADIAN LN
LIBERTY HILL TX 78642-2297

PHONE: 7814932166

FAX:

COMMENTS: Subject: Public Comment on Wastewater Treatment Plant Location Proposal Dear Texas Commission on Environmental Quality, I am writing to provide my input and express my concerns regarding the proposed location of a Wastewater Treatment Plant (WWTP) in Liberty Hill near Santa Rita Ranch residential community. As a resident of the community directly affected by this proposal, I feel compelled to voice my thoughts on this matter. Firstly, I want to emphasize the importance of thoroughly evaluating the potential environmental, social, and economic impacts associated with the establishment of such a facility. The location of a WWTP can have far-reaching consequences, including but not limited to changes in air and water quality, noise pollution, disruption of local ecosystems, and effects



on property values. Furthermore, it is crucial to prioritize the health and well-being of nearby residents and ensure that any proposed location meets rigorous safety and regulatory standards. Community engagement and input should be integral to the decision-making process to address concerns and mitigate negative impacts to the greatest extent possible. I urge the Texas Commission on Environmental Quality to conduct a comprehensive environmental impact assessment and consider alternative locations for the WWTP that minimize adverse effects on surrounding communities. Transparent communication and collaboration with affected residents are essential throughout this process to foster trust and accountability. In conclusion, I respectfully request that the Commission carefully evaluates all available information and takes into account the concerns and preferences of local residents before finalizing the location of the WWTP. Thank you for considering my comments, and I trust that you will prioritize the best interests of both the environment and the community in your decision-making process. Sincerely, Raja

Ellie Guerra

From: PUBCOMMENT-OCC
Sent: Wednesday, December 4, 2024 4:54 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: lucky.jajoo@gmail.com <lucky.jajoo@gmail.com>
Sent: Wednesday, December 4, 2024 2:14 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Lokesh Jajoo

EMAIL: lucky.jajoo@gmail.com

COMPANY:

ADDRESS: 409 OLINDA WAY
LIBERTY HILL TX 78642-2612

PHONE: 4252198986

FAX:

COMMENTS: I am writing to formally appeal the decision to construct a wastewater treatment plant near Santa Rita Ranch Saddleback. As a homeowner and resident of this community, I am deeply concerned about the potential negative impact this project will have on our neighborhood's safety, health, property values, and overall quality of life. Key Concerns

1. Environmental and Health Risks
 - Wastewater treatment facilities are known to emit unpleasant odors and potentially harmful pollutants into the surrounding environment. This poses serious health risks to residents, particularly children and elderly individuals, who may be more vulnerable to poor air quality.
 - Any accidental leaks or spills could contaminate local groundwater, further endangering the environment and public health.
2. Impact on Property Values
 - Proximity to a wastewater treatment plant has been shown to significantly reduce property values. Homeowners who have invested their savings into their properties could face financial losses, and the appeal of the area to potential buyers may diminish.
3. Noise and Aesthetic Concerns

Tammy Washington

From: PUBCOMMENT-OCC
Sent: Monday, July 7, 2025 2:40 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

From: lucky.jajoo@gmail.com
Sent: Monday, July 7, 2025 2:27 PM
To: PUBCOMMENT-OCC
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Lokesh Jajoo

EMAIL: lucky.jajoo@gmail.com

COMPANY:

ADDRESS: 409 Olinda Way
Liberty Hill, TX 78642

PHONE: 4252198986

FAX:

COMMENTS: I protest this as it will be harmful to residents in my community

Ellie Guerra

From: PUBCOMMENT-OCC
Sent: Wednesday, December 4, 2024 11:36 AM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: lucky.jajoo@gmail.com <lucky.jajoo@gmail.com>
Sent: Tuesday, December 3, 2024 10:03 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Lokesh Jajoo

EMAIL: lucky.jajoo@gmail.com

COMPANY:

ADDRESS: 409 OLINDA WAY
LIBERTY HILL TX 78642-2612

PHONE: 4252198986

FAX:

COMMENTS: I am writing to formally appeal the decision to construct a wastewater treatment plant near Santa Rita Ranch Saddleback. As a homeowner and resident of this community, I am deeply concerned about the potential negative impact this project will have on our neighborhood's safety, health, property values, and overall quality of life. Key Concerns 1. Environmental and Health Risks • Wastewater treatment facilities are known to emit unpleasant odors and potentially harmful pollutants into the

surrounding environment. This poses serious health risks to residents, particularly children and elderly individuals, who may be more vulnerable to poor air quality. • Any accidental leaks or spills could contaminate local groundwater, further endangering the environment and public health. 2. Impact on Property Values • Proximity to a wastewater treatment plant has been shown to significantly reduce property values. Homeowners who have invested their savings into their properties could face financial losses, and the appeal of the area to potential buyers may diminish. 3. Noise and Aesthetic Concerns

Tammy Washington

From: PUBCOMMENT-OCC
Sent: Monday, July 7, 2025 2:41 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

From: Sumiran.jajoo@gmail.com
Sent: Monday, July 7, 2025 2:28 PM
To: PUBCOMMENT-OCC
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Sumiran Jajoo

EMAIL: Sumiran.jajoo@gmail.com

COMPANY:

ADDRESS: 409 Olinda Way
Liberty Hl, TX 78642

PHONE: 4252198986

FAX:

COMMENTS: I protest this as it's harmful to my community residents

Tammy Washington

From: PUBCOMMENT-OCC
Sent: Monday, July 7, 2025 4:31 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

From: Sumiran.jajoo@gmail.com <Sumiran.jajoo@gmail.com>
Sent: Monday, July 7, 2025 3:11 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Sumiran Jajoo

EMAIL: Sumiran.jajoo@gmail.com

COMPANY:

ADDRESS: 409 Olinda Way
Liberty Hill, TX 78642

PHONE: 4252198986

FAX:

COMMENTS: I protest this as it's harmful to my community residents

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Thursday, May 16, 2024 1:21 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: mounika.janagam@gmail.com <mounika.janagam@gmail.com>
Sent: Tuesday, May 14, 2024 1:27 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Mounika R Janagam

EMAIL: mounika.janagam@gmail.com

COMPANY:

ADDRESS: 204 PROSA LN
LIBERTY HILL TX 78642-0228

PHONE: 8482198167

FAX:

COMMENTS: Best regards, Subject: Immediate Action Required: Recent WWTP Installation Concerns I hope this message finds you well. I am writing to urgently address the recent installation of the Wastewater Treatment Plant (WWTP) in our community. The lack of prior communication has understandably caused significant concern among residents. As a homeowner in SRR, I emphasize the importance of transparency and communication regarding developments that directly impact our neighborhood. We require detailed information on the WWTP, including its capacity, operational procedures, environmental assessments, and measures to mitigate potential adverse effects on our community. Prompt action is necessary to address these concerns and foster a cooperative relationship between

residents and developers. I kindly request an immediate meeting or a comprehensive written response to discuss this matter further. Thank you for your prompt attention to this urgent issue. Sincerely, Mounika Janagam

Ellie Guerra

From: PUBCOMMENT-OCC
Sent: Wednesday, December 4, 2024 4:56 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: tarajoynerlpc@yahoo.com <tarajoynerlpc@yahoo.com>
Sent: Wednesday, December 4, 2024 6:33 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Hannah Joyner

EMAIL: tarajoynerlpc@yahoo.com

COMPANY:

ADDRESS: 101 DIAMANTES DR
LIBERTY HILL TX 78642-2160

PHONE: 5123373858

FAX:

COMMENTS: Subject: Objection to Proposed Sewage Facility Construction Near Residential Area I am writing to express my strong opposition to the proposed construction of a sewage treatment facility near [location/address], which is in close proximity to my home and a densely populated residential area. While I understand the necessity of addressing waste management and infrastructure needs, I believe the chosen location is unsuitable and will have significant adverse effects on our community. Health and Environmental Concerns Sewage facilities are known to emit unpleasant odors and, in some cases, harmful gases such as hydrogen sulfide. Prolonged exposure to such conditions poses health risks to residents, particularly children, the elderly, and those with pre-existing conditions. Additionally, there is a risk of groundwater contamination, which could jeopardize our local water supply. Impact on Property Values The presence of a sewage facility will likely result in decreased property values, discouraging future investments and destabilizing the economic well-being of our neighborhood. Property owners may face difficulty selling their homes, creating long-term financial hardships. Quality of Life Living near a sewage facility would significantly diminish our quality of life. The constant noise from machinery, increased traffic from maintenance vehicles, and unpleasant odors will disrupt the daily lives of residents and negatively impact mental well-being. Alternative Solutions I urge you to consider alternative locations that are better suited for this project, such as industrial zones or areas farther from residential neighborhoods. Modern technology may also allow for smaller, decentralized systems that reduce the need for large facilities. I kindly request that you take into account the concerns of the residents who will be directly affected by this project. Our community deserves a thoughtful and responsible solution that balances infrastructure needs with the well-being of its citizens. Thank you for your attention to this matter. I would greatly appreciate a response outlining how these concerns will be addressed and whether alternative sites will be considered. Sincerely, Hannah Joyner

Ellie Guerra

From: PUBCOMMENT-OCC
Sent: Wednesday, December 4, 2024 4:57 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: tara@tarajoynerlpc.com <tara@tarajoynerlpc.com>
Sent: Wednesday, December 4, 2024 6:44 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Tara Joyner

EMAIL: tara@tarajoynerlpc.com

COMPANY:

ADDRESS: 101 DIAMANTES DR
LIBERTY HILL TX 78642-2160

PHONE: 5127864248

FAX:

COMMENTS: Subject: Objection to Proposed Sewage Facility Construction Near Residential Area I am writing to express my strong opposition to the proposed construction of a sewage treatment facility near [location/address], which is in close proximity to my home and a densely populated residential area. While I understand the necessity of addressing waste management and infrastructure needs, I believe the chosen location is unsuitable and will have significant adverse effects on our community. Health and Environmental Concerns Sewage facilities are known to emit unpleasant odors and, in some cases, harmful gases such as hydrogen sulfide. Prolonged exposure to such conditions poses health risks to residents, particularly children, the elderly, and those with pre-existing conditions. Additionally, there is a risk of groundwater contamination, which could jeopardize our local water supply. Impact on Property Values The presence of a sewage facility will likely result in decreased property values, discouraging future investments and destabilizing the economic well-being of our neighborhood. Property owners may face difficulty selling their homes, creating long-term financial hardships. Quality of Life Living near a sewage facility would significantly diminish our quality of life. The constant noise from machinery, increased traffic from maintenance vehicles, and unpleasant odors will disrupt the daily lives of residents and negatively impact mental well-being. Alternative Solutions I urge you to consider alternative locations that are better suited for this project, such as industrial zones or areas farther from residential neighborhoods. Modern technology may also allow for smaller, decentralized systems that reduce the need for large facilities. I kindly request that you take into account the concerns of the residents who will be directly affected by this project. Our community deserves a thoughtful and responsible solution that balances infrastructure needs with the well-being of its citizens. Thank you for your attention to this matter. I would greatly appreciate a response outlining how these concerns will be addressed and whether alternative sites will be considered. Sincerely, Tara Joyner

Ellie Guerra

From: PUBCOMMENT-OCC
Sent: Wednesday, December 4, 2024 4:57 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: Tarajoynerlpc@gmail.com <Tarajoynerlpc@gmail.com>
Sent: Wednesday, December 4, 2024 6:49 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Tara Joyner

EMAIL: Tarajoynerlpc@gmail.com

COMPANY:

ADDRESS: 101 DIAMANTES DR
LIBERTY HILL TX 78642-2160

PHONE: 5127864248

FAX:

COMMENTS: Subject: Objection to Proposed Sewage Facility Construction Near Residential Area I am writing to express my strong opposition to the proposed construction of a sewage treatment facility near [location/address], which is in close proximity to my home and a densely populated residential area. While I understand the necessity of addressing waste management and infrastructure needs, I believe the chosen location is unsuitable and will have significant adverse effects on our community. Health and Environmental Concerns Sewage facilities are known to emit unpleasant odors and, in some cases, harmful gases such as hydrogen sulfide. Prolonged exposure to such conditions poses health risks to residents, particularly children, the elderly, and those with pre-existing conditions. Additionally, there is a risk of groundwater contamination, which could jeopardize our local water supply. Impact on Property Values The presence of a sewage facility will likely result in decreased property values, discouraging future investments and destabilizing the economic well-being of our neighborhood. Property owners may face difficulty selling their homes, creating long-term financial hardships. Quality of Life Living near a sewage facility would significantly diminish our quality of life. The constant noise from machinery, increased traffic from maintenance vehicles, and unpleasant odors will disrupt the daily lives of residents and negatively impact mental well-being. Alternative Solutions I urge you to consider alternative locations that are better suited for this project, such as industrial zones or areas farther from residential neighborhoods. Modern technology may also allow for smaller, decentralized systems that reduce the need for large facilities. I kindly request that you take into account the concerns of the residents who will be directly affected by this project. Our community deserves a thoughtful and responsible solution that balances infrastructure needs with the well-being of its citizens. Thank you for your attention to this matter. I would greatly appreciate a response outlining how these concerns will be addressed and whether alternative sites will be considered. Sincerely, Tara Joyner

Ellie Guerra

From: PUBCOMMENT-OCC
Sent: Wednesday, December 4, 2024 4:55 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: tara@tarajoynerlpc.com <tara@tarajoynerlpc.com>
Sent: Wednesday, December 4, 2024 6:24 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Tara Joyner

EMAIL: tara@tarajoynerlpc.com

COMPANY:

ADDRESS: 101 DIAMANTES DR
LIBERTY HILL TX 78642-2160

PHONE: 5127864248

FAX:

COMMENTS: We are adamantly against this proposal. We are concerned about it affecting our water quality and quality of life with waste smells. We all pay 15k+ in tax dollars and do not want this to affect our quality or life or resale value for high dollar properties. This could negatively impact our health and we desperately want to these things to be costed to deny this proposal.

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Monday, May 6, 2024 1:52 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: anand.atx0904@gmail.com <anand.atx0904@gmail.com>
Sent: Monday, May 6, 2024 9:57 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Anand K

EMAIL: anand.atx0904@gmail.com

COMPANY:

ADDRESS: 204 PROSA LN
LIBERTY HILL TX 78642-0228

PHONE: 2818983313

FAX:



COMMENTS: The proposed WWTP is very close to the large residential community. All the residents are concerned about environmental and health issues with this project. Could you please consider moving this to the place which is away from the residential areas.

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Friday, May 10, 2024 3:13 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: kadaletejas@gmail.com <kadaletejas@gmail.com>
Sent: Thursday, May 9, 2024 5:09 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Tejas Dhananjay Kadale

EMAIL: kadaletejas@gmail.com

COMPANY:

ADDRESS: 516 AHERN CT
LIBERTY HILL TX 78642-2728

PHONE: 4153353193

FAX:

COMMENTS: Pleas halt the construction of WWTP near residential area of Santa Rita Ranch .Hundreds of families might get affected by this plant being very near to the community. If any health concerns are found later during construction or post it , the city might be liable for losses of the families. Being an essential plant and proper survey and resident permission should be taken before construction of such treatment plants

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Friday, May 10, 2024 2:43 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: prad90@gmail.com <prad90@gmail.com>
Sent: Wednesday, May 8, 2024 9:27 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Krishna Kakarla

EMAIL: prad90@gmail.com

COMPANY:

ADDRESS: 416 SPURLOCK WAY 416 Spurlock Way
LIBERTY HILL TX 78642-2512

PHONE: 7038614004

FAX:

COMMENTS: I vehemently oppose the building of the WWTP. This will reduce the quality of my family's life. A school building is also within the 1 mile vicinity.

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Tuesday, May 7, 2024 3:32 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: drkal99@gmail.com <drkal99@gmail.com>
Sent: Monday, May 6, 2024 3:47 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Suresh Kalatoor

EMAIL: drkal99@gmail.com

COMPANY:

ADDRESS: 332 CLEAR FORK LOOP
LIBERTY HILL TX 78642-2133

PHONE: 6512142270

FAX:

COMMENTS: I am an Environmental Engineer myself and am very much concerned with this permit for having an Waste Water Treatment Plant at this location very close to residential areas. It is important note that there are Elementary and Middle Schools in this development. This also means quite a number of children also live in this area. As this is very very near a residential population that consists of both younger and retired population and everyone in between, the presense of not only smell but also of bio-aerosols carrying pathogens is a huge concern. I would like to dock my strong protest to building this facility at this site. I do understand a need for this facility, but at th same time, I request this be moved to different site where the impact on environment and to value of the homes in this neighbourhood is very strongly ocnsidered. Dr. Suresh Kalatoor.

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Thursday, May 16, 2024 11:23 AM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: Bharath775@gmail.com <Bharath775@gmail.com>
Sent: Tuesday, May 14, 2024 10:54 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Bharath Karnati

EMAIL: Bharath775@gmail.com

COMPANY:

ADDRESS: 848 OLINDA WAY
LIBERTY HILL TX 78642-2616

PHONE: 8155081659

FAX:

COMMENTS: Have a huge concern about odors and price reductions.

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Friday, May 10, 2024 3:33 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: Kaukuntlak@gmail.com <Kaukuntlak@gmail.com>
Sent: Friday, May 10, 2024 11:51 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Kiran Kumar Kaukuntla

EMAIL: Kaukuntlak@gmail.com

COMPANY:

ADDRESS: 156 ALICANTE LN
LIBERTY HILL TX 78642-2549

PHONE: 4252025228

FAX:



COMMENTS: Request to Halt WWTP Installation in SRR - Santa Rita Ranch community

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Thursday, May 16, 2024 1:19 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: Kambam0464@gmail.com <Kambam0464@gmail.com>
Sent: Tuesday, May 14, 2024 12:27 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Avinash Reddy Kambam

EMAIL: Kambam0464@gmail.com

COMPANY:

ADDRESS: 209 CRIMSON ROSE CT
LIBERTY HILL TX 78642-2516

PHONE: 8563184455

FAX:

COMMENTS: SANTA RITA UPPER MIDDLEBROOK WWTP (PERMIT NUMBER: WQ0015000001) We are home owners in Santa Rita Ranch (SRR) in Liberty Hill, TX. When we decided to find a home in the Austin area to live in after retirement, we could have picked any community in the Austin area. We were attracted to SRR due to its advertising as a great community to live in. But there was no information disclosed about a Waste Water Treatment Plant (WWTP) to be constructed so close to SRR. This would have been an important disclosure, had it been made, that would have factored into our decision to buy in SRR. Now we are afraid that due to the WWTP our lifetime investment will devalue. Besides we are also worried about potential health hazards that are typically associated with living close to a WWTP. The quality

of life will be damaged due to potential smell and pollutants from the WWTP. The WWTP is going to be a problem not just for my family but for thousands of families that call SRR their home. We request your help to convince the City of Liberty Hill and Williamson County to find another location for the WWTP away from residential areas. Thank you for your consideration.

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Monday, May 6, 2024 11:41 AM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: Kambam0464@gmail.com <Kambam0464@gmail.com>
Sent: Saturday, May 4, 2024 4:03 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Avinash Reddy Kambam

EMAIL: Kambam0464@gmail.com

COMPANY:

ADDRESS: 209 CRIMSON ROSE CT
LIBERTY HILL TX 78642-2516

PHONE: 8563184455

FAX:

COMMENTS: Please change the place

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Tuesday, May 7, 2024 3:34 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: Kesani097@gmail.com <Kesani097@gmail.com>
Sent: Monday, May 6, 2024 10:33 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: MR Ratna deep Kesani

EMAIL: Kesani097@gmail.com

COMPANY:

ADDRESS: 213 PALATINO BND
LIBERTY HILL TX 78642-2564

PHONE: 3802320682

FAX:

COMMENTS: Expressing my deep concern regarding the proposal to construct a wastewater treatment plant adjacent to our neighborhood. While I understand the necessity of updating and expanding municipal infrastructure, the proximity of such a facility to our residential area raises several significant concerns that we believe need careful consideration. The potential for odor and airborne contaminants could adversely affect the quality of life and health of our community members. We are particularly concerned about the effects on children, the elderly, and those with pre-existing health conditions. The operation of the plant, increased noise levels, which can be a nuisance and disrupt the peaceful environment of our community. The operation of a wastewater treatment plant involves various processes that can have a significant impact on the local environment. We are concerned about the potential for water pollution and the effect this might have on local wildlife and ecosystems.

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Friday, May 10, 2024 2:51 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: manjunath.friends@gmail.com <manjunath.friends@gmail.com>
Sent: Thursday, May 9, 2024 1:03 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Manjunath Keetani

EMAIL: manjunath.friends@gmail.com

COMPANY:

ADDRESS: 112 JANELLE LN
LIBERTY HILL TX 78642-2402

PHONE: 5129643325

FAX:

COMMENTS: Urgent Appeal to Halt WWTP Installation in Our Neighborhood Santa Rita Ranch(SRR) Dear TCEQ Team, I hope this message finds you well. I am reaching out to you with urgent concerns regarding the ongoing installation of a Wastewater Treatment Plant (WWTP) in our Santa Rita Ranch(SRR) neighborhood. The lack of transparency and consultation surrounding this project is deeply troubling for residents like myself. We are deeply concerned about the potential adverse impacts on our environment, health, and property values. In light of these concerns, I request you to immediately halt all construction activities related to the WWTP until a comprehensive environmental impact assessment is conducted and community concerns are addressed through meaningful engagement. Thank you for your

prompt attention to this urgent matter. I look forward to your swift action and constructive engagement. Best regards,
Manjunath Keetani 112 Janelle Ln, Liberty Hill, TX, 78642 manjunath.friends@gmail.com 512-964-3325

Ellie Guerra

From: PUBCOMMENT-OCC
Sent: Friday, December 6, 2024 2:33 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: diocese-knoll-92@icloud.com <diocese-knoll-92@icloud.com>
Sent: Friday, December 6, 2024 6:00 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Killian Kirk

EMAIL: diocese-knoll-92@icloud.com

COMPANY:

ADDRESS: 231 KRUPP AVE
LIBERTY HILL TX 78642-4492

PHONE: 4696673833

FAX:

COMMENTS: The waste water plant will cause significant health issues for my family and community. The water quality will be severely impacted for residents in our neighborhood and the surrounding Georgetown water district based on the failed compliance history for the other waste water plant in Liberty Hill. The odor emitted will severely impacted home values and quality of life for residents and the children in nearby schools. The city needs to relocate the facility, ensure it does not discharge into public waterways and reallocate other wasted city funds on excessive school construction and invest in higher quality water management and treatment services in another location sequestered from residential areas.

Ellie Guerra

From: PUBCOMMENT-OCC
Sent: Friday, December 6, 2024 2:33 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: diocese-knoll-92@icloud.com <diocese-knoll-92@icloud.com>
Sent: Friday, December 6, 2024 6:00 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Killian Kirk

EMAIL: diocese-knoll-92@icloud.com

COMPANY:

ADDRESS: 231 KRUPP AVE
LIBERTY HILL TX 78642-4492

PHONE: 4696673833



FAX:

COMMENTS: The waste water plant will cause significant health issues for my family and community. The water quality will be severely impacted for residents in our neighborhood and the surrounding Georgetown water district based on the failed compliance history for the other waste water plant in Liberty Hill. The odor emitted will severely impacted home values and quality of life for residents and the children in nearby schools. The city needs to relocate the facility, ensure it does not discharge into public waterways and reallocate other wasted city funds on excessive school construction and invest in higher quality water management and treatment services in another location sequestered from residential areas.

Ellie Guerra

From: PUBCOMMENT-OCC
Sent: Friday, December 6, 2024 2:33 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: diocese-knoll-92@icloud.com <diocese-knoll-92@icloud.com>
Sent: Friday, December 6, 2024 6:00 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Killian Kirk

EMAIL: diocese-knoll-92@icloud.com

COMPANY:

ADDRESS: 231 KRUPP AVE
LIBERTY HILL TX 78642-4492

PHONE: 4696673833

FAX:

COMMENTS: The waste water plant will cause significant health issues for my family and community. The water quality will be severely impacted for residents in our neighborhood and the surrounding Georgetown water district based on the failed compliance history for the other waste water plant in Liberty Hill. The odor emitted will severely impacted home values and quality of life for residents and the children in nearby schools. The city needs to relocate the facility, ensure it does not discharge into public waterways and reallocate other wasted city funds on excessive school construction and invest in higher quality water management and treatment services in another location sequestered from residential areas.

Ellie Guerra

From: PUBCOMMENT-OCC
Sent: Friday, December 6, 2024 2:32 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: diocese-knoll-92@icloud.com <diocese-knoll-92@icloud.com>
Sent: Friday, December 6, 2024 6:00 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Killian Kirk

EMAIL: diocese-knoll-92@icloud.com

COMPANY:

ADDRESS: 231 KRUPP AVE
LIBERTY HILL TX 78642-4492

PHONE: 4696673833

FAX:

COMMENTS: The waste water plant will cause significant health issues for my family and community. The water quality will be severely impacted for residents in our neighborhood and the surrounding Georgetown water district based on the failed compliance history for the other waste water plant in Liberty Hill. The odor emitted will severely impacted home values and quality of life for residents and the children in nearby schools. The city needs to relocate the facility, ensure it does not discharge into public waterways and reallocate other wasted city funds on excessive school construction and invest in higher quality water management and treatment services in another location sequestered from residential areas.

Ellie Guerra

From: PUBCOMMENT-OCC
Sent: Friday, December 6, 2024 2:32 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: diocese-knoll-92@icloud.com <diocese-knoll-92@icloud.com>
Sent: Friday, December 6, 2024 6:00 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Killian Kirk

EMAIL: diocese-knoll-92@icloud.com

COMPANY:

ADDRESS: 231 KRUPP AVE
LIBERTY HILL TX 78642-4492

PHONE: 4696673833



FAX:

COMMENTS: The waste water plant will cause significant health issues for my family and community. The water quality will be severely impacted for residents in our neighborhood and the surrounding Georgetown water district based on the failed compliance history for the other waste water plant in Liberty Hill. The odor emitted will severely impacted home values and quality of life for residents and the children in nearby schools. The city needs to relocate the facility, ensure it does not discharge into public waterways and reallocate other wasted city funds on excessive school construction and invest in higher quality water management and treatment services in another location sequestered from residential areas.

Ellie Guerra

From: PUBCOMMENT-OCC
Sent: Friday, December 6, 2024 2:31 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: diocese-knoll-92@icloud.com <diocese-knoll-92@icloud.com>
Sent: Friday, December 6, 2024 6:00 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Killian Kirk

EMAIL: diocese-knoll-92@icloud.com

COMPANY:

ADDRESS: 231 KRUPP AVE
LIBERTY HILL TX 78642-4492

PHONE: 4696673833



FAX:

COMMENTS: The waste water plant will cause significant health issues for my family and community. The water quality will be severely impacted for residents in our neighborhood and the surrounding Georgetown water district based on the failed compliance history for the other waste water plant in Liberty Hill. The odor emitted will severely impacted home values and quality of life for residents and the children in nearby schools. The city needs to relocate the facility, ensure it does not discharge into public waterways and reallocate other wasted city funds on excessive school construction and invest in higher quality water management and treatment services in another location sequestered from residential areas.

Ellie Guerra

From: PUBCOMMENT-OCC
Sent: Friday, December 6, 2024 2:31 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: diocese-knoll-92@icloud.com <diocese-knoll-92@icloud.com>
Sent: Friday, December 6, 2024 6:00 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Killian Kirk

EMAIL: diocese-knoll-92@icloud.com

COMPANY:

ADDRESS: 231 KRUPP AVE
LIBERTY HILL TX 78642-4492

PHONE: 4696673833

FAX:

COMMENTS: The waste water plant will cause significant health issues for my family and community. The water quality will be severely impacted for residents in our neighborhood and the surrounding Georgetown water district based on the failed compliance history for the other waste water plant in Liberty Hill. The odor emitted will severely impacted home values and quality of life for residents and the children in nearby schools. The city needs to relocate the facility, ensure it does not discharge into public waterways and reallocate other wasted city funds on excessive school construction and invest in higher quality water management and treatment services in another location sequestered from residential areas.

Ellie Guerra

From: PUBCOMMENT-OCC
Sent: Friday, December 6, 2024 2:32 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: diocese-knoll-92@icloud.com <diocese-knoll-92@icloud.com>
Sent: Friday, December 6, 2024 6:00 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Killian Kirk

EMAIL: diocese-knoll-92@icloud.com

COMPANY:

ADDRESS: 231 KRUPP AVE
LIBERTY HILL TX 78642-4492

PHONE: 4696673833



FAX:

COMMENTS: The waste water plant will cause significant health issues for my family and community. The water quality will be severely impacted for residents in our neighborhood and the surrounding Georgetown water district based on the failed compliance history for the other waste water plant in Liberty Hill. The odor emitted will severely impacted home values and quality of life for residents and the children in nearby schools. The city needs to relocate the facility, ensure it does not discharge into public waterways and reallocate other wasted city funds on excessive school construction and invest in higher quality water management and treatment services in another location sequestered from residential areas.

Ellie Guerra

From: PUBCOMMENT-OCC
Sent: Friday, December 6, 2024 2:33 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: diocese-knoll-92@icloud.com <diocese-knoll-92@icloud.com>
Sent: Friday, December 6, 2024 6:00 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Killian Kirk

EMAIL: diocese-knoll-92@icloud.com

COMPANY:

ADDRESS: 231 KRUPP AVE
LIBERTY HILL TX 78642-4492

PHONE: 4696673833



FAX:

COMMENTS: The waste water plant will cause significant health issues for my family and community. The water quality will be severely impacted for residents in our neighborhood and the surrounding Georgetown water district based on the failed compliance history for the other waste water plant in Liberty Hill. The odor emitted will severely impacted home values and quality of life for residents and the children in nearby schools. The city needs to relocate the facility, ensure it does not discharge into public waterways and reallocate other wasted city funds on excessive school construction and invest in higher quality water management and treatment services in another location sequestered from residential areas.

Ellie Guerra

From: PUBCOMMENT-OCC
Sent: Friday, December 6, 2024 2:32 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: diocese-knoll-92@icloud.com <diocese-knoll-92@icloud.com>
Sent: Friday, December 6, 2024 6:00 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Killian Kirk

EMAIL: diocese-knoll-92@icloud.com

COMPANY:

ADDRESS: 231 KRUPP AVE
LIBERTY HILL TX 78642-4492

PHONE: 4696673833

FAX:

COMMENTS: The waste water plant will cause significant health issues for my family and community. The water quality will be severely impacted for residents in our neighborhood and the surrounding Georgetown water district based on the failed compliance history for the other waste water plant in Liberty Hill. The odor emitted will severely impacted home values and quality of life for residents and the children in nearby schools. The city needs to relocate the facility, ensure it does not discharge into public waterways and reallocate other wasted city funds on excessive school construction and invest in higher quality water management and treatment services in another location sequestered from residential areas.

Ellie Guerra

From: PUBCOMMENT-OCC
Sent: Friday, December 6, 2024 2:32 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: diocese-knoll-92@icloud.com <diocese-knoll-92@icloud.com>
Sent: Friday, December 6, 2024 6:00 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Killian Kirk

EMAIL: diocese-knoll-92@icloud.com

COMPANY:

ADDRESS: 231 KRUPP AVE
LIBERTY HILL TX 78642-4492

PHONE: 4696673833

FAX:

COMMENTS: The waste water plant will cause significant health issues for my family and community. The water quality will be severely impacted for residents in our neighborhood and the surrounding Georgetown water district based on the failed compliance history for the other waste water plant in Liberty Hill. The odor emitted will severely impacted home values and quality of life for residents and the children in nearby schools. The city needs to relocate the facility, ensure it does not discharge into public waterways and reallocate other wasted city funds on excessive school construction and invest in higher quality water management and treatment services in another location sequestered from residential areas.

Ellie Guerra

From: PUBCOMMENT-OCC
Sent: Friday, December 6, 2024 2:32 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: diocese-knoll-92@icloud.com <diocese-knoll-92@icloud.com>
Sent: Friday, December 6, 2024 6:00 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Killian Kirk

EMAIL: diocese-knoll-92@icloud.com

COMPANY:

ADDRESS: 231 KRUPP AVE
LIBERTY HILL TX 78642-4492

PHONE: 4696673833

FAX:

COMMENTS: The waste water plant will cause significant health issues for my family and community. The water quality will be severely impacted for residents in our neighborhood and the surrounding Georgetown water district based on the failed compliance history for the other waste water plant in Liberty Hill. The odor emitted will severely impacted home values and quality of life for residents and the children in nearby schools. The city needs to relocate the facility, ensure it does not discharge into public waterways and reallocate other wasted city funds on excessive school construction and invest in higher quality water management and treatment services in another location sequestered from residential areas.

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Friday, May 17, 2024 4:57 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: ymkollu@gmail.com <ymkollu@gmail.com>
Sent: Thursday, May 16, 2024 5:24 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Yamini Mounika Kollu

EMAIL: ymkollu@gmail.com

COMPANY:

ADDRESS: 328 ALICANTE LN
LIBERTY HILL TX 78642-2551

PHONE: 2249449661

FAX:

COMMENTS: Subject: Concerns Regarding Proposed WWTP Installation in Santa Rita Ranch I am writing to express my deep concerns regarding the installation of a Wastewater Treatment Plant (WWTP) in our community. As a resident of SRR, the lack of communication and transparency surrounding this project is alarming. The presence of a WWTP raises valid concerns about environmental impacts, odors, noise pollution, and property values. We urgently need detailed information about the WWTP's capacity, operations, environmental assessments, and mitigation measures. Additionally, I strongly urge you to halt the installation of the WWTP until these concerns are thoroughly addressed and the community is adequately consulted. I kindly request immediate dialogue or a written response to address these concerns and ensure the well-being of our community. Thank you for your prompt attention to this matter. Sincerely, Yamini Mounika Kollu

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Monday, May 6, 2024 1:51 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: nag.manoj@gmail.com <nag.manoj@gmail.com>
Sent: Monday, May 6, 2024 9:44 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Naga Kolukula

EMAIL: nag.manoj@gmail.com

COMPANY:

ADDRESS: 109 ALLORA PL
LIBERTY HILL TX 78642-2428

PHONE: 5022029506

FAX:

COMMENTS: It is my understanding that the WWTP will be located very close to my home at 109 allora place. This WWTP will dump millions of waste water into the north San Gabriel river. Not only this is a hazard, the living conditions will also deteriorate around Santa Rita Ranch because of odors from this plant. What are you considerations to construct such a plant within close proximity to a neighborhood?

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Monday, May 6, 2024 11:38 AM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: konda.rajsekhar@gmail.com <konda.rajsekhar@gmail.com>
Sent: Friday, May 3, 2024 9:10 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Rajsekhar Konda

EMAIL: konda.rajsekhar@gmail.com

COMPANY:

ADDRESS: 152 JANELLE LN
LIBERTY HILL TX 78642-2402

PHONE: 3174180925

FAX:

COMMENTS: Hi, Santa Rita Upper Middlebrook Wastewater Treatment Plant (WWTP) Is scheduled to built in out neighborhood which is Santa Rita Ranch. We are worried about waste water flow and future health consequences because it's so close to our homes. I kindly request you to place this plant some where far from our neighborhoods to limit any impact to our health. Also we would like to know what are the safety measurements will be taken after plant is setup. We have heard there are existing concerns with other plants near South San Gabriel River. I really appreciate if you can consider future generations. Thank you, Raj.

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Thursday, May 16, 2024 4:41 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: Konankisowmya@gmail.com <Konankisowmya@gmail.com>
Sent: Wednesday, May 15, 2024 11:52 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Sowmya Konanki

EMAIL: Konankisowmya@gmail.com

COMPANY:

ADDRESS: 109 ARCADIAN CV
LIBERTY HILL TX 78642-2298

PHONE: 8123698243

FAX:

COMMENTS: I am writing to express my concerns regarding the proposed installation of a Wastewater Treatment Plant (WWTP) in our community. As a resident of SRR, I am deeply troubled by the lack of communication and consultation regarding this significant project. The introduction of a WWTP has the potential to impact our environment, health, and property values. I urge you to prioritize transparency and engage with the community to address our concerns. Furthermore, I request that all construction activities related to the WWTP be paused until a thorough consultation process is conducted with the community.

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Thursday, May 16, 2024 1:20 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: nrkc4@yahoo.com <nrkc4@yahoo.com>
Sent: Tuesday, May 14, 2024 12:38 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Naresh Kondepati

EMAIL: nrkc4@yahoo.com

COMPANY:

ADDRESS: 205 CALERA ST
LIBERTY HILL TX 78642-2192

PHONE: 7407200888

FAX:

COMMENTS: We are home owners in Santa Rita Ranch (SRR) in Liberty Hill, TX. When we decided to find a home in the Austin area to live in after retirement, we could have picked any community in the Austin area. We were attracted to SRR due to its advertising as a great community to live in. But there was no information disclosed about a Waste Water Treatment Plant (WWTP) to be constructed so close to SRR. This would have been an important disclosure, had it been made, that would have factored into our decision to buy in SRR. Now we are afraid that due to the WWTP our lifetime investment will devalue. Besides we are also worried about potential health hazards that are typically associated with living close to a WWTP. The quality of life will be damaged due to potential smell and pollutants from the WWTP. The

WWTP is going to be a problem not just for my family but for thousands of families that call SRR their home. We request your help to convince the City of Liberty Hill and Williamson County to find another location for the WWTP away from residential areas. Thank you for your consideration.

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Thursday, May 16, 2024 4:41 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: pkmkssrr27@gmail.com <pkmkssrr27@gmail.com>
Sent: Wednesday, May 15, 2024 9:48 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Pradeep Konduru

EMAIL: pkmkssrr27@gmail.com

COMPANY:

ADDRESS: 192 LENERA DR
LIBERTY HILL TX 78642-2502

PHONE: 6187719744

FAX:

COMMENTS: We bought the house in Santa Rita Ranch Liberty Hill. We're facing the water problems like foul smell. We also facing lot of traffic on Route 29 from SRR North to HEB Bar W ranch and need Road Extension of at least 2 lanes on each side. Since we're paying more for water every month, we request you to maintain the quality of water that comes to our households that will protect our RO filters and Water softners in our houses.

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Tuesday, June 11, 2024 3:46 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: skonkapaka@gmail.com <skonkapaka@gmail.com>
Sent: Sunday, June 9, 2024 12:05 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Sindhu Konkapaka

EMAIL: skonkapaka@gmail.com

COMPANY:

ADDRESS: 805 OLINDA WAY
LIBERTY HILL TX 78642-2616

PHONE: 6306402082

FAX:

COMMENTS: Building a wastewater treatment plant next to residential properties is a matter that requires careful consideration due to the potential impacts on the local community. Here are several key reasons why it might not be advisable to construct such a facility near homes: ### 1. ****Health Concerns**** - ****Air Quality****: Wastewater treatment plants can emit unpleasant odors and potentially harmful gases such as hydrogen sulfide, ammonia, and volatile organic compounds (VOCs). These

emissions can degrade the air quality, posing health risks to residents, including respiratory problems and other health issues. - ****Water Contamination****: There is a risk of accidental leaks or spills that could contaminate local water supplies, which would pose a significant health hazard to the residents who rely on groundwater or nearby surface water for drinking and other uses. ### 2. ****Noise Pollution**** - Wastewater treatment plants operate continuously and can generate significant noise from machinery, pumps, and other equipment. This constant noise can disrupt the peace and tranquility of a residential area, affecting the quality of life and potentially leading to stress and sleep disturbances for nearby residents. ### 3. ****Property Values**** - The presence of a wastewater treatment plant can negatively impact property values in the surrounding area. Potential homebuyers may be deterred by the proximity to such a facility due to the associated health risks, noise, and odors. This can lead to a decrease in property demand and value, affecting the investment of current homeowners. ### 4. ****Aesthetic Concerns**** - Wastewater treatment plants are often large, industrial structures that may not blend well with the aesthetic of a residential neighborhood. The visual impact of such a facility can be significant, potentially reducing the appeal and charm of the community. ### 5. ****Environmental Impact**** - The construction and operation of a wastewater treatment plant can have several environmental impacts. These include the potential for local ecosystem disruption, increased traffic from maintenance and waste transport vehicles, and the potential for accidental discharges that could harm local wildlife and natural habitats. ### 6. ****Psychological Impact**** - The presence of a wastewater treatment plant can create a sense of unease or discomfort for residents, knowing that they are living near a facility that processes waste. This can lead to increased stress and anxiety, negatively affecting mental well-being. ### 7. ****Traffic and Infrastructure Strain**** - The operation of a wastewater treatment plant can lead to increased traffic due to the transport of waste materials and the need for regular maintenance and servicing. This can strain local infrastructure, increase the risk of traffic accidents, and lead to wear and tear on roads. ### 8. ****Community Opposition and Legal Challenges**** - Proposing a wastewater treatment plant in a residential area can lead to strong opposition from the community. Residents may organize to protest the development, leading to legal challenges and delays. This community opposition can create a contentious atmosphere and strain relationships within the community. ### 9. ****Alternative Locations**** - Wastewater treatment plants can be located in less populated areas where the impact on human health and quality of life is minimized. By selecting a more suitable location, the negative effects on residential areas can be avoided, ensuring that the plant can operate without causing significant disruption. ### 10. ****Regulatory and Compliance Issues**** - There are stringent regulations governing the construction and operation of wastewater treatment plants, particularly in residential areas. Compliance with these regulations can be challenging and costly, and any violations can lead to significant penalties and remediation costs. ### 11. ****Long-term Community Development**** - The presence of a wastewater treatment plant can hinder future community development. It can deter new businesses and residential developments from coming to the area, stalling economic growth and development opportunities. ### 12. ****Emergency Response and Risk Management**** - In the event of an emergency, such as a major spill or equipment failure, the proximity of a wastewater treatment plant to residential areas can complicate evacuation plans and emergency response efforts. The risk of exposure to hazardous substances is higher, necessitating robust emergency preparedness plans. ### Conclusion In summary, while wastewater treatment plants are essential for managing and treating sewage and wastewater, their placement in close proximity to residential areas poses numerous challenges and risks. These include health concerns, noise pollution, property value depreciation, aesthetic issues, environmental impacts, psychological effects, increased traffic, community opposition, regulatory hurdles, hindrances to long-term development, and emergency response complications. By considering these factors, it becomes evident that alternative locations for such facilities, away from residential areas, are preferable to ensure the well-being and quality of life of the community.

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Friday, May 10, 2024 3:30 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: Likithkoppaka@gmail.com <Likithkoppaka@gmail.com>
Sent: Friday, May 10, 2024 6:36 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Sitarama Likith Koppaka

EMAIL: Likithkoppaka@gmail.com

COMPANY:

ADDRESS: 139 ARCADIAN LN
LIBERTY HILL TX 78642-2297

PHONE: 5022493232

FAX:

COMMENTS: "Request to Halt WWTP Installation in SRR"

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Friday, May 10, 2024 3:15 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: Likithkoppaka@gmail.com <Likithkoppaka@gmail.com>
Sent: Thursday, May 9, 2024 10:41 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Sitarama Likith Koppaka

EMAIL: Likithkoppaka@gmail.com

COMPANY:

ADDRESS: 139 ARCADIAN LN
LIBERTY HILL TX 78642-2297

PHONE: 5022493232

FAX:

COMMENTS: "Request to Halt WWTP Installation in SRR"

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Monday, May 6, 2024 11:40 AM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: krish.kv23@gmail.com <krish.kv23@gmail.com>
Sent: Friday, May 3, 2024 10:17 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Vamsi Kosuru

EMAIL: krish.kv23@gmail.com

COMPANY:

ADDRESS: 200 ROCK KNOLL ST
LIBERTY HILL TX 78642-2299

PHONE: 8168086069

FAX:

COMMENTS: The location of this plant is completely in the middle of the neighborhood. We strongly object to this.

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Friday, May 10, 2024 2:47 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: kotlanishitha@gmail.com <kotlanishitha@gmail.com>
Sent: Thursday, May 9, 2024 7:56 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Nishitha Kotla

EMAIL: kotlanishitha@gmail.com

COMPANY:

ADDRESS: 231 SADABA ST
LIBERTY HILL TX 78642-2557

PHONE: 3132127798

FAX:

COMMENTS: Permit not to be used/given.

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Friday, May 10, 2024 3:13 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

PM

From: koyyalamudiaditya@gmail.com <koyyalamudiaditya@gmail.com>
Sent: Thursday, May 9, 2024 4:58 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Aditya Koyyalamudi

EMAIL: koyyalamudiaditya@gmail.com

COMPANY:

ADDRESS: 510 GREAT LAWN BND
LIBERTY HILL TX 78642-2465

PHONE: 9018008911

FAX:

COMMENTS: Subject: Urgent Inquiry Regarding Recent WWTP Installation in SRR Community Dear [Recipient's Name], I hope this email finds you well. I am writing to express my deep concern and disappointment regarding the recent installation of a Wastewater Treatment Plant (WWTP) plan in our community. As a resident and homeowner in SRR, it is vital for us to be informed about significant developments that directly affect our quality of life and property values. I am particularly troubled by the lack of prior communication or notification from your end regarding the construction of the WWTP. This absence of transparency has left many of us feeling unprepared and anxious about the potential ramifications of such a facility in our neighborhood. The presence of a WWTP raises legitimate concerns, including

environmental risks, potential odors, noise pollution, and potential impacts on property values. These concerns should have been addressed through open dialogue and community engagement before any construction commenced. I urge you to provide detailed information about the WWTP, including its capacity, operational processes, environmental impact assessments, and measures taken to mitigate any potential negative effects on our community. As conscientious builders, it is imperative to prioritize transparency and communication with residents to foster a positive and cooperative relationship. I firmly believe that by addressing these concerns collaboratively, we can ensure the well-being and satisfaction of everyone in our community. Therefore, I kindly request an urgent meeting or a comprehensive written response to discuss this matter further and seek clarity on the steps being taken to address our concerns. Your prompt attention to this issue and willingness to engage in constructive dialogue are greatly appreciated. Thank you for your understanding and cooperation. Best regards, Aditya

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Friday, May 10, 2024 3:32 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: satishvckrishnan@gmail.com <satishvckrishnan@gmail.com>
Sent: Friday, May 10, 2024 11:39 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Satish Krishnan

EMAIL: satishvckrishnan@gmail.com

COMPANY:

ADDRESS: 106 DYCUS BND
LIBERTY HILL TX 78642-2510

PHONE: 2019822699

FAX:

COMMENTS: Subject: Urgent Request to Halt WWTP Installation in SRR I hope this message finds you well. I am writing to express my concerns regarding the proposed installation of a Wastewater Treatment Plant (WWTP) in our community. As a resident of SRR, I am deeply troubled by the lack of communication and consultation regarding this significant project. The introduction of a WWTP has the potential to impact our environment, health, and property values. I urge you to prioritize transparency and engage with the community to address our concerns. We require detailed information about the WWTP's design, operational processes, and environmental impact assessments. Furthermore, I request that all construction activities related to the WWTP be paused until a thorough consultation process is conducted with the community. Thank you for your attention to this matter. I look forward to your response and the opportunity to discuss this issue further. Sincerely, Satish K

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Monday, May 6, 2024 11:42 AM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: srilakshmikp20@gmail.com <srilakshmikp20@gmail.com>
Sent: Saturday, May 4, 2024 8:09 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: SriLakshmi Kudavalli Prakash

EMAIL: srilakshmikp20@gmail.com

COMPANY:

ADDRESS: 102 ARCADIAN LN
LIBERTY HILL TX 78642-2297

PHONE: 4086200901

FAX:

COMMENTS: Permit No

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Thursday, May 16, 2024 1:17 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: praveen234@gmail.com <praveen234@gmail.com>
Sent: Tuesday, May 14, 2024 12:09 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: MR Praveen Kumar

EMAIL: praveen234@gmail.com

COMPANY: Confidential

ADDRESS: Alicante Ln
Liberty hill TX 78642

PHONE: 6509355155

FAX:

COMMENTS: Hello All, We are home owners in Santa Rita Ranch (SRR) in Liberty Hill, TX. When we were in search for a home in the Austin area to live in, we could have picked any community in the Austin area. We were attracted to SRR due to its advertising as a great community to live in. But there was no information disclosed about a Waste Water Treatment Plant (WWTP) to be constructed so close to SRR. This would have been an important disclosure, had it been made, that would have factored into our decision to buy in SRR. Now we are afraid that due to the WWTP our lifetime investment will devalue. Besides we are also worried about potential health hazards that are typically associated with living close to a WWTP. The quality of life will be damaged due to potential smell and pollutants from the WWTP. The

WWTP is going to be a problem not just for my family but for thousands of families that call SRR their home. We request your help to convince the City of Liberty Hill and Williamson County to find another location for the WWTP away from residential areas. Thank you for your consideration. Best Regards,

Ellie Guerra

From: PUBCOMMENT-OCC
Sent: Wednesday, December 4, 2024 2:09 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: akhil.kusa@gmail.com <akhil.kusa@gmail.com>
Sent: Tuesday, December 3, 2024 10:27 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Akhil Kusa

EMAIL: akhil.kusa@gmail.com

COMPANY:

ADDRESS: 324 REDONDA DR
LIBERTY HILL TX 78642-2576

PHONE: 5157086208

FAX:

COMMENTS: Waste water treatment plant will effect us

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Tuesday, June 11, 2024 3:50 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: lawsbenj@gmail.com <lawsbenj@gmail.com>
Sent: Monday, June 10, 2024 4:04 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Benjamin Lawson

EMAIL: lawsbenj@gmail.com

COMPANY:

ADDRESS: 745 FAITH DR
LIBERTY HILL TX 78642-2247

PHONE: 9725711163

FAX:

COMMENTS: I am writing to oppose the Wastewater Treatment Plant location currently slated for just of of Ronald Reagan adjacent to a number of Santa Rita Ranch neighborhoods. The people who purchased homes nearby the proposed location had no idea that the plant would be so close. Otherwise, many would not have purchased, including me. A number of people paid a significant lot premium, and I am one of those. But even if I had not, I would oppose this plant. This is more than a "Not In My Back Yard"

phenomenon. The simple fact is this plant is smack dab in the middle of, or adjacent to many new neighborhoods. I don't see why such a plant couldn't be placed in a more remote location, and then, if new planned neighborhoods happened to be close by, at least people would know what they are getting into before purchasing. But that is not the case here. I know I join many of my neighbors in vehemently opposing the proposed location. It feels as if we have been hoodwinked. I am calling on our public servants and our elected representatives to do the right thing here. Thank you.

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Wednesday, August 14, 2024 1:49 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: Tashagutierrez.le@gmail.com <Tashagutierrez.le@gmail.com>
Sent: Tuesday, August 13, 2024 11:15 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Tasha Le

EMAIL: Tashagutierrez.le@gmail.com



COMPANY:

ADDRESS: 1021 OLINDA CT
LIBERTY HILL TX 78642-2617

PHONE: 2104175298

FAX:

COMMENTS: As a concerned homeowner in the Saddleback at Santa Rita Ranch neighborhood, I strongly oppose the construction of a wastewater treatment plant near our community. Our neighborhood is a place where we have chosen to raise our family, and the presence of such a facility could have significant negative impacts on the environment, property values, and overall quality of life. A wastewater treatment plant, despite its critical role in managing water, comes with risks. These include



potential odors, increased traffic, and the possibility of accidental spills or leaks, which could contaminate our local environment. This could disrupt the peace and tranquility of our community, where we have invested not just financially but emotionally, as we envision a safe and healthy place for our children to grow up. Moreover, the long-term effects on property values should not be underestimated. The proximity of a wastewater treatment facility could deter future buyers, impacting the investment we have made in our homes and the financial stability of our neighborhood. We chose Saddleback at Santa Rita Ranch for its beauty, safety, and the promise of a vibrant community where families can thrive. A wastewater treatment plant is incompatible with this vision and poses too many risks to the environment and the well-being of our families. I urge decision-makers to consider alternative locations for this facility that do not threaten the integrity of our cherished neighborhood.

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Wednesday, May 22, 2024 5:15 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: amy.looper@gmail.com <amy.looper@gmail.com>
Sent: Wednesday, May 22, 2024 12:53 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Amy Looper

EMAIL: amy.looper@gmail.com

COMPANY:

ADDRESS: 212 ALAVA WAY
LIBERTY HILL TX 78642-2482

PHONE: 7138264034

FAX:

COMMENTS: I get it—I really do. No one wants a Water Treatment Plant at the entrance to their neighborhood, even though it's necessary. So let's get creative and find a new location that's more responsible and sustainable for the Santa Rita Liberty Hill community--ok? As a new homeowner in the Santa Rita Ranch/Regency community, I made the decision to move from Austin to Liberty Hill a year ago in search of a better quality of life. It was a shock to discover, without any prior notice, that a Water Treatment Plant has been in the planning stages since 2009 and is set to be built just a stone's throw away from my new home. I'll spare you another letter containing a detailed list of myriad bullet points about environmental and health impact problems, raw sewage stink, and property devaluation the current location of this Water Treatment Plant presents. You know all of this already. My question is why? Why won't you work with a small group of our smart and talented community members to find a better location that mitigates the downside of placing the facility right on our front doorstep? Considering Liberty Hill's history of non-compliance and the damage inflicted on the San Gabriel River, among other issues, I can't help but wonder if we've learned from these experiences. Is it truly so challenging to avoid repeating these mistakes? With a representative group, we could find a solution quickly. So, let's not risk making the same errors again. Let's prioritize the well-being of our people and our community by finding a new, more suitable location. Thank you for your time and consideration.

Ellie Guerra

From: PUBCOMMENT-OCC
Sent: Wednesday, December 4, 2024 2:11 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: Keith@azaleatrans.com <Keith@azaleatrans.com>
Sent: Tuesday, December 3, 2024 10:47 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: MR Keith Lundquist

EMAIL: Keith@azaleatrans.com

COMPANY:

ADDRESS: 3801 COUNTY ROAD 258
LIBERTY HILL TX 78642-2102

PHONE: 5127999145

FAX:

COMMENTS: As a current resident in the San Gabriel estates neighborhood that will be impacted by this project.....we are deeply concerned about this intrusion into our precious land and water resources and strongly urge you to consider other options. We have to be better stewards of our resources. There should be zero discharge into the San Gabriel river itself. Thank you for your consideration.

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Friday, May 10, 2024 3:32 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: megsatish15@gmail.com <megsatish15@gmail.com>
Sent: Friday, May 10, 2024 11:35 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Megha M


EMAIL: megsatish15@gmail.com

COMPANY:

ADDRESS: 106 DYCUS BND
LIBERTY HILL TX 78642-2510

PHONE: 3098575098

FAX:



COMMENTS: Subject: Concerns Regarding Proposed WWTP Installation in SRR I am writing to express my deep concerns regarding the installation of a Wastewater Treatment Plant (WWTP) in our community. As a resident of SRR, the lack of communication and transparency surrounding this project is alarming. The presence of a WWTP raises valid concerns about environmental impacts, odors, noise pollution, and property values. We urgently need detailed information about the WWTP's capacity, operations, environmental assessments, and mitigation measures. Additionally, I strongly urge you to halt the installation of the WWTP until these concerns are thoroughly addressed and the community is adequately consulted. I kindly request immediate dialogue or a written response to address these concerns and ensure the well-being of our community. Thank you for your prompt attention to this matter. Sincerely, Megha

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Monday, May 6, 2024 11:38 AM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: businessenquiries11075@gmail.com <businessenquiries11075@gmail.com>
Sent: Friday, May 3, 2024 8:45 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Vijay M

EMAIL: businessenquiries11075@gmail.com

COMPANY:

ADDRESS: 101 ROCK KNOLL ST
LIBERTY HILL TX 78642-2427

PHONE: 8474859774

FAX:

COMMENTS: As per the location near to heavily populated area which might cause water and air quality effects.
Request to move the location to less populated area

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Thursday, May 16, 2024 10:57 AM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: jalan143@gmail.com <jalan143@gmail.com>
Sent: Monday, May 13, 2024 7:50 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: MR Jalan Macherla

EMAIL: jalan143@gmail.com

COMPANY:

ADDRESS: 412 HOLLISTER DR
LIBERTY HILL TX 78642-2742

PHONE: 9529562428

FAX:

COMMENTS: It will really helpful if you move the plant to else where, its right in the middle of Santa Rita Ranch community.

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Thursday, May 16, 2024 10:55 AM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: jalan143@gmail.com <jalan143@gmail.com>
Sent: Monday, May 13, 2024 6:45 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: MR Jalan Macherla

EMAIL: jalan143@gmail.com

COMPANY:

ADDRESS: 412 HOLLISTER DR
LIBERTY HILL TX 78642-2742

PHONE: 9529562428

FAX:

COMMENTS: It will really helpful if you move the plant to else where, its right in the middle of Santa Rita Ranch community.

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Friday, May 10, 2024 2:47 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: Bhushan.svuc@gmail.com <Bhushan.svuc@gmail.com>
Sent: Thursday, May 9, 2024 7:46 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Phani Bhushan R Maddikera

EMAIL: Bhushan.svuc@gmail.com

COMPANY:

ADDRESS: 108 CASCIA CIR
LIBERTY HILL TX 78642-2139

PHONE: 4086606857

FAX:

COMMENTS: I strongly oppose and protest construction of water treatment plant next to my neighborhood which I fear tremendously deteriorates living experience with stench and toxic air released from this plant. I fear this will have great impact on value our home and request to move this plant to less densely populated area and less visible from the main road

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Thursday, May 16, 2024 1:26 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

PM

From: mcsr1@yahoo.com <mcsr1@yahoo.com>
Sent: Tuesday, May 14, 2024 6:12 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Chandra Sekhar Reddy Madduri

EMAIL: mcsr1@yahoo.com

COMPANY:

ADDRESS: 128 ALLORA PL
LIBERTY HILL TX 78642-2428

PHONE: 3095328668

FAX:

COMMENTS: I hope this email finds you well. As a resident of SRR, I'm concerned about the recent installation of the WWTP in our community. The lack of prior communication has left many of us feeling blindsided. Could you please provide more information on its capacity, processes, and mitigation measures? I kindly request a meeting or written response to address our concerns promptly. Thank you, Chandra Madduri

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Tuesday, May 7, 2024 3:32 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: maile.nageshbabu@gmail.com <maile.nageshbabu@gmail.com>
Sent: Monday, May 6, 2024 5:05 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: MR NageshBabu Maile

EMAIL: maile.nageshbabu@gmail.com

COMPANY:

ADDRESS: 212 PALATINO BND
LIBERTY HILL TX 78642-2564

PHONE: 7372028177

FAX:

COMMENTS: expressing my deep concern regarding the proposal to construct a wastewater treatment plant adjacent to our neighborhood. While I understand the necessity of updating and expanding municipal infrastructure, the proximity of such a facility to our residential area raises several significant concerns that we believe need careful consideration. The potential for odor and airborne contaminants could adversely affect the quality of life and health of our community members. We are particularly concerned about the effects on children, the elderly, and those with pre-existing health conditions. The operation of the plant, increased noise levels, which can be a nuisance and disrupt the peaceful environment of our community. The operation of a wastewater treatment plant involves various processes that can have a significant impact on the local environment. We are concerned about the potential for water pollution and the effect this might have on local wildlife and ecosystems.

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Friday, May 24, 2024 1:58 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: Prabhakran@gmail.com <Prabhakran@gmail.com>
Sent: Thursday, May 23, 2024 2:01 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Prabhakran Malairaju

EMAIL: Prabhakran@gmail.com

COMPANY:

ADDRESS: 231 PALATINO BND
LIBERTY HILL TX 78642-2564

PHONE: 9256998906

FAX:

COMMENTS: Hello, I hope this message finds you well. I am writing to express my concerns regarding the proposed installation of a Wastewater Treatment Plant (WWTP) near our community. As a resident of SRR, I am deeply troubled by the lack of communication and consultation regarding this significant project. The introduction of a WWTP has a potential to impact our environment, health, and property values. I urge you to prioritize transparency and engage with the community to address our concerns. Thank you for your attention to this matter. I look forward to your response and the opportunity to discuss this issue further.

Ellie Guerra

From: PUBCOMMENT-OCC
Sent: Wednesday, December 4, 2024 4:55 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: Manning.john.robert@gmail.com <Manning.john.robert@gmail.com>
Sent: Wednesday, December 4, 2024 6:16 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: John Manning

EMAIL: Manning.john.robert@gmail.com

COMPANY:

ADDRESS: 268 ZUMA DR
LIBERTY HILL TX 78642-2350

PHONE: 5125774171

FAX:

COMMENTS: This was not disclosed to me before purchasing my home. I disapprove. Ok

Thomas Lee

From: PUBCOMMENT-OCC
Sent: Friday, July 7, 2023 3:14 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001
Attachments: Liberty Hill - Santa Rita CommentLtr FINAL1.pdf

From: tiffanym@brazos.org <tiffanym@brazos.org>
Sent: Friday, July 7, 2023 2:49 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Tiffany Malzahn

EMAIL: tiffanym@brazos.org

COMPANY: Brazos River Authority

ADDRESS: PO BOX 7555
WACO TX 76714-7555

PHONE: 2547613151

FAX:

COMMENTS: Please see attached pdf file for comment.



Brazos River Authority



QUALITY • CONSERVATION • SERVICE

July 7, 2023

Texas Commission on Environmental Quality
Office of the Chief Clerk (MC 105)
P.O. Box 13087
Austin, Texas 78711-3087

Re: Application for Renewal of TPDES Permit No. WQ0015000001 (EPA I.D. No. TX0132969)
Facility: Santa Rita Upper Middlebrook WWTP (RN106076862)
Owner: City of Liberty Hill (CN602959003)

Dear Chief Clerk:

The Brazos River Authority (BRA) received a Notice of Receipt of Application and Intent to Obtain Water Quality Permit for the applicant and regulated entity referenced above. The BRA is interested in the outcome of this application, as the discharge of wastewater from this plant would be directly upstream from a BRA public water supply source, Lake Georgetown.

Specifically, the BRA is concerned that continued loadings to the lake will further contribute to eutrophication and lead to impairment of Segment 1249 – Lake Georgetown. The BRA's *2022 Basin Summary Report* (click [here](#) for report) for the Texas Clean Rivers Program identified a statistically significant increasing trend in chlorophyll *a* in Lake Georgetown ($p=0.002$, $\alpha=0.05$). This analysis also revealed that reservoir water quality exceeds the thresholds for transparency and total phosphorus for the reservoir, established in the 2022 *TCEQ Guidance for Assessing and Reporting Surface Water Quality in Texas*.

Additionally, Lake Georgetown ranks sixteenth on the TCEQ's *2022 Trophic Classification of Texas Reservoirs*, with a Carlson's Trophic State Index value of 47.66 and 10-year chlorophyll *a* increase of 3.2 $\mu\text{g/L}$.

If this rate of change continues, BRA is concerned that Lake Georgetown will become eutrophic and will be a nutrient impaired waterbody in future surface water quality assessments by the TCEQ. Overall, we want to ensure that continued increases in nutrient loadings to Lake Georgetown do not negatively affect the reservoir's usability and reliability as a public water supply and recreational water body. As the only permitted discharge in the watershed above Lake Georgetown, the BRA respectfully requests that the TCEQ consider adding either total nitrogen or nitrate-nitrogen monitoring requirements to this permit and evaluate the effectiveness of the existing effluent requirement for total phosphorus in protecting Lake Georgetown from further eutrophication.



Brazos River Authority

QUALITY • CONSERVATION • SERVICE

If you need any additional information, please contact me at (254) 761-3151.

Sincerely,

Tiffany Malzahn

TIFFANY MALZAHN
Environmental and Compliance Manager

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Tuesday, May 7, 2024 3:34 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: Venkatamarella9@gmail.com <Venkatamarella9@gmail.com>
Sent: Monday, May 6, 2024 10:12 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Venkata Marella

EMAIL: Venkatamarella9@gmail.com

COMPANY:

ADDRESS: 149 PEACEVINE LN
LIBERTY HILL TX 78642-2562

PHONE: 8322053049

FAX:

COMMENTS: Expressing my deep concern regarding the proposal to construct a wastewater treatment plant adjacent to our neighborhood. While I understand the necessity of updating and expanding municipal infrastructure, the proximity of such a facility to our residential area raises several significant concerns that we believe need careful consideration. The potential for odor and airborne contaminants could adversely affect the quality of life and health of our community members. We are particularly concerned about the effects on children, the elderly, and those with pre-existing health conditions. The operation of the plant, increased noise levels, which can be a nuisance and disrupt the peaceful environment of our community. The operation of a wastewater treatment plant involves various processes that can have a significant impact on the local environment. We are concerned about the potential for water pollution and the effect this might have on local wildlife and ecosystems.

Ellie Guerra

From: PUBCOMMENT-OCC
Sent: Wednesday, December 4, 2024 2:11 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: amsrikanth@gmail.com <amsrikanth@gmail.com>
Sent: Tuesday, December 3, 2024 10:53 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: MR Srikanth Maringanti

EMAIL: amsrikanth@gmail.com

COMPANY:

ADDRESS: 760 OLINDA WAY
LIBERTY HILL TX 78642-2615

PHONE: 6144019844

FAX:

COMMENTS: My main concern is the smell and soil pollution, which will eventually gets absorbed by domestic vegetation. We felt deceived by builders not disclosing the fact, there will be a treatment plant adjacent to new properties. We request the plant may be relocated to another location away from communities.

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Thursday, June 27, 2024 1:09 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: dbmartin2008@yahoo.com <dbmartin2008@yahoo.com>
Sent: Sunday, June 23, 2024 6:57 PM
To: PUBCOMMENT-OCC <pubcomment-occ@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: MRS DeAnna B Martin

EMAIL: dbmartin2008@yahoo.com

COMPANY: Resident in Santa Rita Ranch North-Ventana section

ADDRESS: 713 FAITH DR
LIBERTY HILL TX 78642-2247

PHONE: 5124267104

FAX:

COMMENTS: I am writing to protest the installation of a new WWTP to be located directly across the street from my property. My husband and I decided to build our forever home in the Ventana section of Santa Rita Ranch North. We closed on our home March of 2021. It is located along the ridge line adjacent to the north bound lane of Ronald Reagan BLVD. The only reason we purchased this property is due to the incredible view. We hesitated and, debated this purchase due to the lot premium being what I

considered excessive for the area. Yet as you see we loved the view and the freedom of not having neighbors directly behind us (now we may have a WWTP). In late April of 2024 it was brought to my attention that a WWTP (plant) has been planned for this area of Liberty Hill since 2009. This parcel for the WWTP is near the intersection of Ronald Reagan and Augustine Way. It is VERY important to emphasize - there was never any disclosure of this planned treatment plant by our builder Scott Felder, Ed Horne the developer nor the City of Liberty Hill or Williamson County. It should have been published in the local news papers and the Community Impact so that the current residences and future residences would be informed. As a former Texas teacher/Counselor (42 years of service in TX) I know there are requirements for school districts to publish the various services available to parents for their children even if they are not enrolled in a public school. These services must be published and available to parents at all times. Bonds must be published and run for tax payers and Rezoning Plans- advising residents of rezoning of land in the area/and upcoming projects must be published easily accessed. We never saw any of the WWTP plans in our research of this area. This is probably due to the unscrupulous manipulation by the land owner at the time who I believe was and still is Ed Horne, who has a vested interest in getting his development passed through all of the governmental requirements. We would NEVER have invested our hard earned money in this area had we known about this project. According to what we were told at a Liberty Hill City Counsel meeting the infrastructure has been ongoing unbeknownst to us - residences residing in the affected area. At this meeting we were encouraged to reach out to you the TCEQ department. Besides being an eyesore directly behind our home it presents a significant environmental concern. There are hundreds of homes and families of all ages living in the surrounding area. Besides Ventana there is the Saddleback section of SRRS, the Regents section of SRRN, Devine Savior school and the Grove Church. (Ed Horne donated land to Devin Savior so they are indebted to him). Behind this projected development is a creek which runs under Ronald Reagan Blvd and through the Regents section of SRRN. We have residences who are at greater risk to environmental toxins and pollution. Although another WWTP is needed, it's appalling that this location was selected and approved given the fact that Ed Horne was designing a small city with uninformed home buyers to surround it. I have been told that developers and builders do not have to disclose this information. This demonstrates that money and gifts of land to the various entities is more important than the citizens and taxpayers in the state of Texas. I believe we need to change the laws to require full disclosure. WWTP's have a history of polluting the surrounding areas. Please consider relocating this WWTP. I along with my hard working Texas neighbors would be forever thankful. If not we will all fill like we were fleeced by Williamson Co and their departments who are here to help regulate the use and conservation of our land. We are proud Texans but we may not be able to stay in Williamson Co area due to being kept in the dark by Ed Horne, Scott Felder, Williamson Co. and the Great State of Texas!

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Thursday, May 16, 2024 10:57 AM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: saichand.mattapally@gmail.com <saichand.mattapally@gmail.com>
Sent: Monday, May 13, 2024 7:44 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Sai chand Mattapally

EMAIL: saichand.mattapally@gmail.com

COMPANY:

ADDRESS: 504 BELL CHIME CV
LIBERTY HILL TX 78642-2621

PHONE: 5017662458

FAX:

COMMENTS: Our lifes will be hugely impacted because of this project. Our kids and families can't enjoy our backyards.
Please block this project

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Thursday, May 16, 2024 11:08 AM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: Medaupender@gmail.com <Medaupender@gmail.com>
Sent: Monday, May 13, 2024 10:06 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Upender Meda

EMAIL: Medaupender@gmail.com

COMPANY:

ADDRESS: 204 VALLETTA WAY
LIBERTY HILL TX 78642-2553

PHONE: 7326145337

FAX:

COMMENTS: WWTP plant in liberty hill , request to move this plant away from residential zone

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Friday, May 17, 2024 4:32 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: Jay.kamal.mehta@gmail.com <Jay.kamal.mehta@gmail.com>
Sent: Thursday, May 16, 2024 4:45 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Jay K Mehta

EMAIL: Jay.kamal.mehta@gmail.com

COMPANY:

ADDRESS: 320 VALLETTA WAY
LIBERTY HILL TX 78642-2554

PHONE: 8175222431

FAX:

COMMENTS: Subject: Urgent Appeal to Halt WWTP Installation in Our Neighborhood TCEQ Folks, I hope this message finds you well. I am reaching out to you with urgent concerns regarding the ongoing installation of a Wastewater Treatment Plant (WWTP) in our Santa Rita Ranch neighborhood. The lack of transparency and consultation surrounding this project is deeply troubling for residents like myself. We are deeply concerned about the potential adverse impacts on our environment, health, and property values. In light of these concerns, I implore you to immediately halt all construction activities related to the WWTP until a comprehensive environmental impact assessment is conducted and community concerns are addressed through meaningful engagement. Thank you for your prompt attention to this urgent matter. I look forward to your swift action and constructive engagement. Thanks, Jay Mehta 320 Valletta Way Liberty Hill TX 78642 jay.kamal.mehta@gmail.com +1 817 522 2431

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Thursday, May 16, 2024 10:58 AM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

PM

From: spoorthy.addanki@gmail.com <spoorthy.addanki@gmail.com>
Sent: Monday, May 13, 2024 8:00 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Spoorthy Mendu

EMAIL: spoorthy.addanki@gmail.com

COMPANY:

ADDRESS: 609 PICKRELL LOOP
LIBERTY HILL TX 78642-2538

PHONE: 5712538841

FAX:

COMMENTS: I hope this letter finds you well. I am writing to express my concern and disappointment regarding the recent installation of a Wastewater Treatment Plant (WWTP) plan in our community. As a resident and homeowner in SantaRita Ranch in Liberty hill, I believe it is crucial for residents to be informed about significant developments that directly impact our quality of life and property values. Firstly, I would like to highlight that there was no prior communication or notification from your end regarding the construction of the WWTP. This lack of transparency has left many of us feeling blindsided and concerned about the potential implications of such a facility in our neighborhood. The presence of a WWTP can have various consequences, including environmental concerns, potential odors, noise

pollution, and potential impacts on property values. These are valid concerns that should have been addressed through open dialogue and community engagement before any construction commenced. Furthermore, I urge you to provide detailed information about the WWTP, including its capacity, operation processes, environmental impact assessments, and measures taken to mitigate any potential negative effects on our community. As a responsible builder, it is essential to prioritize transparency and communication with residents to foster a positive and cooperative relationship. I believe that by working together and addressing these concerns proactively, we can ensure the well-being and satisfaction of everyone in our community. I kindly request a meeting or a written response to discuss this matter further and seek clarity on the steps being taken to address our concerns. I look forward to your prompt attention to this issue and a constructive dialogue moving forward. Thank you for your understanding and cooperation.

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Monday, May 20, 2024 4:18 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: mandyriller@gmail.com <mandyriller@gmail.com>
Sent: Saturday, May 18, 2024 1:38 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: James Randy Miller

EMAIL: mandyriller@gmail.com

COMPANY:

ADDRESS: 617 FAITH DR
LIBERTY HILL TX 78642-2150

PHONE: 2513279644

FAX:

COMMENTS: I am writing to express my concerns about the planned waste treatment plant in Liberty Hill off Ronald Reagan Blvd. The proposed location would place the plant directly in our view from our property, which we paid a substantial premium for. I am concerned about this plant and its proposed discharge into Sowes Branch, then the North Fork of San Gabriel, which empties into Georgetown Lake, and is a major source of drinking water for our community. The potential odors from this plant will affect the surrounding neighborhoods of Regency, Saddleback and Ventana, where we live. As well, there is a school and a church nearby that will be affected. I would like to be certain that the permitting process be as rigorous and detailed as possible, so that the City of Liberty Hill will not be allowed to discharge levels of phosphorus that exceeds 0.015 into our water supply . The City should be required to procure the Best Available Technology in order to ensure that it meets the limit. Please contact me at (251) 327-9644 if you need any further information. Thank you

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Tuesday, August 13, 2024 7:22 AM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

PM

From: abimings@gmail.com <abimings@gmail.com>
Sent: Tuesday, August 13, 2024 3:04 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Abigail Mings

EMAIL: abimings@gmail.com

COMPANY:

ADDRESS: 308 OLINDA WAY
LIBERTY HILL TX 78642-2611

PHONE: 4056554293

FAX:

COMMENTS: My family and I are opposed to the location of this facility. It is too close to homes. This project needs to be relocated to a more remote area. We request a public meeting.

TCEQ Registration Form

December 3, 2024

City of Liberty Hill

Proposed Renewal of TPDES Permit No. WQ0015000001

PLEASE PRINT

Name: Chaz Mishan

Mailing Address: 845 Olinda Way

Physical Address (if different): _____

City/State: Liberty Hill Zip: 78642

****This information is subject to public disclosure under the Texas Public Information Act****

Email: Chaz.Mishan@gmail.com

Phone Number: (305) 527-4197

- Are you here today representing a municipality, legislator, agency, or group? ☐ Yes ☒ No

If yes, which one? _____

☒ Please add me to the mailing list.

☐ I wish to provide formal *ORAL COMMENTS* at tonight's public meeting.

☐ I wish to provide formal *WRITTEN COMMENTS* at tonight's public meeting.

(Written comments may be submitted at any time during the meeting)

Please give this form to the person at the information table. Thank you.

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Friday, May 10, 2024 3:15 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: Nishokmohan@gmail.com <Nishokmohan@gmail.com>
Sent: Thursday, May 9, 2024 8:26 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Nishok Mohan

EMAIL: Nishokmohan@gmail.com

COMPANY:

ADDRESS: 220 POOLE LN
LIBERTY HILL TX 78642-2497

PHONE: 5512085755

FAX:

COMMENTS: WWTP plan is going to destroy our neighborhood !!! Wastewater contains a toxic mix of contaminants, including pathogens, pharmaceuticals, microplastics, heavy metals, and endocrine disruptors. These pollutants can harm marine species, affect water quality, and contribute to habitat loss and extinction

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Friday, May 10, 2024 2:48 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: Nishokmohan@gmail.com <Nishokmohan@gmail.com>
Sent: Thursday, May 9, 2024 10:18 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Nishok Mohan

EMAIL: Nishokmohan@gmail.com

COMPANY:

ADDRESS: 220 POOLE LN
LIBERTY HILL TX 78642-2497

PHONE: 5512085755

FAX:

COMMENTS: WWTP plan is going to destroy our neighborhood !!! Wastewater contains a toxic mix of contaminants, including pathogens, pharmaceuticals, microplastics, heavy metals, and endocrine disruptors. These pollutants can harm marine species, affect water quality, and contribute to habitat loss and extinction

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Monday, May 6, 2024 1:55 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: Nishokmohan@gmail.com <Nishokmohan@gmail.com>
Sent: Monday, May 6, 2024 12:19 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Nishok Mohan



EMAIL: Nishokmohan@gmail.com

COMPANY:

ADDRESS: 220 POOLE LN
LIBERTY HILL TX 78642-2497

PHONE: 5512085755

FAX:



COMMENTS: WWTP plan is going to destroy our neighborhood !!! Wastewater contains a toxic mix of contaminants, including pathogens, pharmaceuticals, microplastics, heavy metals, and endocrine disruptors. These pollutants can harm marine species, affect water quality, and contribute to habitat loss and extinction

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Monday, May 6, 2024 1:52 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: Nishokmohan@gmail.com <Nishokmohan@gmail.com>
Sent: Monday, May 6, 2024 10:44 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Nishok Mohan



EMAIL: Nishokmohan@gmail.com

COMPANY:

ADDRESS: 220 POOLE LN
LIBERTY HILL TX 78642-2497

PHONE: 5512085755

FAX:



COMMENTS: WWTP plan is going to destroy our neighborhood !!! Wastewater contains a toxic mix of contaminants, including pathogens, pharmaceuticals, microplastics, heavy metals, and endocrine disruptors. These pollutants can harm marine species, affect water quality, and contribute to habitat loss and extinction

Ellie Guerra

From: PUBCOMMENT-OCC
Sent: Monday, July 22, 2024 2:42 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: coreybethmonarch@gmail.com <coreybethmonarch@gmail.com>
Sent: Friday, July 19, 2024 8:02 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Corey Beth Monarch-Gustilo

EMAIL: coreybethmonarch@gmail.com

COMPANY:

ADDRESS: 512 EL VADO CIR
LIBERTY HILL TX 78642-4926

PHONE: 7605946825

FAX:

COMMENTS: This project will severely impact the students at Divine Savior including our daughter who is enrolled as in 1st grade. We are also purchasing a house for my elderly father in Saddleback community which will be impacted by this project. The wastewater treatment should be relocated to an area without a community in development or near an established school.

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Monday, May 6, 2024 11:37 AM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: cinmoons@gmail.com <cinmoons@gmail.com>
Sent: Friday, May 3, 2024 7:28 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: MRS Cindy Moonsammy

EMAIL: cinmoons@gmail.com

COMPANY:

ADDRESS: 100 ORVIETO LN
LIBERTY HILL TX 78642-4488

PHONE: 7372451997

FAX:

COMMENTS: As a resident of Santa Rita Ranch, I am not happy about the development of this waste plant so close to our home. Why are there no disclosures to nearby homeowners? I will be spreading word of this to all of my neighbors and can guarantee you that nobody will be supportive of this. I urge you to consider another and more rural area for this plant that will not disrupt the daily lives of so many people in our community.

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Thursday, May 16, 2024 4:42 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: Sushanthm46@gmail.com <Sushanthm46@gmail.com>
Sent: Thursday, May 16, 2024 9:57 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Sushanth Mothukuri


EMAIL: Sushanthm46@gmail.com

COMPANY:

ADDRESS: 336 REDONDA DR
LIBERTY HILL TX 78642-2576

PHONE: 3022126165

FAX:



COMMENTS: Dear Sir/Madam, I am writing to express my concerns regarding the ongoing installation of a Wastewater Treatment Plant (WWTP) in our SRR community. The lack of transparency and consultation surrounding this project is very troubling. As a resident of SRR, I am concerned about the future growth, potential environmental and health impacts of the WWTP. I urge you to stop all construction activities related to the WWTP until all the environmental impact assessments are conducted and community concerns are addressed. Thank you for your attention to this matter. I look forward to your response and the opportunity to discuss this issue further. Sincerely, Sushanth

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Thursday, May 16, 2024 4:42 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: Sushanthm46@gmail.com <Sushanthm46@gmail.com>
Sent: Thursday, May 16, 2024 9:27 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Sushanth Mothukuri

EMAIL: Sushanthm46@gmail.com

COMPANY:

ADDRESS: 336 REDONDA DR
LIBERTY HILL TX 78642-2576

PHONE: 3022126165

FAX:



COMMENTS: Dear Sir/Madam, I am writing to express my concerns regarding the ongoing installation of a Wastewater Treatment Plant (WWTP) in our SRR community. The lack of transparency and consultation surrounding this project is very troubling. As a resident of SRR, I am concerned about the future growth, potential environmental and health impacts of the WWTP. I urge you to stop all construction activities related to the WWTP until all the environmental impact assessments are conducted and community concerns are addressed. Thank you for your attention to this matter. I look forward to your response and the opportunity to discuss this issue further. Sincerely, Sushanth

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Thursday, May 16, 2024 11:22 AM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: abhilashmur@gmail.com <abhilashmur@gmail.com>
Sent: Tuesday, May 14, 2024 9:47 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Abhilash Murali

EMAIL: abhilashmur@gmail.com

COMPANY:

ADDRESS: 229 CANYONCREST WAY
LIBERTY HILL TX 78642-2618

PHONE: 4083326690

FAX:

COMMENTS: I am a resident of Santa Rita Ranch Saddleback having just purchased our home. I live here with my wife and daughter, and expecting our second baby in a couple of months. I strongly oppose the construction of the Waste Water Treatment Plant (WWTP). It poses a severe health risk for families and homeowners in the neighborhood and will severely depreciate home values. Please move the site of this plant away from residential communities. Thank you.

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Thursday, May 16, 2024 11:22 AM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: kylamurali@gmail.com <kylamurali@gmail.com>
Sent: Tuesday, May 14, 2024 9:39 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Kyla Murali

EMAIL: kylamurali@gmail.com

COMPANY:

ADDRESS: 229 CANYONCREST WAY
LIBERTY HILL TX 78642-2618

PHONE: 4083345121

FAX:

COMMENTS: I am writing to strongly oppose the building of the Santa Rita Upper Middlebrook Waste Water Treatment Plant (WWTP) that will be affecting thousands of families and homeowners in the Saddleback, Regency, and Tierra Rosa communities in Santa Rita Ranch Liberty Hill. I am a resident of Saddlebrook with my husband and daughter, and am expecting my second baby in a couple of months. Having a waste water facility so close to my residence will be detrimental to my family's health and well being. The unpleasant odors and chemicals coming from the plant will directly impact me and my fellow neighbors in Saddleback, as well as decrease our home value as property owners.

There was also no notice of this happening, which is unjust. Please move the location of this treatment facility away from residential communities for the health and safety of property owners in this vicinity. Thank you.

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Monday, May 6, 2024 11:38 AM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: kory.murphy@gmail.com <kory.murphy@gmail.com>
Sent: Friday, May 3, 2024 8:36 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Kory Murphy

EMAIL: kory.murphy@gmail.com

COMPANY:

ADDRESS: 205 REBEL RED RD
LIBERTY HILL TX 78642-2128

PHONE: 5129142004

FAX:

COMMENTS: I want to express my deep concern and vehement opposition to the proposed construction of a wastewater treatment plant near the Santa Rita Ranch neighborhood in Liberty Hill, TX. This project poses a grave threat to the health and well-being of our community, as well as our property values. First and foremost, the potential health risks associated with such a facility cannot be overstated. Wastewater treatment plants emit harmful pollutants and odors, which can exacerbate respiratory issues and other health problems among residents, particularly children and the elderly. Studies have consistently shown a correlation between proximity to wastewater treatment plants and increased rates of respiratory illnesses, asthma, and other serious health conditions. By allowing this plant to be built near our

homes, we are putting the health of our families at risk. Furthermore, the presence of a wastewater treatment plant will undoubtedly have a detrimental impact on property values in the Santa Rita Ranch neighborhood. Nobody wants to live near a facility that emits foul odors and potentially hazardous substances. As a result, homebuyers will be deterred from purchasing properties in our community, leading to a decline in property values for existing homeowners. This, in turn, will have a ripple effect on our local economy and tax base, further exacerbating the negative consequences of this ill-conceived project. In addition to the immediate health and economic concerns, the construction and operation of a wastewater treatment plant near Santa Rita Ranch would also have long-term environmental implications. The potential for groundwater contamination, soil erosion, and disruption of local wildlife habitats cannot be ignored. Our community takes great pride in preserving the natural beauty of our surroundings, and the construction of a wastewater treatment plant would pose a significant threat to our environment and way of life. I urge you to carefully consider the overwhelming opposition from residents of the Santa Rita Ranch neighborhood and surrounding areas, as well as the compelling evidence of the negative health, economic, and environmental impacts of this project. I implore you to reject the proposal to build a wastewater treatment plant near Santa Rita Ranch and instead explore alternative locations that are more suitable and less harmful to our community. Thank you for your attention to this critical issue. Our health, our homes, and our environment depend on your decision to protect our community from this impending threat.

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Friday, May 10, 2024 3:15 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: Srimurthy82@gmail.com <Srimurthy82@gmail.com>
Sent: Thursday, May 9, 2024 6:54 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Srinivas Murthy

EMAIL: Srimurthy82@gmail.com

COMPANY:

ADDRESS: 104 ROCK KNOLL ST
LIBERTY HILL TX 78642-2427

PHONE: 2488829098

FAX:

COMMENTS: The lack of transparency and consultation surrounding this project is deeply troubling for residents like myself. We are deeply concerned about the potential adverse impacts on our environment, health, and property values. In light of these concerns, I implore you to immediately halt all construction activities related to the WWTP until a comprehensive environmental impact assessment is conducted and community concerns are addressed through meaningful engagement. Thank you for your prompt attention to this urgent matter. I look forward to your swift action and constructive engagement

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Friday, May 10, 2024 2:51 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: vimalraj.muthu@gmail.com <vimalraj.muthu@gmail.com>
Sent: Thursday, May 9, 2024 1:23 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Vimalraj Muthu

EMAIL: vimalraj.muthu@gmail.com

COMPANY:

ADDRESS: 421 BELLA LUNA WAY
LIBERTY HILL TX 78642-2407

PHONE: 3315884255

FAX:

COMMENTS: Hi We are disappointed to hear about this development so close to our house and without any transparency or involvement of the local community. It affects our neighborhood directly and we should have been provided opportunity to share our views.

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Thursday, May 16, 2024 11:08 AM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: sakethmysa@gmail.com <sakethmysa@gmail.com>
Sent: Monday, May 13, 2024 10:16 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Saketh Mysa

EMAIL: sakethmysa@gmail.com

COMPANY:

ADDRESS: 244 CANYONCREST WAY
LIBERTY HILL TX 78642-2618

PHONE: 2566515157

FAX:

COMMENTS: I recently moved to Santarita ranch and I am now concerned that because of this permit the our health and children's health is going to be impacted and the property prices will also be impacted.

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Thursday, May 16, 2024 10:56 AM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: sakethmysa@gmail.com <sakethmysa@gmail.com>
Sent: Monday, May 13, 2024 7:22 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Saketh Mysa

EMAIL: sakethmysa@gmail.com

COMPANY:

ADDRESS: 244 CANYONCREST WAY
LIBERTY HILL TX 78642-2618

PHONE: 2566515157

FAX:

COMMENTS: I recently moved to Santarita ranch and I am now concerned that because of this permit the our health and children's health is going to be impacted and the property prices will also be impacted.

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Friday, May 10, 2024 2:51 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: use1779@gmail.com <use1779@gmail.com>
Sent: Thursday, May 9, 2024 1:22 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Sai Nadimpalli

EMAIL: use1779@gmail.com

COMPANY:

ADDRESS: 219 KRUPP AVE
LIBERTY HILL TX 78642-4492

PHONE: 9725913397

FAX:

COMMENTS: Please do not approve this waster water treatment facility at brings danger and in convienience to around 5000 home owners . Please cancel it

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Monday, May 6, 2024 1:51 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: nlalith998@gmail.com <nlalith998@gmail.com>
Sent: Monday, May 6, 2024 9:37 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Lalith Nallanagulagari

EMAIL: nlalith998@gmail.com

COMPANY:

ADDRESS: 612 SPURLOCK WAY
LIBERTY HILL TX 78642-2514

PHONE: 7165757590

FAX:

COMMENTS: Need the waste water plant moved to a less dense living area and less visible from roads to safeguard our health, environment we are living and also protect our property values.

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Friday, May 10, 2024 2:47 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: jagadeeshnallu2@gmail.com <jagadeeshnallu2@gmail.com>
Sent: Thursday, May 9, 2024 9:12 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Jagadeesh Nallu

EMAIL: jagadeeshnallu2@gmail.com

COMPANY:

ADDRESS: 116 RAY CT
LIBERTY HILL TX 78642-2511

PHONE: 4053342196

FAX:

COMMENTS: Please move the WWTP as there are many residences and Three to Four Public schools with in a radius of 2 miles. Please move this to further away.

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Tuesday, June 11, 2024 3:46 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: 9cnash9@gmail.com <9cnash9@gmail.com>
Sent: Sunday, June 9, 2024 5:19 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Cindy Nash

EMAIL: 9cnash9@gmail.com

COMPANY:

ADDRESS: 205 ENCORE DR
LIBERTY HILL TX 78642-2147

PHONE: 6026163456

FAX:

COMMENTS: The proposed location of the Liberty Hill waste water plant Will adversely affect my current living conditions. The proposed location is immediately across Ronald Reagan. There is no guarantee that the odor from this plant will not permeate my neighborhood. Also, the affluent from this plant will pass a school. Is this the best location for this plant? There has to a more remote location which will not affect completed neighborhoods and schools

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Monday, May 6, 2024 11:39 AM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: amar1692@gmail.com <amar1692@gmail.com>
Sent: Friday, May 3, 2024 9:26 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Amar Nath

EMAIL: amar1692@gmail.com

COMPANY:

ADDRESS: 138 ARCADIAN LN
LIBERTY HILL TX 78642-2297

PHONE: 2162726085

FAX:

COMMENTS: The lack of disclosure regarding the construction of the Santa Rita Upper Middlebrook Wastewater Treatment Plant is deeply concerning, especially for families with children and future residents of the Santa Rita subdivision. Research consistently shows that proximity to wastewater treatment plants can have detrimental effects on health and well-being. Studies have linked exposure to wastewater treatment plant emissions with increased rates of respiratory illnesses, such as asthma and bronchitis, particularly among children whose developing lungs are more vulnerable. Additionally, the release of pollutants from such facilities into the environment can contaminate nearby water sources, posing risks of waterborne diseases and long-term health implications. Furthermore, property values in

close proximity to wastewater treatment plants often experience depreciation, impacting the financial well-being of homeowners and deterring potential buyers from investing in the area. Given these data points, it's imperative that the concerns of residents, especially families with children, are addressed promptly and transparently, with a focus on mitigating potential health and environmental risks associated with the construction and operation of the plant.

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Friday, May 10, 2024 3:34 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: sakethnedunoori39@gmail.com <sakethnedunoori39@gmail.com>
Sent: Friday, May 10, 2024 2:50 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Saketh Nedunoori

EMAIL: sakethnedunoori39@gmail.com

COMPANY:

ADDRESS: 101 RAY CT
LIBERTY HILL TX 78642-2511

PHONE: 4194508376

FAX:

COMMENTS: I am writing to express my deep concerns regarding the installation of a Wastewater Treatment Plant (WWTP) in our community Santarita Ranch(SRR) . As a resident of SRR, the lack of communication and transparency surrounding this project is alarming. The presence of a WWTP raises valid concerns about environmental impacts, odors, noise pollution, and property values. We urgently need detailed information about the WWTP's capacity, operations, environmental assessments, and mitigation measures. Additionally, I strongly urge you to halt the installation of the WWTP until these concerns are thoroughly addressed and the community is adequately consulted. I kindly request immediate dialogue or a written response to address these concerns and ensure the well-being of our community. Thank you for your prompt attention to this matter.

December 1, 2024

Texas Commission on Environmental Quality

Via email to: www.tceq.texas.gov/goto/comment

RE: Renewal of City of Liberty Hill Permit No. WQ0015000001

To Whom it may concern:

I am a resident of Santa Rita Ranch. I am aware that the permit renewal, if approved, would allow for the construction of a wastewater treatment plant on the west side of Ronald Reagan Boulevard, approximately 2.5 miles north of Highway 29 and generally in the area of Santa Rita Ranch.

I believe the permit should be renewed and the plant constructed as planned. I have confidence that the TCEQ and the City of Liberty Hill will ensure that the plant will comply with the law.

Sincerely,



Ron Neds
101 Inspiration Drive
Liberty Hill, TX 78642

RECEIVED
DEC 03 2024
AT PUBLIC MEETING

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Friday, May 10, 2024 3:33 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: aneelam424@gmail.com <aneelam424@gmail.com>
Sent: Friday, May 10, 2024 12:23 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: MR Abhilash Neelam

EMAIL: aneelam424@gmail.com

COMPANY:

ADDRESS: 180 LA DERA DR
LIBERTY HILL TX 78642-2121

PHONE: 5107379360

FAX:

COMMENTS: I am writing this to express my deep concerns regarding the installation of a Wastewater Treatment Plant (WWTP) near our community. As a resident of Santa Rita Ranch, the presence of a WWTP raises valid concerns about environmental impacts, odors, noise pollution, and property values. We urgently need detailed information about the WWTP's capacity, operations, environmental assessments, and mitigation measures. Additionally, I strongly urge you to halt the installation of the WWTP until these concerns are thoroughly addressed and the community is adequately consulted. I kindly request immediate dialogue or a written response to address these concerns and ensure the well-being of our community.

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Friday, May 10, 2024 2:53 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: aneelam424@gmail.com <aneelam424@gmail.com>
Sent: Thursday, May 9, 2024 4:49 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: MR Abhilash Neelam

EMAIL: aneelam424@gmail.com

COMPANY:

ADDRESS: 180 LA DERA DR
LIBERTY HILL TX 78642-2121

PHONE: 5107379360

FAX:

COMMENTS: I am writing this to express my deep concerns regarding the installation of a Wastewater Treatment Plant (WWTP) near our community. As a resident of Santa Rita Ranch, the presence of a WWTP raises valid concerns about environmental impacts, odors, noise pollution, and property values. We urgently need detailed information about the WWTP's capacity, operations, environmental assessments, and mitigation measures. Additionally, I strongly urge you to halt the installation of the WWTP until these concerns are thoroughly addressed and the community is adequately consulted. I kindly request immediate dialogue or a written response to address these concerns and ensure the well-being of our community.

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Monday, May 6, 2024 1:43 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: bneella@outlook.com <bneella@outlook.com>
Sent: Sunday, May 5, 2024 8:49 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: MR Bhaskar Neella

EMAIL: bneella@outlook.com

COMPANY:

ADDRESS: 433 BELLA LUNA WAY
LIBERTY HILL TX 78642-2407

PHONE: 6692909803

FAX:

COMMENTS: Please move this WWTP away from thousands of houses in Santa Rita Ranch. It's a bio hazard and we want out children free from this. Thank you.

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Friday, May 10, 2024 2:44 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: lavanya2631@gmail.com <lavanya2631@gmail.com>
Sent: Wednesday, May 8, 2024 9:31 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Lakshmi Nemana

EMAIL: lavanya2631@gmail.com

COMPANY:

ADDRESS: 416 SPURLOCK WAY
LIBERTY HILL TX 78642-2512

PHONE: 6126369483

FAX:

COMMENTS: I strictly oppose the construction of WWTP because it will impact my family's health and property values

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Friday, May 10, 2024 2:27 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: abhisheknimmakayala@gmail.com <abhisheknimmakayala@gmail.com>
Sent: Wednesday, May 8, 2024 2:04 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Abhishek Nimmakayala

EMAIL: abhisheknimmakayala@gmail.com

COMPANY:

ADDRESS: 304 PALATINO BND
LIBERTY HILL TX 78642-2565

PHONE: 8454435335

FAX:

COMMENTS: While acknowledging the importance of infrastructure development, we raise significant concerns regarding the proposed construction of a wastewater treatment plant in close proximity to our residential area. Our community worries about several potential issues that require thoughtful consideration. First and foremost, the possibility of odor and airborne contaminants poses a threat to the health and well-being of our residents. We particularly emphasize the vulnerability of children, the elderly, and those with pre-existing health conditions. Additionally, the anticipated noise levels from plant operations could disrupt the peaceful environment we cherish. Beyond these immediate concerns, we also express apprehension about the environmental impact. The processes

involved in wastewater treatment can significantly affect local ecosystems and wildlife. We urge thorough assessments and transparent communication to address these valid concerns.

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Friday, May 17, 2024 4:31 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: mistereasman@yahoo.com <mistereasman@yahoo.com>
Sent: Thursday, May 16, 2024 4:44 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Rakesh Nuta

EMAIL: mistereasman@yahoo.com

COMPANY:

ADDRESS: 216 ORVIETO LN
LIBERTY HILL TX 78642-4454

PHONE: 5126661455

FAX:

COMMENTS: I'm reaching out with concerns regarding the installation of Wastewater Treatment Plant in our SRR neighborhood. I am deeply concerned about the impacts of this plant on the environment, health and the overall quality of life on residents like me in SRR. The lack of transparency and consultation surrounding this project is also very alarming. I request that this project be put on hold until a comprehensive environmental impact assessment is conducted and the surrounding communities like SRR have been engaged and any concerns are meaningfully addressed. Thank you for your consideration

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Thursday, May 16, 2024 11:22 AM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

PM

From: Saikiranp@gmail.com <Saikiranp@gmail.com>
Sent: Tuesday, May 14, 2024 10:21 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: K P

EMAIL: Saikiranp@gmail.com

COMPANY:

ADDRESS: 221 BELLA LUNA WAY
LIBERTY HILL TX 78642-2405

PHONE: 5127663726

FAX:

COMMENTS: I am writing to express my concern regarding the recent installation of a Wastewater Treatment Plant (WWTP) plan in our community. As a resident and homeowner in Santa Rita Ranch, I believe it is crucial for residents to be informed about significant developments that directly impact our quality of life and property values. The presence of a WWTP can have various consequences, including environmental concerns, potential odors, noise pollution, and potential impacts on property values. These are valid concerns that should have been addressed through open dialogue and community engagement before any construction commenced. Furthermore, I urge you to provide detailed information about the WWTP, including its capacity, operation processes, environmental impact assessments, and

measures taken to mitigate any potential negative effects on our community. I kindly request a public meeting to discuss this matter further and seek clarity on the steps being taken to address our concerns. I look forward to your prompt attention to this issue and a constructive dialogue moving forward. Thank you for your understanding and cooperation.

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Thursday, May 16, 2024 11:08 AM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: srujanaparely@gmail.com <srujanaparely@gmail.com>
Sent: Monday, May 13, 2024 10:43 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Srujana Parely

EMAIL: srujanaparely@gmail.com

COMPANY:

ADDRESS: 109 RAY CT
LIBERTY HILL TX 78642-2511

PHONE: 2162469326

FAX:

COMMENTS: We are home owners in Santa Rita Ranch (SRR) in Liberty Hill, TX. When we decided to move to Austin, We chose SRR as we were attracted to the advertising as a great community for families. The proposed waste water treatment plan was never disclosed and this is unacceptable. Having a WWTP beside a school and a community with over a 1000 residents is unacceptable. Also, our properties will be devalued due to the construction of the WWTP. We are not only concerned about the foul odour, but also potential health risks of living close to this plant. It is my sincere request to move the WWTP to another location that is away from residential areas.

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Wednesday, July 10, 2024 8:41 AM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: jamesjpark@gmail.com <jamesjpark@gmail.com>
Sent: Tuesday, July 9, 2024 4:52 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: James Park

EMAIL: jamesjpark@gmail.com

COMPANY:

ADDRESS: 256 CANYONCREST WAY
LIBERTY HILL TX 78642-2618

PHONE: 9148863366

FAX:

COMMENTS: I just bought a home in Saddleback in May 2024 and today found out there's a wastewater treatment plant opening very close by. I am very concerned about our health being so close to this proposed new plant. This was not disclosed to us during the home sale. It seems odd to have it in the middle of 3 large divisions of residences. Will let the science speak for itself but if it stinks up the

neighborhood, causes sickness with airborne contaminants, and causes any other inconvenience, we will not be happy.

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Monday, May 20, 2024 4:18 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: jjp1023@gmail.com <jjp1023@gmail.com>
Sent: Sunday, May 19, 2024 6:13 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Jigar Patel

EMAIL: jjp1023@gmail.com

COMPANY:

ADDRESS: 805 OLINDA WAY
LIBERTY HILL TX 78642-2616

PHONE: 2243057990

FAX:

COMMENTS: I am writing to express my strong opposition to the construction of the Wastewater Treatment Plant (WWTP) at Santa Rita Ranch, which is slated to be built in close proximity to our homes. I have several concerns that I believe warrant careful consideration: 1. Loss of Property Value: The presence of a wastewater treatment plant in our neighborhood will undoubtedly lead to a significant decrease in property values. The close proximity of the plant will make our homes less desirable to potential buyers, resulting in a decline in property values and a loss of investment for homeowners like myself. 2. Unpleasant Odors: Wastewater treatment plants are known to emit unpleasant and potentially harmful odors, which will negatively impact our quality of life. The smell of sewage and chemicals will be a constant reminder of the plant's presence, making it difficult to enjoy our homes and outdoor spaces. 3. Eyesore: The plant's industrial appearance will be an eyesore in our otherwise picturesque neighborhood. The presence of large tanks, pipes, and machinery will detract from the aesthetic appeal of our community, making it less attractive to residents and visitors alike. 4. Noise Pollution: The plant will generate noise from machinery, pumps, and other equipment, which will be a disturbance to nearby residents, especially during nighttime hours when noise levels are already supposed to be minimized. 5. Health Risks: Wastewater treatment plants can pose health risks to nearby residents, particularly those with compromised immune systems or respiratory issues. The plant's emissions and byproducts can contaminate the air and water, leading to serious health problems. 6. Environmental Concerns: The plant's proximity to local waterways and wildlife habitats raises concerns about potential environmental impacts, including water pollution and harm to local ecosystems. 7. Inadequate Emergency Response Planning: In the event of an accident or malfunction, I am concerned that the plant's emergency response plan may not be adequate to protect nearby residents and the environment. 8. Lack of Community Engagement: The planning and approval process for the WWTP has been rushed, with insufficient opportunity for community input and feedback. This lack of transparency and engagement has left many residents feeling ignored and disenfranchised. I urge you to consider the long-term effects of this project on our community and to explore alternative locations for the WWTP that do not pose a threat to our property values, health, and well-being. Thank you for your time and consideration.

Tammy Washington

From: PUBCOMMENT-OCC
Sent: Monday, July 7, 2025 2:39 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

From: jheelpatel@gmail.com
Sent: Monday, July 7, 2025 2:24 PM
To: PUBCOMMENT-OCC
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Jheel Patel

EMAIL: jheelpatel@gmail.com

COMPANY:

ADDRESS: 140 Bell Chime Dr
Liberty Hill, TX 78642

PHONE: 2057892722

FAX:

COMMENTS: Opposing the water recycling plant

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Friday, December 13, 2024 10:11 AM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: mcneildrums@gmail.com <mcneildrums@gmail.com>
Sent: Friday, December 13, 2024 5:56 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Sunil G Patel

EMAIL: mcneildrums@gmail.com

COMPANY:

ADDRESS: 128 RAVELLO ST
LIBERTY HILL TX 78642-2306

PHONE: 5122975359

FAX:

COMMENTS: Dear TCEQ, I am writing to express my opposition to the proposed location for the new wastewater treatment plant (WWTP) in Liberty Hill. While I recognize the need to improve wastewater infrastructure, I believe this site is not suitable for such a facility due to the following concerns: 1. Proximity to Sensitive Ecosystems: The proposed site is too close to the South San Gabriel River, a critical natural resource for the community. Constructing and operating a WWTP in this area increases

the risk of effluent discharge and accidental spills that could harm aquatic ecosystems, wildlife habitats, and water quality. 2. Impact on Residential and Recreational Areas: The location could negatively affect nearby residents and recreational users. Noise, odors, and potential pollution will diminish the quality of life for those living nearby and deter the use of the river for activities such as fishing, kayaking, and swimming. 3. Better Alternative Locations: Liberty Hill has other less environmentally sensitive and less densely populated areas that would be more suitable for a WWTP. A comprehensive review of alternative locations should be conducted, prioritizing areas further away from residential neighborhoods, waterways, and recreational spaces. 4. Long-term Planning: The current proposed location does not align with a long-term vision for responsible growth in Liberty Hill. Prioritizing a site that minimizes environmental impact and potential conflicts with residents will ensure that the WWTP can serve the community effectively without undue harm. I urge TCEQ to require Liberty Hill to reassess the site selection for this WWTP. A more suitable location, chosen through careful consideration and community input, will better serve both the immediate and future needs of the city while preserving its natural and residential environments. Thank you for taking my concerns into account.

Ellie Guerra

From: PUBCOMMENT-OCC
Sent: Wednesday, December 4, 2024 5:04 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: mcneildrums@gmail.com <mcneildrums@gmail.com>
Sent: Wednesday, December 4, 2024 2:55 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Sunil G Patel

EMAIL: mcneildrums@gmail.com

COMPANY:

ADDRESS: 128 RAVELLO ST
LIBERTY HILL TX 78642-2306

PHONE: 5122975359

FAX:

COMMENTS: Dear TCEQ, I am writing to express my opposition to the proposed location for the new wastewater treatment plant (WWTP) in Liberty Hill. While I recognize the need to improve wastewater infrastructure, I believe this site is not suitable for such a facility due to the following concerns: 1. Proximity to Sensitive Ecosystems: The proposed site is too close to the South San Gabriel River, a critical natural resource for the community. Constructing and operating a WWTP in this area increases the risk of effluent discharge and accidental spills that could harm aquatic ecosystems, wildlife habitats, and water quality. 2. Impact on Residential and Recreational Areas: The location could negatively affect nearby residents and recreational users. Noise, odors, and potential pollution will diminish the quality of life for those living nearby and deter the use of the river for activities such as fishing, kayaking, and swimming. 3. Better Alternative Locations: Liberty Hill has other less environmentally sensitive and less densely populated areas that would be more suitable for a WWTP. A comprehensive review of alternative locations should be conducted, prioritizing areas further away from residential neighborhoods, waterways, and recreational spaces. 4. Long-term Planning: The current proposed location does not align with a long-term vision for responsible growth in Liberty Hill. Prioritizing a site that minimizes environmental impact and potential conflicts with residents will ensure that the WWTP can serve the community effectively without undue harm. I urge TCEQ to require Liberty Hill to reassess the site selection for this WWTP. A more suitable location, chosen through careful consideration and community input, will better serve both the immediate and future needs of the city while preserving its natural and residential environments. Thank you for taking my concerns into account.

Ellie Guerra

From: PUBCOMMENT-OCC
Sent: Wednesday, December 4, 2024 11:37 AM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: mcneildrums@gmail.com <mcneildrums@gmail.com>
Sent: Tuesday, December 3, 2024 10:05 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Sunil G Patel

EMAIL: mcneildrums@gmail.com

COMPANY:

ADDRESS: 128 RAVELLO ST
LIBERTY HILL TX 78642-2306

PHONE: 5122975359

FAX:

COMMENTS: Dear TCEQ, I am writing to express my opposition to the proposed location for the new wastewater treatment plant (WWTP) in Liberty Hill. While I recognize the need to improve wastewater infrastructure, I believe this site is not suitable for such a facility due to the following concerns: 1. Proximity to Sensitive Ecosystems: The proposed site is too close to the South San Gabriel River, a critical natural resource for the community. Constructing and operating a WWTP in this area increases

the risk of effluent discharge and accidental spills that could harm aquatic ecosystems, wildlife habitats, and water quality. 2. Impact on Residential and Recreational Areas: The location could negatively affect nearby residents and recreational users. Noise, odors, and potential pollution will diminish the quality of life for those living nearby and deter the use of the river for activities such as fishing, kayaking, and swimming. 3. Better Alternative Locations: Liberty Hill has other less environmentally sensitive and less densely populated areas that would be more suitable for a WWTP. A comprehensive review of alternative locations should be conducted, prioritizing areas further away from residential neighborhoods, waterways, and recreational spaces. 4. Long-term Planning: The current proposed location does not align with a long-term vision for responsible growth in Liberty Hill. Prioritizing a site that minimizes environmental impact and potential conflicts with residents will ensure that the WWTP can serve the community effectively without undue harm. I urge TCEQ to require Liberty Hill to reassess the site selection for this WWTP. A more suitable location, chosen through careful consideration and community input, will better serve both the immediate and future needs of the city while preserving its natural and residential environments. Thank you for taking my concerns into account.

Ellie Guerra

From: PUBCOMMENT-OCC
Sent: Wednesday, December 4, 2024 11:39 AM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: tamjens89@gmail.com <tamjens89@gmail.com>
Sent: Tuesday, December 3, 2024 10:12 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Tamara Patel

EMAIL: tamjens89@gmail.com

COMPANY:

ADDRESS: 128 RAVELLO ST
LIBERTY HILL TX 78642-2306

PHONE: 5125899862

FAX:

COMMENTS: I am writing to express my strong concerns about the proposed wastewater treatment plant to be constructed near our neighborhood, Santa Rita Ranch. As a resident, I am deeply worried about the potential risks it may pose to the health of my family, the local environment, and the long-term value of our property. I understand the importance of wastewater treatment for our community, but I believe the proposed location raises significant issues that need to be carefully considered. Below are

my primary concerns, supported by scientific evidence and expert opinion: 1. Health Risks to the Community Wastewater treatment facilities, while essential, can introduce several public health risks, especially if they are not managed properly. Air Quality Concerns: Studies have shown that wastewater treatment plants can emit unpleasant and potentially harmful odors, such as hydrogen sulfide, which may cause respiratory issues, headaches, and nausea. The World Health Organization (WHO) has outlined that exposure to high concentrations of hydrogen sulfide can be toxic, particularly for vulnerable groups such as children and the elderly. Waterborne Diseases: Though treatment processes are designed to remove contaminants, improper management or malfunctions at the facility could lead to contamination of local water supplies. The Centers for Disease Control and Prevention (CDC) warns that wastewater facilities are linked to the spread of diseases like gastrointestinal infections if untreated waste is improperly managed. 2. Environmental Impact The construction of a wastewater treatment plant can have long-lasting effects on the local environment, including: Soil and Water Contamination: Even well-functioning wastewater plants can pose risks to surrounding water bodies due to the discharge of treated water. There are concerns about the potential for nutrient overload in nearby rivers or streams, which can lead to harmful algal blooms, fish kills, and reduced biodiversity. The Environmental Protection Agency (EPA) has highlighted that improperly treated effluent can degrade ecosystems and negatively affect local wildlife. Biodiversity Loss: The plant's construction and its operational discharge could impact local wildlife habitats, especially if the plant is situated near wetlands, forests, or protected areas. Many species rely on local water sources, and their habitats may be at risk if water quality is compromised. 3. Property Value Concerns One of the most concerning long-term implications of the wastewater treatment plant's location is its potential to devalue surrounding properties. Research has consistently shown that proximity to wastewater treatment plants can negatively affect real estate values due to perceived or actual environmental risks, odor issues, and aesthetic concerns. A study by the Journal of Environmental Economics and Management found that properties within a 1-mile radius of wastewater treatment facilities often experience significant depreciation in value, sometimes up to 10-15%. Additionally, homes located near such facilities may have lower demand on the real estate market, making it harder for homeowners to sell or find tenants. The negative impact on property values is particularly concerning for families who have invested in their homes and view them as long-term assets. 4. Alternative Locations and Solutions While I understand that infrastructure like wastewater treatment plants is vital for community growth, I strongly believe that alternative sites should be considered. A more distant location, away from residential areas and sensitive environmental zones, would mitigate the risks mentioned above. Additionally, new technologies in wastewater treatment, such as membrane bioreactor systems or green infrastructure approaches, could be explored to minimize environmental impact and enhance efficiency. Request for Further Consideration: Given the potential risks to health, the environment, and property values, I respectfully request that further studies be conducted on the proposed plant's location and that public consultations be expanded to allow more community input. I urge the authorities to prioritize not only the technical feasibility of this project but also its long-term impact on residents, the local environment, and future generations.

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Friday, May 10, 2024 3:31 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: phani.peddi@gmail.com <phani.peddi@gmail.com>
Sent: Friday, May 10, 2024 10:45 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Phani bhushan Peddi

EMAIL: phani.peddi@gmail.com

COMPANY:

ADDRESS: 225 JANELLE LN
LIBERTY HILL TX 78642-2403

PHONE: 5106106404

FAX:

COMMENTS: I am against the idea of having WWTP at the proposed location as this was planned 10-13 years back and there is a lot of development since then. School, Church and Many houses are in the vicinity of the proposed location and it would impact the lives of many people and will also affect the home value. No New buyers will be coming to live in Santa Rita if this continues to go. I would request this to be relocated a couple of miles away.

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Monday, May 6, 2024 9:32 AM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: Teampeterson45@gmail.com <Teampeterson45@gmail.com>
Sent: Friday, May 3, 2024 3:11 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Jaime Peterson

EMAIL: Teampeterson45@gmail.com

COMPANY:

ADDRESS: 716 GREAT LAWN BND
LIBERTY HILL TX 78642-2499

PHONE: 9179303305

FAX:

COMMENTS: I strongly oppose the location of this waste water treatment plant. Though I understand this necessary function, the planned location is across the street from one of the largest and most desirable subdivisions in Texas. Please move the location of this plant immediately. Our health, safety, environmental purity, and home property values are at stake.

November 15, 2024

Texas Commission on Environmental Quality

Via email to: www.tceq.texas.gov/goto/comment

RE: Renewal of City of Liberty Hill Permit No. WQ0015000001

To Whom it may concern:

I am a resident of Santa Rita Ranch. I am aware that the permit renewal, if approved, would allow for the construction of a wastewater treatment plant on the west side of Ronald Reagan Boulevard, approximately 2.5 miles north of Highway 29 and generally in the area of Santa Rita Ranch.

I believe the permit should be renewed and the plant constructed as planned. I have confidence that the TCEQ and the City of Liberty Hill will ensure that the plant will comply with the law.

Sincerely,

James D. Plasek

James D. Plasek
212 CASTILLO BND
LIBERTY HILL, TX 78642

RECEIVED
DEC 03 2024
AT PUBLIC MEETING

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Monday, May 13, 2024 4:03 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: vimalpradhan@gmail.com <vimalpradhan@gmail.com>
Sent: Sunday, May 12, 2024 3:42 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Vimal Pradhan

EMAIL: vimalpradhan@gmail.com

COMPANY:

ADDRESS: 536 GREAT LAWN BND
LIBERTY HILL TX 78642-2465

PHONE: 4088324530

FAX:

COMMENTS: I'm against this WWTP proposal if it is not good for the health and environment and environment of the neighborhood.

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Thursday, May 16, 2024 10:56 AM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: praterzane95@gmail.com <praterzane95@gmail.com>
Sent: Monday, May 13, 2024 7:25 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Zanein Prater

EMAIL: praterzane95@gmail.com

COMPANY:

ADDRESS: 765 OLINDA WAY
LIBERTY HILL TX 78642-2615

PHONE: 8505123986

FAX:

COMMENTS: We will not stand for this. This is ridiculous. Our children do not deserve to grow up next to a facility that pumps out har Full chemicals.

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Thursday, May 16, 2024 11:08 AM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: surajenggp@gmail.com <surajenggp@gmail.com>
Sent: Monday, May 13, 2024 10:08 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Suraj Poojary

EMAIL: surajenggp@gmail.com

COMPANY:

ADDRESS: 204 BELLA LUNA WAY
LIBERTY HILL TX 78642-2405

PHONE: 4699518162

FAX:

COMMENTS: This permit for development of waste water plant is very close to the Santa Rita community and is not a favorable location. It concerns me as a parent of a young kid that such a plant is so close to where my kid lives, plays and interacts with nature

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Monday, May 6, 2024 1:42 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: kishorepulagam@gmail.com <kishorepulagam@gmail.com>
Sent: Saturday, May 4, 2024 9:04 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Kishore Pulagam

EMAIL: kishorepulagam@gmail.com

COMPANY:

ADDRESS: 236 CALERA ST
LIBERTY HILL TX 78642-2192

PHONE: 5129716614

FAX:

COMMENTS: I am opposing the construction of the plant in the proposed location.

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Thursday, May 16, 2024 1:22 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: nairpajay@gmail.com <nairpajay@gmail.com>
Sent: Tuesday, May 14, 2024 1:46 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Ajay Puthiyedath

EMAIL: nairpajay@gmail.com

COMPANY:

ADDRESS: 100 ROCK KNOLL ST
LIBERTY HILL TX 78642-2427

PHONE: 7046208107

FAX:

COMMENTS: id like raise a concern and disspointment regarding recent installation of a Waste Water treatment plan in our community "Santa Rita Ranch" Liberty Hill. environmental concerns, potential odors, noise pollution, and potential impacts on property values are some of the valid concerns that should have been addressed through open dialogue and community engagement before any construction commenced. Above all there was no tranparency about this plan and we the residents feel blindsided by this. We moved to this place in hope of a good neighborhood for our family and this has taken us by surprise. We hope this is handled in a much better way by having a comprehensive written response to discuss this matter further

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Monday, May 6, 2024 1:55 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: dollydharani@gmail.com <dollydharani@gmail.com>
Sent: Monday, May 6, 2024 11:43 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: DHARANI RANGARAJ

EMAIL: dollydharani@gmail.com

COMPANY:

ADDRESS: 104 LOTTI LN
LIBERTY HILL TX 78642-2468

PHONE: 4848913410

FAX:

COMMENTS: We Family of 4 are very concerned about the new plant coming up and any possible health conditions that may be caused due to the waste water from WWTP. This is so unpleasant to know at this point while we bought our second house in this same community. This is a big mis information from the builders/developers who missed to mention this during the house purchase. Santa Rita always exhibits the Amenities in a map view while is/was this DIRTY THING not shown anywhere in the map. Please MOVE THIS FAR AWAY FROM ANY LESSER POPULATED AREA.

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Thursday, May 16, 2024 11:18 AM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: binuraj1009@gmail.com <binuraj1009@gmail.com>
Sent: Tuesday, May 14, 2024 7:33 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: MR Binu RAJ

EMAIL: binuraj1009@gmail.com

COMPANY:

ADDRESS: 121 LOCKHART DR
LIBERTY HILL TX 78642-2318

PHONE: 5128645163

FAX:

COMMENTS: Dear Ms. Davila, We are home owners in Santa Rita Ranch (SRR) in Liberty Hill, TX. When we decided to find a home in the Austin area to live in after retirement, we could have picked any community in the Austin area. We were attracted to SRR due to its advertising as a great community to live in. But there was no information disclosed about a Waste Water Treatment Plant (WWTP) to be constructed so close to SRR. This would have been an important disclosure, had it been made, that would have factored into our decision to buy in SRR. Now we are afraid that due to the WWTP our lifetime investment will devalue. Besides we are also worried about potential health hazards that are typically associated with living close to a WWTP. The quality of life will be damaged due to potential smell and pollutants

from the WWTP. The WWTP is going to be a problem not just for my family but for thousands of families that call SRR their home. We request your help to convince the City of Liberty Hill and Williamson County to find another location for the WWTP away from residential areas. Thank you for your consideration.

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Friday, May 10, 2024 3:12 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: rdrebers@yahoo.com <rdrebers@yahoo.com>
Sent: Thursday, May 9, 2024 4:50 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Ryan Rebers

EMAIL: rdrebers@yahoo.com

COMPANY:

ADDRESS: 220 NORCIA LOOP
LIBERTY HILL TX 78642-4450

PHONE: 5126390731

FAX:

COMMENTS: I am writing in opposition to the proposed WWTP in Santa Rita Ranch. Everybody has put too much money into the existing infrastructure for it all to be diminished by this new WWTP. Developers, homeowners, schools, etc. This site should be unacceptable because it's too close to too many homes whose homeowners have invested everything they own into. We don't want the eyesore and we don't want the smell. We don't want the diminished value that a WWTP would bring. Please find a better place for this WWTP.

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Thursday, May 16, 2024 1:20 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: mounika.reddy9098@gmail.com <mounika.reddy9098@gmail.com>
Sent: Tuesday, May 14, 2024 12:41 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Mounika Reddy

EMAIL: mounika.reddy9098@gmail.com

COMPANY:

ADDRESS: 204 PROSA LN
LIBERTY HILL TX 78642-0228

PHONE: 8482198167

FAX:

COMMENTS: Subject: Urgent Request to Halt WWTP Installation in SRR I hope this message finds you well. I am writing to express my concerns regarding the proposed installation of a Wastewater Treatment Plant (WWTP) in our community. As a resident of SRR, I am deeply troubled by the lack of communication and consultation regarding this significant project. The introduction of a WWTP has the potential to impact our environment, health, and property values. I urge you to prioritize transparency and engage with the community to address our concerns. We require detailed information about the WWTP's design, operational processes, and environmental impact assessments. Furthermore, I request that all construction activities related to the WWTP be paused until a thorough consultation

process is conducted with the community. Thank you for your attention to this matter. I look forward to your response and the opportunity to discuss this issue further.

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Friday, May 10, 2024 3:14 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: Ottwatch66@gmail.com <Ottwatch66@gmail.com>
Sent: Thursday, May 9, 2024 5:25 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Sandeep Reddy

EMAIL: Ottwatch66@gmail.com

COMPANY:

ADDRESS: 621 SPURLOCK WAY
LIBERTY HILL TX 78642-2514

PHONE: 4242621669

FAX:

COMMENTS: We heard about the WWTP right at the entrance of Santa Rita Rand community where I live and have concerns about this project as it will pollute the air in this area . Request to move this plant to any other area where there is no residential living

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Monday, May 6, 2024 11:34 AM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: aregehr@yahoo.com <aregehr@yahoo.com>
Sent: Friday, May 3, 2024 4:48 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Allen Regehr

EMAIL: aregehr@yahoo.com

COMPANY:

ADDRESS: 108 PROSA LN
LIBERTY HILL TX 78642-4473

PHONE: 5126591804

FAX:

COMMENTS: The proposed water treatment plant to be built in Santa Rita Ranch Development would be harmful to many in this huge development. While I recognize the need for such a plant, I believe the placement is wrong and will harm many hundreds if not thousands of homeowners. I respectfully request this approval be reviewed or put on hold to move it to a more suitable location. From my understanding the placement of this plant could/would effect Soves Branch of the North Fork of the San Gabriel River and ultimately Lake Georgetown which is a major source of water for Williamson County. Also, it would be visible to Ronald Reagan Blvd which is beginning its transformation to a divided

four lane highway to RM 3405 intersection and beyond to eventually go to SH 195. There must be a better location than the proposed site. Thank you.

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Friday, May 10, 2024 2:51 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: santoshreddy7@gmail.com <santoshreddy7@gmail.com>
Sent: Thursday, May 9, 2024 1:26 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: SANTOSH REDDY RESU

EMAIL: santoshreddy7@gmail.com

COMPANY:

ADDRESS: 217 MONROVIA WAY
LIBERTY HILL TX 78642-2726

PHONE: 4053343631

FAX:

COMMENTS: We are moving to beautiful place of Santa Rita Ranch in June 2024. Having a WWTP has come to a shocker to us. There has been a lack of information on this topic and was not shared by our builder too. Looking at the quality of life point of view having WWTP drastically affects the living and upbringing of our family. Not only this this will have an effect on us financially as the home prices wouldn't be the same after construction of this plant. I kindly request the county and city to look into this matter and provide a possible alternative solution. Thanks Santosh

TCEQ Registration Form

December 3, 2024

City of Liberty Hill

Proposed Renewal of TPDES Permit No. WQ0015000001

PLEASE PRINT

Name:

Brian - Joyce Righetti

Mailing Address:

137 Krupp Ave., Liberty Hill, TX 78642

Physical Address (if different):

City/State:

Liberty Hill

Zip:

78642

****This information is subject to public disclosure under the Texas Public Information Act****

Email:

Brian.FEF@yahoo.com

Phone Number:

(949) 280-7623

- Are you here today representing a municipality, legislator, agency, or group?

☐ Yes

☒ No

If yes, which one? _____



Please add me to the mailing list.



I wish to provide formal *ORAL COMMENTS* at tonight's public meeting.



I wish to provide formal *WRITTEN COMMENTS* at tonight's public meeting.

(Written comments may be submitted at any time during the meeting)

Please give this form to the person at the information table. Thank you.

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Monday, May 6, 2024 11:38 AM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: nrkc4@yahoo.com <nrkc4@yahoo.com>
Sent: Friday, May 3, 2024 8:43 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: DR. Pamela Roy-Kondepati

EMAIL: nrkc4@yahoo.com

COMPANY:

ADDRESS: 205 CALERA ST
LIBERTY HILL TX 78642-2192

PHONE: 7407200888

FAX:

COMMENTS: We need the wastewater plant moved to a less dense living area and less visible from the roads. This is a crucial moment for Santa Rita Ranch residents to safeguard our community's health, environment, and property values.

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Tuesday, June 11, 2024 3:52 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: Nathanrudolph1@gmail.com <Nathanrudolph1@gmail.com>
Sent: Monday, June 10, 2024 5:47 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Nathan Rudolph

EMAIL: Nathanrudolph1@gmail.com

COMPANY:

ADDRESS: 704 FAITH DR
LIBERTY HILL TX 78642-2247

PHONE: 5125684945

FAX:

COMMENTS: I am a resident in the Ventana section of Santa Rita North. I am very concerned about the new proposed WWTP that is currently set to be located just across Ronald Reagan from our home. We were given no information or warning that this was coming to this area. I understand the need for wastewater treatment, but I would like for consideration to be given to relocating the facility to a more remote location. The concerns with the proposed location are odor, contamination of water supplies, as

well as negative impact to my property value. In addition, with multiple violations and issue with algae buildup from the other Liberty Hill WWTP that is south of here, I have no confidence that the operating entity can properly address the multiple issues associated with this facility.

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Friday, May 10, 2024 3:30 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: lifemantu@gmail.com <lifemantu@gmail.com>
Sent: Friday, May 10, 2024 8:18 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Sachidananda Sahoo

EMAIL: lifemantu@gmail.com

COMPANY:

ADDRESS: 100 REBEL RED RD
LIBERTY HILL TX 78642-2127

PHONE: 4847942016

FAX:

COMMENTS: The WWTP (waste water treatment plant) permit near Santa Rita Ranch is a concern. There are so many residents along with children, schools and parks. This may create a hazardous environment for the families. The county should consider to relook at the decision made and place the WWTP a place to an isolated place far away from large communities .

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Friday, May 10, 2024 3:15 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: anilsahukari1526@gmail.com <anilsahukari1526@gmail.com>
Sent: Thursday, May 9, 2024 6:48 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Anil Sahukari

EMAIL: anilsahukari1526@gmail.com

COMPANY:

ADDRESS: 228 BELLA LUNA WAY
LIBERTY HILL TX 78642-2405

PHONE: 2167789615

FAX:

COMMENTS: The construction of this WWTP can cause serious environmental issues and also can release many toxic gases into the atmosphere which can cause issues to lot of residents in Santa Rita Ranch , it is also located close to the school to it might trigger many allergic reactions in children , there is also a risk of ground water contamination which can result in severe health hazards to all the residents living in Santa Rita ranch , the proposed plan of this WWTP was not disclosed by builders while making a home purchase in SRR so as a resident of SRR I strongly condemn this and request to take necessary steps in preventing the construction of WWTP.

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Monday, May 6, 2024 1:50 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: absonthego@gmail.com <absonthego@gmail.com>
Sent: Monday, May 6, 2024 9:10 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: ARUN BALAJI SAMPATH

EMAIL: absonthego@gmail.com

COMPANY:

ADDRESS: 104 LOTTI LN
LIBERTY HILL TX 78642-2468

PHONE: 8134536573

FAX:

COMMENTS: As we heard about this WWTP under this WQ0015000001 permit in such a closer vicinity of 1000s of people living, we don't want to see a surge in phosphorous and algae and smells in this area and posing risk of decline in our area's cleanliness. Protect your homes and please take action, we need the wastewater plant moved to a less dense living area and less visible from the roads. Appreciate your time and effort.

Tammy Washington

From: PUBCOMMENT-OCC
Sent: Tuesday, July 8, 2025 4:21 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

From: sankatiraviteja@gmail.com <sankatiraviteja@gmail.com>
Sent: Monday, July 7, 2025 2:32 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Raviteja Sankati

EMAIL: sankatiraviteja@gmail.com

COMPANY: insurance auto auctions

ADDRESS: 144 Bell chime
liberty hill, TX 78642

PHONE: 2015390194

FAX:

COMMENTS: I am

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Thursday, May 16, 2024 11:49 AM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: khanjan.saraiya@gmail.com <khanjan.saraiya@gmail.com>
Sent: Tuesday, May 14, 2024 11:48 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Khanjan Saraiya

EMAIL: khanjan.saraiya@gmail.com

COMPANY:

ADDRESS: 844 OLINDA WAY
LIBERTY HILL TX 78642-2616

PHONE: 2016372383

FAX:

COMMENTS: I am writing to express my strong support for relocating water treatment plant to a less densely populated area. As responsible stewards of our environment and public health, we have an opportunity to make a positive impact by choosing a more suitable location for this critical infrastructure. Few reasons for relocation: A densely populated area like Santa Rita Ranch would no longer be the ideal place for a water treatment plant. By moving it away from residential neighborhoods, we can reduce potential health risks associated with chemical emissions, noise, and traffic. The current site may be causing undue stress on the ecosystem. Relocating to a less sensitive area would allow us to better protect our natural surroundings Majority of us living at Santa Rita Ranch chose the community for the aesthetics. Fully

understand that the water treatment plants are essential but they are not always aesthetically pleasing. In most cases, residents near the plant often complain about noise and unpleasant odors. Current site for the water treatment plant will be severely impact our property values and will heavily impact us financially. Sincerely, Khanjan Saraiya 844 Olinda Way, Liberty Hill, TX - 78642

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Friday, May 10, 2024 3:15 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: Muzammilsargiro@gmail.com <Muzammilsargiro@gmail.com>
Sent: Thursday, May 9, 2024 8:05 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Mohammed Muzamm Sargiro

EMAIL: Muzammilsargiro@gmail.com

COMPANY:

ADDRESS: 129 LOCKHART DR
LIBERTY HILL TX 78642-2318

PHONE: 4084060758

FAX:

COMMENTS: This will impact many family leaving in Santa Rita ranch and also school kids siding in divine savior school

our community. Given that wastewater treatment plants involve various processes, we also harbor concerns about potential water pollution and its implications for local wildlife and ecosystems

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Friday, May 10, 2024 2:46 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: Muzammilsargiro@gmail.com <Muzammilsargiro@gmail.com>
Sent: Thursday, May 9, 2024 12:36 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Mohammed Muzamm Sargiro

EMAIL: Muzammilsargiro@gmail.com

COMPANY:

ADDRESS: 129 LOCKHART DR
LIBERTY HILL TX 78642-2318

PHONE: 4084060758

FAX:

COMMENTS: This will impact many family leaving in Santa Rita ranch and also school kids siding in divine savior school

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Thursday, May 16, 2024 11:17 AM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: PANKAJ90@GMAIL.COM <PANKAJ90@GMAIL.COM>
Sent: Monday, May 13, 2024 11:32 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: MR PANKAJ K SARMA

EMAIL: PANKAJ90@GMAIL.COM

COMPANY:

ADDRESS: 400 VALLETTA WAY
LIBERTY HILL TX 78642-2555

PHONE: 9523888244

FAX:

COMMENTS: I am very concerned about waste water treatment plant near Santa Rita Ranch, Liberty Hill. It was never disclosed when we decided to build a home here. I request TCEQ to consider serious environment impact of locating the plant in a populated area and advise Liberty Hill City to locate it at an area away from residential areas and not pollute natural resources like rivers and parks.

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Friday, May 10, 2024 3:14 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

PM

From: furqan0904@gmail.com <furqan0904@gmail.com>
Sent: Thursday, May 9, 2024 5:28 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Furqan Shaikh

EMAIL: furqan0904@gmail.com

COMPANY:

ADDRESS: 237 JANELLE LN
LIBERTY HILL TX 78642-2403

PHONE: 8478997886

FAX:

COMMENTS: I hope this letter finds you well. I am writing to express my concern and disappointment regarding the recent installation of a Wastewater Treatment Plant (WWTP) plan in our community. As a resident and homeowner in SRR, I believe it is crucial for residents to be informed about significant developments that directly impact our quality of life and property values. Firstly, I would like to highlight that there was no prior communication or notification from your end regarding the construction of the WWTP. This lack of transparency has left many of us feeling blindsided and concerned about the potential implications of such a facility in our neighborhood. The presence of a WWTP can have various consequences, including environmental concerns, potential odors, noise pollution, and potential impacts on

property values. These are valid concerns that should have been addressed through open dialogue and community engagement before any construction commenced. Furthermore, I urge you to provide detailed information about the WWTP, including its capacity, operation processes, environmental impact assessments, and measures taken to mitigate any potential negative effects on our community. As a responsible builder, it is essential to prioritize transparency and communication with residents to foster a positive and cooperative relationship. I believe that by working together and addressing these concerns proactively, we can ensure the well-being and satisfaction of everyone in our community. I kindly request a meeting or a written response to discuss this matter further and seek clarity on the steps being taken to address our concerns. I look forward to your prompt attention to this issue and a constructive dialogue moving forward. Thank you for your understanding and cooperation.

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Thursday, May 16, 2024 4:41 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: Sssuchitra@gmail.com <Sssuchitra@gmail.com>
Sent: Wednesday, May 15, 2024 3:22 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Sai Suchithra Sathyakumar

EMAIL: Sssuchitra@gmail.com

COMPANY:

ADDRESS: 208 SADABA ST
LIBERTY HILL TX 78642-2557

PHONE: 2108615650

FAX:

COMMENTS: Dear sir/ ma'am, I would like to voice my concern about the future WWTP and how we were not disclosed any such information by the community or builder prior to purchasing the house. Had we known about this, we wouldn't have purchased our new home here in Santa Rita Ranch. This plant is going to cause property value loss, environmental issues and quality of life is going to be impacted. Please consider our request and help us in this situation to not allow the plant to be built in closer to Santa Rita ranch and may be in a location with less to no suburbs population. Thank you for your time.

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Thursday, May 16, 2024 4:38 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: Sssuchitra@gmail.com <Sssuchitra@gmail.com>
Sent: Wednesday, May 15, 2024 7:56 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Sai Suchithra Sathyakumar

EMAIL: Sssuchitra@gmail.com

COMPANY:

ADDRESS: 208 SADABA ST
LIBERTY HILL TX 78642-2557

PHONE: 2108615650

FAX:

COMMENTS: Dear sir/ ma'am, I would like to voice my concern about the future WWTP and how we were not disclosed any such information by the community or builder prior to purchasing the house. Had we known about this, we wouldn't have purchased our new home here in Santa Rita Ranch. This plant is going to cause property value loss, environmental issues and quality of life is going to be impacted. Please consider our request and help us in this situation to not allow the plant to be built in closer to Santa Rita ranch and may be in a location with less to no suburbs population. Thank you for your time.

TCEQ Registration Form

December 3, 2024

City of Liberty Hill

Proposed Renewal of TPDES Permit No. WQ0015000001

PLEASE PRINT

Name: Trina Sherman

Mailing Address: 251 Tower Rd Liberty Hill Tx 78642

Physical Address (if different): _____

City/State: _____

Zip: _____

****This information is subject to public disclosure under the Texas Public Information Act****

Email: trina.sherman@gmail.com

Phone Number: (512) 657-7409

- Are you here today representing a municipality, legislator, agency, or group? ☒ Yes ☐ No

If yes, which one? Gabriels Ridge III



Please add me to the mailing list.



I wish to provide formal *ORAL COMMENTS* at tonight's public meeting.



I wish to provide formal *WRITTEN COMMENTS* at tonight's public meeting.

(Written comments may be submitted at any time during the meeting)

Please give this form to the person at the information table. Thank you.

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Friday, May 24, 2024 1:58 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: deanshirley11@gmail.com <deanshirley11@gmail.com>
Sent: Thursday, May 23, 2024 10:11 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: MR Dean Shirley

EMAIL: deanshirley11@gmail.com

COMPANY:

ADDRESS: 128 LA VENTANA DR
LIBERTY HILL TX 78642-2588

PHONE: 5128687668

FAX:

COMMENTS: The wastewater treatment facility is too close to a major neighborhood, effecting the quality of air and atmosphere in our subdivision.

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Thursday, May 16, 2024 11:18 AM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: Ksingams@yahoo.com <Ksingams@yahoo.com>
Sent: Tuesday, May 14, 2024 12:02 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Kumar Sing

EMAIL: Ksingams@yahoo.com

COMPANY:

ADDRESS: 160 ALICANTE LN
LIBERTY HILL TX 78642-2549

PHONE: 5123301913

FAX:

COMMENTS: I am concerned and do not want this project to progress any further due to following reasons; 1. Pollution and air quality 2. Home values going down. 3. Health of the kids and elderly. 4. Environmental concerns 5. Long term effect on health. 6. Effect on business and revenue loss for the city 7. Long term affect on animals and wildlife 8. Effect on Small business owners I can write many other concerns. I want this project to be stopped immediately.

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Thursday, May 16, 2024 4:43 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: sirivolulakshman@gmail.com <sirivolulakshman@gmail.com>
Sent: Thursday, May 16, 2024 2:01 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Lakshman Siruvolu

EMAIL: sirivolulakshman@gmail.com

COMPANY:

ADDRESS: 837 OLINDA WAY
LIBERTY HILL TX 78642-2616

PHONE: 4422221159

FAX:

COMMENTS: Concern about the Waste Water Treatment Plant in Our Neighborhood As a resident living less than a mile from the proposed site for a new wastewater treatment plant, I feel compelled to express my concerns and the collective apprehension of our community. While the need for such facilities is undeniable given the increasing demands on our water infrastructure, the proximity of this plant to our homes raises several critical issues that must be addressed.

Environmental Impact The primary concern is the environmental impact that the wastewater treatment plant could have on our immediate surroundings. Wastewater treatment plants, despite technological advancements, still pose risks of contamination to the local water table and surrounding soil. Any malfunction or overflow can lead to untreated or partially treated water seeping into the environment, which can have detrimental effects on local ecosystems. This is particularly alarming for those of us who rely on well water or who have children and pets that frequently play outside. Additionally, the discharge from such plants, even when treated, can carry residual chemicals and nutrients that can affect the local flora and fauna. The presence of excess nitrogen and phosphorus, for instance, can lead to eutrophication in nearby water bodies, resulting in algal blooms that deplete oxygen levels and harm aquatic life. The long-term ecological balance of our neighborhood could be at risk, affecting not just the wildlife but also our quality of life.

Health Concerns Beyond environmental issues, there are significant health concerns associated with living close to a wastewater treatment plant. One of the most pressing is the potential for odor. Wastewater treatment facilities are known to emit unpleasant smells, particularly during the warmer months. These odors can significantly affect our daily lives, making outdoor activities and even simply opening windows unpleasant. More concerning is the potential health impact of these emissions. Certain compounds released during the treatment process, such as hydrogen sulfide and ammonia, can have adverse effects on human health, especially for individuals with respiratory conditions like asthma or COPD. Another health concern is the potential for airborne pathogens. While modern treatment plants are designed to minimize this risk, no system is foolproof. Pathogens in aerosols generated during the treatment process could pose a risk to nearby residents. Given the close proximity of our homes, this is a risk that cannot be taken lightly.

Noise Pollution The operation of a wastewater treatment plant inevitably involves noise pollution. From the constant hum of machinery to the potential for heavy vehicles coming in and out of the facility, the increase in noise levels can be significant. For a neighborhood that is currently relatively quiet and peaceful, this could be a major disruption. Noise pollution not only affects our comfort and quality of life but has been linked to various health issues, including stress, sleep disturbances, and cardiovascular problems.

Property Values and Community Well-being The presence of a wastewater treatment plant can also negatively impact property values in the area. Potential homebuyers may be deterred by the proximity to such a facility, fearing the environmental and health risks, as well as the general quality of life concerns. This depreciation in property value is not just a financial issue but can also lead to a decline in community morale. As residents, we take pride in our neighborhood, and the introduction of a facility that might be seen as undesirable can alter the perception and attractiveness of our community. Furthermore, the psychological impact of living near a wastewater treatment plant should not be underestimated. Constant concerns about potential hazards and the change in the character of the neighborhood can lead to increased stress and anxiety among residents. A sense of safety and well-being is fundamental to our happiness and quality of life, and this proposal threatens to undermine that.

Traffic and Infrastructure Strain The construction and operation of the plant will inevitably lead to increased traffic in our neighborhood. Heavy trucks and service vehicles will frequently traverse our roads, leading to wear and tear on infrastructure that was not designed to handle such loads. Increased traffic also raises safety concerns, especially for children who walk or bike to school and for elderly residents. The noise and disruption caused by construction activities over an extended period will also affect our daily lives and comfort.

Ellie Guerra

From: PUBCOMMENT-OCC
Sent: Wednesday, December 4, 2024 5:04 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: Mattsivells@yahoo.com <Mattsivells@yahoo.com>
Sent: Wednesday, December 4, 2024 2:09 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Matthew Sivells

EMAIL: Mattsivells@yahoo.com

COMPANY:

ADDRESS: 201 JOYA DR
LIBERTY HILL TX 78642-2158

PHONE: 5126566772

FAX:

COMMENTS: Subject: Objection to Proposed Sewage Facility Construction Near Residential Area I am writing to express my strong opposition to the proposed construction of a sewage treatment facility in close proximity to my home and a densely populated residential area. While I understand the necessity of addressing waste management and infrastructure needs, I believe the chosen location is unsuitable and will have significant adverse effects on our community. Health and Environmental Concerns Sewage facilities are known to emit unpleasant odors and, in some cases, harmful gases such as hydrogen sulfide. Prolonged exposure to such conditions poses health risks to residents, particularly children, the elderly, and those with pre-existing conditions. Additionally, there is a risk of groundwater contamination, which could jeopardize our local water supply. Impact on Property Values The presence of a sewage facility will likely result in decreased property values, discouraging future investments and destabilizing the economic well-being of our neighborhood. Property owners may face difficulty selling their homes, creating long-term financial hardships. Quality of Life Living near a sewage facility would significantly diminish our quality of life. The constant noise from machinery, increased traffic from maintenance vehicles, and unpleasant odors will disrupt the daily lives of residents and negatively impact mental well-being. Alternative Solutions I urge you to consider alternative locations that are better suited for this project, such as industrial zones or areas farther from residential neighborhoods. Modern technology may also allow for smaller, decentralized systems that reduce the need for large facilities. I kindly request that you take into account the concerns of the residents who will be directly affected by this project. Our community deserves a thoughtful and responsible solution that balances infrastructure needs with the well-being of its citizens. Thank you for your attention to this matter. I would greatly appreciate a response outlining how these concerns will be addressed and whether alternative sites will be considered. Sincerely, Matt Sivells

Ellie Guerra

From: PUBCOMMENT-OCC
Sent: Wednesday, December 4, 2024 5:03 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: Mattsivells@yahoo.com <Mattsivells@yahoo.com>
Sent: Wednesday, December 4, 2024 1:13 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Matthew Sivells

EMAIL: Mattsivells@yahoo.com

COMPANY:

ADDRESS: 201 JOYA DR
LIBERTY HILL TX 78642-2158

PHONE: 5126566772

FAX:

COMMENTS: Subject: Objection to Proposed Sewage Facility Construction Near Residential Area I am writing to express my strong opposition to the proposed construction of a sewage treatment facility in close proximity to my home and a densely populated residential area. While I understand the necessity of addressing waste management and infrastructure needs, I believe the chosen location is unsuitable and will have significant adverse effects on our community. Health and Environmental Concerns Sewage facilities are known to emit unpleasant odors and, in some cases, harmful gases such as hydrogen sulfide. Prolonged exposure to such conditions poses health risks to residents, particularly children, the elderly, and those with pre-existing conditions. Additionally, there is a risk of groundwater contamination, which could jeopardize our local water supply. Impact on Property Values The presence of a sewage facility will likely result in decreased property values, discouraging future investments and destabilizing the economic well-being of our neighborhood. Property owners may face difficulty selling their homes, creating long-term financial hardships. Quality of Life Living near a sewage facility would significantly diminish our quality of life. The constant noise from machinery, increased traffic from maintenance vehicles, and unpleasant odors will disrupt the daily lives of residents and negatively impact mental well-being. Alternative Solutions I urge you to consider alternative locations that are better suited for this project, such as industrial zones or areas farther from residential neighborhoods. Modern technology may also allow for smaller, decentralized systems that reduce the need for large facilities. I kindly request that you take into account the concerns of the residents who will be directly affected by this project. Our community deserves a thoughtful and responsible solution that balances infrastructure needs with the well-being of its citizens. Thank you for your attention to this matter. I would greatly appreciate a response outlining how these concerns will be addressed and whether alternative sites will be considered. Sincerely, Matt Sivells

Ellie Guerra

From: PUBCOMMENT-OCC
Sent: Wednesday, December 4, 2024 4:58 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: Mlhaf@yahoo.com <Mlhaf@yahoo.com>
Sent: Wednesday, December 4, 2024 7:55 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Melanie Sivells

EMAIL: Mlhaf@yahoo.com

COMPANY:

ADDRESS: 201 JOYA DR
LIBERTY HILL TX 78642-2158

PHONE: 5126190384

FAX:

COMMENTS: Please move the wastewater site away from all of the neighborhoods. So many people have purchased homes around here and do not want it there because of odor, looks, health and safety for our families and friends. Thank you.

Ellie Guerra

From: PUBCOMMENT-OCC
Sent: Wednesday, December 4, 2024 4:55 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: Mlhaf@yahoo.com <Mlhaf@yahoo.com>
Sent: Wednesday, December 4, 2024 5:54 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Melanie Sivells

EMAIL: Mlhaf@yahoo.com

COMPANY:

ADDRESS: 201 JOYA DR
LIBERTY HILL TX 78642-2158

PHONE: 5126190384

FAX:

COMMENTS: Please move the wastewater site away from all of the neighborhoods. So many people have purchased homes around here and do not want it there because of odor, looks, health and safety for our families and friends. Thank you.

Ellie Guerra

From: PUBCOMMENT-OCC
Sent: Wednesday, December 4, 2024 4:55 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: Mlhaf@yahoo.com <Mlhaf@yahoo.com>
Sent: Wednesday, December 4, 2024 5:44 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Melanie Sivells

EMAIL: Mlhaf@yahoo.com

COMPANY:

ADDRESS: 201 JOYA DR
LIBERTY HILL TX 78642-2158

PHONE: 5126190384

FAX:

COMMENTS: Please move the wastewater site away from all of the neighborhoods. So many people have purchased homes around here and do not want it there because of odor, looks, health and safety for our families and friends. Thank you.

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Monday, May 20, 2024 4:19 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: dsmith@luxcdtx.com <dsmith@luxcdtx.com>
Sent: Monday, May 20, 2024 4:50 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Darrell Smith

EMAIL: dsmith@luxcdtx.com

COMPANY:

ADDRESS: 109 OAKLEY PASS
LIBERTY HILL TX 78642-2488

PHONE: 5124224238

FAX:

COMMENTS: Prior to my residency in Santa Rita my wife and I lived in Gabriels Overlook where the City of Liberty Hill neglect for the San Gabriel River destroyed what used to be a wonderful excursion for my grandkids. My request is that you simply do not let this happen again to another community.

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Monday, May 6, 2024 1:43 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: snehak102030@gmail.com <snehak102030@gmail.com>
Sent: Sunday, May 5, 2024 10:14 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Kosuri Sneha

EMAIL: snehak102030@gmail.com

COMPANY:

ADDRESS: 219 KRUPP AVE
LIBERTY HILL TX 78642-4492

PHONE: 7379320096

FAX:

COMMENTS: It's deeply concerning to have the plant right next to our homes. I'm concerned for the health and well-being of us and everyone around us. The kids going to schools will also be affected very seriously. We also need to protect the lakes in and around us. Please do the needful and thank you for considering our concerns.

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Friday, May 10, 2024 3:33 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: Solankifree2@yahoo.com <Solankifree2@yahoo.com>
Sent: Friday, May 10, 2024 11:58 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: MR Ankitkumar Solanki

EMAIL: Solankifree2@yahoo.com

COMPANY:

ADDRESS: 544 GREAT LAWN BND
LIBERTY HILL TX 78642-2465

PHONE: 2817253083

FAX:

COMMENTS: Subject: Urgent Appeal to Halt WWTP Installation in Our Neighborhood Dear Sir/Ma'am, I hope this message finds you well. I am reaching out to you with urgent concerns regarding the ongoing installation of a Wastewater Treatment Plant (WWTP) in our SRR neighborhood. The lack of transparency and consultation surrounding this project is deeply troubling for residents like myself. We are deeply concerned about the potential adverse impacts on our environment, health, and property values. In light of these concerns, I implore you to immediately halt all construction activities related to the WWTP until a comprehensive environmental impact assessment is conducted and community concerns are addressed through meaningful engagement. Thank you for your prompt attention to this urgent matter. I look forward to your swift action and constructive engagement. Best regards, Ankitkumar Solanki SRR Resident

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Friday, May 10, 2024 3:32 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: pspencer1@msn.com <pspencer1@msn.com>
Sent: Friday, May 10, 2024 11:31 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Patrick M Spencer

EMAIL: pspencer1@msn.com

COMPANY:

ADDRESS: 100 ALAVA WAY
LIBERTY HILL TX 78642-2481

PHONE: 3177773716

FAX:

COMMENTS: I am a resident of Regency Santa Rita Ranch and am against this project and the associated legislative bills attached to it. Understanding that this project was initiated in 2009, the landscape looked drastically different at that time. Now, you literally have hundreds of homes, schools and churches that are located in the vicinity of this proposed treatment plant. Furthermore, which is not the responsibility of this committee, the builders, developers and salespeople of Regency Santa Rita did not willingly communicate this project would be taking place. The fact that there has not been a proactive decision by the committee to relocate this away from what is now a very crowded and dense space occupied by residential homes is quite concerning. There seems to be no due care for the residents of the area by this commission regarding the health and safety of our families, especially our children.

Ellie Guerra

From: PUBCOMMENT-OCC
Sent: Thursday, December 5, 2024 4:10 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: lacy08@gmail.com <lacy08@gmail.com>
Sent: Thursday, December 5, 2024 12:40 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Lacy Starling

EMAIL: lacy08@gmail.com

COMPANY:

ADDRESS: 113 TRAMMELL WAY
LIBERTY HILL TX 78642-2471

PHONE: 5124198081

FAX:

COMMENTS: I am writing to express my strong opposition of the proposed construction of a wastewater treatment plant near Saddleback/ CR 258 in Liberty Hill, Tx. This is near my home and an increasingly densely populated area. I believe the chosen location is unsuitable and will have negative impacts on our community. We fear this will have a negative impact on property values and discourage future residential development and construction. Property owners in this area may face hardships in selling their properties, which are currently high valued home prices. This also comes with great potential for environmental harm, unpleasant odors, noise of constant machinery and also distribution to the natural beauty and peacefulness in this area. There are a lot of deer, rabbits, squirrels and other creatures native to our area and there would need to be a lot of trees removed and animal homes disturbed due to this construction. Our city is currently dark light area and we want to avoid the need for a lot of lighting and industrial noises in this area. We kindly ask that you take into consideration the opinions of those living in this area and consider other possible locations. Thank you, Lacy Starling

Ellie Guerra

From: PUBCOMMENT-OCC
Sent: Thursday, December 5, 2024 4:11 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: ks_joyner@yahoo.com <ks_joyner@yahoo.com>
Sent: Thursday, December 5, 2024 1:35 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Krystal Stephens

EMAIL: ks_joyner@yahoo.com

COMPANY:

ADDRESS: 101 DIAMANTES DR
LIBERTY HILL TX 78642-2160

PHONE: 5125607099

FAX:

COMMENTS: Objection to Proposed Sewage Facility Construction Near Residential Area Dear Caroline Harris Davila, Mayor Mancilla, I am writing to express my strong opposition to the proposed construction of a sewage treatment facility near the Tesoro Subdivision, which is in close proximity to my home and a densely populated residential area. While I understand the necessity of addressing waste management and infrastructure needs, I believe the chosen location is unsuitable and will have significant adverse effects on our community. **Health and Environmental Concerns** Sewage facilities are known to emit unpleasant odors and, in some cases, harmful gases such as hydrogen sulfide. Prolonged exposure to such conditions poses health risks to residents, particularly children, the elderly, and those with pre-existing conditions. Additionally, there is a risk of groundwater contamination, which could jeopardize our local water supply. **Impact on Property Values** The presence of a sewage facility will likely result in decreased property values, discouraging future investments and destabilizing the economic well-being of our neighborhood. Property owners may face difficulty selling their homes, creating long-term financial hardships. **Quality of Life** Living near a sewage facility would significantly diminish our quality of life. The constant noise from machinery, increased traffic from maintenance vehicles, and unpleasant odors will disrupt the daily lives of residents and negatively impact mental well-being. **Alternative Solutions** I urge you to consider alternative locations that are better suited for this project, such as industrial zones or areas farther from residential neighborhoods. Modern technology may also allow for smaller, decentralized systems that reduce the need for large facilities. I kindly request that you take into account the concerns of the residents who will be directly affected by this project. Our community deserves a thoughtful and responsible solution that balances infrastructure needs with the well-being of its citizens. Thank you for your attention to this matter. I would greatly appreciate a response outlining how these concerns will be addressed and whether alternative sites will be considered. Sincerely, Krystal Stephens

Kimberly Muth

From: PUBCOMMENT-OCC
Sent: Friday, May 3, 2024 2:07 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: GABHEWISON@GMAIL.COM <GABHEWISON@GMAIL.COM>
Sent: Friday, May 3, 2024 2:05 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: MRS Gabrielle Stoney

EMAIL: GABHEWISON@GMAIL.COM

COMPANY:

ADDRESS: 113 ROSEBUSH DR
LIBERTY HILL TX 78642-2253

PHONE: 7408680217

FAX:

COMMENTS: The placement of the WWTP in such a high-density area with the creek flowing throughout Santa Rita Ranch could severely affect all nearby residents:

- Environmental Concerns: Effluent discharge will flow directly into Sowe's Branch (through Regency Neighborhood) into the North Fork of San Gabriel River, then into Lake Georgetown- one of our drinking water sources.
- An eye sore: The design and handling of raw sewage could easily lead to unpleasant odors affecting all area homes, and significantly impact daily life and property values.
- The smells and contamination from WWTPs are already causing havoc in other Liberty Hill neighborhoods. We need the wastewater plant moved to a less dense living area and less visible from the roads.

Ellie Guerra

From: PUBCOMMENT-OCC
Sent: Wednesday, December 4, 2024 2:09 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: vinod.uspersonal@gmail.com <vinod.uspersonal@gmail.com>
Sent: Tuesday, December 3, 2024 10:34 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Vinodkumar Subramaney

EMAIL: vinod.uspersonal@gmail.com

COMPANY:

ADDRESS: 132 BELL CHIME DR
LIBERTY HILL TX 78642-2609

PHONE: 5126204531

FAX:

COMMENTS: Saddleback Entrance lights to be fixed. Its very dangerous taking blind turns into the community! We need a traffic light, as people are not slowing down in Ronald Regan. The kids are being mapped to Noble Elementry, which is almost 8 miles from the community. We have LHISD elementry school in Santa Rita community itself, why can't the saddleback kids be mapped to Sata Rita's Elementry/Middle school ?

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Thursday, May 16, 2024 11:17 AM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: soorajskumar5666@gmail.com <soorajskumar5666@gmail.com>
Sent: Monday, May 13, 2024 11:30 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Sooraj Sudarsanakumar

EMAIL: soorajskumar5666@gmail.com

COMPANY:

ADDRESS: 309 BEREAN LN
LIBERTY HILL TX 78642-2506

PHONE: 2792781454

FAX:

COMMENTS: I am resident of Santa Rita Ranch neighborhood and the news of constructing a WWTP near to the community was a shocking surprise to my family and my neighbors. We were already following the legal battle going on with the existing liberty hill WWTP in the media and how polluted the San Gabriel river due to the discharges, then this news of constructing another WWTP in the middle of a densely populated area raises concern on our quality of life. When we considered santa rita ranch for raising our family we were glad about the ecosystem here and how serene it is, but this plant in long term can cause devalue our home where we have invested our life savings. We have seen videos about the people who are staying near the existing WWTP and how their quality of life has diminished over time. Their

mornings are noisy and have foul smell all over community. This is scary..!!! The truth is that we were never informed by the property developer or home builders about the plan to build a WWTP plan in close proximity of the community, if so ours and most of ours neighbors decision of investing our life savings would have been different. We were charged over the premium amounts by home builders for securing a home in Santa Rita by boasting about the nature living in the ranch, at the same time builders did knowingly hide such vital information. The plant is also planned next to the Divine Savior academy school, were many our neighborhood kids study and play outside. We are really worried about the air/noise/water pollution they are going to face. The number of violations the existing WWTP has got us really thinking about moving out but our hard earned money is stuck with the home we bought hoping to build a dream family. We kindly request the city council to understand that our emotional and financial investments are at stake here and hence to find an alternate location which is far from the densely populated areas of Santa Rita ranch. We strongly believe that our concern is genuine and our voices will be heard...

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Tuesday, June 4, 2024 3:05 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: sukumaranshyja@gmail.com <sukumaranshyja@gmail.com>
Sent: Monday, June 3, 2024 1:28 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: MRS Shyja Sukumaran

EMAIL: sukumaranshyja@gmail.com

COMPANY:

ADDRESS: 121 LOCKHART DR
LIBERTY HILL TX 78642-2318

PHONE: 5128645163

FAX:

COMMENTS: Dear Ms. Davila, We are home owners in Santa Rita Ranch (SRR) in Liberty Hill, TX. When we decided to find a home in the Austin area to live in after retirement, we could have picked any community in the Austin area. We were attracted to SRR due to its advertising as a great community to live in. But there was no information disclosed about a Waste Water Treatment Plant (WWTP) to be constructed so close to SRR. This would have been an important disclosure, had it been made, that would have factored into our decision to buy in SRR. Now we are afraid that due to the WWTP our lifetime investment will devalue. Besides we are also worried about potential health hazards that are typically associated with living close to a WWTP. The quality of life will be damaged due to potential smell and pollutants from the WWTP. The WWTP is going to be a problem not just for my family but for thousands of families that call SRR their home. We request your help to convince the City of Liberty Hill and Williamson County to find another location for the WWTP away from residential areas. Thank you for your consideration.

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Thursday, June 27, 2024 1:07 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: Adri.felrod@gmail.com <Adri.felrod@gmail.com>
Sent: Tuesday, June 25, 2024 1:52 PM
To: PUBCOMMENT-OCC <pubcomment-occ@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Adriana Elrod Suwinski

EMAIL: Adri.felrod@gmail.com

COMPANY:

ADDRESS: 757 OLINDA WAY
LIBERTY HILL TX 78642-2615

PHONE: 4086934581

FAX:

COMMENTS: We have just purchased our new home in saddleback... the builders discussed nothing about this... our land and area will stink... how can we raise kids here... how is this sanitary. How can you do this to your own citizens. How do you not care about any of us! You guys need to move this plant to another area away from homes schools... this is repulsive and disgusting.

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Friday, May 10, 2024 2:28 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: jszalayaus@gmail.com <jszalayaus@gmail.com>
Sent: Wednesday, May 8, 2024 7:56 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Jozsef Szalay

EMAIL: jszalayaus@gmail.com

COMPANY:

ADDRESS: 108 OAKLEY PASS
LIBERTY HILL TX 78642-2488

PHONE: 5128253294

FAX:

COMMENTS: I just heard about this plant a few days ago. The developer or the builder did not disclose the plans for this WWMP before I purchased my house. Had I known about it I wouldn't have bought the property. The discharge water will flow right behind my backyard after all. My wife and I are about to retire and have planned to live here for the rest of our lives. The WWMP will impact our quality of lives and thus our well being not to mention the value of our home, which is a significant part of our retirement assets. I'd like to request the Commission to work with the developer to find a better solution, location for the plant not just for me, but for many hundreds of families.

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Thursday, May 16, 2024 4:41 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: Vinutha8790@gmail.com <Vinutha8790@gmail.com>
Sent: Wednesday, May 15, 2024 9:42 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Vinutha Thokala

EMAIL: Vinutha8790@gmail.com

COMPANY:

ADDRESS: 612 SPURLOCK WAY
LIBERTY HILL TX 78642-2514

PHONE: 9132938343

FAX:

COMMENTS: Please don't start waste water plant near SRR

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Monday, May 20, 2024 4:19 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: nikilteja@gmail.com <nikilteja@gmail.com>
Sent: Monday, May 20, 2024 10:22 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Nikil teja Thota

EMAIL: nikilteja@gmail.com

COMPANY:

ADDRESS: 500 BELL CHIME CV
LIBERTY HILL TX 78642-2621

PHONE: 5104748869



FAX:

COMMENTS: I recently moved to Santarita ranch and I am now concerned that because of this permit the our health and children's health is going to be impacted and the property prices will also be impacted.

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Friday, May 10, 2024 2:44 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: kannayash@gmail.com <kannayash@gmail.com>
Sent: Wednesday, May 8, 2024 10:00 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: MR Yash Thota

EMAIL: kannayash@gmail.com

COMPANY:

ADDRESS: 528 SPURLOCK WAY
LIBERTY HILL TX 78642-2513

PHONE: 5714399466

FAX:

COMMENTS: I dont support

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Monday, May 6, 2024 1:55 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: ktt1712@gmail.com <ktt1712@gmail.com>
Sent: Monday, May 6, 2024 11:54 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Krishna Teja Toomu

EMAIL: ktt1712@gmail.com

COMPANY:

ADDRESS: 420 PALATINO BND
LIBERTY HILL TX 78642-2566

PHONE: 5128176826

FAX:

COMMENTS: expressing my deep concern regarding the proposal to construct a wastewater treatment plant adjacent to our neighborhood. While I understand the necessity of updating and expanding municipal infrastructure, the proximity of such a facility to our residential area raises several significant concerns that we believe need careful consideration. The potential for odor and airborne contaminants could adversely affect the quality of life and health of our community members. We are particularly concerned about the effects on children, the elderly, and those with pre-existing health conditions. The operation of the plant, increased noise levels, which can be a nuisance and disrupt the peaceful environment of our community. The operation of a wastewater treatment plant involves various processes that can have a significant impact on the local environment. We are concerned about the potential for water pollution and the effect this might have on local wildlife and ecosystems.

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Friday, May 10, 2024 2:45 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: shashank.uppala42@gmail.com <shashank.uppala42@gmail.com>
Sent: Thursday, May 9, 2024 12:06 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Shashank Uppala

EMAIL: shashank.uppala42@gmail.com

COMPANY:

ADDRESS: 605 SPURLOCK WAY
LIBERTY HILL TX 78642-2514

PHONE: 9139519231

FAX:

COMMENTS: This is coming near my neighborhood, I strongly appose this development. It has to be moved away from neighborhood, this can cause serious environmental concerns. Quality of the air go down

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Friday, May 10, 2024 2:27 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: shashank.uppala42@gmail.com <shashank.uppala42@gmail.com>
Sent: Wednesday, May 8, 2024 5:24 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Shashank Uppala

EMAIL: shashank.uppala42@gmail.com

COMPANY:

ADDRESS: 605 SPURLOCK WAY
LIBERTY HILL TX 78642-2514

PHONE: 9139519231

FAX:

COMMENTS: This is coming near my neighborhood, I strongly appose this development. It has to be moved away from neighborhood, this can cause serious environmental concerns. Quality of the air go down

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Thursday, May 16, 2024 1:20 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: sarat.sterry@gmail.com <sarat.sterry@gmail.com>
Sent: Tuesday, May 14, 2024 12:52 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Sarath Vakacharla

EMAIL: sarat.sterry@gmail.com

COMPANY:

ADDRESS: 109 SURI DR
LIBERTY HILL TX 78642-4494

PHONE: 9032152079

FAX:

COMMENTS: Subject: Inquiry Regarding Proposed WWTP Construction near Santa Rita Ranch (SRR) I'm writing to share my concerns about the proposed construction of a Wastewater Treatment Plant (WWTP) in our area. As a resident of SRR, I've noticed a lack of clear communication about this project, which is concerning. The idea of having a WWTP raises understandable questions about its potential impact on the environment, odors, noise, and property values. It's important that we receive detailed information about the WWTP's plans, how it will operate, its environmental assessments, and what measures will be taken to address any issues. I also believe it would be wise to pause the

construction of the WWTP until these concerns are addressed and the community has a chance to provide input. Thank you for considering my perspective on this matter.

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Monday, May 6, 2024 1:44 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

PM

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: vssteja@gmail.com <vssteja@gmail.com>
Sent: Sunday, May 5, 2024 11:26 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Siva Vanga

EMAIL: vssteja@gmail.com

COMPANY:

ADDRESS: 100 PALATINO BND
LIBERTY HILL TX 78642-2563

PHONE: 8157356677

FAX:

COMMENTS: I am writing to file a formal dispute regarding the proposed waste water treatment plant slated to be constructed near my home at Liberty Hill, TX. I am deeply concerned about the adverse environmental impacts that this facility could have on our community. The proposed plant poses significant risks to our environment, including potential water and air pollution, as well as negative effects on local wildlife and ecosystems. Additionally, the increased traffic and noise associated with the plant's operation would disrupt the tranquility of our neighborhood. Furthermore, I am worried about the potential health hazards posed by the waste water plant, including exposure to harmful chemicals and pollutants. These concerns are particularly alarming given the proximity of the facility to residential areas like mine. I urge you to carefully consider the environmental and public health implications of this project before moving forward with any further approvals or permits. I request a thorough environmental impact assessment be conducted, and that community members be given the opportunity to voice their concerns and provide input on the decision-making process. Please keep me informed of any updates or developments regarding this matter. I appreciate your attention to this important issue and look forward to a prompt and satisfactory resolution.

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Friday, May 10, 2024 2:46 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: prabhakar.anish@gmail.com <prabhakar.anish@gmail.com>
Sent: Thursday, May 9, 2024 12:33 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: ANISH VEDULA

EMAIL: prabhakar.anish@gmail.com

COMPANY:

ADDRESS: 228 DYCUS BND
LIBERTY HILL TX 78642-2509

PHONE: 2253624814

FAX:

COMMENTS: We have invested more than half a million dollars and none of us were informed about a waste water plant being constructed right in our backyard. We are so disappointed to learn about this and so we would like to protest that we do not have a waste water plant near Santa Rita Ranch or any other community for that matter and have a place for it which is far off from a residential Community to save human lives and also our property value would also go down if everyone learns that the community is right next to Waste Water Plant treatment.

Ellie Guerra

From: PUBCOMMENT-OCC
Sent: Wednesday, December 4, 2024 4:59 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: gieselvelez@gmail.com <gieselvelez@gmail.com>
Sent: Wednesday, December 4, 2024 8:04 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Giesel Velez

EMAIL: gieselvelez@gmail.com

COMPANY:

ADDRESS: 316 NORCIA LOOP
LIBERTY HILL TX 78642-1909

PHONE: 2099680746

FAX:

COMMENTS: I strongly oppose the construction of a wastewater treatment plant in the Santa Rita Ranch neighborhood. This proposal threatens the quality of life for my family and all our residents and raises serious concerns about environmental and health impacts. Wastewater plants are often accompanied by persistent issues such as odor, noise, increased truck traffic, and potential groundwater contamination—none of which align with the values of a thriving residential community. My opposition is further strengthened by the troubling compliance history of the existing wastewater plant in Liberty Hill, TX, which has repeatedly failed to meet environmental standards. These failures have led to significant pollution concerns in the area, and there is no evidence to suggest that the proposed facility would operate any differently. It is unacceptable to subject Santa Rita Ranch residents to similar risks and uncertainties. While I recognize the importance of wastewater infrastructure, it is clear that industrial facilities of this nature belong in locations far removed from densely populated residential areas. We urge the relevant authorities to prioritize the health, safety, and environmental integrity of our community and to explore alternative, more suitable sites for this project. Santa Rita Ranch deserves better, and we stand united in our commitment to protecting our neighborhood and its residents.

Ellie Guerra

From: PUBCOMMENT-OCC
Sent: Wednesday, December 4, 2024 2:12 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: gieselvelez@gmail.com <gieselvelez@gmail.com>
Sent: Tuesday, December 3, 2024 10:53 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Giesel Velez

EMAIL: gieselvelez@gmail.com

COMPANY:

ADDRESS: 316 NORCIA LOOP
LIBERTY HILL TX 78642-1909

PHONE: 2099680746

FAX:

COMMENTS: I strongly oppose the construction of a wastewater treatment plant in the Santa Rita Ranch neighborhood. This proposal threatens the quality of life for my family and all our residents and raises serious concerns about environmental and health impacts. Wastewater plants are often accompanied by persistent issues such as odor, noise, increased truck traffic, and potential groundwater contamination—none of which align with the values of a thriving residential community. My opposition is

further strengthened by the troubling compliance history of the existing wastewater plant in Liberty Hill, TX, which has repeatedly failed to meet environmental standards. These failures have led to significant pollution concerns in the area, and there is no evidence to suggest that the proposed facility would operate any differently. It is unacceptable to subject Santa Rita Ranch residents to similar risks and uncertainties. While I recognize the importance of wastewater infrastructure, it is clear that industrial facilities of this nature belong in locations far removed from densely populated residential areas. We urge the relevant authorities to prioritize the health, safety, and environmental integrity of our community and to explore alternative, more suitable sites for this project. Santa Rita Ranch deserves better, and we stand united in our commitment to protecting our neighborhood and its residents.

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Friday, May 17, 2024 4:56 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: vvino08@gmail.com <vvino08@gmail.com>
Sent: Thursday, May 16, 2024 5:12 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTITY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Vinod Vellanki

EMAIL: vvino08@gmail.com

COMPANY:

ADDRESS: 328 ALICANTE LN
LIBERTY HILL TX 78642-2551

PHONE: 4194506328

FAX:

COMMENTS: Subject: Urgent Request to Halt WWTP Installation in Santa Rita Ranch I hope this message finds you well. I am writing to express my concerns regarding the proposed installation of a Wastewater Treatment Plant (WWTP) in our community. As a resident of SRR, I am deeply troubled by the lack of communication and consultation regarding this significant project. The introduction of a WWTP has the potential to impact our environment, health, and property values. I urge you to prioritize transparency and engage with the community to address our concerns. We require detailed information about the WWTP's design, operational processes, and environmental impact assessments. Furthermore, I request that all construction activities related to the WWTP be paused until a thorough consultation process is conducted with the community. Thank you for your attention to this matter. I look forward to your response and the opportunity to discuss this issue further. Sincerely, Vinod Vellanki 328 Alicante Ln , Liberty Hill , TX 78642 419-450-6328

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Thursday, May 16, 2024 4:40 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

PM

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: arunv13579@gmail.com <arunv13579@gmail.com>
Sent: Wednesday, May 15, 2024 10:18 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Arun Vemireddy

EMAIL: arunv13579@gmail.com

COMPANY:

ADDRESS: 209 PEGGY DR
LIBERTY HILL TX 78642-4459

PHONE: 4083558599

FAX:



COMMENTS: As a resident and homeowner in SRR, I believe it is crucial for residents to be informed about significant developments that directly impact our quality of life and property values. Firstly, I would like to highlight that there was no prior communication or notification from your end regarding the construction of the WWTP. This lack of transparency has left many of us feeling blindsided and concerned about the potential implications of such a facility in our neighborhood. The presence of a WWTP can have various consequences, including environmental concerns, potential odors, noise pollution, and potential impacts on property values. These are valid concerns that should have been addressed through open dialogue and community engagement before any construction commenced. Furthermore, I urge you to provide detailed information about the WWTP, including its capacity, operation processes, environmental impact assessments, and measures taken to mitigate any potential negative effects on our community. As a responsible builder, it is essential to prioritize transparency and communication with residents to foster a positive and cooperative relationship. I believe that by working together and addressing these concerns proactively, we can ensure the well-being and satisfaction of everyone in our community. I kindly request a meeting or a written response to discuss this matter further and seek clarity on the steps being taken to address our concerns. I look forward to your prompt attention to this issue and a constructive dialogue moving forward. Thank you for your understanding and cooperation.

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Thursday, May 16, 2024 11:23 AM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: naresh.nari65@gmail.com <naresh.nari65@gmail.com>
Sent: Tuesday, May 14, 2024 10:30 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Naresh Vemula

EMAIL: naresh.nari65@gmail.com

COMPANY:

ADDRESS: 220 BELLA LUNA WAY
LIBERTY HILL TX 78642-2405

PHONE: 5615137737

FAX:

COMMENTS: Hello officers , My comment is against the permit number WQ0015000001, I live in Santa Rita ranch . We feel this will be trouble to our neighborhood . If possible please stop this project

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Thursday, May 16, 2024 4:44 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: mvidiyala10@gmail.com <mvidiyala10@gmail.com>
Sent: Thursday, May 16, 2024 4:03 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: MADHU VIDİYALA

EMAIL: mvidiyala10@gmail.com

COMPANY:

ADDRESS: 340 RIETI PKWY
LIBERTY HILL TX 78642-2308

PHONE: 3097508757

FAX:



COMMENTS: Subject: Concerns Regarding Proposed WWTP Installation in SRR I am writing to express my deep concerns regarding the installation of a Wastewater Treatment Plant (WWTP) in our community. As a resident of SRR, the lack of communication and transparency surrounding this project is alarming. The presence of a WWTP raises valid concerns about environmental impacts, odors, noise pollution, and property values. We urgently need detailed information about the WWTP's capacity, operations, environmental assessments, and mitigation measures. Additionally, I strongly urge you to halt the installation of the WWTP until these concerns are thoroughly addressed and the community is adequately consulted. I kindly request immediate dialogue or a written response to address these concerns and ensure the well-being of our community. Thank you for your prompt attention to this matter. Sincerely, Madhu Vidiyala

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Thursday, May 16, 2024 1:21 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: rohit.vuppuluri@gmail.com <rohit.vuppuluri@gmail.com>
Sent: Tuesday, May 14, 2024 1:24 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Rohit Vuppuluri

EMAIL: rohit.vuppuluri@gmail.com

COMPANY:

ADDRESS: 209 BELLA LUNA WAY
LIBERTY HILL TX 78642-2405

PHONE: 6128019352

FAX:

COMMENTS: I hope this message finds you well. I am writing to express my concerns regarding the proposed installation of a Wastewater Treatment Plant (WWTP) in our community. As a resident of SRR, I am deeply troubled by the lack of communication and consultation regarding this significant project. The introduction of a WWTP has the potential to impact our environment, health, and property values. I urge you to prioritize transparency and engage with the community to address our concerns. We require detailed information about the WWTP's design, operational processes, and environmental impact assessments. Furthermore, I request that all construction activities related to the WWTP be

paused until a thorough consultation process is conducted with the community. Thank you for your attention to this matter. I look forward to your response and the opportunity to discuss this issue further.

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Thursday, June 27, 2024 1:08 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: cobb fendleypranks@gmail.com <cobb fendleypranks@gmail.com>
Sent: Monday, June 24, 2024 7:20 PM
To: PUBCOMMENT-OCC <pubcomment-occ@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Robert Watson

EMAIL: cobb fendleypranks@gmail.com

COMPANY:

ADDRESS: 577 PEACE DR
LIBERTY HILL TX 78642-2258

PHONE: 5127310104

FAX:

COMMENTS: I am completely in favor of this facility being built and have total confidence of Liberty Hill to manage the facility within the guidelines.

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Monday, May 6, 2024 1:40 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: awhittaker83@gmail.com <awhittaker83@gmail.com>
Sent: Saturday, May 4, 2024 4:19 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Andrea Whittaker

EMAIL: awhittaker83@gmail.com

COMPANY:

ADDRESS: 124 RAVELLO ST
LIBERTY HILL TX 78642-2306

PHONE: 7208918723

FAX:

COMMENTS: I seriously oppose the placement of this water treatment plant. This is far too dense of an area with multiple neighborhoods and a school full of children nearby. I understand there has to be a treatment plant however there are far more isolated areas in which it could be placed.

5

TCEQ Registration Form

December 3, 2024

City of Liberty Hill

Proposed Renewal of TPDES Permit No. WQ0015000001

PLEASE PRINT

Name: Ben Wolff

Mailing Address: 761 Olinda Way

Physical Address (if different): _____

City/State: Liberty Hill TX Zip: 78642

****This information is subject to public disclosure under the Texas Public Information Act****

Email: _____

Phone Number: () _____

- Are you here today representing a municipality, legislator, agency, or group? ☐ Yes ☒ No

If yes, which one? _____

☒ Please add me to the mailing list.

☒ I wish to provide formal *ORAL COMMENTS* at tonight's public meeting.

☐ I wish to provide formal *WRITTEN COMMENTS* at tonight's public meeting.

(Written comments may be submitted at any time during the meeting)

Please give this form to the person at the information table. Thank you.

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Tuesday, May 28, 2024 5:16 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Cc: Laurie Gharis; Deornette Monteleone
Subject: FW: Public comment on Permit Number WQ0015000001

PM

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: beowulfsto@gmail.com <beowulfsto@gmail.com>
Sent: Friday, May 24, 2024 10:57 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Ben Wolff

EMAIL: beowulfsto@gmail.com

COMPANY:

ADDRESS: 761 OLINDA WAY
LIBERTY HILL TX 78642-2615

PHONE: 6122097794

FAX:

COMMENTS: Dear Commissioners and Chief Clerk: I am writing to request a public meeting regarding the renewal application for the TPDES WQ0015000001. 1) Lack of Opportunity for Feedback for New Property Owners We have recently purchased a new home in the Saddleback neighborhood of Santa Rita Ranch and have become aware of the proposed development of this Waste Water Treatment Facility. As such, we have not previously had the opportunity to voice our concerns or have them addressed. As this neighborhood is primarily comprised of newly built homes, I believe there may be over 100 new property owners who will be significantly impacted by this development and have similarly lacked the opportunity for comment and feedback. The property new owners who will be directly affected should have the opportunity address their concerns. 2) Effluent Discharge and Effect on Adjacent Property The proposed WWTP parcel is less than 2150 feet from our new residence and less than 1300 feet from the nearest residential property. The effluent discharge is planned to run adjacent to the Saddleback neighborhood and directly through residential properties in The Regency neighborhood. The proposed discharge area currently has little water flow to dilute the effluent. We are concerned that the discharge of treated wastewater with little dilution will pose a risk to our community's health as well as the local environment. Additionally, the proposed WWTP location is less than 2800 feet from the Divine Savior Academy campus, where currently 300+ students play outside multiple times each school day. Projected enrollment from this school is over 500 students by 2028 and could exceed 1000 students within a decade. The school playground is less than 1000 feet from Sowe's Branch where the treated wastewater will flow with minimal dilution. What processes will be in place to prevent adverse or hazardous conditions for these students? What data and guidelines have been applied to school adjacent operations? 3) Environmental Impact Risk and Drinking Water Contamination Risk The proposed location for this WWTP is within the watershed of the North Fork of the San Gabriel River which empties into Lake Georgetown. The effluent will travel less than 5 miles before entering a primary source of drinking water for the surrounding communities. What risk studies have been conducted to model likely causes of spills, their severity and resultant contamination? Do these studies include spills due to storm water inflow, hardware or power failure, operator error, system error or malicious actors, as well as total structural failure? What is the emergency response plan to mitigate contamination for these scenarios? 4) Alternative Lower Risk Locations Available If the WWTP were to be located less than 1 mile to the East, South East or South of this proposed location, its effluent would flow into the Middle Fork of San Gabriel River watershed and flow below Lake Georgetown, removing the risk to this critical drinking water source. What other locations were evaluated for this facility, and why was this location selected? With the ongoing lack of sufficient drinking water in the region, it would seem foolish and foolhardy to deliberately jeopardize a significant source of this finite water resource. I appreciate your time and look forward to your response. Ben and Janelle Wolff 761 Olinda Drive Liberty Hill, TX 78642 beowulfto@gmail.com 612-209-7794

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Thursday, May 16, 2024 1:23 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: yelampalle@gmail.com <yelampalle@gmail.com>
Sent: Tuesday, May 14, 2024 1:57 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Nagi Reddy Yelampalle

EMAIL: yelampalle@gmail.com



COMPANY:

ADDRESS: 120 BENNINGTON DR
LIBERTY HILL TX 78642-2571

PHONE: 6099063071

FAX:

COMMENTS: We are home owners in Santa Rita Ranch (SRR) in Liberty Hill, TX. When we decided to find a home in the Austin area to live in after retirement, we could have picked any community in the Austin area. We were attracted to SRR due to its advertising as a great community to live in. But there was no information disclosed about a Waste Water Treatment Plant (WWTP) to be constructed so close to SRR. This would have been an important disclosure, had it been made, that would have factored into our decision to buy in SRR. Now we are afraid that due to the WWTP our lifetime investment will devalue. Besides we are also worried about potential health hazards that are typically associated with living close to a WWTP. The quality of life will be damaged due to potential smell and pollutants from the WWTP. The



WWTP is going to be a problem not just for my family but for thousands of families that call SRR their home. We request your help to convince the City of Liberty Hill and Williamson County to find another location for the WWTP away from residential areas. Thank you for your consideration.

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Tuesday, May 7, 2024 3:34 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: yelampalle@gmail.com <yelampalle@gmail.com>
Sent: Tuesday, May 7, 2024 10:35 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Nagi Reddy Yelampalle

EMAIL: yelampalle@gmail.com

COMPANY:

ADDRESS: 120 BENNINGTON DR
LIBERTY HILL TX 78642-2571

PHONE: 6099063071

FAX:

COMMENTS: As living in this Santha Rita community neighborhood I have concern reagarding releasing waste discharges into water and spoiling the water quality. I oppose it. I want our surroundings clean and have fresh water.

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Monday, May 6, 2024 1:51 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: yelampalle@gmail.com <yelampalle@gmail.com>
Sent: Monday, May 6, 2024 9:44 AM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Nagi Reddy Yelampalle

EMAIL: yelampalle@gmail.com

COMPANY:

ADDRESS: 120 BENNINGTON DR
LIBERTY HILL TX 78642-2571

PHONE: 6099063071

FAX:



COMMENTS: As living in this Santha Rita community neighborhood I have concern reagarding releasing waste discharges into water and spoiling the water quality. I oppose it. I want our surroundings clean and have fresh water.

Jennifer Cox

From: PUBCOMMENT-OCC
Sent: Thursday, May 16, 2024 1:21 PM
To: PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC
Subject: FW: Public comment on Permit Number WQ0015000001

From: yeluriavinash@gmail.com <yeluriavinash@gmail.com>
Sent: Tuesday, May 14, 2024 1:19 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Avinash Yeluri

EMAIL: yeluriavinash@gmail.com

COMPANY:

ADDRESS: 235 BELLA LUNA WAY
LIBERTY HILL TX 78642-2405

PHONE: 8143925209

FAX:

COMMENTS: I am writing to express my deep concern and disappointment regarding the recent installation of a Wastewater Treatment Plant (WWTP) plan in our community. As a resident and homeowner in SRR, it is vital for us to be informed about significant developments that directly affect our quality of life and property values. I am particularly troubled by the lack of prior communication or notification from your end regarding the construction of the WWTP. This absence of transparency has left many of us feeling unprepared and anxious about the potential ramifications of such a facility in our neighborhood. The presence of a WWTP raises legitimate concerns, including environmental risks, potential odors, noise pollution, and potential impacts on property values. These concerns should have been addressed

through open dialogue and community engagement before any construction commenced. I urge you to provide detailed information about the WWTP, including its capacity, operational processes, environmental impact assessments, and measures taken to mitigate any potential negative effects on our community. As conscientious builders, it is imperative to prioritize transparency and communication with residents to foster a positive and cooperative relationship. I firmly believe that by addressing these concerns collaboratively, we can ensure the well-being and satisfaction of everyone in our community.

Vincent Redondo

From: PUBCOMMENT-OCC
Sent: Monday, May 6, 2024 1:42 PM
To: PUBCOMMENT-OCC2; PUBCOMMENT-OPIC; PUBCOMMENT-ELD; PUBCOMMENT-WQ
Subject: FW: Public comment on Permit Number WQ0015000001

Jesús Bárcena
Office of the Chief Clerk
Texas Commission on Environmental Quality
Office Phone: 512-239-3319

How is our customer service? Fill out our online customer satisfaction survey at:
www.tceq.texas.gov/customersurvey

From: ysaikrishna029@gmail.com <ysaikrishna029@gmail.com>
Sent: Sunday, May 5, 2024 7:21 PM
To: PUBCOMMENT-OCC <PUBCOMMENT-OCC@tceq.texas.gov>
Subject: Public comment on Permit Number WQ0015000001

REGULATED ENTY NAME WILLIAMSON COUNTY MUD 19 - SANTA RITA UPPER MIDDLEBROOK WWTP

RN NUMBER: RN106076862

PERMIT NUMBER: WQ0015000001

DOCKET NUMBER:

COUNTY: WILLIAMSON

PRINCIPAL NAME: CITY OF LIBERTY HILL

CN NUMBER: CN602959033

NAME: Sai Yenumula

EMAIL: ysaikrishna029@gmail.com

COMPANY:

ADDRESS: 109 CRIMSON ROSE CT
LIBERTY HILL TX 78642-2515

PHONE: 5203606560

FAX:

COMMENTS: I am opposing this as this is near to our home.