

# TCEQ Interoffice Memorandum

---

**To:** Mary Smith, General Counsel

**Thru:** *MH* Megan Hamilton, Assistant Deputy Director  
Enforcement Division

**From:** *MP* Michael Parrish, Agenda Special Assistant  
Enforcement Division

**Date:** April 24, 2026

**Subject:** **Backup Revision**  
**April 30, 2026 Commission Agenda**  
Item No. 36 – CONCHO RURAL WATER CORPORATION  
Docket No. 2025-1467-PWS-E

Enclosed please find the following:

**Executive Summary:**

- Page 2, Corrective Actions/Technical Requirements, Technical Requirement 1.a. - Correct “**nitrite**” to “**nitrate**”

**Agreed Order:**

- Page 2, Section III, Ordering Provision 2.a – Correct “**nitrite**” to “**nitrate**”

Please do not hesitate to call Michael Parrish at (512) 239-2548 if you have any questions regarding this matter.

cc: David Timberger, Acting Public Interest Counsel  
Melissa Schmidt, Public Interest Counsel  
Gill Valls, Office of General Counsel  
Katherine McKenzie, Agenda Coordinator, Litigation Division  
Amy Settemeyer, Deputy Director, Enforcement Division  
Megan Hamilton, Assistant Deputy Director, Enforcement Division  
Michael Parrish, Agenda Special Assistant, Enforcement Division  
Steven Hall, Manager, Drinking Water Section Enforcement Division  
Anjali Talpallikar, Enforcement Coordinator, Drinking Water Section,  
Enforcement Division

**Executive Summary – Enforcement Matter – Case No. 68392  
CONCHO RURAL WATER CORPORATION  
RN101217321  
Docket No. 2025-1467-PWS-E**

***Violation Information***

Failed to comply with the acute maximum contaminant level (“MCL”) of 10 milligrams per liter for nitrate [30 TEX. ADMIN. CODE § 290.106(f)(2) and TEX. HEALTH & SAFETY CODE § 341.031(a)].

***Corrective Actions/Technical Requirements***

**Corrective Action(s) Completed:**

N/A

**Technical Requirements:**

The Order will require the Respondent to:

- a. Within 90 days, begin complying with the acute MCL for **nitrate**. This provision will be satisfied upon two quarters of compliant monitoring and reporting; and
- b. Within 285 days, submit written certification to demonstrate compliance with a.

***Contact Information***

**TCEQ Attorney:** N/A

**TCEQ Enforcement Coordinator:** Anjali Talpallikar, Enforcement Division, Enforcement Team 5, MC 219, (512) 239-2507; Michael Parrish, Enforcement Division, MC R-12, (512) 239-2548

**Respondent:** Benjamin Wiese, President, CONCHO RURAL WATER CORPORATION, 8174 U.S. Highway 87 North, San Angelo, Texas 76901

**Respondent's Attorney:** N/A

**Executive Summary – Enforcement Matter – Case No. 68392  
CONCHO RURAL WATER CORPORATION  
RN101217321  
Docket No. 2025-1467-PWS-E**

***Violation Information***

Failed to comply with the acute maximum contaminant level (“MCL”) of 10 milligrams per liter for nitrate [30 TEX. ADMIN. CODE § 290.106(f)(2) and TEX. HEALTH & SAFETY CODE § 341.031(a)].

***Corrective Actions/Technical Requirements***

**Corrective Action(s) Completed:**

N/A

**Technical Requirements:**

The Order will require the Respondent to:

- a. Within 90 days, begin complying with the acute MCL for nitrate. This provision will be satisfied upon two quarters of compliant monitoring and reporting; and
- b. Within 285 days, submit written certification to demonstrate compliance with a.

***Contact Information***

**TCEQ Attorney:** N/A

**TCEQ Enforcement Coordinator:** Anjali Talpallikar, Enforcement Division, Enforcement Team 5, MC 219, (512) 239-2507; Michael Parrish, Enforcement Division, MC R-12, (512) 239-2548

**Respondent:** Benjamin Wiese, President, CONCHO RURAL WATER CORPORATION, 8174 U.S. Highway 87 North, San Angelo, Texas 76901

**Respondent's Attorney:** N/A

## II. CONCLUSIONS OF LAW

1. As evidenced by Finding of Fact No. 1, the Respondent is subject to the jurisdiction of the TCEQ pursuant to TEX. HEALTH & SAFETY CODE ch. 341 and the rules of the TCEQ.
2. As evidenced by Finding of Fact No. 2, the Respondent failed to comply with the acute MCL of 10 mg/L for nitrate, in violation of 30 TEX. ADMIN. CODE § 290.106(f)(2) and TEX. HEALTH & SAFETY CODE § 341.031(a).
3. Pursuant to TEX. HEALTH & SAFETY CODE § 341.049(a), the TCEQ has the authority to assess an administrative penalty against the Respondent for violations of state statutes within the TCEQ's jurisdiction, for violations of rules adopted under such statutes, or for violations of orders or permits issued under such statutes.
4. An administrative penalty in the amount of \$2,675 is justified by the facts recited in this Order, and considered in light of the factors set forth in TEX. HEALTH & SAFETY CODE § 341.049(b). The Respondent paid the \$2,675 penalty.

## III. ORDERING PROVISIONS

NOW, THEREFORE, THE TEXAS COMMISSION ON ENVIRONMENTAL QUALITY ORDERS that:

1. The Respondent is assessed a penalty as set forth in Conclusion of Law No. 4 for violations of state statutes and rules of the TCEQ. The payment of this penalty and the Respondent's compliance with all the requirements set forth in this Order resolve only the matters set forth by this Order in this action. The Commission shall not be constrained in any manner from requiring corrective actions or penalties for violations that are not raised here. Penalty payments shall be made payable to "TCEQ" and shall be sent with the notation "Re: CONCHO RURAL WATER CORPORATION, Docket No. 2025-1467-PWS-E" to:

Financial Administration Division, Revenue Operations Section  
Attention: Cashier's Office, MC 214  
Texas Commission on Environmental Quality  
P.O. Box 13088  
Austin, Texas 78711-3088

2. The Respondent shall undertake the following technical requirements:
  - a. Within 90 days after the effective date of this Order, begin complying with the acute MCL for **nitrate**, in accordance with 30 TEX. ADMIN. CODE § 290.106. This provision will be satisfied upon two quarters of compliant monitoring and reporting.
  - b. Within 285 days after the effective date of this Order, submit written certification, and include detailed supporting documentation including photographs, receipts, and/or other records to demonstrate compliance with Ordering Provision No. 2.a. The certification shall be signed by the Respondent and shall include the following certification language:

## II. CONCLUSIONS OF LAW

1. As evidenced by Finding of Fact No. 1, the Respondent is subject to the jurisdiction of the TCEQ pursuant to TEX. HEALTH & SAFETY CODE ch. 341 and the rules of the TCEQ.
2. As evidenced by Finding of Fact No. 2, the Respondent failed to comply with the acute MCL of 10 mg/L for nitrate, in violation of 30 TEX. ADMIN. CODE § 290.106(f)(2) and TEX. HEALTH & SAFETY CODE § 341.031(a).
3. Pursuant to TEX. HEALTH & SAFETY CODE § 341.049(a), the TCEQ has the authority to assess an administrative penalty against the Respondent for violations of state statutes within the TCEQ's jurisdiction, for violations of rules adopted under such statutes, or for violations of orders or permits issued under such statutes.
4. An administrative penalty in the amount of \$2,675 is justified by the facts recited in this Order, and considered in light of the factors set forth in TEX. HEALTH & SAFETY CODE § 341.049(b). The Respondent paid the \$2,675 penalty.

## III. ORDERING PROVISIONS

NOW, THEREFORE, THE TEXAS COMMISSION ON ENVIRONMENTAL QUALITY ORDERS that:

1. The Respondent is assessed a penalty as set forth in Conclusion of Law No. 4 for violations of state statutes and rules of the TCEQ. The payment of this penalty and the Respondent's compliance with all the requirements set forth in this Order resolve only the matters set forth by this Order in this action. The Commission shall not be constrained in any manner from requiring corrective actions or penalties for violations that are not raised here. Penalty payments shall be made payable to "TCEQ" and shall be sent with the notation "Re: CONCHO RURAL WATER CORPORATION, Docket No. 2025-1467-PWS-E" to:  

Financial Administration Division, Revenue Operations Section  
Attention: Cashier's Office, MC 214  
Texas Commission on Environmental Quality  
P.O. Box 13088  
Austin, Texas 78711-3088
2. The Respondent shall undertake the following technical requirements:
  - a. Within 90 days after the effective date of this Order, begin complying with the acute MCL for nitrate, in accordance with 30 TEX. ADMIN. CODE § 290.106. This provision will be satisfied upon two quarters of compliant monitoring and reporting.
  - b. Within 285 days after the effective date of this Order, submit written certification, and include detailed supporting documentation including photographs, receipts, and/or other records to demonstrate compliance with Ordering Provision No. 2.a. The certification shall be signed by the Respondent and shall include the following certification language:

**Executive Summary - Enforcement Matter - Case No. 68392**  
**CONCHO RURAL WATER CORPORATION**  
**RN101217321**  
**Docket No. 2025-1467-PWS-E**

**Order Type:**

Findings Agreed Order

**Findings Order Justification:**

People or environmental receptors have been exposed to pollutants which exceed levels that are protective.

**Media:**

PWS

**Small Business:**

No

**Location(s) Where Violation(s) Occurred:**

Concho Rural Water N Concho Lake Estates, located north of San Angelo along both sides of Farm-to-Market Road 2105, San Angelo, Tom Green County

**Type of Operation:**

Public water supply

**Other Significant Matters:**

Additional Pending Enforcement Actions: No

Past-Due Penalties: No

Past-Due Fees: No

Other: N/A

Interested Third-Parties: None

**Texas Register Publication Date:** February 20, 2026

**Comments Received:** No

***Penalty Information***

**Total Penalty Assessed:** \$2,675

**Total Paid to General Revenue:** \$2,675

**Total Due to General Revenue:** \$0

Payment Plan: N/A

**Compliance History Classifications:**

Person/CN - Unclassified

Site/RN - N/A

**Major Source:** No

**Statutory Limit Adjustment:** N/A

**Applicable Penalty Policy:** January 2021

***Investigation Information***

**Complaint Date(s):** N/A

**Complaint Information:** N/A

**Date(s) of Investigation:** August 22, 2025

**Date(s) of NOE(s):** August 22, 2025

**Executive Summary – Enforcement Matter – Case No. 68392  
CONCHO RURAL WATER CORPORATION  
RN101217321  
Docket No. 2025-1467-PWS-E**

***Violation Information***

Failed to comply with the acute maximum contaminant level (“MCL”) of 10 milligrams per liter for nitrate [30 TEX. ADMIN. CODE § 290.106(f)(2) and TEX. HEALTH & SAFETY CODE § 341.031(a)].

***Corrective Actions/Technical Requirements***

**Corrective Action(s) Completed:**

N/A

**Technical Requirements:**

The Order will require the Respondent to:

- a. Within 90 days, begin complying with the acute MCL for nitrite. This provision will be satisfied upon two quarters of compliant monitoring and reporting; and
- b. Within 285 days, submit written certification to demonstrate compliance with a.

***Contact Information***

**TCEQ Attorney:** N/A

**TCEQ Enforcement Coordinator:** Anjali Talpallikar, Enforcement Division, Enforcement Team 5, MC 219, (512) 239-2507; Michael Parrish, Enforcement Division, MC R-12, (512) 239-2548

**Respondent:** Benjamin Wiese, President, CONCHO RURAL WATER CORPORATION, 8174 U.S. Highway 87 North, San Angelo, Texas 76901

**Respondent's Attorney:** N/A



# Penalty Calculation Worksheet (PCW)

Policy Revision 5 (January 28, 2021)

PCW Revision February 11, 2021

<b>DATES</b>	<b>Assigned</b>	25-Aug-2025	<b>Screening</b>	26-Aug-2025	<b>EPA Due</b>	31-Dec-2025
	<b>PCW</b>	24-Sep-2025				

<b>RESPONDENT/FACILITY INFORMATION</b>	
<b>Respondent</b>	CONCHO RURAL WATER CORPORATION
<b>Reg. Ent. Ref. No.</b>	RN101217321
<b>Facility/Site Region</b>	8-San Angelo
<b>Major/Minor Source</b>	Minor

<b>CASE INFORMATION</b>			
<b>Enf./Case ID No.</b>	68392	<b>No. of Violations</b>	1
<b>Docket No.</b>	2025-1467-PWS-E	<b>Order Type</b>	Findings
<b>Media Program(s)</b>	Public Water Supply	<b>Government/Non-Profit</b>	No
<b>Multi-Media</b>		<b>Enf. Coordinator</b>	Anjali Talpallikar
		<b>EC's Team</b>	Enforcement Team 5
<b>Admin. Penalty \$ Limit Minimum</b>	\$50	<b>Maximum</b>	\$5,000

## Penalty Calculation Section

<b>TOTAL BASE PENALTY (Sum of violation base penalties)</b>	<b>Subtotal 1</b>	\$2,500
---	-------------------	---------

### ADJUSTMENTS (+/-) TO SUBTOTAL 1

Subtotals 2-7 are obtained by multiplying the Total Base Penalty (Subtotal 1) by the indicated percentage.

<b>Compliance History</b>	7.0% Adjustment	<b>Subtotals 2, 3, &amp; 7</b>	\$175
---------------------------	-----------------	--------------------------------	-------

Notes: Enhancement for one NOV with the same/similar violation and one NOV with dissimilar violations.

<b>Culpability</b>	No	0.0% Enhancement	<b>Subtotal 4</b>	\$0
--------------------	----	------------------	-------------------	-----

Notes: The Respondent does not meet the culpability criteria.

<b>Good Faith Effort to Comply Total Adjustments</b>	<b>Subtotal 5</b>	\$0
--	-------------------	-----

<b>Economic Benefit</b>	0.0% Enhancement*	<b>Subtotal 6</b>	\$0
-------------------------	-------------------	-------------------	-----

Total EB Amounts: \$559  
 Estimated Cost of Compliance: \$5,000  
 \*Capped at the Total EB \$ Amount

<b>SUM OF SUBTOTALS 1-7</b>	<b>Final Subtotal</b>	\$2,675
-----------------------------	-----------------------	---------

<b>OTHER FACTORS AS JUSTICE MAY REQUIRE</b>	0.0%	<b>Adjustment</b>	\$0
---	------	-------------------	-----

Reduces or enhances the Final Subtotal by the indicated percentage.

Notes:

<b>Final Penalty Amount</b>	\$2,675
-----------------------------	---------

<b>STATUTORY LIMIT ADJUSTMENT</b>	<b>Final Assessed Penalty</b>	\$2,675
-----------------------------------	-------------------------------	---------

<b>DEFERRAL</b>	0.0%	Reduction	<b>Adjustment</b>	\$0
-----------------	------	-----------	-------------------	-----

Reduces the Final Assessed Penalty by the indicated percentage.

Notes: No deferral is recommended for Findings Orders.

<b>PAYABLE PENALTY</b>	\$2,675
------------------------	---------

**Screening Date** 26-Aug-2025

**Docket No.** 2025-1467-PWS-E

**PCW**

**Respondent** CONCHO RURAL WATER CORPORATION

Policy Revision 5 (January 28, 2021)

**Case ID No.** 68392

PCW Revision February 11, 2021

**Reg. Ent. Reference No.** RN101217321

**Media** Public Water Supply

**Enf. Coordinator** Anjali Talpallikar

### Compliance History Worksheet

**>> Compliance History Site Enhancement (Subtotal 2)**

Component	Number of...	Number	Adjust.
NOVs	Written notices of violation ("NOVs") with same or similar violations as those in the current enforcement action ( <i>number of NOVs meeting criteria</i> )	1	5%
	Other written NOVs	1	2%
Orders	Any agreed final enforcement orders containing a denial of liability ( <i>number of orders meeting criteria</i> )	0	0%
	Any adjudicated final enforcement orders, agreed final enforcement orders without a denial of liability, or default orders of this state or the federal government, or any final prohibitory emergency orders issued by the commission	0	0%
Judgments and Consent Decrees	Any non-adjudicated final court judgments or consent decrees containing a denial of liability of this state or the federal government ( <i>number of judgments or consent decrees meeting criteria</i> )	0	0%
	Any adjudicated final court judgments and default judgments, or non-adjudicated final court judgments or consent decrees without a denial of liability, of this state or the federal government	0	0%
Convictions	Any criminal convictions of this state or the federal government ( <i>number of counts</i> )	0	0%
Emissions	Chronic excessive emissions events ( <i>number of events</i> )	0	0%
Audits	Letters notifying the executive director of an intended audit conducted under the Texas Environmental, Health, and Safety Audit Privilege Act, 74th Legislature, 1995 ( <i>number of audits for which notices were submitted</i> )	0	0%
	Disclosures of violations under the Texas Environmental, Health, and Safety Audit Privilege Act, 74th Legislature, 1995 ( <i>number of audits for which violations were disclosed</i> )	0	0%
Other	Environmental management systems in place for one year or more	No	0%
	Voluntary on-site compliance assessments conducted by the executive director under a special assistance program	No	0%
	Participation in a voluntary pollution reduction program	No	0%
	Early compliance with, or offer of a product that meets future state or federal government environmental requirements	No	0%

**Adjustment Percentage (Subtotal 2)** 7%

**>> Repeat Violator (Subtotal 3)**

N/A

**Adjustment Percentage (Subtotal 3)** 0%

**>> Compliance History Person Classification (Subtotal 7)**

Unclassified

**Adjustment Percentage (Subtotal 7)** 0%

**>> Compliance History Summary**

**Compliance History Notes**

Enhancement for one NOV with the same/similar violation and one NOV with dissimilar violations.

**Total Compliance History Adjustment Percentage (Subtotals 2, 3, & 7)** 7%

**>> Final Compliance History Adjustment**

**Final Adjustment Percentage \*capped at 100%** 7%

**Screening Date** 26-Aug-2025  
**Respondent** CONCHO RURAL WATER CORPORATION  
**Case ID No.** 68392  
**Reg. Ent. Reference No.** RN101217321  
**Media** Public Water Supply  
**Enf. Coordinator** Anjali Talpallikar

**Docket No.** 2025-1467-PWS-E

**PCW**

*Policy Revision 5 (January 28, 2021)*

*PCW Revision February 11, 2021*

**Violation Number** 1

**Rule Cite(s)** 30 Tex. Admin. Code § 290.106(f)(2) and Tex. Health & Safety Code § 341.031(a)

**Violation Description** Failed to comply with the acute maximum contaminant level ("MCL") of 10 milligrams per liter ("mg/L") for nitrate. Specifically, the single sample concentration for nitrate was 12 mg/L for the third quarter of 2025.

**Base Penalty** \$5,000

**>> Environmental, Property and Human Health Matrix**

OR	Release	Harm			Percent
		Major	Moderate	Minor	
	Actual	x			50.0%
	Potential				

**>> Programmatic Matrix**

	Falsification	Major	Moderate	Minor	Percent
					0.0%

**Matrix Notes** Exceeding the acute MCL for nitrate caused the persons served by the Facility to be exposed to pollutants which exceed levels protective of human health.

**Adjustment** \$2,500

\$2,500

**Violation Events**

Number of Violation Events 1 91 Number of violation days

daily	
weekly	
monthly	
quarterly	x
semiannual	
annual	
single event	

**Violation Base Penalty** \$2,500

One quarterly event is recommended.

**Good Faith Efforts to Comply**

0.0%

Reduction \$0

Before NOE/NOV NOE/NOV to EDPRP/Settlement Offer

Extraordinary		
Ordinary		
N/A	x	

**Notes** The Respondent does not meet the good faith criteria for this violation.

**Violation Subtotal** \$2,500

**Economic Benefit (EB) for this violation**

**Statutory Limit Test**

**Estimated EB Amount** \$559

**Violation Final Penalty Total** \$2,675

**This violation Final Assessed Penalty (adjusted for limits)** \$2,675

## Economic Benefit Worksheet

**Respondent** CONCHO RURAL WATER CORPORATION  
**Case ID No.** 68392  
**Reg. Ent. Reference No.** RN101217321  
**Media** Public Water Supply  
**Violation No.** 1

Percent Interest	Years of Depreciation
5.0	15

Item Description	Item Cost	Date Required	Final Date	Yrs	Interest Saved	Costs Saved	EB Amount
------------------	-----------	---------------	------------	-----	----------------	-------------	-----------

### Delayed Costs

Equipment				0.00	\$0	\$0	\$0
Buildings				0.00	\$0	\$0	\$0
Other (as needed)	\$5,000	30-Sep-2025	6-May-2027	1.60	\$27	\$532	\$559
Engineering/Construction				0.00	\$0	\$0	\$0
Land				0.00	\$0	n/a	\$0
Record Keeping System				0.00	\$0	n/a	\$0
Training/Sampling				0.00	\$0	n/a	\$0
Remediation/Disposal				0.00	\$0	n/a	\$0
Permit Costs				0.00	\$0	n/a	\$0
Other (as needed)				0.00	\$0	n/a	\$0

**Notes for DELAYED costs**

The delayed cost includes the estimated amount to investigate, identify, and implement the necessary corrective actions to return to compliance with the acute MCL for nitrate, calculated from the last day of the monitoring period of noncompliance to the estimated date of compliance.

### Avoided Costs

**ANNUALIZE avoided costs before entering item (except for one-time avoided costs)**

Disposal				0.00	\$0	\$0	\$0
Personnel				0.00	\$0	\$0	\$0
Inspection/Reporting/Sampling				0.00	\$0	\$0	\$0
Supplies/Equipment				0.00	\$0	\$0	\$0
Financial Assurance				0.00	\$0	\$0	\$0
ONE-TIME avoided costs				0.00	\$0	\$0	\$0
Other (as needed)				0.00	\$0	\$0	\$0

**Notes for AVOIDED costs**

Approx. Cost of Compliance

\$5,000

**TOTAL**

\$559



# Compliance History Report

Compliance History Report for CN600656995, RN101217321, Rating Year 2025 which includes Compliance History (CH) components from September 1, 2020, through August 31, 2025

**Customer, Respondent, or Owner/Operator:** CN600656995, Concho Rural Water Corporation  
**Classification:** UNCLASSIFIED **Rating:** 0.00

**Regulated Entity:** RN101217321, CONCHO RURAL WATER N CONCHO LAKE ESTATES  
**Classification:** NOT APPLICABLE **Rating:** N/A

**Complexity Points:** N/A **Repeat Violator:** N/A

**CH Group:** 14 - Other

**Location:** NORTH OF SAN ANGELO ALONG BOTH SIDES OF FARM-TO-MARKET 2105 NEAR SAN ANGELO, TOM GREEN COUNTY, TEXAS

**TCEQ Region:** REGION 08 - SAN ANGELO

**ID Number(s):**  
**PUBLIC WATER SYSTEM/SUPPLY REGISTRATION**  
2260020

**Compliance History Period:** September 01, 2020 to August 31, 2025 **Rating Year:** 2025 **Rating Date:** 09/01/2025

**Date Compliance History Report Prepared:** January 22, 2026

**Agency Decision Requiring Compliance History:** Enforcement

**Component Period Selected:** January 22, 2021 to January 22, 2026

**TCEQ Staff Member to Contact for Additional Information Regarding This Compliance History.**

**Name:** Anjali Talpallikar

**Phone:** (512) 239-2507

**Site and Owner/Operator History:**

- 1) Has the site been in existence and/or operation for the full five year compliance period? YES
- 2) Has there been a (known) change in ownership/operator of the site during the compliance period? NO

**Components (Multimedia) for the Site Are Listed in Sections A - J**

**A. Final Orders, court judgments, and consent decrees:**

N/A

**B. Criminal convictions:**

N/A

**C. Chronic excessive emissions events:**

N/A

**D. The approval dates of investigations (CCEDS Inv. Track. No.):**

N/A

**E. Written notices of violations (NOV) (CCEDS Inv. Track. No.):**

A notice of violation represents a written allegation of a violation of a specific regulatory requirement from the commission to a regulated entity. A notice of violation is not a final enforcement action, nor proof that a violation has actually occurred.

- 1 Date: 03/31/2025 (2090125)
  - Self Report? NO Classification: Moderate
  - Citation: 40 CFR Chapter 141, SubChapter D, PT 141, SubPT I 141.80(f)(3)  
40 CFR Chapter 141, SubChapter D, PT 141, SubPT I 141.84(a)
  - Description: LSLI Inventory TT - System failed to complete the initial lead service line inventory by October 16, 2024. ETT Point Value = 5
  - Self Report? NO Classification: Moderate
  - Citation: 40 CFR Chapter 141, SubChapter D, PT 141, SubPT I 141.90(e)(1)
  - Description: LSLI Inventory Reporting - System failed to submit an initial inventory of



TEXAS COMMISSION ON ENVIRONMENTAL QUALITY



IN THE MATTER OF AN  
ENFORCEMENT ACTION  
CONCERNING  
CONCHO RURAL WATER  
CORPORATION  
RN101217321

§  
§  
§  
§  
§  
§

BEFORE THE  
  
TEXAS COMMISSION ON  
  
ENVIRONMENTAL QUALITY

AGREED ORDER  
DOCKET NO. 2025-1467-PWS-E

On \_\_\_\_\_, the Texas Commission on Environmental Quality ("the Commission" or "TCEQ") considered this agreement of the parties, resolving an enforcement action regarding CONCHO RURAL WATER CORPORATION (the "Respondent") under the authority of TEX. HEALTH & SAFETY CODE ch. 341. The Executive Director of the TCEQ, through the Enforcement Division, and the Respondent presented this Order to the Commission.

The Respondent understands that it has certain procedural rights at certain points in the enforcement process, including the right to formal notice of violations, notice of an evidentiary hearing, the right to an evidentiary hearing, and a right to appeal. By entering into this Order, the Respondent agrees to waive all notice and procedural rights.

It is further understood and agreed that this Order represents the complete and fully-integrated agreement of the parties. The provisions of this Order are deemed severable and, if a court of competent jurisdiction or other appropriate authority deems any provision of this Order unenforceable, the remaining provisions shall be valid and enforceable. The duties and responsibilities imposed by this Order are binding upon the Respondent.

The Commission makes the following Findings of Fact and Conclusions of Law:

I. FINDINGS OF FACT

1. The Respondent owns and operates a public water supply located north of San Angelo along both sides of Farm-to-Market 2105 near San Angelo, Tom Green County, Texas (the "Facility"). The Facility provides water for human consumption, has approximately 433 service connections, and serves at least 25 people per day for at least 60 days per year. As such, the Facility is a public water system as defined in 30 TEX. ADMIN. CODE § 290.38(73).
2. During a record review at the Facility conducted on August 11, 2025 through August 22, 2025, an investigator documented that the single sample concentration for nitrate was 12 milligrams per liter ("mg/L") for the third quarter of 2025.

## II. CONCLUSIONS OF LAW

1. As evidenced by Finding of Fact No. 1, the Respondent is subject to the jurisdiction of the TCEQ pursuant to TEX. HEALTH & SAFETY CODE ch. 341 and the rules of the TCEQ.
2. As evidenced by Finding of Fact No. 2, the Respondent failed to comply with the acute MCL of 10 mg/L for nitrate, in violation of 30 TEX. ADMIN. CODE § 290.106(f)(2) and TEX. HEALTH & SAFETY CODE § 341.031(a).
3. Pursuant to TEX. HEALTH & SAFETY CODE § 341.049(a), the TCEQ has the authority to assess an administrative penalty against the Respondent for violations of state statutes within the TCEQ's jurisdiction, for violations of rules adopted under such statutes, or for violations of orders or permits issued under such statutes.
4. An administrative penalty in the amount of \$2,675 is justified by the facts recited in this Order, and considered in light of the factors set forth in TEX. HEALTH & SAFETY CODE § 341.049(b). The Respondent paid the \$2,675 penalty.

## III. ORDERING PROVISIONS

NOW, THEREFORE, THE TEXAS COMMISSION ON ENVIRONMENTAL QUALITY ORDERS that:

1. The Respondent is assessed a penalty as set forth in Conclusion of Law No. 4 for violations of state statutes and rules of the TCEQ. The payment of this penalty and the Respondent's compliance with all the requirements set forth in this Order resolve only the matters set forth by this Order in this action. The Commission shall not be constrained in any manner from requiring corrective actions or penalties for violations that are not raised here. Penalty payments shall be made payable to "TCEQ" and shall be sent with the notation "Re: CONCHO RURAL WATER CORPORATION, Docket No. 2025-1467-PWS-E" to:

Financial Administration Division, Revenue Operations Section  
Attention: Cashier's Office, MC 214  
Texas Commission on Environmental Quality  
P.O. Box 13088  
Austin, Texas 78711-3088

2. The Respondent shall undertake the following technical requirements:
  - a. Within 90 days after the effective date of this Order, begin complying with the acute MCL for nitrite, in accordance with 30 TEX. ADMIN. CODE § 290.106. This provision will be satisfied upon two quarters of compliant monitoring and reporting.
  - b. Within 285 days after the effective date of this Order, submit written certification, and include detailed supporting documentation including photographs, receipts, and/or other records to demonstrate compliance with Ordering Provision No. 2.a. The certification shall be signed by the Respondent and shall include the following certification language:

"I certify under penalty of law that I have personally examined and am familiar with the information submitted and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fines and imprisonment for knowing violations."

The certification shall be submitted to:

Enforcement Division, MC 149A  
Texas Commission on Environmental Quality  
P.O. Box 13087  
Austin, Texas 78711-3087

with a copy to:

Drinking Water Special Functions Section Manager  
Water Supply Division, MC 155  
Texas Commission on Environmental Quality  
P.O. Box 13087  
Austin, Texas 78711

3. All relief not expressly granted in this Order is denied.
4. The duties and provisions imposed by this Order shall apply to and be binding upon the Respondent. The Respondent is ordered to give notice of this Order to personnel who maintain day-to-day control over the Facility operations referenced in this Order.
5. The Executive Director may grant an extension of any deadline in this Order or in any plan, report, or other document submitted pursuant to this Order, upon a written and substantiated showing of good cause. All requests for extensions by the Respondent shall be made in writing to the Executive Director. Extensions are not effective until the Respondent receives written approval from the Executive Director. The determination of what constitutes good cause rests solely with the Executive Director. Extension requests shall be sent to the Enforcement Division at the address listed above.
6. The Executive Director may, without further notice or hearing, refer this matter to the Office of the Attorney General of the State of Texas ("OAG") for further enforcement proceedings if the Executive Director determines that the Respondent has not complied with one or more of the terms in this Order.
7. This Order shall terminate five years from its effective date or upon compliance with all the terms and conditions set forth in this Order, whichever is later.
8. This Order, issued by the Commission, shall not be admissible against the Respondent in a civil proceeding, unless the proceeding is brought by the OAG to: (1) enforce the terms of this Order; or (2) pursue violations of a statute within the Commission's

- jurisdiction, or of a rule adopted or an order or permit issued by the Commission under such a statute.
9. This Order may be executed in separate and multiple counterparts, which together shall constitute a single instrument. Any page of this Order may be copied, scanned, digitized, converted to electronic portable document format ("pdf"), or otherwise reproduced and may be transmitted by digital or electronic transmission, including but not limited to facsimile transmission and electronic mail. Any signature affixed to this Order shall constitute an original signature for all purposes and may be used, filed, substituted, or issued for any purpose for which an original signature could be used. The term "signature" shall include manual signatures and true and accurate reproductions of manual signatures created, executed, endorsed, adopted, or authorized by the person or persons to whom the signatures are attributable. Signatures may be copied or reproduced digitally, electronically, by photocopying, engraving, imprinting, lithographing, electronic mail, facsimile transmission, stamping, or any other means or process which the Executive Director deems acceptable. In this paragraph exclusively, the terms: electronic transmission, owner, person, writing, and written, shall have the meanings assigned to them under TEX. BUS. ORG. CODE § 1.002.
  10. The effective date of this Order is the date it is signed by the Commission. A copy of this fully executed Order shall be provided to each of the parties.

SIGNATURE PAGE

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

\_\_\_\_\_  
For the Commission  
*Krista Mello-Jurack*  
\_\_\_\_\_  
For the Executive Director

\_\_\_\_\_  
Date  
03/23/2026  
\_\_\_\_\_  
Date

I, the undersigned, have read and understand the attached Order. I am authorized to agree to the attached Order, and I do agree to the terms and conditions specified therein. I further acknowledge that the TCEQ, in accepting payment for the penalty amount, is materially relying on such representation.

I also understand that failure to comply with the Ordering Provisions, if any, in this Order and/or failure to timely pay the penalty amount, may result in:

- A negative impact on compliance history;
- Greater scrutiny of any permit applications submitted;
- Referral of this case to the OAG for contempt, injunctive relief, additional penalties, and/or attorney fees, or to a collection agency;
- Increased penalties in any future enforcement actions;
- Automatic referral to the OAG of any future enforcement actions; and
- TCEQ seeking other relief as authorized by law.

In addition, any falsification of any compliance documents may result in criminal prosecution.

*Ben Wise*  
\_\_\_\_\_  
Signature

1-26-26  
\_\_\_\_\_  
Date

*Ben Wise*  
\_\_\_\_\_  
Name (Printed or typed)  
Authorized Representative of  
CONCHO RURAL WATER CORPORATION

*President*  
\_\_\_\_\_  
Title

If mailing address has changed, please check this box and provide the new address below:

**Instructions:** Send the original, signed Order with penalty payment to the Financial Administration Division, Revenue Operations Section at the address in Ordering Provision 1 of this Order.