

Meeting Agenda
Tax Relief for Pollution Control Property Advisory Committee
Texas Commission on Environmental Quality
November 12, 2021, 10:00 a.m.

TCEQ Austin Headquarters
12100 Park 35 Circle
Building E, 201 S (Agenda Room)
Austin, Texas 78753

In-Person at TCEQ or New Remote Access

Online via [MS Teams](#), or
Call-in (512) 826-8070, Conference ID 801 140 148#

Mute computers or phones to minimize background noise until you're ready to speak.
Do **not** put your call on hold.

1. Opening Remarks
 - a. Call to order
 - b. Recognition of Committee members present and absent
 - c. Policy for public comments during Committee meetings
 - d. General comments from Committee members and TCEQ staff
2. Update of planned appointments and/or reappointments to Advisory Committee
3. Triennial review of the following required by Tax Code §11.31(l) and 30 TAC §17.14(b):
Nonexclusive List in Tax Code §11.31(k) and Figure: 30 TAC §17.17(b)
Tier I Table in Figure: 30 TAC §17.14(a)
 - a. Timeline and process overview by TCEQ staff
 - b. Review of Tier II applications with positive use determinations
(reference TCEQ Summary of Tier II Applications Received Between April 2018 and April 2021 that Resulted in a Positive Use Determination)
 - c. Other items the Committee may determine within the scope of this review
4. Appreciation of Committee members Mike Ford and Tim Jones
(did not apply for reappointment)
5. Other
 - a. Old business
 - b. New business
 - c. Other comments from the public
6. Adjourn

The TCEQ Tax Relief for Pollution Control Property Advisory Committee is not subject to provisions of the public meetings law. However, comments from the public relevant to the purview of the Committee are welcome. A reasonable standard will be used by the Committee chairman regarding the length of time for public comments, realizing the committee will need to manage time to allow adequate discussion of items on the agenda.

Summary of Tier II Applications Received Between April 2018 and April 2021 that Resulted in a Positive Use Determination

Number of Applications	Property Description	Rule Citation(s)	Added to Tier I Table?
1	A 51,132 square foot crushed limestone store dust control enclosure	30 TAC §116.115(c)	No
1	Acoustical panels	15 USC §717b(a)	No
1	Boil off gas system	30 TAC §115.212(a)(3)(A)	No
1	Compensatory wetlands consisting of culverts and 272 acres of land	40 CFR §230.12	No
1	Dock area erosion control consisting of geotextile fabric on a 17-acre slope at the dock basin, pre-cast articulated concrete block matting, cast-in-place concrete matting, and Revet-anchor blocks	40 CFR §230.10	No
11	Dry low emissions system	30 TAC §116.615(2) 30 TAC §116.115(b)(2) and (c)	Yes, A-90
1	Dual mechanical seals	30 TAC §116.115(b)(2)(F)	Yes, A-119
1	Fuel gas BTU analyzer	30 TAC §117.2045(a)(1) 30 TAC §117.2030(b)(1)	No
7	Geodesic dome roofs	30 TAC §116.115(c) 40 CFR §63.423(a) 40 CFR §60.112b(a) 30 TAC §116.115(b)(2)(F) 40 CFR §60.112b(a)(2)	Yes, A-117
1	Integrated air injection equipment and ancillary equipment including an air sparge compressor, liquid separator, air dryer, dry air receiver tank, two filtered separators, air sparge manifold, control panels, sewage grinder pump, and associated wiring and piping	30 TAC §350.31(b) 30 TAC §350.32(f)	No
3	Lean burn portion of the reciprocating engines	30 TAC §116.615(2) 30 TAC §106.4(a)(1)(A) 30 TAC §106.6(b)	Yes, A-91

Number of Applications	Property Description	Rule Citation(s)	Added to Tier I Table?
62	Nondestructive pipeline testing expenditures - Radiography	16 TAC §3.8(b) and (d)(1) 40 CFR §112.10 49 CFR §195.228(a) 49 CFR §192.241(b) 49 CFR §192.243(a)	Yes, M-24
7	Pollution control portion of the amine regeneration system	30 TAC §116.115(b)(2)(F) 30 TAC §335.4 30 TAC §116.615(2)	No
1	Process wastewater stripper column	40 CFR §414.91	No
1	Reclamation equipment	16 TAC §12.337	Yes, S-29

Total Tier II applications that received PUDs: 100

Total property types: 15

Total Tier II applications for property now on the Tier I Table: 85

Total Tier II applications for property types now on the Tier I Table: 6