

# **Technical Supplement for On-Road Light-Duty and Heavy-Duty Diesel Vehicles**

**Texas Commission on Environmental Quality (TCEQ)**

**Texas Clean Fleet Program (TCFP)**

**Texas Emissions Reduction Plan (TERP)**



**Revised – December 2024**

**Texas Commission on Environmental Quality (TCEQ)**

**Air Grants Division**

**Program Design and Coordination Section, MC-204**

**P.O. Box 13087**

**Austin, Texas 78711-3087**

**1-800-919-TERP (8377)**

**[www.terpgrants.org](http://www.terpgrants.org)**

## Summary

This technical supplement contains instructions for calculating the NO<sub>x</sub> emissions reductions and the cost per ton of NO<sub>x</sub> reduced for the replacement of on-road light-duty or heavy-duty diesel motor vehicles under the Texas Clean Fleet Program (TCFP). Applicants are not required to calculate these values; however, it is recommended that applicants perform these calculations to have an idea of the score the project may be assigned in the selection process. TCFP is a competitive grant round and projects with the lowest cost per ton of NO<sub>x</sub> reduced and the highest NO<sub>x</sub> emissions reductions will score more points than other projects. For more details about the scoring criteria, please see the TCFP Request for Grant Applications (RFGA).

The steps in this technical supplement are generally the same steps that will be used by TERP to determine the NO<sub>x</sub> emissions reductions and the cost per ton of NO<sub>x</sub> reduced by the project. There may be instances where more specific information on emissions and emissions rates are available. In those instances, the TCEQ may use that information instead of the emissions standards listed in this technical supplement.

The calculations are divided into the five main steps listed below.

- Step 1: Determine the NO<sub>x</sub> emission rates for the old and new vehicles.
- Step 2: Check the 25% NO<sub>x</sub> emissions reduction requirement.
- Step 3: Convert the emission rates to grams per mile (g/mile) and apply the [Texas Low Emission Diesel \(TxLED\)](#) correction factor (where appropriate).
- Step 4: Calculate the NO<sub>x</sub> emissions reductions.
- Step 5: Calculate the cost per ton of NO<sub>x</sub> reduced.

These steps are explained in the following instructions. Applicants can use the worksheets provided at the end of this technical supplement (Appendix A) in conjunction with these instructions to complete the calculations on their own. Alternatively, applicants can visit [www.terpgrants.org](http://www.terpgrants.org) for calculator tools that can be used in completing the calculations.

## Step 1: Determine the NO<sub>x</sub> emission rates for the old and new vehicles

The Texas Emissions Reduction Plan (TERP) uses the Environmental Protection Agency's (EPA) and the California Air Resource Board (CARB) vehicle emissions standards as the basis for emissions reductions standards. In most cases, the provided instructions will help in determining the NO<sub>x</sub> emission standard for a vehicle. Should an applicant have any difficulty determining an emission factor, they can contact TERP for assistance.

Applicants will need a few pieces of information about their new and old vehicles to determine the NO<sub>x</sub> emissions for each vehicle. Determining emissions factors for light-duty and heavy-duty vehicles is different, and instructions are provided below for each category of vehicle, including what information is needed. For the purposes of determining emissions standards, light-duty vehicles are those with a Gross Vehicle Weight Rating (GVWR) of 10,000 lbs. or less and certified to a light-duty emission standard. Heavy-duty vehicles are those with a GVWR of 8,501 lbs. or more and certified to a heavy-duty emission standard. If an applicant is unsure about the GVWR of their vehicle, the easiest place to locate it is via a sticker placed in the door jamb of the driver's side of the vehicle. Alternatively, this information can be obtained from a vendor, manufacturer, or other resources. If the vehicle's GVWR is between 8,501 lbs. and 10,000 lbs., it may be necessary to check the vehicle's engine plate to determine if the vehicle was certified to a light-duty or heavy-duty standard. Examples of heavy-duty and light-duty engine plates are provided in Appendix C.

### Light-Duty Vehicles

Light-duty vehicles have two emissions standard programs for which the complete vehicle (engine and chassis) is certified to operate. The federal standards are known as Tier 0 (historical emissions), Tier 1, Tier 2, and Tier 3. There are also the California standards which are known as LEV I, LEV II, and LEV III. As of 2017, the federal Tier 3 standards and the California LEV III standards are in alignment.

In order to look up which program and subsequently which emission standard to which a vehicle was certified, the following information is needed:

- The vehicle's weight classification or GVWR.
- Model year of the vehicle.
- The engine test group or engine family code, primarily applicable to vehicles produced after 2002.
- For vehicles manufactured for model year 2001 to present, the emissions standard category (e.g., Bin 2, ULEV II).

For vehicles with a model year of 1993 or older, these are Tier 0 vehicles. The only information needed to look up emissions standards for these vehicles is whether the vehicle is a light-duty truck or car, and the model year. Please use Table B.9 in Appendix B to look up the emissions standard.

For vehicles produced on or after the 1994 model year, the process to determine emissions standards is more complex. The simplest method is to locate the Vehicle Emission Control Information (VECI) label. On light-duty vehicles, this label should be located somewhere under the hood of the vehicle such as on the underside of the hood, on the engine, or other flat surface in the engine compartment. It should have the model year of the vehicle on it with the words "Vehicle Emission Control Information." For examples of a VECI label, please see Figure 1 in Appendix C.

Once the label has been located, it should clearly indicate the regulations to which the vehicle conforms (e.g., LEV2, Bin 10 Tier 2). This information may be enough to use the tables in Appendix B to lookup the emissions standard for a vehicle. If not, the label should also provide the engine test group/engine family code. This is a 12-digit code that can be looked up at the following websites to determine which exhaust standard a vehicle was certified to meet. Please be aware that a vehicle may be certified to meet both federal and California standards. In those cases, the applicant should use the lower standard of the two for the emissions reduction calculation.

- EPA Annual Certification Data for Vehicles –

<https://www.epa.gov/compliance-and-fuel-economy-data/annual-certification-data-vehicles-engines-and-equipment>

Note: Use the vehicle models spreadsheets, not the test data or evaporate emissions spreadsheets.

- California Air Resource Board On-Road New Vehicle & Engine Certification Program –

<https://ww3.arb.ca.gov/msprog/onroad/cert/cert.php#6>

If a VECI is damaged or missing from an old vehicle, an applicant may need to contact a local dealer or manufacturer for assistance in determining the emission rate of their vehicle. Applicants may also contact TERP for additional assistance.

For new vehicles, applicants should use the emissions standards found in Table B.4, unless a vehicle can meet an alternative NO<sub>x</sub> emission standard (e.g., hybrid-electric vehicles). Applicants choosing an alternative NO<sub>x</sub> emission standard should check with a vendor to be sure they can purchase a vehicle that can meet that chosen standard. If an applicant is choosing a zero-emission vehicle, a factor of 0 (zero) should be used for the emission rate.

## Heavy-Duty Vehicles

Heavy-duty vehicle emissions are regulated by the engine in the vehicle rather than the complete vehicle. This means that in order to lookup the emission standard for an on-road heavy-duty vehicle, information about the engine itself is needed. The federal heavy-duty vehicle emissions standards are primarily designated by the combustion type of a vehicle's engine (spark ignition or compression ignition) and the year of manufacture for that engine. For reference, spark ignition engines are those that use spark plugs to ignite the fuel, such as in gasoline engines or natural gas engines, and compression ignition engines rely solely on the compression of the fuel to ignite it, such as in diesel engines. In some cases, engines are certified to emit a different amount of NO<sub>x</sub> than the otherwise applicable standard for that engine. These engines have an EPA-certified Family Emission Limit (FEL).

In order to look up the applicable emission standard for an on-road heavy-duty vehicle, the following information is needed. This information should be readily available on a plate or sticker mounted on the engine. If this plate or sticker is missing or damaged, it may be necessary to contact the engine manufacturer or a local vendor for assistance in obtaining this information.

- Engine manufacture year.
- Fuel type of the vehicle (compression ignition or spark ignition).
- The engine family code, generally applicable to vehicles produced after 2002.

There are two ways an applicant can lookup up the NO<sub>x</sub> emission standard for their heavy-duty vehicle's engine: by engine family code or by looking up the default standard for that year. Where possible, applicants should use the engine family code to lookup the emissions standard, as this will provide the most accurate standard for that engine and will reveal if an engine has an FEL. When an engine has an FEL, this is the emissions standard for that vehicle. Please be aware that for engines produced prior to 2003, there may not be an engine family code for that engine.

Applicants can use the following websites to look up the engine family code information for their engine. Please note that these websites are not intuitive, and applicants are encouraged to contact TERP in the event additional assistance is needed.

- EPA Annual Certification Data for Vehicles –

<https://www.epa.gov/compliance-and-fuel-economy-data/annual-certification-data-vehicles-engines-and-equipment>

Note: Use the spreadsheets listed under Heavy-Duty Highway Gasoline and Diesel Engines. These spreadsheets will only demonstrate if an engine family code exists and if there is an FEL. Please follow the instructions in looking up the default emission standard if the engine does not have an FEL.

- California Air Resource Board On-Road New Vehicle & Engine Certification Program –  
<https://ww3.arb.ca.gov/msprog/onroad/cert/cert.php#6>

Note: This site does not contain all engine family codes that the EPA has issued.

If an engine family code is not available, the emission standards for an engine can be looked up in Tables B.10 and B.11 in Appendix B using the engine manufacture year and the fuel type of the vehicle. Please note that for engines manufactured between 2006-2009, the EPA permitted engine manufacturers a period to phase-in a lower emission standard. Engines manufactured during these years will need to be looked up by engine family code as there is not an applicable standard for these years.

For new vehicles, applicants should use the emissions standards found in Tables B.10 and B.11, unless a vehicle can meet an alternative NO<sub>x</sub> emission standard such as 0.1 g/bhp-hr, 0.5 g/bhp-hr, or 0.02 g/bhp-hr of NO<sub>x</sub>. Applicants choosing an alternative NO<sub>x</sub> emission standard should check with a vendor to be sure they can purchase a vehicle that can meet that chosen standard. If an applicant is choosing a zero-emission vehicle, a factor of 0 (zero) should be used for the emission rate.

## Step 2: Check the 25% NO<sub>x</sub> emissions reduction requirement

The replacement vehicle must be certified to a NO<sub>x</sub> emission rate that is at least 25% less than the certified NO<sub>x</sub> emissions rate of the vehicle being replaced. Use the worksheets in Appendix A to determine if the activity meets the minimum emission reduction requirements. Provided below are examples of the calculations used to determine if an activity meets a 25% reduction in NO<sub>x</sub> emissions.

$$\frac{\text{Old Vehicle Emission Rate} - \text{New Vehicle Emission Rate}}{\text{Old Vehicle Emission Rate}} \times 100 = \text{Emission Rate Reduction (\%)}$$

### Example calculation for determining 25% NO<sub>x</sub> emission rate reduction for replacements

**Activity:** Replacement of a 1987 diesel heavy-duty vehicle with a 2018 CNG heavy-duty vehicle.

**Original engine emission standard:** 10.7 g/bhp·hr

**Replacement engine emission standard:** 0.2 g/bhp·hr

**Calculation of emission rate reduction:**

$$\frac{10.7 \frac{g}{bhp \cdot hr} - 0.2 \frac{g}{bhp \cdot hr}}{10.7 \frac{g}{bhp \cdot hr}} \times 100 = 98.1\% \text{ baseline emission rate reduction}$$

**Note:** This activity would meet the 25% emission rate reduction requirement.

### Example calculation for determining 25% NO<sub>x</sub> emission rate reduction for replacements

**Activity:** Replacement of a 1981 light-duty truck with a 2018 Tier 2 Bin 3 model.

**Original engine emission standard:** 2.3 g/mile

**Replacement engine emission standard:** 0.03 g/mile

**Calculation of emission rate reduction:**

$$\frac{2.3 \frac{g}{mile} - 0.03 \frac{g}{mile}}{2.3 \frac{g}{mile}} \times 100 = 98.7\% \text{ baseline emission rate reduction}$$

**Note:** This activity would meet the 25% emission rate reduction requirement.

### Step 3: Convert the emission rates to grams per mile (g/mile) and apply the TxLED correction factor (where appropriate)

The NO<sub>x</sub> emissions of heavy-duty engines are certified in grams per brake horsepower-hour (g/bhp·hr). In order to perform the emissions reduction calculations, the emissions rate in g/bhp·hr must be converted to grams per mile (g/mile). Conversion factors in brake horsepower-hour per mile (bhp·hr/mile) are provided in Table B.12, by model year. If the NO<sub>x</sub> emission rate is in g/bhp·hr, the NO<sub>x</sub> emission rate must be multiplied by this factor to convert it to g/mile.

For light-duty vehicles, the NO<sub>x</sub> emissions are certified in g/mile. No conversion is necessary for emission rates already in g/mile.

The TCEQ adopted rules (30 TAC §114.312 - §114.319) requiring that beginning on October 1, 2005, diesel fuel produced for use in compression-ignition engines in certain counties in Texas must meet new low emission diesel (TxLED) standards. Except for El Paso, Howard, and Hutchinson Counties, the TERP eligible counties are all affected by this standard. To account for the emissions reductions associated with lower emission diesel fuel, a factor of 0.943 should be applied to all diesel emission factors, regardless of when the vehicle came into service or will come into service. For the Texas Clean Fleet Program, this factor should be applied to all the old vehicles as all old vehicles must use diesel fuel.

Provided below are examples of the calculations used to convert g/bhp·hr to g/mile, along with incorporating the TxLED factor where appropriate.

$$\text{Emission Rate } \left( \frac{g}{bhp \cdot hr} \right) \times \text{Conv. factor } \left( \frac{bhp \cdot hr}{mile} \right) \times \text{TxLED factor}^* = \text{Emission Rate } \left( \frac{g}{mile} \right)$$

\* TxLED factor only used for old diesel vehicles, omit otherwise

#### Example calculation for converting g/bhp·hr to g/mile

**Activity:** Replacement of a 1987 diesel heavy-duty vehicle with a 2024 CNG heavy-duty vehicle.

**Vehicle weight rating:** 80,000 lbs.

**Old vehicle emission standard:** 10.7 g/bhp·hr

**New vehicle emission standard:** 0.2 g/bhp·hr

**Old vehicle conversion factor:** 3.13 bhp·hr/mile

**New vehicle engine conversion factor:** 3.03 bhp·hr/mile

**TxLED correction factor:** 0.943

**Old Vehicle NO<sub>x</sub> emission factor converted to g/mile:**

$$10.7 \left( \frac{g}{bhp \cdot hr} \right) \times 3.13 \left( \frac{bhp \cdot hr}{mile} \right) \times 0.943 = 31.582 \left( \frac{g}{mile} \right)$$

**New Vehicle NO<sub>x</sub> emission factor converted to g/mile:**

$$0.2 \left( \frac{g}{bhp \cdot hr} \right) \times 3.03 \left( \frac{bhp \cdot hr}{mile} \right) = 0.606 \left( \frac{g}{mile} \right)$$

## Step 4: Calculate the NO<sub>x</sub> emissions reductions

Calculating the NO<sub>x</sub> emissions reductions requires some of the information that has been calculated or gathered in the previous steps plus some additional information. The following is needed to calculate the NO<sub>x</sub> emissions reductions.

- The emissions factors calculated in Step 3 for the new and old vehicles in g/mile.
- The default annual mileage for the old vehicle.
  - Use the old vehicle's GVWR to look up the default annual mileage in Table B.13
- The percentage of time in area that the applicant will commit to use the replacement/new vehicle in the Clean Transportation Zone (CTZ) (e.g., 75%, 90%).
- The length of the activity life of the project which is always 5 years for the TCFP.
- A conversion factor to convert grams to tons which is 907,200 grams in a U.S. standard ton.

NO<sub>x</sub> emissions reductions are calculated in tons and should be rounded to 4 decimal places at the end of the calculation, should rounding be needed. The formula for the NO<sub>x</sub> emissions reduction calculation is shown below followed by an example calculation.

The Texas Clean Fleet Program is a competitive grant round and one of the factors utilized in the grant selection process is total NO<sub>x</sub> emissions reductions. The higher the NO<sub>x</sub> emissions of the project, the more competitive the grant application may be.

$$\begin{aligned} \text{Old vehicle emissions factor } \left(\frac{g}{\text{mile}}\right) - \text{New vehicle emissions factor } \left(\frac{g}{\text{mile}}\right) \\ = \text{Reduced emissions factor } \left(\frac{g}{\text{mile}}\right) \end{aligned}$$

$$\text{Reduced emissions factor } \left(\frac{g}{\text{mile}}\right) \times \text{Default annual milage } \left(\frac{\text{miles}}{\text{year}}\right) = \text{Emissions per year } \left(\frac{g}{\text{year}}\right)$$

$$\text{Emissions per year } \left(\frac{g}{\text{year}}\right) \times \text{Usage in area}(\%) = \text{Area emissions per year } \left(\frac{g}{\text{year}}\right)$$

$$\text{Area emissions per year } \left(\frac{g}{\text{year}}\right) \div \text{Conv. factor } \left(\frac{g}{\text{ton}}\right) = \text{Area emissions per year } \left(\frac{\text{tons}}{\text{year}}\right)$$

$$\text{Area emissions per year } \left(\frac{\text{tons}}{\text{year}}\right) \times \text{Activity life (years)} = \text{Total emissions (tons)}$$

### Example calculation for NO<sub>x</sub> emission reductions

**Activity:** Replacement of a 1987 diesel heavy-duty vehicle with a 2024 CNG heavy-duty vehicle.

**Old vehicle NO<sub>x</sub> emission factor:** 31.582 g/mile

**New vehicle NO<sub>x</sub> emission factor:** 0.606 g/mile

**Default mileage:** 60,000 miles/year

**Percent time in eligible counties:** 75%

**Unit Conversion Factor:** 907,200 g/ton

**Activity Life:** 5 Years

$$31.582 \frac{g}{mile} - 0.606 \frac{g}{mile} = 30.976 \frac{g}{mile}$$

$$30.976 \frac{g}{mile} \times 60,000 \frac{miles}{year} = 1,858,560 \frac{g}{year}$$

$$1,858,560 \frac{g}{year} \times 0.75 = 1,393,920 \frac{g}{year}$$

$$1,393,920 \frac{g}{year} \div 907,200 \frac{g}{ton} = 1.5365 \frac{tons}{year}$$

$$1.5365 \frac{tons}{year} \times 5 years = 7.6825 tons$$

## Step 5: Calculate the cost per ton of NO<sub>x</sub> reduced

The cost per ton for an activity is determined by dividing the requested grant amount for that activity by the total NO<sub>x</sub> emissions reductions. Keep in mind that the requested grant amount is at the discretion of the applicant, but it cannot exceed 80% of the cost of the new vehicle (See Section 3.2 of the TCFP RFGA for details). Since the Texas Clean Fleet Program involves multiple activities in a single application, the cost per ton calculation is based on the aggregate NO<sub>x</sub> emissions reductions for all activities divided by the aggregate requested grant amount. The formula for this calculation and some examples of this calculation are provided below. Please note that the cost per ton must be rounded to the nearest cent (i.e., no more than two decimal places).

The Texas Clean Fleet Program is a competitive grant round and one of the factors utilized in the grant selection process is the cost per ton of a project. The lower the cost per ton of the project, the more competitive the grant application may be.

$$\frac{\sum \text{Requested grant amounts for all vehicles}(\$)}{\sum \text{Emissions reductions for all vehicles(tons)}} = \text{Cost per ton} \left( \frac{\$}{\text{ton}} \right)$$

### Example calculation for cost per ton

**Activity:** Replacement of a 1987 heavy-duty vehicle with a 2024 CNG heavy-duty vehicle.

**Requested grant amount:** \$40,000

**Total NO<sub>x</sub> Reduced:** 7.6825 tons

$$\$40,000 \div 7.6825 \text{ tons} = \$5,206.64/\text{ton}$$

### Example cost per ton calculation for multiple activities.

**Activity:** Replacement of ten 1987 diesel heavy-duty vehicles with ten 2024 CNG heavy-duty vehicles.

**Requested grant amount:** \$400,000

**Total NO<sub>x</sub> Reduced:** 76.825 tons

$$\$400,000 \div 76.825 \text{ tons} = \$5,206.64/\text{ton}$$

## Appendix A – Calculation Worksheet

### Texas Clean Fleet Program Worksheet TCFP-1 Heavy Duty

This worksheet is provided to assist applicants in estimating the NO<sub>x</sub> emissions reductions and cost per ton of NO<sub>x</sub> reduced for each activity. See Worksheet TCFP-3 to calculate these values for the entire project.

#### Activity Information

|                                                                                                                                 |     |
|---------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>What is the default mileage for your vehicle?</b>                                                                            |     |
| <b>What is the percent of usage in the eligible counties?</b>                                                                   |     |
| <b>What is the incremental cost of the vehicle?</b>                                                                             |     |
| <b>What is the requested grant amount for the activity?</b>                                                                     |     |
| <b>Old Engine Information</b>                                                                                                   |     |
| <b>Model Year:</b>                                                                                                              |     |
| <b>Gross Vehicle Weight Rating (GVWR):</b>                                                                                      |     |
| <b>Emission Rate (g/bhp·hr):</b>                                                                                                |     |
| <b>Conversion Factor (bhp·hr/mi):</b><br>Note: If the vehicle certification is in g/mile then a conversion factor is not needed |     |
| <b>New Engine Information</b>                                                                                                   |     |
| <b>Model Year:</b>                                                                                                              |     |
| <b>Gross Vehicle Weight Rating (GVWR):</b>                                                                                      |     |
| <b>Emission Rate (g/bhp·hr):</b>                                                                                                |     |
| <b>Conversion Factor (bhp·hr/mi):</b><br>Note: If the vehicle certification is in g/mile then a conversion factor is not needed |     |
| <b>Check the Emissions Rate Reduction</b>                                                                                       |     |
| <b>Old Engine Emission Rate (g/bhp·hr):</b>                                                                                     |     |
| <b>- New Engine Emission Rate (g/bhp·hr):</b>                                                                                   |     |
| <b>= Difference (g/bhp·hr):</b>                                                                                                 |     |
| <b>÷ Old Engine Emission Rate (g/bhp·hr):</b>                                                                                   |     |
| <b>x:</b>                                                                                                                       | 100 |
| <b>= Emission Rate Reduction (%):</b><br>Note: Must be 25% or more                                                              |     |

| Determine Old Engine NO <sub>x</sub> Emission Rate (g/mile)                                      |        |
|--------------------------------------------------------------------------------------------------|--------|
| Old Engine NO <sub>x</sub> Emission Rate (g/bhp·hr):                                             |        |
| x TxLED Correction Factor:                                                                       | 0.943  |
| = Corrected NO <sub>x</sub> Emission Rate(g/bhp·hr):                                             |        |
| x Conversion Factor (bhp·hr/mi):                                                                 |        |
| = Converted Old Engine NO <sub>x</sub> Emission Rate (g/mile):                                   |        |
| Determine New Engine NO <sub>x</sub> Emission Rate (g/mile)                                      |        |
| New Engine NO <sub>x</sub> Emission Rate (g/bhp·hr):                                             |        |
| x Conversion Factor (bhp·hr/mi):                                                                 |        |
| = Converted New Engine NO <sub>x</sub> Emission Factor (g/mile):                                 |        |
| Calculate the NO <sub>x</sub> Emissions Reductions                                               |        |
| Converted Old Engine NO <sub>x</sub> Emission Factor (g/mile):                                   |        |
| - Converted New Engine NO <sub>x</sub> Emission Factor (g/mile):                                 |        |
| = Grams per Mile Reduced (g/mile):                                                               |        |
| x Default Annual Miles:                                                                          |        |
| x Percent within Eligible Counties (%):                                                          |        |
| = Grams per Year Reduced (g/yr):                                                                 |        |
| ÷ 907,200 Grams per Ton                                                                          | 907200 |
| = Estimated Annual NO <sub>x</sub> Emission Reduction (tons/yr):                                 |        |
| x Activity Life (years):                                                                         | 5      |
| = Estimated Activity Life NO <sub>x</sub> Emission Reductions (tons):                            |        |
| Requested Grant Amount (\$) ÷ NO <sub>x</sub> Emission Reductions (tons) =<br>Cost Per Ton (\$): |        |
| Eligibility Checks                                                                               |        |
| Is the requested grant amount less than or equal to 80% of the incremental cost?                 |        |
| Does the new engine reduce emissions by at least 25%?                                            |        |

## Texas Clean Fleet Program Worksheet TCFP-2 Light Duty

This worksheet is provided to assist applicants in estimating the NO<sub>x</sub> emissions reductions and cost per ton of NO<sub>x</sub> reduced for each activity. See Worksheet TCFP-3 to calculate these values for the entire project.

### Activity Information

|                                                                                   |     |
|-----------------------------------------------------------------------------------|-----|
| <b>What is the default mileage for your vehicle?</b>                              |     |
| <b>What is the percent of usage in the eligible counties?</b>                     |     |
| <b>What is the incremental cost of the vehicle?</b>                               |     |
| <b>What is the requested grant amount for the activity?</b>                       |     |
| <b>Old Vehicle Information</b>                                                    |     |
| <b>Model Year:</b>                                                                |     |
| <b>Gross Vehicle Weight Rating (GVWR):</b>                                        |     |
| <b>Old Emission Rate (g/mile):</b>                                                |     |
| <b>New Vehicle Information</b>                                                    |     |
| <b>Model Year:</b>                                                                |     |
| <b>Gross Vehicle Weight Rating (GVWR):</b>                                        |     |
| <b>New Emission Rate (g/mile):</b>                                                |     |
| <b>Check the Emissions Rate Reduction</b>                                         |     |
| <b>Old Engine Emission Rate (g/mile):</b>                                         |     |
| <b>- New Engine Emission Rate (g/mile):</b>                                       |     |
| <b>= Difference (g/mile):</b>                                                     |     |
| <b>÷ Old Engine Emissions (g/mile):</b>                                           |     |
| <b>x:</b>                                                                         | 100 |
| <b>= Emission Rate Reduction (%):</b><br><small>Note: Must be 25% or more</small> |     |

|                                                                                  |        |
|----------------------------------------------------------------------------------|--------|
| <b>Determine Old Vehicle NO<sub>x</sub> Emission Rate (g/mile)</b>               |        |
| Old Vehicle NO <sub>x</sub> Emission Rate (g/mile):                              |        |
| x TxLED Correction Factor:                                                       | 0.9430 |
| = Converted Old NO <sub>x</sub> Emission Rate (g/mile):                          |        |
| <b>Determine New Vehicle NO<sub>x</sub> Emission Rate (g/mile)</b>               |        |
| New Vehicle NO <sub>x</sub> Emissions Rate (g/mile):                             |        |
| = Converted New NO <sub>x</sub> Emission Rate (g/mile):                          |        |
| <b>Calculate the NO<sub>x</sub> Emissions Reductions</b>                         |        |
| Converted Old NO <sub>x</sub> Emission Rate (g/mile):                            |        |
| - Converted New NO <sub>x</sub> Emission Rate (g/mile):                          |        |
| = Grams per Mile Reduced (g/mile):                                               |        |
| X Default Annual Miles:                                                          |        |
| x Percent within Eligible Counties (%):                                          |        |
| = Grams per Year Reduced (g/yr):                                                 |        |
| ÷ 907,200 Grams per Ton                                                          | 907200 |
| = Estimated Annual NO <sub>x</sub> Emission Reduction (tons/yr):                 |        |
| x Activity Life (years):                                                         | 5      |
| = Estimated Activity Life NO <sub>x</sub> Emission Reduction (tons):             |        |
| <b>Calculate the Cost per Ton</b>                                                |        |
| Requested Grant Amount Activity (\$):                                            |        |
| ÷ NO <sub>x</sub> Emissions Reductions (tons):                                   |        |
| = Cost Per Ton (\$/ton):                                                         |        |
| <b>Eligibility Checks</b>                                                        |        |
| Is the requested grant amount less than or equal to 80% of the incremental cost? |        |
| Does the new engine reduce emissions by at least 25%?                            |        |

## Texas Clean Fleet Program

### Worksheet TCFP-3

#### Project Cost Per Ton and NO<sub>x</sub> Emissions Reductions

This worksheet is provided to assist applicants in calculating their project NO<sub>x</sub> emissions reductions and cost per ton.

| Activity    | NO <sub>x</sub> Reductions | Requested Grant Amount |
|-------------|----------------------------|------------------------|
| Activity 1  |                            |                        |
| Activity 2  |                            |                        |
| Activity 3  |                            |                        |
| Activity 4  |                            |                        |
| Activity 5  |                            |                        |
| Activity 6  |                            |                        |
| Activity 7  |                            |                        |
| Activity 8  |                            |                        |
| Activity 9  |                            |                        |
| Activity 10 |                            |                        |
| Total       |                            |                        |

| Total Requested Grant Amount | Math Function | Total NO <sub>x</sub> Reductions | Math Function | Project Cost Per Ton |
|------------------------------|---------------|----------------------------------|---------------|----------------------|
|                              | ÷             |                                  | =             |                      |

## Appendix B – Tables

**Table B.1 - EPA Light-Duty Vehicle Classifications**

|      |                    |                                                                                             |
|------|--------------------|---------------------------------------------------------------------------------------------|
| LDV  | Light-Duty Vehicle | Passenger Car                                                                               |
| LDT1 | Light-Duty Truck 1 | Truck up to 6000 pounds GVWR <sup>1</sup> , and 3750 pounds LVW <sup>2</sup>                |
| LDT2 | Light-Duty Truck 2 | Truck up to 6000 pounds GVWR, and between 3751 and 5750 pounds LVW                          |
| LDT3 | Light-Duty Truck 3 | Truck between 6001 and 8500 pounds GVWR, and between 3751 and 5750 pounds ALVW <sup>3</sup> |
| LDT4 | Light-Duty Truck 4 | Truck between 6001 and 8500 pounds GVWR, and over 5750 pounds ALVW                          |

### Revised EPA light truck categories for 2004 and later vehicles

|      |                               |                                                                        |
|------|-------------------------------|------------------------------------------------------------------------|
| LLDT | Light Light-Duty Truck        | Truck up to 6000 pounds GVWR; includes LDT1 and LDT2                   |
| HLDT | Heavy Light-Duty Truck        | Truck between 6001 and 8500 pounds GVWR; includes LDT3 and LDT4        |
| MDPV | Medium-Duty Passenger Vehicle | Vehicle between 8501 and 10,000 lbs GVWR used primarily for passengers |

<sup>1</sup>GVWR: Gross Vehicle Weight Rating

<sup>2</sup>LVW: Loaded Vehicle Weight

<sup>3</sup>ALVW: Adjusted Loaded Vehicle Weight

**Table B.2 - EPA Heavy-Duty Vehicle Classifications**

|        |                              |                                              |
|--------|------------------------------|----------------------------------------------|
| HDDV2b | Heavy-Duty Diesel Vehicle 2b | Vehicle between 8501 and 10,000 lbs GVWR     |
| HDDV3  | Heavy-Duty Diesel Vehicle 3  | Vehicle between 10,001 and 14,000 lbs GVWR   |
| HDDV4  | Heavy-Duty Diesel Vehicle 4  | Vehicle between 14,001 and 16,000 lbs GVWR   |
| HDDV5  | Heavy-Duty Diesel Vehicle 5  | Vehicle between 16,001 and 19,500 lbs GVWR   |
| HDDV6  | Heavy-Duty Diesel Vehicle 6  | Vehicle between 19,501 and 26,000 lbs GVWR   |
| HDDV7  | Heavy-Duty Diesel Vehicle 7  | Vehicle between 26,001 and 33,000 lbs GVWR   |
| HDDV8a | Heavy-Duty Diesel Vehicle 8a | Vehicle between 33,001 and 60,000 lbs GVWR   |
| HDDV8b | Heavy-Duty Diesel Vehicle 8b | Vehicle between Greater than 60,000 lbs GVWR |
| HDDBT  | Heavy-Duty Diesel Vehicle    | Diesel Transit or Urban Buses                |
| HDDBS  | Heavy-Duty Diesel Vehicle    | Diesel School Buses                          |



**Table B.3 - California Medium-Duty Vehicle Classifications**

|      |                       |                                                                        |
|------|-----------------------|------------------------------------------------------------------------|
| MDV1 | Medium-Duty Vehicle 1 | For California standards, an MDV up to 3750 pounds ALVW                |
| MDV2 | Medium-Duty Vehicle 2 | For California standards, an MDV between 3751 and 5750 pounds ALVW     |
| MDV3 | Medium-Duty Vehicle 3 | For California standards, an MDV between 5751 and 8500 pounds ALVW     |
| MDV4 | Medium-Duty Vehicle 4 | For California standards, an MDV between 8501 and 10,000 pounds ALVW   |
| MDV5 | Medium-Duty Vehicle 5 | For California standards, an MDV between 10,001 and 14,000 pounds ALVW |

**Table B.4 - EPA Tier 3 (MY 2025+)<sup>1</sup> and California LEV III (MY 2015+) Light-Duty Vehicle Emission Standards**

| <b>EPA Tier III Emission Standard Category</b> | <b>California LEV III Emission Standard Category</b> | <b>NO<sub>x</sub> + NMOG (g/mile)<sup>2</sup></b> |
|------------------------------------------------|------------------------------------------------------|---------------------------------------------------|
| Bin 1                                          | N/A                                                  | 0.00                                              |
| Bin 20                                         | SULEV20                                              | 0.02                                              |
| Bin 30                                         | SULEV30                                              | 0.03                                              |
| Bin 50                                         | ULEV50                                               | 0.05                                              |
| Bin 70                                         | ULEV70                                               | 0.07                                              |
| Bin 125                                        | ULEV125                                              | 0.125                                             |
| Bin 160                                        | LEV160                                               | 0.16                                              |

<sup>1</sup>Phase-in of the EPA Tier 3 standards begin with MY 2017.

<sup>2</sup>The EPA issued Tier 3 standards that only have a combined NO<sub>x</sub> + NMOG standard. For the purposes of calculating emissions reductions, applicants should consider this standard to be entirely NO<sub>x</sub>.

**Table B.5 - EPA Tier 2 (MY 2004-2016) Light-Duty Vehicle Emission Standards**

| <b>Emission Standard Category</b> | <b>Model Year</b> | <b>Vehicle Classification</b> | <b>NO<sub>x</sub> (g/mile)</b> |
|-----------------------------------|-------------------|-------------------------------|--------------------------------|
| Bin 1                             | 2004+             | LDV, LLDT, HLDT, MDPV         | 0.00                           |
| Bin 2                             | 2004+             | LDV, LLDT, HLDT, MDPV         | 0.02                           |
| Bin 3                             | 2004+             | LDV, LLDT, HLDT, MDPV         | 0.03                           |
| Bin 4                             | 2004+             | LDV, LLDT, HLDT, MDPV         | 0.04                           |
| Bin 5                             | 2004+             | LDV, LLDT, HLDT, MDPV         | 0.07                           |
| Bin 6                             | 2004+             | LDV, LLDT, HLDT, MDPV         | 0.10                           |
| Bin 7                             | 2004+             | LDV, LLDT, HLDT, MDPV         | 0.15                           |
| Bin 8a                            | 2004+             | LDV, LLDT, HLDT, MDPV         | 0.20                           |
| Bin 8b <sup>1</sup>               | 2004-2008         | HLDT, MDPV                    | 0.20                           |
| Bin 9a <sup>1</sup>               | 2004-2006         | LDV, LLDT                     | 0.30                           |
| Bin 9b <sup>1</sup>               | 2004-2006         | LDT2                          | 0.30                           |
| Bin 9c <sup>1</sup>               | 2004-2008         | HLDT, MDPV                    | 0.30                           |
| Bin 10a <sup>1</sup>              | 2004-2006         | LDV, LLDT                     | 0.60                           |
| Bin 10b <sup>1</sup>              | 2004-2008         | HLDT, MDPV                    | 0.60                           |
| Bin 10c <sup>1</sup>              | 2004-2008         | LDT4, MDPV                    | 0.60                           |
| Bin 11 <sup>1</sup>               | 2004-2008         | MDPV                          | 0.90                           |

<sup>1</sup>Bin 8b – Bin 11 were part of the Tier 2 Interim Program and are no longer in use. See 40 CFR 86, Subpart S for further details about this program.

**Table B.6 - California LEV II (MY 2004-2014) Light-Duty and Medium-Duty Vehicle Emission Standards**

| <b>Emission Standard Category</b> | <b>Model Year</b> | <b>Vehicle Classification</b> | <b>NO<sub>x</sub> (g/mile)</b> |
|-----------------------------------|-------------------|-------------------------------|--------------------------------|
| ZEV                               | 2004-2019         | LDV, LDT                      | 0.00                           |
| PZEV*                             | 2004-2019         | LDV, LDT                      | 0.02                           |
| SULEV II                          | 2004-2019         | LDV, LDT                      | 0.02                           |
| ULEV II                           | 2004-2019         | LDV, LDT                      | 0.07                           |
| LEV II                            | 2004-2019         | LDV, LDT                      | 0.07                           |
| LEV II option 1                   | 2004-2019         | LDV, LDT                      | 0.10                           |
| SULEV II                          | 2004-2019         | MDV4                          | 0.10                           |
| ULEV II                           | 2004-2019         | MDV4                          | 0.20                           |
| LEV II                            | 2004-2019         | MDV4                          | 0.20                           |
| SULEV II                          | 2004-2019         | MDV5                          | 0.20                           |
| ULEV II                           | 2004-2019         | MDV5                          | 0.40                           |
| LEV II                            | 2004-2019         | MDV5                          | 0.40                           |

**Table B.7 - EPA Tier 1 (MY 1994-2003) Light-Duty Vehicle Emission Standards**

| <b>Model Year</b> | <b>Vehicle Classification</b> | <b>NO<sub>x</sub> (g/mile)</b> |
|-------------------|-------------------------------|--------------------------------|
| 1994-2003         | LDV                           | 0.6                            |
| 1994-2003         | LDT1                          | 0.6                            |
| 1994-2003         | LDV diesel                    | 1.25                           |
| 1994-2003         | LDT1 diesel                   | 1.25                           |
| 1994-2003         | LDT2                          | 0.97                           |
| 1994-2003         | LDT3                          | 0.98                           |
| 1994-2003         | LDT4                          | 1.53                           |

**Table B.8 - California LEV I (MY 2001-2006) Light-Duty Vehicle Emission Standards**

| <b>Emission Standard Category</b> | <b>Model Year</b> | <b>Vehicles</b> | <b>NO<sub>x</sub> (g/mile)</b> |
|-----------------------------------|-------------------|-----------------|--------------------------------|
| ULEV I diesel                     | 2001-2006         | LDV, LDT1       | 0.30                           |
| ULEV I                            | 2001-2006         | LDV, LDT1       | 0.30                           |
| SULEV I                           | 2001-2006         | MDV2            | 0.30                           |
| LEV I diesel                      | 2001-2006         | LDV, LDT1       | 0.30                           |
| LEV I                             | 2001-2006         | LDV, LDT1       | 0.60                           |
| LEV I                             | 2001-2006         | LDV, LDT1       | 0.30                           |
| SULEV I                           | 2001-2006         | MDV3            | 0.45                           |
| SULEV I                           | 2001-2006         | MDV4            | 0.50                           |
| LEV I diesel                      | 2001-2006         | LDT2            | 0.50                           |
| LEV I                             | 2001-2006         | LDT2            | 0.50                           |
| ULEV I                            | 2001-2006         | MDV2            | 0.60                           |
| TLEV I diesel                     | 2001-2003         | LDV, LDT1       | 0.60                           |
| TLEV I                            | 2001-2003         | LDV, LDT1       | 0.60                           |
| LEV I                             | 2001-2006         | MDV2            | 0.60                           |
| SULEV I                           | 2001-2006         | MDV5            | 0.70                           |
| ULEV I                            | 2001-2006         | MDV3            | 0.90                           |
| TLEV I diesel                     | 2001-2006         | LDT2            | 0.90                           |
| TLEV I                            | 2001-2006         | LDT2            | 0.90                           |
| LEV I                             | 2001-2006         | MDV3            | 0.90                           |
| ULEV I                            | 2001-2006         | MDV4            | 1.00                           |
| LEV I                             | 2001-2006         | MDV4            | 1.00                           |
| ULEV I                            | 2001-2006         | MDV5            | 1.50                           |
| LEV I                             | 2001-2006         | MDV5            | 1.50                           |

**Table B.9 - EPA Tier 0 and Historical Light-Duty Vehicle Emission Standards**

| <b>Cars</b>       |                               |                                |
|-------------------|-------------------------------|--------------------------------|
| <b>Model Year</b> | <b>Vehicle Classification</b> | <b>NO<sub>x</sub> (g/mile)</b> |
| 1987-1993         | LDV                           | 1.0                            |
| 1985-1986         | LDV                           | 1.0                            |
| 1984              | LDV                           | 1.0                            |
| 1983              | LDV                           | 1.0                            |
| 1982              | LDV                           | 1.0                            |
| 1981              | LDV                           | 1.0                            |
| 1980              | LDV                           | 2.0                            |
| 1978-1979         | LDV                           | 2.0                            |
| 1977              | LDV                           | 2.0                            |
| 1975-1976         | LDV                           | 3.1                            |
| 1973-1974         | LDV                           | 3.0                            |
| pre-1968          | LDV                           | 3.5                            |
| <b>Trucks</b>     |                               |                                |
| 1988-1993         | LDT1                          | 1.2                            |
| 1988-1993         | LDT2-4                        | 1.7                            |
| 1987              | LDT                           | 2.3                            |
| 1984-1986         | LDT                           | 2.3                            |
| 1982-1983         | LDT                           | 2.3                            |
| 1981              | LDT                           | 2.3                            |
| 1979-1980         | LDT                           | 2.3                            |
| 1978              | LDT                           | 3.1                            |
| 1975-1977         | LDT                           | 3.1                            |
| 1973-1974         | LDT                           | 3.0                            |
| pre-1968          | LDT                           | 3.6                            |

**Table B.10 - EPA Heavy-Duty Diesel Engine NO<sub>x</sub> Emission Standards by Model Year****Diesel Engines Emission Standards**

| <b>Year of Manufacture</b> | <b>NO<sub>x</sub> Only<br/>(g/bhp·hr)</b> | <b>NO<sub>x</sub>+NMHC<br/>(g/bhp·hr)</b> |
|----------------------------|-------------------------------------------|-------------------------------------------|
| 1989 and earlier           | 10.7                                      |                                           |
| 1990                       | 6.0                                       |                                           |
| 1991-1997                  | 5.0                                       |                                           |
| 1998-2003                  | 4.0                                       |                                           |
| 2004 -2006                 | 2.375                                     | 2.5                                       |
| 2007-2009 <sup>1</sup>     | 2.375 - 0.2                               |                                           |
| 2010+                      | 0.2                                       |                                           |

<sup>1</sup>For these years, a phase-in program was in place to allow manufacturers flexibility in implementing the new 0.2 g/bhp·hr standard. Engines produced during these years will have varying standards.

**Table B.11 - EPA Heavy-Duty Spark-Ignition Engine NO<sub>x</sub> Emission Standards by Model Year****Spark-Ignition Engines Emission Standards**

| <b>Year of Manufacture</b> | <b>NO<sub>x</sub> Only<br/>(g/bhp·hr)</b> | <b>NO<sub>x</sub>+NMHC<br/>(g/bhp·hr)</b> |
|----------------------------|-------------------------------------------|-------------------------------------------|
| 1987 and earlier           | 10                                        |                                           |
| 1988-1990                  | 4.8                                       |                                           |
| 1991-1997                  | 4.0                                       |                                           |
| 1998-2004                  | 3.2                                       |                                           |
| 2005-2007                  | 1                                         | 2.5                                       |
| 2008+                      | 0.2                                       |                                           |

**Table B.12 - Conversion Factors by Model Year and GVWR**

| <b>Vehicle Class</b><br><b>MDPV, MDV4&amp;</b><br><b>HDD2b</b><br><b>Medium/Heavy-Duty</b><br><b>Diesel Vehicles</b><br><b>(8,501-10,000 lbs</b><br><b>GVWR)</b> |                                                          | <b>Vehicle Class</b><br><b>MDV5 and HDDV3</b><br><b>Medium/Heavy-Duty</b><br><b>Diesel Vehicles</b><br><b>(10,001-14,000 lbs</b><br><b>GVWR)</b> |                                                          | <b>Vehicle Class</b><br><b>HDDV4</b><br><b>Heavy-Duty Diesel</b><br><b>Vehicles</b><br><b>(14,001-16,000 lbs</b><br><b>GVWR)</b> |                                                          | <b>Vehicle Class</b><br><b>HDDV5</b><br><b>Heavy-Duty Diesel</b><br><b>Vehicles</b><br><b>(16,001-19,500 lbs</b><br><b>GVWR)</b> |                                                          |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|
| <b>Model</b><br><b>Year</b>                                                                                                                                      | <b>Conversion</b><br><b>Factor</b><br><b>(bhp·hr/mi)</b> | <b>Model</b><br><b>Year</b>                                                                                                                      | <b>Conversion</b><br><b>Factor</b><br><b>(bhp·hr/mi)</b> | <b>Model</b><br><b>Year</b>                                                                                                      | <b>Conversion</b><br><b>Factor</b><br><b>(bhp·hr/mi)</b> | <b>Model</b><br><b>Year</b>                                                                                                      | <b>Conversion</b><br><b>Factor</b><br><b>(bhp·hr/mi)</b> |
| <b>2010</b>                                                                                                                                                      | 1.09                                                     | <b>2010</b>                                                                                                                                      | 1.25                                                     | <b>2010+</b>                                                                                                                     | 1.46                                                     | <b>2010+</b>                                                                                                                     | 1.57                                                     |
| <b>2009</b>                                                                                                                                                      | 1.09                                                     | <b>2009</b>                                                                                                                                      | 1.25                                                     | <b>2009</b>                                                                                                                      | 1.46                                                     | <b>2009</b>                                                                                                                      | 1.57                                                     |
| <b>2008</b>                                                                                                                                                      | 1.09                                                     | <b>2008</b>                                                                                                                                      | 1.25                                                     | <b>2008</b>                                                                                                                      | 1.46                                                     | <b>2008</b>                                                                                                                      | 1.57                                                     |
| <b>2007</b>                                                                                                                                                      | 1.09                                                     | <b>2007</b>                                                                                                                                      | 1.25                                                     | <b>2007</b>                                                                                                                      | 1.46                                                     | <b>2007</b>                                                                                                                      | 1.57                                                     |
| <b>2006</b>                                                                                                                                                      | 1.09                                                     | <b>2006</b>                                                                                                                                      | 1.25                                                     | <b>2006</b>                                                                                                                      | 1.46                                                     | <b>2006</b>                                                                                                                      | 1.57                                                     |
| <b>2005</b>                                                                                                                                                      | 1.09                                                     | <b>2005</b>                                                                                                                                      | 1.25                                                     | <b>2005</b>                                                                                                                      | 1.46                                                     | <b>2005</b>                                                                                                                      | 1.57                                                     |
| <b>2004</b>                                                                                                                                                      | 1.09                                                     | <b>2004</b>                                                                                                                                      | 1.25                                                     | <b>2004</b>                                                                                                                      | 1.46                                                     | <b>2004</b>                                                                                                                      | 1.57                                                     |
| <b>2003</b>                                                                                                                                                      | 1.09                                                     | <b>2003</b>                                                                                                                                      | 1.25                                                     | <b>2003</b>                                                                                                                      | 1.46                                                     | <b>2003</b>                                                                                                                      | 1.57                                                     |
| <b>2002</b>                                                                                                                                                      | 1.09                                                     | <b>2002</b>                                                                                                                                      | 1.25                                                     | <b>2002</b>                                                                                                                      | 1.46                                                     | <b>2002</b>                                                                                                                      | 1.57                                                     |
| <b>2001</b>                                                                                                                                                      | 1.09                                                     | <b>2001</b>                                                                                                                                      | 1.25                                                     | <b>2001</b>                                                                                                                      | 1.46                                                     | <b>2001</b>                                                                                                                      | 1.57                                                     |
| <b>2000</b>                                                                                                                                                      | 1.09                                                     | <b>2000</b>                                                                                                                                      | 1.25                                                     | <b>2000</b>                                                                                                                      | 1.46                                                     | <b>2000</b>                                                                                                                      | 1.57                                                     |
| <b>1999</b>                                                                                                                                                      | 1.09                                                     | <b>1999</b>                                                                                                                                      | 1.25                                                     | <b>1999</b>                                                                                                                      | 1.46                                                     | <b>1999</b>                                                                                                                      | 1.57                                                     |
| <b>1998</b>                                                                                                                                                      | 1.09                                                     | <b>1998</b>                                                                                                                                      | 1.25                                                     | <b>1998</b>                                                                                                                      | 1.46                                                     | <b>1998</b>                                                                                                                      | 1.57                                                     |
| <b>1997</b>                                                                                                                                                      | 1.09                                                     | <b>1997</b>                                                                                                                                      | 1.25                                                     | <b>1997</b>                                                                                                                      | 1.46                                                     | <b>1997</b>                                                                                                                      | 1.57                                                     |
| <b>1996</b>                                                                                                                                                      | 1.09                                                     | <b>1996</b>                                                                                                                                      | 1.25                                                     | <b>1996</b>                                                                                                                      | 1.46                                                     | <b>1996</b>                                                                                                                      | 1.57                                                     |
| <b>1995</b>                                                                                                                                                      | 1.09                                                     | <b>1995</b>                                                                                                                                      | 1.25                                                     | <b>1995</b>                                                                                                                      | 1.46                                                     | <b>1995</b>                                                                                                                      | 1.59                                                     |
| <b>1994</b>                                                                                                                                                      | 1.09                                                     | <b>1994</b>                                                                                                                                      | 1.25                                                     | <b>1994</b>                                                                                                                      | 1.47                                                     | <b>1994</b>                                                                                                                      | 1.60                                                     |
| <b>1993</b>                                                                                                                                                      | 1.09                                                     | <b>1993</b>                                                                                                                                      | 1.25                                                     | <b>1993</b>                                                                                                                      | 1.47                                                     | <b>1993</b>                                                                                                                      | 1.61                                                     |
| <b>1992</b>                                                                                                                                                      | 1.10                                                     | <b>1992</b>                                                                                                                                      | 1.25                                                     | <b>1992</b>                                                                                                                      | 1.48                                                     | <b>1992</b>                                                                                                                      | 1.62                                                     |
| <b>1991</b>                                                                                                                                                      | 1.10                                                     | <b>1991</b>                                                                                                                                      | 1.25                                                     | <b>1991</b>                                                                                                                      | 1.48                                                     | <b>1991</b>                                                                                                                      | 1.64                                                     |
| <b>1990</b>                                                                                                                                                      | 1.10                                                     | <b>1990</b>                                                                                                                                      | 1.25                                                     | <b>1990</b>                                                                                                                      | 1.49                                                     | <b>1990</b>                                                                                                                      | 1.65                                                     |
| <b>1989</b>                                                                                                                                                      | 1.10                                                     | <b>1989</b>                                                                                                                                      | 1.25                                                     | <b>1989</b>                                                                                                                      | 1.49                                                     | <b>1989</b>                                                                                                                      | 1.66                                                     |
| <b>1988</b>                                                                                                                                                      | 1.10                                                     | <b>1988</b>                                                                                                                                      | 1.25                                                     | <b>1988</b>                                                                                                                      | 1.50                                                     | <b>1988</b>                                                                                                                      | 1.68                                                     |
| <b>1987</b>                                                                                                                                                      | 0.92                                                     | <b>1987</b>                                                                                                                                      | 1.76                                                     | <b>1987</b>                                                                                                                      | 1.76                                                     | <b>1987</b>                                                                                                                      | 1.76                                                     |
| <b>1986</b>                                                                                                                                                      | 0.92                                                     | <b>1986</b>                                                                                                                                      | 1.76                                                     | <b>1986</b>                                                                                                                      | 1.76                                                     | <b>1986</b>                                                                                                                      | 1.76                                                     |
| <b>1985</b>                                                                                                                                                      | 0.92                                                     | <b>1985</b>                                                                                                                                      | 1.76                                                     | <b>1985</b>                                                                                                                      | 1.76                                                     | <b>1985</b>                                                                                                                      | 1.76                                                     |
| <b>1984</b>                                                                                                                                                      | 0.92                                                     | <b>1984</b>                                                                                                                                      | 1.76                                                     | <b>1984</b>                                                                                                                      | 1.76                                                     | <b>1984</b>                                                                                                                      | 1.76                                                     |
| <b>1983</b>                                                                                                                                                      | 0.92                                                     | <b>1983</b>                                                                                                                                      | 1.76                                                     | <b>1983</b>                                                                                                                      | 1.76                                                     | <b>1983</b>                                                                                                                      | 1.76                                                     |
| <b>1982</b>                                                                                                                                                      | 0.92                                                     | <b>1982</b>                                                                                                                                      | 1.76                                                     | <b>1982</b>                                                                                                                      | 1.76                                                     | <b>1982</b>                                                                                                                      | 1.76                                                     |
| <b>1981</b>                                                                                                                                                      | 0.94                                                     | <b>1981</b>                                                                                                                                      | 1.76                                                     | <b>1981</b>                                                                                                                      | 1.76                                                     | <b>1981</b>                                                                                                                      | 1.76                                                     |
| <b>1980</b>                                                                                                                                                      | 0.94                                                     | <b>1980</b>                                                                                                                                      | 1.76                                                     | <b>1980</b>                                                                                                                      | 1.76                                                     | <b>1980</b>                                                                                                                      | 1.76                                                     |

**Table B.12 Continued**

| Vehicle Class<br>HDDV6<br>Heavy-Duty Diesel<br>Vehicles<br>(19,501-26,000 lbs<br>GVWR) |                                     | Vehicle Class<br>HDDV7<br>Heavy-Duty Diesel<br>Vehicles<br>(26,001-33,000 lbs<br>GVWR) |                                     | Vehicle Class<br>HDDV8a<br>Heavy-Duty Diesel<br>Vehicles<br>(33,001-60,000 lbs<br>GVWR) |                                     | Vehicle Class<br>HDDV8b<br>Heavy-Duty Diesel<br>Vehicles<br>(Greater Than<br>60,000 lbs GVWR) |                                     |
|----------------------------------------------------------------------------------------|-------------------------------------|----------------------------------------------------------------------------------------|-------------------------------------|-----------------------------------------------------------------------------------------|-------------------------------------|-----------------------------------------------------------------------------------------------|-------------------------------------|
| Model<br>Year                                                                          | Conversion<br>Factor<br>(bhp·hr/mi) | Model<br>Year                                                                          | Conversion<br>Factor<br>(bhp·hr/mi) | Model<br>Year                                                                           | Conversion<br>Factor<br>(bhp·hr/mi) | Model<br>Year                                                                                 | Conversion<br>Factor<br>(bhp·hr/mi) |
| <b>2010</b>                                                                            | 1.94                                | <b>2010</b>                                                                            | 2.41                                | <b>2010</b>                                                                             | 2.76                                | <b>2010</b>                                                                                   | 3.03                                |
| <b>2009</b>                                                                            | 1.94                                | <b>2009</b>                                                                            | 2.41                                | <b>2009</b>                                                                             | 2.76                                | <b>2009</b>                                                                                   | 3.03                                |
| <b>2008</b>                                                                            | 1.94                                | <b>2008</b>                                                                            | 2.41                                | <b>2008</b>                                                                             | 2.76                                | <b>2008</b>                                                                                   | 3.03                                |
| <b>2007</b>                                                                            | 1.94                                | <b>2007</b>                                                                            | 2.41                                | <b>2007</b>                                                                             | 2.76                                | <b>2007</b>                                                                                   | 3.03                                |
| <b>2006</b>                                                                            | 1.94                                | <b>2006</b>                                                                            | 2.41                                | <b>2006</b>                                                                             | 2.76                                | <b>2006</b>                                                                                   | 3.03                                |
| <b>2005</b>                                                                            | 1.94                                | <b>2005</b>                                                                            | 2.41                                | <b>2005</b>                                                                             | 2.76                                | <b>2005</b>                                                                                   | 3.03                                |
| <b>2004</b>                                                                            | 1.94                                | <b>2004</b>                                                                            | 2.41                                | <b>2004</b>                                                                             | 2.76                                | <b>2004</b>                                                                                   | 3.03                                |
| <b>2003</b>                                                                            | 1.94                                | <b>2003</b>                                                                            | 2.41                                | <b>2003</b>                                                                             | 2.76                                | <b>2003</b>                                                                                   | 3.03                                |
| <b>2002</b>                                                                            | 1.94                                | <b>2002</b>                                                                            | 2.41                                | <b>2002</b>                                                                             | 2.76                                | <b>2002</b>                                                                                   | 3.03                                |
| <b>2001</b>                                                                            | 1.94                                | <b>2001</b>                                                                            | 2.41                                | <b>2001</b>                                                                             | 2.76                                | <b>2001</b>                                                                                   | 3.03                                |
| <b>2000</b>                                                                            | 1.94                                | <b>2000</b>                                                                            | 2.41                                | <b>2000</b>                                                                             | 2.76                                | <b>2000</b>                                                                                   | 3.03                                |
| <b>1999</b>                                                                            | 1.94                                | <b>1999</b>                                                                            | 2.41                                | <b>1999</b>                                                                             | 2.76                                | <b>1999</b>                                                                                   | 3.03                                |
| <b>1998</b>                                                                            | 1.94                                | <b>1998</b>                                                                            | 2.41                                | <b>1998</b>                                                                             | 2.76                                | <b>1998</b>                                                                                   | 3.03                                |
| <b>1997</b>                                                                            | 1.94                                | <b>1997</b>                                                                            | 2.41                                | <b>1997</b>                                                                             | 2.76                                | <b>1997</b>                                                                                   | 3.03                                |
| <b>1996</b>                                                                            | 1.94                                | <b>1996</b>                                                                            | 2.41                                | <b>1996</b>                                                                             | 2.76                                | <b>1996</b>                                                                                   | 3.03                                |
| <b>1995</b>                                                                            | 1.95                                | <b>1995</b>                                                                            | 2.41                                | <b>1995</b>                                                                             | 2.78                                | <b>1995</b>                                                                                   | 3.06                                |
| <b>1994</b>                                                                            | 1.95                                | <b>1994</b>                                                                            | 2.41                                | <b>1994</b>                                                                             | 2.81                                | <b>1994</b>                                                                                   | 3.09                                |
| <b>1993</b>                                                                            | 1.96                                | <b>1993</b>                                                                            | 2.40                                | <b>1993</b>                                                                             | 2.83                                | <b>1993</b>                                                                                   | 3.11                                |
| <b>1992</b>                                                                            | 1.96                                | <b>1992</b>                                                                            | 2.40                                | <b>1992</b>                                                                             | 2.85                                | <b>1992</b>                                                                                   | 3.14                                |
| <b>1991</b>                                                                            | 1.96                                | <b>1991</b>                                                                            | 2.40                                | <b>1991</b>                                                                             | 2.87                                | <b>1991</b>                                                                                   | 3.17                                |
| <b>1990</b>                                                                            | 1.97                                | <b>1990</b>                                                                            | 2.40                                | <b>1990</b>                                                                             | 2.90                                | <b>1990</b>                                                                                   | 3.20                                |
| <b>1989</b>                                                                            | 1.97                                | <b>1989</b>                                                                            | 2.39                                | <b>1989</b>                                                                             | 2.92                                | <b>1989</b>                                                                                   | 3.23                                |
| <b>1988</b>                                                                            | 1.98                                | <b>1988</b>                                                                            | 2.39                                | <b>1988</b>                                                                             | 2.95                                | <b>1988</b>                                                                                   | 3.26                                |
| <b>1987</b>                                                                            | 1.87                                | <b>1987</b>                                                                            | 2.13                                | <b>1987</b>                                                                             | 2.99                                | <b>1987</b>                                                                                   | 3.13                                |
| <b>1986</b>                                                                            | 1.87                                | <b>1986</b>                                                                            | 2.13                                | <b>1986</b>                                                                             | 2.99                                | <b>1986</b>                                                                                   | 3.13                                |
| <b>1985</b>                                                                            | 1.88                                | <b>1985</b>                                                                            | 2.14                                | <b>1985</b>                                                                             | 3.01                                | <b>1985</b>                                                                                   | 3.14                                |
| <b>1984</b>                                                                            | 1.89                                | <b>1984</b>                                                                            | 2.16                                | <b>1984</b>                                                                             | 3.04                                | <b>1984</b>                                                                                   | 3.14                                |
| <b>1983</b>                                                                            | 1.91                                | <b>1983</b>                                                                            | 2.18                                | <b>1983</b>                                                                             | 3.06                                | <b>1983</b>                                                                                   | 3.15                                |
| <b>1982</b>                                                                            | 1.93                                | <b>1982</b>                                                                            | 2.19                                | <b>1982</b>                                                                             | 3.09                                | <b>1982</b>                                                                                   | 3.15                                |
| <b>1981</b>                                                                            | 1.99                                | <b>1981</b>                                                                            | 2.23                                | <b>1981</b>                                                                             | 3.11                                | <b>1981</b>                                                                                   | 3.26                                |
| <b>1980</b>                                                                            | 2.06                                | <b>1980</b>                                                                            | 2.25                                | <b>1980</b>                                                                             | 3.06                                | <b>1980</b>                                                                                   | 3.33                                |

**Table B.12 Continued**


| <b>Vehicle Class</b><br><b>HDDBT Heavy-Duty Diesel Vehicles</b><br><b>(Diesel Transit or Urban Bus)</b> |                                      | <b>Vehicle Class</b><br><b>HDDBS Heavy-Duty Diesel</b><br><b>Vehicles</b><br><b>(Diesel School Buses)</b> |                                      |
|---------------------------------------------------------------------------------------------------------|--------------------------------------|-----------------------------------------------------------------------------------------------------------|--------------------------------------|
| <b>Model Year</b>                                                                                       | <b>Conversion Factor (bhp·hr/mi)</b> | <b>Model Year</b>                                                                                         | <b>Conversion Factor (bhp·hr/mi)</b> |
| <b>2010+</b>                                                                                            | 4.03                                 | <b>2010+</b>                                                                                              | 2.99                                 |
| <b>2009</b>                                                                                             | 4.03                                 | <b>2009</b>                                                                                               | 2.99                                 |
| <b>2008</b>                                                                                             | 4.03                                 | <b>2008</b>                                                                                               | 2.99                                 |
| <b>2007</b>                                                                                             | 4.03                                 | <b>2007</b>                                                                                               | 2.99                                 |
| <b>2006</b>                                                                                             | 4.03                                 | <b>2006</b>                                                                                               | 2.99                                 |
| <b>2005</b>                                                                                             | 4.03                                 | <b>2005</b>                                                                                               | 2.99                                 |
| <b>2004</b>                                                                                             | 4.03                                 | <b>2004</b>                                                                                               | 2.99                                 |
| <b>2003</b>                                                                                             | 4.03                                 | <b>2003</b>                                                                                               | 2.99                                 |
| <b>2002</b>                                                                                             | 4.03                                 | <b>2002</b>                                                                                               | 2.99                                 |
| <b>2001</b>                                                                                             | 4.03                                 | <b>2001</b>                                                                                               | 2.99                                 |
| <b>2000</b>                                                                                             | 4.03                                 | <b>2000</b>                                                                                               | 2.99                                 |
| <b>1999</b>                                                                                             | 4.03                                 | <b>1999</b>                                                                                               | 2.99                                 |
| <b>1998</b>                                                                                             | 4.03                                 | <b>1998</b>                                                                                               | 2.99                                 |
| <b>1997</b>                                                                                             | 4.03                                 | <b>1997</b>                                                                                               | 2.99                                 |
| <b>1996</b>                                                                                             | 4.03                                 | <b>1996</b>                                                                                               | 2.99                                 |
| <b>1995</b>                                                                                             | 4.02                                 | <b>1995</b>                                                                                               | 2.93                                 |
| <b>1994</b>                                                                                             | 4.02                                 | <b>1994</b>                                                                                               | 2.88                                 |
| <b>1993</b>                                                                                             | 4.02                                 | <b>1993</b>                                                                                               | 2.82                                 |
| <b>1992</b>                                                                                             | 4.01                                 | <b>1992</b>                                                                                               | 2.77                                 |
| <b>1991</b>                                                                                             | 4.01                                 | <b>1991</b>                                                                                               | 2.71                                 |
| <b>1990</b>                                                                                             | 4.01                                 | <b>1990</b>                                                                                               | 2.70                                 |
| <b>1989</b>                                                                                             | 4.01                                 | <b>1989</b>                                                                                               | 2.69                                 |
| <b>1988</b>                                                                                             | 4.01                                 | <b>1988</b>                                                                                               | 2.67                                 |
| <b>1987</b>                                                                                             | 3.07                                 | <b>1987</b>                                                                                               | 1.62                                 |
| <b>1986</b>                                                                                             | 3.07                                 | <b>1986</b>                                                                                               | 1.62                                 |
| <b>1985</b>                                                                                             | 3.07                                 | <b>1985</b>                                                                                               | 1.62                                 |
| <b>1984</b>                                                                                             | 3.07                                 | <b>1984</b>                                                                                               | 1.62                                 |
| <b>1983</b>                                                                                             | 3.07                                 | <b>1983</b>                                                                                               | 1.62                                 |
| <b>1982</b>                                                                                             | 3.07                                 | <b>1982</b>                                                                                               | 1.62                                 |
| <b>1981</b>                                                                                             | 3.01                                 | <b>1981</b>                                                                                               | 1.61                                 |
| <b>1980</b>                                                                                             | 2.91                                 | <b>1980</b>                                                                                               | 1.60                                 |

**Table B.13 - Default Annual Mileage**

| <b>Vehicle Class</b>                         | <b>Default Miles</b> |
|----------------------------------------------|----------------------|
| LDV, LDT1, LDT2, LDT3, LDT4                  | 10,000               |
| MDPV, MDV4, and HDV2b (8,501-10,000 lb GVWR) | 15,000               |
| MDV5 and HDV3 (10,001-14,000 lb GVWR)        | 15,000               |
| HDV4 (14,001-16,000 lb GVWR)                 | 20,000               |
| HDV5 (16,001-19,500 lb GVWR)                 | 20,000               |
| HDV6 (19,501-26,000 lb GVWR)                 | 20,000               |
| HDV7 (26,001-33,000 lb GVWR)                 | 20,000               |
| HDV8a (33,001-60,000 lb GVWR)                | 40,000               |
| HDV8b (Greater than 60,000 lb GVWR)          | 40,000               |
| Haul Truck                                   | 60,000               |
| HDBT (Transit or Urban Bus)                  | 35,000               |
| HDBS (School Bus)                            | 10,000               |


Appendix C – Figures

Figure 1 - Vehicle Emission Control Information (VECI) Labels



Source: <https://www.epa.gov/importing-vehicles-and-engines/locating-vehicle-emissions-label>

**Figure 2 – Example of a Heavy-Duty Engine Emission Label**



Engine: Heavy-duty diesel engine  
Engine model year: 2005  
Engine family: 5DDXH12.7EGY