## Daily Air Quality Report September 2, 2020

## **Beaumont**

<u>Total Operational Near Real-Time Monitors</u>: 2 for volatile organic compounds (VOCs); 2 for sulfur dioxide (SO<sub>2</sub>); 2 for particulate matter (PM<sub>2.5</sub>).

<u>Air Quality Summary:</u> Measured hourly VOC concentrations, including benzene and 1,3-butadiene, were generally low and in the typical range for the Beaumont area on September 2, 2020. All measured VOC concentrations remained far below levels of short-term health concern.

Hourly SO<sub>2</sub> concentrations measured in the Beaumont area remained low on September 2, 2020. All hourly SO<sub>2</sub> concentrations were below a level of health concern.

Hourly PM<sub>2.5</sub> concentrations measured in the Beaumont area on September 2, 2020 were generally higher than is typically observed for this area because of the presence of African dust in the region, but were below concentrations of health concern. These concentrations decreased to more typical levels later in the day.

## <u>Houston</u>

<u>Total Operational Near Real-Time Monitors</u>: 8 for volatile organic compounds (VOCs); 7 for sulfur dioxide (SO<sub>2</sub>); 7 for particulate matter (PM<sub>2.5</sub>).

<u>Air Quality Summary:</u> Measured hourly VOC concentrations, including benzene and 1,3-butadiene, were generally low and in the typical range for the Houston Ship Channel area on September 2, 2020. Concentrations of 1,3-butadiene at the Clinton and Milby Park monitors were slightly higher than average for one hour but were still more than 1,000-times lower than the health-based comparison level. All measured VOC concentrations remained far below levels of short-term health concern.

Hourly SO<sub>2</sub> concentrations measured in the Houston Ship Channel area remained low on September 2, 2020. All hourly SO<sub>2</sub> concentrations were well below a level of health concern.

Hourly PM<sub>2.5</sub> concentrations measured in the Houston Ship Channel area on September 2, 2020 were generally higher than is typically observed for this area because of the presence of African dust in the region, but were below concentrations of health concern. These concentrations decreased to more typical levels later in the day.