

Approved Drinking Water Laboratories

The following list of laboratories are approved by the TCEQ's Drinking Water Standards Division. The list indicates each approved drinking water analyte and method for each laboratory listed. For questions related to individual laboratory approval please call (512) 239-4691.

A & B Environmental Services, Inc

Almera Rosario
10100 East Freeway, Suite 100
Houston, TX 77029

Lab ID: **TX275**
Accreditation ID: T104704213

Approval Date: **12/14/2022**
Phone Number: (713) 453-6060
Fax Number: (713) 453-6091

| Analyte | Method | Valid Until |
|----------------|------------|-------------|
| Alkalinity | 2320B | 12/14/2025 |
| Calcium | 200.7 | 12/14/2025 |
| Conductivity | 2510B | 12/14/2025 |
| Free Chlorine | 4500CL-G | 12/14/2025 |
| Hardness | 2340B | 12/14/2025 |
| Orthophosphate | 4500P-E | 12/14/2025 |
| Orthophosphate | 300.0 | 12/14/2025 |
| PH | 150.1 | 12/14/2025 |
| pH | 4500H-B | 12/14/2025 |
| Silica | 4500SI02 D | 12/14/2025 |
| Silica | 200.7 | 12/14/2025 |
| Temperature | 2550 | 12/14/2025 |
| TOC | 5310B | 12/14/2025 |
| Total Chlorine | 4500CL-G | 12/14/2025 |
| Turbidity | 2130B | 12/14/2025 |
| Turbidity | 180.1 | 12/14/2025 |
| UV254 | 5910B | 12/14/2025 |

Analytical Environmental Laboratories

Kent Crozier
8310 S. Broadway
Tyler, TX 75703

Lab ID: **T104704280**
Accreditation ID: T104704280

Approval Date: **5/25/2023**
Phone Number: (903) 509-8700
Fax Number: (903) 509-8811

| Analyte | Method | Valid Until |
|---------|--------|-------------|
| TOC | 5310C | 5/25/2026 |

Aqua WSC Laboratory

Linda D Nietsche
293 Industrial Boulevard
Bastrop, TX 78602

Lab ID: **TX285**
Accreditation ID: T104704309

Approval Date: **10/26/2022**
Phone Number: (512) 581-0705
Fax Number:

| Analyte | Method | Valid Until |
|----------------|-----------|-------------|
| Alkalinity | 2320B | 10/26/2025 |
| Calcium | 3500-CA B | 10/26/2025 |
| Conductivity | 2510B | 10/26/2025 |
| Free Chlorine | 4500CL-G | 10/26/2025 |
| Orthophosphate | 300.0 | 10/26/2025 |
| PH | 4500H-B | 10/26/2025 |
| Silica | 200.7 | 10/26/2025 |
| Temperature | 2550 | 10/26/2025 |
| Total Chlorine | 4500CL-G | 10/26/2025 |
| Turbidity | 2130B | 10/26/2025 |

Approved Drinking Water Laboratories

The following list of laboratories are approved by the TCEQ's Drinking Water Standards Division. The list indicates each approved drinking water analyte and method for each laboratory listed. For questions related to individual laboratory approval please call (512) 239-4691.

| Aqua-Tech Laboratories, Inc. | | Lab ID: TX239 Accreditation ID: T104704371 | Approval Date: 11/1/2022 Phone Number: (979) 778-3707 Fax Number: (979) 778-3193 | |
|---|--|--|---|-------------|
| Marianne Guzman 635 Phil Gramm Blvd Bryan, TX 77845 | | Analyte | Method | Valid Until |
| | | Alkalinity | 2320B | 11/1/2025 |
| | | Calcium | 200.7 | 11/1/2025 |
| | | Conductivity | 2510B | 11/1/2025 |
| | | Free Chlorine | 4500CL-F | 11/1/2025 |
| | | Orthophosphate | 4500P-E | 11/1/2025 |
| | | pH | 4500H-B | 11/1/2025 |
| | | Silica | 200.7 | 11/1/2025 |
| | | Temperature | 2550 | 11/1/2025 |
| | | TOC | 5310B | 11/1/2025 |
| | | Total Chlorine | 4500CL-F | 11/1/2025 |
| | | Turbidity | 2130B | 11/1/2025 |
| | | UV254 | 5910B | 11/1/2025 |
| Bio Chem Lab, Inc. | | Lab ID: TX257 Accreditation ID: T104704270 | Approval Date: 9/21/2022 Phone Number: (254) 829-8001 Fax Number: (254) 829-8013 | |
| Jennifer Janosek 4751 Tokio Road West, TX 76691 | | Analyte | Method | Valid Until |
| | | Alkalinity | 2320B | 9/21/2025 |
| | | Calcium | 3500-CA B | 9/21/2025 |
| | | Chlorite | 300.0 | 9/21/2025 |
| | | Conductivity | 2510B | 9/21/2025 |
| | | Free Chlorine | 4500CL-G | 9/21/2025 |
| | | Orthophosphate | 300.0 | 9/21/2025 |
| | | pH | 4500H-B | 9/21/2025 |
| | | Temperature | 2550 | 9/21/2025 |
| | | Total Chlorine | 4500CL-G | 9/21/2025 |
| | | Turbidity | 180.1 | 9/21/2025 |

Approved Drinking Water Laboratories

The following list of laboratories are approved by the TCEQ's Drinking Water Standards Division. The list indicates each approved drinking water analyte and method for each laboratory listed. For questions related to individual laboratory approval please call (512) 239-4691.

| Brownsville PUB - Analytical Laboratory | | Lab ID: 48116 | Approval Date: 12/23/2022 |
|---|------------|------------------------------|--|
| Vicente Guerrero III 1385 PUB Dr. Brownsville, TX 78520 | | Accreditation ID: T104704357 | Phone Number: 956-983-6355 Fax Number: (956) 983-6359 |
| Analyte | Method | Valid Until | |
| Alkalinity | 2320B | 12/23/2025 | |
| Calcium | 3500-CA B | 12/23/2025 | |
| Chlorine Dioxide | 4500CLO2-E | 12/23/2025 | |
| Conductivity | 2510B | 12/23/2025 | |
| Free Chlorine | 4500CL-G | 12/23/2025 | |
| pH | 4500H-B | 12/23/2025 | |
| POE Chlorite | 4500CLO2-E | 12/23/2025 | |
| Temperature | 2550 | 12/23/2025 | |
| TOC | 5310B | 12/23/2025 | |
| Total Chlorine | 4500CL-G | 12/23/2025 | |
| Turbidity | 2130B | 12/23/2025 | |
| UV254 | 5910B | 12/23/2025 | |
| Chaparral Laboratories, Inc. | | Lab ID: T104704204 | Approval Date: 8/10/2023 |
| David Hintzel P.O. Box 1622 Huntsville, TX 77342 | | Accreditation ID: T104704204 | Phone Number: (936) 291-1881 Fax Number: (936) 295-1731 |
| Analyte | Method | Valid Until | |
| Alkalinity | 2320B | 8/10/2026 | |
| Calcium | 200.7 | 8/10/2026 | |
| Conductivity | 2510B | 8/10/2026 | |
| Hardness | 2340B | 8/10/2026 | |
| Orthophosphate | 300.0 | 8/10/2026 | |
| pH | 4500H-B | 8/10/2026 | |
| Temperature | 2550 | 8/10/2026 | |
| Chemtex - Port Arthur | | Lab ID: T104704239 | Approval Date: 1/24/2023 |
| C. Annapreddy 3082 25th Street Port Arthur, TX 77642 | | Accreditation ID: T104704239 | Phone Number: (409) 983-4575 Fax Number: (409) 982-1522 |
| Analyte | Method | Valid Until | |
| TOC | 5310B | 1/24/2026 | |
| UV254 | 5910B | 1/24/2026 | |

Approved Drinking Water Laboratories

The following list of laboratories are approved by the TCEQ's Drinking Water Standards Division. The list indicates each approved drinking water analyte and method for each laboratory listed. For questions related to individual laboratory approval please call (512) 239-4691.

| City of Abilene Environmental Laboratory | | Lab ID: T104704320 | Approval Date: 1/17/2023 |
|--|----------------|------------------------------|--|
| Michael Michaud 4209 East Lake Road Abilene, Texas 79601 | | Accreditation ID: T104704320 | Phone Number: (325) 676-6041 Fax Number: (325) 676-6044 |
| Analyte | Method | Valid Until | |
| Alkalinity | 2320B | 1/17/2026 | |
| Calcium | 200.7 | 1/17/2026 | |
| Chlorine Dioxide | CHLORDIOX PLUS | 1/17/2026 | |
| Chlorine Dioxide | 4500CLO2-E | 1/17/2026 | |
| Conductivity | 2510B | 1/17/2026 | |
| Free Chlorine | HACH 10260 | 1/17/2026 | |
| Free Chlorine | 4500CL-F | 1/17/2026 | |
| Hardness | 2340B | 1/17/2026 | |
| Orthophosphate | 4500P-F | 1/17/2026 | |
| Orthophosphate | 4500P-E | 1/17/2026 | |
| Orthophosphate | 300.0 | 1/17/2026 | |
| pH | 150.1 | 1/17/2026 | |
| POE Chlorite | 300.0 | 1/17/2026 | |
| POE Chlorite | CHLORDIOX PLUS | 1/17/2026 | |
| Silica | 200.7 | 1/17/2026 | |
| Temperature | 2550 | 1/17/2026 | |
| TOC | 5310B | 1/17/2026 | |
| Total Chlorine | HACH 10260 | 1/17/2026 | |
| Total Chlorine | 4500CL-F | 1/17/2026 | |
| Turbidity | HACH 10258 | 1/17/2026 | |
| Turbidity | 2130B | 1/17/2026 | |
| UV254 | 5910B | 1/17/2026 | |

| City of Arlington Water Utilities Lab Services | | Lab ID: 48102 | Approval Date: 10/13/2025 |
|--|-----------|------------------------------|---|
| Ann Lawson 1901B Lakewood Dr. Arlington, Texas 76013 | | Accreditation ID: T104704310 | Phone Number: (817) 575-8966 Fax Number: |
| Analyte | Method | Valid Until | |
| Alkalinity | 2320B | 10/13/2025 | |
| Calcium | 3500-CA B | 10/13/2025 | |
| Conductivity | 2510B | 10/13/2025 | |
| Free Chlorine | 4500CL-G | 10/13/2025 | |
| Orthophosphate | 300.0 | 10/13/2025 | |
| pH | 150.1 | 10/13/2025 | |
| Temperature | 2550 | 10/13/2025 | |
| TOC | 5310B | 10/13/2025 | |
| Total Chlorine | 4500CL-G | 10/13/2025 | |
| Turbidity | 2130B | 10/13/2025 | |
| UV254 | 5910B | 10/13/2025 | |

Approved Drinking Water Laboratories

The following list of laboratories are approved by the TCEQ's Drinking Water Standards Division. The list indicates each approved drinking water analyte and method for each laboratory listed. For questions related to individual laboratory approval please call (512) 239-4691.

| City of Corpus Christi Water Lab | | Lab ID: TX290 Accreditation ID: T104704386 | Approval Date: 1/3/2023 Phone Number: 361-826-1289 Fax Number: (361) 242-9131 |
|--|--|--|--|
| Crystal Ybanez 13101 Leopard St. Corpus Christi, TX 78410-4524 | | Analyte | Method |
| | | Alkalinity | 2320B |
| | | Calcium | 3500CA-B |
| | | Chlorine Dioxide | CHLORDIOX PLUS |
| | | Conductivity | 2510B |
| | | Orthophosphate | 300.0 |
| | | pH | 4500H-B |
| | | POE Chlorite | CHLORDIOX PLUS |
| | | TOC | 5310C |
| | | Turbidity | 2130B |
| | | UV254 | 5910B |
| City of Fort Worth Central Laboratory | | Lab ID: 48135 Accreditation ID: T104704200 | Approval Date: 1/9/2023 Phone Number: (817) 392-5902 Fax Number: (817) 392-5920 |
| David Nelson 2600 SE Loop 820 Fort Worth, Texas 76140 | | Analyte | Method |
| | | Alkalinity | 2320B |
| | | Calcium | 3500CA-B |
| | | Conductivity | 2510B |
| | | Free Chlorine | 4500CL-F |
| | | Orthophosphate | 300.0 |
| | | pH | 4500H-B |
| | | Temperature | 2550 |
| | | TOC | 5310B |
| | | Total Chlorine | 4500CL-F |
| | | Turbidity | 2130B |
| | | UV254 | 5910B |
| City of Odessa Laboratory Services | | Lab ID: 48156 Accreditation ID: T104704363 | Approval Date: 11/29/2022 Phone Number: (432) 368-3536 Fax Number: |
| Jason Wells 817 W. 42nd St. Odessa, TX 79764 | | Analyte | Method |
| | | Alkalinity | 2320B |
| | | Free Chlorine | HACH 10260 |
| | | PH | 4500H-B |
| | | Temperature | 2550 |
| | | TOC | 5310B |
| | | Total Chlorine | HACH 10260 |
| | | UV254 | 5910B |

Approved Drinking Water Laboratories

The following list of laboratories are approved by the TCEQ's Drinking Water Standards Division. The list indicates each approved drinking water analyte and method for each laboratory listed. For questions related to individual laboratory approval please call (512) 239-4691.

| | | | |
|--|----------------|-------------------------------------|--|
| Eastex Environmental Lab, Inc. | | Lab ID: TX203 | Approval Date: 12/27/2022 |
| Emily McGregor PO Box 1089 Coldspring, TX 77331 | | Accreditation ID: T104704275 | Phone Number: (936) 653-3249 Fax Number: (936) 653-3172 |
| | Analyte | Method | Valid Until |
| | Alkalinity | 2320B | 12/27/2025 |
| | Calcium | 200.7 | 12/27/2025 |
| | Conductivity | 2510B | 12/27/2025 |
| | Free Chlorine | 4500CL-F | 12/27/2025 |
| | Orthophosphate | 300.0 | 12/27/2025 |
| | Orthophosphate | 4500P-E | 12/27/2025 |
| | pH | 4500H-B | 12/27/2025 |
| | POE Chlorite | 300.0 | 12/27/2025 |
| | Silica | 200.7 | 12/27/2025 |
| | Temperature | 2550 | 12/27/2025 |
| | TOC | 5310C | 12/27/2025 |
| | Total Chlorine | 4500CL-F | 12/27/2025 |
| | Turbidity | 2130B | 12/27/2025 |
| | UV254 | 5910B | 12/27/2025 |
| Eastex Environmental Lab, Inc. - Nacogdoches | | Lab ID: TX00962 | Approval Date: 12/21/2022 |
| Kassandra Taylor 1119 South University Drive Nacogdoches, TX 75961 | | Accreditation ID: T104704316 | Phone Number: (936) 569-8879 Fax Number: (936) 569-8951 |
| | Analyte | Method | Valid Until |
| | Alkalinity | 2320B | 12/21/2025 |
| | Conductivity | 2510B | 12/21/2025 |
| | Orthophosphate | 4500P-E | 12/21/2025 |
| | pH | 4500H-B | 12/21/2025 |
| | Temperature | 2550 | 12/21/2025 |
| | Turbidity | 2130B | 12/21/2025 |
| Envirodyne Laboratories, Inc. | | Lab ID: TX288 | Approval Date: 12/8/2022 |
| Laura Bonjonia 11011 Brooklet Drive, Suite 230 Houston, TX 77099 | | Accreditation ID: T104704265 | Phone Number: (281) 568-7880 Fax Number: (281) 568-8004 |
| | Analyte | Method | Valid Until |
| | Alkalinity | 2320B | 12/8/2025 |
| | Calcium | 200.7 | 12/8/2025 |
| | Conductivity | 2510B | 12/8/2025 |
| | Free Chlorine | 4500CL-G | 12/8/2025 |
| | Hardness | 2340B | 12/8/2025 |
| | Orthophosphate | 4500P-E | 12/8/2025 |
| | pH | 4500H-B | 12/8/2025 |
| | Silica | 200.5 | 12/8/2025 |
| | Temperature | 2550 | 12/8/2025 |
| | Total Chlorine | 4500CL-G | 12/8/2025 |
| | Turbidity | 2130B | 12/8/2025 |

Approved Drinking Water Laboratories

The following list of laboratories are approved by the TCEQ's Drinking Water Standards Division. The list indicates each approved drinking water analyte and method for each laboratory listed. For questions related to individual laboratory approval please call (512) 239-4691.

| | | | |
|---|------------------|------------------------------|--|
| Environmental Monitoring Laboratory, LLC | | Lab ID: TX01547 | Approval Date: 11/15/2022 |
| Serissa Beck 6145 State Highway 171 Hillsboro, TX 76645 | | Accreditation ID: T104704247 | Phone Number: 254-582-2622 Fax Number: |
| | Analyte | Method | Valid Until |
| | Free Chlorine | 4500CL-G | 11/15/2025 |
| | Total Chlorine | 4500CL-G | 11/15/2025 |
| Eurofins Eaton Analytical, LLC - South Bend | | Lab ID: TX207 | Approval Date: 7/1/2023 |
| Theresa Zielke 110 South Hill St South Bend, IN 46617 | | Accreditation ID: T104704187 | Phone Number: (574) 233-4777 Fax Number: (574) 233-8207 |
| | Analyte | Method | Valid Until |
| | Alkalinity | 2320B | 6/30/2024 |
| | Calcium | 200.7 | 6/30/2024 |
| | Chlorine Dioxide | 4500CLO2-D | 6/30/2024 |
| | Chlorite | 300.0 | 6/30/2024 |
| | Conductivity | 2510B | 6/30/2024 |
| | Free Chlorine | 4500CL-G | 6/30/2024 |
| | Hardness | 2340B | 6/30/2024 |
| | Orthophosphate | 4500P-E | 6/30/2024 |
| | pH | 150.1 | 6/30/2024 |
| | Silica | 200.7 | 6/30/2024 |
| | TOC | 5310C | 6/30/2024 |
| | Total Chlorine | 4500CL-G | 6/30/2024 |
| | Turbidity | 180.1 | 6/30/2024 |
| | UV254 | 5910B | 6/30/2024 |
| Eurofins Houston | | Lab ID: T104704215 | Approval Date: 12/28/2022 |
| David Krause 4147 Greenbriar Dr. Stafford, TX 77477 | | Accreditation ID: T104704215 | Phone Number: (281) 240-4200 Fax Number: (281) 240-4280 |
| | Analyte | Method | Valid Until |
| | Alkalinity | 2320B | 12/28/2025 |
| | Calcium | 200.7 | 12/28/2025 |
| | Conductivity | 2510B | 12/28/2025 |
| | Hardness | 2340B | 12/28/2025 |
| | Orthophosphate | 300.0 | 12/28/2025 |
| | Orthophosphate | 365.1 | 12/28/2025 |
| | POE Chlorite | 300.0 | 12/28/2025 |
| | Silica | 200.7 | 12/28/2025 |
| | TOC | 5310C | 12/28/2025 |
| | Turbidity | 180.1 | 12/28/2025 |
| | UV254 | 5910B | 12/28/2025 |

Approved Drinking Water Laboratories

The following list of laboratories are approved by the TCEQ's Drinking Water Standards Division. The list indicates each approved drinking water analyte and method for each laboratory listed. For questions related to individual laboratory approval please call (512) 239-4691.

Eurofins Savannah

Andrea Teal
5102 LaRoche Avenue
Savannah, GA 31404

Lab ID: **T104704185**
Accreditation ID: T104704185

Approval Date: **7/1/2023**
Phone Number: 912-250-0288
Fax Number: (912) 352-0165

| Analyte | Method | Valid Until |
|----------------|---------|-------------|
| Alkalinity | 2320B | 6/30/2024 |
| Calcium | 200.7 | 6/30/2024 |
| Chlorite | 300.1 | 6/30/2024 |
| Conductivity | 2510B | 6/30/2024 |
| Hardness | 2340B | 6/30/2024 |
| Orthophosphate | 365.1 | 6/30/2024 |
| pH | 4500H-B | 6/30/2024 |
| Silica | 200.7 | 6/30/2024 |
| TOC | 5310B | 6/30/2024 |
| Turbidity | 2130B | 6/30/2024 |
| UV254 | 5910B | 6/30/2024 |

GBRA Regional Laboratory

Kylie Gudgell
933 East Court Street
Seguin, TX 78155

Lab ID: **48136**
Accreditation ID: T104704269

Approval Date: **12/13/2022**
Phone Number: (830) 379-5822
Fax Number: (830) 379-9718

| Analyte | Method | Valid Until |
|----------------|---------|-------------|
| Alkalinity | 2320B | 12/13/2025 |
| Conductivity | 2510B | 12/13/2025 |
| Orthophosphate | 300.0 | 12/13/2025 |
| PH | 4500H-B | 12/13/2025 |
| POE Chlorite | 300.0 | 12/13/2025 |
| TOC | 5310C | 12/13/2025 |
| Turbidity | 2130B | 12/13/2025 |

International Water Quality Laboratory

Teresa T. Alcalá
4100-L Delta Drive
El Paso, Texas 79905-4306

Lab ID: **48134**
Accreditation ID: T104704365

Approval Date: **12/29/2022**
Phone Number: (915) 594-5444
Fax Number:

| Analyte | Method | Valid Until |
|----------------|----------|-------------|
| Alkalinity | 2320B | 12/29/2025 |
| Calcium | 200.7 | 12/29/2025 |
| Conductivity | 2510B | 12/29/2025 |
| Free Chlorine | 4500CL-G | 12/29/2025 |
| Hardness | 2340B | 12/29/2025 |
| Orthophosphate | 365.1 | 1/24/2026 |
| Orthophosphate | 300.1 | 12/29/2025 |
| pH | 4500H-B | 12/29/2025 |
| POE Chlorite | 300.1 | 12/29/2025 |
| Silica | 4500SI-F | 12/29/2025 |
| Temperature | 2550 | 12/29/2025 |
| TOC | 5310B | 12/29/2025 |
| Total Chlorine | 4500CL-G | 12/29/2025 |
| Turbidity | 2130B | 12/29/2025 |
| UV254 | 5910B | 12/29/2025 |

Approved Drinking Water Laboratories

The following list of laboratories are approved by the TCEQ's Drinking Water Standards Division. The list indicates each approved drinking water analyte and method for each laboratory listed. For questions related to individual laboratory approval please call (512) 239-4691.

| LCRA - Environmental Laboratory Services | | Lab ID: T104704218 Accreditation ID: T104704218 | Approval Date: 8/24/2022 Phone Number: (512)730-6018 Fax Number: |
|--|------------|---|---|
| Angel Mata, Jr 3505 Montopolis Dr Austin, TX 78749 | | | |
| Analyte | Method | Valid Until | |
| Alkalinity | 2320B | 8/24/2025 | |
| Calcium | 200.7 | 8/24/2025 | |
| Chlorite | 300.0 | 8/24/2025 | |
| Hardness | 2340B | 8/24/2025 | |
| Orthophosphate | 300.0 | 8/24/2025 | |
| pH | 4500H-B | 8/24/2025 | |
| Silica | 4500SIO2-C | 8/24/2025 | |
| Temperature | 2550 | 8/24/2025 | |
| TOC | 5310C | 8/24/2025 | |
| Total Chlorine | 4500CL-G | 8/24/2025 | |
| UV254 | 5910B | 8/24/2025 | |

| Municipal Operations & Consulting Inc. | | Lab ID: AL0006264 Accreditation ID: | Approval Date: 2/9/2023 Phone Number: 281-367-5511 Fax Number: |
|--|----------|---|---|
| Koby Boman 20141 Schiel Rd Cypress, TX 77433 | | | |
| Analyte | Method | Valid Until | |
| Free Chlorine | 4500CL-G | 2/9/2026 | |
| Temperature | 2550 | 2/9/2026 | |
| Total Chlorine | 4500CL-G | 2/9/2026 | |

| North Texas MWD Environmental Laboratory | | Lab ID: 48175 Accreditation ID: T104704281 | Approval Date: 12/4/2023 Phone Number: 469-626-4613 Fax Number: |
|---|--------|--|--|
| Catherine Hobbs 201 E. Brown St. Wylie, Texas 75098 | | | |
| Analyte | Method | Valid Until | |
| Alkalinity | 2320B | 12/4/2026 | |
| Calcium | 200.7 | 12/4/2026 | |
| Conductivity | 2510B | 12/4/2026 | |
| TOC | 5310C | 12/4/2026 | |
| Turbidity | 2130B | 12/4/2026 | |
| UV254 | 5910B | 12/4/2026 | |

Approved Drinking Water Laboratories

The following list of laboratories are approved by the TCEQ's Drinking Water Standards Division. The list indicates each approved drinking water analyte and method for each laboratory listed. For questions related to individual laboratory approval please call (512) 239-4691.

| North Water District Laboratory Services, Inc. | | Lab ID: TX204 Accreditation ID: T104704238 | Approval Date: 1/17/2023 Phone Number: (936) 321-6060 Fax Number: (936) 321-6061 |
|--|----------|---|---|
| Crystal Polsky 130 South Trade Center Parkway Conroe, TX 77385 | | | |
| Analyte | Method | Valid Until | |
| Alkalinity | 2320B | 1/17/2026 | |
| Calcium | 200.7 | 1/17/2026 | |
| Conductivity | 2510B | 1/17/2026 | |
| Free Chlorine | 4500CL-G | 1/17/2026 | |
| Hardness | 2340B | 1/17/2026 | |
| Orthophosphate | 300.0 | 1/17/2026 | |
| Orthophosphate | 4500P-E | 1/17/2026 | |
| pH | 4500H-B | 1/17/2026 | |
| Silica | 200.7 | 1/17/2026 | |
| Temperature | 2550 | 1/17/2026 | |
| Total Chlorine | 4500CL-G | 1/17/2026 | |
| Turbidity | 180.1 | 1/17/2026 | |
| Pace Analytical Services, LLC - Dallas | | Lab ID: T104704232 Accreditation ID: T104704232 | Approval Date: 8/26/2022 Phone Number: 469-675-7059 Fax Number: |
| Lauren Masterson 400 W. Bethany Drive, Suite 190 Allen, TX 75013 | | | |
| Analyte | Method | Valid Until | |
| Free Chlorine | 4500CL-G | 8/26/2025 | |
| PH | 4500H-B | 8/26/2025 | |
| Temperature | 2550 | 8/26/2025 | |
| TOC | 5310C | 8/26/2025 | |
| Total Chlorine | 4500CL-G | 8/26/2025 | |
| UV254 | 5910B | 8/26/2025 | |
| R&C Joy, Inc | | Lab ID: TX01572 Accreditation ID: T104704372 | Approval Date: 6/20/2023 Phone Number: (281) 858-5988 Fax Number: |
| Rhonda Scrogin 19020 W Little York Rd Katy, TX 77449-7243 | | | |
| Analyte | Method | Valid Until | |
| Free Chlorine | 4500CL-G | 6/20/2026 | |
| pH | 4500H-B | 6/20/2026 | |
| Temperature | 2550 | 6/20/2026 | |
| Total Chlorine | 4500CL-G | 6/20/2026 | |

Approved Drinking Water Laboratories

The following list of laboratories are approved by the TCEQ's Drinking Water Standards Division. The list indicates each approved drinking water analyte and method for each laboratory listed. For questions related to individual laboratory approval please call (512) 239-4691.

| | | | |
|---|----------------|--|---|
| Sabine River Authority of Texas | | Lab ID: 48155 Accreditation ID: T104704266 | Approval Date: 9/1/2022 Phone Number: (409) 746-3284 Fax Number: (409) 746-3780 |
| Pollie Holtham 2065 Woodland Ridge Drive Orange, Texas 77632 | | | |
| | Analyte | Method | Valid Until |
| | Alkalinity | 2320B | 9/1/2025 |
| | Conductivity | 2510B | 9/1/2025 |
| | Free Chlorine | 4500CL-F | 9/1/2025 |
| | Orthophosphate | 300.0 | 9/1/2025 |
| | pH | 4500H-B | 9/1/2025 |
| | Temperature | 2550 | 9/1/2025 |
| | TOC | 5310C | 9/1/2025 |
| | Total Chlorine | 4500CL-F | 9/1/2025 |
| | Turbidity | 2130B | 9/1/2025 |
| San Antonio Testing Laboratory, LLC | | Lab ID: TX274 Accreditation ID: T104704360 | Approval Date: 1/17/2023 Phone Number: (210) 229-9920 Fax Number: (210) 229-9920 |
| Sairam Abburu 1610 S Laredo Street San Antonio, TX 78207-7029 | | | |
| | Analyte | Method | Valid Until |
| | Alkalinity | 2320B | 1/17/2026 |
| | Calcium | 200.7 | 1/17/2026 |
| | Conductivity | 2510B | 1/17/2026 |
| | Free Chlorine | 4500CL-G | 1/17/2026 |
| | Hardness | 2340B | 1/17/2026 |
| | Orthophosphate | 300.0 | 1/17/2026 |
| | pH | 4500H-B | 1/17/2026 |
| | POE Chlorite | 300.0 | 1/17/2026 |
| | Silica | 200.7 | 1/17/2026 |
| | Temperature | 2550 | 1/17/2026 |
| | TOC | 5310C | 1/17/2026 |
| | Total Chlorine | 4500CL-G | 1/17/2026 |
| | Turbidity | 180.1 | 1/17/2026 |
| | UV254 | 5910B | 1/17/2026 |
| San Antonio Water System Lab | | Lab ID: 48163 Accreditation ID: T104704324 | Approval Date: 12/23/2022 Phone Number: 210-233-3200 Fax Number: |
| Veronica J. Godley P.O. Box 2449 San Antonio, TX 78298-2449 | | | |
| | Analyte | Method | Valid Until |
| | Alkalinity | 2320B | 12/23/2025 |
| | Calcium | 200.7 | 12/23/2025 |
| | Conductivity | 2510B | 12/23/2025 |
| | Free Chlorine | 4500CL-G | 12/23/2025 |
| | Hardness | 2340B | 12/23/2025 |
| | pH | 4500H-B | 12/23/2025 |
| | Temperature | 2550 | 12/23/2025 |
| | Turbidity | 180.1 | 12/23/2025 |

Approved Drinking Water Laboratories

The following list of laboratories are approved by the TCEQ's Drinking Water Standards Division. The list indicates each approved drinking water analyte and method for each laboratory listed. For questions related to individual laboratory approval please call (512) 239-4691.

| | | | |
|--|----------------|---|--|
| SGS North America Inc. - Wheat Ridge | | | |
| Kaprie Surprenant 4036 Youngfield St Wheat Ridge, Colorado 80033 | | Lab ID: T104704511 Accreditation ID: T104704511 | Approval Date: 2/1/2024 Phone Number: (303) 425-6021 Fax Number: (303) 425-6854 |
| | Analyte | Method | Valid Until |
| | Alkalinity | 2320B | 1/31/2025 |
| | Calcium | 200.7 | 1/31/2025 |
| | Conductivity | 2510B | 1/31/2025 |
| | Hardness | 2340B | 1/31/2025 |
| | Orthophosphate | 300.0 | 1/31/2025 |
| | pH | 150.1 | 1/31/2025 |
| | TOC | 5310C | 1/31/2025 |
| | Turbidity | 2130B | 1/31/2025 |
| SKG Engineering | | | |
| Jerrod Thomas 706 South Abe San Angelo, Texas 76903 | | Lab ID: T104704387 Accreditation ID: T104704387 | Approval Date: 1/19/2023 Phone Number: (325) 655-1288 Fax Number: |
| | Analyte | Method | Valid Until |
| | Free Chlorine | 4500CL-G | 1/19/2026 |
| | pH | 4500H-B | 1/19/2026 |
| | Temperature | 2550 | 1/19/2026 |
| | Total Chlorine | 4500CL-G | 1/19/2026 |
| SOUTHERN PETROLEUM LABORATORIES, INC. | | | |
| Homer Youngblood 1825 E. PLANO PARKWAY, SUITE # PLANO, TX 75074 | | Lab ID: T104704227 Accreditation ID: T104704227 | Approval Date: 3/13/2023 Phone Number: (972) 424- 6422 Fax Number: |
| | Analyte | Method | Valid Until |
| | PH | 4500-H+ B | 3/13/2026 |
| | Temperature | 2550 | 3/13/2026 |
| SPL, Inc - Kilgore | | | |
| Tracey Varvel 24 Waterway Ave, Suite 375 The Woodlands, TX 77380 | | Lab ID: TX219 Accreditation ID: T104704201 | Approval Date: 4/27/2023 Phone Number: (713) 660-0901 Fax Number: |
| | Analyte | Method | Valid Until |
| | Alkalinity | 2320B | 8/23/2025 |
| | Calcium | 200.7 | 8/23/2025 |
| | Chlorite | 300.1 | 8/23/2025 |
| | Conductivity | 2510B | 8/23/2025 |
| | Free Chlorine | 4500CL-G | 8/23/2025 |
| | Hardness | 2340B | 8/23/2025 |
| | Orthophosphate | 300.0 | 8/23/2025 |
| | pH | 4500H-B | 8/23/2025 |
| | Silica | 200.7 | 8/23/2025 |
| | Temperature | 2550 | 8/23/2025 |
| | TOC | 5310C | 8/23/2025 |
| | Total Chlorine | 4500CL-G | 8/23/2025 |
| | Turbidity | 2130B | 8/23/2025 |
| | UV254 | 5910B | 8/23/2025 |

Approved Drinking Water Laboratories

The following list of laboratories are approved by the TCEQ's Drinking Water Standards Division. The list indicates each approved drinking water analyte and method for each laboratory listed. For questions related to individual laboratory approval please call (512) 239-4691.

| | | | |
|---|----------------|---|--|
| Texas Department of State Health Services | | Lab ID: T104704297 Accreditation ID: T104704297 | Approval Date: 1/30/2023 Phone Number: 512-776-2313 Fax Number: (512) 776-7294 |
| Sarah Martinez 1100 W 49 St, MC 1947, PO Box 149 Austin, Texas 78714-9347 | | | |
| | Analyte | Method | Valid Until |
| | Alkalinity | 2320B | 1/30/2026 |
| | Calcium | 200.7 | 1/30/2026 |
| | Conductivity | 2510B | 1/30/2026 |
| | Orthophosphate | 300.0 | 1/30/2026 |
| | Silica | 4500SI02-E | 1/30/2026 |
| Trinity River Authority Central Regional Lab | | Lab ID: 48140 Accreditation ID: T104704287 | Approval Date: 8/4/2022 Phone Number: (972) 975-4329 Fax Number: |
| Scott Kisner 6500 Singleton Blvd Dallas, TX 75212 | | | |
| | Analyte | Method | Valid Until |
| | Alkalinity | 2320B | 8/4/2025 |
| | Conductivity | 2510B | 8/4/2025 |
| | TOC | 5310C | 8/4/2025 |
| | UV254 | 5910B | 8/4/2025 |
| Upper Guadalupe River Authority | | Lab ID: 48145 Accreditation ID: T104704283 | Approval Date: 9/8/2022 Phone Number: (830) 896-5445 Fax Number: (830) 257-2621 |
| Nicole Shepherd 125 Lehmann Dr Ste 100 Kerrville, TX 78028 | | | |
| | Analyte | Method | Valid Until |
| | Conductivity | 2510B | 9/8/2025 |
| | Orthophosphate | 300.0 | 9/8/2025 |
| | PH | 4500H-B | 9/8/2025 |
| Waco Regional Water Quality Laboratory | | Lab ID: 48170 Accreditation ID: T104704415 | Approval Date: 1/9/2023 Phone Number: (254) 750-1662 Fax Number: (254) 750-1651 |
| Steve Junot P.O. Box 2570 Waco, TX 76702-2570 | | | |
| | Analyte | Method | Valid Until |
| | Alkalinity | 2320B | 1/9/2026 |
| | Calcium | D6919-09 | 1/9/2026 |
| | Conductivity | 2510B | 1/9/2026 |
| | Free Chlorine | 4500CL-G | 1/9/2026 |
| | Hardness | 2340B | 1/9/2026 |
| | Orthophosphate | 300.0 | 1/9/2026 |
| | pH | 4500H-B | 1/9/2026 |
| | Temperature | 2550 | 1/9/2026 |
| | TOC | 5310C | 1/9/2026 |
| | Total Chlorine | 4500CL-G | 1/9/2026 |
| | Turbidity | 2130B | 1/9/2026 |
| | UV254 | 5910B | 1/9/2026 |

Approved Drinking Water Laboratories

The following list of laboratories are approved by the TCEQ's Drinking Water Standards Division. The list indicates each approved drinking water analyte and method for each laboratory listed. For questions related to individual laboratory approval please call (512) 239-4691.

| Wallgren Environmental Services Inc. dba Pollution Control Services Trena Wood 1532 Universal City Blvd., Ste 100 Universal City, TX 78148 | | Lab ID: TX256 Accreditation ID: T104704361 | Approval Date: 1/9/2023 Phone Number: (210) 340-0343 Fax Number: (210) 658-7903 |
|--|---------|--|--|
| Analyte | Method | Valid Until | |
| Alkalinity | 2320B | 1/9/2026 | |
| Calcium | 200.7 | 1/9/2026 | |
| Conductivity | 2510B | 1/9/2026 | |
| Hardness | 2340B | 1/9/2026 | |
| Orthophosphate | 4500P-E | 1/9/2026 | |
| Orthophosphate | 300.0 | 1/9/2026 | |
| pH | 4500H-B | 1/9/2026 | |
| POE Chlorite | 300.0 | 1/9/2026 | |
| Silica | 200.7 | 1/9/2026 | |
| Temperature | 2550 | 1/9/2026 | |
| TOC | 5310C | 1/9/2026 | |
| Turbidity | 180.1 | 1/9/2026 | |
| UV254 | 5910B | 1/9/2026 | |

| Water Utility Services, Inc. Steve Grychka 21615 Rhodes Rd Spring, TX 77388-3026 | | Lab ID: TX02604 Accreditation ID: T104704311 | Approval Date: 1/9/2023 Phone Number: (281) 290-0704 Fax Number: |
|--|----------|--|---|
| Analyte | Method | Valid Until | |
| Alkalinity | 2320B | 1/9/2026 | |
| Conductivity | 2510B | 1/9/2026 | |
| Free Chlorine | 4500CL-G | 1/9/2026 | |
| Orthophosphate | 4500P-E | 1/9/2026 | |
| pH | 150.1 | 1/9/2026 | |
| Temperature | 2550 | 1/9/2026 | |
| Total Chlorine | 4500CL-G | 1/9/2026 | |
| Turbidity | 180.1 | 1/9/2026 | |