



Relationship Entry Screen

Document: Below is a Relationship Entry Screen Table describing 40 CFR Part 60, Subpart OOOO - Standards of Performance for Crude Oil and Natural Gas Facilities for Which Construction, Modification, or Reconstruction Commenced After August 23, 2011, and on or Before September 18, 2015. For the text of the statute/rule, please go to [40 CFR Part 60, Subpart OOOO - Standards of Performance for Crude Oil and Natural Gas Facilities for Which Construction, Modification, or Reconstruction Commenced After August 23, 2011, and on or Before September 18, 2015.](#)

Index	Standard	Monitoring/Testing	Recordkeeping	Reporting
1	§60.5365(g)(3) Sweetening unit with capacity < 2 LT/D		[R]§60.5423(c)	
2	§60.5365(h)(1) Well completion following hydraulic refracturing [R]§60.5370(b) [GR]§60.5375(a)(1) [R]§60.5375(a)(2) [R]§60.5375(a)(3) [R]§60.5375(a)(4) [R]§60.5375(b) [R]§60.5420(a)(1) [R]§60.5420(a)(2)(ii)		[R]§60.5410(a)(4) [R]§60.5420(c) [GR]§60.5420(c)(1)	[R]§60.5420(a) [R]§60.5420(a)(1) [R]§60.5420(a)(2)(i) [R]§60.5420(b) [GR]§60.5420(b)(1)
3	§60.5375(a) 1 Well completion operation begun prior to 01/01/2015 [R]§60.5370(b) [GD]§60.5375(a)(1) [D]§60.5375(a)(2) [R]§60.5375(a)(3) [R]§60.5375(a)(4) [R]§60.5375(b) [R]§60.5420(a)(1) [R]§60.5420(a)(2)(ii)		[D]§60.5410(a)(4) [R]§60.5420(c) [GR]§60.5420(c)(1)	[R]§60.5420(a) [R]§60.5420(a)(1) [R]§60.5420(a)(2)(i) [R]§60.5420(b) [GR]§60.5420(b)(1) [GR]§60.5420(b)(2)
4	§60.5375(a) 2 Well completion operation begun after 01/01/2015 [R]§60.5370(b) [GR]§60.5375(a)(1) [R]§60.5375(a)(2) [R]§60.5375(a)(3) [R]§60.5375(a)(4) [R]§60.5375(b) [R]§60.5420(a)(1) [R]§60.5420(a)(2)(ii)		[R]§60.5410(a)(4) [R]§60.5420(c) [GR]§60.5420(c)(1)	[R]§60.5420(a) [R]§60.5420(a)(1) [R]§60.5420(a)(2)(i) [R]§60.5420(b) [GR]§60.5420(b)(1) [GR]§60.5420(b)(2)

Index	Standard	Monitoring/Testing	Recordkeeping	Reporting
5	§60.5375(f)(2) [R] §60.5370(b) [R] §60.5375(b) [R] §60.5420(a)(1) [R] §60.5420(a)(2)(ii)		[R] §60.5420(c) [GR] §60.5420(c)(1)	[R] §60.5420(a) [R] §60.5420(a)(1) [R] §60.5420(a)(2)(i) [R] §60.5420(b) [GR] §60.5420(b)(1) [GR] §60.5420(b)(2)
6	§60.5380(a)(1) Centrifugal Compressor [R] §60.5370(b) [D] §60.5380(a)(2) [R] §60.5410(b)(3) [R] §60.5411(a)(2) [D] §60.5411(a)(3)(i) [D] §60.5411(a)(3)(i)(A) [D] §60.5411(a)(3)(i)(B) [D] §60.5411(a)(3)(ii) [R] §60.5411(b)(1) [GR] §60.5411(b)(2) [D] §60.5412(a) [D] §60.5412(a)(1) [D] §60.5412(a)(1)(i) [D] §60.5412(a)(1)(ii) [D] §60.5412(a)(1)(iii) [D] §60.5412(a)(1)(iv) [D] §60.5412(a)(2) [D] §60.5412(a)(3) [D] §60.5412(b)(1) [D] §60.5412(b)(2) [GD] §60.5412(c) [D] §60.5413 [D] §60.5413(a) [R] §60.5415(b)(1) [R] §60.5415(b)(2) [D] §60.5415(b)(2)(i) [D] §60.5415(b)(2)(ii) [D] §60.5415(b)(2)(iii) [D] §60.5415(b)(2)(iv) [D] §60.5415(b)(2)(v) [D] §60.5415(b)(2)(vi) [GD] §60.5415(b)(2)(vii) [GD] §60.5415(b)(2)(viii) [D] §60.5416(a)(4)(i) [GR] §60.5416(b)	[D] §60.5413(b) [GD] §60.5413(b)(1) [D] §60.5413(b)(2) [D] §60.5413(b)(3) [D] §60.5413(b)(3)(i) [GD] §60.5413(b)(3)(ii) [D] §60.5413(b)(3)(iii) [D] §60.5413(b)(3)(iv) [GD] §60.5413(b)(4) [GD] §60.5413(b)(5) [D] §60.5413(c)(1) [D] §60.5413(c)(2) [D] §60.5413(c)(3) [D] §60.5413(c)(4) [GD] §60.5413(e) [GR] §60.5416(a)(1) [GR] §60.5416(a)(2) [GR] §60.5416(a)(3) [D] §60.5416(a)(4)(i) [D] §60.5416(a)(4)(ii) [GR] §60.5416(b) [D] §60.5417(a) [GD] §60.5417(c)(1) [GD] §60.5417(c)(2) [D] §60.5417(c)(3) [D] §60.5417(c)(4) [D] §60.5417(d) [D] §60.5417(d)(1)(i) [D] §60.5417(d)(1)(ii) [D] §60.5417(d)(1)(iii) [D] §60.5417(d)(1)(iv) [D] §60.5417(d)(1)(v) [GD] §60.5417(d)(1)(vi) [D] §60.5417(d)(1)(vii) [GD] §60.5417(d)(1)(viii) [D] §60.5417(d)(2)	[R] §60.5410(b)(8) [D] §60.5411(a)(3)(i)(A) [GD] §60.5417(c)(1) [D] §60.5417(d) [R] §60.5420(c) [R] §60.5420(c)(2) [R] §60.5420(c)(6) [R] §60.5420(c)(7) [D] §60.5420(c)(8) [R] §60.5420(c)(9) [D] §60.5420(c)(10) [D] §60.5420(c)(11) [R] §60.5420(c)(14)	[R] §60.5410(b)(7) [GD] §60.5413(d)(12) [R] §60.5420(a) [R] §60.5420(a)(1) [R] §60.5420(b) [GR] §60.5420(b)(1) [GR] §60.5420(b)(3) [R] §60.5420(b)(7)(i) [D] §60.5420(b)(7)(ii) [D] §60.5420(b)(8)

Index	Standard	Monitoring/Testing	Recordkeeping	Reporting
	§60.5380(a)(1) Continued [D]§60.5417(a) [D]§60.5417(b) [GD]§60.5417(c)(2) [D]§60.5417(d) [D]§60.5417(d)(1) [D]§60.5417(d)(1)(i) [D]§60.5417(d)(1)(ii) [D]§60.5417(d)(1)(iv) [D]§60.5417(d)(1)(v) [D]§60.5417(d)(2) [D]§60.5417(d)(3) [D]§60.5417(f) [D]§60.5417(f)(1) [D]§60.5417(f)(1)(i) [D]§60.5417(f)(1)(ii) [D]§60.5417(f)(1)(iii) [D]§60.5417(f)(2) [D]§60.5417(f)(2)(i) [D]§60.5417(f)(2)(ii) [D]§60.5417(g) [D]§60.5417(g)(1) [D]§60.5417(g)(2) [D]§60.5417(g)(3) [D]§60.5417(g)(4) [D]§60.5417(g)(5) [D]§60.5417(g)(5)(i) [D]§60.5417(g)(5)(ii) [GD]§60.5417(g)(6) [R]§60.5420(a)(1) [D]§60.18(b)	[D]§60.5417(e)		
7	§60.5385(a)(1) Reciprocating Compressor on or before 26,000 hrs [R]§60.5370(b) [R]§60.5385(a) [R]§60.5415(c)(3) [R]§60.5420(a)(1)	[R]§60.5410(c)(1) [R]§60.5415(c)(1)	[R]§60.5420(c) [GR]§60.5420(c)(3)	[R]§60.5420(a) [R]§60.5420(a)(1) [R]§60.5420(b) [GR]§60.5420(b)(1) [GR]§60.5420(b)(4) [R]§60.5420(b)(7)(i)

Index	Standard	Monitoring/Testing	Recordkeeping	Reporting
8	§60.5385(a)(2) Reciprocating Compressor prior to 36 months <i>[R]</i> §60.5370(b) <i>[R]</i> §60.5385(a) <i>[R]</i> §60.5415(c)(3) <i>[R]</i> §60.5420(a)(1)	<i>[R]</i> §60.5410(c)(1) <i>[R]</i> §60.5415(c)(1)	<i>[R]</i> §60.5420(c) <i>[GR]</i> §60.5420(c)(3)	<i>[R]</i> §60.5420(a) <i>[R]</i> §60.5420(a)(1) <i>[R]</i> §60.5420(b) <i>[GR]</i> §60.5420(b)(1) <i>[GR]</i> §60.5420(b)(4) <i>[R]</i> §60.5420(b)(7)(i)
9	§60.5385(a)(3) Reciprocating Compressor collect the emissions and route to process <i>[R]</i> §60.5370(b) <i>[R]</i> §60.5385(a) <i>[R]</i> §60.5410(c)(2) <i>[R]</i> §60.5411(a)(1) <i>[R]</i> §60.5411(a)(2) <i>[D]</i> §60.5411(a)(3)(i) <i>[D]</i> §60.5411(a)(3)(i)(A) <i>[D]</i> §60.5411(a)(3)(i)(B) <i>[D]</i> §60.5411(a)(3)(ii) <i>[R]</i> §60.5415(c)(4) <i>[D]</i> §60.5416(a)(4)(i) <i>[GR]</i> §60.5416(b) <i>[R]</i> §60.5420(a)(1)	<i>[GR]</i> §60.5416(a)(1) <i>[GR]</i> §60.5416(a)(2) <i>[GR]</i> §60.5416(a)(3) <i>[D]</i> §60.5416(a)(4)(i) <i>[D]</i> §60.5416(a)(4)(ii) <i>[GR]</i> §60.5416(b)	<i>[D]</i> §60.5411(a)(3)(i)(A) <i>[R]</i> §60.5420(c) <i>[GR]</i> §60.5420(c)(3) <i>[R]</i> §60.5420(c)(6) <i>[R]</i> §60.5420(c)(7) <i>[D]</i> §60.5420(c)(8) <i>[R]</i> §60.5420(c)(9)	<i>[R]</i> §60.5420(a) <i>[R]</i> §60.5420(a)(1) <i>[R]</i> §60.5420(b) <i>[GR]</i> §60.5420(b)(1) <i>[GR]</i> §60.5420(b)(4) <i>[R]</i> §60.5420(b)(7)(i)
10	§60.5390(a) Pneumatic controller with a bleed rate greater than standard <i>[R]</i> §60.5370(b) <i>[R]</i> §60.5420(a)(1)		<i>[R]</i> §60.5420(c) <i>[R]</i> §60.5420(c)(4)(i) <i>[R]</i> §60.5420(c)(4)(ii) <i>[R]</i> §60.5420(c)(4)(v)	<i>[R]</i> §60.5410(d)(5) <i>[R]</i> §60.5420(a) <i>[R]</i> §60.5420(a)(1) <i>[R]</i> §60.5420(b) <i>[GR]</i> §60.5420(b)(1)
11	§60.5390(b)(1) Pneumatic controller with a bleed rate of zero <i>[R]</i> §60.5370(b) <i>[R]</i> §60.5390(b)(2) <i>[R]</i> §60.5390(f) <i>[R]</i> §60.5420(a)(1)		<i>[R]</i> §60.5420(c) <i>[R]</i> §60.5420(c)(4)(i) <i>[R]</i> §60.5420(c)(4)(iv) <i>[R]</i> §60.5420(c)(4)(v)	<i>[R]</i> §60.5410(d)(5) <i>[R]</i> §60.5420(a) <i>[R]</i> §60.5420(a)(1) <i>[R]</i> §60.5420(b) <i>[GR]</i> §60.5420(b)(1) <i>[GR]</i> §60.5420(b)(5) <i>[R]</i> §60.5420(b)(7)(i)
12	§60.5390(c)(1) Pneumatic controller with a bleed rate < 6 scfm <i>[R]</i> §60.5370(b) <i>[R]</i> §60.5390(c)(2) <i>[R]</i> §60.5390(f) <i>[R]</i> §60.5420(a)(1)		<i>[R]</i> §60.5420(c) <i>[R]</i> §60.5420(c)(4)(i) <i>[R]</i> §60.5420(c)(4)(iii) <i>[R]</i> §60.5420(c)(4)(v)	<i>[R]</i> §60.5410(d)(5) <i>[R]</i> §60.5420(a) <i>[R]</i> §60.5420(a)(1) <i>[R]</i> §60.5420(b) <i>[GR]</i> §60.5420(b)(1) <i>[GR]</i> §60.5420(b)(5) <i>[R]</i> §60.5420(b)(7)(i)

Index	Standard	Monitoring/Testing	Recordkeeping	Reporting
13	§60.5395(d)(1) Storage Vessel (95% control) <i>[R]</i> §60.5365(e) <i>[R]</i> §60.5365(e)(1) <i>[R]</i> §60.5365(e)(2) <i>[GR]</i> §60.5365(e)(3) <i>[R]</i> §60.5365(e)(4) <i>[R]</i> §60.5370(b) <i>[GD]</i> §60.5395(b) <i>[D]</i> §60.5395(c) <i>[D]</i> §60.5395(d)(1)(i) <i>[D]</i> §60.5395(d)(1)(ii) <i>[D]</i> §60.5395(e)(1) <i>[D]</i> §60.5395(e)(2) <i>[GR]</i> §60.5395(f) <i>[R]</i> §60.5410(h) <i>[D]</i> §60.5410(h)(3) <i>[R]</i> §60.5411(b)(1) <i>[GR]</i> §60.5411(b)(2) <i>[R]</i> §60.5411(b)(3) <i>[D]</i> §60.5411(c)(1) <i>[D]</i> §60.5411(c)(2) <i>[D]</i> §60.5411(c)(3) <i>[D]</i> §60.5411(c)(3)(i) <i>[D]</i> §60.5411(c)(3)(i)(A) <i>[D]</i> §60.5411(c)(3)(i)(B) <i>[D]</i> §60.5411(c)(3)(ii) <i>[GD]</i> §60.5412(c) <i>[D]</i> §60.5412(d) <i>[D]</i> §60.5412(d)(1) <i>[D]</i> §60.5412(d)(1)(i) <i>[D]</i> §60.5412(d)(1)(ii) <i>[D]</i> §60.5412(d)(1)(ii) <i>[D]</i> §60.5412(d)(1)(iv) <i>[D]</i> §60.5412(d)(1)(iv)(A) <i>[D]</i> §60.5412(d)(1)(iv)(B) <i>[D]</i> §60.5412(d)(1)(iv)(C) <i>[D]</i> §60.5412(d)(1)(iv)(D) <i>[D]</i> §60.5412(d)(2) <i>[D]</i> §60.5412(d)(3) <i>[D]</i> §60.5413 <i>[D]</i> §60.5413(a) <i>[D]</i> §60.5416(c)	<i>[D]</i> §60.5413(b) <i>[GD]</i> §60.5413(b)(1) <i>[D]</i> §60.5413(b)(2) <i>[D]</i> §60.5413(b)(3) <i>[D]</i> §60.5413(b)(3)(i) <i>[GD]</i> §60.5413(b)(3)(ii) <i>[D]</i> §60.5413(b)(3)(iii) <i>[D]</i> §60.5413(b)(3)(iv) <i>[GD]</i> §60.5413(b)(4) <i>[GD]</i> §60.5413(b)(5) <i>[D]</i> §60.5413(c)(1) <i>[D]</i> §60.5413(c)(2) <i>[D]</i> §60.5413(c)(3) <i>[D]</i> §60.5413(c)(4) <i>[GD]</i> §60.5413(e) <i>[GD]</i> §60.5416(c)(1) <i>[GR]</i> §60.5416(c)(2) <i>[D]</i> §60.5416(c)(3)(i) <i>[D]</i> §60.5416(c)(3)(ii) <i>[GD]</i> §60.5417(h)(1) <i>[D]</i> §60.5417(h)(2) <i>[D]</i> §60.113b(a)(1) <i>[D]</i> §60.113b(a)(2) <i>[GD]</i> §60.113b(a)(3) <i>[D]</i> §60.113b(a)(4) <i>[D]</i> §60.113b(a)(5) <i>[GD]</i> §60.113b(b)(1) <i>[GD]</i> §60.113b(b)(2) <i>[D]</i> §60.113b(b)(3) <i>[D]</i> §60.113b(b)(4) <i>[D]</i> §60.113b(b)(4)(i) <i>[D]</i> §60.113b(b)(4)(i)(A) <i>[D]</i> §60.113b(b)(4)(i)(B) <i>[GD]</i> §60.113b(b)(4)(ii) <i>[D]</i> §60.113b(b)(4)(iii) <i>[D]</i> §60.113b(b)(5) <i>[D]</i> §60.113b(b)(6) <i>[D]</i> §60.113b(b)(6)(i) <i>[D]</i> §60.113b(b)(6)(ii) <i>[D]</i> §60.116b(a) <i>[D]</i> §60.116b(b) <i>[D]</i> §60.116b(c) <i>[D]</i> §60.116b(d)	<i>[D]</i> §60.5417(h)(3) <i>[R]</i> §60.5420(b)(6)(vii) <i>[R]</i> §60.5420(c) <i>[GR]</i> §60.5420(c)(5) <i>[D]</i> §60.5420(c)(6) <i>[D]</i> §60.5420(c)(7) <i>[D]</i> §60.5420(c)(8) <i>[D]</i> §60.5420(c)(12) <i>[D]</i> §60.5420(c)(13) <i>[D]</i> §60.5420(c)(14) <i>[D]</i> §60.115b <i>[D]</i> §60.115b(a)(2) <i>[GD]</i> §60.115b(b)(3) <i>[D]</i> §60.116b(a) <i>[D]</i> §60.116b(b) <i>[D]</i> §60.116b(c) <i>[D]</i> §60.116b(d) <i>[D]</i> §60.116b(e)(2)(ii)	<i>[GD]</i> §60.5413(d)(12) <i>[R]</i> §60.5420(a) <i>[R]</i> §60.5420(a)(1) <i>[R]</i> §60.5420(b) <i>[GR]</i> §60.5420(b)(1) <i>[R]</i> §60.5420(b)(6)(i) <i>[R]</i> §60.5420(b)(6)(ii) <i>[R]</i> §60.5420(b)(6)(iii) <i>[D]</i> §60.5420(b)(6)(iv) <i>[R]</i> §60.5420(b)(6)(v) <i>[R]</i> §60.5420(b)(6)(vi) <i>[R]</i> §60.5420(b)(7)(i) <i>[D]</i> §60.5420(b)(7)(ii) <i>[D]</i> §60.5420(b)(8) <i>[D]</i> §60.113b(a)(2) <i>[D]</i> §60.113b(a)(5) <i>[D]</i> §60.113b(b)(4)(iii) <i>[D]</i> §60.113b(b)(5) <i>[D]</i> §60.113b(b)(6)(ii) <i>[D]</i> §60.115b <i>[D]</i> §60.115b(a)(1) <i>[D]</i> §60.115b(a)(3) <i>[D]</i> §60.115b(a)(4) <i>[D]</i> §60.115b(b)(1) <i>[GD]</i> §60.115b(b)(2) <i>[D]</i> §60.115b(b)(4)

Index	Standard	Monitoring/Testing	Recordkeeping	Reporting
	§60.5395(d)(1) Continued [GD] §60.5416(c)(4) [D] §60.5416(c)(5) [GD] §60.5416(c)(6) [GD] §60.5416(c)(7) [D] §60.5417(h) [D] §60.5417(h)(3) [R] §60.5420(a)(1) [D] §60.18(b) [D] §60.112b(a)(1) [D] §60.112b(a)(1)(i) [D] §60.112b(a)(1)(ii)(A) [D] §60.112b(a)(1)(ii)(B) [D] §60.112b(a)(1)(ii)(C) [D] §60.112b(a)(1)(iii) [D] §60.112b(a)(1)(iv) [D] §60.112b(a)(1)(v) [D] §60.112b(a)(1)(vi) [D] §60.112b(a)(1)(vii) [D] §60.112b(a)(1)(viii) [D] §60.112b(a)(1)(ix) [GD] §60.112b(a)(2)	[D] §60.116b(e) [D] §60.116b(e)(1) [D] §60.116b(e)(2) [D] §60.116b(e)(2)(i) [D] §60.116b(e)(2)(ii) [GD] §60.116b(e)(3) [D] §60.116b(f)(1)		
14	§60.5395(d)(2) Storage (uncontrolled < 4 TY) [R] §60.5365(e)(1) [R] §60.5365(e)(2) [GR] §60.5365(e)(3) [R] §60.5365(e)(4) [R] §60.5370(b) [GD] §60.5395(b) [D] §60.5395(c) [R] §60.5395(d)(2)(i) [R] §60.5395(d)(2)(ii) [GR] §60.5395(f) [R] §60.5410(h) [R] §60.5420(a)(1)		[R] §60.5420(b)(6)(vii) [R] §60.5420(c) [GR] §60.5420(c)(5)	[R] §60.5420(a) [R] §60.5420(a)(1) [R] §60.5420(b) [GR] §60.5420(b)(1) [R] §60.5420(b)(6)(i) [R] §60.5420(b)(6)(ii) [R] §60.5420(b)(6)(iii) [D] §60.5420(b)(6)(iv) [R] §60.5420(b)(6)(vi) [R] §60.5420(b)(7)(i)

Index	Standard	Monitoring/Testing	Recordkeeping	Reporting
15	§60.5400(a)3 Equipment in Vacuum Service <i>[R]</i> §60.5370(b) <i>[R]</i> §60.5400(f) <i>[R]</i> §60.5401(g) <i>[R]</i> §60.5410(f) <i>[R]</i> §60.5420(a)(1) <i>[R]</i> §60.482-1a(a) <i>[R]</i> §60.482-1a(b) <i>[R]</i> §60.482-1a(d) <i>[R]</i> §60.485a(b) <i>[R]</i> §60.486a(a)(1) <i>[R]</i> §60.486a(a)(2) <i>[R]</i> §60.486a(k)	<i>[GR]</i> §60.485a(b)(1) <i>[R]</i> §60.485a(b)(2)	<i>[R]</i> §60.485a(b)(2) <i>[R]</i> §60.486a(e) <i>[R]</i> §60.486a(e)(1) <i>[R]</i> §60.486a(e)(5)	<i>[R]</i> §60.5420(a) <i>[R]</i> §60.5420(a)(1)
16	§60.5400(a)4 Pumps in Light Liquid Service <i>[R]</i> §60.5370(b) <i>[R]</i> §60.5400(d) <i>[R]</i> §60.5400(e) <i>[R]</i> §60.5400(f) <i>[D]</i> §60.5401(d) <i>[R]</i> §60.5410(f) <i>[R]</i> §60.5420(a)(1) <i>[R]</i> §60.482-1a(a) <i>[R]</i> §60.482-1a(b) <i>[R]</i> §60.482-2a(a)(1) <i>[R]</i> §60.482-2a(a)(2) <i>[R]</i> §60.482-2a(b)(1) <i>[R]</i> §60.482-2a(b)(1)(i) <i>[R]</i> §60.482-2a(b)(1)(ii) <i>[R]</i> §60.482-2a(b)(2) <i>[R]</i> §60.482-2a(b)(2)(ii) <i>[R]</i> §60.482-2a(c)(1) <i>[GR]</i> §60.482-2a(c)(2) <i>[R]</i> §60.482-2a(d) <i>[GR]</i> §60.482-2a(d)(1) <i>[R]</i> §60.482-2a(d)(2) <i>[R]</i> §60.482-2a(d)(3) <i>[GR]</i> §60.482-2a(d)(6) <i>[GR]</i> §60.482-2a(e) <i>[R]</i> §60.482-2a(f)	<i>[GR]</i> §60.5401(f) <i>[R]</i> §60.5401(g) <i>[R]</i> §60.482-1a(f)(1) <i>[R]</i> §60.482-1a(f)(2) <i>[GR]</i> §60.482-1a(f)(3) <i>[R]</i> §60.482-2a(b)(2)(i) <i>[GR]</i> §60.482-2a(d)(4) <i>[GR]</i> §60.482-2a(d)(5) <i>[R]</i> §60.482-9a(a) <i>[R]</i> §60.485a(a) <i>[GR]</i> §60.485a(b)(1) <i>[R]</i> §60.485a(b)(2) <i>[R]</i> §60.485a(c)(2) <i>[R]</i> §60.485a(d) <i>[R]</i> §60.485a(d)(2) <i>[R]</i> §60.485a(d)(3) <i>[GR]</i> §60.485a(e)	<i>[R]</i> §60.5420(c) <i>[R]</i> §60.485a(b)(2) <i>[GR]</i> §60.486a(a)(3) <i>[GR]</i> §60.486a(b) <i>[GR]</i> §60.486a(c) <i>[R]</i> §60.486a(e) <i>[R]</i> §60.486a(e)(1) <i>[GR]</i> §60.486a(e)(2) <i>[GR]</i> §60.486a(e)(4) <i>[R]</i> §60.486a(e)(7) <i>[GR]</i> §60.486a(e)(8) <i>[R]</i> §60.486a(f) <i>[R]</i> §60.486a(f)(1) <i>[GR]</i> §60.486a(h)	<i>[R]</i> §60.5420(a) <i>[R]</i> §60.5420(a)(1) <i>[R]</i> §60.487a(a) <i>[R]</i> §60.487a(b) <i>[R]</i> §60.487a(b)(1) <i>[R]</i> §60.487a(b)(3) <i>[R]</i> §60.487a(c) <i>[R]</i> §60.487a(c)(1) <i>[R]</i> §60.487a(c)(2) <i>[R]</i> §60.487a(c)(2)(iii) <i>[R]</i> §60.487a(c)(2)(iv) <i>[R]</i> §60.487a(c)(2)(xi) <i>[R]</i> §60.487a(c)(3) <i>[R]</i> §60.487a(c)(4) <i>[R]</i> §60.487a(e)

Index	Standard	Monitoring/Testing	Recordkeeping	Reporting
	§60.5400(a) 4 Continued [GR] §60.482-2a(g) [R] §60.482-2a(h) [R] §60.482-9a(a) [R] §60.482-9a(b) [GR] §60.482-9a(d) [R] §60.482-9a(f) [R] §60.485a(b) [R] §60.485a(c) [R] §60.485a(c)(1) [R] §60.485a(f) [R] §60.486a(a)(1) [R] §60.486a(a)(2) [R] §60.486a(k)			
17	§60.5400(a) 5 Pressure Relief Device in Gas/Vapor Service [R] §60.5370(b) [R] §60.5400(d) [R] §60.5400(e) [R] §60.5400(f) [R] §60.5401(b)(1) [R] §60.5401(b)(2) [R] §60.5401(b)(3)(i) [R] §60.5401(b)(3)(ii) [R] §60.5401(b)(4)(i) [R] §60.5401(b)(4)(ii) [D] §60.5401(d) [R] §60.5410(f) [R] §60.5420(a)(1) [GR] §60.5422(b) [R] §60.482-1a(a) [R] §60.482-1a(b) [R] §60.482-4a(a) [R] §60.482-4a(b)(1) [R] §60.482-4a(b)(2) [R] §60.482-4a(c) [R] §60.482-4a(d)(1) [R] §60.482-4a(d)(2) [R] §60.482-9a(a) [R] §60.482-9a(b)	[R] §60.5401(b)(1) [R] §60.5401(g) [R] §60.482-4a(b)(2) [R] §60.482-9a(a) [R] §60.485a(a) [GR] §60.485a(b)(1) [R] §60.485a(b)(2) [R] §60.485a(c)(2) [R] §60.485a(d) [R] §60.485a(d)(2) [R] §60.485a(d)(3)	[R] §60.5420(c) [GD] §60.5421(b) [R] §60.485a(b)(2) [R] §60.486a(e) [R] §60.486a(e)(1) [R] §60.486a(e)(3) [GR] §60.486a(e)(4) [GR] §60.486a(e)(8) [GR] §60.486a(e)(10)	[R] §60.5420(a) [R] §60.5420(a)(1) [R] §60.5422(b) [GR] §60.5422(c) [R] §60.487a(a) [R] §60.487a(b) [R] §60.487a(b)(1) [R] §60.487a(c) [R] §60.487a(c)(1) [R] §60.487a(c)(2) [R] §60.487a(c)(2)(xi) [R] §60.487a(c)(3) [R] §60.487a(c)(4) [R] §60.487a(e)

Index	Standard	Monitoring/Testing	Recordkeeping	Reporting
	§60.5400(a) 5 Continued <i>[R]</i> §60.485a(b) <i>[R]</i> §60.485a(c) <i>[R]</i> §60.485a(c)(1) <i>[R]</i> §60.485a(f) <i>[R]</i> §60.486a(a)(1) <i>[R]</i> §60.486a(a)(2) <i>[R]</i> §60.486a(k)			
18	§60.5400(a) 7 Open-ended Valves or Lines <i>[R]</i> §60.5370(b) <i>[R]</i> §60.5400(d) <i>[R]</i> §60.5400(e) <i>[R]</i> §60.5400(f) <i>[R]</i> §60.5410(f) <i>[R]</i> §60.5420(a)(1) <i>[R]</i> §60.482-1a(a) <i>[R]</i> §60.482-1a(b) <i>[R]</i> §60.482-6a(a)(1) <i>[R]</i> §60.482-6a(a)(2) <i>[R]</i> §60.482-6a(b) <i>[R]</i> §60.482-6a(c) <i>[R]</i> §60.482-6a(d) <i>[R]</i> §60.482-6a(e) <i>[R]</i> §60.485a(b) <i>[R]</i> §60.485a(f) <i>[R]</i> §60.486a(a)(1) <i>[R]</i> §60.486a(a)(2) <i>[R]</i> §60.486a(k)	<i>[R]</i> §60.5401(g) <i>[R]</i> §60.485a(a) [GR] §60.485a(b)(1) <i>[R]</i> §60.485a(b)(2) <i>[R]</i> §60.485a(d) <i>[R]</i> §60.485a(d)(2) <i>[R]</i> §60.485a(d)(3)	<i>[R]</i> §60.5420(c) <i>[R]</i> §60.485a(b)(2) <i>[R]</i> §60.486a(e) <i>[R]</i> §60.486a(e)(1) [GR] §60.486a(e)(8)	<i>[R]</i> §60.5420(a) <i>[R]</i> §60.5420(a)(1) <i>[R]</i> §60.487a(a) <i>[R]</i> §60.487a(b) <i>[R]</i> §60.487a(b)(1) <i>[R]</i> §60.487a(c) <i>[R]</i> §60.487a(c)(1) <i>[R]</i> §60.487a(c)(2) <i>[R]</i> §60.487a(c)(2)(xi) <i>[R]</i> §60.487a(c)(3) <i>[R]</i> §60.487a(c)(4) <i>[R]</i> §60.487a(e)
19	§60.5400(a) 8 Valves in Gas/Vapor and Light Liquid Service <i>[R]</i> §60.5370(b) <i>[R]</i> §60.5400(d) <i>[R]</i> §60.5400(e) <i>[R]</i> §60.5400(f) <i>[R]</i> §60.5401(d) <i>[R]</i> §60.5410(f) <i>[R]</i> §60.5420(a)(1) <i>[R]</i> §60.482-1a(a) <i>[R]</i> §60.482-1a(b)	[GR] §60.5401(f) <i>[R]</i> §60.5401(g) <i>[R]</i> §60.482-1a(f)(1) <i>[R]</i> §60.482-1a(f)(2) [GR] §60.482-1a(f)(3) <i>[R]</i> §60.485a(a) [GR] §60.485a(b)(1) <i>[R]</i> §60.485a(b)(2) <i>[R]</i> §60.485a(c)(2) <i>[R]</i> §60.485a(d) <i>[R]</i> §60.485a(d)(2)	<i>[R]</i> §60.5420(c) <i>[R]</i> §60.485a(b)(2) [GR] §60.486a(a)(3) [GR] §60.486a(b) [GR] §60.486a(c) <i>[R]</i> §60.486a(e) <i>[R]</i> §60.486a(e)(1) [GR] §60.486a(e)(2) [GR] §60.486a(e)(4) [GR] §60.486a(e)(8) <i>[R]</i> §60.486a(f)	<i>[R]</i> §60.5420(a) <i>[R]</i> §60.5420(a)(1) <i>[R]</i> §60.487a(a) <i>[R]</i> §60.487a(b) <i>[R]</i> §60.487a(b)(1) <i>[R]</i> §60.487a(b)(2) <i>[R]</i> §60.487a(c) <i>[R]</i> §60.487a(c)(1) <i>[R]</i> §60.487a(c)(2) <i>[R]</i> §60.487a(c)(2)(i) <i>[R]</i> §60.487a(c)(2)(ii)

Index	Standard	Monitoring/Testing	Recordkeeping	Reporting
	§60.5400(a) 8 Continued <i>[R]</i> §60.482-7a(a)(1) <i>[GR]</i> §60.482-7a(a)(2) <i>[R]</i> §60.482-7a(b) <i>[GR]</i> §60.482-7a(c) <i>[GR]</i> §60.482-7a(d) <i>[GR]</i> §60.482-7a(e) <i>[GR]</i> §60.482-7a(f) <i>[GR]</i> §60.482-7a(g) <i>[GR]</i> §60.482-7a(h) <i>[R]</i> §60.485a(b) <i>[R]</i> §60.485a(c) <i>[R]</i> §60.485a(c)(1) <i>[R]</i> §60.485a(f) <i>[R]</i> §60.486a(a)(1) <i>[R]</i> §60.486a(a)(2) <i>[R]</i> §60.486a(k)	<i>[R]</i> §60.485a(d)(3) <i>[GR]</i> §60.485a(e)	<i>[R]</i> §60.486a(f)(1) <i>[R]</i> §60.486a(f)(2)	<i>[R]</i> §60.487a(c)(2)(xi) <i>[R]</i> §60.487a(c)(3) <i>[R]</i> §60.487a(c)(4) <i>[R]</i> §60.487a(e)
20	§60.5400(a) 9 Pumps in Heavy Liquid Service <i>[R]</i> §60.5370(b) <i>[R]</i> §60.5400(d) <i>[R]</i> §60.5400(e) <i>[R]</i> §60.5400(f) <i>[R]</i> §60.5410(f) <i>[R]</i> §60.5420(a)(1) <i>[R]</i> §60.482-1a(a) <i>[R]</i> §60.482-1a(b) <i>[GR]</i> §60.482-2a(c)(2) <i>[GR]</i> §60.482-7a(e) <i>[R]</i> §60.482-8a(a) <i>[R]</i> §60.482-8a(a)(2) <i>[R]</i> §60.482-8a(b) <i>[GR]</i> §60.482-8a(c) <i>[R]</i> §60.482-8a(d) <i>[R]</i> §60.482-9a(a) <i>[R]</i> §60.482-9a(b) <i>[GR]</i> §60.482-9a(d) <i>[R]</i> §60.482-9a(f) <i>[R]</i> §60.485a(b) <i>[R]</i> §60.485a(f) <i>[R]</i> §60.486a(a)(1)	<i>[R]</i> §60.5401(g) <i>[R]</i> §60.482-8a(a)(1) <i>[R]</i> §60.482-9a(a) <i>[R]</i> §60.485a(a) <i>[GR]</i> §60.485a(b)(1) <i>[R]</i> §60.485a(b)(2) <i>[R]</i> §60.485a(d) <i>[R]</i> §60.485a(d)(2) <i>[R]</i> §60.485a(d)(3)	<i>[R]</i> §60.5420(c) <i>[R]</i> §60.485a(b)(2) <i>[GR]</i> §60.486a(a)(3) <i>[GR]</i> §60.486a(b) <i>[GR]</i> §60.486a(c) <i>[R]</i> §60.486a(e) <i>[R]</i> §60.486a(e)(1) <i>[GR]</i> §60.486a(e)(8)	<i>[R]</i> §60.5420(a) <i>[R]</i> §60.5420(a)(1) <i>[R]</i> §60.487a(a) <i>[R]</i> §60.487a(b) <i>[R]</i> §60.487a(b)(1) <i>[R]</i> §60.487a(c) <i>[R]</i> §60.487a(c)(1) <i>[R]</i> §60.487a(c)(2) <i>[R]</i> §60.487a(c)(2)(xi) <i>[R]</i> §60.487a(c)(3) <i>[R]</i> §60.487a(c)(4) <i>[R]</i> §60.487a(e)

Index	Standard	Monitoring/Testing	Recordkeeping	Reporting
	§60.5400(a) 9 Continued <i>[R]</i> §60.486a(a)(2) <i>[R]</i> §60.486a(k)			
21	§60.5400(a) 10 Valves in Heavy Liquid Service <i>[R]</i> §60.5370(b) <i>[R]</i> §60.5400(d) <i>[R]</i> §60.5400(e) <i>[R]</i> §60.5400(f) <i>[R]</i> §60.5410(f) <i>[R]</i> §60.5420(a)(1) <i>[R]</i> §60.482-1a(a) <i>[R]</i> §60.482-1a(b) <i>[GR]</i> §60.482-2a(c)(2) <i>[GR]</i> §60.482-7a(e) <i>[R]</i> §60.482-8a(a) <i>[R]</i> §60.482-8a(a)(2) <i>[R]</i> §60.482-8a(b) <i>[GR]</i> §60.482-8a(c) <i>[R]</i> §60.482-8a(d) <i>[R]</i> §60.482-9a(a) <i>[R]</i> §60.482-9a(b) <i>[GR]</i> §60.482-9a(c) <i>[R]</i> §60.482-9a(e) <i>[R]</i> §60.482-9a(f) <i>[R]</i> §60.485a(b) <i>[R]</i> §60.485a(f) <i>[R]</i> §60.486a(a)(1) <i>[R]</i> §60.486a(a)(2) <i>[R]</i> §60.486a(k)	<i>[R]</i> §60.5401(g) <i>[R]</i> §60.482-8a(a)(1) <i>[R]</i> §60.482-9a(a) <i>[R]</i> §60.485a(a) <i>[GR]</i> §60.485a(b)(1) <i>[R]</i> §60.485a(b)(2) <i>[R]</i> §60.485a(d) <i>[R]</i> §60.485a(d)(2) <i>[R]</i> §60.485a(d)(3)	<i>[R]</i> §60.5420(c) <i>[R]</i> §60.485a(b)(2) <i>[GR]</i> §60.486a(a)(3) <i>[GR]</i> §60.486a(b) <i>[GR]</i> §60.486a(c) <i>[R]</i> §60.486a(e) <i>[R]</i> §60.486a(e)(1) <i>[GR]</i> §60.486a(e)(8)	<i>[R]</i> §60.5420(a) <i>[R]</i> §60.5420(a)(1) <i>[R]</i> §60.487a(a) <i>[R]</i> §60.487a(b) <i>[R]</i> §60.487a(b)(1) <i>[R]</i> §60.487a(c) <i>[R]</i> §60.487a(c)(1) <i>[R]</i> §60.487a(c)(2) <i>[R]</i> §60.487a(c)(2)(xi) <i>[R]</i> §60.487a(c)(3) <i>[R]</i> §60.487a(c)(4) <i>[R]</i> §60.487a(e)
22	§60.5400(a) 11 Connectors in Heavy Liquid Service <i>[R]</i> §60.5370(b) <i>[R]</i> §60.5400(d) <i>[R]</i> §60.5400(e) <i>[R]</i> §60.5400(f) <i>[R]</i> §60.5410(f) <i>[R]</i> §60.5420(a)(1) <i>[R]</i> §60.482-1a(a) <i>[R]</i> §60.482-1a(b) <i>[GR]</i> §60.482-2a(c)(2)	<i>[R]</i> §60.5401(g) <i>[R]</i> §60.482-8a(a)(1) <i>[R]</i> §60.482-9a(a) <i>[R]</i> §60.485a(a) <i>[GR]</i> §60.485a(b)(1) <i>[R]</i> §60.485a(b)(2) <i>[R]</i> §60.485a(d) <i>[R]</i> §60.485a(d)(2) <i>[R]</i> §60.485a(d)(3)	<i>[R]</i> §60.5420(c) <i>[R]</i> §60.485a(b)(2) <i>[GR]</i> §60.486a(a)(3) <i>[GR]</i> §60.486a(b) <i>[GR]</i> §60.486a(c) <i>[R]</i> §60.486a(e) <i>[R]</i> §60.486a(e)(1) <i>[GR]</i> §60.486a(e)(8)	<i>[R]</i> §60.5420(a) <i>[R]</i> §60.5420(a)(1) <i>[R]</i> §60.487a(a) <i>[R]</i> §60.487a(b) <i>[R]</i> §60.487a(b)(1) <i>[R]</i> §60.487a(c) <i>[R]</i> §60.487a(c)(1) <i>[R]</i> §60.487a(c)(2) <i>[R]</i> §60.487a(c)(2)(xi) <i>[R]</i> §60.487a(c)(3) <i>[R]</i> §60.487a(c)(4)

Index	Standard	Monitoring/Testing	Recordkeeping	Reporting
	§60.5400(a) 11 Continued [GR]§60.482-7a(e) [R]§60.482-8a(a) [R]§60.482-8a(a)(2) [R]§60.482-8a(b) [GR]§60.482-8a(c) [R]§60.482-8a(d) [R]§60.482-9a(a) [R]§60.482-9a(b) [GR]§60.482-9a(c) [R]§60.482-9a(f) [R]§60.485a(b) [R]§60.485a(f) [R]§60.486a(a)(1) [R]§60.486a(a)(2) [R]§60.486a(k)			[R]§60.487a(e)
23	§60.5400(a) 12 Pressure Relief Device in Light Liquid or Heavy Liquid Service [R]§60.5370(b) [R]§60.5400(d) [R]§60.5400(e) [R]§60.5400(f) [R]§60.5410(f) [R]§60.5420(a)(1) [R]§60.482-1a(a) [R]§60.482-1a(b) [GR]§60.482-2a(c)(2) [GR]§60.482-7a(e) [R]§60.482-8a(a) [R]§60.482-8a(a)(2) [R]§60.482-8a(b) [GR]§60.482-8a(c) [R]§60.482-8a(d) [R]§60.482-9a(a) [R]§60.482-9a(b) [R]§60.485a(b) [R]§60.485a(f) [R]§60.486a(a)(1) [R]§60.486a(a)(2) [R]§60.486a(k)	[GR]§60.5401(f) [R]§60.5401(g) [R]§60.482-8a(a)(1) [R]§60.482-9a(a) [R]§60.485a(a) [GR]§60.485a(b)(1) [R]§60.485a(b)(2) [R]§60.485a(d) [R]§60.485a(d)(2) [R]§60.485a(d)(3) [GR]§60.485a(e)	[R]§60.5420(c) [R]§60.485a(b)(2) [GR]§60.486a(a)(3) [GR]§60.486a(b) [GR]§60.486a(c) [R]§60.486a(e) [R]§60.486a(e)(1) [GR]§60.486a(e)(8)	[R]§60.5420(a) [R]§60.5420(a)(1) [R]§60.487a(a) [R]§60.487a(b) [R]§60.487a(b)(1) [R]§60.487a(c) [R]§60.487a(c)(1) [R]§60.487a(c)(2) [R]§60.487a(c)(2)(xi) [R]§60.487a(c)(3) [R]§60.487a(c)(4) [R]§60.487a(e)

Index	Standard	Monitoring/Testing	Recordkeeping	Reporting
24	§60.5400(a) 13 Vapor Recovery Systems <i>[R]</i> §60.5370(b) <i>[R]</i> §60.5400(d) <i>[R]</i> §60.5400(e) <i>[R]</i> §60.5400(f) <i>[R]</i> §60.5410(f) <i>[R]</i> §60.5420(a)(1) <i>[R]</i> §60.482-1a(a) <i>[R]</i> §60.482-1a(b) <i>[R]</i> §60.482-10a(a) <i>[R]</i> §60.482-10a(b) <i>[R]</i> §60.482-10a(m) <i>[R]</i> §60.485a(b) <i>[R]</i> §60.485a(c) <i>[R]</i> §60.485a(c)(1) <i>[R]</i> §60.485a(f) <i>[R]</i> §60.486a(a)(1) <i>[R]</i> §60.486a(a)(2) <i>[R]</i> §60.486a(k)	<i>[R]</i> §60.5401(g) <i>[R]</i> §60.482-10a(e) <i>[R]</i> §60.485a(a) [GR] §60.485a(b)(1) <i>[R]</i> §60.485a(b)(2) <i>[R]</i> §60.485a(c)(2) <i>[R]</i> §60.485a(d) <i>[R]</i> §60.485a(d)(2) <i>[R]</i> §60.485a(d)(3)	<i>[R]</i> §60.5420(c) <i>[R]</i> §60.485a(b)(2) <i>[R]</i> §60.486a(e) <i>[R]</i> §60.486a(e)(1) [GR] §60.486a(e)(8)	<i>[R]</i> §60.5420(a) <i>[R]</i> §60.5420(a)(1) <i>[R]</i> §60.487a(a) <i>[R]</i> §60.487a(b) <i>[R]</i> §60.487a(b)(1) <i>[R]</i> §60.487a(c) <i>[R]</i> §60.487a(c)(1) <i>[R]</i> §60.487a(c)(2) <i>[R]</i> §60.487a(c)(2)(xi) <i>[R]</i> §60.487a(c)(3) <i>[R]</i> §60.487a(c)(4) <i>[R]</i> §60.487a(e)
25	§60.5400(a) 14 Enclosed Combustion Devices <i>[R]</i> §60.5370(b) <i>[R]</i> §60.5400(d) <i>[R]</i> §60.5400(e) <i>[R]</i> §60.5400(f) <i>[R]</i> §60.5410(f) <i>[R]</i> §60.5420(a)(1) <i>[R]</i> §60.482-1a(a) <i>[R]</i> §60.482-1a(b) <i>[R]</i> §60.482-10a(a) <i>[R]</i> §60.482-10a(c) <i>[R]</i> §60.482-10a(m) <i>[R]</i> §60.485a(b) <i>[R]</i> §60.485a(c) <i>[R]</i> §60.485a(c)(1) <i>[R]</i> §60.485a(f) <i>[R]</i> §60.486a(a)(1) <i>[R]</i> §60.486a(a)(2) <i>[R]</i> §60.486a(k)	<i>[R]</i> §60.5401(g) <i>[R]</i> §60.482-10a(e) <i>[R]</i> §60.485a(a) [GR] §60.485a(b)(1) <i>[R]</i> §60.485a(b)(2) <i>[R]</i> §60.485a(c)(2) <i>[R]</i> §60.485a(d) <i>[R]</i> §60.485a(d)(2) <i>[R]</i> §60.485a(d)(3)	<i>[R]</i> §60.5420(c) <i>[R]</i> §60.485a(b)(2) <i>[R]</i> §60.486a(e) <i>[R]</i> §60.486a(e)(1) [GR] §60.486a(e)(8)	<i>[R]</i> §60.5420(a) <i>[R]</i> §60.5420(a)(1) <i>[R]</i> §60.487a(a) <i>[R]</i> §60.487a(b) <i>[R]</i> §60.487a(b)(1) <i>[R]</i> §60.487a(c) <i>[R]</i> §60.487a(c)(1) <i>[R]</i> §60.487a(c)(2) <i>[R]</i> §60.487a(c)(2)(xi) <i>[R]</i> §60.487a(c)(3) <i>[R]</i> §60.487a(c)(4) <i>[R]</i> §60.487a(e)

Index	Standard	Monitoring/Testing	Recordkeeping	Reporting
26	§60.5400(a) 15 Flares <i>[R]</i> §60.5370(b) <i>[R]</i> §60.5400(d) <i>[R]</i> §60.5400(e) <i>[R]</i> §60.5400(f) <i>[R]</i> §60.5410(f) <i>[R]</i> §60.5420(a)(1) <i>[R]</i> §60.18(b) <i>[R]</i> §60.482-1a(a) <i>[R]</i> §60.482-1a(b) <i>[R]</i> §60.482-10a(a) <i>[R]</i> §60.482-10a(d) <i>[R]</i> §60.482-10a(m) <i>[R]</i> §60.485a(b) <i>[R]</i> §60.485a(c) <i>[R]</i> §60.485a(c)(1) <i>[R]</i> §60.485a(f) <i>[R]</i> §60.486a(a)(1) <i>[R]</i> §60.486a(a)(2) <i>[R]</i> §60.486a(k)	<i>[R]</i> §60.5401(g) <i>[R]</i> §60.482-10a(e) <i>[R]</i> §60.485a(a) [GR] §60.485a(b)(1) <i>[R]</i> §60.485a(b)(2) <i>[R]</i> §60.485a(c)(2) <i>[R]</i> §60.485a(d) <i>[R]</i> §60.485a(d)(2) <i>[R]</i> §60.485a(d)(3) [GR] §60.485a(g)	<i>[R]</i> §60.5420(c) <i>[R]</i> §60.485a(b)(2) <i>[R]</i> §60.486a(e) <i>[R]</i> §60.486a(e)(1) [GR] §60.486a(e)(8)	<i>[R]</i> §60.5420(a) <i>[R]</i> §60.5420(a)(1) <i>[R]</i> §60.487a(a) <i>[R]</i> §60.487a(b) <i>[R]</i> §60.487a(b)(1) <i>[R]</i> §60.487a(c) <i>[R]</i> §60.487a(c)(1) <i>[R]</i> §60.487a(c)(2) <i>[R]</i> §60.487a(c)(2)(xi) <i>[R]</i> §60.487a(c)(3) <i>[R]</i> §60.487a(c)(4) <i>[R]</i> §60.487a(e)
27	§60.5400(a) 16 Closed Vent Systems <i>[R]</i> §60.5370(b) <i>[R]</i> §60.5400(d) <i>[R]</i> §60.5400(e) <i>[R]</i> §60.5400(f) <i>[R]</i> §60.5410(f) <i>[R]</i> §60.5420(a)(1) <i>[R]</i> §60.482-1a(a) <i>[R]</i> §60.482-1a(b) <i>[R]</i> §60.482-10a(a) [GR] §60.482-10a(f) [GR] §60.482-10a(g) <i>[R]</i> §60.482-10a(h) <i>[R]</i> §60.482-10a(i) [GR] §60.482-10a(j) [GR] §60.482-10a(k) <i>[R]</i> §60.482-10a(m) <i>[R]</i> §60.485a(b) <i>[R]</i> §60.486a(a)(1) <i>[R]</i> §60.486a(a)(2) <i>[R]</i> §60.486a(k)	<i>[R]</i> §60.5401(g) <i>[R]</i> §60.485a(a) [GR] §60.485a(b)(1) <i>[R]</i> §60.485a(b)(2) <i>[R]</i> §60.485a(d) <i>[R]</i> §60.485a(d)(2) <i>[R]</i> §60.485a(d)(3)	<i>[R]</i> §60.5420(c) [GR] §60.482-10a(l) <i>[R]</i> §60.485a(b)(2) [GR] §60.486a(d) <i>[R]</i> §60.486a(e) <i>[R]</i> §60.486a(e)(1) [GR] §60.486a(e)(8)	<i>[R]</i> §60.5420(a) <i>[R]</i> §60.5420(a)(1) <i>[R]</i> §60.487a(a) <i>[R]</i> §60.487a(b) <i>[R]</i> §60.487a(b)(1) <i>[R]</i> §60.487a(c) <i>[R]</i> §60.487a(c)(1) <i>[R]</i> §60.487a(c)(2) <i>[R]</i> §60.487a(c)(2)(xi) <i>[R]</i> §60.487a(c)(3) <i>[R]</i> §60.487a(c)(4) <i>[R]</i> §60.487a(e)

Index	Standard	Monitoring/Testing	Recordkeeping	Reporting
28	§60.5400(a) 17 Connectors in Gas/Vapor and Light Liquid Service <i>[R]</i> §60.5370(b) <i>[R]</i> §60.5400(d) <i>[R]</i> §60.5400(e) <i>[R]</i> §60.5400(f) <i>[D]</i> §60.5401(d) <i>[R]</i> §60.5410(f) <i>[R]</i> §60.5420(a)(1) <i>[R]</i> §60.482-9a(a) <i>[R]</i> §60.482-9a(b) <i>[R]</i> §60.482-11a(b)(2) <i>[R]</i> §60.482-11a(b)(3) <i>[R]</i> §60.482-11a(b)(3)(i) <i>[R]</i> §60.482-11a(d) <i>[GR]</i> §60.482-11a(e) <i>[GR]</i> §60.482-11a(f)(1) <i>[R]</i> §60.482-11a(f)(2) <i>[R]</i> §60.482-11a(g) <i>[R]</i> §60.485a(b) <i>[R]</i> §60.486a(a)(1) <i>[R]</i> §60.486a(a)(2) <i>[R]</i> §60.486a(k)	<i>[GR]</i> §60.5401(f) <i>[R]</i> §60.5401(g) <i>[R]</i> §60.482-9a(a) <i>[R]</i> §60.482-11a(a) <i>[R]</i> §60.482-11a(b) <i>[R]</i> §60.482-11a(b)(1) <i>[R]</i> §60.482-11a(b)(3) <i>[R]</i> §60.482-11a(b)(3)(ii) <i>[GR]</i> §60.482-11a(b)(3)(iii) <i>[R]</i> §60.482-11a(b)(3)(iv) <i>[R]</i> §60.482-11a(c) <i>[R]</i> §60.485a(a) <i>[GR]</i> §60.485a(b)(1) <i>[R]</i> §60.485a(b)(2) <i>[R]</i> §60.485a(d) <i>[R]</i> §60.485a(d)(2) <i>[R]</i> §60.485a(d)(3) <i>[GR]</i> §60.485a(e)	<i>[R]</i> §60.5420(c) <i>[R]</i> §60.482-11a(b)(3)(v) <i>[R]</i> §60.485a(b)(2) <i>[GR]</i> §60.486a(a)(3) <i>[GR]</i> §60.486a(b) <i>[GR]</i> §60.486a(c) <i>[R]</i> §60.486a(e) <i>[R]</i> §60.486a(e)(1) <i>[GR]</i> §60.486a(e)(8) <i>[R]</i> §60.486a(e)(9) <i>[R]</i> §60.486a(f) <i>[R]</i> §60.486a(f)(1)	<i>[R]</i> §60.5420(a) <i>[R]</i> §60.5420(a)(1) <i>[R]</i> §60.487a(a) <i>[R]</i> §60.487a(b) <i>[R]</i> §60.487a(b)(1) <i>[R]</i> §60.487a(b)(5) <i>[R]</i> §60.487a(c) <i>[R]</i> §60.487a(c)(1) <i>[R]</i> §60.487a(c)(2) <i>[R]</i> §60.487a(c)(2)(vii) <i>[R]</i> §60.487a(c)(2)(viii) <i>[R]</i> §60.487a(c)(2)(xi) <i>[R]</i> §60.487a(c)(3) <i>[R]</i> §60.487a(c)(4) <i>[R]</i> §60.487a(e)
29	§60.5400(b) Alternative Standard for Valves <i>[R]</i> §60.5370(b) <i>[R]</i> §60.5400(d) <i>[R]</i> §60.5400(e) <i>[R]</i> §60.5400(f) <i>[R]</i> §60.5410(f) <i>[R]</i> §60.5420(a)(1) <i>[R]</i> §60.483-1a(a) <i>[R]</i> §60.483-1a(b) <i>[R]</i> §60.483-1a(b)(3) <i>[R]</i> §60.483-1a(c) <i>[R]</i> §60.483-1a(c)(2) <i>[R]</i> §60.483-1a(c)(3) <i>[R]</i> §60.483-1a(d) <i>[R]</i> §60.483-2a(a)(1) <i>[R]</i> §60.483-2a(b)(1) <i>[R]</i> §60.483-2a(b)(2) <i>[R]</i> §60.483-2a(b)(3)	<i>[GR]</i> §60.5401(f) <i>[R]</i> §60.5401(g) <i>[R]</i> §60.482-1a(f)(1) <i>[R]</i> §60.482-1a(f)(2) <i>[GR]</i> §60.482-1a(f)(3) <i>[R]</i> §60.483-1a(b)(2) <i>[R]</i> §60.483-1a(c)(1) <i>[R]</i> §60.483-2a(b)(7) <i>[R]</i> §60.485a(a) <i>[GR]</i> §60.485a(b)(1) <i>[R]</i> §60.485a(b)(2) <i>[R]</i> §60.485a(d) <i>[R]</i> §60.485a(d)(2) <i>[R]</i> §60.485a(d)(3) <i>[GR]</i> §60.485a(e)	<i>[R]</i> §60.483-2a(b)(6) <i>[R]</i> §60.485a(b)(2) <i>[GR]</i> §60.486a(a)(3) <i>[GR]</i> §60.486a(b) <i>[GR]</i> §60.486a(c) <i>[R]</i> §60.486a(e) <i>[R]</i> §60.486a(e)(1) <i>[GR]</i> §60.486a(e)(8) <i>[GR]</i> §60.486a(g)	<i>[R]</i> §60.5420(a) <i>[R]</i> §60.5420(a)(1) <i>[R]</i> §60.483-1a(b)(1) <i>[R]</i> §60.483-2a(a)(2) <i>[R]</i> §60.487a(a) <i>[R]</i> §60.487a(b) <i>[R]</i> §60.487a(b)(1) <i>[R]</i> §60.487a(c) <i>[R]</i> §60.487a(c)(1) <i>[R]</i> §60.487a(c)(2) <i>[R]</i> §60.487a(c)(2)(i) <i>[R]</i> §60.487a(c)(2)(xi) <i>[R]</i> §60.487a(c)(3) <i>[R]</i> §60.487a(c)(4) <i>[R]</i> §60.487a(d) <i>[R]</i> §60.487a(e)

Index	Standard	Monitoring/Testing	Recordkeeping	Reporting
	§60.5400(b) Continued [R] §60.483-2a(b)(4) [R] §60.483-2a(b)(5) [R] §60.485a(b) [GR] §60.485a(h) [R] §60.486a(a)(1) [R] §60.486a(a)(2) [R] §60.486a(k)			
30	§60.5400(c) Alternative Standard for Fugitive Components [R] §60.5370(b) [R] §60.5402(d)(2) [R] §60.5410(f) [R] §60.5420(a)(1)	[R] §60.5401(g)	[R] §60.5402(d)(1) [R] §60.5402(d)(2)	[R] §60.5402(d)(1) [R] §60.5420(a) [R] §60.5420(a)(1)
31	§60.5405(b)-Table 2 Gas Sweetening Units [R] §60.5370(b) [R] §60.5405(a)-Table 1 [GR] §60.5407(a) [GD] §60.5407(b) [D] §60.5407(c) [GD] §60.5407(d) [D] §60.5407(e) [D] §60.5407(f) [R] §60.5420(a)(1) [R] §60.5423(e)	[R] §60.5406(a) [GR] §60.5406(b) [GR] §60.5406(c) [GR] §60.5407(a) [GD] §60.5407(b) [D] §60.5407(c) [GD] §60.5407(d) [D] §60.5407(e) [D] §60.5407(f) [D] §60.5407(g) [GR] §60.5408 [GR] §60.5410(g)(1) [R] §60.5410(g)(2) [GR] §60.5415(g)	[R] §60.5423(a) [D] §60.5423(d)	[R] §60.5410(g)(3) [R] §60.5420(a) [R] §60.5420(a)(1) [R] §60.5420(b) [GR] §60.5420(b)(1) [GR] §60.5423(b)