



Relationship Entry Screen

Document: Below is a Relationship Entry Screen Table describing 40 CFR Part 60, Subpart GGGa: Standards of Performance for Equipment Leaks of VOC in Petroleum Refineries for Which Construction, Reconstruction, or Modification Commenced After November 7, 2006. For the text of the statute/rule, please go to [40 CFR Part 60, Subpart GGA](#)

Index	Standard	Monitoring/Testing	Recordkeeping	Reporting
1	§60.592a(a) 1 <u>Equipment in Vacuum Service</u> [R]§60.482-1a(a) [R]§60.482-1a(b) [R]§60.482-1a(d) [R]§60.485a(b) [R]§60.486a(a)(1) [R]§60.486a(a)(2) [R]§60.486a(k) [R]§60.592a(d) [R]§60.592a(e)	[GR]§60.485a(b)(1) [R]§60.485a(b)(2)	[R]§60.485a(b)(2) [R]§60.486a(e) [R]§60.486a(e)(1) [R]§60.486a(e)(5)	
2	§60.592a(a) 2 <u>Pumps in Light Liquid Service (LLS)</u> [R]§60.482-1a(a) [R]§60.482-1a(b) [R]§60.482-1a(g) [GR]§60.482-2a(b)(1) [R]§60.482-2a(b)(2) [R]§60.482-2a(b)(2)(ii) [R]§60.482-2a(c)(1) [GR]§60.482-2a(c)(2) [R]§60.482-2a(d) [GR]§60.482-2a(d)(1) [R]§60.482-2a(d)(2) [R]§60.482-2a(d)(3) [GR]§60.482-2a(d)(6) [GR]§60.482-2a(e) [R]§60.482-2a(f) [GR]§60.482-2a(g) [R]§60.482-2a(h) [R]§60.482-9a(a) [R]§60.482-9a(b) [GR]§60.482-9a(d) [R]§60.482-9a(f)	[R]§60.482-1a(f)(1) [R]§60.482-1a(f)(2) [GR]§60.482-1a(f)(3) [R]§60.482-1a(g) [R]§60.482-2a(a)(1) [R]§60.482-2a(a)(2) [R]§60.482-2a(b)(2)(i) [GR]§60.482-2a(d)(4) [GR]§60.482-2a(d)(5) [R]§60.482-9a(a) [R]§60.485a(a) [GR]§60.485a(b)(1) [R]§60.485a(b)(2) [R]§60.485a(c)(2) [GR]§60.485a(d) [GR]§60.485a(e) [R]§60.593a(d)	[R]§60.482-1a(g) [R]§60.485a(b)(2) [GR]§60.486a(a)(3) [GR]§60.486a(b) [GR]§60.486a(c) [R]§60.486a(e) [R]§60.486a(e)(1) [GR]§60.486a(e)(2) [GR]§60.486a(e)(4) [R]§60.486a(e)(7) [GR]§60.486a(e)(8) [R]§60.486a(f) [R]§60.486a(f)(1) [GR]§60.486a(h)	[R]§60.487a(a) [R]§60.487a(b) [R]§60.487a(b)(1) [R]§60.487a(b)(3) [R]§60.487a(c) [R]§60.487a(c)(1) [R]§60.487a(c)(2) [R]§60.487a(c)(2)(iii) [R]§60.487a(c)(2)(iv) [R]§60.487a(c)(2)(xi) [R]§60.487a(c)(3) [R]§60.487a(c)(4)

Index	Standard	Monitoring/Testing	Recordkeeping	Reporting
	[R]§60.485a(b) [R]§60.485a(c) [R]§60.485a(c)(1) [R]§60.485a(f) [R]§60.486a(a)(1) [R]§60.486a(a)(2) [R]§60.486a(k) [R]§60.592a(d) [R]§60.592a(e)			
3	§60.592a(a) 3 <u>Reciprocating Compressors</u> [R]§60.482-1a(a) [R]§60.482-1a(b) [R]§60.482-1a(g) [R]§60.482-3a(a) [GR]§60.482-3a(b) [R]§60.482-3a(c) [R]§60.482-3a(d) [R]§60.482-3a(e)(2) [R]§60.482-3a(f) [GR]§60.482-3a(g) [R]§60.482-3a(h) [GR]§60.482-3a(i) [R]§60.482-3a(j) [R]§60.482-9a(a) [R]§60.482-9a(b) [R]§60.485a(b) [R]§60.485a(c) [R]§60.485a(c)(1) [R]§60.485a(f) [R]§60.486a(a)(1) [R]§60.486a(a)(2) [R]§60.486a(k) [R]§60.592a(d) [R]§60.592a(e) [R]§60.593a(c)	[R]§60.482-1a(g) [R]§60.482-3a(e)(1) [R]§60.482-9a(a) [R]§60.485a(a) [GR]§60.485a(b)(1) [R]§60.485a(b)(2) [R]§60.485a(c)(2) [GR]§60.485a(d) [R]§60.593a(d)	[R]§60.482-1a(g) [R]§60.485a(b)(2) [GR]§60.486a(a)(3) [GR]§60.486a(b) [GR]§60.486a(c) [R]§60.486a(e) [R]§60.486a(e)(1) [GR]§60.486a(e)(2) [GR]§60.486a(e)(4) [GR]§60.486a(e)(8) [GR]§60.486a(h)	[R]§60.487a(a) [R]§60.487a(b) [R]§60.487a(b)(1) [R]§60.487a(b)(4) [R]§60.487a(c) [R]§60.487a(c)(1) [R]§60.487a(c)(2) [R]§60.487a(c)(2)(v) [R]§60.487a(c)(2)(vi) [R]§60.487a(c)(2)(xi) [R]§60.487a(c)(3) [R]§60.487a(c)(4) [R]§60.487a(e)

Index	Standard	Monitoring/Testing	Recordkeeping	Reporting
4	§60.592a(a) 4 Compressors [R]§60.482-1a(a) [R]§60.482-1a(b) [R]§60.482-1a(g) [R]§60.482-3a(a) [GR]§60.482-3a(b) [R]§60.482-3a(c) [R]§60.482-3a(d) [R]§60.482-3a(e)(2) [R]§60.482-3a(f) [GR]§60.482-3a(g) [R]§60.482-3a(h) [GR]§60.482-3a(i) [R]§60.482-3a(j) [R]§60.482-9a(a) [R]§60.482-9a(b) [R]§60.485a(b) [R]§60.485a(c) [R]§60.485a(c)(1) [R]§60.485a(f) [R]§60.486a(a)(1) [R]§60.486a(a)(2) [R]§60.486a(k) [R]§60.592a(d) [R]§60.592a(e)	[R]§60.482-1a(g) [R]§60.482-3a(e)(1) [R]§60.482-9a(a) [R]§60.485a(a) [GR]§60.485a(b)(1) [R]§60.485a(b)(2) [R]§60.485a(c)(2) [GR]§60.485a(d) [R]§60.593a(d)	[R]§60.482-1a(g) [R]§60.485a(b)(2) [GR]§60.486a(a)(3) [GR]§60.486a(b) [GR]§60.486a(c) [R]§60.486a(e) [R]§60.486a(e)(1) [GR]§60.486a(e)(2) [GR]§60.486a(e)(4) [GR]§60.486a(e)(8) [GR]§60.486a(h)	[R]§60.487a(a) [R]§60.487a(b) [R]§60.487a(b)(1) [R]§60.487a(b)(4) [R]§60.487a(c) [R]§60.487a(c)(1) [R]§60.487a(c)(2) [R]§60.487a(c)(2)(v) [R]§60.487a(c)(2)(vi) [R]§60.487a(c)(2)(xi) [R]§60.487a(c)(3) [R]§60.487a(c)(4) [R]§60.487a(e)
5	§60.592a(a) 5 Pressure Relief Devices in Gas/Vapor Service [R]§60.482-1a(a) [R]§60.482-1a(b) [R]§60.482-1a(g) [R]§60.482-4a(a) [R]§60.482-4a(b)(1) [R]§60.482-4a(b)(2) [R]§60.482-4a(c) [R]§60.482-4a(d)(1) [R]§60.482-4a(d)(2) [R]§60.482-9a(a) [R]§60.482-9a(b) [R]§60.485a(b) [R]§60.485a(c) [R]§60.485a(c)(1)	[R]§60.482-1a(g) [R]§60.482-4a(b)(2) [R]§60.482-9a(a) [R]§60.485a(a) [GR]§60.485a(b)(1) [R]§60.485a(b)(2) [R]§60.485a(c)(2) [GR]§60.485a(d) [R]§60.593a(d)	[R]§60.482-1a(g) [R]§60.485a(b)(2) [R]§60.486a(e) [R]§60.486a(e)(1) [R]§60.486a(e)(3) [GR]§60.486a(e)(4) [GR]§60.486a(e)(8) [R]§60.486a(e)(10)	[R]§60.487a(a) [R]§60.487a(b) [R]§60.487a(b)(1) [R]§60.487a(c) [R]§60.487a(c)(1) [R]§60.487a(c)(2) [R]§60.487a(c)(2)(xi) [R]§60.487a(c)(3) [R]§60.487a(c)(4) [R]§60.487a(e)

Index	Standard	Monitoring/Testing	Recordkeeping	Reporting
	[R]§60.485a(f) [R]§60.486a(a)(1) [R]§60.486a(a)(2) [R]§60.486a(k) [R]§60.592a(d) [R]§60.592a(e)			
6	§60.592a(a) 6 <u>Sampling Connection Systems</u> [R]§60.482-1a(a) [R]§60.482-1a(b) [R]§60.482-1a(g) [R]§60.482-5a(a) [GR]§60.482-5a(b) [R]§60.482-5a(c) [R]§60.485a(b) [R]§60.485a(f) [R]§60.486a(a)(1) [R]§60.486a(a)(2) [R]§60.486a(k) [R]§60.592a(d) [R]§60.592a(e)	[R]§60.482-1a(g) [R]§60.485a(a) [GR]§60.485a(b)(1) [R]§60.485a(b)(2) [GR]§60.485a(d) [R]§60.593a(d)	[R]§60.482-1a(g) [R]§60.485a(b)(2) [R]§60.486a(e) [R]§60.486a(e)(1) [GR]§60.486a(e)(8)	[R]§60.487a(a) [R]§60.487a(b) [R]§60.487a(b)(1) [R]§60.487a(c) [R]§60.487a(c)(1) [R]§60.487a(c)(2) [R]§60.487a(c)(2)(xi) [R]§60.487a(c)(3) [R]§60.487a(c)(4) [R]§60.487a(e)
7	§60.592a(a) 7 <u>Open-Ended Valves and Lines</u> [R]§60.482-1a(a) [R]§60.482-1a(b) [R]§60.482-1a(g) [R]§60.482-6a(a)(1) [R]§60.482-6a(a)(2) [R]§60.482-6a(b) [R]§60.482-6a(c) [R]§60.482-6a(d) [R]§60.482-6a(e) [R]§60.485a(b) [R]§60.485a(f) [R]§60.486a(a)(1) [R]§60.486a(a)(2) [R]§60.486a(k) [R]§60.592a(d) [R]§60.592a(e)	[R]§60.482-1a(g) [R]§60.485a(a) [GR]§60.485a(b)(1) [R]§60.485a(b)(2) [GR]§60.485a(d) [R]§60.593a(d)	[R]§60.482-1a(g) [R]§60.485a(b)(2) [R]§60.486a(e) [R]§60.486a(e)(1) [GR]§60.486a(e)(8)	[R]§60.487a(a) [R]§60.487a(b) [R]§60.487a(b)(1) [R]§60.487a(c) [R]§60.487a(c)(1) [R]§60.487a(c)(2) [R]§60.487a(c)(2)(xi) [R]§60.487a(c)(3) [R]§60.487a(c)(4) [R]§60.487a(e)

Index	Standard	Monitoring/Testing	Recordkeeping	Reporting
8	§60.592a(a) <u>8 Valves in Gas/Vapor or LLS</u> [R]§60.482-1a(a) [R]§60.482-1a(b) [R]§60.482-1a(g) [R]§60.482-7a(a)(1) [R]§60.482-7a(b) [GR]§60.482-7a(d) [GR]§60.482-7a(e) [GR]§60.482-7a(f) [GR]§60.482-7a(g) [GR]§60.482-7a(h) [R]§60.482-9a(a) [R]§60.482-9a(b) [GR]§60.482-9a(c) [R]§60.482-9a(e) [R]§60.482-9a(f) [R]§60.485a(b) [R]§60.485a(c) [R]§60.485a(c)(1) [R]§60.485a(f) [R]§60.486a(a)(1) [R]§60.486a(a)(2) [R]§60.486a(k) [R]§60.592a(d) [R]§60.592a(e)	[R]§60.482-1a(f)(1) [R]§60.482-1a(f)(2) [GR]§60.482-1a(f)(3) [R]§60.482-1a(g) [R]§60.482-7a(a)(1) [GR]§60.482-7a(a)(2) [GR]§60.482-7a(c) [R]§60.482-9a(a) [R]§60.485a(a) [GR]§60.485a(b)(1) [R]§60.485a(b)(2) [R]§60.485a(c)(2) [GR]§60.485a(d) [GR]§60.485a(e) [R]§60.593a(d)	[R]§60.482-1a(g) [R]§60.485a(b)(2) [GR]§60.486a(a)(3) [GR]§60.486a(b) [GR]§60.486a(c) [R]§60.486a(e) [R]§60.486a(e)(1) [GR]§60.486a(e)(2) [GR]§60.486a(e)(4) [GR]§60.486a(e)(8) [R]§60.486a(f) [R]§60.486a(f)(1) [R]§60.486a(f)(2)	[R]§60.487a(a) [R]§60.487a(b) [R]§60.487a(b)(1) [R]§60.487a(b)(2) [R]§60.487a(c) [R]§60.487a(c)(1) [R]§60.487a(c)(2) [R]§60.487a(c)(2)(i) [R]§60.487a(c)(2)(ii) [R]§60.487a(c)(2)(xi) [R]§60.487a(c)(3) [R]§60.487a(c)(4) [R]§60.487a(e)
9	§60.592a(a) <u>9 Pumps in Heavy Liquid Service (HLS)</u> [R]§60.482-1a(a) [R]§60.482-1a(b) [R]§60.482-1a(g) [GR]§60.482-2a(c)(2) [GR]§60.482-7a(e) [R]§60.482-8a(a) [R]§60.482-8a(a)(2) [R]§60.482-8a(b) [GR]§60.482-8a(c) [R]§60.482-8a(d) [R]§60.482-9a(a) [R]§60.482-9a(b)	[R]§60.482-1a(g) [R]§60.482-8a(a)(1) [R]§60.482-9a(a) [R]§60.485a(a) [GR]§60.485a(b)(1) [R]§60.485a(b)(2) [GR]§60.485a(d) [GR]§60.485a(e) [R]§60.593a(d)	[R]§60.482-1a(g) [R]§60.485a(b)(2) [GR]§60.486a(a)(3) [GR]§60.486a(b) [GR]§60.486a(c) [R]§60.486a(e) [R]§60.486a(e)(1) [GR]§60.486a(e)(8)	[R]§60.487a(a) [R]§60.487a(b) [R]§60.487a(b)(1) [R]§60.487a(c) [R]§60.487a(c)(1) [R]§60.487a(c)(2) [R]§60.487a(c)(2)(xi) [R]§60.487a(c)(3) [R]§60.487a(c)(4) [R]§60.487a(e)

Index	Standard	Monitoring/Testing	Recordkeeping	Reporting
	[GR]§60.482-9a(d) [R]§60.482-9a(f) [R]§60.485a(b) [R]§60.485a(f) [R]§60.486a(a)(1) [R]§60.486a(a)(2) [R]§60.486a(k) [R]§60.592a(d) [R]§60.592a(e)			
10	§60.592a(a) 10 <u>Valves in HLS</u> [R]§60.482-1a(a) [R]§60.482-1a(b) [R]§60.482-1a(g) [GR]§60.482-2a(c)(2) [GR]§60.482-7a(e) [R]§60.482-8a(a) [R]§60.482-8a(a)(2) [R]§60.482-8a(b) [GR]§60.482-8a(c) [R]§60.482-8a(d) [R]§60.482-9a(a) [R]§60.482-9a(b) [GR]§60.482-9a(c) [R]§60.482-9a(e) [R]§60.482-9a(f) [R]§60.485a(b) [R]§60.485a(f) [R]§60.486a(a)(1) [R]§60.486a(a)(2) [R]§60.486a(k) [R]§60.592a(d) [R]§60.592a(e)	[R]§60.482-1a(g) [R]§60.482-8a(a)(1) [R]§60.482-9a(a) [R]§60.485a(a) [GR]§60.485a(b)(1) [R]§60.485a(b)(2) [GR]§60.485a(d) [GR]§60.485a(e) [R]§60.593a(d)	[R]§60.482-1a(g) [R]§60.485a(b)(2) [GR]§60.486a(a)(3) [GR]§60.486a(b) [GR]§60.486a(c) [R]§60.486a(e) [R]§60.486a(e)(1) [GR]§60.486a(e)(8)	[R]§60.487a(a) [R]§60.487a(b) [R]§60.487a(b)(1) [R]§60.487a(c) [R]§60.487a(c)(1) [R]§60.487a(c)(2) [R]§60.487a(c)(2)(xi) [R]§60.487a(c)(3) [R]§60.487a(c)(4) [R]§60.487a(e)

Index	Standard	Monitoring/Testing	Recordkeeping	Reporting
11	§60.592a(a) 11 <u>Connectors in HLS</u> [R]§60.482-1a(a) [R]§60.482-1a(b) [R]§60.482-1a(g) [GR]§60.482-2a(c)(2) [GR]§60.482-7a(e) [R]§60.482-8a(a) [R]§60.482-8a(a)(2) [R]§60.482-8a(b) [GR]§60.482-8a(c) [R]§60.482-8a(d) [R]§60.482-9a(a) [R]§60.482-9a(b) [GR]§60.482-9a(c) [R]§60.482-9a(f) [R]§60.485a(b) [R]§60.485a(f) [R]§60.486a(a)(1) [R]§60.486a(a)(2) [R]§60.486a(k) [R]§60.592a(d) [R]§60.592a(e)	[R]§60.482-1a(g) [R]§60.482-8a(a)(1) [R]§60.482-9a(a) [R]§60.485a(a) [GR]§60.485a(b)(1) [R]§60.485a(b)(2) [GR]§60.485a(d) [GR]§60.485a(e) [R]§60.593a(d)	[R]§60.482-1a(g) [R]§60.485a(b)(2) [GR]§60.486a(a)(3) [GR]§60.486a(b) [GR]§60.486a(c) [R]§60.486a(e) [R]§60.486a(e)(1) [GR]§60.486a(e)(8)	[R]§60.487a(a) [R]§60.487a(b) [R]§60.487a(b)(1) [R]§60.487a(c) [R]§60.487a(c)(1) [R]§60.487a(c)(2) [R]§60.487a(c)(2)(xi) [R]§60.487a(c)(3) [R]§60.487a(c)(4) [R]§60.487a(e)
12	§60.592a(a) 12 <u>Pressure Relief Devices in LLS</u> [R]§60.482-1a(a) [R]§60.482-1a(b) [R]§60.482-1a(g) [GR]§60.482-2a(c)(2) [GR]§60.482-7a(e) [R]§60.482-8a(a) [R]§60.482-8a(a)(2) [R]§60.482-8a(b) [GR]§60.482-8a(c) [R]§60.482-8a(d) [R]§60.482-9a(a) [R]§60.482-9a(b) [R]§60.485a(b) [R]§60.485a(f) [R]§60.486a(a)(1) [R]§60.486a(a)(2)	[R]§60.482-1a(g) [R]§60.482-8a(a)(1) [R]§60.482-9a(a) [R]§60.485a(a) [GR]§60.485a(b)(1) [R]§60.485a(b)(2) [GR]§60.485a(d) [GR]§60.485a(e) [R]§60.593a(d)	[R]§60.482-1a(g) [R]§60.485a(b)(2) [GR]§60.486a(a)(3) [GR]§60.486a(b) [GR]§60.486a(c) [R]§60.486a(e) [R]§60.486a(e)(1) [GR]§60.486a(e)(8)	[R]§60.487a(a) [R]§60.487a(b) [R]§60.487a(b)(1) [R]§60.487a(c) [R]§60.487a(c)(1) [R]§60.487a(c)(2) [R]§60.487a(c)(2)(xi) [R]§60.487a(c)(3) [R]§60.487a(c)(4) [R]§60.487a(e)

Index	Standard	Monitoring/Testing	Recordkeeping	Reporting
	[R]§60.486a(k) [R]§60.592a(d) [R]§60.592a(e)			
13	§60.592a(a) 13 <u>Pressure Relief Devices in HLS</u> [R]§60.482-1a(a) [R]§60.482-1a(b) [R]§60.482-1a(g) [GR]§60.482-2a(c)(2) [GR]§60.482-7a(e) [R]§60.482-8a(a) [R]§60.482-8a(a)(2) [R]§60.482-8a(b) [GR]§60.482-8a(c) [R]§60.482-8a(d) [R]§60.482-9a(a) [R]§60.482-9a(b) [R]§60.485a(b) [R]§60.485a(f) [R]§60.486a(a)(1) [R]§60.486a(a)(2) [R]§60.486a(k) [R]§60.592a(d) [R]§60.592a(e)	[R]§60.482-1a(g) [R]§60.482-8a(a)(1) [R]§60.482-9a(a) [R]§60.485a(a) [GR]§60.485a(b)(1) [R]§60.485a(b)(2) [GR]§60.485a(d) [GR]§60.485a(e) [R]§60.593a(d)	[R]§60.482-1a(g) [R]§60.485a(b)(2) [GR]§60.486a(a)(3) [GR]§60.486a(b) [GR]§60.486a(c) [R]§60.486a(e) [R]§60.486a(e)(1) [GR]§60.486a(e)(8)	[R]§60.487a(a) [R]§60.487a(b) [R]§60.487a(b)(1) [R]§60.487a(c) [R]§60.487a(c)(1) [R]§60.487a(c)(2) [R]§60.487a(c)(2)(xi) [R]§60.487a(c)(3) [R]§60.487a(c)(4) [R]§60.487a(e)
14	§60.592a(a) 14 <u>Closed-Vent Systems</u> [R]§60.482-10a(a) [GR]§60.482-10a(f) [GR]§60.482-10a(g) [R]§60.482-10a(h) [R]§60.482-10a(i) [GR]§60.482-10a(j) [GR]§60.482-10a(k) [R]§60.482-10a(m) [R]§60.485a(b) [R]§60.486a(a)(1) [R]§60.486a(a)(2) [R]§60.486a(k) [R]§60.592a(d) [R]§60.592a(e)	[R]§60.485a(a) [GR]§60.485a(b)(1) [R]§60.485a(b)(2) [GR]§60.485a(d) [R]§60.593a(d)	[GR]§60.482-10a(l) [R]§60.485a(b)(2) [GR]§60.486a(d) [R]§60.486a(e) [R]§60.486a(e)(1) [GR]§60.486a(e)(8)	[R]§60.487a(a) [R]§60.487a(b) [R]§60.487a(b)(1) [R]§60.487a(c) [R]§60.487a(c)(1) [R]§60.487a(c)(2) [R]§60.487a(c)(2)(xi) [R]§60.487a(c)(3) [R]§60.487a(c)(4) [R]§60.487a(e)

Index	Standard	Monitoring/Testing	Recordkeeping	Reporting
15	§60.592a(a) 15 <u>Vapor Recovery Systems</u> [R]§60.482-1a(a) [R]§60.482-1a(b) [R]§60.482-1a(g) [R]§60.482-10a(a) [R]§60.482-10a(b) [R]§60.482-10a(m) [R]§60.485a(b) [R]§60.485a(c) [R]§60.485a(c)(1) [R]§60.485a(f) [R]§60.486a(a)(1) [R]§60.486a(a)(2) [R]§60.486a(k) [R]§60.592a(d) [R]§60.592a(e)	[R]§60.482-1a(g) [R]§60.482-10a(e) [R]§60.485a(a) [GR]§60.485a(b)(1) [R]§60.485a(b)(2) [R]§60.485a(c)(2) [GR]§60.485a(d) [R]§60.593a(d)	[R]§60.482-1a(g) [R]§60.485a(b)(2) [R]§60.486a(e) [R]§60.486a(e)(1) [GR]§60.486a(e)(8)	[R]§60.487a(a) [R]§60.487a(b) [R]§60.487a(b)(1) [R]§60.487a(c) [R]§60.487a(c)(1) [R]§60.487a(c)(2) [R]§60.487a(c)(2)(xi) [R]§60.487a(c)(3) [R]§60.487a(c)(4) [R]§60.487a(e)
16	§60.592a(a) 16 <u>Enclosed Combustion Devices</u> [R]§60.482-1a(a) [R]§60.482-1a(b) [R]§60.482-1a(g) [R]§60.482-10a(a) [R]§60.482-10a(c) [R]§60.482-10a(m) [R]§60.485a(b) [R]§60.485a(c) [R]§60.485a(c)(1) [R]§60.485a(f) [R]§60.486a(a)(1) [R]§60.486a(a)(2) [R]§60.486a(k) [R]§60.592a(d) [R]§60.592a(e)	[R]§60.482-1a(g) [R]§60.482-10a(e) [R]§60.485a(a) [GR]§60.485a(b)(1) [R]§60.485a(b)(2) [R]§60.485a(c)(2) [GR]§60.485a(d) [R]§60.593a(d)	[R]§60.482-1a(g) [R]§60.485a(b)(2) [R]§60.486a(e) [R]§60.486a(e)(1) [GR]§60.486a(e)(8)	[R]§60.487a(a) [R]§60.487a(b) [R]§60.487a(b)(1) [R]§60.487a(c) [R]§60.487a(c)(1) [R]§60.487a(c)(2) [R]§60.487a(c)(2)(xi) [R]§60.487a(c)(3) [R]§60.487a(c)(4) [R]§60.487a(e)

Index	Standard	Monitoring/Testing	Recordkeeping	Reporting
17	§60.592a(a) 17 <u>Flares</u> [R]§60.18 [R]§60.482-1a(a) [R]§60.482-1a(b) [R]§60.482-1a(g) [R]§60.482-10a(a) [R]§60.482-10a(d) [R]§60.482-10a(m) [R]§60.485a(b) [R]§60.485a(c) [R]§60.485a(c)(1) [R]§60.485a(f) [R]§60.486a(a)(1) [R]§60.486a(a)(2) [R]§60.486a(k) [R]§60.592a(d) [R]§60.592a(e)	[R]§60.482-1a(g) [R]§60.482-10a(e) [R]§60.485a(a) [GR]§60.485a(b)(1) [R]§60.485a(b)(2) [R]§60.485a(c)(2) [GR]§60.485a(d) [GR]§60.485a(g) [R]§60.593a(d)	[R]§60.482-1a(g) [R]§60.485a(b)(2) [R]§60.486a(e) [R]§60.486a(e)(1) [GR]§60.486a(e)(8)	[R]§60.487a(a) [R]§60.487a(b) [R]§60.487a(b)(1) [R]§60.487a(c) [R]§60.487a(c)(1) [R]§60.487a(c)(2) [R]§60.487a(c)(2)(xi) [R]§60.487a(c)(3) [R]§60.487a(c)(4) [R]§60.487a(e)
18	§60.592a(b)(1) <u>Alternative Standards for Valves in Gas/Vapor or LLS</u> [R]§60.483-1a(a) [R]§60.483-1a(b) [R]§60.483-1a(b)(3) [R]§60.483-1a(c) [R]§60.483-1a(c)(2) [R]§60.483-1a(c)(3) [R]§60.483-1a(d) [R]§60.485a(b) [GR]§60.485a(h) [R]§60.486a(a)(1) [R]§60.486a(a)(2) [R]§60.486a(k) [R]§60.592a(b) [R]§60.592a(d) [R]§60.592a(e)	[R]§60.482-1a(f)(1) [R]§60.482-1a(f)(2) [GR]§60.482-1a(f)(3) [R]§60.483-1a(b)(2) [R]§60.483-1a(c)(1) [R]§60.485a(a) [GR]§60.485a(b)(1) [R]§60.485a(b)(2) [GR]§60.485a(e) [R]§60.593a(d)	[R]§60.483-2a(b)(6) [R]§60.485a(b)(2) [GR]§60.486a(a)(3) [GR]§60.486a(b) [GR]§60.486a(c) [GR]§60.486a(e)(8) [GR]§60.486a(g)	[R]§60.483-1a(b)(1) [R]§60.483-2a(a)(2) [R]§60.487a(c) [R]§60.487a(c)(1) [R]§60.487a(c)(2) [R]§60.487a(c)(2)(xi) [R]§60.487a(c)(3) [R]§60.487a(c)(4) [R]§60.487a(d) [R]§60.487a(e)
19	§60.592a(b)(2) <u>Alternative Standards for Valves in Gas/Vapor or LLS</u> [R]§60.483-2a(a)(1) [R]§60.483-2a(b)(1) [R]§60.483-2a(b)(2) [R]§60.483-2a(b)(3)	[R]§60.483-2a(b)(7) [R]§60.485a(a) [GR]§60.485a(b)(1) [R]§60.485a(b)(2) [GR]§60.485a(e) [R]§60.593a(d)	[R]§60.483-2a(b)(6) [R]§60.485a(b)(2) [GR]§60.486a(a)(3) [GR]§60.486a(b) [GR]§60.486a(c) [GR]§60.486a(e)(8)	[R]§60.483-2a(a)(2) [R]§60.487a(c) [R]§60.487a(c)(1) [R]§60.487a(c)(2) [R]§60.487a(c)(2)(xi) [R]§60.487a(c)(3)

Index	Standard	Monitoring/Testing	Recordkeeping	Reporting
	[R]§60.483-2a(b)(4) [R]§60.483-2a(b)(5) [R]§60.485a(b) [GR]§60.485a(h) [R]§60.486a(a)(1) [R]§60.486a(a)(2) [R]§60.486a(k) [R]§60.592a(b) [R]§60.592a(d) [R]§60.592a(e)		[GR]§60.486a(g)	[R]§60.487a(c)(4) [R]§60.487a(d) [R]§60.487a(e)
20	§60.592a(b)(3) <u>Alternative Standards for Valves in Gas/Vapor or LLS</u> [GR]§60.482-7a(f) [R]§60.592a(b) [R]§60.592a(d) [R]§60.592a(e) [GR]§63.168 [GR]§63.175	[R]§60.485a(a) [GR]§60.485a(c) [R]§60.593a(d) [GR]§63.168 [GR]§63.175 [GR]§63.180(b)	[GR]§60.486a(a)(3) [R]§60.486a(e) [R]§60.486a(e)(1) [R]§63.181(c) [GR]§63.181(d) [R]§63.181(h) [GR]§63.181(h)(1) [GR]§63.181(h)(2) [R]§63.181(h)(4) [GR]§63.181(h)(5) [R]§63.181(h)(6) [R]§63.181(h)(7) [R]§63.181(h)(9)	[R]§60.487a(a) [R]§60.487a(b)(1) [R]§60.487a(c)(1) [R]§60.487a(e) [R]§60.487a(f) [GR]§63.182(a) [GR]§63.182(b)
21	§60.592a(c) <u>Equivalent Emission Limitation</u> [R]§60.482-1a(a) [R]§60.482-1a(b) [GR]§60.482-1a(c) [R]§60.484a(a) [R]§60.484a(b) [R]§60.484a(b)(2) [R]§60.484a(b)(3) [R]§60.484a(c) [R]§60.484a(c)(2) [R]§60.484a(c)(3) [R]§60.484a(c)(4) [R]§60.484a(c)(5) [R]§60.484a(c)(6) [R]§60.484a(d) [R]§60.484a(e)(3)	[GR]§60.485a(b)(1) [R]§60.485a(b)(2) [R]§60.593a(d)	[R]§60.484a(b)(1) [R]§60.484a(c)(1) [R]§60.484a(c)(4) [R]§60.485a(b)(2) [R]§60.486a(e) [R]§60.486a(e)(1)	[R]§60.487a(c) [R]§60.487a(c)(1) [R]§60.487a(c)(2) [R]§60.487a(c)(2)(xi) [R]§60.487a(c)(3) [R]§60.487a(c)(4) [R]§60.487a(e)

Index	Standard	Monitoring/Testing	Recordkeeping	Reporting
	[R]§60.485a(b) [R]§60.486a(a)(1) [R]§60.486a(a)(2) [R]§60.486a(k) [R]§60.592a(d) [R]§60.592a(e)			
22	§60.593a(b)(1) <u>Compressor in Hydrogen Service</u>	[R]§60.593a(b)(2) [GR]§60.593a(b)(3)		
23	§60.593a(f) <u>Open-Ended Valves or Lines Containing Asphalt</u> [R]§60.482-1a(a) [R]§60.482-1a(g)	[R]§60.482-1a(g) [R]§60.485a(a) [GR]§60.485a(b)(1) [R]§60.485a(b)(2) [GR]§60.485a(d)	[R]§60.482-1a(g) [R]§60.485a(b)(2) [R]§60.486a(e) [R]§60.486a(e)(1) [GR]§60.486a(e)(8)	[R]§60.487a(a) [R]§60.487a(b) [R]§60.487a(b)(1) [R]§60.487a(c) [R]§60.487a(c)(1) [R]§60.487a(c)(2) [R]§60.487a(c)(2)(xi) [R]§60.487a(c)(3) [R]§60.487a(c)(4) [R]§60.487a(e)
24	§60.593a(g) <u>Connectors in Light Liquid Service</u> [R]§60.482-9a(a) [R]§60.482-9a(b) [GR]§60.482-9a(c) [R]§60.482-9a(f) [R]§60.482-11a(b)(2) [R]§60.482-11a(b)(3) [R]§60.482-11a(d) [GR]§60.482-11a(e) [GR]§60.482-11a(f)(1) [R]§60.482-11a(f)(2) [R]§60.482-11a(g) [R]§60.485a(b) [R]§60.486a(a)(1) [R]§60.486a(a)(2) [R]§60.486a(k) [R]§60.592a(d) [R]§60.592a(e)	[R]§60.482-9a(a) [R]§60.482-11a(a) [R]§60.482-11a(b) [R]§60.482-11a(b)(1) [R]§60.482-11a(b)(3) [R]§60.482-11a(b)(3)(i) [R]§60.482-11a(b)(3)(ii) [GR]§60.482-11a(b)(3)(iii) [R]§60.482-11a(b)(3)(iv) [R]§60.482-11a(c) [R]§60.485a(a) [GR]§60.485a(b)(1) [R]§60.485a(b)(2) [GR]§60.485a(d) [GR]§60.485a(e) [R]§60.593a(d)	[R]§60.482-11a(b)(3)(v) [R]§60.485a(b)(2) [GR]§60.486a(a)(3) [GR]§60.486a(b) [GR]§60.486a(c) [R]§60.486a(e) [R]§60.486a(e)(1) [GR]§60.486a(e)(8) [R]§60.486a(e)(9) [R]§60.486a(f) [R]§60.486a(f)(1)	[R]§60.487a(a) [R]§60.487a(b) [R]§60.487a(b)(1) [R]§60.487a(b)(5) [R]§60.487a(c) [R]§60.487a(c)(1) [R]§60.487a(c)(2) [R]§60.487a(c)(2)(i) [R]§60.487a(c)(2)(vii) [R]§60.487a(c)(2)(viii) [R]§60.487a(c)(2)(xi) [R]§60.487a(c)(3) [R]§60.487a(c)(4) [R]§60.487a(e)